

NOTICES

DEPARTMENT OF AGRICULTURE

Designation of Dangerous Transmissible Diseases

Section 2 of the act of April 17, 1929 (P. L. 533, § 2) (3 P. S. § 342), as amended, authorizes the Department of Agriculture (Department) to designate those diseases which are of a dangerous transmissible nature. Under this authority, the Department hereby proclaims the following diseases of poultry to be of a dangerous transmissible nature:

1. Ornithosis caused by *Chylamdia psittaci*;
2. Avian encephalomyelitis caused by encephalomyelitis virus; and
3. Paramyxovirus disease, other than Newcastle disease, caused by Paramyxovirus.

This proclamation will allow the Department to require the reporting of these diseases and to track the incidents of these diseases in the Commonwealth's poultry population. This information is required by certain foreign nations as a prerequisite to the importation of poultry and poultry products. The effect of this proclamation, therefore, will be to facilitate the flow of Pennsylvania-produced poultry and poultry products in international commerce.

This notice shall be effective upon publication in the *Pennsylvania Bulletin*.

CHARLES C. BROSIUS,
Secretary

[Pa.B. Doc. No. 96-538. Filed for public inspection April 5, 1996, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 26, 1996.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
3-22-96	CoreStates Financial Corp., Philadelphia, to acquire 100% of the voting shares of Meridian Bancorp, Inc., Reading	Philadelphia	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-18-96	Bank of Hanover and Trust Company Hanover York County	1511 Kenneth Road York York County	Opened
3-18-96	Beneficial Mutual Savings Bank Philadelphia Philadelphia County	Edgmtown Square Shopping Center 4821 West Chester Pike Edgmtown Delaware County (Temporary Location)	Opened
3-18-96	Integra Bank Pittsburgh Allegheny County	One Oxford Centre Pittsburgh Allegheny County	Opened
3-20-96	Standard Bank, PaSB Murrysville Westmoreland County	Davis Supermarket Latrobe 30 Plaza Latrobe Westmoreland County	Opened
3-22-96	The Drivers & Mechanics Bank York York County	Adjacent to Shipley Stores Dover Square Intersection of East Canal Rd. and Main St. (Route 74) Dover York County	Filed

NOTICES

1567

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-22-96	The Drivers & Mechanics Bank York York County	Southeast Intersection of Church Road and Susquehanna Trail (Route 238) Manchester Twp. York County	Filed
3-22-96	Sun Bank Selinsgrove Snyder County	96 Duke Street Northumberland Northumberland County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-22-96	Dauphin Deposit Bank and Trust Company Harrisburg Dauphin County	3091 Carlisle Road Dover York County	Approved
3-22-96	Meridian Bank Reading Berks County	Jackson Street Thompson Susquehanna County	Effective
3-22-96	Meridian Bank Reading Berks County	Main Street Little Meadows Susquehanna County	Effective
3-22-96	Meridian Bank Reading Berks County	Richardson Avenue Shohola Pike County	Effective
3-22-96	Meridian Bank Reading Berks County	Route 370 and Lake Como Road Lakewood Wayne County	Effective

SAVINGS ASSOCIATIONS**Branch Applications**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
3-22-96	First Financial Savings Association Downingtown Chester County	82 Quarry Road Downingtown Chester County	Approved

Main Office Relocation

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
3-11-96	Quaint Oak Building and Loan Association Feasterville Lower Southampton Twp. Bucks County	<i>To:</i> 607 Lakeside Drive Southampton Upper Southampton Twp. Bucks County <i>From:</i> 52 East Street Road Feasterville Lower Southampton Twp. Bucks County	Filed

CREDIT UNIONS

No activity.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-539. Filed for public inspection April 5, 1996, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Availability of Education for Homeless Children and Youth Program Funds for Federal Fiscal Year 1997

I. Authorization

The Education for Homeless Children and Youth Program is authorized by the Stewart B. McKinney Homeless Assistance Act of 1987, Title VII, Subtitle B. The program was amended by the McKinney Homeless Assistance Act Amendments of 1990 and more recently under the Improving America's Schools Act of 1994, Title III—Part B, (P. L. 103-382). The program is authorized to provide funds through the Department of Education for the establishment of local Education for Homeless Children and Youth projects.

II. Intent

Pennsylvania's Education For Homeless Children and Youth State Plan informs local school districts of their responsibility to homeless children and youth; provides policies that bring the State into compliance with Federal law; and outlines specific local, regional and Statewide activities to assure homeless students equal access to quality education.

The Department of Education intends to allocate and administer grants to eligible local education agencies (LEAs) including school districts, consortia of districts and intermediate units to develop a project of local coordination of services for homeless children to support programs and activities that address the barriers to educating these children.

III. Goal

The goal of the Education for Homeless Children and Youth is to ensure homeless children and youth a free appropriate public education on an equal basis with all other children in the State. Program objectives and activities are intended to remove and/or ease the barriers to enrollment and educational success for homeless children.

The main objectives of the program are to:

- increase awareness about the needs of homeless children and youth;
- reveal possible educational barriers;
- explain legislation and policies already in place which overcome these barriers; and
- provide practical strategies for working with homeless children and youth.

III. Program and Eligibility Requirement

LEAs with significant identified homeless populations are eligible for a grant to provide comprehensive services to address the educational needs of homeless children and youth.

Each local project funded under the Education for Homeless Children and Youth Program must designate a homeless education liaison to serve as a project manager to coordinate services between the schools, shelters and community agencies, work with school officials and community agencies to remove barriers identified in the State Plan and provide direct services to support the education of homeless students.

IV. Duration of Projects

The "grant period" (or duration of an Education for Homeless Children and Youth grant) will be for a term of 3 years provided that sufficient progress is made towards meeting program objectives. The Commonwealth will not, however, issue a 3 year contract. Each year, or "grant year," grantees will be required to apply for continuation funding. At the end of the grant period, grantees will be authorized to reapply and compete with other applicants for another 3 year grant.

V. Funding

The estimated FY 97 appropriation for Pennsylvania is 1 million, of which 95% is available for distribution to new and continuation projects. The minimum award will be \$70,000. Successful applicants will be notified of funding at the earliest possible time to allow the project to begin October 1, 1996. All project funding is dependent upon receipt of Stewart B. McKinney Homeless Assistance Funds from the United States Department of Education.

VI. Preproposal Session

A preproposal session will be held during the 1996 Annual Conference of the PA Association of Federal Program Coordinators (PAFPC), April 21—24, 1996 at Seven Springs Resort, Champion, PA.

VII. Letter of Intent

Prospective applicants who desire a funding application should submit, by mail or fax, a letter of intent, signed by the chief administrator (that is, superintendent or executive director) not later than April 19, 1996, to the Department of Education, Division of Early Childhood and Family Education, Education for Homeless Children and Youth Program, 333 Market Street, 5th Floor, Harrisburg, PA 17126-0333.

EUGENE W. HICKOK, Jr.,
Secretary

[Pa.B. Doc. No. 96-540. Filed for public inspection April 5, 1996, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived his right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0001627. Industrial waste, SIC: 4911, **Duquesne Light Company**, 411 Seventh Avenue, P. O. Box 1930, Pittsburgh, PA 15230-1930.

This application is for amendment of an NPDES permit to discharge treated process water from the Cheswick Power Station in Springdale Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Little Deer Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Oakmont Borough Municipal Authority, located 2.4 miles below the discharge point.

Outfall 002: new discharge, design flow of 12.375 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Suspended Solids			35		70
Aluminum			1.2		2.4
Iron			2.6		5.2
Manganese			0.87		1.74
Molybdenum			monitor only		
Tin			monitor only		
Titanium			monitor only		
Beryllium			0.01		0.02
Cadmium			0.003		0.006
Chromium, hex			0.006		0.012
Silver			0.02		0.04
Thallium			0.018		0.036
Copper			0.033		0.066
Pentachlorophenol			0.004		0.008
pH	6.0—9.0				

Outfalls 010 and 011: new discharges to Little Deer Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

These discharges shall consist solely of uncontaminated stormwater runoff from the LeFever Ash Disposal Site.

The EPA waiver is not in effect.

PA 0205079. Industrial waste, SIC: 2086 and 2087, **Daily Juice Products**, 1 Daily Way, Verona, PA 15147.

This application is for issuance of an NPDES permit to discharge cooling water and stormwater from beverage making operations in Verona Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters Plum Creek classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of

evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Fox Chapel Water Authority, located at Fox Chapel, 2.0 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.0215 mgd.

<i>Parameter</i>	<i>Instantaneous Maximum 2/month estimate</i>
<i>Flow (mgd)</i>	
Temperature (°F)	
January 1—31	74.2
February 1—29	77.4
March 1—September 30	110.0
October 1—15	102.8
October 16—31	96.8
November 1—15	92.2
November 16—30	77.4
December 1—31	67.6
pH	between 6.0 and 9.0 s.u. at all times

Outfall 002: new discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This outfall shall consist of stormwater runoff					

Outfall 003: new discharge, design flow of 0.036 mgd.

<i>Parameter</i>	<i>Instantaneous Maximum 2/month estimate</i>
<i>Flow (mgd)</i>	
Temperature (°F)	
January 1—31	74.2
February 1—29	77.4
March 1—September 30	110.0
October 1—15	102.8
October 16—31	96.8
November 1—15	92.2
November 16—30	77.4
December 1—31	67.6
pH	between 6.0 and 9.0 s.u. at all times

Outfall 004: new discharge, design flow of 0.048 mgd.

<i>Parameter</i>	<i>Instantaneous Maximum 2/month estimate</i>
<i>Flow (mgd)</i>	
Temperature (°F)	
January 1—31	74.2
February 1—29	77.4
March 1—September 30	110.0
October 1—15	102.8
October 16—31	96.8
November 1—15	92.2
November 16—30	77.4
December 1—31	67.6
pH	between 6.0 and 9.0 s.u. at all times

The EPA waiver is in effect.

PA 0205419. Industrial waste, SIC: 3312, **Dynamet, Inc.**, Powder Products Division, 600 Mayer Street, Bridgeville, PA 15017.

This application is for issuance of an NPDES permit to discharge untreated cooling water, stormwater, groundwater seepage and cooling tower blowdown from the Bridgeville facility in Collier Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Chartiers Creek, classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of

evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is West View Water Company, located at West View, over 15 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0081 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)			monitor and report		
Temperature (°F)					110
pH	6.0—9.0 s.u.				

Other Conditions: Special Conditions apply to stormwater discharge, to chemical additives to closed-loop cooling system, and to cooling water discharge.

The EPA waiver is in effect.

PA 0003921. Industrial waste, SIC: 5171, **Sun Company, Inc.**, Ten Penn Center, 1801 Market Street, Philadelphia, PA 19103.

This application is for renewal of an NPDES permit to discharge treated stormwater and for discharge of hydrostatic test water from the Blawnox Marketing Terminal in O'Hara Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny River, classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Wilksburg-Penn Joint Water Authority, located about 2 miles below the discharge point.

Outfalls 001 and 002: existing discharge of stormwater.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)			monitor/report		
Oil and Grease Total Recoverable					15
Petroleum Hydrocarbons			monitor/report		
pH	6.0—9.0				

Other Conditions: Special conditions for Petroleum Marketing Terminals, and for discharge of storage tank hydrostatic test water are included.

The EPA waiver is in effect.

PA 0022292. Sewage, **Ebensburg Borough Municipal Authority**, 300 West High Street, Ebensburg, PA 15931.

This application is for renewal of an NPDES permit to discharge treated sewage from the Ebensburg Wastewater Treatment Plant in Cambria Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Howells Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Water Authority.

Outfall 001: existing discharge, new design flow of 1.5 mgd.

Parameter	Concentration (mg/l)				
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum	
CBOD ₅	25	38		50	
Suspended Solids	30	45		60	
Ammonia Nitrogen (5-1 to 10-31)	2.0	3.0		4.0	
(11-1 to 4-30)	3.5	5.2		7.0	
Phosphorus	1.5	2.3		3.0	
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean				
(10-1 to 4-30)	2,000/100 ml as a geometric mean				
Total Residual Chlorine	monitor and report				
Issue date through 36th month	monitor and report				
37th month through expiration	.08			.27	
Dissolved Oxygen	not less than 6.0 mg/l				
pH	6.0—9.0				

Other Conditions: 002 and 003 to serve as combined sewer overflows.

The EPA waiver is not in effect.

PA 0205249. Sewage, **Dollar Bank**, 3 Gateway Center 10 North, Pittsburgh, PA 15222.

This application is for renewal of an NPDES permit to discharge treated sewage from the Timber Creek Farms Sewage Treatment Plant in Marshall Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Big Sewickley Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority on the Ohio River.

Outfall 001: existing discharge, design flow of 0.00665 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly 25</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum 50</i>
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	2			4
(11-1 to 4-30)	3			6
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month	monitor and report			
37th month—expiration	0.04			0.09
Dissolved Oxygen	not less than 6 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Oil and Gas Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6860.

PA 0105295. Industrial waste, SIC: 1311 (Crude Oil Production). **Minard Run Oil Company**, P. O. Box 18, Bradford, PA 16701.

This application is for renewal of an NPDES permit to discharge treated industrial wastewater to Lewis Run in Lafayette Township, **McKean County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA/NY state border on Tunungwant Creek, approximately 13 miles below point of discharge.

The proposed discharge limits for Outfall No. 002, based on a design flow of 0.021 mgd are:

<i>Parameter Flow (mgd)</i>	<i>Average Monthly (mg/l)</i>	<i>Daily Maximum 0.021</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	30		60
Oil and Grease	15		30
Total Iron	3.5		7
Alkalinity		greater than acidity	
Acidity		less than alkalinity	
Benzene	0.475	0.95	1.19
Silver	0.002	0.004	0.005
Zinc	0.104	0.208	0.260
Cadmium	0.004	0.008	0.010
Osmotic Pressure (mOs/kg)	monitor and report		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0021598. Sewage. **Conneaut Lake Joint Municipal Authority**, First Street Extension, Conneaut Lake, PA 16316.

This application is a renewal of a Part I NPDES permit to discharge treated sewage to French Creek in Sadsbury Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Franklin General Authority and French Creek located at Franklin, in Sadsbury Township, Crawford County, approximately 21 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after chlorine contact tank) based on a design flow of 1.175 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	15	22.5	30
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	4.2		8.4
(11-1 to 4-30)	12.6		25.2
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	6,000/100 ml as a geometric average		
Total Residual Chlorine (Interim Limits)			
(Final Limits)	.19		.6
pH	6.0—9.0 at all times		

The EPA waiver is not in effect.

PA 0025569. Sewage. **Slippery Rock Municipal Authority**, P. O. Box 157, Slippery Rock, PA 16057.

This application is a renewal of a Part I NPDES permit to discharge treated sewage to the Connoquenessing Creek in Slippery Rock Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of North Sewickley Township in North Sewickley Township on the Beaver River, approximately 32 miles below the discharge.

The proposed effluent limits, based on a design flow of 1.2 mgd are:

Outfall No. 001 (Discharge to UNT Slippery Rock Cr.) Interim Limits

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	2.1		4.2
(11-1 to 4-30)	6.3		12.6
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
Total Residual Chlorine	monitor and report		
pH	6.0—9.0 at all times		

The proposed effluent limits, based on a design flow of 1.2 mgd are:

Outfall No. 001 (Discharge to Slippery Rock Cr.) Final Limits

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Ammonia-Nitrogen	15		30
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	24,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.6
pH	6.0—9.0 at all times		

The EPA waiver is not in effect.

PA 0005053. Industrial waste, SIC: 4911. **Pennsylvania Electric Company**, Warren Generating Station, 2325 Pennsylvania Avenue—West Ext., Warren, PA 16365.

This application is for a renewal of an NPDES permit to discharge treated industrial waste, noncontact cooling water and stormwater to the Allegheny River in Conewango Township, **Warren County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company and the Allegheny River located at Emlenton, approximately 72 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 55.46 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on monthly DMRs		
Total Residual Chlorine			.2
Heat Rejection Rate	15,306 x 10 ⁶ (BTU)		
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 002 based on a design flow of 2.21 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on monthly DMRs		
Total Suspended Solids	30	100	
Oil and Grease	15	20	30

The proposed discharge limits for Outfall No. 003 based on a design flow of 2.21 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on monthly DMRs		
Total Suspended Solids	30	100	
Oil and Grease	15	20	30

The proposed discharge limits for Outfall No. 004 based on a design flow of N/A mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on monthly DMRs		
Total Suspended Solids	30	100	
Oil and Grease	15	20	30

There shall be no discharge from this outfall except for a discharge that occurs as a result of a 10 year/24 hour or larger rainfall event. Each discharge shall also be monitored for cause, frequency, duration and quantity of flow. This data is to be reported monthly as an attachment to the monthly Discharge Monitoring Reports. The permittee shall submit notice of any discharge to the Department within 24 hours of becoming aware of the discharge [if this information is provided orally, a written submission must be provided within 5 days].

The proposed discharge limits for Outfall No. 005 based on a design flow of N/A mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on monthly DMRs		
Total Suspended Solids	30	100	
Oil and Grease	15	20	30

This discharge shall consist of uncontaminated stormwater runoff only. Refer to Special Condition A in Part C.

The EPA waiver is not in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3666.

PA 0026310. SIC: 4952, **Clearfield Municipal Authority**, 107 East Market Street, Clearfield, PA 16830.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to the West Branch Susquehanna River in Lawrence Township, **Clearfield County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 4.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
Total Residual Chlorine	0.5		1.6
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
pH	6.0—9.0 s.u. at all times		

Other Conditions:

- (1) Combined Sewer Overflow (CSO) monitoring.
- (2) Total Residual Chlorine limits effective 3 years from permit issuance date. Monitoring and reporting required in the interim.

The EPA waiver is not in effect.

PA 0036773. Sewerage, SIC: 4952, **Shinglehouse Borough**, P. O. Box 156, Shinglehouse, PA 16748.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Honeoye Creek in Shinglehouse Borough, **Potter County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is assumed to be located at the PA/NY border.

The proposed effluent limits for Outfall 001 based on a design flow of 0.16 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(6-1 to 10-31)	25	40	50
(11-1 to 5-31)	40	60	80
TSS			
(6-1 to 10-31)	30	45	60
(11-1 to 5-31)	45	65	90
Total Residual Cl ₂	1		2.3
Fecal Coliforms			
(5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0033316. Sewerage, SIC: 4952, **Knittle Enterprises**, R. R. 1, Box 184, Williamsport, PA 17701.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of Miller's Run in Eldred Township, **Lycoming County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.013 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	12		24
(11-1 to 4-30)	25		50
TSS	30		60
Total Residual Cl ₂	1		2.3
Fecal Coliforms			
(5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0020460. Amendment No. 2, Sewage, **Pennridge Wastewater Treatment Authority**, 180 Maple Avenue, P. O. Box 31, Sellersville, PA 18960.

This application is for amendment of an NPDES permit to discharge treated sewage from Pennridge Wastewater Treatment Authority in West Rockhill Township, **Bucks County**. This is an existing discharge to East Branch Perkiomen Creek.

The receiving stream is classified for warm water fish, trout stocking, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

This amendment reflects a temporary relaxation of the phosphorus effluent limits during the period of a site specific impact study.

Whole Effluent Toxicity Test results indicated no toxicity therefore WET testing and limits are removed from the amendment until next permit renewal.

The following effluent limits for Outfall 001, shall apply during the period beginning at April 1, 1996 and lasting through October 31, 1996.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Phosphorus as P (4-1 to 10-31)	2.0	4.0

The following effluent limits for Outfall 001, shall apply from April 1, 1997 and lasting through expiration:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Phosphorus as P (4-1 to 10-31)	0.5	1.0

Other Conditions:

Toxics Reduction Evaluation for Copper, Cadmium and Mercury final water quality based effluent limitations of 0.0133 mg/l for copper; 0.0026 mg/l for cadmium and 0.00003 mg/l for mercury.

WET Testing results at permit renewal.

Conduct study on the impact of high concentration of phosphorus on the stream.

The EPA waiver is not in effect.

PA 0011657. Industrial waste, **PECO Energy Company**, 2301 Market Street, P. O. Box 8699, Philadelphia, PA 19101-8699.

This application is for revoke and reissuance with 1 year extension of the expiration date of an NPDES permit to discharge treated cooling water from Trigen, Grays Ferry Cogenerating facilities and Schuylkill Generating Station in the City of Philadelphia, **Philadelphia County**. This is an existing discharge to Schuylkill River: Delaware River Estuary Zone 4.

The receiving stream is classified for warm water fish (maintenance only), migratory fish (passage only), industrial water supply, wildlife water supply, boating, fishing and navigation.

The proposed effluent limits for Outfall 001, based on an average flow of 333.8 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
Oil and Grease	15		30
Temperature			110°F
Heat Rejection Rate		1,558 million BTU per hour	
Total Residual Oxidant		0.2	0.5
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for internal discharge monitoring point 101 at the effluent of the neutralizing tank based on an average flow of 0.18 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	
Oil and Grease	15	20	30
Total Copper	1	1	
Total Iron	1	1	
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for internal discharge monitoring point 201 at the effluent of the oil/water separator based on an average flow of 20,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	100	
Oil and Grease	15	20	30
pH	within limits of 6.0—9.0 standard units at all times		

Thermal Requirements.

No Discharge of PCB Compounds

Submission of Final Report on Thermal Modeling Study by July 31, 1997.

The EPA waiver is not in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

PA 0087220. Industrial waste, SIC: 3087, **Sylvin Technologies, Inc.**, Denver Road, P. O. Box 308, Denver, PA 17517.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to Stony Run, in East Cocalico Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Ephrata Area Water Company located in Ephrata Borough, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0053 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		75	94
Total Suspended Solids		monitor	
Temperature		110°F	
Total Arsenic		monitor	
Total Thallium		monitor	
Total Lead		monitor	
pH	6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 100 for a design flow of 0.0045 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅		monitor	
Total Suspended Solids		monitor	
Total Antimony	0.3	0.6	0.75
Total Lead	0.35	0.7	0.88
pH	6.0—9.0 standard units at all times		

The proposed effluent limits for Outfalls 101 and 102 for a design flow of 0.0045 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅		monitor	
Total Suspended Solids		monitor	
Total Antimony	0.3	0.6	0.75
Total Lead	0.35	0.7	0.88
Total Cadmium	0.08	0.16	0.20
pH	6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0087254. Industrial waste, SIC: 3496, **Kalas Manufacturing, Inc.** (Plant No. 3), 25 Main Street, Denver, PA 17517.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to Stony Run, in East Cocalico Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Ephrata Area Water Company located in Ephrata Borough, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0065 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature		110°F	
Total Antimony	0.15	0.3	0.38
Total Cadmium	0.02	0.04	0.05
Total Lead	0.08	0.16	0.2
Total Thallium		monitor	
Total Arsenic		monitor	
pH	within limits of 6—9 s.u. at all times		

The EPA waiver is in effect.

PA 0011169. Industrial waste, SIC: 3351, **Brush Wellman, Inc.**, P. O. Box 973, Reading, PA 19603.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of the Schuylkill River, in Perry Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Pottstown Borough Authority located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed Interim effluent limits for Outfall 001 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s.u.)	within limits of 6—9 standard units at all times		
Total Beryllium		monitor and report	
Hexavalent Chromium		monitor and report	
Total Copper	0.62	1.3	1.55
Total Lead		monitor and report	
Bis (2-Ethylhexyl) Phthalate		monitor and report	
Total Manganese		monitor and report	
Total Suspended Solids	10	20	25
Oil and Grease	15		30
Nitrate		monitor and report	
Nitrite		monitor and report	
Total Dissolved Solids		monitor and report	
Sulfate		monitor and report	
MBAS		monitor and report	

Final Effluent Limits for Outfall 001 continued:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6.5—8.5 s.u. at all times		
Total Beryllium	0.004	0.008	0.01
Hexavalent Chromium	0.013	0.026	0.033
Total Copper	0.015	0.030	0.038
Total Lead	0.004	0.008	0.01
Bis (2-Ethylhexyl) Phthalate	0.003	0.006	0.008
Total Manganese	1.34	2.67	3.35
Total Suspended Solids	10	20	25
Oil and Grease	15		30
Nitrate	10	20	25
Nitrite	1	2	2.5
Total Dissolved Solids	500	1,000	1,250
Sulfate	250	500	625
MBAS		monitor and report	

The proposed Interim effluent limits for Outfall 002 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 s.u. at all times		
CBOD	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	20		40
Fecal Coliforms	200		
Total Lead		monitor and report	
Total Zinc		monitor and report	
Dissolved Oxygen		5.0 mg/l at all times	
Total Residual Chlorine	1.5		2.5
Nitrate		monitor and report	
Nitrite		monitor and report	

The proposed Final effluent limits for Outfall 002 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6.5—8.5 s.u. at all times		
CBOD	10	15	20
Total Suspended Solids	10	15	20
NH ₃ -N	3		6
Fecal Coliforms	200		
Total Lead	0.004		0.008
Total Zinc	0.1		0.2
Dissolved Oxygen		5.0 mg/l at all times	
Total Residual Chlorine	1.5		2.5
Nitrate	10		20
Nitrite	1		2

The proposed Interim effluent limits for Outfall 003 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 s.u. at all times		
Temperature	110°F		
Total Manganese		monitor and report	
Nitrate		monitor and report	
Nitrite		monitor and report	
Total Beryllium		monitor and report	
Total Copper	1.0	2.0	2.5
Total Lead		monitor and report	
Total Dissolved Solids		monitor and report	
Total Suspended Solids		monitor and report	
Osmotic Pressure		monitor and report	

The proposed Final effluent limits for Outfall 003 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6.5—8.5 s.u. at all times		
Temperature	110°F		
Total Manganese	1.337	2.67	3.34
Nitrate	10	20	25
Nitrite	1	2	2.5
Total Beryllium	0.004	0.008	0.01
Total Copper	0.015	0.03	0.038
Total Lead	0.004	0.008	0.01
Total Dissolved Solids	500	1,000	1,250
Total Suspended Solids	10	20	25
Osmotic Pressure		monitor and report	

The proposed Interim effluent limits for Outfall 004 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 s.u. at all times		
Total Suspended Solids	30	60	75
Temperature	110°F		
Nitrate		monitor and report	
Nitrite		monitor and report	
Total Iron		monitor and report	
Total Copper	1.0	2.0	2.5
Total Dissolved Solids		monitor and report	

The proposed Final effluent limits for Outfall 004 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6.5—8.5 s.u. at all times		
Total Suspended Solids	10	20	25
Temperature	110°F		
Nitrate	10	20	25
Nitrite	1	2	2.5
Total Iron	1.26	2.58	3.23
Total Copper	0.015	0.03	0.038
Total Dissolved Solids	500	1,000	1,250

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management, and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin*, at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on DEP's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0083801	Gateway Unlimited Leslie R. Lutz 871 Range End Rd. Dillsburg, PA 17019	York Franklin Twp.	UNT to North Bermudian Creek	TRC
PA0081884	Spangler's Restaurant 25 Sandoe Road Gettysburg, PA 17325	Adams Straban Twp.	UNT to Beaverdam Creek	TRC
PA0028592	Bonneauville Boro Auth. 46 E. Hanover St. Gettysburg, PA 17325	Adams Bonneauville Borough	Chicken Run	TRC

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construc-

tion activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Ste. 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6131.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Northcentral Regional Office: Regional Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, telephone (717) 327-3669.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

Chester County Conservation District, District Manager, 601 Westtown Road, West Chester, PA 19382, telephone (610) 696-5126.

NPDES Permit PAS10G199. Stormwater. **Daylesford Associates**, 1301 Lancaster Avenue, Berwyn, PA 19312 has applied to discharge stormwater from a construction activity located in West Whiteland Township, **Chester County**, to Broad Run.

Delaware County Conservation District, District Manager, 1521 N. Providence Road, Media, PA 19063, telephone (610) 892-9484.

NPDES Permit PAS10J032. Stormwater. **Keinath Properties**, 12 Pineview Drive, Media, PA 19063 has

applied to discharge stormwater from a construction activity located in Edgmont Township, **Delaware County**, to Rocky Run.

Franklin County Conservation District, District Manager, 550 Cleveland Avenue, Chambersburg, PA 17201, telephone (717) 264-8074.

NPDES Permit PAS10M095. Stormwater. **Robert Eberly**, P. O. Box 323, Greencastle, PA 17225 has applied to discharge stormwater from a construction activity located in the Borough of Greencastle, **Franklin County**, to Muddy Run.

Lancaster County Conservation District, District Manager, 1383 Arcadia Road, Lancaster, PA 17601, telephone (717) 299-5361.

NPDES Permit PAS10-O-055. Stormwater. **Soco Enterprises Company**, 1330 Charlestown Road, Phoenixville, PA 19460 has applied to discharge stormwater from a construction activity located in Earl Township, **Lancaster County**, to Mill Creek.

Lebanon County Conservation District, District Manager, 2120 Cornwall Road, Lebanon, PA 17042, telephone (717) 272-3377.

NPDES Permit PAS10P021. Stormwater. **Paul Weber**, Equitable Owner, 3210 Grande Oak Lane, Lancaster, PA 17601 has applied to discharge stormwater from a construction activity located in Millcreek Township, **Lebanon County**, to UNT to Tulpehocken Creek.

Luzerne County Conservation District, District Manager, 5 Water Street, Wilkes-Barre, PA 18711, telephone (717) 825-1844.

NPDES Permit PAS10R019. Stormwater. **Weis Markets Inc.**, 1000 S. 2nd Street, Sunbury, PA 17801 has applied to discharge stormwater from a construction activity located in Hazle Township and West Hazleton Borough, **Luzerne County**, to Stony Creek.

Monroe County Conservation District, District Manager, 8050 Running Valley Road, Stroudsburg, PA 18360, telephone (717) 629-3060.

NPDES Permit PAS10S041. Stormwater. **Monroe County Firemans Association, c/o Treby, Howard, Philips**, 668 Hanover Avenue, Allentown, PA 18103 has applied to discharge stormwater from a construction activity located in Hamilton Township, **Monroe County**, to McMichaels Creek.

Montgomery County Conservation District, District Manager, 1015 Bridge Road, Collegetown, PA 19426, telephone (610) 489-4506.

NPDES Permit PAS10T064. Stormwater. **Nolen Group**, 6 E. Germantown Pike, Plymouth Meeting, PA 19462 has applied to discharge stormwater from a construction activity located in Lower Salford Township, **Montgomery County**, to UNT to Indian Creek.

Northampton County Conservation District, District Manager, R. R. 4, Greystone Building, Nazareth, PA 18064, telephone (610) 746-1971.

NPDES Permit PAS10U051. Stormwater. **Osrarn Sylvania Inc.**, 100 Endicott Street, Danver, MA 01923 has applied to discharge stormwater from a construction activity located in Bethlehem Township, **Northampton County**, to Monocacy Creek.

Tioga County Conservation District, District Manager, 5 East Avenue, Wellsboro, PA 16901, telephone (717) 724-4812.

NPDES Permit PAS106603. Stormwater. **Ward Manufacturing Inc.**, P. O. Box 9, Blossburg, PA 16912-0009 has applied to discharge stormwater from a construction activity located in Lawrence Township, **Tioga County**, to the Tioga River.

York County Conservation District, District Manager, 118 Pleasant Acres Road, York, PA 17402, telephone (717) 840-7430.

NPDES Permit PAS10Y046. Stormwater. **Andrew Lentz**, R. D. 1, Box 1072, Spring Grove, PA 17362 has applied to discharge stormwater from a construction activity located in Jackson Township, **York County**, to Little Conewago Creek.

Stormwater NPDES Permit Application; Public Hearing

The Department of Environmental Protection (DEP) Water Management Program will be holding a fact finding hearing on the following Stormwater NPDES permit application:

University of Pennsylvania, New Bolton Center,
"Marshak Dairy," PAS10-G198

The hearing is scheduled for May 21, 1996, at 7 p.m. at the Chester County Conservation District Office, Government Services Center, Conference Room 380, 601 Westtown Road, West Chester, PA 19382-4519, Chester County. The hearing is being held to solicit pertinent comments on this application. The application is for stormwater construction activities, with a discharge to east branch White Clay Creek. A copy of this application is available for review in the Southeast Regional Office's Record Management Section, (610) 832-6268. Those interested in reviewing the application should call to schedule a date to review the file. The project sponsor is:

University of Pennsylvania, New Bolton Center, 382 West Street Road, Kennett Square, PA 19348.

Comments received will be considered by DEP in completing its review and prior to taking final action concerning the applications. The hearing will not be a question and answer session.

Anyone intending to make a presentation at the hearing should submit written notice to the Regional Manager, Water Management Program at the above address. The notice should include the presenter's name, address and phone number, whether they are opposed or in favor of the project and a brief statement about the presentation. Comments should be kept brief and, depending on the number of speakers, may be limited to 10 minutes per speaker. Where groups are represented, a spokesperson is requested to present the group's concerns. Anyone wishing to present written material directly to DEP may do so within 30 days following the hearing.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceedings should contact Sharon Moore, at (610) 832-6073. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection. Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, ad-

dress and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications received under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 6296401. Sewage, **Jeffrey and Carolyn Confer**, SRSTP, R. D. 2, Box 204, Pittsfield, PA 16340. This project is for the construction of a single residence sewage treatment plant in Pittsfield Township, **Warren County**.

WQM Permit No. 4396402. Sewage, **Margaret V. Angermeier**, SRSTP, 59 Reno Rd., Hermitage, PA 16148. This project is for the construction of a single residence sewage treatment plant in Jefferson Township, **Mercer County**.

WQM Permit No. 6296402. Sewage, **Stephen and Lori Fox**, SRSTP, R. D. 1, Box 1795, Russell, PA 16345. This project is for the construction of a single residence sewage treatment plant in Pine Grove Township, **Warren County**.

Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

A. 6796403. Sewage, **West Manchester Township Sewer Authority**, 2501 Catherine Street, York, PA 17404 in West Manchester Township, **York County** to construct the Bull Road Pump Station was received in the Southcentral Regional Office on March 18, 1996.

A. 0796402. Sewage, **Allegheny Township Sewer and Water Authority**, 313 Old Sixth Avenue Road, North, Duncansville, PA 16635 in Allegheny Township, **Blair County** to construct approximately 88,000 L. F. of 8" gravity sanitary sewer pipe and replacement of one sewage lift station was received in the Southcentral Region on March 18, 1996.

A. 2296402. Sewage, **Mark Malone**, 39 East High Street, Middletown, PA 17057 in East Hanover Township, **Dauphin County** to construct a small flow single residence sewage treatment system was received in the Southcentral Region on March 13, 1996.

A. 2196402. Sewage, **Amos K. King**, 48 Mudlevel Road, Shippensburg, PA 17257 in Hopewell Township, **Cumberland County** to construct a small flow single residence sewage treatment system was received in the Southcentral Region on March 13, 1996.

A. 3696402. Sewage, **Christiana Borough**, 14 Maple Avenue, Christiana, PA 17509 in West Sadsbury Township, **Chester County** to construct a belt filter press was received in the Southcentral Region on March 14, 1996.

A. 6796402. Sewage, **Newberry Township Municipal Authority**, 1915 Old Trail Road, Etters, PA 17319 in Newberry Township, **York County** to permit the following pump stations: Eden Road, Ridgeview, Divens, Bald Cypress and Pheasant Drive was received in the Southcentral Region on March 20, 1996.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 0296403. Sewerage, **Ohio Township Sanitary Authority**, 1719 Roosevelt Road, Pittsburgh, PA 15237-1099. Application for the conversion of the existing sewage treatment facility to a lift station, together with installation of a force main to serve the Verland Foundation, Institution for Handicapped located in the Township of Ohio, **Allegheny County**.

A. 2696402. Sewerage, **Menallen Sewer Authority**, Box 576, New Salem, PA 15468. Application for sewer extension and pumping stations to serve the Keisterville Sewer Project located in the Township of Menallen, **Fayette County**.

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.

A. 3496501. Public water supply, **Brookline Retirement Village**, Fermanaugh Twp., **Juniata County**, (Ray Calhoun, R. R. 1, Box 463, Mifflintown, PA 17059), existing water system consisting of well no. 1, softener, hypochlorination, two pressure tanks and distribution lines. Two detention tanks are proposed, (James P. Ashbaugh, Todd Gibbings and Associates, Inc., 3049 Enterprise Drive, State College, PA 16801).

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 0389504-A1. **Cowanshannock Township Municipal Authority**, 74 Second Street, Box 127, NuMine, PA 16244. Covering of the second existing finished water reservoir with an aluminum dome roof, **Armstrong County**.

A. 0296504. **Fox Chapel Authority**, 255 Alpha Drive, Pittsburgh, PA 15238-2944. Conversion of the existing water filtration plant into a booster pumping station to allow the system to be served by water purchased from the City of Pittsburgh Water and Sewer Authority, **Allegheny County**.

A. 0389505-A2. **Pennsylvania-American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033. Install a building to house two potassium permanganate pumps for zebra mussel control, **Armstrong County**.

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

5496501. Public water supply. **Borough of Pine Grove**, c/o Harold Zimmerman, President, Pine Grove Borough Council, 1 Snyder Avenue, Pine Grove, PA 17963. This proposal involves construction of a 100 gpm water booster pumping station, 1,000 gallon hydropneumatic water tank and approximately 3,800 feet of 4" ductile iron water main servicing the new PENNDOT South Bound Safety/Rest Area. It is located in Pine Grove, **Schuylkill County**.

6496501. Public water supply. **Paradise Point**, c/o Carl Paulnack, P. O. Box 361, Lakeville, PA 18438. This proposal involves the permitting of two existing wells serving the Paradise Point community at Lake Wallenpaupack. Disinfection is to be provided. It is located in Paupack Township, **Wayne County**.

Acknowledgment of Notices of Intent to Remediate

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified below, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period, a municipality may request that the person identified below, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4592.

Defense Distribution Region East Wood Pile, Fairview Township, **York County**. Defense Distribution Region East, Administrative Support Center East, Building 1-1, 2nd Floor, New Cumberland, PA 17070-5001 has submitted a Notice of Intent to Remediate site soils contaminated with PAHs. The applicant proposes to remediate the site to meet the site specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record* and the *York Dispatch* on March 25, 1996, and in the *Harrisburg Patriot News* on March 25, 1996.

Former Hervitz Packing Site, City of Harrisburg, **Dauphin County**, Harrisburg Enterprise Development Corporation, 10 North Second Street, Suite 406, Harrisburg, PA 17101, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with BTEX and PHCs. The applicant proposes to remediate the site to meet the Special Industrial Area standard. A summary of the Notice of Intent to Remediate was reported to have been published March 29, 1996 in the *Harrisburg Patriot News*.

Proposed Consent Decree

Millcreek Dump Site Millcreek Township, Erie County

Under section 122 of the Federal Comprehensive Environmental Response, Compensation and Liability Act of 1980, (42 U.S.C.A. § 9622) and section 1113 of the Hazardous Sites Cleanup Act (35 P. S. § 6020.1113) notice is hereby provided that the Department of Environmental Protection (Department) has entered into a Consent Decree concerning settlement of the Department's Complaint against United Brass Works, Inc. (United). The Department's Complaint concerns the response costs that the Department has incurred and will incur to clean up the Millcreek Dump Site in Erie County, Pennsylvania. The Department's Complaint is filed in the United States District Court for the Western District of Pennsylvania, at Docket No. 93-297 (Erie).

The Department has incurred over \$700,000 in past response costs, and estimates that it will incur over 4 million dollars in response costs in the future at the Millcreek Dump Site. Based upon the Department's analysis of United's connection with the release and threatened release of hazardous substances at the Site, the Department has agreed to settle its Complaint against United for \$147,000. The specifics of the Department's settlement with United are set forth in the Consent Decree.

The Department will receive and consider comments relating to the Consent Decree for 60 days from the date of this public notice. The Department has the right to withdraw its consent to the Consent Decree if the comments concerning the Consent Decree disclose facts or considerations which indicate that the Consent Decree is inappropriate, improper, inadequate or not in the public interest. After the public comment period, the Department's settlement with United shall become final upon the filing of the Department's response to significant written comments to the Consent Decree and upon the United States District Court's approval of the Consent Decree.

Copies of the Consent Decree are available for inspection at the Department's office at 230 Chestnut Street,

Meadville, PA, and at the United States District Court-house in Erie, PA. Comments may be submitted, in writing, to Edward Orris, Project Manager, Department of Environmental Protection, Hazardous Sites Cleanup, 230 Chestnut Street, Meadville, PA 16335-3481. Further information may be obtained by contacting Edward Orris at (814) 332-6648. TDD users may contact the Department through the Pennsylvania Relay Service at 1 (800) 654-5984.

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1–6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

New Hanover Incineration, Inc., 3645 Church Road, Perkiomenville, PA 18074; Albert Marinari, Operations Manager; application received March 19, 1996.

Hazardous Waste Draft Permits to be Issued

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

PAD980550412. Lonza, Inc., 900 River Road, Conshohocken, PA 19428. Draft permit issued to Lonza, Inc., for construction of an additional hazardous waste storage tank at 900 River Road, Upper Merion Township, **Montgomery County**. Comments will be accepted at the Southeast Regional Office for the next 45 days. Comments are to be directed to Jim Wintzel, Chief Engineering Services. Draft permit issued March 19, 1996.

Applications received and approval granted under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904) and regulations to operate a household hazardous waste collection program.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Alcoa Technical Center, Aluminum Company of America, 100 Technical Drive, Alcoa Center, PA 15069-0001. Operation of a household hazardous waste collection center to be operated on April 21 and 22, 1996 in Upper Burrell Township, **Westmoreland County**. Application received in the Regional Office on February 28, 1996. Application and registration approved on March 20, 1996.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

A. 101651. Wm. P. McGovern, Inc., 848 West Baltimore Pike, Kennett Square, PA 19348. Received new application for the construction and operation of a septage waste processing facility, and, agricultural utilization of processed septage waste, located in East Nottingham Township, **Chester County**. Application received in the Southeast Regional Office on March 19, 1996.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and regulations to construct, modify or reactivate air contamination sources.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

01-303-007. Installation of a portable asphalt plant by **Valley Quarries, Inc.** (Gettysburg Blacktop Plant, P. O. Box J, Chambersburg, PA 17201) in Cumberland Township, **Adams County**. The source is subject to 40 CFR 60, Subpart I, Standards of Performance for New Stationary Sources.

06-319-012C. Construction of a lead oxide mill by **General Battery Corporation** (P. O. Box 13995, Reading, PA 19612-3995) in Muhlenberg Township, **Berks County**.

06-319-103D. Construction of lead/acid battery formation operations by **East Penn Mfg. Company, Inc.** (Deka Road, Reading, PA 19536) in Richmond Township, **Berks County**.

28-323-010. Construction of two hard-chromium plating tanks by **Grove North America** (P. O. Box 21, Shady Grove, PA 17256) in Quincy Township, **Franklin County**. The sources are subject to 40 CFR, Part 63, Subpart N, National Emissions Standards for Hazardous Air Pollutants for Source Categories.

31-310-019E. Installation of a cone crusher and two conveyors at the Tyrone Quarry fine crushing plant no. 4 by **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664 in Warriors Mark, **Huntingdon County**).

01-310-051. Construction of a limestone crushing and screening plant by **Wimpey Minerals, USA** (Hanover Quarry, P. O. Box 160, Annville, PA 17003) in Oxford Township, **Adams County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

06-1016A. Construction of an air contamination source by **Grafika Commercial Printing, Inc.** (P. O. Box 1714, Reading, PA 19603) in Sinking Spring, **Berks County**.

06-318-049B. Modification of an air contamination source by **Dana Corporation** (P. O. Box 13459, Reading, PA 19612-3459) in Reading, **Berks County**.

22-301-058. Construction of a pathological incinerator by **Department of Agriculture** (2301 North Cameron Street, Harrisburg, PA 17110) in Susquehanna Township, **Dauphin County**.

36-322-001B. Installation of extraction wells and gas transmission pipes by **Chester County Solid Waste Authority** (P. O. Box 476, Honey Brook, PA 19344) at the Lanchester Sanitary Landfill in Caernarvon Township, **Lancaster County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-317-014B. The Department intends to issue an air quality operating permit to **Hershey Chocolate, USA** (P. O. Box 15087, Reading, PA 19612-5087) for a candy manufacturing operation controlled by six fabric collectors in Reading, **Berks County**.

06-318-061A. The Department intends to issue an air quality operating permit to **Reading Body Works, Inc.** (P. O. Box 650, Shillington, PA 19607) for a chassis pool spray booth and drying oven controlled by dry filters in Reading, **Berks County**.

06-318-054B. The Department intends to issue an air quality operating permit to **Can Corporation of America** (P. O. Box 170, Blandon, PA 19510) for a cylinder spray line and ten side-seam spray lines controlled by a fabric collector, ten filter boxes and a catalytic oxidizer in Maiden creek Township, **Berks County**.

22-302-110. The Department intends to issue an air quality operating permit to **The Middletown Home** (999 West Harrisburg Pike, Middletown, PA 17057) for a 300 HP natural gas/No. 2 fuel oil-fired boiler in Middletown Borough, **Dauphin County**. The source is subject to 40 CFR 60, Subpart Dc, Standards of Performance for New Stationary Sources.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

03-309-035. Sylvan America, Inc. (West Hills Industrial Park, R. D. 3, Kittanning, PA 16201) for a conveyor at Sylvan Spawn Laboratory located in East Franklin Township, **Armstrong County**.

03-329-004. Apollo Gas Company (800 Regis Avenue, Pittsburgh, PA 15236) for a Waukesha eight cylinder engine at its Village Compressor Station located in Cowanshannock Township, **Armstrong County**.

04-307-112. Koppel Steel Corporation (P. O. Box 750, Beaver Falls, PA 15010) for a 7 1/2" upsetter furnace at its Ambridge Plant located in Harmony Township, **Beaver County**.

04-310-016. Heckett MultiServe (612 N. Main Street, Butler, PA 16001) for a slag reprocessing plant located in Koppel Borough, **Beaver County**.

11-306-033. Dunamis Resources, Inc. (R. R. 4, Box 1542, Homer City, PA 15748) for a coal crushing and screening operation at its South Fork Strip located in Adams Township, **Cambria County**.

26-308-014. Sensus Technologies, Inc. (450 N. Gallatin Avenue, Uniontown, PA 15401) for a foundry grinding room at its plant located in Uniontown, **Fayette County**.

30-329-003. Carnegie Natural Gas Company (800 Regis Avenue, Pittsburgh, PA 15236) for two Waukesha

engines at its Mt. Morris Compressor Station located in Dunkard Township, **Greene County**.

32-329-005. Apollo Gas Company (800 Regis Avenue, Pittsburgh, PA) for a Waukesha six cylinder engine at its Hill Compressor Station located in Washington Township, **Indiana County**.

65-310-013. Davison Sand & Gravel Company (400 Industrial Boulevard, New Kensington, PA 15068) for a limestone crushing plant at Whitney Quarry, located in Unity Township, **Westmoreland County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

03-000-182. The Department intends to issue an air quality control operating permit to **Apollo Gas Company**, 800 Regis Avenue, Pittsburgh, PA 15236 for an OEM retrofit for a natural gas compressor at its Fisher Station located in Redbank Township, **Armstrong County**.

26-305-033. The Department intends to issue an air quality control operating permit to **Sunshine Energies, Inc.**, 130 Cedarwood Drive, Monongahela, PA 15063 for a coal handling facility located in Connellsville Township, **Fayette County**.

30-306-004. The Department intends to issue an air quality control operating permit to **West Penn Power Company**, 800 Cabin Hill Drive, Greensburg, PA 15601 for low NOx burners with separated overfire air for coal-fired boiler #3 at its Hatfield Power Station located in Monongahela Township, **Greene County**.

32-305-031A. The Department intends to issue an air quality control operating permit to **Avonmore Rail Loading, Inc.**, R. D. 1, Box 119, Avonmore, PA 15618 for a coal loadout facility located in Conemaugh Township, **Indiana County**.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources or to install air cleaning devices.

Regional Office: Southeast Regional Office, Bureau of Air Quality Control, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

There is a 30-day comment period from this date of publication.

46-301-227A. On January 17, 1996, an application was received to amend to previous application for **New Hanover Incineration, Inc.** (3645 Church Road, Perkiomenville, PA 19061) for the additional incinerator system to be located in New Hanover Township, **Montgomery County**.

15-323-009. On July 18, 1994, an application was received from **Johnson Matthey, Inc.** (456 Devon Park Drive, Wayne, PA 19525) for the construction of a chip remover machine to be located in Tredyffrin Township, **Chester County**.

46-302-207. On March 11, 1996, an application was received from **Occidental Chemical Corporation** (Armand Hammer Boulevard, Pottstown, PA 19312) for

the construction of a three—98 MMBtu/hr Boiler to be located in Lower Pottsgrove Township, **Montgomery County**.

46-313-117B. On March 13, 1996, an application was received to amend to previous application for **Merck & Co., Inc.** (P. O. Box 4, WP20-208 Summeytown Pike, West Point, PA 19464) for the Methanol Storage Tank to be located in Upper Gwynedd Township, **Montgomery County**.

23-301-117. On March 15, 1996, an application was received from **Haven Memorial Park** (278 Thornton Road, Thornton, PA 19486) for the construction of a human crematory incinerator to be located in Chester Township, **Delaware County**.

23-312-207. On March 15, 1996, an application was received from **Sun Company, Inc.** (R&M) (P. O. Box 426, Marcus Hook, PA 19013) for the modification of a storage tank to be located in Marcus Hook Borough, **Delaware County**.

Applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

14-310-004B. Construction of a railcar unloading and limestone handling system by **Bellefonte Lime Company, Inc.** (P. O. Box 448, Bellefonte, PA 16823) in Spring Township, **Centre County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

55-318-008. The Department intends to issue an operating permit to **Wood-Mode, Inc.** (1 Second Street, Kreamer, PA 17833) for the operation of a wood cabinet finishing line (Alpine Line) and associated air cleaning device (a regenerative thermal fume incinerator) in Middlecreek Township, **Snyder County**.

12-399-008B. The Department intends to issue an operating permit to **Sinter Metals, Inc.** (R. R. 2, Box 47, Emporium, PA 15834) for the operation of a powdered metal parts sizing dip operation in Shippen Township, **Cameron County**.

49-313-038. The Department intends to issue an operating permit to **Merck & Company, Inc.** (P. O. Box 600, Danville, PA 17821-0600) for the operation of wastewater/waste sludge treatment equipment at the Cherokee Plant in Riverside Borough, **Northumberland County**.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **46-329-006**
Source: Six Diesel Electric Generators
Company: **SmithKline Beecham Research**
Location: Upper Providence
County: **Montgomery**

Permit: **46-301-260**
Source: Sewage Sludge Incinerator
Company: **Hatfield Township Municipal Authority**
Location: Hatfield
County: **Montgomery**

Notice of Plan Approval Application Minor Source

The following stationary sources have filed a request for a plan approval with the Department of Environmental Protection (DEP), Bureau of Air Quality. Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protests or comments to the Regional Office at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval application by filing a request with the Regional Office stating the reason for the request.

The Department will evaluate and consider all protests and comments received. The Department will, where appropriate, modify the proposed plan approval based on the protests and comments received.

The final plan approval will contain terms and conditions to ensure that the source is constructed and operated in compliance with the Department's regulations contained in 25 Pa. Code Chapters 121 through 143 and the requirements of the Federal Clean Air Act. A notice of the Department's final decision on the proposed plan approval will be published in the *Pennsylvania Bulletin*. Air contaminants emitted from these sources are less than the amounts that would trigger major new source review requirements. For additional information on the following applications contact Devendra Verma, Engineering Services Chief, (814) 332-6940.

Regional Office: Northwest Regional Office, Bureau of Air Quality Control, 230 Chestnut Street, Meadville, PA 16335.

25-318-003A. The Department received a plan approval application from **Erie Hard Chrome, Inc.** (1570 East 12th Street, Erie, PA 16511) for installation of two scrubber systems (Viron Model #'s VCS-6666 @ 13,782 CFM, and VCS-7290 @ 22,000 CFM). This source is subject to 40 CFR Part 63, Subpart N.

33-309-017. The Department received a plan approval application for installation of a baghouse (Aeropulse, Inc., Model #144-10) to glass container surface treatment line from **Owens Brockway Glass Container, Inc.**, (Rt. 219 North, Brockway, PA 15824) in Snyder Township, **Jefferson County**.

Plan approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

An application for plan approval has been received by this office for the construction, modification or reactiva-

tion of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-304-022**

Source: 5 Grinding Benches w/Baghouses

Received: March 5, 1996

Company: **Bridesburg Foundry Company**

Location: Whitehall Township

County: **Lehigh**

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 129.91 for Reasonably Available Control Technology.

Regional Office: Southeast Regional Office, Bureau of Air Quality Control, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

There is a 30-day comment period from this date of publication.

OP-23-0032. On February 16, 1996, an application was received from **DEL CORA** (100 East Fifth Street, P. O. Box 999, Chester, PA 19013) for the construction of Facility VOC/NO_x RACT to be located in City of Chester, **Delaware County**.

OP-15-0039. On February 12, 1996, an application was received from **Ackworth Materials** (P. O. Box 1667, Blue Bell, PA 19013) for the construction of Facility VOC/NO_x RACT to be located in East Caln Township, **Chester County**.

OP-46-0077. On March 5, 1996, an application was received from **Doehler-Jarvis Pottstown, Inc.** (400 Old Reading Pike, Stowe, PA 19335) for the construction of

Facility VOC/NO_x RACT to be located in West Pottsgrove Township, **Montgomery County**.

OP-23-0033. On September 25, 1995, an application was received from **Dee Paper Company** (Front and Broomall Streets, Chester, PA 19464) for the construction of lithographic printing presses to be located in City of Chester, **Delaware County**.

Reasonably Available Control Technology; Public Hearings

Approval of Reasonably Available Control Technology (RACT) plan for Merck & Co., Inc. in Riverside Borough, Northumberland County, PA.

The Department of Environmental Protection has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a pharmaceutical manufacturing facility owned and operated by Merck & Co., Inc. in Riverside Borough, Northumberland County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit for the facility and will be submitted to the U. S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The main sources for which a RACT determination is being made are four boilers. The following is a summary of the preliminary nitrogen oxides (NO_x) RACT determination for these boilers:

Source

- two 92,000,000 BTU/hour bituminous coal fired traveling grate boilers (Boilers 3 and 5).
- two 163,000,000 BTU/hour bituminous coal fired traveling grate boilers (Boilers 7 and 8).

The following is a summary of the preliminary volatile organic compound (VOC) RACT determination for these boilers:

- The combined VOC emissions from all four boilers shall not exceed 4.6 tons per year.

The facility incorporates additional sources for which RACT determinations will be made at a later date.

One public hearing will be held for the purpose of receiving comments on the proposed operating permit and the proposed SIP revision. The hearing will be held on April 29, 1996, at 1 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (717) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual, and two written

NO_x RACT limitation

- NO_x emissions not to exceed .43 pound per million BTU of heat input (3 hour average).
- NO_x emissions not to exceed .53 pound per million BTU of heat input (3 hour average).

copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (717) 327-3659 or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to Joseph Cooper, Air Quality Environmental Program Manager, DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments should be submitted by May 14, 1996.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (717) 327-3693.

The following Dam Safety and Encroachment permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department).

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 Certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southcentral Region: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E01-163. Encroachment. **Timeless Towns of the Americas, Inc., c/o Ramada Inn**, 2634 Emmittsburg Road, Gettysburg, PA 17325. To place fill in 0.3 acre of wetlands for the purpose of constructing a sports arena and other outdoor recreational facilities located between business Route 15 and S. R. 0015 just south of Barlow-Greenmount Road adjacent to the Ramada Inn (Fairfield, PA Quadrangle N: 5 inches; W: 5 inches) in Cumberland Township, **Adams County**. The permittee is required to construct 0.3 acre of replacement wetlands.

E06-477. Encroachment. **Delaware County Solid Waste Authority**, 1521 North Providence Road, Media, PA 19063. To place and maintain fill in approximately 0.15 acre of wetlands at the Colebrookdale Landfill (Boyertown, PA Quadrangle N: 20.5 inches; W: 12.9 inches) in Earl Township, **Berks County**. The permittee will provide 0.15 acre of replacement wetlands.

E06-478. Encroachment. **Scattered Acres, Inc.**, 209 Hartman Road, Reading, PA 19605. To construct new abutments behind the existing abutments of a deteriorated bridge and replace the beams and deck across the channel of Plum Creek at a point approximately 4,800 feet upstream of Route 183 (Bernville, PA Quadrangle N: 7.75 inches; W: 4.75 inches) in Penn Township, **Berks County**.

E06-479. Encroachment. **Reading School District**, 800 Washington Street, Reading, PA 19601. To regrade an existing pond adjacent to the Wyomissing Creek at a point at the Reading Museum (Reading, PA Quadrangle N: 14 inches; W: 11.2 inches) in the City of Reading and Wyomissing Borough, **Berks County**.

E07-254. Encroachment. **Sunny Arron Bowser, R. R. 5, Box 429, Altoona, PA 16601.** To maintain a private single span bridge having a span of 25 feet and an underclearance of 14 feet in Mill Run Creek that was repaired under Emergency Permit EP-07-96-03 after the January 19, 1996 flooding located on the south side of Old Mill Run Road about 0.3 mile downstream of the Allegheny Reservoir (Altoona, PA Quadrangle N: 1.13 inches; W: 7.9 inches) in Logan Township, **Blair County**.

E21-247. Encroachment. **Middlesex Township Municipal Authority**, 350 North Middlesex Road, Carlisle, PA 17013-8494. To install and maintain a 12-inch diameter D.I.C.L. pipe across the bed of the Conodoguinet Creek for potable water supply purposes, located about 1.2 miles west of Eckles School (Wertzville, PA Quadrangle N: 1.6 inches; W: 15.8 inches) in Middlesex Township, **Cumberland County**.

E31-129. Encroachment. **DCNR**, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove an existing bridge and to construct and maintain a single span structure having a clear span of 28 feet and an underclearance of about 5.2 feet across Standing Stone Creek located on Cooper Gap Road about 400 feet south of its intersection with Stone Creek Road (Barnville, PA Quadrangle N: 13.2 inches; W: 13.8 inches) in Jackson Township, **Huntingdon County**.

E36-606. Encroachment. **Lancaster Area Habitat for Humanity**, 321 South Queen Street, Lancaster, PA 17603. To construct and maintain channel improvements consisting of an 8-foot bottom width riprap lined trapezoidal channel for 150 L. F., riprap protection along approximately 800 L. F. of right downstream bank, and to place fill within the floodway of a tributary to Conestoga River located at intersection of Hager Street and Euclid Avenue (Lancaster, PA Quadrangle N: 3.7 inches; W: 9 inches) in Lancaster City, **Lancaster County**.

E36-607. Encroachment. **East Cocalico Township Authority**, P. O. Box 402, Reamstown, PA 17567. To construct and maintain an 8-inch gas main, a 6-inch sanitary forcemain, an 18-inch gravity sewer main and a 10-inch water main across wetlands and under the bed of Little Muddy Creek within 500 L. F. of concrete encasement. The utilities under the Turnpike arch-culvert for services to Turnpike 21 Industrial Park at East Muddy Creek Road (Terre Hill, PA Quadrangle N: 16.3 inches; W: 9.9 inches) in E. Cocalico Township, **Lancaster County**.

E44-077. Encroachment. **DCNR**, Bureau of Facility Design & Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove an existing structure and to construct and maintain a single span structure having a clear span of 20 feet and an underclearance of about 5.2 feet across Tea Creek located on Coopers Gap Road about 0.8 mile east of its intersection with Flat Gap Road (Barrville, PA Quadrangle N: 14.3 inches; W: 1.8 inches) in Brown Township, **Mifflin County**.

E67-559. Encroachment. **Joseph A. Myers**, 160 Ram Dr., Hanover, PA 17331. To widen the existing concrete bridge on Pumping Station Road over Furnace Creek by installing a 15-foot wide × 4-foot high × 27-foot long reinforced concrete box culvert for the purpose of highway improvements located approximately 0.75 mile east of S. R. 0094 (Hanover, PA Quadrangle N: 3.4 inches; W: 10 inches) in West Manheim Township, **York County**.

DEP Central Office: Bureau of Dams, Waterways and Wetlands, 400 Market Street, Floor 6, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.

D52-190. Dam. **Sunnylands, Inc.**, 3000 Sunrise Lake, Milford, PA 18337. To modify, operate and maintain the

Sprint Lake Dam located across a tributary to Rattlesnake Creek in the Sunrise Lakes Estates Development, for the purpose of recreation, in Dingman Township, **Pike County**.

Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.

EA09-009C0. Environmental Assessment. **Deluca Enterprises, Inc.**, 842 Durham Road, Suite 200, Newtown, PA 18940. To construct and maintain a nonjurisdictional dam across a tributary to Little Neshaminy Creek (WWF, MF) temporarily impacting 0.06 acre of wetlands (PFO) for the purpose of stormwater management at the proposed Country Crossing Subdivision located approximately 2,400 feet east of the intersection of Bristol Road and Route 263 (S. R. 0263) (Hatboro, PA Quadrangle N: 18.5 inches; W: 11.9 inches) in Warwick Township, **Bucks County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E10-232. Encroachment. **Butler County Commissioners**, P. O. Box 1208, Butler, PA 16003-1208. To remove existing structure and to construct and maintain a 27.5-foot single clear span bridge with a maximum underclearance of 7.5 feet on a 90 degree skew across south branch of Slippery Rock Creek (CWF). Project is located on Calico Road (T-631) approximately 8,700 feet northwest of the intersection of Calico Road (T-631 and SR 0138) (Hilliards, PA Quadrangle N: 6.1 inches; W: 15.8 inches) located in Washington Township, **Butler County**.

E10-233. Encroachment. **Eric L. and Kimberly L. Smith**, 726 Ekastown Road, Sarver, PA 16055. To place and maintain 400 feet of 36-inch corrugated metal pipe to enclose and relocate approximately 600 feet of a tributary to Thorn Creek (CWF), drainage area approximately 200 acres) to allow for creation of a commercial development. Project is located approximately 2,200 feet west of the Borough of Saxonburg boundary on the north side of Dinnerbell Road (SR 2007) (Saxonburg, PA Quadrangle N: 0.2 inch; W: 11.0 inches) located in Jefferson Township, **Butler County**.

E24-192. Encroachment. **National Fuel Gas Supply Corp.**, 1100 State Street, P. O. Box 2081, Erie, PA 16512. To remove, replace and maintain a 12.75-inch O. D. steel natural gas pipeline across Little Clear Creek (EV) with a new pipeline of the same dimensions on the existing pipeline alignment. In addition, this project will utilize a temporary road crossing across Little Clear Creek for equipment access. The project and pipeline crossing are located on Little Clear Creek approximately 3,300 feet west of the point where Jones Township, Elk County, Benzinger Township, Elk County and Shippen Township, Cameron County meet (Wildwood Firetower, PA Quadrangle N: 2.9 inches; W: 7.9 inches) located in Jones Township, **Elk County**.

E25-534. Encroachment. **Presque Isle Yacht Club**, 1176 East Gore Road, Erie, PA 16504. To install and maintain 160 linear feet of new bulkhead in front of existing bulkhead, to remove existing bulkhead and to backfill with approximately 320 cubic yards of fill material. To lengthen existing slips and to replace existing stationary docks with floating docks. To dredge approximately 2,270 cubic yards along existing docks within the West Canal Basin. The project is located at Presque Isle Yacht Club (West Canal Basin) in Niagara Park approxi-

mately 400 feet west of the State Street approach to the Public dock (Dobbins Landing) (Erie North, PA Quadrangle N: 1.8 inches; W: 12.3 inches) located in Erie City, **Erie County**.

E40-439. Encroachment. **Luzerne County Commissioners**, Luzerne County Courthouse, 200 North River Street, Wilkes-Barre, PA 18711-1001. To remove the existing structure and to construct and maintain a single-span concrete bridge (County Bridge No. 45801) across a tributary to Wapwallopen Creek (CWF). The proposed bridge has a span of approximately 14 feet and an underclearance of approximately 4 feet. The bridge is located on T-375, approximately 0.1 mile north of the intersection of T-375 and S. R. 3012 (Sybertsville, PA Quadrangle N: 11.9 inches; W: 12.1 inches) in Hollenback Township, **Luzerne County** (Baltimore District, Army Corps of Engineers).

E45-284A. Encroachment. **Pierce Hardy Limited Partnership**, 4121 Washington Road, McMurray, PA 15317. To amend Permit No. E45-284 to construct and maintain a channel change in an unnamed tributary to Brodhead Creek (HQ-CWF) having a length of approximately 830 feet. The proposed riprap-lined trapezoidal channel will have a minimum depth of 4 feet, a varying bottom width of 10 to 15 feet and 2 to 1 side slopes. The project is located approximately 700 feet north of the intersection of S. R. 0447 and T512 (Brushy Mountain Road) (East Stroudsburg, PA Quadrangle N: 5.3 inches; W: 10.4 inches) in Stroud Township, **Monroe County** (Philadelphia District, Army Corps of Engineers).

Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, telephone (717) 327-3574.

E14-282. Water obstruction and encroachment. **Staimen Brothers Inc.**, P. O. Box 1235, Williamsport, PA 17701. To remove the existing superstructure of eight two-span railroad bridges across Beech Creek for the purpose of salvaging steel. The proposed work shall consist of removing the superstructures, leaving abutments and center piers intact, from existing grade that will not impact wetlands or Beech Creek: a cold water fishery. The project is located along the northern right of way of T-710 approximately 5.0 miles west of the intersection of S. R. 0364 and T-710 (Snow Shoe SE, PA Quadrangle N: 17.2 inches; W: 6.1 inches) in Curtin Township, **Centre County**.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-712. Encroachment. **Municipal Authority of the Borough of Morrisville**, 35 Union Street, Morrisville, PA 19067. To construct and maintain a 70-foot by 130-foot sludge drying bed associated with the Municipal Authority of the Borough of Morrisville-Water Treatment Plant within the 100 year floodplain of the Delaware River adjacent to the intersection of Ferry Road and River Road (SR 0032) (Trenton West NJ-PA USGS Quadrangle N: 17.25 inches; W: 5.0 inches) in Lower Makefield Township, **Bucks County**.

E09-713. Encroachment. **The Wolfson Group, Inc.**, 801 E. Germantown Pike, Norristown, PA 19401. To relocate, construct and maintain 1,425 linear feet of an unnamed tributary to Licking Run Creek (TSF) associated with the proposed Richland Crossing Retail Center construction. This project will consist of the modification and extension of an existing 48-inch diameter C.M.P. stream enclosure which conveys this tributary beneath

S. R. 309. Also included will be the construction and maintenance of four R. C. box culvert/stream enclosure structures having lengths of 108-feet, 45-feet, 130-feet and 60-feet each with a 20-foot wide by 5-foot high opening. These structures will convey the relocated tributary beneath proposed access roads associated with the project. This project also includes placement of fill material in 3.65 acres of an adjacent wetland (PF01A). The site is situated between S. R. 0309 (West End Boulevard) and S. R. 0405 (California Road) at a point approximately 1,600 feet north from the intersection of S. R. 0309 and S. R. 0663 (Broad Street) (Quakertown, PA Quadrangle N: 13.5 inches; W: 14.75 inches) in Richland Township, Quakertown Borough, **Bucks County**.

E46-737. Encroachment. County of Montgomery, Court Courthouse, Norristown, PA 19404. To repair and maintain an existing steel bridge with a 76-foot clear span and an underclearance which varies from 7-feet to 11-feet. The work consists of performing the following activities:

1. Placement of concrete around an existing deteriorated stone masonry abutment
2. Replacement of the steel deck panels, bracing and end posts
3. Construction of additional guiderails and replacing portions of the existing guiderail
4. Filing a scour hole with R-5 riprap adjacent to the deteriorated abutment

The bridge is located across Park Creek on Cedar Hill Road, 1,500 feet southwest of the intersection of Cedar Hill Road and S. R. 63 (Ambler, PA Quadrangle N: 15.9 inches; W: 10.1 inches) in Horsham Township, **Montgomery County**.

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

WA2-1003. Water allocation. City of Duquesne. The applicant is requesting permission to acquire rights for the acquisition of water from the Municipal Authority of Westmoreland County. The applicant is requesting permission to purchase a maximum of 1 million gallons per day (1.0 mgd) of water (3.785 million liters per day of water) from the Municipal Authority of Westmoreland County, **Westmoreland County**, PA.

ACTIONS

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different

time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1(800) 654-5984.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA0023426. Industrial waste, **The Borough of Dayton**, P. O. Box 396, Dayton, PA 16222 is authorized to discharge from a facility located at Dayton Borough Water Treatment Plant, Dayton/Belknap Road, Wayne Township, **Armstrong County** to Glade Run.

NPDES Permit No. PA0093203. Sewage, **The Pennsylvania State University**, New Kensington Campus, 113 Physical Plant Building, University Park, PA 16802 is authorized to discharge from a facility located at New Kensington Campus Sewage Treatment Plant, Upper Burrell Township, **Westmoreland County** to an unnamed tributary of Pucketa Creek.

NPDES Permit No. PA0096954. Sewage, **Interstate 79 Associates**, 4839 Campbells Run Road, Pittsburgh, PA 15205 is authorized to discharge from a facility located at Meadowlands Park Sewage Treatment Plant, North Strabane Township, **Washington County** to unnamed tributary of Chartiers Creek.

NPDES Permit No. PA0204951. Sewage, **Ott Enterprises, Inc.**, 208 Rivercrest Drive, Moon Township, PA 15108 is authorized to discharge from a facility located at Woodlands Sewage Treatment Plant, Sewickley Hills Borough, **Allegheny County** to unnamed tributary of Kilbuck Run.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA0093301. Sewage, **South Butler School District**, P. O. Box 657, Saxonburg, PA 16056 is authorized to discharge from a facility located in Penn Township, **Butler County** to an unnamed tributary of Thorn Creek.

Northcentral Regional Office: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3666.

NPDES Permit Number PA0114715. Sewerage, **Hemlock Municipal Sewer Cooperative**, P. O. Box 243, Bloomsburg, PA 17815 has been renewed. This renewal is to discharge to Fishing Creek, located Montour Township, **Columbia County**. All administrative requirements have been met.

NPDES Permit Number PA0028282. Sewerage, **Eagles Mere Borough Authority**, P. O. Box 393, Eagles

Mere, PA 17731-0393 has been renewed. The existing monitoring still applies for all three discharges and was attached to the Water Quality Protection Report. These discharges are heavy during the vacation season. The Notices were published on January 27, 1996 and as of this date no adverse comments have been received. It is located in Eagles Mere Boro, **Sullivan County**.

NPDES Permit Number PA0032514. Sewerage. **Department of Conservation and Natural Resources**, Bureau of State Parks, Denton Hill State Park, R. D. 1, Box 136, Galeton, PA 16922-9782. Has been renewed to discharge treated sewage from sewage treatment plant serving Denton Hill State Park in Ulysses Township, **Potter County**. No adverse comments have been received.

NPDES Permit Number PA0114294. Sewerage. **Richard Morris**, R. D. 2, Box 299, Catawissa, PA 17820. The permit has been renewed. The receiving water is Little Roaring Creek, located in Mayberry Township, **Montour County**.

NPDES Permit Number PAG044841. Sewerage. **John C. Winder**, R. R. 1, Box 287A, Linden, PA 17744. The permit has been renewed, the receiving water is unnamed tributary of Little Pine Run, located in Woodward Township, **Lycoming County**.

NPDES Permit Number PAG044836. Sewerage. **Victor L. Smith**, R. R. 5, Box 410, Williamsport, PA 17701. The permit has been renewed, the receiving water is unnamed tributary of Grafius Run, located in Loyalsock Township, **Lycoming County**.

NPDES Permit Number PAG044840. Sewerage. **Roger C. Steadman**, R. D. 2, Box 128, Genesee, PA 16923. The permit has been renewed. The receiving water is unnamed tributary of Middle Branch Genesee River, located in Genesee Township, **Potter County**.

NPDES Permit Number PA0209317. Sewerage. **Oakridge Personal Care Home**, R. D. 2, Box 195A, Mill Hall, PA 17751 has been approved to construct a sewage treatment facility to serve the residence of Oakridge Personal Care Home located in Colebrook Township, **Clinton County**.

NPDES Permit Number PA 0032361. Sewerage. **Williamsport Area School District**, 201 West Third Street, Williamsport, PA 17701 has been approved for renewal of permit to discharge treated sewage to the west branch Susquehanna River, location Woodward Township, **Lycoming County**.

NPDES Permit Number PA 0032352. Sewerage. **Williamsport Area School District**, 201 West Third Street, Williamsport, PA 17701 has been approved for renewal of permit to discharge treated sewage to the west branch Susquehanna River, location Hepburn Township, **Lycoming County**.

NPDES Permit Number PAG044852. Sewerage. **Terrence D. Hesser**, 610 South Academy Street, Boalsburg, PA 16827 has been approved for renewal of permit to discharge treated domestic wastewater from single family residence located in Harris Township, **Centre County**.

NPDES Permit Number PAG044838. Sewerage. **Carol L. Girio**, R. R. 2, Box 265, Linden, PA 17744, has been approved for renewal of permit to discharge treated domestic wastewater from single family residence located in Woodward Township, **Lycoming County**.

NPDES Permit Number PAG044850. Sewerage. **Sherry Spingola**, P. O. Box 81, Bigler, PA 16825 has been approved for construction of single family treatment system located in Bradford Township, **Clearfield County**.

NPDES Permit Number PA0111911. Industrial waste. **Robert D. Kreitz**, Construction Specialties, Inc., P. O. Box 380, Muncy, PA 17756. The permit has been renewed to discharge industrial waste from their manufacturing plant. The discharge is to an unnamed tributary of Turkey Run (actually a pond just east of Turkey Run) which is classified as warm water fishery. The location is Clinton Township, **Lycoming County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

NPDES Permit No. PA-0060984. Sewerage. **Benton Hills Corporation**, R. R. 1, Box 8095, Milford, PA 18337 is authorized to discharge from a facility located in Benton Township, **Lackawanna County** to an unnamed tributary to south branch of Tunkhannock Creek.

NPDES Permit No. PA-0063495. Industrial waste. **Travel Ports of America, Inc.**, 3495 Winton Place, Building C, Rochester, New York 14623 is authorized to discharge from a facility located in Upper Macungie Township, **Lehigh County** to an unnamed tributary of Cedar Creek.

NPDES Permit No. PA-0063517. Sewerage. **Bonhams Nursing Center**, R. R. 1, Box 64, Stillwater, PA 17878 is authorized to discharge from a facility located in Huntington Township, **Luzerne County** to Pine Creek.

NPDES Permit No. PA-0062201. Sewerage. **Schuylkill County Municipal Authority**, 221 South Centre Street, Pottsville, PA 17901 is authorized to discharge from a facility located in the Borough of Gordon, **Schuylkill County** to Mahanoy Creek.

NPDES Permit No. PA-0033863. Sewerage. **Camp-A-While, Inc.**, R. R. 1, Box 334, Hegins, PA 17938 is authorized to discharge from a facility located in Hegins Township, **Schuylkill County** to Pine Creek.

NPDES Permit No. PA-0020028. Sewerage. **Air Products and Chemicals, Inc.**, P. O. Box 351, R. R. 1, Tamaqua, PA 18252 is authorized to discharge from a facility located in Rush Township, **Schuylkill County** to Neifert Creek.

NPDES Permit No. PA-0036382. Sewerage. **Camp Morasha—A Division of Metropolitan New York Commission on Torah Education, Inc.**, 1318 Avenue J, Brooklyn, New York 11230 is authorized to discharge from a facility located in Buckingham Township, **Wayne County** to an unnamed tributary of Equinunk Creek.

Notices of Intent for Coverage Under NPDES General Permit for Construction Activities and Department Final Actions

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

The following parties have submitted Notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater From Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions

contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the

erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR104103	Kane Country Club P. O. Box 759 Kane, PA 16735	McKean County Wetmore Township	Unnamed tributary Wilson Run

The following approvals for coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under The Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southcentral Region: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

PAS-10-H048. Individual NPDES. **Max Hempt and James Mumper** (Hillside Farms), 205 Creek Road, Camp Hill, PA 17011. To implement an erosion and sedimentation control plan for a single family housing development called Hillside Farms on 155 acres in Silver Spring Township, **Cumberland County**. The project is located just north of the Cumberland Valley High School (Mechanicsburg, PA Quadrangle N: 22.1 inches; W: 9.5 inches). Drainage will be to Conodoguinet Creek.

PAS-10-P018. Individual NPDES. **Peter B. Shirk**, Route 2, Box 62A, Denver, PA 17517. To implement an erosion and sedimentation control plan for the Newburg Village residential development on 120 acres in Mill Creek Township, **Lebanon County**. The project is located along east side of South Sheridan Road, about 2,000 feet south of S. R. 419 intersection (Womelsdorf, PA Quadrangle N: 18 inches; W: 11 inches). Drainage will be to a tributary of Mill Creek.

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10K013	Department of Transportation 1140 Liberty Street Franklin, PA 16323	Erie County Greenfield Township	Twelve Mile Creek West Branch French Creek

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 0472402. Amendment No. 3. Sewerage, **City of Beaver Falls**, 715 15th Street, Beaver Falls, 15010. Construction of sewage treatment plant expansion, interceptor sewer expansion located in City of Beaver Falls, **Beaver County** to serve the Beaver Falls STP.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 2096402. Sewage, **City of Meadville Terrace Street Sanitary Sewer**, 984 Water Street, Meadville, PA 16335. This project is for plans to replace the Terrace Street Sanitary Sewer in the City of Meadville, **Crawford County**.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

Permit No. WQM, 1795408A-1. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County** to the following: Bradford Township/Kephart Residence.

Permit No. WQM, 1795408A-2. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Goodrow Residence.

Permit No. WQM, 1795408A-7. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Gross Residence.

Permit No. WQM, 1795408A-6. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to

construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Turner Residence.

Permit No. WQM, 1795408A-3. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Button-Luzier Residence.

Permit No. WQM, 1795408A-10. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Woodling Residence.

Permit No. WQM, 1795408A-5. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Wright Residence.

Permit No. WQM, 1795408A-8. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Green Residence.

Permit No. WQM, 1795408A-12. Bradford Township, P. O. Box 79, Woodland, PA 16881 has been authorized to construct sewage treatment facility located in Bradford Township, **Clearfield County**: Bradford Township/Spingola Residence.

Permit No. WQM, 1895405. Sewerage. Oakridge Personal Care Home, R. D. 2, Box 195A, Mill Hall, PA 17751 has been approved to construct a small flow treatment facility located in Colebrook Township, **Clinton County** to serve Oakridge Personal Care Home.

Permit No. WQM, 5596201. Industrial waste. Robert J. Shovlin, Vice President, Pennsylvania Power & Light Company, Two North Ninth Street, Allentown, PA 18101-1179 has been approved to construct a new treatment plant for the miscellaneous plant wastewater. Additionally, a Bentomat or concrete liner will be constructed on the initial settling pond of ash basin no. 1. This is located in Shamokin Dam Borough, **Snyder County**.

Plan approvals granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-0530.

Location: Lawrence Township, Tioga County.

Project Description: This Act 537 update provides for construction of a new sewage collection system to serve the Tioga Junction and Somers Lane areas of the township. A new manufacturing facility (18,000 gal/da) and the existing Williamson public school complex will also be sewered. Treatment of the collected wastewater will be accomplished in a new, 130,000 gal/day treatment facility to be built adjacent to the existing school STP. The school's treatment facility will be abandoned upon completion of Lawrence Township's new facility. Discharge of the treated effluent will be to the Tioga River.

The Department's review of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal.

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

Permit No. 61195503. Public water supply. Rouseville Municipal Waterworks, P. O. Box 317, 8 Main Street, Rouseville, PA 16344-0317. This permit is for the installation and use of corrosion control treatment. A polyphosphate solution (Aquamag) is proposed to be fed into the system.

Type of Facility: Public water supply.

Consulting Engineer: David A. Johnson, D. A. Johnson & Associates, Box 11, Corry, PA 16407.

Permit to Construct Issued: March 19, 1996.

Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.

Permit No. 3695512. City of Lancaster Authority, Columbia Borough, **Lancaster County**, (James J. Kirchner, Chair, City of Lancaster Authority, 120 North Duke Street, Lancaster, PA 17603), addition of rapid and static mixers, corrosion control feed system, and modification of existing carbon, KMnO₄, fluoride and coagulant aid feed systems.

Permit No. 3695510. West Donegal Township Authority, W. Donegal Twp., **Lancaster County**, (Ray Witmer, 7 West Ridge Road, Elizabethtown, PA 17022), the addition of well no. 6 @ 300 gpm to act as a backup well for well no. 5.

Permit No. 0595501. Evitts Creek Water Company c/o City of Cumberland, Cumberland Valley Twp., **Bedford County**, (John J. DiFonzo, P.E., City Engineer, P. O. Box 1702, Cumberland, MD 21501-1702), the project designed to upgrade the existing 12 mgd Cumberland Water Filtration Plant includes: 1) installation of a new mechanical mixer, 2) retrofit of the existing two clarifiers with dissolved air flotation unit, 3) modification of the existing six filters with new granular activated carbon and sand, 4) improvement of the existing chemical feed systems, 5) construction of a new 1.6 mgd finished water storage tank and, 6) construction of vacuum assisted sludge drying beds.

Permit No. 3695511. Millersville Borough Municipal Water Authority, Millersville Borough, **Lancaster County**, (Michael Morris, Manager, 10 Colonial Avenue, Millersville, PA 17551), installation of chemical feed system to inject a phosphate-based corrosion inhibitor into the Borough's system.

Permit No. 0795502. Ross Mobile Homes, Inc., Logan Twp. **Blair County**, (Thomas C. Ross, Ross Mobile Homes, Inc., 1648 East Pleasant Valley Boulevard, Altoona, PA 16602), use of well no. 3 as source of supply to augment the existing system.

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Permit No. 0995516. Public water supply. Quakertown Borough, David L. Woglom, 15-35 North Second Street, Quakertown, PA 18951. This proposal involves to construct a 1.75 MG concrete storage tank. This tank will replace an existing 0.75 MG covered finished water reservoir which will be demolished and backfilled in Quakertown Borough, **Bucks County**.

Type of Facility: Distribution Storage Tank.

Consulting Engineer: Boucher and James, Inc., 127 S. Fifty Street, Suite 300, Quakertown, PA 18951.

Permit to Construct Issued: March 7, 1996.

License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

FeeCorp Corporation, 7995 Allen Road, Canal Winchester, OH 43110; License No. **PA-AH 0515**; license issued March 22, 1996.

Diablo Systems Incorporated, dba Diablo Transportation, Inc., c/o Tri-State Motor Transit Co., P. O. Box 113, Joplin, MO 64802; License No. **PA-AH 0516**; license issued March 20, 1996.

Safety-Kleen Canada, Inc., 300 Woolwich Road, Breslau, ON N0B 1M0; License No. **PA-AH 0517**; license issued March 20, 1996.

Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Casie Ecology Oil Salvage, Inc., t/a Casie/Protank, P. O. Box 92, Franklinville, NJ 08322; License No. **PA-AH 0307**; license issued March 18, 1996.

Custom Environmental Transport, Inc., One Rollins Plaza, Wilmington, DE 19803; License No. **PA-AH 0319**; license issued March 18, 1996.

Frank's Vacuum Truck Service, Inc., 4500 Royal Avenue, Niagara Falls, NY 14303; License No. **PA-AH 0331**; license issued March 18, 1996.

S-J Transportation Co., P. O. Box 169, Woodstown, NJ 08098; License No. **PA-AH 0015**; license issued March 18, 1996.

The Trustees of the University of Pennsylvania, 1408 Blockley Hall, Philadelphia, PA 19104-6021; License No. **PA-AH S192**; license issued March 18, 1996.

U. S. Bulk Transport, Inc., 6286 Sterrettani Road, Fairview, PA 16415; License No. **PA-AH 0408**; license issued March 18, 1996.

Valley City Disposal, Inc., 1040 Market Street SW, Grand Rapids, MI 49503; License No. **PA-AH 0410**; license issued March 18, 1996.

Amended license issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Casie Ecology Oil Salvage, Inc., t/a Casie/Protank, P. O. Box 92, Franklinville, NJ 08322; License No. **PA-AH 0307**; amended license issued March 18, 1996.

Custom Environmental Transport, Inc., One Rollins Plaza, Wilmington, DE 19803; License No. **PA-AH 0319**; amended license issued March 18, 1996.

Frank's Vacuum Truck Service, Inc., 4500 Royal Avenue, Niagara Falls, NY 14303; License No. **PA-AH 0331**; amended license issued March 18, 1996.

The Trustees of the University of Pennsylvania, 1408 Blockley Hall, Philadelphia, PA 19104-6021; License No. **PA-AH S192**; amended license issued March 18, 1996.

U. S. Bulk Transport, Inc., 6286 Sterrettani Road, Fairview, PA 16415; License No. **PA-AH 0408**; amended license issued March 18, 1996.

Valley City Disposal, Inc., 1040 Market Street SW, Grand Rapids, MI 49503; License No. **PA-AH 0410**; amended license issued March 18, 1996.

Receipt and Approval of an Application to Conduct a Household Hazardous Waste Collection and Management Program

Westmoreland County

Under section 1512(h) of the Municipal Waste Planning, Recycling and Waste Minimization Act (35 P. S. §§ 4000.1512(h)) (Act 101), the Department of Environmental Protection announces its receipt and approval of an application for the registration and conduct of a program designed for the collection and management of household type hazardous wastes. The program will be sponsored by ALCOA, Inc. and will entail two events at the company's Technical Center on April 21 and 22, 1996.

Act 101 authorizes municipalities/persons to conduct such programs, provided they have registration approval from the Department. Additional information on this application may be obtained by contacting Robert Popichak, of the Department's Southwest Regional Office at (412) 442-4160.

Notice of Appeal

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.

Permit No. PAD002387926. Merck and Company, Inc., P. O. Box 4, West Point, PA 19486. This permit is issued for the continuing operation of a hazardous waste incinerator located on Summeytown Pike, Upper Gwynedd Township, **Montgomery County**. Permit issued in the Southeast Regional Office on March 19, 1996.

Permit renewals issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit I. D. No. 100663. Kelly Run Landfill, Kelly Run Sanitation, Inc., P. O. Box 333, Route 51, Elizabeth, PA 15037. Operation of the Kelly Run Landfill in Forward Township, **Allegheny County**. Permit renewed in the Regional Office on March 13, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Solid Waste Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4588.

Permit No. 101100. (Permit Modification). **Mountain View Reclamation, Waste Management of PA, Inc.,** (Community Refuse, Ltd., 3 Greenwood Square, Bensalem, PA 19020). Construction and operation of a 72-acre landfill expansion to be known as the Eastern Expansion in Antrim and Montgomery Townships, **Franklin County**. Permit issued in the Regional Office March 18, 1996.

Permit No. 603387. England Farm (Royer Farm), Altoona City Authority, (20 Greenwood Road, Altoona, PA 16602). Application for agricultural utilization of sewage sludge for modification for addition of farm to existing permit for a site in Woodbury Township, **Blair County**. Permit issued in the Regional Office March 21, 1996.

Permit No. 603387. England Farm (Hoffner Tract), Altoona City Authority, (20 Greenwood Road, Altoona, PA 16602). Application for agricultural utilization of sewage sludge for modification for addition of farm to existing permit for a site in Catherine Township, **Berks County**. Permit issued in the Regional Office March 21, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Planning, Recycling and Waste Reduction Act (35 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

I. D. No. 100022. Chrin Brothers, Inc. Sanitary Landfill, 635 Industrial Drive, Easton, PA 18042. A Permit Modification, authorizing a disposal area expansion (Setcer/Highwall Expansion) and other operational changes at this Municipal Waste Landfill, located in Williams Township, **Northampton County**. The Permit Modification was issued by the Regional Office on March 11, 1996.

I. D. No. 603400. Daniel W. Kistler Farm, Lewis Rinehart, 305 Birch Street, Walnutport, PA 18088. Permit for the Agricultural Utilization of Sewage Sludge by this facility, located in Lynn Township, **Lehigh County**. The permit was issued by the Regional Office on March 12, 1996.

Operating permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department intends to issue an air quality operating permit for the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-312-021A**
Source: Loading Rack with Flare
Company: **Agway Petroleum Corporation**
Location: Macungie Borough
County: **Lehigh**

Permit: **40-305-015**
Source: Anthracite Bank Coal Cleaning
Company: **Northampton Fuel Supply Company**
Location: Jenkins Township
County: **Luzerne**

Permit: **48-310-028**
Source: Stone Crushing Plant/Water Spray
Company: **Chrin Brothers Sanitary Landfill**
Location: Williams Township
County: **Northampton**

Permit: **54-321-009**
Source: Rear Bleachery W/Lint Filters
Company: **Morgan Knitting Mills, J.E.**
Location: Rush Township
County: **Schuylkill**

Permit: **54-321-010**
Source: Front Bleachery W/Lint Filters
Company: **Morgan Knitting Mills, J. E.**
Location: Rush Township
County: **Schuylkill**

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contaminant sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department has issued the following air quality operating permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-302-150**
Source: (3) 1600KW Diesel Generators
Company: **Lafarge Corporation**
Location: Whitehall Township
County: **Lehigh**

Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

A plan approval has been issued by this office for the construction, modification, reactivation or operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **35-301-038**

Source: Human Crematory (Type 4)

Issued: March 5, 1996

Company: **Maple Hill Cemetery Association**

Location: Archbald Borough

County: **Lackawanna**

Permit: **40-399-035**

Source: Portable Ash Conditioning System

Issued: February 20, 1996

Company: **J T M Industries**

Location: City of Hazleton

County: **Luzerne**

Permit: **48-320-006B**

Source: 4 Presses (VOC Synthetic Minor)

Issued: February 21, 1996

Company: **James River Paper Company Inc.**

Location: Forks Township

County: **Northampton**

Permit: **54-310-010A**

Source: Fuel Prep Plant w/Baghouses

Issued: March 6, 1996

Company: **Northeastern Power Company**

Location: Kline Township

County: **Schuylkill**

Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources or air cleaning devices.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-302-089A. On March 15, 1996, the Department issued a plan approval to **Dietrich's Milk Products, Inc.** (100 McKinley Avenue, Reading, PA 19605) for the modification of a boiler to burn No. 3 and No. 4 fuel oil at their Reading Plant in Muhlenberg Township, **Berks County**.

28-329-001. On March 15, 1996, the Department issued a plan approval to the **Borough of Chambersburg** (160 North Second Street, Chambersburg, PA 17201) for the construction of a natural gas/#2 oil engine-generator set in Chambersburg Borough, **Franklin County**.

38-318-032. On March 13, 1996, the Department issued a plan approval to **PA Department of Military Affairs** (Fort Indiantown Gap, Annville, PA 17003-5001) for the construction of a paint spray area in East Hanover Township, **Lebanon County**.

44-320-001H. On March 15, 1996, the Department issued a plan approval to **Trinity Packaging Corporation** (13 Industrial Park Road, Lewistown, PA 17044) for the installation of a four-unit flexographic printing press with accompanying dryers in Granville Township, **Mifflin County**.

67-310-035A. On March 12, 1996, the Department issued a plan approval to **Global Stone PenRoc, Inc.** (P. O. Box 1967, York, PA 17405-1967) for the modification of a roofing plant in West Manchester Township, **York**

County. The source is subject to 40 CFR 60, Subpart 000, Standards of Performance for New Stationary Sources.

07-302-032. On March 18, 1996, the Department issued a plan approval to **Quality Chemicals, Inc.** (P. O. Box 216, Tyrone, PA 16686) for the construction of two natural gas-fired boilers, each controlled by low NOx burners and flue gas recirculation at Tyrone Industrial Park, Tyrone Borough, **Blair County**. The sources are subject to 40 CFR 60, Subpart Dc, Standards of Performance for New Stationary Sources.

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

03-000-027. On February 28, 1996, a plan approval expiration date was extended to May 31, 1996 for **Pennsylvania Electric Company** (1001 Broad Street, Johnstown, PA 15907) for low NOx burners for a steam electric generator at its Keystone Generating Station located in Plumcreek Township, **Armstrong County**.

04-312-025A. On February 28, 1995, a plan approval expiration date was extended to September 30, 1996 for **Interstate Chemical Company, Inc.** (2797 Freedland Road, Hermitage, PA 16148) for two above ground storage tanks at its Vanport-West Terminal located in Beaver Borough, **Beaver County**.

63-313-017A. On February 28, 1995, a plan approval expiration date was extended to June 1, 1996 for **Flexsys America L. P.** (829 Route 481, Monongahela, PA 15063) for a biofilter at its Monongahela Plant located in Carroll Township, **Washington County**.

04-307-074A. On March 8, 1996, a plan approval was issued to **Brighton Electric Steel Casting Company** (P. O. Box 206, Beaver Falls, PA 15010) for electric induction furnaces at its facility located in Beaver Falls, **Beaver County**.

04-309-008D. On March 12, 1996, a plan approval was issued to **Armstrong World Industries, Inc.** (1018 Eleventh Street, P. O. Box 441, Beaver Falls, PA 15010) for baghouses for RIMS, conveyors and the embossing line at its facility located in Beaver Falls, **Beaver County**.

04-310-014. On February 28, 1995, a plan approval was issued to **Martin Marietta Aggregates** (120 Mallard St., Suite 300, St. Rose, LA 70087) for a sand and gravel processing operation at its Georgetown Plant located in Greene Township, **Beaver County**.

11-306-002A. On March 13, 1996, a plan approval was issued to **Cambria CoGen Company** (7201 Hamilton Blvd., Allentown, PA 18195) for dust collectors for a fuel handling system at its facility located in Cambria Township, **Cambria County**.

32-310-001A. On March 12, 1996, a plan approval was issued to **Edward C. Griffith Quarrying, Inc.** (R. D. 1, Box 176, Rochester Mills, PA 15771) for a Hewitt Robins jaw crusher at its facility located in North Mahoning Township, **Indiana County**.

65-318-063. On February 28, 1996, a plan approval was issued to **Burkhart Auto Body** (P. O. Box 71, Murrysville, PA 15668) for paint spray booths at its facility located in North Huntingdon Township, **Westmoreland County**.

Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA 17105-8476.

Bond Forfeiture Contract Awarded: No. BF 369-101.1.

Location: Marion Township, **Butler County**.

Description: Abandoned Mine Land Reclamation Project, H & D Coal Company, Mining Permit No. 10850102, Marion Township, Butler County, PA; Contractor: J & J Snyder, Inc.; Amount: \$13,045; Date of Award: March 20, 1996.

The Department of Environmental Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 1 (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.
Permits Issued

E02-1134. Encroachment. **Department of Transportation**, 45 Thoms Run Road, Bridgeville, PA 15017. To remove the existing structures and to construct and maintain new structures in the channel of Sawmill Run, Weyman Run and two unnamed tributaries to Weyman Run (east branch Weyman Run and west branch Weyman Run); to relocate and maintain an unnamed tributary to Weyman Run (east branch Weyman Run); and to construct and maintain a temporary road crossing consisting of two 8-foot diameter culverts in Sawmill Run, as per attached list for the purpose of improving the intersection of S. R. 0051 and S. R. 0088. The project is located at the intersection S. R. 0051 and S. R. 0088, Section 10A (Pittsburgh East, PA Quadrangle N: 1.3 inches; W: 16.8 inches) in the City of Pittsburgh and Whitehall Borough, **Allegheny County**.

Department of Transportation, 1620 N. Juniata St., Hollidaysburg, PA 16648. To remove the existing structure and to construct and maintain a bridge having two clear spans of 137 feet each and a minimum underclearance of 23.25 feet across an unnamed tributary to Flaugherty Creek located at a point 147 feet downstream of the existing bridge on S. R. 2006, Section 001, Station 55+32 (Wittenberg, PA Quadrangle N: 8.8 inches; W: 13.7 inches) in Larimer Township, **Somerset County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E63-406. Encroachment. **Washington County Commissioners**, Courthouse Square, 100 West Beau St.,

Washington, PA 15301. To rehabilitate and maintain the existing two span County Bridge No. 63 having a total span of 54.0 feet with an underclearance of 10.0 feet across Chartiers Creek. This project is located on Township Road 390 approximately 200 feet from the intersection of S. R. 4022 and T-390 (Washington West, PA Quadrangle N: 8.3 inches; W: 3.7 inches) in Canton Township, **Washington County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E63-407. Encroachment. **Washington County Commissioners**, Courthouse Square, 100 West Beau St., Washington, PA 15301. To rehabilitate and maintain the existing County Bridge No. 21 having a span of 9.5' and underclearance of 8.1', across Little Daniels Run. The bridge is located on Township Road 365 (Wherry School Road) approximately 125 feet from the intersection of S. R. 2011 and T-365 (Ellsworth, PA Quadrangle N: 7.5 inches; W: 14.1 inches) in West Bethlehem Township, **Washington County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E65-627. Encroachment. **Department of Transportation**, P. O. Box 459, Uniontown, PA 15401. To operate and maintain a culvert consisting of two 72-inch reinforced concrete pipes constructed under Emergency Permit No. EP6595205 in Shupe Run on S. R. 2007, Segment 0010, offset 0247 and to maintain fill in a de minimus area of wetlands less than or equal to 0.05 acre (Mt. Pleasant, PA Quadrangle N: 6.2 inches; W: 5.1 inches) in Mt. Pleasant Township, **Westmoreland County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302), sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) (*Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.*)

Permits Issued and Actions on 401 Certification

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E25-531. Encroachment. **Department of Transportation**, District 1-0, 140 Liberty Street, Franklin, PA 16323. To authorize the following structures and activities associated with the construction of the westbound lanes of the Southern Tier Expressway (SR 0017) from the interchange at I-90 to the PA-NY state line, a total distance of approximately 8 miles, in Greenfield Township, **Erie County**:

To extend and maintain the following stream enclosures:

1. An 84-inch diameter RCC pipe to a total length of 200 feet in a tributary to Twelvemile Creek at Station 90+50 E. B. (North East, PA-NY Quadrangle N: 4.8 inches; W: 16.5 inches).

2. A 60-inch diameter RCC pipe to a total length of 177 feet in a tributary to Twelvemile Creek at Station 101+70 E. B. (North East, PA-NY Quadrangle N: 4.7 inches; W: 16.0 inches).

3. A 108-inch diameter RCC pipe to a total length of 400 feet in a tributary to Twelvemile Creek at Station 154+50 E. B. (North East, PA-NY Quadrangle N: 4.1 inches; W: 13.4 inches). Also included is the construction of about 44 feet of realigned stream channel located at the outlet of the enclosure.

4. An 8-foot wide by 4-foot high RC box to a total length of 213 feet in a tributary to Twelvemile Creek at Station 167+10 E. B. (North East, PA-NY Quadrangle N: 4.0 inches; W: 12.8 inches).

5. An 84-inch diameter RCC pipe to a total length of 290 feet in a tributary to Twelvemile Creek at Station 179+30 E. B. (North East, PA-NY Quadrangle N: 3.9 inches; W: 12.25 inches).

6. A 72-inch diameter RCC pipe to a total length of 444 feet in a tributary to west branch French Creek at Station 220+60 E. B. (North East, PA-NY Quadrangle N: 2.9 inches; W: 7.1 inches).

7. A 48-inch diameter RCC pipe to a total length of 310 feet in a tributary to west branch French Creek at Station 302+30 E. B. (North East, PA-NY Quadrangle N: 0.4 inch; W: 7.1 inches).

To install approximately 80 feet of rock riprap streambank protection along the left (east) bank of west branch French Creek and to maintain two bridges across west branch French Creek and associated channel work as authorized under Permit No. 2574721, as amended by letter dated July 1, 1983. The bridge on the eastbound lanes is a 3-span bridge having a center span of 60 feet and two side spans of 40 feet. The bridge on the westbound lanes is a 3-span bridge having a center span of 80 feet and two side spans of 40 feet. (North East, PA-NY Quadrangle N: 0.4 inch; W: 4.1 inches).

To fill a total of 4.58 acres of wetlands associated with roadway construction. Of the 4.58 acres, approximately 2.0 acres are forested wetlands, 0.25 acre is scrub/shrub wetland and 2.33 acres are emergent wetlands. A total of 5.78 acres of replacement wetlands will be created in an area adjacent to SR 0017.

E25-532. Encroachment. Lakeview Development Corporation, Route 89, Box 481, North East, PA 16428. To fill 0.05 acre of wetland for the improvement of an existing driving range associated with Lakeview Country Club located 500 feet east of SR 0089, approximately 2,000 feet south of I-90 (North East, PA Quadrangle N: 10.7 inches; W: 10.00 inches) in North East Township, **Erie County**. Since the project involves fill of wetlands totaling 0.05 acre or less, no replacement is required per the Department's DeMinimus Wetland Policy.

E25-533. Encroachment. Erie Art Museum, 411 State Street, Erie, PA 16501. To construct and maintain an 80-foot long by 10-foot wide wood ramp and an 18-foot wide by 18-foot long observation deck supported by wood posts over wetlands in Presque Isle State Park approximately 1 mile north of the Park entrance on the Bay side of the Park (Erie North, PA Quadrangle N: 0.5 inch; W: 19.6 inches) located in Millcreek Township, **Erie County**.

E27-052. Encroachment. Tennessee Gas Pipeline Company, Suite 200, 2000 Corporate Drive, Wexford, PA 15090. To rehabilitate, operate and maintain a 24-inch diameter (300-1) and a 30-inch diameter (300-2) high pressure natural gas pipelines across Hemlock Creek and associated wetlands located approximately 1.9 miles north, northeast of the point where Venango, Forest and Clarion Counties meet (Tionesta, PA Quadrangle N: 7.0 inches; W: 13.4 inches) located in Tionesta Township, **Forest County**.

Southcentral Region: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E34-082. Encroachment. Mary Swartz, R. R. 2, Box 51, McAlisterville, PA 17049. To maintain a 5-foot diameter C.M.P. culvert in a tributary to Cocolamus Creek constructed under Emergency Permit EP34-95-01 for the purpose of reducing local flooding on S. R. 0035 located about 200 feet south of S. R. 0035 and about 2.7 miles east of McAlisterville (Beaver Springs, PA Quadrangle N: 5.1 inches; W: 14.9 inches) in Fayette Township, **Juniata County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-695. Encroachment. Borough of Sellersville, 140 East Church Street, Sellersville, PA 18960. To reissue and amend expired permit E09-180 to extend and maintain an existing 10-foot by 9-foot arch bridge with a 12-foot by 11-foot reinforced concrete box culvert, 77 feet long, in an unnamed tributary to the east branch Perkiomen Creek, and to place and maintain fill within the floodway of the east branch Perkiomen Creek starting at the downstream end of the existing culvert which occurs beneath Main Street (S. R. 4013) and extend downstream to the terminus of the proposed culvert extension. This stream enclosure and associated fill will enhance streambank stability on the property of the existing Sellersville Firehouse. This permit E09-695 replaces permit E09-180. This project is located (Telford, PA Quadrangle N: 19.5 inches; W: 8.1 inches) in the Borough of Sellersville, **Bucks County**.

E51-143. Encroachment. Department of Transportation, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To construct and maintain two highway bridges over the Frankford Creek (WWF) which will carry proposed interchange ramps that connect Interstate Route I-95 with Aramingo Avenue (S. R. 2029). The proposed northbound exit ramp bridge is a two-span prestressed-concrete box beam structure with a 148.5-foot wide waterway opening, with approximately 17.5-foot underclearance, and will be located approximately 15 feet downstream from the existing abandoned Thompson Street bridge. A 35-foot long by 4-foot wide concrete pier is to be placed in the streambed to provide support at the midpoint of the bridge. The southbound entry ramp to Route I-95 consists of an 11-span composite multisteel girder ramp/bridge structure. Two spans of this structure, having a 145-foot and 185-foot length, will carry the roadway deck over Frankford Creek, and will be supported by 8-foot diameter circular concrete piers. The bridge structure has an underclearance of over 60 feet. This project will require the construction and maintenance of a temporary causeway at each bridge to access the proposed pier locations and will include the installation of culvert piping with clean backfill material. Also included is the placement of scour protection rock lining at each pier and abutment within the streambed. This site is situated near Route I-95/Betsy Ross Bridge Interchange (Camden, NJ-PA Quadrangle N: 22 inches; W: 11.5 inches) in the City of Philadelphia, **Philadelphia County**.

E23-330. Encroachment. Department of Transportation, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To remove an existing two span steel I-beam bridge, carrying S. R. 3021 (Bortondale Road) over Ridley Creek (TSF) and to construct and maintain a single span steel

beam bridge, having a clear span of 68.25 feet on a 32.22 degree skew and an underclearance of 9 feet-9 inches at the same location. The scope of this work also includes widening the bridge and improving the roadway approaches 100 feet south and 150 feet north of the bridge, to provide transitions to the new bridge. This site is located approximately 2,000 feet northwest from the intersection of Fox and Knowlton Roads (Media, PA Quadrangle N: 5.5 inches; W: 3.0 inches) in Upper Providence and Middletown Township, **Delaware County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E35-262. Encroachment. **Department of Transportation, District 4-0**, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a single span prestressed adjacent box beam bridge, having a span of 60 feet with an underclearance of 7.0 feet across the Lackawanna River. The project is located at the intersection of Eighth Avenue (S. R. 1033, Section 270) and the Lackawanna River (Carbondale, PA Quadrangle N: 12.6 inches; W: 0.6 inch) in the City of Carbondale, **Lackawanna County**.

Northcentral Region: Water Management-Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E14-278. Water obstruction and encroachment. **Paul Benzie**, 948 Roopsburg Road, Bellefonte, PA 16820. To construct and maintain (1) a residential structure and a private driveway within the floodway of Spring Creek; (2) riprap protection along Spring Creek. The proposed work shall consist of constructing a single family residence which requires 460.0 cubic feet of structure and a driveway which requires 225.0 cubic feet of fill to be placed in the floodway while 630.0 linear feet of riprap is to be placed along the northern streambank. The project is located along the southern right-of-way of T-375 approximately 3,168.0 feet east of the intersection of SR 0550 and T-375 (Bellefonte, PA Quadrangle N: 5.65 inches; W: 5.95 inches) in Spring Township, **Centre County**.

E18-207. Water obstruction and encroachment. **Department of Transportation**, 1924-30 Daisy St., Clearfield, PA 16830. Remove an existing structure and to construct and maintain a precast box culvert to carry SR 1014, Seg. 90 across an unnamed tributary to the east branch of Hyner Run. The proposed structure shall be constructed with a span of 15.0 feet, an underclearance of 6.5 feet and a skew of 70 degrees that is located approximately 2.7 miles west of the intersection of SR 0044 and SR 1014 (Glen Union, PA Quadrangle N: 20.4 inches; W: 12.3 inches) in Grugan Township, **Clinton County**.

E41-334. Water obstruction and encroachment. **Carl and Joy Miller**, R. R. 5, Box 146, Williamsport, PA 17701. To construct and maintain a public golfing facility in the floodway of Pine Run requiring the placement of 769.4 cubic yards of fill and the excavation of 814.0 cubic yards of fill. The project is located along the northern right-of-way of T-354 approximately 1,000 feet west of the intersection of SR 3007 and T-354 (Linden, PA Quadrangle N: 15.5 inches; W: 7.8 inches) in Woodward Township, **Lycoming County**.

E41-353. Water obstruction and encroachment. **Harry J. Miller**, R. R. 3, Box 172X, Jersey Shore, PA 17740. To

construct and maintain an 8.0 foot diameter culvert 32 feet in length with upstream wingwalls in Quenshukeny Run or the purpose of a private road crossing approximately 4 miles north of SR 220 (Salladasburg, PA Quadrangle N: 6.60 inches; W: 3.50 inches) in Anthony Township, **Lycoming County**.

Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631-641) relating to the acquisition of rights to divert waters of this Commonwealth.

Northwest Regional Office: Regional Water Management Program Manager, Water Supply and Community Health, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

Permits Issued

Permit No. WA 24-758B. Water allocation. **Jay Township Water Authority**, P. O. Box 69, Byrnedale, PA 15827. The right to withdraw a maximum of 395,000 gpd, when available, from the Byrnes Run Infiltration Gallery or the Kersey Run Infiltration Gallery, and a maximum total of 395,000 gpd, when available, from all sources which are located in Jay Township, **Elk County**.

Type of Facility: Water Allocation/Water Authority.

Consulting Engineer: William R. Glasser, P.E., Gibson-Thomas Engineering Company, Inc., 1004 Ligonier Street, P. O. Box 853, Latrobe, PA 15650.

Permit Issued: March 22, 1996.

Permit No. WA 25-803A. Water allocation. **Summit Township Water Authority**, 8920 Old French Road, Erie, PA 16509. The right to purchase an average of 600,000 gpd based on a 30 day average with a maximum of 18,000,000 gallons per 30 day period through the Peach Street and Kuntz Road (Route 19) interconnection from the Erie City Water Authority. Summit Township Water Authority services customers located in Summit Township, **Erie County**.

Type of Facility: Water Allocation/Water Authority.

Consulting Engineer: August E. Maas, P.E., Hill Engineering, Inc., 8 Gibson Street, North East, PA 16428.

Permit Issued: March 22, 1996.

SPECIAL NOTICES

Land Exchange

The Department of Conservation and Natural Resources' Bureau of State Parks proposes to exchange approximately 6.6 acres of Ohiopyle State Park (previously a section of the abandoned Western Maryland Railroad) for 6.8 acres of adjacent land owned by the Turkeyfoot Fish and Game Association. Both properties are located in Henry Clay Township, Fayette County, across the Youghiogheny River from the borough of Confluence, Somerset County.

This exchange would consolidate property owned by the Association, and provide Ohiopyle State Park with a riverfront corridor that would enable the completion of approximately 1 mile of the Yough River Trail between Confluence and the park. This exchange also signifies completion of a missing link in this 28-mile trail between the city of Connellsville and Confluence.

A public meeting will be held on April 17, 1996, from 3 p.m. to 7 p.m. in the Confluence Community Center meeting room. Representatives of the Bureau of State

Parks will be available to explain details of the land exchange and to receive public comment.

To comply with Department of Conservation and Natural Resources policy on land exchange, public notice in the *Pennsylvania Bulletin*, a public meeting and a 30-day comment period is required. Written comments will be received for 30 days from the date of the public meeting.

Persons requesting additional details of the land exchange or who are offering comments may do so by writing to Roger Fickes, Director, PA Bureau of State Parks, Department of Conservation and Natural Resources, P. O. Box 8551, Harrisburg, PA 17105-8551.

Persons with a disability who wish to participate in the public comment process and require an auxiliary aid, service, or other accommodation should contact Edwin Deaton at (717) 787-6674 or the AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

[Pa.B. Doc. No. 96-541. Filed for public inspection April 5, 1996, 9:00 a.m.]

Pennsylvania Bituminous Mine Safety Advisory Committee; Cancellation of Meeting

The April 10, 1996, Pennsylvania Bituminous Mine Safety Advisory Committee meeting has been cancelled. The next meeting is scheduled for June 12 in the Fayette County Health Center in Uniontown.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-542. Filed for public inspection April 5, 1996, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Request for Bids

The Department of General Services State Surplus Property Division is seeking contractors to remove mixed scrap metals from various agencies of the Commonwealth. District contracts can be subdivided and bid in part. The following counties will be involved in these contracts:

Mixed Scrap Metals

Scrap metal contracts will begin on July 1, 1996. *District 1:* Crawford, Erie, Forest, Mercer, Venango and Warren counties; *District 2:* Clearfield County; *District 4:* Lackawanna; *District 9:* Cambria and Fulton counties; *District 10:* Clarion County.

The above contracts will be for 1 year with an optional extension for a 2nd, 3rd and 4th year. For more information or to obtain a bid proposal for any of these contracts, write to the Department of General Services, State Surplus Property Division, 2221 Forster Street, P. O. Box

1365, Harrisburg, PA 17105, or call (717) 787-4085 prior to the bid opening on May 3, 1996.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 96-543. Filed for public inspection April 5, 1996, 9:00 a.m.]

DEPARTMENT OF HEALTH

Advantage Health Corporation and Tri-Associates; Public Meetings Rescheduled

CON-95-F-2364-B: The Department of Health has rescheduled the public meeting on the proposal by Advantage Health Corporation, 304 Cambridge Road, Woburn, MA 01801. The applicant proposes to develop a 40-bed free-standing rehabilitation hospital on the campus of Geisinger Medical Center (GMC) in Danville, Montour County.

CON-93-A-1845-B: The Department of Health has rescheduled the public meeting on the proposal by Tri-Associates, c/o SMP Associates, 91 Chestnut Road, Paoli, PA 19301. The applicant proposes to establish an ambulatory surgical facility in Norristown in a joint venture with Montgomery Hospital and Suburban General Hospital.

The Advantage Health Corporation public meeting will begin at 9:30 a.m., and the Tri-Associates public meeting will be held at 12:30 p.m. Friday, April 26, 1996, in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. The meetings are subject to cancellation without further notice.

Notice is published in accordance with section 704(b) of the Health Care Facilities Act (35 P. S. § 448.704(b)).

For additional information, contact the Division of Need Review at (717) 787-5601.

DANIEL F. HOFFMAN,
Acting Secretary

[Pa.B. Doc. No. 96-544. Filed for public inspection April 5, 1996, 9:00 a.m.]

Designation and Address of Health Policy Board to Adjudicate Certificate of Need and Licensure Decisions of the Department of Health

Under H. B. 272, Act 10 of 1996, enacted February 23, 1996, the Health Policy Board is now designated to adjudicate appeals of decisions of the Department of Health made under Chapters 7 and 8 of the Health Care Facilities Act (35 P. S. § 448.101 et seq.).

Accordingly, all pleadings and other correspondence relating to appeals from the Department's decisions regarding the Certificate of Need or Licensure program should be filed at the following address: Health Policy Board, P. O. Box 90, Harrisburg, PA 17108.

DANIEL F. HOFFMAN,
Acting Secretary

[Pa.B. Doc. No. 96-545. Filed for public inspection April 5, 1996, 9:00 a.m.]

Notice of Beginning of Review; Certificates of Need

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P. S. §§ 448.702(c), 704(a) and 704(b)).

CON-95-B-2526-B: Good Shepherd Rehabilitation Hospital, 501 St. John Street, Allentown, PA 18103. The project involves adding 21 comprehensive rehabilitation beds, and adding an elevator, at an estimated cost of \$3,300,000.

CON-95-H-2585-B: Sewickley Valley Hospital, 720 Blackburn Road, Pittsburgh, PA. The project involves establishing an 18 bed hospital based skilled nursing unit through the conversion of 30 acute beds, at an estimated cost of \$1,279,325.

The projects are scheduled to be reviewed and a decision rendered by the Department of Health within 90 days beginning April 6, 1996. Interested persons, as defined in section 103 of the act (35 P. S. § 448.103) may request a public meeting. Requests must be made in writing within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P. S. § 448.506(a)) regarding the decisions made on these applications, any interested person as defined in the act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, such meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. Good Shepherd public meeting will begin at 11 a.m., and Sewickley Valley public meeting will begin 1 p.m., Wednesday, May 22, 1996. Persons who need an accommodation due to a disability and want to attend a meeting should contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. These meetings are subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

DANIEL F. HOFFMAN,
Acting Secretary

[Pa.B. Doc. No. 96-546. Filed for public inspection April 5, 1996, 9:00 a.m.]

State Plan of Program Operations and Administration for Special Supplemental Food Program for Women, Infants and Children; Public Meetings

In accordance with 7 CFR 246.4(b) (as amended, 50 FR 6108 et seq., February 13, 1985) the Department of Health has scheduled two public meetings for the purpose of obtaining comments and recommendations for the development of the 1997 State Plan of Program Operations and Administration for the Special Supplemental Food Program for Women, Infants and Children (WIC) in Pennsylvania.

The Department invites comments on all aspects of the Program's operations. General comments on other issues pertinent to the Program are also requested.

Persons wishing to give testimony at the public meetings are requested to preregister with the State WIC Program Office by calling (717) 783-1289. Anyone unable to attend the meetings, but wishing to express their views, may submit written comments by May 31 to the Department. Direct written comments to Department of Health, Division of Special Food Programs (WIC), Attention: Program Operations and Evaluation Section, P. O. Box 90, Harrisburg, PA 17108.

Persons who require reasonable accommodations in accordance with the Americans with Disabilities Act (ADA) of 1990 should contact Jeanette Fossi at (717) 783-1289 for assistance.

Meeting dates and locations are as follows:

Thursday, April 25, 1996
10 a.m.—3 p.m.
Allegheny County Health Department
WIC Program
Investment Building
239 Fourth Avenue
Pittsburgh, PA 15222

Thursday, April 4, 1996
10 a.m.—3 p.m.
North Central Organized Regionally for Total Health
642 North Broad Street
Philadelphia, PA 19130

DANIEL F. HOFFMAN,
Acting Secretary

[Pa.B. Doc. No. 96-547. Filed for public inspection April 5, 1996, 9:00 a.m.]

University of Pittsburgh Medical Center; Certificate of Authority

On February 28, 1996, University of Pittsburgh Medical Center filed with the Departments of Health and Insurance, an application for a Certificate of Authority to establish, operate and maintain a health maintenance organization in accordance with the provisions of the Health Maintenance Organization Act (40 P. S. §§ 1551—1567), Department of Health HMO Regulations (28 Pa. Code §§ 9.1—9.97) and the Department of Insurance HMO Regulations (31 Pa. Code §§ 301.1—301.204).

The proposed service area of the applicant is Allegheny, Armstrong, Beaver, Butler, Greene, Washington and Westmoreland counties.

A copy of the application is available for public inspection by appointment only at the following locations: Department of Health, Bureau of Health Care Financing, Room 1030 Health and Welfare Building, Harrisburg, PA 17120, (717) 787-5193; or Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

Interested parties are invited to submit written comments, suggestions or objections within 30 days of the publication of this notice, to Lori Eshenour, Department of Health or Carolyn Smith, Insurance Department at the above listed addresses. Persons with a disability may submit comments, suggestions and objections in alternative formats, such as by audio tape, braille or using the

Department of Health's TDD; (717) 783-6514. Persons with a disability who require alternative arrangements to inspect the application should contact either Lori Eshenour or Carolyn Smith.

DANIEL F. HOFFMAN,
Acting Secretary

[Pa.B. Doc. No. 96-548. Filed for public inspection April 5, 1996, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Office of Vocational Rehabilitation; Establishment, Expansion or Improvement of Community Rehabilitation Programs

The Department of Labor and Industry, Office of Vocational Rehabilitation, under the Rehabilitation Act of 1973, as amended in 1992, announces that competing applications to establish, expand or improve community rehabilitation programs serving persons with the most severe disabilities will be accepted. This competition is authorized under section 103 of the Rehabilitation Act of 1973, as amended.

Funding for this competition is under the auspice of the Pennsylvania State Board of Vocational Rehabilitation and the Office of Vocational Rehabilitation (OVR), which will serve as administrator and fiscal agent for the grant awarded under this competition. Applications will be written to accomplish the following area of emphasis: Establishment, expansion or improvement of community rehabilitation programs which promise to contribute substantially to the rehabilitation of persons with the most severe disabilities. Such programs shall be used to provide services, quickly and effectively, that promote competitive employment in integration of persons with the most severe disabilities into the general workforce.

Service Information

The goal of this competition is to establish, expand or improve community-based vocational rehabilitation programs for persons sponsored by OVR, enabling them to maximize their competitive employment potential. Community rehabilitation programs include the range of vocational, psychosocial, medical, educational and economic/employment development programs through which persons sponsored by OVR may receive services. For purposes of this competition, community rehabilitation programs do not include sheltered employment, adult day care, work activity or other segregated facility-based training programs.

In order to accomplish this, OVR will reinforce the array of community rehabilitation programs available to persons with the most severe disabilities through provision of equipment, minor alterations to existing buildings for purposes of accessibility accommodation, and initial or additional staffing. Funds will be awarded for such purposes based upon OVR's acceptance of 1) the applicant's identified need, 2) the applicant's plan for addressing the need, and, 3) the applicant's projection of expected service outcome for persons with the most severe disabilities.

Needs identified by the applicant should be consistent with the vocational rehabilitation service needs of persons

with the most severe disabilities and those of the OVR District Office in which it operates. Applicant should explore such needs with the appropriate OVR District Office for which the subject service is proposed.

Application Information

Applications received by close of business 5 p.m., Wednesday, May 22, 1996, which are complete and conform to established specifications will be accepted for review. Applications submitted after this date and time will be ineligible for consideration.

Applications will be evaluated by a panel of reviewers convened for that purpose. Applications submitted from within a given OVR District area will compete only against other applications received by that District Office. Awards will be made by OVR through its District Offices which elect to participate in this RFP, using funds apportioned to each Office for such purposes.

The effective dates for the contract will be September 30, 1996—September 29, 1997. Final awards made through this competition are subject to the approval of the Executive Director, Pennsylvania Office of Vocational Rehabilitation.

Eligible applicants include private not-for-profit and public organizations/institutions. For-profit organizations are not eligible to apply under this RFP. Organizations or individuals demonstrating compliance with the terms of this announcement may apply to participate in this competition.

A complete application package which includes more detailed information is available by calling Raymond L. Walker at (717) 787-5735 (TDD: 783-8917) or writing to Office of Vocational Rehabilitation, Facilities and Grants Management Section, 1320 Labor and Industry Building, Seventh and Forster Streets, Harrisburg, PA 17120, FAX: (717) 783-5221, Attention: Raymond L. Walker.

Preproposal Conference

A preproposal conference to deal specifically with technical questions regarding applications will be held for applicants on Thursday, April 18, 1996, starting at 1 p.m. in Room 1404 Labor and Industry Building, 7th and Forster Streets, Harrisburg, PA 17120.

Copies of the application package will also be available at this conference. Persons expecting to attend should advise Raymond L. Walker, no later than 1 week prior to the conference, of any special accommodations that may be required in order for them to fully participate in the preproposal conference.

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 96-549. Filed for public inspection April 5, 1996, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Office of Medical Assistance Programs; Payment for Hearing Aid Batteries

The Department of Public Welfare announces effective November 1, 1995, that it will begin to provide payment for purchase of hearing aid batteries on the Medical

Assistance Program Fee Schedule for Medical Assistance eligible individuals under 21 years of age.

The fiscal note was prepared under provision of section 612 of The Administrative Code of 1929 (71 P. S. § 232).

The Department's estimates of the cost for the addition of the hearing aid batteries are based upon data in the Medical Assistance Management Information System. Based on the cost information received the Department estimates the 6 month cost of the hearing aid batteries to be \$2,880 for Fiscal Year 1995-1996 (\$1,356 in State funds; \$1,524 in federal funds).

A copy of this notice is available for review at local county assistance offices throughout the Commonwealth.

Interested persons are invited to submit written comments to this notice within 30 days of this publication. Comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120.

Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD users) or 1 (800) 654-5988 (Voice users), or may use the Department of Public Welfare TDD by calling (717) 787-3616. Persons who require another alternative format should contact India Wood at (717) 783-2212.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-111. (1) General Fund; (2) Implementing year 1995-96 is \$1,000; (3) 1st succeeding year 1996-97 is \$3,000; 2nd succeeding year 1997-98 is \$3,000; 3rd succeeding year 1998-99 is \$3,000; 4th succeeding year 1999-00 is \$3,000; 5th succeeding year 2000-01 is \$4,000; (4) FY 1994-95 is \$722,422,000; FY 1993-94 is \$623,050,000; FY 1992-93 is \$594,642,000; (7) Medical Assistance—Outpatient; (8) recommends adoption. The increased costs will be absorbed within the Medical Assistance—Outpatient appropriation.

[Pa.B. Doc. No. 96-550. Filed for public inspection April 5, 1996, 9:00 a.m.]

Office of Medical Assistance Programs; Prior Authorization of Anti-Ulcer Drugs

The Department of Public Welfare announces that certain anti-ulcer drugs are now subject to prior authorization under the following circumstances:

1. When prescribed or dispensed in quantities that exceed the maintenance dosage levels customarily recommended for the treatment of gastric or peptic ulcers after the initial 90 days of acute treatment has passed.

2. When duplicate or concurrent treatment is prescribed with more than one anti-ulcer drug at any point in time.

3. When a change is prescribed from one ulcer medication to another during the initial 90 day acute stage.

The affected anti-ulcer drugs, listed by brand name with their generic name in parentheses, are: AXID (nizatidine), CARAFATE (sulcralfate), CYTOTEC (misoprostol), PEPCID (famotidine), PREVACID (lansoprazole), PRILOSEC (omeprazole), TAGAMET (cimetidine), ZANTAC (ranitidine).

The Department adopts this requirement under section 443.6(b)(7) of the Public Welfare Code (62 P. S. § 443.6(b)(7)). The fiscal note was prepared under provision of section 612 of The Administrative Code of 1929 (71 P. S. § 232).

The Department estimates the savings of this prior authorization requirement to be approximately \$5.163 million per year in total funds.

Contact Person:

A copy of this notice is available for review at local county assistance offices throughout the Commonwealth.

Interested persons are invited to submit written comments to this notice within 30 days of this publication. Comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120.

Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD users) or 1 (800) 654-5988 (Voice users), or may use the Department of Public Welfare TDD by calling (717) 787-3616. Persons who require another alternative format should contact India Wood at (717) 783-2212.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-113. No fiscal impact; (8) recommends adoption. Prior authorization of ulcer drugs is anticipated to save \$1,013,000 for fiscal year 1995-96 and \$2,431,000 for fiscal year 1996-97 in the Medical Assistance-Outpatient appropriation.

[Pa.B. Doc. No. 96-551. Filed for public inspection April 5, 1996, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

Commissioners Present: Robert J. Harbison, III, Vice-Chairperson; Arthur Coccodrilli; Irvin G. Zimmerman

Public meeting held
March 21, 1996

Department of Agriculture—Pseudorabies Disease; Doc. No. 2-91

Order

On September 12, 1995, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture (Department). It would amend Chapter 10 in 7 Pa. Code, relating to the control of pseudorabies disease, under the authority of section 1702 of The Administrative Code of 1929 (P. L. 177, No. 175) (71 P. S. § 442), section 3 of the act of April 17, 1929 (P. L. 533, No. 236) (3 P. S. § 343), and section 4 of the act of March 28, 1929 (P. L. 110) (3 P. S. § 374). The proposed regulation was published in the *Pennsylvania Bulletin* on September 23, 1995, with a 30-day public comment period. The final-form regulation was submitted to the Commission on February 23, 1996.

The foregoing statutes authorize the Department to undertake measures to detect, prevent, contain and eradicate dangerous transmissible diseases among animals within Pennsylvania and to establish quarantines to help achieve these objectives. Pseudorabies is a contagious, infectious viral disease which affects animals but not humans. It poses a threat to the health of swine and the economic well being of the swine industry by reducing swine production profit as a result of reproductive failures, diminishing feed conversion efficiency and results in restrictions on the interstate movement of infected or exposed swine.

This rulemaking is part of an industry-driven National effort already underway to eradicate pseudorabies in the United States by the year 2000. It is reflected in the United States Department of Agriculture Animal and Plant Health Inspection Service (USDA-APHIS) publication 91-55-018, *State-Federal-Industry Program Standards for Pseudorabies Eradication* (Federal Eradication Program).

These rulemaking changes will also enable the Commonwealth to remain in compliance with the Federal Eradication Program, which has five stages or steps. Each affected state or region of the state is to: (1) establish the procedural groundwork to eradicate pseudorabies disease; (2) identify and quarantine affected herds; (3) develop and implement herd clean up programs; (4) monitor the efficacy of herd clean up programs; and (5) monitor and maintain pseudorabies-free status, once attained.

The Commonwealth is in Stage II (the control stage) and, to remain there, it must put in place the proposed regulatory authority to require herd clean up plans. To advance to Stage III of the program (the mandatory herd clean up phase), Pennsylvania must have authority to deal with a herd which does not clean up within a reasonable time.

This rulemaking will provide a series of options to herd owners as part of eradicating pseudorabies disease including strict quarantine and, ultimately, mandatory herd depopulation. In making the decisions for each case, the Department endeavors to work cooperatively with the State Pseudorabies Advisory Committee (Advisory Committee), whose role is clarified under this rulemaking with regard to the Advisory Committee's functions, appointment and membership. The Department states that without these rulemaking changes, the Commonwealth will be powerless to effectively clean up pseudorabies disease-infected herds so that swine herds can be moved freely in interstate commerce. There are approximately 50 pseudorabies-exposed swine herds in the Commonwealth which have been quarantined.

This rulemaking will affect owners, transporters, purchasers, dealers and livestock market personnel. The Department notes that swine illness and mortality from pseudorabies currently cost swine producers approximately \$200,000 per year. Testing and vaccination costs run approximately \$600,000 annually. These costs will largely be avoided, especially after the next 3 to 4 years, if mandatory provisions are put in place now to eradicate pseudorabies disease.

The proposed amendments will cost the Department about \$15,000 in Fiscal Year (FY) 1996, progressively decreasing to less than \$4,000 in FY 1999. These costs will be for testing swine for pseudorabies and the possible incurrence of expenses relating to herd clean up costs.

Even though this rulemaking has broad support in the swine producing industry, a number of commentators raised some concerns or suggested further changes to the version published for comment. Comments were submitted by the House Agriculture and Rural Affairs Committee, the Commission, and the following public commentators: Federated Humane Societies of Pennsylvania; Hess Mills, Hog Department; Pennfield Corporation; Schick Farms; The Pennsylvania State University, Department of Dairy and Animal Science, College of Agricultural Sciences; The Pennsylvania State University, Department of Veterinary Science, College of Agricultural Sciences; and the Clark Stauffer Farm.

In response to commentators' suggestions, the Department made a number of changes to improve the clarity of the final-form regulation. It amended section 10.21 (relating to eradication program requirements) by clarifying the procedural steps to be followed. It also amended, for improved clarity, section 10.26 (relating to Indemnity) and section 10.27 (relating to Advisory Committee). In the latter section, the Department added a new subsection relating to the Secretary of Agriculture's consultation with the Advisory Committee.

The Department explained in its Comment and Response Document why it adopted or did not adopt the various changes proposed by commentators. The Department also clarified somewhat the cost impacts of the regulation on private sector owners of pseudorabies-infected swine herds. Under the available options, most herd owners will be able to test, depopulate and vaccinate their swine so as to complete herd clean up within the 3-year period provided under the Stage III plan. Doing so should keep costs from exceeding levels under the current regulation. The Department has acknowledged that herd owners may incur additional costs if, as the result of a herd clean up plan, the owner must completely depopulate the herd, disinfect the premises and leave the premises vacant for at least 30 days before repopulating it with a new herd.

We have reviewed this regulation and find it to be in the public interest. The regulation will assist the Department in eradicating pseudorabies disease in its swine population and enable Pennsylvania to remain in compliance with the five-stage Federal Eradication Program. Herd owners will be afforded the opportunity to select the methodology and the time (up to 3 years from the approval of the clean up plan) for herd clean up. Although these regulatory amendments will result in additional costs for herd owners where pseudorabies-infected swine must be destroyed (in noncondemnation situations), the costs should be incurred only once. The number of pseudorabies-infected swine herds continues to decline dramatically and, with these regulatory changes in place, should be eliminated entirely by the year 2000.

Therefore, It Is Ordered That:

1. Regulation No. 2-91 from the Department of Agriculture, as submitted to the Commission on February 23, 1996, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Arthur Coccodrilli; Irvin G. Zimmerman

Public meeting held
March 21, 1996

Department of Public Welfare—Income; Doc. No. 14-427

Order

On February 21, 1996, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Public Welfare (DPW). This rulemaking would amend 55 Pa. Code Chapter 183 by changing the work/personal expense deductions for Aid to Families with Dependent Children (AFDC) and General Assistance (GA) recipients. The authority for this regulation is contained in section 201 of the Public Welfare Code (62 P. S. § 201). Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

In October 1993 the Federal government changed the amount that could be deducted from earned income to determine eligibility and assistance amounts for the AFDC program. The Federal government increased the standard work/personal expense deduction for legal responsible relatives, parents of AFDC minor parents and step-parents from \$75 a month to \$90 a month.

As a result of the Federal change, the DPW published a notice of rule change in the *Pennsylvania Bulletin* on March 5, 1994, that increased the income deduction from \$75 to \$90 for AFDC and GA recipients. The purpose of the notice of rule change was to ensure that the DPW provisions were consistent with those of the Federal government. Failure to make this revision could result in Federal sanctions.

This rulemaking simply codifies the DPW's notice of rule change published March 5, 1994. The DPW has been using the new income deduction since 1993 and with this change is only making its regulations consistent with its procedures.

An increase in the income deduction potentially allows more people to meet the income eligibility requirements and may increase the amount of assistance. The DPW states that the change resulted in a State fund cost of \$22,000 in cash grants and \$9,000 in Medical Assistance for fiscal year 1993-94. The DPW anticipates that in subsequent years the cost related to cash grants would increase to \$30,000 and Medical Assistance costs would increase to \$17,000 in fiscal year 1994-95 and by \$2,000 increments every year thereafter.

We have reviewed this regulation and find it to be in the public interest. The regulation is necessary for DPW's regulations to reflect its current procedures for determining income eligibility for the AFDC program and the GA program. However, we note the DPW took over 2 years to submit the regulation to make this simple codification. We believe the DPW needs to be more timely in updating its regulations so they are consistent with actual DPW procedures.

Therefore, It Is Ordered That:

1. Regulation No. 14-427 from the Department of Public Welfare, as submitted to the Commission on February 21, 1996, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Irvin G. Zimmerman; Arthur Coccodrilli

Public meeting held
March 21, 1996

Department of Public Welfare—Eligibility Provisions for the Healthy Horizons Program for the Elderly/Disabled; Doc. No. 14-433

Order

On February 21, 1996, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Public Welfare (DPW). This rulemaking would amend 55 Pa. Code Chapter 140, Subchapter B. The authority for this regulation is found in sections 201(2) and 403(b) of the Public Welfare Code (62 P. S. §§ 201(2) and 403(b)), and in the Omnibus Budget Reconciliation Act of 1990 (OBRA '90), section 4501. Notice of proposed rulemaking was omitted for this regulation in accordance with sections 204(1) and 204(3) of the Commonwealth Documents Law (45 P. S. §§ 1204(1) and 1204(3)). The regulation will become effective upon publication in the *Pennsylvania Bulletin*.

This rulemaking amends the Medical Assistance Healthy Horizons Medicare Cost-Sharing Program to conform to the mandates found in OBRA '90. Specifically, OBRA '90 mandated that effective January 1, 1993, states must pay Medicare Part B premiums for Specified Low-Income Medicare Beneficiaries (SLMBs) with incomes in excess of 100% but not more than 110%, of the Federal poverty income guidelines. In addition, the individual's financial resources, such as bank accounts, stocks or bonds, must not exceed twice the Supplemental Security Income resource standard. OBRA '90 further mandated that states must increase the income eligibility limit for SLMB benefits to 120% of the Federal poverty income guidelines effective January 1, 1995.

DPW implemented the OBRA '90 mandates through two Notices of Rule Change (NORCs) published in the *Pennsylvania Bulletin* on January 23, 1993, and May 13, 1995. Therefore, the Healthy Horizons program has provided the SLMB benefit since 1993. The proposed regulation is intended to update DPW's regulations to reflect the income eligibility changes implemented through the 1993 and 1995 NORCs. According to DPW, failure to amend the existing regulations will jeopardize Federal funding.

We have reviewed this regulation and find it to be in the public interest. The proposed regulation is a direct result of the Federal mandates found in OBRA '90. If the existing regulations are not revised to reflect the SLMB benefit, Pennsylvania may lose Federal funding. We note, however, that substantial time has passed since DPW published the two NORCs which implemented the OBRA '90 mandates. In the future, we encourage DPW to act more expeditiously in making revisions to regulations when required by changes in Federal law.

Therefore, It Is Ordered That:

1. Regulation No. 14-433 from the Department of Public Welfare, as submitted to the Commission on February 21, 1996, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice-Chairperson; Arthur Coccodrilli; Irvin G. Zimmerman

Public meeting held
March 21, 1996

Insurance Department—Automatic Subscriptions to the Pennsylvania Code and Pennsylvania Bulletin; Doc. No. 11-127

Order

On February 27, 1996, the Independent Regulatory Review Commission (Commission) received this regulation from the Insurance Department (Insurance). This rulemaking will amend 31 Pa. Code §§ 149.1—149.4 and 151.14(e). The authority for this regulation is found in 45 Pa.C.S. §§ 502, 503, 729, 730 and 731, and sections of 206, 506, 1501 and 1502 of The Administrative Code of 1929 (71 P. S. §§ 66, 411 and 412). Notice of proposed rulemaking was omitted for this regulation. It will become effective upon publication in the *Pennsylvania Bulletin*.

This final regulation is a simple, straight-forward, housekeeping measure. It deletes existing provisions which were rendered obsolete by Regulation No. 53-8 from the Joint Committee on Documents (JCD). The Commission approved the JCD's regulation on July 6, 1995. The JCD rule terminated the automatic subscription provisions relating to Insurance. Before this termination, entities licensed by Insurance received automatic subscriptions to the *Pennsylvania Code* and *Pennsylvania Bulletin*. The termination of the JCD's provisions was effective retroactively to July 1, 1995.

Insurance states that there is no fiscal impact from the repeal of the sections related to the automatic subscriptions. The automatic subscriptions were not free; Insurance billed subscribers for the costs. Insurance companies and other entities regulated by Insurance are now able to continue subscriptions on a voluntary basis by dealing directly with the publisher of the *Pennsylvania Code* and *Pennsylvania Bulletin*.

We have reviewed this regulation and find it to be in the public interest. This regulation deletes existing sections relating to the procedures for applying for exceptions to automatic subscriptions and assessing the entities for the costs of the subscriptions. Given the JCD's action, the existing sections are no longer necessary.

Therefore, It Is Ordered That:

1. Regulation No. 11-127 from the Insurance Department, as submitted to the Commission on February 27, 1996, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 96-552. Filed for public inspection April 5, 1996, 9:00 a.m.]

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the date indicated, the following final-form regulations for review. The regulations will be considered within 30 days of their receipt at a public meeting of the

Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of a regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
	Pennsylvania Public Utility Commission	3/21/96
57-152	Line Extensions	

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 96-553. Filed for public inspection April 5, 1996, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval of a Plan Filed by Medical Service Association of Pennsylvania, d/b/a Pennsylvania Blue Shield and Veritus, Inc., d/b/a Blue Cross of Western Pennsylvania for a Change of Control of the Insurance Corporation and Health Maintenance Organization Subsidiaries

The Insurance Department will hold a public informational hearing on Friday, April 26, 1996, regarding the plan filed by Medical Service Association of Pennsylvania and Veritus, Inc. (Applicant Companies) proposing a change of control of their insurance corporation subsidiaries and health maintenance organization subsidiaries resulting from the consolidation of the Applicant Companies. The consolidation will result in a change of control of Trans-General Casualty Insurance Company, Inc., United Concordia Insurance Company, Keystone Health Plan West, Keystone Health Plan Central, Keystone Health Plan East and HealthGuard of Lancaster, Inc. The change in control application was filed under the requirements set forth under The Insurance Company Law of 1921 (40 P. S. § 991.1401 *et seq.*).

At the hearing, the Applicant Companies will present the features of their plan for the change of control of their subsidiaries. Interested persons are invited to attend the hearing.

The Department will accept written comments from interested persons regarding the plan for 30 days following the conclusion of the hearing.

All questions and comments should be directed to Carolyn Smith, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735 or FAX (717) 787-8557.

The hearings will be held as follows:

Date: April 26, 1996.
Time: 9 a.m.
Location: Administrative Hearing Room, Capital Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-554. Filed for public inspection April 5, 1996, 9:00 a.m.]

Capital Blue Cross; Lehigh Valley Hospital; Member Hospital Prospective Payment Agreement; Filing No. 96-I

By filing no. 96-I, Capital Blue Cross submits for the Department's review and approval a Member Hospital Prospective Payment Provider Agreement Form # F-1673 with Lehigh Valley Hospital.

Copies of the filing are available for public inspection on Monday, Wednesday and Friday, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. The filing consists of 47 pages.

Interested parties are invited to submit written comments, suggestions or objections to Richard Stoner, Insurance Department, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-555. Filed for public inspection April 5, 1996, 9:00 a.m.]

Capital Blue Cross; Saint Joseph Hospital, Reading; Member Hospital Prospective Payment Agreement; Filing No. 96-J

By filing no. 96-J, Capital Blue Cross submits for the Department's review and approval a Member Hospital Prospective Payment Provider Agreement Form # F-1674 with Saint Joseph Hospital, Reading.

Copies of the filing are available for public inspection on Monday, Wednesday and Friday, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. The filing consists of 33 pages.

Interested parties are invited to submit written comments, suggestions or objections to Richard Stoner, Insurance Department, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-556. Filed for public inspection April 5, 1996, 9:00 a.m.]

Lloyd's of London; Notice No. 1996-02

On March 12, 1996, the Pennsylvania Securities Commission issued a Summary Order (Order) to Cease and Desist, naming Lloyd's of London (Lloyd's) as Respondent.

The Order requires that Lloyd's immediately cease and desist from offering and selling the Lloyd's Interests in the Commonwealth of Pennsylvania.

In addition, the Order requires that Lloyd's immediately cease and desist from other activities including, but not limited to, the following:

1. Drawing down, or attempting to draw down, Letters of Credit established by a Pennsylvania Lloyd's Member payable to, or on behalf of, Lloyd's;
2. Drawing down or seizing assets of funds held in reserve for, or on behalf of, a Pennsylvania Lloyd's Member;
3. Instituting, or attempting to institute, any proceeding in the United States or Commonwealth of Pennsylvania to reduce to a judgment any debt against a Pennsylvania Lloyd's Member; and
4. Collecting, or attempting to collect, any debt, judgment or cash call demand or making any cash call demand against a Pennsylvania Lloyd's Member.

Unlike legal actions instituted against Lloyd's by other states, the Pennsylvania Order does not attempt to freeze the assets in the Lloyd's Trust Fund. Such Trust Fund remains available to pay claims at this time.

Persons who have any questions concerning this notice should contact Steve Johnson, Director of the Bureau of Examinations, Insurance Department, at (717) 783-4312, or Scott Lane, Assistant Director, Division of Enforcement & Litigation, Pennsylvania Securities Commission, at (412) 565-5083.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-557. Filed for public inspection April 5, 1996, 9:00 a.m.]

Postponement of Public Hearing

The public hearing originally scheduled for Wednesday, April 10, 1996, regarding the termination of managed care agreements with St. Joseph Medical Center and Community General Hospital by Capital Blue Cross, has been postponed. A new date for the public hearing has not yet been established.

Any further questions should be directed to Gregory S. Martino, Insurance Department at (717) 783-5079.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-558. Filed for public inspection April 5, 1996, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with the company's termination of the insured's automobile policy.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Hami A. Fidler; file no. 95-183-01168; State Farm Insurance Company; doc. no. P96-03-032; May 15, 1996, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings,

witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-559. Filed for public inspection April 5, 1996, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurer has requested a hearing as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with the termination of the insured's automobile policy.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of State Farm Mutual Auto Insurance Company; file no. 95-121-00748; Charlotte Rudnick; doc. no. P96-03-031; May 15, 1996, at 11 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-560. Filed for public inspection April 5, 1996, 9:00 a.m.]

Review Procedure Hearings under The Unfair Insurance Practices Act

The following insured has requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with her company's termination of the insured's policy.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Anne Marie Schaffer; file no. 96-183-01225; State Farm Insurance Company; doc. no. P96-03-030; May 15, 1996, at 10 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-561. Filed for public inspection April 5, 1996, 9:00 a.m.]

Pasquale Rocca; Hearing

Pasquale Rocca; Pennsylvania Assigned Risk Plan; Doc. No. PH96-03-011

Under the Pennsylvania Assigned Risk Plan, section 19, that was adopted by the Insurance Commissioner under 75 Pa.C.S. § 1741, notice is hereby given that Pasquale Rocca has requested a hearing on the determination by the Pennsylvania Assigned Risk Plan Governing Committee of the termination of the above-captioned automobile insurance policy.

The hearing will be held on Thursday, May 16, 1996, at 9 a.m. in Hearing Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of the Administrative Agency Law, 2 Pa.C.S. §§ 501—508 and 701—704; section 8 of The Unfair Insurance Practices Act (40 P.S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code §§ 31.1—35.193, 35.225—35.251, unless specific exemption is given.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-562. Filed for public inspection April 5, 1996, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Bradford County, Wine & Spirits Shoppe # 0802, 17 Pine Street, Towanda, PA 18848-1811.

Lease Expiration: July 31, 1996

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,700 to 3,400 net useable square feet of new or existing retail commercial space within the Borough of Towanda or Wysox Township.

Proposals due: May 2, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Dauphin County, Wine & Spirits Shoppe # 2216, 3307 Harrisburg East Mall, County Road and Paxton Street, Harrisburg, PA 17111-1205.

Lease Expiration: 90 day status since August 1, 1995

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space along Paxton Street or Eisenhower Boulevard, west of Route 283, Swatara Township.

Proposals due: May 2, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Willard J. Rhodes, (717) 657-4228

The Liquor Control Board seeks the following new site:

Cambria County, Wine & Spirits Shoppe # 1102, Richland Township.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Penn-

sylvania Liquor Control Board with approximately 2,700 net useable square feet of new or existing retail commercial space within .75 mile of the intersection of S. R. 219 and S. R. 756 in Richland Township. The site must have free off-street parking and good loading facilities.

Proposals due: May 3, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Tom Deal, (412) 565-5130

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 96-563. Filed for public inspection April 5, 1996, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

Application Cut-Off Dates and Regular Meetings for Fiscal Year 1996-97

The Fiscal Year 1996-97 application cut-off dates and regular meetings of the Pennsylvania Infrastructure Investment Authority (PENNVEST) Board of Directors have been scheduled. Funding applications must be received by 5 p.m. on the stated cut-off dates at the PENNVEST office, Keystone Building, 22 South Third Street, Harrisburg, PA 17101. All meetings of the PENNVEST Board of Directors will begin at 10 a.m. on the stated meeting dates at the Governor's Residence, 2035 North Front Street, Harrisburg, PA 17102.

<i>Application Cut-Off Dates</i>	<i>Board Meeting Dates</i>
May 22, 1996	July 17, 1996
September 18, 1996	November 13, 1996
January 29, 1997	March 26, 1997

PAUL K. MARCHETTI,
Executive Director

[Pa.B. Doc. No. 96-564. Filed for public inspection April 5, 1996, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Petition of Pennsylvania American Water Company for Approval to Implement a Tariff Supplement Establishing a Distribution System Improvement Charge; Doc. No. P-00961031

Pennsylvania American Water Company filed a petition at Docket No. P-00961031, requesting that the Pennsylvania Public Utility Commission (Commission) approve the implementation of a tariff supplement which establishes a Distribution System Improvement Charge (DSIC) to be effective for service rendered on or after July 1, 1996. Establishment of the DSIC, under 66 Pa.C.S. § 1307 (relating to sliding scale of rates; adjustments), would

provide for the recovery of the fixed costs (depreciation and pre-tax revenue) of certain nonrevenue producing, nonexpense reducing infrastructure rehabilitation projects completed and placed in service between the Company's base rate cases. The petition states that the DSIC is in the public interest in that it would provide the company, among other things, with the resources needed to accelerate investment in new utility plant to replace aging water distribution infrastructure, thereby facilitating compliance with the evolving regulatory requirements imposed by the Safe Drinking Water Act. In addition, the DSIC will be capped at 5% of the amount billed to customers under otherwise applicable rates and charges.

Persons desiring to file answers to this petition may do so in accordance with 52 Pa. Code § 5.61. All such answers must be filed with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 within 30 days of the date of publication of this notice in the *Pennsylvania Bulletin*. In addition to the requirements of 52 Pa. Code § 1.37, one additional copy of the answers should be filed with the Commission's Law Bureau. Copies of the petitions are on file with the Commission and are available for public inspection. The contact person is Assistant Counsel Susan T. Povilaitis, (717) 787-2871.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-565. Filed for public inspection April 5, 1996, 9:00 a.m.]

Petition of Philadelphia Suburban Water Company for Approval to Implement a Tariff Supplement Establishing a Distribution System Improvement Charge; Doc. No. P-00961036

Philadelphia Suburban Water Company filed a petition on Docket No. P-00961036, requesting that the Pennsylvania Public Utility Commission (Commission) approve the implementation of a tariff supplement which establishes a Distribution System Improvement Charge (DSIC) to be effective for service rendered on or after July 1, 1996. Establishment of the DSIC, under 66 Pa.C.S. § 1307 (relating to sliding scale of rates; adjustments), would provide for the recovery of the fixed costs (depreciation and pre-tax revenue) of certain nonrevenue producing, nonexpense reducing infrastructure rehabilitation projects completed and placed in service between the company's base rate cases. The petition states that the DSIC is in the public interest in that it would provide the company, among other things, with the resources needed to accelerate investment in new utility plant to replace aging water distribution infrastructure, thereby facilitating compliance with the evolving regulatory requirements imposed by the Safe Drinking Water Act. In addition, the DSIC will be capped at 5% of the amount billed to customers under otherwise applicable rates and charges.

Persons desiring to file answers to this petition may do so in accordance with 52 Pa. Code § 5.61. All such answers must be filed with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 within 30 days of the date of publication of this notice in the *Pennsylvania Bulletin*. In addition to the requirements of 52 Pa. Code § 1.37, one additional copy of the answers should be filed with the Commission's Law Bureau. Copies of the petitions are on file with the

Commission and are available for public inspection. The contact person is Assistant Counsel Susan T. Povilaitis, (717) 787-2871.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-566. Filed for public inspection April 5, 1996, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before April 29, 1996, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00112373. (Corrected) Edward W. Blazis and Dawn S. Blazis, t/d/b/a Magic Carpet Limousine (R. R. 1, Box 1203, Barnesville, Schuylkill County, PA 18214)—persons in limousine service, between points in the county of Schuylkill, and from points in said county to points in Pennsylvania and return.

A-00112914. Trudy J. Cline, t/d/b/a Trudy's Taxi (P. O. Box 766, Waynesboro, Franklin County, PA 17268)—persons in call or demand service, in the borough of Waynesboro, and the townships of Quincy and Washington, Franklin County. *Attorney:* Frank Martin, 239A East Main Street, Waynesboro, PA 17268.

A-00112920. Stephen A. Rakoci, Jr. (3245 Morefield Road, Hermitage, Mercer County, PA 16148)—persons in limousine service, between points in the city of Hermitage, Mercer County, and from points in said city, to points within an airline distance of 50 statute miles of the limits of said city and return.

A-00112922. Capital Area Intermediate Unit No. 15 (55 Miller Street, Summerdale, Cumberland County, PA 17093)—persons in paratransit service, between points in Intermediate Unit No. 15, comprising the school districts of Big Spring, Camp Hill, Carlisle Area, Cumberland Valley, East Pennsboro, Mechanicsburg Area, Shippenburg Area, South Middleton, West Shore, Northern York County, Greenwood, Newport, Susquenita, West Perry, Central Dauphin, Derry Township, Halifax Area, Harrisburg, Lower Dauphin, Middletown Area, Millersburg Area, Steelton-Highspire, Susquehanna Township, and Upper Dauphin Area, located in the counties of Cumberland, Dauphin, Perry and York, and from points in said area to points in Pennsylvania and return. *Attorney:* Cleckner & Fearen, 31 North Second Street, Harrisburg, PA 17108-1847.

Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.

A-00106639, Folder 4. Norristown Transportation Co. (41 Burnside Avenue, Norristown, Montgomery County, PA 19403), a corporation of the Commonwealth of Pennsylvania—additional right—persons in paratransit service, between points in Montgomery County.

Applications of the following for approval of the additional right and privilege of operating motor vehicle as common carriers for transportation of persons by transfer of rights as described under each application.

A-00102104, F. 3. Super Senior Transport, Inc. (33 Radburn Road, Huntingdon Valley, Montgomery County, PA 19006), a corporation of the Commonwealth of Pennsylvania—additional right—persons in paratransit service, between points in the city and county of Philadelphia; which is to be a transfer of the right issued to Bart Transport, Inc., under the certificate issued at A-00109333, subject to the same limitations and conditions.

Applications of the following for approval of the right to begin to operate as a broker for the transportation of persons as described under each application.

A-00112913. Big Kids/All Kids Tours, Inc. (3272 Valleyview Road, Sharpsville, Mercer County, PA 16150), a corporation of the Commonwealth of Pennsylvania—brokerage license—to arrange for the transportation of passengers between points in Pennsylvania. *Attorney:* Robert G. Yeatts, P. O. Box 1024, Hermitage, PA 16148.

A-00112921. Joseph A. Majersky and Kathryn K. Majersky, husband and wife, t/d/b/a Joe's Seniors (1311 East 8th Street, Erie, Erie County, PA 16508)—brokerage license—to arrange for the transportation of persons and their baggage between points in Pennsylvania. *Attorney:* Richard T. Ruth, 1026 West 26th Street, Erie, PA 16508.

Applications of the following for approval of discontinuance of service for the transportation of persons as described under each application.

A-00107104, F. 1, Am-B. Len A. Cline (314 East King Street, Chambersburg, Franklin County, PA 17201)—discontinuance of service—persons upon call or demand, (1) in the township of Washington, Franklin County; and (2) in the borough of Waynesboro and the township of Quincy, both in Franklin County.

A-00107104, F. 2, Am-A. Len A. Cline (314 East King Street, Chambersburg, Franklin County, PA 17201)—discontinuance of service—persons in paratransit service between points in the borough of Waynesboro and the townships of Washington and Quincy, all in Franklin County; subject to the following condition: that the service herein authorized shall be provided only in vehicles which are not equipped with taxi meters or dome lights.

Notice of Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary,

Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before April 22, 1996.

- A-00112911 Ronald Leiphart Trucking, Inc.
R. D. 1, Box 10, Brogue, PA 17309
- A-00112912 Cheryl A. Teter, t/d/b/a C.A.T.
Transportation
6277 Marcy Road, Pierpont, OH 44082
- A-00112915 M.S.S.G., Inc.
P. O. Box 265, Larimer, PA 15647
- A-00112916 Bio-Test Building Maintenance & Services, Inc., t/d/b/a Bio-Test Medical, Inc.
P. O. Box 5, Allison Park, PA 15101
- A-00112926 Samuel S. Lapp
3761 Ridge Road, Gordonville, PA 17529
- A-00112917 W. Anthony Martin
1162 Weawit Street, East Earl, PA 17519
- A-00112918 Susan A. Lally, t/d/b/a Sueden Trucking
457 West Main Street, Girardsville, PA 17935
- A-00112919 William C. Larimer, t/d/b/a Larimer
Trucking
455 Hadley Road, Greenville, PA 16125
- A-00112923 Ray McGuire, t/d/b/a McGuire Trucking
239 West Washington Street, Bradford, PA 16701
- A-00112924 Carl C. Chytla, t/a/d/a WEFTCO
322 Valley Road, West Grove, PA 19390
- A-00112925 Ralph Butch, Inc.
407 South Pitt Street, Mercer, PA 16137
- A-00112927 Chris L. Long, t/d/b/a Chris L. Long's
Trucking
R. D. 1, Box 924, Herndon, PA 17830
- A-00112928 J. D. Trucking, Inc.
P. O. Box 92, McAdoo, PA 18237

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-567. Filed for public inspection April 5, 1996, 9:00 a.m.]

**Telecommunications Service
Without Hearing**

A-310260F0002. NEXTLINK Pennsylvania, L. P. Application has been made to the Pennsylvania Public Utility Commission, under the provisions of the Public Utility Code, by NEXTLINK Pennsylvania, L. P. (formerly Penns Light Communications, L. P.) to amend its certificate of public convenience to operate as a local exchange telecommunications company and to resell authorized telecommunications services throughout the Commonwealth of Pennsylvania.

This application may be considered by the Commission without a hearing. Protests or petitions to intervene may, however, be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy thereof served upon applicant on or before April 22, 1996, under 52 Pa. Code (relating to public utilities).

Counsel for applicant: James H. Cawley, Esquire, Roads & Sinon, P. O. Box 1146, Harrisburg, PA 17108.

Applicant's addresses: J. Scott Bonney, Vice President, NEXTLINK Pennsylvania, L. P., Regulatory and External Affairs, Suite 810—155 108th Avenue, N. E., Bellevue, WA 98004; Gary Rawding, President, NEXTLINK Pennsylvania, L. P., Suite 2100—2675 Morgantown Road, Reading, PA 19607.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-568. Filed for public inspection April 5, 1996, 9:00 a.m.]

Water Service Without Hearing

A-212285F0030. Pennsylvania-American Water Company and Westford Water Company. Application of Pennsylvania-American Water Company and Westford Water Company for approval of (1) the transfer, by sale, of the waterworks property and rights of the Westford Water Company to Pennsylvania-American Water Company, (2) the right of Pennsylvania-American Water Company to begin to offer or furnish water service to the public in additional portions of West Hanover Township, Dauphin County, Pennsylvania and (3) the permanent discontinuance by Westford Water Company of all water service to the public.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before April 22, 1996, under 52 Pa. Code (relating to public utilities).

Counsel for Applicants: Pennsylvania-American Water Co., Velma A. Redmond, Esq., 800 West Hersheypark Drive, Hershey, PA 17033; Westford Water Company, Jordan Cunningham, Esq., Cunningham and Chernicoff, 2320 North Second Street, Harrisburg, PA 17106-0457.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-569. Filed for public inspection April 5, 1996, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept proposals until 2 p.m. on Thursday, April 18, 1996, for Project #96-078-001 (Purchase of One New Two Wheel Drive Pick Up Truck). The Bid Document can be obtained from the Procurement Administrator, Phila. Regional Port Authority (PRPA), 210 W. Washington Square, 8th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be

available April 9, 1996. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-570. Filed for public inspection April 5, 1996, 9:00 a.m.]

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9602.6—Replacement of Fire Pump Motor Controllers at Pier 84 South until 2 p.m. on Thursday, April 25, 1996. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Square, 8th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available April 9, 1996. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations. Mandatory prebid job site meeting will be held April 18, 1996, 10 a.m. at Main Door—Pier 84 South, Columbus Boulevard and Porter Street.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-571. Filed for public inspection April 5, 1996, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Bids

The Turnpike Commission is requesting sealed bids for: 1) 3/4 Ton Vans and 8 Passenger Mini-Vans; Open Date: April 22, 1996, 11 a.m.; 2) Tractor with Hydraulic Boom Flail Mower; Open Date: April 22, 1996, 11:30 a.m.

Bids will be received by the Director of Purchases not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Dept., (717) 939-9551, Ext. 2830.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-572. Filed for public inspection April 5, 1996, 9:00 a.m.]

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 95-002-RE75. Roadway repairs between M. P. 101.71 and M. P. 116.00 on the PA Turnpike System in Somerset County, PA.

Bid Opening: May 2, 1996, 11 a.m.
Bid Surety: 5%.

Plans, specifications and Contract Documents will be available and open to the public inspection at the Administration Building. Copies may be purchased upon payment of \$60 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676: Attn: Secretary/Treasurer's Office. No refund will be made for any reason.

A Prequalification Certification and Maximum Capacity

Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-573. Filed for public inspection April 5, 1996, 9:00 a.m.]