

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending May 21, 1996.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-16-96	Iron and Glass Bank Pittsburgh Allegheny County	1100 Washington Ave. Scott Township Allegheny County	Approved
5-16-96	The York Bank and Trust Company York York County	Weis Market 1651 E. Cumberland St. Lebanon Lebanon County	Filed
5-16-96	FirstService Bank Lansdale Montgomery County	90 N. Main Street Doylestown Bucks County	Approved
5-16-96	Financial Trust Company Carlisle Cumberland County	100 South Spring Garden Street Carlisle Cumberland County	Opened
5-20-96	Dauphin Deposit Bank and Trust Company Harrisburg Dauphin County	100-600 South Cedar Crest Boulevard Allentown Lehigh County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-17-96	Franklin First Savings Bank Wilkes-Barre Luzerne County	<i>To:</i> Pocono Summit Plaza Route 940 Pocono Summit Monroe County <i>From:</i> Route 940 Pocono Summit Monroe County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-15-95	Jefferson Bank Haverford Montgomery County	Great Valley Shopping Center Routes 30 and 401 Malvern Chester County	Effective

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS**Conversions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
5-13-96	Shacog Credit Union Pittsburgh Allegheny County	Pittsburgh	Effective

To:

Shacog Federal Credit Union
Pittsburgh
Allegheny County

Represents conversion from a State-chartered credit union to a Federally-chartered credit union.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-892. Filed for public inspection May 31, 1996, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council; Meeting Notice

Notice is hereby given of a meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources on Monday, June 10, 1996. The meeting will be held at 10 a.m. in the 1st Floor Meeting Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Glenda Miller at (717) 772-9087.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Glenda Miller directly at (717) 772-9087 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MAURICE FORRESTER,
Interim Chairperson

[Pa.B. Doc. No. 96-893. Filed for public inspection May 31, 1996, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications received for National Pollutant Discharge Elimination System (NPDES) Permit to discharge to State waters.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

PA 0004154. Industrial waste, SIC: 3316. **Blair Strip Steel Company**, Blair Strip Steel Company/New Castle Works, 1209 Butler Avenue, New Castle, PA 16101.

This application is for a renewal of an NPDES permit to discharge treated industrial waste and stormwater to an unnamed tributary to Big Run in New Castle, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver River and the Municipal Authority of North Sewickly Township located at North Sewickly Township, approximately 10.5 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.003 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Lead	0.75	2.25	3.8
Zinc	0.5	1.5	2.5
Tetrachloroethylene	0.9	1.8	
Naphthalene	1.8	3.6	
pH	6.0—9.0 at all times		

The proposed discharge limits, for Outfalls Nos. 002 and 003 based on a design flow of N/A mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
------------------	-----------------------------------	---------------------------------	---

These discharges shall consist of stormwater runoff only. Refer to Part C Special Condition for uncontaminated stormwater outfalls.

The EPA waiver is in effect.

PA 0222020. Sewage, **Kuhl Road Property Owners Association**, 5662 Kuhl Road, Erie, PA 16510.

This application is for a new NPDES permit to discharge treated sanitary sewage from a two-lot residential development to an unnamed tributary to Four Mile Creek in Harborcreek Township, **Erie County**. This is a new discharge.

The receiving water is classified for warm water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, there is no potable water supply between the point of discharge and Lake Erie.

The proposed effluent limits for Outfall 001, based on average design flow of 0.0008 mgd, are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
Phosphorus as "P"	1.0	
Total Residual Chlorine	0.5	1.2
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0005029. Industrial waste, SIC: 4911. **Pennsylvania Electric Company**, Piney Generating Station, Piney Reservoir, Clarion, PA 16214.

This application is for a renewal NPDES permit to discharge treated sewage, non-contact cooling water, stormwater and floor drain water to the Clarion River in Piney Township, **Clarion County**. This is an existing discharge. This Notice reflects changes to the 2/24/96 Bulletin.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the New Kensington Municipal Water company located at New Kensington, approximately 70 miles below point of discharge.

The proposed discharge limits for Outfall No. 005 based on a design flow of .000422 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	25		50
Total Suspended Solids	30		60
Fecal Coliforms (5-1 to 9-30)	200/100 ml		
(10-1 to 4-30)	100,000/100 ml		
Total Residual Chlorine (Interim) #	XX		XX
(Final)	.5		1.2
pH	6.0—9.0 at all times		

XX—Monitor and Report on monthly DMRs.

#—Refer to Special Condition E.

The EPA waiver is in effect.

PA 0221775. Industrial waste, SIC: 2951. **HRI, Inc.**, 1750 West College Avenue, P. O. Box 155, State College, PA 16804-0755.

This application is for a new NPDES permit, to discharge treated industrial waste and Group 1 stormwater to an unnamed tributary to Fivemile Run in Pinecreek Township, **Jefferson County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Redbank Creek and Hawthorn Water Company located at Hawthorn Borough, approximately 21 miles below point of discharge.

The proposed discharge limits for Outfall No. 101, based on a design flow of 0.00015 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
Oil and Grease	15		30
Total Suspended Solids	15		23
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 001, based on a design flow of N/A mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			
Total Suspended Solids	monitor and report		
Oil and Grease	monitor and report		

The EPA waiver is in effect.

PA 0002143. Industrial waste, SIC: 2621 and 2611. **Willamette Industries, Inc.**, 3800 First Interstate Tower, Portland, OR 97201.

This application is for renewal of an NPDES permit to discharge treated industrial waste and Group 1 Stormwater to the Clarion River and Riley Run in Johnsonburg, **Elk County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Clarion River and Western PA Water Company located at Clarion, approximately 61 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 (Interim), based on a design flow of 1.24 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
BOD ₅	25	50	63

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	60	120	150
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 001 (Final), based on a design flow of 1.24 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
BOD ₅	25	50	63
Total Suspended Solids	30	60	75
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 002 (Interim), based on a design flow of 14 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
BOD ₅	31	63	78
Total Suspended Solids	51	128	128
2,3,7,8-TCDD	0.00000000012	0.00000000024	0.00000000030
Sulfide	1.0	2.0	2.5
Chloroform	0.072	0.144	0.18
Temperature (MBTU/day)(2)		monitoring only	
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 002 (Final), based on a design flow of 14 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
BOD ₅	31	63	78
Total Suspended Solids	51	128	128
2,3,7,8-TCDD	0.00000000012	0.00000000024	0.00000000030
Sulfide	1.0	2.0	2.5
Chloroform	0.072	0.144	0.18
Temperature (MBTU/day)(2)		<i>Daily Avg.</i>	
January		2,147	
February		1,621	
March		2,444	
April 1-15		5,763	
April 16-30		3,006	
May 1-15		3,118	
May 16-31		5,636	
June 1-15		4,675	
June 16-30		6,540	
July		5,362	
Aug 1-15		4,612	
Aug 16-31		5,799	
Sept 1-15		3,568	
Sept 16-31		4,118	
Oct 1-15		1,997	
Oct 16-31		2,232	
Nov 1-15		2,000	
Nov 16-30		686	
Dec		2,216	
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 102, based on a design flow of N/A mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
BOD ₅		monitor and report	
COD		monitor and report	
Oil and Grease		monitor and report	
Total Suspended Solids		monitor and report	
Color		monitor and report	
pH		monitor and report	

The proposed discharge limits for Outfall No. 004, based on a design flow of N/A mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			monitor and report
BOD ₅			monitor and report
COD			monitor and report
Oil and Grease			monitor and report
Total Suspended Solids			monitor and report
Color			monitor and report
pH			monitor and report

The EPA waiver is not in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0025844. Industrial waste, SIC: 9199, **Department of Energy**, Pittsburgh Energy Technology Center, 626 Cochrans Mill Road, Pittsburgh, PA 15236.

This application is for renewal of an NPDES permit to discharge stormwater from the Bruce-ton Research Center in South Park Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters Lick Run classified as trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. Miles below the discharge point.

Outfall 001: existing stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Suspended Solids					monitor and report
CBOD ₅					monitor and report
Oil and Grease					monitor and report
Aluminum					monitor and report
Iron					monitor and report
Manganese					monitor and report
Lead					monitor and report
Mercury					monitor and report
pH					monitor and report

Outfall 002: new stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Suspended Solids					monitor and report
Aluminum					monitor and report
Iron					monitor and report
Manganese					monitor and report
Lead					monitor and report
pH					monitor and report

Outfalls 003 and 004: new stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

These outfalls are permitted to discharge uncontaminated stormwater runoff from areas in and around the facility. There are at this time no specific effluent limitations on these outfalls.

The EPA waiver is in effect.

PA 0096792. Industrial waste, SIC: 3479, **Metaltech**, 2400 Second Avenue, Pittsburgh, PA 15219.

This application is for renewal of an NPDES permit to discharge treated process water, cooling water and stormwater from a steel galvanizing facility in Pittsburgh, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters Monongahela River classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is West View Municipal Authority, located at West View, 7.36 miles below the discharge point.

Outfall 101: existing discharge, design flow of .087 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Temperature (°F)					110°
pH	6.0—9.0				

Outfall 001: existing discharge, design flow of -0.087 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This outfall will consist of Outfall 101 and stormwater only.					

Outfall 002: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This outfall should consist of stormwater runoff only.					

The EPA waiver is not in effect.

PA 0020702. Sewage, **Municipal Authority of the Borough of Fayette City**, P. O. Box 552, Fayette City, PA 15438.

This application is for renewal of an NPDES permit to discharge treated sewage from Fayette City STP in Fayette City Borough, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Belle Vernon Municipal Water Authority on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.125 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Weekly	Maximum Daily
CBOD ₅	25		38	
Suspended Solids	30		45	
Total Residual Chlorine	1.0			
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
pH	6.0—9.0			

Outfalls 002 and 003, which discharge to the receiving waters known as Monongahela River, serve as combined sewer overflows necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant. These outfalls are permitted to discharge only for such reason. There are at this time no specific effluent limitations on the outfalls. Each discharge shall be monitored for cause, frequency, duration and quantity of flow.

The EPA waiver is in effect.

PA 0024589. Sewage, **Municipal Authority of the Borough of Leetsdale**, 10 Sixth Street, Leetsdale, PA 15056.

This application is for renewal of an NPDES permit to discharge treated sewage from the Leetsdale Sewage Treatment Plant in Leetsdale Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Ohio River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority.

Outfall 001: existing discharge, design flow of 0.775 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Weekly	Maximum Daily
CBOD ₅	25		38	
Suspended Solids	30		45	
Fecal Coliforms				
(5-1 to 10-31)	200/100 ml as a geometric mean			
(11-1 to 4-30)	2,000/100 ml as a geometric mean			

Parameter	Average Monthly	Concentration (mg/l)		Instantaneous Maximum
		Average Weekly	Maximum Daily	
Total Residual Chlorine	1.0			3.3
pH	6.0—9.0			

Outfalls 002, 003 and 005—008 which discharge to the receiving waters, known as the Ohio River, serve as combined sewer overflows necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant and are permitted to discharge only for such reason. There are at this time no specific effluent limitations on the outfalls. Each discharge shall be monitored for cause, frequency, duration and quantity of flow.

The EPA waiver is in effect.

PA 0026026. Sewage, **New Brighton Borough Sanitary Authority**, 610 Third Avenue, New Brighton, PA 15066.

This application is for renewal of an NPDES permit to discharge treated sewage from the New Brighton Sewage Treatment Plant in New Brighton Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Beaver River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority on the Ohio River.

Outfall 001: existing discharge, design flow of 1.04 mgd.

Parameter	Average Monthly	Concentration (mg/l)		Instantaneous Maximum
		Average Weekly	Maximum Daily	
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.6
pH	6.0—9.0			

The EPA waiver is not in effect.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

PA 0063550. Sewerage, **Jefferson Township Sewer Authority**, c/o Steve Shimko, Chairperson, R. R. 3, Box 287, Lake Ariel, PA 18436.

This proposed action is for issuance of an NPDES permit to discharge treated sewage into an unnamed tributary of the West Branch Wallenpaupack Creek in Jefferson Township, **Lackawanna County**.

The receiving stream is classified for the following uses: high quality cold water fishery, aquatic life, water supply and recreation.

Effluent requirements were evaluated at the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.41 mgd are:

Parameter	Monthly	Weekly	Instantaneous
	Average (mg/l)	Average (mg/l)	Maximum (mg/l)
CBOD ₅	10.0	15.0	20.0
Total Suspended Solids	10.0	15.0	20.0
NH ₃ -N (5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Phosphorus as "P"	1.0		2.0
Dissolved Oxygen	a minimum of 7.0 mg/l at all times		
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine	0.2		0.4
NO ₂ +NO ₃ as "N"	14		28
Total Copper	monitor and report		
Total Lead	monitor and report		
Total Zinc	monitor and report		
Hardness	monitor and report		

The EPA waiver is in effect.

Southeast Regional Office: Regional Manager; Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0053589. Sewage, **Buckingham Lumber and Millwork**, 4469 Upper Mountain Road, P.O. Box 307, Buckingham, PA 18912.

This application is for renewal of an NPDES permit to discharge treated sewage from Buckingham Lumber and Millwork small flow sewage treatment plant in Buckingham Township, **Bucks County**. This is an existing discharge to Mill Creek.

The receiving stream is classified for warm water fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 400 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)	20	40
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0052493. Sewage, **Florence Coleman**, 168 Cheese Factory Road, Doylestown, PA 18901.

This application is for expansion of an existing NPDES permit to discharge treated sewage from the Coleman Property in Plumstead Township, **Bucks County**. This is an existing discharge to unnamed tributary to North Branch Neshaminy Creek.

The receiving stream is classified for warm water fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 2,640 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Nitrate and Nitrate (as N)		
(7-1 to 10-31)	8	16
Phosphorus (as P)		
(4-1 to 10-31)	2.0	4.0
Total Residual Chlorine	1.2	2.8
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0040126. Sewage, **Western Montgomery County Area**, Vocational-Technical School, 77 Graterford Road, Limerick, PA 19468.

This application is for renewal of an NPDES permit to discharge treated sewage from Western Montgomery County Area Vocational-Technical School in Limerick Township, **Montgomery County**. This is an existing discharge to Lodal Creek.

The receiving stream is classified for warm water fish, trout stocking, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 11,700 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Ammonia (as N) (5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Phosphorus (as P) (4-1 to 10-31)	2	4
Total Residual Chlorine	0.5	1.0
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

Other Conditions:

Conditions for future permit modification.
 Effective disinfection.
 The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701, telephone (717) 327-3666.

PA 0114561. SIC: 4952, **Herrick Township**, R. R. 3, Box 307, Wyalusing, PA 18853.

This proposed action is for renewal of an NPDES permit for discharge of treated sewage to Cold Creek in Herrick Township, **Bradford County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Danville Borough located approximately 130 miles below the discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.01 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	3.0	4.5	6.0
(11-1 to 4-30)	9.0	13.0	18.0
Total Chlorine Residual	1.0		2.3
Dissolved Oxygen	minimum of 4.0 mg/l at all times		
Fecal Coliforms	200/100 ml as a geometric average		
(5-1 to 9-30)	2,000/100 ml as a geometric average		
(10-1 to 4-30)	6.0—9.0 s.u. at all times		
pH			

The EPA waiver is in effect.

PA 0028631. Sewerage, SIC: 4952, **Mid-Cameron Authority**, 241 North Broad Street, Emporium, PA 15834.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to the Driftwood Branch of Sinnemahoning Creek in Emporium Borough, **Cameron County**.

The receiving stream is classified for the following uses: trout stock fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Keystone Water Company, White Deer Division located at White Deer, Pennsylvania on the west branch of the Susquehanna River approximately 140 miles below the discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.525 mgd, are:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	report				
pH (standard units)	6				9
CBOD ₅					
(5-1 to 10-31)		10	15		20
(11-1 to 4-30)		20	30		40

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
TSS					
(5-1 to 10-31)		10	15		20
(11-1 to 4-30)		20	30		40
NH ₃ -N					
(5-1 to 10-31)		1.0	1.5		2.0
(11-4 to 4-30)		3.0	4.5		6.0
Dissolved Oxygen	>5.0				
Total Residual Cl ₂ *		0.25			0.82
Fecal Coliforms					
(5-1 to 9-30)	200 lb./100 ml as a geometric mean				
(10-1 to 4-30)	2,000 lb./100 as a geometric mean				

*TRC limit effective 3 years after permit effective date. Until then, monitor and report.

Other Conditions:

Condition for combined sewer overflow control.

The EPA waiver is in effect.

PA 0112810. Sewerage, SIC: 4952, **Kipp's Run Mobile Home Park**, P. O. Box 9, Hummels Wharf, PA 17831.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Kipp's Run in Riverside Borough, **Northumberland County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Sunbury Municipal Authority located on the Susquehanna River approximately 8 miles below this discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0085 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Total Residual Chlorine	1	2.3
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0035467. Sewerage, SIC: 4952, **Creative Playthings, LTD**, Box 306, Herndon, PA 17830.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Susquehanna River in Herndon Boro, **Northumberland County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Dauphin Consolidated Water Authority located on the Susquehanna River 30 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0015 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Total Residual Chlorine	1	2.3
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0033162. Sewerage, SIC: 4952, **Martha Furnace MHP**, 107 Peppermint Lane, Julian, PA 16844-8433.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to unnamed tributary of Bald Eagle Creek in Huston Township, **Centre County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the proposed downstream potable water supply (PWS) considered during the evaluation is at Lock Haven located on Bald Eagle Creek 30 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0072 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia Nitrogen		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Fecal Coliforms		
(5-1 to 9-30)	200 lb./100 ml as a geometric average	
(10-1 to 4-30)	2,000 lb./100 ml as a geometric average	
pH	6.0—9.0 at all times	

Other Conditions:

The EPA waiver is in effect.

PA 0037966. Sewerage, SIC: 4952, **Moshannon Valley Joint Sewer Authority**, P. O. Box 581, Philipsburg, PA 16866.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Moshannon Creek in Rush Township, **Centre County**.

The receiving stream is classified for the following uses: trout stocked fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Milton intake located 155 miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 1.5 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Fecal Coliforms			
(5-1 to 9-30)	200 lb./100 ml as a geometric average		
(10-1 to 4-30)	2,000 lb./100 ml as a geometric average		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine	0.5*		1.6*

*Limit effective 2 years after permit effective date.

Other Conditions:

Monitoring for Combined Sewer Overflows.

Discharge 002—Manhole 62 Combine Sewer Overflow to Moshannon Creek.

Discharge 003—Moshannon Interceptor Combined Sewer Overflow to Moshannon Creek.

Discharge 004—Cold Stream Interceptor Combined Sewer Overflow to Moshannon Creek.

The EPA waiver is not in effect.

PA 0209376. Sewerage, SIC: 4952, **Linda Geyer Twin Oaks Bar and Grille**, R. D. 1, Dubois, PA 15801.

This proposed action is for issuance of an NPDES permit for a new discharge of treated sewage wastewater to unnamed tributary of Limestone Run in Brady Township, **Clearfield County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Hawthorn located approximately 50 river miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.002 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10		20
TSS	20		40

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Cl ₂			
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0029068. Sewerage, SIC: 4952, **Valley Township Municipal Authority**, P. O. Box 307, Danville, PA 17821.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Mauses Creek until plant expansion at which time the discharge will be relocated to Mahoning Creek in Valley Township, **Montour County**.

The receiving stream is classified for the following uses: Mauses Creek trout stock fishery, and Mahoning Creek warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Shamokin Dam Municipal Authority located on the Susquehanna River approximately 20 miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.14 mgd which apply from permit issuance through completion of sewage treatment plant expansion, are:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)		report		report	
pH (standard units)	6				
CBOD ₅		25	40		50
TSS		30	45		60
Total Residual Cl ₂		monitor			monitor
NH ₃ -N (5-1 to 10-31)		3.0	4.5		6.0
(11-4 to 4-30)		9.0	13.5		18.0
Fecal Coliforms	200/100 ml as a geometric mean				

The proposed effluent limits for Outfall 001, based on a design flow of 0.21 mgd after completion of plant expansion are:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)		report		report	
pH (standard units)	6				9
CBOD ₅		25	40		50
TSS		30	45		60
Total Residual Cl ₂		1.0			2.3
NH ₃ -N (5-1 to 10-31)		15.0	22.5		30.0
Fecal Coliforms	200/100 ml as a geometric mean				

The EPA waiver is in effect.

PA 0110540. Industrial waste, SIC: 2033, **Furman Foods, Inc.**, R. D. 2, Northumberland, PA 17857.

This application is for renewal of an NPDES permit to discharge treated process wastewater, sewage and cooling water to the west branch of the Susquehanna River and to an unnamed tributary to the Susquehanna River in Point Township, **Northumberland County**. These are existing discharges.

Both receiving streams are classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Sunbury Water Authority located at Sunbury, Northumberland County on the Susquehanna River.

Outfall: 001—A discharge of noncontact cooling water.

The proposed effluent limits, based on a design flow of 0.18 mgd/average, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Iron	1.5	3.0	4.5
Oil and Grease	15.0	30.0	30.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature	monitor		
pH	6.0—9.0 at all times		

Outfall 003—An intermittent discharge of process wastewater to the unnamed tributary.

The proposed effluent limits, based on a design flow of 1.044 mgd maximum, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	75.0	XXX	100.0
Total Suspended Solids	75.0	XXX	100.0
Ammonia Nitrogen			
(5-1 to 10-31)	1.5	3.0	3.5
(11-1 to 4-30)	4.5	9.0	11.0
Fecal Coliforms	200/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

Outfall 004—A discharge of process wastewater to the west branch of the Susquehanna River.

The proposed effluent limits, based on a design flow of 0.240 mgd until 4/30/99, are:

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>			
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)				
CBOD ₅		150	180	200
Total Suspended Solids		150	180	200
Oil and Grease		15	30	30
pH	6	XXX	XXX	9
Total Residual Chlorine	XXX	monitor	XXX	monitor
Fecal Coliforms				
(5-1 to 9-30)	XXX	200 lb./100 ml geometric mean	XXX	XXX
(10-1 to 4-30)	XXX	2,000 lb./100 ml geometric mean	XXX	XXX

Outfall 004

The proposed limits based on a design flow of 0.500 mgd effective 5/1/99 are:

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>			
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)				
CBOD ₅				
(5-1 to 10-31)		75	112.5	150
(11-1 to 4-30)		100	150	200
TSS				
(5-1 to 10-31)		75	112.5	150
(11-1 to 4-30)		100	150	200
Oil and Grease		15	30	30
pH	6	XXX	XXX	9
Total Residual Chlorine	XXX	1.0	XXX	2.3
Fecal Coliforms				
(5-1 to 9-30)	XXX	200 lb./100 ml geometric mean	XXX	XXX
(10-1 to 4-30)	XXX	2,000 lb./100 ml geometric mean	XXX	XXX

The EPA waiver is in effect.

PA 0111414. SIC: 4952, **McEwensville Municipal Authority**, Community Building, McEwensville, PA 17749.

This proposed action is for renewal of an NPDES permit for discharge of treated sewage to Warrior Run in Delaware Township, **Northumberland County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the PA American Water Company located approximately 6 miles below the discharge at Milton.

The proposed effluent limits for Outfall 001, based on a design flow of 0.045 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
Total Residual Chlorine	1.0		2.3
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
pH	6.0—9.0 s.u. at all times		

The EPA waiver is in effect.

PA 0209325. SIC: 2851, **Chemcoat, Inc.**, 2801 Canfields Lane, P. O. Box 188, Montoursville, PA 17754-0188.

This proposed action is for issuance of an NPDES permit for an existing discharge of treated industrial wastewater to Loyalsock Creek in Montoursville Borough, **Lycoming County**.

The receiving stream is classified for the following uses: trout stock fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001, based on a design flow of 0.000341 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Benzene	1.0	2.5
Total BTEX	100	250
Ethylbenzene	monitor	
Toluene	monitor	
Xylene	monitor	

The EPA waiver is in effect.

PA 0209341. SIC: 4952, **Harry and Virginia Beck**, R. R. 1, Box 166B, Liberty, PA 16930.

This proposed action is a new NPDES permit for discharge of treated sewage to Blockhouse Creek in Liberty Township, **Tioga County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Jersey Shore Water Company located approximately 35 miles below the discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.002150 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	10	20
NH ₃ -N (5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine	monitor	
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 s.u. at all times	

The EPA waiver is in effect.

PA 0044652. SIC: 4952, **DCNR—Bureau of State Parks**, Mt. Pisgah State Park, R. R. 3, Box 362, Troy, PA 16947-9488.

This proposed action is for renewal of an NPDES permit for discharge of treated sewage to Mill Creek in West Burlington Township, **Bradford County**.

The receiving stream is classified for the following uses: trout stock fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Danville Borough located approximately 180 miles below the discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.02 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	6.5	13
(11-1 to 4-30)	20	40
Total Residual Chlorine	1.0	2.3
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 s.u. at all times	

The EPA waiver is in effect.

PA 0112585. SIC: 4952, **Calvin Williams**, R. D. 1, Box 141, Athens, PA 18810.

This proposed action is for renewal of an NPDES permit for discharge of treated sewage to Toad Hollow in Ulster Township, **Bradford County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Danville Borough located approximately 140 miles below the discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.003 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	10	20
NH ₃ -N		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine	monitor	
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 s.u. at all times	

The EPA waiver is in effect.

PA 0041327. Sewerage, SIC: 4952, **Pennsylvania College of Technology**, One College Avenue, Williamsport, PA 17701.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary of Black Hole Creek in Clinton Township, **Lycoming County**.

The receiving stream is classified for the following uses: trout stocked fisheries, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Keystone Water Company located on the Susquehanna River at White Deer, Pennsylvania, 23 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.006 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	10	20
Total Residual Chlorine	1.0	2.3

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200 lb./100 ml as a geometric average value 2,000 lb./100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

PA 0087394. Industrial waste, SIC: 3448, **Butler Manufacturing Company**, 31st and S. W. Trafficway, Kansas City, Missouri 64141-0917.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to an unnamed tributary of Quittapahilla Creek, in Annville Township, **Lebanon County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 102 for a design flow of 0.026 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
pH (s.u.)		from 6.0—9.0 inclusive	
Benzene	0.001	0.002	0.0025
Naphthalene	0.010	0.020	0.025
TRPH	monitor and report		monitor and report

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management, and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin*, at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on DEP's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0020711	Borough of Topton, 44 West Keller Street Topton, PA 19562	Berks Longswamp	Toad Creek	TRC

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0085430	Robin Hill Campground 149 Robin Hill Road Lenhartsville, PA 19034	Berks Greenwich	UNT to MaidenCreek	TRC NH ₃ -N Flow
PA0045004	Lake Meade Municipal Authority 59 Curtis Drive East Berlin, PA 17316	Adams Reading	Mud Run	TRC

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Westmoreland County Conservation District: District Manager, Donohoe Ctr., R. R. 12, Box 202B, Greensburg, PA 15601, telephone (412) 837-5271.

NPDES Permit PAS10X063. Stormwater. **Crown Pointe at Lindwood**, Lutheran Affiliated Services, 1323 Freedom Road, Cranberry Township, PA has applied to discharge stormwater from a construction activity located in Hempfield Township, **Westmoreland County**, to Jack's Run.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding, should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

0996412. Sewerage. **Rowland J. Pearl** (146 Scholls School Road, Quakertown, PA 18951). Construction of a sewage treatment plant to serve the Pearl residence located in Plumstead Township, **Bucks County**.

0996413. Sewerage. **Richard J. Landgreen** (70 West Oakland Avenue, Suite 203, P. O. Box 1040, Doylestown, Pa 18901). Construction of a sewage treatment plan with spray irrigation to serve Richard J. Landgreen residence located in Haycock Township, **Bucks County**.

1596405. Sewerage. **Willistown Township** (P. O. Box 688, Sugartown Road, Malvern, PA 19355). Construction of a sewage treatment plant with spray irrigation to serve Penns Preserve located in Willistown Township, **Chester County**.

Northwest Regional Office: Regional Oil and Gas Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6860.

A. 6196601. Industrial waste, **Big Sandy Oil Company**, P. O. Box 269, Franklin, PA 16323. Application is for the construction and operation of a passive wetland treatment system for production fluids from an oil production operation in Cranberry Township, **Venango County**, with discharge of treated effluent to the Allegheny River.

WQM Permit No. 2096405. Sewerage, **Meadville Area Sewer Authority**, 984 Water Street, Meadville, PA 16335 is for the construction of a sanitary sewer extension with a pump station and gravity sewers to serve the Martin-Ryan Road area in West Mead Township, **Crawford County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 5696403. Sewerage, **Conemaugh Township Supervisors**, R. D. 4, Box A-20, Johnstown, PA 15905. Application for construction and operation of a municipal sewer system and wastewater treatment plant to serve the Jerome-Hyasota Area of Conemaugh Township, **Somerset County**. The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the Sewage Facilities Plan Revision has not identified any significant environmental impacts resulting from this proposal.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

A. 4596402. Sewerage. **Tobyhanna Township Supervisors**, P. O. Box 880, Pocono Pines, PA 18350. Application to construct and operate a sewage treatment plant, sewers and appurtenances, and pump stations located in Tobyhanna Township, **Monroe County**. Application received in the Regional Office—May 8, 1996.

4596502. Public water supply. **Blue Mountain Lake Associates, L. P.**, c/o Charles Vogt, Chief Operating Officer, One Blue Mountain Lake, East Stroudsburg, PA 18301. This proposal involves the construction of additional distribution system to serve phases 7, 8, 9 and 10 of the Blue Mountain Lake Development. It is located in Stroud Township, **Monroe County**.

Permit No. 4592505. Public water supply. **North Ridge Water Co**, c/o Coolmoor Corporation, Samuel W. Newman, President, P. O. Box 200, Tannersville, PA 18372. This proposal involves the permitting of a new well to serve the proposed North Ridge Water System. The system includes disinfection and a storage tank along with the associated distribution system. It is located in Jackson Township, **Monroe County**. Permit to Operate Issued: April 17, 1996.

Permit No. 4595504. Public water supply. **Lynwood Acres Mobile Park**, c/o Dennis Dougherty, Owner, R. R. 1, Box 1444, East Stroudsburg, PA 18301. This proposal involves the addition of system improvements to include a

new well source, a 30 thousand gallon stand pipe, two system booster pumps and three hydromatic tanks. It is located in Middle Smithfield Township, **Monroe County**. Permit to Operate Issued: April 29, 1996.

Permit No. 4596501. Public water supply. **Tobyhanna Army Depot**, c/o Thomas Wildoner, Environmental Protection Specialist, Tobyhanna Army Depot, 11 Hap Arnold Blvd., Tobyhanna, PA 18466. This proposal involves addition of chemicals such as caustic soda, lime, sodium bicarbonate and zinc orthophosphate in an intent to reduce lead and copper corrosion in the system. It is located in Tobyhanna Township, **Monroe County**. Permit to Operate Issued: April 24, 1996.

Permit No. 5296501. Public water supply. **Lehman-Pike Development**, Saw Creek System, c/o Bryan Fisk, VP, P. O. Box 447, Bushkill, PA 18324. This proposal involves the addition of caustic soda at entry point 101 and 109 to reduce lead and copper corrosion in the system. It is located in Lehman/Middle Smithfield Townships, **Pike/Monroe Counties**. Permit to Operate Issued: April 30, 1996.

Permit No. 6495503. Public water supply. **Paupackan Lake Water Company**, c/o Fred Suter, HCR Box 201A, Hawley, PA 18428. This proposal involves the permitting of a public water supply consisting of six wells and the distribution system. Disinfection will be provided. It is located in Hawley Borough, **Wayne County**. Permit to Operate Issued: April 22, 1996.

Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 1496501. **Spring Township Water Authority**, 1309 Blanchard Street, Bellefonte, PA 16823, Spring Township, **Centre County**. This permit involves the construction of a 500,000 gallon finished water storage reservoir.

Acknowledgment of Notices of Intent to Remediate

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought to responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under

which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact Steve Curcio at (814) 332-6816. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Northwest Regional Office: John Fruehstorfer, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335. (814) 332-6648.

Spang Specialty Metal Plant, 154 Eastbrook Lane, East Butler, PA 16029, Summit Twp., **Butler County**, has submitted a Notice of Intent to Remediate Sediment contaminated with Heavy Metals. The applicant proposes to remediate the site to meet the Background Standard. A summary of the Notice of Intent to Remediate was published in the Butler Eagle in March of 1996.

Opening of the Administrative Record; Prompt Interim Response Under the Hazardous Sites Cleanup Act

P & H Automotive
Hellam Township, York County

The Department of Environmental Protection (Department or DEP), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) is initiating a prompt interim response at the P & H Automotive site.

The P & H Automotive site is located along Route 463 in Hellam Township, York County, PA. The site is an abandoned auto body shop bordered by commercial property on the south, agricultural land use on the west and north and residential property on the east. There are approximately 25 drums of unknown material and an undetermined quantity of contaminated soil.

DEP considered several alternative interim responses including: 1) no action, under which all hazardous wastes and substances would remain in place; 2) limited action which would prevent access to the drums and contaminated soils; and 3) waste removal which involves taking action to remove drums and contaminated soils, as well as arranging for the treatment and/or disposal and cleaning of the concrete floor in the drum storage area.

The Department determined that the no action alternative (1) and limited action alternative (2) would not be protective of human health and the environment.

Therefore, DEP proposes to characterize and remove the hazardous wastes and substances from the site. This action (3) would remove the direct contact threat of exposure. This would also prevent the spread of contamination.

The Administrative Record which contains information about the site and which supports DEP's decision to perform a prompt interim response action at the site is available for public review and comment. The Administrative Record is located at Kreutz Creek Library, located at 66 Walnut Springs Road, York, PA and is available for review during normal hours of operation. The Administrative Record may also be reviewed at the Department's Southcentral Regional Office at One Ararat Boulevard, Harrisburg, PA from 8 a.m to 4 p.m. Monday through Friday, by contacting Barbara Faletti at (717) 657-4592. Written comments about the proposed action at this site should be submitted to Barbara Faletti at One Ararat

Boulevard, Harrisburg, PA 17110-9333 before August 30, 1996.

Additionally, the public will have the opportunity to present oral comments at a public hearing. The public hearing has been scheduled for July 2, 1996, at 7 p.m. at the Hellam Township Building, located at 44 Walnut Springs Road, York, PA. Persons wishing to present oral comments must register on or before June 27, 1996, by calling Mary Ann Fischer at (717) 541-7969. If no person registers to present oral comments by June 27, 1996, the hearing will not be held. Persons interested in learning if anyone has registered, and if a hearing will be held, should contact Mary Ann Fischer at (717) 541-7969 after June 27, 1996.

Persons with a disability who wish to attend the hearing scheduled for July 2, 1996, and require auxiliary aid, service or other accommodation to participate in the proceedings, should contact Mary Ann Fischer at (717) 541-7969, or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

The Department is providing this notice under sections 505(b) and 506(b) of the HSCA, and publication of this notice initiates the 90-day comment period on the Administrative Record, as provided under that Act.

Extended Submission Date for County Recycling Coordinator Grant Applications under the Municipal Waste Planning, Recycling and Waste Reduction Act

The Department of Environmental Protection announces an extension of the deadline date for 1995 County Recycling Coordinator Grant applications under section 903 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4009.903). The deadline date has been extended to 3 p.m., June 30, 1996. Applications received after that date will not be considered. Applications must be on forms provided by the Department. All grant awards will be predicated on the receipt of recycling fees required by section 701 of Act 101 and the availability of monies in the Recycling Fund.

Grant funds may not exceed 50% of the approved cost of the county recycling coordinator's salary and expenses incurred on or after January 1, 1995, to December 31, 1995. The following duties of county recycling coordinators will be considered approvable for reimbursement:

1. Providing technical assistance to municipalities on developing and implementing waste reduction and recycling programs.
2. Developing recycling and waste reduction public education programs.
3. Assisting municipalities in identifying recyclable materials to be marketed and locating markets.
4. Assisting municipalities in preparing recycling grant applications.
5. Assisting municipalities with developing and coordinating leaf collection and composting programs and identifying markets for compost.
6. Serving as contact for recycling questions within the county.
7. Identifying and encouraging opportunities for inter-municipal cooperation and cooperative efforts with other organizations to further waste reduction and recycling.

8. Collecting data on municipal recycling programs within the county and on commercial, institutional and municipal establishment recycling, and recycling at community activities, and reporting the data to the Department.

9. Speaking to school, community, business and government organizations about recycling and waste reduction.

10. Identifying sources of recyclable products and products made of recycled materials and encouraging the use of those items.

11. Developing recycling programs for special materials such as used oil, tires, household hazardous waste and white goods.

12. Developing education materials on household hazardous waste.

13. Developing waste reduction and reuse programs.

14. Assisting the county in developing and implementing the recycling components of the solid waste plan.

15. Participating in and coordinating where appropriate recycling training programs, workshops and conferences including household hazardous waste.

16. Maintaining communications with other recycling coordinators and municipal waste management professionals.

Inquiries concerning this notice should be directed to Evelyn D'Elia, Recycling and Markets Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

A. 100973. USA Waste Hauling of PA, Inc. 2960 East Orthodox Street, Philadelphia, PA 19137. This major permit modification is to re-issue the permit currently held by Quick-Way, Inc., to USA Waste Hauling of Philadelphia, Inc., facility located in The City of Philadelphia. Application received in the Southeast Regional Office on May 9, 1996.

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

There is a 30-day comment period from this date of publication.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **09-314-001A**

Source: Existing Process Detackifier System

Company: **3M**

Location: Bristol

County: **Bucks**

Permit: **15-310-040**

Source: Molding Grinding Operation

Company: **Lukens Steel**

Location: South Coatesville

County: **Chester**

Permit: **46-313-138**

Source: Two Shell Freezers

Company: **Merck, Inc.**

Location: Upper Gwynedd

County: **Montgomery**

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources or to install Air Cleaning Devices.

Regional Office: Southeast Regional Office, Bureau of Air Quality Control, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

There is a 30-day comment period from this date of publication.

09-303-028. On April 1, 1996, an application was received from **Bucks County Crushed Stone Co., Inc.** (203 Second Street, P. O. Box 196, Penns Park, PA 18969) for the construction of a batch asphalt plant to be located in Nockamixon Township, **Bucks County**.

46-323-018. On April 29, 1996, an application was received from **Superior Tube Company** (3900 Germantown Pike, Evansburg, PA 18930) for the installation of a radiac cut off saw to be located in Lower Providence Township, **Montgomery County**.

23-330-006. On May 3, 1996, an application was received from **Cherokee Biotechnology, Inc.** (P. O. Box 1901, West Chester, PA 19403) for the construction of a Soil Decontamination Process to be located in City of Chester, **Delaware County**.

46-318-036A. On May 8, 1996, an application was received from **Stabilus** (721 Dresher Road, Horsham, PA 19013) for the construction of an auto electrostatic paint line to be located in Montgomery Township, **Montgomery County**.

46-320-032. On May 9, 1996, an application was received from **Handelok Bag Company** (87 Commerce Drive, Telford, PA 18936) for the modification of a flexographic printing press to be located in Telford Borough, **Montgomery County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

14-399-013C. Construction of an automatic ceramic chip capacitor nickel/tin plating line and associated air cleaning device (a scrubber) by **Murata Electronics North America, Inc.** (1900 West College Avenue, State College, PA 16801) in Ferguson Township, **Centre County**.

55-318-007D. Construction of two automatic wood kitchen cabinet finishing line spray booths to be controlled by an existing air cleaning device (a thermal fume incinerator) by **Wood Mode, Inc.** (1 Second Street, Kreamer, PA 17833) in Middlecreek Township, **Snyder County**.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.

Regional Office: Southeast Regional Office, Bureau of Air Quality Control, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

There is a 30-day comment period from this date of publication.

OP-46-0013A. On April 24, 1996, an application was received from **Hatfield Quality Meats** (P. O. Box 902, Hatfield, PA 19044) for the construction of Facility VOC/NOx RACT to be located in Hatfield Township, **Montgomery County**.

OP-46-0079. On April 25, 1996, an application was received from **U. S. Department of the Navy** (Code 20, Naval Air Station, JRB Willow Grove, PA 19440) for the construction of Facility VOC/NOx RACT to be located in Horsham Township, **Montgomery County**.

Notice of Action to be Taken

Plan Approval Application No. 09-328-009

Under 25 Pa. Code § 127.44, the Department of Environmental Protection intends to issue a plan approval to **Blue Mountain Power, LP**, 2500 City West Boulevard, Suite 150, Houston, Texas 77042, to construct an electrical generation plant and associated air pollution control devices as described in the Applicant's application of March 27, 1995, at their Blue Mountain Power Plant located at East Pumping Station Road, Richland Township, **Bucks County**.

Based on the information provided by the applicant and DEP's own analysis, this plant will not emit in excess of:

Nitrogen Oxides (NOx):	94.8 tons per year;
Volatile Organic Compounds (VOCs):	31.5 tons per year;
Carbon Monoxide (CO):	97.3 tons per year;
Sulfur Oxides (SOx expressed as SO ₂):	64.2 tons per year;
Particulate Matters (PM):	72.9 tons per year;
Ammonia emissions (NH ₃):	71.3 tons per year.

The plant is regulated under the Department's New Source Review Rules and Regulations, 25 Pa. Code Chapter 127, Subchapter E. It requires that the plant employ the current lowest achievable emission rate (LAER) for VOC and NOx emission control. If approval to construct the plant is granted, the Department will prohibit its operation until sufficient emission offset credits for VOC and NOx emissions are provided in accordance with the applicable requirements of Subchapter E. Copies of the application, DEP's analyses and other documents used in evaluation of the application are available for public inspection during normal business hours at the address shown below. Contact Mildred Devoue at (610) 832-6267.

In order to assure compliance with the applicable standards and to limit the Potential to Emit of air contaminants from the plant, DEP will place the following conditions on the Plan Approval:

Source Description

1. one 153 MW combustion turbine fueled with natural gas or No. 2 fuel oil using water injection and dry low NOx combustors for NOx control

2. one duct burner fired with natural gas using low NOx burners and for NOx control

3. one waste heat recovery steam generator with Selective Catalytic Reduction System for NOx control and an Oxidation Catalytic System for CO and VOC control.

4. one 9.7 million Btu per hour auxiliary boiler

5. one 2.33 million Btu per hour natural gas heater

6. two 2.4 MW (each) emergency diesel generators

7. one 280HP diesel fire pump

New Source Review Requirement

Prohibition on start up of the plant until emission offset credits of 41 tons per year of VOC and 122 tons per year of NOx are obtained.

Emission Limitations

1. From heat recovery steam generator stack at 100% base load

4.0 ppm NOx at 15% O₂ while firing natural gas

8.4 ppm NOx at 15% O₂ while firing No. 2 fuel oil

4.4 ppm VOC at 15% O₂ while firing No. 2 fuel oil

16.0 ppm CO at 15% O₂ while firing No. 2 fuel oil

10 ppm NH₃ at 15% O₂

2. Emission limits apply at all times except during startup and shut down and fuel transfer.

Operating Requirements to limit the Potential to Emit:

1. limited operating hours of the combustion turbine for firing No. 2 fuel oil to 1,080 hours per year

2. limited operating hours for using the duct burner to 2,928 hours per year burning natural gas only

3. special operating requirements for each air cleaning device.

Certified Emission Monitoring Requirements:

Certified emission monitoring is required for NOx, CO, NH₃ emissions and the O₂ content in the heat recovery system generator exhaust gases

Test Requirements:

To determine the emission rate for each pollutant listed in Emission Limitations

Recordkeeping Requirements:

Recordkeeping is required for operating hours and fuel usage.

Any person wishing to provide DEP with additional information they believe should be considered prior to the issuance of the Plan Approval may submit the information to the address shown below. Each written comment shall include the following:

1. Name, address and telephone number of the person submitting the comments.

2. Identification of the proposed Plan Approval (specify Plan Approval No. 09-328-009).

3. Concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

Requests for a public fact finding conference or hearing may also be made by writing DEP at: Francine Carlini, Regional Manager, Air Quality, Department of Environmental Protection, Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428,

(610) 832-6242. A public conference may be held, if DEP in its discretion decides that such conference is warranted on the basis of the information received. All persons who have submitted comments or have requested a conference will be notified of the decision to hold such a conference by publication in this newspaper or the *Pennsylvania Bulletin*, or by telephone, where DEP determines such notification by telephone is sufficient. (DEP contact for additional information or to obtain a draft copy of the proposed Plan Approval at same address and (610) 941-5121 Xiaoyin Sun)

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or request for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52, and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number, and a

statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

11960105. E. P. Bender Coal Company, Inc. (P. O. Box 594, Carrolltown, PA 15722), commencement, operation and restoration of bituminous strip-auger mine in Reade and Beccaria Townships, **Cambria and Clearfield Counties**, affecting 440.0 acres, receiving stream Turner Run and Clear Creek, tributary to Clearfield Creek and Clearfield Creek, application received May 10, 1996.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

17960107. Bermuda Triangle, Inc. (R. D. 1, Box 247, Clearfield, PA 16830), commencement, operation and restoration of a bituminous surface mine-auger permit in Greenwood Township, **Clearfield County**, affecting 40.7 acres, receiving streams unnamed stream to West Branch Susquehanna River, application received May 6, 1996.

17960108. Cougar Contracting, Inc. (P. O. Box 217, Houtzdale, Pa 16651), commencement, operation and restoration of a bituminous surface mine permit in Bigler Township, **Clearfield County** affecting 9.3 acres, receiving streams unnamed streams to Muddy Run, application received May 6, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

56841316. Top Grade Fuel, Inc. (R. D. 2, Box 55A, Dunbar, PA 15431), to renew the permit for the Black Mountain bituminous deep mine in Brothersvalley Township, **Somerset County**, no additional discharge. Application received May 6, 1996.

30743701. J & L Steel Company/Nemacolin Mines Corporation, (c/o LTV Steel Company, Inc., 2800 North Main St. Ext., Washington, PA 15301), to renew the permit for the Nemacolin Mine CRDA in Cumberland Township, **Greene County** for reclamation only, no additional discharge. Application received May 6, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54830702R2. Swatara Coal Company, (P. O. Box 246, Tremont, PA 17981), renewal of an existing anthracite coal refuse disposal/processing facility in Reilly Township, **Schuylkill County** affecting 180.4 acres, receiving stream—Swatara Creek. Application received March 21, 1996.

54851342R2. Little Buck Coal Co., (R. D. 4, Box 395, Pine Grove, PA 17963), renewal of an existing deep mine operation in Tremont Township, **Schuylkill County** affecting 5.0 acres, receiving stream—None. Application received March 25, 1996.

54851340R. Neumeister Coal Co., (R. D. 1, Box 327-0, Ashland, PA 17921), renewal of an existing deep

mine operation in Foster Township, **Schuylkill County** affecting 5.0 acres, receiving stream—none. Renewal issued March 26, 1996.

54851311R2. R & K Coal Company, (278 Main Street, Joliett, PA 17981), renewal of an existing deep mine operation in Hegins Township, **Schuylkill County** affecting 1.4 acres, receiving stream—none. Application received March 26, 1996.

40960201. Continental Energy Associates, (R. D. 1, Box 381-B, Hazleton, PA 18201), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Sugarloaf Township, **Luzerne County** affecting 32.0 acres, receiving stream—Black Creek. Application received March 27, 1996.

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E10-236. Encroachment. Cranberry Township, 2525 Rochester Road, Cranberry Township, Pa 16066-6499. To remove two accumulated gravel bars to reduce the potential for flooding in Brush Run (WWF). One of the gravel bars is approximately 300 linear feet in length and is located 115 feet upstream of the Rochester Road Bridge (S. R. 3022) across Brush Run to approximately 140 feet downstream of the bridge (Mars, PA Quadrangle N: 13.3 inches; W: 16.6 inches). The other gravel bar is approximately 250 linear feet in length and is located approximately 1,000 feet upstream of the Rochester Road (SR3022) Bridge (Mars PA Quadrangle N: 12.9 inches; W: 16.65 inches), located in Cranberry Township, **Butler County**.

E24-195. Encroachment. St. Marys Borough Municipal Authority, P. O. Box 1994, St. Marys, PA 15857-1994. To remove a gravel bar (approximately 165 linear feet from Elk Creek (CWF), and to install and maintain a high flow channel (approximately 300 linear feet), a 385-foot long by average height 6 feet high dike, and

approximately 300 linear feet of stream bank stabilization as part of a project to protect the St. Marys wastewater treatment facility from flood flows in Elk Creek. The project is located adjacent to the wastewater treatment facility approximately 4,400 feet west of the intersection of S. R. 0120 and S. R. 0255 on St. Marys, PA Quadrangle N: 8.5 inches; W: 1.05 inches) located in St. Marys Borough, **Elk County**.

E24-190. Encroachment. Highland Township Municipal Authority, P. O. Box 148, James City, PA 16734. To construct and maintain a 6-inch diameter PVC outfall pipe with a rock riprap energy dissipator along the left bank of a tributary to Wolf Run from the Municipal Wastewater Treatment Facility in the Village of James City approximately 3,800 feet southwest of the intersection of T-457 and S. R. 68 (James City, PA Quadrangle N: 21.1 inches; W: 12.3 inches) located in Highland Township, **Elk County**.

E24-193. Encroachment. Bonita M. Luchs Horchen, R. D. 1, Johnsonburg, PA 15845. To construct and maintain a terraced 3-tier flower garden and stream bank protection extending downstream from S. R. 1004 approximately 200 feet along the right bank of Indian Run north of the Borough of Johnsonburg (Wilcox, PA Quadrangle N: 1.25 inches; W: 4.25 inches) located in Ridgway Township, **Elk County**.

E25-535. Encroachment. R. A. Orlando Real Estate, 1545 West Grandview Boulevard, Erie, PA 16509. To fill a DeMinimus area of wetland for the construction of a residence on an 80-foot wide by 125-foot long lot at 5313 Cider Mill Road in Heritage Hill Estates (Erie South, PA Quadrangle N: 17.5 inches; W: 3.9 inches) located in Millcreek Township, **Erie County**.

E33-174. Encroachment. Brockway Borough, 501 Main Street, Brockway, PA 15824. To rehabilitate, maintain and utilize an existing abandoned railroad bridge across Little Toby Creek (CWF) as part of a pedestrian crossing associated with the Clarion River—Little Toby Creek rails to trails project. The bridge is located across Little Toby Creek approximately 3,100 feet northwest of the intersection of S. R. 0028 and S. R. 0219 in Brockway Borough (Carman, PA Quadrangle N: 0.4 inch; W: 6.45 inches) located in Brockway Borough, **Jefferson County**.

E37-107. Encroachment. New Castle Sanitation Authority, 110 East Washington Street, New Castle, PA 16101. To construct and maintain fill within two areas of the floodway and floodplain of the Mahoning River for the expansion of the levee system surrounding the existing City of New Castle Wastewater Treatment Plant located between the Mahoning River with Montgomery Avenue approximately 0.75 mile upstream of the confluence with the Shenango River (Bessemer, PA Quadrangle N: 16.75 inches; W: 1.65 inches) located in the City of New Castle, **Lawrence County**.

E43-250. Encroachment. Grove City Country Club, Box 427, 73 Country Club Road, Grove City, PA 16127. To install and maintain a 20-foot clear span concrete beam bridge across an Exceptional Value wetland as part of a permanent golf cart crossing. Installation of this bridge will include DeMinimus wetland impacts associated with bridge abutment placement. The project is located approximately 1,400 feet southwest of the Grove City Country Clubhouse. (Grove City, PA Quadrangle N: 3.5 inches; W: 16.0 inches) in Pine Township, **Mercer County**.

E43-251. Encroachment. Department of Transportation, Engineering District 1-0, 1140 Liberty Street,

Franklin, PA 16323-1289. To remove existing structure and to construct and maintain a 56.5-foot clear span prestressed concrete box beam bridge with an average underclearance of 9.5 feet on a 90 degree skew across Otter Creek. The project is located across Otter Creek on S. R. 0062 approximately 6,500 feet northeast of the intersection of S. R. 0019 and S. R. 0062 in Mercer (Mercer, PA Quadrangle N: 22.0 inches; W: 13.1 inches) in Coolspring Township, **Mercer County**.

E62-322. Encroachment. **Sugar Grove Township Supervisors**, R. D. 3, Box 50, Sugar Grove, PA 16350. To remove the existing structure and to construct and maintain a prestressed concrete adjacent box beam bridge having a single clear span of 33.5 feet and an average underclearance of 8.5 feet on a 65 degree skew across Stillwater Creek on Stillwater Road (T-539) approximately 1 mile west of the S. R. 957 (Sugar Grove, PA Quadrangle N: 19.9 inches; W: 16.3 inches) located in Sugar Grove Township, **Warren County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E45-281A. Encroachment. **Mr. and Mrs. James W. Zug**, 1164 St. Andrews Road, Bryn Mawr, PA 19010. To amend Permit No. E45-281 to include the placement and maintenance of approximately 450 L. F. of 2-inch diameter low pressure sanitary sewer line in PFO wetlands to serve a proposed single-family residence. The project is located at Lot 309 in Pocono Lake Preserve on the western side of Pocono Lake, approximately 900 feet southeast of S. R. 0940 (Blakeslee, PA Quadrangle N: 20.3 inches; W: 1.85 inches) in Tobyhanna Township, **Monroe County** (Philadelphia District, Army Corps of Engineers).

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-513. Encroachment. **Craig J. Arbaugh**, 46 Stable Drive, Elverson, PA 19520. To reconstruct and maintain an approximately 58.0 foot long steel or reinforced concrete bridge with two reinforced concrete abutments and one reinforced concrete pier across Perkins Run (HQ, TSF, MF) to provide an access to a proposed single family dwelling. The site is situated approximately 1,050 feet SE of the intersection of Woods Drive and Bollinger Drive (Wagontown USGS Quadrangle N: 21.5 inches; W: 11.00 inches) in West Nantmeal Township, **Chester County**.

ACTIONS

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of

the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

NPDES Permit No. PA0013081. Amendment No. 1. Industrial waste. **Scott Paper Company**, Front Street and Avenue of The States, Chester, PA 19013 is authorized to discharge from a facility located in the City of Chester, **Delaware County** into the Delaware River Estuary Zone 4 and Chester Creek.

NPDES Permit No. PA0056685. Industrial waste. **SEPTA-Victory Avenue Terminal**, 1234 Market Street, Philadelphia, PA 19107 is authorized to discharge from a facility located in Upper Darby Township, **Delaware County** to Cobbs Creek.

NPDES Permit No. PA0026247. Amendment No. 2. Sewerage. **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915 is authorized to discharge from a facility located in Hatfield Township, **Montgomery County** to the west branch of Neshaminy Creek.

NPDES Permit No. PA0011657. Industrial waste. **PECO Energy Company**, 2301 Market Street, P. O. Box 8699, Philadelphia, PA 19101-8699 is authorized to discharge from a facility located in the City of Philadelphia, **Philadelphia County** to the Schuylkill River, Delaware River Estuary Zone 4.

NPDES Permit No. PA0050351. Sewerage. **Avonwheel Mobile Home Park**, 310 North High Street, West Chester, PA 19380 is authorized to discharge from a facility located in London Grove Township, **Chester County** to an unnamed tributary to East Branch White Clay Creek.

NPDES Permit No. PA0020460. Amendment No. 2. Sewerage. **Pennridge Wastewater Treatment Authority**, 180 Maple Avenue, P. O. Box 31, Sellersville, PA 18960 is authorized to discharge from a facility located in West Rockhill Township, **Bucks County** to the East Branch Perkiomen Creek.

NPDES Permit No. PA0043818. Amendment No. 1. Industrial waste. **Geological Reclamation Operations and Waste Systems, Inc.**, 1000 New Ford Mill Road, Morrisville, PA 19067 is authorized to discharge from a facility located in Falls Township, **Bucks County** to the Delaware River (Zone 2).

NPDES Permit No. PA0035769. Amendment No. 1. Industrial waste. **Moyer Packing Company**, 249 Allentown Road, P. O. Box 395, Souderton, PA 18964-0385 is authorized to discharge from a facility located in Franconia Township, **Montgomery County** to Skippack Creek and an unnamed tributary to Skippack Creek.

NPDES Permit No. PA0011894. Industrial waste. **Dal-Tile International**, 1000 Cannon Avenue, Lansdale, PA 19446 is authorized to discharge from a facility located in Lansdale Borough, **Montgomery County** to an unnamed tributary to the west branch of Neshaminy Creek.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA0221966. Sewage. **Motheral, Inc.**, 400 Hastings Street, Pittsburgh, PA 15206 is authorized to discharge from a facility located in Middlesex Township, **Butler County** to an unnamed tributary to Glade Run.

NPDES Permit No. PA0005029. Industrial waste. **Pennsylvania Electric Company**, Piney Generating Station, Piney Reservoir, Clarion, PA 16214 is authorized to discharge from a facility located in Piney Township, **Clarion County** to Clarion River.

NPDES Permit No. PA0004766. Industrial waste. **National Forge Company**, One Front Street, Irvine, PA 16329 is authorized to discharge from a facility located in Brokenstraw Township, **Warren County**, to Brokenstraw Creek.

NPDES Permit No. PA0020401. Sewage. **Johnsonburg Municipal Authority**, 532 Market Street, Johnsonburg, PA 15845 is authorized to discharge from a facility located in Johnsonburg, **Elk County** to Clarion River.

NPDES Permit No. PA0104191. Industrial waste. **National Fuel Gas Supply Corporation**, Heath Compressor Station, 1100 State Street, P. O. Box 2081, Erie, PA 16512 is authorized to discharge from a facility located in Heath Township, **Jefferson County** to Callen Run.

NPDES Permit No. PA0090336. Industrial waste. **Mars Borough Water Treatment Plant**, P. O. Box 395, Mars, PA 16046 is authorized to discharge from a facility located in Adams Township, **Butler County** to Breakneck Creek.

NPDES Permit No. PA0209775. Sewage. **Church of Jesus Christ in God**, R. D. 2, Box 766, Meadville, PA 16335 is authorized to discharge from a facility located in Rome Township, **Crawford County** to an unnamed tributary to McLaughlin Run.

NPDES Permit No. PA0005053. Industrial waste. **Pennsylvania Electric Company**, Warren Generating Station, 2325 Pennsylvania Avenue, West Extension, Warren, PA 16365 is authorized to discharge from a facility located in Conewango Township, **Warren County** to the Allegheny River.

NPDES Permit No. PA0031640. Sewage. **General McLane School District**, 11771 Edinboro Road, Edinboro, PA 16412 is authorized to discharge from a facility located in Washington Township, **Erie County** to an unnamed tributary to Conneauttee Creek.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA0003549. Industrial waste, **CNG Transmission Corporation**, P. O. Box 2450, 445 West Main Street, Clarksburg, WB 26302-2450 is authorized to discharge from a facility located at Oakford Station, Salem Township, **Westmoreland County** to Beaver Run.

NPDES Permit No. PA0205079. Industrial waste. **Daily Juice Products**, 1 Daily Way, Verona, PA 15147 is authorized to discharge from a facility located at Verona Borough, **Allegheny County** to Plum Creek.

NPDES Permit No. PA0026913. Sewage. **The Municipal Authority of the City of McKeesport**, 100 Atlantic Avenue, McKeesport, PA 15132 is authorized to

discharge from a facility located at McKeesport Water Pollution Control Plant, City of McKeesport, **Allegheny County** to Monongahela River.

NPDES Permit No. PA0027111. Amendment No. 1. Sewage, **Municipal Sanitary Authority of the City of New Kensington**, 120 Logans Ferry Road, New Kensington, PA 15068 is authorized to discharge from a facility located at New Kensington Sewage Treatment Plant, City of New Kensington, **Westmoreland County**.

NPDES Permit No. PA0217271. Sewage, **Ohio Township Sanitary Authority**, 1719 Roosevelt Road, Pittsburgh, PA 15237 is authorized to discharge from a facility located at Kilbuck Run Sewage Treatment Plant, Sewickley Hills Borough, **Allegheny County** to Kilbuck Run.

Northcentral Regional Office: Regional Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, telephone (717) 327-3664.

Permit No. NPDES PAG044870. Sewerage. **Arnold D. Duck, Jr.**, 4256 Route 973 East, Williamsport, PA 17701. Has been approved for renewal to discharge from single family residence. Facility located in Hepburn Township, **Lycoming County**.

Permit No. NPDES PAG044864. Sewerage. **Allen M. DeLosa**, R. D. 2, Box 466, Gillett, PA 16925. Has been approved for renewal to discharge from single family residence. Facility located in Well Township, **Bradford County**.

Permit No. NPDES PAG044868. Sewerage. **Carol L. Reamsnyder**, R. R. 4, Box 369, Williamsport, PA 17701. Has been approved for renewal to discharge from single family residence. Facility located in Susquehanna Township, **Lycoming County**.

Permit No. NPDES PAG044865. Sewerage. **Thomas H. Whitenight, Sr.**, R. D. 1, Box 188, Catawissa, PA 17820. Has been approved for renewal to discharge from single family residence. Facility located in Roaring Creek Township, **Columbia County**.

Permit No. NPDES PAG044862. Sewerage. **Gregory L. Gilbert**, R. D. 2, Box 666, Muncy, PA 17756. Has been approved for renewal to discharge from single family residence. Facility located in Muncy Township, **Lycoming County**.

Permit No. NPDES PAG044866. Sewerage. **Homer L. Parker**, R. D 1, Box 156, Roaring Branch, PA 17765. Has been approved for renewal to discharge from single family residence. Facility located in Union Township, **Tioga County**.

Permit No. NPDES PAG044863. Sewerage. **Tim L. Baysore**, R. R. 1, Box 257, Montoursville, PA 17754. Has been approved for renewal to discharge from single family residence. Facility located in Upper Fairfield Township, **Lycoming County**.

Permit No. NPDES PAG044869. Sewerage. **Rodney J. Martz**, R. D. 5, Montoursville, PA 17754. Has been approved for renewal to discharge from single family residence. Facility located in Fairfield Township, **Lycoming County**.

Permit No. NPDES PAG044858. Sewerage. **Josie and Archmimedes Garbes**, R. D. 2, 80 Bull Run Road, Danville, PA 17821. Has been approved for construction of a single family residence. Facility located in Valley Township, **Montour County**.

Permit No. NPDES PA0033316. Sewerage. **Knittle Enterprises**, Terry W. Knittle, R. R. 1, Box 184,

Williamsport, PA 17701-9730. Has been approved for renewal to discharge from facility located in Eldred Township, **Lycoming County**.

Permit No. NPDES PA0036773. Sewerage. **Shinglehouse Borough**, James Marzo, P. O. Box 156, Shinglehouse, PA 16748. Has been approved for renewal to discharge from facility located in Shinglehouse Borough, **Potter County**.

Permit No. NPDES PA0114740. Industrial waste. **Richard T. Subasic**, Consumers Pennsylvania Water Company, Roaring Creek Division, 204 East Sunbury

Street, Shamokin, PA 17882. Has made a name change to facility located in Coal Township, **Northumberland County**.

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS 10U051	Osram Sylvania, Inc. 100 Endicott Street Danvers, MA 01923	Northampton Co. Bethlehem Township	Monocacy Creek
PAS 10U050	Triple Net Investments, L P. c/o J. G. Petrucci Co., Inc. 171 Route 173 Asbury, NJ 08802	Northampton Co. Hanover Twp.	Monocacy Creek
PAS10U047	Prime Development Corp. 824 Eighth Avenue Bethlehem, PA 18018-3520	Northampton Co. Borough of Bath	Monocacy Creek

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-J013	Claude deBotton 1604 Walnut Street Philadelphia, PA 19103	Edgmont Township Delaware County	Crum Creek
PAS10-T062	K. Hovnanian at Perkioment II, Inc. 207 Hackney Lane Schwenksville, PA 19473	Perkiomen Township Montgomery County	Schoolhouse Run
PAS10-G163	John R. Caldiron 1995 Little Elk Creek Road Oxford, PA 19363	East Nottingham Township Chester County	Little Creek
PAS10-G178	Willis Farm Partnership 42 Lloyd Avenue Malvern, PA 19355	Elk Township Chester County	Tributary to Big Elk Creek
PAS10-G180	Henry S. Belber, II 229 West Lancaster Avenue Devon, PA 19333	East Goshen Township Chester County	East Branch of Ridley Creek
PAS10-G182	Birch Run, Inc. 99 Pine Street Philadelphia, PA 19106	West Vincent Township Chester County	Tributary of Birch Run/French Creek
PAS10-G189	Emidio Frezzo, Jr. Newark Road and Maple Lane P. O. Box 480 Toughkenamon, PA 19374-0480	Londonderry Township Chester County	Unnamed Tributary East Branch Big Elk Creek/Juniata River Basin
PAS10-G169	Greater Chester Valley Soccer Association 728 Providence Road Malvern, PA 19355	Willistown Township Chester County	Ridley Creek

The following approvals from coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
Corning Incorporated PAS101907	Pulteney St. Corning, NY 14831 Coplloff and Stern Partnership R. R. 1, Box 411 Lock Haven, PA 17745	Centre County College Township Bald Eagle Township Clinton County	Logan Branch, Spring Creek North Fork Tangascootack Creek
PAS106603	Ward Manufacturing, Inc. P. O. Box 9 Blossburg, PA 16912-0009	Lawrence Township Tioga County	Unt. to Tioga River

Industrial waste and sewerage actions under The Clean Stream Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

Permit No. 1596402. Sewerage. **West Brandywine Township Municipal Authority**, 199 Lafayette Road, Coatesville, PA 19320. Construction and operation of a sewer conveyance system and pump station located in West Brandywine Township, **Chester County** to serve West Brandywine Township Municipal Authority.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 1096403. Sewage. **Motheral, Inc.**, 400 Hastings Street, Pittsburgh, PA 15206. This project is for the construction and operation of a wastewater treatment facility in Middlesex Township, **Butler County**.

WQM Permit No. 1096404. Sewage. **Timberlee Valley Sanitary Company, Inc.**, R. D. 3, Evans City, PA 16033. This project is for plans to construct a sewage treatment plant and conveyance system in Connoquenessing Township, **Butler County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 6594201. Industrial waste, **Allegheny Ludlum Steel**, Division of Allegheny Ludlum Corporation, 100 River Road, Brackenridge, PA 15104. Construction of specialty steel manufacturing located in the Borough of Vandergrift, **Westmoreland County** to serve the Vandergrift Plant (Line Nos. 90 and 91—Annealing + Pickling).

Permit No. 6571417. Amendment No. 1. Sewerage, **Kiski Valley Water Pollution Control Authority**, 1200 Pine Camp Road, Leechburg, PA 15656. Construction of aeration tank conversion (to provide two aerobic digesters) located in the Township of Allegheny **Westmoreland County** to serve the Kiski Valley STP.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701, (717) 327-3664.

Permit No. WQM1770404-T1-A1. Sewerage. **Montour Auto Service Company**, 122 Broad Street, Montoursville, PA 17754. Permit has been amended for the small flow sewer treatment plant at Kylertown service station located in Cooper Township, **Clearfield County**.

Permit No. WQM 1496405. Sewerage. **James C. Walck**, 1245 South Atherton Street, State College, PA 16801. Has been authorized to construct a single family residence sewer system. Facilities located in Union Township, **Centre County**.

Permit No. WQM 4996401. Sewerage. **Laree and Darryl Croutharmel**, R. R. 1, Box 1254, Herndon, PA 16830. Has been authorized to construct a single family residence sewer system. Facilities located in Jordan Township, **Northumberland County**.

Permit No. WQM-4796401. Sewerage. **Mr. and Mrs. Archimedes Garbes**, R. D. 2, 80 Bull Run Road, Danville, PA 17821. Has been authorized to construct a single family residence sewer system. Facility located in Valley Township, **Montour County**.

Permit No. WQM 4185405-T4. Sewerage, **Tim L. Baysore**, R. R. 1, Box 257, Montoursville, PA. Has been transferred from McCormick to Baysore, a single family residence sewer system. Facilities located in Upper Fairfield Township, **Lycoming County**.

Permit No. WQM4991203-T1. Industrial waste. **Richard Subasic, Consumers Pennsylvania Water Company**, Roaring Creek Division, 204 East Sunbury Street, Shamokin, PA 17872. Has made a name change to facility located in Coal Township, **Northumberland County**.

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Location: Keisterville/Menallen Township, **Fayette County**.

The Menallen Township Sewage Authority proposes to construct sanitary sewers, a pump station, and force main to serve the existing Village of Keisterville in Menallen Township, Fayette County. The purpose of the project is to eliminate the discharge of untreated and inadequately treated sewage from direct discharges and malfunctioning on-lot septic systems. Treatment will be provided at the existing Upper Middletown STP in accordance with NPDES Permit PA0205931.

Application for funding of this project is to be submitted to the Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund. The Department's review of the Sewage Facilities Plan has not identified any significant environmental impact resulting from this proposal.

Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Boulevard, Harrisburg, PA 17110.

Location: Southwest intersection of Centerport Road and Tower Road in Centre Township, **Berks County**.

Project Description: Approval of a revision to the Official Sewage Plan of Centre Township, Berks County. Project involves a 57 lot residential subdivision on 58.76 acres to generate 57 EDUs or 22,800 gallons per day in sewage flows to be treated by a package sewage treatment plant with a discharge to an intermittent stream tributary to Irish Creek. The point of discharge is located 85 feet east of the Ohlinger Spring. The project name is Jordan Crossing and the DEP Code Number is C3-06926-069-3.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

Branch Township, **Schuylkill County**.

The Department of Environmental Protection (Department) has completed its review of the April 1996 Version of the Act 537 Official Sewage Facilities Plan (Plan) for Branch Township, Schuylkill County. The Plan was prepared by Alfred Benesch and Company and adopted by Township Resolution No. 6, dated October 26, 1995, and 6A dated December 11, 1995, as amended. The Department's review of the Plan has not identified any significant environmental impacts resulting from the proposal and planning approval is hereby granted for the project.

The Plan was undertaken to address the environmental problems related to raw sewage discharges from the nonpermitted sewage collection system (wildcat) and malfunctioning onlot sewage disposal systems in study areas such as Lewellyn, West West Terrace, Dodentown, Phoenix Park, New Minersville and Stein's Mill.

The chosen alternative (Alternative IV) consists of the following work:

1. Construction of a sanitary sewage collection system and a 200,000 gallons per day (gpd) extended aeration treatment plant in Lewellyn to serve 599 Equivalent Dwelling Units (EDUs) in Lewellyn, West West Terrace, Dodentown and Phoenix Park. The treated effluent will be discharged into the west branch of Schuylkill River.

2. Construction of a sanitary sewage collection system and a 5,000 gpd package treatment plant to serve 19 EDUs in the Stein's Mill study area. The treated effluent will be discharged into Muddy Branch Creek.

3. Construction of a sewage collection and conveyance system to serve 54 EDUs in the New Minersville study area. This new sewer will be tied into the Minersville Sewer Authority's existing collection system. The sewage from this area will be treated at the Authority's existing 1 million gallons per day (1 mgd) capacity treatment plant.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20) (Act 537), and Chapter 71 of the Department's Rules and Regulations, 25 Pa. Code Chapter 71, the Department will hold Branch Township responsible for complete and timely implementation of the chosen alternative.

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Permit No. 4696502. Public water supply. **Pottstown Borough Authority**, Robert Jones, Borough Manager, City Hall, 241 East King Street, Pottstown, PA 19464. This proposal involves the upgrade of Pottstown Borough's existing water system. The project includes the construction of a booster station and approximately 2,300 feet of 16-inch water main. Also two booster pumps will be installed in Pottstown Borough, **Montgomery County**.

Type of Facility: Community water system.

Consulting Engineer: Smith Environmental Technical Corporation, One Plymouth Meeting, Plymouth Meeting, PA 19462.

Permit to Construct Issued: May 13, 1996.

Permit No. 4696504. Public water supply. **Merck & Company, Inc.** P. O. Box 4, West Point, PA 19486. This proposal involves the installation of corrosion control treatment to the Merck & Company's potable water system at its West Point plant. Two pH monitors will be installed. One will be installed at the storage tank and the other will be installed at the distribution pump discharge in the Upper Gwynedd Township, **Montgomery County**.

Type of Facility: Corrosion control treatment.

Consulting Engineer: Water Control Associates, Inc., 323 New Road, Suite One, Parsippany, NJ 07054.

Permit to Construct Issued: May 13, 1996.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 6393503. Public water supply. **Marianna Municipal Water Works**, P. O. Box 368, Marianna, PA 15345.

Type of Facility: 0.5 MG water storage tank.

Consulting Engineer: Nichols & Slagle Engineering, Inc., 980 Beaver Grade Road, Suite 101, Westmark Building, Moon Township, PA 15108.

Permit to Operate Issued: May 10, 1996.

Permit No. 3094501. Public water supply. **Mount Morris Water and Sewage Authority**, P. O. Box 340, Mount Morris, PA 15349.

Type of Facility: Water storage tank.

Permit to Operate: May 10, 1996.

Permit No. 0389505-A2. Public water supply. **Pennsylvania-American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033.

Type of Facility: Potassium permanganate feed pumps for the control of zebra mussels.

Permit to Construct Issued: May 10, 1996.

Permit No. 1196503. Public water supply. **Municipal Authority of the Borough of Portage**, 606 Cambria Street, Portage, PA 15946.

Type of Facility: Bens Creek Well No. 1 and Martindale Well No. 1.

Permit to Construct Issued: May 7, 1996.

Permit No. 0489503. Public water supply. **Cole Mobile Home Park**, Clifford Cole, Owner, R. D. 1, Box 35, Darlington, PA 16115.

Type of Facility: Cole Mobile Home Park.

Permit to Operate Issued: May 7, 1996.

Permit No. 0488508. Public water supply. **Ankrom Acres Mobile Home Park**, R. D. 1, Box 119, Clinton, PA 15026.

Type of Facility: Ankrom Acres water supply.

Consulting Engineer: Shoup Engineering, Inc., 329 Summerfield Drive, Baden, PA 15005.

Permit to Operate Issued: May 14, 1996.

Submission of Final Reports on Attainment of Background and Statewide Health Standards (Sections 302(e)(2) and 303(h)(2)).

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act (P. L. 4, No. 2) (35 P. S. § 6026.101 et seq.).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final reports.

Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4592.

Pennsylvania Power and Light Pole 24869S34513, Susquehanna Township, **Dauphin County**. Pennsylvania Power and Light Company, 2 North Ninth Street, Allentown, PA 18101, has submitted a Final Report concerning remediation of site soils contaminated with PCBs. The report is intended to document remediation of the site to meet the Statewide health standard.

Approval of determination of applicability under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904), and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit Determination of Applicability No. WMGR017D001. Danville Municipal Authority, 12 West Market Street, Danville, PA 17821, under permit WMGR017 issued to City of Lebanon water Authority for the beneficial use of drinking water treatment sludge generated by a water supply treatment facility as a soil additive on agricultural lands. Determination of applicability was approved by Central Office on May 10, 1996.

Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904), and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit No. WMGR019M036A. Process Recovery Corp., 2909 Windmill Road, Sinking Spring, PA 19608. Authorization to operate under General Permit WMGR019 for the beneficial use of waste foundry sand as a roadway construction material and as an ingredient or component in asphalt or concrete products. The permit was issued by Central Office on May 8, 1996.

Persons interested in reviewing the permit may contact the General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904), and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit No. WMGR031. Kalumetals, Inc., P. O. Box 455, Latrobe, PA 15650. A permit for processing and beneficial use of metallic grinding swarf, spent catalysts and metallic filter cakes through retorting, static bed open drying, magnetic separation and passive oil/water separation for use as an ingredient in the manufacture of steel and other alloys. The permit was issued by Central Office on May 14, 1996.

Persons interested in reviewing the permit may contact the General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4588.

Permit No. 301172. Charles Hoy Farm, Commonwealth Disposal, Inc., (2340 Paxton Church Road, Harrisburg, PA 17110). This permit has been revoked because they plan to operate under the July 29, 1996 beneficial use order for water treatment sediment, located in North Middleton Township, **Cumberland County**. Permit revoked in the Regional Office May 14, 1996.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality operating permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **46-323-016**
Source: Renzmann Washing Unit
Issued: May 2, 1996
Company: **Jefferson Smurfit Corp.**
Location: North Wales
County: **Montgomery**

Permit: **09-399-037**
Source: Portable Stone Crushing Plant
Issued: May 9, 1996
Company: **Naceville Materials**
Location: West Rockhill
County: **Bucks**

Permit: **09-303-026**
Source: Asphalt Plant No. 1
Issued: May 9, 1996
Company: **Eureka Stone Quarry, Inc.**
Location: Wrightstown
County: **Bucks**

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 127.450 for Reasonable Available Control Technology.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality operating permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies:

Permit: **OP-09-0031**
Source: Synthetic Minor Facility (Nox & VOC Sources)
Issued: May 9, 1996
Company: **Eureka Stone Quarry, Inc.**
Location: Wrightstown
County: **Bucks**

Operating Permits transferred under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contamination sources of air cleaning devices.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

OP-60-0003. The Department intends to issue an operating permit to **NGC Industries, Inc.** (P. O. Box 338, Milton, PA 17847) for the operation of two natural gas/#6 fuel oil-fired boilers previously owned and operated by National Gypsum Company in White Deer Township, **Union County**.

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct modify, or reactivate and operate air contaminant sources or air cleaning devices.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has extended the following air quality plan approvals for the specified companies described below:

Permit: **46-313-115**
Source: Antibiotic Manufacturing
Issued: April 15, 1996
Extended: August 15, 1996
Company: **SmithKline Beecham Pharmaceuticals Div.**

Location: Upper Merion
County: **Montgomery**

Permit: **15-309-017**
Source: Pebble Lime Loading Spout
Issued: April 15, 1996
Extended: August 15, 1996
Company: **Warner**
Location: East Whiteland
County: **Chester**

Permit: **15-310-037**
Source: Pebble Lime Crusher & Conveyor
Issued: April 15, 1996
Extended: August 15, 1996
Company: **Warner**
Location: East Whiteland
County: **Chester**

Permit: **23-315-006A**
Source: No. 12 & 17 Paper Machines-Dryer
Issued: April 30, 1996
Extended: August 30, 1996
Company: **Kimberly-Clark Tissue**
Location: City of Chester
County: **Delaware**

Permit: **09-302-078**
Source: Two Boilers
Issued: April 30, 1996
Extended: August 30, 1996
Company: **Bucks County Community College**
Location: Newtown
County: **Bucks**

Permit: **23-313-003B**
Source: Methyl Methacrylate Processing System
Issued: April 30, 1996
Extended: August 30, 1996
Company: **Esschem, Inc.**
Location: Lower Chichester
County: **Delaware**

Permit: **09-313-082**
 Source: Bottled Gas Cleaning Process
 Issued: April 30, 1996
 Extended: August 30, 1996
 Company: **Messer Griesheim Industries, Inc.**
 Location: Falls
 County: **Bucks**

Permit: **46-313-139**
 Source: Niobium Oxide Calciner
 Issued: April 30, 1996
 Extended: August 30, 1996
 Company: **Cabot Performance Materials**
 Location: Douglas
 County: **Montgomery**

Permit: **09-313-074**
 Source: Specialty Gas Plant (S1-5) (S8-11)
 Issued: April 30, 1996
 Extended: August 30, 1996
 Company: **Solkatronics Chemical, Inc.**
 Location: Falls
 County: **Bucks**

Permit: **09-313-063A**
 Source: Arsine & Hydrogen Selenide
 Issued: April 30, 1996
 Extended: August 30, 1996
 Company: **Solkatronics Chemical, Inc.**
 Location: Falls
 County: **Bucks**

The Department has issued the following air quality plan approvals for the specified companies described below:

Permit: **09-330-011B**
 Source: Asphalt Plant/Soil Remediation Facility
 Issued: May 9, 1996
 Company: **R3 Technologies, Inc.**
 Location: Falls
 County: **Bucks**

Permit: **23-302-132**
 Source: Boiler (S28)
 Issued: May 9, 1996
 Company: **Dequssa Corp.**
 Location: City of Chester
 County: **Delaware**

Permit: **15-399-045**
 Source: Circuitry & Phenolic cutting and trimming process
 Issued: May 9, 1996
 Company: **NVF**
 Location: Kenneth Square
 County: **Chester**

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

8-303-003A. On April 11, 1996, plan approval was issued to **State Aggregates, Inc.** (R. D. 6, Box 6154, Towanda, PA 18848) for the modification of a batch asphalt concrete plant (use of reprocessed oil as dryer fuel) in Wysox Township, **Bradford County**.

49-309-0071. On April 16, 1996, plan approval was issued to **Meckley's Limestone Products, Inc.** (R. D. 1, Box 950, Herndon, PA 17830) for the installation of an air cleaning device (a fabric collector) on stone crushing, screening and conveying equipment in Lower Mahanoy Township, **Northumberland County**. Some of the equip-

ment is subject to Subpart OOO of the Federal Standards of Performance For New Stationary Sources.

59-304-0021. On April 16, 1996, plan approval was issued to **Ward Manufacturing, Inc.** (P. O. Box 9, Blossburg, PA 16912) for the installation of an air cleaning device (a fabric collector) on various iron foundry operations in Blossburg Borough, **Tioga County**.

PA-53-0005A. On April 16, 1996, plan approval was issued to **CNG Transmission Corporation** (445 West Main Street, Clarksburg, WV 26301-2450) for the installation of air cleaning devices (low emission combustion retrofit kits) on five natural gas-fired reciprocating engines and the construction of a natural gas-fired gas heater at the Harrison Compressor Station in Harrison Township, **Potter County**. The gas heater is subject to Subpart Dc of the Federal Standards of Performance For New Stationary Sources.

49-312-003A. On April 16, 1996, plan approval was issued to **Eldorado Properties Corporation**, owner, and **Petroleum Products Corporation**, operator (P. O. Box 2621, Harrisburg, PA 17105) for the modification of a gasoline tank truck loading operation and the installation of an air cleaning device (a carbon adsorption system) on said gasoline loading operation at the Northumberland Terminal in Point Township, **Northumberland County**. The gasoline loading operation is subject to Subpart II of the Federal Standards of Performance For New Stationary Sources.

55-302-005A. On April 23, 1996, plan approval was issued to **Wood Mode, Inc.** (One Second Street, Kreamer, PA 17833) for the installation of air cleaning devices (two sets of multiclones) on two woodwaste-fired boilers in Middlecreek Township, **Snyder County**.

14-301-032. On April 29, 1996, plan approval was issued to **Wetzler Funeral Service, Inc.** (206 North Spring Street, Bellefonte, PA 16823) for the construction of a crematory incinerator in Bellefonte Borough, **Centre County**.

12-399-007G. On April 30, 1996, plan approval was issued to **Sinter Metals, Inc.** (R. R. 2, Box 47, Emporium, PA 15834) for the construction of a sintering furnace (PF51) to be controlled by an existing air cleaning device (a fabric collector) at the Barton Street Plant in Emporium Borough, **Cameron County**.

59-305-005. On April 30, 1996, plan approval was issued to **Fisher Mining Company** (150 Market Street, Williamsport, PA 17701) for the construction of a coal railcar loading operation in Delmar Township, **Tioga County**.

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law, (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P. S.

§§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued

32900108. Permit renewal, **Mahoning Mining, Inc.** (P. O. Box 44, New Bethlehem, PA 16242, commencement, operation and restoration of a bituminous strip-auger mine in South Mahoning Township, **Indiana County**, affecting 74.4 acres, receiving stream Ross Run and an unnamed tributary to Little Mahoning Creek, application received March 4, 1996, permit issued May 14, 1996.

56900110. Permit renewal, **B & W Coal, Inc.** (R. D. 1, Box 1275, Horner City, PA 15748), commencement, operation and restoration of a bituminous strip mine in Conemaugh Township, **Somerset County**, affecting 61.3 acres, receiving stream unnamed tributaries to Quemahoning Creek, application received April 2, 1996, permit issued May 4, 1996.

11900108. Permit renewal, **L & J Energy Company, Inc.** (P. O. Box 247, Barnesboro, PA 15714), commencement, operation and restoration of a bituminous strip-auger mine valid for reclamation, only in Susquehanna Township, **Cambria County**, affecting 29.2 acres, receiving stream unnamed tributaries to west branch of Susquehanna River, application received May 10, 1996, permit issued May 14, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54840103R2. **Shepco Coal Co.**, (P. O. Box 98, Hazleton, PA 18201), renewal of an existing anthracite surface mine operation in East Union and North Union Townships, **Schuylkill County** affecting 660.0 acres, receiving stream—none. Renewal issued March 26, 1996.

54683045R2. **Pagnotti Coal Company**, (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Union, Butler and West Mahanoy Townships, **Schuylkill County** affecting 743.0 acres, receiving stream—none. Renewal issued March 27, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

56900701. **PBS Coals, Inc.** (P. O. Box 260, Friedens, PA 15541), to renew the permit for the Job 12 Expansion in Shade Township, **Somerset County**, no additional discharge. Permit issued May 15, 1996.

56773707. **PBS Coals, Inc.**, (P. O. Box 260, Friedens, PA 15541), to renew the permit for the Cambria Fuel Refuse Disposal area in Stoneycreek Township, **Somerset County** for reclamation only, no additional discharge. Permit issued May 15, 1996.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Small Industrial Mineral Authorizations Granted

59960801. **George R. Ackley** (R. D. 3, Box 334E, Westfield, PA 16950), commencement, operation and restoration of a Small Industrial Mineral (Shale) permit in Clymer Township, **Tioga County** affecting 1 acre, application received February 28, 1996, authorization granted April 29, 1996.

14950801. **James Confer** (R. D. 1, Box 205A, Spring Mills, PA 16875), commencement, operation and restora-

tion of a Small Industrial Mineral (Shale) permit in Potter Township, **Centre County** affecting 3 acres, application received February 14, 1995, authorization granted May 13, 1996.

14950802. **James Confer** (R. D. 1, Box 205A, Spring Mills, PA 16875), commencement, operation and restoration of a Small Industrial Mineral (Shale) permit in Gregg Township, **Centre County** affecting 4 acres, application received February 14, 1995, authorization granted May 13, 1996.

59960803. **James R. Aumick** (465 Aumick Road, Mansfield, PA 16933), commencement, operation and restoration of a Small Industrial Mineral (Gravel) permit in Sullivan Township, **Tioga County** affecting 1 acre, application received May 1, 1996, authorization granted May 13, 1996.

Request for Variance

The Bureau of Deep Mine Safety has approved a request for variance from the Tanoma Mining Company. The following notification contains a summary of both this request and the Department's decision regarding approval. Complete copies of both the variance request and the Department's decision may be obtained from Glen Ziegler by calling (717) 787-1376.

Summary of the request: Tanoma Mining Company's plan calls for 105' distances between track shelter holes in the Main E and all future mains development at the Tanoma Mine. Studies have shown that the main entries in the Tanoma Mine should be developed in 120' centers in order to enhance roof control. This 120' center will result in shelter holes being approximately 105' apart since the crosscuts are driven a maximum of 20' wide.

Summary of the decision: The Bureau has determined that Tanoma Mining Company's approved plan will provide protection to personnel and property substantially equal to or in excess of the requirements set forth in the Bituminous Coal Mine Act. The basis for the Bureau's determination for approval can be summarized in the following conclusions:

1. Development of pillars on maximum of 120 foot centers will enhance roof control in the Main E area and all future main areas where adverse and subnormal roof conditions are encountered.

2. The use of a continuous conveyor belt system eliminates high speed coal transportation equipment. This eliminates the many negative aspects of coal haulage equipment. These are increased traffic, equipment moving at higher speeds, and exposing employees to greater hazards when required to travel along track haulage travelways.

3. The additional time required to reach shelter in areas with extended shelter hole distances is minimal (an average of 1.56 seconds according to walking time tests).

This approval is limited to a variance from the distance requirements for shelter holes contained in section 268(b) of the Bituminous Coal Mine Act. All other terms, and requirements of section 268 shall remain in effect. Continued authorization for operation under the approval is contingent upon compliance with the measures described in the approved plan.

The Department of Environmental Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water

Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 1-800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permits Issued

E02-1113. Encroachment. **Allegheny County Sanitary Authority**, 3300 Preble Avenue, Pittsburgh, PA 15233. To construct and maintain a parallel relief interceptor system consisting of a 54-inch diameter pipe, a 48-inch diameter pipe, a 42-inch diameter pipe and a 36-inch pipe for a total length of 24,500 linear feet in, along the banks of and under the bed and across the channel of Sawmill Run at various locations. The project is located between Woodruff Street and McNeilly Road (Pittsburgh West, PA Quadrangle N: 9.2 inches; W: 2.8 inches) in the City of Pittsburgh, **Allegheny County**.

E02-1123. Encroachment. **Michael Facchiano Contracting**, 45 Stewart Avenue, Pittsburgh, PA 15227. To construct and maintain a C. M. box culvert having a length of 213 feet, span of 20 feet 9 inches with an underclearance of 8 feet 7 inches in an unnamed tributary to Saw Mill Run and to place and maintain bank protection on the left and right banks of said stream on the upstream and downstream ends of proposed culvert. The project is located approximately 300 feet northwest from the intersection of McNeilly Road and Library Road (Route 88) (Pittsburgh West, PA Quadrangle N: 0.5 inch; W: 0.7 inch) in Baldwin Township, **Allegheny County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E02-1136. Encroachment. **City of Pittsburgh**, 200 Ross Street—4th FL, Pittsburgh, PA 15219. To construct and maintain a walkway approximately 3,000 feet long with cantilevered sections and a river overlook, as part of a new River Front Park to be located along the left bank of the Allegheny River approximately 2,000 feet upstream of the confluence of the Allegheny River and the Monongahela River (Pittsburgh West, PA Quadrangle N: 12.76 inches; W: 0.0 inches) in the City of Pittsburgh, **Allegheny County**.

E02-1137. Encroachment. **St. Clair Valley Golf & Swim Club**, 2140 Greentree Road, Pittsburgh, PA 15220. To place and maintain fill in the floodway for the purpose of constructing an elevated "tee-off" for a proposed golf course driving range located along the right side of Chartiers Creek at a point approximately 3 miles downstream of the Allegheny/Washington County Line (Bridgeville, PA Quadrangle N: 16.1 inches; W: 15.5 inches) in Upper St. Clair and South Fayette Townships,

Allegheny County. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E02-1143. Encroachment. **CNG Transmission Corporation**, 175 Sheffield Drive Box 405, Delmont, PA 15626. To operate and maintain the existing retaining wall constructed under EP0296203 to protect an exposed existing gas pipeline. The wall is located on the left bank of Pucketa Creek, just west of the intersection of S. R. 366 and Albee Road (New Kensington, PA Quadrangle N: 8.3 inches; W: 15.0 inches) in Plum Borough, **Allegheny County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E26-214. Encroachment. **David and Jill S. Dongilli**, P. O. Box 616, Smithton, PA 15479. To remove the downstream 13.0-foot portion of an existing 60-inch RCP culvert for the purpose of cleaning and debris removal and to reinstall and maintain said 13.0-foot portion of culvert in a tributary to the Youghiogheny River. The project is located along TR 495, approximately 0.75 mile east of S. TR. 51 (Fayette City Quadrangle N: 20.6 inches; W: 1.6 inches) in Perry Township, **Fayette County**.

E26-217. Encroachment. **Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17107-7676. To construct and maintain 9.3 acres of replacement wetlands and to perform grading and to construct and maintain outfall protection in an unnamed tributary to Rubles Run as part of wetlands replacement impacted by the Mon/Fayette Expressway, S. R. 0043. This project is known as construction section 50W and is located along the intersection of S. R. 3002 (Gans Road) and S. R. 857 (Lake Lynn, PA-WV Quadrangle N: 19.8 inches; W: 7.6 inches) in Springhill Township, **Fayette County**.

E32-373. Encroachment. **Joseph Kuzneski**, 115 North Sixth Street, Indiana, PA 15701. To place and maintain fill in three separate wetlands totaling 0.29 acre and along an unnamed tributary to McCarthy Run for the purpose of developing a parking area and proposed expansion of the existing Shelly Plaza located east of the intersection of Route 422 and Shelly Drive (Indiana, PA Quadrangle N: 22.0 inches; W: 9.0 inches) in White Township, **Indiana County**. The permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

E56-256. Encroachment. **John and Donna Gennett**, R. R. 1 Box 403, Friedens, PA 15542. To place and maintain fill in 0.25 acre of wetlands for construction of a commercial building. This site is located approximately 3,000 feet west of Ferrellton along the south side of Route 30 (Boswell, PA Quadrangle N: 3.25 inches; W: 4.25 inches) in Jenner Township, **Somerset County**. The permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-390. Encroachment, **William Seltzer**, President, 99 Pine Street, Philadelphia, PA 19106. To construct and maintain 1) a timber beam bridge, having a 30-foot span with an average underclearance of 3 feet; 2) a 5-foot diameter culvert with a drop inlet structure for diverting flood flows at said bridge; and 3) two stormwater outfall structures consisting of endwalls and rock energy dissipating pads; across and along a tributary to Birch Run,

located at the Birch Run Subdivision, approximately 550 feet upstream of T-434 on the western side of SR 1030 (Pottstown, PA Quadrangle N: 1.7 inches; W: 4.75 inches) in West Vincent Township, **Chester County**. Permit No. E15-390 is hereby reissued and extended to December 31, 1988.

E23-143. Encroachment. **Claude deBotton**, c/o Springfield Square, 1001 Baltimore Pike, Springfield, PA 19042. To amend permit no. E23-143 as follows: 1) to revise the location of a proposed access roadway just south of the previously permitted location. This roadway, North Crum Creek Road, crosses the northern tributary to Crum Creek and adjacent wetlands at a point approximately 1,450 feet northwest from the PA Route 3 crossing of Crum Creek, 2) to delete an 8 foot x 4 foot 2-inch culvert which was previously permitted, and to install and maintain 825 linear feet of an 8-foot x 4-foot box culvert stream enclosure and place 0.29 acre of fill in wetland near the westerly tributary to Crum Creek for the establishment of a parking area. This facility is located approximately 2,000 feet northwest from the PA Route 3 crossing of Crum Creek. These activities occur at the proposed Edgmont Country Fair Project (Media Quadrangle N: 19 inches; W: 17.5 inches) situated in Edgmont Township, **Delaware County**. The permittee shall provide 0.29 acre of replacement wetlands.

E15-501. Encroachment. **Nantmeal Woods, Inc.**, 2 Scholl Drive, Oley, PA 19547. To place fill in 0.12 acre of wetlands (PEM) associated with construction of a storm water detention basin and dam in the proposed Daisy Meadows subdivision. The site is situated along a tributary to Bickels Run (HQ) at a point along the eastern side of Hanover Street (S. R. 1037), approximately 1/4 mile north of the intersection with S. R. 100, (Pottstown, PA Quadrangle N: 16.3 inches; W: 4.4 inches) in North Coventry Township, **Chester County**. The permittee shall provide 0.12 acre of wetland replacement. Approval is also granted for an Environmental Assessment for the aforementioned nonjurisdictional dam.

E51-134. Encroachment. **PECO Energy Company**, 955 Chesterbrook Boulevard 53A-1, Wayne, PA 19087-5691. To restore and maintain water depth to pre-existing levels by dredging at the following locations: 1) Along the east bank of the Schuylkill River at a point 1,700 feet downstream from the South Street bridge at the Schuylkill Generating Station (Philadelphia-PA Quadrangle; N: 12.4 inches; W: 9.3 inches); 2) In the Delaware River at a point approximately 1.1 miles north of the Benjamin Franklin Bridge at the Delaware Generating Station (Philadelphia-PA Quadrangle N: 16.5 inches; W: 0.1 inch); 3) In the Delaware River at a point approximately 1,500 feet south of the Betsy Ross Bridge at the Richmond Generating Station. (Camden-NJ Quadrangle N: 19.75 inches; W: 10.5 inches). All three of the above sites are located in the City of Philadelphia, **Philadelphia County**.

E23-335. Encroachment. **Delaware County Commissioners**, Government Center Building, Media, PA 19063. To remove an existing two lane 80-foot single span concrete encased steel truss bridge over Chester Creek on West Fifth Street and to construct and maintain an 82.5-foot single span composite prestressed concrete spread box beam bridge at the same location with an average underclearance of 5.9-feet (Bridgeport, PA-NJ Quadrangle N: 17.5 inches; W: 15.8 inches) in the City of Chester, **Delaware County**. The submerged Land License Agreement has been approved for the project.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certification

Central Office: Bureau of Dams, Waterways and Wetlands, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.

D57-044. Dam. **Marianne B. Hewitt**, P. O. Box 266, Nazareth, PA 18064. To modify, operate and maintain the Upper Boone Lake Dam in Shrewsbury Township, **Sullivan County**.

Request for Proposals

The DEP, BLWC, NPS Program is accepting project proposals for the next two (FY 97 and FY 98) Section 319 NPS Implementation Grant cycles. There will not be another request for proposals before January 1998. Projects selected for funding will begin in March '97 or October '97 depending upon which grant the project is funded under. The Project start date along with the project time constraints must be indicated in the implementation plan.

The following information presents a brief overview of project selection criteria:

- A. Three project categories are eligible for funding:
 - 1) Watershed Assessments
 - 2) Watershed Projects
 - 3) Projects of Statewide Importance

Projects must have local support and commitment, clear goals and objectives, and be able to produce measurable environmental results. For Watershed Projects, points are awarded if the project is located in a high priority watershed.

B. EPA Grant Guidance has identified Nine Key Elements which are components of a good state NPS Program. You will have to identify how the project applies to one or more of these key elements.

C. The Scoresheets have been significantly revised. The DEP/DCNR NPS Task Force will use these scoresheets to select projects.

D. The Project Solicitation schedule will be followed closely. Project proposals are due in the BLWC office by 4 p.m. on July 29, 1996. Project proposals submitted after this date will not be considered.

E. The State Priority Watershed list has been significantly revised. The list is an EPA requirement.

To be considered, the proposal packet must include the following items:

1. One copy of the project proposal and budget. Your project budget must follow specific categories.
2. A Point of Contact with phone and fax numbers, and address, must be clearly identified on the proposal's cover page.

The NPS Program looks forward to working with you in the future to address NPS pollution issues in PA. Copies of the RFP are available upon request from Glenda Ferree, Division of Nonpoint Source Management, Bureau of Land and Water Conservation, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5259.

Questions regarding this project proposal process may be addressed to Veronica Kasi, Carl Rohr, Barbara Lathrop, Jane Earle, and Garry Price. Please clarify any questions before developing a proposal.

The deadline for submission of project proposals is 4 p.m. on July 29, 1996. Any proposal that is submitted after this date will not be considered.

[Pa.B. Doc. No. 96-894. Filed for public inspection May 31, 1996, 9:00 a.m.]

DEPARTMENT OF HEALTH

Division of Emergency Medical Services Systems; Notice of Funding Priorities

Under 28 Pa. Code § 1001.23(b) (relating to allocation of funds), the Department of Health (Department) hereby gives notice of priorities for the distribution by the regional emergency medical services (EMS) councils of funding from the Emergency Medical Services Operating Fund (EMSOF) which will be distributed by the Department to regional EMS councils for the fiscal year beginning July 1, 1996 and ending June 30, 1997. The priorities are as follows:

1. *State Priorities*

A. *Training Programs for Prehospital Personnel*

Training programs for all prehospital personnel (for example, first responders, emergency medical technicians and paramedics) who will be responsible for providing EMS to patients outside of the hospital setting. Training institutes shall be accredited to insure that size and number of training programs are adequate to assure that ambulance services have a sufficient number of prehospital personnel to meet public need. Up to 100% in EMSOF funds shall be made available to procure essential equipment for training programs, but EMSOF funds shall not be used to pay the cost of course coordinators and primary and secondary instructors without the approval of the Department.

B. *Management Support or Equipment for Providing Basic Life Support (BLS) Services To Areas In Need*

Management support or purchase of equipment needed for the establishment of BLS ambulance service operations to serve areas not currently served by BLS ambulances within 10 minutes of dispatch, and identified as feasibly needed by regional planning. EMSOF funds shall be used up to the following amounts for urban and rural areas:

Maximum BLS EMSOF Equipment Reimbursement*

Items	Urban	Rural
BLS Vehicle/Management Support	15,000	20,000
Essential Equipment (See Table 1)	6,650	7,980

Items	Urban	Rural
Communications Equipment (See Table 2)	5,500	6,600
Maximum Eligible Reimbursement	27,150	34,580

* Figures are dollar amounts per BLS Service.

C. *Equipment for the Establishment of New Quick Response Services (QRSs)*

Purchase of equipment needed for the establishment of new QRS services outside the 10 minute response area of current ambulance services and identified as feasibly needed by regional planning. EMSOF funds shall be used up to the following amounts for urban and rural areas:

Maximum QRS EMSOF Equipment Reimbursement*

Items	Urban	Rural
Essential Equipment (See Table 1)	5,250	10,300
Communications Equipment (See Table 2)	5,500	6,600
Maximum Eligible Reimbursement	10,750	12,900

*Figures are dollar amounts per QRS.

D. *Management Support or Equipment for Providing Advanced Life Support (ALS) To Areas in Need*

Management support or purchase of equipment needed for the establishment of ALS ambulance service operations to serve areas not currently served by ALS ambulances within 20 minutes of dispatch, and identified as feasibly needed by regional planning. EMSOF funds shall be used up to the following amounts for urban and rural areas:

Maximum ALS EMSOF Equipment Reimbursement*

Items	Urban	Rural
Mobile Intensive Care Unit (MICU)	15,000	20,000
Essential Equipment (See Table 1)	13,400	16,080
Communications Equipment (See Table 2)	5,500	6,600
Maximum Eligible Reimbursement	33,900	42,680
ALS Non-Transport Unit**	7,500	9,000
Essential Equipment	12,000	14,400
Communications Equipment (See Table 2)	5,500	6,600
Maximum Eligible Reimbursement	25,000	30,000

* Figures are dollar amounts per service.

** ALS Squad Unit

II. *Regional Priorities*

The following categories may be funded and may be prioritized by each regional EMS council based on the needs determined within their region:

A. Vehicle Replacement—One vehicle per ambulance service may be replaced or reclassified during a 5-year period based on the following criteria and priorities:

First Priority:

BLS/ALS ambulances, including ALS non-transport squad vehicles that are 10 years old or older, according to the following priorities:

- a. Single vehicle service (1st priority)
- b. Two vehicle service (2nd priority)
- c. Three vehicle service (3rd priority)
- d. Greater than three vehicle service (4th priority)

Second Priority:

BLS/ALS ambulances, including ALS non-transport squad vehicles that are 5 years old or have at least 80,000 miles, according to the following priorities:

- a. Single vehicle service (1st priority)
- b. Two vehicle service (2nd priority)
- c. Three vehicle service (3rd priority)
- d. Greater than three vehicle service (4th priority)

Third Priority:

Any ALS unit over 3 years old and interfacing with multiple BLS services.

Maximum EMSOF Vehicle Replacement Reimbursement*

<i>Items</i>	<i>Urban</i>	<i>Rural</i>
BLS/MICU Vehicle	15,000	20,000
ALS Non-Transport Vehicle (ALS Squad Unit)	7,500	9,000

* Figures are dollar amounts per vehicle.

The Department may increase the amount of reimbursement from EMSOF funds based upon the financial hardship of an ambulance service. An ambulance service that seeks additional EMSOF funds because of financial hardship, to replace or reclassify a vehicle, shall be required to submit a financial disclosure statement and other documentation deemed necessary by the Department.

B. Essential Equipment for ALS/BLS/QRS Services—new or replacement. (See Table 1)

C. Communications Equipment for ALS/BLS/QRS Services—new or replacement. (See Table 2)

D. Regional EMS Council Special Needs—These items are eligible based on individual needs of each regional EMS council and are defined in regional plans.

E. Rescue Equipment for ALS and BLS services or for any service providing rescue coverage for an ambulance service:

Maximum EMSOF Regional Rescue Reimbursement*

<i>Items</i>	<i>Life Expectancy</i>	<i>Maximum allowable cost</i>	<i>Urban*</i>	<i>Rural*</i>
Air Chisel Set	10 Yrs	1,000	500	600
Toxic Environment Detection Device	10 Yrs	2,000	1,000	1,200
Come-Along, Chain (1 1/2 Ton) (including 4 chains—6' maximum)	10 Yrs	800	400	480
Hydraulic Tool**	5 Yrs	15,000	7,500	9,000
Personal Protection Equipment (boots, pants, coat and helmet—any combination)	5 Yrs	5,000	2,500	3,000
Porta-Power—10 Ton	10 Yrs	1,500	750	900

* Figures are dollar amounts per service.

** For rescue services along the highway corridors which have been identified with high accident mortality rates. If cost is less than \$15,000, the reimbursement will be limited to 25% for urban areas and 35% for rural areas.

F. Recruitment/Retention Programs—for ambulance services for their activities in recruiting community volunteers to staff the services. Funding amounts to be set by each regional EMS council.

G. Data Collection hard and software—alternate method collection systems which must be approved by the Department with a maximum allowable cost of \$4,000 for medical command facilities; \$3,000 for receiving facilities, and \$2,000 for individual ambulance services or 50%, whichever is less. The facilities must have 10,000 or more emergency patients, and the ambulance services in urban areas must transport 2,000 patients, and those in rural areas must transport 1,000 patients per year.

III. Regional Communication System Development Equipment

Purchase of equipment for the establishment or upgrading of regional communication systems. Any project exceeding \$50,000 must be reviewed and approved by the Department of Health.

Table 1
Essential Equipment List
(MICU, ALS Squad, BLS and QRS)

<i>Equipment Description</i>	<i>Life Expectancy</i>	<i>MICU</i>	<i>ALS/SQ</i>	<i>BLS</i>	<i>QRS</i>	<i>Maximum Allowable Cost*** (MAC)</i>	<i>Urban (50% of MAC)***</i>	<i>Rural (60% of MAC)***</i>
Capnometers (End Tidal CO ₂ Detectors)	5 Yrs	Y	Y	N	N	1,800	900	1,080
Defibrillators (if replacement greater than 5 years old or for new ALS unit)	5 Yrs	Y	Y	N	N	9,000	4,500	5,400
Including pacer		Y	Y	N	N	10,000	5,000	6,000
++ Including pacer and 12 lead		Y	Y	N	N	16,000	8,000	9,600
External Automatic (AED)		N	N	Y*	Y*	6,000	3,000	3,600
Intubation kit (as per licensure requirement)	5 Yrs	Y	Y	N	N	300	150	180
Medical Anti-shock trousers (Adult/Pediatric)	3 Yrs	Y	Y	Y	Y*	600	300	360
Nitrous Oxide Unit, portable	5 Yrs	Y	Y	N	N	1,400	700	840
Oxygen Equipment (any combination) Cylinder (minimum "D" size, maximum 2/unit @\$80 each)	5 Yrs	Y	Y	Y	Y	500	250	300
Demand valve w/hose and mask								
Regulator combination constant flow Case/soft or hard								
Pulse oximeters	5 Yrs	Y	Y	Y	Y+	1,000	500	600
Splinting/Immobilization devices (including adult and pediatric)	5 Yrs	Y	Y	Y	Y	500	250	300
Stair Chair	5 Yrs	Y	N	Y	N	500	250	300
Stretchers	5 Yrs	Y	N	Y	N	1,800	900	
Primary multilevel		Y	N	Y	N	500	250	1,080
Stretcher chair combination								300
Suction Unit, portable (battery operated)	3 Yrs	Y	Y	Y	Y	500	250	300

NOTICES

<i>Equipment Description</i>	<i>Life Expectancy</i>	<i>MICU</i>	<i>ALS/SQ</i>	<i>BLS</i>	<i>QRS</i>	<i>Maximum Allowable Cost*** (MAC)</i>	<i>Urban (50% of MAC)***</i>	<i>Rural (60% of MAC)***</i>
Ventillator, automatic (per Dept. of Health Guidelines)	5 Yrs	Y**	Y**	Y**	Y***/+	1,400	700	840
Maximum Allowable Cost					26,800	24,000	13,300	10,500
EMSOF Totals 50%					13,400	12,000	6,650	5,250
60%					16,080	14,400	7,980	6,300

- Y Yes
- N No
- + EMT personnel required.
- * Regional approval of AED plan and training program required.
- ** Regional approval and completion of approved training program required.
- *** All figures are dollar amounts for each item of equipment.
- ++ Price includes \$1,000 for communications package, and receiving facility must have appropriate communications capabilities.

**Table 2
Communications Equipment List
(MICU, ALS Squad, BLS and QRS)**

<i>Equipment Description</i>	<i>Life Expectancy</i>	<i>MICU</i>	<i>ALS/SQ</i>	<i>BLS</i>	<i>QRS</i>	<i>Maximum Allowable Cost** (MAC)</i>	<i>Urban (50% of MAC)**</i>	<i>Rural (60% of MAC)**</i>
Alerting Equipment	5 Yrs	Y	Y	Y	Y	4,000	2,000	2,400
Radio, Mobile (for dispatch and scene coordination—one per EMS vehicle)	5 Yrs	Y	Y	Y	Y	2,500	1,250	1,500
Radio, Mobile (for medical communications with hospitals—one per EMS vehicle)	5 Yrs	Y	Y	Y	Y*	3,500	1,750	2,100
Radio, Portable (for on scene coordination—one per EMS vehicle/unit)	3 Yrs	Y	Y	Y	Y	1,000	500	600
Maximum Allowable Cost					11,000	11,000	11,000	11,000
EMSOF Totals 50%					5,500	5,500	5,500	5,500
60%					6,600	6,600	6,600	6,600

- Y Yes
- N No
- * Mobile radios eligible if 50% or greater number of calls are EMS related for specific vehicle.
- ** Figures are dollar amounts for each item of equipment.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, braille) should contact Kum S. Ham, Ph.D., Director of the Division of Emergency Medical Services Systems, at (717) 787-8740 or TDD: (717) 783-6514.

DANIEL F. HOFFMANN, FACHE,
Acting Secretary

[Pa.B. Doc. No. 96-895. Filed for public inspection May 31, 1996, 9:00 a.m.]

Notice of Beginning of Review; Certificates of

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P. S. §§ 448.702(c), 704(a) and 704(b)).

CON-96-B-2635-B: MRI of Easton, 2690 Kingston Road, Easton, PA 18045. The project involves addition of a second MRI scanner, at an estimated cost of \$1,258,760.

CON-96-H-2617-B: Manor Healthcare Corporation, 10770 Columbia Pike, Silver Spring, MD 20901. The project involves construction of a 150-bed nursing home in the Whitehall area of Allegheny County, at an estimated cost of \$9,834,590.

CON-95-I-2360-B: Brevillier Village aka, Ball Pavilion, 5416 East Lake Road, Erie, PA 16511. The project involves construction of an 85-bed replacement facility for Ball Pavilion Nursing Home, at an estimated cost of \$5,450,000.

CON-96-H-2654-B: Ohio Valley General Hospital, Heckel Road, McKees Rocks. The project involves renovations in the emergency department, at an estimated cost of \$2,500,000.

The projects are scheduled to be reviewed and a decision rendered by the Department of Health within 90 days beginning June 1, 1996. Any interested person, as defined in section 103 of the act (35 P. S. § 448.103), may request a public meeting. Requests must be made in writing within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P. S. § 448.506(a)), regarding the decisions made on these applications, any interested person as defined in the act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, such meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. The public meetings will be conducted on Friday, July 19, 1996. MRI of Easton will begin at 11 a.m.; Manor Healthcare will begin at 1 p.m.; Brevillier Village will begin at 3 p.m. Persons who need an accommodation due to a disability and want to attend a meeting should contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. These meetings are subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

DANIEL F. HOFFMANN, FACHE,
Acting Secretary

[Pa.B. Doc. No. 96-896. Filed for public inspection May 31, 1996, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Bureau of Municipal Services; List of Highways

The Department of Transportation, Bureau of Municipal Services, consistent with the provisions of section 9206 of the Vehicle Code (75 Pa.C.S. § 9206), hereby certifies the list of highways that have been transferred to local authorities. Further this list shall also be certified to the Office of Recorder Deeds of the county in which the participating municipalities are located.

Any questions, comments or suggestions may be directed to Paul P. Rogers, Engineering/Payments Divisions, Bureau of Municipal Services, Department of Transportation, Room 710 Transportation and Safety Building, Harrisburg, PA 17120, (717) 783-8232.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-897. Filed for public inspection May 31, 1996, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Exide Corporation v. DEP: EHB Doc. No. 96-099-MR

Exide Corporation has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Exide Corporation for a facility in Muhlenberg Township, Berks County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 96-898. Filed for public inspection May 31, 1996, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Watershed Redesignation

The Storm Water Management Act (32 P. S. §§ 680.1—680.19) (act) requires Pennsylvania counties to prepare and adopt watershed stormwater plans for designated watersheds. The intent of the act is to address the impacts of development on existing stormwater runoff levels and recommend measures to control accelerated runoff to prevent flood damages that could occur due to those development activities.

A watershed stormwater plan includes hydrologic and hydraulic evaluation of the drainage basin, consideration of existing drainage problems, existing and proposed flood control projects and their impacts, existing government regulatory mechanisms and provide recommendations for the control of accelerated runoff as a result of the development. The Department provides up to 75% funding assistance to counties for their watershed stormwater planning effort.

Under section 14(a)(10) of the act (Powers and duties of the Department of Environmental Protection), the Department, in consultation with the counties, originally designated 353 watersheds in the entire State. Those watersheds were approved by the Environmental Quality Board on May 31, 1980 with amendments on November 19, 1991, April 21, 1992, June 21, 1994 and, most recently, April 16, 1996, bringing the current number of watersheds to 355.

The Department of Environmental Protection in consultation with Clearfield County has designated 11 watersheds within Clearfield County. Clearfield County has requested that a portion of the West Branch Susquehanna River be redesignated as a separate watershed. The new watershed, which may be referred to as "The Central Region West Branch Susquehanna River, Clearfield County" encompasses all areas currently within and draining to the West Branch Susquehanna River designated watershed from the Curwensville dam downstream to the mouth of Clearfield Creek including the major tributaries of Montgomery Creek, Moose Creek and Wolf Run, but excluding Anderson Creek and Clearfield Creek which are already separate designated watersheds. This redesignation will enable Clearfield County to undertake stormwater planning for this subarea without immediately studying the entire Clearfield County portion of the West Branch Susquehanna River. Clearfield County wishes to immediately begin stormwater planning within this portion of the West Branch Susquehanna River since it currently has serious drainage problems along with a significant development potential that could exacerbate the existing problems without proper planning.

The Department, subsequent to advertising at 25 Pa.B. 4982, 5012 on November 18, 1995, held a public hearing on December 18, 1995, at the Clearfield County Multi-Services Center, Clearfield, for the purpose of accepting comments on the redesignation of these watersheds. No comments, objections or concerns were raised. The Environmental Quality Board approved this request at its public meeting on April 16, 1996.

For further information, contact Durla Lathia, Bureau of Land and Water Conservation at (717) 783-7577, or e-mail at Lathia.Durla@al.dep.state.pa.us. Persons with a disability may use the AT&T Relay Service by calling 1-800-654-5984 (TDD users) or 1 (800) 654-5988 (voice users). This index is available electronically through the DEP Web site (<http://www.dep.state.pa.us>).

JAMES M. SEIF,
Chairperson

INDEX OF DESIGNATED WATERSHEDS (STORMWATER MANAGEMENT)

(Approved by the Environmental Quality Board, under the Storm Water Management Act, P.L. 864, No. 167, October 4, 1978, and published in the *Pennsylvania Bulletin* on May 31, 1980 and August 9, 1980, as amended on November 19, 1991, April 21, 1992, June 21, 1994, and April 16, 1996).

LAKE ERIE BASIN

1. Lake Erie/Elk Creek
2. Conneaut Creek
3. Ashtabula River

GENESEE River BASIN

1. Genessee River

POTOMAC River BASIN

1. Potomac River *

POTOMAC River (From Somerset County to Adams County along Maryland State Line

2. Little Wills Creek
3. Wills Creek
4. Evitts Creek
5. Little Tonoloway Creek
6. Tonoloway Creek
7. Cover Creek

8. Little Cove Creek
9. Licking Creek
10. Back Creek
11. West Branch Conococheague Creek
12. Conococheague Creek
13. Antietam Creek
14. Monocacy River

OHIO River BASIN

1. Ohio River *
2. Allegheny River *
3. Clarion River*
4. Kiskiminetas River*
5. Youghiogheny River*
6. Monongahela River*
7. Beaver River*

OHIO River (From Confluence with Allegheny River to Ohio State Line)

8. Sawmill Run
9. Robinson Run
10. Chartiers Creek
11. Lowries Run
12. Montour Run
13. Little Sewickley Creek
14. Flaugherty Run
15. Big Sewickley Creek
16. Traverse Creek
17. Service Creek
18. Raccoon Creek
19. Little Beaver Creek
20. Fish Creek
21. Wheeling Creek
22. Cross Creek

ALLEGHENY River (From Potter County to New York State Line)

23. Potato Creek
24. Oswago Creek
25. Tunungwant Creek
26. Upper Allegheny River

ALLEGHENY River (from New York State Line to Confluence with Clarion River)

27. Conewago Creek
28. Brokenstraw Creek
29. Tionesta Creek
30. Oil Creek
31. Muddy Creek
32. Cussewago Creek
33. Conneaut Outlet
34. Sugar Creek
35. French Creek
36. East Sandy Creek
37. Sandy Creek

CLARION River (From McKean County to Confluence with Allegheny River)

38. Elk Creek
39. Little Toby Creek
40. Toms, Cather, Mxawell, Blyson and McCanna Runs
41. Piney Creek
42. Deer Creek
43. Licking Creek

ALLEGHENY River (From Clarion River to Kiskiminetas River)

44. Sandy Lick Creek
45. North Fork Redbank Creek
46. Little Sandy Creek

47. Redbank Creek
48. Stump Creek
49. East Branch Mahoning Creek
50. Big Run
51. Canoe Creek
52. Elk Run
53. Little Mahoning Creek
54. Mahoning Creek
55. Pine Creek
56. Cowanshannock Creek
57. Crooked Creek
58. Glade Run

KISKIMINETAS River (from Somerset County to Confluence with Allegheny River)

59. Quemahoning Creek
60. Shade Creek
61. Paint Creek
62. Bens Creek
63. Stony Creek
64. Little Conemaugh River
65. Two Lick Creek
66. Black Lick Creek
67. Aultmans/Stewart Runs
68. Loyalhanna Creek
69. Conemaugh River
70. Blacklegs Creek

ALLEGHENY River (From Kiskiminetas River to Confluence with Ohio River)

71. Buffalo Creek
72. Bull Creek
73. Pucketa Creek
74. Deer Creek
75. Plum Creek
76. Squaw Run
77. Pine Creek
78. Girty Run

YOUGHIOGHENY River (From Somerset County to Confluence with Monongahela River)

79. Buffalo Creek
80. Coxes Creek
81. Casselman River
82. Laurel Hill Creek
83. Indian Creek
84. Jacobs Creek
85. Sewickley Creek

MONONGAHELA River (From West Virginia State Line to Confluence with Ohio River)

86. Cheat River
87. Dunkard Creek
88. Georges Creek
89. Whitley Creek
90. Muddy Creek
91. Pumpkin Run
92. South Fork Ten Mile Creek
93. Ten Mile Creek
94. Dunlan Creek
95. Redstone Creek
96. Pike Run
97. Pigeon Creek
98. Peters Creek
99. Turtle Creek

BEAVER River (From Ohio State Line to Confluence with Ohio River)

100. Little Shenango River
101. Little Neshannock Creek

102. Neshannock Creek
103. Shenango River
104. Sullivan Creek
105. Breakneck Creek
106. Wolf Creek
107. Slippery Rock Creek
108. Connoquenessing Creek
109. Brady Run

SUSQUEHANNA River BASIN

1. Susquehanna River*
2. West Branch Susquehanna River*

SUSQUEHANNA River (From Susquehanna County to Bradford county along New York State Line)

3. Starrucca/Cascade Creeks
4. Drinker Creek
5. Mitchell/Denton Creeks
6. Salt Lick Creek
7. DuBois Creek
8. Snake Creek
9. Choconut Creek
10. Apalachin Creek
211. Wappasening Creek

SUSQUEHANNA River (From Potter County to Confluence with Chemung River along New York State Line)

12. Crooked Creek
13. Cowanesque River
14. Tioga River
15. Chemung River

SUSQUEHANNA River (From Confluence with Chemung River to the Confluence with West Branch Susquehanna River)

16. Sugar Creek
17. Towanda Creek
18. Wysox Creek
19. Wyalusing Creek
20. East and Middle Branch Wyalusing Creek
21. North Branch Wyalusing Creek
22. Meshoppen Creek
23. Mehoopany Creek
24. Tunkhannock Creek upstream from Nine Partners Creek
25. Tunkhannock Creek upstream from Martins Creek
26. East Branch Tunkhannock Creek
27. Martins Creek
28. South Branch Tunkhannock Creek
29. Tunkhannock Creek
30. Bowman Creek
31. Lackawanna River
32. Abrahams Creek
33. Mill Creek
34. Toby Creek
35. Solomon Creek
36. Nanticoke/Newport Creeks
37. Harvey Creek
38. Hunlock Creek
39. L. Wapwallopen/Wapwallopen Creeks
40. Nescopeck Creek
41. Briar Creek
42. Huntingdon Creek
43. Little Fishing Creek
44. Fishing Creek
45. Catawissa Creek
46. Roaring Creek
47. Sechler Run
48. Mahoning Creek

WEST BRANCH SUSQUEHANNA River (From Cambria County to Confluence with Susquehanna River)

49. Chest Creek
50. Anderson Creek
51. Central Region West Branch Susquehanna River Clearfield County
52. Clearfield Creek
53. Moshannon Creek
54. Mosquito Creek
55. Sinnemahoning/Portage Creeks
56. West Creek
57. First Fork Sinnemahoning Creek
58. Sinnemahoning Creek
59. Kettle Creek
60. Young Womans Creek
61. Spring Creek
62. Beech Creek
63. Fishing Creek/Cedar Run
64. Bald Eagle Creek
65. Reeds Run
66. Chatham Run
67. Marsh Creek
68. West Branch Pine Creek
69. Pine Creek
70. Antes Creek
71. Larry's Creek
72. Lycoming Creek
73. Grafius/Millers/McClure Runs
74. Loyalsock Creek
75. Muncy Creek
76. White Deer Hole Creek
77. White Deer Creek
78. Limestone Run
79. Buffalo Creek
80. Bull Run
81. Shillisquaque Creek

SUSQUEHANNA River (From Confluence with West Branch susquehanna River to the Confluence with Juniata River)

82. Shamokin Creek
83. Penns Creek
84. Middle Creek
85. Mahanoy Creek
86. Mahantago Creek (West)
87. Mahantago Creek (East)
88. Wiconisco Creek

JUNIATA River (From Centre County to Confluence with Ssuquehanna River)

89. South Bald Eagle Creek
90. Spruce Creek
91. Little Juniata River
92. Beaverdam Branch Juniata River
93. Shaver Creek
94. Muddy Run
95. Crooked Creek
96. Standing Stone Creek
97. Shawnee Creek
98. Shobers Run
99. Bobs Creek
100. Dunning Creek
101. Cover Creek
102. Snakespring Valley Run
103. Clear Creek
104. Shaffer Creek
105. Brush Creek
106. Sandy/Sixmile Runs
107. Yellow Creek
108. Shoup Run

109. Great Trough Creek
110. Raystown Branch Juniata River
111. Mill Creek
112. Wooden Bridge Creek
113. Sideling Hill Creek
114. Three Spring Creek
115. Blacklog Creek
116. Aughwich Creek
117. Laurel Creek
118. Honey Creek
119. Kishacoquillas Creek
120. Jacks Creek
121. East Licking Creek
122. Tuscarora Creek
123. Little Buffalo/Bufalo Creeks
124. Juniata River

SUSQUEHANNA River(From Confluence with Juniata River to Maryland State Line)

125. Little Juniata Creek
126. Sherman Creek
127. Clark Creek
128. Stony Creek
129. Fishing Creek
130. Middle Spring Creek
131. Letort Spring Run
132. Hogestown/Trindle Spring Runs
133. Conodoguinet Creek
134. Paxton Creek
135. Spring Creek (West)
136. Mountain Creek
137. Cedar Run
138. Yellow Breeches Creek
139. Quittapahilla Creek
140. Spring Creek (East)
141. Bow/Beaver/Manada Creeks
142. Swatara Creek
143. Conewago Creek
144. Little Conewago Creek
145. Conewago Creek (West)
146. East Branch Codorus Creek
147. South Branch Codorus Creek
148. Codorus Creek
149. Donegal/Little Chickies Creeks
150. Chickies Creek
151. Kreutz Creek
152. Cocalico Creek
153. Mill Creek
154. Little Conestoga Creek
155. Conestoga River
156. Pequea Creek
157. Muddy Creek
158. Conowingo Creek
159. Octoraro Creek

DELAWARE River BASIN

1. Delaware River*
2. Lehigh River*
3. Schuylkill River*

DELAWARE River (From Wayne County to Confluence with Lehigh River along New York and New Jersey State Line)

4. Equinunk Creek
5. Wallenpaupack Creek
6. Lackawaxen River
7. Shohola Creek
8. Saw Kill Creek
9. Bushkill Creek
10. McMichaels Creek

11. Broadhead Creek
12. Cherry Creek
13. Martins/Jacoby Creeks
14. Bushkill Creek

LEHIGH River (From Pike County to Confluence with Delaware River)

15. Tobyhanna Creek
16. Mud Run
17. Black Creek
18. Nesquehoning Creek
19. Mauch Chunk Creek
20. Mahoning Creek
21. Pohopoco Creek
22. Lizard Creek
23. Aquashicola Creek
24. Trout/Bertsch Creeks
25. Hokendaugua Creek
26. Coplay Creek
27. Catasauqua Creek
28. Jordan Creek
29. Little Lehigh Creek
30. Monocacy Creek
31. Saucon Creek
32. Nancy Run

DELAWARE River (From Confluence with Lehigh River to Confluence with Schuylkill River along New Jersey State Line)

33. Tohicon Creek
34. Little Neshaminy Creek
35. Neshaminy Creek
36. Poquessing Creek
37. Pennypack Creek
38. Tacony Creek (Frankford)

SCHUYLKILL River (From Carbon County to Confluence with Delaware River)

39. Little Schuylkill River
40. Saony Creek
41. Maiden Creek
42. Tulpehocken Creek
43. Manatawny Creek
44. Pigeon Creek
45. Franch Creek
46. Pickering/Valley Creeks
47. Swamp Creek
48. East Branch Perkiomen Creek
49. Skippack Creek
50. Perkiomen Creek
51. Valley Creek
52. Stony Creek (Sawmill Run)
53. Mill Creek/Rock Run/Gully Creek/Arrowmink Creek
54. Wissahickon Creek

DELAWARE River (From Confluence with Schuylkill River to Delaware State along New Jersey State Line)

55. Cobbs Creek
56. Darby Creek
57. Crum Creek
58. Ridley Creek
59. Chester Creek
60. East Branch Brandywine Creek
61. West Branch brandywine Creek
62. Sucker Run
63. White Clay Creek (Christina River)
64. Red Clay Creek
65. Brandywine Creek
66. Big Elk Creek (Chesapeake Bay)
67. Little Elk Creek
68. Northeast Creek

ADAMS COUNTY

1. Conewago Creek
2. Monocacy River
3. Conococheague Creek
4. Antietam Creek
5. Mountain Creek

ALLEGHENY COUNTY

1. Pine Creek
2. Chartiers Creek
3. Deer Creek
4. Bull Creek
5. Turtle Creek
6. Sawmill Run
7. Squaw Run
8. Ohio River
9. Robinson Run
10. Peters Creek
11. Montour Run
12. Lowries Run
13. Girty Run
14. Plum Creek
15. L. Sewickley Creek
16. Big Sewickley Creek
17. Flaugherty Run
18. Monongahela River
19. Youghiogheny River
20. Allegheny River
21. Raccoon Creek
22. Connoquenessing Creek
23. Pucketa Creek
24. Breakneck Creek

ARMSTRONG COUNTY

1. Cowanshannock Creek
2. Glade Run
3. Kickiminetas River
4. Allegheny River
5. Pine Creek
6. Crooked Creek
7. Mahoning Creek
8. Redbank Creek
9. Buffalo Creek
10. Blacklegs Creek
11. L. Sandy Creek

BEAVER COUNTY

1. Raccoon Creek
2. Service Creek
3. Traverse Creek
4. Connoquenessing Creek
5. Ohio River
6. Big Sewickley Creek
7. Beaver River
8. Brady Run
9. Little Beaver Creek
10. Slippery Rock Creek
11. Flaugherty Run

BEDFORD COUNTY

1. Dunning Creek
2. Yellow Creek
3. Bobs Creek
4. Shobers Run
5. Shoup Run
6. Raystown Br., Juniata River
7. Snakespring Valley Run
8. Little Wills Creek
9. Cover Creek

10. Clear Creek
11. Shaffer Creek
12. Potomac River
13. Wills Creek
14. Shawnee Creek
15. Brush Creek
16. Frankstown Br. Juniata River
17. Evitts Creek
18. Sandy/Sixmile Runs

BERKS COUNTY

1. Tulpehocken Creek
2. Schuylkill River
3. Maiden Creek
4. Sacony Creek
5. Manatawny Creek
6. Little Lehigh Creek
7. Perkiomen Creek
8. Swamp Creek
9. Conestoga River
10. Swatara Creek
11. French Creek
12. L. Schuylkill River

BLAIR COUNTY

1. Beaverdam Br. Juniata River
2. L. Juniata River
3. Frankstown Br. Juniata River
4. South Bald Eagle Creek
5. Yellow Creek
6. Bobs Creek
7. Moshannon Creek
8. Clearfield Creek

BRADFORD COUNTY

1. Sugar Creek
2. Towanda Creek
3. Wysoc Creek
4. Susquehanna River
5. Chemung River
6. Wyalusing Creek
7. Loyalsock Creek
8. Tioga River
9. Mehoopany Creek
10. North Branch Wyalusing Creek
11. Wappasening Creek
12. Apalachin Creek

BUCKS COUNTY

1. Neshaminy Creek
2. L. Neshaminy Creek
3. Tohickon Creek
4. Perkiomen Creek
5. E. Br. Perkiomen Creek
6. Delaware River
7. Poquessing Creek
8. Pennypack Creek
9. Saucon Creek

BUTLER COUNTY

1. Connoquenessing Creek
2. Slippery Rock Creek
3. Wolf Creek
4. Allegheny River
5. Sullivan Run
6. Breakneck Creek
7. Bull Creek
8. Buffalo Creek
9. Deer Creek

CAMBRIA COUNTY

1. L. Conemaugh River
2. Conemaugh River
3. Stony Creek
4. Paint Creek
5. Blacklick Creek
6. Bens Creek
7. W. Br. Susquehanna River
8. Chest Creek
9. Clearfield Creek
10. Frankstown Br. Juniata River
11. L. Juniata River
12. Bobs Creek

CAMERON COUNTY

1. Sinnemahoning Portage Creek
2. West Creek
3. Sinnemahoning Creek
4. First Fork Sinnemahoning Creek
5. West Br. Susquehanna River
6. Potato Creek
7. Mosquito Creek

CARBON COUNTY

1. Lizard Creek
2. Mahoning Creek
3. Mauch Chunk Creek
4. Nesquehoning Creek
5. Black Creek
6. Tobyhanna Creek
7. Mud Run
8. Pohopoco Creek
9. Aquashicola Creek
10. Lehigh River
11. Little Schuylkill River

CENTRE COUNTY

1. Spring Creek
2. Bald Eagle Creek (north)
3. Fishing Creek
4. Penns Creek
5. Cedar Run
6. Spruce Creek
7. Bald Eagle Creek (south)
8. Moshannon Creek
9. Beech Creek
10. W. br. Susquehanna River
11. White Deer Creek
12. Buffalo Creek
13. Standing Stone Creek

CHESTER COUNTY

1. Brandywine Creek
2. E. br. Brandywine Creek
3. Pigeon Creek
4. Franch Creek
5. Chester Creek
6. Ridley Creek
7. Crum Creek
8. Darby Creek
9. Schuylkill River
10. Pickering Creek
11. Big Elk Creek
12. Little Elk Creek
13. Northeast Creek
14. Octoraro Creek
15. Pequea Creek
16. W. Br. Brandywine
17. Valley Creek
18. White Clay Creek

19. Red Clay Creek
20. Sucker Run

CLARION COUNTY

1. Deer Creek
2. Toms, Cather, Maxwell, Blyson, McCanna Runs
3. Piney Creek
4. Licking Creek
5. Clarion River
6. Redbank Creek
7. Tionesta Creek
8. Allegheny River
9. East Sandy Creek

CLEARFIELD COUNTY

1. Clearfield Creek
 2. W. Br. Susquehanna River
 3. Anderson Creek
 4. Sandy Lick Creek
 5. Chest Creek
 6. Moshannon Creek
 7. Mosquito Creek
 8. Stump Creek
 9. E. Br. Mahoning Creek
 10. Sinnemahoning Creek
 11. L. Toby Creek
 12. Central Region West Branch Susquehanna River
- Clearfield County

CLINTON COUNTY

1. Fishing Creek/Cedar Run
2. Chatham Run
3. Reeds Run
4. Young Womans Creek
5. Kettle Creek
6. W. Br. Susquehanna River
7. Bald Eagle Creek
8. Beech Creek
9. Antes Creek
10. Pine Creek
11. Sinnemahoning Creek

COLUMBIA COUNTY

1. Fishing Creek
2. L. Fishing Creek
3. Huntington Creek
4. Briar Creek
5. Catawissa Creek
6. Roaring Creek
7. Susquehanna River
8. Nescopeck Creek
9. Shamokin Creek
10. Mahoning Creek
11. Mahonoy Creek
12. Chillisquaque Creek
13. Muncy Creek

CRAWFORD COUNTY

1. Conneaut Creek
2. Oil Creek
3. French Creek
4. Conneaut Outlet
5. Muddy Creek
6. Shenango River
7. Cussewago Creek
8. L. Shenango River
9. Sandy Creek
10. Sugar Creek
11. Brokenstraw Creek

CUMBERLAND COUNTY

1. Yellow Breeches Creek
2. Cedar Run
3. Hogestown/Trindle Spring Runs
4. Middle Spring Creek
5. Letort Spring Run
6. Conodoguinet Creek
7. Mountain Creek
8. Susquehanna River
9. Conewago Creek
10. Conococheague Creek

DAUPHIN COUNTY

1. Paxton Creek
2. Spring Creek (West)
3. Siconisco Creek
4. Spring Creek (East)
5. Swatara Creek
6. Susquehanna River
7. Fishing Creek
8. Clark Creek
9. Stony Creek
10. Mahantango Creek
11. Conewago Creek
12. Bow/Beaver/Manada Creeks

DELAWARE COUNTY

1. Darby Creek
2. Chester Creek
3. Crum Creek
4. Ridley Creek
5. Brandywine Creek
6. Delaware River
7. Schuylkill River
8. Cobbs Creek

ELK COUNTY

1. Elk Creek
2. L. Toby Creek
3. Clarion River
4. Sinnemahoning Creek
5. Mosquito Creek
6. Tionesta Creek
7. West Creek

ERIE COUNTY

1. Lake Erie/Elk Creek
2. French Creek
3. Conneaut Creek
4. Cussewage Creek
5. Brokenstraw Creek
6. Oil Creek
7. Ashtabula River
8. Muddy Creek

FAYETTE COUNTY

1. Redstone Creek
2. Dunlap Creek
3. Georges Creek
4. Youghioghny River
5. Monongahela River
6. Jacobs Creek
7. Indian Creek
8. Cheat River
9. Laurel Hill Creek

FOREST COUNTY

1. Tionesta Creek
2. Allegheny River
3. Clarion River

FRANKLIN COUNTY

1. Conococheague Creek
2. W. Br. Conococheague Creek
3. Antietam Creek
4. Middle Spring Creek
5. Back Creek
6. Conodoguinet Creek
7. Little Cover Creek
8. Tuscarora Creek
9. Licking Creek
10. Monocacy River
11. Sherman Creek

FULTON COUNTY

1. Cover Creek
2. Sideling Hill Creek
3. Wooden Bridge Creek
4. Aughwick Creek
5. Brush Creek
6. Licking Creek
7. Tonoloway Creek
8. Potomac River
9. Little Tonoloway Creek
10. Great Trough Creek

GREENE COUNTY

1. Wheeling Creek
2. South Fork Tenmile Creek
3. Pumpkin Run
4. Muddy Creek
5. Whitley Creek
6. Dunkard Creek
7. Fish Creek
8. Monongahela River
9. Ten Mile Creek

HUNTINGDON COUNTY

1. Aughwick Creek
2. Three Springs Creek
3. Blacklog Creek
4. Standing Stone Creek
5. Muddy Run
6. Shaver Creek
7. Shoup Run
8. Juniata River
9. Spruce Creek
10. Great trough Creek
11. Raystown Br. Juniata River
12. Tuscarora Creek
13. Sideling Hill Creek
14. Mill Creek
15. Crooked Creek
16. L. Juniata River
17. Franktown Br. Juniata River
18. Spring Creek

INDIANA COUNTY

1. Two Lick Creek
2. Blacklick Creek
3. Crooked Creek
4. Conemaugh River
5. L. Mahoning Creek
6. Aultman/Stuart Runs
7. Canoe Creek
8. Blacklegs Creek
9. W. Br. Susquehanna River
10. Mahoning Creek
11. Cowanshannock Creek

JEFFERSON COUNTY

1. Mahoning Creek
2. Sandy Lick Creek
3. Big Run
4. Elk Run
5. Stump Creek
6. Redbank Creek
7. Canoe Creek
8. Little Sandy Creek
9. L. Toby Creek
10. Clarion River
11. E. Br. Mahoning Creek
12. N. Fork Redbank Creek
13. W. Br. Susquehanna River
14. Toms, Cather, Maxwell, Blyson and McCanna Runs

JUNIATA COUNTY

1. Tuscarora Creek
2. Juniata River
3. E. Licking Creek
4. Mahantango Creek (West)
5. Susquehanna River
6. Blacklog Creek
7. Jacks Creek

LACKAWANNA COUNTY

1. Lackawanna River
2. S. Br. Runkhannock Creek
3. Susquehanna River
4. Waqlenpaupack Creek
5. E. Br. Tunkhannock Creek
6. Lehigh River
7. Lackawaxen River

LANCASTER COUNTY

1. Cocalico Creek
2. L. Conestoga Creek
3. Mill Creek
4. Conestoga River
5. Donegal/L. Chickies Creeks
6. Chickies Creek
7. Pequea Creek
8. Octoraro Creek
9. Conowingo Creek
10. Susquehanna River
11. Conewago Creek
12. West Branch Brandywine Creek

LAWRENCE COUNTY

1. Neshannock Creek
2. L. Neshannock Creek
3. Shenango River
4. Slippery Rock Creek
5. Conoquenessing Creek
6. Mahoning/Beaver Rivers
7. L. Beaver Creek

LEBANON COUNTY

1. Quittapahilla Creek
2. Tulpehocken Creek
3. Swatara Creek
4. Spring Creek
5. Cocalico Creek
6. Conewago Creek
7. Donegal/L. Chickies Creek
8. Stony Creek

LEHIGH COUNTY

1. Jordan Creek
2. L. Lehigh Creek
3. Coplay Creek

4. Lehigh River
5. Saucon Creek
6. Maiden Creek
7. Perkiomen Creek
8. Monocacy Creek
9. Catasauqua Creek
10. Delaware River
11. Trout Creek/Bertsch Creek
12. Sacony Creek

LUZERNE COUNTY

1. Abrahams Creek
2. Toby Creek
3. Harvey Creek
4. Mill Creek
5. Solomon Creek
6. Hunlock Creek
7. Nanticoke/Newport Creeks
8. Nescopeck Creek
9. Huntington Creek
10. L. Wapwallopen/Wapwallopen Creeks
11. Susquehanna River
12. Lehigh River
13. Catawissa Creek
14. Bowman Creek
15. Lackawanna River
16. Mehoopany Creek
17. Black Creek

LYCOMING COUNTY

1. Pine Creek
2. Lycoming Creek
3. Loyalsock Creek
4. Larrys Creek
5. Muncy Creek
6. Antes Creek
7. White Deer Hole Creek
8. W. Br. Susquehanna River
9. L. Fishing Creek
10. Yount Womans Creek
11. Chatham Run
12. White Deer Creek
13. Towanda Creek
14. Grafius/Millers/McClure Runs

McKEAN COUNTY

1. Tunungwant Creek
2. Allegheny River (upper)
3. Potato Creek
4. Oswago Creek
5. Allegheny River (lower)
6. Clarion River
7. Tionesta Creek
8. Sinnemahoning Creek
9. Sinnemahoning Portage Creek

MERCER COUNTY

1. Shenango River
2. L. Shenango River
3. Sandy Creek
4. French Creek
5. Neshannock Creek
6. Wolf Creek
7. L. Neshannock Creek

MIFFLIN COUNTY

1. Kishacoquillas Creek
2. Laurel Creek
3. Honey Creek
4. Jacks Creek
5. Juniata River

6. Mill Creek
7. Penns Creek
8. East Licking Creek
9. Middle Creek

MONROE COUNTY

1. Brodhead Creek
2. McMichaels Creek
3. Tobyhanna Creek
4. Cherry Creek
5. Bush Kill Creek
6. Pohopoco Creek
7. Mud Run
8. Aquashicola Creek
9. Delaware River
10. Lehigh River
11. Wallenpaupack Creek

MONTGOMERY COUNTY

1. Perkiomen Creek
2. E. Branch Perkiomen Creek
3. Swamp Creek
4. Skippack Creek
5. Stony Creek/Sawmill Run
6. Wissahickon Creek
7. Schuylkill River
8. Neshaminy Creek
9. Pennypack Creek
10. Manatawny Creek
11. Tacony Creek
12. Cobbs Creek
13. Little Neshaminy Creek
14. Mill Creek/Rock Run/Gully Creek/Arrowmink Creek

MONTOUR COUNTY

1. Mahoning Creek
2. Sechler Run
3. Chillisquaque Creek
4. Limestone Run
5. Susquehanna River
6. Roaring Creek
7. Muncy Creek

NORTHAMPTON COUNTY

1. Monocacy Creek
2. Nancy Run
3. Hokendaugua Creek
4. Martins/Jacoby Creeks
5. Saucon Creek
6. Catassauqua Creek
7. Bushkill Creek
8. Lehigh River
9. Delaware River
10. Trout Creek/Bertsch Creek

NORTHUMBERLAND COUNTY

1. Limestone Run
2. W. Br. Susquehanna River
3. Chillisquaque Creek
4. Chamokin Creek
5. Mahonoy Creek
6. Susquehanna River
7. Mahantango Creek
8. Roaring Creek

PERRY COUNTY

1. L. Juniata Creek
2. Sherman Creek
3. Buffalo/L. Buffalo Creeks
4. Susquehanna River
5. Juniata River

6. Tuscarora Creek
7. Conodoguinet Creek

PHILADELPHIA COUNTY

1. Darby Creek
2. Poquessing Creek
3. Tacony Creek (Frankford)
4. Pennypack Creek
5. Wissahickon
6. Schuylkill River
7. Delaware River
8. Cobbs Creek

PIKE COUNTY

1. Shahola Creek
2. Bush Kill Creek
3. Wallenpaupack Creek
4. Lackawaxen River
5. Saw Kill Creek
6. Delaware River
7. Brodhead Creek

POTTER COUNTY

1. Upper Allegheny River
2. Pine Creek
3. Genessee River
4. W. Br. Pine Creek
5. Oswago Creek
6. Cowanesque River
7. Kettle Creek
8. First Fk. Sinnemahoning Creek
9. Young Womans Creek
10. Sinnemahoning Creek
11. Sinnemahoning Portage Creek

SCHUYLKILL COUNTY

1. Schuylkill River
2. L. Schuylkill River
3. Mahanoy Creek
4. Swatara Creek
5. Mahantango Creek
6. Wiconisco Creek
7. Catawissa Creek
8. Mahoning Creek
9. Lizard Creek
10. Newquehoning Creek
11. Nesopeck Creek
12. Black Creek
13. Mauch Chunk Creek

SNYDER COUNTY

1. Middle Creek
2. Penns Creek
3. Mahantango Creek (West)
4. Susquehanna River
5. Jacks Creek
6. Honey Creek
7. Juniata River

SOMERSET COUNTY

1. Coxes Creek
2. Stony Creek
3. Quemahoning Creek
4. Bens Creek
5. Paint Creek
6. Shade Creek
7. Casselman River
8. Laurel Hill Creek
9. Wills Creek
10. Buffalo Creek
11. Raystown Br. Juniata River

12. Youghiogheny River
13. Shawnee Creek
14. L. Conemaugh River
15. L. Wills Creek

SULLIVAN COUNTY

1. Loyalsock Creek
2. Muncy Creek
3. Fishing Creek
4. Mehoopany Creek
5. Lycoming Creek
6. Towanda Creek
7. Huntington Creek

SUSQUEHANNA COUNTY

1. Salt Lick Creek
2. DuBois Creek
3. Drinker Creek

Starrucca/Cascade Creeks

5. Martins Creek
6. Snake Creek
7. Mitchell/Denton Creeks
8. North Branch Syalusing Creek
9. Tunkhannock Creek
10. E. Br. Tunkhannock Creek
11. Meshoppen Creek
12. Susquehanna River
13. Choconut Creek
14. Apalachin Creek
15. East and Middle Branch of Wyalusing Creek
16. Tunkhannock Creek upstream of Nine Partners Creek
17. Lackawanna River
18. Wappasening Creek
19. Tunkhannock Creek upstream of Martins Creek

TIOGA COUNTY

1. Pine Creek
2. Marsh Creek
3. Crooked Creek
4. Tioga River
5. Cowanesque River
6. Lycoming Creek
7. Chemung River
8. Towanda Creek
9. Kettle Creek
10. Sugar Creek

UNION COUNTY

1. Buffalo Creek
2. Bull Run
3. Penns Creek
4. W. Br. Susquehanna River
5. White Deer Creek
6. White Deer Hole Creek

VENANGO COUNTY

1. Oil Creek
2. Sugar Creek
3. E. Sandy Creek
4. French Creek
5. Allegheny River
6. Slippery Rock Creek
7. Sandy Creek
8. Wolf Creek

WARREN COUNTY

1. Chartiers Creek
2. Tenmile Creek
3. Pigeon Creek
4. Pike Run

5. Peters Creek
6. Monongahela River
7. Raccoon Creek
8. Ohio River
9. Robinson Run
10. Cross Creek
11. Wheeling Creek

WAYNE Creek

1. Lackawaxen River
2. Equinunk Creek
3. Delaware River
4. Wallenpaupack Creek
5. Lackawanna River
6. Starrucca Creek
7. Lehigh River
8. Tobyhanna Creek

WESTMORELAND COUNTY

1. Sewickley Creek
2. Turtle Creek
3. Loyalhanna Creek
4. Jacobs Creek
5. Kiskiminetas River
6. Pucketa Creek
7. Conemaugh River
8. Youghiogheny River
9. Monongahela River
10. Indian Creek
11. Allegheny River

WYOMING COUNTY

1. Bowman Creek
2. Tunkhannock Creek
3. Mehoopany Creek
4. Meshoppen Creek
5. S. Br. Tunkhannock Creek
6. Martin Creek
7. Susquehanna River
8. Harveys Creek

YORK COUNTY

1. Codorus Creek
2. S. Br. Codorus Creek
3. E. Br. Codorus Creek
4. L. Conewago Creek
5. Kreutz Creek
6. Conewage Creek
7. Yellow Breeches Creek
8. Muddy Creek
9. Susquehanna River

[Pa.B. Doc. No. 96-899. Filed for public inspection May 31, 1996, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, May 16, 1996, and took the following actions:

Regulations Approved:

State Board of Veterinary Medicine # 16A-572—General Information (amends 49 Pa. Code Chapter 31)

Pennsylvania Public Utility Commission # 57-157—Electric Energy Emergency Notification Procedures (amends 52 Pa. Code § 57.52 by modifying subsection (b) and adding subsection (c))

Department of Agriculture #2-96—Enforcement of Marketing Programs; Sheep and Lamb Marketing Program (amends 7 Pa. Code §§ 104.21, 104.22, 104.24—104.26 and 104.28—104.30)

Commissioners Present: John R. McGinley, Jr., Chairperson; Robert J. Harbison, III, Vice Chairperson; Arthur Coccodrilli; Irvin G. Zimmerman

Public meeting held
May 16, 1996

Pennsylvania Public Utility Commission—Electric Energy Emergency Notification Procedures; Doc. No. 57-157

Order

On May 22, 1995, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking would amend 52 Pa. Code 57.52 by modifying subsection (b) and adding subsection (c). The authority for this regulation is 66 Pa.C.S. §§ 501, 504, and 1501, 45 P. S. Sections 1201 et seq., and 1 Pa. Code §§ 7.1—7.4. The proposed regulation was published in the June 3, 1995 *Pennsylvania Bulletin*, with a 60-day public comment period. The final-form regulation was submitted to the Commission on April 30, 1996.

The PUC determined there was a need for this regulation in the aftermath of the January 1994 energy emergency during which the PUC served as a source of advice and counsel to other civil authorities. The PUC determined that steps must be taken to improve communications between electric utilities and the PUC during the period prior to and throughout an energy emergency. Heretofore, electric utilities have been required to report the status of emergency conditions. However, depending on the circumstances, the form and content of such information varied. The PUC has implemented interim procedures, similar to the proposed regulation, which the PUC found to be effective during peak electrical loads in the summer of 1994.

Additionally, the PUC instituted a formal on-the-record investigation on February 3, 1994, to examine the electric utility industry's planning and response to the electric energy emergency which occurred during the week of January 16, 1994. The PUC's final report on its *Electric Energy Emergency Investigation* was released for comment and a final report was approved by the PUC in September of 1994. This rulemaking incorporates some of the findings from that investigation.

The PUC is proposing to establish procedures to be followed by electric utilities when notifying the PUC during the period prior to and throughout energy-related emergencies. In the event of a load emergency situation or an emergency energy conservation situation, the regulation requires an affected electric utility to notify the PUC. The regulation sets forth in Chapter 57 a more definitive point at which the PUC is to be initially notified and sets forth a procedure for submitting timely information on a regular basis during an emergency. The regulation requires the utility to designate specific con-

tact individuals who will provide the information to the PUC. The regulation also provides that the PUC will designate emergency contact individuals and the PUC will provide a current list of these contacts to the utilities and the Pennsylvania Emergency Management Agency (PEMA).

During the proposed rulemaking stage, the PUC received comments from the House Consumer Affairs Committee's Democratic Chair, David R. Wright; Philadelphia Electric Company; Pennsylvania Power and Light Company; Pennsylvania Power Company; Pennsylvania Telephone Association; and UGI Utilities, Inc.—Electric Division. In general, the comments on the proposed additions to Chapter 57 related to clarity, and the comments on the proposed minor revision to Chapter 67 raised concerns of burdensome reporting requirements and costs.

The PUC, in response to the recommendations and suggestions of the above commentators and the Commission, made a number of revisions in its final-form regulation.

On the PUC point of contact the utilities must use to satisfy the requirement to notify the PUC, we recommended that the phrase "Secretary or a designee" be replaced with a more general requirement for the utilities to notify the PUC. The PUC revised the regulation by replacing "Secretary or his designee" with "the Commission" for notification. In conjunction with the first comment, we recommended that the regulation require the PUC to provide specific emergency notification contact information to the utilities on a regular basis. The PUC added paragraphs (c)(6) and (7) which state the PUC will provide the current list of PUC contacts to the utilities and PEMA. We also recommended that the PUC contact have the authority to issue an emergency order. The PUC stated in an interim communication that, although not stated in the revised regulation, the Secretary will remain as the PUC's internal point of contact since the Secretary has the authority to issue emergency orders. Finally, we recommended that the PUC revise the regulation so that all references to the contact point are consistent. In response, the PUC consistently references notification "to the Commission" in the revised regulation.

We also commented on the clarity of the regulation's notification requirements. We recommended clarification of a notification discrepancy between proposed subsection (c) and the immediately following paragraph (c)(1) which specify the conditions that are required to be reported. We further recommended clarification of the timing of notification requirements in proposed paragraph (c)(1). We also questioned the PUC's proposed requirement for notification prior to implementation of fuel conservation measures. In order to alleviate any perceived discrepancy and avoid confusion, the PUC deleted proposed paragraph 57.52(c)(1) from the final-form regulation and renumbered the remaining paragraphs.

Additionally, we commented on the clarity of notification for subsequent implementation or cancellation of emergency procedures. We recommended that a more detailed procedure for the notification of the anticipation of, or the actual cancellation of, an emergency be added to the regulation consistent with the PUC's directives to the utilities for interim procedures in the PUC's February 3, 1994 Order. The PUC responded by modifying the regulation to require notification as each subsequent procedure is implemented or canceled. The PUC also clarified the regulation to require notification during load emergencies only if the emergency measures will directly impact firm customers, thereby responding to our concerns and com-

mentators' concerns on reporting of service interruptions of contracted interruptible customers.

We recommended deletion of provisions for an energy monitoring team because this is an internal PUC matter. The PUC agreed and deleted the provisions for an energy monitoring team.

We commented on the need for procedures for communication with other agencies such as PEMA. We recommended that the regulation specify to whom informational requests from PEMA will be directed within the PUC. The PUC responded by adding provisions for PEMA to receive the current list of PUC contacts.

We commented on the need for clarification of the frequency and content of status reports. The PUC added clarifying provisions to clarify the frequency of reports and added detailed lists of information to be included in status reports.

We commented on proposed revisions to Chapter 67 intended to limit the scope of emergencies to be reported. We questioned whether the proposed change to Chapter 67 achieved the PUC's intended result, including the effect on water, gas and telephone utilities. The PUC responded by deleting the proposed amendment to Chapter 67 and adding a new paragraph to section 57.52(c) stating the provisions of Chapter 67 do not apply to the situations reported in section 57.52.

In response to Representative Wright's concerns over implementation of recommendations from the House Committee's *Report on the Energy Emergency During the Week of January 17, 1994*, the PUC agreed with the Commission that the concerns are outside the scope of the emergency notification procedures regulation. The PUC stated that they have addressed the majority of the recommendations in the PUC's *Electric Energy Emergency Investigation* at Docket No. I-00940031. We continue to strongly recommend that the PUC consider the subject of Representative Wright's concerns in the future, particularly concerning reserve capacity during peak consumption periods and reliability.

We are concerned with the PUC's response to our recommendation to establish in the final regulation how the PUC will provide PEMA with information. In response to this comment, the PUC stated they believe their relationship with PEMA and other governmental agencies should not be the subject of regulations directed toward their jurisdictional utilities. We continue to believe these procedures should be more specific in the regulation to avoid the problems discussed in the PUC's *Electric Energy Emergency Investigation Final Report of July 1994*, including problems the PUC itself identified such as the avoidance of duplicity of tasks performed by the utilities, PEMA, and the PUC during an emergency. The PUC only added a general provision to the regulation that the PUC will provide information to PEMA during emergency procedures. The PUC did not reference any existing procedures for providing information to PEMA which would formally or informally address our concern. Therefore, we continue to recommend that the PUC identify how the PUC will provide PEMA with information in the midst of an emergency to avoid unproductive duplicity of tasks.

The Senate Consumer Protection and Professional Licensure Committee approved this final-form regulation on May 14, 1996.

We have reviewed this regulation and find it to be in the public interest. As previously stated, we remain concerned with the PUC's opposition to establishing pro-

cedures in the regulation for exchange of information with PEMA. We continue to believe such a modification to the regulation would significantly improve the final-form regulation. However, when viewed in totality, we believe the final-form regulation represents a needed improvement in the PUC's present reporting procedures and the regulation should be implemented.

Therefore, It Is Ordered That:

1. Regulation No. 57-157 from the Pennsylvania Public Utility Commission, as submitted to the Commission on April 30, 1996, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: John R. McGinley, Jr., Chairperson; Robert J. Harbison, III, Vice Chairperson; Arthur Coccodrilli; Irvin G. Zimmerman

Public meeting held
May 16, 1996

State Board of Veterinary Medicine—General Information:
Doc. No. 16A-572

Order

On August 24, 1994, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Veterinary Medicine (Board). This rulemaking would amend 49 Pa. Code Chapter 31. The authority for this regulation is section 5(1) of the Veterinary Medicine Practice Act (act) (63 P. S. § 485.5(1)). The proposed regulation was published in the September 3, 1994 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 29, 1996.

The proposal restructures and expands provisions governing examination and licensure for veterinarians. Section 31.3 (Examinations) replaces and expands the existing section 31.11 by providing information regarding examinations which are a prerequisite to licensure.

Section 31.11 is rewritten with expanded provisions for application for licensure including documentation requirements. In its final-form rulemaking, the Board incorporated our recommendation to add the requirements of section 9(b)(4) of the act which require an applicant to submit satisfactory evidence that he or she has not been convicted of a felonious act under the Controlled Substance, Drug, Device and Cosmetic Act. Similar requirements were added in section 31.13, Licensure renewal. Licensees who also practice veterinary medicine outside of Pennsylvania will be required to report their license information on the biennial registration form and report any disciplinary action taken in other states, territories or countries.

Current provisions for licensure application contained in section 31.12 are eliminated and replaced with provisions for temporary permits. Upon graduation from an approved school or college of veterinary medicine, an applicant may be granted a temporary permit. Temporary permits may also be granted for reciprocal licensure applicants pending passage of the Pennsylvania Veterinary Legal Practice examination. Temporary permits expire on the day following the announcement of grades of the first examination given after the temporary permit is issued. Temporary permit holders must associate with a licensed doctor of veterinary medicine and limit their work to the practice of the licensed doctor. In its final-form rulemaking, the Board added a provision which

states the associating veterinarian shall be responsible for all veterinary activities of the temporary permit holder and shall be accessible by telephone or personal contact unless responsibilities have been delegated to another licensed veterinarian.

Section 31.13, Licensure renewal, is revised by eliminating continuing education requirements which are reestablished in section 31.16. In the proposed rulemaking, the Board eliminated a provision requiring the payment of fees for license application, late renewal and regular biennial renewal as well as payment of fees which would have been paid if the holder had maintained his license in good standing. In our Comments, we questioned the Board's decision to eliminate the requirement for payment of fees during the expiration period because section 19(a)(2) of the act requires payment of these fees as a requirement of reinstatement. In section 31.13(d) of the final-form rulemaking, the Board reinstates the requirement for payment of fees that would have been paid if the license had been maintained in good standing.

Continuing education requirements are expanded to list continuing education providers who need not receive prior Board approval of continuing education courses they offer. In its final-form rulemaking, the Board adopted the suggestion of the Pennsylvania Veterinary Medical Association to include local constituent associations in the list of providers that do not require prior Board approval of continuing education courses.

On proposed rulemaking, the House Professional Licensure Committee (House Committee) submitted recommendations for clarification and explanation. The Board responded through changes to the final-form rulemaking and explanation in its preamble. On May 13, 1996, the House Committee approved the final-form regulation. The Senate Consumer Protection and Professional Licensure Committee voted to approve the regulation on May 14, 1996.

We have reviewed this regulation and find it to be in the public interest. In addition to the modifications discussed above, numerous other changes were adopted in the final-form regulation to improve its clarity.

Therefore, It Is Ordered That:

1. Regulation No. 16A-572 from the State Board of Veterinary Medicine, as submitted to the Commission on April 29, 1996, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: John R. McGinley, Jr., Chairperson; Robert J. Harbison, III, Vice Chairperson; Arthur Coccodrilli, dissenting; Irvin G. Zimmerman

Public meeting held
May 16, 1996

Department of Agriculture—Enforcement of Marketing Programs; Sheep and Lamb Marketing Program; Doc. No. 2-96

Order

On August 9, 1995, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture (Agriculture). This rulemaking would amend 7 Pa. Code §§ 104.21, 104.22, 104.24—104.26, 104.28—104.30. This authority for this regulation is section 11 of the Agricultural Commodities Marketing Act of 1968 (3 P. S. § 1011). The proposed regulation was published in the August 19, 1995 *Pennsylvania Bulletin* with a 30-day public comment

period. The final-form regulation was submitted to the Commission on April 16, 1996.

This regulation is designed to improve the Sheep and Lamb Marketing Program (Program) by clarifying and streamlining the requirements placed upon producers and sales agents, and thereby increasing Program revenues by facilitating collection of the 25¢-per-head assessment. The regulation states that "collecting sales agents" will be responsible for collecting the 25¢-per-head assessment. A "collecting sales agent" is defined by these amendments as "[A] sales agent that is a cooperative, auction, sheep or lamb pool or broker." The regulation changes the requirements that producers and sales agents keep certain types of records on forms provided by the Program to allow these parties to maintain records in a manner of their own choosing (written or computerized). Producers and sales agents must retain records for 4 years. The records must be available for inspection by the Program upon its written request.

Agriculture claims that the regulation is expected to decrease the costs of compliance imposed upon the private sector. The recordkeeping and paperwork requirements will be decreased and this should result in some tangible cost savings for producers and sales agents.

On October 3, 1995, the House Agriculture and Rural Affairs Committee voted unanimously to support the proposed version of this regulation. By letter dated September 19, 1995, Joseph R. Vogel, member of the Pennsylvania Sheep and Wool Growers Association, expressed support for the proposed version of this regulation.

We have reviewed this regulation and find it to be in the public interest. In the final-form regulation, Agriculture amended subsections 104.25(a), 104.26(a) and 104.28(b) to reduce the record retention period from 5 to 4 years. This change was in response to our Comments on the proposed rulemaking. We believe this is another positive step forward in streamlining and minimizing the requirements imposed by this regulation. This was one of the primary goals of this rulemaking and we support Agriculture's efforts towards increasing the effectiveness of its programs while simultaneously cutting the requisite paperwork.

Therefore, It Is Ordered That:

1. Regulation No. 2-96 from the Department of Agriculture, as submitted to the Commission on April 16, 1996, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 96-900. Filed for public inspection May 31, 1996, 9:00 a.m.]

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. The regulations will be considered within 30 days of their receipt at a public meeting of the Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Regulation No.</i>	<i>Agency/Title</i>	<i>Received</i>
2-99	Department of Agriculture Enforcement of Marketing Programs; Potato Research Program	05/21/96
2-101	Department of Agriculture Milk Sanitation	05/21/96

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 96-901. Filed for public inspection May 31, 1996, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for Redomestication

Philadelphia American Life Insurance Company has filed an application for a plan of redomestication whereby the state of domicile would change from Pennsylvania to Texas. The initial filing was made under the requirements set forth under the Business Corporation Law of 1988, 15 Pa.C.S. § 1 *et seq.* Persons wishing to comment on the grounds of public or private interest to the issuance of the Department's order approving the redomestication are invited to submit a written statement to the Insurance Department within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Carolyn Smith, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-902. Filed for public inspection May 31, 1996, 9:00 a.m.]

Department Mailing of Surplus Lines Notices; Notice No. 1996-08

Effective this date, the Insurance Department (Department) will cease individual mailings to surplus lines agents for notices relevant to the surplus lines marketplace, ending our former practice. Notices relevant to the surplus lines marketplace will now be available from the following sources: (1) the *Pennsylvania Bulletin*, and (2) the Pennsylvania Surplus Lines Association (Association).

Questions concerning a subscription to the *Pennsylvania Bulletin* should be addressed to Fry Communications, Inc., 800 Church Road, Mechanicsburg, PA 17055-3198, telephone in-State (800) 524-3232, ext. 340, and out-of-State (800) 334-1429, ext. 340.

Under section 1611 of the Insurance Company Law (40 P. S. § 991.1611), the Department has the discretion of contracting with a surplus lines advisory organization to render advice and assistance in carrying out the purposes of Article XVI of the Insurance Company Law (40 P. S. § 991.1601 *et seq.*). The Insurance Department is in final stages of contracting with the Association to perform the functions of an advisory organization. The Association will disseminate future surplus lines notices after execution of the contract. We will provide you with notice once that contract has been executed and supply the address and telephone number of the Association at that time. In the interim, the only notices which this Department will mail to Pennsylvania licensed surplus lines agents are those required under section 1607 of the Insurance Company Law (40 P. S. § 991.1607).

Following is the Insurance Department's Eligible Surplus Lines Insurer List current as of May 8, 1996. Future lists will be prepared semiannually and published about January 1 and July 1 each year.

Persons who have any questions concerning this notice should contact Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, telephone (717) 787-2735.

Pennsylvania Insurance Department Eligible Surplus Lines Insurer List

As Of: May 8, 1996

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Office Address</i>
4001	Acceptance Insurance Company	222 South 15th Street Suite 600 North Omaha, NE 68102
4002	Admiral Insurance Company	1209 Orange Street Wilmington, DE 19801
4005	Adriatic Insurance Company	314 East Thayer Avenue Bismarck, ND 58501
4010	Agricultural Excess and Surplus Lines Insurance Company	The Corporation Trust Company 1209 Orange Street Wilmington, DE 19801
4014	Alliance General Insurance Company	6 West Hubbard Chicago, IL 60610

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Office Address</i>
4017	Allianz Underwriters Insurance Company	3400 Riverside Drive Suite 300 Burbank, CA 91505-4669
4025	Alpine Insurance Company	311 South Wacker Drive Suite 500 Chicago, IL 60606
4044	American Country Insurance Company	222 N. LaSalle Street Chicago, IL 60601-1105
4047	American Dynasty Surplus Lines Insurance Company	The Corporation Trust Company 1209 Orange Street Wilmington, DE 19801
4050	American Empire Surplus Lines Insurance Company	1209 Orange Street Wilmington, DE 19801
4052	American Equity Insurance Company	8370 East Via De Ventura Building K Scottsdale, AZ 85258
4055	American International Specialty Lines Insurance Company	550 West 7th Street Anchorage, AK 99501
4062	American Western Home Insurance Company	600 Fidelity Plaza Oklahoma City, OK 73102
4070	Americas Insurance Company	Poydras Street Suite 2200 New Orleans, LA 70130
4081	Appalachian Insurance Company	Allendale Park P. O. Box 7500 Johnston, RI 02919-0500
4085	Assicurazioni Generali Di Trieste	Piazza Duca Degli Abruzzi, 2 34132, Trieste, Italy
4090	Associated Electric & Gas Insurance Services Limited	Argus Insurance Building P. O. Box HM1064 Hamilton, Bermuda HMEX
4095	Associated International Insurance Company	21860 Burbank Boulevard #380 Woodland Hills, CA 91367-6493
4100	Audubon Indemnity Company	2829 Lakeland Drive Suite 1400 Jackson, MS 39208
4135	British Aviation Insurance Company Limited	Fitzwilliam House 10 St. Mary's Axe London, EC3A 8EQ England
4140	CNA International Reinsurance Company Limited	Fountain House 125-135 Fenchurch Street London, EC3M 5DJ England
4158	Centennial Casualty Company	2200 Woodcrest Place Suite 200 Birmingham, AL 35209
4159	Century American Insurance Company	3401 West End Avenue Suite 600 Nashville, TN 37209
4160	Century Surety Company	2400 Corporate Exchange Drive Columbus, OH 43231
4170	Chubb Custom Insurance Company	32 Loockeman Square Dover, DE 19901
4180	Colony Insurance Company	9201 Forest Hill Avenue Suite 200 Richmond, VA 23235-3053
4193	Columbia Casualty Company	CNA Plaza Chicago, IL 60685

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Office Address</i>
4196	Commercial Underwriters Insurance Company	100 Corporate Pointe Suite 350 Culver City, CA 90230
4200	Commercial Union Assurance Company PLC	St. Helen's 1 Undershaft London, EC3P 3DQ England
4210	Commonwealth Insurance Company	Suite 1500 595 Burrard Street—Bentall Cent Vancouver, B.C. Canada V7X 1G4
4216	Copenhagen Reinsurance Company (UK) Limited	25/26 Lime Street London, EC3M 7HR England
4220	Coregis Indemnity Company	181 West Madison Avenue Suite 2600 Chicago, IL 60602
4225	Dearborn Insurance Company	123 North Wacker Drive Chicago, IL 60606
4232	Diamond State Insurance Company	1600 Capital Ctr. S. 201 N. Illinois Street Indianapolis, IN 46204
4245	Eden Park Insurance Company	One Indiana Square Suite 1800 Indianapolis, IN 46204
4255	Empire Indemnity Insurance Company	809 Northwest 36th Street Oklahoma City, OK 73118
4268	Essex Insurance Company	1209 Orange Street Wilmington, DE 19801
4270	Evanston Insurance Company	Shand Morahan Plaza Evanston, IL 60201
4280	Executive Risk Specialty Insurance Company	82 Hopmeadow Street Simsbury, CT 06070-7683
4315	Fidelity Environmental Insurance Company	103 Carnegie Center Suite 107 Princeton, NJ 08543-7006
4317	Fireman's Fund Insurance Company of Ohio	312 Walnut Street Suite 1100 Cincinnati, OH 45202
4319	First Financial Insurance Company	528 South Fifth Street Suite 210 Springfield, IL 62701-1822
4321	First Specialty Insurance Corporation	237 East High Street Jefferson City, MO 65102
4326	Florida International Indemnity Company	27 East Robinson Street Orlando, FL 32801
4330	Folksam International Insurance Company (UK) Limited	14 Fenchurch Avenue London, EC3M 5BS England
4332	Gan Insurance Company Limited	Gan House 12 Arthur Street London, EC4R 9BJ England
4335	General Agents Insurance Company of America, Inc.	4308 North Glassen Boulevard Oklahoma City, OK 73118
4338	General Star Indemnity Company	695 East Main Street P. O. Box 10354 Stamford, CT 06904-2354
4350	Genesis Indemnity Insurance Company	316 North Fifth Street Bismarck, ND 58501
4360	Gotham Insurance Company	330 Madison Avenue New York, NY 10017

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Office Address</i>
4370	Great Lakes Reinsurance (UK) PLC	Upper Ground Floor, 1 Minster Court Mincing Lane London, EC3R 7AA England
4390	Gulf Underwriters Insurance Company	9200 Watson Road St. Louis, MO 63101
4395	Hallmark Insurance Company, Inc.	Three Bala Plaza, East Suite 300 Bala Cynwyd, PA 19004
4410	Home Insurance Company of Illinois (N.H.)	286 Commercial Street Manchester, NH 03101-1138
4420	Houston Casualty Company	13403 Northwest Freeway Houston, TX 77040-6094
4425	ITT Pacific Insurance Company, Limited	Hartford Plaza Hartford, CT 06115
4427	Illinois Emcasco Insurance Company	815 Commerce Drive Oak Brook, IL 60521-1978
4430	Illinois Insurance Exchange	311 South Wacker Drive Suite 400 Chicago, IL 60606
4432	Illinois Union Insurance Company	8755 West Higgins Road Chicago, IL 60631
4438	Indemnity Marine Assurance Company Limited	St. Helen's 1 Undershaft London, EC3P 3DQ England
4444	Insurance Company of North America (UK) Limited	Cigna House 8 Lime Street London, EC3M 7NA England
4451	Interstate Fire & Casualty Company	55 East Monroe Street Chicago, IL 60603
4453	Investors Insurance Company of America	200 Schulz Drive Red Bank, NJ 07701-6741
4469	La Concorde Compagnie D'Assurances	5, rue de Londres 75009 Paris, France
4471	Landmark American Insurance Company	9800 South Meridian Boulevard Englewood, CO 80112
4472	Landmark Insurance Company	777 South Figueroa Street Los Angeles, CA 90017
4478	Lexington Insurance Company	1209 Orange Street Wilmington, DE 19801
4482	Liberty Mutual Insurance Company (UK) Limited	4th Floor, One Minster Court Mincing Lane London, EC3R 7AA England
4489	Lincoln Insurance Company	Two Mill Road Wilmington, DE 19806-2114
4492	Lloyd's (Underwriters at)	One Lime Street London, EC3M 7HA England
4495	Lloyds New York Insurance Company	125 Maiden Lane New York, NY 10038
4510	London and Edinburgh Insurance Company Limited	Excess House 13 Fenchurch Avenue London, EC3M 5BT England
4565	Monticello Insurance Company	1209 Orange Street Wilmington, DE 19801
4575	Mt. Hawley Insurance Company	7400 College Boulevard Suite 330 Overland Park, KS 66210
4590	NAMIC Insurance Company, Inc.	3601 Vincennes Road Indianapolis, IN 46268

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Office Address</i>
4598	National Fire & Marine Insurance Company	3024 Harney Street Omaha, NE 68131-3580
4605	Nautilus Insurance Company	7273 East Butherus Drive Scottsdale, AZ 85260
4626	Neumann Insurance Company	6021 South Syracuse Way Suite 205 Englewood, CO 80111-4747
4637	North American Capacity Insurance Company	650 Elm Street Manchester, NH 03101-2524
4645	Northern Assurance Company Limited	St. Helen's 1 Undershaft London, EC3P 3DQ England
4652	Northfield Insurance Company	12935 North Forty Drive St. Louis, MO 63141
4665	Nutmeg Insurance Company	Hartford Plaza Hartford, CT 06115
4667	Ocean Marine Insurance Company Limited	St. Helen's 1 Undershaft London, EC3P 3DQ England
4668	Old Republic Union Insurance Company	307 North Michigan Avenue Chicago, IL 60601
4700	Pacific Insurance Company	4201 Wilshire Boulevard Los Angeles, CA 90010
4710	Paradigm Insurance Company	2450 One Indiana Square Indianapolis, IN 46204
4720	Phoenix Assurance PLC	1 Bartholomew Lane London, EC2N 2AB England
4755	QBE International Insurance Limited	14 Fenchurch Avenue London, EC3M 5BS England
4760	Reliance Insurance Company of Illinois	233 South Wacker Drive Suite 9220 Chicago, IL 60606
4780	River Thames Insurance Company Limited	America House 2 America Square London, EC3N 2RT England
4793	Royal Surplus Lines Insurance Company	500 Winding Brook Drive Glastonbury, CT 06033
4802	SAFECO Surplus Lines Insurance Company	SAFECO Plaza Seattle, WA 98185
4804	SR International Business Insurance Company Limited	71-77 Leadenhall Street London, EC3A 2PQ England
4806	St. Paul Reinsurance Company Limited	52 Lime Street London, EC3M 7BS England
4807	St. Paul Surplus Lines Insurance Company	32 Loockerman Square Dover, DE 19901
4810	Savers Property & Casualty Insurance Company	700 West 47th Street Kansas City, MO 64112-1802
4816	Scottsdale Insurance Company	One Nationwide Plaza Columbus, OH 43216
4819	Sheffield Insurance Corporation	3760 River Run Drive Birmingham, AL 35243
4823	Skandia International Insurance Corporation	S-103 50 Stockholm Sweden
4840	Sphere Drake Insurance PLC	52-54 Leadenhall Street London, EC3A 2BJ England

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Office Address</i>
4845	Steadfast Insurance Company	Suite 202 32 Loockerman Square Dover, DE 19901
4849	Stonewall Insurance Company	31 Inverness Center Parkway Suite 200 Birmingham, AL 35242
4870	TIG Specialty Insurance Company	444 Market Street San Francisco, CA 94111
4875	Terra Nova Insurance Company Limited	41/43 Mincing Lane London, EC3R 7SP England
4880	Through Transport Mutual Insurance Association Limited	Windsor Place, Queen Street P. O. Box HM655 Hamilton, HMCX Bermuda
4884	Tudor Insurance Company	91 Court Street Keene, NH 03431
4887	ULICO Indemnity Company	320 West Capital Street Suite 1000 Little Rock, AR 72201-3525
4889	Underwriters Indemnity Company	8 Greenway Plaza Suite 400 Houston, TX 77046
4890	Unionamerca Insurance Company Limited	The London Underwriting Centre 3 Minster Court, Mincing Lane London, EC3R 7DD England
4893	U. S. Underwriters Insurance Company	316 North Fifth Street Sixth Floor Bismarck, ND 58501
4897	United Capitol Insurance Company	400 Perimeter Center Terrace Atlanta, GA 30346
4900	United Coastal Insurance Company	40 North Central Avenue Phoenix, AZ 85004
4950	WASA International (UK) Insurance Company Limited	WASA House 26/27 Regency Square Brighton, East Sussex BN1 2FX England
4955	Wausau General Insurance Company	901 Warrenville Road Suite 500 Lisle, IL 60532-4344
4957	Westchester Surplus Lines Insurance Company	Six Concourse Parkway Suite 2700 Atlanta, GA 30328-5346
4960	Western Alliance Insurance Company	3445 Executive Center Austin, TX 78731
4962	Western Heritage Insurance Company	6263 N. Scottsdale Road Scottsdale, AZ 85250
4963	Western Indemnity Insurance Company	820 Gessner Suite 1000 Houston, TX 77024
4966	Western World Insurance Company	91 Court Street Keene, NH 03431
4980	Yorkshire Insurance Company Limited	Pitheavlis Perth, PH2 0NH Scotland
4990	Zurich International (Bermuda) Ltd.	Crawford House 50 Cedar Avenue Hamilton, HM 11 Bermuda
4995	Zurich Re (UK) Limited	The Zurich Building 90 Fenchurch Street London, EC3M 4JX England

Since the July 3, 1995 printing, the following significant changes have occurred:

<i>Additions:</i>	<i>(Key Number)</i>	<i>(Company Name)</i>	<i>(Date)</i>
	4062	American Western Home Insurance Company	7/13/95
	4159	Century American Insurance Company	2/29/96
	4196	Commercial Underwriters Insurance Company	9/27/95
	4427	Illinois Emcasco Insurance Company	7/28/95
	4710	Paradigm Insurance Company	3/07/96
<i>Deletions:</i>	4129	Blue Ridge Insurance Company	3/06/96
	4138	CIGNA Specialty Insurance Company	5/03/96
	4386	Guardian Royal Exchange Assurance PLC	3/13/96
	4661	Norwich Union Fire Insurance Society, Ltd.	3/13/96
	4705	Pacific National Insurance Company	7/24/95
	4830	Sorema North America Reinsurance Company	10/18/95
<i>Name Changes:</i>			
From:	4410	Home Insurance Company of Illinois	
To:	4410	Home Insurance Company of Illinois (N.H.)	
From:	4852	Stonewall Surplus Lines Insurance Company	
To:	4047	American Dynasty Surplus Lines Insurance Company	

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-903. Filed for public inspection May 31, 1996, 9:00 a.m.]

LAWYER TRUST ACCOUNT BOARD

Available Grant Funds

The Lawyer Trust Account Board expects to issue IOLTA (Interest on Lawyers' Trust Accounts) grants to qualified recipients in September, 1996.

Applications for grant funding must be postmarked to the Lawyer Trust Account Board by June 21, 1996. Applications postmarked after this date may not be considered for funding.

Recipients of IOLTA funds must meet all the general criteria and all of the criteria for one of the two categories identified below.

I. General Criteria

Qualified recipients must:

1. Be a not-for-profit Pennsylvania Corporation.
2. Be tax exempt under section 501(c)(3) of the Internal Revenue Code.
3. Operate only within Pennsylvania.
4. Have as their primary purpose the provision of civil legal services without charge.

II. Category Criteria

1. General Legal Services
 - a. Operate to provide civil legal services to eligible clients and victims of abuse.
 - b. Funds for such services must be:

- i. appropriated by the General Assembly.
- ii. received under contract with the Department of Public Welfare.

2. Specialized Legal Services

Provide direct specialized legal services primarily to individuals from the classifications identified below:

- a. elderly;
- b. disabled;
- c. homeless;
- d. seasonal farmworkers;
- e. victims of crime or abuse.

Requests for grant applications can be made and details on the IOLTA program obtained by contacting Alfred J. Azen, Lawyer Trust Account Board, P. O. Box 1025, Harrisburg, PA 17108-1025, (717) 238-2001.

GERALD MCHUGH,
Chairperson

[Pa.B. Doc. No. 96-904. Filed for public inspection May 31, 1996, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Allegheny County, Wine & Spirits Shoppe #0252, 4643 Center Avenue, Pittsburgh, PA 15213-1552.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Penn-

sylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space on Centre Avenue bounded by Morewood Street to the east and by Craig Street to the west or on Craig Street bounded by Baum Boulevard to the north and by Bayard Street to the south in the City of Pittsburgh.

Proposals due: June 14, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Joseph J. Molhoek, (412) 565-5130

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 96-905. Filed for public inspection May 31, 1996, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Gas Service Without Hearing

A-121850 F2011. National Fuel Gas Distribution Corp. Application for approval of abandonment of service by National Fuel Gas Distribution Corporation to seven gas service customers located in Cornplanter Township, Venango County, PA.

This application may be considered without a hearing. Answers or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before June 17, 1996, under 52 Pa. Code (relating to public utilities).

Counsel for applicant: Peter J. Scanlon, Attorney, National Fuel Gas Distribution Corporation, 800 State Street, Erie, PA 16512.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-906. Filed for public inspection May 31, 1996, 9:00 a.m.]

Gas Service Without Hearing

A-123100 F0022. UGI Utilities, Inc. Application of UGI Utilities, Inc., for approval to begin to offer, render, furnish or supply gas utility service to the public in the additional territories of Cornwall Borough and West Cornwall Township, Lebanon County, Pennsylvania.

This application may be considered without a hearing. Answers or intervention can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before June 17, 1996, under 52 Pa. Code (relating to public utilities).

Counsel for applicant: Thomas M. Jackal, Marc C. Morrow, Esquire, P. O. Box 858, Valley Forge, PA 19482.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-907. Filed for public inspection May 31, 1996, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the application published herein are due on or before June 24, 1996, as set forth at 52 Pa. Code § 3.381 (relating to application for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00113054. Sandra A. Babuka, t/d/b/a A Touch A Class Limousine Service (R. R. 1, Box 33A, Montrose, Susquehanna County, PA 18801)—persons in limousine service, between points in the counties of Susquehanna and Wyoming; which is to be a transfer of the right issued to Gary L. Folk, t/d/b/a Touch-A-Class Limousine Service, under the certificate issued at A-00110798, subject to the same limitations and conditions.

Applications of the following for approval for amendment of the exercise of the right and privilege of operating motor vehicles as contract carriers for the transportation of persons as described under each application.

A-00111207, Folder 1, Am-A. Keystone Quality Transport Company (313 West Baltimore Pike, Media, Delaware County, PA 19063), a corporation of the Commonwealth of Pennsylvania—persons for Keystone Care, Inc., and Rockwell Production, Ltd., between points in Delaware County, and from points in said county to points in Pennsylvania and vice versa; *so as to permit* the transportation of persons, for Keystone Care, Inc., and Rockwell Productions, Ltd., between points in the counties of Montgomery and Chester, and from points in said counties to points in Pennsylvania and vice versa. *Attorney:* James W. Patterson, One Liberty Place, 32nd Floor, 1650 Market Street, Philadelphia, PA 19103-7393.

Notice of Motor Carrier Applications—Property, Excluding Household Goods In Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before June 17, 1996.

- A-00113065 Guaranteed Freight System, Inc.
P. O. Box 32, 2640 Balliet Street,
Coplay, PA 18037
- A-00113070 Joseph D. Caola, t/d/b/a Joseph D. Caola
Trucking
R. D. 1, Box 192, Holsopple, PA 15935
- A-00113071 Frank Keller, Jr., t/d/b/a Keller Coal & Oil
Company
507-11 Washington Avenue, North-
ampton, PA 18067
- A-00113072 Russell D. Decker, t/d/b/a Decker's Custom
Hauling
R. R. 1, Box 784, Harrisonville, PA
17228
- A-00113073 Morgan Hauling, Inc.
R. D. 5, Box 577, Boyertown, PA 19512
- A-00113074 Ray Hildebrand, t/d/b/a Ray Hildebrand
Excavating
R. D. 1, Box 167A, Wapwallopen, PA
18660
- A-00113075 Thomas Natale, t/d/b/a Natale Trucking
1128 West Gibson Street, Scranton, PA
18508
- A-00113076 Roby Trucking, Inc.
103 Laflin Road, Wilkes-Barre, PA
18702
- A-00100922, Selover Transportation, Inc., t/d/b/a A.E.F.
F.3
Selover
393 Old Bridge Turnpike, South River,
NJ 08882; Alan Kahn, Esquire, General
Washington Building, Suite 1, 216 Mall
Boulevard, King of Prussia, PA 19406
- A-00113067 Randall J. Smith, t/a Smith Refrigeration
R. D. 2, Box 145, Columbia Crossroads,
PA 16914
- A-00113077 Stoudnour Petroleum, Inc.
P. O. Box 40, Saxton, PA 16678
- A-00113078 R. H. Williams Transportation, Inc.
230 Squirrel Hollow Road,
Douglassville, PA 19518

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-908. Filed for public inspection May 31, 1996, 9:00 a.m.]

**Telecommunications Service
Without Hearing**

A-310397. Commonwealth Communications, Inc.
Application of Commonwealth Communications, Inc. for a
certificate of public convenience and necessity in order to
operate as a local exchange and interexchange telecom-
munications company throughout the Commonwealth.

This application may be considered without a hearing.
Protests or petitions to intervene can be filed with the
Pennsylvania Public Utility Commission, Harrisburg,
with a copy served on the applicant on or before June 17,
1996, under 52 Pa. Code (relating to public utilities).

Counsel for Applicant: Andrew D. Lipman, Esquire,
Russell M. Blau, Esquire, Swidler & Berlin, Chartered,
3000 K Street, N.W., Suite 300, Washington, DC 20007.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-909. Filed for public inspection May 31, 1996, 9:00 a.m.]

**Telecommunications Service
Without Hearing**

A-310310 F5000. Touch 1 Communications, Inc.
Application for approval of the Pro Forma Transfer of
Control of Touch 1 Communications, Inc., to Touch 1, Inc.

This application may be considered without a hearing.
Answers or petitions to intervene can be filed with the
Pennsylvania Public Utility Commission, Harrisburg,
with a copy served on the applicant on or before June 17,
1996, under 52 Pa. Code (relating to public utilities).

Counsel for applicant: Charles C. Hunter, Esquire,
Hunter and Mow, P.C., 1620 I Street, N.W., Suite 701,
Washington, DC 20006.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-910. Filed for public inspection May 31, 1996, 9:00 a.m.]

**PHILADELPHIA REGIONAL
PORT AUTHORITY**

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will
accept proposals until 2 p.m. on Thursday, June 13, 1996,
for Project No. 96-060-001A for Propane Requirements
(bulk/cylinder). The Bid Document can be obtained from
the Procurement Administrator, Phila. Regional Port Au-
thority (PRPA), 210 W. Washington Square, 8th Floor,
Phila., PA 19106, (215) 928-9100 and will be available
June 4, 1996. PRPA is an equal opportunity employer.
Contractor will be required to comply with all applicable
equal opportunity laws and regulations.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-911. Filed for public inspection May 31, 1996, 9:00 a.m.]

TREASURY DEPARTMENT

Request for Proposals

The Treasury Department will accept proposals for the
provision of Disaster Recovery and Contingency Planning
Services for the computer operations of the Treasury
Department. Copies of the Request for Proposals can be
obtained from the Treasury Department, Office of Pro-
curement, Room 3T, Finance Building, Harrisburg, PA.
The contact person is Margaret M. Hain, Executive

Assistant, (717) 772-5134. Proposals must be delivered to the Treasury Department no later than 2 p.m., June 24, 1996.

CATHERINE BAKER KNOLL,
Treasurer

[Pa.B. Doc. No. 96-912. Filed for public inspection May 31, 1996, 9:00 a.m.]

TURNPIKE COMMISSION

Retention of a Developer

Reference No. 146-009

The Turnpike Commission will consider entering into a long-term (maximum of 50 years), unsubordinated ground lease of 1.6± total acres in Kidder Township, Carbon County, along Rt. 940, adjacent to Exit 35 (Pocono) of the Pennsylvania Turnpike. The site currently contains a small tourist information trailer operated by the Pocono Mountains Vacation Bureau and is surrounded by commercial activity, including motels and restaurants. The

Commission is working in conjunction with the Pocono Mountains Vacation Bureau on this project, and will consider proposals from all qualified firms for development of this property.

All interested parties will attend a mandatory meeting scheduled for 11 a.m., July 18, 1996, at the Turnpike Commission's Eastern Regional Office, located at 251 Flint Hill Road, King of Prussia, PA. Proposals will not be accepted or considered from parties who fail to attend this meeting. The proposals must be received by the Commission at its Harrisburg office by 4 p.m., September 20, 1996.

Firms interested in receiving a copy of the Request for Proposals (RFP) should call Lisa Smith at (717) 986-9674, or send written requests to Lisa Smith, Turnpike Commission, 800 Eisenhower Boulevard, Middletown, PA 17057.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-913. Filed for public inspection May 31, 1996, 9:00 a.m.]

FEDERAL SURPLUS PROPERTY PROGRAM

DEPARTMENT OF GENERAL SERVICES

INVENTORY AND INFORMATION

The Department of General Services, Bureau of Supplies and Surplus Operations oversees the Federal Surplus Property Program within the Commonwealth of Pennsylvania in accordance with the Federal Property and Administrative Services Act of June 30, 1949, 63 Stat. 377 as amended. Personal property is made available on an equitable basis to our State Agency for allocation to eligible organizations at minimal service charges. Available property can include office equipment and furniture, clothing, hand tools, hardware, light machinery, heavy equipment and much more. Some of the equipment is new, while some may require repair, but all of the property is useful, and is available to your organization at a fraction of the cost of buying retail. Most nonprofit, tax-exempt organizations, such as municipalities, schools, emergency management agencies, day care centers and other public service organizations are eligible and have saved thousands of dollars annually through the use of federal surplus property.

All federal surplus property is donated on a first-come, first-served basis to eligible nonprofit organizations within the Commonwealth. A nominal cost is incurred by the participants in the form of a service charge to cover the state's cost of administering the program. Questions about the availability of items or about your organization's ability to participate in the Federal Surplus Property Program should be directed to: The Department of General Services, Bureau of Supplies and Surplus Operations, Federal Surplus Property Program, P. O. Box 1365, 2221 Forster Street, Harrisburg, PA 17105, or call TOLL-FREE 1-800-235-1555.

VEHICLES AND HEAVY EQUIPMENT

Truck. Mfg. Dodge, pick-up, 4x4, 1976 and 1977, 318, v-8, 8,000 gvw, automatic. Several available, conditions vary, \$250.00—\$1,500.00 ea.

Car. Mfg. GMC, Pontiac, Bonneville, 4 door sedan, 4.1 litre, v-6, automatic, 95,838 miles. Only 1 available, good condition, stock number 2310-96-0118-001, \$525.00 ea.

Ambulance. Mfg. Chrysler Corporation, Dodge, 4x4, w 20, 1977, 318, v-8, automatic, 8,000 lb. gvw. Only 2 available, good condition, \$1,125.00 ea.

Forklift. Mfg. Hyster, gas, 4,000 lb. capacity, Model 540C-P, 1971. Only 1 available, fair condition, stock number 3930-96-0235-016, \$562.50 ea.

Truck. Mfg. General Motors, tank, fuel, 1988 Sierra 6,000, 19,400 lb. gvw. Only 1 available, good condition, stock number 2350-96-0218-002, \$2,625.00

Forklift. Mfg. Athey Products Corporation, 6,000 lb. capacity, 1972, diesel engine, 832 hours. Only 1 available, good condition, stock number 3930-96-0132-005, \$1,750.00 ea.

BUILDING MATERIALS

Insulation. Mfg. Certainteed MFC, fiberglass, board, 36" width x 100" length x 1" thick, 300 sq.ft./roll, sold by the roll. Limited quantities available, NEW, stock number 5640-96-0295-015, \$22.00 ea.

Sheet. Mfg. unknown, aluminum, 4' x 12' x .040". Plenty available, NEW, stock number 9535-95-0207-023, \$8.75 ea.

Sheet. Mfg. unknown, steel, 4' x 8'. Plenty available, good condition, 9515-95-0207-001, \$2.50 ea.

Sheet. Mfg. unknown, steel, 4' x 8' x 3/8". Plenty available, NEW, stock number 9515-96-0070-001, \$25.00 ea.

BUSINESS AND RESIDENTIAL FURNISHINGS

Cabinet. Mfg. varies, file, 2, 4 and 5 drawer. Plenty available, good condition, \$20.00—\$60.00 ea.

Partition. Mfg. unknown, fabric, various sizes. Plenty available, good condition, \$2.50 ea.

Chair. Mfg. varies, rotary, with arms, fabric seat and back. Plenty available, good condition, \$10.00—\$18.00 ea.

Desk. Mfg. unknown, single pedestal, wood, 4 drawer, 48" wide x 18" deep. Plenty available, good condition, stock number 7105-96-0210-001.

Chair. Mfg. Eckadams Corporation, typist, rotary, posture. Plenty available, NEW, stock number 7110-96-0312-004, \$35.00 ea.

Table. Mfg. Hon Industries, printer, wood, 36" x 32" x 32" high. Limited quantities available, NEW, stock number 7110-96-0351-093, \$50.00 ea.

CLOTHING, TEXTILES AND PERSONAL ITEMS

Boot. Mfg. McRae Industries, Inc., combat, various sizes, black, sold by the pair. Plenty available, NEW, stock number 8430-00-0005-001, \$12.00 ea.

Boot. Mfg. Bata Choe Company, Inc., cold weather, insulated, rubber, black, for wet/cold use, sold by the pair. Plenty available, NEW, stock number 8430-00-0003-001, \$12.00 ea.

Overshoe. Mfg. unknown, boot, combat, vinyl, slip resistant, size 8, green, sold by the pair. Plenty available, NEW, stock number 8430-95-0090-007, \$.50 ea.

Jacket. Mfg. Alpha Industries, cold weather, 100% aramide, medium-long. Plenty available, NEW, stock number 8415-95-0663-008, \$25.00 ea.

ELECTRICAL AND ELECTRONICS

Motor. Mfg. General Electric, electric, Model 5K184AD205, 200—230/460 volts, 3 phase, 5 hp. Only 2 available, NEW, stock number 6105-96-0062-007, \$75.00 ea.

Wire. Mfg. Cerro Wire & Cable Company, electrical, size 14, solid, 500'/roll, sold by the roll. Plenty available, stock number 6145-96-0111-006.

Light. Mfg. General Electric, indoor spotlight, R-20, 30 watt, replacement, for track and recessed lighting, 6 lights/box, sold by the box. Plenty available, NEW, stock number 6240-95-0487-006, \$.63 ea.

Power Supply. Mfg. Lambda Electronics, regulated, Model, LK 341 A FM, 0-20 volt output. Only 1 available, good condition, stock number 6130-96-0179-001, \$75.00 ea.

OFFICE MACHINES AND SUPPLIES

Highlighter. Mfg. Sanford, pink, "Major Accent," 12 markers/box, sold by the box. Limited quantities available, NEW, stock number 7510-96-0252-035, \$1.50 ea.

Folder. Mfg. SCM Office Supplies, Inc., hanging, 1/5 cut, legal size, 25 tabs with inserts, 25 folders/box, sold by the box. Plenty available, NEW, stock number 7530-96-0146-010, \$2.50 ea.

Fluid. Mfg. LHB Industries, correction, opaque white, hydrocarbon solvent base, 12 bottles/pack, sold by the pack. Limited quantities available, NEW, stock number 7510-96-0124-007, \$2.50 ea.

Envelopes. Mfg. Union Envelope Company, plain, 12" x 16", manila, 500 envelopes/box, sold by the box. Plenty available, NEW, stock number 7530-96-0198-001, \$4.00 ea.

OILS, PAINTS AND CHEMICALS

Cement. Mfg. Bennent Industries, Corp., refractory, "Heat Stop," used for repairs to firebrick and masonry in fireplaces, woodstoves, kilns, furnaces and flues, 3.5 gallons/can, sold by the can. Plenty available, NEW, stock number 5680-95-0398-006, \$2.50 ea.

Paint. Mfg. Pratt & Lambert, latex satin, interior, aqua, acrylic, spatterless, resists staining and soil, fast drying, water clean up, 1 gallon/can, sold by the can. Plenty available, NEW, stock number 8010-96-0120-001, \$2.50 ea.

Paint. Mfg. Glidden, latex, semi-gloss, 3787 interior tint base or 3718 pastel tint base, 1 quart/can, sold by the can. Plenty available, NEW, stock number 8010-96-0014-001, \$.94 ea.

Enamel. Mfg. Duron, Inc., gloss, medium, gray, alkyd urethane modified, 5 gallons/can, sold by the can. Plenty

available, NEW, stock number 8010-95-0666-001, \$15.00 ea.

**PLUMBING/HEATING/AIR
CONDITIONING EQUIPMENT**

Heater. Mfg. E-Tech, water heater, heat pump type, Model R106K, 230 volt. Only 1 available, NEW, stock number 4520-96-0063-009, \$150.00 ea.

Blower. Mfg. Lau Industries, belt driven, 12" x 15" outlet. Limited quantities available, NEW, stock number 4140-96-0062-013, \$40.00 ea.

Pipe. Mfg. unknown, pvc, 4", schedule 40, 20' lengths, sold by the length. Plenty available, NEW, \$10.00 ea.

Fan. Mfg. varies, pedestal, 24" to 30", 115 volt. Limited quantities available, conditions vary, \$20.00—\$50.00 ea.

VEHICLE PARTS AND ACCESSORIES

Engine. Mfg. Detroit, diesel, Model 453. Only 1 available, NEW, stock number 2815-95-0277-003, \$1,800.00 ea.

Tire. Mfg. varies, 10:00 x 20, newly recapped. Plenty available, like new, stock number 2610-95-0661-004, \$56.25 ea.

Tube. Mfg. RMA, tire, 875/9.50-16.5, TR-15, cw valve. Limited quantities available, NEW, stock number 2610-96-0189-002, \$5.00 ea.

Engine. Mfg. Caterpillar, diesel, 6 cylinder, Model 336, new or rebuilt. Only 1 available, very good condition, stock number 2815-96-0205-004, \$4,000.00

MISCELLANEOUS

Battery. Mfg. Eveready, Size D, Energizer, 12 batteries/pack, sold by the pack. Plenty available, NEW, stock number 6135-96-0050-001, \$7.00 ea.

Lightstick. Mfg. Chemical Device Corporation, 15", 12 hour green, 20 sticks/box, sold by the box. Plenty available, NEW, stock number 6260-96-0137-004, \$11.25 ea.

Cleaner. Mfg. American Kleener Mfg. Company, steam pressure jet, skid mounted, 208 volt, single phase, uses grade 1 or 2 diesel fuel, 89 hours, 200 to 450 psig. Several similar units available, good condition, \$250.00—\$1,000.00 ea.

Post. Mfg. unknown, fence, 8', steel. Plenty available, NEW, stock number 5660-0035-003, \$2.00 ea.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 96-914. Filed for public inspection May 31, 1996, 9:00 a.m.]