

NOTICES

COMMISSION ON CRIME AND DELINQUENCY

Drug Control and System Improvement Strategy

The Commission on Crime and Delinquency (PCCD) submitted an FFY-1996 state application for \$19.808 million provided through the Federal Edward Byrne Memorial State and Local Law Enforcement Assistance Formula Grant Program. It is this program which totally supports Pennsylvania's Drug Control and System Improvement (DCSI) Program.

The application, entitled *Pennsylvania's FFY-1996 Statewide Drug Control and System Improvement Strategy*, identifies the priority program areas that PCCD has designated and the allocation of FFY-1996 DCSI funds anticipated to be available to support these initiatives.

Persons desiring to review and comment on the strategy may submit their requests to the following address: Commission on Crime and Delinquency, Attn: Drug Control and System Improvement Program, P. O. Box 1167, Harrisburg, PA 17108-1167.

JAMES THOMAS,
Executive Director

[Pa.B. Doc. No. 96-1014. Filed for public inspection June 21, 1996, 9:00 a.m.]

DELAWARE RIVER BASIN COMMISSION

Commission Meeting and Public Hearing

The Delaware River Basin Commission will hold a public hearing on Wednesday, June 26, 1996. The hearing will be part of the Commission's regular business meeting which is open to the public and scheduled to begin at 11 a.m. in the Goddard Conference Room of the Commission's offices at 25 State Police Drive, West Trenton, New Jersey.

An informal conference among the Commissioners and staff will be held at 10 a.m. at the same location and will include an update on proposed revisions to the Commission's Water Code and Water Quality Regulations concerning toxic pollutants, and status reports on the Commission's new computer program, Water Quality Zone 2 wasteload allocations and Special Protection Waters' watershed prioritization.

The subjects of the hearing will be as follows:

Applications for Approval of the Following Projects Under Article 10.3, Article 11 and/or Section 3.8 of the Compact:

1. *New York State Department of Environmental Conservation D-77-20 CP (Revision No. 2)*. A request to extend the experimental release program Docket No. D-77-20 CP (Revision No. 2), "Modification To The Schedule Of Released Rates From Pepacton and Neversink Reservoirs," for up to 1 year.

2. *Zee Orchards, Inc. D-80-33 Renewal 3*. An application for the renewal of a groundwater withdrawal project

to supply up to 26.5 million gallons (mg)/30 days of water to the applicant's agricultural irrigation system from well no. 1. Commission approval on March 27, 1991 was limited to 5 years. The applicant requests that the total withdrawal from all wells remain limited to 26.5 mg/30 days. The project is located in Harrison Township, Gloucester County, NJ.

3. *Philadelphia Park Race Track D-85-72 Renewal 2*. An application for the renewal of a groundwater withdrawal project to supply up to 10.6 mg/30 days of water to the applicant's irrigation system from wells nos. 1, 2, 3 and 4. Commission approval on March 27, 1991 was limited to 5 years. The applicant requests that the total withdrawal from all wells remain limited to 10.6 mg/30 days. The project is located in Bensalem Township, Bucks County, PA.

4. *Borough of Bellmawr D-90-82 CP Renewal*. An application for the renewal of a groundwater withdrawal project to supply up to 60 mg/30 days of water to the applicant's distribution system from wells nos. 3, 4, 5 and 6. Commission approval on March 27, 1991, was limited to 5 years and will expire unless renewed. The applicant requests that the total withdrawal from all wells remain limited to 60 mg/30 days. The project is located in Bellmawr Borough, Camden County, NJ.

5. *UNISYS Corporation D-92-82 (D)*. A proposed groundwater remediation project consisting of the treatment of up to 367,000 gallons per day (gpd) of groundwater withdrawn at the applicant's computer manufacturing plant site situated in both East Whiteland and Tredeffrin Townships, Chester County, in the Southeastern Pennsylvania Groundwater Protected Area. Withdrawal will be accomplished by wells nos. MW-6D (7,200 gpd), MW-11D (72,000 gpd) and MW-21 (288,000 gpd) previously approved by Docket No. D-92-82 (G). The treatment facilities will consist of a chromium removal system with microfiltration as well as a prefiltration, and a carbon adsorption system for removal of volatile organic compounds. Treated effluent will be discharged to Little Valley Creek, in Tredeffrin Township.

6. *Pennsylvania American Water Company D-95-53 CP*. A project to increase the applicant's surface water withdrawal from 2.0 million gallons per day (mgd) to 6.0 mgd by new intake facilities (to replace its existing intake) on the Delaware River, located just south of Yardley Borough in Lower Makefield Township, Bucks County, PA. The applicant's distribution system will continue to serve Yardley Borough and portions of Lower Makefield and Falls Townships. The Mill Road Filtration Plant will be expanded to treat the raw water.

7. *Honesdale Consolidated Water Company D-95-57 CP*. An application for approval of a groundwater withdrawal project to supply up to 54.22 mg/30 days of water to the applicant's distribution system from existing wells nos. 1 and 2, and new wells nos. 3 through 6, and to limit the withdrawal from all wells to 54.22 mg/30 days. The project is located in Honesdale Borough and Texas Township, Wayne County, PA.

8. *Township of Moorestown D-95-59 CP*. An application for approval of a groundwater withdrawal project to supply up to 64.8 mg/30 days of water to the applicant's distribution system from existing well no. 7, and to increase the existing withdrawal of 110 mg/30 days from all wells to 150 mg/30 days. The project is located in Moorestown Township, Burlington County, NJ.

9. *Borough of Quakertown D-96-1 CP.* A revised application to replace wells nos. 13 and 14 in the applicant's water supply system that have become unreliable sources of supply with two new wells nos. 13A and 14A. The withdrawal from all wells will remain limited to 51.1 mg/30 days. The project is located in the Borough of Quakertown, Bucks County, in the Southeastern Pennsylvania Groundwater Protected Area.

10. *Jim Thorpe Municipal Authority D-96-19 CP.* A project to expand the rated capacity of the applicant's sewage treatment plant (STP) from 0.65 mgd to 0.92 mgd. The STP will serve existing and new development in the Borough of Jim Thorpe, Carbon County, PA. The STP, located on the east side of the Lehigh River near the southern boundary of the Borough, will continue to

discharge to the Lehigh River after providing secondary biological treatment utilizing the activated sludge process and chlorine disinfection.

Documents relating to these items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Please contact George C. Elias concerning docket-related questions. Persons wishing to testify at this hearing are requested to register with the Secretary prior to the hearing.

ANNE M. ZAMONSKI,
Acting Secretary

[Pa.B. Doc. No. 96-1015. Filed for public inspection June 21, 1996, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 11, 1996.

BANKING INSTITUTIONS

Bank Holding Company Acquisitions

| <i>Date</i> | <i>Name of Corporation</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|-----------------|---------------------------------|
| 6-5-96 | ExecuFirst Bancorp, Inc., Philadelphia to acquire 100% of the voting shares of Republic Bancorporation, Inc., Philadelphia, with a change in corporate title to "First Republic Bancorp, Inc." | Philadelphia | Approved Effective 6-7-96 |

Consolidations, Mergers and Absorptions

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------------------------|
| 6-5-96 | Republic Bank, Philadelphia, and First Executive Bank, Philadelphia surviving institution— Republic Bank, Philadelphia, with a change in corporate title to "First Republic Bank" | Philadelphia | Approved Effective 6-7-96 |

All branches of First Executive Bank will become branches of First Republic Bank, including the former main office as follows:

| | | | |
|--------|--|--|-----------|
| 6-6-96 | Farmers First Bank, Lititz, and Spring Grove National Bank, Spring Grove surviving institution— Farmers First Bank, Lititz | Lititz | Effective |
| | <i>Branches Acquired:</i> 10 South Main Street Spring Grove York County | 2305 Susquehanna Trail North York York County | |
| | 1000 Hanover Road York York County | | |

Branch Applications

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 5-31-96 | Financial Trust Company Carlisle Cumberland County | 1 Forge Road Boiling Springs S. Middleton Twp. Cumberland County | Opened |
| 6-7-96 | Northwest Savings Bank Warren Warren County | 117 N. Allegheny St. Bellefonte Centre County | Filed |
| 6-11-96 | East Penn Bank Emmaus Lehigh County | 6890 Hamilton Blvd. Trexlerstown Lehigh County | Approved |
| 6-11-96 | Jefferson Bank Haverford Montgomery County | 580 W. Germantown Pike Plymouth Meeting Montgomery County | Filed |

Branch Discontinuances

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|---|---------------|
| 5-18-96 | Chambersburg Trust Company Chambersburg Franklin County | 128 E. Queen St. Chambersburg Franklin County | Effective |
| 6-6-96 | Dauphin Deposit Bank and Trust Company Harrisburg Dauphin County | 3570 Hamilton Blvd. Dorneyville South Whitehall Twp. Lehigh County | Filed |

Articles of Amendment

| <i>Date</i> | <i>Name of Bank</i> | <i>Purpose</i> | <i>Action</i> |
|-------------|---|--|------------------------|
| 6-7-96 | Woodlands Bank Williamsport Lycoming County | To provide for Article Third of the Articles of Incorporation to be restated in its entirety to reflect full fiduciary powers. | Approved and Effective |

SAVINGS ASSOCIATIONS**Consolidations, Mergers and Absorptions**

| <i>Date</i> | <i>Name of Association</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------|
| 6-6-96 | Keystone Savings and Loan Association, Philadelphia; Hometown Building and Loan Association, Philadelphia; and Wayne Junction Savings Association, Ambler— surviving institution— Keystone Savings and Loan Association, Philadelphia | Philadelphia | Filed |

CREDIT UNIONS

No activity.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-1016. Filed for public inspection June 21, 1996, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AFFAIRS

Consolidated Plan Public Meetings and Regional Housing Advisory Committee Meetings

The Department of Community Affairs, or successor agency, is preparing the 1997 Annual Plan which supplements the Commonwealth's Consolidated Plan for Federal fiscal years 1995-1999. These documents must be submitted to and approved by the U. S. Department of Housing

and Urban Development (HUD) in order for the Commonwealth and organizations within the State to receive funding under most HUD housing and community development programs. The Consolidated Plan creates a unified strategy for housing and community development programs as well as the necessary linkages for building successful neighborhoods and communities.

The Commonwealth's 1997 Annual Plan will address how the Commonwealth intends to allocate funds under the following programs: Community Development Block Grant, HOME Investment Partnerships, Emergency Shelter Grant, and Housing Opportunities for Persons with AIDS.

Any individual or organization may give testimony or comments at one of three public meetings. Comments will be accepted on topics related to community development, housing, the content of the Commonwealth's Annual Plan, and the process by which the public's input is gathered. The Commonwealth encourages public participation in this process.

Anyone who wants to speak must call to schedule a time to give oral testimony at the meeting. These public meetings will be shortened if no one is scheduled to testify or if there is minimal response. To schedule your oral testimony at the public meeting, you must contact Shirley Rohrer at (717) 787-8169 at least 24 hours prior to the applicable meeting date.

Written Comments

Written testimony, in lieu of oral testimony, may be submitted by 5 p.m., August 2, 1996. These comments should be submitted to Ed Geiger, Senior Policy Analyst, Office of Policy Development, Department of Community Affairs, Room 325, Forum Building, Harrisburg, PA 17120.

Public Meetings

The public meetings will be held as follows:

July 17, 1995

Economic Development Council of
Northeastern Pennsylvania
1151 Oak Street
Pittston, PA 18640
3 p.m. to 6 p.m.*

July 18, 1996

Harrisburg Area Community College
Blocker Hall, Room 113
One HACC Drive
Harrisburg, PA 17110-2999
3 p.m. to 6 p.m.*

July 30, 1996

John P. Robin Civil Building
City Planning Commission Meeting Room
First Floor
200 Ross Street
Pittsburgh, PA 15219
3 p.m. to 6 p.m.*

*Note: Public meetings may be shortened if there is a minimal response.

Regional Housing Advisory Committee Meetings

The Commonwealth has six Regional Housing Advisory Committees across the State comprised of *appointed* members. Meetings of these committees are open to the public under the Sunshine Act. These committees advise the Department of Community Affairs, or its successor agency, regarding housing and community development needs as well as assist in fair housing planning. These meetings are being held as follows:

July 10, 1996

Mifflin County Courthouse
Second Floor, Room A
20 North Wayne Street
Lewistown, PA 17044
9:30 a.m. to 1 p.m.

July 17, 1996

Economic Development Council of
Northeastern Pennsylvania
1151 Oak Street
Pittston, PA 18640
9:30 a.m. to 1 p.m.

July 18, 1996

Harrisburg Area Community College
Blocker Hall, Room 113
One HACC Drive
Harrisburg, PA 17110-2999
9:30 a.m. to 1 p.m.

July 23, 1996

Chester County Office of Housing
and Community Development
Government Services Center
601 Westtown Road, Conference Room 171
West Chester, PA 19382
9:30 a.m. to 1 p.m.

July 30, 1996

John P. Robin Civic Building
City Planning Commission Meeting Room
First Floor
200 Ross Street
Pittsburgh, PA 15219
9:30 a.m. to 1 p.m.

July 31, 1996

PNC Bank
Community Room
901 State Street
Erie, PA 16534
9:30 a.m. to 1 p.m.

Anyone who has a disability and wishes to attend the public meetings or advisory committee meetings and requires an auxiliary aid, service, or other accommodation to participate in the proceeding should contact Shirley Rohrer, Room 325, Forum Building, Harrisburg, PA 17120, (717) 787-8169, to discuss how the Department of Community Affairs may best accommodate their needs. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the Department's number listed above.

DAVID E. BLACK,
Acting Secretary

[Pa.B. Doc. No. 96-1017. Filed for public inspection June 21, 1996, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) Permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0052035. Sewage, **Upper Makefield Township**, 1076 Eagle Road, Newtown, PA 18940.

This application is for renewal of an NPDES permit to discharge treated sewage from Upper Makefield Township Sewage Treatment Plant in Upper Makefield Township, **Bucks County**. This is an existing discharge to Delaware River.

The receiving stream is classified for cold water fish, warm water fish, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports, navigation and esthetics.

The proposed effluent limits for Outfall 001 based on an average flow of 0.1 mgd are as follows:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|---|--|----------------------------------|---|
| CBOD ₅ | 25 | 40 | 50 |
| Suspended Solids | 30 | 45 | 60 |
| Total Residual Chlorine (from issuance through year 1) | 1.0 | | 2.5 |
| (from year 2 through expiration) | 0.5 | | 1.6 |
| Fecal Coliforms | 200 colonies/100 ml as a geometric average | | |
| pH | within limits of 6.0—9.0 standard units at all times | | |

Other Conditions:

Conditions for future permit modification.

Effective disinfection.

The EPA waiver is in effect.

PA 0056804. Industrial waste, **Forest Park Water**, 144 Park Avenue, P. O. Box 317, Chalfont, PA 18914-0317.

This application is for issuance of an NPDES permit to discharge treated process from a water filtration plant which supplies potable water to residents in Bucks County in Chalfont Borough, **Bucks County**. This is a new discharge to Pine Run.

The receiving stream is classified for trout stocking, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 0.454 mgd are as follows:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-----------------------------------|--|---------------------------------|---|
| Suspended Solids | 30 | 60 | 75 |
| pH | within limits of 6.0—9.0 standard units at all times | | |
| Total Iron | 2.0 | 4.0 | 5.0 |
| Total Aluminum | 4.0 | 8.0 | 10.0 |
| Total Manganese | 1.0 | 2.0 | 2.5 |
| Total Residual Chlorine | 0.25 | | 0.6 |
| Phosphorus as P (4-1 to 10-31) | 2.0 | 4.0 | 5.0 |

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|----------------------|-----------------------------------|---------------------------------|---|
| Chloroform | monitor/report | | |
| Dichlorobromomethane | monitor/report | | |
| Chlorodibromomethane | monitor/report | | |

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0002917. Industrial waste, SIC: 4911, **West Penn Power Company**, 800 Cabin Hill Drive, Greensburg, PA 15601.

This application is for renewal of an NPDES permit to discharge treated process water, sewage stormwater leachate and untreated cooling water stormwater from Armstrong Power Station in Washington Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters of the Allegheny River and its unnamed tributary classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Western Pennsylvania Water Company, located at Kittanning, 10 miles below the discharge point.

Internal Monitoring Point 101: existing discharge, design flow of 0.258 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|----------------------------|--------------------------|-----------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow | monitor and report | | | | |
| Suspended Solids | | | 30 | 100 | |
| Oil and Grease | | | 15 | 20 | |
| pH (s.u.) | 6.0—12.0 | | | | |

Outfall 001: existing discharge to Allegheny River, 129 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|-------------------------|----------------------------|--------------------------|---|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow | monitor and report | | | | |
| Temperature (°F) | | | monitor and report | | |
| Heat (7-1 to 12-31) | | | not to exceed 5.87 x 10 ¹⁰ btu/day | | |
| (1-1 to 6-30) | | | not to exceed 1.17 x 10 ¹¹ btu/day | | |
| Total Residual Chlorine | | | | | 0.2 |
| pH (s.u.) | 6.0—9.0 | | | | |

Outfall 003: existing discharge to the Allegheny River, 0.005 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|--|----------------------------------|--------------------------|-----------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow | 0.005 | | | | |
| CBOD ₅ | | | 25 | | 50 |
| Suspended Solids | | | 30 | | 60 |
| Total Residual Chlorine (Issuance to 3 years) | | | monitor and report | | |
| (3 years to expiration) | | | 1.4 | | 3.3 |
| % Removal | | | | | |
| Fecal Coliforms (5-1 to 9-30) | 200/100 ml as a geometric mean | | | | |
| (10-1 to 4-30) | 2,000/100 ml as a geometric mean | | | | |
| pH | 6.0—9.0 | | | | |

Outfall 005: existing discharge to an unnamed tributary to Allegheny River, 0.049 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|----------------------------|--------------------------|-----------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow | monitor and report | | | | |
| Suspended Solids | | | 30 | 100 | |

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Iron | | | 3.5 | 7.0 | |
| pH | 6.0—9.0 | | | | |

Outfall 006: Plant area stormwater runoff and emergency overflow (North Detention Lagoon) discharge to the Allegheny River.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |

The discharge from this outfall is restricted by the requirements in Item Nos. 9 and 11 in Part C of the permit.

Outfall 007: existing discharge to the Allegheny River, 0.106 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |

Flow monitor and report
This discharge shall consist of intake screen backwash water only.

Outfall 008: emergency overflow (hydrobin) discharge to Allegheny River.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |

Flow monitor and report
Suspended Solids 30 100
Oil and Grease 15 20
pH (s.u.) 6.0—9.0

Outfall 009: existing discharge to Allegheny River, 2.73 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |

Flow monitor and report
Suspended Solids 30 100
Oil and Grease 15 20 30
pH (s.u.) 6.0—9.0
This outfall may also receive metal cleaning wastewater from IMP 109 upon written authorization from the Department.

Internal Monitoring Point 109: Impoundment tank (metal cleaning wastewater) in the industrial wastewater treatment plant.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |

There shall be no discharge of metal cleaning wastewater without prior written approval from the Department.

Outfall 010: Plant area stormwater runoff and emergency overflow (south detention basin) discharge to the Allegheny River.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |

The discharge from this outfall is restricted by the requirements in Item Nos. 9 and 11 in Part C of the permit.

Outfalls 002, 004, 011, 012, 016 and 017: stormwater discharge to Allegheny River.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |

The discharge from these outfalls shall consist of uncontaminated stormwater runoff only.

Outfall 013: proposed discharge to Allegheny River, 0.45 mgd.

| Parameter | Mass (lb/day) | | Concentration (mg/l) | | |
|------------------|--------------------|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | Instantaneous Maximum |
| Flow (mgd) | monitor and report | | | | |
| Suspended Solids | | | 30 | 100 | |
| Iron | | | 3.5 | 7.0 | |
| Aluminum | | | monitor and report | | |
| Zinc | | | monitor and report | | |
| pH | 6.0—9.0 | | | | |

Outfall 014: Impacted springflow (variable) discharge to the Allegheny River.

| Parameter | Mass (lb/day) | | Concentration (mg/l) | | |
|------------------------|--------------------|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | Instantaneous Maximum |
| Flow (mgd) | monitor and report | | | | |
| Total Suspended Solids | | | monitor and report | | |
| Iron | | | monitor and report | | |
| Manganese | | | monitor and report | | |
| Aluminum | | | monitor and report | | |
| Zinc | | | monitor and report | | |
| pH | 6.0—9.0 | | | | |

Outfall 015: Impacted springflow (variable) discharge to the Allegheny River.

| Parameter | Mass (lb/day) | | Concentration (mg/l) | | |
|------------------------|--------------------|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | Instantaneous Maximum |
| Flow (mgd) | monitor and report | | | | |
| Total Suspended Solids | | | monitor and report | | |
| Iron | | | monitor and report | | |
| Manganese | | | monitor and report | | |
| Aluminum | | | monitor and report | | |
| Zinc | | | monitor and report | | |
| pH | 6.0—9.0 | | | | |

The EPA waiver is not in effect.

PA 0023698. Sewage, **Vanport Township Municipal Authority**, 285 River Avenue, Vanport, PA 15009.

This application is for renewal of an NPDES permit to discharge treated sewage from Vanport Water Pollution Control Plant in Vanport Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Two Mile Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Municipal Water Works.

Outfall 001: existing discharge, design flow of 1.56 mgd.

| Parameter | Concentration (mg/l) | | | |
|------------------------------------|----------------------------------|----------------|---------------|-----------------------|
| | Average Monthly | Average Weekly | Maximum Daily | Instantaneous Maximum |
| CBOD ₅ | 25 | 37.5 | | 50 |
| Suspended Solids | 30 | 45 | | 60 |
| Total Residual Chlorine | | | | |
| Issued date through 36th month | monitor and report | | | |
| 37th month through expiration date | 0.5 | | | 1.6 |
| Fecal Coliforms | | | | |
| (5-1 to 9-30) | 200/100 ml as a geometric mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a geometric mean | | | |
| pH | 6.0—9.0 | | | |

The EPA waiver is not in effect.

PA 0041238. Sewage, **Meyersdale-Summit Park Recreation Commission**, 117 Olinger Street, Meyersdale, PA 15552.

This application is for renewal of an NPDES permit to discharge treated sewage from the Maple Valley Park Sewage Treatment Plant in Summit Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Blue Lick Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ohio State Park Water Authority on the Youghiogheny River.

Outfall 001: existing discharge, design flow of 0.004 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|----------------------------------|-----------------------------------|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Fecal Coliforms (5-1 to 9-30) | 200/100 ml as a geometric mean | | | |
| (10-1 to 4-30) | 50,000/100 ml as a geometric mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | 6.0—9.0 | | | |

The EPA waiver is in effect.

PA 0217352. Sewage, **Thomas Goetz**, 1341 Vinemont Street, Pittsburgh, PA 15205.

This application is for issuance of an NPDES permit to discharge treated sewage from the Club 40 Restaurant Sewage Treatment Plant in North Franklin Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Chartiers Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Municipal Authority on the Ohio River.

Outfall 001: new discharge, design flow of 0.002 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|------------------------------------|----------------------------------|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 10 | | | 20 |
| Suspended Solids | 10 | | | 20 |
| Ammonia Nitrogen (5-1 to 10-31) | 3 | | | 6 |
| (11-1 to 4-30) | 9 | | | 18 |
| Fecal Coliforms (5-1 to 9-30) | 200/100 ml as a geometric mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a geometric mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| Dissolved Oxygen | not less than 3.0 mg/l | | | |
| pH | 6.0—9.0 | | | |

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

PA 0102652. Sewage, **Countryside II**, Limited Partnership, 10215 Perry Lake Road, Clarkston, MI 48348.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Elk Creek in McKean Township, **Erie County**. This is an existing discharge.

The receiving water is classified for cold water fishery plus migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is none before Elk Creek reaches Lake Erie.

The proposed effluent limits for Outfall 001 based on average design flow of 0.06 mgd, are:

| <i>Parameter</i> | <i>Effluent Concentration (mg/l)</i> | |
|--------------------------------------|--------------------------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | 50 |
| Total Suspended Solids | 30 | 60 |
| NH ₃ -N (5-1 to 10-31) | 2.5 | 5.0 |
| (11-1 to 4-30) | 7.5 | 15.0 |
| Phosphorus as "P" | 1.0 | |
| Dissolved Oxygen | minimum of 3.0 mg/l at all times | |

| <i>Parameter</i> | <i>Effluent Concentration (mg/l)</i> | |
|----------------------------------|--------------------------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Instantaneous Maximum</i> |
| Total Residual Chlorine | 0.5 | 1.2 |
| Fecal Coliforms (5-1 to 9-30) | 200/100 ml | |
| (10-1 to 4-30) | 2,000/100 ml | |
| pH | 6.0—9.0 standard units at all times | |

The EPA waiver is in effect.

PA 0035661. Sewage, **Renick Brothers Construction Company**, P. O. Box 94, Route 173, Slippery Rock, PA 16057.

This application is for a renewal of a Part I NPDES permit to discharge treated sewage to an unnamed tributary to Christy Run in Washington Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Camp Allegheny intake on Slippery Rock Creek located at Wayne Township, Lawrence County, approximately 34 miles below the discharge.

The proposed discharge limits, based on a design flow of 0.00064 mgd, are:

Outfall No. 001

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|--|-----------------------------------|-------------------------------------|
| CBOD ₅ | 10 | 20 |
| Total Suspended Solids | 20 | 40 |
| Fecal Coliforms (throughout the year) | 200/100 ml as a geometric average | |
| Total Residual Chlorine | 1.5 | 3.5 |
| pH | 6.0—9.0 at all times | |

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3666.

PA 0209384. SIC: 4952, **Lawrence Township Municipal Authority**, R. D. 2, Box 220, Tioga PA 16946.

This proposed action is for issuance of an NPDES permit for a new discharge of treated sewage to Tioga River in Lawrence Township, **Tioga County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the assumed downstream potable water supply (PWS) considered during the evaluation is the PA/NY State Border.

The proposed effluent limits for Outfall 001, based on a design flow of 0.130 mgd, are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|----------------------------------|-------------------------------------|------------------------------|-------------------------------------|
| CBOD ₅ | 25.0 | 40.0 | 50.0 |
| Suspended Solids | 30.0 | 45.0 | 60.0 |
| Total Residual Cl ₂ | 0.5 | | 1.6 |
| Fecal Coliforms (5-1 to 9-30) | 200/100 ml as a geometric average | | |
| (10-1 to 4-30) | 2,000/100 ml as a geometric average | | |
| pH | 6.0—9.0 at all times | | |

The EPA waiver is in effect.

PA 0114880. Sewage, SIC: 4952, **Church of Jesus Christ of the Latter Day Saints**, R. R. 1, Box 121, Springville, PA 18844.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of west branch Briar Creek in North Centre Township, **Columbia County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Water Authority located at Danville.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0009 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|----------------------------------|--------------------------------------|----------------------------------|---|
| CBOD ₅ | 25 | | 50 |
| TSS | 30 | | 60 |
| Ammonia-N | 15 | | 30 |
| Total Residual Cl ₂ | monitor and report | | |
| Fecal Coliforms (5-1 to 9-30) | 200 col/100 ml as a geometric mean | | |
| (10-1 to 4-30) | 2,000 col/100 ml as a geometric mean | | |
| pH | 6.0—9.0 at all times | | |

The EPA waiver is in effect.

PA 0030601. Sewerage, SIC: 4952, **Clearfield Area School District**, P. O. Box 710, Clearfield, PA 16830.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of west branch Susquehanna River in Goshen Township, **Clearfield County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0018 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|----------------------------------|--------------------------------------|----------------------------------|---|
| CBOD ₅ | 25 | | 50 |
| TSS | 30 | | 60 |
| Ammonia-N (5-1 to 10-31) | 20 | | |
| Total Residual Cl ₂ | monitor and report | | |
| Fecal Coliforms (5-1 to 9-30) | 200 col/100 ml as a geometric mean | | |
| (10-1 to 4-30) | 2,000 col/100 ml as a geometric mean | | |
| pH | 6.0—9.0 at all times | | |

The EPA waiver is in effect.

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Northeast Regional Office: Regional Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Southwest Regional Office: Regional Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Southcentral Regional Office: Regional Water Management Program Manager; One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

Allegheny County Conservation District, District Manager, 875 Greentree Rd., Rm. 208, Acacia Bldg., Pittsburgh, PA 15220, telephone (412) 921-1999.

NPDES Permit PAS10A087. Stormwater. **Hickory Heights Land Company**, 1 River Front Center, Pittsburgh, PA 15222 has applied to discharge stormwater from a construction activity located in South Fayette Township, **Allegheny County**, to Coal Run.

NPDES Permit PAS10A052-1. Stormwater. **Metro Property**, 300 Park Manor Drive, Pittsburgh, PA 15205 has applied to discharge stormwater from a construction activity located in North Fayette Township, **Allegheny County**, to UNT to Montour Run.

Chester County Conservation District, District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.

NPDES Permit PAS10G212. Stormwater. **West Vincent Township**, P. O. Box 163, Birchrunville, PA 19421 has applied to discharge stormwater from a construction activity located in West Vincent Township, **Chester County**, to UNT to Pickering Creek.

NPDES Permit PAS10G213. Stormwater. **Downingtown Area School District**, 122 Wallace Avenue, Downingtown, PA 19335 has applied to discharge stormwater from a construction activity located in Uwchlan Township, **Chester County**, to Shamona Creek.

Cumberland County Conservation District, District Manager, 43 Brookwood Ave., Ste. 4, Carlisle, PA 17013, telephone (717) 249-8632.

NPDES Permit PAS10H060. Stormwater. **Al-Don Properties**, P. O. Box 688, Hanover, PA 17331 has applied to discharge stormwater from a construction activity located in Lemoyne Borough, **Cumberland County**, to the Susquehanna River.

Lebanon County Conservation District, District Manager, 2120 Cornwall Rd., Ste. 5, Lebanon, PA 17042, telephone (717) 272-3377.

NPDES Permit PAS10P024. Stormwater. **Walter Weber and Sons Inc.**, R. D. 4, Lebanon, PA 17042 has applied to discharge stormwater from a construction activity located in South Annville Township, **Lebanon County**, to Gingrich Run to the Little Conewago.

Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, telephone (610) 820-3398.

NPDES Permit PAS10Q116. Stormwater. **Jaindl Land Company**, 3150 Coffeetown Road, Orefield, PA 18069 has applied to discharge stormwater from a construction activity located in Lower Macungie Township, **Lehigh County**, to Little Lehigh Creek.

Northampton County Conservation District, District Manager, R. R. 4, Nazareth, PA 18064, telephone (610) 746-1971.

NPDES Permit PAS10U056. Stormwater. **Filmtech Corporation**, P. O. Box 2005, Easton, PA 18044 has applied to discharge stormwater from a construction activity located in Forks Township, **Northampton County**, to Bushkill Creek.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of

Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 0271473. Amendment No. 1. Sewerage. **Plum Borough Municipal Authority**, 4555 New Texas Road, Pittsburgh, PA 15239-1197. Application for the construction and operation of approximately 5,600 L. F. of new sanitary sewer system to replace/eliminate the existing Woodlawn Wastewater Treatment Plant located in Plum Borough, **Allegheny County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 4396404. Sewage, **Lakeview Area Industrial Corporation, c/o Penn Northwest Development Corporation**, 147 North Diamond Street, Mercer, PA 16137-1280 is for the construction of a pump station and gravity sewer lines to serve Jackson Commerce Park in Jackson Township, **Mercer County**.

WQM Permit No. 2596404. Sewage, **Lake City Sewer Authority**, 1150 Maple Avenue, Lake City, PA 16423 is for the construction of sludge drying beds in Lake City, **Erie County**.

WQM Permit No. 6296404. Sewage, **Frederick and Suanne Beardsley, SRSTP**, 889 Hatch Run Rd., Warren, PA 16365. This project is for the construction of a single residence sewage treatment plant in Glade Township, **Warren County**.

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.

A. 3496503. Public water supply. **Richfield Area Joint Authority**, Monroe Township, **Juniata County**.

(Alvin Graybill, P. O. Box 215, Richfield, PA 17086), the construction of a chemical feed system to control corrosion by the addition of soda ash and Aqua Mag, (Raymond H. Robbins, P. E., Buchart-Horn, Inc., 150 Buffalo Road, Suite #209, Lewisburg, PA 17837-1151).

A. 4496501. Public water supply. **Borough of Lewistown Municipal Authority**, Armagh Township, **Mifflin County**, (W. Harris Layton, Borough of Lewistown Municipal Authority, 70 Chestnut Street, P. O. Box 68, Lewistown, PA 17044-0068), upgrade PWS filtration plant from 4 to 6 million gallon per day capacity utilizing direct filtration with ozonation. Construction of new distribution storage tanks, transmission lines and development of wells for alternate supply source, (Mark V. Glenn, P. E., Gwin, Dobson and Foreman, Inc., P. O. Box 1589, Altoona, PA 16603-1589).

A. 6796503. Public water supply. **Glen Rock Water Authority**, Shrewsbury Township, **York County**, (W. Roy Klauber, Glen Rock Water Authority, P. O. Box 116, Glen Rock, PA 17327), seeks a permit to construct an interconnection with the York Water Company and a chlorine booster station, (William A. LaDieu, CET Engineering Services, 1240 North Mountain Road, Harrisburg, PA 17112).

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

A. 2596501. Public water supply. **Lake City Borough**, (Copes Vulcan Well No. 2), 2350 Main Street, Lake City, PA 16423). This proposal involves the construction of a new 341,000 gallon storage tank, 42' in diameter and 33' high. Construction of a new pump house measuring 24' x 40', distribution piping and new water supply well.

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

6687502. Public water supply. **Village of Mountain Heights, c/o Patrick Breslin**, Century Enterprises, Box 502, Montgomery, PA 18936. This proposal involves the permitting of an existing system consisting of a well, distribution system and storage tank. Disinfection by chlorination will be installed. It is located in Overfield Township, **Wyoming County**.

1396501. Public water supply. **Four Seasons Village, c/o Edward J. Gaydos**, 250 Gerald Avenue, Orwigsburg, PA 17961). This project provides for the construction of an existing unpermitted public water supply system consisting of two wells serving the Four Seasons Village which includes four apartment buildings. Treatment consists of phosphate addition, soda ash feed and sodium hypochlorite disinfection. It is located in Mahoning Township, **Carbon County**.

4896501. Public water supply. **East Bangor Municipal Authority, c/o Art Weaver, Chair**, East Bangor Municipal Authority, P. O. Box 539, East Bangor, PA 18013. This proposal involves the construction of a water storage tank, pump house for fire protection and a booster pumping station. It is located in East Bangor Borough, **Northampton County**.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 3096503. **Lemley Trailer Court, c/o Donald E. Shriver**, Mt. Morris Star Route, Waynesburg, PA 15370. Existing system located in **Greene County**.

Acknowledgment of Notices of Intent to Remediate

Acknowledgment of Notices of Intent to Remediate submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act (35 P. S. § 6026.101 et seq.).

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified below, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period, a municipality may request that the person identified below, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4592.

Crompton & Knowles Colors, Inc., Robeson Township, **Berks County**. Crompton & Knowles, Incorporated, P. O. Box 341, Reading, PA 19603 has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with heavy metals and solvents. The applicant proposes to remediate the site to meet the site-specific standards. A summary of the Notice of Intent to Remediate

ate was reported to have been published in the *Reading Eagle* and the *Reading Times* on April 29, 1996.

Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1–6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Longview of Mercer County, Inc., 432 Stokes Avenue, Trenton, NJ 08638; License No. **PA-HC 0147**; application received May 10, 1996.

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 101176. Deep Valley Coal & Disposal, Inc., R. D. 2, Box 282A, Pleasant Valley Road, Irwin, PA 15642. Deep Valley Landfill, Intersection of State Routes 22/30 and 60. Application for a major permit modification to modify the geosynthetic cap system to be a soil cap system, end use alternatives on the closed landfill area, modify the landfill's perimeter berm detail and reduce existing permit boundary in North Fayette Township, **Allegheny County**. Application was received in the Regional Office on June 3, 1996.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

A. 101247. Keystone Sanitary Landfill, Inc., P. O. Box 249, Dunmore, PA 18512. A Major Permit Modification for Phase II Site Development for this Municipal Waste Landfill, located in Dunmore and Throop Boroughs, **Lackawanna County**. This site development consists of a 186 acre double lined municipal solid waste disposal sanitary landfill, primary and secondary liners of 60 mil and 40 mil in thickness, eight additional groundwater monitoring wells, primary and secondary containment tankage with sufficient capacity to store the maximum 30 day volume of treated wastewater, no increase in truck traffic to the landfill—average daily volume of municipal waste remains the same as in the Phase I Site Development (3,500 tons per day) and a gas management program in compliance with the Federal Clean Air Act and Title 25, Subpart C, Article III, Air Resources. This application was received on May 29, 1996, and was determined to be complete in the Regional Office on May 30, 1996.

A. 100265. Grand Central Sanitary Landfill, Inc., 1963 Pen Argyl Road, Pen Argyl, PA 18072. A Major Permit Modification for an increase in average and maximum daily volume and an expansion referred to as

“Lateral Expansion Area” of this Municipal Waste Landfill, located in Plainfield Township, **Northampton County**. This application was received on April 16, 1996, and was determined to be complete in the Regional Office on April 25, 1996.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **23-307-002**

Source: 20 inch Experimental Paper Machine—Dryer Hood Burners

Company: **Kimberly-Clark Tissue**

Location: City of Chester

County: **Delaware**

Permit: **09-301-123**

Source: Incinerator

Company: **Columbia Lighting, Inc.**

Location: Bristol

County: **Bucks**

Permit: **46-301-249A**

Source: Type I Waste Incinerator

Company: **Vesper Corporation/Penco Products Div.**

Location: Upper Providence

County: **Montgomery**

Applications received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

19-302-029. Construction of a natural gas fired boiler by **Foam Fabricators, Inc.** (7050 New Berwick Highway, Route 11, Bloomsburg, PA 17815) for the construction of a natural gas fired boiler in South Centre Township, **Columbia County**. This boiler is subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001–4015).

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

17-399-016A. The Department intends to issue an operating permit to **HPM Industries, Inc.** (P. O. Box P, DuBois, PA 15801) for the operation of a powdered metal parts sintering furnace (No. 7) and associated air cleaning device (an in-stack afterburner) in the City of DuBois, **Clearfield County**.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department intends to issue an Air Quality Operating Permit for the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-313-008B**

Source: Resin Handling Sys w/3 Baghouses

Company: **Tarkett, Incorporated**

Location: Whitehall Township

County: **Lehigh**

Permit: **48-315-002B**

Source: Paper Trim System w/Cyclone

Company: **James River Paper Company Inc.**

Location: Forks Township

County: **Northampton**

Permit: **48-320-006B**

Source: 4 Presses (VOC Synthetic Minor)

Company: **James River Paper Company Inc.**

Location: Forks Township

County: **Northampton**

Permit: **54-318-008A**

Source: 2 Autospray Booths w/Panel Filter

Company: **Air Products & Chemical Company**

Location: Rush Township

County: **Schuylkill**

66-0001. The Department intends to reissue a RACT air quality operating permit to **The Procter & Gamble Paper Products Company** (P. O. Box 32, Mehoopany, PA 18629) in Washington Township, **Wyoming County** to include the turbine with steam injection, an auxiliary boiler with a low NOx burner, boilers no. 2 and no. 4 with annual adjustment or tuneup, the 4M paper machine with low NOx burners and pulp plant vents (digester, general process, sulfur recovery scrubber, and brown stock washer).

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources.

Regional Office: Northwest Regional Office, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

25-304-036. The Department intends to issue an air quality operating permit to **Zurn Industries—Bay City Forge** (P. O. Box 13801, Erie, PA 16514) for the operation of three natural gas fired furnaces at Erie, **Erie County**.

10-313-046. The Department intends to issue an air quality operating permit to **Mine Safety Appliances Company, Callery Chemical Company** (P. O. Box 429, Pittsburgh, PA 15230) for the operation of a scrubber/flare emission abatement system at 1420 Mars Evans City Road, Forward Township, **Butler County**.

The Department intends to issue an air quality operating permit to **Mallinckrodt Chemical, Inc.** (1707 Gaskell Avenue, Erie, PA 16503) for the operation of the following at Erie, **Erie County**.

25-313-054. Dust Collector on East Blender Loader.

25-313-055. Dust Collector on West Blender Loader.

37-318-014C. The Department intends to issue an air quality operating permit to **Emess Lighting, Inc.** (One Early Street, Ellwood City, PA 16117) for the operation of surface coating lines at Ellwood City, **Lawrence County**.

10-318-018. The Department intends to issue an air quality operating permit to **Roessing Bronze Company** (P. O. Box 816, Mars, PA 16046) for the operation of two

additional electric induction bronze melting furnaces in Adams Township, **Butler County**.

10-318-020. The Department intends to issue an air quality operating permit to **Spang & Company** (100 Brugh Avenue, P. O. Box 751, Butler, PA 16003) for the operation of a surface coating operation at East Butler Boro, **Butler County**.

37-345-009. The Department intends to issue an air quality operating permit to **International Metals Reclamation Company** (P. O. Box 720, Ellwood City, PA 16117-0720) for the operation of a thermal oxidizer furnace in Ellwood City, **Lawrence County**.

16-399-007. The Department intends to issue an air quality operating permit to **County Landfill, Inc.** (P. O. Box 237, Route 36, Leeper, PA 16233) for the operation of a methane flare-off system in Farmington Township, **Clarion County**.

10-399-015. The Department intends to issue an air quality operating permit to **RECMIX of Pennsylvania, Inc.** (586 Plum Run Rd., Canonsburg, PA 15317) for the operation of a stainless steel recovery facility in Winfield Township, **Butler County**.

37-399-010. The Department intends to issue an air quality operating permit to **LaFarge Corporation** (6715 Tippecanoe Road, Canfield, OH 44406) for the construction of a slag processing plant in Pulaski, **Lawrence County**.

Plan approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

An application for Plan Approval has been received by this office for the construction, modification or reactivation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **54-322-001A**

Source: 2 Landfill Gas Ground Flares

Received: May 21, 1996

Company: **Pine Grove Landfill, Inc.**

Location: Pine Grove Township

County: **Schuylkill**

Permit: **54-322-002**

Source: Landfill Expansion w/2 Flares

Received: May 21, 1996

Company: **Pine Grove Landfill, Inc.**

Location: Pine Grove Township

County: **Schuylkill**

Permit: **35-304-002**

Source: Electric Induction Furnace (Iron)

Received: May 28, 1996

Company: **Miles Foundry Company**

Location: Clarks Summit Borough

County: **Lackawanna**

Permit: **35-322-003A**

Source: Landfill Gas Flare

Received: May 16, 1996

Company: **Empire Sanitary Landfill, Inc.**

Location: Taylor Borough

County: **Lackawanna**

Permit: **40-302-125G**
 Source: Gas/#2 Oil Fired Boiler
 Received: May 21, 1996
 Company: **The Lion Incorporated**
 Location: City of Wilkes-Barre
 County: **Luzerne**

Permit: **40-309-035**
 Source: Ceramic Extrusion w/Afterburners
 Received: May 16, 1996
 Company: **Certech Incorporated**
 Location: Hanover Township
 County: **Luzerne**

Permit: **48-319-007**
 Source: Scrap Grind/Mix System w/Baghouse
 Received: May 30, 1996
 Company: **G A F Premium Products, Inc.**
 Location: Wind Gap Borough
 County: **Northampton**

Permit: **54-302-053A**
 Source: Boiler/Natural Gas & #2 Oil Fired
 Received: May 22, 1996
 Company: **PA Dept. of Correction**
 Location: Ryan Township
 County: **Schuylkill**

Notice of Plan Approval Application Minor Source

The following stationary sources have filed a request for a plan approval with the Department of Environmental Protection (DEP), Bureau of Air Quality. Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protests or comments to the Regional Office at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval application by filing a request with the Regional Office stating the reason for the request.

The Department will evaluate and consider all protests and comments received. The Department will, where appropriate, modify the proposed plan approval based on the protests and comments received.

The final plan approval will contain terms and conditions to ensure that the source is constructed and operated in compliance with the Department's regulations contained in 25 Pa. Code Chapters 121 through 143 and the requirements of the Federal Clean Air Act. A notice of the Department's final decision on the proposed plan approval will be published in the *Pennsylvania Bulletin*. Air contaminants emitted from these sources are less than the amounts that would trigger major new source review requirements. For additional information on the following applications, contact Devendra Verma, Engineering Services Chief, (814) 332-6940.

Northwest Regional Office: Bureau of Air Quality Control, 230 Chestnut Street, Meadville, PA 16335.

16-318-006. The Department received a plan approval application for operation of two existing paint spray

booths (coating 18,720 detachable trailer bodies/year) by **Pennstyle Campers, Inc.** (Route 66, Leeper, PA 16233) in Farmington Township, **Clarion County**.

25-301-064A. The Department received a plan approval application for installation of two wet electrostatic precipitators/venturi scrubber systems to existing sewage sludge incinerators (13,200 metric dry tons/year) by **Erie Sewer Authority** (c/o Knox, McLaughlin, Gornall & Sennett, P. C., 120 West 10th Street, Erie, PA 16501) in Erie, **Erie County**. This facility is governed by 40 CFR Part 503, Subpart E.

43-302-019. The Department received a plan approval application for construction of a wood fired boiler (23.9 MMBTU/hr) with multiclones by **International Timber & Veneer, L. C.** (c/o PA NW Development Corp., 147 N. Diamond St., Mercer, PA 16137) at the Jackson Commerce Park, Jackson Township, **Mercer County**. This source is subject to Federal New Source Performance Standard 40 CFR Part 60, Subpart Dc.

Reasonably Available Control Technology; Public Hearings

The Department of Environmental Protection will conduct a public hearing on Thursday, August 1, 1996, beginning at 1 p.m. in the main floor conference room at the Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335.

The hearing is for DEP to accept testimony concerning the Department's decision to approve, with conditions, Reasonably Available Control Technology (RACT) plans by:

Urick Foundry, 1501 Cherry Street, Erie, Erie County

EMI Company, 603 West 12th Street, Erie, Erie County

to meet the requirements under 25 Pa. Code §§ 129.91—129.95 (RACT), concerning the emissions of oxides of volatile organic compounds (VOC) from various air contamination sources. The final RACT proposals will be submitted to the U. S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan. All of these facilities are located in Erie County.

The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

The preliminary RACT determinations, if finally approved, will be incorporated into Plan Approvals and/or operating permits for the facilities and will be submitted to the U. S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The following is a summary of the preliminary VOC RACT determinations for the above listed facilities (major sources only):

Urick Foundry, 1501 Cherry Street, Erie

| <i>Source</i> | <i>VOC RACT Limit</i> | <i>Implementation Date</i> |
|------------------------------------|----------------------------------|----------------------------|
| Pouring/Casting | 0.14 lb/ton of metal poured | upon permit issuance |
| Inoculation | 0.005 lb/ton of metal inoculated | upon permit issuance |
| 52" Hot Blast Cupola w/afterburner | 0.0018 lb/ton of metal charged | upon permit issuance |

| <i>Source</i> | <i>VOC RACT Limit</i> | <i>Implementation Date</i> |
|---------------------------|---------------------------------|----------------------------|
| Didion Shakeout | 1.2 lbs/ton of castings | upon permit issuance |
| Rotary Shakeout | 1.2 lbs/ton of castings | upon permit issuance |
| Corewash/Drying Oven | 26.85 lbs/ton of core sand used | upon permit issuance |
| Warm Box Core | 5.53 lbs/ton of core sand used | upon permit issuance |
| Calcium Carbide Treatment | 7.41 lbs/hour | upon permit issuance |

EMI Company, 603 West 12th Street, Erie

| <i>Source</i> | <i>VOC RACT Limit</i> | <i>Implementation Date</i> |
|----------------------------|----------------------------------|----------------------------|
| In Liner Casting Line: | | |
| Rotopour/Pouring | 0.14 lb/ton of metal poured | upon permit issuance |
| Inoculation | 0.005 lb/ton of metal inoculated | upon permit issuance |
| Casting Punchout/Shakeout | 1.2 lbs/ton of metal poured | upon permit issuance |
| AISCO Rotary Shakeout | 1.2 lbs/ton of metal poured | upon permit issuance |
| B & P Casting Line Pouring | 0.14 lb/ton of metal poured | upon permit issuance |
| Inoculation | 0.005 lb/ton of metal inoculated | upon permit issuance |
| Shakeout | 1.2 lbs/ton of metal poured | upon permit issuance |
| Cold Core Making | 7.97 lbs/hour | upon permit issuance |

For the above facilities, a public hearing will be held for the purpose of receiving comments on the above proposed Plan Approvals and/or Operating Permits and the proposed SIP revisions. The public hearing is scheduled as follows:

Thursday, August 1, 1996
1 to 3 p.m.
Department of Environmental Protection
230 Chestnut Street
Meadville, PA 16335

Persons wishing to present testimony at the hearing should contact Steve Curcio, Community Relations Coordinator, DEP, 230 Chestnut Street, Meadville, PA 16335-3494, (814) 332-6945 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes and two written copies of the oral testimony are required. Each organization is requested to designate one witness to present testimony in its own behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by contacting Steve Curcio, Community Relations Coordinator, (814) 332-6945 or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to Bob Huston at (814) 332-6940:

Air Pollution Control Engineer, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494. Comments should be submitted within 30 days of the date of this publication notice.

All the pertinent documents (applications, review memos and draft approvals) are also available for review from 8 a.m. to 4 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP contact person noted previously.

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment ap-

proval, and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

DEP Central Office: Bureau of Dams, Waterways and Wetlands, 400 Market Street, Floor 6, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.

D23-053A. Dam. Borough of Ridley Park, Ward and Cresswell Streets, Ridley Park, PA 19078. To modify, operate and maintain a dam across Little Crum Creek in Ridley Park Borough, **Delaware County**.

D67-528. Dam. Modern Trash Removal of York, Inc., R. D. 9, Box 317, York, PA 17402. To construct, operate and maintain the sedimentation Pond G Dam as part of the Northwest Expansion of Modern Landfill.

Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, telephone (717) 327-3574.

E17-304. Water obstruction and encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552. Remove existing structure and to construct and maintain a single span timber bridge with a clear span of 40.0 feet and average underclearance of 5.32 feet over Laurel Run and Tyler Road approximately 1/4 mile from the intersection with Mud Run Road (Penfield, PA Quadrangle N: 15.8 inches; W: 0.3 inch) in Huston Township, **Clearfield County**. Stream classification is CWF/High Quality; proposed impact is less than 250.0 linear feet.

E18-215. Water obstruction and encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552. Remove the existing structure and to construct and maintain a single span prestressed concrete spread box beam bridge that will carry County Line Road across Baldwin Branch of Young Womans Creek. It shall be constructed with a clear span of 30.0 feet, an underclearance of 7.0 feet and a curb to curb width of 18.0 feet. The project is located at the northern right-of-way of Benson Road approximately 250.0 feet north of the intersection of County Line Road and Benson Road (Slate Run, PA Quadrangle N: 17.0 inches; W: 16.8 inches) in Chapman Township, **Clinton County**. Stream impact approximately 60.0 linear feet with no wetland impact; stream classification high quality-cold water fishery.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-745. Encroachment. **Pine Run/Seeds, Inc.**, 307 Horsham Road, Horsham, PA 19044. To remove all of the existing buildings, and to construct and maintain approximately a 533 linear foot retaining wall and a 12,000 square foot office building, parking and stormwater management facilities in and along the 100-year floodway and floodway fringe of the Pennypack Creek. The site is located at the corner of Horsham Road and Dreshertown Road (Ambler, PA Quadrangle N: 10.0 inches; W: 1.25 inches) in Horsham Township, **Montgomery County**.

E45-298. Encroachment. **David Metzgar**, R. R. 1, Box 405, Lower Swiftwater Road, Cresco, PA 18326. To construct and maintain a private steel-beam bridge having a single span of approximately 48 feet and an underclearance of 10.0 feet across Swiftwater Creek (HQ-CWF) to provide access to a single family dwelling. The project is located on the southern side of S. R. 314, approximately 0.5 mile southeast of its intersection with T588 (Mount Pocono, PA Quadrangle N: 16.9 inches; W: 6.6 inches) in Paradise Township, **Monroe County** (Philadelphia District, Army Corps of Engineers).

E45-299. Encroachment. **Pleasant Valley Manor**, Monroe County, Housing Authority, 4227 Manor Drive, Stroudsburg, PA 18360. To construct and maintain an approximate 0.73 acre bituminous pavement parking lot addition within the 100-year floodplain of McMichael Creek (HQ-CWF). The project is associated with the expansion of Monroe County Housing Authority's existing Pleasant Valley Manor Nursing Home, located approximately 500 feet northeast of the intersection of S. R. 2010 (Manor Drive) and T235 (Saylorburg, PA Quadrangle N: 13.3 inches; W: 5.2 inches) in Hamilton Township, **Monroe County** (Philadelphia District Army Corps of Engineers).

E48-235. Encroachment. **Fish and Boat Commission**, 450 Robinson Lane, Bellefonte, PA 16823. To construct and maintain a public fishing and boating access facility along the left bank and within the 100-year

floodplain of the Lehigh River (WWF) with work consisting of the placement of the following: 1) a 20-foot wide concrete boat launching ramp and bituminous access road; 2) a 10-foot × 40-foot concrete fishing pier; 3) a 48-inch C.M.P. outfall structure and 4) 5-foot wide concrete walkways. This project is situated along the northern riverbank and is associated with the proposed extension of S. R. 33 to S. R. 78 (Nazareth, PA Quadrangle N: 3.7 inches; W: 3.0 inches) in Bethlehem Township, **Northampton County** (Philadelphia District, Army Corps of Engineers).

ACTIONS

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA0002062. Amendment No. 1. Industrial waste, **Pennsylvania Electric Company**, 1001 Broad Street, Johnstown, PA 15907 is authorized to discharge from a facility located at Keystone Generating Station, Plumcreek Township, **Armstrong County**.

NPDES Permit No. PA0096474. Industrial waste, **Buckeye Pipe Line Co.**, 520 Narrows Run Road, Coraopolis, PA 15108 is authorized to discharge from a facility located at the Coraopolis Station, Coraopolis Borough, **Allegheny County** to Ohio River.

NPDES Permit No. PA0095681. Sewage, **Casciola Homes, Inc.**, 101 Dacor Drive, McDonald, PA 15057 is authorized to discharge from a facility located at Casciola Homes Sewage Treatment Plant, Cecil Township, **Washington County** to Millers Run.

NPDES Permit No. PA0096636. Sewage, **Somerset Township Municipal Authority**, P. O. Box 247, Somerset, PA 15501 is authorized to discharge from a facility located at Siemons Lakeview Manor Estate Nursing Home STP, Somerset Township, **Somerset County** to east branch Coxes Creek.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA 0100986. Industrial waste. **PHB Machining Division**, 8150 West Ridge Road, Fairview, PA 16415 is authorized to discharge from a facility located in Fairview Township, **Erie County** to an unnamed tributary to Trout Run.

NPDES Permit No. PAS 238301. Industrial waste. **Mooney Chemicals, Inc.**, Two Mile Run Road, Franklin, PA 16323 is authorized to discharge from a facility located in Sugar Creek Borough, **Venango County** to Race Run (Outfalls S01 and S06) and Two Mile Run (Outfall S07).

NPDES Permit No. PA 0037931. Sewage. **Municipal Authority of the Township of Cambridge**, R. D. 1, Box 53F, Cambridge Springs, PA 16403 is authorized to discharge from a facility located in Cambridge Township, **Crawford County** to an unnamed tributary to French Creek.

NPDES Permit No. PA 0003026. Industrial waste. **US Bronze Foundry and Machine, Inc.**, R. D. 3, Brake Shoe Road, Meadville, PA 16335 is authorized to discharge from a facility located in Woodcock Township, **Crawford County** to French Creek (Outfall 002 and 005) and an unnamed tributary to French Creek (Outfall 003 and 004).

NPDES Permit No. PA 0103896. Industrial waste. **County Landfill, Inc.**, P. O. Box 237, Leeper, PA 16233 is authorized to discharge from a facility located in Farmington Township, **Clarion County** to an unnamed tributary to Walley Run.

NPDES Permit No. PA 0031461. Sewage. **Thomas Mobile Home Park**, Trask Road, P. O. Box 84, Waterford, PA 16441 is authorized to discharge from a facility located in Waterford Township, **Erie County** to an unnamed tributary to Trout Run.

NPDES Permit No. PA 0034924. Sewage. **Paint-Elk Joint Sewer Authority**, R. D. 2, Box 508, Shippenville, PA 16254 is authorized to discharge from a facility located in Paint and Elk Townships, **Clarion County** to Piney Creek.

NPDES Permit No. PA0209783. Sewage, **Jerry Novosel**, 41 Gearhart Rd., Pulaski, PA 16143 is authorized to discharge from a facility located in Shenango Township, **Mercer County** to an unnamed tributary to Buchanan Run.

NPDES Permit No. PA0222046. Sewage, **Roger B. Conklin and Marcia J. McCormack**, 2398 West Washington St., Bradford, PA 16701 is authorized to discharge from a facility located in Corydon Township, **McKean County** to an unnamed tributary to Willow Creek.

NPDES Permit No. PA 0222011. Industrial waste. **Big Sandy Oil Company**, P. O. Box 269, Franklin, PA 16323 is authorized to discharge from a proposed treatment facility in Cranberry Township, **Venango County**, to the Allegheny River.

Northcentral Regional Office: Regional Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, telephone (717) 327-3664.

Permit No. NPDES PA0112607. Sewerage. **Pepper Hills, Ltd.**, P. O. Box 139, Danville, PA 17821. Has been approved for renewal to discharge from facility located in Cooper Township, **Montour County**, to receiving waters named Sechler Run.

Permit No. NPDES PAG 044876. Sewerage. **Dale Brion**, R. R. 5, Box 11A, Williamsport, PA 17701. Has been approved to discharge from facility located in Old Lycoming Township, **Lycoming County**, to unnamed tributary to Bottle Run.

NOI Received and Final Actions Under NPDES General Permits

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

Coverage under the General Permits issued under the National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters to waters of the Commonwealth.

| <i>NPDES No.</i> | <i>Applicable GP No.</i> | <i>Facility Name and Address</i> | <i>Facility Location</i> | <i>Stream Name</i> |
|------------------|--------------------------|--|------------------------------|--|
| PAG048377 | PAG-4 | Mary M. Imler R. D. 3, Box 244A Volant, PA 16156 | Lawrence Hickory Township | Unnamed tributary to Neshannock Creek |
| PAG048376 | PAG-4 | Todd E. Betts 18 Ludlow St. Warren, PA 16365 | Warren Glade Township | Unnamed tributary of Hatch Run |

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

| <i>NPDES Permit No.</i> | <i>Applicant Name and Address</i> | <i>County and Municipality</i> | <i>Receiving Stream</i> |
|-------------------------|---|---|--|
| PAS10-T052 | C&M Home Builders Inc. 2421 Bristol Road Warrington, PA 18976 | Horsham Township Montgomery County | Park Creek |
| PAS10-T064 | The Nolen Group 6 East Germantown Pike Plymouth Meeting, PA 19462 | Lower Salford Township Montgomery County | Indian Creek |
| PAS10-D061 | Tower Investments, Inc. 1 Reed Street Philadelphia, PA 19147 | Warminster Township Bucks County | Unnamed tributary to Little Neshaminy Creek |

| <i>NPDES Permit No.</i> | <i>Applicant Name and Address</i> | <i>County and Municipality</i> | <i>Receiving Stream</i> |
|-------------------------|--|---|---|
| PAS10-D067 | Hager Development, Inc. P. O. Box 26767 Elkins Park, PA 19117 | Tinicum Township Bucks County | Pennsylvania Canal |
| PAS10-G184 | Megill Development Co. 1308 South Concord Rd. West Chester, PA 19380 | East Nottingham and Lower Oxford Townships Chester County | Tributary to East Branch Big Elk Creek |
| PAS10-G198 | University of Pennsylvania— New Bolton Center 382 West Street Road Kennett Square, PA 19348 | East Marlborough Township Chester County | Red Clay and White Clay Creeks |
| PAS10-J028 | Gilman Development Co. 510 Philadelphia Pike Wilmington, DE 19809 | Concord Township Delaware County | Chester Creek |

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

| <i>NPDES Permit No.</i> | <i>Applicant Name and Address</i> | <i>County and Municipality</i> | <i>Receiving Stream</i> |
|-------------------------|--|---|-----------------------------|
| PAS10S040 | Transcontinental Gas Pipe Line Corp. P. O. Box 1396 Houston, TX 77251-1396 | Monroe Co. Chestnuthill and Tunkhannock Twps. | Poplar Creek and Mud Run |

The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

| <i>NPDES Permit No.</i> | <i>Applicant Name and Address</i> | <i>County and Municipality</i> | <i>Receiving Stream</i> |
|-------------------------|---|---------------------------------|--------------------------------------|
| PAS10E050 | H. J. Schneider Construction, Inc. 2080 Ehrman Road Cranberry Township, PA 16066-2204 | Cranberry Twp. Butler County | Brush and Connoquenessing Creeks |
| PAS10K004-01 | Maleno Developers, Inc. 2236 West 38th St. Erie, PA 16506 | Millcreek Twp. Erie County | Unnamed tributary of Walnut Creek |

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the

Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 0282442. Amendment No. 3. Sewerage. **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237. Construction of sanitary sewer modifications located in McCandless Township, **Allegheny County** to serve the McKnight Road Sewer Line.

Permit No. 1196402. Sewerage. **Lowe's Company, Incorporated**, P. O. Box 1111, Wilkesboro, NC 28656. Construction of pump station and forcemain located in the City of Johnstown, **Cambria County** to serve the Lowe's Home Center.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 4296401. Sewerage, **Roger B. Conklin and Marcia J. McCormack**, SRSTP, 2398

West Washington St., Bradford, PA 16701. Construction of Roger B. Conklin and Marcia J. McCormack SRSTP located in Corydon Township, **McKean County**.

WQM Permit No. 3796403. Sewerage, **Mary M. Imler**, SRSTP, R. D. 3, Box 244A, Volant, PA 16156. Construction of Mary M. Imler SRSTP located in Hickory Township, **Lawrence County**.

WQM Permit No. 6296403. Sewerage, **Todd E. Betts**, SRSTP, 18 Ludlow St., Warren, PA 16365. Construction of Todd E. Betts SRSTP located in Glade Township, **Warren County**.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

Permit No. WQM-4196404. Sewerage, **Dale Brion**, R. R. 5, Box 11A, Williamsport, PA 17701. Has been authorized to discharge from facilities located in Old Lycoming Township, **Lycoming County**.

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Location: Jackson and East Taylor Townships, **Cambria County**, Jackson/East Taylor Sewer Authority, R. D. 6, Box 184, Johnstown, PA 15909.

The Jackson and East Taylor Township approved 537 revision provides for the abandonment of package treatment facilities and the abatement of onlot problems in the primarily residential areas along Route 271 north of Johnstown and south of Route 22. The project includes the construction of sewers, pump stations and force mains. Treatment is to be provided at the Dornick Point (Johnstown) Sewage Treatment Plant. Facilities are to be constructed and operated by the Jackson/East Taylor Sewer Authority (Authority).

The Authority proposes to use Pennsylvania's State Revolving Fund administered by the Pennsylvania Infrastructure Investment Authority (PENNVEST) for the construction of these sewerage facilities. The Department's review of the Sewage Facilities Update Revision has not identified any significant environmental impact resulting from this proposal.

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Permit No. 0996504. Public water supply, **Lower Bucks County Joint Municipal Authority**, August A. Baur, 7811 New Falls Road, Levittown, PA 19057. This proposal involves the construction of a 4.0 mg storage tank to replace an existing 2.0 mg storage tank in Bristol Township, **Bucks County**.

Type of Facility: Community water system.

Consulting Engineer: Unitect Engineers, Inc., 654 Woodbourne Road, Langhorne, PA 19047.

Permit to Construct Issued: May 28, 1996.

Permit No. 4696503. Public water supply, **North Penn Water Authority**, C. Craig Forwood, 300 Forty Foot Road, Lansdale, PA 19446. Was issued a permit for

the construction of an air stripper to remove TCE at existing well no. NP-39 in Skippack Township, **Montgomery County**.

Type of Facility: Community water system.

Consulting Engineer: North Penn Water Authority, Paul K. Harmony, P. E., 300 Forty Foot Road, Lansdale, PA 19446.

Permit to Construct Issued: May 30, 1996.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 5696501. Public water supply, **Somerset Township Municipal Authority**, P. O. Box 247, Somerset, PA 15501.

Type of Facility: Listie Water System.

Consulting Engineer: Neilan Engineers, Inc., 1065 Tayman Avenue, Somerset, PA 15501.

Permit to Construct Issued: May 30, 1996.

Permit No. 6595501. Public water supply, **Ligonier Township Supervisors**, 18 Old Lincoln Highway West, Ligonier, PA 15658-8763.

Type of Facility: Waterford well, tank and control structure and an interconnection with Ligonier Township Municipal Authority.

Permit to Operate Issued: May 31, 1996.

Permit No. 6589508. Public water supply, **Municipal Authority of Westmoreland County**, Southwest Corner of US Route 30 and South Greengate Road, Greensburg, PA 15601.

Type of Facility: Mockingbird Hill standpipe.

Permit to Operate Issued: May 31, 1996.

Permit No. 0385505-A1. Public water supply, **Cowanshannock Township Municipal Authority**, 74 Second Street, Box 127, NuMine, PA 16244.

Type of Facility: Cowanshannock Township (Village of Margaret) water supply.

Consulting Engineer: Bankson Engineers, Inc., 100 Blue Run Road, P. O. Box 200, Indianola, PA 15051.

Permit to Construct Issued: May 29, 1996.

Permit No. 0296503. Public water supply, **Pittsburgh Water & Sewer Authority**, 441 Smithfield Street, Pittsburgh, PA 15601.

Type of Facility: Lanpher Reservoir floating polypropylene membrane cover.

Permit to Construct Issued: May 29, 1996.

Permit No. 4461-T1-A1. Public water supply, **Redstone Water Company**, Crescent Heights Division, Box 110, Daisytown, PA 15427.

Type of Facility: Covering of the Crescent Heights Tank.

Permit to Operate Issued: May 28, 1996.

License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hub City Environmental, Inc., 1323 N. Main Street, Pearland, TX 77581; License No. **PA-AH 0530**; license issued June 10, 1996.

Laidlaw Environmental Services of California, Inc., P. O. Box 787, Buttonwillow, CA 93206; License No. **PA-AH 0531**; license issued June 10, 1996.

Shafer Commercial & Industrial Services, Inc., 4565 N. Levitt Road, N. W., Warren, OH 44485; License No. **PA-AH 0529**; license issued June 10, 1996.

Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

A&A Waste Oil Company, Inc., 5200 Raynor Avenue, Linthicum Heights, MD 21090; License No. **PA-AH 0085**; license issued June 6, 1996.

American Tank Transport, Inc., 6317 Macaw Ct., Elkridge, MD 21227; License No. **PA-AH 0081**; license issued June 10, 1996.

Carlucci Construction Company, Inc., 401 Meadow Street, Cheswick, PA 15024; License No. **PA-AH 0297**; license issued June 6, 1996.

Chem-Freight, Inc., 7140 Krick Road, Walton Hills, OH 44146; License No. **PA-AH 0074**; license issued June 6, 1996.

DelVecchio Transport and Materials Handling, Inc., P. O. Box 480, Dunmore, PA 18512-0480; License No. **PA-AH 0333**; license issued June 6, 1996.

Duquesne Light Company, Construction Coordination & Underground, 2601 Preble Avenue, Pittsburgh, PA 15233; License No. **PA-AH 0462**; license issued June 6, 1996.

High Voltage Transformer Services Co., Inc., 360 N. Palm Street, Brea, CA 92621; License No. **PA-AH 0463**; license issued June 6, 1996.

Kindrick Trucking Company, Inc., 2818 Roane State Highway, Harriman, TN 37748; License No. **PA-AH 0379**; license issued June 6, 1996.

Oldover Corporation, P. O. Box 228, Ashland, VA 23005; License No. **PA-AH 0125**; license issued June 6, 1996.

S&D Environmental Services, Inc., 2 Gourmet Lane, Edison, NJ 08837; License No. **PA-AH 0464**; license issued June 6, 1996.

South Jersey Pollution Control, Inc., 209 Harmony Road, Mickleton, NJ 08056; License No. **PA-AH 0145**; license issued June 6, 1996.

Superior Special Services, Inc., 1275 Mineral Springs Drive, Port Washington, WI 53074; License No. **PA-AH S197**; license issued June 6, 1996.

United Industrial Services, Division of United Oil Recovery, Inc., 136 Gracey Avenue, Meriden CT 06451; License No. **PA-AH 0378**; license issued June 6, 1996.

Amended license issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

A&A Waste Oil Company, Inc., 5200 Raynor Avenue, Linthicum Heights, MD 21090; License No. **PA-AH 0085**; amended license issued June 6, 1996.

American Tank Transport, Inc., 6317 Macaw Ct., Elkridge, MD 21227; License No. **PA-AH 0081**; amended license issued June 10, 1996.

Carlucci Construction Company, Inc., 401 Meadow Street, Cheswick, PA 15024; License No. **PA-AH 0297**; amended license issued June 6, 1996.

Chem-Freight, Inc., 7140 Krick Road, Walton Hills, OH 44146; License No. **PA-AH 0074**; amended license issued June 6, 1996.

DelVecchio Transport and Materials Handling, Inc., P. O. Box 480, Dunmore, PA 18512-0480; amended license issued June 6, 1996.

Duquesne Light Company, Construction Coordination & Underground, 2601 Preble Avenue, Pittsburgh, PA 15233; License No. **PA-AH 0462**; amended license issued June 6, 1996.

High Voltage Transformer Services Co., Inc., 360 N. Palm Street, Brea, CA 92621; License No. **PA-AH 0463**; amended license issued June 6, 1996.

Kindrick Trucking Company, Inc., 2818 Roane State Highway, Harriman, TN 37748; License No. **PA-AH 0379**; amended license issued June 6, 1996.

Oldover Corporation, P. O. Box 228, Ashland, VA 23005; License No. **PA-AH 0125**; amended license issued June 6, 1996.

Superior Special Services, Inc., 1275 Mineral Springs Drive, Port Washington, WI 53074; License No. **PA-AH S197**; amended license issued June 6, 1996.

United Industrial Services, Division of United Oil Recovery, Inc., 136 Gracey Avenue, Meriden, CT 06451; License No. **PA-AH 0378**; amended license issued June 6, 1996.

Hazardous waste transporter license voluntarily terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Emergency Technical Services Corporation of Illinois, 711 W. Morse Avenue, Schaumburg, IL 60193; License No. **PA-AH S155**; license terminated May 7, 1996.

Beneficial use approved under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.103) and regulations for municipal and residual waste.

Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.

Beneficial Use Request No. BU30032. Exide Corporation, General Battery Corporation, (654 Penn Street, Reading, PA 19601). Application from beneficial use of steel and concrete as fluxing agents in a secondary

lead smelting operation at a site in Muhlenberg Township, **Berks County**. Permit issued in the Regional Office May 2, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 301258. Ranbar Electrical Materials, Inc., Route 993, P. O. Box 607, Manor, PA 15665. Operation of a residual waste fume and liquids incinerator (formerly operated by Westinghouse Electric Corporation) in Manor Borough, **Westmoreland County**. Change of ownership permit issued in the Regional Office on May 30, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (35 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

A. 101590. Grand Central Sanitation, Inc. Transfer Facility, Grant Central Sanitation, Inc., 1963 Pen Argyl Road, Pen Argyl, PA 18072. A permit reissuance to construct and operate the unbuilt Rosencranse Transfer and Recycling Station municipal waste transfer facility, located in Berlin Township, **Wayne County**. The permit also officially changes the name of the site to the Grand Central Sanitation, Inc. Transfer Facility. The permit reissuance was approved in the Regional Office on June 5, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Solid Waste Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4588.

A. 301284. Wishard Tire, Wishard's Tire Hauling & Recycling, Inc., (9280 Heisey Road, Mercersburg, PA 17238). Application for operation of a tire processing facility in Montgomery Township, **Franklin County**. Permit issued in the Regional Office June 4, 1996.

A. 603441. Walnut Bottom Farm, Borough of Carlisle, (53 West Street, Carlisle, PA 17013). Application for operation of an agricultural utilization of sewage sludge site in Penn Township, **Cumberland County**. Permit issued in the Regional Office June 3, 1996.

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactive or operate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department has issued the following Air Quality Operating Permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **40-399-036**

Source: Insurance Manufacturing/Bag Hous
Company: **N R G Barriers West**
Location: Hazle Township
County: **Luzerne**

Permit: **45-302-053**

Source: Coal Fired Boiler/Cyclone
Company: **Pleasant Valley School District**
Location: Polk Township
County: **Monroe**

Permit: **48-313-070A**

Source: Gas System w/5 Scrubbers/1 Incin
Company: **Liquid Carbonic Specialty Gas Co.**
Location: City of Bethlehem
County: **Northampton**

Permit: **48-399-038**

Source: Polyethylene Extrusion
Company: **Filmtech Corporation**
Location: Williams Township
County: **Northampton**

Permit: **35-322-001A**

Source: Landfill Gas Extraction/Flare
Company: **Keystone Sanitary Landfill Inc.**
Location: Throop Borough
County: **Lackawanna**

Permit: **39-302-151**

Source: 3-12.5 MMBTU Boiler/#2 Fuel Oil
Company: **Dan Schantz Farm and Greenhouses**
Location: Lower Milford Township
County: **Lehigh**

Permit: **40-302-125G**

Source: Gas/#2 Oil Fired Boiler
Company: **The Lion Incorporated**
Location: City of Wilkes-Barre
County: **Luzerne**

Permit: **40-305-015**

Source: Anthracite Bank Coal Cleaning
Company: **Northampton Fuel Supply Company**
Location: Jenkins Township
County: **Luzerne**

Permit: **40-309-034**

Source: Plantwide Applicability Limit/Pal
Company: **Techneglas, Incorporated**
Location: Jenkins Township
County: **Luzerne**

Permit: **40-310-007A**

Source: Secondary Crush and Screen w/Sprays
Company: **American Asphalt & Paving Company**
Location: Jackson Township
County: **Luzerne**

Permit: **40-313-026B**

Source: Blending/Mixing Tanks
Company: **National Starch & Chemical Co.**
Location: Hazle Township
County: **Luzerne**

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 127.450 for Reasonably Available Control Technology.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality operating permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies:

Permit: **OP-09-0032**
Source: Synthetic Minor Facility (NOx & VOC Sources)
Issued: May 15, 1996
Company: **Eureka Stone Quarry, Inc.**
Location: Warrington
County: **Bucks**

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality operating permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies:

Permit: **15-312-021**
Source: 3 Vertical Above Ground Storage Tanks
Issued: May 30, 1996
Company: **Safety-Kleen Corporation**
Location: West Goshen
County: **Chester**

Permit: **46-399-095**
Source: Fabric Collector
Issued: June 3, 1996
Company: **Ortho-McNeil Pharmaceutical**
Location: Lower Gwynedd
County: **Montgomery**

Permit: **46-313-002A**
Source: 3 Scrubbers
Issued: June 4, 1996
Company: **Quaker Chemical Corporation**
Location: Whitemarsh
County: **Montgomery**

Permit: **46-329-006**
Source: Six Diesel Electric Generators
Issued: May 22, 1996
Company: **SmithKline Beecham Research**
Location: Upper Providence
County: **Montgomery**

Permit: **09-399-036**
Source: Machine Equipment
Issued: May 30, 1996
Company: **Active Brass Foundry, Inc.**
Location: Hilltown
County: **Bucks**

Permit: **46-399-099**
Source: 3 Soldering Machines
Issued: May 30, 1996
Company: **Ford Electronics & Refrigeration**
Location: Worcester
County: **Montgomery**

Permit: **46-314-037**
Source: 11 Roller Grinders
Issued: May 30, 1996
Company: **American Roller**
Location: Hatfield
County: **Montgomery**

Permit: **46-318-042**
Source: 4 Spray Paint Booths
Issued: May 30, 1996
Company: **Gasboy International, Inc.**
Location: Lansdale
County: **Montgomery**

Permit: **09-312-021**
Source: 6 Above Ground Horizontal Storage Tanks
Issued: May 30, 1996
Company: **Safety-Kleen Corporation**
Location: Falls
County: **Bucks County**

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contaminant sources or air cleaning devices.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

49-313-032F. On May 6, 1996, plan approval was issued to **Merck & Co., Inc.** (P. O. Box 600, Danville, PA 17821) for the installation of air cleaning devices (condensers) on two chemical process vessels in Riverside Borough, **Northumberland County**.

49-318-032. On May 14, 1996, plan approval was issued to **Norka Manufacturing, Inc.** (103 East Fifth Street, Building 8, Watsontown, PA 17777) for the modification of a wood furniture finishing operation (increase in allowable volatile organic compound emissions) in Watsontown Borough, **Northumberland County**.

55-318-007C. On May 14, 1996, plan approval was issued to **Wood-Mode, Inc.** (1 Second Street, Kreamer, PA 17833) for the construction of two wood kitchen cabinet finishing lines ("Berkmann line" and "Cefla line") and associated air cleaning device (an existing regenerative thermal oxidizer) in Middlecreek Township, **Snyder County**.

60-302-016A. On May 14, 1996, plan approval was issued to the **Federal Bureau of Prisons** (P. O. Box 1000, Lewisburg, PA 17837) for the construction of two natural gas/#2 oil-fired boilers at the Lewisburg Penitentiary in Kelly Township, **Union County**. These boilers are subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

8-313-026C. On May 22, 1996, plan approval was issued to **Osram Sylvania, Inc.** (Box 504, Towanda, PA 18848-0504) for the installation of air cleaning devices (a fabric collector and absolute filter) on various pieces of specialty metals processing equipment in North Towanda Township, **Bradford County**.

17-302-020A. On May 28, 1996, plan approval was issued to **Philipsburg-Osceola Area School District** (200 Short Street, Philipsburg, PA 16866) for the construction of a bituminous coal/#2 oil-fired boiler and associated air cleaning device (a centrifugal collector) at the Osceola Mills Elementary School in Osceola Borough, **Clearfield County**.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

A plan approval has been issued by this office for the construction, modification, reactivation or operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **13-399-003**
Source: 5 Silos w/baghouses (truck unload)
Issued: May 17, 1996
Company: **Horsehead Resource Development Co.**
Location: Palmerton Borough
County: **Carbon**

Permit: **40-304-010A**
Source: Thermal Reclaimer-Foundry Sand
Issued: May 20, 1996
Company: **Hazleton Pumps Incorporated**
Location: City of Hazleton
County: **Luzerne**

Permit: **48-320-003E**
Source: Bind/Stitch/Trim w/Cyclones & Baghs
Issued: May 31, 1996
Company: **Mack Printing Company**
Location: Wilson Borough
County: **Northampton**

Permit: **48-320-009**
Source: Web Press w/Catalytic Oxidizer
Issued: May 29, 1996
Company: **Mack Printing Company**
Location: Wilson Borough
Northampton: **Northampton**

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

43-329-004. On June 4, 1996, a Plan Approval was issued to **Atlas Resources, Inc.** (311 Rouser Rd., P. O. Box 611, Moon Township, PA 15108) for a natural gas compressor at Garvis Compressor Station in Pine Township, **Mercer County**.

Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality plan approvals for the specified companies described below:

Permit: **23-313-024C**
Source: Silica Manufacturing Process
Issued: May 15, 1996
Company: **Degussa Corporation**
Location: City of Chester
Location: **Delaware**

Permit: **23-399-025A**
Source: CI Filter Press and Rotary Cooler
Issued: May 15, 1996
Company: **PPG Industries, Inc.**
Location: Folcroft
County: **Delaware**

Permit: **15-310-025A.**
Source: Primary Crushing Plant
Issued: May 15, 1996
Company: **Glasgow, Inc.**
Location: East Whiteland
County: **Chester**

Permit: **09-399-040**
Source: Polyurethane Foam Line
Issued: May 22, 1996
Company: **Cartex Corporation**
Location: Fairless Hills
County: **Bucks**

The Department has extended the following air quality plan approvals permits for the specified companies described below:

Permit: **46-313-093A**
Source: Pharmaceutical Sciences, Bldg. #8
Issued: April 30, 1996
Extended: August 30, 1996
Company: **SmithKline Beecham Research**
Location: Upper Providence
County: **Montgomery**

Permit: **46-313-094A**
Source: Pharmaceutical Sciences, Bldg #9
Issued: April 30, 1996
Extended: August 30, 1996
Company: **SmithKline Beecham Research**
Location: Upper Providence
County: **Montgomery**

Permit: **09-318-069**
Source: Spray Paint Booth
Issued: May 15, 1996
Extended: September 15, 1996
Company: **Browning-Ferris, Inc.**
Location: Hilltown
County: **Bucks**

Permit: **09-399-035**
Source: Sewage Pump Station Wetwell
Issued: May 30, 1996
Extended: September 30, 1996
Company: **Bucks County Water & Sewer Authority**
Location: Doylestown
County: **Bucks**

Permit: **15-313-025B**
Source: Hazardous Waste Treatment Facility
Issued: April 30, 1996
Extended: August 31, 1996
Company: **Advanced Environmental Technical**
Location: Valley
County: **Chester**

Permit: **09-314-002**
Source: New Bulk Rubber Conveying System
Issued: May 19, 1996
Extended: September 19, 1996
Company: **3M**
Location: Bristol
County: **Bucks**

Permit: **46-301-268**
Source: Hospital Waste Incinerator
Issued: May 22, 1996
Extended: September 30, 1996
Company: **North Penn Hospital**
Location: Hatfield
County: **Montgomery**

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35

P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rule of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302), sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)), (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-694. Encroachment. **Tower Investments of Warminster, Inc.** 1 Reed Street, Philadelphia, PA 19147. To perform the following activities associated with the construction of the Warminster Town and Retail Center.

1. Commercial portion of the project,

a. to relocate two watercourses, approximately 1,300 and 525 linear feet, respectively, through proposed storm water management facilities,

b. to place and maintain fill in two unnamed tributaries to the Little Neshaminy Creek (WWF) with three adjacent wetland fills totaling 0.58 acre.

c. to construct and maintain a retaining wall with two outfalls and associated fill within the assumed 100-year floodway;

2. Residential portion of the project,

a. to construct and maintain 72 linear feet of 8.0-foot by 4.0-foot reinforced concrete box culvert across an unnamed tributary to the Little Neshaminy Creek and 0.22 acre of adjacent wetlands.

This permit requires the construction of 0.81 acre of replacement wetlands. The commercial and residential portions of this project are situated approximately 2,700 feet northwest and 3,500 feet northwest, respectively, of the intersection of Street Road (S. R. 0132) and York Road (S. R. 0263) located (Hatboro USGS Quadrangle N: 15.3 inches; W: 15.3 inches) in Warminster Township, **Bucks County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E10-227. Encroachment. **North Suburban Land Co., Inc.**, 9400 McKnight Road, Suite 207, Pittsburgh, PA

15237-6066. To operate and maintain a 320-foot long by 9-foot high gabion basket retaining wall along the right bank of Coal Run adjacent to Thomson Park Drive in Thomson Business Park approximately 2,000 feet south of Rochester Road (S. R. 3022) (Mars, PA Quadrangle N: 12.4 inches; W: 15.4 inches) located in Cranberry Township, **Butler County**.

E24-191. Encroachment. **Elk County Conservation District**, Courthouse, P. O. Box 48, Ridgway, PA 15853. To place limestone sand periodically in the channels of the following stream to neutralize acid in the water: 1) A tributary to East Branch Lake at three locations: (a) Glen Hazel, PA Quadrangle N: 19.2 inches; W: 8.9 inches; (b) Glen Hazel, PA Quadrangle N: 19.2 inches; W: 9.1 inches; and (c) Glen Hazel, PA Quadrangle N: 20.0 inches; W: 10.1 inches; 2) Bogardy Run at one location (Glen Hazel, PA Quadrangle N: 17.2 inches; W: 10.4 inches); and 3) Straight Creek at one location (Wildwood Firetower, PA Quadrangle N: 17.8 inches; W: 15.1 inches) located in Jones Township, **Elk County**.

E24-192. Encroachment. **National Fuel Gas Supply Corporation**, 1100 State Street, P. O. Box 2081, Erie, PA 16512. To remove the existing pipeline and to construct and maintain a 12.75-inch O.D. Steel natural gas pipeline across Little Clear Creek approximately 3,500 feet upstream of the Elk-Cameron County line (Wildwood Firetower, PA Quadrangle N: 2.9 inches; W: 7.9 inches) located in Jones Township, **Elk County**.

E42-241. Encroachment. **Elk County Conservation District**, Courthouse, P. O. Box 448, Ridgway, PA 15853. To place limestone sand periodically in the channels of the following streams to neutralize acid water in the water: 1) East Branch Clarion River at one location (Hazel Hurst, PA Quadrangle N: 3.6 inches; W: 4.2 inches); 2) Buck Run at one location (Hazel Hurst, PA Quadrangle N: 4.3 inches; W: 1.2 inches); 3) Sevenmile Run at one location (Hazel Hurst, PA Quadrangle N: 1.1 inches; W: 10.3 inches); 4) Smith Run at two locations (Hazel Hurst, PA Quadrangle N: 5.6 inches; W: 7.9 inches) and (Hazel Hurst, PA Quadrangle N: 6.6 inches; W: 7.4 inches); 5) County Line Run at two locations (Hazel Hurst, PA Quadrangle N: 0.9 inch; W: 1.5 inches) and (Crosby, PA Quadrangle N: 3.0 inches; W: 15.1 inches); 6) Doe Run at one location (Hazel Hurst, PA Quadrangle N: 3.0 inches; W: 0.2 inch); and 7) Gum Boot Run at two locations (Hazel Hurst, PA Quadrangle N: 6.0 inches; W: 0.2 inch) and (Hazel Hurst, PA Quadrangle N: 7.0 inches; W: 0.1 inch) located in Sergeant Township, **McKean County**.

EA20-001NW. Environmental Assessment. **David L. Walton**, 4546 Center Road, Conneaut, OH 44030. To remove the deck and superstructure from the abandoned Gothic Street bridge across Foster Run approximately 250 feet upstream of Mulberry Street (Conneautville, PA Quadrangle N: 1.2 inches; W: 16.8 inches) located in Conneautville Borough, **Crawford County**.

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E17-299. Water obstruction and encroachment. **Robert Showers**, R. R. 3, Box 155A, Philipsburg, PA 16866. To place fill in 0.24 acre of palustrine emergent wetland along an unnamed tributary of Laurel Run for the expansion of an existing commercial business located along S. R. 2024, 0.6 mile west of the intersection with S. R. 0322 (Philipsburg, PA Quadrangle N: 6.3 inches; W: 16.5 inches) in Decatur Township, **Clearfield County**.

E17-300. Water obstruction and encroachment. **Dept. of Transportation**, 1924-30 Daisy St., Clearfield, PA 16830. Remove the existing structure and to construct and maintain a single cell precast concrete box culvert with a span of 8 feet at a 60 degree skew and rise of 5 feet with 1 foot of that depressed in Reinsinger Run on S. R. 4011 approximately 1 mile due south of the Dubois Borough line (Luthersburg, PA Quadrangle N: 19.9 inches; W: 16.6 inches) in Sandy Township, **Clearfield County**. This permit was issued under section 105.13(e) "Small Projects". This permit also include 401 Water Quality Certification.

E41-359. Water obstruction and encroachment. **David J. and Karen S. Eiswerth**, 1901 Sherdian St., Williamsport, PA 17701. To construct and maintain (1) a single lane driveway in the floodway of Millers Run and (2) a single span steel I-beam bridge across Millers Run for private property access. The proposed work shall consist of placing a maximum of 193.0 cubic yards of fill in the floodway of Millers Run for driveway and approach construction; constructing a bridge with a single span of 350 feet, a wooden deck and reinforced concrete abutments. The project is located in the western right-of-way of S. R. 2029 approximately 4,000.0 feet north of the intersection of S. R. 2018 and S. R. 2029 (Montoursville—North Quadrangle N: 4.1 inches; W: 14.1 inches) in Loyalsock Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E41-371. Water obstruction and encroachment. **Donald and Rebecca Mecum**, R. R. 3, Box 351, Cogan Station, PA 17728. Remove the existing structure and to place and maintain a 14-foot wide mobile home constructed on 6 foot high concrete columns in the floodway of Lycoming Creek. This project is located on McEntyre Way about 0.3 mile south of its intersection with old Route 14 (Cogan Station, PA Quadrangle N: 18.3 inches; W: 11.8 inches) in Lewis Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects".

E57-069. Water obstruction and encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8451, Harrisburg, PA 17105. To remove the existing structure and to construct and maintain a single span bridge with a normal clear span of 30 feet across Mill Creek, a HQ-CWF stream. Project is located on Big Hollow Road about 1,200 feet south of its intersection with Mill Creek Road (Hillsgrove, PA Quadrangle N: 17.1 inches; W: 15.8 inches) in Hillsgrove Township, **Sullivan County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E48-229. Encroachment. **City of Bethlehem**, 10 East Church Street, Bethlehem, PA 18018. To relocate and maintain approximately 3,600 linear feet of channel and culverts in a tributary to the Lehigh River, including construction of the following: (1) 215 linear feet of 16-foot × 6-foot concrete box culvert stream enclosure, which crosses under the Lehigh Canal, (2) 73 linear feet of 16-foot × 6-foot concrete box culvert, (3) 70 linear feet of 18-foot × 8-foot concrete box culvert which crosses under Market Street, (4) 66 linear feet of 123-inch × 85-inch concrete culvert, and (5) a total of approximately 3,180 linear feet of gabion-lined channel. The project extends from a point just south of the intersection of Pembroke Road and Stefko Boulevard, downstream to the tributary's confluence with the Lehigh River (Hellertown, PA

Quadrangle N: 21.8 inches; W: 14.8 inches), in the City of Bethlehem, **Northampton County**. This project was previously authorized by Permit No. E48-125.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1124. Encroachment. **S&M Partnership Property**, 227 State Route 51, Large, PA 15025. To lower the existing retaining wall along the left bank of Lewis Run to 6 inches above grade; to install 2 side drop inlets; and to rehabilitate the existing box culvert having a span of 20 feet with an underclearance of 7 feet across said stream. This permit is also to operate and maintain said facilities. The project is located on the north side of S. R. 51, approximately 500 feet southeast from the intersection of S. R. 51 and Lewis Run Road (Glassport, PA Quadrangle N: 11.0 inches; W: 8.7 inches).

E32-369. Encroachment. **White Township**, 950 Indian Springs Road, Indiana, PA 15701. To perform maintenance dredging of an existing concrete sluiceway (approximately 880 feet in length) in McCarthy Run. The project is located 1,000 feet northeast of the intersection of Indian Springs Road with S. R. 286 (Indiana, PA Quadrangle N: 19.6 inches; W: 7.9 inches) in White Township, **Indiana County**.

E02-1139. Encroachment. **Kestler & Cipriani**, 650 Washington Road, Pittsburgh, PA 15228. To place and maintain fill in approximately 0.08 acre of wetlands for the purpose of developing a 2.5 acre site located approximately 400 feet southwest of the intersection of Oxford Drive and Alicia Drive, on the south side of Oxford Drive (Bridgeville, PA Quadrangle N: 19.0 inches; W: 6.7 inches) in Bethel Park Borough, **Allegheny County**. The permittee has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

E03-355. Encroachment. **Department of Transportation**, P. O. Box 429, Indiana, PA 15701. To remove the existing structure and to construct and maintain a 13-foot × 7-foot R. C. box culvert (invert depressed 1 foot) in an unnamed tributary to Cessna Run on S. R. 2001, Segment 0010, Offset 0920 (Elderton, PA Quadrangle N: 17.5 inches; W: 9.55 inches) in Plum Creek Township, **Armstrong County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E11-246. Encroachment. **Cambria County Commissioners**, P. O. Box 269, Ebensburg, PA 15931. To remove the existing structure known as Shettig's Bridge (County Bridge No. 8) and to construct and maintain a 43.5-foot long, 20-foot × 6.5-foot (invert depressed 1 foot) R.C.C. box culvert in Laurel Lick Run on T-465, Station 11+90 (Carrolltown, PA Quadrangle N: 12.00 inches; W: 6.9 inches) in East Carroll Township, **Cambria County**. The permit includes the placement of fill in a de minimus wetland less than 0.05 acre and a temporary stream channel relocation.

E56-260. Encroachment. **Northampton Township**, R. R. 1, Glencoe, PA 15543. To remove a deteriorated flood wall and to construct and maintain a 10-foot high, concrete flood wall for a length of 110 l.f. on the left bank of Wills Creek located at a point approximately 200 feet upstream from CSX railroad bridge near Village of Glencoe (Fairhope, PA Quadrangle N: 12.25 inches; W: 14.20 inches) in Northampton Township, **Somerset County**. This permit was issued under section 105.13(e) "Small Projects". This permit also include 401 Water Quality Certification.

E65-629. Encroachment. CNG Transmission Corporation, 175 Sheffield Dr., Box 405, Delmont, PA 15626. To remove two existing structures and to construct and maintain a bridge having a normal span of 14 feet and an underclearance of 6 feet across Brush Creek located approximately 0.25 mile south of the intersection of Old Route 66 and S. R. 993 (Greensburg, PA Quadrangle N: 18.9 inches; W: 10.1 inches) in Hempfield Township, Westmoreland County and a bridge having a normal span of 14 feet and an underclearance of 5 feet across Beaver Run located approximately 0.5 mile south of the intersection of S. R. 22 and Boggs Hollow Road (Slickville, PA Quadrangle N: 3.45 inches; W: 6.75 inches) in Salem Township, Westmoreland County. Both proposed structures are for the purpose of providing access to family dwellings and gas wells. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of May, 1996 the Department of Environmental Protection under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469 (1-800-23RADON).

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|---|---|------------------------------|
| Action Radon Services | 2351 Wintergreen Lane Jamison, PA 18929 | Testing |
| Edward L. Cummins | 140 Walnut Street Spring City, PA 19475 | Testing |
| Cindy Lou Etchison | 122 Terrace Drive Sarver, PA 16055 | Testing |
| James R. Fitzgerald Envirocare, Inc. | 1000 Conshohocken Road Suite 207 Conshohocken, PA 19428 | Testing |
| Frank A. Marsico | 504 Woodcrest Drive Mechanicsburg, PA 17055 | Testing |
| Roman Paul | P. O. Box 731 Valley Forge, PA 19482 | Testing |
| Peter Piazza | 812 Menock Manor Greensburg, PA 15601 | Testing |
| Jeffrey P. Porte | 1962 Wagner Road Erie, PA 16509 | Testing Laboratory |

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|-------------------|---|------------------------------|
| Stanley Pryharski | P. O. Box 2758 Wilkes-Barre, PA 18703 | Testing |
| Frank Ragantesi | 298 Reynolds Street Kingston, PA 18704 | Testing |
| Stuart R. Yankell | 105 Birch Avenue Bala Cynwyd, PA 19004 | Testing |

Notice of Suspension of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of May 1996, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code § 240.203(b), suspended the certification of the person or persons listed to perform radon-related activities in Pennsylvania.

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|-------------------|--|------------------------------|
| Robert D. McCarty | One Research Circle Waverly, NY 14892 | Laboratory Analysis |

Registered and Certified Emission Reduction Credits

The following emission reduction credits (ERCs) have been approved, registered and certified by the Department of Environmental Protection (Department), Commonwealth of Pennsylvania and Department of Public Health, City of Philadelphia. An ERC is a surplus, permanent, quantifiable and Federally enforceable emissions reduction used to offset emission increases of the following criteria pollutants: oxides of nitrogen (NOx), volatile organic compounds (VOCs), particulate matter (PM), PM-10, particulate, carbon monoxide (CO), lead (Pb) and oxides of sulfur (SOx).

Under 25 Pa. Code § 127.209, the Department has established a computerized registry system to provide for the registration, certification and tracking of ERCs. Prior to registration of the credits, the Department reviews and approves ERC registry applications which meet the requirements of 25 Pa. Code §§ 127.206—208. Registration of the credits in the ERC registry system constitutes certification that the ERCs satisfy applicable requirements and that the credits are available for use. Certified ERCs may be used for the following purposes: (1) To satisfy new source review (NS. R.) offset ratio requirements; (2) To "net-out" of NS. R. at ERC-generating facilities; or (3) To sell or trade the ERCs to major facilities to offset proposed increases in emissions of criteria pollutants from proposed new or modified major facilities.

The ERCs shown below, expressed in tons per year (tpy) satisfy the applicable requirements contained in 25 Pa. Code §§ 127.206—208. For additional information concerning this listing of certified ERCs, contact Division of Permits, Department of Environmental Protection, Bureau of Air Quality, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325.

| <i>Facility Information</i> | <i>Criteria Pollutant</i> | <i>Certified ERC amount (tpy)</i> | <i>Expiration date</i> | <i>Intended use of ERCs</i> |
|--|-------------------------------|---------------------------------------|----------------------------|---------------------------------|
| U. S. Naval Hospital Contact Person: Mark Donato Telephone Number: (215) 897-1809 County: Philadelphia Nonattainment Status: Severe | NOx | 30.5 | 3/31/2005 | Trading |
| United States Steel Group Contact Person: Roy J. Weiskircher Telephone Number: (412) 433-5914 County: Bucks Nonattainment Status: Severe | NOx VOC | 1301.7 18.1 | 8/01/2001 | Trading |

[Pa.B. Doc. No. 96-1018. Filed for public inspection June 21, 1996, 9:00 a.m.]

Proposed Revision to the Pennsylvania State Implementation Plan for Ozone; Public Hearing

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

The Department of Environmental Protection proposes to submit to the Federal Environmental Protection Agency a revision of the Pennsylvania State Implementation Plan (SIP) for ozone to meet the 15% Rate of Progress requirement (also known as the Reasonable Further Progress Plan) under section 182(b) of the Clean Air Act. This public hearing and comment period is intended to solicit comments on a revised 15% Rate of Progress Plan for the Pennsylvania portion of the Philadelphia severe ozone nonattainment area including the counties of Bucks, Chester, Delaware, Montgomery and Philadelphia. This revision updates the SIP and 1990 Baseline Inventory submitted to EPA on January 13, 1995. The Commonwealth is working with local stakeholders to help the southeast Pennsylvania area meet the health-related ground level ozone standards over the long term. More information is available at the DEP website described below.

The public hearing will be held at 1 p.m. on Monday, July 22, 1996, at the following location: Department of Environmental Protection, Southeast Regional Office, Lee Park—Suite 6010, 555 North Lane, Conshohocken, PA.

Persons wishing to present testimony at the hearing must contact Karen Matter at (717) 787-9495 or at the address given within this notice no later than July 18, 1996, to reserve a time to present testimony. Oral testimony will be limited to 10 minutes for each witness and 3 written copies of the oral testimony must be submitted at the hearing. Each organization should designate one witness to present testimony on its behalf.

Persons interested in submitting written comments should send the comments to J. Wick Havens, Chief, Division of Air Resource Management, at the address given within this notice on or before July 22, 1996. Copies of the proposed revision may be obtained from the Bureau of Air Quality, Rachel Carson State Office Building, 12th Floor, P. O. Box 8468, Harrisburg, PA 17105-8468 or by telephone at (717) 787-4310 (e-mail: Havens.Wick@A1.dep.state.pa.us). This proposal is also available on the DEP Web site at <http://www.dep.state.pa.us> (choose Public Participation Center/Proposals Open for Comment).

Persons with a disability who wish to attend the hearing, and require an auxiliary aid, service or other accommodation to participate in the proceeding, should

contact J. Wick Havens at the above address or telephone number; or for TDD users, the AT&T Relay Service at 1 (800) 654-5984 to discuss how the Department can best accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-1019. Filed for public inspection June 21, 1996, 9:00 a.m.]

Submission Date for Environmental Education Grants Applications under The Environmental Education Act

The Department of Environmental Protection announces that applications for the 1997 Environmental Education Grants Program are available.

The Environmental Education Act created an Environmental Education Fund from the annual deposit of 5% of the pollution fines and penalties collected by DEP. The fund is used to support new environmental education programs in DCNR's Bureau of State Parks; provide grants to schools, conservation organizations, educational organizations and county conservation districts. Some administrative costs associated with administering the grants program are also covered by this fund.

The purpose of this grants program is to stimulate environmental education in Pennsylvania through direct instruction, or through teacher training. Grants can be used to develop new programs, or to significantly improve the quality of existing programs. Projects may be large, comprehensive endeavors affecting many teachers and/or students, or they may be small, focused efforts to help an individual teacher or school implement an environmental education program.

This is a reimbursement program with grant awards to \$10,000. Grantees must provide a minimum of 25% in matching funds from non-State sources. Eligible applicants are as follows:

- Public and private schools for youth environmental education (kindergarten through secondary levels)
- Nonprofit conservation and education organizations and institutions, including public and private schools, for teacher training and preservice training in environmental education
- County conservation districts for youth education, teacher training or community education

Other interested parties may form partnerships or consortiums with an eligible applicant.

Applications may be submitted on or after July 1, 1996 and must be received by DEP, or postmarked, no later than November 1, 1996. Applications must be on the Department provided forms. Grant awards will be announced in April 1997. Awarded projects may begin July 1, 1997 or after.

Inquiries concerning this notice should be directed to Helen Olena at the Department of Environmental Protection, Environmental Education Grants Program, P. O. Box 8454, Harrisburg, PA 17105-8454, telephone number (717) 772-1828, or olena.helen@1.dep.state.pa.us.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-1020. Filed for public inspection June 21, 1996, 9:00 a.m.]

Wetlands Protection Advisory Committee; Schedule of 1996 Meetings

The Department of Environmental Protection's Wetlands Protection Advisory Committee announces its schedule of 1996 meetings. The meetings will be held at 10 a.m. in the 1st Floor Conference Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, on the following dates:

July 2
September 4
November 6

Questions concerning this schedule or agenda items can be directed to Shirley Rodrock at (717) 787-6827 or e-mail at Rodrock.Shirley@a1.dep.state.pa.us. This schedule and an agenda for each meeting will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Shirley Rodrock directly at (717) 787-6827 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-1021. Filed for public inspection June 21, 1996, 9:00 a.m.]

DEPARTMENT OF HEALTH

Children's Health Advisory Council; Public Meetings

The Department of Health Children's Health Advisory Council (also known as the Children's Health Insurance Program Advisory Council) is conducting a public meeting under section 701(i)(5) of the Children's Health Care Act (act) (62 P. S. § 5001.701(i)(5)). The purpose of the meeting, which is open to the general public, is to review outreach plans for provision of services under the act and to evaluate services delivered to children enrolled in the health care program.

Schedule of Meetings

Date: June 18, 1996
Time: 11 a.m.—1 p.m.
Location: Room 812, Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA 17120

Persons with a disability who require an auxiliary aide service or other accommodation to participate should contact the Executive Office at 717-787-6436 (TDD: 717-783-6514).

DANIEL F. HOFFMANN, FACHE,
Acting Secretary

[Pa.B. Doc. No. 96-1022. Filed for public inspection June 21, 1996, 9:00 a.m.]

Notice of Beginning of Review; Certificates of Need

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P. S. §§ 448.702(c), 704(a) and 704(b)).

CON-96-I-2652-B: DuBois Regional Medical Center, P. O. Box 447, 100 Hospital Avenue, DuBois, PA 15801. The applicant proposes the replacement of the existing linear accelerator at its Hahne Regional Cancer Center; relocation of the existing linear accelerator to a new satellite radiation therapy facility to be developed in Johnsonburg, Elk County, at an estimated cost of \$4,075,115.

CON-96-H-2644-B: The South Side Hospital, 2000 Mary Street, Pittsburgh, PA. The project involves establishment of a 31-bed hospital-based skilled nursing unit through the conversion of 40 medical/surgical beds, at an estimated cost of \$1,550,000.

The projects are scheduled to be reviewed and a decision rendered by the Department of Health within 90 days beginning June 22, 1996. Any interested person, as defined in section 103 of the act (35 P. S. § 448.103) may request a public meeting. Requests must be made in writing within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P. S. § 448.506(a)) regarding the decisions made on these applications, any interested person as defined in the act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, the meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. DuBois Regional Medical Center meeting will begin at 9 a.m., Friday, July 19, 1996. South Side Hospital meeting will begin at 11 a.m., Thursday, August 1, 1996. Persons who need an accommodation due to a disability and want to attend a meeting should contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. These meetings are subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

DANIEL F. HOFFMANN, FACHE,
Acting Secretary

[Pa.B. Doc. No. 96-1023. Filed for public inspection June 21, 1996, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The contractors referenced below have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-11—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), this firm or this person, or any firms, corporations or partnerships in which such firm or person has an interest, shall be awarded no contract for 3 years after the date listed.

JOHNNY J. BUTLER,
Secretary

| <i>Contractor</i> | <i>Address</i> | <i>Date of Debarment</i> |
|--|---|------------------------------|
| Spadafora Corporation and Paul Spadafora (Fed. ER Tax ID Nos. 25-1644399 -and- 25-1231136) | 4073 Route 8 Allison Park, PA 15101 | 6/5/96 |

[Pa.B. Doc. No. 96-1024. Filed for public inspection June 21, 1996, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

The Department of Transportation, Bureau of Motor Vehicles, under authority of section 3368 of the Vehicle Code (75 Pa.C.S. § 3368), published at 25 Pa.B. 6044 (December 23, 1995) a notice of approved speed-timing devices and maintenance and calibration stations for use until the next comprehensive list is published, subject to interim amendment.

New Appointment of Calibration Station

As an addendum to the December 23, 1995 listing, the Department hereby appoints, under 75 Pa.C.S. § 3368(d) the following Official Electronic (nonradar) Device Testing Station for nonradar devices which measures elapsed time between measured road surface points by using two sensors:

Cowden Enterprises, 733 Diamond Street, Williamsport, Lycoming County, PA 17701 (Appointed 04/04/96, Station EL20).

As an addendum to the December 23, 1995 listing, the Department hereby appoints, under 75 Pa.C.S. § 3368(d), the following Official Stopwatch Testing Station:

Cowden Enterprises, 733 Diamond Street, Williamsport, Lycoming County, PA 17701 (Appointed: 04/04/96, Station W2).

As an addendum to the December 23, 1995 listing, the Department hereby appoints, under 75 Pa.C.S. § 3368(d), the following Official Electronic (nonradar) Device Testing Station for nonradar devices which calculate average speed between any two points:

Cowden Enterprises, 733 Diamond Street, Williamsport, Lycoming County, PA 17701 (Appointed: 04/04/96, Station EM20).

Change of Address

As an addendum to the December 23, 1995 listing, of Official Electronic Device Testing Stations for nonradar devices which measures elapsed time between measured road surface points by using two sensors, the Department hereby gives notice of the change of address for the following station:

Targetron, Inc., 1821 Lycoming Creek Road, Williamsport, Lycoming County, PA 17701 (Appointed: 05/07/91, Station EL21).

As an addendum to the December 23, 1995 listing of Official Stopwatch Testing Stations, the Department hereby gives notice of the change of address for the following Station:

Targetron, Inc., 1821 Lycoming Creek Road, Williamsport, Lycoming County, PA 17701 (appointed: 05/07/91, Station W64).

As an addendum to the December 23, 1995 listing of official Electronic Device Testing Stations for nonradar devices which calculate average speed between any two points, the Department hereby gives notice of the change of address for the following Station:

Targetron, Inc., 1821 Lycoming Creek Road, Williamsport, Lycoming County, PA 17701 (Appointed: 05/07/91, Station EM21).

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-1025. Filed for public inspection June 21, 1996, 9:00 a.m.]

Retention of Engineering Firms

**Columbia, Lycoming, Montour, Northumberland,
Snyder, Sullivan, Tioga, Union and
Bradford Counties
Reference No. 08430AG2000**

The Department of Transportation will retain an engineering firm for an open-end contract to provide supplementary construction inspection staff under the Department's Inspectors-in-Charge to perform construction inspection services on various projects in Engineering District 3-0, that is Columbia, Lycoming, Montour, Northumberland, Snyder, Sullivan, Tioga, Union and Bradford Counties. The contract will include roadway and bridge construction projects, and material plant inspection. The contract will be for a period of 30 months with a maximum cost of \$750,000.

It is anticipated that a maximum supplementary construction inspection staff of 25 inspectors will be required for this assignment.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving and drainage.
- d. Understanding of Department's requirements, policies and specifications.
- e. Ability to provide CPM scheduling.
- f. Past performance.
- g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

| <i>Classification</i> | <i>No. of Inspectors</i> |
|---|--------------------------|
| Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent) | 1 (1) |
| Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent) | 10 (6) |
| Transportation Construction Inspector—Materials (TCI—Materials) (NICET Highway Materials Level 2 or equivalent) | 2 (2) |
| Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent) | 10 (6) |
| Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent) | 2 (2) |

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

| <i>Payroll Classification</i> | | <i>Direct Payroll Rate</i> |
|--|-----------------|----------------------------|
| Transportation Construction Manager 1 | (TCM-1) | \$19.79 |
| Transportation Construction Inspector Supervisor | (TCIS) | \$17.34 |
| Transportation Construction Inspector—Materials | (TCI—Materials) | \$15.68 |
| Transportation Construction Inspector | (TCI) | \$15.18 |
| Technical Assistant | (TA) | \$10.43 |

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCM-1 and/or TCIS positions, giving their approval to use their names in the letter of interest for this specific project.

Technical questions concerning the requirements for this project should be directed to John P. Ryan, P.E., District 3-0, at (717) 368-5651.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Tioga County
Reference No. 08430AG2001**

The Department of Transportation will retain an engineering firm to complete and prepare final design plans and engineering services during construction for the structures on State Route 6015, Section D53, a new section of Traffic Route 15 in Liberty, Bloss and Hamilton Townships and Blossburg Borough, Tioga County. Improvements will include construction of a four lane limited access highway (to be designed by District 3-0

Roadway Unit) and one single and three dual grade separation structures. The estimated construction cost of this project is \$26.5 million.

The selected firm will be required to provide services within the multipart contract including: type, size and location; soils borings; foundation design; preparation of bridge plans, specifications and estimates; hydraulics studies and joint waterway permit applications as applicable; maintenance and protection of traffic as applicable; erosion and sediment pollution control; and engineering services during construction. Coordination with the District Roadway Unit will be vital.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to John W. Elwell, P.E., Consultant Liaison Engineer, District 3-0, at (717) 368-4256.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in performing any of the above services are invited to submit letters of interest to: Director, Consultant Selection Committee, Room 1118, Transportation and Safety Building, Harrisburg, PA 17120.

A separate letter of interest and required forms must be submitted for each project for which the applicant wishes to be considered. The letter of interest and required forms must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. of the thirteenth day.

If the project advertisement indicates that the Department will retain an engineering firm, letters of interest will only be accepted from individuals, firms or corporations duly authorized to engage in the practice of engineering. If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof. Proposed DBE firms must be certified at the time of submission of the

letter of interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal. Failure to meet the goal and to demonstrate good faith efforts may result in being barred from Department contracts in the future.

Responses are encouraged by small engineering firms, disadvantaged business enterprise engineering firms and other engineering firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include in the heading, the firm's Federal Identification Number and the Project Reference Number indicated in the advertisement. The letter of interest must also include the following:

1. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project."

2. Standard Form 254, "Architect-Engineer and Related Services Questionnaire" not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a joint venture and for each subconsultant the firm or joint venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a company. Please disregard the statements on Standard Form 255 that indicate a Standard Form 254 is only required if not already on file with the contracting office. The Department does not maintain a file for Standard Form 254 for contracting purposes; therefore, this Form is required for the prime consultant and each subconsultant as stated above.

3. Two copies of the Department's Form D-427 (Rev. 6-89), "Current Workload" for the firm submitting the letter of interest. At least one copy of Form D-427 must remain free and not bound in any way to any other portion of the letter of interest or accompanying documentation. Copies of Form D-427 are available upon request from the above address or by contacting the Department's Consultant Agreement Division at (717) 783-9309.

4. Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include with each letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

The Standard Form 255 must be filled out in its entirety including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be presently certified by the Department of Transportation, and the name of the firm and the work to be performed must be indicated in Item 6. If a Women Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

The Standard Form 254 must be signed and dated and must be less than 1 year old as of the date of this advertisement. A Standard Form must accompany each letter of interest for the firm submitting the letter of interest, each party to a joint venture, and for each

subconsultant shown under Item 6 of the Standard Form 255.

Unless other factors are identified under the individual project reference number, the following factors, listed in their order of importance, will be considered by the Committee during their evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence of firm.
- b. Past record of performance with respect to cost control, work quality, and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.
- c. Current workload and capacity of firm to perform the work within the time limitations.
- d. Location of consultant.
- e. Special requirements of the project.
- f. Other factors, if any, specific to the project.

The Department currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on design and miscellaneous projects to 130% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection projects to 85.2% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department's limitations will apply to the projects advertised above unless the Department policy is revised prior to the negotiation of an agreement or contract.

The assignment of the above services will be made to one of the firms responding to this notice, but the Committee reserves the right to reject all letters of interest submitted, to cancel the solicitations requested under this notice, and/or to readvertise solicitation for these services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-1026. Filed for public inspection June 21, 1996, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, June 6, 1996, and took the following actions:

Regulations Approved:

Department of Transportation #18-339: Work Zone Traffic Control (amends 67 Pa. Code Chapter 203)

Commissioners Present: John R. McGinley, Jr., Chairperson; Robert J. Harbison, III, Vice Chairperson; Arthur Coccodrilli; John F. Mizner; Irvin G. Zimmerman

Public meeting held
June 6, 1996

*Department of Transportation—Work Zone Traffic Control;
Doc. No. 18-339*

Order

On May 7, 1996, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Transportation (Department). This rulemaking would amend 67 Pa. Code Chapter 203 relating to Work Zone Traffic Control and, specifically, section 203.83 relating to arrow panels. The statutory authority for this rulemaking is found in sections 6103, 6109(a)(15), 6121 and 6123 of the Motor Vehicle Code (Vehicle Code) (75 Pa.C.S. §§ 6103, 6109(a)(15), 6121 and 6123). Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This rulemaking would conform the Department's system of traffic control devices used in road work zones more closely to the National standard for traffic control devices on all highways open to public travel. That standard is set in the *Manual on Uniform Traffic Control Devices for Streets and Highways* (MUTCD), as approved by the Federal Highway Administration (FHWA). Section 6121 of the Vehicle Code, relating to uniform system of traffic control devices, requires the Department to devise a uniform system of traffic control devices which conform, as nearly as possible, to Federal standards.

The MUTCD standard was amended by the FHWA on April 11, 1995 (at 60 *Federal Register* 18520) to, *inter alia*, allow an additional "caution" signal to be used on arrow panels located at road work sites. It would allow four or more flashing horizontal lights, arranged in a straight line or "bar" across the center of an arrow panel, with no illumination of the accompanying right and left directional arrows. Under the current regulation, the only permissible "caution" signal consists of four illuminated lamps arranged in a rectangular pattern that do not indicate a direction of travel (commonly known as "four-corners").

The Department seeks approval of this rulemaking as soon as possible to conform to the MUTCD standard, especially to assure continuation of funding for Federally-aided highway construction projects. As a consequence, the Department has omitted Notice of Proposed Rulemaking under section 204 of the Commonwealth Documents Law (45 P. S. § 1204(3)) because it states that the proposed rulemaking procedures are, in the circumstances, impractical, unnecessary, and contrary to the public interest.

The FHWA amended the MUTCD standard to include the "bar" caution mode after it was discovered that arrow display panels currently in use could not easily be converted to the four-corners lamp display pattern; converting the programming electronics for each panel would cost about \$850. The FHWA announced that permitting only the use of the four-corners display would cause an undue financial hardship on many public agencies. Following the FHWA action, the Department has determined that the time and expense of converting arrow panels to the four-corners pattern, or purchasing new panels with this capability, cannot be justified and the regulation should be amended to include a provision for the "bar" caution mode.

This rulemaking will affect the Department, its officials and employees, other Commonwealth agencies which hire or affect the hiring of private contractors to perform work on public roadways, local governments, utility companies, private contractors that perform work for the Commonwealth and its political subdivisions, and companies that manufacture or repair the arrow panels used at road work sites in the Commonwealth.

We have reviewed this regulation and find it to be in the public interest. It will allow the use of an additional "caution" mode symbol, consistent with the Federal MUTCD standard, to be displayed as a warning to motorists approaching road work sites. Its implementation will also enable the Department to meet its statutory obligations under section 6121 of the Vehicle Code.

We also urge the Department, however, to institute a campaign to educate the motoring public to readily associate the flashing horizontal bar and four-corners symbols with "caution." We make this recommendation because we were surprised to discover that none of the representatives of the various entities we contacted about this amendment knew that flashing "bar" and "four-corners" light configurations are intended to denote "caution" to approaching motorists. Consequently, ignorance and confusion about the meaning of "bar" and "four-corners" light configurations will be counterproductive to the Department's efforts in making this regulatory change.

We suggest that one way to educate the public would be to utilize larger, computerized message display panels to display the word "caution" in combination with the "bar" or "four-corners" light configurations. This will help the greatest number of motorists associate "caution" with these symbols in other road work situations where the symbols appear alone. Other important educational steps the Department can take include: updating the driver's manual; highlighting these "caution" mode symbols in the curriculum for driver's education; updating brochures dealing with how to drive safely in or near road work projects; adding the "caution" symbols to placements in restaurants along the turnpike and interstate highways; and explaining what these symbols mean in the publication of this rulemaking in the *Pennsylvania Bulletin*.

Therefore, It Is Ordered That:

1. Regulation No. 18-339 from the Department of Transportation, as submitted to the Commission on May 7, 1996, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 96-1027. Filed for public inspection June 21, 1996, 9:00 a.m.]

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the date indicated, the following final-form regulation for review. The regulation will be considered within 30 days of its receipt at a public meeting of the Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of a regulation, interested parties should contact the agency promulgating the regulation.

| <i>Reg. No.</i> | <i>Agency/Title</i> | <i>Received</i> |
|--|---|-----------------|
| 106-2 | Environmental Hearing Board Practice and Procedure | 6/11/96 |
| JOHN R. MCGINLEY, Jr., <i>Chairperson</i> | | |

[Pa.B. Doc. No. 96-1028. Filed for public inspection June 21, 1996, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority

UPMC HMO has applied for a Certificate of Authority to operate as a health maintenance organization in Pennsylvania. The initial filing was received on March 1, 1996 and was made under the requirements set forth under the Business Corporation Law of 1988, 15 Pa.C.S. § 1 *et seq* and the Insurance Laws, 40 P. S. § 1551 *et seq*. Persons wishing to comment on the grounds of public or private interest to the issuance of the Department's order approving this Certificate of Authority are invited to submit a written statement to the Insurance Department within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Carolyn Smith, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-1029. Filed for public inspection June 21, 1996, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Kim Whitsel Rideout; file no. 96-308-71163; Allstate Insurance Company; doc. no. PI96-05-035; July 17, 1996, at 11 a.m.;

Appeal of Emilie E. Topscher; file no. 96-308-71262; Liberty Mutual Insurance Company; doc. no. PI96-06-015; July 17, 1996, at 1 p.m.;

Appeal of Leon and Ida Gori; file no. 96-308-71345; Maryland Casualty Insurance Company; doc. no. PI96-06-014; July 18, 1996, at 1 p.m.;

Appeal of John Diaz; file no. 96-280-32913; Standard Fire Insurance Company; doc. no. PH96-06-013; July 18, 1996, at 2 p.m.;

Appeal of Akakawa Kinuko; file no. 96-267-32824; TICO Insurance Company; doc. no. PH96-05-029; July 25, 1996, at 9 a.m.;

Appeal of Joan Shanahan; file no. 96-308-71349; Travelers Company; doc. no. PI96-06-009; July 25, 1996, at 10 a.m.;

Appeal of Esther A. Kasebier; file no. 96-193-02646; Hartford Casualty Insurance Company; doc. no. P96-05-051; July 25, 1996, at 11 a.m.;

Appeal of Dr. John and Barbara Crosby; file no. 96-265-32648; Continental Insurance Company; doc. no. PH96-05-033; July 30, 1996, at 9 a.m.;

Appeal of Joann Peak; file no. 96-124-02783; Erie Insurance Exchange; doc. no. P96-05-039; August 6, 1996, at 9 a.m.;

Appeal of Sun-Nan and Fen Fang Hong; file no. 96-121-03180; Erie Insurance Company; doc. no. P96-05-038; August 6, 1996, at 10 a.m.;

Appeal of Jacquelyn Battisto; file no. 96-264-32892; Allstate Insurance Company; doc. no. PH96-05-047; August 6, 1996, at 1 p.m.;

Appeal of Claudia Dirusso; 96-265-32697; Continental Casualty Company; doc. no. PH96-06-016; August 6, 1996, at 2 p.m.;

Appeal of Marjorie J. Carnegie; file no. 96-121-02969; American Motorists Insurance Company; doc. no. P96-05-031; September 4, 1996, at 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-1030. Filed for public inspection June 21, 1996, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurers have requested a hearing as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with the termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of American Motorists Insurance Company; file no. 96-223-32348; Helen Santoro; doc. no. PH96-05-036; July 30, 1996, at 2 p.m.;

Appeal of Erie Insurance Company; file no. 95-12102907; Melony A. Mendola; doc. no. P96-05-032; August 6, 1996, at 11 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-1031. Filed for public inspection June 21, 1996, 9:00 a.m.]

Review Procedure Hearings under The Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Douglas McGonigal; file no. 96-183-03319; Foremost Property & Casualty; doc. no. P96-05-030; July 17, 1996, at 2 p.m.;

Appeal of James and Janet T. Hertzler; file no. 96-308-71119; Prudential Property & Casualty Insurance Company; doc. no. PI96-05-034; July 23, 1996, at 2 p.m.;

Appeal of David Deratzian; file no. 96-267-32867; Goschenhoppen-Home Mutual Insurance Company; doc. no. PH96-05-037; July 30, 1996, at 1 p.m.;

Appeal of Madelyn M. Horsman; file no. 96-308-71320; Metropolitan Property & Casualty; doc. no. PI96-06-008; August 1, 1996, at 9 a.m.;

Appeal of Estate of Alfred and Sophie Scarnati; file no. 96-308-71344; American Motorists Insurance Company; doc. no. PI96-06-007; August 1, 1996, at 10 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-1032. Filed for public inspection June 21, 1996, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Fuel Cost Adjustment Statement; Doc. No. M-FACG-9523

This notice is to inform the public that the following company: Wally Gas Company has filed a statement of the revenue and expense attributable to its use of the automatic adjustment clause (Fuel Cost Adjustment) for the 12-month period ending August 31, 1995.

The filing of this statement is required by section 1307(e) of the Public Utility Code (66 Pa.C.S. § 1307(e)).

The Pennsylvania Public Utility Commission has scheduled a hearing on Wednesday, July 24, 1996, at 10 a.m. in a Commission Hearing Room, Ground Floor, North Office Building, Harrisburg, PA, when and where all persons in interest may appear and be heard if they so desire.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-1033. Filed for public inspection June 21, 1996, 9:00 a.m.]

Gas Service Without Hearing

A-122150 F0007. PG Energy, Inc. Application of PG Energy Inc., for approval to begin to offer, render, furnish

or supply gas service to the public in additional territory in: 1) Valley Township, Montour County; 2) Riverside Borough, Northumberland County; and 3) Harvey's Lake Borough, Luzerne County.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 8, 1996, under 52 Pa. Code (relating to public utilities).

Counsel for Applicant: James H. Cawley, Esquire, Jan P. Paden, Esquire, Rhoads and Sinon, Dauphin Deposit Bank Building, Twelfth Floor, P. O. Box 1146, Harrisburg, PA 17108-1146.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-1034. Filed for public inspection June 21, 1996, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before July 15, 1996, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

**A-00113123. Sandra L. Jacobs, t/d/b/a Jacobs Liv-
ery** (47 Old River Road, Wilkes-Barre, Luzerne County, PA 18651)—persons in airport transfer service, from points in the city of Wilkes-Barre, Luzerne County and within an airline distance of 10 statute miles of the limits of the said city to the Allentown-Bethlehem-Easton Airport (ABE) at Allentown, Lehigh County, and the Philadelphia International Airport, in the city and county of Philadelphia and the township of Tinicum, Delaware County. *Attorney:* Edward J. Geist, 61 Carey Avenue, Wilkes-Barre, PA 18651.

Notice of Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before July 8, 1996.

A-00113126 John R. Reid, t/d/b/a J & M Trucking
1060 Turkey Pit School Road, New
Oxford, PA 17350

- A-00113127 Leonard Olivero, t/d/b/a L. Olivero
Nursery
R. R. 1, Box 246A, Kingsley, PA 18826
- A-00113129 Lee R. Kellow, t/d/b/a Lee R. Kellow
Courier Service
1500 Hidden Lane, Telford, PA 18969
- A-00113130 Danny W. Rosensteel, t/d/b/a Rosensteel
112 Broadway Street, Connellsville, PA
15425
- A-00113131 Hartt Transportation Systems, Inc.
705 White Oak Road, Strasburg, PA
17579
- A-00113132 Jack Bell Excavating, Inc.
P. O. Box 293, South Main Street,
Eldred, PA 16731
- A-00113133 James E. Porter, t/d/b/a Big and
Little Jim's Moving & Hauling
3445 Braddock Street, Philadelphia, PA
19134

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-1035. Filed for public inspection June 21, 1996, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9504.1, Renew Build-up Roofing at Pier 84 South, until 2 p.m. on Thursday, July 18, 1996. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Sq., Phila., PA 19106, 8th Floor, (215) 928-9100 and will be available June 25, 1996. The cost of the bid document is \$35 (includes 7% PA sales tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal employment opportunity laws and regulations.

Mandatory prebid job site meeting will be held July 10, 1996, 10 a.m. at inshore end of shed.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-1036. Filed for public inspection June 21, 1996, 9:00 a.m.]

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9604.1a, Replace Skylights with Roofing at Pier 80 South until 2 p.m. on Thursday, July 18, 1996. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Sq., 8th Flr., Phila., PA 19106, (215) 928-9100 and will be available June 25, 1996. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations.

Mandatory prebid meeting will be held July 11, 1996, 10 a.m. at the job site.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-1037. Filed for public inspection June 21, 1996, 9:00 a.m.]

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9604.4, Night Lighting System Rehabilitation—2nd Deck, Pier 80 South until 2 p.m. on Thursday, July 18, 1996. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Sq., 8th Flr., Phila., PA 19106, (215) 928-9100 and will be available June 25, 1996. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held July 11, 1996, 11 a.m. at the site.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-1038. Filed for public inspection June 21, 1996, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Bids

The Turnpike Commission is requesting sealed bids for:

1) Cementitious Coating of Toll Booths at Gateway and Beaver Valley Interchanges. Mandatory. Site Inspection: June 26, 1996, 9:30 a.m. at Gateway Int. #1, Milepost 1.4. Open Date: July 3, 1996, 11 a.m.

2) Cementitious Coating of Toll Booths at Delaware River Bridge and Delaware Valley Interchanges. Mandatory Site Inspection: July 10, 1996, 9:30 a.m. at Delaware River Bridge Int. #31, Milepost 359.1. Open Date: July 17, 1996, 11 a.m.

Bids will be received by the Director of Purchases not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Dept., (717) 939-9551, Ext. 2830.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-1039. Filed for public inspection June 21, 1996, 9:00 a.m.]

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 96-004-RL47. Bituminous overlay, ID-2, SRL-E and bridge repairs between M. P. 326.07 and 332.98 on the PA Turnpike System in Chester and Montgomery Cos., PA.

Bid Opening: July 18, 1996, 11 a.m.

Bid Surety: 5%.

Plans, specifications and contract documents will be available and open to public inspection at the Administration Building. Copies may be purchased upon payment of \$45 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676: Attn:

Secretary/Treasurer's Office. No refund will be made for any reason.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-1040. Filed for public inspection June 21, 1996, 9:00 a.m.]
