

# NOTICES

## DEPARTMENT OF AGING

### State Plan on Aging for 1996—1999; Public Hearing

The Department of Aging (PDA) is making available for public review and comment the 1996—1999 State Plan on Aging. Comments on this document will be used to formulate the Department's final plan submitted to the Federal Administration on Aging in order for the Commonwealth to receive Federal funds under the Older Americans Act of 1965, as amended.

The Department of Aging develops a State Plan on Aging every 3 years; the plan being proposed will guide the Department during the Federal fiscal years October 1, 1996, through September 30, 1999. The purpose of the State Plan is to structure the Department's priorities and to set an aging agenda for the Commonwealth.

Citizens, local government officials and interested organizations in the Commonwealth are invited to submit comments on the Plan. Persons wishing to submit written comments on the Plan must do so by July 19, 1996. Comments should be addressed to Robert J. McNamara, Department of Aging, Planning and Research Division, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101-2301.

The Department of Aging will hold the following public hearings on the 1996—1999 State Plan of Aging:

<i>Date</i>	<i>Location</i>	<i>Time</i>
July 8, 1996	2nd Floor Auditorium Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101- 2301	1:30 p.m.— 3:30 p.m.
July 11, 1996	Philadelphia Center in the Park 5818 Germantown Avenue Philadelphia, PA 19144	1:30 p.m.— 3:30 p.m.
July 22, 1996	Kingston Senior Center 680 Wyoming Avenue Kingston, PA 18704	1:30 p.m.— 3:30 p.m.
July 24, 1996	Hampton Inn Route 255 South (Exit 17, I-80) DuBois, PA	2 p.m.— 4 p.m.
July 25, 1996	Tanglewood Senior Center 80 Hanson Avenue Lyndora, PA 16045	9 a.m.— 11 a.m.

Anyone who wishes to speak must call to schedule a time to give oral testimony at the hearings. Testimony is limited to 10 minutes per person. To schedule oral testimony at any of the hearings, please contact Cheryl Brown at (717) 783-8975.

Anyone with a hearing impairment who wishes to attend one of the public hearings should notify Carol Lyons at (717) 783-8975 in advance so accommodations

can be made. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984.

Copies of the plan are available upon request from the Department of Aging, Division of Planning and Research, 400 Market Street, Harrisburg, PA 17101-2301, or telephone (717) 783-8975. Copies of the Plan are also available at the Area Agencies on Aging and the 29 District Libraries listed below.

Audio cassette copies of the State Plan can be obtained by contacting the Tri-County Branch of the Pennsylvania Association of the Blind:

Patricia Summers, Coordinator, Harrisburg Area Radio Reading Service, 1800 N. Second Street, Harrisburg, PA 17102, (717) 238-2531.

#### *Pennsylvania's District Libraries*

B. F. Jones Memorial Library, Aliquippa  
Allentown Public Library, Allentown  
Altoona Public Library, Altoona  
Centre County Library, Bellefonte  
Bethlehem Area Public Library, Bethlehem  
Conococheague District Library, Chambersburg  
Bucks County Free Library, Doylestown  
Easton Area Public Library, Easton  
Erie County Library, Erie  
Dauphin County Library, Harrisburg  
Cambria County Library, Johnstown  
Lancaster County Library, Lancaster  
Delaware County Library, Brookhaven  
Monessen Public Library, Monessen  
New Castle Public Library, New Castle  
Montgomery County—Norristown Public Library,  
Norristown  
Oil Creek District Library, Oil City  
Free Library of Philadelphia, Philadelphia  
Carnegie Library of Pittsburgh, Pittsburgh  
Neighborhood & Outreach Services, Pittsburgh  
Pottsville Free Public Library, Pottsville  
Reading Public Library, Reading  
Scranton Public Library, Scranton  
Warren Public Library, Warren  
Citizens Library, Washington  
Chester County Library, Exton  
Osterhout Free Library, Wilkes-Barre  
James V. Brown Library, Williamsport  
Martin Memorial Library, York

RICHARD BROWDIE,  
*Secretary*

[Pa.B. Doc. No. 96-1047. Filed for public inspection June 28, 1996, 9:00 a.m.]

# DEPARTMENT OF AGRICULTURE

## Fertilizer Nutrient Values

The Secretary of Agriculture, under the authority of section 8 of the Pennsylvania Fertilizer, Soil Conditioner and Plant Growth Substance Law (3 P. S. §§ 68.1—68.9) hereby establishes the commercial values per pound of nitrogen, phosphoric acid and potash.

The values are established as follows:

nitrogen	\$0.32 per pound
phosphoric acid	\$0.28 per pound
potash	\$0.14 per pound

### Further Information

Further information is available by contacting John W. Breitsman, Program Specialist, Division of Agronomic Services, Bureau of Plant Industry, Department of Agriculture, 2301 N. Cameron Street, Harrisburg, PA 17110-9408, (717) 787-4843.

### Effective Date

These commercial values are effective commencing July 1, 1996, and shall remain effective until further notice.

CHARLES C. BROSIUS,  
*Secretary*

[Pa.B. Doc. No. 96-1048. Filed for public inspection June 28, 1996, 9:00 a.m.]

# DEPARTMENT OF BANKING

## Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 18, 1996.

### BANKING INSTITUTIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-13-96	Johnstown Bank and Trust Company, Johnstown, and The Armstrong County Trust Company, Kittanning surviving institution— Johnstown Bank and Trust Company, Johnstown	Johnstown	Effective

The former main office of The Armstrong County Trust Company will become a branch office of Johnstown Bank and Trust Company as follows:

#### *Branches Acquired:*

6-12-96	First Commonwealth Bank Indiana Indiana County	Indiana	Effective
	Purchase of assets/assumption of liabilities of one branch office of The Moxham National Bank, Johnstown, located at: Salem Plaza Route 22 Delmont Westmoreland County		

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-12-96	The York Bank and Trust Company York York County	Weis Market 4300 Linglestown Road Harrisburg Dauphin County	Filed

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-14-96	The York Bank and Trust Company York York County	Weis Market 3885 Union Deposit Rd. Harrisburg Dauphin County	Filed
6-14-96	Parkvale Savings Bank Monroeville Allegheny County	Raceway Plaza 2100 Washington Pike Scott Township Allegheny County	Approved
6-14-96	The York Bank and Trust Company York York County	Weis Market 3885 Jonestown Road Harrisburg Dauphin County	Filed

**Branch Relocations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-12-96	First Republic Bank Philadelphia Philadelphia County	<i>To:</i> 1601 Walnut Street Philadelphia Philadelphia County  <i>From:</i> 1513 Walnut Street Philadelphia Philadelphia County	Filed

**Articles of Amendment**

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
6-14-96	Summit Bank Johnstown Cambria County	To provide for a change in corporate title to "1st Summit Bank."	Approved Effective 6-15-96

**SAVINGS ASSOCIATIONS**

No activity.

**CREDIT UNIONS**

No activity.

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 96-1049. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Election by Port Richmond Savings to Exercise Conditional Powers**

Effective on the date of this publication in the *Pennsylvania Bulletin*, under an election by Port Richmond Savings authorized by section 513(b) of the Banking Code of 1965 (7 P. S. § 513), Port Richmond Savings is hereby granted the following conditional powers as described by sections 504(b)(xiii), 506(a)(iv)(B) and 506(a)(vi) of the Banking Code of 1965, to be exercised only with the prior written approval of the Department of Banking.

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 96-1050. Filed for public inspection June 28, 1996, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

**Conservation and Natural Resources Advisory Council; Meeting Notice**

Notice is hereby given of a meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources on Monday, July 8, 1996. The meeting will be held at 10 a.m. in the 1st Floor Meeting Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Glenda Miller at (717) 772-9087.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Glenda Miller directly at (717) 772-9087 or through the Pennsylvania AT&T Relay Service at 1 (800)

654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN C. OLIVER,  
Secretary

[Pa.B. Doc. No. 96-1051. Filed for public inspection June 28, 1996, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received, and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

#### Applications received for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

*Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.*

**PA 0020095.** Industrial waste, SIC: 3433. (Gas Heaters). **Thomas & Betts Corporation**, Reznor Facility, 150 McKinley Avenue, Mercer, PA 16137.

This application is for renewal of an NPDES permit, to discharge treated industrial waste, noncontact cooling water and stormwater to Munnell Run in Mercer Borough, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver River and Beaver Falls Municipal Authority located at approximately 45.5 miles below point of discharge.

The proposed discharge limits based on a design flow of 0.0125 mgd are:

*Outfall No. 002*

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow	XX		
Copper	0.17	0.26	0.43
Mercury	XX		
Oil and Grease	15		30
pH	6.0—9.0 at all times		

*Outfall Nos. 004—007*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
------------------	-----------------------------------	---------------------------------	---

These discharges shall consist solely of stormwater.

\*Refer to Special Condition in Part C concerning uncontaminated stormwater outfalls.

The EPA waiver is in effect.

**PA 0037931.** Sewage. **Municipal Authority of the Township of Cambridge**, R. D. 1, Box 53F, Cambridge Springs, PA 16403.

This application is a renewal of a Part I NPDES Permit to discharge treated sewage to an unnamed tributary of French Creek in Cambridge Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the General Authority of the City of Franklin on French Creek located at Franklin, approximately 41 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after chlorine contact tank) based on a design flow of 0.015 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	2		4
(11-1 to 4-30)	6		12
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
Total Residual Chlorine	.5		1.2
Dissolved Oxygen	minimum of 3 mg/l at all times		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

\*\*This Notice reflects changes to the May 14, 1996 Bulletin\*\*

**PA 0032905.** Sewage, **Sunnyview Mobile Home Park**, 90 Shenango Park Road, Transfer, PA 16154.

This application is for a renewal of a Part I NPDES Permit to discharge treated sewage to Dry Swale to Brush Run in Pymatuning Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Sharpsville Municipal Authority on the Shenango River located at Sharpsville, approximately 6 miles below the discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.025 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
Ammonia-Nitrogen		
(5-1 to 10-31)	2	4
(11-1 to 4-30)	6	12
Total Phosphorus (as P)	1	2
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.0	2.3
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 00034789.** Industrial waste, SIC: 4941, **St. Marys Area Water Authority**, 429 Ridgeway Rd., P. O. Box 33, St. Marys, PA 15857.

This application is for a renewal of an NPDES permit to discharge treated industrial waste to Laurel Run in St. Marys, **Elk County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Clarion River and PA American Water Company located at Clarion, approximately 68 miles below point of discharge.

The proposed discharge limits based on a design flow of .157 mgd are:

*Outfall No. 001*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on monthly DMRs		
Total Suspended Solids	30	60	75
Aluminum	2.6	5.2	6.5
Total Iron	2.0	4.0	5.0
Manganese	1.0	2.0	2.5
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

**PA 0222062.** Sewage, **Remington's Steakhouse, Inc.**, 1266 Perry Highway, Mercer, PA 16137.

This application is a new Part I NPDES permit to discharge treated sewage to an unnamed tributary to Neshannock Creek in Springfield Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocking, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver River and is used by the Municipal Authority of the Township of North Sewickley which is 37.65 miles below the discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.001500 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
Fecal Coliforms (5-1 to 9-30)	200/10 ml as a geometric average	
(10-1 to 4-30)	24,000/100 ml as a geometric average	
Total Residual Chlorine	0.5	1.2
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0028274.** Sewage. **Borough of New Wilmington**, 134 High Street, New Wilmington, PA 16142.

This application is a renewal of a Part I NPDES permit to discharge treated sewage to Little Neshannock Creek in New Wilmington Borough, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of the Township of North Sewickley, on the Beaver River located at North Sewickley Township, approximately 22 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after the chlorine contact tank) based on a design flow of 0.564 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	15	22.5	30
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	3		6
(11-1 to 4-30)	9		18
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	4,400/100 ml as a geometric average		
Total Residual Chlorine (Interim Limits)	monitor and report		
(Final Limits)	0.2		0.7
Copper	0.032		0.064
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

*Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

**PA 0020320.** SIC: 4952, Sewage, **Borough of Lititz**, 50 Lititz Run Road, Lititz, PA 17543.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Lititz Run, in Warwick Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Lancaster Municipal Water Authority located in Lancaster City, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 3.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>				
(5-1 to 10-31)	10	15		20
(11-1 to 4-30)	15	22.5		30
Total Suspended Solids	30	45		60
NH <sub>3</sub> -N				
(5-1 to 10-31)	1.5			3
(11-1 to 4-30)	4.5			9
Total Phosphorus	2			4
Total Residual Chlorine	0.2			0.64
Dissolved Oxygen	minimum of 5.0 at all times			
pH	from 6.0 to 9.0 inclusive			
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	2,000/100 ml as a geometric average			

The EPA waiver is not in effect.

**PA 0021067.** SIC: 4952, Sewage, **Mount Joy Borough Authority**, 21 East Main Street, Mount Joy, PA 17552.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to the Little Chickies Creek, in East Donegal Township, **Lancaster County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Columbia Water Company located in Columbia Borough, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.53 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	45	50
Suspended Solids	40	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	4.5		9
(11-1 to 4-30)	13.5		27
Total Phosphorus	2		4
Total Residual Chlorine	0.43		1.4
Dissolved Oxygen	minimum of 5.0 at all times		
pH	6.0—9.0		
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,100/100 ml as a geometric average		

The EPA waiver is not in effect.

**PA 0087351.** Industrial waste, **New Enterprise Stone & Lime Company, Inc.**, P. O. Box 77, New Enterprise, PA 16664.

This application is for issuance of an NPDES permit for an existing discharge of treated industrial waste to unnamed tributary to New Creek, in Frankstown Township, **Blair County**.

The receiving stream is classified for high quality cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable

water supply intake considered during the evaluation was United Water Company located near Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.010 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s.u.)	from 6.0—9.0 inclusive		
Total BTEX	0.1	0.2	0.25
Benzene	0.001	0.002	0.0025
Toluene	Monitor and Report		
Ethylbenzene	Monitor and Report		
Xylene	Monitor and Report		
Naphthalene	Monitor and Report		
TRPH	Monitor and Report		
Dissolved Lead	Monitor and Report		

The EPA waiver is in effect.

**PA 0052400.** SIC: 6515, Sewage, **Irish Creek Village**, 552 Irish Creek Road, Mohrsville, PA 19541-9611.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Irish Creek, in Centre Township, **Berks County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the proposed downstream potable water supply intake considered during the evaluation was Glen Alsace Water Company on the Schuylkill River located in Robeson Township, Berks County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.009 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Total Residual Chlorine	1.5			2.5
Dissolved Oxygen	minimum of 5.0 at all times			
pH	from 6.0—9.0 inclusive			
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	100,000/100 ml as a geometric average			

The EPA waiver is in effect.

**PA 0082015.** SIC: 4952, Sewage, **Meadows Sewer Company**, 5015 East Trindle Road, Mechanicsburg, PA 17055-3622.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Conodoquinet Creek, in Middlesex Township, **Cumberland County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American Water Company located in Silver Spring Township, Cumberland County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.170 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25			50
Total Suspended Solids	30			60
Total Phosphorus	2			4
Total Residual Chlorine	0.5			1.63
Dissolved Oxygen	minimum of 5.0 at all times			
pH	from 6.0—9.0 inclusive			
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	100,000/100 ml as a geometric average			

The EPA waiver is in effect.



**PA 0044113.** SIC: 4952, Sewage, **South Middleton Municipal Authority**, P. O. Box 8, Boiling Springs, PA 17007-0008.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Yellow Breeches Creek, in Monroe Township, **Cumberland County**.

The receiving stream is classified for high quality cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Mechanicsburg Water Company located in Fairview Township, York County. The discharge is not expected to impact any potable water supply.

The proposed interim effluent limits for Outfall 001 for a design flow of 0.75 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>				
(5-1 to 10-31)	20	30		40
(11-1 to 4-30)	25	40		50
Suspended Solids	30	45		60
Total Phosphorus	2.0			4.0
Total Residual Chlorine	1.0			2.0
Dissolved Oxygen	minimum of 5.0 at all times			
pH	from 6.0—9.0 inclusive			
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	68,000/100 ml as a geometric average			

The proposed final effluent limits for Outfall 001 for a design flow of 1.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>				
(5-1 to 10-31)	15	22		30
(11-1 to 4-30)	17.5	26		35
Suspended Solids	20	30		40
NH <sub>3</sub> -N				
(5-1 to 10-31)	8.0			16
(11-1 to 4-30)	9.5			19
Total Phosphorus	1.5			3.0
Total Residual Chlorine	0.50			1.63
Dissolved Oxygen	minimum of 5.0 at all times			
pH	from 6.0—9.0 inclusive			
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	35,000/100 ml as a geometric average			

The EPA waiver is not in effect.

**Penn Township Municipal Authority**, 100 Municipal Building Road, Duncannon, PA 17020 has applied to renew its current NPDES permit, **PA 0084701**, to allow the continued discharge of controlled wastewaters into the waters of the Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew the permit, subject to the current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management, and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions, under waiver provisions 40 CFR 123.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Department of Environmental Protection, Southcentral Regional Office, Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110 within 30 days from the date of this public notice. Comments received within this 30-day period will be considered before taking a final permit action. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Regional Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin*, at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file in the Regional Office. The documents may be inspected at, or a copy requested from, the Regional Office listed above.

**All American Travel Plazas, Inc.**, P. O. Box 302, I 28/22, Bethel, PA 19507 has applied to renew its current NPDES Permit, **PA 0084115**, to allow the continued discharge of controlled wastewaters into the waters of the Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew the permit, subject to the current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management, and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions, under waiver provision 40 CFR 123.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Department of Environmental Protection, Southcentral Regional Office, Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110 within 30 days from the date of this public notice. Comments received within this 30-day period will be considered before taking a final permit action. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Regional Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin*, at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file in the Regional Office. The documents may be inspected at, or a copy requested from, the Regional Office listed above.

---

*Pittsburgh Office: Regional Water Quality Manager, Highland Building, 121 South Highland Avenue, Pittsburgh, PA 15206-3988, (412) 645-7100.*

**PA 0001201.** Industrial waste, SIC: 3674, **Powerex, Inc.**, Hillis Street, Youngwood, PA 15697.

This application is for renewal of an NPDES permit to discharge treated process water, sewage from its Youngwood facility in Youngwood Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters known as Sewickley Creek classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is McKeesport MWA, located at Youghiogheny River, 29.4 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.198 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor only				
CBOD <sub>5</sub>					
(5-1 to 10-30)			10	20	
(11-1 to 4-30)			20	40	
Ammonia-Nitrogen					
(5-1 to 10-30)			3	6	
(11-1 to 4-1)			9	18	
Fecal Coliforms	See Condition No. 3 in Part C of the permit				
TSS			30	60	
TRC			0.5		1.25
pH	6.0—9.0				

Outfall 101: existing discharge to Outfall 001. (0.175 mgd)

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
TSS			31	60	
Chromium			1.59	3.18	
Oil and Grease			15	30	
Cadmium			0.0083	0.017	
Copper			0.175	0.35	
Lead			0.022	0.044	
Zinc			0.277	0.544	
Silver			0.0015	0.003	

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Nickel			0.55	1.1	
Fluoride			17.4	32.0	
Cyanide (T)			0.65	1.2	
TTO				1.37	
pH	6.0—9.0				

The EPA waiver is not in effect.

**PA 0216607.** Industrial waste, SIC: 4922, **Texas Eastern Transmission Corporation**, 5444 Westheimer Court—WT 712, Houston, TX 77056-5388.

This application is for issuance of an NPDES permit to discharge treated groundwater and condensate water from Delmont Compressor Station in Salem Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Beaver Run, classified as high quality-cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Westmoreland Municipal Water Authority, located at Beaver Run, approximately 5.0 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0102 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Total PCBs*			0.00013	0.00026	
pH	6.0—9.0				

*Other Conditions:* The above water quality based effluent limitations are well below the minimum detection level and are not quantifiable using EPA approved analytical methods. Therefore, a special language is included in the permit to address this issue. See Item No. 3 in Part C of the permit for more information.

The EPA waiver is in effect.

**PA 0092835.** Amendment No. 1, Sewage, **Maronda Farms, Inc.**, 11 Timberglen Drive, Imperial, PA 15126.

This application is for amendment of an NPDES permit to discharge treated sewage from the Washington Acres Sewage Treatment Plant in Washington Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Pucketa Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Oakmont Borough Municipal Authority.

Outfall 001: existing discharge, new design flow of 0.1 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	4.0			8.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	.02			.07
Dissolved Oxygen	not less than 6.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**PA 0029289.** Sewerage, **Borough of Stroudsburg**, Seventh and Sarah Streets, Stroudsburg, PA 18360.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into McMichael Creek in the Borough of Stroudsburg, **Monroe County**.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Easton Water Authority located on the Delaware River.

The proposed effluent limits for Outfall 001 based on a design flow of 2.50 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
NH <sub>3</sub> -N (5-1 to 10-31)	10.0		20.0
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine	1.0		2.30

The EPA waiver is not in effect.

**PA 0028568.** Sewerage, **Bangor Borough Authority**, P. O. Box 51, Bangor, PA 18013.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Martins Creek in Washington Township, **Northampton County**.

The receiving stream is classified for the following uses: warm water, trout stocking, fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 1.6 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N (5-1 to 10-31) (11-1 to 4-30)	2.4 7.2	— —	4.8 14.4
Dissolved Oxygen	a minimum of 5 mg/l at all times		
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine First Month through 36th Month 37th Month through Expir. Date	monitor and report 0.16		0.37

The EPA waiver is not in effect.

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.*

**PA 0056928.** Sewage, **H. Fred Read**, 30 Slitting Mill Road, Glen Mills, PA 19342.

This application is for issuance of an NPDES permit to discharge treated sewage from a single residential STP in Thornbury Township, **Delaware County**. This is a new discharge to unnamed tributary of Chester Creek.

The receiving stream is classified for warm water fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10	20
Suspended Solids	20	40
Total Residual Chlorine	monitor/report	monitor/report

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

**PA 0056910.** Sewage, **Rowland J. Pearl**, 146 Scholls School Road, Quakertown, PA 18951.

This application is for issuance of an NPDES permit to discharge treated sewage from the Rowland Pearl single residence sewage treatment plant in Plumstead Township, **Bucks County**. This is a new discharge to an unnamed tributary to North Branch Neshaminy Creek.

The receiving stream is classified for warm water fish, trout stocking, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001 based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10	20
Suspended Solids	20	40
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliforms	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

*Northcentral Region: Environmental Program Manager, Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3670.*

**PA 0114880.** Sewerage, SIC: 4952, **Church of Jesus Christ of the Latter Day Saints**, R. R. 1 Box 121, Springville, PA 18844.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of West Branch Briar Creek in North Centre Township, **Columbia County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Water Authority located in Danville.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0009 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25		50
TSS	30		60
Ammonia-N	15		30
Total Residual Cl <sub>2</sub>	monitor and report		
Fecal Coliforms	200 col/100 ml as a geometric mean		
(5-1 to 9-30)	2,000 col/100 ml as a geometric mean		
(10-1 to 4-30)	6.0—9.0 at all times		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

**PA 0030601.** Sewerage, SIC: 4952, **Clearfield Area School District**, P. O. Box 710, Clearfield, PA 16830.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of West Branch Susquehanna River in Goshen Township, **Clearfield County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limited for Outfall 001 based on a design flow of 0.0018 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25		50
TSS	30		60
Ammonia-N	20		
(5-1 to 10-31)	monitor and report		
Total Residual Cl <sub>2</sub>	monitor and report		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200 col/100 ml as a geometric mean 2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

---

### Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

---

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on DEP's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

*Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
0080055	Conewago Industrial Park 1600 N. Second Street Harrisburg, PA 17102	Lancaster West Donegal	Conewago Creek	
PA0084387	Akzo Nobel Salt, Inc. North 6th Street Reading, PA 19601	Berks Reading	Schuylkill River	None
PA0033553	Gehmans Mennonite School 650 Gehman School Road Denver, PA 17517	Lancaster Brecknock	Little Muddy Creek	None
PA0081027	Newberry Estates 1950 Chestnut Court Camp Hill, PA 17011	York	Unnamed Tributary of Conawago Creek	None
PA0084417	Robert L. Brunner The Village Square R. D. 1 Shermansdale, PA 17090-1997	Perry Carroll	UNIT Sherman Creek	TRC
PA0080471	James Dersham DeCoven Facilities 1900-3 State Road Duncannon, PA 17020	Perry Penn	UNT Susquehanna River	TRC
PA0093801	Leslie and Elenora Lutz Gateway Unlimited, Inc. 871 Range End Rd. Dillsburg, PA 17019	York Franklin Twp.	UNT North Branch Ber- mudian Creek	TRC
PA0051829	Schuylkill Valley School District R. R. 2, Box 2165 Leesport, PA 19533-0915	Berks Ontelawnee	Maiden Creek	TRC

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0022233	Arendtsville Municipal Authority P. O. Box 181 Arendtsville, PA 17303-0508	Adams Arendtsville Borough	Conewago Creek	TRC
PA0083135	Mifflin County School District 103 Green Avenue Lewistown, PA 17094	Mifflin Derry Township	Jacks Creek (12366)	TRC
PA0084115	Clarks Ferry Auto/Truck Stop P. O. Box 57 Duncannon, PA 17020	Dauphin Reed Township	Susquehanna River	TRC

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

*Southeast Regional Office: Regional Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.*

*Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

*Northcentral Regional Office: Regional Water Management Program Manager, 208 W. Third Street, Williamsport, PA 17701, telephone (717) 327-3669*

*Bucks County Conservation District, District Manager, 924 Town Center, New Britain, PA 18901, telephone (215) 345-7577.*

**NPDES Permit PAS10D081.** Stormwater. **Cutler Group Inc.**, 5 Sentry Parkway West, Blue Bell, PA 19422 has applied to discharge stormwater from a construction activity located in Warrington Township, **Bucks County**, to UNT to Neshaminy Creek.

*Centre County Conservation District, District Manager, 414 Holmes Ave. Ste. 4, Bellefonte, PA 16823, telephone (814) 355-6817.*

**NPDES Permit PAS10F057.** Stormwater. **Frederick Kissinger**, Cedar Run Farm Subdivision, 245 S. Allen Street, State College, PA 16801 has applied to discharge stormwater from a construction activity located in Harris Township, **Centre County**, to Cedar Run.

*Erie County Conservation District, District Manager, 12723 Rte. 19, P. O. Box 801, Waterford, PA 16441, telephone (814) 796-4203.*

**NPDES Permit PAS10K017.** Stormwater. **The Cafaro Company**, 2445 Belmont Avenue, Youngstown, OH 44504-0186 has applied to discharge stormwater from a construction activity located in Millcreek Township, **Erie County**, to Walnut Creek.

*Lackawanna County Conservation District, District Manager, 395 Bedford St., Bedford Station, Clarks Summit, PA 18411, telephone (717) 587-2607.*

**NPDES Permit PAS10N019.** Stormwater. **Leon and Betty Walczak**, R. R. 2, Box 313, Carbondale, PA 18413 has applied to discharge stormwater from a construction activity located in Glenburn Township, **Lackawanna County**, to UNT to Ackerly Creek.

*Montgomery County Conservation District, District Manager, 1015 Bridge Road, Ste. B, Collegetown, PA 19426, telephone (610) 489-4506.*

**NPDES Permit PAS10T065.** Stormwater. **Cutler Group**, 5 Sentry Parkway West, Ste. 100, Blue Bell, PA 19422 has applied to discharge stormwater from a construction activity located in Montgomery Township, **Montgomery County**, to Little Neshaminy Creek.

*Tioga County Conservation District, District Manager, 5 East Avenue, Wellsboro, PA 16901, telephone (717) 724-4812.*

**NPDES Permit PAS106604.** Stormwater. **Sylvan Glen, Inc.**, P. O. Box 61, Gaines, PA 16921-0061 has applied to discharge stormwater from a construction activity located in Gaines Township, **Tioga County**, to Shin Hollow.

*Westmoreland County Conservation District, District Manager, Donohoe Ctr., R. R. 12, Box 202B, Greensburg, PA 15601, telephone (412) 837-5271.*

**NPDES Permit PAS10X064.** Stormwater. **Kiski Area School District**, 200 Poplar Street, Vandergrift, PA 15690 has applied to discharge stormwater from a construction activity located in Washington Township, **Westmoreland County**, to UNT to Beaver Run.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding, should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

**Industrial waste and sewage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

**A. 2282406.** Sewage, **Berrysburg Municipal Authority**, First and Hickory Streets, Berrysburg, PA 17005, in Berrysburg Borough, **Dauphin County**, to add a tertiary sand filter to the Sewage Treatment Plant was received in the Southcentral Regional office on June 5, 1996.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

**2396404.** Sewerage. **H. Fred Read** (30 Slitting Mill Road, Glen Mills, PA 19342). Construction of a proposed small flow treatment facility to serve the Read residence located in Thornbury Township, **Delaware County**.

**4696410.** Sewerage. **John D. Cabot** (3353 Salford Station Road, Perkiomenville, PA 18074). Construction of a sewage treatment plant with spray irrigation to serve the Cabot residence located in Douglass Township, **Montgomery County**.

**Pennsylvania Priority List of Hazardous Sites for Remedial Response**

*Preamble*

1. *Background*

The Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305) was enacted in 1988 to provide for the cleanup of Pennsylvania sites that are releasing or threatening the release of hazardous substances. Section 502(a) of HSCA requires that the Department publish in the *Pennsylvania Bulletin* a priority list of sites with releases or threatened releases for the purpose of taking remedial response. This list is called the Pennsylvania Priority List of Hazardous Sites For Remedial Response (PAPL). The Department places sites on the PAPL when the Department has determined through investigation that there are releases or threatened releases of hazardous substances, or releases or substantial threatened releases of contaminants which present a substantial danger. In accordance with the requirements of section 502(a) of HSCA, the Hazard Ranking System (HRS; 40 CFR Part 300, Appendix A), established under the Federal Superfund Act, as amended, is utilized to rank the sites for placement on the PAPL. The HRS uses mathematical formulas that reflect the relative importance and interrelationships of the various human health and environmental factors to arrive at a final score on a scale of 0 to 100. The values are assigned using information obtained from site investigations. Section 502(a) of HSCA also directs the Department to consider its administrative, enforcement and financial capabilities when placing sites on the PAPL. The proposed listing notice is issued under HSCA section 502(c). The HRS was created by the U. S. Environmental Protection Agency and appears at 40 CFR Part 300, Appendix A in accordance with the Superfund Amendments and Reauthorization Act of 1986.

2. *Summary and Purpose*

Placement of a site on the PAPL is used to identify sites which need further study and/or remedial response decisions to address threats to the public health, safety or the environment. The Department will decide on a case-by-case basis whether to take enforcement or other actions under HSCA or other authorities, and/or to proceed directly with HSCA-funded remedial response actions and seek cost recovery after the cleanup.

Remedial response actions will not necessarily be taken in the same order as a site's ranking on the PAPL. The investigation conducted to place a site on the PAPL may not be sufficient to determine either the extent of contamination or the appropriate response actions for a site. The Department may undertake further site investigation and/or an analysis of remedial alternatives to determine appropriate response actions. The length of time needed to complete these studies will vary due to the complexity of a site. Response action decisions and implementation will proceed on individual sites regardless of the progress at other sites. Given the limited resources available in the Hazardous Sites Cleanup Fund, the Department must carefully balance the relative needs for response at the sites it has studied. The Department may decide not to immediately proceed with a HSCA remedial action or that no remedial action is necessary.



### 3. Technical Evaluation Grants under Act 108

Under section 510 of HSCA, the Department may make available a reasonable sum as a grant to the governing body of the host municipality of a site where the Department is considering a remedial response. The host municipality shall use this sum solely to conduct an independent technical evaluation of the proposed remedial response. The grant shall not exceed \$50,000. Information and a technical evaluation grant package may be obtained from the Department regional office in which the site is located. Refer to the Additional Information section of this notice.

A municipality will be sent grant information by the Department after a listing announcement has been published in the *Pennsylvania Bulletin*. However, the grant will not be awarded until the proposed remedial response is available for public review. At that time, the municipality will receive the official grant award in order to proceed with the review of the Department's proposed remedial response.

#### Pennsylvania Priority List of Hazardous Sites For Remedial Response

##### A. Effective Date

The site listed below is being placed on the Pennsylvania Priority List of Hazardous Sites For Remedial Response (PAPL) effective upon publication of this *Pennsylvania Bulletin*.

##### B. Contact Persons

For further information concerning the Pennsylvania Priority List of Hazardous Sites for Remedial Response, contact David Crownover, Chief, Hazardous Sites Cleanup Section, P. O. Box 8471, Harrisburg, PA 17105, telephone (717) 783-7816.

Individual site information may be obtained by contacting the Department's regional office in which the site is located whose address can be found in the Additional Information section of this notice.

##### C. Statutory Authority

The Pennsylvania Priority List of Hazardous Sites For Remedial Response is published under the authority of

section 502(a) of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305). Under section 502(b) of HSCA, a decision to place a site on the list or to remove a site from the list is not a final action subject to review under the Judicial Act Repealer Act (42 P. S. §§ 20001—20004), 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), or the Environmental Hearing Board Act (35 P. S. §§ 7511—7514), nor shall it confer a right or duty upon the Department or any person.

##### D. Review and Public Comment

HSCA provides for a 30-day public comment period subsequent to publication of the PAPL. This *Pennsylvania Bulletin* announcement opens the formal 30-day comment period for the sites being added with this publication. Written comments should be sent to David Crownover, Chief, Hazardous Sites Cleanup Section, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 783-7816.

The regional office site files contain all information considered by the Department in placing a site on the PAPL. Files are available for review in the appropriate Regional Office, by appointment only, from 8 a.m. to 4 p.m. Monday through Friday excluding State holidays. Contact the Regional Environmental Cleanup Manager whose address can be found in the Additional Information section of this notice.

The Department considers all written comments received during the formal comment period. All written comments and the Department's responses will be placed into the site file and will later be incorporated into the Administrative Record.

##### E. Contents of List

This notice places one site on the PAPL. Table 1 lists the site added to the PAPL by this notice. The name of the site, HRS score, municipality, county and Department region are included in this table.

Table 2 lists all sites currently on the PAPL including the site added by this notice. The name of the sites, HRS score, municipality, county and Department region are included in this table. The sites are listed in decreasing order of HRS scores.

TABLE 1  
SITE BEING ADDED BY THIS NOTICE

Site	HRS	Municipality	County	DEP Region
Dupont/Newcastle	54.75	Newcastle	Lawrence	Northwest

TABLE 2  
PENNSYLVANIA PRIORITY LIST FOR REMEDIAL RESPONSE

Site	HRS	Municipality	County	DEP Region
Ind. Solvents & Chem.	55.72	Newberry Twp	York	Southcentral
Dupont/Newcastle	54.75	Newcastle	Lawrence	Northwest
H. K. Porter	48.04	Hopewell Twp.	Beaver	Southwest
Delta Chemicals, Inc	39.61	N. Buffalo Twp.	Armstrong	Southwest
Avtex Fibers, Inc.	38.08	Vernon Twp.	Crawford	Northwest
Crown Industries	36.92	Lackawaxen Twp.	Pike	Northwest
J. C. Cleaners	35.68	Gettysburg	Adams	Southcentral
Easterly STP	35.06	Logan Twp.	Blair	Southcentral
F. E. Cooper Lumber	33.62	Broad Top Twp.	Bedford	Southcentral
Presque Isle Chemical	32.27	Washington Twp.	Erie	Northwest
Oliver Site	30.20	Waterford Twp.	Erie	Northwest
Shaler/JTC	22.70	Bruin	Butler	Northwest
Quakertown Foundry	22.25	Quakertown	Bucks	Southeast

<i>Site</i>	<i>HRS</i>	<i>Municipality</i>	<i>County</i>	<i>DEP Region</i>
Mun. & Ind. Disposal	19.58	Elizabeth Twp.	Allegheny	Southwest

#### F. *Site Listing Summaries*

The site summary for the Dupont/New Castle Junk Yard site is listed below. Site summaries for the sites previously placed on the PAPL are listed in the *Pennsylvania Bulletins* published on May 5, 1990, September 15, 1990, May 4, 1991, October 26, 1991, June 13, 1992, August 1, 1992, December 10, 1994, June 3, 1995, October 28, 1995, and March 9, 1996.

##### Dupont/New Castle Junk Yard

The Dupont/New Castle Junk Yard Site is approximately 25 acres in size, and is located in the northwestern section of the City of New Castle, and Union Township, in Lawrence County, PA. The site is located in an industrial area of New Castle. The site consists of two adjacent properties, an inactive junkyard owned by New Castle Junk Company, Inc. (NCJC) and the former "Shenango China" facility owned by Realties U.S.A., Inc. (located south of the junk yard).

From 1910 to 1961, the northern portion of the site was the location of a chemical manufacturing facility and was operated by three different companies during the period. Chemical manufacturing operations involved the production of sulfuric acid from zinc sulfide by the lead chamber process. Since 1961, the northern portion has been the location of a scrap metal recycling operation (currently inactive junkyard); from 1961 to 1979, a battery reclaiming business was also in operation on this portion. Lead acid batteries were reclaimed by cutting off the tops, draining the fluid inside the casing onto the ground the removing the lead plates inside. The southern portion of and site contains a large china waste disposal area which has been used for the disposal of broken chinaware, plaster scrap molds, wooden pallets and other types of waste. Except for a small refractory operation, the china/pottery manufacturing facility is current inactive.

Three general types of materials are present at the site: waste material, fill material and unconsolidated sediments. Waste materials included battery casings, scrap and china/pottery manufacturing by-products, and were generally found near the ground surface. Fill materials consisted primarily of steel mill slag, cinders and ash, and were most likely deposited onsite to raise the elevation of the chemical manufacturing facility above the floodplain. The unconsolidated sediments (natural materials) consisted of clay, silt, sand and rock fragments, and were usually found near the bottom of the RI excavations/borings.

Site studies have indicated the presence of heavy metal (primarily lead), volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs; mainly polynuclear aromatic hydrocarbons or PAHs), pesticides and polychlorinated biphenyls (PBCs). Battery casings are present at the site in two significant disposal areas (north and south); primary contaminants in these disposal areas are inorganics with several samples exceeding the hazardous waste leaching level for lead.

Based on a review of historical photographs and observations during the site study, it is apparent that slag fill material (probably originating from local steel mills) was deposited at the site and along the steep river embankment. The slag fill has been present at the site at least as long as the chemical manufacturing facility (1910), and

varies from 0 feet along the western edge of the site to more than 15 feet along the bank of the Shenango River. Contaminants in the slag fill include PAHs, as well as inorganics; several samples tested as hazardous waste for lead. A contaminated soils area is located west of the site fence line and east of the railroad tracks, along the former "Shenango China" facility; contaminants include PAHs and inorganics.

Detected concentrations of VOCs were exhibited by groundwater samples from six monitoring wells. No significant concentrations of SVOCs, pesticides or PCBs were exhibited by groundwater samples from the site. Inorganic concentrations greater than background were detected in groundwater samples from monitoring wells throughout the site. Currently, no human or ecological exposures to site-related groundwater contamination are occurring at the site.

Surface water and sediment samples were collected from the Shenango River, southern tributary and intermittent northern tributary. The Shenango River forms the eastern border of the site, and the southern tributary is a small stream which crosses the northern half of the site flowing west to east and discharging into the Shenango River. Water in the southern tributary originates primarily from offsite sources located west of the site; however, the site is contributing to the surface water and sediment contamination in this tributary prior to entering the Shenango River. The most significant impact of the site to the surface water and sediments in the study area are to the sediments. Impacts to river sediments are most evident in areas immediately adjacent to the site.

The Department has determined that hazardous substances and contaminants are present in the surface and subsurface soil/fill/waste materials, surface water and sediments, and groundwater at the site.

#### G. *Additional Information*

Department Regional Office address and phone number for site file review and technical evaluation grant information: Bruce Beitler, Environmental Cleanup Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, Ste. 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6212.

#### **Beneficial use determination received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the regulations for municipal and residual waste.**

*Regional Office: Regional Solid Waste Manager, 208 W. Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Beneficial Use Request No. BU4022, A & C University Area Joint Authority**, (1576 Spring Valley Road, State College, PA 16801). Modification of beneficial use approval to utilize compost on vegetable crops intended for human consumption. Composting facility is located in College/Benner Townships, **Centre County**. Comments will be accepted and considered within 60 days of the publication of the notice, and may recommend conditions upon revisions to, approval or disapproval of the beneficial use modification. Request received in Regional Office May 10, 1996.

---

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

---

*Regional Office: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**A. 101125** (Permit Reissuance). **Lycoming County Transfer Station**, Lycoming County Commissioners (Courthouse, 48 West Third Street, Williamsport, PA 17701). Operation of transfer station, formerly Bower County Transfer, located in the City of Williamsport, **Lycoming County**. Application received in regional office June 7, 1996.

**A. 100955** (Permit modification). **Wayne Township Landfill, Clinton County Solid Waste Authority**, (P. O. Box 209, McElhattan, PA 17748). Modify existing permit to accept Form S Waste (municipal-like residual waste) from various generators. Facility is located in Wayne Township, **Clinton County**. Application received in Regional Office May 28, 1996.

---

**Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources.**

---

*Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.*

**06-1007D**. Construction of five annealing furnaces by **Carpenter Technology Corporation** (P. O. Box 14662, Reading, PA 19612-4662) in Muhlenberg Township, **Berks County**. The sources are subject to New Source Review (25 Pa. Code 127, Subchapter E).

**06-319-077A**. Construction of two lead pots controlled by a type-N rotoclone scrubber by **General Battery Corporation** (P. O. Box 13995, Reading, PA 19612-3995) in Muhlenberg Township, **Berks County**. The sources are subject to 40 CFR 60, Subpart KK, Standards of Performance for New Stationary Sources.

**21-322-001A**. Installation of a landfill gas collection system by **Cumberland County Landfill** (142 Vaughn Road, Shippensburg, PA 17257) in Hopewell Township, **Cumberland County**. The source is subject to 40 CFR 60, Subpart WWW, Standards of Performance for New Stationary Sources.

**28-318-032**. Construction of a surface coating line by **Grove North America** (P. O. Box 21, Shady Grove, PA 17256) in Antrim Township, **Franklin County**.

**28-318-033**. Construction of a new paint booth by **Grove North America** (P. O. Box 21, Shady Grove, PA 17256) in Antrim Township, **Franklin County**.

---

**Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources or to install Air Cleaning Devices.**

---

*Regional Office: Southeast Regional Office, Bureau of Air Quality Control, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**46-310-047**. On June 3, 1996, an application was received from **Pottstown Trap-Rock Quarries, Inc.** (P. O. Box 196, Skippack, PA 19426) for the construction

of a portable crushing plant to be located in Lower Pottsgrove Township, **Montgomery County**.

**46-313-117C**. On June 5, 1996, an application was received to amend to previous application for **Merck & Company, Inc.** (P. O. Box 4, AP20-208, Sumneytown Pike, West Point, PA 19464) for the pharmaceutical formulation bldg. to be located in Upper Gwynedd Township, **Montgomery County**.

**23-312-172C**. On June 4, 1996, an application was received to amend to previous application for **Epsilon Products Company** (P. O. Box 432, Marcus Hook, PA 19486) for the polypropylene manufacturer to be located in Marcus Hook Borough, **Delaware County**.

**46-327-016**. On June 6, 1996, an application was received from **Uniform Tubes, Inc.** (P. O. Box 992, Collegeville, PA 19061) for the modification of a vapor degreaser to be located in Trappe Borough, **Montgomery County**.

---

**Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

---

*Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.*

**22-323-016**. The Department intends to issue an Air Quality Operating Permit to **Mack Trucks, Inc.** (2800 Commerce Drive, Middletown, PA 17057) for two thermal cleaning systems with integral afterburners in Lower Swatara Township, **Dauphin County**.

**36-303-029**. The Department intends to issue an Air Quality Operating Permit to **Haines & Kibblehouse, Inc.** (P. O. Box 196, Skippack, PA 19474) for an asphalt concrete plant located in their Silver Hill Quarry in Brecknock Township, **Lancaster County**. The source is subject to 40 CFR 60, Subpart I, Standards of Performance for New Stationary Sources.

**36-313-022B**. The Department intends to issue an Air Quality Operating Permit to **Armstrong World Industries, Inc.** (P. O. Box 169, Marietta, PA 17547) for three perlite expanders controlled by a wet scrubber in East Donegal Township, **Lancaster County**. The source is subject to 40 CFR 60, Subpart UUU, Standards of Performance for New Stationary Sources.

**38-2008**. The Department intends to issue an Air Quality Operating Permit (VOC RACT) to **Rich Maid Cabinetry** (633 West Lincoln Avenue, Myerstown, PA 17067) for three spray booths in Jackson Township, **Lebanon County**.

*Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**18-399-014**. The Department intends to issue an operating permit to **Autoline Industries East, Inc.** (P. O. Box 210, McElhattan, PA 17748) for the operation of a burnoff oven and three rust inhibitor dip tanks in Wayne Township, **Clinton County**.

**18-318-013**. The Department intends to issue an operating permit to **Avis America** (P. O. Box 420, Avis, PA 17721-0420) for the operation of a modular home manufacturing operation in Pine Creek Township, **Clinton County**.

---

### Air Quality Operating Permits

---

#### Keystone Cement Company

Operating Permits No. 48-309-040C & 48-309-041C

The Department of Environmental Protection (DEP) intends to issue air quality operating permits modifying the air quality operating permits issued on June 19, 1995, to Keystone Cement Company for the Nos. 1 and 2 cement kilns to fire nonhazardous and hazardous waste as fuels in the cement manufacturing process at its facility located in East Allen Township, Northampton County.

The Department will consider any written comments received within 30 days of publication of this notice. Any person may oppose this preliminary determination by filing a written protest within 30 days of the date of this publication to the Department of Environmental Protection, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Attention: Babu H. Patel. Each protest shall include the following:

1. Name, address and telephone number of the person filing each protest.
2. Identification of the proposed Operating Permits No. 48-309-040C and 48-309-041C.
3. Concise statement of the reasons for objection to the issuance of the operating permit modifications and relevant facts upon which your objections are based.

Request for a public fact finding conference or hearing may also be made by writing DEP at the address shown above. A public conference may be held if DEP in its discretion decides that such a conference is warranted on the basis of the information received. All persons who have submitted comments or have requested a conference will be notified of the decision to hold such a conference by publication in a newspaper or the *Pennsylvania Bulletin*, or by telephone, where DEP determines such notification by telephone is sufficient.

In order to assure compliance with the applicable standards, DEP will modify the following conditions on each operating permit.

A. Condition No. 6, relating to the metal concentration limits, shall be modified to read as follows:

The Permittee shall not fire any waste fuels in the cement kiln having as-fired metal concentrations in excess of the following limits:

—arsenic	— 100 ppm
—beryllium	— 20 ppm
—cadmium	— 1,000 ppm
—hexavalent chromium	— 1,000 ppm
—mercury	— 10 ppm
—nickel	— 1,000 ppm
—lead	— 2,500 ppm

The Permittee shall not accept waste fuels with metal concentrations limits in excess of the "as-fired" limits, unless Permittee applies for and receives a hazardous waste treatment permit authorizing the blending of the waste fuels or the Department or Environmental Quality Board determines that such a permit is not required.

B. Condition No. 11e, relating to the automatic operation of the interlocks to stop the flow of waste fuel for visible air contaminants, shall be modified to read as follows:

Visible air contaminants from the kiln as measured by opacity is equal to or greater than 20% for any 6 minute rolling average, or equal to or greater than 60% for any 1 minute block average.

C. Condition No. 13, relating to stack sampling for metals, chlorine and particulates, shall be deleted. (See Paragraph E below.)

D. Condition No. 14, relating to stack sampling for PCDD and PCDF, shall be deleted. (See Paragraph E below.)

E. Condition No. 15, which requires stack sampling for arsenic, beryllium, cadmium, hexavalent chromium, mercury, nickel, lead, HCl, metals, chlorine, particulates, PCDD and PCDF, at a frequency prescribed by the Department but at a minimum every 6 months for the first 18 months, then annually thereafter, shall be modified to read as follows:

The Permittee shall conduct stack sampling for the following pollutants on an annual basis: arsenic, beryllium, cadmium, hexavalent chromium, mercury, nickel, lead, HCl, chlorine, particulates, PCDD and PCDF. All stack sampling and analysis shall be conducted by an independent Department approved third party and shall be conducted while the source is operating at maximum routine operating conditions. The Department reserves the right to require the Permittee to sample the emissions in accordance with such methods and procedures and at such locations and intervals of time as the Department may reasonably prescribe and provide the Department with the results, as authorized by law.

F. Condition No. 24, relating to modification of the Department in the case of exceedances of emission limits, shall be modified to read as follows:

The Permittee shall promptly notify the Department at (610) 861-2070 of the sources or associated air cleaning devices which results in, or may possibly be resulting in, the emission of air contaminants in excess of the regulation contained in Article III of the Rules and Regulations of the Department of Environmental Protection.

G. Condition No. 33, relating to prior permits and plan approvals, shall be modified to read as follows:

For Operating Permit No. 48-309-040C (Kiln No. 1):

This Operating Permit supersedes all Plan Approvals, Temporary Operating Permits and Operating Permits bearing the Nos. 48-309-040, 48-309-040B and 48-309-040C issued before June 19, 1995. The terms and conditions of the June 19, 1995 Operating Permit are restated herein and remain in full force and effect, except to the extent expressly modified.

For Operating Permit No. 48-309-041C (Kiln No. 2): This Operating Permit supersedes all Plan Approvals, Temporary Operating Permits and Operating Permits bearing the Nos. 48-309-041, 48-309-041B and 49-309-041C issued before June 19, 1995. The terms and conditions of the June 19, 1995 Operating Permit are restated herein and remain in full force and effect, except to the extent expressly modified.

For any additional information regarding the above, please contact Babu H. Patel or Thomas A. DeLazaro at (717) 826-2543 or by writing the Department at the Wilkes-Barre address given above.

Except for the seven conditions described above, all terms and conditions of Operating Permits No. 49-309-040C and 48-309-041C issued on June 19, 1995, shall remain in full force and effect, unaffected by these Permit modifications.

**Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 129.91 for Reasonably Available Control Technology.**

*Regional Office: Southeast Regional Office, Bureau of Air Quality Control, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**OP-46-0081.** On May 30, 1996, an application was received from **Markel Corporation** (416 School Lane, Box 752, Norristown, PA 18974) for the construction of Facility VOC/NOx RACT to be located in Plymouth Township, **Montgomery County**.

**OP-15-0040.** On June 3, 1996, an application was received from **Beckett Corporation** (219 Welsh Pool Road, Lionville, PA 19401) for the construction of Facility VOC/NOx RACT to be located in Uwchlan Township, **Chester County**.

**OP-46-0082.** On June 3, 1996, an application was received from **Stabilus** (92 County Line Road, Colmar, PA 19353) for the construction of Facility VOC/NOx RACT to be located in Hatfield Township, **Montgomery County**.

**OP-23-0006A.** On February 1, 1996, an application was received from **Foamex International, Inc.** (1500 East Second Street, Eddystone, PA 19440) for the construction of Facility VOC/NOx RACT to be located in Eddystone Borough, **Delaware County**.

**OP-09-0040.** On June 6, 1996, an application was

received from **Howard Printing** (P. O. Box 2875, Warminster, PA 19013) for the construction of Facility VOC/NOx RACT to be located in Warminster Township, **Bucks County**.

**Reasonably Available Control Technology; Public Hearing**

Approval of Reasonably Available Control Technology (RACT) Plans for: Grows, Inc. (Falls Township, Bucks County) Foamex International, Inc. (Eddystone Borough, Delaware County) DELCORA Western Regional Treatment Plant (City of Chester, Delaware County) Cleveland Steel Container Corporation (Quakertown Borough, Bucks County)

DEP has made a preliminary determination to approve RACT plans as amendments to the State Implementation Plan (SIP) for the above facilities. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

These preliminary determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the U.S. Environmental Protection Agency (EPA) as revisions to Pennsylvania's SIP.

The following is a summary of the preliminary RACT determinations for these facilities:

*Grows, Inc. (Operating Permit OP-09-0007)*

<i>Source</i>	<i>Emission Limit</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
2 Gas Turbines	42 ppm NOx	Good Work Practices	Implemented
Landfill	88% VOC Removal	Landfill Gas Collection	Implemented

*Foamex International, Inc. (Operating Permit OP-23-0006A)*

<i>Source</i>	<i>Emission Limit</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Maxfoam Machine	189.42 tons VOC/year	Good Housekeeping and Work Practices	Implemented
CTM/Log Machines	189.42 tons VOC/year	Good Housekeeping and Work Practices	Implemented
Bun Zapper	27.60 tons VOC/year	Good Housekeeping and Work Practices	Implemented
Felt Presses	22.34 tons VOC/year	Good Housekeeping and Work Practices	Implemented
Boiler Nos. 1, 2 & 3	0.14 lb NOx/MMBtu	Manufacturers' Specifications	Implemented

*Delcora (Operating Permit OP-23-0032)*

<i>Source</i>	<i>Emission Limit</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Wastewater Treatment	140 tons VOC/year	Good Work Practices	Implemented
Sludge Incinerators	6.1 lbs VOC/hr	Good Work Practices	Implemented
Sludge Incinerators	13 lbs NOx/hr	Good Work Practices	Implemented

All other minor NOx/VOC emitting sources shall be operated and maintained in accordance with manufacturer's specifications as well as in accordance with manufacturer's specifications as well as in accordance with good air pollution control practices.

*Cleveland Steel Container Corporation (Operating Permit OP-09-0022)*

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Pail Line Clean-Up Solvent	13.03	Good Housekeeping Practices	Implemented

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Roller Coater Clean-Up Solvent	2.18	Good Housekeeping Practices	Implemented

This facility is not a major NOx emitter.

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions. The hearing will be held 7 p.m.-8 p.m. on July 30, 1996, at the Department of Environmental Protection Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to DEP on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to comment should send their written comments to Francine Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before July 30, 1996.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for review at the DEP Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6268.

### MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when neces-

sary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### *Coal Applications Received*

**56850107.** Permit Renewal. **Sanner Energies, Inc.** (R. D. 2, Box 358A, Rockwood, PA 15557), commencement, operation and restoration of bituminous strip mine in Southampton Township, **Somerset County**, affecting 226.6 acres, receiving stream unnamed tributaries to the North Branch Jennings Run, application received June 11, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**16930105. Doverspike Bros. Coal Co.** (R. D. 4, Box 271, Punxsutawney, PA 15767) Revision to an existing bituminous surface strip operation in Perry Township, **Clarion County** affecting 105.0 acres. Receiving streams unnamed tributary to the Allegheny River. Revision to include a post-mining landuse change from "pastureland, land occasionally cut for hay" to "industrial, commercial" on the lands of C & K Coal Company. Application received June 10, 1996.

**33880106. P & N Coal Company** (P. O. Box 332, Punxsutawney, PA 15767) Renewal of an existing bituminous surface strip operation in Knox Township, **Jefferson County** affecting 178.0 acres. Receiving streams

an unnamed tributary to Sandy Lick Creek. Application for reclamation only. Application received June 10, 1996.

**101887-16940104-E-1. Cookport Coal Co., Inc.** (425 Market Street, Kittanning, PA 16201) Application for a stream encroachment to conduct mining activities within 100 feet of an unnamed tributary to Cherry Run in Toby Township, **Clarion County**. Receiving streams an unnamed tributary to Cherry Run. Application received May 29, 1996.

**33960106. R & L Coal Corporation** (P. O. Box 26, Punxsutawney, PA 15767) Commencement, operation and restoration of a bituminous surface strip operation in Oliver Township, **Jefferson County** affecting 66.0 acres. Receiving streams Hadden Run and an unnamed tributary to Hadden Run. Application to include a post-mining landuse change from "forestland or surface abandoned mine land" to "pastureland, land occasionally cut for hay" on the lands of Richard and Margaret Newcome, James and Colleen V. Burkett and Olive C. Smathers. Application received May 28, 1996.

**37930106. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001) Revision to an existing bituminous surface strip operation in Shenango Township, **Lawrence County** affecting 158.0 acres. Receiving streams five unnamed tributaries to McKees Run. Revision to include a post-mining landuse change from "forestland and/or abandoned surface mine" to "land occasionally cut for hay" on the lands of Sam Arcuri. Application received June 5, 1996.

**10930104. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001) Revision to an existing bituminous surface strip operation in Center Township, **Butler County** affecting 145.0 acres. Receiving streams an unnamed tributary to Stoney Run and three unnamed tributaries to Pine Run. Application to include a post-mining landuse change from "forestland and/or abandoned surface mine" to "land occasionally cut for hay" on the lands of George Broszinski. Application received June 5, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**54871303T. D and D Coal Company,** (139 East Independence Street, Shamokin, PA 17982), transfer of an existing anthracite deep mine operation in Cass Township, **Schuylkill County** affecting 2.8 acres, receiving stream—Wheeler Creek. Application received June 6, 1996.

**54830104C2. Hardway Coal Company** (R. D. 1, Box 1181, Schuylkill Haven, PA 17972), correction to an existing anthracite surface mine operation to include a processing facility in Cass Township, **Schuylkill County** affecting 54.5 acres, receiving stream—Schuylkill River. Application received June 7, 1996.

**54930102C3. Harriman Coal Corporation,** (P. O. Box 127, Valley View, PA 17983), Commencement, operation and restoration of a fly ash disposal source at existing SMP #54930102 in Porter Township, **Schuylkill County**, affecting 460.0 acres, receiving stream Good Spring Creek and E. Branch of Rausch Creek. Application received June 6, 1996.

*District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.*

**65910103R. Calvin W. Hepler** (R. D. 1, Box 224, Smithton, PA 15479). Renewal application received for continued operation and reclamation of a bituminous

surface mine located in South Huntingdon Township, **Westmoreland County**. Receiving streams unnamed tributaries to Barren Run to Jacobs Creek to the Youghiogheny River. Renewal application received May 1, 1996.

**03960105. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Application received for commencement, operation and reclamation of a bituminous surface auger mine with a coal preparation plant/processing facility located in Cowanshannock Township, **Armstrong County**, proposed to affect 470.0 acres. Receiving streams Huskins Run and unnamed tributary to Huskins Run. Application received May 8, 1996.

**65850105R. American Coal Company** (P. O. Box 810, McMurray, PA 15317-0810). Renewal application received for continued operation and reclamation of a bituminous surface mine located in South Huntingdon Township, **Westmoreland County**. Receiving streams unnamed tributary of Hunters Run and Lick Run to Sewickley Creek and to the Youghiogheny River watershed. Renewal application received May 9, 1996.

**02960901. ACV Power Corporation** (P. O. Box 402, Emlenton, PA 16373). Application received for commencement, operation, and reclamation of an incidental coal extraction site located in Indiana Township, **Allegheny County**, affecting 12.0 acres. Receiving streams Little Deer Creek. Application received May 10, 1996.

**65900107R. FNR Mining Company** (950 Stonebraker Road, Indiana, PA 15701). Renewal application received for continued reclamation of a bituminous surface mine located in Mt. Pleasant Township, **Westmoreland County**. Receiving streams unnamed tributary to Brush Run and Brush Run. Renewal application received May 29, 1996.

**30860102R. Boyle Land & Fuel Company** (P. O. Box 576, Fredericktown, PA 15333). Renewal application received for continued reclamation of a bituminous surface mine located in Morga Township, **Greene County**. Receiving streams unnamed tributary to Castile Run to Ten Mile Creek to the Monongahela River. Renewal application received June 4, 1996.

*Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.*

**63901302. Bologna Coal Company** (Box 271, Avella, PA 15312), to renew the permit for the Avella bituminous deep mine in Cross Creek Township, **Washington County** for reclamation only, no additional discharge. Application received May 31, 1996.

*District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.*

*Noncoal Applications Received*

**65962301. Kenneth E. Beacon** (1064 Dutch Hollow Road, Jeannette, PA 15644). Application received for commencement, operation and restoration of a noncoal (sandstone) surface mine located in Penn Township, **Westmoreland County**, affecting 14.3 acres. Receiving streams unnamed tributary to Brush Creek, to Turtle Creek, to the Monongahela River. Application received May 31, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**4975SM4A1C2. Glen-Gery Corporation,** (P. O. Box 7001, Wyomissing, PA 19610-6009), renewal of NPDES Permit #PA0594971 in Mt. Pleasant Township, **Adams**

**County**, receiving stream—unnamed tributary to Conewago Creek. Application received May 31, 1996.

**7775SM11A2C2. Glen-Gery Corporation**, (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit #PA0595101 in Lower Heidelberg Township, **Berks County**, receiving stream—unnamed run to Cacoosing Creek. Application received June 4, 1996.

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for water quality certification have been received by the Department of Environment Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

---

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**E20-433. Encroachment. Meadville Area Sewer Authority**, 984 Water Street, Meadville, PA 16335. To install and maintain a sanitary sewage pump station in a de minimus area of wetland. The project is located along Martin Road (T-974) approximately 550 feet west of the intersection of Martin Road (T-974) and S. R. 0086 (Meadville, PA Quadrangle N: 8.9 inches; W: 1.25 inches) located in West Mead Township, **Crawford County**.

**E25-538. Encroachment. Wegmans Food Market Inc.**, 1500 Brooks Avenue, P. O. Box 844, Rochester, New York 14692-0844. To place fill in a total of 0.37 acre of wetland and to relocate 1,940 linear feet of a tributary of Walnut Creek (CWF, MF) (Watershed Drainage Area 130 acres) to construct a commercial retail facility. This project will also construct 0.4 acre of replacement wetlands. The project is located north of S. R. 0020 approximately 1,800 feet west of the intersection of S. R. 0020 and Asbury Road (Swanville, PA Quadrangle N: 12.8 inches; W: 8.7 inches) located in Millcreek Township, **Erie County**.

**E37-109. Encroachment. Universal Development**, 1607 Motor Inn Drive, Girard, OH 44420. To place fill in a total of 0.515 acre of three separate wetland areas. General Permit 7 will be utilized for three road crossings of a total of 0.17 acre of wetland and the remaining 0.345 acre of wetland will be filled for residential development. In addition, this project will create a total of 0.768 acre of

replacement wetlands in three separate areas adjacent to existing wetlands on this property. The project is located on the north side of Mitchell Road (T-561) approximately 1,200 feet east of the intersection of S. R. 0018 and Mitchell Road (T-561) (New Castle, PA Quadrangle N: 12.0 inches; W: 14.6 inches) located in Neshannock Township, **Lawrence County**.

The following Environmental Assessment and request for Water Quality Certification are being processed under section 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.

**EA61-001NW. Environmental Assessment. Atlantic Richfield Company**, 444 South Flower Street 32-14, Los Angeles, CA 90071. This project will involve removal of tar and contaminated soil as part of an environmental clean-up program on the former Eclipse refinery property. The excavated areas will be backfilled with clean soil and revegetated with native vegetation. The affected area dimensions measure approximately 100 feet long measured parallel to the Allegheny River and approximately 270 feet wide measured from the Allegheny River in-land (extending 5 to 10 feet into the Allegheny River. This project will include usage of cofferdams to allow for the excavation in stream. The project is located on the north bank of the Allegheny River approximately 2,500 feet upstream of Hoge Island (Franklin, PA Quadrangle N: 5.1 inches; W: 7.0 inches) located in Sugarcreek Borough, **Venango County**.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**E02-1150. Encroachment. Hal Kestler**, Gerard Cipriani, 650 Washington Rd., Pittsburgh, PA 15228. To place and maintain fill in 0.35 acre of wetland for the purpose of developing a 5.2 acre site located approximately 2,500 feet northeast of the intersection of Oxford Drive and Fort Couch Road, between the Scandinavian Health Spa and Village Square Mall (Bridgeville, PA Quadrangle N: 19.0 inches; W: 6.7 inches) in Bethel Park, **Allegheny County**.

**E02-1151. Encroachment. Moldock, Inc.**, P. O. Box 1451, Clearfield, PA 16830. To place and maintain approximately 500—1,000 c.y. of fill in floodway (east bank) of the Ohio River located at the Buncher Industrial Plant for the purpose of stabilization and extending an existing railroad track to eliminate moveable track platform (Ambridge, PA Quadrangle N: 10.7 inches; W: 12.4 inches) in Leetsdale Borough, **Allegheny County**.

**E02-1152. Encroachment. Redevelopment Authority of the City of McKeesport**, 201 Lysle Blvd., McKeesport, PA 15132. To construct and maintain recreational floating docks in the Youghioghny River located near the Jerome Street Bridge adjacent to the Richard Gergely Memorial Park (McKeesport, PA Quadrangle N: 18.1 inches; W: 16.7 inches) in the City of McKeesport, **Allegheny County**.

**E26-222. Encroachment. Wharton Township**, P. O. Box 1, Farmington, PA 15437. To remove existing structure and to construct and maintain (2) 36-inch corrugated plastic pipes in McIntyre Run at a point 0.93 mile southwest of the village of Wharton Furnace on T-339 (Brownfield, PA Quadrangle N: 11.8 inches; W: 3.3 inches) in Wharton Township, **Fayette County**.

**E26-223. Encroachment. DCNR**, P. O. Box 8451, Harrisburg, PA 17105-8451. To construct and maintain fish enhancement structures in Meadow Run as part of an



Adopt-A-Stream project located in Ohiopyle State Park (Fort Necessity, PA Quadrangle N: 18.0 inches; W: 0.9 inch) in Stewart Township, **Fayette County**.

**E56-264.** Encroachment. **Dept. of Transportation**, 1620 N. Juniata Street, Hollidaysburg, PA 16648. To remove existing structure; to construct and maintain a single span prestressed concrete box beam structure with normal clear span of 48.0 feet and underclearance of 6.78 feet for the purpose of carrying S. R. 3015 over West Branch Coxes Creek; to perform channel cleaning and to place and maintain bank stabilization in/along 191 feet of said stream; to place and maintain fill in a de minimus area of wetlands less than or equal to 0.05 acre; and to construct and maintain a temporary road crossing. The project is located 2.5 miles south of the intersection of S. R. 3015 and 0031 (Murdock, PA Quadrangle N: 17.06 inches; W: 14.56) in Milford Township, **Somerset County**.

**E56-265.** Encroachment. **Dept. of Transportation**, 1620 N. Juniata St., Hollidaysburg, PA 16648. To remove existing structure; to construct and maintain a single span prestressed concrete or steel I-beam structure with a normal clear span of 32.5 feet and underclearance of 4.3 feet for the purpose of carrying S. R. 0160 over Little Dark Shade Creek; and to perform channel cleaning in said stream. The project is located 3.5 miles north of intersection of S. R. 0160 and US Route 30 at Reels Corner, at the intersection of S. R. 0160 and S. R. 1021 (Central City, PA Quadrangle N: 19.2 inches; W: 9.3 inches) in Shade Township, **Somerset County**.

**E63-414.** Encroachment. **Kirk, William & Stella**, 40 Mingo Church Rd., Finleyville, PA 15332. To construct and maintain a 24-inch diameter, 100-foot long culvert in an unnamed tributary to Peters Creek (Hackett, PA Quadrangle N: 21.0 inches; W: 4.6 inches) in Nottingham Township, **Washington County**.

*Southeast Regional Office: Program Manager; Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E23-344.** Encroachment. **Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To construct and maintain a single span bridge having a 75-foot span, 40-foot wide and having a 17-foot underclearance across Little Crum Creek (WWF) on West Ridley Avenue (S. R. 2004, section 64S) located along West Ridley Avenue and crosses over the spillway to West Ridley Avenue Lake (locally known as Ridley Park Lake) Lansdowne, PA Quadrangle N: 0.2 inch; W: 11.1 inches) in Ridley Park Borough, **Delaware County**. This bridge will replace the previously demolished bridge.

**E46-746.** Encroachment. **Heritage Construction Company, Inc.**, 730 N. Lewis Road, Limerick, PA 19468. To complete construction and maintain a stormwater management facility associated with the Waterford Green Residential Subdivision. The dam has impacted approximately 250-feet and the reservoir has impacted approximately 450-feet of an unnamed intermittent tributary to Landis Creek (TSF) located approximately 2,300 feet northeast of the intersection of Limerick Road (T-316) (Phoenixville, PA Quadrangle N: 18.25 inches; W: 4.0 inches) in Limerick Township, **Montgomery County**.

#### **Requests for Certification under Section 401 of the Federal Water Pollution Control Act**

The following requests have been made to the Department of Environmental Protection for certification under § 401(a) of the 1972 amendments to the Federal Water

Pollution Control Act (33 U.S.C.A. § 1341(a)) that there is reasonable assurance that the construction herein described will not violate applicable Federal and State water quality standards.

Prior to final approval of the proposed certification, consideration will be given to any comments, suggestions and objection which are submitted in writing 30 days of the date of this Notice. Comments should be submitted to the Department of Environmental Protection at the address indicated above each of the following requests for certification. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections and suggestions in sufficient detail to inform the Department of the exact basis of the proposal and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given comments if deemed necessary to resolve conflicts. Each individual will be notified in writing of the time and place of any scheduled hearing or conference concerning the certification request to which the protest relates. Maps, drawings and other data pertinent to the certification request are available for inspection and review at the address indicated above each request for certification between the hours of 8 a.m. and 4 p.m. on each working day.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

*Certification Request Initiated By:* Department of the Army, Philadelphia District, Corps of Engineers, Wanamaker Building, 100 Penn Square East, Philadelphia, PA 19107-3390.

*Project Description/Location:* This project involves dredging approximately 45,000 cubic yards of sediment from Zone 4 of the Delaware Estuary in the vicinity of Ft. Mifflin. Also, a floating dock, boat lift and 9 steel pipe pilings are to be installed as part of this project. The dredged sediment will be disposed of at the USACOE's Ft. Mifflin Dredged Material Disposal Area with supernatant discharged into Zone 4 of the Delaware Estuary.

#### **Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. §§ 679.302) and request for certification under section 401 of the Federal Water Pollution Control Act.**

*Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, telephone (717) 327-3574.*

**E08-236.** Water obstruction and encroachment. **Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754. Remove the existing structure and to construct and maintain a prestressed concrete box beam bridge with a normal clear span of 54.2 feet and average underclearance of 7.6 feet at approximately an 80 degree skew over Parks Creek on S. R. 1044 approximately 1 mile south of Union Valley Church (Windham, PA Quadrangle N: 8.5 inches; W: 15.2 inches) in Rome Township, **Bradford County**. Stream classification is WWF and stream disturbance is less than 250.0 lineal feet.

**E08-238.** Water obstruction and encroachment. **Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754-0218. To remove the existing structure and to

construct and maintain an 18 foot RC box culvert on an 80 degree skew in the north branch of Sugar Creek. This project is located on S. R. 2010 about 300 feet west of its intersection with Paradise Road (Wyalusing, PA Quadrangle N: 2.45 inches; W: 6.15 inches) in Terry Township, **Bradford County**. Estimated stream disturbance is 80 feet with no wetland impacts; stream classification is CWF.

**E14-288.** Water obstruction and encroachment. **Dept. of Transportation**, P. O. Box 342, Clearfield, PA 16830. Remove the existing structure and to construct and maintain a single span I-beam bridge with a normal span of 60 feet and underclearance of 3.2 feet over Cold Stream at a 90 degree skew on S. R. 504 just east of S. R. 307 (Philipsburg, PA Quadrangle N: 4.75 inches; W: 11.75 inches) in Philipsburg Borough, **Centre County**. Stream classification is CWF; stream impact is less than 250.0 lineal feet.

**E18-216.** Water obstruction and encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552. To 1) construct and maintain a 12 foot by 5 foot reinforced concrete box culvert with reinforced concrete wingwalls with an approx. skew of 50 degrees in Middle Branch 2) construct and maintain a 14 foot by 5 foot reinforced concrete box culvert with reinforced concrete wingwalls in Two Mile Run (Renovo West, PA Quadrangle N: 15.7 inches; W: 14.5 inches) in Noyes Township, **Clinton County**. This project proposed to impact approximately 50 linear feet of Middle Branch and approximately 70 linear feet of Two Mile Run. Estimated stream disturbance is 50 linear feet of Middle Branch and approximately 70 linear feet of Two Mile Run which are designated as TSF.

**E18-217.** Water obstruction and encroachment. **Dennis P. Heydrick**, R. R. 2, Box 644, Lock Haven, PA 17745-9701. Repair and maintain an existing private road bridge with a clear span of 8 feet and average underclearance of 3.75 feet over Reeds Run just off S. R. 664 approximately 3 miles north of Lock Haven by replacing one abutment and two beams damaged in the flood of February 1996 (Lock Haven, PA Quadrangle N: 7.5 inches; W: 7.25 inches) in Woodward Township, **Clinton County**. Estimated stream disturbance is less than 250.0 lineal feet; stream classification is CWF.

**E19-155.** Water obstruction and encroachment. **Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754. Remove the existing structure consisting of a single span steel truss bridge on S. R. 3014 0.2 mile off of S. R. 42 (Catawissa, PA Quadrangle N: 13.5 inches; W: 12.5 inches) in Catawissa Borough, **Columbia County**. Stream classification is CWF; stream disturbance is less than 250.0 lineal feet.

**E41-374.** Water obstruction and encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8451, Harrisburg, PA 17105-8451. Remove the existing structure and to construct and maintain a single span multiple glulam timber beam bridge to carry Rock Run Road across Miners Run. The project is located along the north right-of-way of Rock Run Road approximately 1.6 miles east of the intersection of McIntyre Road and Rock Run Road (Ralston, PA Quadrangle N: 2.8 inches; W: 5.7 inches) in McIntyre Township, **Lycoming County**. Estimated stream disturbance is 64.80 linear feet; stream classification is High Quality-Cold Water Fishery.

**E41-375.** Water obstruction and encroachment. **Kenneth Nottle**, 90 Old Locust Point Rd., Elkton, MD 21921. Remove a flood damaged culvert and to place and main-

tain a 60 inch culvert with a stone headwall in Jakes Run located approximately 0.75 mile up Temple Hill Road from its intersection with S. R. 0118 (Hughesville, PA Quadrangle N: 18.4 inches; W: 1.6 inches) in Moreland Township, **Lycoming County**. This project proposes to impact approximately 25 feet of Jakes Run which is CWF.

**E49-200.** Water obstruction and encroachment. **Shamokin Township**, R. R. 1, Box 936, Paxinos, PA 17860. Remove the existing structure and to construct and maintain two 60 inch culverts in an unnamed tributary to Shamokin Creek on T-485 approximately .3 mile west of S. R. 4015 (Treverton, PA Quadrangle N: 16.6 inches; W: 2.3 inches) in Shamokin Township, **Northumberland County**. Stream classification is CWF; estimated stream disturbance is less than 250 feet.

*Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.*

**E07-258.** Encroachment. **Allegheny Township Sewer & Water Authority**, 3131 Old Sixth Avenue Road, North, Duncansville, PA 16635. To construct and maintain about 88,000 L.F. of sanitary sewer line which will cross three separate wetland areas each being greater than 10 acres in size located in Gillians Run and Spencer Run watersheds (Hollidaysburg, PA Quadrangle N: 9.7 inches; W: 9.8 inches) in Allegheny Township, **Blair County**.

**E07-259.** Encroachment. **Allegheny Township Water & Sewer Authority**, 3131 Old Sixth Avenue Road, North, Duncansville, PA 16635. To construct and maintain a sewage pumping station in the floodplain of the Beaverdam Branch of the Juniata River to replace an existing station located about 75 feet east of the Penn Central railroad crossing of Gillians Run (Hollidaysburg, PA Quadrangle N: 10.7 inches; W: 6.6 inches) in Allegheny Township, **Blair County**.

**E07-260.** Encroachment. **Quality Chemicals, Inc.**, P. O. Box 216, Tyrone, PA 16686. To place fill in 0.16 acre of wetland for the purpose of constructing an expansion to an administration/storage building and a new parking area located along Adams Avenue at its crossing with Gypsy Run (Tyrone, PA Quadrangle N: 12.3 inches; W: 14.6 inches) in Tyrone Borough, **Blair County**.

**E21-249.** Encroachment. **Shippensburg Lions Club**, 12 W. King St., Shippensburg, PA 17257. To construct and maintain a 4-foot wide x 30-foot long pedestrian bridge across Middle Spring Creek located about 300 feet downstream of West King Street (U. S. 11) bridge (Shippensburg, PA Quadrangle N: 9.12 inches; W: 3.35 inches) in Shippensburg Borough, **Cumberland County**.

**E36-611.** Encroachment. **West Earl Township**, 157 West Metzler Road, Brownstown, PA 17508. To remove the existing structure, construct and maintain a twin-cell reinforced concrete box culvert having openings of 10-foot wide x 5-foot high each cell in Groff Creek on North Hershey Avenue located approximately 2 miles north of Leola (Leola, PA Quadrangle N: 21.4 inches; W: 6.6 inches) in West Earl Township, **Lancaster County**.

**E36-617.** Encroachment. **East Donegal Township**, 190 Rock Point Road, Marietta, PA 17547. To remove the existing structure, construct and maintain a 12-foot span x 6.5-foot rise precast concrete box culvert across Schock's Creek on Marietta Road (T-683) (Columbia West, PA Quadrangle N: 11.5 inches; W: 15.6 inches) in East Donegal Township, **Lancaster County**.

**E67-566.** Encroachment. **Springettsbury Township Board of Supervisors**, 1501 Mount Zion Road, York, PA

17402. To construct and maintain a 6-foot wide pedestrian bridge having a clear span of 50 feet across a tributary to Kreutz Creek, to be located 350 feet upstream of the Eastern Boulevard bridge for access to facilities within Camp Security Park (York, PA Quadrangle N: 19 inches; W: 3 inches) in Springettsbury Township, **York County**.

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.*

**E64-169.** Encroachment. **Department of Transportation**, P. O. Box 111, Scranton, PA 18501. To maintain a 91-inch × 58-inch precast concrete elliptical pipe culvert in Mill Creek along S. R. 0196, Segment 0090, 0.7 mile north of S. R. 0507 (Newfoundland, PA Quadrangle N: 6.9 inches; W: 16.3 inches) in Dreher Township, **Wayne County** (Philadelphia District, Army Corps of Engineers). This culvert replaced a collapsed 6-foot diameter C.M.P. culvert at the same location under Emergency Permit EP6496406.

---

## ACTIONS

---

The Department of Environment Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

---

### **Actions under The Clean Stream Law (35 P. S. §§ 691.1—691.1001).**

---

#### *Permits Issued*

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**NPDES Permit No. PA-0012963.** Industrial waste. **Rock Tenn Company**, Paper Mill Road, Delaware Water Gap, PA 18327 is authorized to discharge from a facility located in Smithfield Township, **Monroe County** to Broadhead Creek.

**NPDES Permit No. PA-0020168.** Sewerage. **Borough of East Stroudsburg**, P. O. Box 303, East Stroudsburg, PA 18301 is authorized to discharge from a facility located in the Borough of East Stroudsburg, **Monroe County** to Broadhead Creek.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

**NPDES Permit No. PA0052019.** Sewerage. **Avon Grove Trailer Park**, 352 Chestnut Street, West Grove, PA 19390 is authorized to discharge from a facility located in London Grove Township, **Chester County** into an unnamed tributary to the east branch of White Clay Creek.

**NPDES Permit No. PA0011363.** Amendment No. 2. Industrial waste. **NGK Metals Corporation**, Tuckertown Road, P. O. Box 13367, Reading, PA 19612-3367 is authorized to discharge from a facility located in Muhlenberg Township, **Berks County** into Laurel Run.

**NPDES Permit No. PA0054917.** Sewerage. **Uwchlan Township**, 715 North Ship Road, Exton, PA 19341-1940 is authorized to discharge from a facility located in Uwchlan Township, **Chester County** into the Schuylkill River.

**NPDES Permit No. PA0050431.** Industrial waste. **Concord Beverage Company**, Conchester Road and Aldan Avenue, Concordville, PA 19331 is authorized to discharge from a facility located in Concord Township, **Delaware County** into an unnamed tributary to the West Branch Chester Creek.

**NPDES Permit No. PA0056049.** Industrial waste. **Ashland Chemical Inc.**, P. O. Box 2219, Columbus, OH 43216 is authorized to discharge from a facility located in Conshohocken Borough, **Montgomery County** into Plymouth Creek.

**NPDES Permit No. PA0056839.** Industrial waste. **Sun Company, Inc.**, 1801 Market Street, 10 Penn Center, Philadelphia, PA 19103 is authorized to discharge from a facility located in Radnor Township, **Delaware County** into Ithan Creek.

**NPDES Permit No. PA0012467.** Industrial waste. **Laurel Pipe Line Company**, P. O. Box 368, Emmaus, PA 18049-0368 is authorized to discharge from a facility located in Bethel Township, **Delaware County** into an unnamed tributary to Green Creek.

**NPDES Permit No. PA0056855.** Sewerage. **Pat Dantis**, 216 Neiffer Road, Schwenksville, PA 19473 is authorized to discharge from a facility located in Limerick Township, **Montgomery County** into Mine Run.

**NPDES Permit No. PA0036412.** Sewerage. **Tel Hai Retirement Community Inc.**, P. O. Box 190, Beaver Dam Road, Honeybrook, PA 19344 is authorized to discharge from a facility located in Upper Providence Township, **Montgomery County** into Two Log Run.

**NPDES Permit No. PA0056871.** Industrial waste. **SmithKline Beecham Research Company**, 1250 South Collegeville Road, Collegeville, PA 19426 is authorized to discharge from a facility located in Upper Providence Township, **Montgomery County** in Doe Run.

**NPDES Permit No. PA0056791.** Industrial waste. **Sun Oil Company, Inc.**, 1835 Market Street, Philadelphia, PA 19103 is authorized to discharge from a facility located in Marple Township, **Delaware County** into Trout Run.

**NPDES Permit No. PA0056821.** Sewerage. **The Goddard School-Glen Mills**, 20 Creek Road, Glen Mills, PA 19342 is authorized to discharge from a facility located in Thornbury Township, **Delaware County** into the east branch of Chester Creek.

**NPDES Permit No. PA0056782.** Industrial waste. **Jewish Community Centers of Greater Philadelphia**, 45 Haverford Road, Wynnewood, PA 19096 is

authorized to discharge from a facility located in Lower Merion Township, **Montgomery County** into the West Branch Indian Creek.

**NPDES Permit No. PA0050148.** Sewerage. **Warwick Township Water and Sewer Authority**, P. O. Box 315, Jamison, PA 18929 is authorized to discharge from a facility located in Warwick Township, **Bucks County** in Fish Creek.

**NPDES Permit No. PA0054143.** Sewerage. **John Schmoock**, 46 First Avenue, P. O. Box 430, Richlandtown, PA 18955 is authorized to discharge from a facility located in Richland Township, **Bucks County** to a Dry Swale Tributary to Tohickon Creek.

**NPDES Permit No. PA0024058.** Sewerage. **Borough of Kennett Square**, North Broad and East Linden Streets, Kennett Square, PA 19348 is authorized to discharge from a facility located in Kennett Square Borough, **Chester County** into the west branch of Red Clay Creek.

**NPDES Permit No. PA0053180.** Sewerage. **Montgomery Township Municipal Sewer Authority**, P. O. Box 514, Montgomeryville, PA 18936-0514 is authorized to discharge from a facility located in Montgomery Township, **Montgomery County** to Little Neshaminy Creek.

**NPDES Permit No. PA0050326.** Amendment No. 2. Industrial waste. **Lukens Steel Company**, P. O. Box 3001, Coatesville, PA 19320-0911 is authorized to discharge from a facility located in Plymouth Township, **Montgomery County** to the Schuylkill River.

**NPDES Permit No. PA0024058.** Sewerage. **Borough of Kennett Square**, North Broad and East Linden Streets, Kennett Square, PA 19348, Kennett Township, **Chester County**. The following notice reflects changes to the notice published in the April 13, 1996, *Pennsylvania Bulletin*: Based on the most recent information, the effluent limitations for silver are deleted from the permit.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.*

**NPDES Permit No. PA 0034045.** Sewerage. **Greene Township Supervisors**, Horseshoe Subdivision, 8899 Old Wattsburg Road, Erie, Pa 16510 is authorized to discharge from a facility located in Greene Township, **Erie County** to an unnamed tributary to Four Mile Creek.

**NPDES Permit No. PA 0032778.** Sewerage. **Department of Transportation**, Rest Stop 22 I-80 West Bound, Transportation and Safety Building, Room 1112, Harrisburg, PA 17120 is authorized to discharge from a facility located in Irwin Township, **Venango County** to an unnamed tributary to Scrubgrass Creek.

**NPDES Permit No. PA 0032727.** Sewerage. **Department of Transportation**, Rest Stop 21 I-80 East Bound, Transportation and Safety Building, Room 1112, Harrisburg, PA 17120 is authorized to discharge from a facility located in Irwin Township, **Venango County** to an unnamed tributary to east branch of Wolf Creek.

**NPDES Permit No. PA 0002020.** Industrial waste. **Motion Control Industries, Inc.**, Carlisle Corporation, Gillis Avenue, Ridgway, PA 15853 is authorized to discharge from a facility located in Ridgway Borough, **Elk County** to the Clarion River.

**NPDES Permit No. PA 0037931.** Sewerage. **Municipal Authority of the Township of Cambridge**, R. D. 1, Box 53F, Cambridge Springs, PA 16403 is authorized to

discharge from a facility located in Cambridge Township, **Crawford County** to French Creek.

**NPDES Permit No. PA 0209902.** Sewerage. **James A. and Jeanette B. Pavlicek**, R. D. 2, Box 242A, Cochranon, PA 16314 is authorized to discharge from a facility located in Greenwood Township, **Crawford County** to an unnamed tributary to Sandy Creek.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**NPDES Permit No. PA 0040177.** Industrial waste, **Pennsylvania American Water Company**, 800 Hersheypark Drive, Hershey, PA 17033 is authorized to discharge from a facility located at Brownsville WTP, Brownsville Borough, **Fayette County** to Monongahela River.

**NPDES Permit No. PA 0217255.** Industrial waste, **Campbell's Ultra Service Station**, 1111 Clay Pike, North Huntingdon, PA 15642 is authorized to discharge from a facility located at North Huntingdon Township, **Westmoreland County** to Tinker's Run.

**NPDES Permit No. PA 0217298.** Industrial waste, **Mon River Towing**, 200 Speers Road, Belle Vernon, PA 15012 is authorized to discharge from a facility located at Speers Borough, **Washington County** to the Monongahela River.

**NPDES Permit No. PA 0028711.** Sewerage. **Peters Township Sanitary Authority**, 3244 Washington Road, McMurray, PA 15317 is authorized to discharge from a facility located at Brush Run Sewage Treatment Plant located at Brush Run Sewage Treatment Plant, Peters Township, **Washington County** to Brush Run.

---

#### Industrial waste and sewage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

---

##### *Permits Issued*

*Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

**NPDES Permit No. PA 0081035.** Sewerage. **Roxbury Holiness Camp, Inc.**, P. O. Box 28, Roxbury, PA 17251 is authorized to discharge effluent to the receiving waters named Conodoguinet Creek in Letterkenny Township, **Franklin County**.

**NPDES Permit No. PA 0082945.** Sewerage. **Hamilton Township Supervisors**, 272 Mummerts Church Road, Abbottstown, PA 17301 is authorized to discharge treated effluent to the receiving waters named Conewago Creek in Hamilton Township, **Adams County**.

**NPDES Permit No. PA 0080608.** Sewerage. **Fellowship of Bible Churches, Inc.**, P. O. Box 120, Mercersburg, PA 17236 is authorized to discharge treated effluent from a facility located in Montgomery Township, **Franklin County** to the receiving waters named Licking Creek.

**NPDES Permit No. PA 0070360.** Sewerage. **Frystown All American Travel Plazas, Inc.**, P. O. Box 302, Bethel, PA 19507-0302 is authorized to discharge treated effluent from a facility located in Bethel Township, **Berks County** to the receiving waters of an unnamed tributary of Crosskill Creek.

**NPDES Permit No. PA 0081591.** Sewerage. **Eastern York County Sewer Authority**, 44 Walnut Springs Lane, York, PA 17406 is authorized to discharge treated

effluent from a facility located in Hallam Borough, **York County** to the receiving waters named Kreutz Creek.

**NPDES Permit No. PA 0081035.** Sewerage. **Oakwood Heights Mobile Home Park**, R. D. 2, Box 2421, Stewartstown, PA 17363 is authorized to discharge treated effluent from a facility located in Hopewell Township, **York County** to the receiving waters of an unnamed tributary to Deer Creek.

**NPDES Permit No. PA 0087181.** Sewerage. **Ephrata Borough Authority**, 114 East Main Street, Ephrata, PA 17522 is authorized to discharge from a facility located in Ephrata Township, **Lancaster County** to the receiving waters named Cocalico Creek.

**NPDES Permit No. PAG 043538.** Sewerage. **Mr. and Mrs. Joseph Sherkness**, 218 Summit Avenue, Conshohocken, PA 19428 located in Douglass Township, **Berks County** are authorized to discharge treated effluent to an unnamed tributary to the Schuylkill River.

**NPDES Permit No. PA 0086673.** Sewerage. **Marklesburg Authority**, P. O. Box 24, James Creek, PA 16657 located in Marklesburg Borough, **Huntingdon County** is authorized to discharge treated effluent to an unnamed tributary of James Creek.

**NPDES Permit No. PA 0032379.** Industrial waste. **Safe Harbor Water Power Corporation**, P. O. Box 97, Conestoga, PA 17516 is authorized to discharge from a facility located in Manor Township, **Lancaster County** to the receiving waters named Conestoga River and Susquehanna River.

**NPDES Permit No. PA 0009164.** Industrial. **Standard Steel**, 500 North Walnut Street, Burnham, PA 17009 is authorized to discharge treated effluent from a facility located in Burnham Borough, **Mifflin County** to the receiving waters named Kishacoquillas Creek.

**NPDES Permit No. PA 0080454.** Industrial. **Borough of Carlisle**, 53 West South Street, Carlisle, PA 17013 is authorized to discharge treated effluent from a facility located in North Middleton Township, **Cumberland County** to the receiving waters named Conodoguinet Creek.

**NPDES Permit No. PA 0041033.** Industrial. Amendment No. 1, **Bayway Refining Company**, 1400 Park Avenue, Linden, NJ 07036 is authorized to discharge treated effluent from a facility located in Blair Township, **Blair County** to the receiving waters of a drainage ditch to Dry Run.

**NPDES Permit No. PA 0087068.** Industrial. **Chiyoda America, Inc.**, Thousand Oaks Corporate Center, P. O. Box 470, Morgantown, PA 19543 is authorized to discharge treated effluent from a facility located in Caernarvon Township, **Berks County** to the receiving water named East Branch Conestoga River.

**NPDES Permit No. PA 0053520.** Sewerage. **Mr. and Mrs. Felix Rivera**, 1610 Vine Street, Laureldale, PA 19605 is authorized to discharge treated effluent from a facility located in Richmond Township, **Berks County** to the receiving waters named Moselem Creek.

**NPDES Permit No. PA 0081396.** Sewerage. **Investment Management**, 4740 Delbrook Road, Mechanicsburg, PA 17055 is authorized to discharge treated effluent from a facility located in Newberry Township, **York County** to the receiving waters of an unnamed tributary of Bennett Run.

**NPDES Permit No. PA 0030171.** Sewerage. **Llewellyn Mobile Home Court**, 4550 Bull Road, Dover, PA

17315 is authorized to discharge treated effluent from a facility located in Conewago Township, **York County** to the receiving waters of an unnamed tributary of Little Conewago Creek.

**NPDES Permit No. PA 0086932.** Sewerage. **David W. Smith**, 330 Ridge Road, York, PA 17402 is authorized to discharge treated effluent from a facility located in Lower Windsor Township, **York County** to the receiving waters of an unnamed tributary to Cabin Creek.

**NPDES Permit No. PA 0087254.** Industrial waste. **Kalas Manufacturing, Inc.**, 25 Main Street, Denver, PA 17517 is authorized to discharge treated effluent from a facility located in East Cocalico Township, **Lancaster County** to the receiving water named Stony Run.

**NPDES Permit No. PA 0080721.** Sewerage. **Frank Perano**, Box 278, King of Prussia, PA 19406 is authorized to discharge treated effluent from a facility located in Londonderry Township, **Dauphin County** to the receiving waters of an unnamed tributary of Conewago Creek.

---

#### Notices of Intent for Coverage Under NPDES General Permit for Construction Activities and Department Final Actions

---

*Allegheny County Conservation District: District Manager, 875 Greentree Rd., Rm. 208 Acacia Bldg., Pittsburgh, PA 15220, telephone (412) 921-1999.*

*Armstrong County Conservation District: District Manager, Armsdale Admin. Bldg., R. R. 8, Box 294, Kittanning, PA 16201-3428, telephone (412) 548-3425.*

*Beaver County Conservation District: District Manager, 1000 Third St., Ste. 202, Beaver, PA 15009-2026, telephone (412) 774-7090.*

*Berks County Conservation District: District Manager, P. O. Box 520, Ag. Ctr., Leesport, PA 19533, telephone (610) 372-4657.*

*Blair County Conservation District: District Manager, 1407 Blair Street, Hollidaysburg, PA 16648, telephone (814) 696-0877.*

*Cambria County Conservation District: District Manager, P. O. Box 187, Ebensburg, PA 15931, telephone (814) 472-2120.*

*Centre County Conservation District: District Manager, 414 Holmes Ave., Ste. 4, Bellefonte, PA 16823, telephone (814) 355-6817.*

*Chester County Conservation District: District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.*

*Clinton County Conservation District: District Manager, 2 State Route 150, Mill Hall, PA 17751, telephone (717) 726-3798.*

*Cumberland County Conservation District: District Manager, 43 Brookwood Ave., Ste. 4, Carlisle, PA 17013, telephone (717) 249-8632.*

*Dauphin County Conservation District: District Manager, 1451 Peters Mtn. Rd., Dauphin, PA 17018, telephone (717) 921-8100.*

*Elk County Conservation District: District Manager, Courthouse, P. O. Box 448, Ridgway, PA 15853, telephone (814) 776-5373.*

*Lackawanna County Conservation District: District Manager, 395 Bedford St., Bedford Station, Clarks Summit, PA 18411, telephone (717) 587-2607.*

*Lancaster County Conservation District: District Manager, 1383 Arcadia Rd., Rm. 6 Farm and Home Ctr., Lancaster, PA 17601, telephone (717) 299-5361.*

*Lebanon County Conservation District: District Manager, 2120 Cornwall Rd., Ste. 5, Lebanon, PA 17042, telephone (717) 272-3377.*

*Lehigh County Conservation District: District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, telephone (610) 820-3398.*

*Luzerne County Conservation District: District Manager, Courthouse Annex, 5 Water Street, Wilkes-Barre, PA 18711, telephone (717) 825-1844.*

*Mercer County Conservation District: District Manager, R. R. 2, Box 2055, Mercer, PA 16137, telephone (412) 662-2242.*

*Montgomery County Conservation District: District Manager, 1015 Bridge Rd., Ste. B, Collegetown, PA 19426, telephone (610) 489-4506.*

*Northampton County Conservation District: District Manager, R. R. 4, Nazareth, PA 18064, telephone (610) 746-1971.*

*Union County Conservation District: District Manager, 60 Bull Run Crossing, Lewisburg, PA 17837, telephone (717) 523-8782.*

*Westmoreland County Conservation District: District Manager, Donohoe Ctr., R. R. 12, Box 202B, Greensburg, PA 15601, telephone (412) 837-5271.*

*York County Conservation District: District Manager, 118 Pleasant Acres Rd., York, PA 17402, telephone (717) 840-7430.*

The following parties have submitted Notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater From Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10A136-1	Bayer Corporation 100 Bayer Rd. Pittsburgh, PA 15205	Robinson Twp. Allegheny Co.	Robinson Run
PAR10A173	Carol Mazzaro P. O. Box M Clinton, PA 15026	Findlay Twp. Allegheny Co.	Montour Run
PAR10B010	Allegheny Power 800 Cabin Hill Dr. Greensburg, PA 15601	Washington, Perry Madison, Fairview Twps. Armstrong, Butler, Clarion Co.	Allegheny River, Mast, Catfish, Black Fox, Birch, and Cove Runs, Redbank Crk.
PAR100235	Geneva College 3200 College Ave. Beaver Falls, PA 15010	City of Beaver Fls. Beaver Co.	Beaver River
PAR10C152	Spring Ridge L D Corp. 4 S. 4th St. Reading, PA 19603	Spring Twp. Berks Co.	Tulpehocken Crk.
PAR100632	New Enterprise Stone and Lime Co. P. O. Box 77 New Enterprise, PA	Logan Twp. Blair Co.	UNT to Sandy Run
PAR101029	Dept. of General Serv. 18th and Herr St. Harrisburg, PA 17120	Cresson Boro. Cambria Co.	Ltl. Conemaugh and Turner Run
PAR101030	DEP-BAMR P. O. Box 149 Ebensburg, PA 15931	Reade Twp. Cambria Co.	Clearfield Crk. UNT to Laurel Rn.
PAR101022	Richard Bodenschatz R. D. 1, Box 344 Summerhill, PA 15958	Croyle Twp. Cambria Co.	Conemaugh Run
PAR10F030-1	Dept. of Transportation P. O. Box 342 1924-30 Daisy St. Clearfield, PA 16830	Benner and College Twps. Centre Co.	UNT to Logan Br.
PAR10F048	Balanced Care Corp. 3507 Market St. Camp Hill, PA 17011	Ferguson Twp. Centre Co.	UNT to Big Hollow

## NOTICES

3027

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10F049	Donald Coyne 300 S. Allen St. State College, PA 16801	Ferguson Twp. Centre Co.	Slab Cabin Run
PAR10F051	Daniel Hawbaker 325 W. Aaron Dr. State College, PA	Spring Twp. Centre Co.	Gap Run
PAR10G164	Herr Foods Corp. P. O. Box 300 Nottingham, PA 19362	W. Nottingham Twp. Chester Co.	UNT to Northeast Cr.
PAR10G174	Al Hanscom 3615 Lincoln Hwy. Thorndale, PA 19372	W. Caln Twp. Chester Co.	W. Br. Brandywine
PAR10G175	Fred Schubert 6 Maggies Ln. Downingtown, PA 19335	W. Whiteland Twp. Chester Co.	Valley Crk.
PAR10I909	WalMart Stores 701 S. Walton Blvd. Bentonville, AR 72716	Bald Eagle Twp. Clinton Co.	Fishing and Bald Eagle Crks.
PAR10H095	John Knaub 580 Wilson Rd. Mechanicsburg, PA	U. Allen Twp. Cumberland Co.	Cedar Run
PAR10H096	Weis Markets P. O. Box 471 Sunbury, PA 17801	L. Allen Twp. Cumberland Co.	Conodoguinet Crk.
PAR10H099	Donald and Shirley Heishman 398 Centerville Rd. Newville, PA 17241	W. Pennsboro Twp. Cumberland Co.	Conodoguinet Crk.
PAR10I091	Kase Farm Assocs. P. O. Box 0888 Camp Hill, PA 17001	L. Paxton Twp. Dauphin Co.	UNT to Beaver Crk.
PAR102505	City of St. Marys P. O. Box 1994 St. Marys, PA 15857	St. Marys Twp. Elk Co.	Iron Run Elk Crk.
PAR102506	Game Commission 2001 Elmerton Ave. Harrisburg, PA 17110	Benezette Twp. Elk Co.	Porcupine Run
PAR10N041	Thomas Durkin 3030 Grant Ave. Philadelphia, PA	Archbald Boro. Lackawanna Co.	UNT to Lackawanna River
PAR10-O-166	Caldwell Devel. Inc. 434 N. Front St. Wormleysburg, PA	U. Leacock Twp. Lancaster Co.	UNT to Mill Crk.
PAR10-O-183	Stober, LTD, Sam Spender 128 Omega Circle Wernersville, PA	Adamstown Boro. Lancaster Co.	Ltl. Muddy Crk.
PAR10-O-198	Glenn Eshleman 1090 Penryn Rd. Manheim, PA	Strasburg Twp. Lancaster Co.	Pequea Crk.
PAR10-O-207	Boro. of Ephrata 114 E. Main St. Ephrata, PA	Ephrata Twp. Lancaster Co.	Cocalico Crk.
PAR10-O-212	Goodhart Sons Inc. 2515 Horseshoe Rd. Lancaster, PA	U. Leacock Twp. Lancaster Co.	Mill Crk.
PAR10P049	Lebanon Valley Cable 1220 Mifflin St. Lebanon, PA 17042	N. Lebanon Twp. Lebanon Co.	Quittapahilla Crk.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10Q071	Dept. of Transportation 1713 Lehigh St. Allentown, PA 18103	N. Whitehall Twp. Lehigh Co.	Lehigh River
PAR10Q075	J P Foodservice Inc. 1135 Plymouth St. Allentown, PA 18103	City of Allentown Lehigh Co.	Lehigh Rvr.
PAR10R088	Gayleway Development 481 Hoyt St. Pringle, PA 18709	Exeter Boro. Luzerne Co.	Hicks Crk.
PAR104318	Lakeview Area Indus. Corp. 147 N. Diamond St. Mercer, PA 16137	Jackson Twp. Mercer Co.	Yellow Crk.
PAR104322	National Fuel Gas Supply Corp. 1100 State St. Erie, PA	City of Hermitage Mercer Co.	Bobby and Hogback Run
PAR10T255	Moyer Packing Co. P. O. Box 395 Souderton, PA 18964	Franconia Twp. Montgomery Co.	Skippack Crk.
PAR10U057	Nazareth Area School District 8 Center Sq. Nazareth, PA 18064	Nazareth Boro. Northampton Co.	Shoeneck Crk.
PAR106818	Michael Fisher P. O. Box 68 Watsontown, PA	E. Buffalo Twp. Union Co.	Turtle Crk.
PAR10X088	Ed Folwarczny R. D. 4, Box 373 Mt. Pleasant, PA	M. Pleasant Twp. Westmoreland Co.	Shupe Run
PAR10X089	Texas Eastern 5444 Westheimer St. Houston, Texas 77056	Salem Twp. Westmoreland Co.	Porters Run
PAR10X090	CNG Transmission 445 W. Main St. Clarksburg, WV	Hempfield and Penn Twps. Westmoreland Co.	Brush Crk.
PAR10Y152	Pillowtex Inc. 401 Moulstown Rd. Hanover, PA 17331	Penn Twp. York Co.	Gitts Run
PAR10Y118	Robert Kinsley 2700 Water St. York, PA	New Freedom Boro. York Co.	Bee Tree Run
PAR10Y211	York Adams Area Council Boy Scouts of America 800 E. King St. York, PA 17403	W. Manchester Twp. York Co.	UNT to Willis Rn.

---

#### Notices of Intent for Coverages Under NPDES General Permits and Department Final Actions

---

The Department of Environmental Protection has received Notices of Intent (NOI) for approval of coverage under General NPDES Permits and has taken the following final actions by approving the requested general permit coverages.

These actions of the Department may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Environmental Hearing Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

The Department of Environmental Protection has taken the following final actions on previously received Notices of Intent for approval of coverage under General NPDES Permits.



**List of NPDES General Permits Issued by DEP's  
Water Management Deputate**

<i>General Permit No.</i>	<i>Short Title of General Permit</i>	<i>Responsible Bureau</i>
PAG-2	Stormwater—Construction Activities	BLWC
PAG-3	Stormwater—Industrial Activities	BWQM
PAG-4	Single Residence Sewage Treatment Plant	BWQM
PAG-6	Combined Sewer Overflows	BWQM

**NOI Received and Final Actions Under NPDES General Permits**

Coverage under the General Permits issued under the National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewater to the waters of the Commonwealth.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAG046110	4	William and Eileen Stocks 4462 Finleyville, Elrama Rd. Finleyville, PA 15332	Washington Union Township	Tributary to Monongahela River	8811
PAG046108	4	David E. Weber 536 Schoolhouse Drive Ashville, PA 16613	Cambria Clearfield Twp.	Unnamed tributary to Swartz Run	8811

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAG048379	PAG-4	Richard C. Kelley 445 Bartlett Rd. Harborcreek, PA 16421	Erie Harborcreek Twp.	Unnamed Tributary to Lake Erie	
PAR148302	PAG-3	International Paper— Lowville Site No. 3 Landfill R. D. 1, Jones Rd., T645 Wattsburg, PA 16442	Erie Venango Twp.	Unnamed Tributary to French Creek	2611
PAG043539	4	Donald Elsasser P. O. Box 21 Cocolamus, PA 17014	Juniata Fayette	Cocolamus Creek	
PAG043543	4	Stanley J. Ferguson Box 225 Buffalo Mills, PA 15534	Bedford Manns Choice	Buffalo	
PAG043545	4	Dennis D. Cowher Box 72 Queen, PA 16670	Bedford Kimmel Township	Beaverdam	
PAG043541	4	J A Toner Box 223, Bull Run Wrightsville, PA 17368	York Lower Windsor	Bull Run	
PAG043548	4	Marcy McQuaite 167 Geiger Road Douglassville, PA	Berks Amity Township	Monococy Creek	
PAG043546	4	Thomas Honn R. D. 2, Box 527 Everett, PA 15537	Bedford East Providence	Tub Mill Run	
PAG043547	4	Woodrow and Scott Heilman R. D. 1, Box 527 Barto, PA 19504	Berks Hereford Township	West Branch Perkiomen Creek	

**The following approvals for coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.**

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, telephone (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S.

§ 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

*Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.*

**PAS-10-I025.** Individual NPDES. **Department of Transportation**, Harrisburg International Airport, Middletown, PA 17057. To implement an Erosion and Sedimentation Control Plan for the construction of a parking lot and associated roadway improvements on 36 acres in Middletown Borough and Lower Swatara Township, **Dauphin County**. The project is located near the intersection of Grant and Ann Streets (Middletown, PA Quadrangle N: 12.5 inches; W: 16.2 inches). Drainage will be to the Susquehanna River.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10E050	H J Schneider Construction Inc. 2080 Ehrman Rd. Cranberry Township, PA 16066-2204	Cranberry Twp. Butler Co.	Brush and Connoquenessing Creek
PAS10K004-01	Maleno Developers Inc. 2236 West 38th St. Erie, PA 16506	Millcreek Twp. Erie Co.	Unnamed Tributary to Walnut Creek

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-G204	Robert Sweeney, Jr. 116 Culbertson Run Road Downingtown, PA 19335	Honey Brook Twp. Chester County	West Branch of Brandywine Creek
PAS10-T063	Heritage Construction Company 2226 Oly York Road, Suite B Furlong, PA 18925	Limerick Twp. Montgomery County	Landis Creek

### **Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

#### *Permits Issued*

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.*

**Permit No. 0995423-T1.** Amendment No. 1. Sewerage. **John E. and Maxine Daly**, 110C Veterans Lane, Doylestown, PA 18901. Construction of the single residence sewage treatment plant with spray irrigation system located in Plumstead Township, **Bucks County** to serve the Daly residence.

**Permit No. 4695422.** Sewerage. **Charles H. Long**, 679 West Ridge Pike, Royersford, PA 19468. Construction of a sewage treatment plant located in Limerick Township, **Montgomery County** to serve the Long residence.

**Permit No. 4696409.** Sewerage. **Jay and Nancy Rodenburger**, 2117 Old Bern Road, East Greenville, PA 18041. Construction and operation of a single residential small flow sewage treatment plant with spray irrigation located in Upper Hanover Township, **Montgomery County** to serve the Rodenberger residence.

**Permit No. 4695428.** Sewerage. **Lower Salford Township Authority**, P. O. Box 243, 57 Main Street, Harleysville, PA 19438-0243. Construction of a sewage treatment plant located in Lower Salford Township, **Montgomery County** to serve Mainland Wastewater Treatment Plant.

**Permit No. 4696405.** Sewerage. **Robert and Christine Clark**, 23 Brenda Lane, Audubon, PA 19403-2043.

Construction of a single residence sewage treatment plant located in Limerick Township, **Montgomery County** to serve the Clark residence.

**Permit No. 4696408.** Sewerage. **Whitpain Township**, 960 Wentz Road, P. O. Box 800, Blue Bell, PA 19422. Construction and modifications of a pump station and force main located in Whitpain Township, **Montgomery County** to serve Mermaid Run.

**Permit No. 4696201.** Industrial waste. **SmithKline Beecham Research Company**, 1250 South Collegeville Road, Collegeville, PA 19426. Construction and operation of an industrial wastewater treatment plant located in Upper Providence Township, **Montgomery County** to serve SmithKline Beecham Research Company to treat air conditioning condensate.

**Permit No. 0995421.** Sewerage. Amendment No. 1. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-1209. Amend permit to include the relocation of a proposed force main located in Plumstead Township, **Bucks County** to serve Landis-Green Pump Station.

**Permit No. 2396402.** Sewerage. **The Goddard School**, 20 Creek Road, Glen Mills, PA 19342. Construction of a sewage treatment plant located in Thornbury Township, **Delaware County** to serve the Goddard School.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**WQM Permit No. 2596401.** Sewerage. **Birchdale Woods Phase II**, Rodney R. Dale, 8600 Ridge Road,

Girard, PA 16417. This project is for plans to provide sewage treatment for Birchdale Woods Phase II development in Girard Township, **Erie County**.

**WQM Permit No. 2096405.** Sewerage. **Meadville Area Sewer Authority**, Martin/Ryan Road, Plateau Drive, South Main Street, and Clark Road Sewer Lines, 984 Water Street, Meadville, PA 16335. This project is for plans to install new sewer extensions and replace existing sewer line at the locations of Martin/Ryan Road, Plateau Drive, South Main Street, and Clark Road in West Mead Township, **Crawford County**.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**Permit No. 0292201.** Amendment No. 1. Industrial waste, **U. S. Steel Group**, 600 Grant Street, Pittsburgh, PA 15219-2749. Construction of landfill and leachate treatment facility located in the Borough of West Mifflin, **Allegheny County** to serve the South Taylor Landfill.

**Permit No. 6396201.** Industrial waste, **Mon River Towing, Inc.**, 200 Speers Street, Belle Vernon, PA 15012. Construction of bilge water treatment facility located in the Borough of Speers, **Washington County**.

**Permit No. 6596202.** Industrial waste, **Campbell's Ultra Service Station**, 1111 Clay Pike, North Huntingdon, PA 15642. Construction of granular activated carbon filters located in the Township of North Huntingdon, **Westmoreland County** to serve the Berton's property.

**Permit No. 1196401.** Sewerage, **Highland Sewer and Water Authority**, 120 Tank Drive, Johnstown, PA 15904. Construction of sewer extension located in the Township of Richland, **Cambria County** to serve Carwyn Drive Parallel Sewer/Sweeney Interceptor.

**Permit No. 2696401.** Sewerage, **Doug Cortea**, 101 Frankie Lane, Leisenring, PA 15455. Construction of sewage treatment plant located in the Township of Dunbar, **Fayette County** to serve the Divito Park.

**Permit No. 6396405.** Sewerage, **William and Eileen Stocks**, 4462 Finleyville-Elrama Road, Finleyville, PA 15332. Construction of single residence sewage treatment plant located in the Township of Union, **Washington County** to serve the Stocks residence.

*Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

**Permit No. 3696403.** Sewerage. **Ephrata Regional Wastewater Treatment Facility**, Ephrata Borough Authority, 114 East Main Street, Ephrata, PA 17522. Construction of a new sewage treatment plant in Ephrata Borough, **Lancaster County**.

**Permit No. 3696402.** Sewerage. **Christiana Borough**, 14 Maple Avenue, Christiana, PA 17509. Installation of belt filter press and controls to existing facilities in Christiana Borough, **Lancaster County**.

**Permit No. 3696404.** Sewerage. **Suburban Lancaster Sewer Authority**, P. O. Box 4058, Lancaster, PA 17603. Construction of sewage pump station in Lancaster Township, **Lancaster County**.

**Permit No. 0696403.** Sewerage. **Municipal Authority of the Township of Spring**, 2800 Shillington Road, Cornwall Terrace, Reading, PA 19608. Construction of sewers and appurtenances in Spring Township, **Berks County**.

**Permit No. 6796403.** Sewerage. **West Manchester Township Sewer Authority**, 2501 Catherine Street, York, PA 17404. Construction of new pump station, force main and gravity sewer line in Manchester Township, **York County**.

**Permit No. 3195403.** Sewerage. **Marklesburg Authority**, P. O. Box 24, James Creek, PA 16657. Construction of collection system with two pump stations in Marklesburg Borough, **Huntingdon County**.

**Permit No. 2194406.** Sewerage. Amendment 96-1. **Monroe Township Sewer Authority**, 1220 Boiling Springs Road, Mechanicsburg, PA 17055. Amendment of permit allowing for the construction of a lift station in Monroe Township, **Cumberland County**.

**Permit No. 3695403.** Sewerage. Amendment 96-1. **Mazza Vineyards, Inc.**, P. O. Box 685, Cornwall, PA 17016. Amendment 96-1. Amendment of permit to construct sewage treatment facilities in Rapho Township, **Lancaster County**.

**Permit No. 3696402.** Sewerage. **Peter B. Shirk, Inc.**, R. D. 2, Box 62A, Denver, PA 17517. Construction of sewers and appurtenances in Millcreek Township, **Lebanon County**.

**Permit No. 2196403.** Sewerage. **Silver Spring Township Authority**, 6475 Carlisle Pike, Mechanicsburg, PA 17055. Construction of sewers and appurtenances in Silver Spring Township, **Cumberland County**.

**Permit No. 6796406.** Sewerage. **York Township Water and Sewer Authority**, 25 Oak Street, York, PA 17402. Construction of sewers and appurtenances in York Township, **York County**.

**Permit No. 2179410.** Sewerage. Amendment 96-1. **Carlisle Suburban Authority**, 240 Clearwater Drive, Carlisle, PA 17013. Amendment of permit to construct sewage treatment facilities in North Middleton Township, **Cumberland County**.

**Permit No. 6796406.** Sewerage. **York Township Water and Sewer Authority**, 25 Oak Street, York, PA 17402. Construction of sewers and appurtenances in York Township, **York County**.

---

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

---

*Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.*

#### Permits Issued

**Permit No. 4396504.** Public water supply. **South Pymatuning Township**, 3483 Tamarack Drive, Sharpsville, PA 16150. Permit issued for the construction of approximately 13,000 l. f. of 12" water main and a 650,000 gallon water storage tank in South Pymatuning Township, **Mercer County**.

*Type of Facility:* Public water supply.

*Consulting Engineer:* Lawrence P. Habarka, Project Engineer, E. A. Winslow & Associates, Inc., 220 Hickory Street, Sharpsville, PA 16150.

*Permit to Construct Issued:* June 10, 1996.

*Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.*

**Permit No. 0696502.** **Borough of Topton**, Topton Borough and portions of Longswamp Township, **Berks**

**County.** The addition on the spring supply of a raw storage tank, two submersible pumps, two trains of two high-rate pressure filters and a polymer feed system.

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**6696501.** Public water supply. **National Utilities, Inc.**, (Rivercrest Subdivision) c/o Joseph Bontrager, 1120 South Washington Ave., Scranton, PA 18505. This proposal involves: the construction of a booster pump station and distribution system to serve 23 homes in a new subdivision (Highfields Section 2). It is located in Tunkhannock Township, **Wyoming County**.

**1396502.** Public water supply. **Lehigh State Police**, R. D. 1, Box 1561, Gouldsboro, PA 18424. This proposal involves addition of soda ash and phosphate inhibitor treatment to the existing well source water supply. It is located in Towamensing Township, **Carbon County**.

---

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

---

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**A-1 Medical Waste Removal, Inc.**, 209 Latimer Avenue, Staten Island, NY 10314; License No. **PA-HC 0173**; license issued June 14, 1996.

**Regniers Refrigerated Express**, 648 Frenchtown Road, New Castle, DE 19720; License No. **PA-HC 0050**; license issued June 14, 1996.

---

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

---

*Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.*

**A. 603442. Thomas Rogers Farm, Thomas A. Rogers/Rural Septic**, R. R. 2, Box 76, Harvey's Lake, PA 18618. A permit for the agricultural utilization of septage at this facility, located in Lake Township, **Luzerne County**. The permit was issued in the Regional Office on June 7, 1996.

*Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6848.*

Unpermitted, **General Chemical Corporation**, 2500 Kingshighway, East St. Louis, IL 62201, located in the Borough of Johnsonburg, **Elk County**. A Closure Plan to close the Johnsonburg Works APR Residual waste ponds was approved in the Regional Office on June 4, 1996.

---

**Permit applications denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.**

---

*Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**Permit ID No. 301276. Recycled Rubber Products, Inc.**, One Railroad Street, P. O. Box 62, Schenley, PA 15682. Operation of a Residual Waste Processing Facility in Gilpin Township, **Armstrong County**. Permit application denied in the Regional Office on June 4, 1996.

---

**Operating permits transferred under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contamination sources or air cleaning devices.**

---

*Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**53-313-006.** The Department intends to issue an operating permit to **Morgan Advanced Materials and Technologies, Inc.** (441 Hall Avenue, St. Marys, PA 15857) for the operation of four carbon molding flour batch mixers and associated air cleaning devices (electric thermal oxidizers and filters) previously owned and operated by the Stackpole Corporation, Pure Carbon Company, in Eulalia Township, **Potter County**.

**17-302-019A.** The Department intends to issue an operating permit to **Howes Leather Corporation** (P. O. Box 57, Curwensville, PA 16833) for the operation of two natural gas/#2 oil-fired boilers and one #2 oil-fired boiler previously owned and operated by Howes Leather Company, Inc. in Curwensville Borough, **Clearfield County**.

---

**Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources or air cleaning devices.**

---

*Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.*

**21-307-005B.** On May 31, 1996, the Department issued a plan approval to **The Frog, Switch & Mfg. Company** (P. O. Box 70, Carlisle, PA 17013) for the modification of two vacuum process molding systems controlled by two fabric filters in Carlisle Borough, **Cumberland County**.

**28-318-031.** On May 31, 1996, the Department issued a plan approval to **Champion Road Machinery, Inc.** (P. O. Box 439, Chambersburg, PA 17201-0439) for the installation of a surface coating operation in Chambersburg Borough, **Franklin County**.

#### **MINING ACTIVITY ACTIONS**

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits

issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Coal Applications Issued*

**11960103. K & J Coal Company, Inc.** (P. O. Box 189, Westover, PA 16692), commencement, operation and restoration of a bituminous strip mine in Chest Township, **Cambria County**, affecting 29.0 acres, receiving stream unnamed tributaries to Chest Creek, application received February 27, 1996, permit issued June 10, 1996.

**56870102.** Transfer from **Heritage Mining Company to Starlite Mining, Inc.** (828 Statler Road, Windber, PA 15963), commencement, operation and restoration of a bituminous strip mine in Shade and Quemahoning Townships, **Somerset County**, affecting 78.0 acres, receiving stream unnamed tributary to Oven Run, application received March 27, 1996, permit issued May 31, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**33930101. P & N Coal Company, Inc.** (P. O. Box 332, Punxsutawney, PA 15767), renewal of an existing bituminous strip and auger operation in Gaskill and Henderson Townships **Jefferson County** affecting 152.9 acres. Receiving streams unnamed tributary to east branch Mahoning Creek, unnamed tributary to Laurel Run. Application received April 8, 1996. Permit issued May 19, 1996.

**33950107. R & L Coal Corporation** (Box 26, Punxsutawney, PA 15767), commencement, operation and restoration of a bituminous strip operation in Warsaw Township, **Jefferson County** affecting 30.0 acres. Receiving streams two unnamed tributaries of Mill Creek. Application received September 26, 1995. Permit issued May 22, 1996.

**33950109. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767), commencement, operation and restoration of a bituminous strip and auger operation in Beaver Township, **Jefferson County** affecting 110.5 acres. Receiving streams unnamed tributary to Tarkiln Run and Red Run. Application received December 27, 1995. Permit issued May 24, 1996.

**24960101. Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824), commencement, operation and restoration of a bituminous strip and auger operation in Horton Township, **Elk County** affecting 231.0 acres. Receiving streams four unnamed tributaries of Mead Run and Mead Run. Application received January 3, 1996. Permit issued May 31, 1996.

**102327-24960101-E-1. Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824), application for a stream encroachment to conduct mining activities within 100 feet of unnamed tributary A to Mead Run in Horton Township, **Elk County**. This variance includes plans to construct and maintain a haul road crossing over unnamed tributary A. Receiving streams four unnamed tributaries of Mead Run and Mead Run. Application received January 3, 1996. Permit issued May 31, 1996.

**102327-24960101-E-2. Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824), application for a stream encroachment to conduct mining activities within 100 feet

of unnamed tributary E to Mead Run in Horton Township, **Elk County**. This variance includes plans to construct erosion and sedimentation controls within 100 feet of and mine through and reconstruct unnamed tributary E. Receiving streams four unnamed tributaries of Mead Run and Mead Run. Application received January 3, 1996. Permit issued May 31, 1996.

**102327-24960101-E-3. Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824), application for a stream encroachment to conduct mining activities within 100 feet of unnamed tributary F to Mead Run in Horton Township, **Elk County**. This variance includes plans to mine through and reconstruct and place erosion and sedimentation controls within 100 feet of unnamed tributary F. Receiving streams four unnamed tributaries of Mead Run and Mead Run. Application received January 3, 1996. Permit issued May 31, 1996.

**33940105. Leonard Yenzi** (P. O. Box 62, Anita, PA 15711), commencement, operation and restoration of a bituminous strip operation in Pinecreek Township, **Jefferson County** affecting 118.1 acres. Receiving streams two unnamed tributaries to Five Mile Run and Mill Creek. Application received August 8, 1994. Permit issued June 12, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**49960201. Split Vein Coal Company, Inc.,** (R. R. 1, Box 1027, Paxinos, PA 17860), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Mt. Carmel Township, **Northumberland County** affecting 77.5 acres, receiving stream none. Permit issued June 10, 1996.

**54860206C3. Westwood Energy Properties, LTD Partnership,** (1177 West Loop South, Houston, TX 77227-2427), correction to an existing coal refuse reprocessing operation in Frailey Township, **Schuylkill County** affecting 441.4 acres, receiving stream Lower Rausch Creek. Correction issued June 10, 1996.

**54851325R2. B & B Anthracite Coal Co.,** (225 Main Street, Joliett, PA 17981), renewal of an existing anthracite deep mine operation in Tremont Township, **Schuylkill County** affecting 8.0 acres, receiving stream Lorberry Creek. Renewal issued June 10, 1996.

**19950101. Blaschak Coal Corp.,** (P. O. Box 12, Mahanoy City, PA 17948), commencement, operation and restoration of an anthracite surface mine operation in Conyngham Township and Centralia Borough, **Columbia County** affecting 846.0 acres, receiving stream none. Permit issued June 10, 1996.

**54951303. International Anthracite Corp.,** (P. O. Box 127, Valley View, PA 17983), commencement, operation and restoration of an anthracite deep mine operation in Hegins Township, **Schuylkill County** affecting 73.0 acres, receiving stream Good Spring Creek. Permit issued June 14, 1996.

**49851310T. Sheldon Derck t/a Jordan L. Coal Co.,** (133 Academy Street, Shamokin, PA 17872), transfer of an existing anthracite deep mine operation in Coal Township, **Northumberland County** affecting 2.0 acres, receiving stream none. Transfer issued June 6, 1996.

*District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.*

**26910110. Patterson Coal Company** (R. D. 2, Box 335, Smithfield, PA 15478). Permit revised to add 1 acre

through an insignificant boundary correction on a bituminous surface mining site located in Georges Township, **Fayette County**, affecting 46.0 acres. Receiving streams unnamed tributaries to York Run, York Run, Georges Creek, and the Monongahela River. Application received February 26, 1996. Revision issued April 29, 1996.

**63900104R. Robinson Coal Company** (P. O. Box 9347, Neville Island, PA 15225). Permit renewed for reclamation only of a bituminous surface mine located in Robinson and North Fayette Townships, **Washington and Allegheny Counties**, affecting 177 acres. Receiving streams unnamed tributaries to Little Raccoon Creek. Application received January 29, 1996. Renewal issued April 29, 1996.

**65950103. Buchinsky Brothers Coal** (R. D. 3, Box 94, Saltsburg, PA 15681). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Loyalhanna Township, **Westmoreland County**, affecting 18.7 acres. Receiving streams unnamed tributaries to the Conemaugh River. Application received April 3, 1995. Permit issued May 7, 1996.

**04940102. Kerry Coal Company** (R. D. 2, P. O. Box 19, Portersville, PA 16051). Permit revised to allow auger mining of the Mahoning coal seam on a surface mining site located in Darlington Township, **Beaver County**, affecting 277 acres. Receiving streams unnamed tributaries to Dilworth Run, unnamed tributaries to Coalbank Run, North Fork, Little Beaver Creek, Beaver River. Application received February 28, 1996. Revision issued May 8, 1996.

**03950111. Cookport Coal Co., Inc.** (425 Market Street, Kittanning, PA 16201). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Redbank Township, **Armstrong County**, affecting 46.3 acres. Receiving streams unnamed tributary to Pine Run to Pine Run to Mahoning Creek to Allegheny River. Application received December 8, 1995. Permit issued May 8, 1996.

**03950108. Thomas J. Smith, Inc.** (R. D. 1, Box 260D, Shelcta, PA 15774). Permit issued for commencement, operation and reclamation of a bituminous surface auger mine located in Burrell and South Bend Townships, **Armstrong County**, affecting 193.3 acres. Receiving streams Long Run and unnamed tributaries "A" and "B" to Long Run to Crooked Creek. Application received November 22, 1995. Permit issued May 8, 1996.

**26910106R. Bridgeview Coal Company** (P. O. Box 257, 3735 National Pike, Farmington, PA 15437). Permit renewed for reclamation only of a bituminous surface mine located in Georges Township, **Fayette County**, affecting 152 acres. Receiving streams two unnamed tributaries to Muddy Run. Application received February 5, 1996. Renewal issued May 16, 1996.

**26743202R. Carbon Fuel Resources, Inc.** (Three Penn Center West, Building Three, Suite 401, Pittsburgh, PA 15276). Permit renewed for continued operation and reclamation of a coal refuse reprocessing site located in Dunbar and North Union Townships, **Fayette County**, affecting 113.0 acres. Receiving streams unnamed tributaries to and including Rankin Run. Renewal application received March 26, 1996. Renewal issued May 23, 1996.

**03910102R. T. C. Mining** (R. D. 2, Box 301B, Kittanning, PA 16201). Permit renewed for reclamation only of a bituminous surface mine located in Valley Township, **Armstrong County**, affecting 72.6 acres. Receiving

streams unnamed tributary to and including Long Run. Renewal application received April 22, 1996. Renewal issued May 28, 1996.

**65850104R. M. B. Energy, Inc.** (250 Airport Road, P. O. Box 1319, Indiana, PA 15701-1310). Permit renewed for continued operation and reclamation of a bituminous surface auger mine located in Mt. Pleasant Township, **Westmoreland County**, affecting 177.5 acres. Receiving streams Brinker Run, unnamed tributaries to Sewickley Creek and Sewickley Creek. Renewal application received February 13, 1996. Renewal issued May 31, 1996.

**63860109R. Bologna Coal Company** (Box 271, Burgettstown, PA 15021). Permit renewed for continued reclamation of a bituminous surface auger mine located in Hanover Township, **Washington County**, affecting 49.9 acres. Receiving streams an unnamed tributary to Raccoon Creek. Renewal application received November 15, 1995. Renewal issued May 31, 1996.

**26900116R. Amerikohl Mining, Inc.** (P. O. Box 427, Acme, PA 15610). Permit renewed for continued reclamation of a bituminous surface mine located in Upper Tyrone Township, **Fayette County**, affecting 30.0 acres. Receiving stream Galley Run. Renewal application received January 16, 1996. Renewal issued May 31, 1996.

**65860109R. M. B. Energy, Inc.** (250 Airport Road, P. O. Box 1319, Indiana, PA 15701-1319). Permit renewed for continued operation and reclamation of a bituminous surface mine located in Ligonier Township, **Westmoreland County**, affecting 143.8 acres. Receiving streams unnamed tributaries to Hannas Run. Renewal application received March 28, 1996. Renewal issued May 31, 1996.

**26900111R. Patterson Coal Company** (R. D. 2, Box 335, Smithfield, PA 15478). Permit renewed for continued reclamation of a bituminous surface mine located in German and Nicholson Townships, **Fayette County**, affecting 59.0 acres. Receiving streams Cats Run and two unnamed tributaries to Jacobs Creek. Renewal application received May 2, 1996. Renewal issued May 31, 1996.

**03950109. Walter L. Houser Coal Co., Inc.** (R. D. 1, Box 434, Kittanning, PA 16201). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Mahoning Township, **Armstrong County**, affecting 80 acres. Receiving streams unnamed tributary to Mahoning Creek, and Mahoning Creek. Application received November 30, 1995. Permit issued June 4, 1996.

**02860201R. Minerals Technology, Inc.** (3 Penn Center West, Suite 401, Pittsburgh, PA 15276). Renewal issued for continued operation and reclamation of a bituminous surface mine (coal refuse reprocessing facility) located in Harmar Township, **Allegheny County**, affecting 156.6 acres. Receiving stream Guys Run. Application received March 28, 1996. Permit issued June 4, 1996.

**26850117R. Harry Lee and Rolland Herring** (204 Columbus Avenue, Masontown, PA 15461). Renewal issued for continued operation and reclamation of a bituminous surface/auger mine located in German Township, **Fayette County**, affecting 56 acres. Receiving streams two unnamed tributaries to Cats Run to Monongahela River. Application received April 3, 1996. Renewal issued June 7, 1996.

*Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.*

**32871301. The Florence Mining Company**, (P. O. Box 51, New Florence, PA 15944), to renew the permit for the Heshbon bituminous deep mine in West Wheatfield

Township, **Indiana County** for reclamation only, no additional discharge. Permit issued June 4, 1996.

**16831602. C & K Coal Company**, (P. O. Box 69, Clarion, PA 16214), to renew the permit for the Rimersburg Prep Plant in Toby Township, **Clarion County** for reclamation only, no additional discharge. Permit issued June 4, 1996.

**56743701. Laurel Mines Corporation**, (c/o Triebel, Inc., P. O. Box 51, New Florence, PA 15944), to renew the permit for the Laurel Refuse Area in Shade Township, **Somerset County**, no additional discharge. Permit issued June 4, 1996.

**03950701. Canterbury Coal Company**, (R. D. 1, Box 119, Avonmore, PA 15618), to operate the No. 6 Refuse Area in Kiskiminetas Township, **Armstrong County** for new refuse site, receiving stream unnamed tributary to Long Run. Permit issued June 5, 1996.

**30733701. Consolidation Coal Company**, (P. O. Box 1314, Morgantown, WV 26507-1314), to revise the permit for the Robena CRDA in Monongahela Township, **Greene County** to modify slurry pond No. 4 and add two NPDES discharge points, receiving streams unnamed tributary to Whitely Creek and Whitely Creek. Permit issued June 5, 1996.

**32841313. Consolidation Coal Company**, (P. O. Box 1314, Morgantown, WV 26507-1314), to revise the permit for the Dilworth bituminous deep mine in Jefferson Township, **Greene County** to comply with provisions of Act 54, no additional discharge. Permit issued June 4, 1996.

*District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.*

*Noncoal Permits Issued*

**03950301. Glacial Sand and Gravel Company** (P. O. Box 1022, Kittanning, PA 16201). Permit issued for commencement, operation and reclamation of a large noncoal surface mining operation located in East Franklin Township, **Armstrong County**, affecting 310 acres. Receiving streams unnamed tributaries to the Allegheny River. Application received July 11, 1995. Permit issued May 23, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**4873SM10A2C2. Codorus Stone & Supply Co., Inc.**, (135 Mundis Race Road, York, PA 17402), renewal of NPDES Permit #PA0595284 in Manchester Township, **York County**, receiving stream unnamed tributary to Codorus Creek. Correction issued June 6, 1996.

**7475SM4T. ESSROC Materials, Inc.**, (P. O. Box 32, Nazareth, PA 18064), transfer of an existing quarry operation in Upper and Lower Nazareth Townships, **Northampton County** affecting 255.0 acres, receiving stream unnamed tributary to Monacacy Creek. Transfer issued June 7, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**20870305. Tionesta Sand & Gravel, Inc. d/b/a Wood Gravel Company** (P. O. Box 307, Tionesta, PA 16353). Transfer of an existing sand and gravel operation from Wood Gravel Company in Troy Township, **Crawford County** affecting 33.5 acres. Receiving streams Sugar Creek. Application received January 22, 1996. Permit issued June 4, 1996.

**4877SM5. Tionesta Sand & Gravel, Inc. d/b/a Wood Gravel Company** (P. O. Box 307, Tionesta, PA 16353). Transfer of an existing sand and gravel operation from Wood Gravel Company in Steuben Township, **Crawford County** affecting 13.0 acres. Receiving streams Marsh Run. Application received January 22, 1996. Permit issued June 4, 1996.

**20950301. Tionesta Sand & Gravel, Inc. d/b/a Wood Gravel Company** (P. O. Box 307, Tionesta, PA 16353). Transfer of an existing sand and gravel operation from Wood Gravel Company in Bloomfield Township, **Crawford County** affecting 29.5 acres. Receiving streams Pine Hollow Run and Bloomfield Run. Application received January 22, 1996. Permit issued June 4, 1996.

**20910304. Tionesta Sand & Gravel, Inc. d/b/a Wood Gravel Company** (P. O. Box 307, Tionesta, PA 16353). Transfer of an existing sand and gravel operation from Wood Gravel Company in Steuben Township, **Crawford County** affecting 5.2 acres. Receiving streams N/A. Application received January 22, 1996. Permit issued June 4, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**09890302C2. G.R.O.W.S., Inc.**, (1000 New Ford Mill Road, Morrisville, PA 19067), correction of an existing quarry operation in Falls Township, **Bucks County** affecting 364.6 acres, receiving stream none. Correction issued June 14, 1996.

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Coal Applications Withdrawn*

**32960901. KMP Associates** (301 Salt Street, Saltsburg, PA 15681), commencement, operation and restoration of an incidental coal extraction mine in Young Township, **Indiana County**, affecting 8.1 acres, receiving stream unnamed tributary to Whisky Run, application received March 1, 1996, application withdrawn June 4, 1996.

*District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.*

*General Small Noncoal Authorizations Granted*

**65952302. David M. Stronko** (P. O. Box 164, Lemont Furnace, PA 15456). Permit issued for commencement, operation and reclamation of a small noncoal surface mining operation located in Mt. Pleasant Township, **Westmoreland County**, affecting 19.3 acres. Receiving streams Shupe Run to Youghioghny River. Application received October 3, 1995. Permit issued May 23, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**25960802. Philip L. Spotts** (5255 Wheelertown Road, Waterford, PA 16441), commencement, operation and restoration of a sand and gravel operation in LeBoeuf Township, **Erie County** affecting 4.0 acres. Receiving streams N/A. Application received April 12, 1996. Authorization granted May 29, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**58960804. Scott C. Tyler**, (R. R. 2, Box 179A, Meshoppen, PA 18630), commencement, operation and restoration of a small quarry operation in Auburn Township,

**Susquehanna County** affecting 1.0 acre, receiving stream none. Authorization granted June 13, 1996.

**40950801. Harold Post**, (R. R. 2, Box 2155, Shickshinny, PA 18655), commencement, operation and restoration of a small quarry operation in Ross Township, **Luzerne County** affecting 5.0 acres, receiving stream none. Authorization granted June 14, 1996.

**40960801. Pork Properties, Inc.**, (R. R. 3, 34 Alfred Road, Wyoming, PA 18644), commencement, operation and restoration of a small topsoil operation in Plains Township, **Wyoming County** affecting 11.5 acres, receiving stream Susquehanna River. Authorization granted June 6, 1996.

**45960802. Royal Oak Homes, Inc.**, (Rt. 209, Box 798, Brodheadsville, PA 18322), commencement, operation and restoration of a shale operation in Eldred Township, **Monroe County** affecting 1.0 acre, receiving stream none. Authorization granted June 7, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

*Noncoal Permits Denied*

**16910102. MSM Coal Company, Inc.** (P. O. Box 243, DuBois, PA 15801). Revision to an existing bituminous strip operation to change the post-mining land use from forestland to pastureland/land occasionally cut for hay on the William J. Mauthe and Robert D. Lyle properties in Limestone Township, **Clarion County** affecting 27.8 acres. Receiving streams two unnamed tributaries to Runaway Run. Application received April 18, 1996. Permit denied June 3, 1996.

The Department of Environmental Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 1 (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Permits Issued and Actions on 401 Certification*

*DEP Central Office: Bureau of Dams, Waterways and Wetlands, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.*

**D30-029A. Dam. Consolidation Coal Company**, P. O. Box 1314, Morgantown, WV 26507-1314. To modify, operate and maintain the existing Coal Refuse Slurry Impoundment—Pond No. 4 at the Robena Preparation Plant along Whiteley Creek located in Monongahela Township, **Greene County**.

*Environmental Assessment Approvals and Actions on 401 Certification*

**EA59-004C0. Environmental assessment. Dale Spitzer**, R. R. 2, Box 803B, Lawrenceville, PA 16929. To construct and maintain a nonjurisdictional dam across a tributary to Cummings Creek (WWF) impacting a de minimus area of wetlands (PEM) less than 0.05 acre for the purpose of recreation located approximately 4,200 feet north of Farmington Hill (Tioga, PA-NY Quadrangle N: 11.10 inches; W: 16.55 inches) in Farmington Township, **Tioga County**.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**EA20-001NW. Environmental assessment. David L. Walton**, 4546 Center Road, Conneaut, OH 44030. To remove the deck and superstructure from the abandoned Gothic Street bridge across Foster Run approximately 250 feet upstream of Mulberry Street (Conneautville, PA Quadrangle N: 1.2 inches; W: 16.8 inches) located in Conneautville Borough, **Crawford County**.

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E46-740. Encroachment. Whitpain Township**, 960 Wentz Road, Blue Bell, PA 19422. To modify and maintain the Mermaid Run Pumping Station within the 100-year floodplain of the east branch of Stony Creek located approximately 1,000 feet southeast of the intersection of Township Line Road and DeKalb Pike (S. R. 0202) (Lansdale USGS Quadrangle N: 3.9 inches; W: 7.5 inches) in Whitpain Township, **Montgomery County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.*

**E39-299. Encroachment. North Whitehall Township**, 3256 Levans Road, Coplay, PA 18037-2118. To remove the existing structure and to construct and maintain a 16-foot × 5-foot concrete box culvert across Fells Creek. The project is located on T-702 (Riverview Road) approximately 0.1 mile north of its intersection with S. R. 4014 (Neffs-Laurys Road) (Cementon, PA Quadrangle N: 14.8 inches; W: 8.4 inches) in North Whitehall Township, **Lehigh County**.

**E45-291. Encroachment. William Koller**, 27 Roanoake Road, Bridgewater, NJ 08807. To construct and maintain a private road crossing through a de minimus area of wetlands less than or equal to 0.05 acre consisting of clean rock fill having approximate dimensions of 135 feet by 10 feet with three 8-inch diameter cross drain pipes to provide access to a proposed single family dwelling. The project is located in Country Woods Estates Subdivision, Lot 25, Section 2, approximately 1,200 feet east of the



intersection of T630 (Coolbaugh Drive) and Stoney Brook Road (Bushkill, PA Quadrangle N: 14.7 inches; W: 16.0 inches) in Middle Smithfield Township, **Monroe County**.

*Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E14-281.** Encroachment. **Ferguson Township Supervisors**, 3127 Research Drive, State College, PA 16801. To construct and maintain a 3.3 mile bike path with an 8 foot fill section which will be in the floodway of Big Hollow with existing drainage patterns to remain unchanged. The path follows Big Hollow south of Sleepy Hollow Drive and Circleville Road and then south opposite Corl St. (Julian, PA Quadrangle N: 8.3 inches; W: 2.0 inches) in Ferguson Township, **Centre County**.

**E14-282.** Water obstruction and encroachment. **Staimen Brothers Inc.**, P. O. Box 1235, Williamsport, PA 17701. To remove the existing superstructure of eight two-span railroad bridges across Beech Creek for the purpose of salvaging steel. The proposed work shall consist of removing the superstructures, leaving abutments and center piers intact, from existing grade that will not impact wetlands or Beech Creek: a cold water fishery. The project is located along the northern right of way T-710 approximately 5.0 miles west of the intersection of S. R. 0364 and T-710 (Snow Shoe SE, PA Quadrangle N: 17.2 inches; W: 6.1 inches) in Curtin Township, **Centre County**.

**E14-283.** Water obstruction and encroachment. **Centre Lime and Stone Co.**, 325 West Aaron Drive, State College, PA 16801. To construct and maintain single span concrete box beam bridge with a clear span of 40 feet and an underclearance of 5 feet across Gap Run Channel located in the northeast corner of the intersection of S. R. 0026 and Harrison Road (Centre Hall, PA Quadrangle N: 22.3 inches; W: 15.5 inches) in Spring Township, **Centre County**. This project as proposed, will not impact Gap Run Channel which is classified as a CWF. This was published in error under E14-383 on April 20, 1996.

**E41-355.** Encroachment. **Muncy Creek Township Supervisors**, P. O. Box 336, Muncy, PA 17756. To construct and maintain a wastewater pumping station in the floodway of the west branch Susquehanna River, a WWF stream. This project will have no stream or wetland impacts and is located off Pepper Street about 0.25 mile west of its intersection with Railroad Street (Muncy, PA Quadrangle N: 13.0 inches; W: 7.0 inches) in Muncy Creek Township, **Lycoming County**.

*Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.*

**E07-245.** Encroachment. **Westvaco**, 1600 Pennsylvania Avenue, Tyrone, PA 16686. To remove the superstructure of a two span steel beam privately owned bridge across the Frankstown Branch of the Juniata River located about 1,600 feet upstream of the S. R. 2015 bridge at Williamsburg Borough (Williamsburg, PA Quadrangle N: 16.4 inches; W: 11.1 inches) in Williamsburg Borough and Catharine Township, **Blair County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

**E21-245.** Encroachment. **Carlisle Suburban Authority**, 240 Clearwater Drive, Carlisle, PA 17013. To construct and maintain a reed bed sludge drying facility within the right bank's 100-year floodplain of the Conodoguinet Creek located in the vicinity of the existing

wastewater treatment plant 1,000 feet downstream of PA 34 bridge (Carlisle, PA Quadrangle N: 20.38 inches; W: 7.25 inches) in North Middleton Township, **Cumberland County**.

**E22-351.** Encroachment. **City of Harrisburg**, 10 North Second Street, Harrisburg, PA 17101. To construct and maintain a floating dock facility, a parking area and a pedestrian plaza in and along the Susquehanna River at a point approximately 500 feet downstream of Market Street (Harrisburg East, PA Quadrangle N: 0.8 inch; W: 1.5 inches) in the City of Harrisburg, **Dauphin County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

**E67-560.** Encroachment. **York Building Products Company, Inc.**, 1020 N. Hartley St., York, PA 17404. To replace an existing stream enclosure with 418 linear feet of 42-inch diameter R.C.P. along the Little Conewago Creek located under an existing runway at York Airport (Abbottstown, PA Quadrangle N: 7.95 inches; W: 0 inch) in Jackson Township, **York County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

---

## SPECIAL NOTICES

---

### Proposed Policy for Conducting Technical Reviews of Minor NPDES Renewal Applications Under The Clean Streams Law; Notice of Availability

The Department of Environmental Protection (DEP) is seeking comment on a proposed policy setting forth a process for prioritizing and reviewing minor NPDES permit renewal applications under sections 202 and 307 of The Clean Streams Law, and Chapter 92 of the Department's regulations.

Section 202 of The Clean Streams Law provides that no municipality or person shall discharge or permit the discharge of sewage in any manner, directly or indirectly, into waters of the Commonwealth unless such discharge is authorized by the rules and regulations of DEP or such person or municipality has first obtained a permit from DEP. Section 307 provides that no person or municipality shall discharge or permit the discharge of industrial wastes in any manner, directly or indirectly, into any of the waters of the Commonwealth unless such discharge is authorized by the rules and regulations of DEP or such person or municipality has first obtained a permit from DEP. Chapter 92 sets forth substantive and procedural requirements for wastewater discharges to surface waters.

The proposed policy would streamline the NPDES minor permit renewal process by allowing permit application reviews to be conducted based on the results of a prioritization evaluation. The prioritization would focus on the current environmental significance of the discharge and the legal status of the permittee. Permittees who are in compliance with their existing permit, have made no major changes over the life of the permit, and are causing no known water quality impairment would receive an expedited application review. The accelerated review process would allow the reviewer to accept previous water quality modeling efforts if they reasonably reflect up to date information on the discharge and stream conditions, and the original calculations are accurate in all material respects. This proposed policy would ensure more timely action on minor NPDES renewal applications, and would enable DEP to apply the resultant savings in staff time to higher priority cases.

Persons wishing to obtain a copy of the proposed policy should request it from the Bureau of Water Quality Management, Division of Permits and Compliance, 10th Floor, Rachel Carson State Office Building, P. O. Box 8465, Harrisburg, PA 17105-8465, (717) 787-8184, or by Internet E-mail (Gansell.Stuart@a1.dep.state.pa.us). Comments on the proposal will be accepted until 30 days after the date of this notice and should be submitted to the above address. Persons with a disability who need accommodations to comment may use the AT&T relay service by calling 1 (800) 654-5984 (TDD users) or 1 (800) 654-5988 (voice users).

After reviewing and addressing public comments on the proposed policy, the Department will publish notice of the final Policy for Conducting Technical Reviews of Minor NPDES Renewal Applications in the *Pennsylvania Bulletin*.

[Pa.B. Doc. No. 96-1052. Filed for public inspection June 28, 1996, 9:00 a.m.]

### Money-Back Guarantee Permit Review Program Expansion

The Money-Back Guarantee Permit Review Program, established August 23, 1995, by Governor's Executive Order 1995-5, establishes clear timelines for the processing of certain Department of Environmental Protection (DEP) permits. Should DEP fail to meet a published processing time, the Department will automatically return the permit fee to the applicant.

The program, as originally established by the Executive Order, included 19 permit types. On March 4, 1996, DEP expanded the program to include an additional 30 permit types. Effective July 1, 1996, DEP will add the following permit application types to the program:

#### *Water Management*

- Earth Disturbance—New, Amendment, Renewal and Transfer
- Individual NPDES/Stormwater-Construction—New, Amendment, Renewal, Transfer, Co-permittee
- General NPDES/Stormwater-Construction (PAG-2)—New, Renewal, Amendment, Transfer and Co-permittee
- Individual NPDES/Stormwater-Construction/Notice of Termination
- General NPDES/Stormwater-Construction (PAG-2) Notice of Termination
- Limited Power Permit
- Water Obstruction & Encroachment General Permits (1,2,3,4,5,6,7,8,9,10,15)
- Public Water Supply Permit/Bulk Water Hauler, Bottled Water System—Out of State—Minor Amendment
- Public Water Supply Permit/Bulk Water Hauler, Bottled Water System—Minor Amendment
- Public Water Supply Permit/Community Water System—Minor Amendment
- Public Water Supply Permit/Non-Community Water System—New and Minor Amendment
- Public Water Supply Permit/Retail Water System—Minor Amendment

- Public Water Supply Permit/Retail Water System—New Operation
- Public Water Supply Permit/Vended Water System—Minor Amendment
- Public Water Supply Permit/Vended Water System—New Operation
- Water Allocation Permit
- 537 Base Plan Approval
- NPDES Permit/Sewage Discharge/Minor Amendment
- NPDES Permit/Industrial Wastewater Discharge—Minor Renewal
- NPDES Permit/Sewage Discharge/Minor Municipal—Amendment
- NPDES Permit/Sewage Discharge/Minor Municipal—New
- NPDES Permit/Sewage Discharge/Minor Municipal Renewal
- NPDES Permit/Sewage Discharge/Non-Municipal—Major Amendment
- NPDES Permit/Sewage Discharge/Non-Municipal—Major New
- NPDES Permit/Sewage Discharge/Non-Municipal—Minor Amendment
- NPDES Permit/Sewage Discharge/Non-Municipal—Minor New
- NPDES Permit/Sewage Discharge/Non-Municipal—Minor Renewal
- NPDES Permit/Single Residence Sewage Treatment Plant (GP-4)
- NPDES Permit/Stormwater—Industrial Site Runoff/New, Amendment and Renewal
- NPDES Permit/Stormwater—Municipal Site Runoff/New, Amendment and Renewal
- NPDES Permit/Combined Sewer Overflow Discharge (GP-6)
- NPDES Permit/Stormwater—Industrial Activities (GP-3)

#### *Mineral Resources*

- Industrial Mineral Surface Mining—Small
- Industrial Mineral Underground Mining
- Oil and Gas Well Inactive Status Request
- Orphan Well Classification
- Section 13(c) Order to Plug
- Oil and Gas Well Plugging Notice
- Oil and Gas Well Registration (Abandoned and Operated)
- Deep Mine Safety Mining Plans
- Deep Mine Safety Equipment Approvals
- Coal Mine Officials Certificates
- Industrial Minerals Mine Officials Certificate
- Coal Miner's Certificate
- Coal Machine Runner's Certificate
- Coal Shot Firer's Certificate
- Coal Permit for the Purchase of Explosives
- Industrial Minerals Explosives Purchase Permit

Coal Explosives Storage License  
 Non-coal Explosives Storage License  
 Non-coal Blaster's License—New and Renewal  
*Air, Recycling and Radiation Protection*  
 Residual Waste General Permit Processing—Single Company and Multiple Company  
 Municipal Waste General Permit Beneficial Use and Processing  
 Radon Certification  
 Hazardous Waste Captive BIF  
 Hazardous Waste Captive Incinerator  
 Hazardous Waste Captive Disposal  
 Hazardous Waste Captive Disposal Closure Plan Approval  
 Hazardous Waste Captive Disposal Construction Certification  
 Hazardous Waste Captive Disposal Post Closure  
 Hazardous Waste Captive Permit By Rule  
 Hazardous Waste Captive Recycling  
 Hazardous Waste Captive Storage  
 Hazardous Waste Captive Storage Closure Plan Approval  
 Hazardous Waste Captive Storage Construction Certification  
 Hazardous Waste Captive Treatment  
 Hazardous Waste Captive Treatment Closure Plan Approval  
 Hazardous Waste Captive Treatment Construction Certification  
 Hazardous Waste Commercial Disposal Closure Plan Approval  
 Hazardous Waste Commercial Disposal Construction Certification  
 Hazardous Waste Commercial Disposal Module One Approval  
 Hazardous Waste Commercial Disposal Post Closure Permit  
 Hazardous Waste Storage Closure Plan Approval  
 Hazardous Waste Storage Construction Certification  
 Hazardous Waste Storage Module One Approval  
 Hazardous Waste Commercial Treatment Closure Plan Approval  
 Hazardous Waste Commercial Treatment Construction Certification  
 Hazardous Waste Commercial Treatment Module One Approval  
 Municipal Waste Construction/Demolition Landfill Closure Plan Approval  
 Municipal Waste County Plan Approval  
 Municipal Waste Demonstration Permit  
 Municipal Waste Landfill Permit Closure Plan Approval  
 Municipal Waste Landfill Permit Form 37  
 Municipal Waste Landfill Permit Form 43  
 Municipal Waste Landfill Permit Form S  
 Municipal Waste Landfill Permit Form U  
 Municipal Waste Permit by Rule  
 Municipal Waste Resource Recovery Form S  
 Municipal Waste and Other Processing Permit Form U  
 Municipal Waste Transfer Station Form U  
 Residual Waste Composting Form U  
 Residual Waste Demonstration Permit  
 Residual Waste Disposal Impoundment  
 Residual Waste Class I or II  
 Residual Waste Class I or II Closure Plan Approval  
 Residual Waste Class I or II Form 19R  
 Residual Waste Class I or II Form U  
 Residual Waste Generator  
 Residual Waste Captive Landfill—Class I, II or III  
 Residual Waste Captive Landfill—Class I, II or III Form 37  
 Residual Waste Captive Landfill—Class I, II or III Form S  
 Residual Waste Captive Landfill—Class I, II or III Form U  
 Residual Waste Permit by Rule  
 Major Source Plan Approval New Source Review  
 Major Source Plan Approval Air Toxics  
 Major Source Plan Approval New Source Performance Standard  
 Minor Significance Review  
 Minor Source Operation Permit  
 Minor Source Operation Permit Air Toxics  
 Minor Source Plan Approval Air Toxics  
*Certification, Licensing and Bonding*  
 Act 537 Sewage Enforcement Officer Certification  
 Waterworks Operator Certification  
 Wastewater Plant Operator Certification

To date, all permit types included in the DEP Money-Back Guarantee Permit Review Program had been assigned a standardized processing time. With this latest program expansion, the Department will not only add the above-named permit types to the standardized processing time category, it will also add a new category of permit application types—Alternative Project Timeline permit applications.

The Department will not assign standardized processing times to permit applications in the Alternative Project Timeline category. Instead, because of the size, complexity and technical issues generally associated with certain applications and the Department's desire to involve the public to a greater degree in these decisions, the Department along with other stakeholders, will negotiate a customized timeline for the processing of the application. Parties to the negotiation shall include DEP, the applicant and its representatives and representatives of the host community. DEP will not accept an application until such time that a timeline has been fully negotiated.

In the event the parties are unable to reach consensus on a timeline, the Department will determine an appro-

ropriate timeline. In these situations, the Department shall consider the level of public interest and incorporate into the timeline sufficient opportunities for meaningful public participation. Public notice of a negotiated timeline shall be made in the *Pennsylvania Bulletin* as part of the permit application acceptance announcement.

Should the Department fail to meet the Alternative Project Timeline, the Department will automatically return the permit application fee just as it would for a permit covered by a standardized processing time. Effective July 1, 1996, the Department will process all applications received for the following permit types according to a negotiated timeline:

Low Level Radioactive Waste Disposal Siting  
Hazardous Waste Commercial, BIF, Disposal, Treatment  
Municipal Waste Landfill  
Municipal Waste Construction/Demolition Landfill  
Residual Waste Commercial Landfill

For Fact Sheets and additional information regarding specific processing times, contact the nearest regional office, mining district office or Kimberly T. Nelson at (717) 787-9580 or Nelson.Kimberly@a1.dep.pa.us. Additional information may also be obtained at the DEP World Wide Web Site—<http://www.dep.state.pa.us>.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 96-1053. Filed for public inspection June 28, 1996, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Availability of Draft Preventive Health and Health Services Block Grant Application for Federal Fiscal Year 1997

The Department of Health is making copies available of the draft Preventive Health and Health Services Block Grant Application for FFY 1997, under 42 U.S.C.A. § 300 w-4. This application is the Commonwealth of Pennsylvania's draft request to the United States Department of Health and Human Services for block grant funding to address the Healthy People 2000 Health Status Objectives.

The block grant application describing proposed services, program goals, and objectives and activities will be available on or after July 22, 1996, and can be obtained by calling the Bureau of Preventive Health Programs at (717) 787-6214. Persons with a disability who require an alternative format of the above-mentioned application (for example, large print, audio tape, braille) should also contact the Bureau of Preventive Health Programs at (717) 787-6214 or TDD: (717) 783-6514.

A public hearing will be conducted by the Department of Health for the purpose of receiving testimony on the above-mentioned application in accordance with 42 U.S.C.A. § 300 w-4. Comments and suggestions from the public should relate to the priorities and program plans included in the application.

The hearing will be held from 9 a.m. until 3:30 p.m., Friday, August 16, 1996, Room 60 E, East Wing, Main Capitol Complex, Harrisburg, PA. Persons wishing to testify are requested to preregister by contacting the

Bureau of Preventive Health Programs at (717) 787-6214. Registration will be accepted on the day of the hearing. Persons will be allotted a maximum of 15 minutes to testify. Testifiers should provide the Department with two copies of their testimony at the time of the hearing.

Written comments will be accepted and should be sent to the Bureau of Preventive Health Programs, Room 1000, Health and Welfare Building, P. O. Box 90, Harrisburg, PA 17108, and should be received no later than 4 p.m., Monday, August 5, 1996.

Persons with a disability who desire to comment in alternative format (for example, large print, audio tape, braille) should notify the Bureau of Preventive Health Programs at (717) 787-6214 or TDD: (717) 783-6514.

DANIEL F. HOFFMANN, FACHE,  
*Acting Secretary*

[Pa.B. Doc. No. 96-1054. Filed for public inspection June 28, 1996, 9:00 a.m.]

### Laboratories Approved to Determine Urine Controlled Substance Content Under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department of Health. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to hunting or furtaking under the influence of alcohol or controlled substance), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are re-

sponsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 363-8500. Persons with a disability may also submit questions to Dr. Shoemaker in alternative formats, such as audio tape, braille or using TDD: (717) 783-6514. Persons with a disability who require an alternative format of this document (for example, large print, audio tape, braille) should contact Dr. Shoemaker so that he may make the necessary arrangements.

DANIEL F. HOFFMANN, FACHE,  
*Acting Secretary*

Abington Memorial Hospital-S  
1200 Old York Road  
Abington, PA 19001  
215-576-2350

ACT Lab Services, Inc.-SC  
270 Commerce Drive  
Fort Washington, PA 19034  
215-283-6370

Albert Einstein Medical Center North-SC  
5500 Old York Road  
Philadelphia, PA 19141  
215-456-6100

Aliquippa Hospital-S  
2500 Hospital Drive—Pathology Department  
Aliquippa, PA 15001  
412-857-1238

Allegheny County Department of Labs., Toxicology  
Section-S  
10 County Office Building  
Pittsburgh, PA 15219  
412-355-6873

Allegheny General Hospital Dept. Lab. Med.-S  
320 East North Avenue  
Pittsburgh, PA 15212  
412-359-3521

Altoona Hospital-S  
620 Howard Avenue  
Altoona, PA 16601  
814-946-2340

American Medical Laboratories-SC  
14225 Newbrook Drive  
Chantilly, VA 22021  
703-802-6900

Analytic Biochemistries, Inc.-SC  
1680-D Loretta Avenue  
Feasterville, PA 19053  
215-322-9210

Associated Clinical Laboratories-SC  
1526 Peach Street  
Erie, PA 16501  
814-453-6621

Associated Regional & Univ. Path.-SC  
500 Chipeta Way  
Salt Lake City, UT 84108  
800-242-2787

Ayer Clinical Lab—Penn Hospital-S  
Eighth and Spruce Streets  
Philadelphia, PA 19107  
215-829-3541

Bendiner & Schlesinger, Inc.-SC  
47 Third Avenue  
New York, NY 10003  
212-254-2300

Bradford Hospital-S  
116-156 Interstate Parkway  
Bradford, PA 16701  
814-834-8282

Brandywine Hospital and Trauma Center-S  
Route 30 Bypass  
Coatesville, PA 19320  
610-383-8000

Brownsville General Hospital-S  
125 Simpson Road  
Brownsville, PA 15417  
412-785-7200

Canonsburg General Hospital-S  
RD 1, Box 147, Route 519  
Canonsburg, PA 15317  
412-745-6100

Cedar Crest Emergicenter-S  
1101 South Cedar Crest Blvd.  
Allentown, PA 18103  
610-433-4260

Centre Community Hospital-S  
1800 East Park Avenue  
State College, PA 16803  
814-234-6117

Chambersburg Hospital-S  
112 North Seventh Street  
Chambersburg, PA 17201  
717-267-7152

Charles Cole Memorial Hospital-S  
RD 3, U.S. Route 6  
Coudersport, PA 16915  
814-274-9300

Chester County Hospital-S  
701 East Marshall Street  
West Chester, PA 19380  
610-431-5182

Chestnut Hill Hospital-S  
8835 Germantown Avenue  
Philadelphia, PA 19118  
215-248-8630

Children's Hospital of Philadelphia-S  
One Children's Center, 34th & Civic Center Blvd.  
Philadelphia, PA 19104  
215-590-1000

Clarion Hospital-S  
1 Hospital Drive  
Clarion, PA 16214  
814-226-9500

Clintox Laboratories-SC  
601 Gay Street  
Phoenixville, PA 19460  
610-933-6550

CLS Analytics-S  
1020 North Delaware Avenue  
Philadelphia, PA 19125  
215-477-9125

Community General Hospital-S  
145 North 6th Street  
Reading, PA 19603  
610-378-8350

Community General Osteopathic Hospital-S  
4300 Londonderry Road, P. O. Box 3000  
Harrisburg, PA 17109  
717-657-7214

Community Medical Center-S  
1822 Mulberry Street  
Scranton, PA 18510  
717-969-8000

CompuChem Laboratories, Inc.-SC  
P. O. Box 12652, 3308 Chapel Hill  
Research Triangle Park, NC 27709  
919-549-8263

Conemaugh Valley Memorial Hospital-S  
1086 Franklin Street  
Johnstown, PA 15905  
814-534-9000

Corning Clinical Laboratories, Inc.-SC  
875 Greentree Road, 4 Parkway Center  
Pittsburgh, PA 15220-3610  
412-920-7600

Corning Clinical Laboratories, Inc.-SC  
900 Business Center Drive  
Horsham, PA 19044  
215-957-9300

Corning Clinical Laboratories, Inc.-SC  
One Malcolm Avenue  
Teterboro, NJ 07608  
201-288-0900

Crozer-Chester Medical Center-SC  
15th St. & Upland Avenue  
Chester, PA 19013  
215-447-2000

Delaware County Memorial Hospital-S  
501 North Lansdowne Avenue  
Drexel Hill, PA 19026  
610-284-8100

Delaware Valley Medical Center-S  
200 Oxford Valley Road  
Langhorne, PA 19047  
215-949-5275

Department of Pathology & Lab Med—HUP-SC  
3400 Spruce Street  
Philadelphia, PA 1910  
4 215-662-3435

Divine Providence Hospital-S  
1100 Grampian Blvd.  
Williamsport, PA 17701  
717-326-8167

Doylestown Hospital-S  
595 West State Street  
Doylestown, PA 18901  
215-345-2250

DrugScan, Inc.-SC  
1119 Mearns Road, P. O. Box 2969  
Warminster, PA 18974  
215-674-9310

DrugScan, Inc.—Limerick Division-S  
Sanatoga & Evergreen Roads  
Sanatoga, PA 19464  
610-327-1200

DrugScan, Inc.—Peach Bottom Division-S  
R. D.#1, Peach Bottom Atomic Power Station  
Delta, PA 17314  
717-456-3026

Easton Hospital-S  
250 South 21st Street  
Easton, PA 18042  
610-250-4140

Elk County Regional Medical Center-S  
94 Hospital Street  
Ridgway, PA 15853  
814-776-6111

Episcopal Hospital-S  
Front Street and Lehigh Avenue  
Philadelphia, PA 19125  
215-427-7333

Fitness for Duty Center-S  
Pennsylvania Power and Light Company  
Berwick, PA 18603  
717-542-3336

Forbes Regional Health Center-S  
2570 Haymaker Road  
Monroeville, PA 15146  
412-858-2560

Frankford Hospital—Torresdale Division-S  
Knights and Red Lion Roads  
Philadelphia, PA 19114  
215-612-4000

Frankford Hospital—Frankford Campus-S  
Frankford Avenue and Wakening Street  
Philadelphia, PA 19124  
215-831-2068

Frick Hospital and Community Health Center-S  
508 S. Church Street  
Mount Pleasant, PA 15666  
412-547-1500

Geisinger Medical Center-SC  
North Academy Road  
Danville, PA 17822  
717-271-6338

Geisinger Wyoming Valley Medical Center-S  
1000 E. Mountain Drive  
Wilkes-Barre, PA 18711  
717-826-7830

Germantown Hospital & Medical Center-S  
One Penn Blvd.  
Philadelphia, PA 19144  
215-951-8800

GHS—Parkview Hospital-S  
1331 E. Wyoming Avenue  
Philadelphia, PA 19124  
215-537-7430

GHS—City Avenue Hospital-S  
4150 City Avenue, Dept. of Pathology  
Philadelphia, PA 19131  
215-871-1000

Girard Medical Center-S  
8th and Girard Avenue  
Philadelphia, PA 19122  
215-787-2469

Gnaden Huetten Memorial Hospital-S  
11th and Hamilton Streets  
Lehighton, PA 18235  
610-377-1300

Good Samaritan Hospital-S  
4th and Walnut Streets, P. O. Box 1281  
Lebanon, PA 17042  
717-270-7500

Good Samaritan Medical Center-S  
1020 Franklin Street  
Johnstown, PA 15905  
814-533-1906

Good Samaritan Regional Medical Center-S  
700 East Norwegian Street  
Pottsville, PA 17901  
717-622-3400

GPU Nuclear Corp., TMI Med. Dept.-S  
P. O. Box 480  
Middletown, PA 17057  
717-948-8189

Graduate Hospital-S  
1 Graduate Plaza—Pepper Pavilion, 4th Floor  
Philadelphia, PA 19146  
215-893-2240

Greenville Regional Hospital-S  
110 North Main Street  
Greenville, PA 16125  
412-588-2100

Hahnemann Hospital-S  
Broad and Vine Streets, MS 113  
Philadelphia, PA 19102  
215-448-7154

Harrisburg Hospital-S  
South Front Street  
Harrisburg, PA 17101  
717-782-3131

Hazleton General Hospital-S  
East Broad Street  
Hazleton, PA 18201  
717-454-2441

Health Network Labs., A Service of Lehigh Valley  
Hospital-SC  
17th & Chew Streets  
Allentown, PA 18102  
610-402-2236

Health Quest Medical Laboratories, Inc.-S  
1503 Sunset Drive, Suite 4  
Pottstown, PA 19464  
610-327-2520

Healthcare/MetPath-SC  
24451 Telegraph Road  
Southfield, MI 48034  
800-444-0106

Holy Spirit Hospital-SC  
503 North 21st Street  
Camp Hill, PA 17011  
717-763-2206

Indiana Hospital-S  
P. O. Box 788  
Indiana, PA 15701  
412-357-7166

Jeanes Hospital-S  
7600 Central Avenue  
Philadelphia, PA 19111  
215-728-2347

John F. Kennedy Memorial Hospital-S  
Cheltenham and Langdon Streets  
Philadelphia, PA 19124  
215-831-7203

Kensington Hospital-S  
136 West Diamond Street  
Philadelphia, PA 19122  
215-426-8100

Keystone Clinical Laboratories, Inc.-S  
2524 Ford Road  
Bristol, PA 19007  
215-788-5000

Lab Corp of America Holdings-SC  
1447 York Court  
Burlington, NC 27216  
800-334-5161

Lab Corp of America Holdings-SC  
69 First Avenue—P. O. Box 500  
Raritan, NJ 08869  
201-526-2400

LabOne, Inc.-SC  
8915 Lenexa Drive  
Overland Park, KS 66214  
913-888-1770

Laboratory Corp of America-SC  
750 Walnut Avenue  
Cranford, NJ 07016  
908-272-2511

Laboratory Corp of America-SC  
13900 Park Center Road  
Herndon, VA 22071  
703-742-3100

Lancaster General Hospital-S  
555 North Duke Street—P. O.Box 3555  
Lancaster, PA 17603  
717-299-5511

Lancaster General Hospital-Susquehanna Division-S  
631 Poplar Street  
Columbia, PA 17512  
717-684-2841

Latrobe Area Hospital-S  
West Second Avenue  
Latrobe, PA 15650  
412-537-1550

Lee Hospital-S  
320 Main Street  
Johnstown, PA 15901  
814-533-0130

Lewistown Hospital-S  
Highland Avenue  
Lewistown, PA 17044  
717-248-5411

Lock Haven Hospital-S  
24 Cree Drive  
Lock Haven, PA 17745  
717-893-5000

Lower Bucks Hospital-S  
501 Bath Road  
Bristol, PA 19007  
215-785-9200

Magee Women's Hospital-S  
Forbes Avenue and Halket Street  
Pittsburgh, PA 15213  
412-647-4651

Main Line Clinical Laboratories—Bryn Mawr CP-S  
Bryn Mawr Avenue  
Bryn Mawr, PA 19010  
610-526-3554

Main Line Clinical Laboratories—Lankenau CP-S  
100 East Lancaster Avenue  
Wynnewood, PA 19096  
215-645-2615

Main Line Clinical Laboratories—Paoli Memorial CP-S  
255 West Lancaster Avenue  
Paoli, PA 19301  
610-648-1000

Main Line Medical Laboratory-S  
225 Executive Drive, Suite 8  
Moorestown, NJ 08057  
609-829-4888

Maryland Medical MetPath-SC  
1901 Sulphur Spring Road  
Baltimore, MD 21227  
301-247-9100

Meadville Medical Center—Liberty Street-S  
751 Liberty Street  
Meadville, PA 16335  
814-336-3121

Medical College Hospital—Bucks County Campus-S  
225 Newtown Road  
Warminster, PA 18974  
215-441-6700

Medical College Hospital—Main Clin. Campus-S  
3300 Henry Avenue  
Philadelphia, PA 19129  
215-842-6615

MedExpress/National Lab Center-SC  
3955 Vantech Drive  
Memphis, TN 38115  
901-795-1515

Medlab Clinical Testing, Inc.-SC  
212 Cherry Lane  
New Castle, DE 19720  
800-633-5221

MedTox Laboratories, Inc.-SC  
402 West County Road D  
New Brighton, MN 55112  
612-636-7466

Merck and Co. Inc. Health Service Clinic-S  
P. O. Box 4, WP 38-1  
West Point, PA 19486  
215-661-6748

Mercy Catholic Medical Center—Fitzgerald Division-S  
Lansdowne Avenue and Bailey Road  
Darby, PA 19023  
610-237-4175

Mercy Catholic Medical Center—Misericordia Division-S  
5301 Cedar Avenue  
Philadelphia, PA 19143  
215-748-9170

Mercy Hospital-S  
2500 Seventh Avenue  
Altoona, PA 16602  
814-949-4495

Mercy Hospital-S  
Pride and Locust Streets  
Pittsburgh, PA 15219  
412-232-7831

Methodist Hospital-S  
2301 South Broad Street  
Philadelphia, PA 19148  
215-952-9059

MetWest Inc., d/b/a Corning Nichols Institute-SC  
7470-A Mission Valley Road  
San Diego, CA 92108-4406  
800-446-4728

Miner's Hospital of N. Cambria-S  
Crawford Avenue and First Street  
Spangler, PA 15775  
814-948-7171

Montgomery Hospital-S  
Powell and Fornance Streets  
Norristown, PA 19401  
610-270-2173

Nason Hospital-S  
Nason Drive  
Roaring Spring, PA 16673  
814-224-6215

National BioStudios-S  
5846 Distribution Drive  
Memphis, TN 38141  
901-795-1700

National Medical Services, Inc.-SC  
2300 Stratford Avenue  
Willow Grove, PA 19090  
215-657-3565

National Psychopharmacology Laboratory-SC  
9320 Park West Boulevard  
Knoxville, TN 37923  
615-690-8101

Nazareth Hospital-S  
2601 Holme Avenue  
Philadelphia, PA 19152  
215-335-6245

North Penn Hospital-S  
100 Med Campus Drive  
Lansdale, PA 19446  
215-368-2100

Northwest Medical Center—Oil City Campus-S  
174 E. Bissell Avenue  
Oil City, PA 16301  
814-677-1711

Omega Medical Laboratories, Inc.-SC  
2001 State Hill Road, Suite 100  
Wyomissing, PA 19610  
610-378-1900

Penna. Dept. of Health, Bureau of Labs.-SC  
P. O. Box 500  
Exton, PA 19341-0500  
610-363-8500

Pharmchem Laboratories, Inc.-SC  
1505-A O'Brien Drive  
Menlo Park, CA 94025  
415-328-6200

Phoenixville Hospital-S  
140 Nutt Road  
Phoenixville, PA 19460  
610-933-9281

Pittsburgh Criminalistics-SC  
1320 5th Avenue  
Pittsburgh, PA 15219  
412-391-6118

Pocono Medical Center Lab.-S  
206 East Brown Street  
East Stroudsburg, PA 18301  
717-476-3544



Polyclinic Medical Center-S  
2601 North Third Avenue  
Harrisburg, PA 17110  
717-782-4141

Pottstown Memorial Medical Center-S  
1600 East High Street  
Pottstown, PA 19464  
610-327-7111

Premier Research Worldwide-S  
124-34 South 15th Street  
Philadelphia, PA 19102  
215-972-0420

Presbyterian Medical Center of UPHS-S  
51 North 39th Street  
Philadelphia, PA 19104  
215-662-6000

Princeton Biomedical Laboratories, Inc.-S  
2000-B Hartel Complex  
Levittown, PA 19057  
215-943-0700

Psychemedics Corporation-SC  
5832 Uplander Way  
Culver City, CA 90230  
800-522-7424

Psychiatric Diagnostic Labs of America-SC  
100 Corporate Court  
South Plainfield, NJ 07080  
201-769-8500

Quality Medical Laboratory-SC  
215 North 12th Street, Box 316  
Reading, PA 19603  
610-378-2000

Quintiles Laboratories, Ltd.-SC  
5500 Highlands Parkway, Suite 600  
Smyrna, GA 30082  
710-434-8492

Reading Hospital & Medical Center-S  
6th and Spruce Streets  
Reading, PA 19603  
610-378-6080

RML Laboratories, Inc.-S  
450 South Gravers Road  
Plymouth Meeting, PA 19462  
610-275-9300

Robert Packer Hospital-S  
200 S. Wilbur Avenue  
Sayre, PA 18840  
717-888-6666

Roxborough Memorial Hospital-S  
5800 Ridge Avenue  
Philadelphia, PA 19128  
215-483-9900

Sacred Heart Hospital-S  
Fourth and Chew Streets  
Allentown, PA 18102  
610-776-4727

Saint Clair Memorial Hospital-S  
1000 Bower Hill Road  
Pittsburgh, PA 15243  
412-561-4900

Saint Joseph Hospital-S  
250 College Avenue, P. O. Box 3509  
Lancaster, PA 17604  
717-291-8022

Saint Mary Hospital-S  
Langhorne and Newtown Roads  
Langhorne, PA 19047  
215-750-2162

Shadyside Hospital-S  
5230 Centre Avenue  
Pittsburgh, PA 15232  
412-622-2315

Sharon Regional Health System-S  
740 East State Street  
Sharon, PA 16146  
412-983-3911

Shenango Valley Medical Center-S  
2200 Memorial Drive  
Farrell, PA 16121  
412-981-3500

Sierra Analytical Laboratories-SC  
625 East Drinker Street  
Dunmore, PA 18512  
717-341-2224

Skippack Medical Laboratory-S  
3887 Skippack Pike  
Skippack, PA 19474  
610-584-1669

SmithKline Beecham Clinical Laboratories, Inc.-SC  
2300 Market Street, Suite 101  
Philadelphia, PA 19103  
215-567-2800

SmithKline Beecham Clinical Laboratories, Inc.-SC  
400 Egypt Road  
Norristown, PA 19403  
610-631-4200

SmithKline Bio-Science Laboratories-SC  
7600 Tyrone Avenue  
Van Nuys, CA 91405  
818-376-6259

Somerset Hospital-S  
225 South Center Avenue  
Somerset, PA 15501  
814-443-2626

South Hills Health System—Jefferson-S  
575 Coal Valley Road  
Pittsburgh, PA 15236  
412-469-5723

Southern Chester County Medical Center-S  
1015 West Baltimore Pike  
West Grove, PA 19390  
610-869-1080

St. Francis Central Hospital-S  
1200 Centre Avenue  
Pittsburgh, PA 15219  
412-562-3060

St. Francis Medical Center-SC  
400-45th Street  
Pittsburgh, PA 15201  
412-622-4838

St. Joseph's Hospital-Div. NPHS-S  
16th Street and Girard Avenue  
Philadelphia, PA 19130  
215-787-9000

St. Margaret's Memorial Hospital-S  
815 Freeport Road  
Pittsburgh, PA 15215  
412-784-4000

St. Mary's Regional Medical Center-S  
763 Johnsonburg Road  
St. Mary's, PA 15857  
814-834-8519

Suburban General Hospital-S  
100 South Jackson Avenue  
Bellevue, PA 15202  
412-734-6000

Suburban General Hospital-S  
2701 DeKalb Pike  
Norristown, PA 19404  
610-278-2075

Taylor Hospital-S  
175 E. Chester Pike  
Ridley Park, PA 19078  
610-595-6450

Temple University Hospital-S  
3401 North Broad Street  
Philadelphia, PA 19140  
215-221-3453

The Medical Center-Beaver, PA, Inc.-S  
1000 Dutch Ridge Road  
Beaver, PA 15009  
412-728-7000

Thomas Jefferson University Hospital-S  
125 South 11th Street—204 Pavilion  
Philadelphia, PA 19107  
215-955-6374

Toxi-Con-SC  
120 Monahan Avenue-Suite 101  
Dunmore, PA 18512  
717-963-0722

University Hospital—Milton S. Hershey Medical Center-S  
500 University Avenue  
Hershey, PA 17033  
717-531-8353

University of Pittsburgh Medical Center-CLSI-SC  
Room 5929 Main Tower/CLSI  
200 Lothrop Street  
Pittsburgh, PA 15213-2582  
412-647-7813

Valley Forge Medical Center and Hospital-S  
1033 W. Germantown Pike  
Norristown, PA 19403  
610-539-8500

Western Reserve Care System-SC  
North Side Medical Center-500 Gypsy Lane  
Youngstown, OH 44504  
216-740-3794

Westmoreland Hospital-S  
532 W. Pittsburgh Street  
Greensburg, PA 15601  
412-832-4365

Wilkes-Barre General Hospital-SC  
Corner North River and Auburn Streets  
Wilkes-Barre, PA 18764  
717-829-8111

Williamsport Hospital and Medical Center-S  
777 Rural Avenue  
Williamsport, PA 17701  
717-321-2300

York Hospital-S  
1001 South George Street  
York, PA 17405  
717-771-2696

[Pa.B. Doc. No. 96-1055. Filed for public inspection June 28, 1996, 9:00 a.m.]

### Notice of Beginning of Review; Certificate of Need

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P. S. §§ 448.702(c), 704(a) and 704(b)).

*CON-96-G-2628-B:* Altoona Hospital, 620 Howard Avenue, Altoona, PA 16601-4899, proposes the addition of a third cardiac catheterization lab specifically for electrophysiologic studies at a cost of \$1,479,975.

The project is scheduled to be reviewed and a decision rendered by the Department of Health within 90 days beginning June 29, 1996. Any interested person, as defined in section 103 of the act (35 P. S. § 448.103) may request a public meeting. Requests must be made in writing within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P. S. § 448.506(a)) regarding the decisions made on these applications, any interested person as defined in the act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, such meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. The public meeting will be conducted on Friday, July 19, 1996 at 1 p.m. Persons who need an accommodation due to a disability and want to attend this meeting should contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. This meeting is subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

DANIEL F. HOFFMANN, FACHE,  
*Acting Secretary*

[Pa.B. Doc. No. 96-1056. Filed for public inspection June 28, 1996, 9:00 a.m.]

## DEPARTMENT OF PUBLIC WELFARE

### Inpatient Hospitals Qualifying for Medical Assistance (MA) Disproportionate Share Payments in 1996

On July 1, 1988, the Department of Public Welfare (the Department) implemented a disproportionate share pay-

ment system. Under Pennsylvania regulations, the Department is required to annually publish the names of each inpatient acute care general hospital, psychiatric unit and rehabilitation unit of acute care general hospitals, rehabilitation hospital, and private psychiatric hospital qualifying for a disproportionate share payment and their respective disproportionate share payment percentage.

*A. Disproportionate Share for Acute Care General Hospitals, Rehabilitation Hospitals and Private Psychiatric Hospitals.*

The following lists identify the inpatient acute care general hospitals, psychiatric units and rehabilitation units of acute care general hospitals, rehabilitation hospitals, and private psychiatric hospitals eligible for payment period January 1, 1996, through December 31, 1996, disproportionate share payments and their respective payment percentages. For all inpatient facilities, disproportionate share payment is calculated as a percentage of projected MA inpatient income.

Payment Period January 1, 1996, through  
December 31, 1996  
Disproportionate Share Percentages

*Acute Care Hospitals*

Albert Einstein	2.584%
Aliquippa	2.116%
A. I. DuPont Institute	9.184%
Barnes Kasson	9.000%
Braddock Med. Center	1.000%
Charles Cole Memorial	2.621%
Childrens Hospital—Pgh.	10.270%
Childrens Hospital—Phil.	14.000%
Crozer Chester	3.238%
DuBois Regional Med. Ctr.	10.000%
Episcopal	10.618%
Fulton County Medical Cen.	1.792%
GHS—City Avenue	8.945%
GHS—Parkview	4.407%
Hahnemann Hospital	6.752%
Highland Health Center	4.698%
Hosp. Univ. of Penna	3.131%
Indiana Hospital	1.000%
J C Blair	5.063%
Jameson Memorial	2.728%
Kensington	10.018%
LHG—Susquehanna Div.	2.703%
Magee Womens	6.071%
Meadville	7.296%
Med. Coll. Hosp.—Main	10.273%
Memorial Hospital—Towanda	4.655%
Memorial of Bedford	4.344%
Mercy Catholic—Misericord	2.274%
Monsour	4.105%
Mt. Sinai	5.092%
Neumann Medical Center	10.414%
Presbyt. Med. Ctr. of Phila.	1.162%
Presbyt. Univ. Hospital	2.679%
Punxsutawney	6.091%
Soldiers and Sailors	5.449%
St. Christophers	15.000%
St. Joseph's—Phila.	9.361%
Temple	9.520%
Thomas Jefferson	2.592%
Valley Forge	2.967%
Wayne County Memorial	1.757%
West Virginia	6.016%

*Psychiatric Units of Acute Care Hospitals*

Albert Einstein	3.350%
Aliquippa	3.175%
Braddock Med. Center	2.759%
Crozer Chester	3.594%
DuBois Regional Med. Ctr.	3.772%
GHS—City Avenue	5.722%
GHS—Parkview	4.030%
Girard Medical Center	5.387%
Hahnemann Hospital	4.904%
Highland Health Center	4.138%
Hosp. Univ. of Penna.	3.554%
J C Blair	2.578%
Meadville	2.901%
Med. Coll. Hosp.—Main	6.217%
Mercy Catholic—Misericord	3.235%
Mercy Providence	2.226%
Monsour	3.917%
Mt. Sinai	4.285%
Neumann Medical Center	6.270%
Presbyt. Med. Ctr./UPHS	2.820%
Presbyt. Univ. Hospital	3.385%
Soldiers and Sailors	2.634%
Temple	5.936%
Thomas Jefferson Univ. Hosp.	3.353%

*Private Psychiatric Hospitals*

Charter Fairmount Institute	2.200%
Clarion Psych Center	6.302%
Edgewater	1.372%
Eugenia Hospital	3.141%
First Hospital Wyoming	3.848%
Horsham Hospital	3.420%
Huntington	1.000%
Institute of PA Hosp.	2.292%
Lakewood Psych. Hosp.	4.277%
Meadows Psych. Center	4.698%
Montgomery County MH/MR	1.569%
Nat'l. Hosp. for Kids in Crisis	9.000%
Northwestern	2.144%
Phila. Child Guidance	10.000%
Phila. Psych. Center (Belmont)	2.825%
Philhaven	2.808%
Southwood Psych. Center	7.791%

*Drug and Alcohol Units of Acute Care Hospitals*

DuBois Regional Med. Ctr.	2.541%
Girard Medical Center	4.165%
LGH—Susquehanna Div.	2.161%
Meadville	1.665%
Presbyterian/UPHS	1.583%
Valley Forge	2.260%

*Medical Rehab Units of Acute Care Hospitals*

Albert Einstein	2.116%
Crozer Chester	2.362%
Hosp. Univ. of Penna.	2.322%
Jameson Memorial	1.000%
Mt. Sinai	3.057%
Presbyt. Univ. Hospital	2.152%
Temple	4.718%
Thomas Jefferson Univ. Hosp.	2.119%

*Freestanding Rehab Hospitals*

Childrens Home—Pgh.	8.402%
Children's Rehab. Hosp.	10.000%
Childrens Seashore House	9.209%
Eagleville (D&A)	2.220%
Magee Memorial	1.486%

*B. Additional Disproportionate Share Payments*

Additional disproportionate share payments are made

to inpatient facilities with a Medicaid inpatient utilization rate of not less than 1% which have provided services to persons who have been determined to be low income by meeting the income and resource standards for the State's General Assistance Program. These additional disproportionate share payments are made by either the Department directly or through an intermediary.

The payment adjustments are paid directly proportional to the payment received for either General Assistance recipients for all hospital services or Title XIX recipients age 21-64 for services rendered by Institutions for Mental Disease under the fee-for-service and capitation programs.

These are the Pennsylvania hospitals eligible for this payment adjustment.

*Acute Care General Hospitals*

Abington Memorial  
 Albert Einstein  
 Aliquippa  
 Allegheny General  
 Allegheny Valley  
 Allentown Osteo. Hosp.  
 Altoona  
 American Oncological  
 Armstrong County Memorial  
 Ashland Reg. Med. Ctr.  
 Barnes Kasson  
 Berwick  
 Bloomsburg  
 Braddock Medical Center  
 Bradford Reg. Med. Ctr.  
 Brandywine Hospital  
 Brookville  
 Brownsville  
 Bryn Mawr Hosp.  
 Bucktail Medical Center  
 Butler County Memorial  
 Canonsburg General  
 Carlisle Hospital  
 Centre Community  
 Chambersburg Hospital  
 Charles Cole Memorial  
 Chester County  
 Chestnut Hill  
 Childrens Hospital—Pgh.  
 Childrens Hospital—Phil.  
 Citizens General  
 Clarion Osteopathic  
 Clearfield  
 Comm Genl. Osteopathic  
 Comm Hosp. of Lancaster  
 Community General—Reading  
 Community Hospital—Kane  
 Community Medical Center  
 Conemaugh Valley  
 Corry Memorial  
 Crozer Chester Med. Ctr.  
 Delaware County Memorial  
 Delaware Valley  
 Divine Providence—WMSPT  
 Doylestown  
 DuBois Regional Med. Ctr.  
 Easton Hospital  
 Elk County General  
 Ellwood City  
 Ephrata Community  
 Episcopal Hospital  
 Evangelical Community  
 Forbes Metro Hosp.

Forbes Reg. Hosp.  
 Frankford  
 Frick Hosp. & Comm. Hlth. Ctr.  
 Fulton Co. Medical Ctr.  
 Geisinger Medical Center  
 Geisinger Wyoming Valley  
 Germantown  
 Gettysburg Hospital  
 GHS—City Avenue Hospital  
 GHS—Parkview Hospital  
 Gnaden Huetten  
 Good Samaritan Med. Ctr.—JTWN  
 Good Samaritan—Lebanon  
 Good Samaritan—Pottsville  
 Graduate Hospital  
 Grandview  
 Greene County Memorial  
 Hahnemann Hospital  
 Hamot Medical Ctr  
 Hanover General  
 Harrisburg—Polyclinic Medical Ctr.  
 Hazleton Genl. Hospital  
 Highlands Hospital  
 Holy Redeemer  
 Holy Spirit  
 Horizon Hospital Sys. Inc.  
 Hosp. of the Univ. of PA  
 Indiana Hospital  
 J C Blair  
 J F Kennedy Memorial  
 Jameson Memorial  
 Jeanes Hospital  
 Jeannette Dist. Memorial  
 Jefferson Health Serv.  
 Jersey Shore Hospital  
 Kensington  
 Lancaster General  
 Lankenau  
 Latrobe Area  
 Lee Hospital  
 Lehigh Valley  
 Lewistown  
 LGH—Susquehanna Division  
 Lock Haven  
 Lower Bucks  
 Magee Womens  
 Marian Comm Hospital  
 McKeesport  
 Meadville Med. Ctr.  
 Med Coll. Hosps. Bucks Cmps.  
 Med Coll. Hosps. Elkins Park  
 Med Coll Hosps. Main Cmps.  
 Medical Ctr. Beaver, PA, Inc.  
 Memorial Hosp. of Bedford  
 Memorial Hospital—Towanda  
 Memorial Osteopathic—York  
 Mercy Catholic—Fitzgerald  
 Mercy Catholic—Misericord  
 Mercy Haverford  
 Mercy Hospital—Pgh.  
 Mercy Hospital—Scranton  
 Mercy Hosp.—Nanticoke  
 Mercy Hosp.—Wilkes-Barre  
 Mercy Providence Hosp.—Pgh.  
 Mercy Reg. Hlth. Sys.—Altoona  
 Methodist Hospital  
 Metro Health Center  
 Meyersdale  
 Mid Valley  
 Millcreek Community

Milton S. Hershey Med. Ctr.  
 Miners Hospital  
 Miners Mem. Med. Ctr.  
 Monongahela Valley  
 Monsour  
 Montgomery  
 Montrose General  
 Moses Taylor  
 Mount Sinai  
 Muhlenberg Hosp. Ctr.  
 Muncy Valley  
 Nason Hospital  
 Nazareth  
 Neumann Medical Center  
 North Hills Passavant  
 North Penn  
 Northeastern  
 Northwest Medical Center  
 NPHS—Girard  
 NPHS—St. Josephs  
 Ohio Valley  
 Palmerton  
 Paoli Memorial  
 Pennsylvania Hospital  
 Philipsburg Area Hosp.  
 Phoenixville  
 Pocono Hospital  
 Podiatry Hospital  
 Pottstown Memorial  
 Pottsville Hospital  
 Presbyt. Med. Ctr. of UPHS  
 Presbyt. Univ. Pgh.  
 Punxsutawney  
 Quakertown  
 Reading Hospital  
 Riddle Memorial  
 Robert Packer  
 Roxborough Memorial  
 Sacred Heart—Allentown  
 Sewickley  
 Shadyside  
 Shamokin Area Comm Hsp.  
 Sharon Reg. Hlth. System  
 Soldiers and Sailors  
 Somerset Hosp. Ctr. for Hlth.  
 South Side Hospital  
 Southern Chester  
 St. Agnes Medical Ctr.  
 St. Christophers  
 St. Clair Memorial  
 St. Francis Central Hosp.  
 St. Francis—New Castle  
 St. Francis—Pittsburgh  
 St. Joseph Med. Ctr.  
 St. Joseph—Lancaster  
 St. Joseph—Reading  
 St. Lukes of Bethlehem  
 St. Margaret—Pittsburgh  
 St. Mary—Langhorne  
 St. Marys Med Center  
 St. Vincent Health Ctr.  
 Suburban Genl.—Norristown  
 Suburban Genl.—Pittsburgh  
 Sunbury Community  
 Taylor Hospital  
 Temple University Hosp.  
 Thomas Jefferson Univ. Hosp.  
 Thom Jefferson UH—Ford Rd.  
 Titusville  
 Troy Community

Tyler Memorial  
 Tyrone Hospital  
 Union City  
 Uniontown  
 United Community  
 Valley Forge  
 Warren General  
 Washington  
 Wayne County Memorial  
 Waynesboro  
 West Virginia Univ. Hosp.  
 Western Penn  
 Westmoreland  
 Wilkes-Barre General Hosp.  
 Williamsport Hospital  
 Wills Eye Hospital  
 Windber  
 York Hospital  
  
*Freestanding Rehab Hospitals*  
 Allied Services  
 Bryn Mawr Rehab Hospital  
 Chestnut Hill Rehab  
 Children's Home—Pittsburgh  
 Children's Rehab Hospital  
 Children's Seashore House  
 D. T. Watson  
 Good Shepherd  
 Harmarville  
 Healthsouth Great Lakes Rehab.  
 Healthsouth Lake Erie Institute  
 Healthsouth Nittany Valley Rehab.  
 Healthsouth of Mechanicsburg Rehab.  
 Healthsouth Rehab. of Altoona  
 Healthsouth Rehab. of Greater Pgh.  
 Healthsouth Rehab. of York  
 John Heinz Rehab. Hospital  
 Magee Memorial  
 Reading Rehab. Hospital  
 Rehab Institute of Pgh.  
  
*Private Psychiatric Hospitals*  
 Belmont Center (Phila. Psy. Cntr.)  
 Charter Fairmount Institute  
 Clarion Psych Center  
 Edgewater Psychiatric  
 Eugenia Hospital  
 First Hosp. Wyoming Valley  
 Friends Hospital  
 Horsham Hospital  
 Huntington  
 Institute of PA Hosp.  
 Lakewood Psychiatric Hospital  
 Meadows Psych. Center  
 Mercy Psych. Institute  
 Montgomery Emer. Svcs.  
 Nat'l. Hosp. for Kids in Crisis  
 Northwestern  
 Phila. Child Guidance  
 Philhaven  
 Southwood Psych Center  
  
*Freestanding Drug and Alcohol Hospital*  
 Eagleville  
  
*Drug and Alcohol Units of Acute Care Hospitals*  
 Butler County Memorial  
 DuBois Regional Med. Cntr.  
 Hamot Medical Center  
 LGH/Susquehanna Division  
 Meadville Med. Cntr.  
 NPHS—Girard  
 Presbyt Med. Ctr. of UPHS

Horizon Hosp. System, Inc  
St. Francis—Pgh.  
Valley Forge  
Westmoreland

*Medical Rehab Units of Acute Care Hospitals*

Abington  
Bucks Co. Hosp.  
Chambersburg  
Community—Lancaster  
Crozer Chester  
Delaware County  
Divine Prov.—Wmsprt  
Doylestown  
Dubois  
Easton  
Elkins Park Hosp.  
Forbes Metro.  
Frankford Hosp.  
Geisinger  
Geisinger Wyoming Val.  
Good Samaritan  
Harrisburg—Polyclinic  
Horizon  
Hosp.—Univ. of PA  
Jameson Memorial  
Jeannette Dist. Mem.  
Jefferson Health  
Lancaster General  
Lee  
McKeesport  
MCMC—Fitzgerald  
Mercy—Altoona  
Mercy—Pgh.  
Mercy—Providence  
Monongahela Valley  
Moss/AEMC  
Mt. Sinai  
Nazareth  
NWMC—Franklin  
Pottsville  
Presby Univ.  
Sewickley  
South Side  
St. Agnes  
St. Francis—Central  
St. Francis—New Castle  
St. Francis—Pgh.  
St. Jos—Lancaster  
St. Margaret  
St. Mary—Langhorne  
St. Vincent  
Suburban General—Pgh.  
Taylor  
Temple  
Thomas Jefferson  
University Hosp.  
Westmoreland  
Williamsport

*Psychiatric Units of Acute Care Hospitals*

Abington Memorial  
Albert Einstein  
Aliquippa  
Allegheny General  
Allegheny Valley  
Altoona  
Armstrong County Memorial  
Bloomsburg  
Braddock Medical Center  
Bradford

Brandywine Hospital  
Brownsville  
Bryn Mawr  
Bucks Co. Hosp.  
Butler County Memorial  
Carlisle Hospital  
Centre Community  
Chambersburg Hospital  
Community General—Reading  
Community Hosp. of Lancaster  
Community Medical Center  
Conemaugh Valley  
Crozer Chester  
Delaware Valley  
Divine Providence—WMSP  
Doylestown  
DuBois Regional Med Center  
Elk County General  
Ephrata Community  
Forbes Metro. Health Center  
Forbes Reg. Health Center  
Geisinger Medical Center  
GHS—City Avenue  
GHS—Parkview  
Gnaden Huetten  
Good Samaritan Med Cntr.—Johnstown  
Grandview  
Hahnemann Hospital  
Hamot Medical Center  
Hanover General  
Harrisburg—Polyclinic  
Hazelton General  
Highland Health Center  
Holy Spirit  
J. C. Blair  
Jefferson Health Services  
Lancaster General  
Latrobe Area  
Lehigh Valley  
Lewistown  
Lower Bucks  
Marian Community Hosp.  
McKeesport  
Meadville  
Med Col. Hosp.—Eppi  
Medical Ctr. Beaver PA  
Memorial Osteopathic—York  
Mercy Catholic—Fitzgerald  
Mercy Catholic—Misericordia  
Mercy Hospital—Pgh.  
Mercy Hospital—Wilkes-Barre  
Mercy—Nanticoke  
Mercy Providence  
Milton Hershey  
Monongahela Valley  
Monsour  
Montgomery  
Moses Taylor  
Mount Sinai Hospital  
Muhlenberg  
Nazareth  
Neumann  
NPHS—Girard  
NW Med Cntr.—Oil City  
Paoli Memorial  
Pennsylvania Hospital  
Pocono Hospital  
Polyclinic Med. Ctr.  
Pottstown Memorial  
Pottsville Hospital

Presby Med. Cntr. UPHS  
 Quakertown  
 Reading Hospital  
 Robert Packer  
 Sewickley  
 Sharon  
 Soldiers and Sailors  
 Somerset Community  
 South Side  
 St. Clair Memorial  
 St. Francis—New Castle  
 St. Francis—Pittsburgh  
 St. Joseph—Lancaster  
 St. Joseph—Reading  
 St. Lukes of Bethlehem  
 St. Vincent  
 Temple  
 Thomas Jefferson  
 Univ. of Penna  
 Warren General  
 Washington  
 Western Penn  
 Westmoreland  
 Wilkes-Barre General Hosp.  
 Wills Eye  
 WPIC/PUH  
 York Hospital

*Contact Person*

Interested persons are invited to submit written comments within 30 days of this publication. Those comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120.

FEATHER O. HOUSTOUN,  
*Secretary*

[Pa.B. Doc. No. 96-1057. Filed for public inspection June 28, 1996, 9:00 a.m.]

## Revision of Payment Methodology for Inpatient Psychiatric Care

### *Inpatient Psychiatric Services*

The purpose of this announcement is to provide advance public notice that the Department of Public Welfare is revising its payment methods and standards for inpatient psychiatric services provided to adolescent males ages 14—21 who, because of their status with the juvenile court system and their concomitant psychiatric impairment, require psychiatric inpatient treatment in a secure setting, effective July 1, 1996.

### *Revision of Payment Methodology for Inpatient Psychiatric Care*

Currently, the Department provides inpatient psychiatric care to adolescents under the jurisdiction of the Juvenile Court System who have been committed to psychiatric inpatient care under the Mental Health Procedures Act. At present, this service is available to individuals in the 67 counties of the Commonwealth in a State operated facility. The State operated facility known as Eastern State School and Hospital that currently houses this service is scheduled to close June 30, 1996. Therefore, it is the intent of the Department to offer this service in a community-based facility.

In order to support this service on and after July 1, 1996, the Department will recognize a new provider type known as a Juvenile Forensic Service Provider. The service provider will provide inpatient psychiatric care in a secure setting and must comply with Federal and State Medicaid law and regulations and the licensing standards and requirements of the Department.

Payment for the juvenile forensic service will be made on a prospective per diem basis.

### *Fiscal Impact*

There will be a decrease in overall State and Federal expenditures as a result of this privatization. The decrease in per diem is expected to result in a savings of \$600,000 in Federal dollars and \$500,000 in State dollars for a total of \$1,100,000 during fiscal year 96/97. A decrease in per diem is expected over the next 5 years.

### *Review and Comments*

A copy of this notice is available for review at local county assistance offices throughout the Commonwealth. Interested persons are invited to submit their written comments about this notice to the Department within 30 days of publication of the notice in the *Pennsylvania Bulletin*. Comments should be addressed to Ron Bennett, Office of Mental Health, P. O. Box 2675, Harrisburg, PA 17105-2675.

FEATHER O. HOUSTOUN,  
*Secretary*

**Fiscal Note:** 14-NOT-124. No fiscal impact; (8) recommends adoption.

This announcement notifies the public that the Department of Public Welfare intends to close Eastern State School and Hospital on June 30, 1996, and transfer its adolescent male psychiatric patients to a private facility and create a new provider type known as Juvenile Forensic Service Provider. This change will result in a savings for 1996-97 of \$500,000 to the Mental Health Services Appropriation.

[Pa.B. Doc. No. 96-1058. Filed for public inspection June 28, 1996, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Bureau of Maintenance and Operations; Correction

The Department of Transportation, Bureau of Maintenance and Operations, under the authority contained in section 4704(f) of the Vehicle Code (75 Pa.C.S. § 4704 (f)), published at 26 Pa.B. 2365 (May 18, 1996) a listing of local police officers who have successfully completed the training prescribed by the Department and accordingly were certified as "Qualified Commonwealth Employees" as defined under 75 Pa.C.S. § 4102.

In publishing the notice at 26 Pa.B. 2365, the Department committed two errors which require correction. In publishing the initial notice, the Department erred in saying that 75 Pa.C.S. § 4103 defines the phrase "Qualified Commonwealth Employee." The definition of the phrase actually appears in 75 Pa.C.S. § 4102. Further, the Department identified Qualified Commonwealth Employee Thomas J. Kauffman as being of Upper Allen

Township, Dauphin County. Mr. Kauffman is actually an officer in Upper Allen Township, Cumberland County.

Any further comments, questions or suggestions may be directed to Daniel R. Smyser, P.E., Chief, Motor Carrier Safety Division, Bureau of Maintenance and Operations, 1014 Transportation and Safety Building, Harrisburg, PA 17102, telephone (717) 787-7445.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 96-1059. Filed for public inspection June 28, 1996, 9:00 a.m.]

## Finding

### Mifflin County

Under the provisions of section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)) the Secretary of Transportation makes the following written finding:

The Department of Transportation plans to construct State Route 0322, section B01 in Mifflin County.

The project consists of the construction of a new four-lane limited access highway, beginning just north of the existing S. R. 0322/S. R. 0655 Interchange. From this point, the alignment proceeds in a northwest direction over a proposed bridge at Tea Creek, and then northeast between the Church Hill Community and the Mifflin County Airport approximately 700 feet west of Echo Ultrasound Corporation and the Fisher/Sanyo Manufacturing Corporation until a point directly west of Milroy. At this point, the alignment proceeds in a northerly direction with bridges over S. R. 4006, Lingle and Laurel Creeks, and crossing under existing S. R. 0322 just south of the Mount Pleasant Residential Community, then proceeding northeast, bypassing Mount Pleasant on the northeast side of the Community with a bridge over Township Road 839, tying into existing S. R. 0322 near the access road to Laurel Creek Reservoir and Filtration Plant.

An Interchange with a Connector Road is proposed in the area of the Echo Ultrasound Corporation to tie to existing S. R. 0322.

No adverse environmental effect is likely to result from the construction of this section of highway.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 96-1060. Filed for public inspection June 28, 1996, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Lower Salford Township Authority v. DEP; EHB Doc. No. 95-244-MG

The Department of Environmental Protection (Department) and Lower Salford Township Authority (LSTA) have agreed to a settlement of the appeal at the above-referenced docket.

On October 4, 1995, the Department issued NPDES Permit No. PA0056413 (Permit) to LSTA, authorizing the

discharge of treated effluent to the waters of Skippack Creek from a Publicly Owned Treatment Works (POTW) to be built by LSTA, and setting effluent limits and monitoring requirements for the discharge. The POTW will be located in Lower Salford Township, Montgomery County, PA.

On November 2, 1995, LSTA filed a Notice of Appeal with the Environmental Hearing Board seeking review of the Department's issuance of the Permit. In its appeal, LSTA objected to certain portions of the Permit, including the calculation of mass pollutant limits based on an effluent discharge of 0.90 million gallons per day (mgd).

The parties have agreed to a settlement of the appeal, the major provisions of which include: (1) The Department has agreed to propose an amendment to the NPDES Permit to delete the 0.90 mgd limitation on flow.

(2) LSTA has agreed to the dismissal of the appeal at this docket.

(3) LSTA retains the right to challenge the mass limits contained in the subsequent renewal of the NPDES permit for any reason, including the reasons enumerated in its appeal.

Copies of the full agreement are in the hands of:

Steven A. Hann, Esquire, Hamburg, Rubin, Mullin, Maxwell & Lupin, 375 Morris Road, P.O. Box 1479, Lansdale, PA 19446-0773, (215) 661-0315;

Martha E. Blasberg, Assistant Counsel, Department of Environmental Protection, Office of Chief Counsel—Southeast Region, Lee Park, 555 E. North Lane, Suite 6015, Conshohocken, PA 19428-2233, (610) 832-6300;

and at the office of the Environmental Hearing Board and may be reviewed by any interested party on request during normal business hours.

Persons who are aggrieved by the above settlement have a right to appeal to the Environmental Hearing Board, 2nd Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457.

Appeals shall be filed within 20 days of this publication.

The Environmental Hearing Board is empowered to approve this settlement which becomes final if no objection is timely made.

GEORGE J. MILLER,  
*Secretary*

[Pa.B. Doc. No. 96-1061. Filed for public inspection June 28, 1996, 9:00 a.m.]

### West Penn Power Company v. DEP; EHB Doc. No. 96-123-C

West Penn Power Company has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Frazer Township, Allegheny County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any



interested party on request during normal business hours. If information concerning this notice is required in an alternative form, please contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 96-1062. Filed for public inspection June 28, 1996, 9:00 a.m.]

## HISTORICAL AND MUSEUM COMMISSION

### Division of Archival and Records Management Services; Notice of Availability

The Historical and Museum Commission issues records schedules for county offices as promulgated by the County Records Committee in accordance with the County Records Act (16 P. S. §§ 13001—13006).

The Commission wishes to provide public notice that a new edition of the County Records Manual will be printed and mailed directly to all Common Pleas Court Prothonotaries, Clerks of Courts, Registers of Wills and Clerks of the Orphans' Courts, Sheriffs, District Attorneys, Jury Commissioners and Coroners and to all County Commissioners, Controllers, Treasurers and Recorders of Deeds. This new edition includes several schedule revisions, revised microfilm standards for county records which must be included as part of the requirements in all microfilm service contracts, revised policy and guidelines for the retention and disposition of original county records copied onto optical imaging systems and county records stored on optical disks, and new standards and procedures for electronic records.

Information on the Manual and the County Records Program is available from the following office: Historical and Museum Commission, Division of Archival and Records Management Services, P. O. Box 1026, Harrisburg, PA 17108-1026, (717) 787-3913 or (717) 783-9874.

BRENT D. GLASS,  
*Executive Director*

[Pa.B. Doc. No. 96-1063. Filed for public inspection June 28, 1996, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form

regulations for review. The regulations will be considered within 30 days of their receipt at a public meeting of the Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Regulation No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-536	State Board of Osteopathic Medicine Renewal Fees	06/17/96
2-92	Department of Agriculture Conditions and Requirements under which Live Domestic Animals May be Offered as Prizes	06/18/96

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 96-1064. Filed for public inspection June 28, 1996, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Alleged Violation of Insurance Laws; Jack J. Albenze, Doc. No. P95-09-044

Notice is hereby given of the Order to Show Cause issued on June 14, 1996, by the Deputy Insurance Commissioner of the Commonwealth of Pennsylvania in the above-referenced matter. Violation of the following is alleged: sections 604, 633 and 633.1 of The Insurance Department Act of 1921 (40 P. S. §§ 234, 273 and 273.1).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If Respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code §§ 31.1—35.251 (relating to General Rules of Administrative Practice and Procedure); 31 Pa. Code §§ 56.1—56.3 relating to Special Rules of Administrative Practice and Procedure, and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed in writing with the Docket Clerk, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the above-referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, please contact Tracey Pontius, Agency ADA Coordinator at (717) 787-4298.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-1065. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Blue Cross of Northeastern Pennsylvania; Pennsylvania Blue Shield; Community Group Major Medical Program; Filing No. 300-CGMM-10-96**

On June 7, 1996, Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield filed to increase rates for their community rated major medical program by 8.83% with an effective date of October 1, 1996. This increase will produce approximately \$2,750,000 in additional income and affect approximately 51,740 contract holders.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Carol Slack, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-1066. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Blue Cross of Northeastern Pennsylvania; Pennsylvania Blue Shield; Non-Group Major Medical Program; Filing No. 301-NGMM-10-1-96**

On June 7, 1996, Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield filed to increase rates for their Non-Group Major Medical Program by 22.76% with an effective date of October 1, 1996. This increase will produce approximately \$960,000 in additional income and affect approximately 8,600 contract holders.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Carol Slack, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-1067. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Capital Blue Cross; Pennsylvania Blue Shield; Point of Service, Cost Plus Designated Gatekeeper PPO Product for Experience-Rated Groups Marketed as Cost Plus HealthOne; Filing No. 96-M**

By filing no. 96-M, Capital Blue Cross and Pennsylvania Blue Shield propose to offer a Cost-Plus financial arrangement with the Point of Service, Designated Gatekeeper PPO Product for Experience-Rated Groups, known as HealthOne.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-1068. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Capital Blue Cross; Pennsylvania Blue Shield; Rating Factors for Comprehensive Major Medical Program for Experience-Rated Groups; Filing No. 96-S**

By filing no. 96-S, Capital Blue Cross and Pennsylvania Blue Shield are requesting approval of their proposed rating factors for the Comprehensive Major Medical Program available to experience-rated groups. An effective date of January 1, 1997, had been requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-1069. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Capital Blue Cross; Pennsylvania Blue Shield; Rating Factors for Major Medical Program for Experience-Rated Groups; Filing No. 96-R**

By filing no. 96-R, Capital Blue Cross and Pennsylvania Blue Shield request approval of their proposed rating factors for the Major Medical Program available to experience-rated groups. An effective date of January 1, 1997, has been requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311

Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
Insurance Commissioner

[Pa.B. Doc. No. 96-1070. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Capital Blue Cross; Pennsylvania Blue Shield; Rating Factors for Point-of-Service HealthOne Program for Experience-Rated Groups; Filing No. 96-V**

By filing no. 96-V, Capital Blue Cross and Pennsylvania Blue Shield are requesting approval for their proposed rating factors for the Point-of-Service HealthOne Program available to experience-rated groups. An effective date of January 1, 1997, has been requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
Insurance Commissioner

[Pa.B. Doc. No. 96-1071. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Capital Blue Cross; Pennsylvania Blue Shield; Rating Factors for Wraparound Major Medical Program for Experience-Rated Groups; Filing No. 96-T**

By filing no. 96-T, Capital Blue Cross and Pennsylvania Blue Shield are requesting approval for their proposed rating factors for the Wraparound Major Medical Program available to experience-rated groups. An effective date of January 1, 1997, has been requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
Insurance Commissioner

[Pa.B. Doc. No. 96-1072. Filed for public inspection June 28, 1996, 9:00 a.m.]

**Capital Blue Cross; Rating Factors for Basic Blue Cross Program for Experience-Rated Groups; Filing No. 96-Q**

By filing no. 96-Q, Capital Blue Cross seeks approval of its proposed rating factors for the Basic Blue Cross Program available to experience-rated groups. An effective date of January 1, 1997, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
Insurance Commissioner

[Pa.B. Doc. No. 96-1073. Filed for public inspection June 28, 1996, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board lease will expire.

Fayette County, Wine & Spirits Shoppe #2611, Uniontown Shopping Center, 946 Morgantown Road, Uniontown, PA 15401.

*Lease Expiration Date:* June 30, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space in a shopping center environment. Storeroom should be located at an intersection of Route 119, south of Route 40, near Uniontown.

*Proposals due:* July 12, 1996 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Bureau of Real Estate, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** Bruce VanDyke, (412) 565-5130

JOHN E. JONES, III,  
Chairperson

[Pa.B. Doc. No. 96-1074. Filed for public inspection June 28, 1996, 9:00 a.m.]

# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Gas Service Without Hearing

**A-121850F2012. National Fuel Gas Distribution Corporation.** Application for approval of abandonment of service by National Fuel Gas Distribution Corporation to one gas service customer located in Millcreek Township, Clarion County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 8, 1996, under 52 Pa. Code (relating to public utilities).

*Counsel for Applicant:* Peter J. Scanlon, Esquire, National Fuel Gas Distribution Corporation, P. O. Box 2081, Erie, PA 16512.

JOHN G. ALFORD,  
*Secretary*

[Pa.B. Doc. No. 96-1075. Filed for public inspection June 28, 1996, 9:00 a.m.]

## Joint Application of TCG Pittsburgh, Inc. and Digital Direct of Pittsburgh, Inc.; Petition for Reconsideration or Clarification; Doc. No. A-310213

*Commissioners Present:* John M. Quain, Chairperson; Lisa Crutchfield, Vice Chairperson; John Hanger; David W. Rolka; Robert K. Bloom

Public meeting held  
June 6, 1996

### Order

*By the Commission:*

In March of 1994, TCG Pittsburgh, Inc. (TCG) and Digital Direct of Pittsburgh, Inc. (DDP) filed a joint application with the Commission at Docket No. A-310213, requesting regulatory approval for the transfer of the property and Commission operating rights owned or held by DDP to TCG. At the time of filing of the joint application, DDP was a competitive access provider (CAP) which held operating rights issued by the Commission authorizing it to provide competitive access services on a facilities-based basis in the Pittsburgh LATA. Within these operating rights, DDP was also authorized to resell intraLATA and interLATA interexchange services on a Statewide basis. See 52 Pa. Code § 63.112 (definition of "Interexchange transporter"). However, DDP was not permitted to provide service for traffic which originated and terminated within a local calling area. In their joint application, TCG and DDP requested the Commission to recognize the buyer's, TCG's, authority to offer and provide Centrex services.

On January 12, 1995, the Commission entered an Order granting the joint application without qualification. On January 23, 1995, the Commission entered a Corrected Order which contained the following clarification:

[T]he grant of this application does not authorize TCG to originate and terminate traffic within a local calling area on either a facilities based or resale basis.

The clarification in the January 23, 1995 Corrected Order did not serve to further restrict the original authority granted to DDP but, as indicated previously, merely reiterated the restriction historically and uniformly imposed on all CAP and interexchange reseller certificates of public convenience.

On February 8, 1995, TCG and DDP jointly filed the instant petition requesting the Commission to reconsider or clarify its January 23, 1995 Corrected Order so as to recognize TCG's ability to provide Centrex services within its then existing operating authority. On February 10, 1995, TCG filed a separate application with the Commission at A-310213, F.0002, to provide service as a local exchange telecommunications company in the Pittsburgh area. On February 15, 1995, TCG and DDP jointly filed a supplement to their joint petition for reconsideration or clarification. On March 31, 1995, Bell Atlantic-Pennsylvania, Inc. (Bell) filed a petition to file a protest out of time, a protest and an answer pertaining to TCG and DDP's joint application and petition for reconsideration. Summarily, Bell's position was that the issues pertaining to TCG's provision of Centrex should be considered by the Commission within the context of TCG's local service application at F.0002. On April 13, 1995, TCG and DDP filed an answer to Bell's petition to file protest out of time.

On October 4, 1995 the Commission entered an Opinion and Order granting TCG's local service application. Accordingly, TCG now clearly holds a certificate of public convenience to provide Centrex service between points in its local service territory and the joint petition for reconsideration or clarification pertaining to its interexchange authority is moot.

However, we think it is important to formally clarify this issue since it is one that arises on an informal basis with Commission staff fairly frequently and will continue to arise as local resale markets develop in the Commonwealth. By way of clarification, an interexchange certificate of public convenience, whether it addresses service on a facilities-based or resale basis, only includes the provision of service which originates and terminates in different local calling areas. Since it appears certain that any provision of Centrex-type services to customers will involve the provision of at least some, if not mostly, local service, carriers which desire to provide Centrex type services should not rely on interexchange certificates of public convenience but should file an application with the Commission covering the provision of local services. These applications may specifically seek a certificate including Centrex type services or may seek broader based local facilities-based or local resale authority which would include the provision of Centrex-type services which the carrier desires to offer and provide. Given the passage of the Telecommunications Act of 1996 and our revised entry procedures adopted recently for all telecommunications applications, we do not expect the filing of these applications to be adversarial or controversial and it appears that applicants would be issued a certificate without undue delay.

*It Is Ordered:*

1. That the petition for reconsideration or clarification filed by TCG and DDP at A-310213 is hereby dismissed as moot.

2. That the Commission's interpretation pertaining to distinctions between interexchange and local certification are hereby adopted as a declaratory order consistent with the discussion herein.

3. That in addition to serving the parties of record to this proceeding the Secretary is hereby directed to provide a copy of this Order to all certificated telecommunications carriers by first class mail.

4. That the Secretary is hereby directed to deposit a copy of this Order with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

JOHN G. ALFORD,  
Secretary

[Pa.B. Doc. No. 96-1076. Filed for public inspection June 28, 1996, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before July 22, 1996, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.**

**A-00113134. World-Wide Transportation, Inc.** (Suite 105, Neshaminy Plaza 1, 3070 Bristol Pike, Bensalem, Bucks County, PA 19020), a corporation of the Commonwealth of Pennsylvania—persons upon call or demand, in the counties of Bucks, Montgomery and Delaware. *Attorney:* Mark S. Kancher, Four Greenwood Square, Suite 200, P. O. Box 8544, Bensalem, PA 19020-8544.

**A-00113136. Tim Dusenberry, t/d/b/a Greene County Cab Service** (292 East Lincoln Street, Waynesburg, Greene County, PA 15370)—persons upon call or demand, in the county of Greene. *Attorney:* Glenn R. Toothman, III, 61 North Richhill Street, Waynesburg, PA 15370.

**A-00113141. Debra L. Evans, t/d/b/a Puttin' on the Ritz** (R. R. 3, Box 140-C, Hunlock Creek, Luzerne County, PA 18621)—persons in limousine service between points in Luzerne County, and from points in said county to points in Pennsylvania and return. *Attorney:* David R. Lipka, 50 East Main Street, Plymouth, PA 18651.

**Applications of the following for amendment to the certificate of public convenience approving the operating of motor vehicle as common carriers for transportation of persons by transfer of rights as described under each application.**

**A-00105690, Folder 1, Am-A. John M. Frinsko, t/d/b/a Sigmund Transfer Company** (2606 Fifth Avenue, McKeesport, Allegheny County, PA 15132)—to

transport household goods in use from points in the city of McKeesport, Allegheny County, to points in Pennsylvania within 75 miles by the usually traveled highways of the limits of said city, and vice versa: *so as to permit* the transportation of household goods in use, between points in the county of Allegheny, excluding the right to transport household goods in use for distances in excess of 40 miles; which is to be a transfer of all of the right authorized under the certificate issued at A-00098596, to Merchants Home Delivery Service of Pennsylvania, Inc., subject to the same limitations and conditions. *Attorney:* Sally A. Davoren, 201 Pilgrims Building, 508 Allegheny River Boulevard, Oakmont, PA 15139-1617.

### Notice of Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing, with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before July 15, 1996.

- A-00113135 A M Auto Transport, Inc.  
5311 Brightwood Road, Bethel Park, PA 15102; John A. Pillar, Pillar, Mulroy & Ferber, 1006 Frick Building, Pittsburgh, PA 15219
- A-00113143 Douglas W. Akerly, t/d/b/a Akerly Trucking  
12723 Macedonia Road, Wattsburg, PA 16442
- A-00113145 James Stouffer, t/d/b/a James Stouffer Transportation  
P. O. Box 50, Chestnut Street, Manor, PA 15665
- A-00113151 North Atlantic Transport Company of Rhode Island, Inc.  
100 Tidal Drive, North Kingstown, RI 02852
- A-00113152 Frey Brothers, Inc.  
372 Puseyville Road, Quarryville, PA 17566; Elizabeth A. Hambrick-Stowe, 28 Penn Square, Lancaster, PA 17603
- A-00113153 David R. Powell  
Star Route, Box 10, Oliveburg, PA 15764
- A-00113154 Richard Bonanno  
Laura Lane, Penfield, PA 15849

JOHN G. ALFORD,  
Secretary

[Pa.B. Doc. No. 96-1077. Filed for public inspection June 28, 1996, 9:00 a.m.]

## PHILADELPHIA REGIONAL PORT AUTHORITY

### Retention of Construction Services

**Project No. 9431.4r.** Automobile loading and unloading facility; Pier 98 South Annex, Columbus Boulevard at Oregon Avenue, Philadelphia, PA 19148.

*Brief Description:* Furnish all material, tools, equipment and service for electrical work for railroad siding for automobile processing at the above location.

**Project No. 9431.7r.** Automobile loading and unloading facility; Pier 98 South Annex, Columbus Boulevard at Oregon Avenue, Philadelphia, PA 19148.

*Brief Description:* Furnish all material, tools, equipment and service for construction of a railroad siding for automobile processing at the above location.

Mandatory prebid meetings Thursday, July 11, 1996, for Project No. 9431.7r at 10 a.m., at Pier 98 South Annex.

The current documents may be obtained at the office of the Procurement Administrator upon depositing a check in the amount of \$35 which includes 7% PA sales tax for each set. The deposit will not be refunded. The contract documents may be picked up on Tuesday, July 2, 1996. Bid date Thursday, July 18, 1996, at 2 p.m. in the office of the Procurement Administrator, Philadelphia Regional Port Authority, 210 West Washington Square, 8th Floor, Philadelphia, PA 19106.

*Contact:* Donna Powell, Procurement Administrator, (215) 928-9100.

JAMES T. MCDERMOTT,  
*Executive Director*

[Pa.B. Doc. No. 96-1078. Filed for public inspection June 28, 1996, 9:00 a.m.]

## STATE TAX EQUALIZATION BOARD

### Common Level Ratios

The State Tax Equalization Board has established a Common Level Ratio for each county in the Commonwealth for the calendar year 1995. The ratios were mandated by Act 267-1982.

The law requires the State Tax Equalization Board to use statistically acceptable techniques, to make the methodology for computing ratios public and to certify, prior to July 1, the ratio to the Chief Assessor of each county each year.

The statistical technique which the Board used for the 1995 Common Level Ratio is to determine the arithmetic mean of the individual sales ratios for every valid sale received from the county for the calendar year 1995.

The methodology used is to include every valid sale with a ratio from 1% to 100% and compute a mean. Using this mean as a base, the State Tax Equalization Board has defined high and low limits by multiplying and dividing this computed mean by 4. Using these computed limits, the State Tax Equalization Board has utilized the valid sales, rejecting those sales which exceed the limits. The resulting arithmetic mean ratio is the ratio which the State Tax Equalization Board is certifying as the Common Level Ratio for each county for 1995.

There is one exception to this procedure. The original mean ratio for those counties which have a predetermined assessment ratio for 1995 of 100% will utilize valid sales from 1% to 200%.

TREVOR EDWARDS,  
*Chairperson*

### 1995 COMMON LEVEL RATIOS

<i>County</i>	<i>Ratio</i>	<i>County</i>	<i>Ratio</i>
Adams	41.9	*Lackawanna	22.4
Allegheny	21.2	*Lancaster	16.6
Armstrong	15.1	Lawrence	17.7
Beaver	41.7	Lebanon	9.6
Bedford	10.2	Lehigh	53.0
*Berks	102.5	Luzerne	7.5
Blair	13.4	Lycoming	55.0
Bradford	43.9	McKean	16.4
Bucks	4.9	Mercer	12.8
Butler	14.2	Mifflin	12.9
Cambria	18.9	Monroe	22.3
Cameron	43.5	Montgomery	5.4
Carbon	8.5	Montour	10.6
Centre	49.9	Northampton	53.8
Chester	6.3	Northumberland	7.4
Clarion	13.8	Perry	9.4
Clearfield	23.2	Philadelphia	29.6
Clinton	36.0	Pike	36.5
Columbia	40.1	Potter	14.5
Crawford	48.5	Schuylkill	14.9
Cumberland	7.0	Snyder	6.4
*Dauphin	60.0	Somerset	11.8
Delaware	3.3	Sullivan	34.7
Elk	21.4	Susquehanna	50.3
Erie	9.4	Tioga	38.7
Fayette	12.5	Union	21.6
Forest	32.4	Venango	22.7
Franklin	7.2	Warren	45.4
Fulton	19.8	Washington	21.8
Greene	31.9	Wayne	9.6
Huntingdon	22.8	*Westmoreland	30.8
Indiana	11.8	Wyoming	12.4
Jefferson	22.2	*York	72.5
Juniata	16.5		

\*Counties With a Predetermined Assessment Ratio of 100%.

[Pa.B. Doc. No. 96-1079. Filed for public inspection June 28, 1996, 9:00 a.m.]

## TURNPIKE COMMISSION

### Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

**Contract No. 94-006-RL51.** Ramp modifications and overlay for M. P. 342.99 at the Willow Grove interchange in Montgomery County, PA and M. P. 351.37 at the Philadelphia interchange in Bucks County, PA.

*Bid Opening:* July 25, 1996, 11 a.m.

*Bid Survey:* 5%.

Plans, specifications and contract documents will be available and open to the public inspection at the Administration Building. Copies may be purchased upon payment of \$40 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike

Commission, P. O. Box 67676, Harrisburg, PA 17106-7676:  
Attn: Secretary/Treasurer's Office. No refund will be  
made for any reason.

A Prequalification Certification and Maximum Capacity  
Rating assigned by the Prequalification Committee of the  
Department of Transportation is a necessary prerequisite  
for bidding on this project.

A prebid meeting is scheduled for 10 a.m. on July 9,  
1996, at the Turnpike Commission's Eastern Regional  
Office located at M. P. 330.2 Eastbound.

Contact the Director of Purchases for listing of other  
locations where plans and specs can be inspected.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 96-1080. Filed for public inspection June 28, 1996, 9:00 a.m.]

\_\_\_\_\_