

NOTICES

DEPARTMENT OF AGRICULTURE

Pennsylvania Peach and Nectarine Research Program; Referendum Order

Referendum on Proposed Amendment of the Pennsylvania Peach and Nectarine Research Program:

I. The Pennsylvania Peach and Nectarine Research Program (Program) was established in 1984 under the provisions of the Agricultural Commodities Marketing Act of 1968 (act), as amended (3 P. S. §§ 1001—1012). The Program was continued by referenda conducted in 1989 and 1994. The Commodity Research Board of the Program requested the Secretary of Agriculture to call a referendum on a proposed amendment to the program, to determine whether or not a majority of those voting desire the change. The proposed amendment would increase the producer charge assessed against affected producers by \$2 per acre. The current program order establishes a producer charge of \$3 per acre. The proposed amendment would increase that producer charge to \$5 per acre by revising Article VII, Section A of the program order to read, in pertinent part, as follows:

...The rate of assessment shall be \$5.00 per acre for each affected producer.

II. *Referendum Period:* The referendum period shall be August 5, 1996, until 4 p.m. on August 19, 1996. Completed ballots shall be mailed or hand-delivered to the Department of Agriculture, Bureau of Market Development, 2301 North Cameron Street, Harrisburg, PA 17110-9408. Hand-delivered ballots must be received by 4 p.m. on August 19, 1996. Ballots that are mailed must be postmarked no later than August 19, 1996, and received no later than August 22, 1996.

III. *Notice of Referendum:* This Referendum Order and an official ballot shall be mailed no later than August 5, 1996, to all affected producers, whose names appear on the list of Pennsylvania peach and nectarine producers maintained in the Office of the Secretary of Agriculture. Additional copies of the same material shall be made available at the Office of the Secretary of Agriculture.

IV. *Eligible Voters:* The rules governing the eligibility of a producer for voting are as follows: All growers with 500 or more peach and/or nectarine trees maintained for the purpose of producing or growing peaches and/or nectarines for sale or marketing are entitled to vote.

V. *Counting of Ballots:* The ballots will be canvassed and counted by a Teller Committee appointed by the Secretary of Agriculture. The counting of the ballots will begin at 10 a.m., Friday, August 23, 1996, in the State Agriculture Building, Harrisburg, PA. The Secretary will announce the results of the referendum within 30 days following the completion of the referendum period. The results will be published in the *Pennsylvania Bulletin* and disseminated to the news media.

VI. *Reporting Irregularities:* Any irregularities or disputes concerning the referendum procedures must be reported in written form to the Secretary of Agriculture not later than 7 calendar days from the end of the referendum period.

VII. *Publication:* This referendum order shall be published in the *Pennsylvania Bulletin* and the *Patriot-News*.

VIII. *Effective Date:* The foregoing order shall be effective from and after the seventeenth day of July, 1996.

CHARLES C. BROSIUS,
Secretary

[Pa.B. Doc. No. 96-1213. Filed for public inspection July 26, 1996, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 16, 1996.

BANKING INSTITUTIONS

Section 112 Applications

<i>Date</i>	<i>Name of Individual</i>	<i>Location</i>	<i>Action</i>
7-11-96	William Peter Ahnert, Voting Trustee, and the Ahnert Family Voting Trust to acquire up to 30.6% of the outstanding shares of common stock of Pocono Community Bank, Stroudsburg (in organization)	Bushkill	Filed

Conversions

<i>Date</i>	<i>Name of Institution</i>	<i>Location</i>	<i>Action</i>
7-12-96	Pennwood Savings Bank Pittsburgh Allegheny County	683 Lincoln Ave. Pittsburgh Allegheny County	Effective

Represents conversion from a State-chartered mutual savings bank to a State-chartered stock savings bank.

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-5-96	United Bank of Philadelphia Philadelphia Philadelphia County	38th Street and Lancaster Avenue Philadelphia Philadelphia County	Filed
7-11-96	United Savings Bank Philadelphia Philadelphia County	2535 West Center Pike Broomall Delaware County	Filed
7-12-96	The York Bank and Trust Company York York County	Weis Market 2850 Carlisle Road Dover Township York County	Filed
7-12-96	The York Bank and Trust Company York York County	Weis Market 2160 White Street York York County	Filed
7-12-96	The York Bank and Trust Company York York County	Weis Market 2400 East Market St. York York County	Filed
7-16-96	Summit Bank Bethlehem Northampton County	Pathmark Supermarket 2603 Durham Road Bristol Bucks County	Filed
7-16-96	Summit Bank Bethlehem Northampton County	Pathmark Supermarket 2506 Knights Road Bensalem Bucks County	Filed
7-16-96	Summit Bank Bethlehem Northampton County	Pathmark Supermarket 500 Lincoln Highway Fairless Hills Bucks County	Filed

Branch Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
Northern Central Bank, Williamsport, a wholly-owned subsidiary of Keystone Financial, Inc., Harrisburg, has filed an application to consolidate the following branch offices:			
7-9-96	Northern Central Bank Williamsport Lycoming County	<i>At:</i> 400 Main Street Towanda Bradford County <i>To:</i> 312 Main Street Towanda Bradford County	Filed

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
Johnstown Bank and Trust Company, Johnstown, and Laurel Bank, Ebensburg, both wholly-owned subsidiaries of BT Financial Corporation, Johnstown, have filed applications to consolidate the following branch offices:			
7-11-96	Johnstown Bank and Trust Company Johnstown Cambria	<i>At:</i> Jefferson Ave. Ext. Windber Somerset County <i>To:</i> 415 Park Place Windber Somerset County	Filed
	<i>At:</i> 112 N. Market St. Ligonier		

NOTICES

3557

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
	Westmoreland County and # 1 Ligonier Valley Mini Mall Ligonier Westmoreland County	<i>At:</i> 262 East Main St. Somerset Somerset County	
<i>To:</i>	402 West Main St. Ligonier Westmoreland County	<i>To:</i> 121 South Center Ave. Somerset Somerset County	
<i>At:</i>	407 Main Street Johnstown Cambria County	<i>At:</i> 1231 Scalp Avenue Johnstown Cambria County	
<i>To:</i>	532—534 Main Street Johnstown Cambria County	<i>To:</i> 1458 Scalp Avenue Johnstown Cambria County	
	Laurel Bank Ebensburg Cambria County	<i>At:</i> 1304 William Penn Highway Conemaugh Cambria County	
		<i>To:</i> 50 Main Street Conemaugh Cambria County	

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-11-96	United Bank of Philadelphia Philadelphia Philadelphia County	<i>To:</i> 38th Street and Lancaster Ave. Philadelphia Philadelphia County	Withdrawn
		<i>From:</i> 1015 N. Marshall St. Philadelphia Philadelphia County	
7-11-96	United Bank of Philadelphia Philadelphia Philadelphia County	<i>To:</i> Front Street and Olney Avenue Philadelphia Philadelphia County	Withdrawn
		<i>From:</i> 1321 W. Lindley Ave. Philadelphia Philadelphia County	

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
7-10-96	Vanguard Fiduciary Trust Company Malvern Chester County	Provides for the amendment and restatement of Article 6 of the Articles of Incorporation to expand the investment powers of the Trust Company.	Approved and Effective
7-12-96	First Valley Bank Bethlehem Northampton County	Provides for a change in corporate title to "Summit Bank."	Approved and Effective

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS

No activity.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-1214. Filed for public inspection July 26, 1996, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications received for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

PA 0222038. Sewage, **Robert B. Pangallo**, R. D. 1, Box 51A, Sigel, PA 15860.

This application is for a new Part I NPDES permit to discharge treated sewage to an unnamed tributary to Cathers Run in Barnett Township, **Jefferson County**. This is a new discharge.

The receiving water is classified for the following uses: high quality cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Clarion River and is used by the Pennsylvania-American Water Company Clarion District which is 13.31 miles below the discharge at river mile 40.96.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.000400 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 2,000/100 ml as a geometric average	
Total Residual Chlorine	monitor and report	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0222071. Sewage, **Bruce W. and Cynthia A. Baker SFTF**, 316 South High Street, Zelienople, PA 16063.

This application is for a new Part I NPDES permit to discharge treated sewage to an unnamed tributary to Camp Run in Perry Township, **Lawrence County**. This is a new discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of the Township of North Sewickley on the Beaver River located at North Sewickley Township, approximately 24 miles below the discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.0008 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
Fecal Coliforms (year around)	200/100 ml as a geometric average monitor and report	
Total Residual Chlorine	6.0—9.0 at all times	
pH		

The EPA waiver is in effect.

PA 0000809. Industrial waste, SIC: 4941 (Water Supply). **Shenango Valley Water Company**, 665 South Dock Street, P. O. Box 572, Sharon, PA 16146.

This application is for a renewal of an NPDES permit to discharge treated industrial waste to the Shenango River in the City of Sharon, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA-American Water Company intake on the Shenango River located at New Castle, approximately 25 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.45 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
Total Suspended Solids	30	60	75
Aluminum	4	8	10
Iron	2	4	5
Manganese	1	2	2.5
Zinc	0.35	0.7	0.88
Total Residual Chlorine	0.5		1.6
pH	6.0		9.0

The EPA waiver is in effect.

PA 0034045. Sewage, **Greene Township Municipality**, 8899 Old Wattsburg Road, Erie, PA 16510.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage from a subdivision to an unnamed tributary to Four Mile Creek in Greene Township, **Erie County**. This is an existing discharge.

The receiving water is classified for warm water and migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, there is no potable water supply to consider during the evaluation until Lake Erie.

The proposed effluent limits for Outfall 001 based on average design flow of 0.012 mgd are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N (5-1 to 10-31)	4.5	9
(11-1 to 4-30)	13.5	27
Phosphorus as "P"	1.0	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine (Interim Limits)	1.75	4.4
(Final Limits)	0.93	2.3
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	19,000/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0104507. Sewage, **Keith and Debra Palumbo**, Palumbo Meat Market, 3600 Hubbard West Middlesex Road, West Middlesex, PA 16159.

This application is for a renewal of a Part I NPDES permit to discharge treated sewage to an unnamed tributary to the Shenango River in Shenango Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Shenango River and is used by the Pennsylvania-American Water Company New Castle District at river mile 5.05 and is 21.60 miles below the discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.000350 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.5	3.5
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0026174. Sewage. **The General Authority of the City of Franklin**, City Hall, 430 Thirteenth Street, Franklin, PA 16323.

This application is for a renewal of a Part I NPDES permit to discharge treated sewage to the Allegheny River in Franklin, **Venango County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company, on the Allegheny River located at Emlenton, approximately 30 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after chlorination) based on a design flow of 5.0 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	100,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.6
pH	6.0—9.0 at all times		

The EPA waiver is not in effect.

PA 0104396. Amendment No. 1. Industrial waste, SIC: 4911 (Electrical Power Generation) and SIC: 0182 (Food Crops Under Cover). **Cogentrix of Pennsylvania, Inc.**, P. O. Box 192, Hwy. LR 33001, Ringgold, PA 15770.

This application is for an amendment of an NPDES permit to discharge treated industrial waste and Group 1 stormwater to Caylor Run in Ringgold Township, **Jefferson County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Allegheny River and the PA-American Water Company located at Kittanning, 30 miles below point of discharge.

The proposed discharge limits for Outfall No. 101 based on a design flow of 0.0287 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on DMR		
Total Chromium	0.2	0.2	0.2
Total Zinc	1.0	1.0	1.0
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 201 based on a design flow of 0.0246 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
------------------	-----------------------------------	---------------------------------	---

This discharge shall be received by the wastewater treatment basin. All monitoring requirements and limits shall be met at Outfall 601, the discharge from the treatment basin.

The proposed discharge limits for Outfall No. 301 based on a design flow of 0.0013 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report on DMR		
CBOD ₅	25		50
Total Suspended Solids	30		60
Fecal Coliforms* (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	100,000/100 ml as a geometric average		
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 401 based on a design flow of N/A mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
This discharge shall consist solely of overflow from the stormwater collection/greenhouse irrigation pond.			

The proposed discharge limits for Outfall No. 501 based on a design flow of 0.0216 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
This discharge shall be received by the wastewater treatment basin, which discharges through Outfall 601.			

The proposed discharge limits for Outfall No. 601 based on a design flow of 0.0749 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report on DMR		
Total Suspended Solids	30	100	100
Oil and Grease	15	20	30
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.1842 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.5		1.6
Mercury	monitor and report on DMR		

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3666.

PA 011112. Sewerage, SIC: 4952, **H. H. Knoebel Sons, Inc.**, R. D. 1, Elysburg, PA 17824.

This proposed action is for issuance of an NPDES permit for an expansion to 0.1 mgd of an existing discharge of treated sewage to south branch of Roaring Creek in Franklin Township, **Columbia County**.

The receiving stream is classified for the following uses: high quality, cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the nearest downstream potable water supply (PWS) considered during the evaluation is at Danville.

The proposed effluent limits for Outfall 001 based on a design flow of 0.10 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	12	24
Total Suspended Solids	12	24
N-NH ₃ (5-1 to 10-31)	4.5	9.0
(11-1 to 4-30)	13.5	27.0
Free Residual Chlorine	monitor and report. Provide effective de-chlorination by April 1, 1997	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within the limits of 6.0—9.0 standard units at all times	
Fecal Coliforms (10-1 to 4-30)	2,000 lbs./100 ml as a geometric means	
(5-1 to 9-30)	200 lbs./100 ml as a geometric means	

The EPA waiver is in effect.

PA 0008451. Industrial waste, SIC: 4911, **Pennsylvania Power and Light Company**, Two North Ninth Street, Allentown, PA 18101.

This proposed action is for renewal of an NPDES permit for an existing discharge of untreated cooling water, treated process water, stormwater and treated ash transport water from the Sunbury Steam Electric Station in Shamokin Dam Borough, **Snyder County**.

The following effluent limitations are proposed for discharges to the receiving waters of the Susquehanna River, Rolling Green Run and an unnamed tributary to the Susquehanna River.

The receiving streams are classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Dolphin Consolidated Water Company located approximately 50 river miles downstream.

The proposed effluent limits are: Outfall 030: Existing discharge of 330 mgd of once through cooling water to the Susquehanna River.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine			0.2
Heat:		BTU/day	
January		246,400 x 10 ⁶	
February		266,900 x 10 ⁶	
March		394,900 x 10 ⁶	
April (1—15)		156,200 x 10 ⁶	
April (16—30)		625,000 x 10 ⁶	
May (1—15)		210,400 x 10 ⁶	
May (16—31)		631,200 x 10 ⁶	
June (1—15)		359,300 x 10 ⁶	
June (16—30)		489,900 x 10 ⁶	
July		134,100 x 10 ⁶	
August		233,900 x 10 ⁶	
September (1—15)		280,800 x 10 ⁶	
September (16—30)		175,500 x 10 ⁶	
October (1—15)		297,100 x 10 ⁶	
October (16—31)		178,200 x 10 ⁶	
November (1—15)		385,600 x 10 ⁶	
November (16—30)		148,300 x 10 ⁶	
December		208,400 x 10 ⁶	

*This discharge shall not change the stream temperature by more than $\pm 2^{\circ}\text{F}$ in any 1 hour period.

Internal monitoring point 130: This will be a discharge from a new treatment system for plant miscellaneous wastewater and coal pile runoff (beginning July 1997). The proposed effluent limits are based on a design flow of 0.5 mgd to the Susquehanna River at Outfall 030.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	125
Oil and Grease	15	20	30
Total PCBs	monitor and report		
pH	6.0—9.0 at all times		
Hexavalent Chromium	monitor and report		
Total Lead	monitor and report		
Total Selenium	monitor and report		
Total Thallium	monitor and report		

Outfall 031 (interim) and Outfall 037 (before ash basin closure): Outfall 031 (interim) is an existing discharge of 3.38 mgd until July 1997 of treated plant miscellaneous wastewater, coal pile runoff, bottom ash sluice water and ash hopper overflow wastewater from ash basin No. 1 to Rolling Green Run. Outfall 037 is an existing discharge of 4.34 mgd of treated fly ash transport water from ash basin No. 2 to an unnamed tributary of the Susquehanna River. After July 1997 this ash basin will be closed and this discharge will consist of stormwater only.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	125
Oil and Grease	15	20	30
Total Antimony	monitor and report		
Total Beryllium	monitor and report		
Total Selenium	monitor and report		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total PCBs	monitor and report		
pH	6.0—9.0 at all times		

Outfall 031 (final): After July 1997 this Outfall will consist of treated bottom ash sluice water and ash hopper overflow water only. The design flow for this discharge will be 2.8 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	125
Oil and Grease	15	20	30
Total PCBs	monitor and report		
pH	6.0—9.0 at all times		
Total Antimony	monitor and report		
Total Cadmium	monitor and report		
Hexavalent Chromium	monitor and report		
Total Copper	monitor and report		
Total Lead	monitor and report		
Total Mercury	monitor and report		
Total Selenium	monitor and report		
Total Thallium	monitor and report		
Total Zinc	monitor and report		
Total Aluminum	monitor and report		

Outfall 033 and Outfall 037 (after ash basin closure): Outfall 033 is an existing discharge of stormwater from ash basin No. 3 (closed in 1989) to an unnamed tributary of the Susquehanna River. Outfall 037 will consist of stormwater discharges from fly ash basin No. 2 after closure to an unnamed tributary of the Susquehanna River.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	monitor and report		
Total Arsenic	monitor and report		
Total Chromium	monitor and report		
Total Lead	monitor and report		

Other conditions:

If after 1 year of monitoring of metals at Outfall 031 it is determined that metal limitations are necessary the permit will be amended to establish these limitations.

Outfalls 032, 034, 035, 036 and 038 consist of stormwater discharges permitted under Permit No. PAR704805.

There shall be no discharge of polychlorinated biphenyl compounds such as those commonly used for transformer fluid.

The EPA waiver is not in effect.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0056561. Industrial waste, **Richard M. Armstrong Company**, P. O. Box 566, West Chester, PA 19381.

This application is for issuance of an NPDES permit to discharge stormwater from a heat transfer equipment manufacturing facility in West Bradford Township, **Chester County**. This is an existing discharge to Broad Run.

The receiving stream for Outfall 002 is classified for migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports, exceptional value waters and esthetics.

A public hearing will be held on this application prior to Department action.

The proposed monitoring requirements for Outfall 002, based on an average storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
COD		monitor/report
CBOD ₅		monitor/report
Total Suspended Solids		monitor/report
Oil and Grease		monitor/report
Total Phosphorus		monitor/report
pH		monitor/report
Total Kjeldahl Nitrogen		monitor/report
Iron (Dissolved)		monitor/report
Trichloroethylene		monitor/report

The receiving stream for Outfall 001 is classified for warm water fish, trout stocking, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed monitoring requirements for Outfall 001 based on an average storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
COD		monitor/report
CBOD ₅		monitor/report
Total Suspended Solids		monitor/report
Oil and Grease		monitor/report
Total Phosphorus		monitor/report
pH		monitor/report
Total Kjeldahl Nitrogen		monitor/report
Iron (Dissolved)		monitor/report
Trichloroethylene		monitor/report

PA 0051292. Industrial waste, **Municipal Authority of the Borough of Morrisville**, Ferry and River Roads, Morrisville, PA 19067.

This application is for renewal of an NPDES permit to discharge treated process wastewater from a water filtration plant in Lower Makefield Township, **Bucks County**. This is an existing discharge to the Delaware River (Zone 1E).

The receiving stream is classified for warm water fish, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001 based on an average flow of 0.15 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
pH	within limits of 6.0—9.0 standard units at all times		
Total Iron	2.0	3.0	4.0
Total Aluminum	4.0	6.0	8.0
Total Manganese	1.0	1.5	2.0
Total Residual Chlorine	0.5		

The EPA waiver is in effect.

PA 0051713. Amendment No. 1, Industrial waste, **Degussa Corporation**, 1200 West Front Street, Chester, PA 19013.

This application is for amendment of an NPDES permit to discharge treated process wastewater from an industrial wastewater treatment plant in the City of Chester, **Delaware County**. This is an existing discharge to Delaware Estuary—Zone 4.

The receiving stream is classified for warm water fish, migratory fish (passage only), industrial water supply, wildlife water supply, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001 before treatment plant expansion, based on an average flow of 0.60 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	100	200	250
Total Dissolved Solids	24,000	25,000	33,000
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Arsenic			monitor/report
Copper			monitor/report
Lead			monitor/report
Silver			monitor/report
Bis (2 ethylhexylphthalate)			monitor/report

The proposed effluent limits for Outfall 001 after treatment plant expansion based on an average flow of 0.95 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	100	200	250
Total Dissolved Solids	30,000	32,000	33,000
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Arsenic			monitor/report
Copper			monitor/report
Lead			monitor/report

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Silver Bis (2 ethylhexylphthalate)	monitor/report monitor/report		

Other Conditions:

The EPA waiver is in effect.

85% reduction of suspended solids per DRBC requirements.

Special Test Methods for certain pollutants.

Special conditions to conduct instream monitoring program to confirm the mixing zone for Total Dissolved Solids.

Instream Total Dissolved Solids Monitoring

PA 0050741. Sewage, **Selas Corporation of America**, 2034 South Limekiln Pike, Dresher, PA 19025.

This application is for renewal of an NPDES permit to discharge treated sewage from a sewage treatment plant serving Selas Corporation of America located in Upper Dublin Township, **Montgomery County**. This is an existing discharge to an unnamed tributary to Sandy Run.

The receiving stream is classified for warm water fish, trout stocking, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 26,000 gallons per day are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	30	60
Ammonia (as N) (5-1 to 10-31)	2.0	4.0
(11-1 to 4-30)	6.0	12.0
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	
Total Residual Chlorine (years 1 and 2)	monitor/ report	monitor/ report
(years 3, 4 and 5)	0.5	1.17

Final Technology Based Effluent Limitations for Total Residual Chlorine.

PA 0056961. Sewage, **Rick Mars**, 2973 Artmar Road, Glen Moore, PA 19343.

This application is for issuance of an NPDES permit to discharge treated sewage from Rick Mars SRSTP in Worcester Township, **Montgomery County**. This is a new discharge to a tributary to Stony Creek.

The receiving stream is classified for warm water fish, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001 based on an average flow of 400 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	10	20
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliforms	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

The following notice reflects changes to the notice published in the March 9, 1996 *Pennsylvania Bulletin*.

PA 0029441. Sewage, **Township of Upper Dublin**, 801 Loch Alsh Avenue, Fort Washington, PA 19034.

This application is for renewal of an NPDES permit to discharge treated sewage from Upper Dublin Township STP serving the Pine Run and Rapp Run drainage basins in Upper Dublin Township, **Montgomery County**. This is an existing discharge to Pine Run.

The receiving stream is classified for trout stocking, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 1.0 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Oxygen Demand (6-1 to 10-31)	24		
(11-1 to 5-31)	57		
CBOD ₅ (6-1 to 10-31)	15	23	30
(11-1 to 5-31)	20	30	40
Suspended Solids	30	45	60
Ammonia (as N) (6-1 to 10-31)	2.5	3.8	5.0
(11-1 to 5-31)	6	9	12
Total Residual Chlorine	1.00 Interim 0.064*		2.5 Interim 0.21*
Fecal Coliforms	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Total Copper	0.03*	0.06*	0.075*
Total Silver	0.012*	0.024*	0.03*
Free Cyanide	0.007*	0.014*	0.018*

*Limits effective beginning of fourth year.

PA 0056456. Industrial waste, **Metro Machine Corporation**, P. O. Box 1860, Norfolk, VA 23501.

This application is for amendment of an NPDES permit to discharge treated process wastewater from dry dock No. 4 in Philadelphia. This is an existing discharge to the Delaware River.

The receiving stream is classified for warm water fish, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 007 based on a long term average flow of .0156 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	100	200	250
Oil and Grease	15		30
pH	within limits of 6.0—9.0 standard units at all times		
Total Iron	monitor/report		
Total Copper	monitor/report		
Total Lead	monitor/report		
Total Zinc	monitor/report		
Tributyltin	monitor/report		
Pretreatment	monitor/report	monitor/report	
Post-Treatment	monitor/report	monitor/report	

Other Conditions:

The EPA waiver is in effect.

Requirement to conduct Acute Whole Effluent Toxicity Testing.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

PA 0026492. Sewerage, **The Sewer Authority of the City of Scranton**, 307 North Washington Avenue, Scranton, PA 18503.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into the Lackawanna River in The City of Scranton, **Lackawanna County**.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is The Danville Water Authority located on the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of 20.0 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH ₃ -N (5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18.0
Dissolved Oxygen	a minimum of 5.0 mg/l at all times		
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine First Month through 36th Month	monitor and report		
37th Month through Expiration Date	.40		0.95
Chloroform	.033		.066

Point Sources 003 through 071 serve as combined sewer reliefs necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant and are permitted to discharge only for such reason. There are, at this time, no specific effluent limitations on these discharges.

The EPA waiver is not in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

PA 0051560. Industrial waste, SIC: 4941, **Western Berks Water Authority**, 91 Water Road, Sinking Spring, PA 19608-9633.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Tulpehocken Creek, in Sinking Spring Borough, **Berks County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Western Berks Water Authority located in Sinking Spring Borough, Berks County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.004 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	report	report	
pH (s.u.)	from 6.0—9.0 inclusive		
Total Suspended Solids	30	60	75
Total Iron	2	4	5
Total Aluminum	4	8	10
Total Manganese	1	2	2.5
Total Residual Chlorine	1.5		2.5

The EPA waiver is in effect.

PA 0080624. Industrial waste, SIC: 0161, **B & W Quality Growers, Inc.**, 1166 South Spring Garden Road, Carlisle, PA 17013.

This application is for renewal of an NPDES permit for an existing discharge of flow-through water cress irrigation to Letort Spring Run, in South Middleton Township, **Cumberland County**.

The receiving stream is classified for cold water fish (high quality water), recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was South Middleton Township located in Cumberland County. The discharge is not expected to impact any potable water supply.

The proposed best management practices and monitoring requirements for Outfalls M-1, M-2, M-3, M-3A, M-4, M-4A, M-5, BB-1, BB-2, SD-4, SD-5, SD-6, and SD-8 are:

B & W shall restrict pesticide usage at the Carlisle Facility to:

Dipel
Malathion
Induce
Safer Insecticidal Soap
Neemix
Kocide 101
Roundup

B & W shall maintain a trout basin to serve as an aquatic indicator of potential flow-through of applied pesticides.

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management, and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on DEP's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0081949	West Earl Sewer Authority 157 Metzler Road P. O. Box 604 Brownstown, PA 17508	Lancaster West Earl	Conestoga River	Total Residual Chlorine
PA0081710	Outdoor World Corp-Circle Route 209 Bushkill, PA 18324	Lancaster Pequea	Conestoga River	Total Residual Chlorine
PA0082333	Conestoga Hills MHP Robert Harnish 1230 Stony Lane Conestoga, PA	Lancaster Marietta	Tributary to Stehman Run	Total Residual Chlorine
PA0021717	Marietta-Donegal Jt. Sewer Authority P. O. Box 167 Marietta, PA 17547	Lancaster Marietta	Susquehanna River	Total Residual Chlorine
PA0084506	Starlite Camping Resort 1500 Furnace Hill Road Stevens, PA 17578	Lancaster Clay	Dry swale to Middle Creek	Total Residual Chlorine
PA0042781	Mt. Joy Wire Corporation 1000 East Main Street Mount Joy, PA 17552	Lancaster Rapho	Little Chickies Creek	None

The following parties have applied for an NPDES permit to discharge stormwater into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations set forth in Appendix A—J of the general permit and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons who wish to comment on the proposed permit are invited to submit a statement to the Regional Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Quality Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Regional Office that has been indicated above the application.

NOIS and Applications Received

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge stormwater runoff to State waters.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR214821	Keystone Filler Mfg. 214 Railroad St. Muncy, PA 17756	Lycoming Muncy Ck. Twp.	WWF Unnamed Trib. west branch Susquehanna	3295

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W. Third Street, Williamsport, PA 17701, telephone (717) 327-3669.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

Bucks County Conservation District, District Manager, 924 Town Center, New Britain, PA 18901, telephone (215) 345-7577.

NPDES Permit PAS10D082. Stormwater. **Stump Associates**, 6 E. Germantown Pike, Plymouth Meeting, PA 19462 has applied to discharge stormwater from a construction activity located in Warrington Township, **Bucks County**, to UNT to Neshaminy.

Carbon County Conservation District, District Manager, 92 Blakeslee Boulevard East, Lehighton, PA 18235, telephone (610) 377-4894.

NPDES Permit PAS101308. Stormwater. **John and Joseph Kovatch**, 1 Industrial Complex, Nesquehoning, PA 18240 has applied to discharge stormwater from a construction activity located in Nesquehoning Borough, **Carbon County**, to First Hollow Run.

Centre County Conservation District, District Manager, 414 Holmes Ave., Ste. 4, Bellefonte, PA 16823, telephone (814) 355-6817.

NPDES Permit PAS10F058. Stormwater. **Rigg and Gardner Contracting and Design**, 475 Valley View Road, Bellefonte, PA 16823 has applied to discharge stormwater from a construction activity located in Howard Borough and Howard Township, **Centre County**, to UNT to Lick Run.

NPDES Permit PAS10F059. Stormwater. **DEP—Bureau of Abandoned Mine Reclamation**, P. O. Box 149, Ebensburg, PA 15931 has applied to discharge stormwater from a construction activity located in Snow Shoe Township, **Centre County**, to the north fork of Beech Creek Basin.

Chester County Conservation District, District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.

NPDES Permit PAS10G217. Stormwater. **Gray Creighton**, P. O. Box 68, Media, PA 19063 has applied to discharge stormwater from a construction activity located in Londonderry Township, **Chester County**, to UNT to the east branch of Elk Creek.

NPDES Permit PAS10G218. Stormwater. **T A G Builders**, P. O. Box 973, Paoli, PA 19301 has applied to discharge stormwater from a construction activity located in Willistown Township, **Chester County**, to Crum Creek.

Dauphin County Conservation District, District Manager, 1451 Peters Mtn. Rd., Dauphin, PA 17018, telephone (717) 921-8100.

NPDES Permit PAS10I027. Stormwater. **Union Deposit Corporation**, 651 East Park Drive, Harrisburg, PA 17111 has applied to discharge stormwater from a construction activity located in Susquehanna Township, **Dauphin County**, to Paxton Creek.

Monroe County Conservation District, District Manager, 8050 Running Valley Rd., Stroudsburg, PA 18360, telephone (717) 629-3060.

NPDES Permit PAS10S044. Stormwater. **Monroe County Vo Technical School**, P. O. Box 66, Bartonsville, PA 18321 has applied to discharge stormwater from a construction activity located in Pocono Township, **Monroe County**, to UNT to Pocono Creek.

Schuylkill County Conservation District, District Manager, 1206 Ag Center Drive, Pottsville, PA 17901, telephone (717) 622-3742.

NPDES Permit PAS105710. Stormwater. **Frank Zukas**, SEDCO, P. O. Box 659, Pottsville, PA 17901 has applied to discharge stormwater from a construction activity located in Butler, Foster and Cass Townships, **Schuylkill County**, to the west branch of the Schuylkill River.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commenter will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 2696202. Industrial waste. **North Fayette County Municipal Authority**, University Drive at Ranch Road, Box 368, Dunbar, PA 15431. Application for the construction and operation of a backwash filter settling/discharge facility at the Wheeler Bottom Water Treatment Plant located in Dunbar Township, **Fayette County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 6196401. Sewage. **Sandycreek Township**, R. D. 4, Box 200, Franklin, PA 16323 is for the construction of four pump stations and 97,000 lineal feet of PVC sewer line to discharge into existing sewer lines.

WQM Permit No. 3796405. Sewage. **Baker Plan** (Bruce W. and Cynthia A. Baker), 316 South High Street, Zelienople, PA 16063 is for the construction of a small flow treatment facility to serve two single family residences in Perry Township, **Lawrence County**.

WQM Permit No. 1696201. Sewage. **Hawthorn Area Water Authority**, P. O. Box 241, Hawthorn, PA 16240 is for the construction of a pump station, flow equalization tank and backwash treatment system, yard piping and site improvements for an existing facility.

WQM Permit No. 2596408. Sewage. **Wattsburg Area School District**, P. O. Box 219, Wattsburg, PA 16442 is for the expansion of Seneca High School Sewage Treatment Plant to accommodate the proposed Wattsburg Elementary Center.

WQM Permit No. 6296406. Sewage. **Charles W. Hice**, SRSTP, R. D. 1, Box 1392, Egypt Hollow Road, Russell, PA 16345. This project is for the construction of a single residence sewage treatment plant in Glade Township, **Warren County**.

WQM Permit No. 6296407. Sewage. **Leroy E. Klakamp**, SRSTP, R. D. 2, Box 2681, Russell, PA 16345. This project is for the construction of a single residence sewage treatment plant in Pine Grove Township, **Warren County**.

WQM Permit No. 2596409. Sewage. **Robert and Shirley Rathmann**, 5662 Kuhl Road, Erie, PA 16510. This project is for the construction of a single residence sewage treatment plant in Greenfield Township, **Erie County**.

WQM Permit No. 6296408. Sewage. **Anthony and Julia Milliner**, 330 Hatch Run Rd., Warren, PA 16365. This project is for the construction of a single residence sewage treatment plant in Glade Township, **Warren County**.

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.

A. 0696504. Public water supply. **Reading Alloys, Inc.**, Heidelberg Township, **Berks County**, (Brian Higgins, Reading Alloys, Inc., Vice President and Technical Director, P. O. Box 53, Robesonia, PA 19551-0053), the installation of a corrosion control treatment system using a blended phosphate, (Daniel Cargnel, P.E., RUST Environmental and Infrastructure, Two Market Plaza Way, Mechanicsburg, PA 17055).

A. 0696506. Public water supply. **Highland Estates MHP**, Greenwich Township, **Berks County**, (Kenneth L. Fulford, Operation Consultant, K. L. Fulford Associates, Inc., P. O. Box 304, Allentown, PA 18105-0304), the installation of a corrosion control treatment system using sodium hydroxide and a blended phosphate at an existing water system, (K. L. Fulford Associates, Inc., M. J. Kaszyski, P.E., P. O. Box 304, Allentown, PA 18105).

A. 0696505. Public water supply. **DPW, Hamburg Center**, Windsor Township, **Berks County**, (Thomas J. Curran, Hamburg Center, Old Route 22, Hamburg, PA 19526-0400), the installation of a corrosion control treatment system using adjustment of current alkalinity chemical and the addition of a blended phosphate using a two pump system—one on the 75 HP pump and one on the 25 HP pump on the existing water system, (David A. Long, Ph.D., P.E., David A. Long and Associates c/o Penn State Facilities Engineering Institute, 202 Engineering "A", University Park, PA 16802-1417).

A. 2296501. Public water supply. **GPU Nuclear Corporation**, Middletown Borough, **Dauphin County**, (J. Knubel, Vice President and Director, Three Mile Island Nuclear Station, Route 441, Middletown, PA 17057), the installation of a corrosion control system using a zinc orthophosphate on two existing well sources, (Peter J. Lusardi, CET Engineering Services, 1240 North Mountain Road, Harrisburg, PA 17112).

A. 0696507. Public water supply. **Lower Heidelberg Elementary School**, Lower Heidelberg Township, **Berks County**, (David Smith, Maintenance Supervisor, 2601 Grandview Boulevard, West Lawn, PA 19609), the installation of a corrosion control treatment system on an existing water system consisting of orthophosphate additions and the continued use of lead filters, (Keith R. Showalter, P.E., Great Valley Consultants, 2 Meridian Boulevard, Suite 201, Wyomissing, PA 19610-3202).

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 3296501. **Nowrytown Water Association**, R. D. 3, Box 278, Saltsburg, PA 15681. Construction of a new well, water treatment plant, and water storage tank in Conemaugh Township, **Indiana County**.

A. 5696504. **Windber Area Authority**, 1700 Stockholm Avenue, Windber, PA 15963. To develop a wellfield for a back-up/emergency water source in Ogle Township, **Somerset County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

A. 6296502. Public water supply. **Clarendon Water Company**, 7 Center Street, Clarendon, PA 16313. Pro-

posal involves the addition of a sequestering agent to potable water supply known as the Clarendon Water Company. The purpose of the polyphosphate inhibitor is to prevent the precipitation of dissolved iron and manganese and to control corrosion and scale build-up in the distribution system. Facility located in Clarendon Borough, **Warren County**.

Type of Facility: Public water supply.

Consulting Engineer: James E. Murphy, P.E., Northwest Engineering, Inc., P. O. Box Q, Tidioute, PA 16351.

Northcentral Field Operations: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 5996501. **Mansfield University**, Sherwood Street, Mansfield, PA 16933, Mansfield Township, **Tioga County**. Improvement to existing water filtration facility including chemical feed system and residual analyzer to feed zinc-orthophosphate corrosion control inhibitor to control lead and copper corrosion.

Acknowledgment of Notices of Intent to Remediate

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Northcentral Regional Office: Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 321-6525.

Coley's Auto Salvage and Recycling, Loyalsock Township, **Lycoming County**. Staiman Brothers, Inc., 201 Hepburn Street, Williamsport, PA 17701 has submitted a Notice of Intent to Remediate soil and sediment contaminated with lead. The applicant proposes to remediate the site to meet the Statewide Health Stan-

dard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* on July 5, 1996.

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-5950.

American Trading and Production Corp., Bristol Township, **Bucks County**. Gary R. Brown, P.E., President, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with heavy metals and solvents. The applicant proposes to remediate the site to meet the Statewide health standard and/or the background standard.

Bustleton Partners—Seaman's Underground Storage Tank Area, City of Philadelphia, **Philadelphia County**. Terence A. O'Reilly, Senior Project Manager, TriState Environmental Management Services, Inc., 1810A Byberry Rd., Bensalem, PA 19020, has submitted a Notice of Intent to Remediate site soils contaminated with BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons and groundwater contaminated with petroleum hydrocarbons and other undetermined contaminants. The applicant proposes to remediate the site to meet the Statewide health standard.

Public Notice of Proposed Consent Decree

Millcreek Dump Site
Millcreek Township, Erie County

Under section 122 of the Federal Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C.A. § 9622, and section 1113 of the Hazardous Sites Cleanup Act (35 P. S. § 6020.1113) notice is hereby provided that the Department of Environmental Protection (Department) has entered into a Consent Decree concerning settlement of the Department's Complaint against Max Silver and Sons and A. Arthur Silver (the Silvers). The Department's Complaint concerns the response costs that the Department has incurred and will incur to clean-up the Millcreek Dump Site in Erie County, PA. The Department's Complaint is filed in the United States District Court for the Western District of Pennsylvania, at Docket No. 93-297 (Erie).

The Department has incurred over \$700,000 in past response costs, and estimates that it will incur over 4 million dollars in response costs in the future at the Millcreek Dump Site. However, based upon the Silvers limited ability to pay, the Department has agreed to settle its Complaint against the Silvers for \$10,000. The specifics of the Department's settlement with the Silvers are set forth in the Consent Decree.

The Department will receive and consider comments relating to the Consent Decree for 60 days from the date of this public notice. The Department has the right to withdraw its consent to the Consent Decree if the comments concerning the Consent Decree disclose facts or considerations which indicate that the Consent Decree is inappropriate, improper, inadequate or not in the public interest. After the public comment period, the Department's settlement with the Silvers shall become final upon the filing of the Department's response to significant written comments to the Consent Decree and upon the United States District Court's approval of the Consent Decree.

Copies of the Consent Decree are available for inspection at the Department's office at 230 Chestnut Street,

Meadville, PA, and at the United States District Court-house in Erie, PA. Comments may be submitted, in writing, to Edward Orris, Project Manager, Department of Environmental Protection, Hazardous Sites Cleanup, 230 Chestnut Street, Meadville, PA 16335-3481. Further information may be obtained by contacting Edward Orris at (814) 332-6648. TDD users may contact the Department through the Pennsylvania Relay Service at 1 (800) 645-5984.

Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Kuprianov Co., 569 Shunpike Road, Burleigh, NJ 08210; License No. **PA-HC 0149**; application received July 10, 1996.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

A. 300987. Montour Steam Electric Station Ash Disposal Site, (Pennsylvania Power & Light Company, Two North 9th Street, Allentown, PA 18101-1179). Repermitting of an existing Class II Residual Waste Landfill by July 4, 1992 Residual Waste Regulations. This Ash Disposal Site is located in Derry Township, **Montour County**. Application received in Regional Office July 8, 1996.

Applications submitted under Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

Permit No. 101654. Quorum Sani-Tech., Inc., 1620 South 49th Street, Philadelphia, PA. This new permit application is for a material recovery facility at the former ORFA site located in the City of Philadelphia. Application received in the Southeast Regional Office on June 28, 1996.

Permit No. 40061. Upper Mooreland-Hatboro Joint Sewer Authority, 2875 Terwood Road, Willow Grove, PA 19090. Received new application for their sewage sludge incinerator which is existing but had never applied for a waste management permit. Facility located in Upper Mooreland Township, **Montgomery County**. Application received in the Southeast Regional Office on July 2, 1996.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

Permit No. 101529. Demotech, Inc. (formerly American Fuel Harvesters, Inc.), P. O. Box 520, N. Broad Street, East Bangor, PA 18013. A Major Permit Modification to operate the American Fuel Harvester Construction and Demolition Debris Processing/Recycling Facility, located in East Bangor Borough, **Northampton County**. The major permit modification was received on June 20, 1996, and was determined to be complete in the Regional Office on June 28, 1996.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

36-3001. Construction of a luminescent materials processing facility by **Nichia America Corporation** (3775 Hempland Road, Mountville, PA 17554) in West Hempfield Township, **Lancaster County**.

38-399-010A. Modification of an air pollution control device on polyvinyl chloride mills and calendar by **O'Sullivan Corporation** (1501 Willow Street, Lebanon, PA 17042) in the City of Lebanon, **Lebanon County**.

67-318-119. Construction of a surface coating operation by **Blockhouse Furniture** (121 1st Avenue, Red Lion, PA 17356) in Manchester Township, **York County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

53-329-010. Construction of three 4,000 horsepower natural gas-fired reciprocating engines by **CNG Transmission Corporation** (P. O. Box 2450, Clarksburg, WV 26302-2450) at the Greenlick Compressor Station in Stewardson Township, **Potter County**.

8-317-006. Construction of a whey drying system and associated air cleaning devices (fabric collectors and scrubbers) by **Leprino Foods Company** (117 Bradford Street, South Waverly, PA 18840) in South Waverly Borough, **Bradford County**.

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-1022. The Department intends to issue a NOx RACT Air Quality Operating Permit to **Kutztown University** (P. O. Box 730, Kutztown, PA 19530) for various boilers and combustion units in Maxatawny Township, **Berks County**.

06-304-045A. The Department intends to issue an Air Quality Operating Permit to **Unicast Company** (P. O. Box 248, Boyertown, PA 19512) for the sand system controlled by three fabric collectors in Boyertown, **Berks County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

18-399-013. The Department intends to issue an operating permit to **Champion Parts, Inc., Northeast Divi-**

sion (P. O. Box 400, Beech Creek, PA 16822) for the operation of 14 carburetor test stands and associated air cleaning devices (demisters) in Beech Creek Township, **Clinton County**.

8-313-038D. The Department intends to issue an operating permit to **Osram Sylvania, Inc.** (Box 504, Towanda, PA 18848-0504) for the operation of a tungsten carbide scrap pyrolysis oven, cooling chamber, rotary impactor and associated air cleaning devices (thermal fume incinerator, cartridge collectors and an absolute filter) in Towanda Borough, **Bradford County**.

8-399-030A. The Department intends to issue an operating permit to **Osram Sylvania, Inc.** (Box 504, Towanda, PA 18848-0504) for the operation of various blenders, and the like, and associated air cleaning devices (a cartridge collector and an absolute filter) in North Towanda Township, **Bradford County**.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department intends to issue an Air Quality Operating Permit for the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **48-320-009**

Source: Web Press w/Catalytic Oxidizer

Company: **Mack Printing Company**

Location: Wilson Borough

County: **Northampton**

Permit: **48-323-003**

Source: Machine Shop w/Torit Baghouse

Company: **Specialty Minerals Incorporated**

Location: City of Easton

County: **Northampton**

Applications received for Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described for:

Permit: **OP-46-0013A**

Source: 3 boilers, Rendering Process, 60 Heaters, 2

Generators

Company: **Hatfield Quality Meats, Inc.**

Location: Hatfield

County: **Montgomery**

Permit: **OP-15-0039**

Source: Batch Mix Asphalt Dryer with NG-fired Burner

Company: **Ackworth Materials, Inc.**

Location: East Caln

County: **Chester**

Permit: **OP-09-0026**

Source: Synthetic Minor/Surface Coating Process

Facility

Company: **Browning-Ferris, Inc.**

Location: Hilltown

County: **Bucks**

Reasonably Available Control Technology; Public Hearings

Approval of Reasonably Available Control Technology (RACT) Plans for:

Occidental Chemical Corporation (Lower Pottsgrove Township, Montgomery County)

Quaker Chemical Corporation (Whitemarsh Township, Montgomery County)

SmithKline Beecham Pharmaceuticals (Upper Merion Township, Montgomery County)

American Inks and Coatings Corporation (Schuylkill Township, Chester County)

Norwood Industries, Inc. (East Whiteland Township, Chester County)

Brown Printing Company (Upper Hanover Township, Montgomery County)

DEP has made a preliminary determination to approve RACT plans as amendments to the State Implementation Plan (SIP) for the above facilities. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

These preliminary determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the U. S. Environmental Protection Agency (EPA) as revisions to Pennsylvania's SIP.

The following is a summary of the preliminary RACT determinations for these facilities:

Occidental Chemical Corporation (Operating Permit OP-46-0015)

<i>Source</i>	<i>Emission Limit (tons/year)</i>	<i>Control Device</i>
Boiler No. 1	116.4 NOx	Annual Tune-up
Boiler No. 3	122.6 NOx	50% Capacity Factor
Boiler No. 4	184.4 NOx	50% Capacity Factor
Boiler No. 5	360.7 NOx	Alternate Fuel
Reactors	2.7 VOC	Recordkeeping
Spray Dryers	171.0 VOC	Recordkeeping
Rotary Dryers	69.4 VOC	Recordkeeping
Wastewater Plant	25 VOC	Recordkeeping
Cleaning Tanks	2.7 VOC	Recordkeeping
Storage Tanks	2.7 VOC	Recordkeeping
Laboratories	2.7 VOC	Recordkeeping

The implementation schedule for the above is upon issuance of permit.

Quaker Chemical Corporation (Operating Permit OP-46-0071)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Building 19	14	Recordkeeping	Upon permit issuance
Building 3	23	Recordkeeping	Upon permit issuance

This facility will meet the presumptive NOx requirements of section 129.93.

Smithkline Beecham Pharmaceuticals (Operating Permit OP-46-0035)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Device</i>
6 Raw Material Storage Tanks	2.79	White Paint
Ethyl Acetate Tank	1.2	Pressure Relief Vent

The implementation schedule for the above is within 2 months of issuance of the permit. This facility will meet the presumptive NOx requirements of section 129.93.

American Inks and Coatings Corporation (Operating Permit OP-15-0026A)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Mixing & Milling Vessels	95	Covers, Housekeeping Practices, Maintenance Inspection Procedures	May 31, 1995

Norwood Industries, Inc. (Operating Permit OP-15-0014A)

<i>Source</i>	<i>Emission Limit (tons/year)</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Cleanup Operation	4.5 VOC	Recordkeeping	Upon permit issuance
DMF Combustion	115 NOx	Recordkeeping	Upon permit issuance

Brown Printing Company (Compliance Permit CP-46-0018)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
7 Presses	53.8	Thermal Oxidizer	Implemented
8 Ink Jet Printers	12.4	Condenser	Upon permit issuance

This facility will meet the presumptive NOx requirements of section 129.93.

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions. The hearing will be held at 2 p.m. on August 29, 1996, at the Department of Environmental Protection Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to DEP on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to comment should send their written comments to Francine Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before August 29, 1996.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for review at the DEP Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6268.

Notice of Intent to Issue Title V Operating Permit #03-076

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (DEP) intends to issue a Title V Operating Permit to The Peoples Natural Gas Company for the Girty compressor station. Girty compressor station is located in South Bend Township, Armstrong County. The Peoples Natural Gas Company representative to contact regarding this application is William Runyan, P.E., Safety, Environmental and Compliance, 625 Liberty Avenue, Pittsburgh, PA 15222-3197.

The Girty compressor station is primarily used for the storage and distribution of natural gas. As a result of the levels of nitrogen oxides emitted, Girty is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

Copies of the application, DEP's analysis and other documents used in evaluation of the application are available for public inspection during normal business

hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

Any person wishing to provide the Department of Environmental Protection with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the Department of Environmental Protection at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (specify permit #03-076).
- Concise statements regarding the relevancy of the information or objections to issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Joseph Pezze, Regional Air Quality Program Manager, Department of Environmental Protection, Southwest Region—Field Operations, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000. For additional information, contact Thomas J. Joseph, Air Pollution Control Engineer II, Air Quality Control, at the same address.

Notice of Plan Approval Application Minor Source

The following stationary sources have filed a request for a plan approval with the Department of Environmental Protection (DEP), Bureau of Air Quality. Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protests or comments to the Regional Office at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval application by filing a request with the Regional Office stating the reason for the request.

The Department will evaluate and consider all protests and comments received. The Department will, where appropriate, modify the proposed plan approval based on the protests and comments received.

The final plan approval will contain terms and conditions to ensure that the source is constructed and operated in compliance with the Department's regulations contained in 25 Pa. Code Chapters 121 through 143 and

the requirements of the Federal Clean Air Act. A notice of the Department's final decision on the proposed plan approval will be published in the *Pennsylvania Bulletin*. Air contaminants emitted from these sources are less than the amounts that would trigger major new source review requirements. For additional information on the following applications, contact Devendra Verma, Engineering Services Chief, (814) 332-6940.

Northwest Regional Office, Bureau of Air Quality Control, 230 Chestnut Street, Meadville, PA 16335.

24-313-138. The Department received a plan approval application for construction of a burn-off oven (7.5 mm Btu/hr with afterburner) by **The Carbide/Graphite Group, Inc.** (800 Theresia Street, St. Marys, PA 15857) in St. Marys, **Elk County**.

33-399-011. The Department received a plan approval application for construction of three leachate storage tanks and the installation of three carbon adsorption canisters to control venting from the storage tanks by **Eagle Environmental, L. P.** (Happy Landing Landfill, 9 Logan Blvd., Altoona, PA 16602) in Washington Twp., **Jefferson County**.

Plan Approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

An application for Plan Approval has been received by this office for the construction, modification, or reactivation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: 39-313-028A

Source: 4M Line IR Heaters w/Incinerator

Received: June 25, 1996

Company: **Tarkett, Incorporated**

Location: Whitehall Township

County: **Lehigh**

Permit: 39-318-075A

Source: Sat Enhanced Rollwrap w/Demister

Received: June 25, 1996

Company: **Tarkett, Incorporated**

Location: Whitehall Township

County: **Lehigh**

Permit: 40-318-047

Source: 2 Paint Spray Booths w/Filters

Received: June 18, 1996

Company: **Altec Industries Incorporated**

Location: Plains Township

County: **Luzerne**

Permit: 54-305-017

Source: Anthracite Coal Screening Plant

Received: June 19, 1996

Company: **Northeastern Power Company**

Location: Kline Township

County: **Schuylkill**

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (52

P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

11960106. M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701-1319), commencement, operation and restoration of bituminous strip-auger mine in Jackson Township, **Cambria County**, affecting 363.0 acres, receiving

stream unnamed tributaries to Laurel Run and Laurel Run to Conemaugh River, application received July 1, 1996.

District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.

03910109R. Rosebud Mining Company (R. D. 1, Box 379A, Kittanning, PA 16201). Renewal application received for continued reclamation of a bituminous surface mine located in Kiskiminetas Township, **Armstrong County**. Receiving streams unnamed tributaries to Roaring Run to the Kiskiminetas River. Renewal application received July 5, 1996.

04850103R. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal application received for continued reclamation of a bituminous surface mine located in Big Beaver Borough, **Beaver County**. Receiving streams Beaver Run Watershed. Renewal application received July 5, 1996.

03850117R. Terry Coal Sales, Inc. (Box 58, Distant, PA 16223). Renewal application received for continued reclamation of a bituminous surface mine located in Boggs Township, **Armstrong County**. Receiving streams North and South Fork Pine Creek Watersheds. Renewal application received July 9, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

56841605. Croner Inc. (629 Main St. #6, Berlin, PA 15530), to renew the permit for the Goodtown Prep Plant in Brothersvalley Township, **Somerset County**, no additional discharge. Application received June 27, 1996.

32901601. Millcreek Processing (110 Cedar Lane, McMurray, PA 15317), to renew the permit for the Challenger Coal Yard in East Wheatfield Township, **Indiana County**, no additional discharge. Application received June 13, 1996.

District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.

Noncoal Applications Received

04910301. Jerart, Inc. (Box 11637, Pittsburgh, PA 15228-0637). Revision received to change land use to development of the site for the Major General Anthony Wayne Historic Park and to enclose Legionville Run with a culvert on an existing large noncoal surface mine located in Harmony Township, **Beaver County**, that affects 26.2 acres. Receiving streams Legionville Run. Revision application received July 5, 1996.

65900403R. Davison Sand & Gravel Co. (400 Industrial Boulevard, New Kensington, PA 15068). NPDES renewal application received for continued operation and reclamation of a large noncoal limestone site located in Unity Township, **Westmoreland County**. Receiving streams unnamed tributary to Ninemile Run. Renewal application received July 9, 1996.

3378NC17R. Davison Sand & Gravel Co. (400 Industrial Boulevard, New Kensington, PA 15068). NPDES renewal application received for continued operation and reclamation of a large noncoal limestone site located in Connellsville Township, **Fayette County**. Receiving streams unnamed tributary to Connell Run, and Connell Run. Renewal application received July 9, 1996.

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution

Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

DEP Central Office: Bureau of Dams, Waterways and Wetlands, 400 Market Street, Floor 6, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.

Requests for Environmental Assessment approval under section 105.15 of Title 25 Pa. Code and requests for certification under section 401 of the Federal Water Pollution Control Act.

EA56-002C0. Environmental assessment. **Huston Farms**, R. R. 1, Box 214, Rockwood, PA 15557. To construct and maintain a nonjurisdictional dam across a tributary to South Glade Creek (WWF) impacting approximately 0.15 acre of wetlands (PEM) for the purpose of recreation located approximately 1,100 feet northwest of the intersection of S. R. 281 and T497 (Rockwood, PA Quadrangle N: 15.85 inches; W: 8.45 inches) in Milford Township, **Somerset County**.

The following Environmental Assessment and request for Water Quality Certification are being processed under sections 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.

EA45-003C0. Environmental assessment. **National Utilities, Inc.**, 1120 South Washington Avenue, P. O. Box 955, Scranton, PA 18505. To breach and abandon the Flytes Road Dam for the purpose of restoring a tributary to Lake Creek (HQ-CWF) to a free-flowing condition located approximately 2,500 feet southeast of the intersection of Meixell Valley Road and T375 (Saylorsburg, PA Quadrangle N: 4.7 inches; W: 14.9 inches) in Ross Township, **Monroe County**.

Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, telephone (717) 327-3574.

E14-289. Water obstruction and encroachment. **DCNR**, P. O. Box 8451, Harrisburg, PA 17105-8451. Remove the existing structure and to construct and maintain a single span bridge with a clear normal span of 34.0 feet and minimum underclearance of 5.4 feet over Pine Creek on Pine Creek Road at the second crossing of Pine Creek off of T-515. This project will be a de minimus impact (.02 acre) to existing wetlands (Woodward, PA Quadrangle N:

10.4 inches; W: 11.5 inches) in Haines Township, **Centre County**. Estimated stream disturbance less than 250.0 linear feet; stream classification is HQ-CWF.

E19-156. Water obstruction and encroachment. **Dept. of Transportation**, 715 Jordan Ave., Montoursville, PA 17754. Repair the existing structure by paving aprons, cutoff walls, concrete jacket applications and general patching of the abutments over an unnamed tributary to Coles Creek on SR 487 about 1 mile northeast of the village of Tri Mills (Red Rock, PA Quadrangle N: 3.8 inches; W: 11.9 inches) in Sugarloaf Township, **Columbia County**. Estimated stream disturbance less than 250.0 linear feet; stream classification is CWF.

E41-373. Water obstruction and encroachment. **CBBH**, R. R. 1, Box 169A, Allenwood, PA 17810. To remove the existing structure and to construct and maintain a steel beam bridge with a single span of 42 feet and underclearance of 6.9 feet across White Deer Hole Creek. This project is located just north of SR 2002 about 3.2 miles west of Rt. 44 (Williamsport SE, PA Quadrangle N: 21.1 inches; W: 10.6 inches) in Washington Township, **Lycoming County**. Estimated stream disturbance is 40 feet with no wetland impact; stream classification is HQ-CWF.

E41-377. Water obstruction and encroachment. **Alan and Elizabeth Metzger**, R. R. 1, Box 379, Williamsport, PA 17701. To remove the existing structure and to construct and maintain a 6 foot diameter pipe culvert in Lick Run. The project is located off LR 41133 about 900 feet north of the intersection with Warrensville Road (Montoursville North, PA Quadrangle N: 8.29 inches; W: 9.09 inches) in Eldred Township, **Lycoming County**. Estimated stream disturbance 40 feet of stream with no wetland impact; stream classification is TSF.

E49-201. Water obstruction and encroachment. **Municipal Authority of Sunbury**, 225 Market St., Sunbury, PA 17801. To maintain an existing levee and concrete wall flood protection project along the Susquehanna River and Shamokin Creek (Sunbury, PA Quadrangle N: 20.5 inches; W: 6.5 inches) in the City of Sunbury, **Northumberland County**. Stream classification is WWF.

E57-070. Water obstruction and encroachment. **Dept. of Transportation**, 715 Jordan Ave., Montoursville, PA 17754. Repair and maintain the existing bridge by repairing eroded abutments, wings, deck and foundations and paving a section of the stream bed slab over Double Run on SR 154 just southeast of Double Run Road (Eagles Mere, PA Quadrangle N: 16.6 inches; W: 10.8 inches) in Forks Township, **Sullivan County**. Estimated stream disturbance less than 250.0 linear feet; stream classification is CWF.

E59-323. Water obstruction and encroachment. **Monroe Muffler Brake**, 200 Holleder Pkwy., Rochester, NY 14615. To place and maintain fill in the floodway of an unnamed tributary to the Tioga River. This project is located on Business Route 15 about 800 feet south of its intersection with SR 2027 (Mansfield, PA Quadrangle N: 5.4 inches; W: 9.4 inches) in Richmond Township, **Tioga County**. Estimated stream disturbance approximately 200 feet and 0.1 acre of wetlands; stream classification is CWF.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-748. Encroachment. **Thomas and Patricia Fahy**, 300 Stump Road, North Wales, PA 19454. To place and maintain fill in 0.7 acre of a pond/wetland (PEM) complex

in the Bally Gwynedd Subdivision located approximately 1,600 feet southwest of the intersection of Stump Road and PA Route 309 (Amber, PA Quadrangle N: 17.5 inches; W: 15.7 inches) in Montgomery Township, **Montgomery County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E10-238. Encroachment. **Spang and Company**, 100 Brugh Avenue, Box 751, Butler, PA 16003-0751. To enclose 480 linear feet of stream enclosure of a tributary of Bonnie Brook Creek (WWF) with a 14-foot wide by 6-foot high arched top concrete box culvert to allow for the expansion of an existing industrial facility. The project is located directly southwest of Grant Avenue (SR1011) approximately 800 feet east of the intersection of Grant Avenue (SR1011) and SR2004, (East Butler, PA Quadrangle N: 0.2 inch; W: 13.1 inches) in East Butler Borough, **Butler County**.

E10-242. Encroachment. **Butler County Commissioners**, P. O. Box 1208, Butler, PA 16003-1208. To remove existing bridge superstructure and to install and maintain new structural steel girders, reinforced concrete deck and steel guide rails on Heck Bridge (County Bridge No. 68) across Bonnie Brook Creek (WWF). The project is located across Bonnie Brook Creek on Fallecker Road (T-620) approximately 500 feet northwest of the intersection of Fallecker Road (T-620) and Welter Road (T-601), East Butler (PA Quadrangle N: 3.9 inches; W: 6.3 inches) in Oakland Township, **Butler County**.

E16-095. Encroachment. **Dept. of Transportation**, Engineering District 10-0, P. O. Box 429, Route 286 South, Indiana, PA 15701. To remove the existing two span through truss bridge with two 135.5-foot clear spans and to construct and maintain a three span steel girder bridge with two 90.75-foot clear spans for the end spans and a 125.5-foot clear span for the center section with a minimum underclearance of 25.4 feet on a 90 degree skew across the Clarion River (CWFR). This project will also include construction of temporary causeways and cofferdams for pier removal and pier construction. The project is located on SR1001 across the Clarion River approximately 6,000 feet southeast of the intersection of SR1001, SR1005, and SR0036 (Cooksburg, PA Quadrangle N: 12.0 inches; W: 16.0 inches) in Farmington and Millcreek Townships, **Clarion County**.

E62-324. Encroachment. **Brokenstraw Township**, 770 Rouse Avenue, P. O. Box 156, Youngsville, PA 16731-0156. To remove two existing 24-inch concrete culverts and associated headwalls and to install and maintain a 43-inch high by 64-inch wide oblong corrugated metal pipe culvert and associated headwalls in Anders Run (CWF). The project is located on Allegheny Springs Road (T-435) approximately 3,600 feet east of the intersection of Allegheny Springs Road (T-435) and S. R. 3017 (Youngsville, PA Quadrangle N: 13.5 inches; W: 7.25 inches) in Brokenstraw Township, **Warren County**.

E62-325. Encroachment. **Brokenstraw Township Supervisors**, 770 Rouse Avenue, P. O. Box 156, Youngsville, PA 16371-0156. To remove an existing 36-inch corrugated metal pipe culvert and associated headwalls and to install and maintain a 64-inch wide by 43-inch high oblong corrugated metal pipe culvert and associated headwalls in Brown Run (CWF). The project is located on Lauger Road (T-469) approximately 200 feet south of the intersection of Lauger Road (T-469) and Murray Hill Road (T-430) (Youngsville, PA Quadrangle N: 22.0 inches; W: 12.5 inches) in Brokenstraw Township, **Warren County**.

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

WA2-536C. Water allocation. **Fox Chapel Authority, Allegheny County.** Fox Chapel Authority, Allegheny County, has submitted an application, requesting permission to purchase water from the Pittsburgh Water and Sewer Authority. The applicant is requesting permission to withdraw a maximum of 10 million gallons per day of water, as a daily peak, in Fox Chapel Borough, Allegheny County, PA.

WA4-1005. Water allocation. **Municipal Authority of the Township of North Sewickley, Beaver County.** The Municipal Authority of the Township of North Sewickley, Beaver County, has submitted an application to acquire initial water rights for the acquisition of water from the Beaver River. The applicant is requesting permission to withdraw a maximum of 700,000 gallons per day of water as a daily peak, from the Beaver River, in North Sewickley Township, Beaver County, PA.

ACTIONS

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

NPDES Permit No. PA-0063550. Sewerage. **Jefferson Township Sewer Authority, R. R. 3, Box 451-H, Lake Ariel, PA 18436** is authorized to discharge from a facility located in Jefferson Township, **Lackawanna County** to an unnamed tributary of the west branch Wallenpaupack Creek.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA0003921. Industrial waste. **Sun Company, Inc.,** Ten Penn Center, 1801 Market Street, Philadelphia, PA 19103.

This notice reflects changes from the notice published in the April 6, 1996 *Pennsylvania Bulletin*:

Delete Parameter	Mass (lb/day)		Concentrations (mg/l)			
	Average Monthly	Maximum Daily	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Oil and Grease						15

NPDES Permit No. PA0003921. Industrial waste, **Sun Company, Inc.,** Ten Penn Center, 1801 Market Street, Philadelphia, PA 19103 is authorized to discharge from a facility located at Blawnox Marketing Terminal, O'Hara Township, **Allegheny County** to Allegheny River.

NPDES Permit No. PA0025844. Industrial waste, **Department of Energy,** Pittsburgh Energy Technology Center, 626 Cochrans Mill Road, Pittsburgh, PA 15236.

This notice reflects changes from the notice published in the June 1, 1996 *Pennsylvania Bulletin*. Internal outfall 101 has been added with the following limitations:

Parameter	Mass (lb/day)		Concentrations (mg/l)			
	Avg. Mon.	Max. Daily	Avg. Mon.	Avg. Weekly	Max. Daily	Instant. Max.
Flow (mgd)	monitor and report					
Suspended Solids			35			70
Iron			3.5			7.0
Manganese			2.0			4.0
pH (s.u.)	6.0—9.0					

NPDES Permit No. PA0025844. Industrial waste, **Department of Energy,** 626 Cochrans Mill Road, Pittsburgh, PA 15236 is authorized to discharge from a facility located at Bruceton Research Center, South Park Township, **Allegheny County** to Lick Run.

NPDES Permit No. PA0096792. Industrial waste, **Metaltech,** 2400 Second Avenue, Pittsburgh, PA 15219 is authorized to discharge from a facility located at City of Pittsburgh, **Allegheny County** to the Monongahela River.

NPDES Permit No. PA0020702. Sewerage, **Municipal Authority of the Borough of Fayette City**, P. O. Box 552, Fayette City, PA 15438 is authorized to discharge from a facility located at Fayette City Wastewater Treatment Plant, Fayette City Borough, **Fayette County** to Monongahela River.

NPDES Permit No. PA0024589. Sewerage, **Municipal Authority of the Borough of Leetsdale**, 10 Sixth Street, Leetsdale, PA 15056 is authorized to discharge from a facility located at Leetsdale Sewage Treatment Plant, Leetsdale Borough, **Allegheny County** to Ohio River.

NPDES Permit No. PA0026522. Sewerage, **Borough of West Mifflin**, 4733 Greensprings Avenue, West Mifflin, PA 15122 is authorized to discharge from a facility located at New England Sewage Treatment Plant, West Mifflin Borough, **Allegheny County** to unnamed tributary of Monongahela River.

NPDES Permit No. PA0217328. Sewerage, **A. Duane Lohr**, R. D. 1, Box 322D, Somerset, PA 15501 is authorized to discharge from a facility located at Lohr Single Residence Sewage Treatment Plant, Somerset Township, **Somerset County** to tributary of west branch Coxes Creek.

NPDES Permit No. PA0097420. Sewerage, **Emidio and Emma Jean Crocetti**, Box 84, Dunbar, PA 15431 is authorized to discharge from a facility located at Greenhill Mobile Home Court STP, Dunbar Township, **Fayette County** to Drainage Way to Gist Run.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA 0103641. Sewerage, **Wilmington Township Sewer Authority**, R. D. 5, Box 469, New Castle, PA 16105 is authorized to discharge from a facility located in Wilmington Township, **Lawrence County** to an unnamed tributary to Little Neshannock Creek.

NPDES Permit No. PA 0100382. Industrial waste, **Erie Coke Corporation**, P. O. Box 6180, Erie, PA 16512-6180 is authorized to discharge from a facility located in the City of Erie, **Erie County** to an unnamed tributary to Outer Erie Harbor.

NPDES Permit No. PA 0222020. Sewerage, **Kuhl Road Property Owners Association**, 5662 Kuhl Road, Erie, PA 16510 is authorized to discharge from a facility located in Harborcreek Township, **Erie County** to an unnamed tributary to Four Mile Creek.

NPDES Permit No. PA 0104442. Sewerage, **Breakneck Creek Regional Authority**, 1166 Mars-Evans City Road, Mars, PA 16046 is authorized to discharge from a facility located in Adams Township, **Butler County** to an unnamed tributary to Breakneck Creek.

Northcentral Regional Office: Department of Environmental Protection, 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

Permit No. NPDES PA0112933. Sewerage, **Penns Creek Municipal Authority**, P. O. Box 93, Penns Creek, PA 17862. Applicants submittal for renewal has been approved, facility is located in Centre Township, **Snyder County**.

Permit No. NPDES PAG044879. Sewerage, **George T. Garver**, 102 Morris Street, Jersey City, NJ 07302. Approval has been granted for renewal of an existing NPDES Sewerage Permit. Facility located in Standing Stone Township, **Bradford County**.

Permit No. NPDES PA0209341. Sewerage, **Harry and Virginia Beck**, Beck's Restaurant & Convenience Store, R. R. 1, Box 166B, Liberty, PA 16930. Has been approved to discharge treated wastewater, from facility located in Liberty Township, **Tioga County**. The treatment facilities will serve the Beck's Restaurant and Convenience Store and owners mobile home.

Permit No. PA0112704. Sewerage, **Clyde E. Yohey**, 560 Montour Boulevard, Bloomsburg, PA 17815. This action is for renewal of the NPDES permit to discharge treated domestic wastewater from facilities serving the Stone Castle Motel in Montour Township, **Columbia County**.

Permit No. PA0020567. Sewerage, **Northumberland Sewer Authority**, P. O. Box 325, Northumberland, PA 17857. Applicant requests transfer of the NPDES permit and all Water Management permits from the Borough of Northumberland Sewer Authority. The Authority is located in Northumberland Borough, **Northumberland County**.

Permit No. PA 0110957-A1. Industrial waste, **TRW, Inc.—Valve Division**, 601 East Market Street, Danville, PA 17821. The permit is being amended to allow the usage proposed to the Department. The facility is located in Danville Borough, **Montour County**.

Permit No. NPDES PA0043419. Sewerage, **Coudersport Borough Authority**, 201 South West Street, Coudersport, PA 16915. Applicant submittal for renewal has been approved. The facility is located in Coudersport Borough, **Potter County**.

Permit No. NPDES PA0033928. Sewerage, **Thomas Calkins**, Town and Country Estates, R. D. 3, Box 8, Troy, PA 16947. Has been approved for renewal. Facility is located in Troy Township, **Bradford County**.

Permit No. NPDES PA0114766. Sewerage, **South Williamsport Area School District**, 515 South Central Avenue, South Williamsport, PA 17701. Has been approved for renewal. Facility is located in Susquehanna Township, **Lycoming County**.

Permit No. NPDES PAG044817. Sewerage, **Charlene and Michael Dymeck**, P. O. Box 172, Trout Run, PA 17771. Applicant submitted an application for transfer for facilities located in Old Lycoming Township, **Lycoming County**.

Notices of Intent for Coverage Under General Permits Received

The following parties have submitted Notices of Intent for coverage under General NPDES Permit(s) to discharge treated wastewater into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review, or application of lawful standards and regulations, the Department of Environmental Protection proposes to issue coverage under the General Permit subject to effluent limitations, monitoring and reporting requirements and other conditions set forth in the General permits.

The EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24.

The Notice of Intent, related documents, proposed effluent limitations, special conditions, comments received and other information are on file and may be inspected and copied at the Regional Office indicated as receiving the Notice of Intent.

List of NPDES General Permits Issued by DEP's Water Management Deputate

<i>NPDES General Permit No.</i>	<i>Short Title of General Permit</i>	<i>Responsible Bureau</i>
PAG-2	Stormwater—Construction Activities	BLWC
PAG-3	Stormwater—Industrial Activities	BWQM
PAG-4	Single Residence Sewage Treatment Plant	BWQM
PAG-6	Combined Sewer Overflows	BWQM

NOI Received and Final Actions Under NPDES General Permits

Coverage under the General Permits issued under the National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters to waters of the Commonwealth.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>
PAG043552	4	Donald Wasson 381 Carey Rd. Douglasville, PA 19518	Berks Union Twp.	UNT to Schuylkill River
PAG043554	4	David R. Stup R. D. 2, Box 230-5 Clearville, PA 15535	Bedford Monroe Twp.	UNT to W. Branch Sidling Crk.
PAG043553	4	Point United Methodist Church R. D. 1, Box 109A Schellsburg, PA 15559	Bedford Napier Twp.	UNT to Adams Run
PAG043555	4	Shirley & Wm. Ballantine 803 Hollywood Blvd. Crownsville, MD 21032	Bedford Mann Township	UNT to Johnson branch of Piney Creek

Notices of Intent for Coverage Under NPDES General Permit for Construction Activities and Department Final Actions

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

The following parties have submitted Notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater from Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR101510	Pierce Hardy Ltd. Partnership 4121 Washington Rd. McMurray, PA 15317	Monroe Twp. Clarion Co.	Courtley Run

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

The following parties have submitted Notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater From Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10L022	DEP—Bur Abandoned Mine Reclamation P. O. Box 149 Ebensburg, PA 15931	Nicholson Twp. Fayette County	UNT Cats Run
PAR10L023	DOT P. O. Box 459 Uniontown, PA 15401	Perryopolis Boro Fayette County	Washington Run

Final Actions

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

These actions of the Department may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under The Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Environmental Hearing Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>
PAR804836	Raymond Nargi, Treas. University Pk Airport 2535 Fox Hill Rd. University Park, PA 16802	Centre Patton	Buffalo Run to Spring Crk. CWF

The following approvals from coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10F050	Pa. State University 268 N. Physical Plant Bldg. University Park, PA 16802	Benner, College and Patton Twps.	Spring Creek

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-G208	Michael Fein 1040 Bobwhite Drive Cherry Hill, NJ 08003-3104	West Brandywine Twp. Chester County	Beaver Creek
PAS10-G188	Morgan Brothers Builders Four White Horse Lane Spring City, PA 19475	East Vincent Twp. Chester County	Unnamed Tributary to Schuylkill River

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS105709	Seiders Hill, Inc. 301 North Second St. Pottsville, PA 17901-1427	Schuylkill County North Manheim Twp.	West Branch Schuylkill River

The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10E052	Chicora Borough Sewer Authority Chicora Mun. Bldg. 112 N. Main St. P. O. Box 35 Chicora, PA 16025-0035	Butler Co. Donegal Twp.	Buffalo Creek

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10K015	Wegmans Food Markets, Inc. 1500 Brooks Ave. Rochester, NY 14624-0844	Erie Co. Millcreek Twp.	Unnamed Tributary Lake Erie

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Northwest Regional Office: Regional Oil and Gas Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6860.

Permit No. 6196601. Industrial waste, **Big Sandy Oil Company**, P. O. Box 269, Franklin, PA 16323. Construction and operation of a passive treatment system for production fluids from an oil production operation in Cranberry Township, **Venango County**, with discharge of treated effluent to the Allegheny River.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Permit No. 1395402. Sewerage. **Jim Thorpe Municipal Authority**, 101 East 10th Street, Jim Thorpe, PA 18229. Permit to construct and operate sewage treatment facilities for the purpose of a sewage treatment plant rerate, located in Jim Thorpe Borough, **Carbon County**.

Permit No. 5496403. Sewerage. **Tamaqua Borough Authority**, 320 East Broad Street, Tamaqua, PA 18252. Permit to construct and operate sewage treatment facilities (Filter Press) at the Tamaqua Borough Authority Sewage Treatment Plant, located in Walker Township, **Schuylkill County**.

Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

A. 0696405. Sewage. **Midway Lodgings, Inc.**, P. O. Box 6, Bethel, PA 19507 in Bethel Township, **Berks County** to construct a Comfort Inn adjacent to the Midway Diner was received in the Southcentral Regional Office on July 2, 1996.

A. 0596403. Sewage. **Shirley and William Balantine**, 803 Hollywood Boulevard, Crownsville, MD 21032 to construct a single residence sewage treatment plant in Mann Township, **Bedford County** was received in the Southcentral Regional Office on June 25, 1996.

A. 6796408. Sewage. **York City Sewer Authority**, 17 East Market Street, York, PA 17401 to upgrade sanitary sewer interceptor in York City, **York County** was received in the Southcentral Regional Office on June 27, 1996.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 4671005-T2. Amendment No. 1. Industrial waste, **Pennsylvania-American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033. Construction of water treatment plant located in the Township of Union to serve the Aldrich Station.

Permit No. 1187202. Industrial waste, **Pennzoil Products Company**, 100 Pennzoil Drive, Johnstown, PA 15909-4232. Construction of blending and packaging in-

dustrial lubricants located in the Township of Jackson, **Cambria County** to serve the Mundy's Corner Facility.

Permit No. 0296403. Sewerage, **Ohio Township Sanitary Authority**, 1719 Roosevelt Road, Pittsburgh, PA 15237-1099. Construction of pump station located in the Township of Ohio, **Allegheny County** to serve The Verland Foundation, Inc.

Permit No. 5696401. Sewerage, **A. Duane Lohr**, R. D. 1, Box 322D, Somerset, PA 15501. Construction of single family sewage treatment plant located in the Township Somerset, **Somerset County** to serve the Lohr Single Family Sewage Treatment Plant.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 2596404. Sewage. **Lake City Sewer Authority**, 2350 Main Street, Lake City, PA 16423. This project is for plans to construct a two-unit covered sludge bed in Lake City Boro, **Erie County**.

WQM Permit No. 2596402. Sewage. **Kuhl Road Property Owners Association**, 5662 Kuhl Road, Erie, PA 16510. This project is for plans to construct a small flow wastewater treatment facility in Harborcreek Township, **Erie County**.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

Permit No. WQM 4996402. Sewerage. **Consumers Pennsylvania Water Company**, Roaring Creek Division, 204 East Sunbury Street, Shamokin, PA 17872-0909. Facility has been approved to discharge waste to a concrete holding tank. Location is Coal Township, **Northumberland County**.

Permit No. WQM 662S44T1, 8953S-T1, 4988407-T1, 4971403-T1, 4980404-T1, 4986406-T1, 4988407-T1, 4990403-T1, and 4990404-T1. Sewerage. The applicant requests transfer of WQM permits from the Borough of Northumberland to the Northumberland Sewer Authority.

Permit No. WQM 5996402. Sewerage. **Harry and Virginia Beck**, Beck's Restaurant and Convenience Store, R. R. 1, Box 166B, Liberty, PA 16930. The applicants propose to construct and maintain a treatment plant to serve the restaurant, convenience store and mobile home. The location is Liberty Township, **Tioga County**.

Permit No. WQM 4195406-T1. Michael and Charlene Dymeck, P. O. Box 172, Trout Run, PA 17771. The applicants have received approval to construct a sewage facility to serve single family residence located in Old Lycoming Township, **Lycoming County**.

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Permit No. 0996501. Public water supply. **Borough of Quakertown**, David Woglom, 15-35 North Second

Street, Quakertown, PA 18951. This permit has been approved for the construction of a new well to replace existing well No. 13 in Quakertown Borough, **Bucks County**.

Type of Facility: Public water supply.

Consulting Engineer: Boucher & James Engineers, Inc., Mark S. Geosits, 127 South Fifth Street, Quakertown, PA 18951.

Permit to Construct Issued: July 5, 1996.

Permit No. 4696501. Public water supply. **Ridge View Terrance, Inc.**, 165 West Ridge Pike, Limerick, PA 19468-1734. This proposal involves the construction of well no. 4 to replace existing well no. 2 in Limerick Township, **Montgomery County**.

Type of Facility: Water supply system.

Consulting Engineer: R. E. Coleman Associates, Inc., 638 Lancaster Avenue, Frazer, PA 19355-1898.

Permit to Construct Issued: July 9, 1996.

Permit No. 0996505. Public water supply. **River Woods Water Company, Inc.**, Richard R. Carroll, Jr., 3326 Old York Road, Suite B, Furlong, PA 18925. This permit is for the construction of a water supply system. The project includes a well, a storage tank, booster pumps and a distribution system in New Hope Borough, **Bucks County**.

Type of Facility: Water supply system.

Consulting Engineer: Boucher & James, Inc., 127 South Fifth Street, Suite 300, Quakertown, PA 18951.

Permit to Construct Issued: July 7, 1996.

Permit No. 0995515. Public water supply. **Pennsylvania-American Water Company**, David V. Modeer, 800 West Hershey Park Drive, Hershey, PA 17033-0888. This permit is for the expansion of Mill Road water treatment plant from 2 mgd to 6 mgd and to construct a raw water intake, pump station and transmission main with the Delaware River in Lower Makefield Township, **Bucks County**.

Type of Facility: Water filtration plant.

Consulting Engineer: Acer Engineers & Consultants, Inc., 270 Granite Run Drive, Lancaster, PA 17601.

Permit to Construct Issued: July 9, 1996.

Permit No. 0996502. Public water supply. **Quakertown Borough**, David Woglom, 15-35 North Second Street, Quakertown, PA 18951. This proposal involves the construction of a new well to replace existing well no. 14, replacement of an existing treatment facility for iron and manganese removal, and installation of an air stripper tower and clear well in Quakertown Borough, **Bucks County**.

Type of Facility: Water supply system.

Consulting Engineer: Boucher & James, Inc., 127 South Fifth Street, Suite 300, Quakertown, PA 18951.

Permit to Construct Issued: July 7, 1996.

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

Permit No. 2096501. Public water supply. **Doral Estates Mobile Home Park**, Route 18, East Side, Conneaut Lake, PA 16316. This permit is for the extension of the water lines to serve 72 new lots in Summit Township, **Crawford County**.

Type of Facility: Mobile home park.

Consulting Engineer: Richard A. Deiss, 9342 Pettis Road, Meadville, PA 16335.

Permit to Construct Issued: July 9, 1996.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 6593501. Public water supply. **Municipal Authority of Westmoreland County**, Southwest Corner of US Route 30 and South Greengate Road, P. O. Box 730, Greensburg, PA 15601.

Type of Facility: Beaver Run filtration plant.

Permit to Operate Issued: July 3, 1996.

Final Reports

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act, the act of May 19, 1995 (P. L. 4, No. 2).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final report:

Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-5950.

Gabe Staino Chrysler-Plymouth (Drains), Birmingham Township, **Delaware County**. Thomas R. Bugey and Pamela K. Pidge, Dames & Moore, 2325 Maryland Rd., Willow Grove, PA 19090, have submitted a Final Report concerning remediation of site soils contaminated with solvents. The report is intended to document remediation of the site to meet the Statewide health standard.

Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

David J. Winning Company, 5610 Aiken Road, McKees Rocks, PA 15136; License No. **PA-AH S100**; license issued July 11, 1996.

John Pfrommer, Inc., 1320 Ben Franklin Highway East, Douglassville, PA 19518; License No. **PA-AH 0042**; license issued July 11, 1996.

Ken's Marine Service, Inc., P. O. Box 4001, Bayonne, NJ 07002; License No. **PA-AH S154**; license issued July 11, 1996.

S&M Management Incorporated, P. O. Box 1429, Milford, PA 18337; License No. **PA-AH 0412**; license issued July 11, 1996.

The Patterson Group, Inc., 161 S. 6th Avenue, La Puente, CA 91746; License No. **PA-AH S230**; license issued July 11, 1996.

Amended license issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

David J. Winning Company, 5610 Aiken Road, McKees Rocks, PA 15136; License No. **PA-AH S100**; amended license issued July 11, 1996.

Ken's Marine Service, Inc., P. O. Box 4001, Bayonne, NJ 07002; License No. **PA-AH S154**; amended license issued July 11, 1996.

S&M Management Incorporated, P. O. Box 1429, Milford, PA 18337; License No. **PA-AH 0412**; amended license issued July 11, 1996.

The Patterson Group, Inc., 161 S. 6th Avenue, La Puente, CA 91746; License No. **PA-AH S230**; amended license issued July 11, 1996.

Hazardous Waste Transporter license reinstated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

S&M Management Incorporated, P. O. Box 1429, Milford, PA 18337; License No. **PA-AH 0412**; license reinstated July 11, 1996.

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428.

Permit No. 400407. Ciba Self-Medication, Inc., 500 Virginia Drive, P. O. Box 1727, Fort Washington, PA 19034. This permit was revoked because the facility indicated that they are no longer operating their solid waste incinerator at the Fort Washington Facility. Facility is located in Upper Dublin Township, **Montgomery County**. Permit revoked in the Southeast Regional Office on July 10, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

A. 100933. Empire Sanitary Landfill, Inc., P. O. Box 28, Taylor, PA 18517. A permit modification authorizing changes to the construction and operation of the landfill, which includes the expansion of the landfill by three pads known as the Area II expansion area, removing groundwater monitoring well no. 8 in Pad 10, and incorporating all previous relevant permit modification(s) by reference for this municipal waste landfill, located in Taylor and Old Forge Boroughs and Ransom Township, **Lackawanna County**. Although this action expands the landfill, the boundaries of the permit area have not changed. The number of acres used for disposal has increased from 150 acres to 203 acres. The permit modification was issued in the Regional Office on July 3, 1996.

Applications denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

Permit I. D. No. 101268. Solomon Industries, Inc., 495 Stanton Street, Wilkes-Barre, PA 18702. Permit application for the operation of a municipal waste processing and transfer facility, located in Wilkes-Barre City, **Luzerne County**. This permit application was denied in the Regional Office on June 21, 1996.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department has issued the following Air Quality Operating Permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-318-091A**
 Source: Touch-Up Paint Spray Booth & Oven
 Company: **Mack Trucks Incorporated**
 Location: Lower Macungie Township
 County: **Lehigh**

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources or air cleaning devices.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-323-017. On July 8, 1996, the Department issued a Plan Approval to **Lindberg Heat Treating Company**

(17 Dennis Drive, Reading, PA 19606) for the construction of a metal heat treating facility at their Reading Plant in Exeter Township, **Berks County**.

07-313-012H. On July 9, 1996, the Department issued a Plan Approval to **Quality Chemicals, Inc.** (P. O. Box 216, Tyrone, PA 16686) for the modification of a batch specialty chemical manufacturing operation in Tyrone Borough, **Blair County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

60-318-007A. On June 14, 1996, plan approval was issued to the **Federal Bureau of Prisons** (P. O. Box 1500, White Deer, PA 17887) for the modification of a wood furniture finishing operation (increase in the amount of volatile organic compound emissions allowed) at FCI Allenwood in Gregg Township, **Union County**.

49-301-018A. On June 18, 1996, plan approval was issued to **Merck & Company, Inc.** (P. O. Box 600, Danville, PA 17821) for the construction of a waste solvent storage vessel (TA-862) and associated air cleaning devices (condensers and an existing thermal fume incinerator) in Riverside Borough, **Northumberland County**. TA-862 is subject to Subpart Kb of the Federal Standards of Performance for New Stationary Sources.

OP-55-0001B. On June 18, 1996, plan approval was issued to **Pennsylvania Power & Light Company** (Two North Ninth Street, Allentown, PA 18101-1179) for the construction of a dry fly ash handling system and associated air cleaning devices (fabric collectors, paddle mixers and enclosures) at the Sunbury SES in Shamokin Dam Borough, **Snyder County**.

19-317-023A. On June 28, 1996, plan approval was issued to **Heinz Pet Products** (6670 Low Street, Bloomsburg, PA 17815) for the installation of an air cleaning device (a packed bed scrubber) on various wastewater treatment operations in South Centre Township, **Columbia County**.

41-310-010C. On June 28, 1996, plan approval was issued to **Lycoming County Solid Waste Department** (R. D. 2, Box 587, Montgomery, PA 17752) for the construction of various pieces of stone crushing equipment and four associated diesel engines at the Lycoming County Landfill in Brady Township, **Lycoming County**. Some of the crushing equipment is subject to Subpart 000 of the Federal Standards of Performance for New Stationary Sources.

59-399-012. On June 28, 1996, plan approval was issued to **Westfield Tanning Company** (360 Church Street, Westfield, PA 16950) for the construction of a spent tanning solutions box dryer and associated air cleaning device (a fabric filter) in Westfield Borough, **Tioga County**.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

A Plan Approval has been issued by this office for the construction, modification, reactivation or operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-304-022**

Source: 5 Grinding Benches w/Baghouses

Issued: June 18, 1996

Company: **Bridesburg Foundry Company**

Location: Whitehall Township

County: **Lehigh**

Permit: **45-318-025A**

Source: Plating Lines with Scrubbers

Issued: June 18, 1996

Company: **Instrument Specialties Company**

Location: Delaware Water Gap Boro

County: **Monroe**

Permit: **48-328-001A**

Source: Unit 5 Boiler w/Low NOx Burners

Issued: June 26, 1996

Company: **Metropolitan Edison Company**

Location: Upper Mt. Bethel Township

County: **Northampton**

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued

11920101. K & J Coal Company, Inc. (P. O. Box 189, Westover, PA 16692), permit revision to modify the 57 acre surface mine permit to include the land application of sewage sludge in Chest Township, **Cambria County** and Chest Township, **Clearfield County**, receiving stream unnamed tributary to Chest Creek, Chest Creek to west branch Susquehanna River, unnamed tributary locally known as Dry Rock Run, application received January 19, 1996, permit issued July 11, 1996.

District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.

Coal Permits Issued

03940103. Seven Sisters Mining Co., Inc. (200 U. S. Route 22, Delmont, PA 15626). Permit revised to add acreage to a bituminous surface mining site located in South Bend Township, **Armstrong County**, now affecting 38.5 acres. Receiving streams unnamed tributary to Fagley Run. Application received March 6, 1996. Revision issued July 3, 1996.

65960101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Derry Township, **Westmoreland County**, affecting 9.5 acres. Receiving streams Union Run to Loyalhanna Creek to Kiskiminetas River. Application received January 9, 1996. Permit issued July 11, 1996.

03910106R. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Renewal permit issued for continued operation and reclamation of a bituminous surface mine located in East Franklin Township, **Armstrong County**, affecting 94.1 acres. Receiving streams an unnamed tributary to the Allegheny River and an unnamed tributary to Limestone Run. Renewal application received March 29, 1996. Renewal issued July 11, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

16841602. C & K Coal Company, (P. O. Box 69, Clarion, PA 16214), to renew the permit for the Holden Prep Plant in Limestone Township, **Clarion County**, no additional discharge. Permit issued July 9, 1996.

03871302. Triple K Coal Company, R. D. 1, Box 308, Rural Valley, PA 16249), to revise the permit for the Triple K No. 1 bituminous deep mine in Burrell Township, **Armstrong County** to add 15.0 permit and subsidence control plan acres and revise per Act 54, no additional discharge. Permit issued July 11, 1996.

District Mining Operations, R. D. 2, Box 603-C, Greensburg, PA 15601.

Noncoal Permits Issued

3472SM14 (T) (RE). Davison Sand & Gravel Co. (400 Industrial Boulevard, New Kensington, PA 15068). Renewal of NPDES Permit No. PA0615412 on an existing large noncoal surface mine located in Unity Township, **Westmoreland County**. Receiving streams an unnamed tributary to Nine Mile Run. Renewal application received June 13, 1996. Renewal issued July 11, 1996.

26900306R. Davison Sand & Gravel Co. (400 Industrial Boulevard, New Kensington, PA 15068). Renewal of NPDES Permit No. PA0591483 on an existing large noncoal surface mine located in Connellsville Township, **Fayette County**. Receiving streams an unnamed tributary to Connell Run. Renewal application received June 13, 1996. Renewal issued July 11, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

Industrial Waste Permits Issued

63851702. Consolidation Coal Company, (200 Hidden Valley Drive, McMurray, PA 15317), to renew the permit for the Westland bituminous deep mine in Chartiers Township, **Washington County**, no additional discharge. Permit issued July 8, 1996.

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Revision to an Existing Operation

11940102. E. P. Bender Coal Company, Inc. (Main and Lehmer Streets, P. O. Box 594, Carrolltown, PA 15722), revision to an existing bituminous strip operation to add auger mining in Reade Township, **Cambria County**, affecting 133.0 acres, receiving stream unnamed tributaries to Powell Run; Powell Run; and unnamed tributary to Clearfield Creek, application received July 10, 1996.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)) (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certification

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E12-097. Water obstruction and encroachment. **Dept. of Transportation**, 1924-30 Daisy St., Clearfield, PA 16830. Remove the existing structure and to construct and maintain a 4 span thru-girder bridge with a span along the center line of 317.04 feet with an average skew of 43 degrees and average underclearance of 17 feet over the Driftwood Branch of the Sinnemahoning on SR 120 about 70 feet upstream of the confluence of Hunts Run (Cameron, PA Quadrangle N: 13.9 inches; W: 7.0 inches) in Lumber Township, **Cameron County**.

E17-301. Water obstruction and encroachment. **Dept. of Transportation**, Dist. 2-0, P. O. Box 342, Clearfield, PA 16830. To remove the existing structure and to construct and maintain a single span prestressed concrete I-beam bridge with a clear span normal to the channel of 69 feet and average underclearance of 11 feet at a 45 degree skew right ahead over Anderson Creek on SR 322 (Luthersburg, PA Quadrangle N: 13.3 inches; W: 2.5 inches) in Union Township, **Clearfield County**. .01 acre of low value wetland will be permanently affected by this project.

E17-302. Water obstruction and encroachment. **Woodward Township Supervisors**, R. R. 1, Box 621, Houtzdale, PA 16651. Remove the existing structure and to construct and maintain a 16 foot by 5 foot reinforced concrete box culvert in Whiteside Run which is located approximately 1,800 feet southeast from the intersection of SR 2007 while traveling on T-812 (Houtzdale, PA Quadrangle N: 9.75 inches; W: 13.25 inches) in Woodward Township, **Clearfield County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E19-149. Water obstruction and encroachment. **Richard L. and Ronald H. Knoebel**, P. O. Box 317, Elysburg, PA 17824. To place and maintain fill in 0.4 acre of palustrine emergent wetlands for the purpose of expanding an existing campground. The project is located approximately 3.5 miles east of the RT. 54 and 487 intersection at Elysburg (Shamokin, PA Quadrangle N: 22.2 inches; W: 0.4 inch) in Cleveland Township, **Columbia County**. The applicant will meet the wetland replacement requirement by constructing a 0.4 acre replacement wetland and by participating in the Pa. Wetland Replacement Project.

E19-151. Water obstruction and encroachment. **PP&L Co.**, 2 North 9th St., Allentown, PA 18101. To construct and maintain two 3 foot diameter power poles with 6 foot diameter concrete foundations and two 3 foot power poles with foundations in wetlands and/or the floodway of Fishing Creek to be located in a 3.82 mile corridor starting at the Benton Substation and ending at the Benton Foundry (Stillwater, PA Quadrangle N: 20.0 inches; W: 16 inches) in Sugarloaf Township, **Columbia County**.

E19-152. Water obstruction and encroachment. **Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754. To remove the existing structure and to construct and maintain a prestressed concrete box beam bridge with a clear span of 40 feet, average underclearance of 6.6 feet on a 90 degree skew over Hemlock Creek on SR 4010 just off of SR 44 and to construct a temporary crossing consisting of five, 48 inch corrugated metal pipe (Millville, PA Quadrangle N: 4.1 inches; W: 0.7 inch) in Hemlock Township, **Columbia County**.

E19-153. Water obstruction and encroachment. **Roaring Creek Valley Camp Inc.**, R. R. 1, Box 71, Catawissa, PA 17820. Remove the existing structure and

to construct and maintain a private road bridge crossing with a span of 36 feet just under the beams, and 19 feet at streambed elevation with maximum underclearance of 5.8 feet with 24 inch beams constructed on concrete supports set back in the existing stream banks with 4 inch decking over an unnamed tributary to Roaring Creek approximately 100 yards upstream from the junction of Roaring Creek on SR 2001 (Catawissa, PA Quadrangle N: 6.0 inches; W: 3.5 inches) in Locust Township, **Columbia County**. This permit also includes 401 Water Quality Certification.

E41-357. Water obstruction and encroachment. **Pa. Power and Light Co.**, 2 North 9th St., Allentown, PA 18101. Construct and maintain a 138/69 KV power line across the west branch Susquehanna River, a WWF stream, about 1 mile upstream of Linden, PA and across Larrys Creek. This project is part of an upgrade to an existing line which runs from the Lycoming Substation in South Williamsport to the Jersey Shore Substation in Jersey Shore and includes pole replacement with some line relocation (Linden, PA Quadrangle N: 17.1 inches; W: 3.5 inches) in Susquehanna, Woodward and Pitatt Townships, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-363. Water obstruction and encroachment. **Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754. To remove the existing structure and to construct and maintain a prestressed concrete box beam bridge skew 50 degrees having a normal span of 48.3 feet and an average underclearance of 9 feet over Mill Creek on SR 2031 adjacent the intersection with SR 2039 (Montoursville North, PA Quadrangle N: 8.0 inches; W: 9.0 inches) in Loyalsock Township, **Lycoming County**.

E59-318. Encroachment. **Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754. To remove the existing structure and to construct and maintain a pre-cast reinforced concrete slab bridge having a clear span of 15 feet on a 75 degree skew with underclearance of 3.26 feet across an unnamed tributary to Corey Creek on SR 1008 just east of the intersection with SR 549 (Mansfield, PA Quadrangle N: 11.45 inches; W: 3.6 inches) in Richmond Township, **Tioga County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E60-124. Water obstruction and encroachment. **Lewisburg Borough**, 331 Market St., Lewisburg, PA 17837. Remove existing structure and to construct and maintain a steel stringer bridge with a clear span of approximately 24 feet and an average underclearance of 4 feet across Bull Run Creek located in the Lewisburg Municipal Park at the intersection of North 15th St. and St. Mary's Street (Lewisburg, PA Quadrangle N: 16.1 inches; W: 3.3 inches) in the Borough of Lewisburg, **Union County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E60-125. Water obstruction and encroachment. **DCNR**, Bureau of Facility Design, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing structure and to construct and maintain a 40 foot single span bridge with a minimum underclearance of 4.72 feet across White Deer Creek located on White Deer Creek Road about 1.9 miles south of its intersection with Sugar Valley Narrows Road (Williamsport SE, PA Quadrangle N: 7.2 inches; W: 11.6 inches) in West Buffalo Township, **Union County**. This

permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E60-126. Water obstruction and encroachment. **Dept. of Conservation and Natural Resources**, Bureau of Forestry, c/o James A. Eppley, P.E., Harrisburg, PA 17105-8552. The applicant proposes to remove an existing structure and to construct and maintain a single span timber longitudinal glulam panel bridge to carry Hoofnagle Road across Weikert Run. The proposed bridge shall be constructed with a single span of 20.0 feet, an average underclearance of 3.0 feet and a rail to rail width of 18.0 feet. The project is located along the southern right-of-way of Longwell Draft Road approximately 50.0 feet south of the intersection of Hoofnagle Road and Longwell Draft Road (Weikert, PA Quadrangle N: 14.1 inches; W: 13.9 inches) in Hartley Township, **Union County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-704. Encroachment. **Pennsylvania-American Water Company**, 800 Hershey Park Drive, P. O. Box 888, Hershey, PA 17033-0888. To construct and maintain a water supply intake and water pumping facility in the 100-year floodway and floodway fringe of the Delaware River, and install a 24-inch raw water transmission main across the Pennsylvania Canal (aka the Delaware Canal), Silver Creek and two unnamed tributaries to Brock Creek and across wetlands at approximately five different locations for the purpose of providing potable water. This project begins at the south bank of the Delaware River, just upstream of Rotary Island, and extends southwesterly to a point near the intersection of Edgewood Road and Sandy Run Road, (Trenton West, NJ-PA Quadrangle N: 20.75 inches; W: 10.25 inches and N: 18 inches; W: 13.75 inches respectively) in Yardley Borough and Lower Makefield Township, **Bucks County**. Temporary cofferdam will be installed as required by site condition.

E09-691. Encroachment. **Toll Brothers, Inc.**, 3103 Philmont Avenue, Huntington Valley, PA 19006. To construct and maintain two roadway culverts located in and along unnamed tributaries to Jericho Creek in conjunction with the construction of a proposed land development known as the Kauffman Tract. These crossings will utilize three 24-inch diameter R.C.P. culverts, 100-foot long, that will be located along the tributary in the central part of this site and associated with construction of the proposed Woodside Lane, and a 54-inch R.C.P. twin culvert, 75-foot long, to be located in the southern portion of the site to convey flow beneath the proposed Fieldstone Way which will be used to provide future access between this project and an adjacent proposed subdivision. The proposed roadways will require placement of fill material in 0.89 acre of wetlands (PFO). The subdivision is situated along the western side of River Road (S. R. 32), near its intersection with Brownsburg Road (Lambertville, PA-NJ Quadrangle N: 12 inches; W: 8 inches) in Upper Makefield Township, **Bucks County**. The permittee is providing 1.62 acres of replacement wetlands onsite.

E23-338. Encroachment. **Radnor Township**, 301 Iven Avenue, Wayne, PA 19087-5297. To construct and maintain a concrete headwall adjoined to the outlet of an existing 7.0-foot by 4.67-foot arched brick culvert and to reconstruct and maintain approximately 85 linear feet of partially collapsed stone masonry retaining wall along

both banks of Ithan Creek (CWF-MF). The site is situated approximately 700 feet north from the intersection of U. S. Route 30 and Aberdeen Avenue (Valley Forge USGS Quadrangle N: 7.6 inches; W: 0.9 inch) in Radnor Township, **Delaware County**. Placement of additional backfill and regrading will also be required along the north retaining wall. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E48-233. Encroachment. **Kerry R. Gassler**, 62 North Broadway, Wind Gap, PA 18091. To place and maintain fill in approximately 0.75 acre of an existing C-3 dam reservoir having a surface area of 1.5 acres for the purpose of expanding the Beer Stein Restaurant parking lot. The project is located on an unnamed tributary to Little Bushkill Creek, approximately 300 feet southwest of the intersection of S. R. 0512 and S. R. 1007 (Wind Gap, PA Quadrangle N: 17.9 inches; W: 5.9 inches) in Wind Gap Borough, **Northampton County**.

E64-167. Encroachment. **Borough of Waymart**, P. O. Box 224, Waymart, PA 18472-0224. To remove the existing structure and to construct and maintain an 18-inch RCP stormwater outfall structure along the left bank and a 12-inch RCP stormwater outfall structure along the right bank of Van Auken Creek. The project is located along East Street, approximately 0.1 mile south of Water Street (Waymart, PA Quadrangle N: 14.9 inches; W: 4.4 inches) in the Borough of Waymart, **Wayne County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E10-234. Encroachment. **Seneca Valley School District**, 124 Seneca School Road, Harmony, PA 16037. To fill a total of 0.356 acre of two wetlands, place and maintain fill within the floodway/floodplain and relocate a portion of the channel of a tributary to Brush Creek associated with the expansion of the Haine Elementary School west of Haine School Road (T-302) and south of Rochester Road (S. R. 3022) (Baden, PA Quadrangle N: 12.7 inches; W: 0.5 inch) located in Cranberry Township, **Butler County**. This project includes the creation of a total of at least 9.356 acre of replacement wetlands.

E16-093. Encroachment. **Waterfront Boatworks**, Box 472, Broad and Second Streets, East Brady, PA 16028. To operate and maintain two commercial boat docks along the east bank of the Allegheny River in East Brady. One structure is a 900 square foot fueling dock and the other is an "E" shaped dock measuring 37.5 feet wide by 26.8 feet long. Both structures are located at river mile 69.1 and extend approximately 40 feet into the river from normal pool level (822.2 feet elevation) (East Brady, PA Quadrangle N: 20.2 inches; W: 16.4 inches) in the Borough of East Brady, **Clarion County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E24-193. Encroachment. **Bonita M. Luchs Horchen**, R. D. 1, Johnsonburg, PA 15845. To construct and maintain a terraced 3-tier flower garden and stream bank protection extending downstream from S. R. 1004 approximately 200 feet along the right bank of Indian Run north of the Borough of Johnsonburg (Wilcox, PA Quadrangle N: 1.25 inches; W: 4.25 inches) in Ridgeway Township, **Elk County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E25-535. Encroachment. **R. A. Orlando Real Estate**, 1545 West Grandview Boulevard, Erie, PA 16509. To fill a de minimus area of wetland for the construction of a residence on an 80-foot wide by 125-foot long lot at 5313 Cider Mill Road in Heritage Hill Estates (Erie South, PA Quadrangle N: 17.5 inches; W: 3.9 inches) in Millcreek Township, **Erie County**.

E25-536. Encroachment. **Erie-Western Pennsylvania Port Authority**, 17 West Dobbins Landing, Erie, PA 16507-1424. To perform the following improvement activities at Wolverine Park in the West Canal Basin of Presque Isle Bay, Lake Erie along State Street approximately 600 feet north of the Bayfront Highway (Erie North, PA Quadrangle N: 1.7 inches; W: 12.0 inches) (1) To remove the existing pile supported docks and concrete pier. (2) To excavate approximately 1,300 cubic yards of land from and approximately 240-foot long by 20-foot wide area on the east side of the basin along State Street. (3) To construct and maintain a total of 460 feet of steel sheet pile bulkhead along the south and east edges of the basin. (4) To install and maintain a total of 450 feet of 6-foot wide floating walkway along the east and south sides of the basin. (5) To install and maintain a total of 8 floating finger docks along the east side of the basin in the City of Erie, **Erie County**.

E61-202. Encroachment. **Cornplanter Township Supervisors**, R. D. 1, Box 98A, Oil City, PA 16301. To remove the existing bridge and to construct and maintain a steel beam bridge having a clear span of 61 feet and a minimum underclearance of about 6.5 feet on a 45 degree skew across Pithole Creek on T-614 (Plank Road) near Pithole City (Pleasantville, PA Quadrangle N: 3.5 inches; W: 11.7 inches) in Cornplanter Township, **Venango County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E62-322. Encroachment. **Sugar Grove Township Supervisors**, R. D. 3, Box 50, Sugar Grove, PA 16350. To remove the existing structure and to construct and maintain a prestressed concrete adjacent box beam bridge having a single clear span of 33.5 feet and an average underclearance of 8.5 feet on a 65 degree skew across Stillwater Creek on Stillwater Road (T-539) approximately 1 mile west of the S. R. 957 (Sugar Grove, PA Quadrangle N: 19.9 inches; W: 16.3 inches) in Sugar Grove Township, **Warren County**.

E62-323. Encroachment. **Conewango Township Supervisors**, 4 Firemans Road, Warren, PA 16365-3702. To construct and maintain two 6-inch diameter PVC pipe dry fire hydrants in Jackson Run as part of a rural fire protection improvement project. One hydrant is located along the left bank adjacent to the parking lot for Quality Markets Grocery Store approximately 75 feet downstream of the store (Warren, PA Quadrangle N: 21.25 inches; W: 4.25 inches). The other is along the left bank adjacent to S. R. 69 approximately 1,500 feet southeast of Miller Hill Road (Russell, PA-NY Quadrangle N: 4.2 inches; W: 12.95 inches) in Conewango Township, **Warren County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Environmental Assessment Approvals and Actions on 401 Certifications

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

EA33-001NW. Environmental assessment. **DEP Bureau of Abandoned Mine Reclamation**, P. O. Box 149,

Ebensburg, PA 15931. To place fill in a total of 0.96 acre two separate wetland areas in the process of backfilling open mine pits to eliminate a total 2,500 linear feet of dangerous highwalls (Project No. OSM33 (3923) 101.1). This project is located approximately 1,400 feet northwest of the village of Adrian Mines. This project is located in Elk Run (CWF) watershed. The applicant will also construct a single 0.96-acre replacement wetland adjacent to the project site (Punxsutawney, PA Quadrangle N: 20.6 inches; W: 11.7 inches) located in Young Township, Jefferson County.

Requests for Certification under section 401 of the Federal Water Pollution Control Act

The following requests have been made to the Department of Environmental Protection for certification under § 401(a) of the 1972 amendments to the Federal Water Pollution Control Act, 33 U.S.C.A § 1341(a), that there is reasonable assurance that the construction herein described will not violate applicable Federal and State water quality standards.

Prior to final approval of the proposed certification, consideration will be given to any comments, suggestions or objections which are submitted in writing 30 days of the date of this notice. Comments should be submitted to the Department of Environmental Protection at the address indicated above each of the following requests for certification. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions in sufficient detail to inform the Department of the exact basis of the proposal and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given comments if deemed necessary to resolve conflicts. Each individual will be notified in writing of the time and place of any scheduled hearing or conference concerning the certification request to which the protest relates. Maps, drawings and other data pertinent to the certification request are available for inspection and review at the address indicated above each request for certification between the hours of 8 a.m. and 4 p.m. on each working day.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Certification Request Initiated By: Montgomery County Department of Parks, Montgomery County Courthouse, Norristown, PA 19404.

Project Description/Location: Project involves the hydraulic dredging of approximately 70,860 cubic yards of unconsolidated sediment from Deep Creek Lake, located in Upper Frederick Township, Montgomery County. The slurry is to be pumped to one of two dewatering basins located on park property adjacent to the lake and the return water will be discharged directly to the lake. Upon completion of the dredging and dewatering operations, the disposal areas will be restored.

Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southeast Regional Office: Bureau of Water Supply and Community Health, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

Permits Issued

WA 09-622C. Water allocation permit. **Lower Makefield Township, Bucks County.** The Pennsylvania-American Water Company has been granted the right to withdraw up to 6.0 mgd, based on a 30-day average, from the Delaware River to the Mill Road Water Filtration Plant.

Type of Facility: Water supply.

Consulting Engineer: Pennsylvania-American Water Company, Roger J. Dancy, P.E.

Permit Issued: July 9, 1996.

[Pa.B. Doc. No. 96-1215. Filed for public inspection July 26, 1996, 9:00 a.m.]

Pennsylvania Bituminous Mine Safety Advisory Committee; Cancellation of Meeting

The Pennsylvania Bituminous Mining Safety Advisory Committee announces that its August 14 meeting has been canceled. The next meeting is scheduled for October 9 at 10 a.m. in Conference Room 2 of the Fayette County Health Center in Uniontown.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-1216. Filed for public inspection July 26, 1996, 9:00 a.m.]

DEPARTMENT OF HEALTH

Certificate of Need Program; Meeting Notice

The Department of Health will be conducting a meeting on August 6, 1996, to receive comments about the Certificate of Need Program. The meeting will be held in the second floor auditorium of the Rachel Carson State Office Building, 465 Market Street, Harrisburg, beginning at 9 a.m.

Any interested member of the public is invited to attend. Persons who need an accommodation due to a disability and wish to attend the meeting should contact Jack W. Means, Jr., Director, Division of Need Review, at (717) 787-5601 or by using TDD: (717) 783-6514, at least 24 hours in advance so arrangements can be made.

DANIEL F. HOFFMANN, FACHE
Acting Secretary

[Pa.B. Doc. No. 96-1217. Filed for public inspection July 26, 1996, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 5 Card Draw Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 5 Card Draw.

2. *Price:* The price of a Pennsylvania 5 Card Draw instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania 5 Card Draw instant lottery game ticket will contain three play areas designated as Hand 1, Hand 2, and Hand 3. The play symbols and their captions located in Hand 1, Hand 2, and Hand 3 are: A (ACE), K (KING), Q (QUN), J (JACK), 10 (TEN), 9 (NIN), 8 (EGT), 7 (SEV) and 6 (SIX).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the three play areas are: \$1⁰⁰ (ONE), \$2⁰⁰ (TWO), \$4⁰⁰ (FOUR), \$8⁰⁰ (EIGHT), \$25 (TWEN-FIV), \$50\$ (FIFTY), \$500 (FIV HUN) and \$1000 (ONE THOU).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$8, \$25, \$50, \$500 and \$1,000. The player can win up to three times on each ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,076,400 tickets will be printed for the Pennsylvania 5 Card Draw instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$1000 (ONE THOU) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$1,000.

(b) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$500 (FIV HUN) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$50\$ (FIFTY) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$50.

(d) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$25\$ (TWEN-FIV) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$25.

(e) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$8⁰⁰ (EIGHT) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$8.

(f) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$4⁰⁰ (FOUR) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$4.

(g) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$2⁰⁰ (TWO) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$2.

(h) Holders of tickets with two matching play symbols in Hand 1, Hand 2, or Hand 3, and a prize play symbol of \$1⁰⁰ (ONE) in the prize area for that hand, on a single ticket, shall be entitled to a prize of \$1.

9. *Number and Description of Prizes and Approximate Odds:* the following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 10,076,400 Tickets</i>
\$1	\$1	1:9	1,119,600
\$1 + \$1	\$2	1:20	503,820
\$2	\$2	1:30	335,880
\$1 + \$1 + \$1	\$3	1:60	167,940
\$2 + \$2	\$4	1:120	83,970
\$4	\$4	1:200	50,382
\$2 + \$2 + \$2	\$6	1:300	33,588
\$4 + \$4	\$8	1:400	25,191
\$8	\$8	1:600	16,794
\$4 + \$4 + \$4	\$12	1:1,200	8,397
\$8 + \$8	\$16	1:1,620	6,220
\$8 + \$8 + \$8	\$24	1:600	16,794
\$25	\$25	1:1,200	8,397
\$25 + \$25	\$50	1:6,220	1,620
\$50	\$50	1:8,397	1,200
\$25 + \$25 + \$25	\$75	1:8,397	1,200
\$50 + \$50	\$100	1:8,397	1,200
\$500	\$500	1:201,528	50
\$1,000	\$1,000	1:1,007,640	10
\$1,000 + \$1,000 + \$1,000	\$3,000	1:1,007,640	10

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania 5 Card Draw instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania 5 Card Draw, prize money on winning Pennsylvania 5 Card Draw instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If

no claim is made within 1 year of the announced close of the Pennsylvania 5 Card Draw instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania

Code (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania 5 Card Draw or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-1218. Filed for public inspection July 26, 1996, 9:00 a.m.]

Pennsylvania 25th Anniversary Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 25th Anniversary.

2. *Price:* The price of a Pennsylvania 25th Anniversary instant lottery game ticket is \$2.00.

3. *Play Symbols:* Each Pennsylvania 25th Anniversary instant lottery game ticket will contain one "Play Area." The play symbols and their captions located in the "Play Area" are: \$2⁰⁰ (TWO), \$5⁰⁰ (FIVE), \$10\$ (TEN), \$15\$ (FIFTEEN), \$25\$ (TWEN-FIV), \$50\$ (FIFTY), \$75\$ (SEVN-FIV), \$100 (ONE HUN), \$500 (FIV HUN), \$1000 (ONE THO), \$2500 (TWEFIVHUN) and \$25000 (TWEFIVTHO).

4. *Prizes:* The prizes that can be won in this game are \$2, \$5, \$10, \$15, \$25, \$50, \$75, \$100, \$500, \$1,000, \$2,500 and \$25,000.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 10,099,800 tickets will be printed for the Pennsylvania 25th Anniversary instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols of \$25000 (TWEFIVTHO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$25,000.

(b) Holders of tickets with three matching play symbols of \$2500 (TWEFIVHUN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2,500.

(c) Holders of tickets with three matching play symbols of \$1000 (ONE THO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets with three matching play symbols of \$500 (FIV HUN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets with three matching play symbols of \$100 (ONE HUN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets with three matching play symbols of \$75\$ (SEVN-FIV) in the "Play Area" on a single ticket, shall be entitled to a prize of \$75.

(g) Holders of tickets with three matching play symbols of \$50\$ (FIFTY) in the "Play Area" on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets with three matching play symbols of \$25\$ (TWEN-FIV) in the "Play Area" on a single ticket, shall be entitled to a prize of \$25.

(i) Holders of tickets with three matching play symbols of \$15\$ (FIFTEEN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$15.

(j) Holders of tickets with three matching play symbols of \$10\$ (TEN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIVE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(m) A prize will be paid only for the highest Pennsylvania 25th Anniversary instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Win	Approximate Odds	Approximate No. of Winners Per 10,099,800 Tickets
\$2	1:5	2,019,960
\$5	1:25	403,992
\$10	1:75	134,664
\$15	1:150	67,332
\$25	1:100	100,998
\$50	1:2,000	5,050
\$75	1:3,000	3,367
\$100	1:4,000	2,525
\$500	1:22,444	450
\$1,000	1:40,725	248
\$2,500	1:201,996	50
\$25,000	1:504,990	20

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania 25th Anniversary instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania 25th Anniversary, prize money on winning Pennsylvania 25th Anniversary instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania 25th Anniversary instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets

from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania 25th Anniversary or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-1219. Filed for public inspection July 26, 1996, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties Reference No. 08430AG2004

The Department of Transportation will retain engineering firms for two separate open-end contracts to provide various environmental studies on various projects located in Bucks, Chester, Delaware, Montgomery and Philadelphia Counties in Engineering District 6-0. The contracts will be for 30 months with projects assigned on an as-needed basis. The required services may encompass a wide range of environmental efforts with the possibility of several different types of projects having short completion schedules. The anticipated types of projects may include, but are not limited to, bridge replacements or bridge rehabilitations with minor approach work, roadway betterments (3R Type), SAMI final design, Capital Improvement Projects (bridges or roadways), and minor alignment studies. The maximum amount of each open-end contract will be \$750,000.

The selected firm will be required to provide environmental services to identify and assess the following: historic and archaeological resources; regional and community growth; land use and development patterns; wildlife habitat; wetlands; floodplains; surface water and groundwater; vegetation; farmlands; geological resources; noise and air quality; parks and recreational facilities; emergency service, health and educational facilities; utility locations; residential and commercial property values; hazardous waste; aquatic resources; national natural landmarks; vibration; aesthetics and visual qualities; and construction impacts.

The environmental studies will be conducted to prepare an environmental document in accordance with accepted analysis techniques and methodologies.

The selected firm will be required to perform the following to ensure a complete environmental investigation has been performed: provide all necessary environmental services, material and equipment necessary to collect, analyze and organize data; assess impacts; conduct agency and public involvement activities; and prepare reports and mitigation plans. The reports and other written graphic material to be prepared may include, but are not limited to, early coordination and scoping correspondence; project need; preliminary alternatives analysis; meeting minutes; newsletters; mailing lists; public meetings and hearings; handouts and displays; NEPA environmental documents; Section 106 documents; Section 4(f) evaluations; mitigation plans and reports; hazardous waste mitigation plans; DEP permits, Corps of Engineers 404 permits; formulating and participating in

public involvement program; and coordinating the development of the study with various agencies and special interest groups.

The format and content of all documents, plans and specifications will be consistent with applicable State and Federal regulations and guidelines.

The Department will establish an order of ranking of a minimum of six firms for the purpose of negotiating two open-end contracts based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence of firm.
- b. Current workload.
- c. Available staffing for this assignment.
- d. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on open-end contracts. The specific experience of individuals who constitute the firms shall be considered.
- e. Relative size of firm to size of projects that may be completed under these contracts.

The environmental studies identified above are the general work activities that can be expected under these open-end contracts. A more specific and project-related scope of work will be outlined for each individual work order developed under these open-end contracts.

The transmittal letter for the letter of interest should be limited to four pages. Double sided copy counts as two pages. The letter of interest should include no more than four resumes of key staff members for the prime consultant and two resumes for the subconsultants.

Technical questions concerning the requirements for this project should be directed to Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in performing any of the above services are invited to submit letters of interest to: Director, Consultant Selection Committee, Room 1118, Transportation and Safety Building, Harrisburg, PA 17120.

A separate letter of interest and required forms must be submitted for each project for which the applicant wishes to be considered. The letter of interest and required forms must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. of the thirteenth day.

If the project advertisement indicates that the Department will retain an engineering firm, letters of interest will only be accepted from individuals, firms or corporations duly authorized to engage in the practice of engineering. If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a joint venture with an

individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof. Proposed DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal. Failure to meet the goal and to demonstrate good faith efforts may result in being barred from Department contracts in the future.

Responses are encouraged by small engineering firms, disadvantaged business enterprise engineering firms and other engineering firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include in the heading, the firm's Federal Identification Number and the Project Reference Number indicated in the advertisement. The letter of interest must also include the following:

1. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project."

2. Standard Form 254, "Architect-Engineer and Related Services Questionnaire" not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a joint venture and for each subconsultant the firm or joint venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a company. Please disregard the statements on Standard Form 255 that indicate a Standard Form 254 is only required if not already on file with the contracting office. The Department does not maintain a file for Standard Form 254 for contracting purposes; therefore, this Form is required for the prime consultant and each subconsultant as stated above.

3. Two copies of the Department's Form D-427 (Rev. 6-89), "Current Workload" for the firm submitting the letter of interest. At least one copy of Form D-427 must remain free and not bound in any way to any other portion of the letter of interest or accompanying documentation. Copies of Form D-427 are available upon request from the above address or by contacting the Department's Consultant Agreement Division at (717) 783-9309.

4. Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include with each letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

The Standard Form 255 must be filled out in its entirety including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be presently certified by the Department of Transportation, and the name of the firm and the work to be performed must be indicated in Item 6. If a Women Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

The Standard Form 254 must be signed and dated and must be less than 1 year old as of the date of this advertisement. A Standard Form must accompany each letter of interest for the firm submitting the letter of interest, each party to a joint venture, and for each subconsultant shown under Item 6 of the Standard Form 255.

Unless other factors are identified under the individual project reference number, the following factors, listed in their order of importance, will be considered by the Committee during their evaluation of the firms submitting letters of interest:

a. Specialized experience and technical competence of firm.

b. Past record of performance with respect to cost control, work quality, and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.

c. Current workload and capacity of firm to perform the work within the time limitations.

d. Location of consultant.

e. Special requirements of the project.

f. Other factors, if any, specific to the project.

The Department currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on design and miscellaneous projects to 130% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection projects to 85.2% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department's limitations will apply to the projects advertised above unless the Department policy is revised prior to the negotiation of an agreement or contract.

The assignment of the above services will be made to one of the firms responding to this notice, but the Committee reserves the right to reject all letters of interest submitted, to cancel the solicitations requested under this notice, and/or to readvertise solicitation for these services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-1220. Filed for public inspection July 26, 1996, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

**Laurel Pipe Line Company, L. P. v. DEP; EHB Doc.
No. 96-145-MG**

Laurel Pipe Line Company, L. P. has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Delaware County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 96-1221. Filed for public inspection July 26, 1996, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Areas Unsuitable for Coal Mining; Notice of Hearing

Petition #56959901. Because of the unexpected number of people attending the public hearing on the Shade Township Areas Unsuitable for Mining Petition No. 56959901 originally scheduled for July 10, 1996, the public hearing was canceled and has been rescheduled and moved to a larger facility.

The Department of Environmental Protection and the Environmental Quality Board again invite all interested persons to attend a public hearing on a proposal to designate a portion of Shade Township, Somerset County, as unsuitable for surface mining operations. The petition area includes approximately 565 acres located northeast of the village of Reels Corners.

The hearing will be held at 6:30 p.m. on Wednesday, August 14, 1996, in the Shade High School located at Box 7 McGregor Avenue, Cairnbrook, PA 15924.

The hearing concerns Petition No. 56959901, which was submitted by the Shade Township Supervisors.

The petitioners alleged that surface and underground mining could result in the degradation or loss of surface and groundwater resources, including aquifers and aquifer recharge areas.

The hearing will be legislative and fact-finding in nature where interested persons will be afforded an

opportunity to present oral or written testimony and comments on the merits of the petition. Persons wishing to present oral testimony must register with the Department before 4:30 p.m. on Friday, August 9, 1996, and must bring three copies of the testimony to the hearing. Persons can register by calling (717) 783-8846 between 8 a.m. and 4:30 p.m. Monday through Friday. Persons who previously registered to present testimony do not need to register again. It is requested that only one person from each organization present testimony. No cross-examination of witnesses will be permitted. Written comments will be accepted by the Department of Environmental Protection, Bureau of Mining and Reclamation, Room 213 Executive House, P. O. Box 8461, Harrisburg, PA 17105-8461 until 4:30 p.m., August 29, 1996 when the public record will close. Submission of comments by facsimile (fax) machine will not be accepted. Comments may also be submitted electronically to the Board at RegComments@a1.dep.state.pa.us and must be received by July 29, 1996.

Persons with a disability who require an auxiliary aid, service or other accommodation to participate in the proceedings should contact M. C. McCommons at (717) 787-4761 before 4:30 p.m. on Wednesday, August 7, 1996, to discuss how we may best accommodate their needs. If necessary, persons may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD users) or 1 (800) 654-5988 (voice users) and request that they relay the call to M. C. McCommons at (717) 787-4761.

This notice is given under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a), The Clean Streams Law (35 P. S. §§ 691.1—692.1001), and the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66) and the regulations promulgated thereunder.

JAMES M. SEIF,
Chairperson

[Pa.B. Doc. No. 96-1222. Filed for public inspection July 26, 1996, 9:00 a.m.]

FISH AND BOAT COMMISSION

Closure of Public Access

Rock Hill Dam, Conestoga River, Lancaster County

The Executive Director of the Fish and Boat Commission, acting under the authority of 58 Pa. Code § 53.18 (relating to additional restrictions on Commission property), is taking action to close the parking area and associated facilities at Rock Hill Dam on the Conestoga River in Lancaster County, to all public access. Public access to the parking area and associated facilities at Rock Hill Dam shall be closed effective July 27, 1996.

Rock Hill Dam is owned and maintained by the Fish and Boat Commission. The Executive Director finds that this action is necessary and appropriate for the protection and safety of the public.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 96-1223. Filed for public inspection July 26, 1996, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. The regulations will be considered within 30 days of their receipt at a public meeting of the Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
7-289	Environmental Quality Board Sewage Facilities—Planning, Permitting and Disposal Facilities	7/16/96
	JOHN R. MCGINLEY, Jr. <i>Chairperson</i>	

[Pa.B. Doc. No. 96-1224. Filed for public inspection July 26, 1996, 9:00 a.m.]

INSURANCE DEPARTMENT

Physicians Insurance Company; Revised Rates for Tail Coverage and Prior Acts Coverage

On June 11, 1996, the Insurance Department received from PIC Insurance Group a filing requesting rate increases in their prior acts and tail coverages.

Unless formal administrative action is taken prior to August 10, 1996, the subject filing may be deemed approved by operation of law.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections, to Solomon Francis, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Property and Casualty Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-1225. Filed for public inspection July 26, 1996, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Mei Ping Wu Chan; file no. 96-188-03664; General Accident Insurance Company; doc. no. P96-07-020; August 22, 1996, at 11 a.m.;

Appeal of Juanita Carra-Budzek; file no. 96-121-03787; Prudential Property & Casualty Insurance Company; doc. no. P96-07-008; August 27, 1996, at 1 p.m.;

Appeal of John Sosna; file no. 96-280-33545; Prudential Property & Casualty Insurance Company; doc. no. PH96-07-014; August 27, 1996, at 2 p.m.;

Appeal of Martha Reed; file no. 95-121-04012; State Farm Fire & Casualty Company; doc. no. P96-07-003; August 28, 1996, at 9 a.m.;

Appeal of Eui Sung Kim; file no. 96-267-33302; State Farm Insurance Company; doc. no. PH96-07-002; August 28, 1996, at 10 a.m.

Appeal of Theresa Jean Keiper; file no. 96-264-33465; State Farm Fire & Casualty Insurance Company; doc. no. PH96-07-017; August 28, 1996, at 11 a.m.;

Appeal of Carol Hartmen; file no. 96-121-03965; Nationwide Mutual Insurance Company; doc. no. P96-07-004; August 29, 1996, at 9 a.m.;

Appeal of William B. Shay; file no. 96-121-04308; State Auto Insurance Company; doc. no. P96-07-019; September 4, 1996, at 11 a.m.;

Appeal of Edward J. Deslauriers; file no. 96-308-071541; Erie Insurance Company; doc. no. P196-07-005; September 12, 1996, at 9 a.m.;

Appeal of Daniel Berger; file no. 96-265-33467; West American Insurance Company; doc. no. PH96-07-013; September 17, 1996, at 11 a.m.;

Appeal of Hazel Shadel; file no. 96-265-33721; Keystone Insurance Company; doc. no. PH96-07-007; October 17, 1996, at 9 a.m.;

Appeal of Wayne S. Thompson; file no. 96-215-33586; Keystone Insurance Company; doc. no. PH96-07-015; October 17, 1996, at 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to partici-

pate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-1226. Filed for public inspection July 26, 1996, 9:00 a.m.]

Review Procedure Hearings Under The Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Joanne Cruse; file no. 96-280-32712; Donegal Mutual Insurance Company; doc. no. PH96-07-006; August 14, 1996, at 9 a.m.;

Appeal of Steven A. Miller; file no. 96-264-33288; State Farm Insurance Company; doc. no. PH96-06-035; August 14, 1996, at 3 p.m.;

Appeal of Henrik and Florence Lunde; file no. 96-121-04005; State Farm Insurance Company; doc. no. P96-07-018; August 28, 1996, at 3 p.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-1227. Filed for public inspection July 26, 1996, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Colombia County, Wine & Spirits Shoppe # 1901, Berwick Plaza, 1530 W. Front Street, Berwick, PA 18603-4321.

Lease Expiration Date: August 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 to 6,500 net useable square feet of new or existing retail commercial space within the following communities: Berwick, East Berwick, Berwick Township, Mifflinville or Nescopeck.

Proposals due: August 23, 1996, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Juniata County, Wine & Spirits Shoppe # 3401, N S Rt. 333, Mifflin, PA 17058-0350.

Lease Expiration Date: July 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,300 to 1,500 net useable square feet of new or existing retail commercial space within the Boroughs of Mifflintown and Mifflin.

Proposals due: August 23, 1996, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Lackawanna County, Wine & Spirits Shoppe # 3522, 210 Meadow Avenue, Scranton, PA 18505-2136.

Lease Expiration Date: July 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,000 to 6,500 net useable square feet of new or existing retail commercial space within 1 mile of the intersection of PA Route 307 and Meadow Avenue.

Proposals due: August 23, 1996, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Luzerne County, Wine & Spirits Shoppe # 4003, Dallas Village S. C., 415 Memorial Highway, Dallas, PA 18612-1150.

Lease Expiration Date: August 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space along PA Route 309 within the Borough of Dallas.

Proposals due: August 23, 1996, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Monroe County, Wine & Spirits Shoppe # 4501, Pocono Plaza, 322 E. Brown Avenue, East Stroudsburg, PA 18301-3007.

Lease Expiration Date: August 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,000 to 5,500 net useable square feet of new or existing retail commercial space within the Borough of East Stroudsburg.

Proposals due: August 23, 1996, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 96-1228. Filed for public inspection July 26, 1996, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Railroad With Hearing

A-00112491. CSX Transportation, Inc. An application has been made to the Pennsylvania Public Utility Commission, under the provisions of Public Utility Code. The application requests the approval of an exemption from 52 Pa. Code § 33.42 (relating to switches marked by lamps) governing switch lamps in connection with operations on the tracks in the McKees Rocks, Newell and Riverton Yards, all in or around the City of Pittsburgh, Allegheny County.

An initial hearing upon this proceeding will be held Thursday, August 8, 1996, 10 a.m., in the 11th Floor Hearing Room, Pittsburgh State Office Building, 300 Liberty Avenue, Pittsburgh, PA.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-1229. Filed for public inspection July 26, 1996, 9:00 a.m.]

Railroad With Hearing

C-00967770. Township of Franklin v. CSX Transportation, Inc. A formal complaint has been filed by Franklin Township with the Pennsylvania Public Utility Commission, under the provisions of the Public Utility Code. The complaint requests the Commission require

CSX Transportation Inc., restore the crossing in Franklin Township where the railroad transportation line crosses Narrow Road, Township Road designated T-645 at a point near property owned by Zachary L. Sockaci, located in Beaver County, as the removal of the crossing presents a clear and present danger to the public.

An initial hearing upon this proceeding will be held Wednesday, August 28, 1996, at 10 a.m., in the 11th Floor Hearing Room, Pittsburgh State Office Building, 300 Liberty Avenue, Pittsburgh, PA.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-1230. Filed for public inspection July 26, 1996, 9:00 a.m.]

Railroad With Hearing

A-00112127. Unity Railways Company. An application has been made to the Pennsylvania Public Utility Commission, under the provisions of Public Utility Code. The application requests the approval of the abolition of six crossings, at, above and/or below grade located along the 3.9 of a mile right-of-way from Unity Junction to Renton Road, in Plum Borough, Allegheny County.

An initial hearing upon this proceeding will be held Tuesday, September 24, 1996, at 10 a.m. in the 11th Floor Hearing Room, Pittsburgh State Office Building, 300 Liberty Avenue, Pittsburgh, PA.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-1231. Filed for public inspection July 26, 1996, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

Notice of Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before August 12, 1996.

- | | |
|------------|---|
| A-00113201 | William A. Walsh, t/d/b/a Walsh Truck Lines
R. D. 3, Box 3087, Moscow, PA 18444 |
| A-00113202 | Chad L. Harter
165 Harter Lane, Bellefonte, PA 16823 |
| A-00113203 | Evylin G. Jacoby
P. O. Box 1058, 530 Harold Avenue, Johnstown, PA 15907 |
| A-00113204 | Emil Kesselring, III & Karen E. Kesselring, t/d/b/a Hillcrest Acres Farm
P. O. Box 996, Erie, PA 16512 |
| A-00113205 | William E. Rossi, t/d/b/a Rossi Trucking
87 Glen View Drive, Glen Mills, PA 19342 |

- A-00113206 Warner Transport Company
P. O. Box 406, Belding, MI 48809
- A-00113207 Roy Brown Trucking, Inc.
632 Conestoga Lane, Lansdale, PA
19446-4602
- A-00113208 Charles Nocella, t/d/b/a Nocella Property
Maintenance
2200 Rutgers Drive, Broomall, PA
19008; Louis J. Carter, 7300 City Line
Avenue, Philadelphia, PA 19151-2291
- A-00113209 Jeffrey S. Mohr
125 West Pittsburgh Street, Delmont,
PA 15626
- A-00113210 Morning Light Express, Inc.
215 West Church Road, King of Prussia,
PA 19406; William M. Barnes, Suite
3600, 1600 Market Street, Philadelphia,
PA 19103-4252

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-1232. Filed for public inspection July 26, 1996, 9:00 a.m.]

STATE SYSTEM OF HIGHER EDUCATION

Request for Proposals

Indiana University of Pennsylvania, State System of Higher Education, invites interested professionals to submit proposals for design services for the installation of utilities, roads, parking, structures, drainage, stormwater management and other amenities to provide for the initial and future development of the South Campus area consistent with the University's Long Range Campus Development Plan. Interested professionals are to submit the information required under the following section entitled "Instructions for Filing Application."

Instructions for Filing Application

(a) Proposals must be received on or before the close of business August 9, 1996, addressed to the Slating Committee, Engineering and Construction Group Office, Indiana University of Pennsylvania, Robert Shaw Building, 650 S. 13th Street, Indiana, PA 15705-1087. Questions may be directed to Robert L. Marx, Director, Engineering and Construction Group at (412) 357-2289 (FAX 412-357-6480) Monday through Friday, between the hours of 8 a.m. and 4 p.m.

(b) The Professional must submit six copies of either forms (Form 150 or 150-S or SF 254 & 255). The Professional shall supply photographs showing a maximum of two different views of each of the three projects described in Question 13 Form 150-S or Question 10 of SF-255. The identifications and appropriate supportive information concerning each photograph shall include the name, project title, location and the name of the Professional of Record. The University will return photographs submitted with applications to those firms that request it, and provide a self-addressed stamped envelope in which to return the photographs. The most qualified firms will be slated for consideration by the University Selections Board.

(c) The University Selections Board may at its discretion establish interviews with any or all of the Professionals who have requested consideration for appointment. If an interview is required, the Professional will be notified by the Board as to the date, time and location.

(d) Additional information, in writing, may be requested by the Slating Committee as required. Professional agrees that he shall comply with the terms of the agreement and specifically as it relates to the Professional Liability Insurance and the General Liability Insurance Requirements.

The Slating Committee encourages responses from small firms, minority firms, women-owned firms and firms who have not previously performed System work, and will consider Joint Ventures, which will enable them to participate in this program.

Applications submitted are subject to review by the Slating Committee. The Slating Committee and Selection Boards disclaim any liability whatsoever as to their review of the applications submitted and in formulating their recommendations for selection. Recommendations for selection made by the Committee shall be final under the act of November, 1982 (P. L. 660, No. 188).

JAMES H. MCCORMICK,
Chancellor

[Pa.B. Doc. No. 96-1233. Filed for public inspection July 26, 1996, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Bids

The Turnpike Commission is requesting a sealed bid for:

Waterproof/Breathable Parkas, 1070 EA.

Open Date: 8-5-96 at 11 a.m.

Bids will be received by the Director of Purchases not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Dept., (717) 939-9551, Ext. 2830.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-1234. Filed for public inspection July 26, 1996, 9:00 a.m.]

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 94-010-RJ11-C. Bridge rehabilitation for six structures: B-353, M. P. 218.10; B-101A, B-110A, M. P. 218.69; B-354, M. P. 221.30; B-101A, B-110A, M. P. 225.90; B-533, M. P. 224.51; B-535, M. P. 224.61 and

milling and paving of the right lanes between M. P. 215.55 and M. P. 218.00 on the PA Turnpike in Cumberland Co.

Bid Opening: August 22, 1996, 11 a.m.

Bid Surety: 5%.

Plans, specifications and contract documents will be available and open to the public inspection at the Administration Building. Copies may be purchased upon payment of \$25 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676: Attn: Secretary/Treasurer's Office. No refund will be made for any reason.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-1235. Filed for public inspection July 26, 1996, 9:00 a.m.]

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676)

and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 94-004-FS85. Structural demolition and/or removal for the Mon/Fayette Expressway in Fayette County, PA.

Bid Opening: August 14, 1996, 11 a.m.

Bid Surety: 5%.

Plans, specifications and contract documents will be available and open to the public inspection at the Administration Building. Copies may be purchased upon payment of \$25 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676: Attn: Secretary/Treasurer's Office. No refund will be made for any reason.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

A mandatory prebid site review of the project will be made on July 31, 1996. The inspection party will meet at Haydowntown Fire Hall, south of Fairchance, PA, just west of Route 857 at 10 a.m., and will proceed to each site under the direction of authorized Commission personnel.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-1236. Filed for public inspection July 26, 1996, 9:00 a.m.]

FEDERAL SURPLUS PROPERTY PROGRAM

DEPARTMENT OF GENERAL SERVICES

INVENTORY AND INFORMATION

The Department of General Services, Bureau of Supplies and Surplus Operations oversees the Federal Surplus Property Program within the Commonwealth of Pennsylvania in accordance with the Federal Property and Administrative Services Act of June 30, 1949, 63 Stat. 377 as amended. Personal property is made available on an equitable basis to our State Agency for allocation to eligible organizations at minimal service charges. Available property can include office equipment and furniture, clothing, hand tools, hardware, light machinery, heavy equipment and much more. Some of the equipment is new, while some may require repair, but all of the property is useful, and is available to your organization at a fraction of the cost of buying retail. Most nonprofit, tax-exempt organizations, such as municipalities, schools, emergency management agencies, day care centers and other public service organizations are eligible and have saved thousands of dollars annually through the use of federal surplus property.

All federal surplus property is donated on a first-come, first-served basis to eligible nonprofit organizations within the Commonwealth. A nominal cost is incurred by the participants in the form of a service charge to cover the state's cost of administering the program. Questions about the availability of items or about your organization's ability to participate in the Federal Surplus Property Program should be directed to: The Department of General Services, Bureau of Supplies and Surplus Operations, Federal Surplus Property Program, P. O. Box 1365, 2221 Forster Street, Harrisburg, PA 17105, or call TOLL-FREE 1-800-235-1555.

VEHICLES AND HEAVY EQUIPMENT

Engine. Mfg. Detroit Diesel, Model 453, complete with all engine components. Only 1 available, NEW, stock number 2815-96-0277-003, \$1,350.00 ea.

Engine. Mfg. Cummins, diesel, 6 cylinder, Model NHC-250, either new or rebuilt. Only 1 available, excellent condition, stock number 2815-96-0192-005, \$1,500.00 ea.

Crane. Mfg. Baldwin-Lima-Hamilton Corporation, 5 ton, 4 wheel, 6 cylinder, gas engine. Only 1 available, good condition, stock number 3810-96-0499-002, \$2,625.00 ea.

Truck. Mfg. General Motors, 1984 & 1985, Blazer, 4x4, 6.2 litre, v-8, diesel, automatic. Several available, good condition, \$2,250.00—\$3,000.00 ea.

BUILDING MATERIALS

Pipe. Mfg. unknown, pvc, 3", schedule 80, 20' long. Plenty available, NEW, stock number 4710-96-0229-006, \$10.00 ea.

Sheet. Mfg. unknown, steel, 4' x 8' x 3/8". Limited quantities available, NEW, stock number 9515-96-0070-001, \$25.00 ea.

Sheet. Mfg. unknown, steel, 5' x 20' x 1/2". Limited quantities available, NEW, stock number 9515-95-0591-007, \$50.00 ea.

Post. Mfg. unknown, fence, steel, 8'. Plenty available, good condition, stock number 5660-96-0035-003, \$2.00 ea.

BUSINESS AND RESIDENTIAL FURNISHINGS

Table. Mfg. Rishel, Division of Hon Industries, printer, wood, 36" x 30" x 30". Limited quantities available, NEW, stock number 7110-96-0351-093, \$37.50 ea.

Cabinet. Mfg. varies, lateral file, metal, 2, 4 & 5 drawer. Limited quantities available, good condition, \$15.00—\$75.00 ea.

Desk. Mfg. varies, wood & metal, double pedestal. Plenty available, good condition, \$5.00—\$30.00 ea.

Cabinet. Mfg. varies, filing, 4 & 5 drawer, legal & letter. Plenty available, good condition, \$40.00—\$60.00 ea.

CLOTHING, TEXTILES AND PERSONAL ITEMS

Parka. Mfg. Wynn Ind., cold weather, olive drab, sizes vary. Plenty available, very good condition, stock number 8415-95-0711-003, \$3.75 ea.

Mitten. Mfg. Illinois Glove Co., shell, cold weather, with trigger finger, large. Plenty available, NEW, stock number 8415-95-0554-003, \$1.50 ea.

Trousers. Mfg. Menlo Ind., cold weather, woodland camouflage, 50% nylon/50% cotton, waist size 31-35 inches. Plenty available, NEW, stock number 8415-93-0528-024, \$5.00 ea.

Sunglasses. Mfg. Rochester Optical Co. Inc., spectacle type, neutral gray, plastic lens, black plastic frame. Plenty available, NEW, stock number 8465-96-0222-009, \$1.00 ea.

ELECTRICAL AND ELECTRONICS

Box. Mfg. Steel City, electrical outlet, steel, 4' x 4" x 2-1/4. Plenty available, NEW, stock number 5975-95-0527-005, \$.25 ea.

Starter. Mfg. Furnas Electric Co., magnetic, with non fusible disconnect, 30 amp, 3 phase, 200 to 575 volts. Only 2 available, NEW, stock number 5975-95-0694-004, \$22.50 ea.

Inverter. Mfg. Vanner, Model SP00112, 20-30 vdc input, 120 vac output. Limited quantities available, NEW, stock number 6130-95-0648-004, \$12.50 ea.

Wire. Mfg. Cerrowire, 14 gauge, solid, 500'/roll. Limited quantities available, NEW, stock number 6145-96-0111-006, \$2.50 ea.

OFFICE MACHINES AND SUPPLIES

Typewriter. Mfg. IBM, Selectric II & III. Plenty available, conditions vary, \$18.75-\$125.00 ea.

Envelopes. Mfg. Union Envelope Co., plain, 12" x 16", 1/2 mx/carton. Plenty available, good condition, stock number 7530-96-0198-001, \$3.00 ea.

Computer. Mfg. varies, IBM compatible, 286, 5-1/4" & 3-1/2" disk drives, hard drive, complete with keyboard, monitor & printer. Limited quantities available, good condition, \$125.00 ea.

OILS, PAINTS AND CHEMICALS

Paint. Mfg. varies, spray, 10-12 oz can, color varies. Plenty available, NEW, stock number 8010-00-0007-001, \$.75 ea.

Oil. Mfg. AM Writing Ink Co., penetrating, type II, for loosening frozen metallic parts, 15 oz/can. Limited quantities available, NEW, stock number 9150-96-0520-006, \$1.50 ea.

Coating. Mfg. Hentzen Coatings, Inc., polyurethane, single component, chemical agent resistant, black, 5 gallon/can. Plenty available, NEW, stock number 8010-96-0078-002, \$10.00 ea.

Grease. Mfg. Sowesco-Olathe, auto & artillery, 5 gallon/can. Plenty available, NEW, stock number 9150-96-0391-002, \$15.00 ea.

Oil. Mfg. Ashland Industrial Products, preservative, tectyl 930, used as a factory fill or break in oil for all new or rebuilt engines, 55 gallons/drum. Plenty available, NEW, stock number 9150-95-0538-001, \$10.00 ea.

PLUMBING/HEATING/AIR CONDITIONING EQUIPMENT

Pipe. Mfg. unknown, pvc, 4", schedule 40, 20' lengths. Limited quantities available, NEW, \$10.00 ea.

Te. Mfg. unknown, pvc, 3", schedule 40. Limited quantities available, NEW, stock number 4730-95-0498-004, \$.50 ea.

Bowl. Mfg. American Standard, toilet, Cadet RF 3.5, white, uses 4029/4078 tank. Limited quantities available, stock number 4510-96-0010-004, \$7.50 ea.

Heater. Mfg. Valad Electrical Co., space, 240 volt, Model, FW 625-1. Only 1 available, good condition, stock number 4520-94-0258-008, \$30.00 ea.

Air Conditioner. Mfg. Atacs Corp., vertical, compact, 9,000 btu, 115 volt. Limited quantities available, NEW, stock number 4120-96-0077-001, \$95.00 ea.

SHOP AND TRADE EQUIPMENT

Lathe. Mfg. Monarch Machine Co., Model 12 CK, 14.5" actual swing, 30" between centers. Only 1 available, good condition, stock number 3416-96-0287-002, \$2,500.00 ea.

Lathe. Mfg. LeBlond, Model 4 HC, 14" swing, 30" between centers, 1963. Only 1 available, good condition, stock number 3416-96-0287-001, \$2,500.00 ea.

Machine. Mfg. Racine Tool & Machine Co., cut off, hydraulic, Model unknown, 220/440 volt, 3 phase. Only 1 available, good condition, stock number 3419-96-0235-001, \$750.00 ea.

Saw. Mfg. Rockwell Manufacturing Co., table, 220 volt, adjustable bed to 45 degrees. Only 1 available, good condition, stock number 3220-96-0171-017, \$200.00 ea.

Machine. Mfg. Rockwell, Model EFI 3T, drilling machine, 230 volt, 3 phase, 30" x 24" bed, 1/2" chuck. Only 1 available, good condition, stock number 3413-95-0688-001, \$250.00 ea.

MISCELLANEOUS

Sundries. Mfg. Pride Products, Inc., ration supplement, personal care items including shampoo, toothpaste, soap, razors, deodorant, powder, lotion, sunblock, etc., supplies 100 persons for 1 day. Plenty available, NEW, \$25.00 ea.

Omelet. Mfg. Vanee Foods, Inc., with sausage & potatoes or bacon & cheese, thermostabilized, 4 102 ounce trays/box, 18 portions/tray, 30-40 minute heating time. Plenty available, NEW, \$10.00 ea.

Battery. Mfg. Eveready, Energizer, size D, sold by the dozen. Plenty available, NEW, \$3.00 ea.

Agitator. Mfg. Dynamic Tech Corp., paint, DM 14601-A, 115 volt, for pints, quarts & gallons. Plenty available, NEW, \$50.00 ea.

Lightstick. Mfg. Chemical Device Corp., safety, 12 hour green, 15", 20 sticks/box. Plenty available, NEW, stock number 6260-96-0137-004, \$7.50 ea.

GARY R. CROWELL,
Secretary

[Pa.B. Doc. No. 96-1237. Filed for public inspection July 26, 1996, 9:00 a.m.]