

NOTICES

CHESAPEAKE BAY ADVISORY COMMITTEE to the STATE CONSERVATION COMMISSION

Schedule of 1996 Meetings

The Chesapeake Bay Advisory Committee to the State Conservation Commission announces its schedule of 1996 meetings. The meetings will begin at 10 a.m. and will be held on the following dates:

March 6 10th Floor, Rachel Carson State Office
 Building
 400 Market Street, Harrisburg

June 5 (location to be announced)

September 4 (location to be announced)

December 4 (location to be announced)

Questions concerning this schedule or agenda items can be directed to Russ Wagner at (717) 787-5259 or e-mail at Wagner.Russell@a1.dep.state.pa.us. This schedule and an agenda for each meeting will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Russ Wagner directly at (717) 787-5259 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-102. Filed for public inspection January 26, 1996, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 16, 1996.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-11-96	Keystone Savings Bank Bethlehem Northampton County	Laneco Store 202 Chestnut Street Coplay Lehigh County	Approved
1-16-96	Firsttrust Savings Bank Flourtown Montgomery County	New Britain Village Square Shopping Center 4275 County Line Road Chalfont Bucks County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-12-96	Fayette Bank Uniontown Fayette County	81 West Main St. Uniontown Fayette County	Effective
1-16-96	Mid-State Bank and Trust Company Altoona Blair County	Route 869 New Enterprise Bedford County	Approved
1-16-96	The York Bank and Trust Company York York County	280 Granite Run Drive Lancaster Lancaster County	Filed

NOTICES

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS

New Charter Applications

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
1-16-96	Aliquippa Regional Credit Union Aliquippa Beaver County	392 Franklin Ave. Aliquippa Beaver County	Filed

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-103. Filed for public inspection January 26, 1996, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of February 1996

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of February is 8 1/2%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. 96-221). Further preemption was instituted with the signing of Pub.L. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such

individual occupies or has occupied as a principal residence.

Each month the Department of Banking is required by State law to compute and announce the ceiling rate on residential mortgages in Pennsylvania. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the U. S. Treasury. The latest yield rate on long-term government securities is 6.11 to which was added 2.50 percentage points for a total of 8.61 that by law is rounded off to the nearest quarter at 8 1/2%.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-104. Filed for public inspection January 26, 1996, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) Permit to discharge to State waters.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

PA 0020028. Sewerage, **Air Products and Chemicals, Inc.**, Richard Meiser, P. O. Box 351, R. R. 1, Tamaqua, PA 18252.

This proposed action is for issuance of an NPDES permit to discharge treated sewage into Neifert Creek in Rush Township, **Schuylkill County**. This is an existing discharge proposing a greater volume of wastewater.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Borough of Pottstown Water Authority located on the Schuylkill River in Montgomery County.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0075 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	50.0
Total Suspended Solids	30.0	60.0
Fecal Coliforms	200/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	1.2	2.8

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

PA 0024228. Industrial waste, SIC: 2015, **Pennfield Farms**, Poultry Meat Division, P. O. Box 70, U. S. Route 22, Fredericksburg, PA 17026.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Deep Run, in Bethel Township, **Lebanon County**.

The receiving stream is classified for warm water fish, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements, the existing downstream potable water supply intake considered during the evaluation was the Pennsylvania American Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.600 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	20	40	50
Suspended Solids	25	50	75
NH ₃ -N			
(5-1 to 10-31)	1.5	3	3.5
(11-1 to 4-30)	4.5	9	10.5
Total Phosphorus	2.0	4.0	5.0
Total Residual Chlorine (Interim)	0.5	monitor and report	0.8
Total Residual Chlorine (Final)	<0.1	monitor and report	<0.2
Dissolved Oxygen	minimum of 5.0 at all times		
pH	6.0—9.0		
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,200/100 ml as a geometric average		

The EPA waiver is in effect.

PA 0080829. Industrial waste, SIC: 2077, **Keystone Protein Company**, U. S. Route 22, P. O. Box 37, Fredericksburg, PA 17026.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of Beach Run, in Bethel Township, **Lebanon County**.

The receiving stream is classified for warm water fish, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements, the existing downstream potable water supply intake considered during the evaluation was the Pennsylvania American Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

NOTICES

The proposed effluent limits for Outfall 001 for a design flow of 0.250 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅	monitor and report		83.5
Suspended Solids	monitor and report		102.1
NH ₃ -N			
(5-1 to 10-31)	1.5	3.0	3.75
(11-1 to 4-30)	4.5	9.0	11.25
Total Phosphorus	2.0	4.0	5.0
Oil and Grease	15.0	30.0	30.0
Dissolved Oxygen	minimum of 5.0 at all times		
pH	6.0—9.0		
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	400/100 ml as a geometric average		
Total Residual Chlorine			
(Interim)	0.9	monitor and report	1.5
(Final)	<0.1	monitor and report	<0.2

The EPA waiver is in effect.

PA 0080705. Sewage, SIC: 4952, **Fredericksburg Sewer and Water Authority**, P. O. Box 161, Fredericksburg, PA 17026.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Deep Run, in Bethel Township, **Lebanon County**.

The receiving stream is classified for warm water fish, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements, the existing downstream potable water supply intake considered during the evaluation was the Pennsylvania American Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.150 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	1.5		3.5
(11-1 to 4-30)	4.5		9.0
Total Copper	monitor and report		
Total Phosphorus	2.0		4.0
Total Residual Chlorine			
(Interim)	0.39		0.67
(Final)	<0.1		<0.2
Dissolved Oxygen	minimum of 5.0 at all times		
pH	6.0—9.0		
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,200/100 ml as a geometric average		

The EPA waiver is in effect.

PA 0083861. Sewage, SIC: 5812, **Tryon and Mary Benner (Benner's Restaurant)**, R. D. 2, Box 13-B, Millerstown, PA 17062.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to the Juniata River, in Delaware Township, **Juniata County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Dauphin Consolidated Water Company located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0035 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25			50
Suspended Solids	30			60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15			30
Total Residual Chlorine	1.5			2.5
Dissolved Oxygen	minimum of 5.0 at all times			
pH	6.0—9.0			
Fecal Coliforms	200/100 ml as a geometric average			
(5-1 to 9-30)	100,000/100 ml as a geometric average			
(10-1 to 4-30)				

The EPA waiver is in effect.

PA 0009288. Industrial waste, SIC: 8211, **Milton Hershey School (Founders Hall)**, P. O. Box 830, Hershey, PA 17033.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of Spring Creek, in Derry Township, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Dauphin Consolidated Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.0 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s.u.)		6.0—9.0	
Temperature (°F)			
January		45°	
February		45°	
March		59°	
April		69°	
May		80°	
June		94°	
July		93°	
August		92°	
September		85°	
October		73°	
November		63°	
December		45°	

The EPA waiver is in effect.

PA 0081264. Sewage, SIC: 7948, **Mountainview Thoroughbred Racing Association, Inc.**, P. O. Box 32, Grantville, PA 17028.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary to Swatara Creek, in East Hanover Township, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Dauphin Consolidated Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.0 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25			50
Suspended Solids	30			60
NH ₃ -N				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0
Total Phosphorus	2.0			4.0
Total Residual Chlorine	<0.1			<0.2
Dissolved Oxygen	minimum of 5.0 at all times			
pH	6.0—9.0			
Fecal Coliforms	200/100 ml as a geometric average			
(5-1 to 9-30)	2,000/100 ml as a geometric average			
(10-1 to 4-30)				

The EPA waiver is in effect.

PA 0087211. Industrial waste, SIC: 5541, **Orville Orner, C and S Mobile Service**, 535 York Street, Gettysburg, PA 17325.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to Rock Creek, in Gettysburg Borough, **Adams County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements, the existing downstream potable water supply intake considered during the evaluation was the City of Frederick located on the Monacacy River in Maryland. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of .0072 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
<i>Flow</i>	<i>monitor and report</i>		
pH	within limits of 6—9 standard units at all times		
Total BTEX	0.1	0.2	0.25
Benzene	0.001	0.002	0.0025
Toluene	monitor and report		
Ethylbenzene	monitor and report		
Xylene	monitor and report		

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

PA 0041246. Sewage, **Fort LeBoeuf School District**, 122 East Second Street, Waterford, PA 16441.

This application is for renewal of an NPDES permit to discharge treated sewage to an unnamed tributary to French Creek in Mill Village Borough, **Erie County**. This is an existing discharge.

The receiving water is classified for warm water fishery, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is Cambridge Springs Borough water supply, located 15 miles downstream in Cambridge Springs, Crawford County.

The proposed effluent limits for Outfall 001 based on average design flow of 0.0078 mgd are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine	0.5	1.2
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml	
(10-1 to 4-30)	5,200/100 ml	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0038369. Industrial waste, SIC: 4941. **Sharpsville Borough Water Works**, 1 South Walnut Street, Sharpsville, PA 16150.

This application is for renewal of an NPDES permit to discharge treated industrial waste to the Shenango River in Sharpsville Borough, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Shenango River and the Shenango Valley Water Company located at Sharon, approximately 2 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.034 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
<i>Flow</i>	<i>monitor and report</i>		
Total Suspended Solids	30	60	75
Aluminum	0.58	1.2	1.5

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Iron	2	4	5
Manganese	1	2	2.5
Total Residual Chlorine	0.5		1.2
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0102130. Industrial waste, SIC: 4941. **Evans City Borough Water Treatment Plant**, 220 Wahl Avenue, Evans City, PA 16033.

This application is for renewal of an NPDES permit to discharge treated industrial waste to Likens Run in Jackson Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Connoquenessing Creek and the Zelianople Water Works located at Zelianople, 5.5 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.123 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Total Suspended Solids	30	60	60
Total Iron			
(Interim)	2.0	4.0	5.0
(Final)	1.3	2.6	3.3
Dissolved Iron			
(Interim)	monitor and report		
(Final)	0.4	0.8	1.0
Aluminum			
(Interim)	0.8	1.6	2.0
(Final)	0.7	1.4	1.8
Copper			
(Interim)	monitor and report		
(Final)	.02	.03	.05
Lead			
(Interim)	monitor and report		
(Final)	.004	.009	.01
Cobalt			
(Interim)	monitor and report		
(Final)	.03	.06	.08
Manganese			
(Final)	1.0	2.0	2.5
Total Residual Chlorine			
(Interim)	monitor and report		
(Final)	0.1		0.2
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0104175. Industrial waste, SIC: 4922. **National Fuel Gas Supply Corp.**, Lamont Compressor Station, P. O. Box 2081, Erie, PA 16512.

This application is for renewal of an NPDES permit to discharge noncontact cooling water to Hoffman Run in Jones Township, **Elk County**. This is an existing discharge.

The receiving water is classified for the following uses: high quality cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Clarion River and Western PA Water Company located at Clarion, approximately 36 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.031 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Oil and Grease	15		30

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature (Interim) (Final)		monitor and report	
		<i>Daily Average Allowable Discharge Temperature (°F)</i>	
Jan 1-31		38	
Feb 1-29		37	
Mar 1-31		49	
Apr 1-15		54	
Apr 16-30		56	
May 1-15		57	
May 16-30		61	
Jun 1-15		64	
Jun 16-30		68	
Jul 1-31		72	
Aug 1-15		71	
Aug 16-31		71	
Sep 1-15		66	
Sep 16-30		60	
Oct 1-15		57	
Oct 16-31		53	
Nov 1-15		46	
Nov 16-30		41	
Dec 1-31		37	
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0221953. Sewage. **Wilmington Township Supervisors**, Robison/Adams SFSTF, R. D. 5, Box 469, New Castle, PA 16105.

This application is for a new NPDES permit to discharge treated sewage to UNT to Shenango River in Wilmington, **Lawrence County**. This is a new discharge.

The receiving water is classified for the following uses: WWF, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Western PA Water Company on the Shenango River located at New Castle, approximately 7.4 miles below the point of discharge.

The proposed effluent limits for Outfall No. 001 (after disinfection) based on a design flow of .0012 mgd are:

<i>Discharge Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instantaneous Maximum</i>
CBOD ₅		10		20
TSS		20		40
Fecal Coliforms		200/100 ml		
pH	6			9
Total Residual Chlorine		1.5		3.5

The EPA waiver is in effect.

PA 0001945. Amendment No. 1. Industrial waste, SIC: 3272 (Cement Manufacturing). **Medusa Corporation**, 3008 Monticello Boulevard, Cleveland Heights, OH 44118-1258.

This application is for an amendment no. 1 of an NPDES permit, to discharge treated sewage, treated industrial waste, noncontact cooling water and stormwater to Driver's Run (Outfalls 001 and 002) and UNT Beaver River (Outfalls 003, 004 and 005) in Wampum Borough, **Lawrence County**. This is an existing discharge.

This amendment permit is for the relocation of Outfall 005 to the two existing earthen treatment ponds. Outfall 005 has been renumbered as suboutfall 103.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of the Township of N. Sewickley on the Beaver River located at N. Sewickley Township, approximately 7.0 miles below point of discharge.

The proposed discharge limits for Outfall No. 103 based on a design flow of 0.0088 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitoring only		
Total Suspended Solids	20	40	50
Oil and Grease	10	20	25
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0221821. Industrial waste, SIC: 2421 and 2448. **Spartywood Products**, R. D. 2, Fairview Road, Spartansburg, PA 16434.

This application is for a new NPDES permit to discharge treated industrial waste to an unnamed tributary to East Branch Oil Creek. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Allegheny River and is used by the Emlenton Water Company located in Emlenton approximately 82.60 miles downstream.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.341 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report			
Total Suspended Solids	monitor and report			
Total Dissolved Solids	monitor and report			
Copper	monitor and report			
Dissolved Iron	monitor and report			
Zinc	monitor and report			
pH	6.0—9.0 at all times			

The EPA waiver is in effect.

PA 0020044. Sewage. **Fredonia Municipal Authority**, Hadley Road, Fairview Township, PA 16124.

This application is a renewal of a Part I NPDES permit to discharge treated sewage to Mill Run in Fredonia Borough, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of the Township of North Sewickley on the Beaver River located at North Sewickley, approximately 36 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after chlorination) based on a design flow of 0.10 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	4.5		9
(11-1 to 4-30)	13		26
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	5,800/100 ml as a geometric average		
Total Residual Chlorine			
(Interim Limits)	monitor and report		
(Final Limits)	0.3		0.9
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0103896. Industrial waste, SIC: 4953. **County Landfill, Inc.**, P. O. Box 237, Leeper, PA 16233.

This application is for a renewal/transfer of an existing permit for a discharge of treated industrial waste, septage and stormwater from a Municipal waste landfill. This is a minor discharge from a secondary industry.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Emlenton Water Company on Allegheny River at Emlenton approximately 75 miles below the point of discharge.

NOTICES

The proposed discharge limits for Outfall No. 001 based on a design flow of .03 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD ₅	100	200	250
Total Suspended Solids	100	200	250
NH ₃ -N	20	40	50
Fecal Coliforms (5-1 to 9-30)	200/100 ml		
(10-1 to 4-30)	2,000/100 ml		
Oil and Grease	15		30
Antimony	0.041	0.082	0.1025
Aluminum	0.275	0.55	0.6875
Barium	0.3	0.6	0.75
Cobalt	0.05	0.1	0.125
Total Iron	3.5	7	8.75
Dissolved Iron	1.24	2.48	3.1
Manganese	1	2	2.5
Arsenic	0.05	0.1	0.125
Beryllium	0.005	0.01	0.0125
Cadmium	0.005	0.01	0.0125
Lead	0.018	0.036	0.045
Nickel	0.15	0.3	0.375
Selenium	0.036	0.072	0.09
Silver	0.01	0.02	0.025
Thallium	0.008	0.016	0.02
Vanadium	0.009	0.018	0.0225
Zinc	0.302	0.604	0.755
Tin	0.8	1.6	2
Cyanide, (T)	0.02	0.04	0.05
Benzene	0.03	0.06	0.075
Methylene Chloride	0.1	0.2	0.25
Toluene	0.05	0.1	0.125
Butylbenzyl Phthalate	0.01	0.02	0.025
2-Chloronaphthalene	0.01	0.02	0.025
Diethyl Phthalate	0.025	0.05	0.0625
Lindane	0.00058	0.00116	0.00145
4,4-DDT	0.000007	0.000014	0.000017
Dibromomethane	0.01	0.02	0.025
Tetrahydrofuran	0.025	0.05	0.0625
Acetone	0.109	0.218	0.2725
2-Butanone	0.21	0.42	0.525
2-Hexanone	0.015	0.03	0.0375
4-Methyl 2-Pentanone	0.015	0.03	0.0375
Xylene	0.01	0.02	0.025
p-Cresol	0.05	0.1	0.125
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall Nos. 002, 003, 004 and 005 (Stormwater Discharges Only)

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Chemical Oxygen Demand	monitor and report semiannually	monitor and report semiannually	
Oil and Grease	monitor and report semiannually	monitor and report semiannually	
Total Dissolved Solids (TDS)	monitor and report semiannually	monitor and report semiannually	
Total Organic Carbon (TOC)	monitor and report semiannually	monitor and report semiannually	
Barium (Total)	monitor and report semiannually	monitor and report semiannually	
Cadmium (Total)	monitor and report semiannually	monitor and report semiannually	
Chromium (Total)	monitor and report semiannually	monitor and report semiannually	
Lead (Total)	monitor and report semiannually	monitor and report semiannually	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Mercury (Total)	monitor and report semiannually	monitor and report semiannually	
Magnesium (Total)	monitor and report semiannually	monitor and report semiannually	
Magnesium (Dissolved)	monitor and report semiannually	monitor and report semiannually	
Selenium (Total)	monitor and report semiannually	monitor and report semiannually	
Silver (Total)	monitor and report semiannually	monitor and report semiannually	
Ammonia	monitor and report semiannually	monitor and report semiannually	
Arsenic (Total)	monitor and report semiannually	monitor and report semiannually	
Cyanide (Total)	monitor and report semiannually	monitor and report semiannually	
Nitrate plus Nitrite Nitrogen	monitor and report semiannually	monitor and report semiannually	
Iron (Dissolved)	monitor and report semiannually	monitor and report semiannually	
pH	monitor and report semiannually	monitor and report semiannually	

The EPA waiver is in effect.

PA 0026832. Amendment No. 1. Sewage. **Ellwood City Borough**, 525 Lawrence Avenue, Ellwood City, PA 16117.

This application is for an amendment of an NPDES permit to discharge treated sewage to the Connoquenessing Creek in Ellwood City, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the Municipal Authority of the Township of North Sewickley on the Beaver River located at North Sewickley Township, Beaver County, approximately 6 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after the chlorine contact tank) based on a design flow of 2.1 mgd are:

The permit is being amended to remove final water quality based limits for cadmium, copper and lead. This decision is based on the applicant's Phase I, Toxics Reduction Evaluation (TRE) results and the Department's reevaluation of data.

The EPA waiver is not in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3666.

PA 0028282. Sewerage, **Eagles Mere Borough Authority**, P. O. Box 393, Eagles Mere, PA 17731-0393.

This application is for renewal of an NPDES permit to discharge treated sewage to an unnamed tributary of the Outlet from Outfall 001, discharge to Mackey's Run from Outfall 002, and discharge to an unnamed tributary to Double Run from Outfall 003. These are existing discharges.

The receiving streams listed above are classified for the following uses: high quality cold water fishery for Outfall 001 and 002, cold water fishery for Double Run, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing potable downstream potable downstream water supply (PWS) considered during the evaluation is Pennsylvania-American Water Company intake at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.066 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(7-1 to 10-31)	15.0	25.0	30.0
(11-1 to 6-30)	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
N-NH ₃ -N			
(7-1 to 10-31)	3.0	4.5	6.0
(11-1 to 6-30)	9.0	13.5	18.0
Dissolved Oxygen	monitor and report		
Residual Chlorine	monitor and report—provide effective dechlorination		
pH	within limits of 6.0—9.0 standard units at all times		

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms (10-1 to 4-30)	2,000 lb./100 ml as a geometric mean		
(5-1 to 9-30)	200 lb./100 ml as a geometric mean		

The proposed effluent limits for Outfall 002 based on a design flow of 0.066 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (7-1 to 10-31)	15.0	25.0	30.0
(11-1 to 6-30)	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
N-NH ₃ -N (7-1 to 10-31)	2.5	3.8	5.0
(11-1 to 6-30)	7.5	11.3	15.0
Dissolved Oxygen	monitor and report		
Residual Chlorine	monitor and report—provide effective dechlorination		
pH	within limits of 6.0—9.0 standard units at all times		
Fecal Coliforms (10-1 to 4-30)	2,000 lb./100 ml as a geometric mean		
(5-1 to 9-30)	200 lb./100 ml as a geometric mean		

The proposed effluent limits for Outfall 003 based on a design flow of 0.0265 mgd are:

Other Conditions

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
N-NH ₃ -N (5-1 to 10-31)	12.0	18.0	24.0
Residual Chlorine	monitor and report		
pH	within limits of 6.0—9.0 standard units at all times		
Fecal Coliforms (10-1 to 4-30)	2,000 lb./100 ml as a geometric mean		
(5-1 to 9-30)	200 lb./100 ml as a geometric mean		

Other Conditions:

The permittee shall, within 2 years of the effective date of this permit, provide for effective dechlorination of the chlorinated effluent. Dechlorination processes employed shall remove total residual chlorine in the final effluent down to levels which are generally below detectability, and which will not cause in-stream levels of TRC to exceed 0.02 mg/l at any time in any part of the receiving stream. Prior to installation of dechlorination devices, the permittee shall obtain approval from the Department for the design of such devices.

The EPA waiver is in effect.

PA 0114715. Sewage, SIC: 4952, **Hemlock Municipal Sewer Cooperative**, P. O. Box 243, Bloomsburg, PA 17815.

This proposed action is for reissuance of an NPDES permit for an existing discharge of treated domestic wastewater to Fishing Creek in Montour Township, **Columbia County**.

The receiving stream is classified for the following uses: warm water fish, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Municipal Water Authority located at the Borough of Danville, Montour County, on the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of 0.3 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
Total Residual Chlorine*	0.5		1.6
pH	6.0—9.0 at all times		
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		

The EPA waiver is in effect

*Effective 3 years after permit effective date, until then monitor and report.

PA 0020338. Sewerage, SIC: 4952, **Kulpmont-Marion Heights Joint Municipal Authority**, 860 Spruce Street, P. O. Box 126, Kulpmont, PA 17834.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary of Quaker Run in Coal Township, **Northumberland County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Dauphin Consolidated Water Company located at Dauphin, 70 river miles downstream.

The proposed effluent limits for Outfall 001 based on a design flow of 0.4 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
pH	6.0—9.0 at all times		
Total Residual Chlorine	1.0		2.3

The EPA waiver is in effect.

PA 0044032. SIC: 4952, **Fish and Boat Commission**, c/o Benner Spring Fish Research Station, 1225 Shiloh Road, State College, PA 16801-8495.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Spring Creek in Benner Township, **Centre County**.

The receiving stream is classified for the following uses: high quality cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0864 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
NH ₃ -N (5-1 to 10-31)	1.5	3.0
(11-1 to 4-30)	4.5	9.0
Total Dissolved Phosphorus (3-1 to 10-31)	0.3	0.6
TSS	15	30
Dissolved Oxygen	monitor	
pH	6.0—9.0 s.u. at all times	

The proposed effluent limits for Outfall 002 based on a design flow of 0.5285 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>
CBOD ₅	monitor
Total Dissolved Phosphorus (3-1 to 10-31)	monitor
pH	6.0—9.0 s.u. at all times

The proposed effluent limits for Outfall 003 based on a design flow of 0.636 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
NH ₃ -N (5-1 to 10-31)	1.5	3.0
(11-1 to 4-30)	4.5	9.0
Total Dissolved Phosphorus (3-1 to 10-31)	0.3	0.6
TSS	15	30
Dissolved Oxygen	monitor	
pH	6.0—9.0 s.u. at all times	

The EPA waiver is in effect.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0011444. Industrial waste, **Congoleum Corporation**, Ridge and Yates Avenue, Marcus Hook, PA 19061.

This application is for renewal of an NPDES permit to discharge noncontact cooling water from Congoleum Corporation in Trainer Borough, **Delaware County**. This is an existing discharge to Marcus Hook Creek.

The receiving stream is classified for cold water fish, warm water fish, migratory fish, industrial water supply, wildlife water supply, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, during nonstorm event, based on an average flow of 0.410 mgd are as follows:

<i>Parameter</i>	<i>Period</i>	<i>Allowable Waste Temperature °F</i>
Temperature °F	Jan 1-31	68
	Feb 1-29	64
	March 1-31	91
	April 1-30	110
	May 1-31	97
	June 1-30	97
	July 1-31	96
	August 1-31	95
	Sept 1-30	90
	October 1-31	83
	Nov 1-30	76
	Dec 1-15	71
	Dec 16-31	66
pH	within limits of 6.0—9.0 standard units at all times	

The proposed effluent limits for Outfall 001 during storm event are as follows:

<i>Parameter</i>	<i>Average Annual (mg/l) monitor/report</i>	<i>Maximum Daily (mg/l) monitor/report</i>
CBOD ₅		
COD	monitor/report	monitor/report
Oil and Grease	monitor/report	monitor/report
pH	monitor/report	monitor/report
Total Suspended Solids	monitor/report	monitor/report
Total Kjeldahl Nitrogen	monitor/report	monitor/report
Total Phosphorus	monitor/report	monitor/report
Iron (Dissolved)	monitor/report	monitor/report

The EPA waiver is in effect.

Other Conditions:

Thermal Requirements

No Chemical Additives

PA 0052451. Sewage, **Frances L. Hamilton Oates**, P. O. Box 426, Landenberg, PA 19350.

This application is for renewal of an NPDES permit to discharge treated sewage from sewage treatment plant in New Garden Township, **Chester County**. This is an existing discharge to east branch of White Clay Creek.

The receiving stream is classified for cold water fish, warm water fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001 based on an average flow of 1,200 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)	20	40
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0056669. Sewage, **Charles H. Long**, 679 West Ridge Pike, Royersford, PA 19492.

This application is for issuance of an NPDES permit to discharge treated sewage from a small flow sewage treatment facility serving two homes in Limerick Township, **Montgomery County**. This is a new discharge to UNT to Possom Hollow Run.

The receiving stream is classified for warm water fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 800 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Ammonia (as N)	3.0	6.0
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliforms	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0056529. Industrial waste, **Hatboro Borough Authority**, 414 South York Road, Hatboro, PA 19040.

This application is for issuance of an NPDES permit to discharge untreated groundwater from a potable water supply well in Hatboro Borough, **Montgomery County**. This is a new discharge to Pennypack Creek.

The receiving stream is classified for potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall PA 0056529 based on an average flow of 0.095 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Tetrachloroethylene	0.1	0.2	0.25
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

Special Test Methods for certain pollutants.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0001716. Industrial waste, SIC: 3535, **FMC Corporation**, 57 Cooper Avenue, Homer City, PA 15748.

This application is for renewal of an NPDES permit to discharge treated sewage, cooling water and stormwater from the Packaging and Material Handling Division in Homer City Borough, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters Two Lick Creek classified as trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Saltsburg Municipal W.W., located at 308 Point Street, Saltsburg, PA 15681, 32.7 miles below the discharge point.

Outfall 009: existing discharge, design flow of 0.0064 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
CBOD ₅			25		50
Suspended Solids			30		60
Oil and Grease			15		30
Total Residual Chlorine			1.4		3.5
Fecal Coliforms					
(5-1 to 9-30)			200/100 ml		1,000/100 ml
(10-1 to 4-30)			2,000/100 ml		
pH	6.0—9.0				

Outfalls 005, 006, 007, 008:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

These outfalls are permitted to discharge uncontaminated stormwater runoff from areas in and around the facility. There are at this time no specific effluent limitations on these outfalls.

The EPA waiver is not in effect.

PA 0093785. Sewage, **Williamhouse Regency**, 1 Wedding Lane, Scottdale, PA 15683.

This application is for the amendment of an NPDES permit to discharge treated sewage from the Williamhouse Regency Sewage Treatment Plant in Upper Tyrone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary to Jacobs Creek, which is classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Authority.

Outfall 001: existing discharge, design flow of 0.008 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
<i>CBOD₅</i>	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	4.5			9
(11-1 to 4-30)	13.5			27
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	3,500/100 ml as a geometric mean			
Total Residual Chlorine	monitor and report			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	6.0—9.0			

Outfall 001: existing discharge, proposed expansion for design flow of 0.014 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
<i>CBOD₅</i>	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	3.5			7
(11-1 to 4-30)	10.5			21
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	3,500/100 ml as a geometric mean			
Total Residual Chlorine	0.5			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

PA 0204340. Sewage, **Mr. and Mrs. Ray Newhouse**, R. D. 1, Box 407, New Alexandria, PA 15670-9230.

This application is for renewal of an NPDES permit to discharge treated sewage from the Newhouse Mobile Home Park Sewage Treatment Plant located in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Loyalhanna Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority, Freeport Plant, located on the Allegheny River.

Outfall 001: existing discharge, design flow of 0.00589 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
<i>CBOD₅</i>	25			50
Suspended Solids	30			60

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 100,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month 37th month—expiration	monitor and report 1.4			3.3
pH	6.0—9.0			

The EPA waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0217107. Industrial waste, SIC: 3315, **BRW Steel Corporation**, 227 Franklin Street, Suite 300, Johnstown, PA 15901.

This application is for issuance of an NPDES permit to discharge treated process water and untreated cooling water stormwater from its Johnstown Plant, City of Johnstown, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters of Little Conemaugh and Conemaugh River, both classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is the Saltsburg Municipal Authority, located at 308 Point Street, Saltsburg, PA 15681, 49 miles below the discharge point.

*IMP 122/Outfall 102: existing discharge, design flow of 5.5 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Total Suspended Solids	1,016	2,707	monitor and report		40
Oil and Grease		678	monitor and report		10
pH	6.0—9.0				

*IMP—Monitoring Point

Outfall 102 is owned by Bethlehem Steel Corporation—NPDES PA 0002992.

pH 6.0—9.0

*IMP 132/Outfall 102: new discharge, design flow of 0.216 mgd to Conemaugh River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Total Suspended Solids	17.09	48	monitor and report		70
Oil and Grease	6.8	20.58	monitor and report		30
Lead	0.205	0.617	monitor and report		0.9
Zinc	0.308	0.93	monitor and report		1.35
pH	6.0—9.0				

*IMP—Internal Monitoring Point.

Outfall 303: existing discharge, design flow of 0.315 mgd to Conemaugh River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Temperature (°F)					110
pH	6.0—9.0				

Outfall 114: existing discharge, design flow of 0.1008 mgd to Little Conemaugh River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Temperature (°F)					110

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids			30	100	
Oil and Grease			15		20
pH	6.0—9.0				

IMP 334/Outfall 304: existing discharge, design flow of 5.96 mgd to Conemaugh River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Total Suspended Solids	253	675	monitor and report		40
Oil and Grease		169	monitor and report		10
pH	6.0—9.0				

Outfalls 001—003, 101, 900—903 existing discharge to Little Conemaugh River.

Outfalls 302A—C, 303A, 305A and B, 306, 307, 307A—C existing discharge to Conemaugh River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

The discharge through these outfalls shall consist of uncontaminated stormwater runoff and uncontaminated groundwater.

The EPA waiver is in effect.

PA 0024481. Sewage, **Borough of Meyersdale**, 151 Center Street, Meyersdale, PA 15552.

This application is for renewal of an NPDES permit to discharge treated sewage from the Meyersdale Sewage Treatment Plant in Meyersdale (Summit Township), **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Casselman River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ohiopyle Municipal Water Authority.

Outfall 001: existing discharge, design flow of .71 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	11	16.5		22
(11-1 to 4-30)	25	38		50
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	10,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	1.0			3.3
pH	6.0—9.0			

Other Conditions: Outfalls 003 through 007 are to serve as combined sewer overflows.

The EPA waiver is not in effect.

PA 0204382. Sewage, **James M. Beshara**, P. O. Box 2154, Youngstown, OH 44504.

This application is for issuance of an NPDES permit to discharge treated sewage from the B&B Construction Company of Ohio, Inc. Sewage Treatment Plant in West Carroll Township, **Cambria County**, at the former site of Fishers Big Wheel.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary to Fox Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Clearfield Municipal Authority on the West Branch Susquehanna River.

Outfall 001: existing discharge, design flow of 0.0032 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅ (5-1 to 10-31)	13			26
(11-1 to 4-30)	26			
Suspended Solids	30			60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	6.0—9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

PA 0104558. Sewage, **Ebberts Laundromat and Apartment**, R. D. 1, Utica, PA 16362.

This application is for a renewal of a Part I NPDES permit to discharge treated sewage to UNT to French Creek, in Fairfield Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Franklin General Authority and French Creek located at Franklin, approximately 15 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of .005 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	100,000/100 ml as a geometric average	
Total Residual Chlorine	1.5	3.5
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0221961. Sewage, **Timberlee Valley Sanitary Company, Inc.**, R. D. 3, Evans City, PA 16033.

This application is for a new Part I NPDES permit to discharge treated sewage to Crab Run in Connoquenessing Township, **Butler County**. This is a new discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Harmony Water Company intake on Little Connoquenessing Creek located at Harmony Borough, approximately 6 miles downstream from point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.00525 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Phosphorus (as P) (4-1 to 10-31)	2	4
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	56,300/100 ml as a geometric average	
Total Residual Chlorine	1.5	3.5
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew these permits and proposes to issue them, subject to their current

permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management, and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0036382	Camp Morasha Abraham Wuhraftig 1318 Avenue J Brooklyn, NY 11230	Wayne Buckingham Township	Unnamed tributary of Equinunk Creek	TRC
PA0060984	Benton Hills Corporation Robert H. Miller R. R. 1, Box 8095 Milford, PA 18337	Lackawanna Benton Township	Unnamed tributary to south branch of Tunkhannock Creek	TRC

Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0070360	All American Travel Plazas, Inc. P. O. Box 302 Bethel, PA 19507-0302	Berks Bethel Twp.	UNT Crosskill Creek	TRC

NOIS and Applications Received

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge stormwater runoff to State waters.

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17001-0000, telephone (717) 327-3664.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR224830	Jeld Wen, Inc. Doorcraft of PA P. O. Box 746 215 Packer Street Sunbury, PA 17801	Northumberland City of Sunbury	Susquehanna River	2531
PAR214818	Centre Concrete Company, Inc., 357 E. Walnut Street, Lock Haven, PA 17745	Clinton Lock Haven, City of	Bald Eagle Creek CWF	3272
PAR214819	Centre Concrete Company, Inc. P. O. Box 27, Fairfield and Brushy Ridge Road, Montoursville, PA 17754	Lycoming Fairfield Township	Bennet Run, West Branch of Susquehanna WWF	3272
PAR214803	Centre Concrete Company, Inc. P. O. Box 859 2280 E. College Ave. State College, PA 16804-0859	Centre College Twp.	Spring Creek CWF	3272

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions.

These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

Bucks County Conservation District, District Manager, 924 Town Center, New Britain, PA 18901, telephone (215) 345-7577.

NPDES Permit PAS10D075. Stormwater. **Toll Brothers Inc.**, 3103 Philmont Avenue, Huntingdon Valley, PA 19006 has applied to discharge stormwater from a construction activity located in Northampton Township, **Bucks County**, to Churchville Reservoir.

Lawrence County Conservation District, District Manager, County Government Center, New Castle, PA 16101, telephone (412) 652-4512.

NPDES Permit PAS103708. Stormwater. **Ron Anderson Universal Development**, 1607 Motor Inn Drive, Girard, OH 44420, has applied to discharge stormwater from a construction activity located in Neshannock Township, **Lawrence County**, to the Shenango River.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest

should contain the name, address and telephone number of the protester, identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each protester will be notified in writing of the time and place of any scheduled hearing or conference concerning the plan, action or application to which the protest relates. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

A. 1395402. Sewerage. **Jim Thorpe Municipal Authority**, 101 E. Tenth Street, Jim Thorpe, PA 18229. Application for sewage treatment plant renovations. The wastewater treatment plant is located in the Borough of Jim Thorpe, **Carbon County**. Application received in the Regional Office December 28, 1995.

A. 5495405. Sewerage. **Butler Township Municipal Authority**, 211 Broad Street, Ashland, PA 17921. Application for construction and operation of a sewage collection system and a sewage treatment plant to serve the Villages of Mowry, Lavelle, Germanville, Fountain Springs, and Cresswell Gardens, located in Butler Township, **Schuylkill County**. Application received in the Regional Office December 27, 1995.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 3795406. Sewage, **Peter A. and Jana D. Groothuis**, SRSTP, 115 Prospect Street, New Wilmington, PA 16142. This project is for the construction of a single residence sewage treatment plant in Wilmington Township, **Lawrence County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 0496201. Industrial waste, **BASF Corporation**, 370 Frankfort Road, Monaca, PA 15061. Application for the construction and operation of a new primary wastewater treatment plant located in Potter Township, **Beaver County**.

A. 1195404. Sewerage, **Pegasus Sewer Authority**, 104 Janie Street, Johnstown, PA 15902. Application for the construction and operation of a force main and three municipal pumping stations to serve the Frankstown Road Sanitary Sewer Interceptor located in Conemaugh Township, **Cambria County**.

Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

A. 0796401. Sewage, **Greenfield Township Municipal Authority**, R. D. 1, Box 948, Claysburg, PA 16625 in

Greenfield Township, **Blair County** to construct a new sewage treatment plant was received in Southcentral Region on January 3, 1996.

A. 6796401. Sewage, **Delta Borough**, R. D. 3, Box 470, Delta, PA 17314 in Delta Borough, **York County** to construct a treatment plant to serve Delta Borough, portions of Peach Bottom Township and Harford County, Maryland was received in the Southcentral Region on January 3, 1996.

A. 2896401. Sewage, **Licking Creek Homeowner's Association**, 15811 Crabbs Branch Way, Rockville, MD 20855 in Montgomery Township, **Franklin County** to construct a sewage treatment system to serve 49 single family residential house lots in the Licking Creek Estates Development was received in the Southcentral Region on January 2, 1996.

A. 6795415. Sewage, **Eastern York County Sewer Authority**, 44 Walnut Street, York, PA 17406 in Hallam Borough, **York County** to expand their wastewater treatment plant was received in the Southcentral Region on December 29, 1995.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 6396401. Sewerage, **Timothy and Mary Mooney**, P. O. Box 375, Avella, PA 15312. Application for construction and operation of a single residence sewage treatment plant to serve the Mooney S.R. STP located in the Township of Independence, **Washington County**.

Submission Date for Certified Host Municipality Inspector Reimbursement Applications

The Department of Environmental Protection hereby announces the submission date for 1995 Certified Host Municipality Inspector Program Reimbursement Applications as March 31, 1996. Reimbursements are available to municipalities under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) and the Hazardous Sites Cleanup Act (Act 108). Municipalities include cities, boroughs, incorporated towns, townships and home rule municipalities.

Reimbursements are allocated from the Recycling Fund authorized under Act 101 for municipal waste facilities or from the Hazardous Sites Cleanup Fund under Act 108 for hazardous waste facilities. Reimbursements available to any municipality which has a municipal waste landfill, resource recovery, or commercial hazardous waste storage, treatment and disposal facilities located within its geographic borders. Upon application from any host municipality, the Department shall award reimbursements for authorized costs incurred for the salary and expenses of Certified Host Municipality Inspectors. The reimbursement shall not exceed 50% of the approved costs of the Certified Host Municipality Inspector's salary and expenses. Reimbursement will be available only for Certified Host Municipality Inspectors, trained and certified by the Department.

The Application for Reimbursement for Certified Host Municipality Inspectors contains tables for specifying the itemized expenses for certified inspectors and for calculating the total reimbursement request. Additionally, the application must be supported with: a) W-2 Forms, Wage and Tax Statements for the year reimbursement is requested; b) copies of weekly/monthly activity records; c) receipted itemized invoices; d) proof of attendance at training courses, meetings or functions; and e) a W-9

Form, Request for Taxpayer Identification Number and Certification. Complete instructions are included with the application, which is being sent to all municipalities currently participating in the program. If your municipality does not receive, yet requires an application, please contact David Harris, Program Development Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 787-9870. All inquiries concerning this notice should also be directed similarly.

The deadline for submitting applications is 4 p.m. on March 31, 1995. Applications received by the Department after that date will not be considered.

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northcentral Field Operations: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 4496031-A3. **Tulpehocken Spring, Water**, R. D. 1, Box 157, Sunbury, PA 17801-9746, Rockefeller Township, **Northumberland County**. Installation of distillation equipment to produce distilled water for human consumption, and approval of 1 gallon spring water container label and 5 gallon and 1 gallon distilled water container labels.

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

A. 2395502. Public water supply. **Glen Mills Schools**, Glen Mills Road, Concordville, PA 19331. This proposal involves well no. 10 to be used as the primary source of supply, it replaces well nos. 1 and 2 in Thornbury Township, **Delaware County**.

Submission date for Recycling Program Development and Implementation Grants

The Department of Environmental Protection hereby announces a request for applications from municipalities for recycling program grant assistance under section 902 of the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904).

Municipalities eligible for the grants include counties, cities, boroughs, incorporated towns, townships and home rule municipalities. Authorities are not eligible to apply for the grants, but may be sponsored by a county or municipality.

This solicitation is not for projects to be considered under the public/private partnership grant program.

The following categories of recycling projects will be given funding priority in the order they are listed. Intergovernmental cooperative recycling projects within any category will receive higher priority.

1. Projects implemented by a municipality, mandated by Act 101 to have a curbside recycling program, that establish or maintain compliance with the recycling requirements of the Act including:

a) semi-annual public information and education programs required under Act 101 section 1501(d) concerning recycling program features and requirements for the residential, commercial, institutional and municipal sectors; and,

b) programs for the collection of recyclables and leaf waste from residential, and/or commercial, institutional and municipal establishments.

2. Implementation of a curbside or drop-off recycling program by a nonmandated municipality.
3. Replacement equipment for the collection or processing of recyclables or leaf and yard wastes.
4. Leaf or yard waste collection and composting projects.
5. Expansion of existing public sector recycling collection centers or materials processing facilities.
6. General recycling education projects.
7. New public sector recycling collection centers or materials processing facilities.

Municipalities and counties are eligible for 90% funding of approved recycling program costs. Municipalities considered financially distressed by the Department of Community Affairs under the Financial Distressed Communities Act, P. L. 246, No. 47 of 1987, are eligible to receive funding for an additional 10% of approved costs.

Eligible recycling program development costs include: recycling program design costs; recycling market investigations; development of recycling market commitments; development of recycling program ordinances; development of recycling public education programs; and the costs of developing contracts or procuring equipment and services necessary for the operation of the recycling program.

Eligible recycling program implementation costs include: vehicles used to collect or transport recyclable materials to processing or storage facilities, or in the operation of a materials recovery facility, or in the transport of recyclable materials to market; reusable containers for household recyclable materials storage and collection; the costs of acquisition and/or renovation of buildings for the processing or storage of recyclable materials; equipment used for the processing of recyclable materials; and land improvements for a recycling facility. Yard waste composting programs as defined by the Pennsylvania Municipal Waste Management Regulations, Chapter 75, will be considered as recycling programs.

Before a municipality can submit an application to the Department for the funding of mechanical processing equipment, it must first publish a notice in a newspaper of general circulation describing in detail the kinds of processing equipment that it proposes to purchase and the intended use of the equipment. The municipality must allow 30 days for responses from interested individuals. When the municipality submits the recycling grant application to the Department, it must include proof of compliance with the notification requirements, a description of any responses received to the notice, and an explanation of why the municipality has concluded the mechanical processing equipment is not available to the program from the private sector.

Applications must be received or postmarked by 3 p.m., April 18, 1996. Applications received by the Department after that date will not be considered during the current round of solicitation. Applications must be on forms provided by the Department, with two copies submitted to the appropriate DEP Regional Office. All grant awards will be predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101, and the availability of monies in the Recycling Fund.

Those municipalities wishing to file an application are invited to contact the appropriate DEP Regional Planning and Recycling Coordinator listed below to obtain a grant application. Pre-application conferences are recom-

mended. Applicants should also contact the County Recycling Coordinator serving their county for consultation and assistance in completing the application form. Inquiries concerning this notice should be directed to Carl Hursh, Chief, Recycling and Markets, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

Submission date for County Recycling Coordinator Grant Applications

The Department of Environmental Protection hereby announces a request for applications from counties for county recycling coordinator grant assistance under section 903 of the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904).

Grants funds may not exceed 50% of the approved cost of the county recycling coordinator's salary and expenses incurred on or after January 1, 1995, to December 31, 1995. The following duties of county recycling coordinators will be considered approvable for reimbursement:

1. Assisting the county in developing and implementing the waste reduction, recycling, leaf and yard waste and household hazardous waste components of its solid waste management plan.
2. Identifying and encouraging opportunities for intermunicipal cooperation and cooperative efforts with other organizations to further waste reduction, recycling, leaf and yard waste composting and household hazardous waste programs.
3. Providing technical assistance to municipalities on developing and implementing waste reduction, recycling, leaf and yard waste composting and household hazardous waste programs.
4. Developing educational materials on waste reduction, recycling, leaf and yard waste composting and household hazardous waste programs.
5. Serving as a contact point for waste reduction, recycling, leaf and yard waste composting and household hazardous waste program questions from within the county.
6. Participating in, and coordinating where appropriate, waste reduction, recycling, leaf and yard waste composting, and household hazardous waste meetings, training programs, workshops and conferences.
7. Speaking to schools, community, business and government organizations about waste reduction, recycling, leaf and yard waste composting and household hazardous waste programs.
8. Assisting municipalities in identifying materials capable of being marketed and locating markets.
9. Assisting municipalities with developing and coordinating leaf and yard waste collection and composting programs and identifying markets for compost.
10. Assisting municipalities in preparing recycling and household hazardous waste program grant applications.
11. Collecting data on municipal recycling programs within the county and on commercial, institutional and municipal establishment recycling, and recycling at community activities, and reporting the data to the Department.
12. Identifying sources of recyclable products and products made of recycled materials and encouraging the use of those items to support county and municipal recycling programs.

13. Developing recycling programs for special materials such as used oil, tires, household hazardous waste and white goods.

14. Maintaining communications with other recycling coordinators and municipal waste management professionals.

The deadline for submission of applications is 3 p.m., April 1, 1996. Applications received by the Department after that date will not be considered. Applications must be on forms provided by the Department. Grant awards

will be predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101, and the availability of monies in the Recycling Fund.

Inquiries concerning this notice should be directed to Evelyn D'Elia, Recycling and Markets Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

Regional Planning and Recycling Coordinators

<i>Southeast Region</i>	Ann Ryan (610) 832-6212
DEP, Bureau of Land Recycling and Waste Management Lee Park, Suite 6010, 555 North Lane Conshohocken, PA 19428	
<i>Bucks, Chester, Delaware, Montgomery and Philadelphia Counties</i>	
<i>Northeast Region</i>	Chris Fritz Joan Banyas (717) 826-2516
DEP, Bureau of Land Recycling and Waste Management 2 Public Square Wilkes-Barre, PA 18711-0790	
<i>Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne and Wyoming Counties</i>	
<i>Southcentral Region</i>	Bob Zaccano Belinda May (717) 657-4588
DEP, Bureau of Land Recycling and Waste Management 1 Ararat Boulevard Harrisburg, PA 17110	
<i>Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry and York Counties</i>	
<i>Northcentral Region</i>	Ron Sommers (717) 327-3653
DEP, Bureau of Land Recycling and Waste Management 208 W. 3rd Street, Suite 101 Williamsport, PA 17701	
<i>Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga and Union Counties</i>	
<i>Southwest Region</i>	Sharon Svitek Stephen Sales Bob Emmert (412) 442-4000
DEP, Bureau of Land Recycling and Waste Management 400 Waterfront Drive Pittsburgh, PA 15222-4745	
<i>Allegheny, Armstrong, Beaver, Cambria, Fayette, Greene, Indiana, Somerset, Washington and Westmoreland Counties</i>	
<i>Northwest Region</i>	Guy McUmber (814) 332-6848
DEP, Bureau of Land Recycling and Waste Management 230 Chestnut Street Meadville, PA 16335-3481	
<i>Butler, Clarion, Crawford, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Venango and Warren Counties</i>	

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.

A. 603441. Route 81 Farm. Walnut Bottom Farm, Brownwell Farm, Borough of Carlisle, (53 West Street, Carlisle, PA 17013). Application for operation of an agricultural utilization of sewage sludge sites in Dickinson, Penn, Upper Frankford Townships, **Cumberland County**. Application determined to be administratively complete in the Regional Office January 2, 1996.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6848.

A. 100361. McKean County Solid Waste Authority, Kness Landfill, P. O. Box 448, Mt. Jewett, PA 16740, located in Sergeant Township, **McKean County**. A major permit modification to increase the average daily and maximum daily waste volumes received at the landfill

was determined administratively complete in the Regional Office on January 2, 1996.

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

A. 301290. Chester Bio Technology, Inc., 1600 Colton Road, Sanford, NC 27330. Received new application for a residual waste facility for the processing of petroleum contaminated soil located in the City of Chester, **Delaware County**. Application received in the Regional Office on December 27, 1995.

A. 300252. The Knoll Group, 1235 Water Street, P. O. Box 157, East Greenville, PA 18041. Received application for a permit-renewal for the continuing operation of a residual waste incinerator located in East Greenville Borough, **Montgomery County**. Application received in the Regional Office on January 4, 1996.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

A. 300717. (Permit Modification). **Pine Hill Landfill and Reclamation Operation**, Pine Hill, Inc. (P. O. Box 62, Blossburg, PA 16912-0062). Repermitting of an existing residual waste landfill to a captive Class III Residual Waste Landfill. Landfill is located in Ward Township, **Tioga County**. Application received and deemed administratively complete January 10, 1996.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify and reactivate air contamination sources.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

07-310-020C. Modification of the existing limestone crushing and screening operation by **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) in Taylor Township, **Blair County**.

31-303-005. Construction of a bituminous concrete asphalt plant by **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) in Warriors Mark Township, **Huntingdon County**. The source is subject to 40 CFR 60, Subpart I, Standards of Performance for Stationary Sources.

36-2012A. Modification of finishing department operations by **Quality Custom Cabinetry, Inc.** (New Holland Plant, 125 Peters Road, P. O. Box 189, New Holland, PA 17557-0189) in Earl Township, **Lancaster County**.

36-320-001B. Installation of an air stripper exhausting to the existing solvent recovery system by **R. R. Donnelley & Sons Company** (216 Greenfield Road, Lancaster, PA 17601) located in the City of Lancaster, **Lancaster County**.

67-310-035A. Modification of the existing limestone drying and grinding plant by **Global Stone PenRoc, Inc.** (P. O. Box 1967, York, PA 17405-1967) in Manchester Township, **York County**.

67-318-113A. Modification of the existing coating and curing line by **Root Corporation—New York Wire Division** (152 North Main Street, Mt. Wolf, PA 17347) in Mt. Wolf Borough, **York County**.

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

04-307-074A. Brighton Electric Steel Casting Co. (P. O. Box 206, Beaver Falls, PA 15010) for electric induction furnaces at its facility located in Beaver Falls, **Beaver County**.

04-309-008D. Armstrong World Industries, Inc. (1018 Eleventh St., P. O. Box 441, Beaver Falls, PA 15010) for baghouses for RIMS, conveyors, and an embossing line at its facility located in Beaver Falls, **Beaver County**.

04-322-001. Joseph J. Brunner, Inc. (278 Brunner Road, Zelenople, PA 16063) for a landfill flare at its facility located in New Sewickley Township, **Beaver County**.

11-305-029A. L & J Energy Company, Inc. (P. O. Box 247, Barnesboro, PA 15714) for a coal crushing and screening operation at its facility located in Susquehanna Township, **Cambria County**.

26-310-001B. Commercial Stone Company, Inc. (2200 Springfield Pike, Connellsville, PA 15425) for a portable crusher at its facility located in Connellsville Township, **Fayette County**.

32-302-033A. Pennsylvania Electric Company, 1001 Broad Street, Johnstown, PA 15907) for auxiliary boiler A at its Conemaugh Station located in West Wheatfield Township, **Indiana County**.

63-307-028. Regal Industrial Corp. (P. O. Box 291, Donora, PA 15033) for a baghouse for an abrasive blasting operation at its facility located in Donora Borough, **Washington County**.

63-309-058. Therm-O-Rock East, Inc. (Pine Street, P. O. Box 429, New Eagle, PA 15067) for a blending and bagging operation at its facility located in New Eagle Borough, **Washington County**.

65-309-033A. St. George Crystal Ltd. (P. O. Box 709, Jeannette, PA 15644) for baghouses for a glass melting furnace at its facility located in Jeannette, **Westmoreland County**.

65-318-063. Burkhart Auto Body (P. O. Box 71, Murrsville, PA 15668) for spray painting booths at its facility located in North Huntingdon Township, **Westmoreland County**.

65-318-064. ALON Processing, Inc. (P. O. Box 231, Tarentum, PA 15084) for a chromizing process at its Leechburg Plant located in Allegheny Township, **Westmoreland County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

22-302-104A. The Department intends to issue an air quality operating permit to **Hershey Chocolate USA** (19 East Chocolate Avenue, Hershey, PA 17033) for three natural gas/No. 2 fuel oil-fired boilers located in Derry

Township, **Dauphin County**. The sources are subject to 40 CFR 60, Subpart Dc, Standards of Performance for New Stationary Sources.

22-317-033A. The Department intends to issue an air quality operating permit to **Hershey Chocolate USA** (19 East Chocolate Avenue, Hershey, PA 17033) for dry raw material handling systems controlled by 12 fabric collectors in Derry Township, **Dauphin County**.

22-323-015. The Department intends to issue an air quality operating permit to **RAM Industries, Inc.** (3501 North 6th Street, Harrisburg, PA 17110) for a burn-off oven controlled by an integral thermal afterburner in Susquehanna Township, **Dauphin County**.

28-310-002C. The Department intends to issue an air quality operating permit to **Valley Quarries, Inc.** (P. O. Box J, Chambersburg, PA 17201) for a limestone crushing plant controlled by two fabric filter collectors and a water spray system in Guilford Township, **Franklin County**.

50-310-005. The Department intends to issue an air quality operating permit to **Fred D. Thebes & Sons, Inc.** (R. D. 2, Box 133, New Bloomfield, PA 17068) for a sandstone crushing plant controlled by a water spray system in Centre Township, **Perry County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for Stationary Sources.

67-313-026. The Department intends to issue an air quality operating permit to **Turbon International, Inc.** (1160 Fahs Street, York, PA 17404) for a toner manufacturing line controlled by four fabric filter dust collectors in West Manchester Township, **York County**.

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

04-000-235. The Department intends to issue an air quality control operating permit to **Pennsylvania Power Company**, 76 South Main Street, Akron, OH 44308 for Low NOx Burners at its Bruce Mansfield Station located in Shippingport Borough, **Beaver County**.

04-308-036. The Department intends to issue an air quality control operating permit to **Zinc Corporation of America**, 300 Frankfort Road, Beaver County for a Coke and Residue Circuit at its Monaca Zinc Smelter located in Potter Township, **Beaver County**.

04-313-071B. The Department intends to issue an air quality control operating permit to **BASF Corporation**, 350 Frankfort Road, Monaca, PA 15061 for a thermal oxidizer for Styrene/butadiene Manufacturing at its facility located in Potter Township, **Beaver County**.

30-305-009B. The Department intends to issue an air quality control operating permit to **Consol Pennsylvania Coal Company**, 1800 Washington Road, Pittsburgh, PA 15241 for scrubbers for thermal dryers no. 1 and no. 2 at its Bailey Prep Plant located in Richhill Township, **Greene County**.

65-000-851. The Department intends to issue an air quality control operating permit to **Newcomer Products, Inc.**, P. O. Box 272, Latrobe, PA 15650 for Tungsten Carbide Product Manufacturing at its facility located in Derry Township, **Westmoreland County**.

65-302-068. The Department intends to issue an air quality control operating permit to **Menasha Corporation**, Rte. 70, Box 418, Yukon, PA 15698 for a natural gas fired boiler at its Yukon Plant located in Sewickley Township, **Westmoreland County, Indiana County**.

65-302-070. The Department intends to issue an air quality control operating permit to **Menasha Corporation**, 200 Industrial Drive, Delmont, PA 15626 for a natural gas fired oil heater at its facility located in Salem Township, **Westmoreland County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

18-302-030. The Department intends to issue an operating permit to **Croda, Inc.** (P. O. Box 178, Mill Hall, PA 17751) for the operation of a natural gas/number 2 oil fired boiler in Mill Hall Borough, **Clinton County**. This boiler is subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

Applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

14-302-030A. Installation of an air cleaning device (a ceramic filter) on a coal-water slurry-fired boiler by the **Pennsylvania State University** (Office of Physical Plant, Physical Plant Building, University Park, PA 16802) in College Township, **Centre County**.

17-303-003A. Installation of an air cleaning device (a fabric collector) on a drum mix asphalt concrete plant by **Glenn O. Hawbaker, Inc.** (P. O. Box 135, State College, PA 16804) in Sandy Township, **Clearfield County**. This plant is subject to Subpart I of the Federal Standards of Performance for New Stationary Sources.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

59-304-007. The Department intends to issue an operating permit to **Ward Manufacturing** (P. O. Box 9, Blossburg, PA 16912-0009) for the operation of a galvanizing dip tank/parts spinner and associated air cleaning device (a fabric collector) in Blossburg Borough, **Tioga County**.

59-304-002H. The Department intends to issue an operating permit to **Ward Manufacturing** (P. O. Box 9, Blossburg, PA 16912-0009) for the operation of various pieces of foundry equipment and associated air cleaning device (hydrofilter no. 1) in Blossburg Borough, **Tioga County**.

41-316-013A. The Department intends to issue an operating permit to **Keystone Veneers, Inc.** (P. O. Box 3455, Williamsport, PA 17701) for the operation of a veneer clipping line and associated air cleaning device (a cyclone collector) in the City of Williamsport, **Lycoming County**.

49-301-020. The Department intends to issue an operating permit to **Blank Funeral Home** (395 State Street, Sunbury, PA 17801) for the operation of a crematory incinerator in Upper Augusta Township, **Northumberland County**.

Applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

60-318-009A. Construction of two paint dip tanks (long span tanks) by **The New Columbia Joist Company** (P. O. Box 31, New Columbia, PA 17856-0031) in White Deer Township, **Union County**.

41-310-010C. Construction of a jaw crusher and associated stacking conveyor by **Lycoming County Solid Waste Department** (R. D. 2, Box 587, Montgomery, PA 17752) at the Lycoming County Landfill in Brady Township, **Lycoming County**. The stacking conveyor is subject to Subpart 000 of the Federal Standards of Performance for New Stationary Sources.

19-399-013. Construction of a propane-fired carpet dryer by **The Magee Carpet Company** (480 West Fifth Street, Bloomsburg, PA 17815) in the Town of Bloomsburg, **Columbia County**.

Reasonably Available Control Technology; Public Hearing

Approval of Reasonably Available Control Technology (RACT) Plans for:

<i>Source</i>	<i>Control Technology</i>	<i>NOx emission limits</i>
three 3,400 horsepower Clark TCV-10 engines	low emission combustion retrofit kits	22.47 pounds per hour (each) at full load, full speed and 44.93 pounds per hour (each) never to be exceeded at any time
three 2,000 horsepower Clark TLA-6 engines	low emission combustion retrofit kits	13.23 pounds per hour (each) at full load, full speed and 26.43 pounds per hour (each) never to be exceeded at any time
two 1,100 horsepower Clark HBA-5 engines	ignition retard	58.9 pounds per hour (each) never to be exceeded at any time
two 544 horsepower Ingersoll Rand PSVG engine/generators	ignition retard	17.25 pounds per hour (each) never to be exceeded at any time

The following is a summary of the preliminary volatile organic compound (VOC) RACT determination for these sources:

<i>Source</i>	<i>Control Technology</i>	<i>VOC emission limits</i>
three 3,400 horsepower Clark TCV-10 engines	none	6.0 pounds per hour (each) never to be exceeded at any time
three 2,000 horsepower Clark TLA-6 engines	none	3.52 pounds per hour (each) never to be exceeded at any time
two 1,100 horsepower Clark HBA-5 engines	none	1.33 pounds per hour (each) never to be exceeded at any time
two 544 horsepower Ingersoll Rand PSVG engine/generators	none	.33 pounds per hour (each) never to be exceeded at any time

The Department also proposes to issue a compliance permit to CNG Transmission Corporation for this facility which will extend the May 31, 1995 RACT compliance date specified in the Department's Rules and Regulations to May 31, 1996.

CNG Transmission Corporation, Leidy Station

CNG Transmission operates a gas compressor station identified as the Leidy Station. The main sources for which a RACT determination is being made are 15 natural gas-fired reciprocating internal combustion engines. The following is a summary of the preliminary nitrogen oxides (NO_x) RACT determination for these engines:

- CNG Transmission Corporation, Ellisburg Station, Genesee Township, Potter County.
- CNG Transmission Corporation, Leidy Station, Leidy Township, Clinton County.
- CNG Transmission Corporation, Finnefrock Station, Leidy Township, Clinton County.

The Department of Environmental Protection has made a preliminary determination to approve Reasonably Available Control Technology (RACT) plans and amendments to the State Implementation Plan (SIP) for the above listed facilities.

The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in the RACT approvals for the facilities to comply with current regulations.

The preliminary RACT determinations, if finally approved, will be incorporated into operating permits and plan approvals for the facilities and will be submitted to the U. S. Environmental Protection Agency (EPA) as revisions to Pennsylvania's State Implementation Plan.

CNG Transmission Corporation, Ellisburg Station

CNG Transmission Corporation operates a gas compressor station identified as the Ellisburg Station. The main sources for which a RACT determination is being made are eight natural gas fired reciprocating internal combustion engines and two natural gas-fired engine/generators. The following is a summary of the preliminary nitrogen oxides (NO_x) RACT determination for these sources:

<i>Source</i>	<i>Control Technology</i>	<i>NOx emission limits</i>
two 3,400 horsepower Clark TCV-10 engines	low emission combustion retrofit kits	22.47 pounds per hour (each) at full load/full speed and 44.98 pounds per hour (each) never to be exceeded at any time
eight 2,000 horsepower Ingersoll Rand 512 KVS ET and 512 KVS FT engines	low emission combustion retrofit kits	13.22 pounds per hour (each) at full load/full speed and 26.43 pounds per hour (each) never to be exceeded at any time
three 1,000 horsepower Ingersoll Rand 36 KVS ET engines	low emission combustion retrofit kits	6.61 pounds per hour (each) at full load/full speed and 13.22 pounds per hour (each) never to be exceeded at any time
two 880 horsepower Worthington SLHP-8 engines	none	19.4 pounds per hour (each) never to be exceeded at any time

The following is a summary of the preliminary volatile organic compound (VOC) RACT determination for these engines:

<i>Source</i>	<i>Control Technology</i>	<i>VOC emission limits</i>
two 3,400 horsepower Clark TCV-10 engines	none	6.0 pounds per hour (each) never to be exceeded at any time
eight 2,000 horsepower Ingersoll Rand 512 KVS ET and 512 KVS FT engines	none	7.26 pounds per hour (each) never to be exceeded at any time
three 1,000 horsepower Ingersoll Rand 36 KVS ET engines	none	3.63 pounds per hour (each) never to be exceeded at any time
two 880 horsepower Worthington SLHP-8 engines	none	.15 pounds per hour (each) never to be exceeded at any time

The Department also proposes to issue a compliance permit to CNG Transmission Corporation for this facility which will extend the May 31, 1995 RACT compliance date specified in the Department's Rules and Regulations to May 31, 1996.

CNG Transmission Corporation, Finnefrock Station

CNG Transmission operates a gas compressor station identified as the Finnefrock Station. The main sources for which a RACT determination is being made are four natural gas-fired reciprocating internal combustion engines. The following is a summary of the preliminary nitrogen oxides (NO_x) RACT determination for these engines:

<i>Source</i>	<i>Control Technology</i>	<i>NOx emission limits</i>
three 1,100 horsepower Ingersoll Rand 103 KVG-ML engines	prestratified charge systems	14.55 pounds per hour (each) never to be exceeded at any time
one 6,000 horsepower Cooper Bessemer 12W-330C2 engine	"clean burn" combustion	39.7 pounds per hour (each) never to be exceeded at any time

The following is a summary of the preliminary volatile organic compound (VOC) RACT determination for these engines:

<i>Source</i>	<i>Control Technology</i>	<i>VOC emission limits</i>
three 1,100 horsepower Ingersoll Rand 103 KVG-ML engines	prestratified charge systems	4.0 pounds per hour (each) never to be exceeded at any time
one 6,000 horsepower Cooper Bessemer 12W-330C2 engine	"clean burn" combustion	6.62 pounds per hour (nonmethane hydrocarbons) never to be exceeded at any time

The Finnefrock Station incorporates additional sources for which RACT determinations will be made at a later date.

The Department also proposes to issue a compliance permit to CNG Transmission Corporation for this facility which will extend the May 31, 1995 RACT compliance date specified in the Department's Rules and Regulations to May 31, 1996.

One public hearing will be held for the purpose of receiving comments on the proposed plan approvals, operating permits, compliance permits and SIP revisions. The hearing will be held on February 13, 1996 at 1 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, Pennsylvania. The public

is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (717) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (717) 327-3659

or the Pennsylvania At&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to Joseph Cooper, Air Quality Environmental Program Manager, DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701. Comments should be submitted by February 28, 1996.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (717) 327-3693.

Plan approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

An application for plan approval has been received by this office for the construction, modification or reactivation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **35-322-004**

Source: Landfill Gas Flare

Received: January 10, 1996

Company: **Empire Sanitary Landfill, Inc.**

Location: Taylor Borough

County: **Lackawanna**

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public

notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

Coal Mining Applications Received

30733707. Consolidation Coal Company (P. O. Box 1314, Morgantown, WV 26507-1314), to revise the permit for the Robena CRDA in Greene and Monongahela Townships, **Greene County** to install 14 sludge disposal boreholes, no additional discharge. Application received December 5, 1995.

30841320. Target Industries, Inc. (P. O. Box 479, Mt. Morris, PA 15349), to renew the permit for the Target No. 1 bituminous deep mine in Dunkard Township, **Greene County**, no additional discharge. Application received December 27, 1995.

03831305. Keystone Coal Mining Corporation (P. O. Box 729, Indiana, PA 15701), to renew the permit for the Jane bituminous deep mine in Plumcreek Township, **Armstrong County**, no additional discharge. Application received December 4, 1995.

32803712. Kent Coal Mining Company (P. O. Box 729, Indiana, PA 15701), to renew the permit for the Lewisville Recovery Plant in Young Township, **Indiana County**, no additional discharge. Application received December 12, 1995.

56900701. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), to renew the permit for the Job 12 Expansion mine in Shade Township, **Somerset County**, no additional discharge. Application received December 26, 1995.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40663013R2. Jeddo-Highland Coal Company (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 304.0 acres, receiving stream Nescopeck Creek. Application received December 21, 1995.

40663027R2. Jeddo-Highland Coal Company (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 154.9 acres, receiving stream Nescopeck Creek. Application received December 21, 1995.

54693047R2. Pagnotti Coal Company (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Mahanoy Township, **Schuylkill County** affecting 698.0 acres, receiving stream Mill Creek. Application received December 21, 1995.

40663031R2. Jeddo-Highland Coal Company (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Foster Township, **Luzerne County** affecting 536.0 acres, receiving stream none. Application received December 21, 1995.

40663029R2. Pagnotti Coal Company (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Foster Township, **Luzerne County** affecting 521.0 acres, receiving stream Nescopeck Creek. Application received December 21, 1995.

40663023R2. Pagnotti Coal Company (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Foster Township, **Luzerne County** affecting 640.0 acres, receiving stream Nescopeck Creek. Application received December 21, 1995.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Applications Received

4873SM6T2. Global Stone PenRoc, Inc. (P. O. Box 1967, York, PA 17405-1967), transfer of an existing quarry operation from PenRoc, Inc. in West Manchester Township, **York County** affecting 77.0 acres, receiving stream Codorus Creek. Application received December 21, 1995.

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection.

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 Certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments,

suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Bureau of Dams, Waterways and Wetlands, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.

D02-115. Dam. Moon Transportation Authority, 1000 Beaver Grade Road, Moon Township, PA 15108. To construct, operate and maintain a stormwater detention dam across a tributary to the east branch of McClaren's Run. This basin will control stormwater runoff for the proposed Ewing Interchange on the existing Business State Route 60, in Moon Township, **Allegheny County**.

D09-233. Dam. 309 Venture Partners, c/o The Wolfson Group, Inc., 621 East Germantown Pike, Ste. 305, Norristown, PA 19401. To construct, operate and maintain a stormwater detention dam combined with a roadway crossing across a tributary to Beaver Run. This facility is part of the stormwater management plan for the proposed Richland Crossing Retail Center, and will provide access between the two halves of the site which is bisected by the tributary to Beaver Run, in Richland Township, **Bucks County**.

Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.

EA59-003C0. Dam. Michael Bernard, R. R. 2, Box 139M, Pumpkin Hill Road, Millerton, PA 16936. To construct and maintain a nonjurisdictional dam in the watershed of Seeley Creek (CWF) impacting approximately 0.09 acre of wetlands (PEM) for the purpose of recreation located approximately 4,200 feet south of Jobs Corners (Millerton, PA Quadrangle N: 8.3 inches; W: 8.9 inches), in Jackson Township, **Tioga County**. U. S. Army Corps of Engineers, Baltimore District.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit Applications

E02-1133. Encroachment. Wil-Dal, 4566 Castle Shannon Blvd., Pittsburgh, PA 15234. To construct and maintain a 42-inch RCP extension in an unnamed tributary to Painters Run for the purpose of developing a 21-lot single family development known as Cedarhurst Terrace no. 13. The project is located at the end of Robb Hollow Road (Bridgeville, PA Quadrangle N: 21.9 inches; W: 10.0 inches) in Mt. Lebanon Borough, **Allegheny County**.

E02-1134. Encroachment. Dept. of Transportation, 45 Thoms Run Road, Bridgeville, PA 15017. To remove existing culverts and bridges and to construct and maintain the following as part of the S. R. 0051 (Saw Mill Run Boulevard) and S. R. 0088 (Library Road) intersection improvement project. In Saw Mill Run: a single span adjacent box beam bridge with a 36.0' clear span and an underclearance of 8.0'; approximately 435' of a 36.0' × 9.5' culvert; approximately 80' of a 36.0' × 9.5' culvert; approximately 615' of a 36.0' × 7.0' culvert; approximately 390' of channel improvements consisting of a 36.0'

wide rectangular channel with vertical retaining walls; in Weyman Run: approximately 675' of a 20.0' × 7.0' concrete box culvert; in East Branch of Weyman Run: approximately 95' of a 12.0' × 6.0' box culvert and 460' of an 8.0' × 7.0' box culvert which includes a relocation of the channel. The project is located beginning in S. R. 0051 at a point 350 feet north of Overbrook Boulevard, proceeding 1.1 miles south on S. R. 0051 to a point 600 feet south of Stewart Avenue and 800 feet west on S. R. 0088 (Pittsburgh East, PA Quadrangle N: 1.3 inches; W: 16.8 inches) in Whitehall Borough, **Allegheny County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E52-134. Encroachment. **Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501-0111. To construct and maintain four 18-inch stormwater outfall pipes at each bridge across York Creek, McConnell Creek and Raymondskill Creek to prevent erosion at the abutments, and to widen the existing bridge across McConnell Creek 12 feet to accommodate an acceleration lane. These projects are located along the east bound lanes of S. R. 0084, section 444 over York Creek (HQ-CWF), and McConnell Creek (HQ-CWF) (Pecks Pond, PA Quadrangle N: 19.6 inches; W: 9.5 inches and N: 19.5 inches; W: 6.7 inches) in Blooming Grove Township and Raymondskill Creek (HQ-CWF) (Edgemere, PA Quadrangle N: 17.0 inches; W: 6.5 inches) in Dingman Township, **Pike County** (Philadelphia District, Army Corps of Engineers).

E52-135. Encroachment. **Vincent C. and Susan N. Giampapa**, 67 Highland Avenue, Montclair, NJ 07042. To excavate 0.71 acres and to place fill in 0.25 acres of PEM wetlands for the construction of a nonjurisdictional dam. This project is located approximately 1,400 feet east of the intersection of S. R. 0447 and Township Road T-370 (Newfoundland, PA Quadrangle N: 2.6 inches; W: 4.1 inches) in Greene Township, **Pike County** (Philadelphia District, Army Corps of Engineers).

E54-219. Encroachment. **Butler Township Municipal Authority**, 211 Broad Street, Fountain Springs, Ashland, PA 17921. To construct and maintain a wastewater treatment facility in the 100 year floodplain of Mahanoy Creek. This project is located approximately 1,000 feet south of the intersection of S. R. 4026 and S. R. 4007 on the west side of Mahanoy Creek (Ashland, PA Quadrangle N: 2.0 inches; W: 12.0 inches) in Butler Township, **Schuylkill County** (Baltimore District, Army Corps of Engineers).

E64-164. Encroachment. **Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a two span, multi-curved, steel girder bridge having normal spans of 31 feet and 39.5 feet and a minimum underclearance of 15.5 feet across the west branch Lackawaxen River (HQ-CWF). This project is located 0.1 mile south of S. R. 4004 along S. R. 0170, Section 671, Segment 0110, Offset 2241 (Aldenville, PA Quadrangle N: 3.8 inches; W: 15.3 inches) in Clinton Township, **Wayne County** (Philadelphia District, Army Corps of Engineers).

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E08-232. Encroachment. **Borough of Sayre**, 110 W. Packer Ave., Sayre, PA 18840. To place and maintain fill, about 400 ft. by 300 ft., in the floodplain of the

Susquehanna River, a WWF stream. This project will have no stream or wetlands impacts and is located along the Susquehanna River about 1,200 ft. upstream of the Athens Borough/Sayre Borough boundary (Sayre, PA Quadrangle N: 18.4 inches; W: 1.9 inches) in the Borough of Sayre, **Bradford County**.

E47-055. Encroachment. **Valley Township Municipal Authority**, P. O. Box 307, Danville, PA 17821. To place and maintain about 286 yards of fill for an office building in the floodway fringe of Mause Creek, a CWF stream. The project will have no stream or wetland impacts and is located next to Route 54 about 2 miles north of its intersection with Route 11 (Riverside, PA Quadrangle N: 20.5 inches; W: 1.3 inches) in Valley Township, **Montour County**.

E59-318. Encroachment. **Department of Transportation**, P. O. Box 218, Montoursville, PA 17754. To remove the existing structure and to construct and maintain a precast reinforced concrete slab bridge having a clear span of 15 feet on a 75 degree skew with underclearance of 3.26 feet across an unnamed tributary to Corey Creek on S. R. 1008 just east of the intersection with S. R. 549 (Mansfield, PA Quadrangle N: 11.45 inches; W: 3.6 inches) in Richmond Township, **Tioga County**. This stream is unclassified in Chapter 93 and the estimated disturbance is approximately 100 feet.

E60-123. Encroachment. **Bureau of Forestry**, P. O. Box 147, Laurelton, PA 17835-0147. To construct and maintain a round longitudinal timber stinger bridge with an approximate span of 40 feet and an approximate underclearance of approximately 5 feet across Weikert Run (Weikert, PA Quadrangle N: 16.0 inches; W: 8.8 inches) in Hartley Township, **Union County**. The project proposes to impact approximately 50 linear feet of Weikert Run which is designated as HQ-CWF.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E23-337. Encroachment. **Eastern College**, 10 Fairview Drive, St. Davids, PA 19087-3696. To construct and maintain three 14-foot and 9-inch by 5-foot and 6-inch steel box culverts and related stormwater management structure across Gulph Creek and to place fill in 0.2 acre of associated wetlands for the purpose of providing an access road to a new residence hall and parking area for Eastern College. The site is located approximately 800 feet southwest from the intersection of Eagle and King of Prussia Roads (Norristown, PA Quadrangle N: 9.5 inches; W: 16.5 inches) in Radnor Township, **Delaware County**.

ACTIONS

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appro-

appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

NPDES Permit No. PA-0032140. Sewerage. **Bureau of State Parks** (Lackawanna State Park), P. O. Box 8551, Harrisburg, PA 17105, is authorized to discharge from a facility located in Benton Township, **Lackawanna County** to the south branch of Tunkhannock Creek.

NPDES Permit No. PA-0061000. Sewerage. **Village of the Four Seasons Assoc., Inc.**, R. R. 3, Box 3350, Uniondale, PA 18470 is authorized to discharge from a facility located in Herrick Township, **Susquehanna County** to the east branch of Tunkhannock Creek.

NPDES Permit No. PA-0033472. Sewerage. **Camp Starlight, Inc.**, Starlight, PA 18461 is authorized to discharge from a facility located in Preston Township, **Wayne County** to an unnamed tributary to Shehawken Creek.

NPDES Permit No. PA-0063479. Sewerage. **P & S Development Company**, P. O. Box 194, Mount Pocono, PA 18344 is authorized to discharge from a facility located in Salem Township, **Wayne County** (Village Center at Hamlin) to an unnamed tributary to the west branch Wallenpaupack Creek.

NPDES Permit No. PA-0061433. Sewerage. **Loren Dixon Sewer Company**, P. O. Box 102, Factoryville, PA 18419 is authorized to discharge from a facility located in Clinton Township, **Wyoming County** to an unnamed tributary to the south branch of Tunkhannock Creek.

NPDES Permit No. PA-0060321. Sewerage. **Century Enterprises**, Route 202, Box 502, Montgomeryville, PA 18936 is authorized to discharge from a facility located in Overfield Township, **Wyoming County** (Pine Valley Mobile Home Park) to an unnamed tributary to the south branch of Tunkhannock Creek.

NPDES Permit No. PA-0062219. Sewerage. **Frackville Area Municipal Authority**, P. O. Box 471, 41 N. Lehigh Avenue, Frackville, PA 17931 is authorized to discharge from a facility located in Butler Township, **Schuylkill County** to Little Mahanoy Creek.

Southeast Regional Office: Regional Manager; Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

NPDES Permit No. PA 0056502. Industrial waste, **Transit America, Inc.**, One Red Lion Road, Philadelphia, PA 19115, City of Philadelphia/Lower Moreland Township, **Philadelphia/Montgomery County**.

The following notice reflects changes to the notice published in the November 4, 1995, *Pennsylvania Bulletin*.

Monitoring requirements for PCBs have been added for Outfall 002 and 003.

Permits Issued

Northeast Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA 0103870. Sewerage, **Eckstrom Mobile Home Park**, 347 Hadley Road, Greenville, PA 16125 is authorized to discharge from a facility located in Hempfield Township, **Mercer County** to an unnamed tributary to Little Shenango Creek.

NPDES Permit No. PA 0028371. Sewerage, **Youngsville Municipal Authority**, 40 Railroad Street, Youngsville, PA 16371 is authorized to discharge from a facility located in Youngsville Borough, **Warren County** to Brokenstraw Creek.

NPDES Permit No. PA 0220817. Industrial waste, **Truckstops of America**, 200 Public Square, Cleveland, OH 44114-2375 is authorized to discharge from a facility located in Barkeyville Borough, **Venango County** to east branch Wolf Creek.

NPDES Permit No. PA 0034916. Industrial waste, **Werner Company**, 93 Werner Road, Greenville, PA 16125 is authorized to discharge from a facility located in Sugar Grove Township, **Mercer County** to Little Shenango River.

NPDES Permit No. PA 0000868. Industrial waste, **Wheatland Tube Company**, Wheatland, PA 16161 is authorized to discharge from a facility located in Wheatland Borough, **Mercer County** to the Shenango River.

NPDES Permit No. PA 0034193. Sewerage, **Lake View Development, Inc.**, Lake View Country Club, 8351 Station Road, North East, PA 16428 is authorized to discharge from a facility located in North East Township, **Erie County** to the west branch of 16 Mile Creek.

NPDES Permit No. PA 0023591. Sewerage, **Washington Township Municipal Authority**, P. O. Box 79, Fryburg, PA 16326 is authorized to discharge from a facility located in Washington Township, **Clarion County** to East Sandy Creek.

NPDES Permit No. PA0221911. Sewerage, **Marvin R. Weaver**, S. R. 2032 PA Route 198, Guys Mills, PA 16327 is authorized to discharge from a facility located in Randolph Township, **Crawford County** to unnamed tributary of Lake Creek.

NPDES Permit No. PA 0104396. Industrial waste, **Cogentrix of Pennsylvania, Inc.**, 9405 Arrowpoint Boulevard, Charlotte, NC 28273 is authorized to discharge from a facility located in Ringgold Township, **Jefferson County** to Caylor Run.

NPDES Permit No. PA 0210412. Amendment No. 2. Industrial waste, **Keystone Thermometrics**, 973 Windfall Road, St. Marys, PA 15857 is authorized to discharge from a facility located in the City of St. Marys, **Elk County** to an unnamed tributary to Elk Creek.

NPDES Permit No. PA 0006238. Sewerage, **Napco, Inc.**, McFann Road at Route 8, Valencia, PA 16059 is authorized to discharge from a facility located in Middlesex Township, **Butler County** to Glade Run.

NPDES Permit No. PA 0209881. Amendment No. 1. Sewerage, **Pinehurst-Wolf Run Development, Inc.**, 16 Angle Way, Etna, PA 15223 is authorized to discharge from a facility located in Cranberry Township, **Butler County** to an unnamed tributary to Wolfe Run.

NPDES Permit No. PA 0100889. Industrial waste, **Erie City Water Authority—Sommerheim Water Treatment Plant**, Third Floor Administration Building, 901 West 12th Street, Erie, PA 16501 is authorized to discharge from a facility located in Millcreek Township, **Erie County** to Presque Isle Bay.

NPDES Permit No. PA 0104167. Industrial waste, **Erie City Water Authority—Chestnut Street Water Treatment Plant**, Third Floor Administration Building, 901 West 12th Street, Erie, PA 16501 is authorized to discharge from a facility located in the City of Erie, **Erie County** to Presque Isle Bay.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PAS236105. Industrial waste, **Washington Penn Plastics**; V-BAT Division, 1500 Weirich Avenue, Washington, PA 15301 is authorized to discharge from a facility located at V-BAT Plastics Division, Canton Township, **Washington County** to unnamed tributary to Chartiers Creek.

NPDES Permit No. PA0205095. Sewage, **John Kowalik, Jr.**, R. D. 3, Box 470, New Alexandria, PA 15670 is authorized to discharge from a facility located at John Kowalik, Jr. Single Residence Sewage Treatment Plant, New Alexandria Borough, **Westmoreland County** to unnamed tributary of Loyalhanna Creek.

Notices of Intent for Coverages Under NPDES General Permits and Department Final Actions

The Department of Environmental Protection has received Notices of Intent (NOI) for approval of coverage under General NPDES Permits and has taken the following final actions by approving the requested general permit coverages.

These actions of the Department may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board (35 P.S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Environmental Hearing Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of procedure before the Board may be obtained from the Board.

List of NPDES General Permits Issued by DEP'S Water Management Deputate

<i>General Permit No.</i>	<i>Short Title of General Permit</i>	<i>Respons. Bureau</i>
1	SW—Construction	BLWM
2	SW—Industrial	BWQM
3	SRSTP	BWQM
4	CSO	BWQM

NOIS Received and Final Actions Under NPDES General Permits

Coverage under the General Permits issued under the National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters runoff to waters of the Commonwealth.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR110034	2	Fluid Energy Processing & Equipment Co. Hatfield Facility 2629 Penn Avenue Hatfield, PA 19440	Montgomery Hatfield	West Branch Neshaminy Creek	3599
PAR800042	2	Eldredge Companies, Inc. 898 Fernhill Road West Chester, PA 19380	Chester West Goshen	Unnamed tributary to Taylor Run	4212
PAR800007	2	E. S. Vile 2532 Trenton Road Levittown, PA 19056	Bucks Middletown	Queen Anne Creek and Mill Creek	4212
PAR230011	2	Dunmore Corporation 207 Penns Trail Newton, PA 18940	Bucks Newton	Core Creek	3089
PAR110005	2	Elastomeric Technologies, Inc. 2940 Turnpike Drive Hatboro, PA 19040	Montgomery Hatboro	Pennypack Creek	3678
PAR230049	2	McNeil Pharmaceutical Welsh and McKean Roads Spring House, PA 19477	Montgomery Lower Gwynedd	Unnamed tributary to Park Creek	2834
PAR110007	2	Martin Marietta Astro Space Bldg. 100 P. O. Box 8555 Philadelphia, PA 19101	Montgomery Upper Merion	Trout Creek and an unnamed tributary to Trout Creek	3769
PAR110008	2	Martin Marietta Astro Space Building B P. O. Box 8555 Philadelphia, PA 19101	Montgomery Upper Merion	Unnamed tributary to Trout Creek	3769

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR210009	2	Bala Concrete Co., Inc. 131 Rock Hill Rd. Bala Cynwyd, PA 19004	Montgomery Lower Merion Township	Gulley Run	3263
PAR200003	2	Chemalloy Company, Inc. 1301 Conshohocken Road Conshohocken, PA 19428	Montgomery Conshohocken Boro Plymouth Township	Schuylkill River	3399
PAR210011	2	Colonial Concrete Ind., Ltd. 346 E. Church Lane King of Prussia, PA 19406	Montgomery Upper Merion Township	Schuylkill River	3272
PAR800023	2	Bulldog Construction Co., Inc. 1120 Valley Road Coatesville, PA 19320	Chester Valley Township	Sucker Run	4212
PAR900001	2	Abington Transfer Station 995 Fitzwatertown Road S. R. 2038 Upper Dublin, PA 19038	Montgomery Upper Dublin	Sandy Run Creek	4953
PAR210002	2	Berks Products Corporation P. O. Box 252 Gilbertsville, PA 19525	Montgomery Douglas Township	Swamp Creek	3273
PAR230005	2	Childers Products Company 2061 Hartel Avenue Levittown, PA 19057	Bucks Bristol Township	Delaware River	2891
PAR230004	2	Chemrex, Inc. 860 Cross Street Pottstown, PA 19464	Montgomery Pottstown Boro	Schuylkill River	2891
PAR800031	2	SEPTA Victory Avenue Garage 110 Victory Avenue Upper Darby, PA 19082	Delaware Upper Darby Township	Cobbs Creek	4111
PAR200020	2	Franklin Smelting & Refining Corp. Castor Ave. East of Richmond St. Philadelphia, PA 19134	Philadelphia City of Philadelphia	Delaware River	3341
PAR230048	2	Colorcon 415 Moyer Road West Point, PA 19486	Montgomery Upper Gwynedd Township	Wissahickon Creek	2865
PAR120013	2	Clemens Country Kitchen KVB1 Associates P. O. Box 1555 Kulpsville, PA 19443	Montgomery Towamencin Township	Unnamed tributary to Towamencin Creek	2099
PAR900002	2	Delaware County Regional Water Quality Control Authority 100 East Fifth Street Chester, PA 19013	Delaware City of Chester	Delaware River	4952
PAR110030	2	Alfa Laval Separation, Inc. 955 Mearns Road Warminster, PA 18974-0556	Bucks Warminster Township	Little Neshaminy Creek	3569
PAR600034	2	Jimmies Auto Parts 2706 Wheatsheaf Lane Philadelphia, PA 19137	Philadelphia City of Philadelphia	Delaware River	5015
PAR200002	2	Allied Tube and Conduit 1350 Norcom Road Philadelphia, PA 19154	Philadelphia City of Philadelphia	Delaware River	3317
PAR230043	2	Dickler Chemical Laboratories, Inc. 4201 Torresdale Avenue Philadelphia, PA 19124	Philadelphia City of Philadelphia	Delaware River	2842
PAR800029	2	ABF Freight System, Inc. 2011 Woodhaven Road Philadelphia, PA 19116	Philadelphia City of Philadelphia	Neshaminy Creek	4213

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR600031	2	Al's Auto, Inc. 4330 Old Lincoln Highway Trevose, PA 19053	Bucks Bensalem Township	Neshaminy Creek	5015
PAR600032	2	Bearoff Metallurgical, Inc. P. O. Box 37 Bridgeport, PA 19405	Montgomery Upper Merion Township	Matsunk Creek	5093
PAR120009	2	Blommer Chocolate Company P. O. Box 45 East Greenville, PA 18041	Montgomery Upper Hanover Township	Perkiomen Creek	2064
PAR800028	2	Browning-Ferris Industries 372 S. Henderson Road King of Prussia, PA 19406	Montgomery Upper Merion Township	Unnamed tributary to Schuylkill River	4212
PAR220002	2	Commonwealth Wood Preservers of Pennsylvania 400 Rock Run Road Fairless Hills, PA 19030	Bucks Falls Township	Rock Run Creek	2491

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR206125	3	AMG Resources Corp. 4100 Grand Avenue Pittsburgh, PA 15225	Allegheny Neville Twp.	Ohio River	3341
PAR806167	3	Pittsburgh IAPARS 911 Airlift Wing 316 Defense Ave., Suite 101 Coraopolis, PA 15108-4403	Allegheny Moon Twp.	UNT of McClaren's Run to Montour Run	4581
PAG046101	4	Mark Moyer 231 Walnut Road McDonald, PA 15057-3034	Washington Mt. Pleasant Twp.	UNT to Raccoon Creek	8811

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR808348	2	UPS-Butler 129 Oneida Valley Road Butler, PA 16001	Butler Summit Township	Connoquenessing Creek	4215
PAR808347	2	UPS-Erie 2200 West 50th Street Erie, PA 16509	Erie Millcreek Township	Unnamed tributary to the Walnut Creek	4215
PAR808346	2	UPS-Franklin 5 Freight Way Seneca, PA 16346	Venango Cranberry Township	Unnamed tributary to the Lower Two Mile Run	4215
PAR808344	2	UPS-Kane U. S. Route 6, Elm Street Kane, PA 16735	McKean Wetmore Township	Unnamed tributary to the Hubert Run	4215
PAR808345	2	UPS-Meadville 83 Baco Road Meadville, PA 16335	Crawford Vernon Township	Unnamed tributary to the Watson Run	4215
PAR808343	2	UPS-New Castle Route 18 and Johnson Road New Wilmington, PA 16142	Lawrence Wilmington Township	Unnamed tributary to the Neshannock Creek	4215
PAG048357	3	John L. Crawford Jr. R. D. 3, Box 286-A1 New Bethlehem, PA 16242	Clarion Porter Township	Unnamed tributary to Leisure Run	
PAG048358	3	Dane N. Rowe R. D. 1, Box 30 Fairmount City, PA 16224	Clarion Redbank Township	Leisure Run	

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAG048349	3	Vicki L. Heffern No. 61, 347 Hadley Rd. Greenville, PA 16125	Mercer Greene Twp.	Tributary of Sugar Run	
PAG048356	3	Norman W. Eddy 187 Quarry Rd. Greenville, PA 16125	Mercer Delaware Twp.	Lawango Run	
PAG048348	3	John Mattson 750 Langdon Rd. Erie, PA 16509	Erie Summit Township	Unnamed tributary to Walnut Creek	
PAG048359	3	Barry and Dawn Bush 103 Dill Hill Johnsonburg, PA 15845	Elk Ridgway Township	Unnamed tributary to Clarion River	
PAG048351	3	Donald R. and Deborah J. Burk 268 Ewing Dr. Cabot, PA 16023	Butler Jefferson Township	Unnamed tributary to Thorn Creek	
PAG048360	3	Thomas Smith 2942 Scrubgrass Rd. Grove City, PA 16127	Mercer Wolf Creek Twp.	Tributary to East Branch Wolf Creek	

Notices of Intent for Coverage under NPDES General Permit For Construction Activities and Department Final Actions

Lawrence County Conservation District, District Manager, County Government Center, New Castle, PA 16101, telephone (412) 652-4512.

The following parties have submitted Notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater From Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR103717	George Sewall 6 Pittsburg Circle Ellwood City, PA 16117	Lawrence Co. Wayne Twp.	UNT to Slippery Rock Creek

The following approvals from coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10F051	Aquapenn Spring Water Co. P. O. Box 938 Milesburg, PA 16853	Centre County Boggs Township	Bald Eagle Creek

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4028.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10A060-1	Port Authority of Allegheny County	Allegheny County Carnegie, Crafton Ingram Boroughs City of Pittsburgh	N/A
PAS10A060-1	Port Authority of Allegheny County 2235 Beaver Ave. Pittsburgh, PA 15233	Carnegie, Crafton, and Ingram Boroughs City of Pittsburgh Allegheny County	Monongahela, Ohio Rivers; Chartiers Creek Campbells Run

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10W046	DEP—Bureau of Abandoned Mine Reclamation P. O. Box 149 Ebensburg, PA 15931	Centerville Borough	UNT Monongahela River

The following approvals for coverage under NPDES PAG-2 Individual Permit for Discharges of Storm Water from Construction Activities have been issued.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10R004	Odra Land Company R. R. 2, Box 472 Jamesburg, NJ 08831	Luzerne Co. Foster Township	Tributary to Sandy Run
PAS10R017	Dept. Env. Protection Bureau of Abandoned Mine Reclamation 93 North State Street Wilkes-Barre, PA 18701	Luzerne Co. Newport Township	South Branch Newport Creek

The following approvals from coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10F048	Park Forest Enterprises 1000 West Aaron Drive State College, PA 16803-1597	Centre County Patton Twp.	UNT Buffalo Run
PAS10F051	Roulette Township Supervisors P. O. Box 253 Roulette, PA 16746	Potter County Roulette Township	Allegheny River Laniger Creek UNT Fishing Creek

Approvals for Coverage Under the General NPDES Permit for Discharges from Stripper Oil Well Facilities—Permit PAG310001.

Northwest Regional Office: Regional Oil and Gas Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6860.

6295001. Gas and Oil Management, Inc., P. O. Box 194, Youngsville, PA 16371 is approved for coverage for a new discharge (Outfall 001) to Brokenstraw Creek in Brokenstraw Township, **Warren County.**

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Permit No. 5495403. Sewerage. **Dennis L. Musser,** 1197 Berne Drive, Auburn, PA 17922. Permit to construct and operate a single family residence sewage treatment plant at the Dennis L. Musser residence, located in Pine Grove Township, **Schuylkill County.**

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 6295416. Sewage, **Pine Grove Township,** 113 Liberty Street, P. O. Box 125, Russell, PA

16345. This permit is for the construction of a sanitary system and pump stations in Pine Grove Township, **Warren County.**

WQM Permit No. 4395415. Sewage, **Hermitage Municipal Authority,** Rollins Sewer Replacement, 800 North Hermitage Road, Hermitage, PA 16148. This project is to rehabilitate sewers contributory to the Dutch Lane Pump Station and provide sanitary sewer service along Panin, Robertson and Valley View Roads in Hermitage, **Mercer County.**

WQM Permit No. 4395408. Sewage, **Stull Apartments,** R. D. 2, Box 293, Transfer, PA 16154. This project is for construction and operation of 2,000 gpd sewage treatment plant to abate an existing malfunctioning on-lot system in Delaware Township, **Mercer County.**

WQM Permit No. 4395414. Sewerage, **Vicki L. Heffern,** SRSTP, No. 61, 347 Hadley Road, Greenville, PA 16125. Construction of Vicki L. Heffern SRSTP located in Greene Township, **Mercer County.**

WQM Permit No. 4395416. Sewerage, **Norman W. Eddy,** SRSTP, 187 Quarry Rd., Greenville, PA 16125. Construction of Norman W. Eddy SRSTP located in Delaware Township, **Mercer County.**

WQM Permit No. 2095409. Sewerage, **Marvin R. Weaver,** SRSTP, S. R. 2032 PA Route 198, Guys Mills, PA 16327. Construction of Marvin R. Weaver SRSTP located in Randolph Township, **Crawford County.**

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 0495203. Industrial waste. **Sun Company, Inc.**, 5377 Butler Street, Pittsburgh, PA 15201. Construction of Granular Activated Carbon Groundwater Treatment System located in the City of Aliquippa, **Beaver County** to serve an Atlantic Retail Facility.

Permit No. 5695402. Sewerage. **Municipal Authority of the Borough of Somerset**, 340 West Union Street, Somerset, PA 15501. Construction of Pump Station, Force Main and Interceptor located in Somerset Borough, **Somerset County** to serve the South Edgewood Avenue Pump Station.

Northwest Regional Office: Regional Oil and Gas Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6860.

Permit No. 6295601. Industrial waste, **Gas and Oil Management, Inc.**, P. O. Box 194, Youngsville, PA 16371. Construction and operation of a passive treatment system for production fluids from an oil production operation in Brokenstraw Township, **Warren County**, with discharge of treated effluent to Brokenstraw Creek.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 3295201. Industrial waste, **Fisher Scientific Company**, 711 Forbes Avenue, Pittsburgh, PA 15219. Construction of laboratory equipment manufacturing located in White Township, **Indiana County** to serve the Indiana Plant.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 4295405. Sewage, **USDA—Forest Service**, Willow Bay Recreational Area, P. O. Box 847, Warren, PA 16365. This permit is for the construction and operation of a sewage treatment facility located in Corydon Township, **McKean County**.

WQM Permit No. 1695404. Sewage, **Clarion-Limestone Area School District**, R. D. 1, Box 205, Strattanville, PA 16258. This permit is for the construction of a grit chamber and other routine maintenance in Clarion Township, **Clarion County**.

WQM Permit No. 4395410. Sewage, **Family Tenant Association Mobile Home Park**, 26 Kirkland Road, Mercer, PA 16137. This permit is for the construction of modifications to a lagoon treatment facility in Lackawanna Township, **Mercer County**.

WQM Permit No. 4395417. Sewerage, **Thomas Smith, SRSTP**, 2942 Scrubgrass Rd., Grove City, PA 16127. Construction of Thomas Smith SRSTP located in Wolf Creek Township, **Mercer County**.

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

Location: Williams Township, **Northampton County**.

Project Description: The Department has completed its review of the Act 537—Official Sewer Plan for the I—78 Corridor of Williams Township (Plan), dated June 30, 1995. The Plan was revised on November 30, 1995 in

response to the Department's October 30, 1995 review/comment letter. The Plan was prepared by Hanover Engineering Associates, Inc. (HEA). The Department has found that the Plan is now acceptable and hereby grants planning approval.

The Plan was submitted at this time to provide for the future sewage disposal needs along the Interstate 78 Corridor. A Study of Needs Report, dated November 17, 1994, and revised on January 11, 1995, was submitted with the Plan. The Study of Needs covered all 15 watershed districts. To allow for future development along the corridor, zoning changes had been made. The planning area included under the plan was the northern area of Williams Township, contiguous to the City of Easton, in close proximity to the Delaware River, and along Interstate 78.

The Plan concluded that:

- Wastewater generated within Watershed Districts 1, 2 and 3 should be conveyed to a sewerage conveyance system, owned by Williams Township, with discharge to the City of Easton's sewer system.

The area of highest need is located in Watershed District 3. Construction of a sewer system with outside financing to serve 15 homes has been proposed. The proposed sewer extension consists of approximately 1,650 LF of 8-inch diameter gravity sewer line and appurtenances.

- Wastewater generated within Watershed District 4 will continue to be conveyed through the Township's sewer system to the City of Easton's system.

- Wastewater generated within Watershed Districts 5, 6 and 7 should continue to be served via the sewer line that handles the Chrin Landfill. When additional conveyance capacity is needed within the City of Easton, discussions between the developer and representatives from both Williams Township and the City of Easton will need to be held.

- For future development, wastewater generated within Watershed Districts 8, 9, 10, 11, 12, 13, 14 and 15 should be handled via the sewer system, described in Alternative 2. This system connects to the City of Easton's system.

- The total wastewater flow to be generated from the 15 watershed districts is estimated to be 514,000 gallons per day. Williams Township will need to reserve wastewater capacity with the City of Easton for this amount.

- There is no significant need for additional public sanitary sewers to serve existing development within the Planning Area, except for the previously described system to be located within Watershed District 3.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.2) (Act 537), and Chapter 71 of the Department's Regulations, 25 Pa. Code Chapter 71, the Department will hold Williams Township responsible for complete and timely implementation of the chosen alternative, as stated in Section IV—Recommendations and Implementation Schedule (Pages IV-1 through IV-7 of the Plan). It is understood that the baseline date of the Schedule of Implementation (Page IV-6) needs to be adjusted to the date when the Plan was approved by the Department.

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

4092508. Public water supply. A Minor Amendment No. 2 for the permit was issued on December 7, 1995, to **Hazleton City Authority**, Ebervale Division, c/o Robert Vieipek, Manager, 400 East Arthur Gardener Highway, P. O. Box 5, Hazleton, PA 18201. This proposal involves the construction of a 1.25 million gallon storage tank and distribution main which will result in the elimination of Ebervale Well No. 1, Eckly Hill Open Reservoir and Highland Reservoir No. 5. It is located in Hazle, Foster and Lausanne Townships, **Luzerne and Carbon Counties**.

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

Permit No. 1095505. Public water supply. **Hy-Hue Acres Mobile Home Park**, P. O. Box 82, Herman, PA 16039. This permit is to permit the existing Public Water Supply System which consists of three existing wells known as well no. 1, well no. 2 and well no. 3 with proposed additions to the distribution system in Summit Township, **Butler County**.

Type of Facility. Public water supply.

Consulting Engineer: Robert A. Swartz, William P. Deemer & Associates, 205-B South Duffy Street, Butler, PA 16001.

Permit to Construct Issued: January 10, 1996.

Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Health Care Waste Services Corp., 3446 Rombouts Avenue, Bronx, NY 10475; Joseph Orlando, President; License No. **PA-HC 0184**; application received December 19, 1995.

License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

American Spill Control, Inc., P. O. Box 806, Seagoville, TX 75159-0806; License No. **PA-AH 0507**; license issued December 22, 1995.

Bell Harbor Environmental Company, Inc., 16 Elm Street, West Haven, CT 06516; License No. **PA-AH 0505**; license issued December 27, 1995.

License expired issued under the Solid Waste Management Act (35 P. S. §§ 6018.1001—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Price Trucking Corp., 65 Beacon Street, Buffalo, NY 14220; License No. **PA-AH 0371**; license expired December 31, 1995.

Hazardous Waste Transporter License voluntarily terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

A&M Express, Inc., 840 Eastern Star Road, Kingsport, TN 37663; License No. **PA-AH 0487**; license terminated December 12, 1995.

Approval of an Application to Conduct a Household Hazardous Waste Collection and Management Program.

Under section 1512(h) of Act 101, the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, the Department of Environmental Protection announces the approval of an application for the registration and conduct of a program designed for the collection and management of household type hazardous wastes. The program will be sponsored by the county solid waste management office and will entail a permanently operating program at the Advanced Environmental Recycling Corporation located at 2591 Mitchell Avenue, Allentown, PA 18103.

Act 101 authorizes municipalities/persons to conduct such programs, provided they have registration approval from the Department. Additional information on this application may be obtained by contacting Chris Fritz of the Department's Northeast Regional Office at (717) 826-2516.

In addition, the Department, under Act 155 of 1994, has approved a \$64,000 grant to the county to support the development and operation of the program for the July 1, 1995 to June 30, 1996 time period.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6848.

A. 101397. Homestand Land Corporation, Greentree Landfill, P. O. Box 635, Toby Road, Kersey, PA 15846, located in Fox Township, **Elk County**. A major permit modification to modify the final cover system at the landfill to include: 24 inches of final cover soil, a geocomposite drainage layer, a 40 mil textured geomembrane, 6 inches of subbase soil layer and 12 inches of intermediate cover was issued by the Regional Office on January 3, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.

Permit No. 301254. Mix Design Methods, Inc., Suite 607, Oxford Valley, P. O. Box 88, Langhorne, PA 19047. This permit amendment is for the utilization of incinerator ash and sewage sludge incinerator ash as an ingredient to make hot mix asphalt, the utilization of incinerator ash to make recycled aggregates, the utilization of incinerator ash to make recycled hot mix asphalt products, acceptance of No 5 fuel oil contaminated soil, No 6 fuel oil contaminated soil, crude oil contaminated

Regional Office: Southeast Regional Office, Regional Air Quality Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No.	Facility Name	Source Name	Location
09-310-054	Powdersize, Inc.	Material Processing	Richland Township, Bucks County
09-399-031	Fybroc	Resin Inj. Mold and Filament Winding Process	Telford Borough, Bucks County
46-327-013	UTI Corp.	Vapor Degreaser	Trappe Borough, Montgomery County

Regional Office: Northeast Regional Office, Regional Air Quality Manager, Two Public Square, Wilkes-Barre, PA 17811-0790.

Permit No.	Facility Name	Source Name	Location
54-313-043	Air Products & Chemicals, Inc.	WAM-IV Plant	Rush Township, Schuylkill County

Regional Office: Southcentral Regional Office, Regional Air Quality Manager, One Ararat Boulevard, Harrisburg, PA 17110.

Permit No.	Facility Name	Source Name	Location
01-302-019	Agricultural Commodities, Inc.	Boiler	Straban Township, Adams County
01-310-050	Valley Quarries, Inc.	Crushing and Screening Plant	Hamiltonban Township, Adams County
07-302-028	Hollidaysburg Veterans Home	Boiler No. 3	Allegheny Township, Blair County
07-302-030	Van Zandt, James E., VA Medical Center	Boiler	Logan Township, Blair County
21-312-020A	Safety-Kleen Corp.	Storage Tank	Silver Spring Township, Cumberland County
21-323-012	Amp, Inc.	3 Plating Lines, Chemical Storage Areas	Carlisle Borough, Cumberland County
36-302-183	Wilbur Chocolate Co.	2 Boilers	Lititz Borough, Lancaster County
36-309-074A	Armstrong World Industries, Inc.	Ceiling Manufacturing Line	East Donegal Township, Lancaster County

soil, lubricating oil contaminated soil, grease contaminated soil, asphalt contaminated soil, virgin petroleum contaminated aggregates and the utilization of sewage sludge filter cake to cool thermally remediated virgin petroleum contaminated soil at the Mix Design Methods, Inc. located in Falls Township, **Bucks County**. Permit issued in the Regional Office on January 5, 1996.

Applications withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

A. PAD065716813. Safety Kleen Corporation, 498 Circle Freeway Drive, Suite 228, Cincinnati, OH 45246. The hazardous waste Park B application for the storage of hazardous waste was withdrawn and a closure plan was submitted, approved and implemented. Application was returned and interim status terminated in the Regional Office on January 3, 1996.

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to operate air contaminant sources during the month of December, 1995.

<i>Permit No.</i>	<i>Facility Name</i>	<i>Source Name</i>	<i>Location</i>
36-317-067B	Purina Mills, Inc.	Trace Ingredient Hopper	East Hempfield Township, Lancaster County
36-320-028	Donnelley, R. R. & Sons Co.	Web Non-Heatset Offset Printing Press	Lancaster City, Lancaster County
36-323-018	G/S/M Industrial, Inc.		Ephrata Township, Lancaster County
38-302-055	Weaber, Walter H. Sons, Inc.		South Annville Township, Lebanon County
38-309-047A	Wimpey Minerals, Inc.	Lime Handling and Loadout Facility	North Londonderry Township, Lebanon County
38-317-011	East Indies Coffee Company	Coffee Roaster	South Lebanon Township, Lebanon County
67-304-040	Penn-Mar Castings, Inc.	Steel Shot Blast and Sand Reclamation Syst.	Hanover Borough, York County
67-323-033	Caterpillar, Inc.	Chrome Plating Process	Springettsbury Township, York County
<i>Regional Office: Northcentral Regional Office, Regional Air Quality Manager, 208 West 3rd Street, Williamsport, PA 17701.</i>			
<i>Permit No.</i>	<i>Facility Name</i>	<i>Source Name</i>	<i>Location</i>
12-399-013	Pennsylvania Presses Metals	Sintered Metal Parts	Emporium Borough, Cameron County
17-318-016	Triangle Auto Spring Co., Inc.	Dip Coating Operation	Sandy Township, Clearfield County
41-305-004C	Keystone Filler & Manufacturing Co.	Raymond Mill No. 2 and 3 and Bag Filter	Muncy Creek Township, Lycoming County
41-310-003G	HRI, Inc.	REMCO 7000 Sandmix Crusher	Muncy Creek Township, Lycoming County

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to operate air contaminant sources during the month of November, 1995.

Regional Office: Southwest Regional Office, Regional Air Quality Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Permit No.</i>	<i>Facility Name</i>	<i>Source Name</i>	<i>Location</i>
04-330-003	Ashland Chemical, Inc.	Flameless Oxidization System	Freedom Borough, Beaver County
11-306-006	Inter Power of PA.	Circulating Fluidized Bed Boiler	Cambria Township, Cambria County
63-309-055	MonCo Products, Inc.	Mixers, Packers, Screws & Elevator	Monongahela, Washington County
65-307-073	Allegheny Ludlum Steel Corp.	Wet Grinding Lines (No. 18 & 19)	Leechburg Borough, Armstrong County
65-307-077	Elliott Turbomachinery Co., Inc.	Linde Plasma Burning Unit	Penn Township, Westmoreland County
65-310-001D	Davison Sand & Gravel Co.	Non-Metallic Crushed Stone	Derry Township, Westmoreland County
65-310-013	Davison Sand & Gravel Co.	Non-Metallic Crushed Stone	Whitney Quarry

Regional Office: Northwest Regional Office, Regional Air Quality Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Facility Name</i>	<i>Source Name</i>	<i>Location</i>
24-315-007	Willamette Industries	Lime Kiln	Johnsonburg Borough, Elk County
25-313-049	Mallinckrodt Specialty Chemicals Co.	Fluid Bed Charging Systems	Erie City, Erie County
25-313-050	Mallinckrodt Specialty Chemicals Co.	J-2 Nickel Carbonate Calciner	Erie City, Erie County
25-313-052	Mallinckrodt, Inc.	Copper Chrome Product Collector	Erie City, Erie County
25-313-053	Mallinckrodt Specialty Chemicals Co.	Copper Chrome Calciner	Erie City, Erie County
42-302-022	Bureau of Prisons, Department of Justice	Hot Water Boilers (3)	Lafayette Township, McKean County
62-312-033	United Refining Co.	Process Heating	Warren Borough, Warren County

Operating permits scheduled for renewal under section 6.1(b) of the Air Pollution Control Act (35 P. S. §§ 4006.1, 4006.1(b1)) during the Month of February, 1996.

Regional Office: Northcentral Regional Office, Regional Air Quality Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

<i>Permit No.</i>	<i>Facility Name</i>	<i>Source Name</i>	<i>Location</i>
08-318-012D	DuPont de Nemours, E. I. & Co., Inc.	Hold Tanks (8 MOS) & Mix Booths (2 MOS)	North Towanda Township, Bradford County

Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contamination sources or air cleaning devices.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

05-318-015A. On January 4, 1996, the Department issued a plan approval to **JLG Industries, Inc.** (JLG Drive, McConnellsburg, PA 17233-9533) for the Bedford ManLift Production facility in Bedford Township, **Bedford County**.

06-319-001B. On January 3, 1996, the Department issued a plan approval to **East Penn Mfg. Company, Inc.** (P. O. Box 147, Lyon Station, PA 19536) for two lead oxide mills, two cyclones and two fabric collectors in Richmond Township, **Berks County**. The sources are subject to 40 CFR 60, Subpart KK, Standards of Performance for New Stationary Sources.

06-319-098B. On January 4, 1996, the Department issued a plan approval to **General Battery Corporation** (P. O. Box 13395, Reading, PA 19612-3995) for a formation operation with five wet scrubbers in Muhlenberg Township, **Berks County**.

21-310-006C. On January 4, 1996, the Department issued a plan approval to **Union Quarries, Inc.** (P. O. Box 686, Carlisle, PA 17013) for a limestone crushing plant controlled by wet suppression and a fabric filter in South Middleton Township, **Cumberland County**. The sources are subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

22-302-111. On January 4, 1996, the Department issued a plan approval to the **Department of Public Welfare, Harrisburg State Hospital** (Cameron and MaClay Streets, Harrisburg, PA 17105) for a No. 2 boiler in Susquehanna Township, **Dauphin County**.

28-304-029. On December 26, 1995, the Department issued a plan approval to **T. B. Wood's, Incorporated** (440 North Fifth Avenue, Chambersburg, PA 17201) for a shakeout controlled by an existing fabric collector in Chambersburg Borough, **Franklin County**.

29-318-003A. On January 4, 1996, the Department issued a plan approval to **JLG Industries, Inc.** (JLG Drive, McConnellsburg, PA 17233) for the McConnellsburg ManLift Production facility in Ayr Township, **Fulton County**.

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

03-308-002. On December 29, 1995, a plan approval was issued to **Vista Metals, Inc.** (1024 East Smithfield St., McKeesport, PA 15135) for a metal carbide powders operation at its Kittanning Plant located in East Franklin Township, **Armstrong County**.

63-000-110. On December 28, 1995, a plan approval was issued to **Corning Consumer Products Company** (HP-ME-01-025-B10, Corning, NY 14831) for Glass Melting Tank 61 at its Charleroi Plant located in Charleroi Borough, **Washington County**.

63-311-006. On December 22, 1995, a plan approval was issued to **Martin Marietta Aggregates** (120 Mallard St., Suite 300, St. Rose, LA 70087) for a concrete production and distribution operation at its Charleroi Plant located in Charleroi Borough, **Washington County**.

65-309-074. On December 22, 1995, a plan approval was issued to **American Video Glass Company** (1001 Technology Drive, Mt. Pleasant, PA 15666) for a color TV glass manufacturing operation at its facility located in East Huntingdon Township, **Westmoreland County**.

04-308-036. On December 21, 1995, a plan approval expiration date was extended to April 30, 1996 for the **Zinc Corporation of America** (300 Frankfort Road, Monaca, PA 15061) for a coke and residue circuit at its Monaca Zinc Smelter located in Potter Township, **Beaver County**.

04-313-053B. On December 11, 1995, a plan approval expiration date was extended to April 30, 1996 for a scrubber and afterburner for the Rotary Kiln Carbon Regenerator at its facility located in Darlington Township, **Beaver County**.

04-313-071B. On December 11, 1995, a plan approval expiration date was extended to April 30, 1996 for **BASF Corporation** (370 Frankfort Road, Monaca, PA 15061) for a thermal oxidizer for styrene/butadiene manufacturing at its plant located in Potter Township, **Beaver County**.

32-000-200. On December 11, 1995, a plan approval expiration date was extended to August 31, 1996 for **Indiana University of Pennsylvania** (Robert Shaw Bldg., Indiana, PA 15705) for cleanburn combustion technology for its S. W. Jack Cogeneration Plant located in Indiana Borough, **Indiana County**.

32-306-009B. On December 11, 1995, a plan approval expiration date was extended to April 30, 1996 for **Pennsylvania Electric Company** (1001 Broad Street, Johnstown, PA 15907) for a selective non-catalytic reduction system for boiler no. 15 at its Sewared Generating Station located in East Wheatfield Township, **Indiana County**.

32-306-014. On December 11, 1995, a plan approval expiration date was extended to April 30, 1996 for the **Pennsylvania Electric Company** (1001 Broad Street, Johnstown, PA 15907) for a steam electric generator at its Homer City Generating Station located in Center Township, **Indiana County**.

32-306-015. On December 11, 1995, a plan approval expiration date was extended to May 1, 1996 for **Penn-**

sylvania Electric Company (1001 Broad Street, Johnstown, PA 15906) for a steam electric generator at its Homer City Generating Station located in Center Township, **Indiana County**.

56-305-045. On December 21, 1995, a plan approval expiration date was extended to May 1, 1995 for **Custom Coals International** (100 First Avenue, Suite 500, Pittsburgh, PA 15222) for a coal preparation plant located in Shade Township, **Somerset County**.

63-000-631. On December 21, 1995, a plan approval expiration date was extended to May 1, 1996 for **Columbia Gas Transmission Corp.** (P. O. Box 1273, Charleston, WV 25325) for a natural gas compressor at its Donegal Station located in Donora Township, **Washington County**.

63-305-019. On December 21, 1995, a plan approval expiration date was extended to September 30, 1996 for a mine refuse reprocessing operation at its Matway site located in Fallowfield Township, **Washington County**.

63-308-036. On January 1, 1996, a plan approval expiration date was extended to July 1, 1996 for **General Alloys, Inc.** (135 West Wiely Avenue, Washington, PA 15301) for scrap aluminum remelt furnaces at its facility located in Canton Township, **Washington County**.

63-313-011A. On December 11, 1995, a plan approval expiration date was extended to April 30, 1996 for **Polycom Huntsman, Inc.** (55 Galiffa Drive, Donora, PA 15033) for a Crol-Reynolds Fume Scrubber for continuous mixer and extrusion at its Donor Plant No. 1 located in Donora Township, **Washington County**.

65-304-038. On December 11, 1995, a plan approval expiration date was extended to April 30, 1996 for **National Roll Company** (Railroad Avenue, Avonmore, PA 15618) for an alloying ladle process at its facility located in Avonmore Borough, **Westmoreland County**.

65-320-001. On December 21, 1995, a plan approval expiration date was extended to April 1, 1996 for **Sterling Lebanon Packaging Corporation** (P. O. Box 7768, Thomas Ave. and Lafferty St., Jeannette, PA 15644) for flexography at its facility located in Jeannette, **Westmoreland County**.

Northwest Regional Office: Devendra Verma, Engineering Services Chief, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6940.

37-318-014C. On January 4, 1996, a plan approval was issued to **Emess Lighting, Inc.** (One Early Street, Ellwood City, PA 16117) for modification/installation of surface coating lines at Ellwood City, **Lawrence County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

53-399-007. On December 13, 1995, plan approval was issued to **Emporium Specialties Company, Inc.** (P. O. Box 65, Austin, PA 16720) for the reactivation of a sintering furnace in Austin Township, **Potter County**.

PA-53-0003A. On December 18, 1995, plan approval was issued to **CNG Transmission Corporation** (445 West Main Street, Clarksburg, WV 26301-2450) for the installation of air cleaning devices (low emission combustion retrofit kits) on four natural gas fired reciprocating engines as well as for the modification of (increase in the carbon monoxide and volatile organic compound emission rates of) said engines at the Greenlick Compressor Station in Stewardson Township, **Potter County**.

PA-59-0002A. On December 18, 1995, plan approval was issued to **CNG Transmission Corporation** (445 West Main Street, Clarksburg, WV 26301-2450) for the installation of air cleaning devices (low emission combustion retrofit kits) on seven natural gas fired reciprocating engines as well as for the modification of (increase in the carbon monoxide and volatile organic compound emission rates of) said engines at the Sabinsville Compressor Station in Clymer Township, **Tioga County**.

18-329-001A. On December 21, 1995, plan approval was issued to **CNG Transmission Corporation** (445 West Main Street, Clarksburg, WV 26301-2450) for the modification of (increase in the nitrogen oxides, carbon monoxide and volatile organic compound emission rates of) a natural gas fired reciprocating engine (no. 4) at the Finnefrock Compressor Station in Leidy Township, **Clinton County**.

17-318-020. On December 21, 1995, plan approval was issued to **Rescar, Inc. of Pennsylvania** (7702 FM 1960, Suite 232, Humble, TX 77346) for the construction of a rail car surface coating operation in the City of DuBois, **Clearfield County**.

PA-41-0003A. On December 21, 1995, the Department returned a plan approval application submitted by **Hiebert East dba The Hon Company** (Technical Center, P. O. Box 499, Muscatine, IO 52761-0499) for the construction of furniture finishing line ovens in the City of Williamsport, **Lycoming County**.

8-316-012A. On December 22, 1995, plan approval was issued to **Masonite Corporation, Division of International Paper** (P. O. Box 311, Towanda, PA 18848) for the modification of a hardboard tempering operation and for the installation of an air cleaning device (a thermal oxidizer) on said tempering operation in Wysox Township, **Bradford County**.

53-399-006. On December 28, 1995, plan approval was issued to **St. Mary's Carbon Company** (P. O. Box 1, Galeton, PA 16922) for the construction of nine sintering furnaces in Pike Township, **Potter County**.

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

Coal Mining Permits Issued

56901301. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), to revise the permit for the Diamond T No. 1 and No. 2 bituminous deep mine in Stoneycreek Township, **Somerset County** to add 45 permit acres and one vent borehole, no additional discharge. Permit issued December 22, 1995.

56841603. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), to revise the permit for the Shade Creek Preparation Plant in Shade Township, **Somerset County** to add existing haul road, no additional discharge. Permit issued December 22, 1995.

56841325. RoxCoal, Inc. (P. O. Box 149, Friedens, PA 15541), to transfer the permit for the Laurel bituminous deep mine in Shade Township, **Somerset County** from Triebel, Inc., no additional discharge. Permit issued December 22, 1995.

56911302. RoxCoal, Inc. (P. O. Box 149, Friedens, PA 15541), to operate the Long T bituminous deep mine in Stoneycreek Township, **Somerset County**, for transfer of the Diamond T Mine's permit to RoxCoal, Inc. and combine with the Longview permit (the Longview permit number will be retained), no additional discharge. Permit issued December 22, 1995.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

09840301C3. G.R.O.W.S., Inc. (1000 New Ford Mill Road, Morrisville, PA 19067), renewal of NPDES Permit #PA0614301 in Falls Township, **Bucks County**, receiving stream unnamed tributary to Delaware River and Van Siver Lake. Renewal issued December 28, 1995.

19950301. Stillwater Asphalt, Inc. (P. O. Box 330, Kline Road (T-595), Benton, PA 17814), commencement, operation and restoration of a large noncoal operation in Stillwater Borough, **Columbia County**, affecting 9.2 acres, receiving stream Fishing Creek. Permit issued December 27, 1995.

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and Notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-698. Encroachment. **Borough of Quakertown**, P. O. Box 727, Quakertown, PA 18951. To remove low flow stream crossing and to construct and maintain a 14-foot wide by 2-foot high reinforced concrete box culvert across Beaver Run Creek for the purpose of providing an access to the Borough's water supply well. The site is located approximately 175 feet east of the intersection of California Road and the Borough line (Quakertown, PA Quadrangle N: 10 inches; W: 13.1 inches) in Richland Township, **Bucks County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E08-231. Encroachment. **North Towanda Township Supervisors**, R. R. 1, Box 63-1, Towanda, PA 18848. Install a 50 foot long 10 foot diameter steel tank to an existing 95 foot long culvert and maintain the new 145 foot length of culvert located approximately 1,219 feet north on Campbell Road from its intersection with S. R. 0006 (Towanda, PA Quadrangle N: 8.5 inches; W: 13 inches) in North Towanda Township, **Bradford County**.

E14-275. Encroachment. **Joseph C. Meter, Jr.**, 511 West Branch Road, State College, PA 16801. Repair and maintain an existing single span bridge across Slab Cabin Run to provide access to private property. Work shall consist of replacing the abutments and superstructure that will provide a minimum span of 30.0 feet and an average underclearance of 6.0 feet. The proposed work is located approximately 1,000.0 feet south of the intersection of S. R. 3009 and S. R. 0322 State College, PA Quadrangle N: 5.8 inches; W: 11.4 inches in College Township, **Centre County**.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permits Issued

E02-1116. Encroachment. **Joseph Fay Company**, P. O. Box 11351, Pittsburgh, PA 15238. To place and maintain fill in approximately 0.07 acre of wetlands on the left bank of the Allegheny River and on the right bank of Plum Creek for the purpose of the deposition of clean fill material. The project is located just upstream of the confluence of the Allegheny River and Plum Creek, approximately 700 feet south of the intersection of College Avenue and Allegheny River Boulevard (New Kensington West, PA Quadrangle N: 2.0 inches; W: 13.5 inches) in Oakmont Borough, **Allegheny County**.

E02-1127. Encroachment. **U. S. Steel Group**, 1206 Braddock Avenue, Braddock, PA 15104. To relocate, operate and maintain the existing outfall structure on the right bank of, and in the channel of the Monongahela River for the purpose of the relocation of the Army Corps of Engineer's Lock and Dam No. 2. The project is located at River Mile 11.3 (Braddock, PA Quadrangle N: 2.8 inches; W: 15.0 inches) in North Braddock Borough, **Allegheny County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E32-368. Encroachment. **Department of Transportation**, P. O. Box 429, Indiana, PA 15701-0429. To construct and maintain a 20-foot by 7.5-foot concrete box culvert (bottom slab depressed 1.5 feet) in the proposed relocated Stoney Run located on the proposed S. R. 3043, Section 490 (Rose Street Extension) and to relocate and maintain said stream for a length of 950 L. F. starting from 200 feet upstream of the proposed culvert. The project includes construction and maintenance of two outfall structures (Indiana, PA Quadrangle N: 19.50 inches; W: 5.37 inches). The project is in White Township, **Indiana County**.

E63-401. Encroachment. **Kenneth M. Kochman**, 584 Cherryhill Drive, Bridgeville, PA 15136. To place and maintain fill in the floodway of and along the left bank of an unnamed tributary to Chartiers Creek for the purpose of improving applicant's property, and to extend and maintain the existing 15-inch diameter outfall pipe on the left bank of said stream. The project is located on Cherrybrook Lot 22, approximately 2,500 feet northeast of the intersection of Baker Road and Interstate Route 79

(Canonsburg, PA Quadrangle N: 11.6 inches; W: 2.0 inches) in Cecil Township, **Washington County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E63-403. Encroachment. **Bureau of Abandoned Mine Reclamation**, P. O. Box 8476, Harrisburg, PA 17105-8476. To relocate and maintain approximately 2,800 feet of the channel of a tributary to the Monongahela River, to remove debris from the existing culverts in said stream and to place and maintain fill in an intermittent impoundment on the left bank of the Monongahela River for the purpose of reclaiming approximately 64 acres of an abandoned mine site (Project No. OSM 63 (4756) 101.1). The project is located on the north side of the intersection of First Street and State Highway 62198 (California, PA Quadrangle N: 0.8 inch; W: 8.3 inches) in Centerville Borough, **Washington County**.

E65-623. Encroachment. **Dept. of Transportation**, P. O. Box 459, Uniontown, PA 15401. To remove the existing structure and to construct and maintain a bridge having a normal span of 40 feet and an underclearance of

7.8 feet across Welty Run. The bridge is located on S. R. 2023, Section B01, Station 71+06 (Mammoth, PA Quadrangle N: 15.8 inches; W: 14.3 inches) in Mount Pleasant Township, **Westmoreland County**.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of December 1995, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Nathaniel L. Burden, Jr.	804 Second Street Pike Southampton, PA 18966	Mitigation
Enos Heaps	1320 Sonnet Lane West Chester, PA 19380	Testing Mitigation
Robert Eugene Martin	383 Mount Penn Road Reading, PA 19607	Testing
Donna Moles	207 DeKalb Street Norristown, PA 19401	Testing
Bruce Shannon Seville Homes, Inc.	1410 Sculac Drive Bethlehem, PA 18017	Mitigation
Bruce R. Thomas B. R. Thomas & Associates, Inc.	17 Fosterville Road Greensburg, PA 15601	Testing
Calvin C. Zehring, Jr. All-Inspect	421 Broad Street Montoursville, PA 17754	Testing

[Pa.B. Doc. No. 96-105. Filed for public inspection January 26, 1996, 9:00 a.m.]

Citizens Advisory Council; Schedule of 1996 Meetings

The Citizens Advisory Council to the Department of Environmental Protection meets the second Tuesday of each month. The meetings will be held at 10 a.m. in the 1st Floor Meeting Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, on the following dates:

- February 13
- March 12
- April 9
- May 14
- June 11
- July 9
- September 10
- October 8
- November 12 (*Note:* Nov. 11 is Veterans Day)

Questions concerning this schedule or agenda items can be directed to Susan Wilson at (717) 787-4527 or e-mail at Wilson.Susan@a1.dep.state.pa.us. This schedule and an agenda for each meeting will be available through the

Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Susan Wilson directly at (717) 787-4527 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

MAURICE FORRESTER,
Chairperson

[Pa.B. Doc. No. 96-106. Filed for public inspection January 26, 1996, 9:00 a.m.]

Policy for Conducting Technical Reviews of Water Quality Management (Part II) Permit Applications to Construct and Operate Sewerage Works and Industrial Wastewater Treatment Facilities

The Department of Environmental Protection (Department) by this notice is announcing its policy setting forth the Department's review guidelines for applications to

construct sewerage works, and industrial wastewater treatment facilities under sections 207 and 308 of The Clean Streams Law. On September 9, 1995, the Department published a notice of the proposed policy at 25 Pa.B. 3780 (September 9, 1995) establishing a 30-day public comment period. The Department received only one comment, which supported the draft policy in its entirety. As a result, the Department issues this policy, to be effective on January 22, 1996, without revision.

Section 207 of The Clean Streams Law provides that Department approval of plans, designs and relevant data is required before the construction of any new sewer system, sewage treatment works or intercepting sewers, or before the extension of an existing sewer system can commence. Section 308 provides that all plans, designs and relevant data for the construction of industrial wastewater treatment works must be approved by the Department before construction begins.

This policy streamlines the Part II permit application review process and eliminates detailed Department re-engineering of Part II permit applications, resulting in resource savings for both permit applicants and the Department. It also gives the applicant's registered professional engineer full responsibility for the treatment works design. The policy allows design engineers broad discretion so long as necessary performance can be achieved by the treatment system. Opportunities for public review of Part II applications are not changed by this policy.

It is recognized where public funds are used to finance construction through government grants, loans or local taxes, the Department has a vested interest in ensuring that facilities are properly and cost-effectively designed and are capable of efficient performance over the design life of the facility. These same concerns apply to privately owned sewerage facilities which may ultimately become the responsibility of local government. This policy does not abandon the Department's interest in these matters. Industrial wastewater treatment works are almost exclusively privately owned and are specifically designed to treat a unique wastewater. These facilities are normally designed by professionals possessing specialized knowledge in the field and should require minimal Department review. To address the fundamental difference between industrial wastewater and sewerage facilities, the procedures to implement this policy are varied slightly along those lines.

Persons wishing to obtain an official copy of the final policy should request it from the Bureau of Water Quality Management, Division of Permits and Compliance, 10th Floor, Rachel Carson State Office Building, P.O. Box 8465, Harrisburg, PA 17105-8465, (717) 787-8184, or by Internet E-Mail (Gansell.Stuart@a1.dep.state.pa.us).

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-107. Filed for public inspection January 26, 1996, 9:00 a.m.]

Proposed Revision to the Pennsylvania State Implementation Plan for Ozone; Public Hearing

Meeting the 15% Rate of Progress Requirement Under the Clean Air Act for Allegheny, Armstrong, Beaver, Butler, Fayette, Washington and Westmoreland Counties

The Department of Environmental Protection proposed to submit to the Federal Environmental Protection

Agency a revision of the Pennsylvania State Implementation Plan for ozone to meet the 15% Rate of Progress requirement (also known as the Reasonable Further Progress Plan) under section 182(b) of the Clean Air Act. This public hearing and comment period is intended to solicit comments on the 15% Rate of Progress Plan for the Pennsylvania portion of the Pittsburgh moderate ozone nonattainment area including the counties of Allegheny, Armstrong, Beaver, Butler, Fayette, Washington and Westmoreland.

The public hearing will be held at 10 a.m. on Monday, February 26, 1996, at the following location: Green Tree Borough Building, Conference Room, 10 West Manila Avenue, Pittsburgh, PA.

Persons wishing to present testimony at the hearing must contact Karen Matter at (717) 787-9495 or at the address given within this notice no later than February 22, 1996, to reserve a time to present testimony. Oral testimony will be limited to 10 minutes for each witness and three written copies of the oral testimony must be submitted at the hearing. Each organization should designate one witness to present testimony on its behalf.

Persons interested in submitting written comments should send the comments to J. Wick Havens, Chief, Division of Air Resource Management, at the address given within this notice on or before March 25, 1996. Copies of the proposed revision may be obtained from the Bureau of Air Quality, Rachel Carson State Office Building, 12th Floor, P.O. Box 8468, Harrisburg, PA 17105-8468 or by telephone at (717) 787-4310.

Persons with a disability who wish to attend the hearing, and require an auxiliary aid, service or other accommodation to participate in the proceeding, should contact J. Wick Havens at the above address or telephone number; or for TDD users, the AT&T Relay Service at 1 (800) 654-5984 to discuss how the Department can best accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-108. Filed for public inspection January 26, 1996, 9:00 a.m.]

Technical Assistance Center for Small Water Systems; Schedule of 1996 Meetings

The Technical Assistance Center for Small Water Systems announces its schedule of 1996 meetings. The meetings will be held in the Green Room of the Forum Building in Harrisburg at 9:30 a.m. on the following dates:

February 13
May 14
August 13
November 12

Questions concerning this schedule or agenda items can be directed to Donna Green at (717) 787-9037 or e-mail at Green.Donna@a1.dep.state.pa.us. This schedule and an agenda for each meeting will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Donna Green directly at (717) 787-9037 or

through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-109. Filed for public inspection January 26, 1996, 9:00 a.m.]

DEPARTMENT OF HEALTH

Notice of Beginning of Review; Certificates of Need

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P.S. §§ 448.702(c), 704(a) and 704(b)).

CON-95-H-7795-E: Boyce Technology Associates, Pittsburgh, PA. The applicant is proposing to extend its mobile renal lithotripsy service to Canonsburg Hospital.

CON-95-H-2557-B: Medical Center of Beaver, 1000 Dutch Ridge Road, Beaver, PA 15009. The project involves the addition of a second cardiac catheterization lab at an estimated cost of \$1,600,000.

The projects are scheduled to be reviewed and a decision rendered by the Department of Health within 90

days beginning January 27, 1996. Interested persons, as defined in section 103 of the act (35 P.S. § 448.103) may request a public meeting. Requests must be made in writing, within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P.S. § 448.506(a)) regarding the decisions made on these applications, any interested person as defined in the act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, such meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. The public meetings will be conducted on Thursday, February 22, 1996. The Medical Center of Beaver meeting will begin at 11 a.m. and the Boyce meeting will begin at 1 p.m. Persons who need an accommodation due to a disability and want to attend a meeting should contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. These meetings are subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

PETER J. JANNETTA, M.D.,
Secretary

[Pa.B. Doc. No. 96-110. Filed for public inspection January 26, 1996, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Annual Update; Statements of Policy and Notices of Rule Change

The Department of Public Welfare adopted rules at 17 Pa.B. 5048 (December 5, 1987) relating to Regulatory Document Information System. 55 Pa. Code § 9.22 established the publication in the *Pennsylvania Bulletin* of a listing of existing Department of Public Welfare *Statements of Policy* (bulletins) with continuing effect.

(Editor's Note: Statements of policy are in upper and lower case. Notices of Rule Change are in all capitals. Notices of Rule Change adopted more than 180 days before deposit are starred (★).)

Income Maintenance

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1983	Ch. 166 Ch. 275	Computation of CWEP Hrs. Postmark Date as the Recpt. Indicator for Appeals and for Requests for Reconsideration	10/25/83 03/15/84	166-83-57 275-84-10
1988	Ch. 100	Health Insurance Provisions for Single Point of Contact (SPOC)	05/25/88	100-88-2
1989	Ch. 275	Instructions for Applying the Court Ruling in <i>Juras vs. DPW</i>	06/30/89	275-89-1
1990	Ch. 183 Ch. 183	Additions to/Deletions from a Budget Group Cash Assistance Clarifications: Residence and Income	01/08/90 12/28/90	183-90-01 183-90-05
1991	★CH. 289 ★CH. 140	EMERGENCY ASSISTANCE MANDATORY CONTINUATION OF MA THROUGHOUT PREGNANCY AND POSTPARTUM PERIOD	07/05/91 08/20/91	0289-91-01 0140-91-01
1993	★CH. 178	MA-EXCLUSION OF RESOURCES FOR SSI-RELATED, AFDC-RELATED AND GA-RELATED CHILDREN UNDER 21 AND FOR SSI-RELATED, AFDC-RELATED AND GA-RELATED FAMILIES WITH CHILDREN UNDER 21	06/18/93	178-93-01

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
	★CH. 141	CHRONICALLY NEEDY NON- FINANCIAL ELI- GIBILITY DETERMINATION	07/19/93	141-93-01
	★CH. 166	PROVIDING SUPPORTIVE SERVICES TO PARTICIPANTS IN THE COMMUNITY WORK EXPERIENCE PROGRAM	08/21/93	166-93-01
1994	★CH. 183	REVISION TO CHAPTER 183, INCOME: DEEMED INCOME CALCULATION	03/04/94	183-94-01
	★CH. 257	REVISIONS TO 55 PA. CODE CHAPTER 177 (RESOURCES) AND 257 (REIMBURSEMENT)	06/24/94	257-94-01
	★CH. 141	REVISIONS TO 55 PA. CODE CHAPTERS 171, 147, 166, 177, 178 AND 181: CHANGES TO THE GA NON-FINANCIAL REQUIREMENTS, RE- LATED MA BENEFITS AND CWEP	09/01/94	141-94-01
	★CH. 227	REVISIONS TO 55 PA. CODE CHAPTER 227 CORRECTION OF UNDERPAYMENTS TO FORMER RECIPIENTS	11/22/94	227-94-01
1995	★CH. 140	EXPANSION OF THE HEALTHY HORIZONS COST-SHARING PROGRAM FOR SPECIFIED LOW-INCOME MEDICARE BENEFICIARIES (SLMBs)	05/19/95	140-95-01
	★CH. 257	MA ESTATE RECOVERY - CHAPTER 178 - MEDICAL ASSISTANCE RESOURCES; CHAP- TER 257 - REIMBURSEMENT	06/01/95	257-95-01
	★CH. 141	REVISIONS TO 55 PA. CODE CHAPTERS 141, 178, AND 181: ELIMINATION OF THE TRANSITIONALLY NEEDY (TN) COMPONENT OF THE GENERAL ASSISTANCE (GA) PRO- GRAM	07/12/95	141-95-01

Fraud and Abuse Investigations and Recovery

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1984	Ch. 297	Change in Reimbursement Policy for AFDC/SSI	03/15/84	297-84-1
1985	Ch. 187	Definition of Child Born Out-of-Wedlock	11/08/85	00-85-23(T)

Medical Assistance

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1981	Ch. 1251	Clarification of M.A. Bulletin # 22-80-01	08/19/81	22-81-01
	Ch. 1121	Info. Concerning Claims Submitted as Compounded Prescriptions	06/30/82	19-82-02
1983	Ch. 1181	Req. to Hold & Report Unclaimed Patient Funds	12/01/83	24-83-04
	Ch. 1181	Criteria for Appraisers and Appraisals	12/12/83	35-83-12 36-83-10
1984	Ch. 1181	Policy Clarif./ Gains on Sale of Assets	08/31/84	35-84-07 36-84-07
	Ch. 1181	Amendment to Bulletins 35-83-12 & 36-83-10	10/05/84	35-84-08 36-84-09
	Ch. 1101	Third Party Resource and Copay	11/01/84	99-84-15
	Ch. 1163	Physician Attestation Statement	12/31/84	01-84-15 11-84-25
1985	Ch. 1141	Decision Concerning Prof. Component Billing	01/25/85	01-85-01
	Ch. 1181	Life Care Contracts	02/07/85	24-85-01
	Ch. 1123	Policy Clarification	03/21/85	05-85-02
	Ch. 1181	MA 11, Cost Rpt, Chklist	03/22/85	25-85-04
	Ch. 1141	Physician Assistant Use	04/22/85	01-85-05
	Ch. 1245, 1163	Ambulance Transportation	04/22/85	11-85-08
	Ch. 1181	Allowable Depreciation	05/20/85	24-85-03 25-85-06 34-85-03 35-85-06 36-85-06
	Ch. 1163	Psych. Inpatient Adm of Patients with D/A and Psy- chiatric Diagnoses	05/31/85	13-85-04
	Ch. 1101	Copayments/Guidelines/ Exemption for Pregnancy & Ability to Pay	10/17/85	99-85-12

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
	Ch. 1153	Require. for Treatment Plans & Doc. of Treatment	10/31/85	29-85-01 33-85-02
	Ch. 1181	Effect. Date of Change Recipient Level of Care Changes	12/17/85	34-85-11 35-85-18 36-85-19
1986	Ch. 1149	Clarification of Treatment Plan Requirements for Orthodontists	02/11/86	03-86-1
	Ch. 1163 Ch. 1151	Offset of Investment Income	02/21/86	11-86-04 12-86-02 13-86-01
	Ch. 1181	Bona Fide Use of a Recipients' \$25 Personal Care Allowance	34-86-04 35-86-05 36-86-05	
	Ch. 1181	Policy Clarification Available Income That Exceeds the Patient	05/06/86	24-86-04 25-86-05 34-86-05 35-86-08 36-86-08
	Ch. 1181	Determination of Assets as Either Fixed or Movable	05/14/86	35-86-09 36-86-09
	Ch. 1101.75 (a)(5) Ch. 1181	Policy Clarification Dually Certified Beds	07/23/86 08/22/86	19-86-06 35-86-14 36-86-14
	Ch. 1101 Ch. 181.53, 1181.82 Ch. 1101	Policy Clarification Re: Provider's Signature New Admissions Professional License No.	09/19/86 10/01/86 10/13/86	99-86-06 24-86-07 11-86-12 12-86-05
	Ch. 1101	Preclusion of Convicted Persons, Not Providers, from Participation or Involvement in the MA Prg.	10/24/86	99-86-09
	Ch. 1123	Durable Medical Equipment Warranties	10/28/86	05-86-02 19-86-07
	Ch. 1101 Ch. 1181	Records Maintenance and Avail. Requirements PACE Program	11/05/86 12/09/86	23-86-02 24-86-09 25-86-11 34-86-10 35-86-17 36-86-17
1987	Ch. 1101 Ch. 1223	Physicians' Respons. Home Health Services Letter of Agreement-D&A Single County Authorities	01/12/87 01/23/87	01-87-01 11-87-01 12-87-01 13-87-01
	Ch. 1223 Ch. 1181	Contractual Agreement Single County Authority Clarif. of New Admissions Bulletin Issued	02/12/87 02/13/87	28-87-01 24-87-01 10/1/86
	Ch. 1149	Palliative Emerg. Treat.	04/24/87	03-87-02 27-87-01
	Ch. 1101 Ch. 1249 Ch. 1101 Ch. 1101 Ch. 1223	Records Maint. and Avail. Require. for Chiropractors Reimbursement-Home Health Services in PCH Professional Lic. No. Defin. Examp. of Emerg. Nonrecompensable Services Drug Screens	04/27/87 05/22/87 06/10/87 07/06/87 07/29/87	01-87-01 23-87-01 10-87-01 99-87-07 11-87-05 12-87-04 16-87-01 28-87-02
	Ch. 1101/ Ch. 1123	Coverage for Motorized Wheelchairs	07/30/87	05-87-02 01-87-08 19-87-06
	Ch. 1181	Medicare Rate Applied as Upper Limit of Payment	08/10/87	34-87-04 36-87-05 35-87-05
	Ch. 1101	Policy Relating to Apnea Monitors	09/02/87	01-87-15 05-87-04 19-87-09
	Ch. 1150	Spec. Enroll. Req. to Bill Tech. Comp. of Ped. Pneumogram	10/07/87	05-87-05 19-87-10

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>	
1988	Ch. 1181	Limitations on Payment for Reserved Beds	02/12/88	1181-88-01	
	Ch. 1181	Medicare Part B Adjustments	06/22/88	1181-88-04	
	Ch. 1101	Policy Clarification Regarding Physician License	07/01/88	1101-88-01	
	Ch. 1249	Clarification of Condition Under Which MA Recipients Are Considered Homebound	09/26/88	1249-88-01	
1989	Ch. 1181	Clarification of Proc. When Bed Changes Occur	12/31/88	1181-88-03	
	Ch. 1181	OBRA—Nursing Home Reform	12/31/88	1181-88-08	
	Ch. 1181	Elimination of Funded Depreciation Requirements	07/15/89	1181-89-01	
	Ch. 1181	Updated List of OBRA Evaluation Agencies and Terminology to Describe Type	08/05/89	1181-89-02	
	Ch. 1101	Policy Reminder Regarding Practitioner License Requirements	09/09/89	1101-89-02	
	Ch. 1181	OBRA—Sanctions	10/07/89	1181-89-04	
	Ch. 1181	OBRA—Transfers and Discharges	10/07/89	1181-89-03	
	Ch. 1181	Establishment of a Uniform Period for the Recoupment of Overpayments—COBRA	10/21/89	1181-89-05	
	Ch. 1163	Assignment of DRG (Neonate)	11/18/89	1163-89-01	
	Ch. 1181	Initial Resident Reviews Required by OBRA-87 Legislation	12/23/89	1181-89-06	
1990	Ch. 1150	Payment Policy for Consultations	04/27/90	1150-90-01	
	Ch. 1249	Use of Medicare Form HCFA-485	06/08/90	1249-90-01	
	Ch. 1181	Dual Participation Requirements for Medicare and Medical Assistance (Revised)	09/28/90	1181-90-02	
1991	Ch. 1150	Second Opinion Procedure List	03/22/91	1150-91-01	
	★CH. 1101	EPSDT - OBRA '89	08/02/91	1101-91-01	
	CH. 1121			1121-91-02	
	CH. 1123			1123-91-01	
1992	CH. 1241			1241-91-01	
	★CH. 1141	CLOZAPINE SUPPORT SERVICES	01/31/92	1141-92-01	
	★CH. 1153			1153-92-01	
	Ch. 1181	Charging Nursing Facility Residents for Bed Hold Days When a Hospital Stay Exceeds Fifteen Days	05/01/92	1181-92-03	
	Ch. 1181	Reimbursement for Hospital Reserved Bed Days	05/01/92	1181-92-04	
	★CH. 1181	ABOLISHMENT OF UTILIZATION REVIEW COMMITTEES AND PROCEDURES FOR DETERMINING RESIDENT ACUITY LEVELS	05/14/92	1181-92-01	
	Ch. 1181	Nursing Facility: OBRA '87 Forms (PASARR-ID)	06/17/92	1181-92-02	
	Ch. 1241	Revised EPSDT Immunization Guidelines	12/11/92	1241-92-01	
	★CH. 1153	ACCESSING MENTAL HEALTH SERVICES NOT CURRENTLY INCLUDED IN THE MEDICAL ASSISTANCE FEE SCHEDULE FOR ELIGIBLE CHILDREN AND ADOLESCENTS UNDER 21 YEARS OF AGE	01/01/93	1153-93-01	
	★CH. 1165	PAYMENT FOR MENTAL HEALTH SERVICES PROVIDED IN A RESIDENTIAL TREATMENT FACILITY FOR ELIGIBLE INDIVIDUALS UNDER 21 YEARS OF AGE	01/01/93	1165-93-01	
1993	★CH. 1121	CHANGES IN THE MEDICAL ASSISTANCE PHARMACEUTICAL BENEFITS	07/09/93	1121-93-01	
	★CH. 1149	DENTAL SERVICES FOR ADULTS	07/09/93	1149-93-01	
	★CH. 1101	BASIC HEALTH CARE FOR ADULT GENERAL ASSISTANCE RECIPIENTS (FELIX ET. AL. V. CASEY ET. AL.) STIPULATION OF SETTLEMENT	07/21/93	1101-93-03	
	★CH. 1101	UPDATE TO EXCEPTIONS PROCESS AND CRITERIA UNDER THE GENERAL ASSISTANCE BASIC HEALTH CARE PACKAGE	07/21/93	1101-93-04	
	Ch. 1241	Centers for Disease Control Blood Lead Testing	09/03/93	1241-93-01	
	Ch. 1101	Business Arrangements Between Nursing Facilities and Pharmacy Providers	10/08/93	1101-93-05	
	1994	Ch. 1241	Update to Blood Lead Testing Guidelines	04/08/94	1241-94-01
		★CH. 1239	M.A. CASE MANAGEMENT SERVICES FOR RECIPIENTS UNDER THE AGE OF 21	05/17/94	1239-91-01
		★CH. 1121	PHARMACEUTICAL SERVICES DRUG COVERAGE FOR MEDICALLY NEEDY IN NURSING FACILITIES	06/24/94	1121-94-01

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
	★CH. 1249	PRIOR AUTHORIZATION OF HOME HEALTH SERVICES (REVISED)	07/01/94	1249-94-02
	★CH. 1121	PHARMACEUTICAL SERVICES PRIOR AUTHORIZATION REQUIREMENT	08/26/94	1121-94-02
	★CH. 1121	MULTISOURCE BRAND NAME DRUGS TREATMENT OF INFERTILITY - DISCONTINUED COVERAGE FOR DRUGS AND RELATED SERVICES	08/30/94	1121-94-03
	CH. 1126			1126-94-01
	CH. 1129			1129-94-01
	CH. 1141			1141-94-01
	CH. 1163			1163-94-01
	CH. 1221			1221-94-01
	CH. 1225			1125-94-01
	CH. 1242			1242-94-01
	★CH. 1101	GENERAL ASSISTANCE RESTRUCTURE AS A RESULT OF ACT 49	09/02/94	1101-94-01
	★CH. 1163	PRIOR AUTHORIZATION OF PARTIAL HOSPITALIZATION	12/30/94	1153-95-01
1995	Ch. 1181	Reimbursement of Nurse Aide Training and Testing Fees	04/06/95	1181-95-01
	CH. 1153	ACCESSING OUTPATIENT WRAPAROUND MENTAL HEALTH SERVICES	09/08/95	1153-95-01
	CH. 1157	MENTAL HEALTH SERVICES PROVIDED IN NON-JCAHO	09/08/95	1157-95-01
	CH. 1165	UPDATE-JCAHO-ACCREDITED RTF SERVICES	09/08/95	1165-95-01
	Ch. 1163	Revision of Utilization Guidelines for Inpatient Hospital Drug & Alcohol Services	11/06/95	1163-95-01
	CH. 1163	PAYMENT POLICY FOR ABORTION SERVICES	12/15/95	1163-95-02

Social Programs

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1993	Ch. 2620	Increase in Personal Needs Allowance for Residents of Personal Care Homes	08/16/93	2620-93-02

Children, Youth and Families

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1980	Ch. 3001.1	Clarification of Policy Re: Certification of Certain Non-Residential Services	10/28/80	99-80-12
	Ch. 3140	Funding of Basic Ed. Components of Private Day Treatment Center Programs	10/29/80	99-80-22
1981	Ch. 3490	Reporting Suspected Child Abuse in Institutions, Schools, Facilities & Agencies	09/30/81	3490-81-02
1982	Ch. 3140	Elig. Reg. Relating to Adjudicated Delinquent Youth Under the Title IV-E Placement Maint. Prog.	10/01/82	3140-82-01
1983	Ch. 3130	Clarification of the Definition of "Accept for Service"	02/04/83	3130-83-03
	Ch. 3700	Waiver for Foster Family Homes by Foster Family Care Agencies	02/04/83	3700-83-01
	Ch. 3130	Clarification of County C & Y Agency Requirements with Respect to Fee Setting	02/04/83	3130-83-04
	Ch. 3130	Participation on Agency Administrative Review Panel	02/04/83	3130-83-06
	Ch. 3130	Clarif. on Caseworker-to- Family Case Load Ratio & Case Management Functions	02/04/83	3130-83-07
	Ch. 3140	Clarif. of Adoption Asst. to Relatives in Adoption Cases	05/02/83	3140-83-07
	Ch. 3140	Respons. of the Co. for Legal Representation for Children and Parents	06/10/83	3140-83-09
	Ch. 3140	Reimbursement to Parents for the Cost of Child Visits	08/15/83	3130-83-11
	Ch. 3130	Child Placement Regist. Index	08/29/83	99-83-18
1984	Ch. 3140	Reimbursement Rates for Placements in VisionQuest Wilderness & Wagon Train Programs	01/12/84	3140-84-01

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
	Ch. 3001	Transmittal of Interdpt. Memo. on Nonimmunized Students Excluded from Attending School	07/08/84	99-84-13
	Ch. 3490	Release of Child Abuse Info. to the Media	08/15/84	99-84-20
	Ch. 3490	Exclusion of School Pers. as Subj. of Child Abuse Rpts.	09/01/84	3490-84-03
	Ch. 3700	Reimbursement for Relative Foster Parents	09/01/84	3130-84-07 3700-84-02
	Ch. 3140	VisionQuest Policy	09/07/84	3140-84-05
1985	Ch. 3001.5	Unannounced Visits to Licensed & Approved Facilities/Agencies	08/20/85	99-85-18
	Ch. 3130	Non-Mandatory Regis. Requirement for Individ. 18 Yrs. & Older with PA Adoption Cooperative Exch.	09/16/85	99-85-24
	Ch. 3490	Providing Copies of Child Abuse Reports to Subjects	11/20/85	99-85-28
	Ch. 3490	Abandoned Children and the Child Protective Services Law	12/02/85	99-85-29
1986	Ch. 3140	Continuing Eligibility for Adoption Assistance	04/15/86	3140-86-02
	Ch. 3490	Law Enforcement Officials as Perpetrators of Suspected Child Abuse	07/15/86	3490-86-04
	Ch. 3350	Screening Prospective Adoptive Parents Pursuant to Act 33 of 1985	09/02/86	3350-86-01
	Ch. 3140	Title IV-E Elig. Issues	09/18/86	3140-86-05
1987	Ch. 3490	Implementation of Child Protective Svc. Policies Relating to Alleged Medical Neglect of Disabled Infants	05/01/87	3490-87-01
	Ch. 3490	Pol. Clarif. of Child Protective Svcs. Law & Regs.	06/01/87	3490-87-02
	Ch. 3170	Fin. Part. in Costs of Co. Human Svc. Depts.	08/31/87	3170-87-01
	Ch. 3490	Sharing Child Abuse Info Among DPW Offices	09/01/87	3490-87-03
	Ch. 3140	Personal Incident Costs	10/01/87	3140-87-05
	Ch. 3130	Child Placements with Emergency Caretakers	10/15/87	3130-87-07
1988	Ch. 4490	Act 80-1987	10/20/88	3490-88-003
1989	Ch. 3350	Adoption Record Disclosure	06/06/89	3350-89-01
	Ch. 3490	Definition of Founded Report of Child Abuse	06/08/89	3490-89-01
1992	Ch. 3040	Establishing Waiting List Service Priorities	06/27/92	3040-92-01
1994	Ch. 3130	County Children and Youth Agency Responsibility for Juveniles in Police Custody	03/19/94	3130-93-94
	Ch. 3270	Overpopulation of Indoor	07/30/94	3001-94-01
	Ch. 3280	Child Care Space		
1995	Ch. 3040	Application in County of Residence for the Subsidized Child Day Care Program	10/30/95	3040-95-01
	Ch. 3270	Certified Childcare Professional Credential	11/01/95	3001-95-01
	Ch. 3280			
	Ch. 3290			

Mental Health/Mental Retardation

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1981	Ch. 4000	Procedures for Charging & Collecting of Tuition Expenses for School-Age Residents in MR & MH Residential Facilities	09/02/81	199-81-01
1982	Ch. 4000	Respon. for Collection of Tuition Exp. Under Act 199 of 1980 for Out-of-State Residents	03/17/82	199-82-01
	Ch. 4000	Notice of Assessments (Joint MH/MR Bulletin)	04/16/82	99-82-15
1985	Ch. 4000	County Indirect Cost Allocation Plan Guideline Update--Maintenance In Lieu of Rent as a Direct Cost (Joint MH/MR Bulletin)	8/22/85	99-85-17
1986	Ch. 6000	Procedures for Review of Service Eligibility and Termination Decisions	01/17/86	99-86-01
1987	Ch. 4305	Community MH/MR Liability	05/21/87	4305-87-2
1988	Ch. 4305	Quarterly Liability Summaries	01/29/88	4305-88-01
1995	Ch. 4000	Room and Board Payments for Mental Health Only Children in Residential Facilities Which Are Not JCAHO Accredited	04/03/95	4000-95-01

Mental Health

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1981	Ch. 5001	Expiration of 4th Provisional Cert. of Compliance	12/15/83	99-83-49
1984	Ch. 5250	Guidelines for Delivery of MH Forensic Svcs. to Persons in Co. Jails & Persons on Prob. or Parole	08/27/84	99-84-38
1985	Ch. 4210	Readmission from Community Placement Within 30 Days of Discharge	05/30/85	99-85-21
	Ch. 5001	Administration of Psychotropic Medication to Protesting Patients	03/11/85	99-85-10
1986	Ch. 5001	Implementation of Act 33 of 1985	03/19/86	99-86-11
	Ch. 5100	Involuntary Outpatient Commitment	05/08/86	99-86-14
1987	Ch. 4210	Dis. Plan. Respons. for SMH Child/Adoles. Prog. & Co. MH/MR Program	01/16/87	99-87-10
	Ch. 5100	Guidelines for Assessing & Documenting the Dangerousness of Mentally Ill Adults	01/16/87	99-87-07
	Ch. 5100	Not. of Grievance & Appeal Proc. Involuntary Outpatient Commitment	09/08/87	99-87-23
1993	Ch. 5221	Intensive Case Management Record Requirements	09/21/93	5221-93-01

Mental Retardation

<i>Year</i>	<i>Code Citation</i>	<i>Subject</i>	<i>Date Issued</i>	<i>Bulletin Number</i>
1981	Ch. 6000	Policies and Procedures Governing Admissions, Commitment, Transfers, and Discharges at State-Operated Mental Retardation Facilities	12/01/81	99-81-51
1982	Ch. 6000	OMR Guidelines to Co. for Client Info with OVR	11/22/82	99-82-33
1983	Ch. 6000	Level of Care Documentation 83-01	03/23/83	42-456.600-
	Ch. 6000	DPW Policy/Support Svcs for Persons with MR and Their Families	10/14/83	99-83-24
1984	Ch. 6000	Therapeutic Leave Gdlines for 2176 Waiver Facilities & State/ Non-State ICFs/MR	08/01/84	99-84-08
	Ch. 6000	Inspection of Care Process Facility Documentation 01 Requirement	08/30/84	42.456.1-84-
	Ch. 6000	Community Residential Program Slot & Funding Adj.	12/27/84	99-84-20
	Ch. 6000	Supplemnt & Amendment to DPW Policy on Support Svcs for Persons with MR and Their Families	12/27/84	99-84-21
1985	Ch. 6000	Beneficiary Choice Under 2176 Waiver Prg.	02/06/85	99-85-02
	Ch. 6000	Assessment & Elig. Procedures for Persons in the 2176 Waiver Prg.	04/01/85	99-85-04
1986	Ch. 6000	Need for ICF/MR Level of Care	12/31/86	99-86-11
1987	Ch. 6000	Revised Fair Hearing Proc. Related to Svcs. Under 2176 Waiver Prg.	06/10/87	99-87-08
	Ch. 6000	Doc. Requirements-Waiver Requests Increases for Workers' Comp. Costs	09/25/87	99-87-15
	Ch. 6000	Submission of Cost Rpts (MA-11s) to OMR	10/09/87	99-87-16
	Ch. 6000	Conversion of Comm. Res. MR Facilities to ICF/MR	10/23/87	99-87-17
	Ch. 6000	DPW Reimbursement Guide. Hepatitis B in Comm. MR Fac.	11/25/87	99-87-06
1988	Ch. 6000	Revised Reserved Bed Day Procedures for Hospitalization and Therapeutic Leave Under 2176 Waiver	05/31/88	6000-88-01
	Ch. 6000	Mandatory Child Abuse and Criminal History Clearances	05/31/88	6000-88-02
	Ch. 6000	Preventing, Managing and Reporting Unusual Incidents and Deaths	08/01/88	6000-88-04
	Ch. 6000	Licensing Policy and Procedure Manual	08/30/88	6000-88-03
	Ch. 6000	Administration and Management of Client Funds	10/05/88	6000-88-08
1989	Ch. 6000	Guidelines for Enhancing and Conducting Direct and Independent Assessment	10/16/89	6000-89-01
	Ch. 6000	Public Law 99-457, Part H, Adoption of the 14 Components as Policy	08/10/89	6000-89-02
1990	Ch. 6000	Provider Agreements Under the 2176 Waiver	09/18/90	6000-90-04
	Ch. 6000	Supplemental Grant Agreement for the 2176 Waiver	10/05/90	6000-90-03
	Ch. 6000	Family-Driven Family Support Services	12/12/90	6000-90-01
	Ch. 6000	Support for Independent Living	12/12/90	6000-90-02
	Ch. 6000	Therapy and Other Specialized Services	12/18/90	6000-90-05

Year	Code Citation	Subject	Date Issued	Bulletin Number
	Ch. 6000	Policy on Employment for Persons with Mental Retardation	12/26/90	6000-90-06
1991	★CH. 4225	SCREENING, EVALUATION AND ELIGIBILITY FOR INFANTS AND TODDLERS	06/20/91	4225-91-05
	Ch. 6000	County Fiscal Management for the 2176 Waiver	08/12/91	6000-91-01
	Ch. 4000	Services for Children in Foster Family Care Who Are Placed Out-of-County	11/22/91	4000-91-01
1995	Ch. 6600	Medications Administration Training for Intermediate Care Facilities for the Mentally Retarded	09/05/95	6600-95-01

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 96-111. Filed for public inspection January 26, 1996, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Cash Cow Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cash Cow.

2. *Price:* The price of a Pennsylvania Cash Cow instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Cash Cow instant lottery game ticket will contain one play area. The play symbols and their captions located in the play area are: Yogurt Symbol (YOGURT), Milkcan Symbol (MILKCAN), Ice Cream Symbol (ICE CREAM), Cream Symbol (CREAM), Pail Symbol (PAIL), Churn Symbol (CHURN), Cheese Symbol (CHEESE), Butter Symbol (BUTTER), Cow Symbol (COW) and Bottle Symbol (BOTTLE).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Prize Bell" area are: \$1⁰⁰ (ONE), \$2⁰⁰ (TWO), \$4⁰⁰ (FOUR), \$8⁰⁰ (EIGHT), \$16\$ (SIXTEEN), \$32\$ (THIRT-TWO), \$64\$ (SIXTY-FOR) and \$400 (FOR HUN).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$8, \$16, \$32, \$64 and \$400.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 6,475,200 tickets will be printed for the Pennsylvania Cash Cow instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$400 (FOR HUN) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$400.

(b) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$64\$ (SIXTY-FOR) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$64.

(c) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$32\$ (THIRT-TWO) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$32.

(d) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$16\$ (SIXTEEN) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$16.

(e) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$8⁰⁰ (EIGHT) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$8.

(f) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$4⁰⁰ (FOUR) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$4.

(g) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$2⁰⁰ (TWO) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$2.

(h) Holders of tickets with three matching play symbols in the "Play Area" and a prize play symbol of \$1⁰⁰ (ONE) in the "Prize Bell" area, on a single ticket, shall be entitled to a prize of \$1.

(i) A prize will be paid only for the highest Pennsylvania Cash Cow instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Win	Approximate Odds	Approximate No. of Winners Per 6,475,200 Tickets
\$1	1:6	1,079,200
\$2	1:16	404,700
\$4	1:40	161,880
\$8	1:200	32,376
\$16	1:400	16,188
\$32	1:600	10,792
\$64	1:2,000	3,238
\$400	1:13,490	480

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Cash Cow instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Cash Cow, prize

money on winning Pennsylvania Cash Cow instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of Pennsylvania Cash Cow, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania Cash Cow or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-112. Filed for public inspection January 26, 1996, 9:00 a.m.]

Pennsylvania Joker's Wild '96 Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Joker's Wild '96.

2. *Price:* The price of a Pennsylvania Joker's Wild '96 instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Joker's Wild '96 instant lottery game ticket will contain two play areas. The play symbols and their captions located in the play area are: 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), J (JACK), Q (QUEEN), K (KING), A (ACE) and Joker character (JOKER).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Prize" box area are: \$1⁰⁰ (ONE), \$2⁰⁰ (TWO), \$4⁰⁰ (FOUR), \$7⁰⁰ (SEVEN), \$21\$ (TWTY-ONE), \$42\$ (FRTY-TWO), \$100 (ONE HUN), \$200 (TWO HUN) and \$2500 (TWNFIVHUN).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$7, \$21, \$42, \$100, \$200 and \$2,500. The player can win up to two times on each ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 6,475,200 tickets will be printed for the Pennsylvania Joker's Wild '96 instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$2500 (TWNFIVHUN) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$2,500.

(b) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in

the play area and a prize play symbol of \$200 (TWO HUN) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$200.

(c) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$100 (ONE HUN) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$42\$ (FRTY-TWO) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$42.

(e) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$21\$ (TWTY-ONE) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$21.

(f) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$7⁰⁰ (SEVEN) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$7.

(g) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$4⁰⁰ (FOUR) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$4.

(h) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$2⁰⁰ (TWO) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$2.

(i) Holders of tickets with three matching play symbols or two matching play symbols and a Joker play symbol in the play area and a prize play symbol of \$1⁰⁰ (ONE) in the "Prize" box, in the same game, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Win	Approximate Odds	Approximate No. of Winners Per 6,475,200 Tickets
\$1	1:6	1,079,200
\$2 (\$1 + \$1)	1:20	323,760
\$2	1:40	161,880
\$4 (\$2 + \$2)	1:80	80,940
\$4	1:160	40,470
\$8 (\$4 + \$4)	1:800	8,094
\$7	1:1,000	6,475
\$14 (\$7 + \$7)	1:1,200	5,396
\$21	1:300	21,584
\$42 (\$21 + \$21)	1:2,200	2,943
\$42	1:2,400	2,698
\$84 (\$42 + \$42)	1:8,004	809
\$100	1:15,988	405
\$200 (\$100 + \$100)	1:9,993	648
\$200	1:39,970	162
\$400 (\$200 + \$200)	1:79,941	81
\$2,500	1:259,008	25
\$5,000 (\$2,500 + \$2,500)	1:539,600	12

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell

Pennsylvania Joker's Wild '96 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Joker's Wild '96, prize money on winning Pennsylvania Joker's Wild '96 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of Pennsylvania Joker's Wild '96, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania Joker's Wild '96 or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-113. Filed for public inspection January 26, 1996, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

[CORRECTION]

An error appeared in a notice at 25 Pa.B. 6045 (December 23, 1995). The correct version is as follows, with ellipses referring to the existing text of the notice:

The Department of Transportation, Bureau of Motor Vehicles, under authority of section 3368 of the Vehicle Code (75 Pa.C.S. § 3368), has approved for use, until the next comprehensive list is published, subject to interim amendment, the following electronic speed-timing devices (radar); electronic speed-timing devices (nonradar), which measure elapsed time between measured road surface points by using two sensors; and electronic speed-timing devices (nonradar), which calculate average speed between any two points.

* * * * *

Thomas Associates R. & E. Incorporated, 65 South Mountain Boulevard, Mountain Top, Luzerne County, PA 18707 (Appointed: 08/08/86, Station R7).

* * * * *

[Pa.B. Doc. No. 95-2139. Filed for public inspection December 22, 1995, 9:00 a.m.]

Bureau of Motor Vehicles; State Implementation Plan—Public Hearing

The Department of Transportation, Bureau of Motor Vehicles intends to hold public hearings for the purpose of accepting comments on the proposed State Implementation Plan.

The Department of Transportation proposes to implement section 182 of The Clean Air Act Amendment of 1990, as amended by Pub. L. 101-54, November 15, 1990, 104 Stat. 2399-2712, (42 U.S.C.A. §§ 7401-26718) and Pub. L. 104-59, November 27, 1995, _____ Stat. _____ (known as the National Highway System Designation Act of 1995) requiring the State to develop an enhanced vehicle inspection and maintenance (I/M) program. The enhanced I/M program will include 25 counties in Pennsylvania. This State Implementation Plan outlines the program that the State will implement. The National Highway Designation Act of 1995 requires that this enhanced I/M State Implementation Plan be submitted to the Environmental Protection Agency no later than March 27, 1996. The Department strenuously and earnestly invites comments on this proposed State Implementation Plan.

Three hearings will be held, all commencing at 1 p.m., at the following dates and locations:

Monday, February 26, 1996
Green Tree Borough Bldg. Conference Room
10 West Manilla Avenue
Pittsburgh, PA

Wednesday, February 28, 1996
Freedom Hall
Upper Merion Township Bldg.
175 W. Valley Forge Road
King of Prussia, PA

Parking available in garage behind Twp. Bldg., 3rd Floor and above.

Friday, March 1, 1996
DEP Main Auditorium
Second Floor, Rachael Carson State Office Bldg.
4th and Market Streets
Harrisburg, PA

The public meeting locations are accessible to persons having disabilities. Persons with special needs or requiring special aids are requested to contact the Department prior to the meeting so that special disability needs may be accommodated.

Persons wishing to present testimony at the hearing or needing special accommodations should contact, at least 1 week prior to the hearings, Becki Mescher-Vuxta at the Department of Transportation, 915 Transportation and Safety Building, Harrisburg, PA 17120 or telephone (717) 787-9626. Two written copies of oral testimony are to be submitted at the hearing. Copies of the proposed State Implementation Plan are available by contacting Becki Mescher-Vuxta at the above address. Comments must be received no later than March 6, 1996, to be considered.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-114. Filed for public inspection January 26, 1996, 9:00 a.m.]

Retention of Engineering Firms

**Philadelphia County
Reference No. 08430AG1966**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately ten inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on S. R. 0001, Section M06, Roosevelt Boulevard restoration from Ninth Street to Tyson Avenue, Philadelphia County.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of available inspectors in each payroll classification.
- b. Past performance of previous construction inspection assignments.
- c. Review of inspectors' resumes with emphasis on Department experience, construction inspection capabilities and specialized experience in bituminous paving, maintenance and protection of traffic, signalization, highway lighting, water main work, guide rail, curb, curb ramps and sidewalk.
- d. Understanding of Department's requirements, policies and specifications.
- e. Ability to provide one "CDS" operator (TCIS) classification or someone capable of inputting data into a personal computer.
- f. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	6 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

In addition to the resumes for the required number of personnel in each Department Payroll Classification, a maximum of one alternate resume per payroll classification will be acceptable.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employee, or the following rates, whichever is less:

<i>Payroll Classification</i>	<i>Direct Payroll Rate</i>
Transportation Construction Inspector Supervisor (TCIS)	\$17.34
Transportation Construction Inspector (TCI)	\$15.18
Technical Assistant (TA)	\$10.43

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; perform Material Acceptance Testing, input data on a personal computer for CDS system and perform other duties as may be required.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCIS positions, giving their approval to use their name in the letter of interest for this specific project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to Thomas Larney, District 6-0, at (610) 964-6683.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Allegheny County
Reference No. 08430AG1967**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately eight inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following three projects: S. R. 0065, Section A04, PA 65 Edgeworth, widen the roadway from 40' to 57', providing five lanes, new drainage, new signalization at two intersections, construct new curbs and sidewalks, Allegheny County; S. R. 0065, Section A09, PA 65 and Cross Street, construct a left turn lane, includes widening, resurfacing, channelization, signalization, drainage, guiderail, shoulders, safety barrier on end of existing box culvert, Allegheny and Beaver Counties; and S. R. 0065, Section A02, Ohio River Boulevard/Bellevue, widen the roadway from 40' to 52' to provide five lanes, new drainage and new signalized intersections, new curbs, and sidewalks, Allegheny County.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, concrete, asphalt paving, drainage, traffic signalization, guiderail and retaining system.
- b. Understanding of Department's requirements, policies and specifications.
- c. Number of NICET certified inspectors in each payroll classification.
- d. Past performance.
- e. Number of available inspectors in each payroll classification.
- f. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	3 (2)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>	<i>Direct Payroll Rate</i>
Transportation Construction Inspector Supervisor (TCIS)	\$17.34
Transportation Construction Inspector (TCI)	\$15.18
Technical Assistant (TA)	\$10.43

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one inspector certified in computer documentation on each project and perform other duties as may be required.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCIS positions, giving their approval to use their name in the letter of interest for this specific project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to Robert Collins, District 11-0, at (412) 429-4928.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Statewide
Reference No. 08430AG1968**

The Department of Transportation will retain an engineering firm for an open-end contract to provide guidance and assistance in completing environmental studies and in managing the preliminary design and the final design phases of major highway and other transportation projects. The contract will be for a period of 3 years with a maximum cost of \$2.0 million with projects being assigned on an "as-needed" basis.

The selected firm will be required to provide all necessary professional services through a team of highly qualified environmental, engineering, and public involvement professionals to guide and assist Department and project consultant staff through the preliminary and final design phases of project development with emphasis on insuring consistency and compliance with all applicable State and Federal laws, regulations and procedures; sensitivity to environmental quality goals and issues; responsiveness to public and agency needs and concerns; adherence to established project schedules; project management of preliminary design and environmental studies; technical assistance in preparing policy and project development materials for Department use; follow through on commitments; quality control for the preparation and review of engineering and environmental documents; timely permit application during the Transportation Project Development Process; utilization of cost effective and state-of-the-art analysis and documentation methods; and timely communication such that management is kept well informed and properly involved in the project development process.

At a minimum, providing guidance and assistance will be accomplished through strategically planned activities such as monitoring and reviewing needs analyses during the planning and prioritization/programming phases; participating in and reporting on project scoping, status, document review, public and agency meetings; reviewing plans of study, scope of work, technical proposals and project schedules; monitoring data collection, data management and technical analyses activities; reviewing preliminary data and analyses; monitoring public and agency involvement activities; reviewing engineering plans and documents in the preliminary and final design phases; reviewing environmental documents and mitigation plans; monitoring and review key steps in the Section 404 permit processes including preapplication, application, public notice, evaluation and special conditions to insure adequacy, timeliness and completeness; monitoring the development and submission of permits required by State agencies including those which may be required for erosion and sedimentation control, stormwater discharge, earth disturbance, placement of fill in controlled areas, and waterway and floodplain involvements; previewing permit applications; briefing project study teams on applicable policies and procedures; briefing management on project study progress and problems; preparing briefing materials, minutes of meetings and technical articles as required; suggesting cost effective, innovative and acceptable study, review and coordination procedures; review of project designs to ensure that adequate avoidance, minimization and other mitigation measures and incorporated; assisting in the writing of policy and procedure memoranda; identifying tools for effectively managing the design phases and identifying important research topics; initiating, chairing and documenting special meetings with local interest groups, agencies, and/or Department and consultant personnel; identifying important research topics; managing agency/consultant coordination when

environmental, design or mitigation activities are carried out during construction; and development of preliminary engineering concepts.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating one open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Project study team management.
- b. Intimate knowledge of the State and Federal laws, regulations, policies and procedures affecting transportation project development, particularly the National Environmental Policy Act and related requirements.
- c. Demonstrated experience in managing and conducting transportation environmental analyses on the subjects of air, noise, energy, vibration, waste management, geology, hydrogeology, floodplain management, stormwater management, socio-economic/land use, historic, archaeology, surface and ground water quality, wildlife, wetlands, erosion and sediment pollution control, wild and scenic rivers, aesthetics, radon, farmlands, endangered plants, and animals, hazardous waste, and the like.
- d. Experience in preparing plans in accordance with established design criteria.
- e. Experience in the preparation of Environmental Impact Statements and all related environmental and engineering documents.
- f. Experience in designing and conducting public and agency involvement programs.

Technical questions concerning the requirements for this project should be directed to Brian McCoola, P.E., Bureau of Environmental Quality at (717) 783-4580.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Bucks County
Reference No. 08430AG1969**

The Department of Transportation will retain an engineering firm for an open-end contract to provide supplementary construction inspection staff under the Department's Inspectors-in-Charge to perform construction inspection.

Services on various projects in Bucks County, located in Engineering District 6-0, on an as-needed basis. The contract will include roadway and bridge construction projects and will be for a period of 30 months with a maximum cost for \$750 thousand.

It is anticipated that a maximum supplementary construction inspection staff of 15 inspectors will be required for this assignment.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- b. Any specialized experience in asphalt paving, structures, concrete, drainage, paint inspection and maintenance and protection of traffic.
- c. Number of NICET certified inspectors in each payroll classification.
- d. Understanding of Department's requirements, policies and specifications.
- e. Ability to provide CPM scheduling. (TCM-1 Classification)
- f. Ability to provide a "CDS" operator or someone capable of inputting data into a personal computer. (TCIS Classification)
- g. Past performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	6 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (1)
NACE Intermediate Coating Inspector	1 (0) **
NACE Basic Coating Inspector	1 (0) **

** These two specialized classifications will be used for bridge painting inspection. Under these classifications, the consultant must provide lead abatement training for these employes prior to any job assignment. In addition, the consultant must establish, implement and maintain an effective employe medical surveillance in accordance with 29 CFR 1926 throughout the duration of this inspection assignment.

Two classifications will have the following requirements:

NACE Intermediate Coating Inspector Training/or equivalent.

The inspector for the above NACE Intermediate Coating Inspector Training category shall have completed at least 80% of the required credits for this NACE category or equivalent training; also, he shall have a minimum of 5 years coating inspection experience on heavy industrial or highway projects; also, he shall have a minimum of 1 year experience of coatings inspection on a lead removal

project where air monitoring, blood monitoring, containment and disposal of lead debris were performed; also, he shall be knowledgeable in OSHA 1926.62 (lead) regulations, applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025); he shall also be capable of "climbing" on high bridge members to perform coatings inspection; he shall be capable of supervising/training lower level coatings inspectors (both consultant and state) if necessary. He shall also complete EPA accredited training for lead removal (Title X, Sections 402 and 404) within 6 months of final issuance, by approximately June, 1996.

NACE Basic Coating Inspector Training/or equivalent.

The inspector for the NACE Basic Coating Inspector shall have completed at least 80% of the required credits for this category or equivalent training; also, he shall have a minimum of 3 years coating inspection experience on heavy industrial or highway project; also, he shall have a minimum of 6 months experience on lead removal project; also, he shall be knowledgeable in OSHA 1926.62 (lead regulations) applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025); he shall also be capable of "climbing" on high bridge members to perform coatings inspection; he shall also be capable of working with State inspectors. He shall also complete EPA accredited training for lead removal (Title X, Section 402 and 404) within 6 months of official issuance, by approximately 1996.

In addition to the resumes for the required number of personnel in each Department Payroll Classification, a maximum of one alternate resume per payroll classification will be acceptable.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>	<i>Direct Payroll Rate</i>
Transportation Construction Manager 1 (TCM-1)	\$19.79
Transportation Construction Inspector Supervisor (TCIS)	\$17.34

<i>Payroll Classification</i>		<i>Direct Payroll Rate</i>
Transportation Construction Inspector	(TCI)	\$15.18
Technical Assistant	(TA)	\$10.43
NACE Intermediate Coating Inspector		\$25.25
NACE Basic Coating Inspector		\$21.96

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; perform Material Acceptance Testing, bridge paint inspection, if necessary and perform other duties as may be required.

Technical questions concerning the requirements for this project should be directed to Marshall Linton, P.E., District 6-0, at (610) 964-6684.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Philadelphia County
Reference No. 08430AG1970**

The Department of Transportation will retain an engineering firm for an open-end contract to provide supplementary construction inspection staff under the Department's Inspectors-in-Charge to perform construction inspection services on various projects in Philadelphia County, located in Engineering District 6-0, on an as-needed basis. The contract will include roadway and bridge construction projects and will be for a period of 30 months with a maximum cost of \$750 thousand.

It is anticipated that a maximum supplementary construction inspection staff of 15 inspectors will be required for this assignment.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- b. Any specialized experience in asphalt paving, structures, concrete, drainage, paint inspection and maintenance and protection of traffic.
- c. Number of NICET certified inspectors in each payroll classification.
- d. Understanding of Department's requirements, policies and specifications.

e. Ability to provide CPM scheduling. (TCM-1 Classification)

f. Ability to provide a "CDS" operator or someone capable of inputting data into a personal computer. (TCIS Classification)

g. Past performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	6 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (1)
NACE Intermediate Coating Inspector	1 (0) **
NACE Basic Coating Inspector	1 (0) **

** These two specialized classifications will be used for bridge painting inspection. Under these classifications, the consultant must provide lead abatement training for these employees prior to any job assignment. In addition, the consultant must establish, implement and maintain an effective employee medical surveillance in accordance with 29 CFR 1926 throughout the duration of this inspection assignment.

Two classifications will have the following requirements:

NACE Intermediate Coating Inspector Training/or equivalent.

The inspector for the above NACE Intermediate Coating Inspector Training category shall have completed at least 80% of the required credits for this NACE category or equivalent training; also, he shall have a minimum of 5 years coating inspection experience on heavy industrial or highway projects; also, he shall have a minimum of 1 year experience of coatings inspection on a lead removal project where air monitoring, blood monitoring, containment and disposal of lead debris were performed; also, he shall be knowledgeable in OSHA 1926.62 (lead) regulations, applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025) he shall also be capable of "climbing" on high bridge members to perform coatings inspection; he shall be capable of supervising/training lower level coatings inspectors (both consultant and State) if necessary. He shall also complete EPA accredited training for lead removal (Title X, Sections 402 and 404) within 6 months of final issuance, by approximately June, 1996.

NACE Basic Coating Inspector Training/or equivalent.

The inspector for the NACE Basic Coating Inspector shall have completed at least 80% of the required credits for this category or equivalent training also, he shall have a minimum of 3 years coating inspection experience on heavy industrial or highway project; also, he shall have a minimum of 6 months experience on lead removal project; also, he shall be knowledgeable in OSHA 1926.62 (lead regulations) applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025); he shall also be capable of "climbing" on high bridge members to perform coatings inspection; he shall also be capable of working with State inspectors. He shall also complete EPA accredited training for lead removal (Title X, Section 402 and 404) within 6 months of official issuance, by approximately 1996.

In addition to the resumes for the required number of personnel in each Department Payroll Classification, a maximum of 1 alternate resume per payroll classification will be acceptable.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>		<i>Direct Payroll Rate</i>
Transportation Construction Manager 1	(TCM-1)	\$19.79
Transportation Construction Inspector Supervisor	(TCIS)	\$17.34
Transportation Construction Inspector	(TCI)	\$15.18
Technical Assistant	(TA)	\$10.43
NACE Intermediate Coating Inspector		\$25.25
NACE Basic Coating Inspector		\$21.96

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected

supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; perform Material Acceptance Testing, bridge paint inspection, if necessary and perform other duties as may be required.

Technical questions concerning the requirements for this project should be directed to Marshall Linton, P.E., District 6-0, at (610) 964-6684.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Statewide
Reference No. 08430AG1971**

The Department of Transportation will retain an engineering firm for an open-end contract to provide various traffic engineering services throughout the State. The contract will be for a period of 5 years and a maximum amount of \$3.0 million with projects assigned on an as-needed basis.

The required services will encompass a wide range of traffic engineering functions, many of which must be performed under short completion schedules. The anticipated types of work include but are not limited to the following:

- Perform complex traffic engineering analyses and assessments.
- Perform analyses of all reasonable (including multi-modal) travel demand reduction and operational management strategies in nonattainment areas to reduce the number of single-occupancy vehicles.
- Perform comprehensive access management reviews of proposed major commercial developments including impacts and needed enhancements to the adjacent highway system.
- Design sophisticated signal systems and complex expressway signing projects.
- Analyze highway facilities which have significant operational problems and cause adverse impact on the safe and/or efficient flow of people.
- Develop or review intelligent transportation systems (ITS), projects and initiatives—for example; call boxes; fiber optic cable usage; digital, 800 Mhz, and other Statewide radio efforts; advanced truck rollover warning systems; incident and congestion management activities; etc.
- Develop or review traffic sign and signal structures and appurtenances for structural integrity.
- Develop or review electrical aspects of traffic signals.
- Field review and design guiderail upgrade projects.
- Develop policies or manuals for incident management to improve the safe and efficient "clearing" of major incidents.
- Develop traffic safety strategies to target identified safety concerns from Pennsylvania's Safety Management System (SMS).
- Develop public education programs for drivers.
- Perform analyses of the highway system to enhance usage by pedestrians and bicycles.

- Conduct safety analyses and sign inventories.
- Analyze proposed changes in accident reporting systems.
- Perform reviews of consultant and/or Department prepared design.
- Develop manuals, brochures, procedures, guidelines, and the like, consistent with acceptable traffic engineering principles.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence of firm.
- b. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on open-end contracts. The specific experience of individuals who constitute the firms shall be considered.
- c. Location of consultant in respect to the District.
- d. Current workload.
- e. Available staffing for this assignment.
- f. Relative size of firm to size of projects that may be completed under this contract.

Technical questions concerning the requirements for this project should be directed to Arthur H. Breneman, P.E., Bureau of Highway Safety and Traffic Engineering, at (717) 787-3620.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Fayette and Greene Counties
Reference No. 08430AG1972**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately nine inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following four projects: S. R. 0019, Section 07R, minor resurfacing, in Greene County; S. R. 0119, Section B11, bridge replacement and bridge paint inspection, in Fayette County; S. R. 0201, Section 05R, 3-R resurfacing and guide rail, in Fayette County; and S. R. 1051, Section J01, bridge replacement, in Fayette County.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of NICET certified inspectors in each payroll classification.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving and drainage.
- c. Understanding of Department's requirements, policies and specifications.
- d. Past performance.
- e. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	8 (6)
NACE Basic Coating Inspector (National Association of Corrosion Engineers)	1 (1) *

* This specialized classification will be used for bridge painting inspection for the S. R. 0119, Section B11 project. Under this classification, the consultant must provide lead abatement training for these employes prior to any job assignment. In addition, the consultant must establish, implement and maintain an effective employe medical surveillance in accordance with 29 CFR 1926 throughout the duration of this inspection assignment.

This classification will have the following requirement:

The inspector for the NACE Basic Coating Inspector shall have completed at least 80% of the required credits for this category or equivalent training. Also, the inspector shall have a minimum of 3 years coating inspection experience on heavy industrial or highway projects; and shall have a minimum of 6 months experience on a lead removal project. The inspector shall be knowledgeable in OSHA 1926.62 (lead regulations) applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025); shall also be capable of "climbing" on high bridge members to perform coatings inspection; and shall be capable of working with State inspectors. The inspector shall also complete EPA accredited training for lead removal (Title X, Sections 402 and 404) within 6 months of final issuance, by approximately 1996.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employee, or the following rates, whichever is less:

<i>Payroll Classification</i>		<i>Direct Payroll Rate</i>
Transportation Construction Inspector	(TCI)	\$17.34
Technical Assistant	(TA)	\$10.43
NACE Basic Coating Inspector		\$21.96

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one inspector qualified to perform nuclear density; one inspector qualified to perform bridge paint inspection, and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCIS positions, giving their approval to use their name in the letter of interest for this specific project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to Anthony M. Dzurko, P.E., District 12-0, at (412) 439-7137.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

Crawford, Erie, Forest, Mercer, Venango and Warren Counties
Reference No. 08430AG1957

In the December 9, 1995 *Pennsylvania Bulletin*, the Department advertisement for this project included a requirement to furnish approval letters for those individuals proposed as TCM-1 and/or TCIS positions. We are advertising the project once again without the approval letter requirement. Any letters of interest submitted

previously will be valid submissions, based on conformity to the previous advertisement, and need not be resubmitted.

The Department of Transportation will retain an engineering firm or construction management firm for an open-end contract to provide supplementary construction inspection staff under the Department's Inspectors-in-Charge to perform construction inspection services on various projects in Engineering District 1-0, that is Crawford, Erie, Forest, Mercer, Venango and Warren Counties. The contract will include roadway and bridge construction projects, and material plant inspection. The contract will be for a period of 30 months with a maximum cost of \$750 thousand.

It is anticipated that a maximum supplementary construction inspection staff of 42 inspectors will be required for this assignment.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past performance.
- b. Workload.
- c. Understanding of Department's requirements, policies and specifications.
- d. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving and drainage.
- e. Ability to provide CPM scheduling.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (1)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	13 (8)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	27 (17)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1995 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>		<i>Direct Payroll Rate</i>
Transportation Construction Manager 1	(TCM-1)	\$19.12
Transportation Construction Inspector Supervisor	(TCIS)	\$16.75
Transportation Construction Inspector	(TCI)	\$14.67

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

Technical questions concerning the requirements for this project should be directed to Mike McMullen, P.E., District 1-0, at (814) 437-4331.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Washington County
Reference No. 08430AG1973**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately 18 inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following nine projects in Washington County: S. R. 0018, Section 19R, bridge replacement plus approaches; S. R. 0070, Section F11, resurfacing, S. R. 0980, Section K00, bridge replacement; S. R. 1002, Section B10, intersection improvement; S. R. 1002, Section B10, bridge replacement; S. R. 1009, Section J10, bridge replacement; S. R. 2020, Section K00, bridge removal; S. R. 3009, Section E10, bridge replacement and S. R. 4004, Section J08, bridge replacement.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of NICET certified inspectors in each payroll classification.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving and drainage.
- c. Understanding of Department's requirements, policies and specifications.
- d. Past performance.
- e. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	18 (11)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>	<i>Direct Payroll Rate</i>
Transportation Construction (TCI) Inspector	\$15.18

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

Technical questions concerning the requirements for this project should be directed to Anthony M. Dzurko, P.E., District 12-0, at (412) 439-7137.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in performing any of the above services are invited to submit letters of interest to: Director, Consultant Selection Committee, Room 1118, Transportation and Safety Building, Harrisburg, PA 17120.

A separate letter of interest and required forms must be submitted for each project for which the applicant wishes to be considered. The letter of interest and required forms must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. of the thirteenth day.

If the project advertisement indicates that the Department will retain an engineering firm, letters of interest will only be accepted from individuals, firms or corporations duly authorized to engage in the practice of engineering. If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof. Proposed DBE

firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal. Failure to meet the goal and to demonstrate good faith efforts may result in being barred from Department contracts in the future.

Responses are encouraged by small engineering firms, disadvantaged business enterprise engineering firms and other engineering firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include in the heading, the firm's Federal Identification Number and the Project Reference Number indicated in the advertisement. The letter of interest must also include the following:

1. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project."

2. Standard Form 254, "Architect-Engineer and Related Services Questionnaire" not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a joint venture and for each subconsultant the firm or joint venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a company. Please disregard the statements on Standard Form 255 that indicate a Standard Form 254 is only required if not already on file with the contracting office. The Department does not maintain a file for Standard Form 254 for contracting purposes; therefore, this Form is required for the prime consultant and each subconsultant as stated above.

3. Two copies of the Department's Form D-427 (Rev. 6-89), "Current Workload" for the firm submitting the letter of interest. At least one copy of Form D-427 must remain free and not bound in any way to any other portion of the letter of interest or accompanying documentation. Copies of Form D-427 are available upon request from the above address or by contacting the Department's Consultant Agreement Division at (717) 783-9309.

4. Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include with each letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

The Standard Form 255 must be filled out in its entirety including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be presently certified by the Department of Transportation, and the name of the firm and the work to be performed must be indicated in Item 6. If a Women Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

The Standard Form 254 must be signed and dated and must be less than 1 year old as of the date of this advertisement. A Standard Form must accompany each letter of interest for the firm submitting the letter of interest, each party to a joint venture, and for each subconsultant shown under Item 6 of the Standard Form 255.

Unless other factors are identified under the individual project reference number, the following factors, listed in their order of importance, will be considered by the Committee during their evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence of firm.
- b. Past record of performance with respect to cost control, work quality, and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.
- c. Current workload and capacity of firm to perform the work within the time limitations.
- d. Location of consultant.
- e. Special requirements of the project.
- f. Other factors, if any, specific to the project.

The Department currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on design and miscellaneous projects to 130% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection projects to 85.2% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department's limitations will apply to the projects advertised above unless the Department policy is revised prior to the negotiation of an agreement or contract.

The assignment of the above services will be made to one of the firms responding to this notice, but the Committee reserves the right to reject all letters of interest submitted, to cancel the solicitations requested under this notice, and/or to readvertise solicitation for these services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-115. Filed for public inspection January 26, 1996, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Cancellation of Meeting

The February 20, 1996, Environmental Quality Board meeting has been cancelled. The next meeting is scheduled for March 19, 1996, in the First Floor Meeting Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg.

JAMES M. SEIF,
Chairperson

[Pa.B. Doc. No. 96-116. Filed for public inspection January 26, 1996, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register of Historic Places; Properties to be Considered for Nomination

Following is a notice of properties to be considered at the February 13, 1996 meeting of the Historic Preservation Board for nomination to the National Register of Historic Places. The meeting will start at 9:45 a.m. in Room 515, Historical and Museum Commission, Third and North Streets, Harrisburg, PA.

Persons who have a disability and wish to attend this meeting and require an auxiliary aid, service or other accommodation to participate should contact Denise Costa at (717) 783-8946 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the agency can accommodate their needs. Persons who have any questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

Historic Resources of the National Road in Pennsylvania Multiple Property Submission

1. *Doak/Little House*. U. S. Route 40, 1/2 mile west of S. Strabane, Washington County.

2. *Levi Wilson Tavern*. U. S. Route 40, 1 1/2 mile east of the "S Bridge," Buffalo Township, Washington County.

Public Housing in Philadelphia Multiple Property Documentation

3. *James Weldon Johnson Homes*. Roughly bounded by Ridge Avenue, Glenwood Avenue and 25th Street.

4. *Passyunk Homes*. Roughly bounded by Penrose Ferry Road, Schuylkill Expressway and Conrail RR.

5. *Tasker Homes*. Roughly bounded by Tasker, Morris, South 29th and New Hope Streets and Vare Avenue.

6. *Richard Allen Homes*. Roughly bounded by Poplar Street, 9th Street, Fairmount Avenue, and 12th Street.

7. *Bartram Village*. Roughly bounded by Lindbergh Boulevard, Harley Street, Bartram Park, 56th Street, Eastwick Avenue, and 57th Street.

8. *Oxford Village*. Roughly bounded by Oxford Avenue, Comly Street and Devereaux Street.

9. *Hill Creek*. Roughly bounded by Rising Sun Avenue, Adams Avenue and Tacony Creek.

10. *Abbottsford Homes*. Roughly bounded by Abbottsford, Roberts and Henry Avenues and Fox Street.

11. *Jennings/Gallagher House*. 429 Wood Street, California, Washington County.

12. *North Broad Street Station, Reading Company*. 2601 North Broad Street, Philadelphia.

13. *Connellsville Union Passenger Depot*. 900 West Crawford Avenue, Connellsville, Fayette County.

14. *Scottdale Historic District*. Roughly bounded by Walnut Street, Constitution Way, Arthur Avenue and Jacob's Creek. Scottdale, Westmoreland County.

15. *109-115 Wood Street Buildings*. Pittsburgh, Allegheny County.

16. *Coldbrook Farm*. 955 Spring Lane, Chambersburg, Franklin County.

17. *Markle Bank Building*. 8 West Broad Street, Hazleton, Luzerne County.

18. *Century Club of Scranton*. 612 Jefferson Avenue, Scranton, Lackawanna County.

19. *Conestoga Cork Works Building*. 215-235 East Fulton Street, Lancaster County. (Related Multiple Property Listing: Tobacco Buildings in Lancaster City).

BRENT D. GLASS,
Executive Director

[Pa.B. Doc. No. 96-117. Filed for public inspection January 26, 1996, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMITTEE

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. The regulations will be considered within 30 days of their receipt at a public meeting of the Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
#99-5	Office of Administration Defense of Suits Against Commonwealth Employees	1/16/96
#57-126	Pennsylvania Public Utility Commission Integrated Resource Planning for Gas Utilities	1/17/96

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 96-118. Filed for public inspection January 26, 1996, 9:00 a.m.]

INSURANCE DEPARTMENT

Bruno & Sons Service Station; Hearing

Bruno & Sons Service Station; Underground Storage Trust Fund; USTIF Claim No. 95-054/71054; Doc. No. UT95-09-041

A formal administrative hearing is scheduled for February 21, 22 and 23, 1996, at 9:30 a.m. at the Administrative Hearings Office, Department of Insurance, 901 North Seventh Street, Second Floor, Harrisburg, PA 19102.

The hearing shall be held in accordance with the Administrative Agency Law, 2 Pa. Code §§ 56.1—56.3; and any other relevant procedural provisions of law.

Motions and/or briefs relevant to the hearing, including motions in limine and briefs addressing significant or unusual points of law must be filed in writing with the Docket Clerk, Administrative Hearings Office, Insurance Department, 901 North Seventh Street, Second Floor, Harrisburg, PA 17102 with copies delivered to the Presid-

ing Officer at 929 Mayfield Lane, Chadds Ford, PA 19317 on or before February 16, 1996.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-119. Filed for public inspection January 26, 1996, 9:00 a.m.]

Capital Blue Cross; Pennsylvania Blue Shield; Amendatory Rider (Optional)—Incorporating PremierBlue Network Into the Wraparound Major Medical Contract; Filing No. 95-BBB; Form No. F-895

Under filing no. 95-BBB, Capital Blue Cross and Pennsylvania Blue Shield are requesting approval for an Optional Amendatory Rider to the Wraparound Major Medical Contract incorporating the PremierBlue Network.

Copies of the filing are available for public inspection on Monday, Wednesday and Friday, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. This form filing consists of three pages.

Interested parties are invited to submit written comments, suggestions or objections to Richard W. Stoner, Insurance Department, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-120. Filed for public inspection January 26, 1996, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Erie County, Wine & Spirits Shoppe #2514, Yorktown Center, 2501 W. 12th Street, Erie, PA 16505-4507.

Lease Expiration Date: August 31, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 6,500 net useable square feet of new or existing retail commercial space in a shopping center environment along 12th Street between Peninsula Drive and Interstate 79, Erie County.

Proposals due: February 9, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Fayette County, Wine & Spirits Shoppe #2608, 108 S. Liberty Street, Perryopolis, PA 15473-0349.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,500

net useable square feet of new or existing retail commercial space on PA Route 51 serving the Perryopolis area, Fayette County.

Proposals due: February 16, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #9212, 7857 Steubenville Pike, Oakdale, PA 15071.

Lease Expiration Date: April 30, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,200 to 3,500 net useable square feet of new or existing retail commercial space in a shopping center environment near the intersection of Route 22/30 and 978 in North Fayette Township, Allegheny County.

Proposals due: February 9, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 96-121. Filed for public inspection January 26, 1996, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before February 20, 1996, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the right to begin to operate as a broker for the transportation of property as described under the applications.

A-00112665, F. 2. Giant Eagle, Inc., t/d/b/a OK Grocery Company (101 Kappa Drive, RIDC Park, Pittsburgh, Allegheny County, PA 15238-2809), a corporation of the Commonwealth of Pennsylvania—brokerage license—to arrange for the transportation of property between points in Pennsylvania. *Attorney:* William J. Lavelle, 2310 Grant Building, Pittsburgh, PA 15219-2383.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00111425, F. 2. Daniel R. Koebler (701 East Main Street, Grove City, Mercer County, PA 16127)—persons, in limousine service, between points in the townships of Liberty, Pine and Wolf Creek, and the borough of Grove City, Mercer County, and from points in the said townships and borough, to points in Pennsylvania; which is to be a transfer of part of the right issued to Connolly's Limousine Service, Inc., under the certificate issued at A-00105991, subject to the same limitations and conditions.

Notice of Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before February 12, 1996.

- A-00112730 D.L.C. Transport, Inc.
627 Franklin Avenue, Steubenville, OH 43952
- A-00112731 Atlas Bulk, Inc.
P. O. Box 227 and 223 East Alondra Boulevard, Los Angeles, CA 90723
- A-00112732 E. F. Lispi, t/d/b/a GGL Enterprises
1218 Highway 315, Wilkes-Barre, PA 18702
- A-00112733 Christopher Abramczyk, t/d/b/a Chris's Hauling
337 Anthony Mill Road, Bechtelsville, PA 19505
- A-00112734 Powell's Excavating, Inc.
1305 Justus Boulevard, Clarks Summit, PA 18411
- A-00112735 Scott's Mobile Home Supplies, Inc.
336 Lincoln Highway West, Jeanette, PA 15644
- A-00112736 York Excavating Company, Inc.
3096 East Prospect Road, York, PA 17402
- A-00112743 Campbell's Auto Express, Inc., t/d/b/a Campbell's Express
P. O. Box 119, Pitman, NJ 09071-0119;
Robert E. Stup, Jr., Esquire, McNees Wallace & Nurick, 100 Pine Street, P. O. Box 1166, Harrisburg, PA 17108-1166
- A-00112744 Frederick R. Burrows, t/d/b/a Fred Burrows Trucking
5599 Lovers Lane, Whitesboro, NY 13424
- A-00112745 Carolyn S. Kaiser, t/d/b/a Carolyn S. Kaiser & Sons Trucking
2027 Linwood Avenue, Erie, PA 16510
- A-00112746 Davis Cartage Co.
230 Earl Slesman Drive, Corunna, MI 48817
- A-00112726 Kevin Lee Cibulka, t/d/b/a R.Y.A.N. Trucking
3323 Nightingale Drive, Dover, PA 17315

- A-00112739 Robert Lynn Keller
R. D. 2, Box 111, Catawissa, PA 17820
- A-00112740 Ralph H. Owen, t/d/b/a Owen Mercury
Delivery Service
P. O. Box 3208, Erie, PA 16508
- A-00112741 James M. Yurko, t/d/b/a Doc's Equipment
Transport
309 Byron Circle, Cranberry Township,
PA 16066

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-122. Filed for public inspection January 26, 1996, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept proposals until 2 p.m. on Thursday, February 8, 1996, for Project #96-010-001 for Uniform Rental. The Bid Document can be obtained from the Procurement Administrator, Philadelphia Regional Port Authority (PRPA), 210 W. Washington Square, 8th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available January 30, 1996. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-123. Filed for public inspection January 26, 1996, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Schedule of 1996 Meetings

The State Conservation Commission announces its schedule of 1996 meetings. The meetings will be held as follows:

March 14	Harrisburg Room 309, Agriculture Building	1 p.m.
May 8	Harrisburg Room 309, Agriculture Building	1 p.m.
July 25	State College Toftrees	10 a.m.
October 7	Lancaster Willow Valley Resort	9 a.m.

Questions concerning this schedule or agenda items can be directed to Richard VanNoy at (717) 787-5268 or e-mail at VanNoy.Richard@a1.dep.state.pa.us. This schedule and an agenda for each meeting will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Richard VanNoy directly at (717) 787-5268 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

KARL G. BROWN,
Executive Secretary

[Pa.B. Doc. No. 96-124. Filed for public inspection January 26, 1996, 9:00 a.m.]