

# NOTICES

## DEPARTMENT OF BANKING

### Actions on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 30, 1996.

#### BANKING INSTITUTIONS

##### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-9-96	Coatesville Savings Bank Coatesville Chester County	126 S. Third Street Oxford Chester County	Opened
<i>Note: Listed incorrectly as "approved" on the previous Summary.</i>			
1-26-96	West Milton State Bank West Milton Union County	1025 North Main Street Watsontown Delaware Township Northumberland County	Filed
1-26-96	Parkvale Savings Bank Monroeville Allegheny County	McKees Rocks Shopping Center 400 Chartiers Ave. McKees Rocks Allegheny County	Authorization Rescinded
1-29-96	Standard Bank, PaSB Murrysville Westmoreland County	Davis Supermarkets, Inc. Eastgate Plaza 730 East Pittsburgh St. Greensburg Westmoreland County	Filed

##### Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-13-95	First Valley Bank Bethlehem Northampton County	Hanover Industrial Park Middle Road Hanover Township Luzerne County	Effective
12-13-95	First Valley Bank Bethlehem Northampton County	814 Montgomery Ave. Narberth Montgomery County	Effective
12-13-95	First Valley Bank Bethlehem Northampton County	200 White Street Weissport Carbon County	Effective
12-15-95	First Valley Bank Bethlehem Northampton County	228 Wyoming Avenue Kingston Luzerne County	Effective
12-15-95	First Valley Bank Bethlehem Northampton County	2 North Main Street Pittston Luzerne County	Effective
1-23-96	Integra Bank Pittsburgh Allegheny County	Bon Aire Shopping Center Route 8 Butler Butler County	Filed
1-26-96	Meridian Bank Reading Berks County	29 West Main St. Canton Bradford County	Approved

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-26-96	Meridian Bank Reading Berks County	Richardson Ave. Shohola Pike County	Approved
1-26-96	Meridian Bank Reading Berks County	Route 370 and Lake Como Road Lakewood Wayne County	Approved
1-26-96	Meridian Bank Reading Berks County	Main Street Little Meadows Susquehanna County	Approved
1-26-96	Meridian Bank Reading Berks County	Jackson Street Thompson Susquehanna County	Approved
1-26-96	Meridian Bank Reading Berks County	Main Street Gillett Bradford County	Approved
1-30-96	The York Bank and Trust Company York York County	280 Granite Run Dr. Lancaster Lancaster County	Approved

#### Voluntary Liquidations

<i>Date</i>	<i>Name of Bank</i>	<i>Action</i>
1-26-96	UIP Trust Company Newport Perry County	Articles of Dissolution filed in the Department of State. Corporate existence terminated effective January 26, 1996.

#### SAVINGS ASSOCIATIONS

No activity.

#### CREDIT UNIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
1-1-96	North Hills Passavant Hospital Credit Union, Pittsburgh, and Greater Pittsburgh Federal Credit Union, Pittsburgh— surviving institution— Greater Pittsburgh Federal Credit Union, Pittsburgh	Pittsburgh	Effective

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 96-182. Filed for public inspection February 9, 1996, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

#### APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name,

address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received, and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

### Applications received for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.*

**PA 0093301.** Sewage, **South Butler School District**, Penn Township Elementary School, P. O. Box 657, Saxonburg, PA 16056.

This application is for a renewal of a Part I NPDES permit to discharge treated sewage to unnamed tributary to Thorn Creek in Penn Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Zelienople Municipal Water Works intake on Connoquenessing Creek located at Zelienople, approximately 18 miles downstream from point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.007 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
Phosphorus (as P) (4-1 to 10-31)	2	4
Ammonia-Nitrogen (5-1 to 10-31) (11-1 to 4-30)	1.8 5.4	3.5 10.5
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 2,500/100 ml as a geometric average	
Total Residual Chlorine (Interim) (Final)	monitor and report 0.07	0.2
Dissolved Oxygen	minimum of 6 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0104337.** Industrial waste, SIC: 4953. **Tri-County Landfill, Inc.**, R. D. 2, Box 2403, Grove City, PA 16127.

This application is for a new NPDES permit to discharge treated industrial waste and stormwater to Wolf Creek in Liberty Township, **Mercer County**. This is a new discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Camp Allegheny intake on Slippery Rock Creek located in Wayne Township, Lawrence County, approximately 21 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.085 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)			
Oil and Grease	15		30
CBOD <sub>5</sub>	100	200	250
Total Suspended Solids	100	200	250
NH <sub>3</sub>	20	40	50
Antimony	0.43	0.86	1.08

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Arsenic	0.05	0.1	0.12
Beryllium	0.005	0.01	0.013
Cadmium	0.005	0.01	0.013
Chromium (T)	0.125	0.25	0.313
Copper (T)	0.05	0.1	0.125
Lead	0.036	0.072	0.09
Nickel	0.15	0.3	0.38
Selenium	0.075	0.15	0.188
Silver	0.01	0.02	0.025
Thallium	0.087	0.17	0.22
Zinc	1.0	2.0	2.5
Total Cyanide	0.02	0.04	0.05
Phenol	0.05	0.1	0.125
Benzene**	0.05	0.1	0.125
Chlorobenzene**	0.05	0.1	0.125
Chloroform**	0.01	0.02	0.025
Methylene Bromide	0.01	0.02	0.025
Methyl Chloride	0.1	0.2	0.25
Methylene Chloride**	0.1	0.2	0.25
Toluene**	0.05	0.1	0.125
1,1,1 Trichloroethane**	0.1	0.2	0.25
Vinyl Chloride	0.006	0.012	0.015
Butylbenzyl Phthalate	0.01	0.02	0.025
2-Chloronaphthalene	0.01	0.02	0.025
Diethyl Phthalate	0.025	0.05	0.063
Isophorone	0.05	0.1	0.125
Lindane	0.0035	0.007	0.009
4,4'-DDT	0.000044	0.000088	0.00011
Aluminum	0.275	0.55	0.69
Total Iron	3.5	7.0	8.75
Tin	0.8	0.16	2.0
Manganese	1.0	2.0	2.5
Barium	.1	.2	.25
Boron	.45	.9	1.13
Cobalt	0.05	0.1	0.125
Vanadium	0.009	0.018	0.023
Acetone	0.109	0.218	0.273
P-Cresol	0.05	0.01	0.125
2-Hexanone	0.015	0.03	0.038
Methyl Ethyl Ketone	0.21	0.42	0.525
Methyl Isobutyl Ketone	0.015	0.03	0.038
1,2,3-Trichloropropane	0.1	0.2	0.25
Tetrahydrofuran	0.025	0.05	0.063
Xylene	0.01	0.02	0.025
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall Nos. 002, 003, 004, 005, 006 and 007 (Stormwater) are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Chemical Oxygen Demand		monitor and report	
Oil and Grease		monitor and report	
Total Dissolved Solids (TDS)		monitor and report	
Total Suspended Solids (TSS)		monitor and report	
Total Organic Carbon (TOC)		monitor and report	
Barium (Total)		monitor and report	
Cadmium (Total)		monitor and report	
Chromium (Total)		monitor and report	
Lead (Total)		monitor and report	
Mercury (Total)		monitor and report	
Magnesium (Total)		monitor and report	
Magnesium (Dissolved)		monitor and report	
Selenium (Total)		monitor and report	
Silver (Total)		monitor and report	
Ammonia		monitor and report	
Arsenic (Total)		monitor and report	
Cyanide (Total)		monitor and report	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Nitrate plus Nitrite Nitrogen			
Iron (Dissolved)		monitor and report	
pH		monitor and report	

The EPA waiver is in effect.

**PA 0035289.** Sewage, **Glen Lake Estates**, 1037 Barkeyville Road, Grove City, PA 16127.

This application is for renewal of a Part I NPDES permit to discharge treated sewage to unnamed tributary to Wolf Creek in Pine Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Camp Allegheny-Salvation Army on Slippery Rock Creek located at Camp Allegheny, approximately 24 miles downstream from point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.005 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
Ammonia-Nitrogen		
(5-1 to 10-31)	4	8
(11-1 to 4-30)	12	24
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	monitor and report	
Dissolved Oxygen	minimum of 4.0 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0002534.** Industrial waste, SIC: 3624. **Morgan Advanced Materials and Technology, Inc.**, 441 Hall Avenue, St. Marys, PA 15857.

This application is for renewal transfer of an NPDES permit to discharge noncontact cooling water and stormwater to Elk Creek in St. Marys, **Elk County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA American Water Company and Clarion River located at Clarion, approximately 71.7 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of .047 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Temperature (Interim)		<i>Allowable Discharge Temperature Daily Average (°F)</i>	
Aug. 1—31		monitor and report	
Sept. 1—30		monitor and report	
Oct. 1—31		monitor and report	
Nov. 1—30		monitor and report	
Temperature (Final)		<i>Allowable Discharge Temperature Daily Average (°F)</i>	
Aug. 1—31		83	
Sept. 1—30		74.5	
Oct. 1—31		69	
Nov. 1—30		68	
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 002 and 003\* are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
C-Biochemical Oxygen Demand (5-day)			
Chemical Oxygen Demand			
Oil and Grease			
Total Suspended Solids			
Total Kjeldahl Nitrogen			
Total Phosphorus			
Effluent Guideline Pollutants			
Iron (Dissolved)			
pH			

\*Permittees must report results for both a grab and a composite sample, except for discharges from holding ponds or other impoundments with a retention period greater than 24 hours (estimated by dividing the volume of the detention pond by the estimated volume of water discharged during the 24 hours previous to the time that the sample is collected), where a minimum of one grab sample may be taken.

1. Final water quality based effluent based limitation for temperature.
2. Requirement to submit a Thermal Reduction Evaluation.

The EPA waiver is in effect.

**PA 0221970.** Industrial waste, SIC: 4941. **The Municipal Authority of the Borough of Greenville**, 44 Clinton Street, P. O. Box 638, Greenville, PA 16125.

This application is for a new NPDES permit to discharge industrial waste to the Shenango River in Greenville Borough, **Mercer County**. This is a new discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Shenango River and the Reynolds Water Company located at Pymatuning Township, approximately 3 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of .6 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)			
Aluminum	4.0	8.0	10.0
Manganese	1.0	2.0	2.5
Iron (T)	2.0	4.0	5.0
Total Suspended Solids	30	60	75
Total Residual Chlorine	.5		1.6
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

**PA 0103381.** Industrial waste, SIC: 2869 and 2865. **Rhone-Poulenc, Inc.**, P. O. Box 98, Route 8 North, Oil City, PA 16301.

This application is for a renewal of an NPDES permit to discharge treated industrial waste, Group 1 and Group 2 stormwater to Oil Creek in Cornplanter Township, **Venango County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Allegheny River and the Emlenton Water Company located at Emlenton Borough, approximately 40.5 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.0669 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (MGD)		monitor and report	
Benzo(a)anthracene	0.012		0.03
Benzo(a)pyrene	0.012		0.03
3,4-benzofluoranthene	0.012		0.03
Benzo(k)fluoranthene	0.012		0.03
Chrysene	0.012		0.03
Hexa-chlorobenzene	0.003		0.007

## NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
VinylChloride	0.08		0.2

The proposed discharge limits for Outfall No. 101 based on a design flow of 0.025 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
BOD <sub>5</sub>	36	96	
Total Suspended Solids	52	158	
Acenaphthene	monitor and report	monitor and report	monitor and report
Acenaphthylene	monitor and report	monitor and report	monitor and report
Acrylonitrile	monitor and report	monitor and report	monitor and report
Anthracene	monitor and report	monitor and report	monitor and report
Benzene	monitor and report	monitor and report	monitor and report
Benzo(a)anthracene	monitor and report	monitor and report	monitor and report
3,4-Benzofluoranthene	monitor and report	monitor and report	monitor and report
Benzo(k)fluoranthene	monitor and report	monitor and report	monitor and report
Benzo(a)pyrene	monitor and report	monitor and report	monitor and report
Bis(2-ethylhexyl)- phthalate	monitor and report	monitor and report	monitor and report
Carbontetrachloride	monitor and report	monitor and report	monitor and report
Chlorobenzene	monitor and report	monitor and report	monitor and report
Chloroethane	monitor and report	monitor and report	monitor and report
2-Chlorophenol	monitor and report	monitor and report	monitor and report
Chrysene	monitor and report	monitor and report	monitor and report
Di-n-butyl phthalate	monitor and report	monitor and report	monitor and report
1,2-Dichloro- benzene	monitor and report	monitor and report	monitor and report
1,3-Dichloro- benzene	monitor and report	monitor and report	monitor and report
1,1-Dichloro- ethane	monitor and report	monitor and report	monitor and report
1,2-Dichloro- ethane	monitor and report	monitor and report	monitor and report
1,1-Dichloro- ethylene	monitor and report	monitor and report	monitor and report
1,2-trans-Dichloroethylene	monitor and report	monitor and report	monitor and report
2,4-Dichloro- phenol	monitor and report	monitor and report	monitor and report
Phenolics	0.5	1.0	1.25
1,2-Dichloro- propane	monitor and report	monitor and report	monitor and report
1,3-Dichloro- propylene	monitor and report	monitor and report	monitor and report
Diethylphthalate	monitor and report	monitor and report	monitor and report
2,4-Dimethyl- phenol	monitor and report	monitor and report	monitor and report
Dimethyl- phthalate	monitor and report	monitor and report	monitor and report
4,6-Dinitro-o- cresol	monitor and report	monitor and report	monitor and report
2,4-Dinitro- phenol	monitor and report	monitor and report	monitor and report
2,4-Dinitro- toluene	monitor and report	monitor and report	monitor and report
Ethylbenzene	monitor and report	monitor and report	monitor and report
Fluoranthene	monitor and report	monitor and report	monitor and report
Fluorene	monitor and report	monitor and report	monitor and report
Hexachloro- benzene	monitor and report	monitor and report	monitor and report
Hexachloro- butadiene	monitor and report	monitor and report	monitor and report
Hexachloro- ethane	monitor and report	monitor and report	monitor and report
Methyl Chloride	monitor and report	monitor and report	monitor and report
Methylene Chloride	monitor and report	monitor and report	monitor and report

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Napthalene	monitor and report	monitor and report	monitor and report
Nitrobenzene	monitor and report	monitor and report	monitor and report
2-Nitrophenol	monitor and report	monitor and report	monitor and report
4-Nitrophenol	monitor and report	monitor and report	monitor and report
Phenanthrene	monitor and report	monitor and report	monitor and report
Phenol	monitor and report	monitor and report	monitor and report
Pyrene	monitor and report	monitor and report	monitor and report
Tetrachloro-ethylene	monitor and report	monitor and report	monitor and report
Toluene	monitor and report	monitor and report	monitor and report
Total Chromium	monitor and report	monitor and report	monitor and report
Total Copper	monitor and report	monitor and report	monitor and report
Total Cyanide	monitor and report	monitor and report	monitor and report
Total Lead	monitor and report	monitor and report	monitor and report
Total Nickel	monitor and report	monitor and report	monitor and report
1,2,4-Trichlorobenzene	monitor and report	monitor and report	monitor and report
1,1,1-Trichloroethane	monitor and report	monitor and report	monitor and report
1,1,2-Trichloroethane	monitor and report	monitor and report	monitor and report
Trichloroethylene	monitor and report	monitor and report	monitor and report
Vinyl Chloride	monitor and report	monitor and report	monitor and report
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 201 based on a design flow of 0.0417 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
<i>Flow (mgd)</i>		<i>monitor and report</i>	
Oil and Grease	15		30
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**PA 0002062.** Industrial waste, SIC: 4911, **Pennsylvania Electric Company**, 1001 Broad Street, Johnstown, PA 15907.

This application is for amendment of an NPDES permit to discharge treated process water from the Keystone Generating Station in Plumcreek Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters Crooked and Plum Creeks classified as warm water and trout stocked fishery, respectively, with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Cadogen Township W.W., located at Post Office, Cadogen, PA 16217, 26.5 miles below the discharge point.

Outfall 103: existing discharge, design flow of 0.03 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
TSS			30	100	
Oil and Grease			15	20	
pH	This discharge shall consist solely of low volume wastes, groundwater infiltration and stormwater runoff. 6.0—9.0				

Outfall 603: existing 0.03 mgd discharge to Outfall 003.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
TSS			30	100	
Oil and Grease			15	20	
pH	This discharge shall consist solely of low volume wastes, groundwater infiltration and stormwater runoff. 6.0—9.0				

The EPA waiver is not in effect.

**PA 0025615.** Industrial waste, SIC: 4911, **Duquesne Light Company**, One Oxford Centre, 301 Grant Street, Pittsburgh, PA 15279.

This application is for an NPDES permit to discharge treated sewage from Beaver Valley Power Station in Shippingport Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River and Peggs Run, classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Midland Borough Water Authority, located at 1.0 mile below the discharge point.

Approval of sodium hypochlorite to oxidize unreacted Hydrazine.

Outfall 203: existing discharge, design flow of .023 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>			25	50	
Suspended Solids			30	60	
Total Residual Chlorine					
Permit issuance date			monitor and report		
September 30, 1998					
October 1, 1998 through expiration			1.4		3.3
pH	6.0—9.0				

Outfall 113: existing discharge, design flow of 0.043 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	0.043				
CBOD <sub>5</sub>			25	50	
Suspended Solids			30	60	
Total Residual Chlorine					
Permit issuance through			monitor and report		
September 30, 1998					
October 1, 1998 through expiration			1.4		3.3
Fecal Coliforms					
(5-1 to 10-31)	200/100 ml as a geometric mean				
(11-1 to 4-30)	2,000/100 ml as a geometric mean				
pH	6.0—9.0				

Outfall 013: existing discharge to Peggs Run (from permit issuance through 3 years after permit issued date).

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature (°F)					110
Antimony			monitor and report		
Free Cyanide			monitor and report		
Total Cyanide			monitor and report		
Total Residual Chlorine			monitor and report		
	This discharge shall consist solely of uncontaminated stormwater runoff and the sources monitored at 113, 213, 313 and 413				
pH	6.0—9.0				

The EPA waiver is not in effect.

**PA 0032212.** Sewage, **Lawrence J. Nelson and Pamela K. Nelson**, 140 Silver Lake Lane, Fombell, PA 16123.

This application is for renewal of an NPDES permit to discharge treated sewage from the Camp Silver Lake STP in Marion Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Connoquenessing Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Authority.

Outfall 001: existing discharge, design flow of .0016 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	9.0			18.0
(11-1 to 4-30)	25.0			50.0
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	10,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	6.0—9.0			

The EPA waiver is in effect.

**PA 0093203.** Sewage, **The Pennsylvania State University**, New Kensington Campus, 113 Physical Plant Building, University Park, PA 16802.

This application is for renewal of an NPDES permit to discharge treated sewage from the New Kensington Campus Sewage Treatment Plant in Upper Burrell Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Pucketa Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Oakmont Borough Water Authority on the Allegheny River at Mile 13.3.

Outfall 001: existing discharge, design flow of 0.015 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	15			30
Suspended Solids	25			50
Ammonia Nitrogen				
(6-1 to 10-31)	4.0			8.0
(11-1 to 5-30)	12.0			24.0
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 6.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

**PA 0204650.** Sewage, **Michael L. and Francine L. Paluso**, 7032 Leechburg Road, New Kensington, PA 15068.

This application is for renewal of an NPDES permit to discharge treated sewage from Paluso Single Residence sewage treatment plant in Plum Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as tributary of Bodies Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Fox Chapel Water Authority.

Outfall 001: existing discharge, design flow of .0004 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Total Residual Chlorine	monitor and report			
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Dissolved Oxygen	not less than 3.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

---

**Industrial waste and sewerage applications received under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

---

*Northcentral Regional Office: Regional Water Management Program, Program Manager, 208 W. Third Street, Suite 101, Williamsport, PA 17701, telephone (717) 327-3664.*

**NPDES Permit No. 5596201.** Industrial waste. **Pennsylvania Power and Light Company**, Sunbury Steam Electric Company, 2 North Ninth Street, Allentown, PA 18101-1179. Has applied for permit to construct treatment facility located in Shamokin Dam Boro, **Snyder County**. This NPDES permit number appeared incorrectly in the February 2, 1996 Bulletin as 5596401, it is 5596201.

---

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**PA 0063517.** Sewerage, **Bonhams Nursing Center**, c/o James Bonham, R. R. 1, Box 64, Stillwater, PA 17878.

This proposed action is for issuance of an NPDES permit to discharge treated sewage into Pine Creek in Huntingdon Township, **Luzerne County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Authority on the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of 0.01625 mgd are:

Parameter	Monthly Average (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	25.0	50.0
Total Suspended Solids	30.0	60.0
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	1.20	2.80

The EPA waiver is in effect.

---

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.*

**PA 0026247.** Amendment No. 1, Sewage, **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915.

This application is for amendment of an NPDES permit to discharge treated sewage from the Hatfield Township Municipal Authority STP in Hatfield Township, **Montgomery County**. This is an existing discharge to the West Branch of Neshaminy Creek.

The receiving stream is classified for warm water fish, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports, navigation and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 6.43 million gallons per day are as follows:

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>				
(5-1 to 10-31)	10		15	20
(11-1 to 4-30)	20		30	40
Suspended Solids	30		45	60
Ammonia (as N)				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0
Nitrite and Nitrate (as N)				
(7-1 to 10-31)	9.0			18.0
Phosphorus as P				
(4-1 to 10-31)	2.0			4.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms	200 colonies/100 ml as a geometric average			
Dissolved Oxygen	minimum of 6.0 mg/l at all times			
pH	within limits of 6.0—9.0 standard units at all times			
Copper	0.045	0.090		0.113
Hardness (In-Stream)	monitor only			
Silver	monitor only		monitor only	
Free Cyanide	0.009	0.018		0.023
Boron	monitor only			
Total Chromium	monitor only			
Total Zinc	monitor only			
Total Phenols	monitor only			
BHC Gamma	0.00015	0.0003		0.00038
Whole Effluent Toxicity		1.7 TUc		

*Other Conditions:*

Conditions for future permit modification  
 Implementation of industrial pretreatment program requirements  
 Effective disinfection  
 Special test methods for certain pollutants  
 In-stream hardness sampling

The EPA waiver is not in effect.

**PA 0035769.** Amendment No. 1, Industrial waste, **Moyer Packing Company**, 249 Allentown Road, P. O. Box 395, Souderton, PA 18964-0395.

This application is for amendment of an NPDES permit to discharge treated process wastewater and stormwater from industrial wastewater treatment plant serving beef and rendering process facilities in Franconia Township, **Montgomery County**. This is an existing discharge to Skippack Creek and unnamed tributary to Skippack Creek.

The receiving stream is classified for warm water fish, trout stocking, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001 during the period from issuance through completion of plant expansion and upgrade, based on an average flow of 0.5 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>	
BOD <sub>5</sub>				
(5-1 to 10-31)	20	40	50	
(11-1 to 4-30)	40	80	100	
Suspended Solids	30	60	75	
Ammonia (as N)				
(5-1 to 10-31)	1.8	3.6	4.5	
(11-1 to 4-30)	5.4	10.8	13.5	
Phosphorus (as PO <sub>4</sub> )				
(4-1 to 10-31)	0.5	1.0	1.25	
Total Residual Chlorine	monitor/report		monitor/report	
Fecal Coliforms	200 colonies/100 ml as a geometric average			
Dissolved Oxygen	minimum of 5.0 mg/l at all times			
pH	within limits of 6.0—9.0 standard units at all times			
Oil and Grease	15	25	30	
Osmotic Pressure			100 MOS/kg	

The proposed effluent limits for Outfall 001 during the period from completion of plant expansion and upgrade through expiration based on an average flow of 0.75 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			
(5-1 to 10-31)	10	20	25
(11-1 to 4-30)	20	40	50
Suspended Solids	30	60	75
Ammonia (as N)			
(5-1 to 10-31)	1.2	2.4	3.0
(11-1 to 4-30)	3.6	7.2	9.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Phosphorus (as P) (5-1 to 10-31)	1.7	3.4	4.3
Total Residual Chlorine	0.024		0.094
Fecal Coliforms	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Oil and Grease	15	25	30
Osmotic Pressure			90 MOS/kg

The proposed effluent limits for monitoring point 101 for stormwater discharge from northwest of rendering facility before it commingles with Outfall 001 are as follows:

<i>Parameter</i>	<i>Average Annual (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD <sub>5</sub>	monitor/report	monitor/report
COD	monitor/report	monitor/report
Oil and Grease	monitor/report	monitor/report
pH	monitor/report	monitor/report
Total Suspended Solids	monitor/report	monitor/report
Total Kjeldahl Nitrogen	monitor/report	monitor/report
Total Phosphorus	monitor/report	monitor/report
Iron Dissolved	monitor/report	monitor/report

The proposed effluent limits for Outfall 002 which receives stormwater from the area west of beef processing facility are as follows:

<i>Parameter</i>	<i>Average Annual (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD <sub>5</sub>	monitor/report	monitor/report
COD	monitor/report	monitor/report
Oil and Grease	monitor/report	monitor/report
pH	monitor/report	monitor/report
Total Suspended Solids	monitor/report	monitor/report
Total Kjeldahl Nitrogen	monitor/report	monitor/report
Total Phosphorus	monitor/report	monitor/report
Iron Dissolved	monitor/report	monitor/report

The proposed effluent limits for Outfall 003 which receives stormwater from the area northwest of beef processing facility are as follows:

<i>Parameter</i>	<i>Average Annual (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD <sub>5</sub>	monitor/report	monitor/report
COD	monitor/report	monitor/report
Oil and Grease	monitor/report	monitor/report
pH	monitor/report	monitor/report
Total Suspended Solids	monitor/report	monitor/report
Total Kjeldahl Nitrogen	monitor/report	monitor/report
Total Phosphorus	monitor/report	monitor/report
Iron Dissolved	monitor/report	monitor/report

The EPA waiver is in effect.

*Other Conditions:*

Effective disinfection.

---

**Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges**

---

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management, and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on DEP's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

*Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0070360	All American Travel Plazas P. O. Box 302 Bethel, PA 19507	Berks Bethel Twp.	UNT Crosskill Creek	TRC Phosphorus
PA0084212	Leacock Twp. Sewer Auth. P. O. Box 558 Intercourse, PA 17354	Lancaster Leacock Twp.	Muddy Run	Total Residual Chlorine
PA0084247	Berk Tek, Inc. White Oak Road P. O. Box 888 New Holland, PA 17557	Lancaster Earl Twp.	UNT to Conestoga River	Total Residual Chlorine

### Single Residence Sewage Treatment Plant General Permit

The following parties have applied for coverage under a General NPDES permit to discharge wastewater from a single residence sewage treatment plant into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue coverage under the general permit to discharge, subject to certain effluent limitations set forth in the general permit and special conditions. These proposed determinations are tentative.

The Notice of Intent (NOI) and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

### NOI Received and Final Actions Under NPDES General Permits

Coverage under the General Permits issued under the National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters to waters of the Commonwealth.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAG048362	3	Peter A. and Jana D. Groothuis 115 Prospect Street New Wilmington, PA 16142	Lawrence Wilmington Twp.	Unnamed Tributary of Little Neshannock Creek	

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be consid-

ered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should

contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

*Northcentral Regional Office: Regional Water Management Program Manager, 208 W. 3rd Street, Williamsport, PA 17701, telephone (717) 327-3669.*

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.*

*Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

*Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

*Clinton County Conservation District, District Manager, 2 State Route 150, Mill Hall, PA 17751, telephone (717) 726-3798.*

**NPDES Permit PAS101907.** Stormwater. **Coploff and Stern Partnership**, R. R. 1, Box 411, Lock Haven, PA 17745 has applied to discharge stormwater from a construction activity located in Bald Eagle Township, **Clinton County**, to Tangascootack, Holland Run and the west branch of the Susquehanna River.

*Erie County Conservation District, District Manager, 12723 Rte. 19, P. O. Box 801, Waterford, PA 16441, telephone (814) 796-4203.*

**NPDES Permit PAS10K014.** Stormwater. **John Maleno**, c/o James Welka, 3200 West 32nd Street, Erie, PA 16506 has applied to discharge stormwater from a construction activity located in Millcreek Township, **Erie County**, to UNT to Walnut Creek.

*Lebanon County Conservation District, District Manager, 2120 Cornwall Rd., Ste. 5, Lebanon, PA 17042, telephone (717) 272-3377.*

**NPDES Permit PAS10P020.** Stormwater. **Gary Marks**, 1597 Sandhill Road, Lebanon, PA 17046 has applied to discharge stormwater from a construction activity located in North Lebanon Township, **Lebanon County**, to UNT to Little Swatara Creek.

*Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, telephone (610) 820-3398.*

**NPDES Permit PAS10Q105.** Stormwater. **Panick Enterprises**, 3763 Lower Saucon Road, Hellertown, PA 18055 has applied to discharge stormwater from a construction activity located in Lower Macungie Township, **Lehigh County**, to Little Lehigh Creek.

*Washington County Conservation District, District Manager, 602 Courthouse Sq., Washington, PA 15301, telephone (412) 228-6774.*

**NPDES Permit PAS10W048.** Stormwater. **DEP**, Bureau of Abandoned Mine Reclamation, P. O. Box 149, Ebensburg, PA 15931 and **Bhatt Contracting Company Inc.**, 3263 Route 60 East, Ona, WV 25545 have applied to discharge stormwater from a construction activity located in Centerville and Beasville Boroughs and West Pike Run Township, **Washington County**, to Pike Run.

**NPDES Permit PAS10W049.** Stormwater. **Conrail Corporation**, 2001 Market Street, Room 11D, Philadel-

phia, PA has applied to discharge stormwater from a construction activity located in Union Township, **Washington County**, to the Monongahela River.

**NPDES Permit PAS10W050.** Stormwater. **Theodore Taylor III and William Harmon**, 608 E. McMurray Road, McMurray, PA 15317 have applied to discharge stormwater from a construction activity located in Peters Township, **Washington County**, to Brush Run.

*Westmoreland County Conservation District, District Manager, Donohoe Ctr., R. R. 12, Box 202B, Greensburg, PA 15601, telephone (412) 837-5271.*

**NPDES Permit PAS10X058.** Stormwater. **The Madison Club**, 170 KLMM Inc., 822 Golfview Drive, McKeesport, PA 15135 has applied to discharge stormwater from a construction activity located in Sewickley and Hempfield Townships, **Westmoreland County**, to Sewickley Creek.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commenter will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

**Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

---

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**A. 6596401.** Sewerage, **Bruce W. Huber, Jr.**, 2119 Kansas Avenue, White Oak, PA 15131. Application for the construction and operation of a single residence sewage treatment plant to serve the Huber Residence on Green Hills Road located in the Township of Sewickley, **Westmoreland County**.

*Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

**A. 2196201.** Industrial waste, **Holly Milk**, 405 Park Drive, Carlisle, PA 17013 in South Middleton Township, **Cumberland County** to construct the addition of a dissolved air flotation unit and aeration tanks to existing wastewater treatment plant which will replace the existing aeration basin was received in the Southcentral Region on January 19, 1996.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**A. 5295403.** Industrial waste. **Miracle Laundromat, c/o James Gili**, R. R. 1, Box 134X33, Dingmans Ferry, PA 18328. Application for construction and operation of a sewage treatment plant located in Delaware Township, **Pike County**. Application received in the Regional Office December 18, 1995.

---

**Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

---

*Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**A. 0296501. Municipal Authority of the Borough of Oakmont**, 721 Allegheny Avenue, Oakmont, PA 15139. Replacement of the Verona Reservoir hypalon cover with an aluminum geodesic dome, **Allegheny County**.

**A. 0395601. Kittanning Suburban Joint Water Authority**, R. R. 1, Box 23, Adrian, PA 16210-9712. Construction of a new permanent intake structure and raw water pump station on the Allegheny River, **Armstrong County**.

**A. 1196502. Hastings Municipal Authority**, 207 Fifth Avenue, Hastings, PA 16646. Construct/modifications/additions to the Hastings Water Treatment Plant, **Cambria County**.

**A. 1196501. Conemaugh Township Municipal Authority**, 113 South Main Street, Davidsville, PA 15928. Construction of Jerome Water Tank No. 2, **Somerset County**.

*Southcentral Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.*

**A. 0696501.** Public water supply. **Friedens Lutheran Church**, Albany Twp., **Berks County**, (Mark D. Bernecker, Pastor, P. O. Box 70, Stony Run, PA 19557), nitrate treatment by anion resin and calcium carbonate filter for pH control, (Kent P. Bachmann, P.E., Glace Associates, Inc., 3705 Trindle Road, Camp Hill, PA 17011).

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**3596503.** Public water supply. **Moosic Mt. Business Park**, Carl Tseiffenberger, Project Manager, Scranton/Lackawanna Industrial Building Company, 22 Mulberry Street, P. O. Box 431, Scranton, PA 18501. This proposal involves the construction of five water booster pumping stations, a 400,000 gallon elevated water storage tank, and the installation of 9,000 linear feet of 12-inch diameter transmission main and 9,750 linear feet of 16-inch diameter transmission main to supply potable water to the Moosic Mountain Business Park. It is located in Jessup and Olyphant Boroughs, **Lackawanna County**.

**5295506.** Public water supply. **Saw Creek Estates**, Bryan Fisk, Lehman-Pike Development Corporation, c/o

Resorts USA, Route 29, Bushkill, PA 18324. This proposal involves the permitting of a new well and distribution system to service the proposed section 37 of the Saw Creek Estates residential development. It is located in Lehman Township, **Pike County**.

**5496505.** Public water supply. **Peifer Brothers**, Melanie Manor Mobile Home Park, c/o Jay Peifer, P. O. Box 550, Elizabethtown, PA 17022. This proposal involves an application for permit for an existing public water supply system serving Melanie Manor Mobile Home Park. The system consists of two wells with disinfection and existing distribution system.

---

**Notice of Household Hazardous Waste Management Grants**

---

Under section V of the Household Hazardous Waste Funding Act (Act 155 of 1994) (35 P. S. §§ 6025.1—6025.5), the Department of Environmental Protection requests the submission of applications for grant funding by any and all municipalities who sponsored programs for the collection and separate management of household hazardous wastes in 1995. To be considered eligible, the costs must have been incurred between the act's February 27, 1995 effective date and December 31, 1995.

For more information on this grants program and copies of the application form, prospective applicants should contact the Department's Household Hazardous Waste Program staff member in the appropriate DEP Regional Office. All applications must be submitted to the Department by April 1, 1996.

---

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

---

*Regional Office: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. 101647. Eagle Towing & Recovery, Inc.** (Box 542, Milesburg, PA 16853-0542). Operation of a municipal waste processing facility to dewater grease trap waste prior to disposal. Facility located in Boggs Township, **Centre County**. Application received in Regional Office January 16, 1996.

*Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.*

**A. 100008. Cresswell Landfill**, Lancaster County Solid Waste Authority, (1299 Harrisburg Pike, P. O. Box 4425, Lancaster, PA 17604). Application for request for reduction of bond for a site in Manor Township, **Lancaster County**. Reduction of bond was granted December 18, 1995.

This is a correction of the January 13, 1996 bulletin. The Bulletin stated the incorrect township.

**A. 602853. Reed Englert Farm**, McConnellsburg Sewerage Authority, (P. O. Box 681, McConnellsburg, PA 17233). Application for operation of an agricultural utilization of sewage sludge site in Todd Township, **Fulton County**. Application determined to be administratively complete in the Regional Office January 18, 1996.

---

**Acknowledgment of Notices of Intent to Remediate**

---

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (the Act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment

noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the Act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

*Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4592.*

**Taylor-Wharton Cylinders Site**, City of Harrisburg, **Dauphin County**. Capital Region Economic Development Corporation, 214 Senate Avenue, Suite 605, Camp Hill, PA 17011, and HARSCO Corporation, P. O. Box 8888, Camp Hill, PA 17011, have submitted a Notice of Intent to Remediate site soils and groundwater contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the background standard. A summary of the Notice of Intent to Remediate was reported to have been published in the Harrisburg Patriot News on or about January 15, 1996.

**McCleary Oil Company at the Luben Burkholder Farm**, Hamilton Township, **Franklin County**. Luben Burkholder, 2241 Loudon Road, Chambersburg, PA 17201, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with benzene, toluene, ethylbenzene and xylenes (BTEX). The applicant proposes to remediate the site to meet Statewide health standards. A summary of the Notice of Intent to Remediate was reported to have been published December 22, 1995 in the Public Opinion.

**Way-Wil Inc.**, Straban Township, **Adams County**. Way-Wil, Inc., c/o Steve Williams, P. O. Box 4447, Gettysburg, PA 17325, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with BTEX, petroleum hydrocarbons (PHCs) and poly aromatic hydrocarbons (PAHs). The applicant proposes to remediate the site to meet the Statewide health standards. A summary of the Notice of Intent to Remediate was reported to have been published in the Gettysburg Times during the week of January 8, 1996.

**Orweco Frocks Site**, Borough of Mechanicsburg, **Cumberland County**. Dennis Joslin, P. O. Box 1168, Dyersburg, TN 38025-1168 has submitted a Notice of

Intent to Remediate site groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the background standard. A summary of the Notice of Intent to Remediate was reported to have been published in the Harrisburg Patriot News on January 25, 1996.

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-5950.*

**Gabe Staino Chrysler Plymouth (Leach Field)**, Birmingham Township, **Delaware County**. Thomas R. Buggey, 2325 Maryland Road, Willow Grove, PA 19090, has submitted a Notice of Intent to Remediate site soils contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

**Coca Cola Bottling Company of Philadelphia**, Folcroft Borough, **Delaware County**. Dean Jeffery Telego, 110 N. Royal St., Ste. 301, Alexandria, VA 22314, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with BTEX and solvents. The applicant proposes to remediate the site to meet the Statewide health standard.

*Northwest Regional Office: John Fruehstorfer, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.*

**J. K. Shiley & Sons**, 14027 Ridge Road, Springfield Township, **Erie County**, has submitted a Notice of Intent to Remediate groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide health standard.

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (the Act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the Act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified below, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment

period, a municipality may request that the person identified below, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

*Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4592.*

**Thonet Site**, City of York, **York County**. Redevelopment authority of City of York, One Market Way West, Third Floor, York, PA 17401 has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with lead, heavy metals, solvents, BTEX, PHCs and PAHs. The applicant proposes to remediate the site to meet the special industrial area standard. A summary of the Notice of Intent to Remediate was reported to have been published in the York Daily Record and/or the York Dispatch on January 15, 1996.

*Northwest Regional Office: John Fruehstorfer, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.*

**Stackpole Center**, 201 Stackpole Street, St. Marys, PA, **Elk County**, has submitted a Notice of Intent to Remediate at the facility. The site has been found to be contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAHs, which have contaminated the soils, groundwater and surface water on the site. Applicant proposes to remediate the site to meet site-specific standards.

*Northcentral Regional Office: Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 321-6525.*

**Equimeter, Inc. Plant 2**, City of Dubois, **Clearfield County**. Equimeter, Inc. Plant No. 2, 10 Dock Street, Dubois, PA 15801 has submitted a Notice of Intent to Remediate soils and groundwater contaminated with solvents. The applicant proposes to remediate the soils at the site to meet the Statewide health standard and the groundwater at the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the Courier-Express in February 1996.

**Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.*

**36-2037.** The Department intends to issue an air quality operating permit (Synthetic Minor for Nitrogen Oxides) to **Kellogg USA, Inc.** (P. O. Box 3006, Lancaster, PA 17604) for combustion sources in East Hempfield Township, **Lancaster County**.

**67-318-113.** The Department intends to issue an air quality operating permit to **Root Corporation**, New

**York Wire Division** (152 North Main Street, Mt. Wolf, PA 17347) for eight vinyl-plastisol coating and curing lines controlled by a regenerative thermal oxidizer in the Borough of Mt. Wolf, **York County**.

**Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify and reactivate air contamination sources.**

*Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.*

**01-329-001A.** Modification of the operating conditions for six stand-by engine/generator units by **Department of the Army, Fort Ritchie** (603 Lakeside Drive, Fort Ritchie, MD 21719-4030) in Liberty Township, **Adams County**.

**21-302-113.** Installation of a natural gas/#2 oil boiler by **Masland Industries, Inc.** (P. O. Box 40, Carlisle, PA 17013) in Carlisle, **Cumberland County**. The source is subject to 40 CFR 60, Subpart Dc, Standards of Performance for New Stationary Sources.

**36-2039.** Submission of a Reasonably Available Control Technology Plan (RACT) and modification of the existing surface coating operation by **Beck Industries, L. P.** (P. O. Box 244, Leola, PA 17540) in Upper Leacock Township, **Lancaster County**.

**44-320-001H.** Installation of a flexographic printing press by **Trinity Packing Corporation, Lewistown Division** (13 Industrial Park Road, Lewistown, PA 17044) in Granville Township, **Mifflin County**.

**07-310-020C.** Modification of an existing limestone crushing and screening plant by **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) in Taylor Township, **Blair County**.

*Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**55-302-005A.** Installation of air cleaning devices (multiclones) on two wood-fired boilers by **Wood-Mode, Inc.** (One Second Street, Kreamer, PA 17833) in Middlecreek Township, **Snyder County**.

**Applications received for operating permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 129.91 for Reasonably Available Control Technology.**

*Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

There is a 30-day comment period from this date of publication.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described for:

Permit: **OP-15-0038**  
Source: Minor Facility VOC  
Company: **CZ Inks, Division of James River Co., Inc.**  
Location: Lionville  
County: **Chester**

**Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.**

*Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

There is a 30-day comment period from this date of publication.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **46-313-119**

Source: Four Coating Pan Lines

Company: **Ciba Self-Medication, Inc.**

Location: Upper Dublin

County: **Montgomery**

Permit: **09-303-027**

Source: Reclaimed Asphalt Plant

Company: **Miller & Sons**

Location: Wrightstown

County: **Bucks**

**Reasonably Available Control Technology; Public Hearings**

*Source*

- chemical products blending and repackaging operation (chemistry area).
- solution preparation/solvent cleanup areas B-4 and B-5.
- solvent cleanup area B-9.
- Building 10 and 17 solution preparation/solvent cleanup areas and methylene chloride/methanol solvent recovery system.
- solvent cleanup area B-44.
- solution preparation/solvent cleanup area B-56
- solution preparation/solvent cleanup area B-62.

*Coastal Aluminum Rolling Mills, Inc.*

Coastal Aluminum Rolling Mills operates an aluminum cold rolling facility. The main sources for which a RACT determination is being made are 2 aluminum cold rolling mills. The following is a summary of the preliminary volatile organic compound (VOC) RACT determination for these sources:

*Source*

- 2 aluminum cold rolling mills

*VOC RACT Control*

- pollution prevention program (implementation of process changes to decrease VOC emissions).
- pollution prevention program (replacement of existing solutions and solvents with materials having a lower VOC emission potential).
- pollution prevention program (replacement of existing solvents with materials having a lower VOC emission potential).
- carbon adsorption system.
- use of N-methylpyrrolidone and water for cleanup
- regenerative thermal oxidizer.
- regenerative thermal oxidizer.

*VOC RACT*

- use of Exxon 698 Normal Paraffin (or equivalent) as a coolant/lubricant with resultant volatile organic compound emissions of no more than 30.5 pounds per hour (each).

One public hearing will be held for the purpose of receiving comments on the proposed operating permits and SIP revisions. The hearing will be held on February 27, 1996, at 1 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (717) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (717) 327-3659 or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to Joseph Cooper, Air Quality Environmental Program Manager, DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments should be submitted by March 14, 1996.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (717) 327-3693.

Approval of Reasonably Available Control Technology (RACT) Plans for: National Label Company (Whitemarsh Township, Montgomery County), BG Packaging Corporation (Upper Providence Township, Montgomery County) PPG Industries, Inc. (Folcroft Borough, Delaware County)

DEP has made a preliminary determination to approve RACT plans as amendments to the State Implementation Plan (SIP) for the above facilities. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

These preliminary determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the U. S. Environmental Protection Agency (EPA) as revisions to Pennsylvania's SIP.

The following is a summary of the preliminary RACT determinations for these facilities:

*National Label Company (Operating Permit OP-46-0023)*

<i>Source</i>	<i>VOC Emission Limit ( tons/year )</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Rotograve Press	23.0 tons	Thermal Oxidizer	Implemented
(4) Lithographic Presses	38.1 tons	Material Substitution	May 31, 1996
Rotograve Press	23.0 tons	Thermal Oxidizer	May 31, 1996

This facility is not a major NOx facility.

*BG Packaging Corporation (Operating Permit OP-46-0026).*

<i>Source</i>	<i>VOC Emission Limit ( tons/year )</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Wolverine No. 1	17.4	Good Control Practices	Implemented
Wolverine No. 2	13.4	Good Control Practices	Implemented
Kidder	46.2	Good Control Practices	Implemented
Faustel	2.3	Water-Based Inks	Implemented
Cleanup Operations	2.7	Good Housekeeping Practices	Implemented

The facility will limit its potential to emit to 80 tons VOC/year or less and it is exempt from 25 Pa. Code § 129.67. This facility is not a major NOx emitter.

*PPG Industries, Inc. (Compliance Permit CP-23-0005):*

<i>Source</i>	<i>VOC Emission Limit ( tons/year )</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
101,102,103,104,105	8.8	Catalytic Thermal Oxidizer	May 30, 1996
107,108,109	37.1	Good Control Practices	Implemented

This facility is not a major NOx emitter.

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions. The hearing will be held at 2 p.m. on March 14, 1996, at the Department of Environmental Protection Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to DEP on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to comment should send their written comments to Francine

Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before March 14, 1996.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for review at the DEP Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6268.

### MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

### Coal Applications Received

**56960101. Fritz Coal, Inc.** (R. D. 3, Box 109, Stoystown, PA 15563), commencement, operation and restoration of bituminous strip-auger-limestone removed mine in Quemahoning Township, **Somerset County**, affecting 112.0 acres, receiving stream unnamed tributary to Stony Creek River and Stony Creek River and unnamed tributary to Beaverdam Creek, application received January 10, 1996.

*Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.*

**56743701. Custom Coals International** (100 First Avenue, Suite 500, Pittsburgh, PA 15222), to revise the permit for the Laurel Refuse area in Shade Township, **Somerset County** to add 133 acres and restart refuse facility, no additional discharge. Application received January 15, 1996.

**17841607. Fuel Fabricators, Inc.**, (Bigler, PA 16825), to renew the permit for the Coal Prep Plant in Bradford Township, **Clearfield County**, no additional discharge. Application received December 21, 1995.

**30841319. Consolidation Coal Company**, (P. O. Box 1314, Morgantown, WV 26507-1314), to renew the permit for the Blacksville No. 1 Mine in Wayne Township, **Greene County**, no additional discharge. Application received December 22, 1995.

**30841312. Consolidation Coal Company**, (P. O. Box 1314, Morgantown, WV 26507-1314), to renew the permit for the Blacksville No. 2 Mine in Wayne Township, **Greene County**, no additional discharge. Application received December 22, 1995.

**63743702. Eighty-Four Mining Company**, (P. O. Box 729, Indiana, PA 15701), to revise the permit for the Mine 84 Refuse Area in Somerset Township, **Washington County** to add 188 support acres and enlarge pond number 6, no additional discharge. Application received December 22, 1995.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**40663024R2. Pagnotti Coal Company**, (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine and coal refuse disposal operation in Hazle Township, **Luzerne County** affecting 780.0 acres, receiving stream Nescopeck Creek. Application received January 12, 1996.

**40663033R2. Jeddo-Highland Coal Company**, (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine and coal refuse disposal operation in Foster Township, **Luzerne County** affecting 1,515.0 acres, receiving stream none. Application received January 12, 1996.

**54960101. J & A Coal Company**, (R. D. 1, Box 121A, Hegins, PA 17938), commencement, operation and restoration of an anthracite surface mine operation in Barry Township, **Schuylkill County**, affecting 246.4 acres, receiving stream Hans Yost Creek to Deep Creek. Application received January 11, 1996.

**40663028R2. Pagnotti Coal Company**, (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine and coal refuse disposal operation in Hazle Township, **Luzerne County** affecting 474.0 acres, receiving stream Nescopeck Creek. Application received January 12, 1996.

**54683045R2. Pagnotti Coal Company**, (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Union Township, **Schuylkill County** affecting 743.0 acres, receiving stream none. Application received January 12, 1996.

**54850207R2. Kocher Coal Co.**, (P. O. Box 127, Valley View, PA 17983), renewal of an existing anthracite coal preparation plant/processing facility in Hegins Township, **Schuylkill County** affecting 39.1 acres, receiving stream east branch Rausch Creek. Application received January 16, 1996.

**40663030R2. Pagnotti Coal Company**, (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Foster and Hazle Townships, **Luzerne County** affecting 225.0 acres, receiving stream none. Application received January 19, 1996.

**40663034R2. Pagnotti Coal Company**, (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Foster and Hazle Townships, **Luzerne County** affecting 360.0 acres, receiving stream Oley Creek. Application received January 19, 1996.

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Small Noncoal Authorizations Received*

**56960801. Shaffer Brothers Coal Company, Inc.** (Jay Street, Windber, PA 15963), commencement, operation and restoration of a bituminous strip mine in Paint Township, **Somerset County**, affecting 2.0 acres, receiving stream Seese Run; tributary to Paint Creek, application received January 16, 1996.

The following Dam Safety and Encroachment permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department).

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 Certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

---

**Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

---

*Southcentral Region: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.*

**E05-232.** Encroachment. **Daniel C. Harrison**, R. R. 1, Box 31, Schellsburg, PA 15559. To construct and maintain a 60-inch diameter C.M.P. across Spicer Brook to access a hunting cabin located about 1.2 miles west of New Buena Vista Village (Schellsburg, PA Quadrangle N: 1.3 inches; W: 13.6 inches) in Juniata Township, **Bedford County**.

**E31-124.** Encroachment. **Game Commission**, P. O. Box 537, Huntingdon, PA 16652. To remove an existing bridge and to construct and maintain a new timber bridge with gabion stone basket abutments having a span of 23 feet and an underclearance of about 3.5 feet across Mill Creek located about 700 feet east of S. R. 1005, about 200 feet north of its intersection with T-473 (Donation, PA Quadrangle N: 3.31 inches; W: 1.1 inches) in Henderson Township, **Huntingdon County**.

**E36-427.** Encroachment. **Groff's Farm Restaurant & Golf Club, Inc.**, 650 Pinkerton Road, Mount Joy, PA 17552. Reissue and extend the time limit on Permit No. 36-427 to construct and maintain 2 timber retaining walls (totaling 480 L. F.) and back fill, to remove channel deposits. Construct and maintain an irrigation pump station along Little Chickies Creek located about 800' south of intersection of Pinkerton and Koser Rds. (Columbia W, PA Quadrangle N: 16.2 inches; W: 0.5 inch) in East Donegal Township, **Lancaster County**.

**E67-556.** Encroachment. **Joseph A. Myers**, 160 Ram Drive, Hanover, PA 17331. To maintain fill in a de minimus area of wetlands less than or equal to 0.05 acre located east of Piston Court in the rear of Lot No. 24 in the Stewartstown Station subdivision in Hopewell Township, **York County**.

*DEP Central Office, Bureau of Dams, Waterways and Wetlands, 400 Market Street, Floor 6, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.*

The following Environmental Assessment and request for Water Quality Certification are being processed under section 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.

**Environmental Assessment No. D11-043EA.** **Greater Johnstown Water Authority**, 111 Roosevelt Boulevard, Johnstown, PA 15907. To breach and abandon the Red Run Dam for the purpose of restoring Red Run (HQ-CWF) to a free-flowing condition located approximately 3,000 feet north of the intersection of Cooper Road and Mack Avenue (Vintondale, PA Quadrangle N: 3.1 inches; W: 6.8 inches) in West Taylor Township, **Cambria County**.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**E25-533.** Encroachment. **Erie Art Museum (Leo's Landing Observation Deck)**, 411 State Street, Erie, PA 16501. To construct and maintain an 80-foot long by 10-foot wide (average width) wooden ramp and an 18-foot wide by 18-foot long wooden nature observation platform into a wetland area in Presque Isle State Park. Placement of the ramp and observation platform will include de minimus wetland impacts for pier supports. Project is located on the Bay side of Presque Isle approximately 1

mile north of the Park entrance (Erie North, PA Quadrangle N: 0.5 inch; W: 19.6 inches) in Millcreek Township, **Erie County**.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Permit Applications*

**E02-1135.** Encroachment. **Franklin Park Borough**, 2428 Rochester Road, Sewickley, PA 14143-8606. To construct and maintain two sewer line extensions through two existing culverts in Fish Run as part of the Fish Run Interceptor Sewer System Project located west of I-79 (Emsworth, PA Quadrangle N: 18.5 inches; W: 15.0 inches) in Borough of Franklin Park, **Allegheny County**.

**E02-1136.** Encroachment. **City of Pittsburgh**, 200 Ross St., 4th Fl., Pittsburgh, PA 15219. To construct and maintain walkways, ramps, a cantilevered walkway and an overlook as part of a proposed public riverfront park located along the 10th Street Bypass on the south side of the Allegheny River (Pittsburgh West, PA Quadrangle N: 12.7 inches; W: 0.0 inches) in the City of Pittsburgh, **Allegheny County**.

**E02-1137.** Encroachment. **St. Clair Valley Golf & Swim Club**, 2140 Greentree Road, Pittsburgh, PA 15220. To place and maintain fill in the floodway of Chartiers Creek for purpose of constructing an elevated "tee-off" for a golf driving range. The project is located at 1550 Mayview Road, 1 mile north of Mayview State Hospital (Bridgeville, PA Quadrangle N: 16.5 inches; W: 15.5 inches) in Upper St. Clair Township, **Allegheny County**.

**E02-1138.** Encroachment. **South Park Township**, 2675 Brownsville Road, Library, PA 15129. To relocate and maintain an unnamed tributary to Piney Fork; to construct and maintain a 36 inch outfall pipe in an unnamed tributary to Piney Fork; to construct and maintain a nonjurisdictional dam; to place and maintain fill in 0.34 acre of wetlands and to construct and maintain 0.34 acre of replacement wetlands as part of three proposed regulation size youth soccer fields located on southern portion of Evans Park (Glassport, PA Quadrangle N: 6.0 inches; W: 16.5 inches) in South Park Township, **Allegheny County**.

**E11-245.** Encroachment. **Cambria County Commissioners**, Cambria County Courthouse, P. O. Box 269, Ebensburg, PA 15931. To remove existing structure known as Wilmore Dam Bridge and to construct and maintain a two-lane, single span, prestressed concrete adjacent box beam bridge with a clear span of 65.26 feet with reinforced concrete abutments, wingwalls and parapets. The new structure will be located across North Branch of Little Conemaugh River, 40 feet downstream from existing bridge, located on T. R. T-416, 1.4 miles south of the intersection T. R. T-407 and S. R. 2014 (Ebensburg, PA Quadrangle N: 13.0 inches; W: 8.6 inches) in Munster Township, **Cambria County**.

**E26-217.** Encroachment. **Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676. To perform grading in the floodway of Rubles Run as part of the construction and maintenance of a 9.3 acre of wetland construction project. The project is located along the intersection of S. R. 3002 (Gans Road) and S. R. 857 (Lake Lynn, PA-WV Quadrangle N: 19.8 inches; W: 7.7 inches) in Springhill Township, **Fayette County**.

**E63-408.** Encroachment. **Pristine Fields Associates**, 262 Portman Lane, Bridgeville, PA 15017. To remove existing structure and to construct and maintain a 5-foot high x 8-foot wide concrete box culvert, 20-foot long, in

Brush Run Creek for the purpose of accessing a private residence located at 1419 Route 980, 1.8 miles from intersection of Route 980 and Pike Street (Canonsburg, PA Quadrangle N: 5.1 inches; W: 10.6 inches) in Cecil Township, **Washington County**.

**E65-628.** Encroachment. **Arthur J. Nobile**, 303 Farmington Drive, Greensburg, PA 15601. To place and maintain fill in an inundated area of Lago De Vita lake for the purpose of constructing a golf green. The project is located along S. R. 130 at the Lago De Vita residential/golf course plan (Latrobe, PA Quadrangle N: 5.0 inches; W: 17.0 inches) in Unity Township, **Westmoreland County**.

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.*

**E39-305.** Encroachment. **City of Allentown**, 435 Hamilton Street, Allentown, PA 18101-1699. To construct and maintain a 36-inch diameter stormwater outfall structure along the left bank of the Little Lehigh Creek (HQ-CWF). The project is located immediately north of the intersection of Devonshire Road and Keystone Avenue (Allentown West, PA Quadrangle N: 10.1 inches; W: 1.2 inches) in the City of Allentown, **Lehigh County** (Philadelphia District, Army Corps of Engineers).

**E58-206.** Encroachment. **Bridgewater Township Supervisors**, P. O. Box 297, Montrose, PA 18801. To widen and maintain an existing concrete T-beam bridge which has a span of 22 feet and an underclearance of 6.5 feet across Wyalusing Creek. The structure will be widened by 12 feet on the downstream end to eliminate a hazardous roadway situation. This project is located along Township Road T-726 approximately 200 feet north of the confluence of Beebe and Wyalusing Creeks (Montrose West, PA Quadrangle N: 15.1 inches; W: 4.6 inches) in Bridgewater Township, **Susquehanna County** (Baltimore District, Army Corps of Engineers).

**E58-207.** Encroachment. **Robert E. Lee, Jr.**, 1011 Mt. Eyre Road, Washington Crossing, PA 18977. To fill 0.27 acre of PEM wetlands located in the floodplain of Salt Lick Creek to construct a mobile home park. This project is located along the west side of Township Road T-842 approximately 3,000 feet north of the intersection of T-842 and S. R. 0011 (Great Bend, PA Quadrangle N: 14.0 inches; W: 15.5 inches) in Great Bend Township, **Susquehanna County** (Baltimore District, Army Corps of Engineers).

**E64-165.** Encroachment. **Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain an adjacent box beam bridge having a normal span of 76.5 feet and a minimum underclearance of 15.25 feet across Dyberry Creek (HQ-CWF). This project is located on S. R. 4015 (Park Street), Section 670, Segment 0080, approximately 0.25 mile east of S. R. 0006 (Honesdale, PA Quadrangle N: 14.3 inches; W: 0.7 inch) in Honesdale Borough, **Wayne County** (Philadelphia District, Army Corps of Engineers).

---

**Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631-641) relating to the acquisition of rights to divert waters of the Commonwealth.**

---

*Northcentral Field Operations; Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. WA-55-1005. Adams Township Municipal Authority**, Hassinger Spring, 4,800 feet north of the Village of Troxelville in Adams Township, **Snyder County**. Application for a water allocations permit to withdraw up to 14,400 gallons per day for public water supply use to serve Troxelville.

---

## ACTIONS

---

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the appropriate Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

### Industrial waste and sewerage actions received under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

---

*Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**NPDES Permit No. PA 0111371.** Industrial waste. **TRW Valve Division**, 601 East Market Street, Danville, PA 17821, is authorized to discharge from facility located in Danville Borough, **Montour County** to receiving waters named unnamed tributary to Susquehanna River.

---

### Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

---

#### *Permits Issued*

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**NPDES Permit No. PA0003166.** Industrial waste, **Wheeling Acquisition Corporation**, 100 E. First Street, Brewster, OH 44613 is authorized to discharge from a facility located at Wheeling and Lake Erie Railroad Company Rook Yard, Greentree Borough, **Allegheny County** to Whiskey Run.

**NPDES Permit No. PA0206032.** Industrial waste, **CNG Transmission Corporation**, 445 West Main Street, Clarksburg, WV 26302-2450 is authorized to discharge from a facility located at North Summit Compress-

or Station, North Union Township, **Fayette County** to Coolspring Run (Outfalls 001 and 002), Big Sandy Creek (Outfall 003).

**NPDES Permit No. PA0090816.** Sewage. **51 Park Properties**, 3101 Homestead-Duquesne Boulevard, West Mifflin, PA 15122 is authorized to discharge from a facility located at 51 Park Properties STP, Forward Township, **Allegheny County** to unnamed tributary to Gillespie Run.

**NPDES Permit No. PA0217204.** Sewage. **Craig Gratkie**, 745 Pinkerton Road, Oakdale, PA 15071 is authorized to discharge from a facility located at Gratkie Single Residence STP, North Fayette Township, **Allegheny County** to unnamed tributary of Pinkertons Run.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

**NPDES Permit No. 0026298.** Sewage. **Whitemarsh Township Sewer Authority**, Whitemarsh Township, **Montgomery County**.

The following reflects changes from the notice published in the August 13, 1994, *Pennsylvania Bulletin*:

Outfall 001—Existing Outfall with discharge to an unnamed tributary to Schuylkill River.

Effluent limits for Total Residual Chlorine have been included as 1.3 mg/l for 59 months and 0.04 mg/l for 60th month of the permit. The effluent limit for whole effluent toxicity has been changed from 1.3 TUa (Acute Toxic Units) to 1.8 TUc (Chronic Toxic Units).

The effluent limit for copper has been revised from 0.022 mg/l (Average Monthly) to 0.032 mg/l (Average Monthly) and for zinc the limit has been revised from 0.108 mg/l (Average Monthly) to 0.174 mg/l (Average Monthly).

Outfall 002—new outfall with direct discharge to the Schuylkill River.

Effluent limits for Total Residual Chlorine have been included as 1.3 mg/l (Average Monthly) for first 3 years and 0.5 mg/l for last 2 years of permit. The effluent limits for whole effluent toxicity has been revised from 1.3 TUa (Acute Toxic Units) to 26 TUc (Chronic Toxic Units).

**NPDES Permit No. PA0053881.** Sewerage. **Karl and Karen Helker**, 21 Woodland Drive, Glenmills, PA 19342 is authorized to discharge from a sewage treatment plant located in Birmingham Township, **Delaware County** into an unnamed tributary of west branch of Chester Creek.

**NPDES Permit No. PA0013323.** Industrial waste. **Boeing Defense and Space Group**, Helicopters Division, P. O. Box 16858, Philadelphia, PA 19142-0858 is authorized to discharge from a wastewater treatment plant located in Ridley Township, **Delaware County** to Crum Creek, Darby Creek and Delaware River.

**NPDES Permit No. PA0050504.** Sewerage. **East Goshen Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380 is authorized to discharge from a facility located in East Goshen Township, **Chester County** to Ridley Creek.

**NPDES Permit No. PA0026298.** Sewerage. **Whitemarsh Sewer Authority**, 4021 Joshua Road, Lafayette Hill, PA 19444 is authorized to discharge from a facility located in Whitemarsh Township, **Montgomery County** to an unnamed tributary of Schuylkill River.

**NPDES Permit No. PA0056693.** Sewerage. **Weeks-Worthington and Company, Inc.**, 179 Washington Lane, P. O. Box F, Jenkintown, PA 19046 is authorized to discharge from a facility located in Horsham Township, **Montgomery County** to an unnamed tributary of Penypack Creek by storm sewer.

**NPDES Permit No. PA0056715.** Industrial waste. **Robert and Christine Clark**, 23 Brenda Avenue, Audubon, PA 19403 is authorized to discharge from a facility located in Limerick Township, **Montgomery County** to an unnamed tributary to Mine Run.

**NPDES Permit No. PA0013323.** Industrial waste, **Boeing Helicopters**, Helicopters Division, P. O. Box 16858, Philadelphia, PA 19142-0858, Ridley Township, **Delaware County**.

The following notice reflects changes to the notice published in the August 12, 1995, *Pennsylvania Bulletin*:

The applicant is required to meet DRBC Interpretative Guideline No. 1 Effluent Quality Requirements for Cadmium—0.02 ug/l, Chromium—0.10 mg/l, Copper—0.20 mg/l, Lead—0.10 mg/l and Zinc—0.6 mg/l for monitoring points MP101 and MP201 for the last 3 years of the permit.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.*

**NPDES Permit No. PA0101532.** Industrial waste, **Cooper Brothers, Inc.**, R. D. 2, Slippery Rock, PA 16057 is authorized to discharge from a facility located in Worth Township, **Butler County** to Slippery Rock Creek.

**NPDES Permit No. PA0025607.** Sewage, **Barkeyville Sewerage Company**, P. O. Box 780, Warren, PA 16365 is authorized to discharge from a facility located in Barkeyville Borough, **Venango County** to an unnamed tributary of North Branch Slippery Rock Creek.

**NPDES Permit No. PA0210099.** Sewage, **Harold Lee McCrillis**, 566 Methodist Road, Greenville, PA 16125 is authorized to discharge from a facility located in Hempfield Township, **Mercer County** to Saul Run.

**NPDES Permit No. PA0103993.** Sewage, **Jeffery L. Keller**, R. D. 2, Box 2090, Russell, PA 16345 is authorized to discharge from a facility located in Pinegrove Township, **Warren County** to unnamed tributary to Wiltsie Run.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**NPDES Permit No. PA0051896-A1.** Industrial waste. **James River Paper Co., Inc.**, 605 Kuebler Road, Easton, PA 18042, is authorized to discharge from a facility located in Forks Township, **Northampton County** to an unnamed tributary to Bushkill Creek.

**NPDES Permit No. PA0033430.** Sewerage. **Roamingwood Sewer & Water Association**, P. O. Box 6, Lake Ariel, PA 18436, is authorized to discharge from a facility located in Salem Township, **Wayne County** to Ariel Creek.

---

**Notices of Intent for Coverage Under NPDES General Permit for Construction Activities and Department Final Actions**

---

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.*

*Berks County Conservation District: District Manager, P. O. Box 520, Ag. Center, Leesport, PA 19533-0520, telephone (610) 372-4657.*

*Chester County Conservation District: District Manager, Government Services Center, Ste. 395, 601 Westtown Road, West Chester, PA 19382-4519, telephone (610) 696-5126.*

*Lebanon County Conservation District: District Manager, Ste. 5, 2120 Cornwall Road, Lebanon, PA 17042-9788, telephone (717) 272-3377.*

*Northampton County Conservation District: District Manager, R. R. 4, Greystone Building, Nazareth, PA 18064, telephone (610) 746-1971.*

*Schuylkill County Conservation District: District Manager, 1206 Ag. Center Drive, Pottsville, PA 17901, telephone (717) 622-3742.*

*Somerset County Conservation District: District Manager, 1590 North Center Avenue, Ste. 103, Somerset, PA 15501-7000, telephone (814) 445-4652.*

*Tioga County Conservation District: District Manager, 5 East Avenue, Wellsboro, PA 16901, telephone (717) 724-4812.*

*York County Conservation District: District Manager, 118 Pleasant Acres Road, York, PA 17402, telephone (717) 840-7430.*

The following parties have submitted Notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater From Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Streams</i>
PAR10C139	Ben and Cindy Reed P. O. Box 219 Strausstown, PA 19559	Berks Co. U. Tulpehocken	Ltl. Northkill Crk.
PAR10G157	Kelton-Pennock Pumping Station P. O. Box 467 Chester, PA 19016	Chester Co. New London Twp.	W. Br. White Clay

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Streams</i>
PAR10G167	Charles Knapp III 1300 Yellow Spgs. Rd. Chester Spgs., PA	Chester Co. W. Caln Twp.	Birch Run
PAR10G168	Charles Ciarrocchi P. O. Box 340 Avondale, PA 19311	Chester Co. New Garden Twp.	UNT to W. Br. Red Clay
PAR10P043	Bosco/s Assoc. of Lebanon 4500 Perkiomen Ave. Reading, PA 19606	Lebanon Co. W. and N. Lebanon Twps.	N/A
PAR104102	Otto Township P. O. Box 284 Duke Center, PA 16729	McKean Co. Otto Twp.	Knapp Crk.
PAR10U048	Manor Healthcare 10750 Columbia Pke. Silver Springs, MD 20901	Northampton Co. Bethlehem Twp.	UNT to Lehigh Rvr.
PAR105732	DEP—Bureau of Aban. Mine Reclamation 93 N. State St. Wilkes-Barre, PA 18701	Schuylkill Co. Norwegian Twp.	W. Norwegian Crk.
PAR106106	DEP—Bureau of Aban. Mine Reclamation P. O. Box 149 Ebensburg, PA 15931	Somerset Co. Summit Twp.	Blue Lick Crk.
PAR106107	Somerset County Conservancy 165 E. Union St. Somerset, PA 15501	Somerset Co. Shade Twp.	Stonycreek Rvr.
PAR106613	Municipal Authority of Wellsboro 28 Crafton St. Wellsboro, PA 16901	Tioga Co. Wellsboro Boro.	Marsh Crk.
PAR10Y203	Equinevillage Inc. 1225 Valley Green Rd. Etters, PA 17319	York Co. Jackson Twp.	Little Conewago

---

#### **Notices of Intent for Coverage Under General Permits Received**

---

The following parties have submitted Notices of Intent for coverage under General NPDES Permits to discharge treated wastewater into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review, or application of lawful standards and regulations, the Department of Environmental Protection proposes to issue coverage under the General Permit subject to effluent limitations, monitoring and reporting requirements and other conditions set forth in the General Permits.

The EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24.

The Notice of Intent, related documents, proposed effluent limitations, special conditions, comments received, and other information are on file and may be inspected and copied at the Regional Office indicated as receiving the Notice of Intent.

#### **List of NPDES General Permits Issued by DEP'S Water Management Deputate**

<i>General Permit No.</i>	<i>Short Title of General Permit</i>	<i>Responsible Bureau</i>
1	Stormwater—Construction Activities	BLWC
2	Stormwater—Industrial Activities	BWQM
3	Single Residence Sewage Treatment Plant	BWQM
4	Combined Sewer Overflows	BWQM

*Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

---

#### **NOI Received and Final Actions Under NPDES General Permits**

---

Coverage under the General Permits issued under the for National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters to waters of the Commonwealth.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR803598	2	Altoona Metro Trans. 3301 5th Avenue Altoona, PA 16602	Blair Altoona City	Mill Creek	4111
PAG043534	3	Amos King 48 Mudlevel Road Shippensburg, PA 17257	Cumberland Hopewell Twp.	UNT to Conodoguinet	
PAR803599	2	CF Motorfreight-CLP 1 Carolina Way Carlisle, PA 17013	Cumberland Middlesex Twp.	Conodoguinet Creek	4213
PAR903501	2	A & M Compost Corp. R. D. 1 Poplar Neck Road Birdsboro, PA 19508	Berks Cumru Twp.	Schuylkill River	4952
PAR903502	2	A & M Compost Corp. 1012 Bethlehem Pike Suite 201 Spring House, PA 19477	Lancaster Penn Twp.	UNT to Chickies Creek	4952
PAR203575	2	Ross Engineering Co. 98 E. Main St. Leola, PA 17540	Lancaster	UNT to Groff Creek	3499
PAR213522	2	Standard Concrete Products Co. 700 N. Sherman St. York, PA 17404	York Spring Garden Twp.	Mill Creek	3271
PAR803600	2	Myers Truck Leasing Inc. P. O. Box 47 Thomasville, PA 17364	York Jackson Twp.	Paradise Creek	4213

The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.

*Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, telephone (412) 442-4028.*

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Streams</i>
PAS10W046	DEP—Bureau of Aban. Mine Reclamation P. O. Box 149 Ebensburg, PA 15931	Washington Co. Centerville Boro	UNT to Monongahela

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-G120	Residential Development Corporation 102 Schubert Drive Downingtown, PA 19335	Honeybrook Township Chester County	Unnamed tributary of West Branch Brandywine Creek
PAS10-D074	Heritage Building Corp. 3326 Old York Road Furlong, PA 18925	Northampton Township Bucks County	Neshaminy Creek
PAS10-D069	C & M Builders, Inc. 2421 Bristol Road Warrington, PA 18976	Plumstead Township Bucks County	Deep Run
PAS10-G161	Westover Companies P. O. Box 1265 681 Moore Road King of Prussia, PA 19406	Schuylkill Township Chester County	Pickering Creek
PAS10-G185	Upland Enterprises Horshoe Trail Chester Springs, PA 19425	West Pikeland Township Chester County	Pickering Creek

*Southcentral Region: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.*

**PAS-10-0018.** Individual NPDES. **Gettysburg Area School District**, 900 Biglerville Road, Gettysburg, PA 17325. To implement an Erosion and Sedimentation Control Plan for construction of a school building, parking lots, roadways,

athletic fields and utilities on 123.36 acres in Straban Township, **Adams County**. The project is located in the southwest corner of Business Route 15 and Boyds School Road (Gettysburg, PA Quadrangle N: 18.6 inches; W: 13.2 inches). Drainage will be to Rock Creek.

**PAS-10-0409.** Individual NPDES. **Department of Transportation**, 1620 North Juniata Street, Hollidaysburg, PA 16648. To implement an erosion and sedimentation control plan for the construction of a 1.1 mile long bypass roadway (PA 36) on 31.7 acres in South Woodbury Township, **Bedford County**. The project is located just north of Loysburg Village beginning from a point 1,300 feet south of PA 869 and PA 36 intersection, thence toward southeast to a point 1,000 feet east of Loysburg (New Enterprise, PA Quadrangle N: 8 inches; W: 0.55 inch and Hopewell, PA Quadrangle N: 6.43 inches; W: 17.3 inches). Drainage will be to Yellow Creek.

The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10 3310	Bureau of Abandoned Mine Reclamation 122 South Center Street Ebensburg, PA 15931	Union Township Jefferson County	Mill Creek unnamed tributary

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10R015	Dept. of Conservation and Natural Resources Bureau of Facility Design and Construction 400 Market Street P. O. Box 8451 Harrisburg, PA 17105-8451	Luzerne County Butler and Dennison Townships	Nescopeck Creek

**Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Permits Issued*

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.*

**Permit No. 0995422.** Sewerage. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. Construction and operation of sanitary sewers, pump station and forcemains located in Doylestown Township, **Bucks County** to divert 184,000 gpd of sewage within the Castle Valley Interceptor, from the Kings Plaza STP to the Green Street STP.

**Permit No. 0995421.** Sewerage. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. Construction and operation of a sewer extension, pump station and force main located in Plumstead Township, **Bucks County** to serve two proposed developments (Landis-Greene and Landis-Greene North).

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**WQM Permit No. 4395413.** Sewage, **Lakeview Joint Sewer Authority**, 5394 Franklin Street, Sandy Lake, PA 16145. This permit is for the plans to convert the existing wastewater treatment facilities into a Sequencing Batch Reactor process with an aerobic digester and sand sludge drying beds in the Boroughs of Stoneboro and Sandy Lake, **Mercer County**.

**WQM Permit No. 4391410.** Sewerage, **Harold Lee McCrillis**, SRSTP, 566 Methodist Road, Greenville, PA 16125. Construction of Harold Lee McCrillis SRSTP located in Hempfield Township, **Mercer County**.

**WQM Permit No. 3795406.** Sewerage, **Peter A. and Jana D. Groothuis**, SRSTP, 115 Prospect Street, New Wilmington, PA 16142. Construction of Peter A. and Jana D. Groothuis SRSTP in Wilmington Township, **Lawrence County**.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**Permit No. 5495404.** Sewerage. **AWB Associates**, P. O. Box 388, Lionville, PA 19353. Permit to construct and operate sewage treatment facilities to serve Sammy's Mobile Home Park, located in North Manheim Township, **Schuylkill County**.

**Permit No. 6695402.** Sewerage. **Mrs. Dolores Lichtensteiger**, 60 Lortel Avenue, Staten Island, New York 10314. Permit to construct and operate a sewage treatment facility to serve a single family residence, located in Eaton Township, **Wyoming County**.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**Permit No. 0295405.** Sewerage, **Craig Gratkie**, 754 Pinkerton Road, Oakdale, PA 15071. Construction of sewage treatment plant located in North Fayette Township, **Allegheny County** to serve the Gratkie Property.

**Permit No. 0295407.** Sewerage, **Beho Development Company, Inc.**, McKnight Park Drive, Suite 506A, Pittsburgh, PA 15237. Construction of pump station and force main located in Marshall Township, **Allegheny County** to serve the Sewickley Farms—Phase II.

**Permit No. 5695405.** Sewerage, **Joseph Myers**, R. D. 1, Box 121A, Buffalo Mills, PA 15534. Construction of sewage treatment plant located in Allegheny Township, **Somerset County** to serve the Joseph Myers' Sewage Treatment Plant.

**Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

*Location:* City of New Castle, Townships of Neshannock, Hickory, Shenango, Taylor and Union, Borough of South New Castle, **Lawrence County**; New Castle Sanitation Authority, P. O. Box 1404, New Castle, PA 16103.

*Project Description:* The approved plan provided for expansion of the POTW's hydraulic capacity from its present permitted average daily flow of 9.0 mgd to 17.0 mgd. The plant will be able to handle a peak daily flow of 26.5 mgd. To achieve these capabilities, the following major POTW modifications will be undertaken: one additional primary clarifier tank, three new aeration tanks, two new final settling tanks, a new dewatering belt filter, a new chlorine contact tank, new influent and effluent pumps, site work and dechlorination. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

*Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Boulevard, Harrisburg, PA 17110.*

*Location:* Frankstown Township, **Blair County**, Box 19, Sylvan Drive, Hollidaysburg, PA 16648.

The approved plan provided for construction of public sewer service collection systems to serve the Brushmead, Loop Area and Kline's Acres areas of the Township. Treatment will be at the Hollidaysburg wastewater treatment plant. An onlot sewage disposal management program will be implemented in the remainder of the Township. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.*

*Location:* New Milford Borough and New Milford Township, **Susquehanna County**.

*Project Description:* The Department has completed its review of the Official Sewage Facilities Plan Update (Update) for New Milford Borough and portions of New Milford Township, revised July, 1995. The revised Update was sent to us by Milnes Engineering, Inc.'s (MEI's) September 13, 1995 transmittal letter. Previously, MEI had submitted an Update, revised November, 1993, for our review and comment. This Update was returned as it was incomplete and to give New Milford Township additional time to reach an agreement with both New Milford Borough and with New Milford Municipal Authority to provide sanitary sewer service within the Township. The Department has found that the Update is now acceptable and hereby grants planning approval.

The Planning Area included under the Update is:

- The entire Borough of New Milford, and
- The following portions of New Milford Township:

—Properties adjoining Route 11 North of New Milford Borough up to and including Township Road 698,

—Properties adjoining Route 1018 from Route 11 up to and including the Blue Ridge High School,

—Properties adjoining Route 11 southwest of New Milford Borough up to and including the Summit Inn,

—Properties adjoining Route 492 east of New Milford Borough from the Borough line to and including Lakeside Village, and

—Properties surrounding Page Lake on private roads of the Lakeside Outing Club, excepting those properties in Jackson Township.

The Update was written to address the continuing problems faced by both the Borough and the Township due to repeated malfunctions of the onlot sewage disposal systems. In addition, the Update proposes the elimination of the wastewater treatment plant that serves the Blue Ridge High School.

The current status of sewage disposal systems was evaluated and alternatives for improved sewerage facilities were proposed to meet the identified sewage disposal needs for the foreseeable future. The chosen alternative consists of the installation of a centralized sewerage collection system, and construction of a 250,000 gallons per day wastewater treatment facility (WWTF). These systems may subsequently be owned by the New Milford Municipal Authority. For New Milford Borough, the sewer system will be either low pressure or vacuum. For New Milford Township, the sewer system will be low pressure. Sewage from both Page Lake and Lakeside Village and the Blue Ridge High School will be conveyed through force mains to the Borough. The WWTF is sized to treat 851 EDUs initially and 916 EDUs ultimately. Initially, 489 EDUs from New Milford Borough and 362 EDUs from New Milford Township will be connected to the system. The proposed WWTF is a Sequential Batch Reactors System. The proposed plant discharge will enter Martins Creek.

The Department's review of the Update has not identified any significant environmental impacts resulting from the proposals.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.2(a)) (Act 537) and Chapter 71 of the Department's Regulations, 25 Pa. Code Chapter 71, the Department will hold both the Borough and the Township responsible for the complete and timely implementation of the chosen alternative, as stated in the EXECUTIVE SUMMARY (Page iii of the Update); in Section VII Alternative Selection (Page 63 of the Update); and in Section IX Plan Summary, where a Schedule of Implementation is presented (Pages 66 through 69 of the Update).

*Location:* Tobyhanna Township, **Monroe County**.

*Project Description:* The Department received the latest Sewage Facilities Plan Revision titled "Tobyhanna Township Act 537 Revision, October 1995" on December 4, 1995 and additional documents on January 9, 1996, as prepared by Michael J. Pasonick, Jr., Inc. The Department's review of the plan has not identified any significant environmental impacts resulting from the proposal and we hereby grant planning approval for the project.

The plan proposes the following:

1. Construction of a 0.300 mgd advanced wastewater sewage treatment plant to serve 560 EDUs initially and 1,000 EDUs ultimately from the Blakeslee Village, Greenwood Acres, and Camelot Forest areas of the Tobyhanna

Township. The plant will be constructed along State Route 115, and the treated effluent will be discharged into Tobyhanna Creek.

2. Installation of a sewage collection and conveyance system consisting of gravity sewer, low pressure sewer and grinder pumps, laterals, three pumping stations, and force main to collect and convey sewage from the stated service areas to the treatment plant site.

In accordance with the provisions of the Sewage Facilities Act (Act 537), 35 P.S. §§ 750.1—750.20(a) and Chapter 71 of the Department's Regulations, 25 Pa. Code Chapter 71, the Department will hold Tobyhanna Township responsible for implementing the project in accordance with the schedule contained in the plan.

---

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

---

*Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**Permit No. 1195506.** Public water supply. **Reade Township Municipal Authority**, 135 Ridge Road, Fallentimber, PA 16639.

*Type of Facility:* Well No. 4 (Muddy Run Well No. 2).

*Consulting Engineer:* Smith Environmental Technologies Corporation, 777 Penn Center Boulevard, Suite 200, Pittsburgh, PA 15235.

*Permit to Construct Issued:* January 18, 1996.

*Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

**Permit No. 1595509.** Public water supply. **Chester Water Authority**, Fifty and Welsh Streets, P. O. Box 467, Chester, PA 19016. This proposal involves the construction of the Kelton-Pennock Pump Station. The pump station will increase the finished water transmission capability from 44 mgd to 60 mgd when operating in conjunction with the Rosedale Pump Station in New London Township, **Chester County**.

*Type of Facility:* Pump Station.

*Consulting Engineer:* Gannett Fleming, Inc., P. O. Box 67100, Harrisburg, PA 17016-1700.

*Permit to Construct Issued:* January 23, 1996.

**Permit No. 0995514.** Public water supply. **Chalfont Borough Water Department**, 40 North Main Street, Chalfont, PA 18914. This proposal involves installation of corrosion control feed equipment at five existing wells: well nos. 8, 11, 12, 13 and 14 in Chalfont Borough, **Bucks County**.

*Type of Facility:* Public water supply system.

*Consulting Engineer:* CKS Engineers, Inc., 88 South Main Street, Doylestown, PA 18901.

*Permit to Construct Issued:* January 22, 1996.

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**3993509.** Public water supply. A permit was issued on January 12, 1996, to **Slatington Borough**, 125 South Walnut Street, Slatington, PA 18080. This proposal involves the construction of a 0.75 mgd filtration plant, one 0.5 mg concrete reservoir, the installation of polyethylene liners in two existing reservoirs (i.e. Slatington Springs),

and the connection of the Blue Valley Quarry to the Borough's system to be used as an additional source of supply. It is located in Washington Township, **Lehigh County**.

**4895502.** Public water supply. A permit was issued on January 12, 1996, to **Gap View Trailer Park, c/o Phillip Ahearn**, Owner, R. D. 2, Box 2088, Bangor, PA 18013. This proposal involves permitting of the existing two wells and associated distribution system with the addition of raw water disinfection. It is located in Upper Mount Bethel Township, **Northampton County**.

**4895503.** Public water supply. A permit was issued on January 4, 1996, to **Portland Borough Authority**, Water Filtration Plant, P. O. Box 572, Portland, PA 18351. This proposal involves the construction of a 0.184 mgd DE Filter Plant and 0.35 mg steel storage tank, located in Portland Borough, **Northampton County**.

---

**Submission of Final Reports on Attainment of Background and Statewide Health Standards**

---

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act, act of May 19, 1995 (P. L. 4, No. 2).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final reports.

*Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4592.*

**R & A Bender, Inc. Landfill**, Greene Township, **Franklin County**. R & A Bender, Inc., P. O. Box 399, Scotland, PA 17254, has submitted a Final Report concerning remediation of site groundwater contaminated with solvents. The report is intended to document remediation of the site to meet the Statewide health standard.

**Way-Wil, Inc.**, Straban Township, **Adams County**. Way-Wil, Inc., c/o Steve Williams, P. O. Box 4447, Gettysburg, PA 17325, has submitted a Final Report concern-

ing remediation of site soils and groundwater contaminated with benzene, toluene, ethylbenzene, and xylenes, petroleum hydrocarbons and poly aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

**Taylor-Wharton Cylinders Site**, City of Harrisburg, **Dauphin County**. Capital Region Economic Development Corporation, 214 Senate Avenue, Suite 605, Camp Hill, PA 17011, and HARSCO Corporation, P. O. Box 8888, Camp Hill, PA 17011, have submitted a Final Report concerning remediation of site soils and groundwater contaminated with lead and heavy metals. The report is intended to document remediation of the site to meet the background standard.

---

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Mercy Hospital of Altoona, PA d/b/a Mercy Regional Health System**, 2500 Seventh Avenue, Altoona, PA 16602; License No. **PA-HC 0165**; license issued January 16, 1996.

**Montrose General Hospital, Inc.**, 3 Grow Avenue, Montrose, PA 18801; License No. **PA-HC 0166**; license issued January 16, 1996.

---

**License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Marine Pollution Control Corporation**, 8631 W. Jefferson Avenue, Detroit, MI 48209; License No. **PA-AH 0509**; license issued January 17, 1996.

**Skinner Grain & Fertilizer Co., Inc.**, Toro Road, Hartford, AL 36344; License No. **PA-AH 0510**; license issued January 23, 1996.

---

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**The Environmental Service Group (NY), Inc.**, P. O. Box 242, Tonawanda, NY 14151-0242; License No. **PA-AH S144**; license issued January 17, 1996.

**Evergreen Construction Co. Inc.**, 34 Williams Way, Bellingham, MA 02019; License No. **PA-AH S216**; license issued January 29, 1996.

**Lacy's Express, Inc.**, P. O. Box 130, Pedricktown, NJ 08067; License No. **PA-AH 0243**; license issued January 17, 1996.

**The NDL Organization, Inc.**, P. O. Box 791, Peekskill, NY 10566; License No. **PA-AH S006**; license issued January 17, 1996.

**McCutcheon Enterprises, Inc.**, 250 Park Road, Apollo, PA 15613-8730; License No. **PA-AH 0130**; license issued January 17, 1996.

**Nortru, Inc.**, 515 Lycaste, Detroit, MI 48214; License No. **PA-AH 0451**; license issued January 17, 1996.

---

**Amended license issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Evergreen Construction Co., Inc.**, 34 Williams Way, Bellingham, MA 02019; License No. **PA-AH S216**; amended license issued January 29, 1996.

**The Environmental Service Group (NY), Inc.**, P. O. Box 242, Tonawanda, NY 14151-0242; License No. **PA-AH S144**; amended license issued January 17, 1996.

**The NDL Organization, Inc.**, P. O. Box 791, Peekskill, NY 10566; License No. **PA-AH S006**; amended license issued January 17, 1996.

**Nortru, Inc.**, 515 Lycaste, Detroit, MI 48214; License No. **PA-AH 0451**; amended license issued January 17, 1996.

**ENSCO, Inc.**, DBA Division Transport, 309 American Circle, El Dorado, AR 71730; License No. **PA-AH 0322**; amended license issued January 29, 1996.

---

**Hazardous Waste Transporter License reinstated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Evergreen Construction Co., Inc.**, 34 Williams Way, Bellingham, MA 02019; License No. **PA-AH S216**; license reinstated January 29, 1996.

**ENSCO, Inc.**, DBA Division Transport, 309 American Circle, El Dorado, AR 71730; License No. **PA-AH 0322**; license reinstated January 29, 1996.

---

**Hazardous Waste Transporter License voluntarily terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**ARL, Inc.**, DBA American Road Lines, P. O. Box 836, Coraopolis, PA 15108; License No. **PA-AH 0475**; license terminated January 3, 1996.

**The R. W. Group II, Inc.**, 5 South Main Street, Suite 300, Doylestown, PA 19801; License No. **PA-AH S206**; license terminated January 3, 1996.

---

**License expired under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**National Environmental Service Company, Inc.**, c/o Bell Harbor Environmental Company, Inc., 16 Elm Street, West Haven, CT 06516; License No. **PA-AH 0447**; license expired December 31, 1995.

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager; Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.*

**Permit No. 603343(13). Wheelabrator Clean Water Systems, Inc.**, 180 Admiral Cochrane Drive, Suite 305, Annapolis, MD 21401. This permit is for the agricultural utilization of municipal sewage sludges from Montgomery County Oak, Upper Saucon and the Borough of Lansdale on the Laurel Locks Farm located in North Coventry Township, **Chester County**. Permit issued in the South-east Regional Office on January 17, 1996.

**Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contamination sources or air cleaning devices.**

*Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.*

**07-301-033.** On January 23, 1996, the Department issued a plan approval to **Cam-Weaver Funeral Home** (2036 Broad Avenue, Altoona, PA 16601) for a human crematory controlled by an afterburner in the city of Altoona, **Blair County**.

**07-312-024.** On January 19, 1996, the Department issued a plan approval to **Agway Petroleum Corporation** (P. O. Box 4852, Syracuse, NY 13221) for one gasoline bottom loading position and one distillate bottom loading position controlled by a vapor combustion unit in Freedom Township, **Blair County**.

#### MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### Coal Applications Issued

**11950102. Laurel Land Development, Inc.** (P. O. Box 629, Carrolltown, PA 15722), commencement, operation and restoration of a bituminous strip-beneficial use of CFB Ash mine in Jackson Township, **Cambria County**, affecting 75.0 acres, receiving stream Hinckstown Run and unnamed tributaries to Hinckston Run, application received July 25, 1995, permit issued January 18, 1996.

**56900201.** Permit Renewal, **RNS Services, Inc.** (P. O. Box 38, Blossburg, PA 16912), commencement, operation and restoration of a bituminous strip mine, valid for reclamation, only in Lincoln Township, **Somerset County**, affecting 8.0 acres, receiving stream unnamed tributary to Quemahoning Creek, application received October 18, 1995, permit issued January 18, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**10850105. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous strip operation in Concord Township, **Butler County** affecting 155.0 acres. This renewal is issued for reclamation only. Receiving streams unnamed tributaries to Connoquenessing Creek. Application received October 18, 1995. Permit issued December 27, 1995.

**16900113. Ancient Sun, Inc.** (P. O. Box 129, Main Street, Shippensburg, PA 16254). Renewal of an existing bituminous strip and auger operation in Redbank Township, **Clarion County** affecting 214.6 acres. This renewal is issued for reclamation only. Receiving streams two unnamed tributaries of Pine Creek. Application received November 8, 1995. Permit issued January 10, 1996.

**37920105. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous strip operation in Perry Township, **Lawrence County** affecting 103.0 acres. This renewal is issued for reclamation only. Receiving streams two unnamed tributaries of Camp Run to Camp Run. Application received November 13, 1995. Permit issued January 10, 1996.

*Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.*

**03940701. Keystone Coal Mining Corporation** (P. O. Box 729, Indiana, PA 15701), to operate the Keystone No. 2 Coal Refuse Disposal Area in Plumcreek Township, **Armstrong County**, receiving stream unnamed tributaries of Crooked Creek. Permit issued January 4, 1996.

**03901304. TJS Mining, Inc.** (R. D. 1, Box 260D, Shelocta, PA 15774), to renew and revise the permit for the Darmac No. 3 bituminous deep mine in Plumcreek Township, **Armstrong County** for renewal and Act 54 revision, no additional discharge. Permit issued January 17, 1996.

**32841302. Doverspike Brothers Coal Company** (R. D. 4, Box 271, Punxsutawney, PA 15767), to renew the permit for the Sugarcamp No. 2 bituminous deep mine in Porter Township, Jefferson County and North and West Mahoning Townships, **Indiana County** for reclamation only, no additional discharge. Permit issued January 17, 1996.

**30841312. Consolidation Coal Company** (P. O. Box 1314, Morgantown, WV 26507-1314), to revise the permit for the Blacksville No. 2 bituminous deep mine in Wayne

Township, **Greene County** to install north mains degas boreholes, no additional discharge. Permit issued January 18, 1996.

**02841304. Penn Allegh Coal Company, Inc.** (5374 William Flynn Highway, Rt. 8, Gibsonia, PA 15044), to revise the permit for the Portal No. 2 bituminous deep mine in Fawn Township, **Allegheny County** for post-mining land use change, no additional discharge. Permit issued January 17, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**40823001R2. Kaminski Brothers, Inc.**, (226 New Boston Road, Pittston, PA 18640-9611), renewal of an existing anthracite surface mine operation in Jenkins Township, **Luzerne County** affecting 28.24 acres, receiving stream none. Renewal issued January 16, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

#### Noncoal Permits Issued

**37920303. S & S Processing**, (P. O. Box 32, Ellwood City, PA 16117). Revision to an existing sand and gravel operation to change the post-mining land use to unmanaged water impoundment. Receiving streams none. Application received September 29, 1995. Permit issued January 10, 1996.

Under 25 Pa. Code § 86.188(d) the Department of Environmental Protection submits the list of bonds which have been forfeited and bond proceeds which have been collected from July to December 1995. The list is sorted by District Office, County, Township and Mining Permit Number. This list is updated quarterly and is available for review in the Department's district or central offices. A copy of the complete list of bond forfeitures is available at: Bureau of Mining and Reclamation, Compliance Section, P. O. Box 8461, Harrisburg, PA or the District Mining Operations offices listed.

*District Mining Operations, Ebensburg District Office, R. D. 3, Wilmore Road, P. O. Box 625, Ebensburg, PA 15931.*

County	Township	SMP Number
Cambria	West Taylor	11870102
Indiana	Canoe	3977SM19
Somerset	Quemahoning	56823057
Somerset	Southampton	56832301

*District Mining Operations, Greensburg District Office, R. D. 2, Box 603C, Greensburg, PA 15601.*

County	Township	SMP Number
Fayette	Springfield	3374SM6
Washington	Somerset	3275SM4
Washington	West Pike Run	3274SM9

*District Mining Operations, Hawk Run District Office, P. O. Box 209, Empire Road, Hawk Run, PA 16840.*

County	Township	SMP Number
Clearfield	Brady	4575SM7
Clearfield	Lawrence	3268BSM16
Clearfield	Pike	4576SM5

*District Mining Operations, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901.*

County	Township	SMP Number
Columbia	Conyngham	19763002
Monroe	Tunkhannock	45880809
Schuylkill	Schuylkill	54850203
Schuylkill	Walker	54830205
Susquehanna	Middletown	58832502

*District Mining Operations, Knox District Office, White Memorial Bldg., Knox, PA 16232.*

County	Township	SMP Number
Erie	Leboeuf	4877SM8

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment Approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302), sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a))** (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Southcentral Region: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.*

**E01-162.** Encroachment. **Debra and Kevin Harte**, P. O. Box 4412, Gettysburg, PA 17325. To place fill in a de minimus area of wetlands less than or equal to 0.05 acre and to maintain 20 linear feet of two 24-inch diameter C.M.P. culverts for the purpose of providing access to a single family residence located north of Barlow-Greenmount Road 0.2 mile east of its intersection with Business Route 15 (Fairfield, PA Quadrangle N: 3.3 inches; W: 2.3 inches) in Cumberland Township, **Adams County**.

**E06-475.** Encroachment. **Department of Transportation**, 1713 Lehigh St., Allentown, PA 18103. To extend an existing bridge by approximately 15 feet with a 20-foot × 9.5-foot R. C. box culvert in the channel of a tributary to

Swamp Creek at a point at State Route 100 (Boyertown, PA Quadrangle N: 18.75 inches; W: 0.5 inch) in Colebrookdale Township, **Berks County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

**E22-345.** Encroachment. **Game Commission**, R. R. 2, Box 2584, Reading, PA 19605-9791. To construct and maintain a bridge having a span of 30 feet and an underclearance of 6 feet across the channel of Stony Creek at a point approximately 5,000 feet downstream of the Middle Paxton/East Hanover Township boundary line (Enders, PA Quadrangle N: 8.1 inches; W: 1.6 inches) in Middle Paxton Township, **Dauphin County**.

**E36-598.** Encroachment. **Elizabethtown College**, One Alpha Drive, Elizabethtown, PA 17022. To construct and maintain 50 L. F. of 26-inch C. M. pipe culvert to extend an existing stormwater culvert in a tributary channel to Conoy Creek for access to a U-Gro Learning Center to be located 200 feet northwest of the intersection of College Avenue (T-857) and Kiwanis Boulevard (Elizabethtown, PA Quadrangle N: 5.1 inches; W: 12.75 inches) in Elizabethtown Borough, **Lancaster County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

**E67-539.** Encroachment. **Defense Distribution Susquehanna Pennsylvania**, ASCE-WI Building 1-3, New Cumberland, PA 17070-5001. To construct and maintain a 6-foot × 3-foot × 68-foot long box culvert in 0.27 acre of wetlands and a 6-foot × 3-foot × 94-foot long box culvert in 0.41 acre of wetlands for the purpose of constructing an access road located in the New Cumberland Army Depot (Steelton, PA Quadrangle N: 14.5 inches; W: 13.5 inches) in Fairview Township, **York County**. The permittee is required to provide at least 0.78 acre of replacement wetlands.

**E67-547.** Encroachment. **Ignazio James Argento**, 890 Windsor Road, York, PA 17402. To construct and maintain two 60-inch diameter corrugated metal pipes approximately 100 feet in length in a tributary to Kreutz Creek located in the southeast corner of the intersection of S. R. 0462 and Township Road T-788 (York, PA Quadrangle N: 21.8 inches; W: 0.9 inch) in Hellam Township, **York County**.

**E67-551.** Encroachment. **Robina and John Lawrence**, 1425 Rosepointe Dr., York, PA 17404. To construct and maintain 301 linear feet of a 48-inch diameter C.M.P. culvert along an unnamed intermittent tributary to the Little Conewago Creek as an extension to an existing 42-inch diameter pipe located downstream of Brittany Drive in the Brittany subdivision (Dover, PA Quadrangle N: 1 inch; W: 5.5 inches) in Manchester Township, **York County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

**E67-552.** Encroachment. **York College of Pennsylvania**, Country Club Road, York, PA 17403. To construct and maintain parking lots within the left bank's 100-year floodway of an unnamed tributary to Codorus Creek located on York College Campus (York, PA Quadrangle N: 13.2 inches; W: 14.45 inches) in Spring Garden Township, **York County**.

**E67-554.** Encroachment. **York County Board of Commissioners**, 1 W. Marketway, 4th Floor, York, PA 17401. To place approximately 600 cubic feet of fill material (60-feet long × 10-feet wide × 1-foot high) along the right bank's floodway of an unnamed tributary to Kreutz Creek located about 1,400 feet east of the York

County Prison building (York, PA Quadrangle N: 20.4 inches; W: 4.65 inches) in Springettsbury Township, **York County**.

*Permits Issued and Actions on 401 Certification*

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.*

**E40-423.** Encroachment. **Bow Creek II Associates, Inc.**, P. O. Box 2029, Center Moreland, PA 18657. To construct and maintain (1) a roadway crossing of Bow Creek and adjacent wetlands, consisting of a 19.0-foot × 6.3-foot aluminum plate arch culvert, (2) a roadway crossing of a tributary to Bow Creek and adjacent wetlands, consisting of a 43-inch × 27-inch CMP arch culvert, and (3) a sanitary sewer line crossing of Bow Creek and adjacent wetlands, for the purpose of providing access and utilities to an expansion of the Bow Creek Manor II Subdivision. The project will include the placement of fill in approximately 0.22 acre of wetlands. Crossing No. 1 is located approximately 200 feet east of the intersection of Cedar Manor Drive and Blue Elder Drive (Wilkes-Barre West, PA Quadrangle N: 3.8 inches; W: 1.0 inch) in Fairview Township, **Luzerne County**. The permittee is required to provide 0.22 acre of replacement wetlands.

**E40-426.** Encroachment. **Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a road crossing consisting of three 60-inch × 38-inch side-by-side culverts in Pond Creek. The project is located on S. R. 2049, approximately 0.2 mile north of the Freeland Borough boundary (Freeland, PA Quadrangle N: 5.3 inches; W: 3.1 inches) in Foster Township, **Luzerne County**.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Permits Issued*

**E56-257.** Encroachment. **Somerset County Conservation District**, 1590 North Center Ave., Ste. 103, Somerset, PA 15501. To place and maintain limestone in approximately 2,800 L. F. of Coal Run located near Boynton for the purpose of improvement of water quality (Meyersdale, PA Quadrangle N: 5.1 inches; W: 11.8 inches) in Elk Lick Township, **Somerset County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

**E63-398.** Encroachment. **Department of Transportation**, P. O. Box 459, Uniontown, PA 15401. To remove the existing structure and to construct and maintain a box culvert having a span of 22 feet with an underclearance of 8 feet (1 foot depressed) in Brush Run, to place and maintain fill in a de minimus wetland area equal to or less than 0.05 acre and to construct and maintain a berm on the right bank of said stream between the VFW bridge and the Vet Clinic bridge. The project is located at the intersection of East McMurray Road (S. R. 1002) and Valley Brook Road, on S. R. 1002, Section B10 (Bridgeville, PA Quadrangle N: 5.1 inches; W: 11.7 inches) in Peters Township, **Washington County**.

*Environmental Assessment Approvals and Actions on 401 Certification*

*Certification Request Initiated By:* E. Raymond Beringer, Chief, Regulatory Branch, U. S. Army Corps of Engineers, Pittsburgh District, 1000 Liberty Avenue, Pittsburgh, PA 15222-4186.

*Location:* The communities of South Fork, Ehrenfeld, Summerhill, New Germany, Wilmore Heights, Wilmore, Soukesberg, Rockville, Fishertown, Liberty Park, Mt. Hope, St. Michael, Sidman, Allendale, Beaverdale, Lloydell, Dunlo, Llanfair and Richland Township/Cambria County.

*Project Description:* To construct a wastewater interceptor system with placement of 126,700 linear feet of sewer line, 423 manholes, and 20 stream crossings in connection with section 313 of P. L. 102-58, "Water Resources Development Act of 1992" titled "South Central, PA Environmental Restoration, Infrastructure and Resource Protection Development Pilot Program." Upon completion, the regional system will be operated by the Forest Hills Municipal Authority.

*Final Action on Request:* The certification granted, is subject to the following conditions:

1. A Water Quality Management Permit for the collection, conveyance and treatment system must be secured from the Department of Environmental Protection, Water Management, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

2. A Water Obstruction and Encroachment Permit may be required for any proposed structures constructed in the floodway or floodplain of streams or rivers. Contact the Department of Environmental Protection, Soils and Waterways Section, Water Management, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

3. A Bureau of Dams and Waterway Management General Permit will be required for proposed stream crossings, as applicable, from the Cambria County Conservation District, P. O. Box 187, Ebensburg, PA 15931.

4. A NPDES Permit for Discharges of Stormwater from Construction Activities must be secured from the Cambria County Conservation District, P. O. Box 187, Ebensburg, PA 15931.

[Pa.B. Doc. No. 96-183. Filed for public inspection February 9, 1996, 9:00 a.m.]

### **Proposed Voluntary Environmental Compliance Audit Policy; Notice of Availability**

The Department of Environmental Protection (DEP) is requesting public comments on a proposed policy to encourage companies, local governments and individuals to find and fix environmental problems by conducting environmental compliance audits and self-assessments.

Under the proposed policy, a company, local government or individual conducting an environmental compliance audit and taking action to promptly correct violations uncovered by the audit would be entitled to a waiver from fines and penalties, if they disclose those violations to DEP.

The proposed policy would not apply to deliberate polluting or when significant environmental harm occurs or for repeat violators. It also does not apply to situations where spills or other violations are required by law to be reported immediately.

An environmental audit is a comprehensive, systematic, documented evaluation of whether a facility or company

meets environmental laws and regulations. It includes not only an evaluation, but regular reporting requirements and schedules for correcting problem areas uncovered by the audit.

The program will also encourage the use of environmental compliance systems like the ISO 14000 environmental standards or other standards approved by DEP for small businesses that will help assure continuous compliance.

Comments on the proposed Voluntary Environmental Compliance Audit Policy should be sent to Richard P. Mather, Director, Bureau of Regulatory Counsel, P. O. Box 8464, Harrisburg, PA 17105-8464 or by e-mail to: Mather.Richard@a1.dep.state.pa.us by March 11, 1996 (30 days after publication).

A copy of the proposed policy and a question and answer fact sheet are available on DEP's World Wide Web Site at: <http://www.dep.state.pa.us> (choose Public Participation Center/Proposals Open for Comment) or by e-mail request to: Mather.Richard@a1.dep.state.pa.us.

Copies are also available by writing: Voluntary Audit Policy, Department of Environmental Protection, P. O. Box 8464, Harrisburg, PA 17105-8464; or telephone (717) 787-7060; or fax (717) 783-8926.

JAMES M. SEIF,  
Secretary

[Pa.B. Doc. No. 96-184. Filed for public inspection February 9, 1996, 9:00 a.m.]

## **DEPARTMENT OF HEALTH**

### **Notice of Beginning of Review; Certificates of Need**

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P. S. §§ 448.702(c), 704(a) and 704(b)).

*CON-94-G-2431-B:* Good Samaritan Medical Center, 1020 Franklin Street, Johnstown, PA. The project involves the development of an 18 bed geropsychiatric unit through the conversion of medical/surgical beds, at an estimated cost of \$183,026.

*CON-95-F-2364-B:* Advantage Health Corporation, 304 Cambridge Road, Woburn, MA 01801. The applicant proposes to develop a 40-bed free-standing rehabilitation hospital on the campus of Geisinger Medical Center (GMC) in Danville, Montour County. At project completion GMC will cease operation of its 40-bed rehabilitation unit. Estimated cost of project is \$4,460,000.

*CON-94-A-2237-B:* Jeanes Hospital, 7600 Central Avenue, Philadelphia, PA 19111-2499. The project involves converting 24 Medical/Surgical beds to a 24 hospital-based skilled care unit, at an estimated cost of \$387,948.

The projects are scheduled to be reviewed and a decision rendered by the Department of Health within 90

days beginning February 10, 1996. Interested persons, as defined in section 103 of the act (35 P. S. § 448.103) may request a public meeting. Requests must be made in writing, within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P. S. § 448.506(a)) regarding the decisions made on these applications, any interested person as defined in the act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, such meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. The public meeting for Good Samaritan Medical Center will begin at 11 a.m., Friday, March 8, 1996. The public meeting for Advantage Health Corporation will begin at 1 p.m., Friday, March 8, 1996. The public meeting for Jeanes Hospital will begin at 1 p.m., Thursday, March 21, 1996. Persons who need an accommodation due to a disability and want to attend a meeting, should contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. These meetings are subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

PETER J. JANNETTA, M.D.,  
*Secretary*

[Pa.B. Doc. No. 96-185. Filed for public inspection February 9, 1996, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Current Prevailing Wage Act Debarments

The contractors referenced below have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-11—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), this firm or this person, or any firms, corporations or partnerships in which such firm or person has an interest, shall be awarded no contract for 3 years after the dates listed.

JOHNNY J. BUTLER,  
*Secretary*

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
DiLucente Corp. and Domenic DiLucente	215 Bessemer Avenue East Pittsburgh, PA 15112	1/19/96

[Pa.B. Doc. No. 96-186. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Maximum Pennsylvania Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 1995, the maximum compensation payable under the Workers' Compensation Act under Article I, subsections 105.1 and 105.2, shall be \$527 per week for injuries occurring on or after January 1, 1996. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 1996, the percentage increase in the Statewide average weekly wage is 3.5%.

JOHNNY J. BUTLER,  
*Secretary*

[Pa.B. Doc. No. 96-187. Filed for public inspection February 9, 1996, 9:00 a.m.]

## DEPARTMENT OF PUBLIC WELFARE

### Health Choices

The Department of Public Welfare is releasing a draft Request for Proposal (RFP) for the HealthChoices Program, which will expand mandatory managed care to include Medical Assistance recipients in Bucks, Chester, Delaware, Montgomery and Philadelphia Counties. Copies of the draft RFP are available as of Monday, February 12, 1996, in Room 106, Health and Welfare Building, Harrisburg, and in the County Assistance Offices listed below. Public meetings will be held in March to receive comment on this draft document. The location, date and times for these public meetings will be announced in a later edition of the *Pennsylvania Bulletin* and in local newspapers.

Philadelphia County Assistance Office  
Philadelphia State Office Building, Rm. 605  
1400 Spring Garden Street, Philadelphia

Bucks County Assistance Office  
Bucks County Office Center  
1200 New Rogers Road, Bristol

Chester County Assistance Office  
510 East Gay Street, West Chester

Delaware County Assistance Office  
701 Crosby Street, Suite A, Chester

Montgomery County Assistance Office  
1950 Calamia Drive, Norristown

The Draft RFP is also available by written or telephone request to Department of Public Welfare, Division of Procurement, 106 Health and Welfare Building, Harrisburg, PA 17120, Attention: Polly Hahn, (717) 783-3767.

Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD users) or 1 (800)

654-5988 (Voice users), or may use the Department of Public Welfare TDD by calling (717) 787-3616. Persons who require another alternative format should contact India Wood at (717) 783-2212.

FEATHER O. HOUSTOUN,  
*Secretary*

[Pa.B. Doc. No. 96-188. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Office of Medical Assistance Programs; Fee Increase for Pediatric Office Visits

The Department of Public Welfare announces that effective April 1, 1995, the fee for pediatric office visits for Medical Assistance eligible individuals under 21 years of age has been changed using a Resource-Based Relative Value Scale (RBRVS) rate.

The pediatric office visit procedure codes being changed, RBRVS rates and their effective dates are:

<i>Procedure Code</i>	<i>RBRVS Rate</i>	<i>Effective Date</i>
99211	\$16.50	12/1/95
99212	\$22.50	4/1/95
99213	\$25.00	4/1/95
99214	\$30.00	4/1/95
99215	\$45.00	4/1/95

The fiscal note was prepared under provision of section 612 of The Administrative Code of 1929 (71 P. S. § 232).

The Department's estimate of the cost for the fee changes for the pediatric office visits are based upon data in the Medical Assistance Management Information System. Based on the cost information received the Department estimates the cost of pediatric office visit fee schedule changes to be \$5,839,000 for Fiscal Year 1995-1996 (\$2,748,460) in State funds; (\$3,090,540) in Federal funds.

#### Contact Person

Interested persons are invited to submit written comments to this notice within 30 days of this publication. Comments should be sent to the Department of Public Welfare, Office on Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120.

Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD users) or 1 (800) 654-5988 (Voice users), or may use the Department of Public Welfare TDD by calling (717) 787-3616. Persons who require another alternative format should contact India Wood at (717) 783-2212.

FEATHER O. HOUSTOUN,  
*Secretary*

**Fiscal Note:** 14-NOT-106. (1) General Fund; (2) Implementing year 1995-96 is \$2,749,000; (3) 1st succeeding year 1996-97 is \$2,794,000; 2nd succeeding year 1997-98 is \$3,073,000; 3rd succeeding year 1998-99 is \$3,381,000; 4th succeeding year 1999-00 is \$3,719,000; 5th succeeding year 2000-01 is \$4,091,000; (4) FY 1994-95 is \$722,422,000; FY 1993-94 is \$623,050,000; FY 1992-93 is \$594,642,000; (7) Medical Assistance-Outpatient; (8) rec-

ommends adoption. The increased costs have been included in the 1995-96 Budget.

[Pa.B. Doc. No. 96-189. Filed for public inspection February 9, 1996, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Bureau of Motor Vehicles; International Registration Plan

The Department of Transportation, Bureau of Motor Vehicles, under the authority contained in sections 6142 and 6145 of the Vehicle Code (75 Pa.C.S. §§ 6142 and 6145), is giving notice that the Commonwealth of Pennsylvania continues to be a member of the International Registration Plan which provides for the proportional registration of fleet vehicles in all member jurisdictions in which they are driven.

The International Registration Plan is a registration reciprocity agreement among states of the United States and provinces of Canada providing for payment of license fees on the basis of fleet miles operated in various jurisdictions.

The unique feature of this Plan is that apportioned registration fees are paid to the various jurisdictions in which fleet vehicles are operated; however, only one registration plate and one registration card is issued for each fleet vehicle when registered under the Plan. A fleet vehicle is known as an "apportionable vehicle" and such vehicle, as far as registration is concerned, may be operated both interjurisdictionally and intrajurisdictionally.

By definition, an apportionable vehicle is any vehicle used or intended for use in two or more member jurisdictions that allocate or proportionally register vehicles and is used for the transportation of persons for hire or is designed, used or maintained primarily for the transportation of property, and (1) is a power unit having a gross vehicle weight or registered gross vehicle weight in excess of 26,000 pounds, (2) is a power unit having three or more axles, regardless of weight or (3) is used in combination, when the weight of such combination exceeds 26,000 pounds gross vehicle weight. An apportionable vehicle does not include recreational vehicles, vehicles displaying restricted plates, city pick up and delivery vehicles, buses used in transportation of chartered parties, and government owned vehicles.

Vehicles or combinations having a gross vehicle weight of 26,000 pounds or less and two-axle vehicles and buses used in transportation of chartered parties, may be proportionally registered at the option of the registrant.

Since June 1983, when Pennsylvania began apportioning vehicles under the International Registration Plan consistent with the notice published at 12 Pa.B. 4315 (December 18, 1982), additional states have been approved for entry into the Plan. The most recent approval is for the Canadian Province of British Columbia, which becomes an active member on January 1, 1996.

Under the International Registration Plan, which supersedes all previous registration agreements with the participating states, this Commonwealth therefore has proportional registration with the following jurisdictions:

Alabama	Iowa	Montana	South Carolina
Arizona	Kansas	Nebraska	South Dakota
Arkansas	Kentucky	Nevada	Tennessee
California	Louisiana	New Hampshire	Texas
Connecticut	Maine	New Mexico	Utah
Delaware	Maryland	New York	Vermont
Florida	Massachusetts	North Carolina	Virginia
Georgia	Michigan	North Dakota	Washington
Idaho	Minnesota	Ohio	West Virginia
Illinois	Mississippi	Oklahoma	Wisconsin
Indiana	Missouri	Oregon	Wyoming

The Province of Alberta, Canada and the Province of Saskatchewan, Canada are also members. On January 1, 1996, the Province of British Columbia, Canada will also become an effective member of the Plan on that date.

Because of the length and expense of publishing the full text of the International Registration Plan, a copy of the Plan has not been published with this notice. Interested persons, however, may obtain a copy of the International Registration Plan from Thomas Zamboni, Manager, Commercial Registration, Bureau of Motor Vehicles, P. O. Box 68285, Harrisburg, PA 17106, (717) 787-3864. The Department may impose a fee to cover its costs in forwarding the Plan. Questions, comments or suggestions regarding the Plan may also be submitted to Thomas Zamboni.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 96-190. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Bureau of Motor Vehicles; Uniform Reciprocity Agreement

The Department of Transportation, Bureau of Motor Vehicles, under the authority contained in sections 6142 and 6145 of the Vehicle Code (75 Pa.C.S. §§ 6142 and 6145), is giving notice that the Commonwealth of Pennsylvania continues to be a member of the Uniform Reciprocity Agreement (Agreement). This Agreement provides a uniform system for the registration of vehicles which operate between states, districts, territories or possessions of the United States, a province or territory of Canada or a foreign country.

The purpose of the Agreement is to grant full reciprocity—the operation of vehicles properly registered in a signatory jurisdiction and the exemption of participating vehicles from further registration for interstate and intrastate operation—to passenger cars and non-commercial vehicles and interstate reciprocity—the recognition of vehicles properly registered in a signatory jurisdiction and the exemption of participating vehicles from further registration for interstate operation—to commercial vehicles. Interstate reciprocity will also provide for the operation of vehicles displaying license plates issued to these vehicles by signatory jurisdictions.

Since 1987, Pennsylvania has been a member of the Uniform Reciprocity Agreement. Other members include: Indiana, Maryland, Michigan, Wisconsin.

Because of the length and expense of publishing the full text of the Agreement, a copy of the Agreement has not been published with this notice.

A copy of the Agreement may be obtained from Thomas Zamboni, Manager, Commercial Registration Section, Bu-

reau of Motor Vehicles, P. O. Box 68285, Harrisburg, PA 17106, (717) 787-3864. The Department may impose a fee to cover its costs in forwarding the Agreement. Questions, comments and suggestions may also be forwarded to Thomas Zamboni.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 96-191. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Retention of Engineering Firms

#### Westmoreland County Reference No. 08430AG1975

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately 17 inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following 8 projects in Westmoreland County, Engineering District 12-0: S. R. 0030, Section 135, widening and resurfacing, S. R. 0031, Section 04M, bridge replacement, S. R. 0136, Section E00, bridge replacement, S. R. 0217, Section D10, bridge rehabilitation and drainage, S. R. 1043, Section A10, bridge replacement, S. R. 3003, Section A00, bridge removal, S. R. 4009, Section A00, bridge replacement, and S. R. 4025, Section A00, bridge replacement.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- Number of NICET certified inspectors in each payroll classification.
- Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving and drainage.
- Understanding of Department's requirements, policies and specifications.
- Past performance.
- Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the

qualifications of the firm's proposed employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI)(NICET Highway Construction Level 2 or equivalent)	16 (8)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>	<i>Direct Payroll Rate</i>
Transportation Construction Inspector (TCI)	\$15.18
Technical Assistant (TA)	\$10.43

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total

contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to Anthony M. Dzurko, P.E., District 12-0, at (412) 439-7137.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

#### **General Requirements and Information**

Firms interested in performing any of the above services are invited to submit letters of interest to: Director, Consultant Selection Committee, Room 1118, Transportation and Safety Building, Harrisburg, PA 17120.

A separate letter of interest and required forms must be submitted for each project for which the applicant wishes to be considered. The letter of interest and required forms must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. of the thirteenth day.

If the project advertisement indicates that the Department will retain an engineering firm, letters of interest will only be accepted from individuals, firms or corporations duly authorized to engage in the practice of engineering. If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof. Proposed DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal. Failure to meet the goal and to demonstrate good faith efforts may result in being barred from Department contracts in the future.

Responses are encouraged by small engineering firms, disadvantaged business enterprise engineering firms and other engineering firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include in the heading, the firm's Federal Identification Number and the Project Reference Number indicated in the advertisement. The letter of interest must also include the following:

1. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project."

2. Standard Form 254, "Architect-Engineer and Related Services Questionnaire" not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a joint venture and for each subconsultant the firm or joint venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a company. Please disregard the statements on Standard Form 255 that indicate a Standard Form 254 is only required if not already on file with the contracting office. The Department does not maintain a file for Standard Form 254 for contracting purposes; therefore, this Form is required for the prime consultant and each subconsultant as stated above.

3. Two copies of the Department's Form D-427 (Rev. 6-89), "Current Workload" for the firm submitting the letter of interest. At least one copy of Form D-427 must remain free and not bound in any way to any other portion of the letter of interest or accompanying documentation. Copies of Form D-427 are available upon request from the above address or by contacting the Department's Consultant Agreement Division at (717) 783-9309.

4. Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include with each letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

The Standard Form 255 must be filled out in its entirety including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be presently certified by the Department of Transportation, and the name of the firm and the work to be performed must be indicated in Item 6. If a Women Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

The Standard Form 254 must be signed and dated and must be less than 1 year old as of the date of this advertisement. A Standard Form must accompany each letter of interest for the firm submitting the letter of interest, each party to a joint venture, and for each subconsultant shown under Item 6 of the Standard Form 255.

Unless other factors are identified under the individual project reference number, the following factors, listed in their order of importance, will be considered by the Committee during their evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence of firm.
- b. Past record of performance with respect to cost control, work quality, and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.
- c. Current workload and capacity of firm to perform the work within the time limitations.
- d. Location of consultant.

- e. Special requirements of the project.
- f. Other factors, if any, specific to the project.

The Department currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on design and miscellaneous projects to 130% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection projects to 85.2% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department's limitations will apply to the projects advertised above unless the Department policy is revised prior to the negotiation of an agreement or contract.

The assignment of the above services will be made to one of the firms responding to this notice, but the Committee reserves the right to reject all letters of interest submitted, to cancel the solicitations requested under this notice, and/or to readvertise solicitation for these services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 96-192. Filed for public inspection February 9, 1996, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Lake Raylean Corporation, Appellant v. DEP, Appellee; EHB Doc. No. 94-254-MR**

The Department of Environmental Protection (Department) and Lake Raylean Corporation (Appellant) have agreed to a settlement of the above-captioned matter. This case involves an appeal from the Department's issuance of an administrative compliance order to Lake Raylean Corporation on August 30, 1994. The administrative compliance order requires Appellant to hire a professional engineer and to submit a permit application for its community water system in Bridgewater Township, Susquehanna County, PA.

The parties have agreed to a settlement, the major provisions of which include the Department's agreement not to make special monitoring by Lake Raylean to evaluate the possible influence of surface water upon Lake Raylean's well a condition of permitting and Lake Raylean's agreement to obtain necessary permits, provide disinfection for its system, and hire a certified operator.

Copies of the full agreement are in the hands of:

Daniel D. Dutcher, Assistant Counsel, Department of Environmental Protection, Office of Chief Counsel, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2519;

Katherine M. Shelly, Esquire, R. R. 1, Box 25, Thompson, PA 18465, (717) 756-2429;

and at the Offices of the Environmental Hearing Board and may be reviewed by any interested party on request during normal business hours.

Persons who are aggrieved by the above settlement have a right to appeal to the Environmental Hearing Board, Rachel Carson Market Street State Office Building, 400 Market Street, 2nd Floor, P. O. Box 8457, Harrisburg, PA 17105-8457.

If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 783-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Appeals shall be filed within 20 days of this publication.

The Environmental Hearing Board is empowered to approve this settlement, which becomes final if no objection is timely made.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 96-193. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Zinc Corporation of America v. DEP; EHB Doc. No. 91-451-E

The Department of Environmental Protection (Department) and Zinc Corporation of America (Company) has agreed to a settlement of the above matter regarding its facility located in Palmerton Borough, Carbon County.

The Department had issued an NPDES permit on September 23, 1991, authorizing the Company to discharge to the Aquaschicola Creek and the Lehigh River in accordance with the effluent limitations, monitoring requirements and other conditions set forth in the Permit. The Company filed a timely appeal challenging the effluent limitations and other conditions.

The parties have agreed to a settlement, the major provisions of which include:

(1) Within 10 days following entry of the Consent Adjudication & Order, the Company shall withdraw its comments on the draft NPDES Permit No. PA 0012751.

(2) Within 60 days following entry of the Consent Adjudication & Order, the Department shall issue NPDES Permit No. PA 0012751 which will include effluent limitations identical to those published in the December 4, 1993 *Pennsylvania Bulletin*.

(3) The NPDES permit will be for a duration of 5 years.

Copies of the full agreement are in the hands of:

Barbara L. Smith, Assistant Counsel, Department of Environmental Protection, Office of Chief Counsel, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2519;

John N. Moore, Esquire, Akin, Gump, Strauss, Hauer & Feld, L.L.P., 1333 New Hampshire Avenue, N.W., Suite 400, Washington, D.C. 20036, (202) 887-4000;

and at the Offices of the Environmental Hearing Board, and may be reviewed by any interested party on request during normal business hours.

Persons aggrieved by the above settlement have a right to appeal to the Environmental Hearing Board, Rachel Carson State Office Building, 2nd Floor, 400 Market Street, Harrisburg, PA 17105-8457.

If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 783-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Appeals shall be filed within 20 days of this publication.

The Environmental Hearing Board is empowered to approve this settlement, if no objection is timely filed with the Board.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 96-194. Filed for public inspection February 9, 1996, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for Approval of a Plan of Consolidation

Medical Service Association of Pennsylvania d/b/a Pennsylvania Blue Shield (Blue Shield) and Veritus Inc. d/b/a Blue Cross of Western Pennsylvania (Blue Cross) have submitted a plan to the Insurance Department proposing to consolidate Blue Shield and Blue Cross into a new corporation.

All the lines of business and business interests, including subsidiaries, of Blue Shield and Blue Cross, including the professional health service plan currently operated by Blue Shield and the hospital plan currently operated by Blue Cross, will be transferred, directly or indirectly, to the Consolidated Corporation. The Consolidated Corporation will continue to operate all of the lines of business and business interests, including subsidiaries, of Blue Shield and Blue Cross.

Copies of the information submitted by Blue Shield and Blue Cross are available to interested persons upon request to the Insurance Department, Carolyn Smith, Licensing Specialist, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

Interested persons are invited to submit written comments regarding the request to the Insurance Department, Carolyn Smith, Licensing Specialist, 1345 Strawberry Square, Harrisburg, PA 17120, within 30 days of the publication date of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-195. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Capital Blue Cross; Sacred Heart Hospital; Member Hospital Prospective Payment Agreement; Filing No. 96-C

By filing no. 96-C, Capital Blue Cross submits for the Department's review and approval a Member Hospital Prospective Payment Agreement with Sacred Heart Hospital. The proposed contract has an effective date of July 1, 1995.

Copies of the filing are available for public inspection on Monday, Wednesday and Friday by appointment,

during normal working hours at the Insurance Department's Office in Harrisburg. This form filing consists of 39 pages.

Interested parties are invited to submit written comments, suggestions or objections to Richard W. Stoner, Insurance Department, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-196. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Capital Blue Cross; Saint Luke's Hospital; Member Hospital Prospective Payment Agreement; Filing No. 96-B

By filing no. 96-B, Capital Blue Cross submits for the Department's review and approval a Member Hospital Prospective Payment Agreement with Saint Luke's Hospital. The proposed contract has an effective date of July 1, 1995.

Copies of the filing are available for public inspection on Monday, Wednesday and Friday, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. This form filing consists of 41 pages.

Interested parties are invited to submit written comments, suggestions or objections to Richard W. Stoner, Insurance Department, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-197. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Southeast Delco School District; Hearing

*Southeast Delco School District, Underground Storage Fund, Doc. No. MS94-08-043*

A formal administrative hearing is scheduled for March 1, 1996, at 9:30 a.m. at the offices of Cozen and O'Connor, 1900 Market Street, Philadelphia, PA 19103.

The hearing shall be held in accordance with 2 Pa. Code §§ 501—508 and §§ 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 35.225.251; 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure); and any other relevant procedural provisions of law.

Motion and/or briefs relevant to the hearing, including motions in limine and briefs addressing significant or unusual points of law, procedure and/or evidence must be filed in writing with the Docket Clerk, Insurance Department, 901 North Seventh Street, Second Floor, Harrisburg, PA 17103 with copies delivered to the Presiding

Office at 292 Mayfield Lane, Chadds Ford, PA 19317 on or before February 23, 1996.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 96-198. Filed for public inspection February 9, 1996, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

#### Notice of Motor Carrier Applications— Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before February 27, 1996.

- A-00112759 Carl E. Staley, Sr.  
P. O. Box 123, Girard, PA 16417-0123
- A-00112762 Scobie Water Service, Inc., t/d/b/a Scobie Water Service and Trucking  
R. D. 2, Box 651 Spade Road, Rochester, PA 15074
- A-00112766 Tri-State Auto Auction, Inc.  
P. O. Box 324, Conshohocken, PA 19428
- A-00112778 East Coast Transit, Incorporated  
3599 Orrstown Road, Box 282, Orrstown, PA 17244
- A-00112779 Michael Missimer, t/d/b/a Mike Missimer Trucking  
140 South 5th Street, Bally, PA 19503
- A-00112774 John Taber, t/d/b/a J & J Enterprises  
Box 34, Garland, PA 16416
- A-00112780 Pittsburgh Mailing Systems, Inc., t/d/b/a Pittsburgh Mailing  
170 Bilmar Drive, Pittsburgh, PA 15205;  
William A. Gray, 2310 Grant Building, Pittsburgh, PA 15219-2383

JOHN G. ALFORD,  
*Secretary*

[Pa.B. Doc. No. 96-199. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Telecommunications Service Without Hearing

**A-310369. CB Merger Corp. and Buffalo Valley Telephone Company.** Joint application of CB Merger Corp. (CB Merger) and Buffalo Valley Telephone Company (Buffalo Valley) for approval of (1) the acquisition by CB Merger of all the common stock of Buffalo Valley, the merger of Buffalo Valley into CB Merger, and the simultaneous change in the name of the surviving entity to Buffalo Valley Telephone Company; (2) the right of the

surviving Buffalo Valley to begin to furnish telephone service to the public in the territory now served by the present Buffalo Valley; and (3) the right of the acquired Buffalo Valley to abandon all telephone service.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before February 26, 1996, under 52 Pa. Code (relating to public utilities).

*Counsel for Applicants.* David M. Kleppinger, Derrick P. Williamson, McNees, Wallace & Nurick, 100 Pine Street, Harrisburg, PA 17108; John H. Isom, Michael W. Gang, Morgan, Lewis & Bockius, 417 Walnut Street, Harrisburg, PA 17101.

JOHN G. ALFORD,  
*Secretary*

[Pa.B. Doc. No. 96-200. Filed for public inspection February 9, 1996, 9:00 a.m.]

### Water Service Without Hearing

**A-212370F0023. Philadelphia Suburban Water Company and Franklin Water Company.** Joint application of Philadelphia Suburban Water Company and Franklin Water Company for approval of: (1) the transfer, by sale, of the water supply system assets of Franklin Water Company to Philadelphia Suburban Water Company; (2) the right of Philadelphia Suburban Water Company to furnish water service to the area encompassing the service territory of Franklin Water Company; (3) the abandonment by Franklin Water Company of water service to the public in a portion of Franklin Township, Chester County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before February 26, 1996, under 52 Pa. Code (relating to public utilities).

*Counsel for applicants.* Mark J. Kropilak, Esquire, Corporate Counsel, Philadelphia Suburban Water Company, 762 Lancaster Avenue, Bryn Mawr, PA 19010;

Richard Merion, President, Franklin Water Company, 420 W. Market Street, West Chester, PA 19382.

JOHN G. ALFORD,  
*Secretary*

[Pa.B. Doc. No. 96-201. Filed for public inspection February 9, 1996, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

### Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimant's requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Harrisburg, PA 17108:

March 4, 1996	Lou Ann Parsons (Disability)	1:30 p.m.
March 11, 1996	Paul Mirich (Dec'd.) (Option Selection)	1:30 p.m.
March 20, 1996	Michael Kanalis (Dec'd.) (Frozen Present Value)	1 p.m.
March 27, 1996	Emogene L. Trexel (Out of State Service)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.01 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

JOHN BROSIUS,  
*Secretary*

[Pa.B. Doc. No. 96-202. Filed for public inspection February 9, 1996, 9:00 a.m.]