

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending February 6, 1996.

BANKING INSTITUTIONS

Foreign Bank Organization Offices

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-2-96	The Daiwa Bank, Limited 2-1 Bingomachi 2-chome Chuo-ku Osaka, Japan 541	2450 CNG Tower 625 Liberty Ave. Pittsburgh Allegheny County One Liberty Place 1650 Market St., Ste. 2860 Philadelphia Philadelphia County	Authorization Surrendered
1-23-96	The Sumitomo Bank, Limited 6-5 Kitahama 4-chome Chuo-ku Osaka, Japan 541	2450 CNG Tower 625 Liberty Ave. Pittsburgh Allegheny County One Liberty Place 1650 Market St., Ste. 2860 Philadelphia Philadelphia County	Filed Approved 2-2-96 Commenced Operations 2-5-96

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-15-96	United Valley Bank Philadelphia Philadelphia County	100 N. Presidential Boulevard Bala Cynwyd Montgomery County	Opened
1-31-96	Firsttrust Savings Bank Flourtown Montgomery County	New Britain Village Square Shopping Center 4275 County Line Rd. Chalfont Bucks County	Approved
1-31-96	Integra Bank Pittsburgh Allegheny County	One Oxford Centre Pittsburgh Allegheny County	Filed
1-31-96	Ambassador Bank of the Commonwealth Allentown Lehigh County	1323 Grape Street Whitehall Lehigh County	Filed
2-1-96	The Scottdale Bank and Trust Company Scottdale Westmoreland County	Route 201 and Liberty Street Vanderbilt Fayette County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-1-96	Reeves Bank Beaver Falls Beaver County	<i>To:</i> 747 Corporation Street Beaver Beaver County	Filed

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
		<i>From:</i> 605 Third Street Beaver Beaver County	

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-2-96	Dauphin Deposit Bank and Trust Company Harrisburg Dauphin County	1006 Market Street Harrisburg Dauphin County	Filed
2-2-96	Mid-State Bank and Trust Company Altoona Blair County	1315 11th Avenue Altoona Blair County	Effective
2-5-96	Dauphin Deposit Bank and Trust Company Harrisburg Dauphin County	9 East Main Street Waynesboro Franklin County	Filed

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS**Conversions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
1-31-96	ABCON Federal Credit Union Valley Forge Chester County	Valley Forge	Filed

To:

ABON Credit Union
Valley Forge
Chester County

Application represents conversion from a Federally-chartered credit union to a State-chartered credit union.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-212. Filed for public inspection February 16, 1996, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of March 1996

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of March is 8 1/2%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such

individual occupies or has occupied as a principal residence.

Each month the Department of Banking is required by State law to compute and announce the ceiling rate on residential mortgages in Pennsylvania. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the U. S. Treasury. The latest yield rate on long-term government securities is 6.07 to which was added 2.50 percentage points for a total of 8.57 that by law is rounded off to the nearest quarter at 8 1/2%.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-213. Filed for public inspection February 16, 1996, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0003620. Industrial waste, SIC: 3312, **Pittsburgh Flatroll Company**, 31st Street and AVRR, Pittsburgh, PA 15201.

This application is for renewal of an NPDES permit to discharge treated process water and untreated cooling water, stormwater, and air compressor condensate from the Pittsburgh Plant in the City of Pittsburgh, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny River, classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is the Millvale Water Authority, located on the Allegheny River, about 1 mile from the discharge point.

Outfall 101: existing discharge, design flow of 0.017 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids	8.5	23			40
Oil and Grease		6.0			10
pH	6.0—9.0				

Outfall 201: existing discharge, design flow of 0.35 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids	72	168			70
pH	6.0—9.0				

Outfall 301: design flow of 0.0028 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids	13	30			70
Nickel	0.1	0.4			0.9
Chromium	0.2	0.4			1.0
pH	6.0—9.0				

Outfall 001: existing discharge, design flow of 0.370 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids			30	60	
Oil and Grease			15	30	
pH	6.0—9.0				

Other conditions: Special conditions apply to any proposed chemical additives and to stormwater and cooling water discharges. Residual wastes must be disposed properly.

The EPA waiver is not in effect.

PA 0014311. Industrial waste, SIC: 3316, **Republic Engineered Steels, Inc.**, 410 Oberlin Road, SE, Massillon, OH 44646.

This application is for renewal of an NPDES permit to discharge treated process stormwater from Republic Engineered Steels, Inc. in Beaver Falls, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Walnut Bottom Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Beaver Falls Municipal Authority located at Beaver Falls, 0.75 miles below the discharge point.

Outfall 101: existing discharge, design flow of 0.0064 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
TSS	4.23	9.86	30	70	88
Oil and Grease	monitor and report		15		30
Lead	0.002	0.004	0.021	0.042	0.053
Zinc	0.028	0.084	0.1	0.3	0.38
pH	6.0—9.0				

Outfall 001: existing discharge to Walnut Bottom Run.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This discharge shall consist solely of those sources previously monitored at IMP 101, groundwater and stormwater.					
Chromium				monitor and report	
Nickel				monitor and report	
Lead				monitor and report	
Zinc				monitor and report	

Outfall 002-011: stormwater runoff discharges to Walnut Bottom Run and Beaver Falls Storm Sewer System

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Chromium				monitor and report	
Nickel				monitor and report	
Lead				monitor and report	
Zinc				monitor and report	

Other conditions: Stormwater condition sludge management condition and chemical additive condition.

The EPA waiver is in effect.

PA 0098795. Industrial waste, SIC: 4941, **North Fayette County Municipal Authority**, P. O. Box 368, Dunbar, PA 15431.

This application is for issuance of an NPDES permit to discharge treated process water and untreated stormwater from the Wheeler Bottom Water Treatment Plant in Dunbar Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, Youghiogheny River, classified as high-quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Westmoreland Municipal Authority, located at Connellsville, about 1 mile below the discharge point.

Outfall 001: existing discharge, design flow of 0.200 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor/report				
Total Suspended Solids			30	60	
Total Iron			2	4	
Aluminum			4	8	
Manganese			1	2	
Total Residual Chlorine (TRC)			0.5	1.0	
pH	6.0—9.0				

Other Conditions: Special Conditions apply to uncontaminated stormwater runoff outfalls and to any existing or proposed chemical additives. Disposal of solids must meet residual waste standards. One year compliance period before TRC limit becomes effective.

The EPA waiver is in effect.

PA 0204919. Industrial waste, SIC: 2421, **Laurel Hill Timber Company**, P. O. Box 266, Lyme, NH 03768.

This application is for issuance of an NPDES permit to discharge leachate and stormwater from a sawdust pile in Jackson Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary of Laurel Run, classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is the Laurel Run Reservoir, located 3.73 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.065 mgd.

Interim Limits

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor/report				
Free Cyanide					monitor/report
CBOD ₅					monitor/report
Dissolved Iron					monitor/report
Total Suspended Solids					monitor/report
pH	monitor/report				

Final Limits

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor/report				
Free Cyanide			0.050	0.100	
CBOD ₅			25	50	
Dissolved Iron					7.0
Total Suspended Solids			30	60	
pH	6.0—9.0				

The EPA waiver is in effect.

PA 0217280. Industrial waste, SIC: 3229, **American Video Glass Company**, 777 Technology Drive, Mt. Pleasant, PA 15666-2715.

This application is for an issuance of an NPDES permit to discharge treated process water, noncontact cooling water and stormwater from American Video Glass Company in East Huntingdon Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters Sewickley Creek classified as WWF fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is the McKeesport Municipal Water Authority, located on the Youghiogheny River at Sutersville, approximately 20 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.72 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
TSS	186	372	monitor and report	monitor and report	20
Oil and Grease	186	372	monitor and report	monitor and report	20
Fluoride	86	172	monitor and report	monitor and report	26
Lead (T)	0.65	1.3	monitor and report	monitor and report	0.2
Antimony			0.11	0.22	0.28
Temperature (°F)					110
pH	6.0—9.0				

Outfalls 002 and 003: new discharge, design flow of N/A mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Discharge shall solely consist of uncontaminated stormwater runoff.					

Other Conditions: After this facility starts up, effluent characterization must be done to demonstrate that it is similar to the State College facility.

The EPA waiver is in effect.

PA 0096954. Sewage, **Interstate 79 Associates**, 4839 Campbells Run Road, Pittsburgh, PA 15205.

This application is for renewal of an NPDES permit to discharge treated sewage from the Meadowlands Park Sewage Treatment Plant in North Strabane Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Chartiers Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Municipal Authority on the Ohio River.

Outfall 001: existing discharge, existing design flow of 0.0435 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50	
Suspended Solids	30			60	
Ammonia Nitrogen					
(5-1 to 10-31)	4			8	
(11-1 to 4-30)	12			24	
Fecal Coliforms					
(5-1 to 9-30)	200/100 ml as a geometric mean				
(10-1 to 4-30)	2,000/100 ml as a geometric mean				
Total Residual Chlorine	0.7			1.7	
pH	6.0—9.0				

Other Conditions: If/when the plant is expanded to a design flow of 0.087 mgd, the following effluent limitations would apply:

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Ammonia Nitrogen (5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.4			0.9
Dissolved Oxygen	not less than 4.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

PA 0203831. Sewage, **Riverside Beaver County School District**, R. D. 2, Country Club Drive, Box 4010, Ellwood City, PA 16117.

This application is for renewal of an NPDES permit to discharge treated sewage from Riverside Beaver County School District's Primary Center Sewage Treatment Plant in North Sewickley Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary to Thompson Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Authority Eastvale Plant.

Outfall 001: existing discharge, design flow of 0.0064 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month	monitor and report			
37th month—expiration	1.4			3.3
pH	6.0—9.0			

The EPA waiver is in effect.

PA 0204951. Sewage, Michael Ott, **Ott Enterprises, Inc.**, 208 Rivercrest Drive, Moon Township, PA 15108.

This application is for renewal of an NPDES permit to discharge treated sewage from the Woodlands Sewage Treatment Plant in Sewickley Hills Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Kilbuck Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority on the Ohio River.

Outfall 001: existing discharge, design flow of 0.01 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	2.5			5.0
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month	monitor and report			
37th month—expiration	0.03			0.06

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Dissolved Oxygen	not less than 6 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3670.

PA 0032361. Sewerage, SIC: 4952, **Williamsport Area School District (Woodward Elementary)**, 201 West Third Street, Williamsport, PA 17701.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to West Branch Susquehanna River in Woodward Township, **Lycoming County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.009 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Total Residual Cl ₂	1		2.3
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0060305. Industrial waste, SIC: 4941, **Department of Conservation and Natural Resources**, Mt. Pisgah State Park, R. R. 3, Box 362, Troy, PA 16947.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial wastewater to unnamed tributary to Pisgah Creek in West Burlington Township, **Bradford County**.

The receiving stream is classified for the following uses: trout stock fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Municipal Water Authority located at Danville.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0005 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (Std. Units)	within the range of 6.0—9.0	
TSS	30	60
Total Iron	monitor and report	
Total Aluminum	monitor and report	
Total Manganese	monitor and report	

The EPA waiver is in effect.

PA 0032352. Sewerage, SIC: 4952, **Williamsport Area School District (Hepburn-Lycoming School)**, 201 West Third Street, Williamsport, PA 17701.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Lycoming Creek in Hepburn Township, **Lycoming County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.016 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Total Residual Cl ₂	1		2.3

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200 col/100 ml as a geometric mean 2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0043419. Sewerage, SIC: 4952, **Coudersburg Borough Authority**, 201 South West Street, Coudersport Borough, PA 16915, Eulalia Township, **Potter County**.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to the Allegany River in Eulalia Township, Potter County.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Pennsylvania, New York border located approximately 30 miles downstream.

Outfall 001:

The proposed effluent limits, based on a design flow of 0.9 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (6-1 to 10-31)	9	13.5	18
Fecal Coliforms (5-1 to 9-30) (11-1 to 4-30)	200/100 ml as a geometric average 2,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.64
	*Limit effective 2 years after permit effective date until then monitor and report		
pH	6.0—9.0 at all times		

Outfall 002:

Combined sewer overflow—Monitor for cause, frequency, duration and estimated quantity of flow.

The EPA waiver is in effect.

PA 0112747. Sewerage, SIC: 4952, **Mahaffey Borough Municipal Authority**, P. O. Box 202, Mahaffey, PA 15757.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to West Branch Susquehanna River in Mahaffey Borough, **Clearfield County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.07 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Total Residual Cl ₂	1		2.3
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200 col/100 ml as a geometric mean 2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0036374. Sewage, **Eaglepointe Development Associates**, Eaglepointe Industrial Center, 55 Pottstown Pike, Uwchlan, PA 19480.

This application is for renewal of an NPDES permit to discharge treated sewage from the Eaglepointe Wastewater Treatment Plant in Upper Uwchlan Township, **Chester County**. This is an existing discharge to an unnamed tributary to Marsh Creek.

The receiving stream is classified for warm water fish, trout stocking, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports, high quality waters and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 0.015 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	30	60
Ammonia (as N) (5-1 to 10-31)	0.5	1.0
(11-1 to 4-30)	1.5	3.0
Phosphorus (as P)	0.5	1.0
Total Residual Chlorine (years 1 and 2)	0.5	1.25
(years 3, 4 and 5)	0.14	0.34
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

PA 0012815. Industrial waste, **Sonoco Products Company**, 300 South Brandywine Avenue, Downingtown, PA 19335.

This application is for renewal of an NPDES permit to discharge treated process wastewater from an industrial wastewater treatment plant in Downingtown Borough, **Chester County**. This is an existing discharge to east branch of Brandywine Creek.

The receiving stream is classified for warm water fish, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 0.80 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	43	86	108
Suspended Solids	30	60	75
Oil and Grease	15		30
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Ammonia-Nitrogen	2.0	4.0	5.0
Phosphorus (4-1 to 10-31)	1.0	2.0	2.5
Total Dissolved Solids	1,000	2,000	2,500
E. Coli	monitor/report		

The proposed effluent limits for Outfall 002 consisting of noncontact cooling water are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15		30
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

Other Conditions:

Chemical Additives

Disinfection if Necessary

The EPA Waiver is not in effect.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

PA 0043885-A1. Sewerage, **Greater Pottsville Area Sewer Authority** 401 North Center Street, P. O. Box 1163, Pottsville, PA 17901.

This proposed action is for amendment of an NPDES permit to discharge treated sewage into the Schuylkill River in Pottsville City, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Pottstown Water Authority located on the Schuylkill River.

The proposed amendment involves revising the color limits from 100 Platinum-Cobalt Units as a monthly average to 150 Platinum-Cobalt Units as a monthly average in accordance with the recent decision by the Delaware River Basin Commission. All other permit limits and conditions remain the same.

The EPA waiver is not in effect.

PA 0061999. Sewerage, **Mark Albert and David J. Pitti** (Bethany Colony), 193 Hamilton Avenue, Massapequa, NY 11758.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an unnamed tributary of Dyberry Creek in Dyberry Township, **Wayne County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply, recreation and special protection.

The proposed effluent limits for Outfall 001 based on a design flow of 0.03 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
<i>CBOD₅</i>		
(5-1 to 10-31)	20.0	40.0
(11-1 to 4-30)	25.0	50.0
Total Suspended Solids	30.0	60.0
NH ₃ -N		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Dissolved Oxygen	a minimum of 6.0 mg/l at all times	
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	.54	1.27

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

PA 0087165. Industrial waste, SIC: 3081, **Bleyer Industries, Inc.**, 500 Walnut Street Extension, Mt. Union, PA 17066.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to the Juniata River, in Mt. Union Borough, **Huntingdon County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Dauphin Consolidated located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.022 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
<i>CBOD₅</i>		26	33
Total Suspended Solids		19	24
Oil and Grease	15	29	30
Temperature	monitor		
pH	6—9		

The EPA waiver is in effect.

PA 0014672. Industrial waste, SIC: 3691 and 3341, **General Battery Corporation**, Exide Corporation—Reading Smelter Division, Spring Valley Road and Nolan Street, Laureldale, PA 19605.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste and stormwater to a dry/intermittent stream, tributary to Bernharts Creek, in Muhlenberg Township, **Berks County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. The existing downstream potable water supply intake considered during the evaluation is the Pottstown Borough Authority located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed *Interim* effluent limits for Outfall 001 for a design flow of 0.441 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 standard units at all times		
Total Antimony		monitor and report	
Total Arsenic		monitor and report	
Total Cadmium	0.27	0.59	0.68
Total Copper		monitor and report	
Total Lead		monitor and report	
Total Zinc		monitor and report	
Total Nickel		monitor and report	
Total Iron		monitor and report	
Total Aluminum		monitor and report	
Total Phosphorus		monitor and report	
Total Ammonia as N	20	40	40
Oil and Grease	15	30	30
Total Suspended Solids	30	60	75
Total Dissolved Solids	6,000	7,500	
CBOD ₅		monitor and report	
Dissolved Oxygen		monitor and report	
Osmotic Pressure		monitor and report	
MBAS		monitor and report	
Chronic Whole Effluent Toxicity Tests		monitor and report	

The proposed *Final* effluent limits for Outfall 001 for a design flow of 0.441 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 standard units at all times		
Total Antimony	0.1	0.2	0.25
Total Arsenic	0.21	0.42	0.52
Total Cadmium	0.003	0.006	0.008
Total Copper	0.03	0.06	0.08
Total Lead	0.01	0.02	0.03
Total Zinc	0.02	0.04	0.05
Total Nickel	0.04	0.08	0.10
Total Iron		monitor and report	
Total Aluminum		monitor and report	
Total Phosphorus		monitor and report	
Total Ammonia as N	3	6	7.5
Oil and Grease	15	30	30
Total Suspended Solids	10	20	25
Total Dissolved Solids	1,000	2,000	2,500
CBOD ₅	10	20	25
Dissolved Oxygen		5.0 at all times	
Osmotic Pressure	77	154	192
MBAS		monitor and report	
Chronic Whole Effluent Toxicity Tests		monitor and report	

The proposed *Interim* effluent limits for Outfall 002 for the discharge of groundwater and stormwater are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		monitor and report	
Chemical Oxygen Demand		monitor and report	
Total Suspended Solids		monitor and report	
Total Lead		monitor and report	
Total Chromium		monitor and report	
Total Iron		monitor and report	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease		monitor and report	
pH		monitor and report	
Total Copper		monitor and report	
Total Cadmium		monitor and report	
Total Arsenic		monitor and report	
Total Antimony		monitor and report	
Total Zinc		monitor and report	
Total Phenols		monitor and report	
Ammonia as N		monitor and report	
Acute Whole Effluent Toxicity Tests		monitor and report	

The proposed *Final* effluent limits for Outfall 002 for the discharge of groundwater and stormwater after the first flush is collected are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		monitor and report	
Chemical Oxygen Demand		monitor and report	
Total Suspended Solids		monitor and report	
Total Lead		monitor and report	
Total Chromium		monitor and report	
Total Iron		monitor and report	
Oil and Grease		monitor and report	
pH		monitor and report	
Total Copper		monitor and report	
Total Cadmium		monitor and report	
Total Arsenic		monitor and report	
Total Antimony		monitor and report	
Total Zinc		monitor and report	
Total Phenols		monitor and report	
Ammonia as N		monitor and report	
Acute Whole Effluent Toxicity Tests		monitor and report	

Part C requirements for toxics are briefly listed as:

1. Final water quality based effluent limitations for Total Antimony, Total Arsenic, Total Cadmium, Total Copper, Total Lead, Total Zinc, Total Nickel, Ammonia, Total Suspended Solids, Total Dissolved Solids, Dissolved Oxygen, CBOD₅ and Osmotic Pressure.
2. Requirements to submit a toxics reduction evaluation within 24 months of permit issuance.
3. Conditions for future permit modifications.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

PA 0013129. Industrial waste, SIC: 3315, **Carpenter Technology Corporation**, 101 West Bern Street, Reading, PA 19612-4662.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to the Schuylkill River, an unnamed tributary of the Schuylkill River and Bernharts Creek in Reading City, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough Authority located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfalls 004, 005, 011, and 013 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
pH	between 6—9 s.u. at all times		
Temperature		110°F	

The proposed effluent limits for Outfall 012 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
pH	between 6—9 s.u. at all times		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature		110°F	
Hexavalent Chromium	monitor and report		

The proposed effluent limits for Outfall 009 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature		110°F	
Flow	monitor and report		
pH	between 6—9 s.u. at all times		
TSS	30	60	75
Oil and Grease	15		30
Total Cyanide	0.12	0.24	0.3
Free Cyanide	0.06	0.12	0.16
Total Nickel	0.57	1.14	1.44
Total Zinc	0.26	0.52	0.65
Tetrachloroethylene	monitor and report		
Total Cadmium	0.02	0.04	0.05
Total Silver	0.01	0.02	0.03
TTO	2.13	4.26	5.33
Hexavalent Chromium	0.07	0.14	0.18
Total Chromium	0.57	1.14	1.44
Total Copper	0.16	0.32	0.40
Total Lead	0.44	0.88	1.10
Naphthalene	monitor and report		
NH ₃ -N	20	40	40
1,1,1-Trichloroethane	0.04	0.08	0.10

The proposed effluent limits for stormwater Outfalls W3, W4, W8, W9, W10, W11, W12, W13, E3A, E3B, E5, E7A, E7B, E7E, E7F, E7G, E7H, E8, E9A, E10, E11, E12, E13A, E13C, E13D, E13E, E13F, E13G, E14, E15, E16, E6L, E6O, E6P, E6Q, E6B, E6H, E6N, E9B, E101, 009, 010, 001, 003, 004, 005, 007, 011, and 002 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	monitor and report		
COD	monitor and report		
TSS	monitor and report		
Total Lead	monitor and report		
Hexavalent Chromium	monitor and report		
Total Iron	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Copper	monitor and report		
Total Cadmium	monitor and report		
Total Arsenic	monitor and report		
Total Nickel	monitor and report		
Free Cyanide	monitor and report		
Total Cyanide	monitor and report		
Total Zinc	monitor and report		
Total Silver	monitor and report		
Tetrachloroethylene	monitor and report		

The EPA waiver is not in effect.

PA 0011100. Industrial waste, SIC: 3674, **AT&T Microelectronics (Reading Works)**, 2525 North 12th Street, Reading, PA 19612-3396.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Bernharts Creek, in Muhlenberg Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the proposed downstream potable water supply intake considered during the evaluation was the Pottstown Borough Authority located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.62 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 s.u. at all times		
Temperature			110°F
Total Phenols	0.05	0.1	0.125
Total Suspended Solids	30	60	75
Total Dissolved Solids	monitor and report		

The proposed Interim effluent limits for Monitoring Point 101 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 s.u. at all times		
Total Suspended Solids	16	32	40
Oil and Grease	15		30
Fluoride	15	27	38
Total Cadmium	0.009	0.025	
Total Chromium	0.217	0.345	0.54
Total Copper	0.072	0.117	0.18
Total Lead	0.015	0.024	0.038
Total Nickel	0.082	0.14	0.21
Total Silver	0.0083	0.015	0.021
Total Zinc	0.05	0.09	0.13
Total Toxic Organics (TTO)		1.2	

The proposed Interim effluent limits for Monitoring Point 201 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Cyanide	0.65	1.2	1.6

The proposed effluent limits for Monitoring Point 301 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
1,1,1-Trichloroethane	0.002	0.004	0.005
Trichloroethylene	0.01	0.02	0.025
Tetrachloroethylene	0.001	0.002	0.0025
Acetone	1.0	2.0	2.5

The proposed effluent limits for Outfall 003 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 s.u. at all times		
Total Copper		monitor and report	

The proposed Final effluent limits for Outfall 101 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6—9 s.u. at all times		
Total Cadmium	0.002	0.004	0.005
Chromium, VI	0.017	0.034	0.043
Total Chromium	0.217	0.345	0.54
Total Copper	0.024	0.048	0.06
Total Lead	0.007	0.014	0.018
Total Nickel	0.082	0.14	0.21
Total Silver	0.0083	0.015	0.021
Total Zinc	0.05	0.09	0.13
Total Cyanide	0.65	1.2	1.6
Free Cyanide	0.008	0.016	0.02
1,1-Dichloroethylene	0.0004	0.0008	0.001
Total Iron	1.6	3.2	4.0
Total Dissolved Solids	1,000	2,000	2,500
Total Suspended Solids	30	60	75
Oil and Grease	15	30	30
Fluoride	3.4	6.8	8.5

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Toxic Organics (TTO)		2.13	
Total Toxic Organics (TTO)		1.2	

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0052019. Sewage, **Avon Grove Trailer Park**, P. O. Box 668, Southhold, NY 11971.

This application is for renewal of an NPDES permit to discharge treated sewage from the Avon Grove Trailer Park in London Grove Township, **Chester County**. This is an existing discharge to an unnamed tributary to east branch of White Clay Creek.

The receiving stream is classified for cold water fish, warm water fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 7,500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	50
Ammonia (as N) (5-1 to 10-31)	6	12
(11-1 to 4-30)	18	36
Total Residual Chlorine	1.2	2.8
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 6.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this

determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

Northcentral Regional Office: Regional Water Management Program Manager, 208 West 3rd Street, Williamsport, PA 17701, telephone (717) 327-3669.

Allegheny County Conservation District, District Manager, 875 Greentree Rd., Rm. 208 Acacia Bldg., Pittsburgh, PA 15220, telephone (412) 921-1999.

NPDES Permit PAS10A082. Stormwater. **Abele Associates IV**, 2559 Washington Road, Pittsburgh, PA

15241 has applied to discharge stormwater from a construction activity located in South Fayette Township, **Allegheny County**, to Millers Run.

NPDES Permit PAS10A060-2. Stormwater. **Port Authority of Allegheny County**, 2235 Beaver Avenue, Pittsburgh, PA 15233, has applied to discharge stormwater from a construction activity located in Crafton, Ingram and Rosslyn Farms Borough and the City of Pittsburgh, **Allegheny County**, to Chartiers Creek.

Berks County Conservation District, District Manager, P. O. Box 520 Ag. Ctr., Leesport, PA 19533, telephone (610) 372-4657.

NPDES Permit PAS10C020. Stormwater. **Rick Shipe**, Wingo Development Corporation, R. D. 2 Box 2000, Bldg. A-1, Reading, PA 19605 has applied to discharge stormwater from a construction activity located in Amity Township, **Berks County**, to Manatawny Creek.

Blair County Conservation District, District Manager, 1407 Blair Street, Hollidaysburg, PA 16648, telephone (814) 696-0877.

NPDES Permit PAS100608. Stormwater. **New Enterprise Stone & Lime**, P. O. Box 77, New Enterprise, PA 16664 has applied to discharge stormwater from a construction activity located in Logan Township, **Blair County**, to UNT to Sandy Run and Kettle Creek.

Centre County Conservation District, District Manager, 414 Holmes Ave. Ste. 4, Bellefonte, PA 16823, telephone (814) 355-6817.

NPDES Permit PAS10F053. Stormwater. **BXAL Inc.**, 422 Allegheny Street, Hollidaysburg, PA 16648 has applied to discharge stormwater from a construction activity located in College Township, **Centre County**, to Spring Creek.

Chester County Conservation District, District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.

NPDES Permit PAS10G189. Stormwater. **Emidio Frezzo Jr.**, Newark Road and Maple Lane, Toughkenamon, PA 19374 has applied to discharge stormwater from a construction activity located in Londonderry Township, **Chester County**, to UNT to Big Elk.

NPDES Permit PAS10G190. Stormwater. **Joseph Chamberlain**, 157 West Locust Street, Oxford, PA 19363 has applied to discharge stormwater from a construction activity located in East Nottingham Township, **Chester County**, to the west branch of Big Elk.

Fayette County Conservation District, District Manager, 10 Nickman Plaza, Lemont Furnace, PA 15456, telephone (412) 438-4497.

NPDES Permit PAS10L010. Stormwater. **Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676 has applied to discharge stormwater from a construction activity located in Springhill Township, **Fayette County**, to Rubles Run.

Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, telephone (610) 820-3398.

NPDES Permit PAS10Q106. Stormwater. **Carl Betz**, 7209 Kernsville Road, Orefield, PA 18069 has applied to discharge stormwater from a construction activity located in Lowhill Township, **Lehigh County**, to Jordan Creek.

Montgomery County Conservation District, District Manager, 1015 Bridge Rd., Ste. B, Collegeville, PA 19426, telephone (610) 489-4506.

NPDES Permit PAS10T060. Stormwater. **Newfields Development Corporation**, 401 City Avenue, Suite 710, Bala Cynwyd, PA 19004 has applied to discharge stormwater from a construction activity located in Limerick Township, **Montgomery County**, to Mingo Creek.

NPDES Permit PAS10T061. Stormwater. **Spring-Ford Area School District**, 199 Bechtel Road, Collegeville, PA 19426 has applied to discharge stormwater from a construction activity located in Limerick Township, **Montgomery County**, to Mingo Creek.

Pike County Conservation District, District Manager, HC6, Box 6770, Hawley, PA 18428, telephone (717) 226-8220.

NPDES Permit PAS10V014. Stormwater. **Chris Hansen**, 1 Scenic Drive, Highlands, NJ 07732 has applied to discharge stormwater from a construction activity located in Lehman Township, **Pike County**, to Little Bushkill.

Wayne County Conservation District, District Manager, Ag. Service Ctr., 470 Sunrise Ave., Honesdale, PA 18431, telephone (717) 253-0930.

NPDES Permit PAS107413. Stormwater. **WalMart**, T-405 Old Willow Avenue, Honesdale, PA 18431 has applied to discharge stormwater from a construction activity located in Texas Township, **Wayne County**, to Holbert Creek.

York County Conservation District, District Manager, 118 Pleasant Acres Rd., York, PA 17402, telephone (717) 840-7430.

NPDES Permit PAS10Y045. Stormwater. **Joseph Delozier Jr.**, 1051 Frogtown Road, Hanover, PA 17331 has applied to discharge stormwater from a construction activity located in Penn Township, **York County**, to Gitts Run.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commenter will be notified in writing of the time and place if a hearing or conference concerning the plan or action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other

accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 0275217. Amendment No. 2. Industrial waste, **Shenango, Inc.**, 200 Neville Road, Pittsburgh, PA 15225-1690. Application for the construction and operation of a biological wastewater treatment plant located in the Township of Neville, **Allegheny County**.

A. 5672401. Sewerage, **Upper Stonycreek Joint Municipal Authority**, P. O. Box 24, Hooversville, PA 15936. Application for the modification and operation of the sewage treatment plant and pump stations located in the Township of Quemahoning, **Somerset County**.

Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

A. 2296401. Sewerage, **Lower Swatara Township Municipal Authority**, 1499 Spring Garden Drive, Middletown, PA 17057 in Lower Swatara Township, **Dauphin County** to construct the North Union Pumping Station to serve Double M Development/Hershey Creamery, Inc. was received in the Southcentral Region on January 30, 1996.

Applications received under The Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

4595506. Public water supply. **Hillside Mobile Home Park, c/o Dennis Dougherty**, R. R. 1, Box 1444, East Stroudsburg, PA 18301. This proposal involves a new well source, hypochlorinator, hydro pneumatic tanks and distribution system. It is located in Hamilton Township, **Monroe County**.

6495504. Public water supply. **Canal Mobile Home Park, c/o Frank Perano**, Box 278, King of Prussia, PA 19406. This proposal involves two well sources, hypochlorinators, hydro pneumatic tanks and distribution system. It is located in Texas Township, **Wayne County**.

3546429. Public water supply. **Richard's Self-Serve Spring Water**, 300 Centre Street, Ashland, PA 17921. This proposal involves the installation of a water vending machine with storage tank supplied by a permitted source and hauler. It is located in Ashland Borough, **Schuylkill County**.

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

A. 1096501. Public water supply. **The Municipal Authority of the Borough of Greenville**, 44 Clinton Street, P. O. Box 638, Greenville, PA 16125. This proposal involves the extension of water service to the St. Paul's Nursing Home. In exchange for this extension, St. Paul's Nursing Home will give to the Authority the two 100,000 gallon water storage tanks currently owned by St. Paul's Nursing Home. To utilize these tanks, the Authority must

install a water booster pumping station and create a separate pressure zone for this area in Greenville Borough, **Mercer County**.

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

A. 0996502. Public water supply. **Quakertown Borough**, 15-35 N. Second Street, Quakertown, PA 18951. This proposal involves the upgrade of Quakertown Borough water system. Project includes a replacement well and a replacement of an existing treatment facility for iron and manganese removal. Installation of an air stripper tower and clear well at well no. 14 facility in Quakertown Borough, **Bucks County**.

A. 0996501. Public water supply. **Quakertown Borough**, 15-35 N. Second Street, Quakertown, PA 18951. This proposal involves the construction of a new well to replace existing well no. 13 in Quakertown Borough, **Bucks County**.

Acknowledgment of Notices of Intent to Remediate

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (the Act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the Act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Northeast Regional Field Office: Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Graner Property Remediation Site, Lowhill Township, **Lehigh County**. Douglas Sammak, Project Director with American Resource Consultants, Inc., P. O. Box 2227, Doylestown has submitted a Notice of Intent to Remediate (on behalf of Riding Brook, Inc.) site soils contaminated with lead. The applicant proposes to remediate the site to meet the Statewide health standard.

The applicant simultaneously submitted a Final Report for site remediation—see additional *Pennsylvania Bulletin* notice.

Notice of Administrative Record Reopening Under the Pennsylvania Hazardous Sites Cleanup Act

Ing-Rich Site
Beaver Falls, Beaver County

Under sections 506(g) and (h) of the Pennsylvania Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.506(g) and (h)) the Department of Environmental Protection (Department) hereby reopens the administrative record for the prompt interim response it conducted June, 1994 through January, 1995 at the Ingram-Richardson Manufacturing Facility (Ing-Rich) site in Beaver Falls, PA.

Under 35 P. S. § 6020.506, the Department originally published the administrative record on July 30, 1994, in order to provide the public the opportunity to comment on the action it took during the prompt interim response to investigate site conditions and to remove hazardous substances that were disposed of at the site. The Department closed the administrative record on December 6, 1994.

The Department is now reopening the administrative record so that it can include in the record:

(a) consistent with 35 P. S. § 6020.506(g)(1), additional information the Department obtained during the implementation of the response action and believes to be of central relevance to the selected action; and

(b) consistent with 35 P. S. § 6020.506(g)(3), documentation of its response costs.

The reopened administrative record containing this new information is now available for public review and comment. The record can be examined from 8 a.m. to 4 p.m. during business hours at the Department's offices at 400 Waterfront Drive, Pittsburgh, PA. Individuals interested in examining the reopened administrative record should arrange for an appointment with Ed Duval or other personnel in the Department's Regional Files Office at (412) 442-4000.

The reopened administrative record will be available for public review and comment for a 60 day period beginning the date of this notice through April 26, 1996. Persons may submit written comments on the reopened administrative record to Jeffrey J. Jones, Ing-Rich Project Manager, Department of Environmental Protection, Environmental Cleanup Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Upon their receipt, all public comments will be included in the administrative record.

Upon request, the Department will conduct a public hearing so that persons may present oral comments on the reopened administrative record for inclusion in the record. A request for a public hearing must be made in writing and must be postmarked no later than 30 days after the publication of this notice, or by March 26, 1996. The written request should be directed to Betsy Mallison, Department of Environmental Protection, Office of Community Relations, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. The Department will not hold a public hearing unless it receives a written request postmarked no later than March 26, 1996.

Questions concerning this notice should be directed to Department Project Manager, Jeffrey J. Jones at (412) 442-4142.

Notice of Settlement Under the Hazardous Sites Cleanup Act

The Department of Environmental Protection (Department) under the Authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305), has entered into a settlement regarding the Department's costs incurred for response activities at the Giordano Waste Materials (Giordano) site. This settlement is entered into under section 1102 of HSCA (35 P. S. § 6020.1102). The settlement involves a Consent Order and Agreement (COA) between the Department and Consolidated Rail Corporation (Conrail), a party potentially responsible for the hazardous substances which the Department removed from the Giordano site.

The Giordano site is an approximately 7-acre parcel of land in Butler Township, Schuylkill County. The site includes a right-of-way owned by Conrail. The right-of-way is located on the western side of the site. The surrounding area is predominantly rural, although some residential areas and a school are located nearby. Investigations revealed the presence of lead contaminated battery casings and lead contaminated smelter ash at the site. The releases and threatened releases from the battery casings posed a substantial danger to public health and safety and the environment. The Department deemed it appropriate to implement an interim response to address threats to the public health and safety and the environment posed by the battery casings at the site. The Department, under the authority of HSCA, implemented an interim response which included the removal of lead contaminated battery casings from the site. The interim response was completed on April 27, 1990.

Through the implementation of the interim response, the Department incurred costs at the site. The Department may conduct an additional response action to address contamination remaining on site. On February 5, 1996, a COA was executed between the Department and Conrail. Under the terms of this agreement, Conrail is required to make a payment of \$60,000 to reimburse the Department for past and future costs at the Giordano site.

This notice is provided under section 1113 of HSCA (35 P. S. § 6020.1113). This section also provides that the settlements will become final upon the filing of the Department's response to significant written comments. The COA that contains the specific terms of the settlement is available for public review and comment. The COA can be examined from 8 a.m. to 4 p.m. at the Department's office at 2 Public Square, Wilkes-Barre, PA 18711, by contacting Joseph Iannuzzo at (717) 826-2511 or through the PA AT&T Relay Service at 1 (800) 654-5984 (TDD). A public comment period on the COA will extend for 60 days from today's date. Persons may submit written comments regarding the COA to the Department by April 17, 1996, by submitting them to Joseph Iannuzzo at the above address.

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 301291. Ashland Chemical Company, Neville Road, Pittsburgh, PA 15225. Operation of a residual

waste incinerator in Neville Township, **Allegheny County**. Application received in the Regional Office on January 29, 1996.

A. 101648. Genesis Environmental, Inc., 108 Atterbury Road, Monroeville, PA 15146. Genesis Autoclave Facility, Industrial Center of McKeesport, Industry Road, Parcel 4-1, McKeesport, PA 15132. Application for Medical Waste Processing and Transfer Facility, in the City of McKeesport, **Allegheny County**, was received in the Southwest Regional Office on January 29, 1996.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and The Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

A. 300725. Philadelphia Suburban Water Company, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010. Received application for a permit renewal for the Neshaminy Falls Water Treatment Plant Captive Residual Waste Disposal Landfill located in Middletown Township, **Bucks County**. Application received in the Southeast Regional Office on January 31, 1996.

A. 301290. Cherokee Bio Technology, Inc., 1600 Colon Road, Sanford, NC 27330. Received new application for a residual waste facility for the processing of petroleum contaminated soil located in the City of Chester, **Delaware County**. Application received in the Regional Office on December 27, 1995, was incorrectly published on January 27, 1996 as Chester Bio Technology, Inc.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.

A. 101389. Frey Farm Landfill, Lancaster County Solid Waste Management Authority (1299 Harrisburg Pike, Lancaster, PA 17603). Application for modification for request for equivalency review of treatment process residue as alternative daily soil cover at a site in Manor Township, **Lancaster County**. Application determined to be administratively complete in the Regional Office January 17, 1996.

Closure plan submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for closure of a solid waste disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

A. 071203046. ICI Explosives USA, Inc., P. O. Box 271, Tamaqua, PA 18252. Closure Plan for the slurry pit area of this hazardous waste facility, located in Tamaqua Borough, **Schuylkill County**. The closure plan was received in the Regional Office on February 10, 1993.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources.

Regional Office: Northwest Regional Office, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

42-302-025. The Department intends to issue an air quality operating permit to **Saratan Corporation** (R. D. 1, Box 226, Kane, PA 16735) for the operation of a thermal fluid heat plant in Sergeant Township, **McKean County**. This source is subject to New Source Performance Standard 40 CFR Part 60, Subpart Dc.

The Department intends to issue an air quality operating permit to **Seneca Printing & Label, Inc.** (Sandycreek Industrial Park, P. O. Box 1211, Franklin, PA 16323) for the operation of the following sources at DeBence Drive, Sandycreek Township, **Venango County**.

61-320-001. Six Existing Lithographic Printing Lines

61-399-009. Five Evaporators

24-328-002. The Department intends to issue an air quality operating permit to **CNG Transmission Corporation** (P. O. Box 2450, Clarksburg, WV 26302) for the operation of a low NO_x combustor in Benzette Township, **Elk County**. This source is subject to Federal New Source Performance Standards 40 CFR Part 6, Subpart GG.

33-329-003. The Department intends to issue an air quality operating permit to **CNG Transmission Corporation** (P. O. Box 2450, Clarksburg, WV 26302) for the operation of an internal combustion engine in Gaskill Township, **Jefferson County**.

42-399-029. The Department intends to issue an air quality operating permit to **McKean County Solid Waste Authority** (P. O. Box 448, Mt. Jewett, PA 16740) for the operation of two leachate tanks and an aerobic unit in Sergeant Township, **McKean County**.

43-399-005B. The Department intends to issue an air quality operating permit to **GE Transportation Systems** (1503 West Main Street Ext., Grove City, PA 16127) for the operation of diesel engine test cells in Grove City, **Mercer County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

65-303-018. The Department intends to issue an air quality control operating permit to **Cyclean, Inc.**, 1000 South IH 35, Round Rock, TX 78681 for an afterburner and fabric filter for its Recycle Asphalt System at its facility located in Mt. Pleasant Township, **Westmoreland County**.

Application under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

65-307-079. Kennametal, Inc. (P. O. Box 231, Latrobe, PA 15650) for a jet mill at its Kingston Plant located in Derry Township, **Westmoreland County**.

65-307-080. Latrobe Steel Company (2626 Ligonier Street, P. O. Box 31, Latrobe, PA 15650) for a stress relief furnace at its facility located in Latrobe Borough, **Westmoreland County**.

65-399-034. Elliott Turbomachinery Company, Inc. (800 N. Fourth Street, Jeannette, PA 15644) for a GE Frame 7 Gas Turbine at its Jeannette Plant located in Penn Township, **Westmoreland County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

OP-03-152. The Department intends to issue an air quality control operating permit to **Glacial Sand & Gravel Company** (P. O. Box 1022, Kittanning, PA 16201) for a sand and gravel processing operation at its facility located in East Franklin Township, **Armstrong County**.

03-318-018. The Department intends to issue an air quality control operating permit to **Carson Industries, Inc.** (189 Foreman Road, Freeport, PA 16229) for spray painting and ink dip tanks at its facility located in Freeport Borough, **Armstrong County**.

04-303-004B. The Department intends to issue an air quality control operating permit to **Wine Construction, Inc.** (R. D. 3, Sewickley, PA 15143) for a baghouse for a batch asphalt plant at its facility located in Economy Borough, **Beaver County**.

04-307-102. The Department intends to issue an air quality control operating permit to **Damascus Steel Casting Company** (P. O. Box 257, Block House Run Rd., New Brighton, PA 15066) for a dust collector for the shot blast and grinder operations at its facility located in New Brighton Borough, **Beaver County**.

63-000-015. The Department intends to issue an air quality control operating permit to **Flexsys America L. P., Inc.** (829 Route 481, Monongahela, PA 15063) for its Crystex Manufacturing operation at its facility located in Carroll Township, **Washington County**.

63-313-028. The Department intends to issue an air quality control operating permit to **Goldschmidt Industrial Chemical Corp.** (P. O. Box 278, McDonald, PA 15057) for a Venturi Scrubber for its chemical handling operation at its facility located in McDonald Borough, **Washington County**.

65-000-720. The Department intends to issue an air quality control operating permit to **Carbidie Corporation** (Arona Road, P. O. Box 509, Irwin, PA 15642) for No_x and VOC Sources at its Arona Plant located in Hempfield Township, **Westmoreland County**.

Application under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

11-318-008A. Johnstown America Corporation (17 Johns Street, Johnstown, PA 15907) for a paint booth at its Franklin Plant located in Franklin Borough, **Cambria County**.

26-310-018. Davison Sand & Gravel Company (400 Industrial Blvd., New Kensington, PA 15068) for a limestone crushing operation at its Connellsville II Quarry located in Bullskin Township, **Fayette County**.

63-308-039. Langeloth Metallurgical Company (10 Langeloth Plant Drive, P. O. Box 608, Langeloth, PA 15054) for baghouse for a pure oxide electric furnace at its facility located in Smith Township, **Washington County**.

65-000-860. Fansteel Hydro Carbide (P. O. Box 363, Latrobe, PA 15650) for a rota-cone vacuum mixer/drier at its Latrobe Plant located in **Westmoreland County**.

65-305-045A. Matt Canestrone Contracting, Inc. (P. O. Box 234, Belle Vernon, PA 15012) for a pebble lime loading and unloading facility at its Gibsonton Yard located in Rostraver Township, **Westmoreland County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-319-046A. The Department intends to issue an air quality control operating permit to **General Battery Corporation** (P. O. Box 14294, Reading, PA 19612-4294) for the raw material storage and handling building controlled by three fabric collectors in Laureldale/Muhlenberg Township, **Berks County**.

36-2037. The Department intends to issue an air quality control operating permit to **Kellogg USA, Inc.** (P. O. Box 3006, Lancaster, PA 17604) for combustion sources in East Hempfield Township, **Lancaster County**.

36-317-206A. The Department intends to issue an air quality control operating permit to **M&M/Mars, Inc.** (295 Brown Street, Elizabethtown, PA 17022) for a cocoa nib conveying, roasting and cooling system in Elizabethtown, **Lancaster County**.

67-306-004A. The Department intends to issue an air quality control operating permit to **P. H. Glatfelter** (228 South Main Street, Spring Grove, PA 17362) for the no. 4 power boiler in Spring Grove Borough, **York County**.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify and reactivate air contamination sources.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

07-302-032. Installation of two natural gas fired boilers by **Quality Chemicals, Inc.** (P. O. Box 216, Tyrone, PA 16686) in Tyrone Borough, **Blair County**. The sources are subject to 40 CFR 60, Subpart Dc, Standards of Performance for New Stationary Sources.

29-310-002D. Installation of two primary jaw crushers by **H. B. Mellott Estate, Inc.** (Route 1, P. O. Box 25, Warfordsburg, PA 17267) in Bethel Township, **Fulton County**. The sources are subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Copies of the following permit applications are available for review from 8 a.m. to 4 p.m. in the DEP office, 2 Public Square Office, Wilkes-Barre, PA. A 30-day comment period, from the date of publication, will exist for the submission of comments.

13-301-012A. The Department intends to issue an air quality operating permit to **Campton Funeral Home Inc.** for the operation of a crematory at the facility located in Palmerton Borough, **Carbon County**. The source is located at 517—519 (Rear) Delaware Avenue (the mailing address is 525 Delaware Avenue) Palmerton, PA 18071.

Plan approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination—sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Copies of the following applications are available for review from 8 a.m. to 4 p.m. in the DEP office, 2 Public Square Office, Wilkes-Barre, PA. A 30-day comment period, from the date of publication, will exist for the submission of comments.

13-301-012A. The Department intends to issue an air quality plan approval modification to **Campton Funeral Home Inc.** (525 Delaware Ave., Palmerton, PA 18071) for a crematory located in Palmerton Borough, **Carbon County**. The modification consists of a change of address for the location of the source from 525 Delaware Avenue to 517—519 (Rear) Delaware Avenue and for a change in the opacity limit to conform to the Department's minimum permitting criteria for crematory incinerators.

This is a correction to two publications in the *Pennsylvania Bulletin*: 25 Pa.B. 4159 (September 30, 1995) and 25 Pa.B. 5648 (December 9, 1995).

Reasonably Available Control Technology; Public Hearings

The Department of Environmental Protection proposes to approve an amendment to the Pennsylvania State Implementation Plan (SIP) for the operation of a municipal waste resource recovery incinerator (MWI) facility owned by Montenay Montgomery Limited Partnership, located at 1155 Conshohocken Road, Plymouth Township, Montgomery County, PA 19425 (a/k/a Dravo and Montenay), in compliance with 25 Pa. Code §§ 129.91—129.95 as a Reasonably Available Control Technology (RACT) determination for nitrogen oxides (NO_x) and volatile organic compound (VOC) emissions from the facility.

The proposed revision to the SIP does not adopt any new State of Pennsylvania regulations. The requirements of the proposed revision to the SIP will be contained in the proposed Plan Approval PA-46-0010. The proposed revision, if approved, will be submitted to the United States Environmental Protection Agency as a revision to the PA SIP with an oxides of nitrogen emission limit of 0.383 LB/MM Btu and volatile organic compound emission limit of less than 25 tons/year.

The proposed Plan Approval PA-46-0010 will change the emission limits and operating parameters for Montenay and are different from those previously indicated in Operating Permit 46-340-0002 issued on May 9,

1994. It will also allow the burning of municipal-like residual waste as referenced in Waste Management permit application no. 400558.

The changes in proposed Plan Approval PA-46-0010 compared to Operating Permit 46-340-0002 will include: 1) revisions to facility emission limits for—a. toxic metals, b. nitrogen oxides, c. volatile organic compounds; 2) revised operating requirements to permit this acceptance of municipal-like residual waste acceptance criteria.

One public hearing will be held for the purpose of receiving comments on the proposal. The hearing will be held at 7 to 9 p.m. on March 18, 1996, at the Plymouth Township Municipal Building, located at 700 Belvoir Road, Norristown, PA 19428. Persons interested in commenting on the proposed SIP revision should notify John Gerdelmann, Community Relations Coordinator, at (610) 832-6228, that they want to make a presentation at the public hearing. Persons interested in submitting written comments should send comments to Department of Environmental Protection, Francini Carlini, Regional Manager, Bureau of Air Quality, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before April 18, 1996.

Copies of the application for the Plan Approval submitted to the Department, the proposed Plan Approval and any other information related to the matter are available at the Bureau of Air Quality, Room 116, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105 and the Department's Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428. Appointments should be made to review the above by calling Harrisburg at (717) 787-9256 or Conshohocken at (610) 832-6270.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service, or accommodation to participate in the proceedings should contact John Gerdelmann directly at (610) 832-6228 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 to discuss how the Department may accommodate their needs.

Notice of Plan Approval Application Minor Source

The following stationary sources have filed a request for a plan approval with the Department of Environmental Protection (Department), Bureau of Air Quality. Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protests or comments to the Regional Office at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval application by filing a request with the Regional Office stating the reason for the request.

The Department will evaluate and consider all protests and comments received. The Department will, where appropriate, modify the proposed plan approval based on the protests and comments received.

The final plan approval will contain terms and conditions to ensure that the source is constructed and operated in compliance with the Department's regulations contained in 25 Pa. Code Chapters 121 through 143 and the requirements of the Federal Clean Air Act. A notice of the Department's final decision on the proposed plan approval will be published in the *Pennsylvania Bulletin*. Air contaminants emitted from these sources are less than the amounts that would trigger major new source review requirements. For additional information on the following applications, contact Devendra Verma, Engi-

neering Services Chief, Northwest Regional Office, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6940.

16-302-021. The Department received a plan approval application from **Georgia Pacific Corporation** (240 Stonebridge Drive, Suite 308, Columbia, SC 29210) for the construction of a woodwaste boiler (16 MMBTU/hr) with multiclone and ESP at the Markle Hardwood Sawmill, Washington Township, **Clarion County**. This source is subject to Federal New Source Performance Standard 40 CFR Part 60, Subpart Dc.

43-318-030. The Department received a plan approval application from **Spang & Company, Power Control Division** (5241 Lake Street, Sandy Lake, PA 16145) for the construction of a surface coating operation (dip tank and drying oven @ 500 cycles/yr, 16 gals varnish/cycle) located in Stoneboro, **Mercer County**.

Request for Variance

The Bureau of Deep Mine Safety has received a request for variance from the Tanoma Mining Company. The following notification contains a summary of this request. Complete copies of the variance request may be obtained from Glen Ziegler by calling (717) 787-1376.

The Department is publishing a summary of the request in order to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for 30 days following the publication of this notice. All comments should be addressed to Thomas J. Ward, Jr., Director, Bureau of Deep Mine Safety, P. O. Box 8463, Harrisburg, PA 17105-8463.

Section 702 of the Bituminous Coal Mine Act (52 P. S. §§ 701—702) provides a mechanism for operators to obtain variances from specific requirements of the Act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 268(b) of the Bituminous Coal Mine Act, entitled Clearances and Shelter Holes, requires that shelter holes be provided on the clearance side along designated travelingways that are also used as haulage entries, other than belt conveyor haulage entries. Such shelter holes shall be spaced not more than 80 feet apart.

Summary of the request: Tanoma Mining Company's plan calls for 105' distances between track shelter holes in the Main E and all future Mains development at the Tanoma Mine. Studies have shown that the main entries in the Tanoma Mine should be developed on 120' centers in order to enhance roof control. This 120' center will result in shelter holes being approximately 105' apart since the crosscuts are driven a maximum of 20' wide.

Notice of Presumed Abandonment

The equipment described in this notice, which is located on a site mined by Dupont Anthracite, Incorporated in Taylor Borough, Lackawanna County, Contract No. BF 373-101.1, under the terms of Mining Permit Number 35890201-01, issued by the Department of Environmental Protection (Department) is presumed to be abandoned.

The equipment is described as follows: Dragline.

Any person who wishes to retain ownership of such equipment shall present documentation to the Department by March 20, 1996. If the Department determines the documentation is sufficient to establish ownership,

the equipment must be removed from the site within a time specified by the Department. Failure to notify the Department within the above time frame, may result in disposal of the equipment in accordance with the provisions of applicable law.

Inquiries shall be directed to Richard C. Brenneman, Project Coordinator, Division of Acid Mine Drainage Abatement, Bureau of Abandoned Mine Reclamation, Department of Environmental Protection, P. O. Box 8476, Harrisburg, PA 17105-8476, (717) 783-5649.

Under Act 181 of 1984, the Department of Environmental Protection solicits letters of interest from the landowners and/or licensed mine operators for the reclamation of the following abandoned strip mine projects:

<i>Projects</i>	<i>Municipality</i>	<i>County</i>	<i>Acres</i>
BF 53-101.1	Monroe/Limestone Twps.	Clarion	102
BF 392-101.1	Oliver Twp.	Jefferson	21
BF 393-101.1	Conemaugh Twp.	Indiana	7
BF 394-101.1	Clarion/Limestone Twps.	Clarion	28
BF 395-101.1	E. Franklin Twp.	Armstrong	41.5
BF 396-101.1	Conemaugh Twp.	Indiana	6

Letters of interest must be received by Ernest F. Giovannitti, Director, Bureau of Abandoned Mine Reclamation, Department of Environmental Protection, P. O. Box 8476, Harrisburg, PA 17105-8476, no later than 4 p.m., March 20, 1996, to be considered.

Telephone inquiries shall be directed to B. P. Rao, Chief, Division of Acid Mine Drainage Abatement, at (717) 783-1311.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Mining Applications Received

11920101. K&J Coal Company, Inc. (P. O. Box 189, Westover, PA 16692), permit revision to modify the 57 acre surface mine permit to include the land application of sewage sludge in Chest Township, **Cambria County** and Chest Township, **Clearfield County**, receiving stream unnamed tributary to Chest Creek, Chest Creek to West Branch Susquehanna River, unnamed tributary locally known as Dry Rock Run, application received January 19, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

30841317. Consol Pennsylvania Coal Company (450 Racetrack Road, Washington, PA 15301), to transfer the Enlow Fork bituminous deep mine in Richhill Township, **Greene County** from Enlow Fork Mining Company, no additional discharge. Application received January 17, 1996.

32841312. Keystone Coal Mining Corporation (P. O. Box 729, Indiana, PA 15701), to revise the permit for the Urling No. 1 and No. 3 bituminous deep mine in Armstrong Township, **Indiana County** to add (2) 16" discharge boreholes, (1) 4" monitoring borehole, and 16" discharge pipeline right-of-way, no additional discharge. Application received January 17, 1996.

56841601. Solar Fuel Company, Inc. (P. O. Box 488, Somerset, PA 15501), to renew the permit for the Solar Coal Prep Plant in Quemahoning Township, **Somerset County**, no additional discharge. Application received January 4, 1996.

33961301. Doverspike Brothers Coal Company (R. D. 4, Box 271, Punxsutawney, PA 15767), to operate

the Kocjancic bituminous deep mine in Snyder Township, **Jefferson County**, receiving stream east branch of Walburn Run. Application received January 4, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54851332R2. R S & W Coal Company (Box 36, Creek Road, Klingerstown, PA 17941), renewal of an existing anthracite underground mine operation in Norwegian Township, **Schuylkill County**, affecting 2.1 acres, receiving stream—Schuylkill River. Application received January 19, 1996.

54683043R2. Jeddo-Highland Coal Company (800 Exeter Avenue, West Pittston, PA 18643), renewal of an existing anthracite surface mine operation in Mahanoy Township, **Schuylkill County**, affecting 1,555.0 acres, receiving stream—Mahanoy Creek. Application received January 22, 1996.

54841305R2. Gorenty Tunneling Company (3 Walnut Street, Middleport, PA 17953), renewal of an existing anthracite deep mine operation in Blythe Township, **Schuylkill County** affecting 5.0 acres, receiving stream—Schuylkill River. Application received January 19, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Applications Received

6478NC32C. Glen Gery Corporation (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit #PA0123218 in Oxford Township, **Adams County** receiving stream—unnamed tributary to south branch of Conewago Creek. Application received January 19, 1996.

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection.

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a U. S. Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Application filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-709. Encroachment. **Bucks County Commissioners**, Administration Building, Doylestown, PA 18901. To rehabilitate and maintain an existing two-span masonry arch bridge to enhance its structural stability by performing the following activities: 1) Lining the existing arches with 2 inch metal plates and grouting the area between them 2) Repairing and repointing the stone masonry walls 3) Repairing the concrete footers. County Bridge 293 is located across Mill Creek on Gravel Hill Road (Hatboro, PA Quadrangle, N: 8.95 inches; W: 2.0 inches) in Upper Southampton Township, **Bucks County**.

E15-403. Encroachment. **Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To reissue permit no. E15-403 which authorized removal of the existing structure and to construct and maintain a twin-celled 14-foot x 5-foot R. C. box culvert (culvert bottom depressed 6 inches and a 12-inch concrete weir in east cell) in Crum Creek (HQ, CWF) located at S. R. 1005, Section 30M, Station 12+92 (Valley Forge, PA Quadrangle N:1.4 inches; W:12.7 inches) in Willistown Township, **Chester County**.

E15-510. Encroachment. **Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To remove the existing structure and to construct and maintain an 18-foot span by 5-foot effective rise twin cell precast box culvert across the west branch of Ridley Creek (HQ, TSF) located on Paoli Pike (S. R. 2014) approximately 800 feet northeast of the intersection of S. R. 2014 and Boot Road (West Chester, PA Quadrangle N: 20.9 inches; W: 6.9 inches) in East Goshen Township, **Chester County**.

E46-731. Encroachment. **Huntingdon Valley Country Club**, 2295 Country Club Drive, Huntingdon Valley, PA 19006-5699. To reconstruct, restore and maintain a new 9 hole golf course at the Huntingdon Valley Country Club. The new layout includes the construction of eight bridges, reconstruction of one bridge and three temporary constructions crossings of wetlands between 1st, 2nd, 4th, 7th and the 9th holes. Also, to clear the vegetation and re-establish tees, fairways and greens. The site is located along the south west side of Terwood Road and along the north west side of Paper Mill Road near the intersection of these roads (Hatboro, PA Quadrangle, N: 1.5 inches; W: 12.5 inches) in Upper Moreland Township, **Montgomery County**.

E46-732. Encroachment. **Michael Walsh**, 2445 Edgemoor Road, Huntingdon Valley, PA 19006. To remove accumulated bed load and to restore to original contours a small impoundment which is ancillary to an existing dam; to construct and maintain a sediment forbay approximately 20 feet long, 5 feet wide and 3 feet deep within an unnamed tributary to the Pennypack Creek (WWF) located approximately 80 feet upstream of the existing pond. The site is situated approximately 450 feet east and 50 feet north of the intersection of Edge Hill Road and Overlook Avenue (Hatboro USGS Quadrangle N:2.77 inches, W:13.45 inches) in Upper Moreland Township, **Montgomery County**.

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Northwest Regional Office: Regional Program Manager, Water Supply and Community Health, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

Permit No. WA 16-898A. Water allocation. **Clarion Township General Authority**, R. D. 1, Box 12H, Stratantville, PA 16258. Requested increase in the current permitted usage from 94,250 gpd average to a projected maximum usage of 114,350 gpd. The Clarion Township General Authority (CTGA) is an independent general purpose Authority operating and maintaining the water distribution system for Clarion Township, **Clarion County**.

Type of Facility: Water Allocation

Consulting Engineer: Ronald R. Bolam, P.E., The Warnich Company, Inc., 226 Sunset Drive, Butler, PA 16001-1334

ACTIONS

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this section unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA0043524. Sewage, **Michael's Development Company, Inc.**, (Simpson Manor), 800 Simpson Road, Brownsville, PA 15417 is authorized to discharge from a facility located in Hunter's Ridge Sewage Treatment Plant, Redstone Township, **Fayette County** to an unnamed tributary of Dunlap Creek.

NPDES Permit No. PA0092665. Sewage, **Harry Products, Inc.**, 671 Pittsburgh Road, Butler, PA 16001 is authorized to discharge from a facility located at Trader Horn Sewage Treatment Plant, Harry Products, Inc., Route 422 East, Manor Township, **Armstrong County** to an unnamed tributary of Garrett's Run.

NPDES Permit No. PA0217221. Sewage, **Dan Matsook**, 990 Dear Lane Extension, Rochester, PA 15074 is authorized to discharge from a facility located at Matsook S. R. STP, Rochester Township, **Beaver County** to Dutchman Run.

NPDES Permit No. PA0217239. Sewage, **James and Michelle Smith**, 235 Chemin Saint Victoire, Saint Victoire, Quebec JOG1TO, Canada is authorized to discharge from a facility located at Smith Single Residence Sewage Treatment Plant, Amwell Township, **Washington County** to unnamed tributary of Redd Run.

NPDES Permit No. PA0217247. Sewage, **Marion Center Area School District**, Box 156, Route 403, Marion Center, PA 15759 is authorized to discharge from a facility located at Creekside Washington Elementary School STP, Washington Township, **Indiana County** to unnamed tributary of South Branch Plum Creek.

Notices of Intent for Coverage Under NPDES General Permit For Construction Activities and Department Final Actions

Allegheny County Conservation District: District Manager, 875 Greentree Road, Pittsburgh, PA 15220, telephone (412) 921-1999.

Berks County Conservation District: District Manager, P. O. Box 520, Ag. Center, Leesport, PA 19533-0520, telephone (610) 372-4657.

Cumberland County Conservation District: District Manager, 43 Brookwood Avenue, Suite 4, Carlisle, PA 17013, telephone (717) 249-8632.

Dauphin County Conservation District: District Manager, 1451 Peters Mountain Road, Dauphin, PA 17018, telephone (717) 921-8100.

Indiana County Conservation District: District Manager, 251 Route 286N, Indiana, PA 15701, telephone (412) 463-7702.

Lebanon County Conservation District: District Manager, Ste. 5, 2120 Cornwall Road, Lebanon, PA 17042-9788, telephone (717) 272-3377.

Luzerne County Conservation District: District Manager, 5 Water Street, Wilkes-Barre, PA 18711, telephone (717) 825-1844.

Montgomery County Conservation District: District Manager, 1015 Bridge Road, Ste. B, Collegetown, PA 19426, telephone (610) 489-4506.

The following parties have submitted Notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater From Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10A162	John Hobart Miller & Ballytown Company 1344 Freeport Rd. Pittsburgh, PA 15238	Allegheny Co. Harmar Twp.	Campbells Run
PAR10C140	Keystone Coca Cola P. O. Box 14443 Reading, PA 19612	Berks Co. Maidencreek Twp.	Willow Crk.
PAR10C142	Muhlenberg School District 801 Bellevue Ave. Laureldale, PA 19605	Berks Co. Muhlenberg Twp.	Laurel Run
PAR10H091	Hugo's Inc. 2244 Old Gettysburg Road Camp Hill, PA 17011	Cumberland Co. Hampden Twp.	Cedar Run
PAR10I081	Commonwealth River Front Inc. 115 North St. Harrisburg, PA 17101	Dauphin Co. City of Harrisburg	Susquehanna Rvr.
PAR103123	Joseph Kuzneski 115 N. 6th St. Indiana, PA 15701	Indiana Co. White Twp.	McCarthy Run
PAR10P037	WalMart Stores Inc. 701 S. Walton Blvd. Bentonvle., AR 72716	Lebanon Co. N. Lebanon Twp.	Union Canal
PAR10R076	Echo Valley Estates 200 Harris Hill Rd. Shavertown, PA 18708	Luzerne Co. Kingston Twp.	UNT to Toby's Crk.
PAR10R077	Hazleton Area School District 101 S. Church St. Hazleton, PA 18201	Luzerne Co. Sugarloaf Twp.	Nescopeck Crk.
PAR10R080	Orloski Service Stations Inc. 508 Blackman St. Wilkes-Barre, PA 18703	Luzerne Co. Fairview Twp.	Big Wapwallopen

<i>NPDES Permit</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10T245	Pennsylvania Dept. of Transportation 200 Radnor-Chester Rd. St. Davids, PA 19087	Montgomery Co. U. Providence Twp.	Dog Run

Notices of Intent for Coverage Under General Permits Received

The following parties have submitted Notices of Intent for coverage under General NPDES Permits to discharge treated wastewater into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review, or application of lawful standards and regulations, the Department of Environmental Protection proposes to issue coverage under the General Permit subject to effluent limitations, monitoring and reporting requirements and other conditions set forth in the General Permits.

The EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24.

The Notice of Intent, related documents, proposed effluent limitations, special conditions, comments received, and other information are on file and may be inspected and copied at the Regional Office indicated as receiving the Notice of Intent.

List of NPDES General Permits Issued by DEP'S Water Management Deputate

<i>General Permit No.</i>	<i>Short Title of General Permit</i>	<i>Responsible Bureau</i>
1	Stormwater—Construction Activities	BLWC
2	Stormwater—Industrial Activities	BWQM
3	Single Residence Sewage Treatment Plant	BWQM
4	Combined Sewer Overflows	BWQM

Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

NOI Received and Final Actions Under NPDES General Permits

Coverage under the General Permits issued under the for National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters to waters of the Commonwealth.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR323509	2	Armstrong World Ind. Innovation Center P. O. 3209 Lancaster, PA 17604-3209	Lancaster	Little Conestoga Creek	3996
PAG043533	3	Jeffrey Crist and George Kegg 1645 Pebble Brook Lane Harrisburg, PA 17110	Bedford W. St. Clair Twp.	UNT to George Creek	N/A
PAR143507	2	Mead School & Office Products P. O. Box 317 Alexandria, PA 16611	Huntingdon Alexandria Boro.	Frankstown Branch Juniata River	2677
PAR143508	2	Intelligencer Printing Co. Inc. P. O. Box 1768 Lancaster, PA 17603	Lancaster Manheim Twp.	UNT to Conestoga River	2752
PAR203575	2	Ross Engineering Co. 89 E. Main St. Leola, PA 17540	Lancaster	UNT to Groff Creek	3499
PAR213522	2	Standard Concrete Products Co. 700 N. Sherman Street York, PA 17404	York Spring Garden Twp.	Mill Creek	3271
PAR803600	2	Myers Truck Leasing P. O. Box 47 Thomasville, PA 17364	York Jackson Twp.	Paradise Creek	4213

Notices of Intent for Coverage Under NPDES General Permits and Department Final Actions

The Department of Environmental Protection has received Notices of Intent (NOI) for approval of coverage under General NPDES Permits and has taken the following final actions by approving the requested general permit coverages.

These actions of the Department may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by an aggrieved person under The Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Environmental Hearing Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

NOI Received and Final Actions Under NPDES General Permits

Coverage under the General Permits issued under the National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters to the waters of the Commonwealth.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES No.	GP No.	Facility Name and Address	Facility Location	Stream Name	SIC
PAG046103	4	Bruce W. Huber, Jr. 2119 Kansas Ave. White Oak, PA 15131	Westmoreland Sewickley Twp.	UNT of Little Sewickley Creek	8811

The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, telephone (412) 442-4028.

NPDES Permit No.	Name and Address	County and Municipality	Receiving Stream
PAS10B007	Carl Culp 2074 Hobson Dr. Ford City, PA 16226	Armstrong Co. Kittanning Boro	Campbell Run
PAS10W022	Westpointe Dev. Co. 4215 Washington Rd. McMurray, PA 15317	Washington Co. Canton Twp.	UNT to Chartiers Crk.
PAS10W045	Penn South Dev. Corp. 106 Trillium Rd. Venetia, PA 15367	Washington Co. Peters Twp.	UNT to Mingo Crk.

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 0282442. Amendment No. 2. Sewerage, **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237. Construction of sanitary sewer modification located in McCandless Township, **Allegheny County** to serve the Babcock Boulevard Pump Station Receiving Sewer.

Permit No. 0295408. Sewerage, **Township of North Fayette**, 400 North Branch Road, Oakdale, PA 15071. Construction of sewer extension located in North Fayette Township, **Allegheny County** to serve the Pointe at North Fayette.

Permit No. 0495401. Sewerage, **Dan Matsook**, 990 Deer Lane Extension, Rochester, PA 15074. Construction of single residence sewage treatment plant located in Rochester Township, **Beaver County** to serve the Matsook S. R. STP.

Permit No. 6395404. Sewerage, **James and Michelle Smith**, 235 Chemin Saint Victoire, Saint Victoire, Quebec JOG1TO, Canada. Construction of single residence sewage treatment plant located in Amwell Township, **Washington County** to serve the Smith Residence.

Permit No. 6596401. Sewerage, **Bruce W. Huber, Jr.**, 2119 Kansas Avenue, White Oak, PA 15131. Construction of single residence sewage treatment plant located in Sewickley Township, **Westmoreland County** to serve the Bruce W. Huber, Jr. property.

Plan revision approval granted December 1, 1995 under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Boulevard, Harrisburg, PA 17110.

Location: Union Township, Lebanon County, Fisher Avenue, 3,500 feet west of Interstate 81.

The approved plan revision provides for construction of a warehouse/distribution facility with a total anticipated sewage flow of 12,000 gallons per day to be treated by the Northern Lebanon County Authority Lickdale Sewer Treatment Plant. Sewage from the warehouse lot will be conveyed by way of a private pump station to the proposed Fisher Avenue low pressure force main. The project qualifies for a Clean Streams Law permit exemption under Act 40. A joint permit will be obtained to address mitigation of wetland related activities.

Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority.

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

1395503. Public water supply. A permit was issued on January 22, 1996, to **Jim Thorpe Municipal Authority**, c/o Richard Steidle, Chair, 101 East Tenth Street, Jim Thorpe, PA 18229. This proposal involves the construction of a 1 million gallon concrete water storage tank, associated piping and clear well. It is located in Jim Thorpe Borough, **Carbon County**.

2406411. Public water supply. A permit was issued on January 23, 1996, to **Nature's Way Pure Water System, Inc.**, c/o Thomas Henning, VP, 250 Kennedy Boulevard, Pittston, PA 18640. This proposal involves installation of a 1,500 gpd bottling plant consisting of a carbon filter, water softener, distillation system and ozone disinfection unit. The water will be obtained from permitted PG&W public water supply. It is located in Pittston Township, **Luzerne County**.

3396420. Public water supply. A permit was issued on January 19, 1996, to **Great Spring Waters of America**, Perrier Group of America, Bottling Facility, c/o Robert Fisher, Director of Manufacturing, 405 Nestle Way, Breinigsville, PA 18031. This proposal involves bulk water hauling, source permitting, raw water and finished water storage, water processing/treatment, bottling plant, bulk water loading and warehouse facilities. This facility is located in Upper Macungie Township, **Lehigh County**.

3594506. Public water supply. A permit was issued on January 18, 1996, to **Log Road Water Company**, c/o Richard Britner, President, Box 189, Hamlin, PA 18427. This proposal involves the modification of the existing system to provide disinfection of the well water prior to distribution. It is located in Jefferson Township, **Lackawanna County**.

5295505. Public water supply. A permit was issued on January 19, 1996, to **Saville Rustin Water Company**, c/o Pat Fazio, 1103 Pine Ridge Drive, Bushkill, PA 18324. This proposal involves: the replacement of a water softening system for well no. 1 with a manganese green sand system prior to manganese removal. Corrosion control at well no. 2 was soda ash and well no. 3 will use polyphosphates for sequestering iron and manganese. This is located in Lehman Township, **Pike County**.

6490506. Public water supply. A permit was issued on January 18, 1996, to **Highland Fields Development**, c/o Brenda Davis, Owner, R. D. 2, Box 269A Hawley, PA 18428. This proposal involves the permitting of an existing public water supply system consisting of one well, distribution storage, disinfection facilities and a distribution system to serve 30 EDUs. It is located in Palmyra Township, **Wayne County**.

6590508. Public water supply. A permit was issued on January 24, 1996, to **Cherry Hill Mobile Home Court**, c/o Harold Mang, Owner, R. D. 2, Box 1900, Honesdale, PA 18431. This proposal involves the permitting of an existing public water supply system consisting of one well, distribution storage, disinfection facilities and a distribution system which serves 60 EDUs. It is located in Cherry Ridge Township, **Wayne County**.

Notice of the Submission of Final Reports on Attainment of Background and Statewide Health Standards (sections 302(e)(2) and 303(h)(2))

The following final reports were submitted to the Department of Environmental Protection under the Land

Recycling and Environmental Remediation Standards Act, the act of May 19, 1995 (P. L. 4, No. 2).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (the Act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports.

Northeast Regional Field Office: Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Graner Property Remediation Site, Lowhill Township, **Lehigh County**. Douglas Sammak, Project Director with American Resource Consultants, Inc., P. O. Box 2227, Doylestown has submitted a Final Report (on behalf of Riding Brook, Inc.) concerning remediation of site soils contaminated with lead. The report is intended to document remediation of the site to meet the Statewide health standard. A Notice of Intent to Remediate was simultaneously submitted—see additional *Pennsylvania Bulletin* notice.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit ID No. 603411. McCutcheon Enterprises, Inc., 250 Park Road, Apollo, PA 15613. Operation of multiple sites for agricultural utilization of sewage sludge in North Buffalo and West Franklin Townships, **Armstrong County**; Center Township, **Indiana County**; and Allegheny Township, **Westmoreland County**. The renewal and consolidation permit issued in the Regional Office on January 31, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4001.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Northwest Regional Office, Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6848.

A. 101397. Homestand Land Corporation, Greentree Landfill, 635 Toby Road, Kersey, PA 15846, located in Fox Township, **Elk County**.

A permit modification to use and/or demonstrate various alternative daily cover materials in place of daily soil cover materials at the landfill was approved in the Regional Office on January 29, 1996:

1. 3M-Sanifoam and Rusmar AC-645 long duration foam are approved for use as daily cover.

2. Posi-Shell cover material is approved for a 60 day demonstration project.

3. The following residual waste codes are approved for a demonstration project:

• Slag	102
• Non-Petroleum Contaminated Soils	506
• Water Treatment Plant Sludge	201
• Sand Blast Abrasive and Residue	109
• Filter Media (Sand, Gravel, etc.)	307
• Deinking Sludge	211
• Dewatered Industrial Wastewater Treatment Plant Sludge	203
• Wood Incinerator Ash	007

Approval for wastes in Categories 2 and 3, above, are based on specific demonstration that individual wastes satisfy the performance standards for daily cover as specified in 25 Pa. Code § 273.232.

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

A. 300822. Bethlehem Structural Products Corporation, Subsidiary of Bethlehem Steel Corporation, 501 E. Third Street, Bethlehem, PA 18016. Revocation of permit for this Residual Waste 2 North Landfill, located in Bethlehem, **Northampton County**. This action was taken due to the applicant no longer having the intent to construct or operate this landfill. Permit was revoked in the Regional Office on January 29, 1996. In addition, a Bond Release request was received in the Regional Office on January 16, 1996. Upon releasing of the bond in the near future, a notice will appear in the *Pennsylvania Bulletin*, regarding this release.

Closure certification under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for the closure of a hazardous waste treatment unit.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

A. 069776185. Olin Electronics Materials Division, 731 Engler Road, Nazareth, PA 18064. Closure Certification for an elementary neutralization unit and storage pad at this hazardous waste facility, located in Nazareth Borough, **Northampton County**. Closure was in accordance with the facility's previously approved closure plan. Closure Certification was granted by the Regional Office on December 12, 1995.

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality operating permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **46-399-049B**

Source: Semiconductor Manufacturing Process

Issued: January 17, 1996

Company: **Allegro Micro Systems WG, Inc.**

Location: Upper Moreland

County: **Montgomery**

Permit: **15-318-016**

Source: Two Spray Booths

Issued: January 23, 1996

Company: **Dupont Company**

Location: Uwchlan

County: **Chester**

Permit: **46-318-039**

Source: Minor Facility for VOC

Issued: January 26, 1996

Company: **Ryder Truck Rental, Inc.**

Location: Upper Hanover

County: **Bucks**

Permit: **09-313-048A**

Source: Chemical Process System

Issued: January 26, 1996

Company: **Castrol Industrial, Inc.**

Location: Warminster

County: **Bucks**

Operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 127.450 for Reasonably Available Control Technology.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality operating permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies:

Permit: **OP-15-0015**

Source: Synthetic Minor NOx Facility

Company: **Sartomer Company, Inc.**

Location: West Chester

County: **Chester**

Actions for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

17-302-019A. The Department intends to issue an operating permit to **Howes Leather Company, Inc.**

(P. O. Box 57, Curwensville, PA 16833) for the operation of a no. 2 fuel oil-fired boiler in Curwensville Borough, **Clearfield County**.

Actions under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

12-399-003F. Construction of a sintering furnace and associated air cleaning device (stack afterburner) by **American Sintered Technologies, Inc.** (P. O. Box 149, Emporium, PA 15834) in Emporium Borough, **Cameron County**.

Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contamination sources or air cleaning devices.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

07-312-025. On January 31, 1996, the Department issued a plan approval to **Eldorado Properties Corporation** (P. O. Box 2621, Harrisburg, PA 17105) for bulk gasoline/distillate storage tanks controlled by internal floating roofs in Allegheny Township, **Blair County**. The source is subject to 40 CFR 60, Subpart Ka, Standards of Performance for New Stationary Sources.

36-2012A. On January 31, 1996, the Department issued a plan approval to **Quality Custom Kitchens, Inc.** (P. O. Box 189, New Holland, PA 17557) for the modification of a surface coating operation in Earl Township, **Lancaster County**.

36-309-095. On January 31, 1996, the Department issued a plan approval to **Armstrong World Industries, Inc.** (P. O. Box 3001, Lancaster, PA 17604) for a bulk resin pneumatic conveyance system controlled by a fabric collector in the city of Lancaster, **Lancaster County**.

36-310-023D. On January 31, 1996, the Department issued a plan approval to **Compass Quarries, Inc.** (47 McIlvaine Road, Paradise, PA 17562) for a limestone milling plant in Paradise Township, **Lancaster County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

67-320-026. On January 31, 1996, the Department issued a plan approval to **GTY, Inc.** (2075 Loucks Road, York, PA 17404) for printing operations in West Manchester Township, **York County**. The source is subject to 40 CFR 60, Subpart FFF, Standards of Performance for New Stationary Sources.

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

03-318-013B. On January 22, 1996, a plan approval was issued to **Eljer Manufacturing**, 1301 Eljer Way, Ford City, PA 16226 for a shuttle kiln at its facility located in Ford City Borough, **Armstrong County**.

03-318-018. On January 11, 1996, a plan approval was issued to **Carson Industries, Inc.**, 189 Foreman Road, Freeport, PA 16229 for spray painting operation and ink dip tanks at its facility located in Freeport Borough, **Armstrong County**.

04-318-014. On January 24, 1996, a plan approval was issued to **A & E Powdercoating, Inc.**, 618 18th Avenue, New Brighton, PA 15066 for a chiller for its vapor degreaser at its facility located in New Brighton Borough, **Beaver County**.

11-307-039. On January 26, 1995, a plan approval was issued to **BRW Steel Corporation**, 227 Franklin Street, Suite 300, Johnstown, PA 15901 for a continuous bloom/billet caster at its Johnstown Plant located in Franklin Borough, **Cambria County**.

32-305-032B. On January 24, 1996, a plan approval was issued to **Mears Enterprises, Inc.**, P. O. 157, Clymer, PA 15728 for a wet coal prep plant and rotary breaker and loadout facility at its Clymer Tipple located in Cherryhill Township, **Indiana County**.

03-308-001. On January 24, 1996, a plan approval expiration date was extended to August 1, 1996, for **Carson Industries, Inc.**, 189 Foreman Road, Freeport, PA 16229 for dust collectors for its aluminum grinding and sand casting operation at its facility located in Freeport Borough, **Armstrong County**.

04-313-052. On January 24, 1996, a plan approval expiration date was extended to May 31, 1996, for **ARCO Chemical Company**, 400 Frankfort Road, Monaca, PA 15061 for direct contact condensers for its bulk polymerization operation at its Beaver Valley Plant located in Potter Township, **Beaver County**.

65-309-065. On January 22, 1996, a plan approval expiration date was extended to August 1, 1996, for **IA Construction Corporation**, P. O. Box 348, Punxsutawney, PA 15767 for a baghouse for an asphalt plant at its Torrance Asphalt Concrete facility located in Derry Township, **Westmoreland County**.

65-322-003. On January 4, 1996, a plan approval expiration date was extended to November 16, 1996, for **Y & S Maintenance, Inc.**, R. D. 1, Box 716, Landfill Road, Scottdale, PA 15683 for an LFG Flare at its Greenridge Reclamation facility located in East Huntingdon Township, **Westmoreland County**.

65-399-032. On January 24, 1996, a plan approval expiration date was extended to June 1, 1996, for **Sony Chemicals Corporation of America**, 1001 Technology Drive, Mt. Pleasant, PA 15666 for a thermal oxidizer for its thermal transfer ribbon process at its Pittsburgh Manufacturing Center located in East Huntingdon Township, **Westmoreland County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6940.

10-313-046. On January 25, 1996, a plan approval was issued to **Callery Chemical Company, Mine Safety Appliances Company** (P. O. Box 429, Pittsburgh, PA 15230) for the installation of a scrubber/flare emission abatement system at 1420 Mars Evans City Road, Forward Township, **Butler County**.

33-313-008. On January 16, 1996, a plan approval was issued to **Penngraph, Inc.** (R. D. 1, P. O. Box 227, Brookville, PA 15825) for the construction of 3 bake ovens at Brookville, **Jefferson County**.

25-318-121. On January 17, 1996, a plan approval was issued to **Ridg-U-Rak, Inc.** (P. O. Box 150, North East, PA 16428) for the construction of a baking oven at 120 South Lake Street, North East, **Erie County**.

10-399-016. On January 23, 1996, a plan approval was issued to **ESM II, Incorporated** (P. O. Box 128, 1161

Pittsburgh Road, Valencia, PA 16059) for the installation of two cartridge collectors at Mars, **Butler County**.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department has issued the following air quality plan approvals for the specified companies described below:

Permit: **23-330-004**

Source: Cold Mix Bituminous Asphalt

Issued: January 17, 1996

Company: **Clean Water Resources, Inc.**

Location: Tincium

County: **Delaware**

Permit: **23-329-004**

Source: Emergency Generator

Issued: January 19, 1996

Company: **Boeing Defense & Space Group/
Helicopters Division**

Location: Ridley

County: **Delaware**

Permit: **45-399-103**

Source: Granulating Process

Issued: January 25, 1996

Company: **Ciba Self-Medication, Inc.**

Location: Upper Dublin

County: **Montgomery**

Permit: **15-399-041**

Source: Two Electric Generators

Issued: January 26, 1996

Company: **Sanofi Winthrop, Inc.**

Location: East Whiteland

County: **Chester**

The Department has extended the following air quality plan approvals for the specified companies described below:

Permit: **09-318-069**

Source: Spray Paint Booth

Issued: January 15, 1996

Extended: May 15, 1996

Company: **Browning-Ferris, Inc.**

Location: Hilltown

County: **Bucks**

Permit: **46-399-082**

Source: Belt Filter Press

Issued: January 17, 1996

Extended: May 16, 1996

Company: **Upper Merion Municipal Utility Auth.**

Location: Upper Merion

County: **Montgomery**

Permit: **46-399-083**

Source: Belt Filter Press

Issued: January 17, 1996

Extended: May 16, 1996

Company: **Upper Merion Municipal Utility Auth.**

Location: Upper Merion

County: **Montgomery**

Operating permits transferred under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contamination sources or air cleaning devices.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

49-302-034. The Department intends to issue an operating permit to **Mertz Greenhouses** (R. D. 2, Box 492, Northumberland, PA 17857) for the operation of two anthracite coal-fired boilers previously owned and operated by Boyd A. Mertz Greenhouses in Point Township, **Northumberland County**.

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Coal Permits Issued

54851343R2. Buck Mountain Coal Company, (P. O. Box 6, Tremont, PA 17981), renewal of an existing anthracite underground mine operation in Frailey Township, **Schuylkill County** affecting 4.6 acres, receiving stream—none. Renewal issued January 24, 1996.

54830103C3. K & K Coal Company, (133 Valley Furnace Avenue, Port Carbon, PA 17965), correction to an existing anthracite strip operation in Blythe Township, **Schuylkill County**, affecting 160 acres, receiving stream—unnamed tributary to E. Branch Schuylkill River. Correction issued January 26, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

03831305. Keystone Coal Mining Corporation, (P. O. Box 729, Indiana, PA 15701), to revise the permit for the Jane bituminous deep mine in Plumcreek Township, **Armstrong County** for AMD sludge disposal, no additional discharge. Permit issued January 23, 1996.

03820702. Brookport Resources Company, (One Glade Park East, R. D. 8, Box 46, Kittanning, PA 16201), to renew the permit for the Little Germany Refuse Area in Pine Township, **Armstrong County**, no additional discharge. Permit issued January 24, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

0179301A1C. Wilson C. Clapsaddle, (1790 Baltimore Pike, Gettysburg, PA 17325), renewal of NPDES Permit #PA0122297 in Mt. Joy Township, **Adams County**, receiving stream unnamed tributary to Rock Creek. Renewal issued January 22, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

General Small Noncoal Authorizations Granted

58950806. Robert C. Coleman, (Box 22, Susquehanna, PA 18847), commencement, operation and restoration of a small bluestone quarry operation in Oakland Township, **Susquehanna County** affecting 2.0 acres, receiving stream Lewis Creek. Authorization granted January 23, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

Coal Mining Applications Returned

32951301. Marquise Mining Corporation, (206 Green Street, Johnstown, PA 15905), to operate the Burrell bituminous deep mine in Burrell Township, **Indiana County** including crushing and screening, and breaker rock disposal, receiving stream Weirs Run. Application returned January 18, 1996.

The Department of Environmental Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P.L. 1987, No. 394) (35 P.S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certification

DEP Central Office, Bureau of Dams, Waterways and Wetlands, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.

Environmental Assessment Approvals and Actions on 401 Certification

EA46-017CO. Environmental Assessment. **Banbury Limited Partnership**, 209 Green Street, Souderton, PA 18964. To construct and maintain a nonjurisdictional dam (Basin 4) across a tributary to Skippack Creek (TSF) for the purpose of stormwater management at the proposed Banbury Estates subdivision located approximately 1,200 feet north of the intersection of Beck Road and Elroy Road (Telford, PA Quadrangle N: 6.80 inches; W: 11.35 inches) in Franconia Township, **Montgomery County**.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E51-142. Encroachment. **The Mills Limited Partnership**, 3000 K. Street, NW, Washington, DC 20007. To place fill material in 1.00 acre of wetlands (P.F.O.) associated with the expansion of the former Carrefour facility at Franklin Mills Mall. The project is located near the intersection of Woodhaven Road (L. R. 1029) and Knights Road (Beverly, PA-NJ Quadrangle N: 15.7 inches; W: 13.2 inches) in the City of Philadelphia, **Philadelphia County**. The permittee is providing 1.00 acre of wetland replacement.

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E14-276. Encroachment. **Department of Transportation**, 1924-30 Daisy St., Clearfield, PA 16830. To remove the existing structure and to construct and maintain a 2 span prestressed concrete box beam bridge with 2 clear normal spans of 38.9 feet each, a skew of 45° across Sinking Creek. The project is located on S. R. 144 Sect. A01 about 0.7 mile south of its intersection with S. R. 2008 (Centre Hall, PA Quadrangle N: 11.3 inches; W: 1.9 inches) in Potter Township, **Centre County**.

E18-205. Encroachment. **Porter Township Supervisors**, P. O. Box 57, Lamar, PA 16848. Remove the existing structure and construct and maintain a single span prestressed concrete box beam structure with a clear span of 43.4 feet and minimum underclearance of 2.2 feet at a 76° left skew in Cedar Run on T-321 in the Village of Parvin (Beech Creek, PA Quadrangle N: 10.60 inches; W: 2.20 inches) in Porter Township, **Clinton County**.

E41-348. Encroachment. **Moreland Township Supervisors**, R. R. 4, Box 184-1, Muncy, PA 17756. To remove the existing structure and to construct and maintain a 71 inch culvert in Broad Run. This project is located on township road T-509 about 800 feet west of its intersection with S. R. 2069 (Hughesville, PA Quadrangle N: 16.3 inches; W: 3.7 inches) in Moreland Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-721. Encroachment. **Montgomery County Commissioners**, Montgomery County Courthouse, Norristown, PA 19404-0311. To remove an existing deteriorating three span I-beam bridge and to construct and maintain a two span prestressed concrete box beam bridge. The existing bridge is a 70-foot long, three span structure. The proposed bridge has two spans. Span 1 is 30 feet long with an underclearance of 4.2 feet and Span 2 is 30 feet long with an underclearance of 4.3 feet. County Bridge No. 107 is located across Swamp Creek (TSF) on Swamp Creek Road (T-352) (Sassamansville, PA Quadrangle N: 13.9 inches; W: 15.1 inches) in Douglass Township, **Montgomery County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E40-428. Encroachment. **John T. Timko**, 788 East Main Street, Weatherly, PA 18255. To construct and maintain a road crossing of a tributary to Big Wapwallopen Creek (locally known as Yeager Creek), consisting of

a 14.8-foot x 4.8-foot aluminum box culvert and the placement of fill in a de minimus area of wetlands less than or equal to 0.05 acre, for the purpose of providing access from Brandywyn Drive to a 16.2-acre single residential lot. The project is located on Lot 19 of the Fox Run Subdivision, approximately 0.5 mile southeast of the intersection of S. R. 2045 and S. R. 3010 (Freeland, PA Quadrangle N: 19.1 inches; W: 8.1 inches) in Wright Township, **Luzerne County**.

E54-216. Encroachment. **Darren E. Dreher**, 1044 Deiberts Valley Road, Schuylkill Haven, PA 17972. To maintain a 16 foot x 16 foot deck in the floodway of Red Creek for recreational purposes. This project is located at the rear of the property at 1044 Deiberts Valley Road (Township Road T-657), approximately 1,700 feet west of S. R. 2011 (Friedensburg, PA Quadrangle N: 21.5 inches; W: 0.55 inch) in South Manheim Township, **Schuylkill County**.

[Pa.B. Doc. No. 96-214. Filed for public inspection February 16, 1996, 9:00 a.m.]

Draft Public Participation Policy

The Department of Environmental Protection (DEP) has proposed a draft public participation policy for comment in an effort to improve public access to information and decision-making in the Department.

DEP is committing itself to involve the public early and often in the process of developing regulations and policies, to seek a dialog with all sectors of society on its proposals and to recognize the public's right to substantive responses to all comments they submit. The new policy also commits the agency to provide the public with open access to information during the development process in order to build trust between the Department and the public.

The draft policy describes the specific tools DEP has available to provide opportunities for public participation, including advisory committees, advance notice of proposed rulemaking, notice of proposed rulemaking, advance notice of final rulemaking, public information meetings, public hearings and regulatory negotiation and stakeholder groups. Basic procedures are outlined for establishing public comment periods and how comments are considered and answered after they are received by DEP.

The policy also commits DEP to publish a regulatory agenda every 6 months to alert the public about regulations it is likely to send to the Environmental Quality Board for action. DEP will also publish an annual Sunset Review Schedule for reviewing regulations to determine whether they still effectively fulfill their original goals.

Draft and final copies of regulations and guidance are to be provided free of charge to the public. Early notice of draft regulations and policies and public information meetings and hearings will be provided through a variety of channels, including the weekly *Environmental Protection Update*, the World Wide Web site, local newspaper notices and other channels.

A copy of the new draft public participation policy is available from Barbara Sexton, DEP Regulatory Coordinator, P. O. Box 2063, Harrisburg, PA 17105-2063; telephone (717) 783-1303; fax (717) 783-8470; or e-mail Sexton.Barbara@a1.dep.state.pa.us. A copy is also posted on the DEP World Wide Web site at <http://www.dep.state.pa.us>

www.dep.state.pa.us (choose Public Participation Center/Advisory Committees/Citizens Advisory Council/DEP Adopts Principles).

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-215. Filed for public inspection February 16, 1996, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Sale of Unisys 2200/644ES Computer Equipment

The Department of General Services, State Surplus Property Division is offering for sale a Unisys Computer System. Model 2200/644ES located at the Harrisburg State Hospital. This computer will be sold in part or as a complete unit.

The computer system consists of:

Qty.	Description
1	2200/644EX 4x4x216MW SYSTEM, Model ES22644
4	Memory Expansion
16	Block Mux Channel (Expansion)
4	Commercial Block Multiplexor
4	IP Cabinet
2	IOP Interface
2	IOP Interface Expansion
4	IO Complex Cabinet
2	IP Feature
4	Console/PC
4	IOP Memory Interface
2	Memory
2	Console Controller
1	System Alarm Panel
1	System Clock Cabinet
2	System Support Controller
2	SSC Peripheral Cabinet
4	IP Performance Monitor
4	Host Lan Controller

Persons who would like to submit a bid on these items should call (717) 787-4085 for a bid form or send their name and address to the Department of General Services, State Surplus Property Division, 2221 Forster Street, Room G-48, Harrisburg, PA 17105. Requests for bid forms will be taken until the bid opening date of March 15, 1996, at 9:00 a.m.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 96-216. Filed for public inspection February 16, 1996, 9:00 a.m.]

DEPARTMENT OF HEALTH

Intent to Apply Uniform Standard to Both Skilled and Intermediate Care Patients in Long Term Care Facilities

For all long term care facility licensure surveys ending on or after January 1, 1996, the Department of Health

(Department) will apply the intermediate care standard to all patients in enforcing those licensure regulations which set forth different standards for both skilled and intermediate care.

The Department of Public Welfare's case-mix reimbursement regulations (25 Pa.B. 4477—4505), were effective as of January 1, 1996. Medical Assistance reimbursement methodology no longer distinguishes between skilled care and intermediate care but utilizes a case-mix adjustment based on the classification of residents into 44 separate groups known as Resource Utilization Groups (RUG-III). (25 Pa.B. 4505).

The Omnibus Budget and Reconciliation Act of 1987, P. L. 100-203, 42 U.S.C.A. §§ 1395i-3, 1396r (OBRA 1987) and subsequent amendments, eliminated the Federal distinction between skilled nursing facilities and intermediate care facilities. As a result, all long term care facilities participating in the Medicare and/or Medicaid programs are subject to the same Federal certification standards regardless of the level of services provided.

The Department of Health (Department) is in the process of reviewing its licensure regulations for long term care facilities in light of both the case-mix regulations and the changes to the Federal standards in the wake of OBRA 1987. As part of this process, the Department is considering amendments to some of its licensure regulations which would eliminate the distinction between licensure standards applied to skilled and intermediate care residents. Until such time as new regulations are published as final and take effect, the Department, in enforcing the licensure regulations at 28 Pa. Code §§ 211.2(b), (c), (e); 211.8(e); 211.9(e); 211.12(n); and 211.13(f), intends to apply the standard for intermediate care patients to all patients as set forth herein.

For those regulatory sections listed, the Department will exercise its prosecutorial discretion not to enforce the standard for skilled patients unless providers have not complied with the lesser intermediate standard. Should a long term care facility fail to comply with the standard for intermediate care patients in one or more of the above-listed regulatory sections, the stricter standards for skilled care will apply for enforcement purposes.

Application of the intermediate care standards in those regulations listed, to all patients, will not result in diminished quality of care in long term care facilities. The Department's survey review of quality indicators such as skin integrity, drug therapy, rehabilitative potential, nutritional adequacy, infection control, cognitive function and appropriate use of chemical or physical restraints will continue to reveal any problems with resident care.

Providers must continue to comply with State licensure regulations at 28 Pa. Code § 211.11, which require an interdisciplinary team of professionals, including physicians, to develop and implement a written plan of care to meet the needs of every patient. These plans of care are to be reviewed and updated according to change in patient status. Therefore, should a patient's status change, the plan of care and physician orders would have to be reviewed and adjusted as necessary. Further, most of Pennsylvania's long term care providers participate in the Medicare and Medicaid programs and are subject to Federal regulations which also require appropriate and timely assessments, care planning and treatment.

The Department's application of a uniform standard as described herein is not meant as a substantive change to the long term care licensure regulations (28 Pa. Code §§ 201.1—211.22) currently in effect. However, until fur-

ther notice, the Department will enforce the regulations at 28 Pa. Code §§ 211.2(b)(c)(e); 211.8(e); 211.9(e); 211.12(n); and 211.13(f) as follows:

§ 211.2. Medical services.

(b) A patient shall be under the current care of a physician. A skilled care patient shall be seen by the attending physician at least every 30 days and an intermediate care patient at least every 60 days, or more often as necessary.

The Department will accept compliance with the 60 day time period for all patients. Individual patients must still be seen more often if necessary.

(c) A patient's total program of care, including medications, care and treatments, shall be reviewed during a visit by the attending physician at least once every 30 days for a skilled care patient and every 60 days for an intermediate care patient. Revisions shall be made as necessary. The physician shall indicate on the patient's medical record that the review has been made. Entries made by the physician on the medical record shall be dated and signed with the original signature of the physician. A physician's orders shall be renewed at least once every 30 days for skilled care patients and every 60 days for intermediate care patients.

The Department will accept compliance with the 60 day time period for all patients. Revision to the program of care must still be made more often if necessary.

Medicare and/or Medicaid participating providers must also continue to comply with the Federal regulation at 42 CFR 483.40(c)(1), which states that a physician, or physician designee as permitted in 42 CFR 483.40(e), must see a resident at least once every 30 days for the first 90 days of admission and at least once every 60 days thereafter.

(e) The attending physician shall be responsible for the medical evaluation of the patient and shall prescribe a planned regimen of total patient care. This regimen shall incorporate all of the components of the patient's care and shall designate the patient's appropriate level of care.

For licensure purposes, the physician will no longer be required to designate the patient's level of care but will be required to review the patient's total program of care as required by § 211.2(c). However, the patient's health care needs must support placement or continued stay in a long term care facility.

§ 211.8. Use of restraints.

(e) The physician shall document the reason for the restraint order and shall review the need for the order by evaluating the patient. If the order is to be continued, the order shall be renewed for at least every 30 days for skilled patients and every 60 days for intermediate care patients by the physician in accordance with the patient's total program of care.

The Department will accept compliance with the 60 day renewal requirement for all patients.

§ 211.9. Pharmaceutical services.

(e) Each patient shall have a written physician's order for each medication received. This includes both proprietary and nonproprietary medications. These physician's orders shall be on each patient's individual chart and shall be reviewed, renewed, signed and dated by the physician every 30 days for skilled patients and 60 days for intermediate care patients.

The Department will accept compliance with the 60 day requirement for all patients.

§ 211.12. Nursing services.

(n) A minimum number of general nursing care hours shall be provided for each 24-hour period. The total number of hours of general nursing care provided in each 24-hour period shall, when totalled for the entire facility, be a minimum of 2.7 hours of direct patient care for each skilled care patient and a minimum of 2.3 hours of direct patient care for each intermediate care patient. The total number of daily required hours shall be computed by multiplying the number of intermediate care patients by 2.3 hours and by multiplying the number of skilled care patients by 2.7 hours. The two figures shall be added; the sum shall be the minimum total number of hours of general nursing provided in each 24-hour period for the entire facility.

The Department will accept compliance with the requirement of 2.3 hours of general nursing care per each 24-hour period for each patient of the facility.

§ 211.13. Rehabilitative services.

(f) The patient's progress shall be reviewed regularly by the physician and the therapist. They shall reevaluate the plan of rehabilitative services as necessary, but at least every 30 days for skilled patients and every 60 days for intermediate care patients.

The Department will accept compliance with the 60 day requirement for all patients. Reevaluation of the plan for rehabilitative services must still be done more often if necessary.

Questions regarding the above may be directed to William A. Bordner, Director, Division of Nursing Care Facilities, P. O. Box 90, Harrisburg, PA 17108, (717) 787-1816.

Persons with a disability who require an alternative format (for example, large print, audio tape, braille) of this document should contact William Bordner so that he may make the necessary arrangements. Alternative formats may also be requested by using TDD: (717) 783-6514.

PETER J. JANNETTA, M.D.,
Secretary

[Pa.B. Doc. No. 96-217. Filed for public inspection February 16, 1996, 9:00 a.m.]

Notice of Beginning of Review; Certificates of Need

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P. S. §§ 448.702(c), 704(a) and 704(b)).

CON-95-H-2387-B: Western Pennsylvania Hospital, 4800 Friendship Avenue, Pittsburgh, PA 15225. The project involves the establishment of a 30 bed hospital-based skilled nursing unit through the conversion of acute care beds, at an estimated cost of \$2,055,000.

CON-95-A-2461-B: Raytel Medical Corporation/MRI Diagnostics-Norristown, 1651 Markley Street, Norristown, PA 19401. The project involves adding an open MRI Unit, at an estimated cost of \$1,250,000.

CON-95-I-0581-C: Horizon Hospital System, 110 North Main Street, Greenville, Mercer County, PA 16125. The application is for a change in scope to a previously approved low-risk adult diagnostic cardiac catheterization service at Horizon Hospital System, Greenville Division. There will be no additional capital cost.

CON-95-A-2574-B: North Philadelphia Health System, Eighth Street at Girard Avenue, Philadelphia, PA 19122. The project involves establishment of a 55-bed hospital-based skilled nursing unit through conversion of beds at Girard Medical Center, at an estimated cost of \$250,000.

The projects are scheduled to be reviewed and a decision rendered by the Department of Health within 90 days beginning February 17, 1996. Interested persons, as defined in section 103 of the act (35 P. S. § 448.103) may request a public meeting. Requests must be made in writing within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P. S. § 448.506(a)), regarding the decisions made on these applications, any interested person as defined in the act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, such meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. Western Pennsylvania Hospital public meeting will begin at 3 p.m., Friday, March 8, 1996. Raytel Medical Corporation public meeting will begin at 9 a.m. and Horizon Hospital System public meeting will begin at 3 p.m., Thursday, March 21, 1996. Public meeting for North Philadelphia Health System will begin at 11 a.m., Tuesday, April 9, 1996. Persons who need an accommodation due to a disability and want to attend a meeting, please contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. These meetings are subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

PETER J. JANNETTA, M.D.,
Secretary

[Pa.B. Doc. No. 96-218. Filed for public inspection February 16, 1996, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Increase in the Food Stamp Heating Standard Utility Allowances (SUA) and Homeless Shelter Allowance; Decrease in the Nonheating SUA

Regulations at 55 Pa. Code § 501.7(a)(2), (3) and (4) establish the amounts for the heating SUA, nonheating SUA, telephone allowance and homeless shelter allowance for the Food Stamp Program and provide for the revision of these amounts by publication of a notice in the *Pennsylvania Bulletin*. These changes have been approved by the Food and Consumer Service of the U. S. Department of Agriculture and are effective October 1, 1995.

The heating SUA and the nonheating SUA allowances are established in accord with the requirements of 7 CFR

273.9(d)(6)(iii) and (iv). The Department of Public Welfare is increasing the heating SUA from \$272 to \$273 and decreasing the nonheating SUA from \$152 to \$151.

The telephone allowance is established in accord with the requirements of 7 CFR 273.9(d)(6)(v)(C). The Department of Public Welfare is leaving the telephone allowance at \$23.

The homeless shelter allowance is established in accord with the requirements of 7 CFR 273.9(d)(5)(i). The Department of Public Welfare is increasing the homeless shelter allowance from \$139 to \$143.

The Department of Public Welfare recommends these revisions for codification in 55 Pa. Code § 501.7(a)(2), (3) and (4).

Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD users) or 1 (800) 654-5988 (Voice users), or may use the Department of Public Welfare TDD by calling (717) 787-3616. Persons who require another alternative format should contact India Wood at (717) 783-2212.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-107. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 96-219. Filed for public inspection February 16, 1996, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Allegheny County Reference No. 08430AG1976

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately 19 inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services for the following five projects:

1. S. R. 0279, Section A26—Carson Street Ramps; complete replacement of decks on Ramps A and B from Fort Pitt Bridge to Carson Street, Allegheny County. Also includes utilities, lighting, painting, and minor approach work.

2. S. R. 0019, Section A16—West End Bridge Ramps to S. R. 65; widening of Ramp B to 65 SB from West End Bridge, Allegheny County. Construction of additional column and line of stringers.

3. S. R. 0019, Section A15—West End Bridge Lane Control; placement of overhead lane controls on West End Bridge and approaches to allow lane reversals, Allegheny County.

4. S. R. 0019, Section A11—West End Bypass; Resurfacing of West End Bypass from Banksville Road Interchange to West End Bridge, Allegheny County. Includes underpinning of rock overhang, construction of shoulder to be used as a fifth lane, drainage upgraded, replace existing barrier with movable barrier.

5. S. R. 0279, Section A25—Banksville Interchange; Widening of Ramps at Banksville Road Interchange with I-279, Allegheny County.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving, and drainage, painting, underpinning of rock overhang, barrier, utilities, lighting and lane control signalization.

b. Understanding of Department's requirements, policies and specifications.

c. Number of NICET certified inspectors in each payroll classification.

d. Past performance.

e. Number of available inspectors in each payroll classification.

f. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (2)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	11 (6)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (1)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>		<i>Direct Payroll Rate</i>
Transportation Construction Manager 1	(TCM-1)	\$19.79
Transportation Construction Inspector Supervisor	(TCIS)	\$17.34
Transportation Construction Inspector	(TCI)	\$15.18
Technical Assistant	(TA)	\$10.43

Maximum reimbursable direct payroll rates for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one inspector certified in computer documentation on each project and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCM-1 and TCIS positions, giving their approval to use their name in the letter of interest for this specific project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to Bob Collins, District 11-0, at (412) 429-4928.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Statewide
Reference No. 08430AG1977**

The Department of Transportation will retain an engineering firm for a Statewide open-end contract administered by the Bureau of Design to provide for various engineering services; engineering management services; development and implementation of training in highway, structures, right-of-way, contract management, consultant liaison, engineering computing, project management, photogrammetry/surveying, CADD, usage of PC software

and engineering application software; and other related work. The open-end contract will be for a period of 5 years with a maximum cost of \$1 million with projects being assigned on an "as-needed" basis.

The selected firm will be required to provide all necessary professional services through a team of highly qualified engineering, system engineering and public involvement professionals to assist the Department through the preliminary engineering and final design phases of project development and to ensure consistency and compliance with all applicable State and Federal laws, regulations and procedures.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating one open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Project management team experience, knowledge of State and Federal laws, regulations, policies and procedures.
- b. Knowledge of the Department's project development process.
- c. Experience in preparing plans, specifications and estimates in accordance with established design criteria.
- d. Experience in engineering computing, engineering application software, CADD, usage of PC software and networking.
- e. Experience in implementation of engineering training programs.
- f. Past performance with the Department.

Technical questions concerning the requirements for this project should be directed to Charles W. Allwein, P.E., Bureau of Design, at (717) 783-9309.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in performing any of the above services are invited to submit letters of interest to: Director, Consultant Selection Committee, Room 1118, Transportation and Safety Building, Harrisburg, PA 17120.

A separate letter of interest and required forms must be submitted for each project for which the applicant wishes to be considered. The letter of interest and required forms must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. of the thirteenth day.

If the project advertisement indicates that the Department will retain an engineering firm, letters of interest will only be accepted from individuals, firms or corporations duly authorized to engage in the practice of engineering. If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a joint venture with an

individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof. Proposed DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal. Failure to meet the goal and to demonstrate good faith efforts may result in being barred from Department contracts in the future.

Responses are encouraged by small engineering firms, disadvantaged business enterprise engineering firms and other engineering firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include in the heading, the firm's Federal Identification Number and the Project Reference Number indicated in the advertisement. The letter of interest must also include the following:

1. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project."

2. Standard Form 254, "Architect-Engineer and Related Services Questionnaire" not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a joint venture and for each subconsultant the firm or joint venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a company. Please disregard the statements on Standard Form 255 that indicate a Standard Form 254 is only required if not already on file with the contracting office. The Department does not maintain a file for Standard Form 254 for contracting purposes; therefore, this Form is required for the prime consultant and each subconsultant as stated above.

3. Two copies of the Department's Form D-427 (Rev. 6-89), "Current Workload" for the firm submitting the letter of interest. At least one copy of Form D-427 must remain free and not bound in any way to any other portion of the letter of interest or accompanying documentation. Copies of Form D-427 are available upon request from the above address or by contacting the Department's Consultant Agreement Division at (717) 783-9309.

4. Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include with each letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The

telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

The Standard Form 255 must be filled out in its entirety including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be presently certified by the Department of Transportation, and the name of the firm and the work to be performed must be indicated in Item 6. If a Women Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

The Standard Form 254 must be signed and dated and must be less than 1 year old as of the date of this advertisement. A Standard Form must accompany each letter of interest for the firm submitting the letter of interest, each party to a joint venture, and for each subconsultant shown under Item 6 of the Standard Form 255.

Unless other factors are identified under the individual project reference number, the following factors, listed in their order of importance, will be considered by the Committee during their evaluation of the firms submitting letters of interest:

a. Specialized experience and technical competence of firm.

b. Past record of performance with respect to cost control, work quality, and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.

c. Current workload and capacity of firm to perform the work within the time limitations.

d. Location of consultant.

e. Special requirements of the project.

f. Other factors, if any, specific to the project.

The Department currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on design and miscellaneous projects to 130% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection projects to 85.2% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department's limitations will apply to the projects advertised above unless the Department policy is revised prior to the negotiation of an agreement or contract.

The assignment of the above services will be made to one of the firms responding to this notice, but the Committee reserves the right to reject all letters of interest submitted, to cancel the solicitations requested under this notice, and/or to readvertise solicitation for these services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-220. Filed for public inspection February 16, 1996, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Duquesne Light Company v. DEP; Doc. No. 95-240-G

The Department of Environmental Protection (Department) and Duquesne Light Company have agreed to a settlement of the above matter.

The Department issued NPDES Permit No. PA 0025615 to Duquesne Light Company (DLCo) authorizing the discharge of wastewater to the Ohio River and Peggs Run. DLCo appealed the imposition of a limitation for total residual chlorine (TRC) at Outfalls 013, 113 and 203 and a free available chlorine (FAC) limitation at Outfall 012.

The major provisions of the settlement are:

1. Modification of the TRC limit at Outfalls 113 and 203 (sewage treatment plant discharges) to monitor and report until September 30, 1988, and thereafter a monthly average limitation of 1.4 mg/l and an instantaneous maximum limitation of 3.3;

2. Deletion of the FAC limitations at Outfall 012.

Copies of the full agreement are in the possession of:

Zelda Curtiss, Assistant Counsel, Department of Environmental Protection, Office of Chief Counsel, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4262;

Donald C. Bluedorn, II, Babst, Calland, Clements & Zomnir, P.C., Two Gateway Center, Pittsburgh, PA 15222; and at the offices of the Environmental Hearing Board, and may be reviewed by any interested person on request during normal business hours.

Persons who are aggrieved by the above settlement have a right to appeal to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457. Appeals must be filed within 20 days of this publication.

If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 783-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Service at 1 (800) 654-5984.

The Environmental Hearing Board is empowered to approve this settlement if no objection is timely filed with the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 96-221. Filed for public inspection February 16, 1996, 9:00 a.m.]

Fairmont Products v. DEP; EHB Doc. No. 95-155-C

The Department of Environmental Protection and Fairmont Products have agreed to a settlement of the above matter.

On June 23, 1995, the Department of Environmental Protection (formerly called the Department of Environmental Resources) issued National Pollutant Discharge Elimination System Permit No. 0009571 (the permit) to

Fairmont, authorizing the discharge of noncontact cooling water from its facility in Belleville, PA to an unnamed tributary (UNT) to Little Kishacoquillas Creek, in Union Township, Mifflin County, PA.

On or about July 21, 1995, Fairmont filed an appeal of the issuance of the permit with the Environmental Hearing Board, EHB Docket No. 95-155-C.

Fairmont's appeal challenged a number of issues, including, but not limited to, the effluent limitations and monitoring requirements for each individual outfall, and the thermal discharge limitations for each individual outfall.

Fairmont previously submitted inaccurate flow information to the Department. As a result of new information submitted by Appellant, the Department has determined that the permit should be amended, as more fully set forth below.

The parties have agreed to a settlement, the major provisions of which include:

The Board orders, and Fairmont and the Department hereby agree as follows:

1. Within 60 days of execution of this Consent Order and Adjudication, Fairmont will present to the Department a request for a thermal variance under 25 Pa. Code § 97.82 and section 316 of the Clean Water Act, 33 U.S.C.A. § 1326, and a study plan to survey the receiving stream. The purpose of the study plan is to demonstrate that alternate thermal effluent limitations will not adversely impact the indigenous aquatic community in the receiving water body.

2. The study plan will consist of a thermal profile of the receiving stream, and a comprehensive biological survey of the creek. From early Spring 1996 until November 1996, Fairmont shall implement the study plan, as approved by the Department. Fairmont will conduct two aquatic field investigations to coincide with the critical periods for in-habitant aquatic biota, during the month of August 1996, and during the month of November 1996. These field investigations will consist of the following:

- a. Benthic macroinvertebrate sampling at each station;
- b. Fin fish sampling at each of the established stations;
- c. Thermal profile sampling at each station.

Additionally, Fairmont will conduct a benthic macroinvertebrate analysis in early spring 1996.

3. On or before January 31, 1997, Fairmont shall submit to the Department a final report concerning the proposed alternate thermal effluent limits.

Additionally, after the Environmental Hearing Board's execution of this Consent Order and Adjudication, Fairmont shall evaluate its housekeeping practices and/or its management of its heat discharge at the Belleville facility, to identify and characterize problems in controlling and limiting any wide variations in its heat discharge. On or before January 31, 1997, Fairmont shall also submit to the Department, for the Department's approval, its recommendations, if any, concerning modifications to its housekeeping practices and/or its management of the facility's heat discharge.

4. The Department will review Fairmont's report concerning the proposed alternate thermal effluent limits, and on or before January 31, 1997, the Department will notify Fairmont of the Department's determination whether Fairmont has successfully demonstrated that

such alternate thermal effluent limitations will not adversely impact the indigenous aquatic community in the receiving stream.

5. Upon the Department's determination that Fairmont has successfully demonstrated that alternate thermal effluent limitations will not adversely affect the indigenous aquatic community in the receiving stream, within 60 days of the Department's notice of that determination, the Department shall issue Fairmont a thermal variance under 25 Pa. Code § 97.82(a)(2) and section 316(a) of the Clean Water Act, 33 U.S.C.A. § 1326, and will issue a draft amended permit with the thermal variance.

Within 60 days of the Department's notice of its determination concerning the thermal variance, Fairmont shall also implement any modifications to its housekeeping practice and/or its management of its heat discharge, as approved by the Department.

6. Alternatively, upon the Department's determination that Fairmont has failed to successfully demonstrate that alternate thermal effluent limitations will not adversely affect the indigenous aquatic community in the receiving stream, Fairmont shall achieve compliance with the final effluent limitations, as described below, or terminate the discharge in accordance with the following schedule:

Feasibility study completion	May 31, 1997
Compliance with effluent limitations	July 31, 1997

7. Fairmont's NPDES Permit No. Pa. 0009571 is hereby modified as follows:

a. All of the pages of the Amended Permit are called Amendment No. 1.

b. Page 2, Part A, I, the Discharge Limitations chart for Interim Effluent Limitations is modified in accordance with the chart detailed in the Consent Order and Adjudication.

Page 2, Part A, I, (1), the discharge limitations for outfalls 001, 002, 003 and 004 were determined using a combined effluent discharge rate of .2 million gallons per day.

c. Page 2A, Part A, 1, the discharge limitations chart for final effluent limitations is in accordance with the chart detailed in the Consent Order and Adjudication.

d. Page 2A, Part A, I, (1), the discharge limitations for Outfalls 001, 002, 003 and 004 were determined using a combined effluent discharge rate of .2 million gallons per day.

e. Page 12, Part C.I.B. For the combined discharge from Outfalls 001, 002, 003 and 004, the permittee shall comply with the following thermal discharge limitations:

Period	Final Allowable	
	Interim Allowable Waste	Waste Temperature (°F)
Jan 1-31	97	97
Feb 1-29	86	86
Mar 1-31	110	110
Apr 1-30	110	110
May 1-31	79	79
Jun 1-30	75	75
Jul 1-31	73	73
Aug 1-31	72	72
Sep 1-30	70	67
Oct 1-31	70	57
Nov 1-30	70	55
Dec 1-31	95	95

Permittee shall comply with the interim allowable waste temperatures listed above until permittee has submitted to the Department's review the permittee's final report concerning the impact of the alternate thermal effluent limitations on the indigenous aquatic community in the receiving water body.

In the event that the Department determines that Fairmont has successfully demonstrated that the alternate thermal effluent limitations will not adversely affect the indigenous aquatic community in the receiving water body, the Department will issue a thermal variance under 25 Pa. Code § 97.82(a)(2) and section 316(a) of the Clean Water Act, 33 U.S.C.A. § 1236, and will base the thermal variance on the results of Fairmont's study.

In the event that the Department determines that Fairmont has failed to successfully demonstrate that the alternate thermal effluent limitations will not adversely affect the indigenous aquatic community in the receiving water body, then Fairmont shall achieve compliance with the final effluent limitations, in accordance with the schedule set forth in Part C.

f. Page 12, Part C, I. for the combined discharge from Outfalls 001, 002, 003 and 004, in order to demonstrate compliance with thermal discharge limitations, the permittee shall monitor at the following locations:

Parameter	Units	Monitoring Location
Waste discharge Temperature, T_d	°F	On UNT Little Kishacoquillas Creek 5 ft. Upstream of the Confluence of Little Kishacoquillas Creek
Upstream Temperature, T_{up}	°F	On Little Kishacoquillas Creek 25 ft. Upstream of the Confluence with UNT Little Kishacoquillas Creek
Downstream Temperature, T_{down}	°F	On Little Kishacoquillas Creek 30 ft. Downstream of the Confluence with UNT Little Kishacoquillas Creek

g. Page 15, Part C, the Compliance Schedule is as follows:

SCHEDULE OF COMPLIANCE

Fairmont Products shall submit a study plan to survey the receiving stream.	Within 60 days of the EHB's execution of this document.
Fairmont Products shall implement the study plan.	Spring 1996—November 30, 1996
Fairmont Products shall submit a final report concerning the proposed alternate thermal effluent limits.	January 31, 1997
Fairmont Products shall submit a report concerning its housekeeping practices and/or management of heat discharge to limit wide variations in heat discharge.	January 31, 1997
The Department will review the report concerning the proposed alternate thermal effluent limits and notify Fairmont Products of the Department's determination concerning the thermal variance.	March 31, 1997

The Department will review the report concerning Fairmont's housekeeping practices and/or its management of heat discharge to limit wide variations in heat discharge. March 31, 1997

In the event that the Department determines, under Paragraph f of the Consent Order and Adjudication entered between the Department and Fairmont Products, that Fairmont Products has failed to successfully demonstrate that the alternate thermal effluent limitations will not adversely affect the indigenous aquatic community in the receiving water body, then the permittee shall achieve compliance with the final effluent limitations or terminate this discharge in accordance with the following schedule:

- Feasibility study completion May 31, 1997
- Compliance with effluent limitations July 31, 1997

No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit to the Department a written notice of compliance or noncompliance with the specific schedule requirements(s). Each notice of noncompliance shall include the following information:

1. A short description of the noncompliance.
2. A description of any actions taken or proposed by the permittee to comply with the elapsed schedule requirement.
3. A description of any factors which tend to explain or mitigate the noncompliance.
4. An estimate of the date that compliance with the elapsed schedule requirement will be achieved and an

assessment of the probability that the next scheduled requirement will be met on time.

Copies of the full agreement are in the hands of:

Gary A. Peters, Esq., Howard & Howard Attorneys, P.C., 1400 North Woodward Avenue, Suite 101, Bloomfield Hills, MI 48304-2856;

Beth Liss Shuman, Esq., Department of Environmental Protection, 9th Floor Rachel Carson State Office Bldg., 400 Market Street, Harrisburg, PA 17101-2301;

and at the office of the Environmental Hearing Board, and may be reviewed by any interested party on request during normal business hours.

Persons who are aggrieved by the above settlement have a right to appeal to the Environmental Hearing Board, 2nd Floor, Rachel Carson State Office Building, 400 Market Street, Post Office Box 8457, Harrisburg, PA 17105-8457.

If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Appeals shall be filed within 20 days of this publication.

The Environmental Hearing Board is empowered to approve this settlement which becomes final if no objection is timely made.

GEORGE J. MILLER, Chairperson

[Pa.B. Doc. No. 96-222. Filed for public inspection February 16, 1996, 9:00 a.m.]

FISH AND BOAT COMMISSION

Additional Restrictions on Fish and Boat Commission Property

The Executive Director of the Fish and Boat Commission, acting under the authority of 58 Pa. Code § 53.18, has established the following additional restrictions for Fish and Boat Commission property:

<i>County</i>	<i>Area</i>	<i>Additional Restrictions:</i>
Beaver	Hereford Manor Lakes	During the period April 12, 1996 to May 31, 1996, the use or possession of beer and alcoholic beverages is prohibited and open fires are prohibited.
Washington	Dutch Fork Lake	During the period April 12, 1996 to May 31, 1996, the use or possession of beer and alcoholic beverages is prohibited and open fires are prohibited.
Washington	Canonsburg Lake	During the period April 12, 1996 to May 31, 1996, the use or possession of beer and alcoholic beverages is prohibited and open fires are prohibited.

PETER A. COLANGELO, Executive Director

[Pa.B. Doc. No. 96-223. Filed for public inspection February 16, 1996, 9:00 a.m.]

INSURANCE DEPARTMENT

Capital Blue Cross; Allentown Osteopathic Medical Center; Member Hospital Prospective Payment Agreement; Filing No. 96-D

By filing no. 96-D, Capital Blue Cross submits for the Department's review and approval a Member Hospital Prospective Payment Agreement with Allentown Osteopathic Medical Center.

Copies of the filing are available for public inspection on Monday, Wednesday and Friday, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. This form filing consists of 37 pages.

Interested parties are invited to submit written comments, suggestions or objections to Richard W. Stoner, Insurance Department, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-224. Filed for public inspection February 16, 1996, 9:00 a.m.]

Pennsylvania Blue Shield; Experience Rated OptiChoice Vision Contract Option (Form: OPTI-INBO); Filing No. 96010000

Pennsylvania Blue Shield submitted a new experience rated OptiChoice Vision Care Contract option as filing no. 96010000. This filing would create a vision care program wherein benefits would be payable only if rendered by an OptiChoice network provider.

Copies of the filing are available for public inspection on Monday, Wednesday and Friday, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. This filing consists of 39 pages.

Interested parties are invited to submit written comments, suggestions or objections to Rick Stoner, Insurance Department, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-225. Filed for public inspection February 16, 1996, 9:00 a.m.]

table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no such documents have been received. For questions concerning or copies of documents filed, but not published, please call (717) 783-1530.

Executive Board

Resolution #CB-95-334, dated January 4, 1996. The Commonwealth of Pennsylvania entered into a side letter of agreement with the American Federation of State, County and Municipal Employees; providing for an annual uniform allowance for employees in the classifications Motor Vehicle Program Inspector and Motor Vehicle Program Inspector Supervisor.

Governor's Office

Manual M315.1 Municipal Tax Rate Schedules—Revision No. 7, Dated January 2, 1996.

Management Directive No. 230.13—Commonwealth Corporate Card Program, Dated December 21, 1995.

Management Directive No. 240.11—Commonwealth Cellular Telephone Equipment and Services, Dated January 18, 1996.

Management Directive No. 530.3—State Employee Combined Appeal for New Employees and Employees on Inter-Agency Transfers, Amended January 18, 1996.

Management Directive No. 530.17—Partial and Full-Day Closings of State Offices, Amended December 28, 1995.

Administrative Circular No. 95-54—Delivery Point Bar coded Mail, Dated December 20, 1995.

Administrative Circular No. 95-55—Local Bid/Local Award for Commodity Purchases, Dated December 28, 1995.

Administrative Circular No. 96-1—Computation of Interest Penalties, Act 1982-266 Amended, Dated January 2, 1996.

Administrative Circular No. 96-2—Relocation—Governor's Office of the Budget, Budget Office, Dated January 2, 1996.

Administrative Circular No. 96-3—Fuel Receipts, Calendar Year 1995, Dated January 17, 1996.

Administrative Circular No. 96-4—Distribution of the 1996-97 Commonwealth Budget, Dated January 26, 1996.

Administrative Circular No. 96-5—Relocation—Governor's Office of the Budget, Legal Office, Dated January 26, 1996.

GARY R. HOFFMAN,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 96-226. Filed for public inspection February 16, 1996, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Philadelphia County, Wine & Spirits Shoppe, #5187, 450 N. 60th Street, Philadelphia, PA 19151-4303.

Lease Expiration: November 30, 1996

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space bounded on the north by Girard Avenue, on the south by Market Street, on the west by Millbourne Avenue and on the east by 57th Street in the city of Philadelphia.

Proposals due: March 15, 1996, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, 4501 Kelly Drive, Philadelphia, PA 19129-1794
Contact: Robert Jolly, (215) 560-5310

Carbon County, Wine & Spirits Shoppe #1307, 49 W. Catawissa Street, Nesquehoning, PA 18240.

Lease Expiration: February 28, 1997.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,600 net useable square feet of new or existing retail commercial space within 1.5 miles of the intersection of U. S. Route 209 and PA Route 54, Nesquehoning Borough, Carbon County.

Proposals due: March 14, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg PA 17110-9661
Contact: Willard J. Rhodes, (717) 657-4228

Clinton County, Wine & Spirits Shoppe #1802, 536 Erie Avenue, Renovo, PA 17764-1018.

Lease Expiration: March 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,300 net useable square feet of new or existing retail commercial space within Renovo Borough, Clinton County.

Proposals due: March 14, 1996 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Willard J. Rhodes, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 96-227. Filed for public inspection February 16, 1996, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Fuel Cost Adjustment Statement; Doc. No. M-FACG-9522

This notice is to inform the public that the following company:

North East Heat and Light Company

has filed a statement of its revenues and expenses attributable to its use of the automatic adjustment clause (Fuel Cost Adjustment) for the 12 month period ending August 31, 1995.

The filing of this statement is required by section 1307(e) of the Public Utility Code, 66 Pa.C.S. § 1307(e).

The Pennsylvania Public Utility Commission has scheduled a hearing on Friday, March 1, 1996, at 10 a.m. in a Commission Hearing Room, Ground Floor, North Office Building, Harrisburg, PA, when and where all persons in interest may appear and be heard if they so desire.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-228. Filed for public inspection February 16, 1996, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before March 11, 1996, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the *beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.*

A-00112699. Linda L. Pelton, t/d/b/a A-1 Altoona Taxi (219 East Sixth Avenue, Altoona, Blair County, PA 16602)—persons upon call or demand, between points in the city of Altoona and the townships of Allegheny and Logan, all in Blair County. Application for temporary authority was also filed at A-00112699 for the rights as stated above. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

A-00112763. Eastern Medical Ambulance, Inc., a corporation of the State of Ohio, for the right to begin to transport, as a common carrier by motor vehicle, persons upon call or demand, between points in the borough of Greenville, Mercer County, and within an airline distance of 50 statute miles of the limits of the borough of Greenville, Mercer County.

Notice of Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before March 4, 1996.

A-00112783 Watt's Mack Sales, Inc.
 P. O. Box 707, New Alexandria, PA
 15670

- A-00112784 Joe Gallagher
303 North Stratton Street, Gettysburg,
PA 17325; David H. Radcliff, 2216 Wal-
nut Street, Harrisburg, PA 17103
- A-00112785 Watkins Motor Lines, Inc.
P. O. Box 95002, Lakeland, FL 33804-
5002; Andrew K. Light, Esquire, 1777
Market Tower, 10 West Market Street,
Indianapolis, IN 46204-2971
- A-00112786 J. P. Jenks, Inc.
P. O. Box 370, Madison, OH 44057;
David A. Turano, Esquire, Capitol
Square Suite 2100, 65 East State Street,
Columbus, OH 43215-4260
- A-00112787 Richard E. Smith,
R. D. 2, Box 66, Reynoldsville, PA 15851;
Dwight L. Koerber, Jr., 110 North Sec-
ond Street, P. O. Box 1320, Clearfield,
PA 16830
- A-00112791 EJH Contracting Co., Inc.
R. D. 1, Box 457, Morrisdale, PA 16858;
Dwight L. Koerber, Jr., P. O. Box 1320,
Clearfield, PA 16830
- A-00112792 Scott D. Portzline, t/d/b/a Scott D.
Portzline Piano Service
3715 North Third Street, Harrisburg, PA
17110
- A-00112793 CTX, Inc.
12225 Stephens Road, Warren, MI
48089
- A-00112794 Susan L. Brader, t/d/b/a S. Brader Express
2153 Wasserass Road, Hellertown, PA
18055
- A-00112795 M & M Transport, Inc.
P. O. Box 396, Pomona, NJ 08240
- A-00112796 Richard C. Cribbs Drilling, Inc.
R. R. 1, Box 224, Rural Valley, PA 16249
- A-00112797 Lee A. Bilger, Sr.
R. R. 1, Box 78-A1, Shirleysburg, PA
17260

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-229. Filed for public inspection February 16, 1996, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept proposals until 2 p.m. on Thursday, March 7, 1996, for Project #96-031-001 (Weed Control Services). The Bid Document can be obtained from the Procurement Administrator, PRPA, 210 West Washington Square, 8th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be

available February 20, 1996. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations. There will be a mandatory prebid meeting on February 29, 1996, at 10 a.m. at PRPA, Operations Dept., Room 203, 3460 N. Delaware Avenue, Philadelphia, PA 19134.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-230. Filed for public inspection February 16, 1996, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

March 6, 1996	Paul Danko, Jr. (Purchase of Service—Leave of Absence)	1 p.m.
	Patsy Mingione (Purchase of Service— Unpaid Leave of Absence)	2:30 p.m.
March 20, 1996	Walter D. Poleski (Multiple Service)	1 p.m.
	Charles S. Hanna (Healthcare Premium Assistance)	2:30 p.m.

Persons with a disability who wish to attend the above-listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Arthur J. Granito, Assistant Executive Director, at (717) 783-5613 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1, (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

JAMES A. PERRY,
Secretary

[Pa.B. Doc. No. 96-231. Filed for public inspection February 16, 1996, 9:00 a.m.]

STATE HEALTH FACILITY HEARING BOARD

Appeal of St. Clair Memorial Hospital of a Decision of the Department of Health under the Health Care Facilities Act

A hearing will be held to review a decision of the Department of Health, granting approval of Applicant Pittsburgh G. I. Surgical Center to establish a single specialty ambulatory surgical facility limited to endoscopy procedures with two operating rooms in Bethel Park, PA at a cost of \$1,178,616.

The hearing will commence on Wednesday, February 28, 1996, at 9:30 a.m. at the Holiday Inn—Pittsburgh Airport, 1406 Beers School Road, Pittsburgh, PA.

The hearing is subject to cancellation without further notice.

PAUL J. CAREY, JR.,
Chairperson

[Pa.B. Doc. No. 96-232. Filed for public inspection February 16, 1996, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 93-005-RP56: Roadway rehabilitation and shoulder repairs between M. P. A-75.18 and M. P. A-89.96 on the PA Turnpike in Carbon and Luzerne Counties, PA.

Bid Opening: March 5, 1996, 11 a.m.

Bid Surety: 5%

Plans, specifications and Contract Documents will be available and open to the public inspection at the Administration Building. Copies may be purchased upon payment of \$50 per set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676: Attn: *Secretary/Treasurer's Office*. No refund will be made for any reason.

A prequalification certification and maximum capacity rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-233. Filed for public inspection February 16, 1996, 9:00 a.m.]
