

NOTICES

DELAWARE RIVER BASIN COMMISSION

Commission Meeting and Public Hearing

The Delaware River Basin Commission will hold a public hearing on Wednesday, April 30, 1997. The hearing will be part of the Commission's regular business meeting which is open to the public and scheduled to begin at 2 p.m. in the Goddard Conference Room of the Commission's offices at 25 State Police Drive, West Trenton, NJ.

An informal conference among the Commissioners and staff will be held at 1 p.m. at the same location and will include discussions of public hearings on proposed amendments to the Ground Water Protected Area Regulations for Southeastern Pennsylvania, service metering requirements compliance and a status report on flow needs analysis.

In addition to the subjects listed which are scheduled for public hearing at the business meeting, the Commission will also address the following matters: Minutes of the March 26, 1997 business meeting; announcements; General Counsel's report; report on Basin hydrologic conditions; resolutions concerning New Jersey grant agreements for a Maurice River water quality modeling study and high flow management objectives for New Jersey noncoastal waters; and public dialogue.

The subjects of the hearing will be as follows:

Applications for Approval of the Following Projects under Article 10.3, Article 11 and/or Section 3.8 of the Compact:

1. *Matamoras Municipal Authority D-81-78 CP Renewal 3.* An application for the renewal of a ground water withdrawal project to supply up to 11.7 million gallons (mg)/30 days of water to the applicant's distribution system from Well Nos. 3, 5, 7 and 8. Commission approval on March 25, 1992 was limited to 5 years. The applicant requests that the total withdrawal limit from all wells be increased from 9 mg/30 days to 11.7 mg/30 days. The project is located in Matamoras Borough, Pike County, PA.

2. *City of Bethlehem D-95-19 CP.* A project to repair the applicant's Penn Forest Dam by placing a Rolled Compacted Concrete (RCC) dam on the upstream side of the existing dam. No change in downstream conditions is proposed; the same spillway, withdrawal functions and water elevations will be maintained and all other design and operating functions will remain the same. The dam is located on Wild Creek in Penn Forest Township, Carbon County, Pennsylvania and will continue to provide water for the City of Bethlehem service area in Northampton and Lehigh Counties, PA.

3. *Young Life Lake Champion D-95-35.* A project to construct a new 30,000 gallons per day (gpd) subsurface sewage treatment system to replace several existing small subsurface sewage disposal systems serving the applicant's camp facilities in the town of Lumberland, Sullivan County, NY. The sewage disposal system will provide biological treatment via a septic tank and discharge to a subsurface disposal field in the Mill Brook watershed.

4. *City of Vineland D-95-47 CP.* An application for approval of a ground water withdrawal project to supply

up to 5.6 mg/30 days of water to the applicant's distribution system from new Well No. 14, and to increase the existing withdrawal limit of 400 mg/30 days from all wells to 494.5 mg/30 days. The project is located in the city of Vineland, Cumberland County, NJ.

5. *Star Enterprise D-96-31.* A project to continue use of the applicant's existing surface water withdrawal facilities formerly owned by Texaco Refining. The applicant proposes to continue withdrawal from the Delaware River at a maximum rate of 452 million gallons per day (mgd)/(13,560 mg/30 days) to supply once-through noncontact cooling water for its refinery operations and power plant. Discharge will continue to be by an existing outfall sluiceway to the Delaware River. The project is located just north of Delaware City, New Castle County, DE in Water Quality Zone 5.

6. *United Water Delaware D-96-50 CP.* A proposal to construct an inflatable Neoprene dam designed to capture tidal flow in White Clay Creek, to be located approximately 1,500 feet downstream from the applicant's Stanton intake in New Castle County, DE. The dam, a Tidal Capture Structure (TCS), is proposed to improve reliability of the applicant's White Clay Creek public water supply source. By intermittently inflating the TCS at high tide during periods of low stream flow, the applicant plans to capture tidal water to help serve its customer demand, while providing an adequate passby flow by a specially designed sluice with multiple gates. During normal hydrologic weather conditions, the TCS is designed to remain deflated and is expected to pose no flood hazard. Fish passage is expected to be unimpeded for two periods every 24 hours during days when the structure is in operation.

7. *The McKee Group D-96-51.* A project to modify an existing 0.1 mgd sewage treatment plant (STP) to serve development at the applicant's Village of Buckingham Springs retirement community in Buckingham Township, Bucks County, PA. The STP is situated approximately 3,000 feet south of the intersection of Route 413 and Lower Mountain Road and will continue to provide advanced secondary treatment and tertiary filtration prior to discharge to an unnamed tributary of Mill Creek in Buckingham Township.

8. *Bayway Refining Company D-96-52.* A proposal for use of existing water withdrawal facilities for a withdrawal of up to 151.7 mgd (4,550 mg/30 days) from the Delaware River at the applicant's Trainer Refinery (formerly known as the Marcus Hook Refinery) recently acquired from BP Oil Company. Bayway, a subsidiary of Tosco Refining Company, proposes to resume refining operations and operate the withdrawal facilities in substantially the same manner as the previous owner. Most of the water will be used for once-through cooling. The project intake is located approximately 1,500 feet upstream of the Marcus Hook Creek confluence in the Borough of Trainer, Delaware County, PA.

9. *Warwick Township Water & Sewer Authority D-96-59 CP.* A project to upgrade and expand the applicant's Fish Creek STP from 0.6 mgd to 0.85 mgd. The existing secondary biological treatment process/extended aeration will be upgraded to the advanced secondary process provided by sequencing batch reactors. The disinfection method will be changed from chlorine contact to ultraviolet light and there will be post-aeration. The STP will continue to serve portions of Warwick Township in Bucks

County, PA and discharge to Fish Creek, a tributary to the Neshaminy Creek, situated just to the west of York Road and north of Almshouse Road.

Documents relating to these items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Please contact Thomas L. Brand at extension 217 concerning docket-related questions. Persons wishing to testify at this hearing are

requested to register with the Secretary prior to the hearing.

SUSAN M. WEISMAN,
Secretary

[Pa.B. Doc. No. 97-639. Filed for public inspection April 25, 1997, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 15, 1997.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-10-97	Jersey Shore State Bank Jersey Shore Lycoming County	WalMart SuperCenter Hogan Boulevard and Country Club Lane Lock Haven Bald Eagle Township Clinton County	Filed
4-10-97	Northwest Savings Bank Warren Warren County	Cranberry Mall Routes 257 and 322 Cranberry Township Venango County	Opened
4-14-97	Prime Bank Philadelphia Philadelphia County	7111 Valley Green Rd. Fort Washington Montgomery County	Approved
4-14-97	Fulton Bank Lancaster Lancaster County	Route 30 and Roosevelt Avenue West Manchester Twp. York County	Filed
4-15-97	Orrstown Bank Orrstown Franklin County	625 Norland Avenue Chambersburg Franklin County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-14-97	Summit Bank Bethlehem Northampton County	One Neshaminy Drive Trevoise Bucks County	Filed

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS

Charter Applications

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
4-14-97	People-For-People Community Development State Credit Union Philadelphia Philadelphia County	700 North Broad St. Philadelphia Philadelphia County	Filed
<i>To:</i>			
Rev. Herbert H. Lusk II People for People, Inc. 714 N. Broad St. Philadelphia, PA 19130			

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
4-9-97	SVH Credit Union Sewickley Allegheny County	To provide for a change to Article 8 from Sewickley Valley Hospital of Pennsylvania, to Valley Health System of Pennsylvania.	Approved and Effective

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 97-640. Filed for public inspection April 25, 1997, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Proposed Land Exchange between DCNR, Bureau of Forestry and the Game Commission

The Department of Conservation and Natural Resources, acting through the Bureau of Forestry, and the Game Commission are proposing to negotiate an exchange of lands in Bradford, Tioga and Luzerne Counties, PA.

The Bureau of Forestry is proposing to acquire from the Game Commission a tract of 928.0 acres known as State Game Lands No. 240. This tract is situated on Robwood Mountain in Monroe, Albany and Asylum Townships, Bradford County, and adjoins various parcels of the Tioga State Forest.

In return, the Bureau of Forestry proposes to convey to the Game Commission two tracts of land. The first is a tract of 629.43 acres in the Stony Fork Creek area of Delmar and Morris Townships, Tioga County, adjoining State Game Lands No. 268. The second is a tract of 700.43 acres near Indian Lake in Buck Township, Luzerne County, adjoining State Game Lands No. 91.

As is the policy of the Department of Conservation and Natural Resources, the public is hereby notified of this exchange. A 30-day period for public inquiry and/or comment will be in effect beginning April 28, 1997, and ending May 27, 1997. Oral or written comments or questions concerning this proposed exchange may be addressed to: Dr. James R. Grace, State Forester, Pennsylvania Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552; telephone (717) 787-2703. These oral and/or written comments will become part of the official document used in the final decision process.

If, in the duration of the 30-day comment period, a significant amount of public concern develops, the Secretary of the Department of Conservation and Natural Resources may schedule a public informational meeting.

JOHN C. OLIVER,
Secretary

[Pa.B. Doc. No. 97-641. Filed for public inspection April 25, 1997, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name,

address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

PA 0103331. Sewage. **Jackson Center Borough**, R. D. 1, Box 38, Jackson Center, PA 16133.

This application is for renewal of an NPDES Permit to discharge treated sewage to the Yellow Creek in Jackson Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver Falls Municipal Authority on the Beaver River located at Beaver Falls, approximately 45 miles below point of discharge.

The proposed effluent limits, based on a design flow of 0.050 mgd, are:

Outfall No. 001 (after the chlorine contact tank)

<i>Parameter</i>	<i>Interim Limits</i>		
	<i>Average Monthly (mg/l)</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	11	16	22
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 26,000/100 ml as a geometric average		
Total Residual Chlorine	monitor and report		
pH	6.0—9.0 at all times		

Outfall No. 001 (after the chlorine contact tank)

Final Limits

The proposed effluent limits after expansion, based on a design flow of 0.098 mgd are:

<i>Parameter</i>	<i>Final Limits</i>		
	<i>Average Monthly (mg/l)</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31) (10-1 to 4-30)	8.5 25		17 50
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 14,400/100 ml as a geometric average		
Total Residual Chlorine	0.5		
Dissolved Oxygen	minimum of 3.0 mg/l at all times		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0222283. Sewage. **Corsica Borough**, Municipal Building, Main Street, P. O. Box 176, Corsica, PA 15829-0176.

This application is for a new NPDES Permit to discharge treated sewage to the Welch Run in Corsica Borough, **Jefferson County**. This is a new discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Hawthorn Water Authority on Redbank Creek located at Hawthorn Borough, approximately 13 miles below point of discharge.

The proposed effluent limits, based on a design flow of 0.043 mgd, are:

Outfall No. 001

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	8.5		17
(11-1 to 4-30)	monitor and report		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.2
Dissolved Oxygen	minimum of 3 mg/l at all times		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

Southwest Regional Office: Regional Oil and Gas Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0091472. Industrial waste, SIC: 1211, 1389, **Tunnelton Liquids Company**, Box 667, Clarion, PA 16214.

This application is for issuance of an NPDES permit to discharge treated industrial waste water to the Conemaugh River in Conemaugh Township, **Indiana County**. This is an existing discharge.

The receiving stream is classified for warm water fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics. For the purpose of evaluating effluent requirements for TDS and phenolics, the existing downstream water supply considered during the evaluation is located in Saltsburg, PA, approximately 5.4 miles downstream of the discharge point.

The proposed discharge limits for Outfall No. 001, based on a maximum discharge rate of 1.0525 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)		1.0525	
Total Iron (mg/l)	3.5		7.0
Manganese (mg/l)	2.0		4.0
Oil and Grease (mg/l)	15		30
TSS (mg/l)	30		60
Acidity (mg/l)	monitor only		
Alkalinity (mg/l)	greater than acidity		
pH	6—9.5 at all times		
TDS (lbs/day)	146,035	292,070	
Chloride (mg/l)	monitor only		

Other Conditions: This permit will limit the amount of oil and gas fluids treated by the plant to 61,000 gpd and the discharge from outfall 001 shall cease when the flow of the Conemaugh River is below 190 cfs.

The proposed discharge limits for Outfall No. 002, 003 and 004 are:

This discharge shall consist solely of uncontaminated stormwater runoff.

The EPA waiver is in effect.

PA 0000906. Industrial waste, SIC: 8731 and 7218, **Westinghouse Electric Corporation**, Box 158, Madison Road, Madison, PA 15663.

This application is for issuance of an NPDES permit to discharge treated process water, sewage and untreated cooling water, stormwater from the Waltz Mill Site in Madison Borough, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, UNT to Calleys Run, Calley Run and UNT of Sewickley Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water

supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Midland Borough, located at Midland, Beaver County, approximately 25.3 miles downstream.

Internal Monitoring Point (IMP) 101, existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD					monitor and report
TSS					monitor and report
Lead					monitor and report
Zinc					monitor and report
Mercury					monitor and report
Total Cyanide					monitor and report
Free Cyanide					monitor and report
Dissolved Iron					monitor and report
Total Iron					monitor and report
Phenols					monitor and report
Copper					monitor and report
Nickel					monitor and report
Aluminum					monitor and report
Manganese					monitor and report
Phosphorus					monitor and report
pH	not less than 6.0 nor greater than 9.0				

IMP 201: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD					monitor and report
TSS					monitor and report
Lead					monitor and report
Zinc					monitor and report
Dissolved Iron					monitor and report
Total Iron					monitor and report
Mercury					monitor and report
Total Cyanide					monitor and report
Free Cyanide					monitor and report
Phenols					monitor and report
Copper					monitor and report
Nickel					monitor and report
Aluminum					monitor and report
Manganese					monitor and report
Phosphorus					monitor and report
pH	not less than 6.0 nor greater than 9.0				

IMP 301: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD					monitor and report
TSS					monitor and report
Copper					monitor and report
Lead					monitor and report
Nickel					monitor and report
Zinc					monitor and report
Aluminum					monitor and report
Total Iron					monitor and report
Dissolved Iron					monitor and report
Mercury					monitor and report
Total Cyanide					monitor and report
Free Cyanide					monitor and report
Phenols					monitor and report

NOTICES

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Manganese				monitor and report	
Phosphorus				monitor and report	
pH	not less than 6.0 nor greater than 9.0				
IMP 401: existing discharge.					

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
TSS			30		60
BOD				monitor and report	
Lead				monitor and report	
Mercury				monitor and report	
Total Cyanide				monitor and report	
Free Cyanide				monitor and report	
Phenols				monitor and report	
Total Iron				monitor and report	
Dissolved Iron				monitor and report	
Zinc				monitor and report	
Copper				monitor and report	
Nickel				monitor and report	
Aluminum				monitor and report	
Manganese				monitor and report	
Phosphorus				monitor and report	
pH	not less than 6.0 nor greater than 9.0				
IMP 501: existing discharge.					

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD				monitor and report	
TSS				monitor and report	
Lead				monitor and report	
Mercury				monitor and report	
Total Cyanide				monitor and report	
Free Cyanide				monitor and report	
Phenols				monitor and report	
Total Iron				monitor and report	
Dissolved Iron				monitor and report	
Zinc				monitor and report	
Copper				monitor and report	
Nickel				monitor and report	
Aluminum				monitor and report	
Manganese				monitor and report	
Phosphorus				monitor and report	
pH	not less than 6.0 nor greater than 9.0				
This discharge shall consist solely of uncontaminated stormwater runoff and uncontaminated groundwater.					
IMP 601: existing discharge.					

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD			10		20
Suspended Solids			25		50
Ammonia Nitrogen					
(5-1 to 10-31)			1.5		3.0
(11-1 to 4-30)			4.5		9.0
TRC			1.4		3.3
Lead				monitor and report	
Mercury				monitor and report	
Total Cyanide				monitor and report	
Free Cyanide				monitor and report	
Phenols				monitor and report	
Total Iron				monitor and report	

NOTICES

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Dissolved Iron				monitor and report	
Zinc				monitor and report	
Copper				monitor and report	
Nickel				monitor and report	
Aluminum				monitor and report	
Manganese				monitor and report	
Phosphorus				monitor and report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD				monitor and report	
TSS				monitor and report	
Lead				monitor and report	
Mercury				monitor and report	
Total Cyanide				monitor and report	
Free Cyanide				monitor and report	
Phenols				monitor and report	
Total Iron				monitor and report	
Dissolved Iron				monitor and report	
Zinc				monitor and report	
Copper				monitor and report	
Nickel				monitor and report	
Aluminum				monitor and report	
Manganese				monitor and report	
Phosphorus				monitor and report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature					110°F
Total Suspended Solids			30		60
TRC			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

Outfall 003: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature					110°F
Total Suspended Solids			30		60
TRC			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

Outfall 005: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature					110°F
Total Suspended Solids			30		60
TRC			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

Outfall 006: existing discharge.

NOTICES

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature					110°F
Total Suspended Solids			30		60
TRC			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

Outfalls 007, 010, 013, 014, 015, 022—030, 032, 034—037: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

These discharges shall consist solely of uncontaminated stormwater runoff.

Outfalls 008, 009, 011, 012, 017, 018, 021: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

These discharges shall consist solely of uncontaminated groundwater and uncontaminated stormwater runoff.

Outfall 016: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature					110°F
TSS			30		60
TRC			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

This discharge typically shall consist of uncontaminated stormwater runoff. On occasion, the cooling tower is drained through this discharge. The pH and temperature monitoring is only applicable to this discharge of cooling tower drainage.

Outfall 033: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

This discharge shall consist solely of the emergency overflow drain for the transformer containment area.

pH not less than 6.0 nor greater than 9.0

Other Conditions: Requirement to conduct a Pollution Reduction Report conditions applying to stormwater runoff, effluent chlorine minimization.

The EPA waiver is in effect.

PA 0002488. Industrial waste, SIC: 1447, **Lafarge Corporation**, 6115 Tippecanoe Road, Canfield, OH 44406.

This application is for renewal of an NPDES permit to discharge treated process water stormwater from the Georgetown Facility in Georgetown, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is in Steubenville, Ohio, located at 24 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.648 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids			30		60
Arsenic				monitor and report	
Chromium				monitor and report	
Copper				monitor and report	
Zinc				monitor and report	
Total Cyanide				monitor and report	
Free Cyanide				monitor and report	
Aluminum				monitor and report	
Iron				monitor and report	
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: Disposal of sludges and solids, all discharges of floating materials, oil, grease, scum and substances which produce tastes, odors, turbidity or settle shall be controlled at levels which will not be inimical or harmful to the water uses to be protected or to human, animal, plant or aquatic life.

The EPA waiver is in effect.

PA 0004250. Industrial waste, SIC: 2899, **The O. Hommel Company**, 235 Hope Street, Carnegie, PA 15106.

This application is for renewal of an NPDES permit to discharge treated process water and stormwater from glass frit manufacturing in Scott Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Chartiers Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the West View Municipal Authority, located at West View, 14 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0044 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor/report				
TSS			30	60	75
Fluoride			30	60	75
Aluminum			1.0	1.5	2.5
Iron			1.0	1.5	2.5
Manganese			1.0	1.5	2.5
Cadmium			0.05	0.075	0.13
Chromium			0.05	0.075	0.13
Lead			1.0	1.5	2.5
Nickel			0.5	0.75	1.25
Zinc			0.5	0.75	1.25
pH	not less than 6.0 nor greater than 9.0				

Outfalls 901, 902, 903, 904: existing discharge

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

These outfalls shall contain stormwater only

The EPA waiver is in effect.

PA 0090301. Industrial waste, SIC: 4953, **Solid Waste Disposal, Inc.**, R. D. 1, Zelienople, PA 16063.

This application is for amendment of an NPDES permit to discharge treated leachate from Solid Waste Disposal, Inc. in Brighton Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary of Six Mile Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Midland Borough, located at Midland, 6 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.006 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	monitor				
Suspended Solids			30		60
CBOD ₅			25		50
Ammonia Nitrogen (5-1 to 10-31)			3.0		6.0
(11-1 to 4-30)			9.0		18.0
Cadmium			0.005		0.01
Iron			4.0		7.0
Nickel			0.35		0.7
Zinc			0.2		0.4
Manganese			1.0		2.0
Phenols (4AAP)			0.75		1.5
Fecal Coliforms	Refer to Part C.2 for effective disinfection.				
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: Effective disinfection quantified in Part C.

The EPA waiver is in effect.

PA 0097110. Industrial waste, SIC: 4953, **Shade Landfill, Inc.**, R. D. 1, Box 305, Cairnbrook, PA 15924.

This application is for the renewal of an NPDES permit to discharge treated leachate and underdrain from the Shade Landfill in Shade Township, **Somerset County**.

The following effluent limitations are proposed for discharge to receiving waters, Laurel Run classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Saltsburg Municipal W. W., located at 308 Point St., Saltsburg, PA 15681, 79 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.025 mgd. Interim limits are effective from issued date through 3 years after issued date.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.025	report			
CBOD ₅			31		78
Suspended Solids			23	46	
Oil and Grease			15		30
Ammonia-Nitrogen			10	20	
Total Residual Chlorine			0.65		1.63
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)			200/100 ml 2,000/100 ml		1,000/100 ml
Antimony			0.45	0.9	
Beryllium			not detectable using EPA method 210.2		
Boron			3.6	7.2	
Cadmium			0.005	0.01	
Copper			0.05	0.1	
Iron			3.3	6.6	
Dissolved Iron			monitor and report		
Lead			0.036	0.072	
Silver			0.01	0.02	
Thallium			0.086	0.172	
Zinc			1.0	2.0	
Phenolics			monitor and report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge, design flow of 0.025 mgd. Final limits are effective from 3 years after issued date through expiration date.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.025	report			
CBOD ₅			31		78
Suspended Solids			23	46	
Oil and Grease			15		30
Ammonia-Nitrogen			3.4	6.8	
Total Residual Chlorine			0.65		1.63
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)			200/100 ml 2,000/100 ml		1,000/100 ml
Antimony			0.022	0.044	
Beryllium			not detectable using EPA method 210.2		
Boron			3.6	7.2	
Cadmium			0.003	0.006	
Copper			0.025	0.05	
Iron			3.3	6.6	
Dissolved Iron			0.66	1.32	
Lead			0.007	0.014	
Silver			0.006	0.012	
Thallium			0.004	0.008	
Zinc			0.17	0.34	
Phenolics			0.044	0.088	
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge, design flow of 0.04 mgd. Interim limits are effective from issued date through 3 years after issued date. These limits are effective if the monthly average flow rate is greater than 0.025 mgd.

NOTICES

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.025	report			
CBOD ₅			31		78
Suspended Solids			23	46	
Oil and Grease			15		30
Ammonia-Nitrogen			10	20	
Total Residual Chlorine			0.41		1.03
Fecal Coliforms					
(5-1 to 9-30)			200/100 ml		1,000/100 ml
(10-1 to 4-30)			2,000/100 ml		
Antimony			0.45	0.9	
Beryllium			not detectable using EPA method 210.2		
Boron			2.8	5.6	
Cadmium			0.005	0.01	
Copper			0.05	0.1	
Iron			2.6	5.2	
Dissolved Iron				monitor and report	
Lead			0.036	0.072	
Silver			0.01	0.02	
Thallium			0.086	0.172	
Zinc			1.0	2.0	
Phenolics				monitor and report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge, design flow of 0.04 mgd. Final limits are effective from 3 years after issued date through expiration date. These limits are effective if the monthly average flow rate is greater than 0.025 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.025	report			
CBOD ₅			31		78
Suspended Solids			23	46	
Oil and Grease			15		30
Ammonia-Nitrogen			2.9	5.8	
Total Residual Chlorine			0.41		1.03
Fecal Coliforms					
(5-1 to 9-30)			200/100 ml		1,000/100 ml
(10-1 to 4-30)			2,000/100 ml		
Antimony			0.018	0.036	
Beryllium			not detectable using EPA method 210.2		
Boron			2.8	5.6	
Cadmium			0.002	0.004	
Copper			0.02	0.04	
Iron			2.6	5.2	
Dissolved Iron			0.53	1.06	
Lead			0.006	0.012	
Silver			0.005	0.01	
Thallium			0.004	0.008	
Zinc			0.13	0.26	
Phenolics			0.035	0.07	
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge, design flow of 0.01 mgd. Interim limits are effective from issued date through 3 years after issued date.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Suspended Solids			35	70	
Cadmium				monitor and report	
Silver				monitor and report	
Iron			3.0	6.0	
Manganese			1.03	2.06	
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge, design flow of 0.01 mgd. Final limits are effective from 3 years after issued date through expiration date.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Suspended Solids			35	70	
Cadmium			0.005	0.01	
Silver			0.011	0.022	
Iron			3.0	6.0	
Manganese			1.03	2.06	
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: Final water quality based effluent limitations at outfall 001 for ammonia-nitrogen, antimony, boron, cadmium, hexavalent chromium, copper, dissolved iron, lead, silver, thallium and phenolics. Final water quality based effluent limitation at outfall 002 for cadmium and silver.

The EPA waiver is in effect.

PA 0205044. Industrial waste, SIC: 4953, **Browning-Ferris Industries of Pennsylvania, Inc.**, Route 980 and Boggs Road, P. O. Box 47, Imperial, PA 15126.

This application is for issuance of an NPDES permit to discharge stormwater from the Imperial Landfill in Findlay Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributaries to the North and South Forks of Montour Run, classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Robinson Township Municipal Authority, located in Robinson Township, 9 miles below the discharge point.

Outfall 001: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chemical Oxygen Demand				monitor and report	
Oil and Grease				monitor and report	
Total Dissolved Solids				monitor and report	
Total Organic Carbon				monitor and report	
Total Suspended Solids			35.0	70.0	
Barium				monitor and report	
Chromium				monitor and report	
Lead				monitor and report	
Magnesium				monitor and report	
Cyanide				monitor and report	
Iron			3.5	7.0	
Aluminum				monitor and report	
Manganese			2.0	4.0	
Zinc				monitor and report	
Phenols				monitor and report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chemical Oxygen Demand				monitor and report	
Oil and Grease				monitor and report	
Total Dissolved Solids				monitor and report	
Total Organic Carbon				monitor and report	
Total Suspended Solids			35.0	70.0	
Barium				monitor and report	
Chromium				monitor and report	
Lead				monitor and report	
Magnesium				monitor and report	
Cyanide				monitor and report	
Iron			3.5	7.0	
Aluminum				monitor and report	
Manganese			2.0	4.0	
Zinc				monitor and report	

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Phenols					monitor and report
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: Underdrain discharges shall consist solely of uncontaminated groundwater. Emergency spillways are subject to the above limitations and/or monitoring requirements.

The EPA waiver is in effect.

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

Applications under the Pennsylvania Clean Streams Law

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection. Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 2597408. Sewage. **Frank Fiamella Subdivision**, 10247 West Main Street, North East, PA 16428. This project is for the development of three single family dwellings on three individual lots in Greene Township, **Erie County**.

WQM Permit No. 4397405. Sewage, **Sal Lough, SRSTP**, 108 Hickory Rd., Greenville, PA 16125. This project is for the construction of a Single Residence Sewage Treatment Plant in West Salem Township, **Mercer County**.

WQM Permit No. 3397402. Sewage, **Gene P. Kidder, SRSTP**, P. O. Box 106, Sigel, PA 15860. This project is for the construction of a Single Residence Sewage Treatment Plant in Barnett Township, **Jefferson County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 6597402. Sewerage. **Unity Township Municipal Authority**, R. D. 3, Box 526K, Latrobe, PA 15650. Application for the construction and operation of a gravity sanitary sewer interceptor to serve the Laurel Bilt Watershed located in Unity Township, **Westmoreland County**. The proposed gravity sewer will convey the watershed's sewage flows to the Carney Road Pump Station, now under construction, which will allow the elimination of the Laurel Bilt Sewage Treatment Plant.

A. 2685407—Amendment No. 1. Sewerage. **Fairchance-George's Joint Municipal Sewage Authority**, 125A West Church Street, Fairchance, PA 15436. Application for the expansion and modification of the existing treatment plant located in the Township of Georges, **Fayette County** to serve Fairchance and portions of Georges Township.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

A. 4597401. Sewerage. **Smithfield Township Authority**, R. R. 5, Box 5229, East Stroudsburg, PA 18301. Application to construct and operate sewers and appurtenances, and pump stations to serve the Marshalls Creek area, located in Smithfield Township, **Monroe County**. Application received in the Regional Office March 17, 1997.

INDIVIDUAL PERMITS

(PAS)

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701, telephone (717) 826-2553.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, telephone (412) 442-4028.

Southcentral Regional Office: Regional Water Management Program Manager, 1A Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

Lancaster County Conservation District, District Manager, 1383 Arcadia Road, Lancaster, PA 17601, telephone (717) 299-5361.

NPDES Permit PAS10-O-066. Stormwater. **High Associates LTD**, 1853 William Penn Way Box 1, Lancaster, PA 17605 has applied to discharge stormwater from a construction activity located in East Cocalico Township, **Lancaster County**, to Little Muddy Creek.

Lebanon County Conservation District, District Manager, 2120 Cornwall Road, Lebanon, PA 17042, telephone (717) 272-3377.

NPDES Permit PAS10P025. Stormwater. **Pennsylvania Department of Military Affairs**, Fort Indiantown Gap, Annville, PA 17003 has applied to discharge stormwater from a construction activity located in Union Township, **Lebanon County**, to Indiantown and Trout Runs.

Northampton County Conservation District, District Manager, R. R. 4, Greystone Bldg., Nazareth, PA 18064, telephone (610) 746-1971.

NPDES Permit PAS10U069. Stormwater. **Joseph Panuccio**, 163 Treeline Drive, Pen Argyl, PA 18072 has applied to discharge stormwater from a construction activity located in Forks Township, **Northampton County**, to Bushkill Creek.

Pike County Conservation District, District Manager, HC 6 Box 6770, Hawley, PA 18428, telephone (717) 226-8220.

NPDES Permit PAS10V016. Stormwater. **Harry and Barbara Buchanan**, R. R. 4 Box 7200, Milford, PA 18337 have applied to discharge stormwater from a construction activity located in Milford Township, **Pike County**, to Crawford Branch.

Schuylkill County Conservation District, District Manager, 1206 Ag Center Drive, Pottsville, PA 17901, telephone (717) 622-3742.

NPDES Permit PAS105713. Stormwater. **Mount Valley Golf Course**, Bubma Road, Mahanoy City, PA 17948 has applied to discharge stormwater from a construction activity located in Ryan Township, **Schuylkill County**, to Mill Creek and the Schuylkill River.

Washington County Conservation District, District Manager, 602 Courthouse Square, 100 Beau Street, Washington, PA 15301, telephone (412) 228-6774.

NPDES Permit PAS10W061. Stormwater. **Eighty Four Development Group**, P. O. Box 177, Eighty Four, PA 15330 has applied to discharge stormwater from a construction activity located in North Franklin Township, **Washington County**, to UNT to Chartiers Creek.

SEWAGE FACILITIES ACT

PLAN APPROVAL

Location: Shade—Central City Joint Authority, Somerset County, 429 Sunshine Avenue, Central City, PA 15926.

The Authority's proposed project provides for the abandonment of onlot systems and their associated problems in the Cottagetown and nearby residential areas and the elimination of combined sewer overflows through the construction of replacement separate sanitary sewer lines within the existing Shade—Central City service area. Total project cost is estimated at \$1 million. Treatment is to be provided at the existing Authority's sewage treatment plant.

The Authority proposes to use Pennsylvania's State Revolving Fund administered by the Pennsylvania Infrastructure Investment Authority (PENNVEST) for the construction of these sewerage facilities. The Department's review of the Sewage Facilities Update Revision and other information received has not identified any significant environmental impact resulting from this proposal.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.

A. 3697503. Public water supply. **West Earl Water Authority**, West Earl Township, **Lancaster County**, (Jeffery C. Jessell—Project Engineer, ACER Engineers and Consultants, Inc., 270 Granite Run Drive, Lancaster, PA 17601), installation of 12" and 6" DIP, booster pump-

ing station and corrosion control facility. The project includes an interconnection with the City of Lancaster Authority who will supply the West Earl Authority. Nolt Spring will be abandoned, (Richard G. McQuate, ACER Engineers and Consultants, Inc., 270 Granite Run Drive, Lancaster, PA 17601).

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

A. 1097503. Public water supply. **Lutheran Welfare Concordia Home**, 615 North Pike Road, Cabot, PA 16023. This proposal involves the permitting of a new well (Well C) as a backup; and replacing the 22" greensand filters in Jefferson Township, **Butler County**.

A. 6197502. Public water supply. **Venango Water Company**, P. O. Box 397, Reno, PA 16343 (Reno Water Company—Pump House). This proposal involves the installation of chemical feed systems for corrosion control and pH adjustment in Sugarcreek Borough, **Venango County**.

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

A. 4697501. Public water supply. **Red Hill Water Authority**, P. O. Box 26, Red Hill, PA 18076. This proposal involves the construction of a new well, to serve the residents of the Red Hill Borough, in Upper Hanover Township, **Montgomery County**.

SOLID AND HAZARDOUS WASTE

BENEFICIAL USE DETERMINATIONS

Beneficial Use Determinations received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the regulations for municipal and residual waste.

Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.

Beneficial Use No. BU30036. American Ash Recycling Corp. of PA, (6622 Southpoint Drive S., Jacksonville, FL 32216). Application for the beneficial use of ash for road-base and sub-base and other paved surfaces, aggregate for asphalt manufacturing, structural fill material, and substitute aggregate in concrete for a site in the Southcentral Region (county and township unknown at this time). Application received in the Regional Office December 2, 1996.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit applications withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit ID No. 101556. Vinland Enterprises, Inc., Sanifill, Inc., 6525 The Corners Parkway, Suite 540, Norcross, GA 30092. Modification for the operation of a construction and demolition waste landfill in North Versailles Township, **Allegheny County**. Major permit modification application withdrawn in the Regional Office on April 4, 1997.

AIR POLLUTION

OPERATING PERMITS

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-318-070A. The Department intends to issue an Air Quality Operating Permit to **Berks Can, Inc.** (P. O. Box 170, Blandon, PA 19510) for two can cylinder spray lines and three side seam spray machines controlled by two fabric collectors and using water-based coatings in Muhlenberg Township, **Berks County**.

06-3551. The Department intends to issue an Air Quality Operating Permit to **M.G.P., Inc.** (P. O. Box 128, Topton, PA 19562) for a graphite manufacturing operation controlled by four fabric collectors in Robesonia, **Berks County**.

07-312-016. The Department intends to issue an Air Quality Operating Permit to **Eldorado Properties Corporation** (P. O. Box 2621, Harrisburg, PA 17105) for several bulk gasoline/distillate storage tanks controlled by internal floating roofs in Allegheny Township, **Blair County**. The tanks are subject to 40 CFR 60, Subpart Ka and 40 CFR 60, Subpart Kb, Standards of Performance for New Stationary Sources.

07-312-017A. The Department intends to issue an Air Quality Operating Permit to **Eldorado Properties Corporation** (P. O. Box 2621, Harrisburg, PA 17105) for the north and south bulk gasoline/distillate bottom loading racks controlled by two vapor recovery units in Allegheny Township, **Blair County**. The sources are subject to 40 CFR 60, Subpart XX, Standards of Performance for New Stationary Sources.

67-322-001. The Department intends to issue an Air Quality Operating Permit to **Modern Trash Removal of York, Inc.** (P. O. Box 319, York, PA 17402) for a landfill gas management system controlled by a flare in Windsor and Lower Windsor Township, **York County**.

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335.

10-313-050. The Department intends to issue an Air Quality Operating Permit to **II-VI, Incorporated** (375 Saxonburg Boulevard, Saxonburg, PA 16506) for the operation of a chemical vapor deposition furnace at Clinton Township, **Butler County**.

20-313-021. The Department intends to issue an Air Quality Operating Permit to **Lord Corporation, Chemical Products Div.** (P. O. Box 556, Saegertown, PA 16433) for the operation of a rotary filter at Saegertown, **Crawford County**.

20-399-026. The Department intends to issue an Air Quality Operating Permit to **Lord Corporation** (124

Grant St., Cambridge Springs, PA 16403) for the operation of an adhesive spray line at Cambridge Springs, **Crawford County**.

24-307-026A. The Department intends to issue an Air Quality Operating Permit to **Keystone Powdered Metal Co.** (1935 State Street, St. Marys, PA 15857) for the operation of a rotary tempering furnace at St. Marys, **Elk County**.

33-313-008. The Department intends to issue an Air Quality Operating Permit to **Penngraph, Inc.** (R. D. 1, Box 227, Brookville, PA 15825) for the operation of carbon baking furnaces at Brookville, **Jefferson County**.

37-309-046. The Department intends to issue an Air Quality Operating Permit to **ESSROC Materials, Inc.** (P. O. Box 5250, Poland, OH 44514) for the operation of tire-derived fuel systems at Bessemer Boro, **Lawrence County**.

42-307-005. The Department intends to issue an Air Quality Operating Permit to **Stackpole Magnetic Systems, Inc.** (700 Elk Avenue, Kane, PA 16735) for the operation of a rotary calciner furnace at Kane, **McKean County**.

42-309-017. The Department intends to issue an Air Quality Operating Permit to **Pittsburgh Corning Corp.** (P. O. Box 39, Port Allegany, PA 16743) for the operation of a glass crunching, grinding and dispensing system (plant #2) at Port Allegany, **McKean County**.

42-309-017. The Department intends to issue an Air Quality Operating Permit to **Pittsburgh Corning Corp.** (P. O. Box 39, Port Allegany, PA 16743) for the operation of a glass crunching, grinding and dispensing system (plant #2) at Port Allegany, **McKean County**.

42-313-006C. The Department intends to issue an Air Quality Operating Permit to **Stackpole Magnetic Systems, Inc.** (700 Elk Avenue, Kane, PA 16735) for a ferrite magnet manufacturing operation at Kane, **McKean County**.

42-399-026A. The Department intends to issue an Air Quality Operating Permit to **Allegheny MDF, Ltd. Part.** (R. D. 1, Box 226, Kane, PA 16735) for the operation of a material reject air system at Sargeant Township, **McKean County**.

42-399-027A. The Department intends to issue an Air Quality Operating Permit to **Allegheny MDF, Ltd. Part.** (R. D. 1, Box 226, Kane, PA 16735) for the operation of dryers at Sargeant Township, **McKean County**.

42-399-028A. The Department intends to issue an Air Quality Operating Permit to **Allegheny MDF, Ltd. Part.** (R. D. 1, Box 226, Kane, PA 16735) for the operation of a high pressure chip system at Sargeant Township, **McKean County**.

42-399-030. The Department intends to issue an Air Quality Operating Permit to **Allegheny MDF, Ltd. Part.** (R. D. 1, Box 226, Kane, PA 16735) for the operation of sander dust systems at Sargeant Township, **McKean County**.

42-399-031. The Department intends to issue an Air Quality Operating Permit to **Allegheny MDF, Ltd. Part.** (R. D. 1, Box 226, Kane, PA 16735) for the operation of a sawdust and fuel system at Sargeant Township, **McKean County**.

61-318-008. The Department intends to issue an Air Quality Operating Permit to **Con Air Group-Franklin Div.** (P. O. Box 790, Franklin, PA 16323) for the operation of a painting process at Sugar creek, **Venango County**.

Applications received for State Only (Natural Minor) Air Quality Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335.

NM-25-066 Kaiser Aluminum & Chemical Co. (P. O. Box 619, Erie, PA 16512) in Erie, **Erie County**

NM-25-069 Mallinckrodt Chemical Inc. (1707 Gaskell Avenue, Erie, PA 16503) in Erie, **Erie County**

NM-25-197 Erie Bronze and Aluminum Co. (P. O. Box 8099, Erie, PA 16505) in Erie, **Erie County**

NM-25-267 American Meter Company (P. O. Box 1251, Erie, PA 16512) in Erie, **Erie County**

NM-25-268 American Sterilizer Company (2424 West 23rd Street, Erie, PA 16512) in Erie, **Erie County**

NM-25-090 Zurn Industries, Inc. (1301 Raspberry St., Erie, PA 16502) in Erie, **Erie County**

NM-25-360 The Electric Materials Company (Box 390, 45 Loomis Street, North East, PA 16428) in North East, **Erie County**

NM-25-688 Hamot Medical Center (201 State Street, Erie, PA 16550) in Erie, **Erie County**

NM-25-928 Zurn Industries, Inc. (1801 Pittsburgh Avenue, Erie, PA 16514) in Erie, **Erie County**

NM-25-944 PHB Inc. (7900 West Ridge Road, Fairview, PA 16415) in Fairview, **Erie County**

NM-25-964 FMC (1602 Wagner Ave., Erie, PA 16514) in Erie, **Erie County**

NM-33-085 Symmco Inc. (P. O. Box F, Sykesville, PA 15865) in Sykesville, **Jefferson County**

NM-33-152 CNG Transmission Corp. (445 W. Main St., Clarksburg, WV 26302) in Jefferson County

NM-37-011 Farmers Cheese, Inc. (R. D. 1, New Wilmington, PA 16142) in Wilmington Township, **Lawrence County**

NM-37-034 ESSROC Materials Inc. (P. O. Box 5250, Poland, OH 44514) in Hillsville, **Lawrence County**

NM-37-152 New Castle Refractories Co. (915 Industrial St., New Castle, PA 16102) in New Castle, **Lawrence County**

NM-37-293 Medusa-Crescent, Inc. (2001 Portland Park, Wampum, PA 16157) in Wampum, **Lawrence County**

NM-43-010 Jamestown Paint Company (108 Main St., P. O. Box 157, Jamestown, PA 16134) in Jamestown, **Mercer County**

NM-43-062 Armco Inc. (200 Clinton Street, Wheatland, PA 16161) in Wheatland, **Mercer County**

NM-43-289 Spang & Co.—Power Control (5241 Lake St., Sandy Lake, PA 16145) in Stoneboro, **Mercer County**

NM-43-296 Department of Corrections (2520 Lisburn Rd., Box 598, Camp Hill, PA 17001) in Findley Township, **Mercer County**

NM-43-298 Thomas & Betts Corp (McKinley Avenue, Mercer, PA 16137) in Mercer, **Mercer County**

NM-10-148 Ervin Industries, Inc. (681 East Butler Rd., Butler, PA 16001) in Summit Township, **Butler County**

NM-10-294 Vesuvius USA (50 North Green Lane, Zelenople, PA 16063) in Zelenople, **Butler County**

NM-10-298 ESM II, Incorporated (1161 Pittsburgh Rd., Valencia, PA 16059) in Clinton Township, **Butler County**

NM-10-300 Spang & Company (P. O. Box 391, Butler, PA 16003) in East Butler Boro, **Butler County**

NM-10-309 Heckett Multi Serv Plant No. 16 (612 N. Main St., Butler, PA 16001) in Butler, **Butler County**

NM-10-310 Air Products and Chemicals Inc. (7201 Hamilton Blvd., Allentown, PA 18195) in Butler Township, **Butler County**

NM-10-311 F. B. Leopold Co., Inc. (227 S. Division St., Zelenople, PA 16063) in Zelenople, **Butler County**

NM-16-002 C & K Coal Company (P. O. Box 69, Clarion, PA 16214) in Sligo, **Clarion County**

NM-20-034 Weyerhaeuser Choicewood (P. O. Box 189, Titusville, PA 16354) in Oil Creek Township, **Crawford County**

NM-20-256 Weyerhaeuser Choicewood (P. O. Box 189, Titusville, PA 16354) in Oil Creek Township, **Crawford County**

NM-20-271 Department of Corrections (2520 Lisburn Rd., Box 598, Camp Hill, PA 17001) in Cambridge Springs, **Crawford County**

NM-20-272 Universal Stainless & Alloy Products (600 Mayer St., Bridgeville, PA 15017) in Titusville, **Crawford County**

NM-24-017 Morgan Advance Materials MAMAT (441 Hall Avenue, St. Marys, PA 15857) in St. Marys, **Elk County**

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

There is a 30-day comment period from this date of publication.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **46-306-003**
Source: One Boiler
Company: **Ortho-McNeil Pharmaceutical**
Location: Lower Gwynedd
County: **Montgomery**

Philadelphia Air Management Services Notice of Intent to Approve Construction and Operation of Sun Company's, Inc. Cumene Expansion Project

Applicant: Sun Company, Inc., Girard Point Facility

Plant Location: 3144 Passyunk Ave., Philadelphia, PA 19145

Source Description: Cumene Expansion Project

Sun Company Inc. (Sun) has requested Air Management Services (AMS) for a permit to expand its cumene process. Annual emissions from the cumene expansion project are: 58.6 tons of nitrogen oxides, 4.6 tons of volatile organic compounds, 90 tons of sulfur dioxide, 8.7 tons of particulate matter and 5.3 tons of carbon monoxide. For purposes of this project, Sun has applied emission reduction credits against the nitrogen oxide and sulfur oxide emissions.

AMS is making a preliminary determination of approval for the cumene expansion project described above.

Copies of all documents and information concerning this permit are available for review in the offices of AMS, Room 218, 321 University Ave., Philadelphia, PA 19104-4543. Persons wishing to review these documents or to submit written comments should contact Brenda Bonner, (215) 685-7572. Written comments must be received by May 5, 1997. Comments received by facsimile will not be considered.

Philadelphia Air Management Services Notice of Intent to Approve a Permit for Construction and Operation of Kalmbach Feed Ingredients, Inc. Animal Feed Production Process

Applicant: Kalmbach Feed Ingredients Incorporated

Plant Location: 1620 South 49th Street, Philadelphia, PA 19143

Source Description: Animal Feed Process Using Food Waste

Kalmbach Feed Ingredients, Inc. has requested an Air Management Services (AMS) Permit to construct and operate an animal feed process. AMS is intending to approve, with conditions, the construction and operation of this process. Process allowable air emissions are 22.6 pounds per hour for carbon monoxide and sulfur dioxide, 5.5 pounds per hour for nitrogen oxides and volatile organic compounds, 0.04 grams per dry standard cubic foot for particulate matter, and 0.019 pounds per hour for formaldehyde.

Copies of all documents and information concerning this permit are available for review in the offices of AMS, Room 218, 321 University Ave., Philadelphia, PA 19104-4543, during normal business hours. Persons wishing to review these documents or to submit written comments should contact Brenda Bonner, (215) 685-7572 at the above address. Written comments must be received by May 2, 1997. Comments received by facsimile will not be considered.

PLAN APPROVALS

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

31-310-025D. Modification of a silica sandstone dry screening operation controlled by a fabric collector by **U. S. Silica Company** (P. O. Box 187, Berkeley Springs, WV 25411) at their Keystone Plant in Brady Township,

Huntingdon County. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

36-310-023E. Modification of an existing limestone milling plant by **Compass Quarries, Inc.** (4045 State Road, P. O. Box 657, Devault, PA 19432) in Paradise Township, **Lancaster County.** The modification is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

36-317-222. Installation of two sugar-grinding and classifying systems controlled by two fabric filter collectors by **Wilbur Chocolate Company, Inc.** (48 North Broad Street, Lititz, PA 17543) in the Boro of Lititz, **Lancaster County.**

36-399-037. Installation of a baghouse to control particulate matter emissions from a vermiculite expander by **A. H. Hoffman, Inc.** (77 Cooper Avenue, Landisville, PA 17538) in the City of Lancaster, **Lancaster County.**

38-310-017A. Modification of the existing limestone crushing and screening plant by **Carneuse Pennsylvania, Inc.** (P. O. Box 488, Chicago Heights, IL 60411-0488) in North Londonderry Township, **Lebanon County.** The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

41-309-003B. Installation of an air cleaning device (a fabric collector) on an agricultural limestone pulverizing system by **Milestone Materials, Inc.** (P. O. Box 231, Easton, PA 18044-0231) at the Pine Creek quarry in Limestone Township, **Lycoming County.**

Reasonably Available Control Technology (RACT)

Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen and Volatile Organic Compounds and Notice of Public Hearing

Approval of Reasonably Available Control Technology (RACT) plan for **Strick Corporation** in Berwick Borough, **Columbia County.**

The Department of Environmental Protection has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a truck trailer chassis manufacturing facility owned and operated by Strick Corporation in Berwick Borough, Columbia County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit for the facility and will be submitted to the U. S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The only air contamination sources to be addressed in the proposed operating permit are 21 small combustion units (20 space heaters and one gas-fired oven) and surface coating equipment cleanup activities (spray gun cleaning, spray line flushing, and the like). The preliminary RACT determination for these sources is that the volatile organic compound emissions from each of the

respective two air contamination source categories ("small combustion units" and "surface coating equipment cleanup activities") shall remain below 3 pounds per hour, 15 pounds per day and 2.7 tons per year.

One public hearing will be held for the purpose of receiving comments on the proposed operating permit and the proposed SIP revision. The hearing will be held on May 20, 1997, at 1 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (717) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (717) 327-3659 or the Pennsylvania AT&T relay service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to William P. Parsons, Acting Air Quality Environmental Program Manager, Pennsylvania DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments should be submitted by June 4, 1997.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (717) 327-3693.

MINING

CONDUCT COAL AND NONCOAL ACTIVITIES

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or

local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

11860101. Permit Renewal, Laurel Land Development, Inc. (P. O. Box 629, Carrolltown, PA 15722), commencement, operation and restoration of bituminous strip mine in Blacklick Township, **Cambria County**, affecting 67.0 acres, receiving stream discharge to Coalpit Run, application received April 7, 1997.

32970901. Mears Enterprises, Inc. (P. O. Box 157, Clymer, PA 15728), commencement, operation and restoration of bituminous strip mine in Cherryhill Township, **Indiana County**, affecting 8.0 acres, receiving stream unnamed tributary to Dixon Run to Dixon Run to Two Lick Creek to Conemaugh River, application received April 2, 1997.

32970104. Mears Enterprises, Inc. (P. O. Box 157, Clymer, PA 15728), commencement, operation and restoration of bituminous strip-auger mine in Grant Township, **Indiana County**, affecting 87.2 acres, receiving stream unnamed tributaries of Little Mahoning Creek to Little Mahoning Creek to Mahoning Creek to Allegheny River, application received April 3, 1997.

Bureau of Mining and Reclamation, Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

17910136. P & N Coal Co., Inc. (240 West Mahoning Street, Punxsutawney, PA 15767), renewal of an existing

bituminous surface mine-auger permit in Brady and Henderson Townships, **Clearfield and Jefferson Counties** affecting 130.0 acres, receiving streams unnamed tributaries to east branch Mahoning Creek, east branch Mahoning Creek, application received March 24, 1997.

41870101. Fisher Mining Company (460 Market Street, Williamsport, PA 17701), renewal of an existing bituminous surface mine permit in Pine Township, **Lycoming County** affecting 132.8 acres, receiving streams Buckeye Run to Otter Run, Otter Run to Little Pine Creek; Shingle Mill Branch to English Center Run, English Center Run to Little Pine Creek; Little Pine Creek to Pine Creek, Pine Creek to west branch Susquehanna River, application received March 28, 1997.

17910114. River Hill Coal Co., Inc. (P. O. Box 141, Kylertown, PA 16847), renewal of an existing bituminous surface mine permit in Karthaus Township, **Clearfield County** affecting 300.0 acres, receiving streams unnamed tributaries to Dutch Hollow Run, Dutch Hollow Run, a tributary to Mosquito Creek and Mosquito Creek, application received March 26, 1997.

17950106. Waroquier Coal Co. (P. O. Box 128, Clearfield, PA 16830), transfer of an existing bituminous surface mine-auger permit from R. B. Contracting, Greenwood Township, **Clearfield County** affecting 100.2 acres, receiving streams unnamed stream, tributary to Watts Creek, Watts Creek to Little Clearfield Creek to Clearfield Creek to west branch Susquehanna River, application received March 26, 1997.

17970104. E. M. Brown, Inc. (P. O. Box 767, Clearfield, PA 16830), commencement, operation and restoration of a bituminous surface mine permit in Cooper Township, **Clearfield County** affecting 34 acres, receiving streams Browns Run, application received March 31, 1997.

17840141. Larry W. Evans (R. D. 2, Box 48, Curwensville, PA 16833), transfer of an existing bituminous surface mine permit from Forcey Coal, Inc., Decatur Township, **Clearfield County** affecting 109.3 acres, receiving streams Moshannon Creek, application received April 7, 1997.

Mineral Resources Management—District Mining Operations, Knox District Office, P. O. Box 669, Knox, PA 16232.

101244-24930102-E-2. Fairview Coal Company (P. O. Box R, Ridgway, PA 15853). Application for a stream encroachment to relocate an unnamed tributary to Brandy Camp Creek in Horton Township, **Elk County**. Application received April 4, 1997.

10920107. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous surface strip operation in Clay and Cherry Townships, **Butler County** affecting 94.3 acres. Receiving streams two unnamed tributaries to south branch Slippery Rock Creek. Application received April 7, 1997.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

11841603. Cooney Brothers Coal Company (Box 246, Fourth Street, Cresson, PA 16630), to renew the permit for the Sonman Preparation Plant in Portage Township, **Cambria County**, no additional discharge. Application received March 24, 1997.

32851301. Valley Coal Company (P. O. Box 86, Alverda, PA 15710), to renew the permit for the Leonard Run No. 1 bituminous deep mine in Pine and Cherry

Townships, **Indiana County** and revise to add permit and subsidence control plan acres, no additional discharge. Application received March 24, 1997.

56743704. Penn Pocahontas Coal Company (P. O. Box 68, Boswell, PA 15531), to renew the permit for the P.P.C. Refuse Site in Brothersvalley Township, **Somerset County** for reclamation only, no additional discharge. Application received April 2, 1997.

56841610. Penn Pocahontas Coal Company (P. O. Box 68, Boswell, PA 15531), to renew the permit for the Prep Plant No. 1 in Brothersvalley Township, **Somerset County**, no additional discharge. Application received April 2, 1997.

04971301. M J Mining Company (1021 Whitestown Road, Butler, PA 16001), to operate the No. 1 bituminous deep mine in Greene Township, **Beaver County**, new underground coal mine, receiving stream unnamed tributary to Peggs Run. Application received March 10, 1997.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

49871602T. Lenig & Kosmer Coal Washery (R. D. 1, Box 250A, Shamokin, PA 17872), transfer of an existing coal preparation plant operation from Glenn R. Lenig in West Cameron Township, **Northumberland County** affecting 2.2 acres, receiving stream none. Application received March 31, 1997.

Bureau of Deep Mine Safety; Request for Variance

The Bureau of Deep Mine Safety has received a request for variance from the **Cyprus Cumberland Resources Corporation**. The following notification contains a summary of this request. Complete copies of the variance request may be obtained from Glen Ziegler by calling (717) 772-4006.

The Department is publishing a summary of the request in order to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for 30 days following the publication of this notice. All comments should be addressed to Richard E. Stickler, Director, Bureau of Deep Mine Safety, P. O. Box 8463, Harrisburg, PA 17105-8463.

Section 702 of The Bituminous Coal Mine Act (52 P. S. § 702) provides a mechanism for operators to obtain variances from specific requirements of the Act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 268(b) of The Bituminous Coal Mine Act, entitled Clearances and Shelter Holes, requires that shelter holes be provided on the clearance side along designated travelingways that are also used as haulage entries, other than belt conveyor haulage entries. These shelter holes shall be spaced not more than 80 feet apart.

Summary of the request: Cumberland Resources wishes to extend the maximum distance between shelter holes to 130 feet along main line haulage entries at the Cumberland Mine.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for

water quality certification have been received by the Department of Environmental Protection.

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306, 1307, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-765. Encroachment. Manufacturers' Golf and Country Club, 511 Dreshertown Rd., P. O. Box 90, Oreland, PA 19075. To operate and maintain 10 golf cart/pedestrian bridges (excluding the bridge along fairway 18), and a stone bridge driveway across and along Sandy Run (WWF) at the Manufacturers' Golf and Country Club property. The site is located at 511 Dreshertown Road (Ambler, PA Quadrangle N: 0.7 inch; W: 7 inches) in Upper Dublin Township, **Montgomery County**.

E46-769. Encroachment. PA DOT, 200 Radnor-Chester Rd., St. Davids, PA 19087-5178. To modify, operate and maintain an existing stream enclosure in and along an unnamed tributary to Tacony Creek which conveys stream flow beneath Township Line Road (S. R. 0073). The project proposes a roadway widening to accommodate increased automobile traffic volume and will require the extension of the 178-foot long existing stream enclosure for an additional 20 feet by constructing a cast-in-place 34-inch high by 78-inch wide, reinforced concrete box culvert, adjoining the downstream end. The project also includes removal of an existing concrete headwall, construction of a new approximately 60-foot long reinforced concrete endwall, and repair of existing masonry stone walls along the edge of the stream. The site is located at the intersection of Township Line Road and Foxcroft Road approximately 0.25 mile southeast from S. R. 0611 (Frankford, PA-NJ Quadrangle N: 15.4 inches; W: 17.4 inches) in Cheltenham and Abington Townships, **Montgomery County**.

E09-748. Encroachment. Sesame Place, 100 Sesame Road, Langhorne, PA 19047. To construct a parking facility expansion impacting 0.35 acre of wetlands (PSS1) at Sesame Place Amusement Park located at the intersection of Town Center Drive and North Buckstown Drive

(Langhorne, PA Quadrangle N: 11.4 inches; W: 0.1 inch) in Middletown Township, **Bucks County**.

E15-202. Encroachment. **William Lampe**, Byrnes Building, Ste. 100, 200 Lincoln Avenue, Phoenixville, PA 19460. To perform the following activities associated with the P.C.I. Industrial Redevelopment Project located along French Creek (TSF-MF):

1. To place and maintain fill within the 100-year floodway and 0.28 acre of wetland;
2. To construct and maintain a 24-inch CMP outfall structure;
3. To construct and maintain an 18-inch CMP outfall structure;
4. To construct and maintain a 6-foot wide by 18-inch deep parabolic swale outfall channel;
5. To construct and maintain a 6-foot wide by 9-inch deep parabolic swale outfall channel;

The site is located approximately 200 feet east of the intersection of North Road and Township Line Road (Phoenixville, PA USGS Quadrangle N: 1.7 inches; W: 5.40 inches) in the Borough of Phoenixville, **Chester County**.

E46-414. Encroachment. **PA DOT**, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To reissue and amend Permit No. E46-414 for the extension and maintenance of an existing 10-foot by 5-foot box culvert which exists under Horsham Road (SR 0463) and along a tributary to Park Creek. Work also includes:

1. Extend the Horsham Roadway culvert by 15 feet on the upstream end and 45 feet on the downstream end;
2. To construct and maintain a concrete retaining wall associated with the culvert's outlet structure;
3. To extend by 85 linear feet of an existing 36-inch R.C.P. stream enclosure.

The site is located approximately 434 feet southeast from the intersection of Babylon and Horsham Roads (Ambler, PA Quadrangle N: 13.6 inches; W: 5.9 inches) in Horsham Township, **Montgomery County**.

E46-766. Encroachment. **Manufacturers' Golf and Country Club**, 511 Dreshertown Rd., P. O. Box 90, Oreland, PA 19075. To modify, operate and maintain golf course foot bridge across Sandy Run (WWF) and to construct and maintain a 90-foot long retaining wall along Sandy Run (WWF) near the 18th Fairway, at the Manufacturers' Golf and Country Club property. The site is located at 511 Dreshertown Road (Ambler, PA Quadrangle N: 0.3 inch; W: 6.5 inches) in Upper Dublin Township, **Montgomery County**.

E09-236A2. Encroachment. **Jack's Neshaminy Marina, Inc.**, 100 River Road, Croydon, PA 19020. To amend Permit No. E09-236A which authorized construction and maintenance of an existing Marina Lagoon and travel Lift Slip and to perform maintenance dredging along the east bank of the Neshaminy Creek at points 1,250 feet to 3,000 feet upstream from the confluence of the Neshaminy Creek with the Delaware River in Bristol Township, **Bucks County**.

The permit also includes the following work:

1. To maintain a 6-foot wide "L" shaped pier which extends parallel to the Neshaminy Creek for 300 feet and is attached to an 80-foot section which extends eastward. This dock is located approximately 3,300 feet upstream from the confluence with the Delaware River.
2. To maintain a 6-foot wide, 140-foot long pier along the east bank of the Neshaminy Creek at a point 1,500 feet from the confluence of the Delaware River.

3. To operate and maintain an existing 45-foot × 51.5-foot restaurant building which is located along the east bank and in the 100-year floodway of the Neshaminy Creek at a point 1,500 feet upstream from the confluence of the Neshaminy Creek and the Delaware River. Jack's Marina is located along the east bank of the Neshaminy Creek (Beverly PA-NJ Quadrangle N: 16 inches; W: 5.5 inches) in Bristol Township, **Bucks County**.

Permit is to be amended to include the following:

1. To construct and maintain a "U" shaped bulkhead which extend approximately 310 feet parallel to the north of Neshaminy Creek to a point where the bulkhead extends 75-foot north then bends 90 degree and extends eastward 180 feet. Eighty foot long bulkheads will also be installed adjacent to each side of the existing boat rail line launching ramp. The bulkhead is located in the vicinity of an existing "L" shaped floating dock, and approximately 3,300 feet upstream from the Neshaminy Creek confluence with the Delaware River.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E01-179. Encroachment. **John L. Rautzhan**, PA Dept. of Transportation, District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699. To remove the existing structure, construct and maintain a precast reinforced concrete box culvert having a normal span of 18.0 feet with a minimum underclearance of 7.5 feet across the Conococheague Creek on S. R. 0233, Section 004, Segment 0010, offset 1065 (Caledonia Park, PA Quadrangle N: 7.2 inches; W: 13 inches) in Franklin Township, **Adams County**.

E06-489. Encroachment. **John Theisen**, Exeter Township, 4975vDE Moss Road, Reading, PA 19606. To construct and maintain a foot bridge with a span of 50 feet and an underclearance of 12 feet across the channel of Trout Run at a point just upstream of the Schuylkill River (Reading, PA Quadrangle N: 8.0 inches; W: 1.5 inches) in Exeter Township, **Berks County**.

E06-490. Encroachment. **Neill Dekker**, PA Dept. of Transportation, Engineering District 5-0, 1713 Lehig Street, Allentown, PA 18103. To extend an existing culvert in the channel of a tributary to the Schuylkill River and to place fill for a roadway widening in the floodway of Pigeon Creek at a point along Route 61 (Hamburg, PA Quadrangle N: 2.0 inches; W: 12.7 inches and Temple, PA Quadrangle N: 22.4 inches; W: 12.2 inches) in Perry Township, **Berks County**.

E21-264. Encroachment. **John Rautzahn**, PA Dept. of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103. To remove the existing structure and to construct and maintain a prestressed adjacent box beam bridge having a normal span of 28 feet with a minimum underclearance of 5 feet 3 inches across Tom Run on SR 3008, STA 17 & 64, Segment 0010, offset 1747 located about 1,800 feet east of its intersection with PA 233 in Pine Grove Furnace (Dickinson, PA Quadrangle N: 6.1 inches; W: 6.8 inches) in Cooke Township, **Cumberland County**.

E22-365. Encroachment. **Norman Lacasse**, PA Dept. of Conservation & Natural Resources, Bureau of Forestry, District 18, P. O. Box 8552, Harrisburg, PA 17105. To construct and maintain 3 footbridges across the channel of Asylum Run and 1 footbridge across the channel of a tributary to Asylum Run at points approximately 2,500 feet upstream and 500 and 1,000 feet downstream (Har-

risburg East, PA Quadrangle N: 7.44 inches; W: 14.55 inches) in Susquehanna Township, **Dauphin County**.

E36-630. Encroachment. **John Rautzahn**, PA Dept. of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103. To remove the existing structure, construct and maintain a cast in place reinforced concrete frame culvert having a clear normal span of 20-foot with a minimum underclearance of 6.0-foot across Swarr Run on S. R. 3017—Section 004, Segment 0450, offset 0000 (Columbia East, PA Quadrangle N: 15.2 inches; W: 4.75 inches) in East Hempfield Township, **Lancaster County**.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E19-166. Encroachment. **Developers Realty Corp.**, P. O. Box 17335, West Hartford, CT 06117. To place and maintain fill in a 0.5 acre isolated palustrine emergent wetland for the purpose of constructing a retail business. The applicant proposes to construct 0.5 acre of onsite replacement wetlands. The project is located along the north side of Rt. 11, approximately 0.5 mile WSW of the Central Rd/Rt. 11 intersection (Bloomsburg, PA Quadrangle N: 1.6 inches; W: 6.9 inches) in Scott Township, **Columbia County**.

E47-059. Encroachment. **Speedex Industries Inc.**, James Paugh, P. O. Box 241, Danville, PA 17821. To remove soil deposits which resulted from flooding for a length of 800 feet and average width of 6 feet and average depth of 2 feet 6 inches in an unnamed tributary to Chillisquaque Creek on the north side of SR 254 about 2,400 feet west of the intersection of SR 54 (Washingtonville, PA Quadrangle N: 8.6 inches; W: 8.05 inches) in Derry Township, **Montour County**. Estimated stream disturbance is less than 250 linear feet; stream classification is CWF.

E49-207. Encroachment. **PA Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754. To remove the existing structure and to construct and maintain a precast reinforced concrete box culvert skewed 50 degrees left ahead having a clear normal span of 16.0 feet and a minimum underclearance of 4.5 feet in County Line Branch located on the Lewis/Anthony township boundary line on SR 1010. Section 001, Segment 0080 (Hughesville, PA Quadrangle N: 5.6 inches; W: 14.6 inches) in Lewis Township and Anthony Township, **Northumberland County** and **Montour County**. Estimated stream disturbance is approximately 80 linear feet; stream classification is WWF.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E10-255. Encroachment. **Slippery Rock University**, 301 Old Main, Slippery Rock University, Slippery Rock, PA 16057. To construct a multi-use student recreation facility entrance spanning a watercourse and wetland. The span will be approximately 17 feet high, 36 feet maximum width and 65 feet long. This structure will span approximately 0.02 acre of wetland and 65 linear feet of an unnamed tributary of Slippery Rock Creek

(CWF). These wetlands are not exceptional value and are disturbed palustrine, emergent, seasonally flooded, freshwater, mineral soil wetlands. Project includes construction of 0.02 acre of replacement wetland at the same project site. The total project is approximately 9.0 acres in size and is located approximately 0.50 mile east of the intersection of S. R. 0173 and Keister Road on the north side of Keister Road (Slippery Rock, PA Quadrangle N: 10.90 inches; W: 05.70 inches) located in Slippery Rock Township, **Butler County**.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

E02-1185. Encroachment. **Fahringer, McCarty, Grey**, 1620 Golden Mile Hwy., Monroeville, PA 15146. To construct and maintain an office building spanning Abers Creek (TSF) located along the east side of Golden Mile Highway (SR 286) approximately 0.8 miles from intersection of SR 0286 and SR 22 (Murrysville, PA Quadrangle N: 10.9 inches; W: 12.45 inches) in the Municipality of Monroeville, **Allegheny County**.

E02-1186. Encroachment. **Paul Kossman Development**, 11 Parkway Ctr. Ste. 300, Pittsburgh, PA 15220. To place and maintain fill and a de minimus area of wetland less than or equal to 0.05 for the purpose of construction of proposed office building located north of the intersection of Mt. Lebanon Blvd. and Castle Shannon Road (Bridgeville, PA Quadrangle N: 20.7 inches; W: 4.2 inches) in the Municipality of Mt. Lebanon, **Allegheny County**.

E02-1187. Encroachment. **Development Group of Rose Valley**, 3380 Babcock Blvd., Pittsburgh, PA 15237. To remove existing structure, to construct and maintain a 12-foot diameter, 135-foot long enclosure in Lowries Run (TSF) and to place and maintain fill in 0.49 acre of wetlands (PEM/PSS) for purpose of providing access to a proposed retirement village located at the intersections of Rochester/Lowry Run Road and Fassinger Lane (Emsworth, PA Quadrangle N: 10.4 inches; W: 8.0 inches) in McCandless Township, **Allegheny County**.

E11-249. Encroachment. **East Carroll Township Supervisors**, P. O. Box 347, Carrolltown, PA 15722. To remove existing structure and to construct and maintain an 8-foot × 4-foot box culvert, 25.70-foot long in an unnamed tributary to Laurel Lick Run (HQ-CWF), located on T-468 (Farabaugh Road) at a point approximately 0.05 mile north of the intersection of T-468 and T-465 (Carrolltown, PA Quadrangle N: 13.1 inches; W: 6.3 inches) in East Carroll Township, **Cambria County**.

E56-277. Encroachment. **Summit Township**, P. O. Box 27, Meyersdale, PA 15552. To construct and maintain a 6-foot culvert, 40-foot long culvert in Miller Run (CWF) for the purpose of accessing proposed businesses located off SR 219 across from Meyersdale High School (Meyersdale, PA Quadrangle N: 8.25 inches; W: 5.4 inches) in Summit Township, **Somerset County**.

E63-429. Encroachment. **David and Darlene Bohaski**, 238 Little Mingo Road, Finleyville, PA 15332. To remove existing structure and to construct and maintain a 25-foot long wood deck bridge over an unnamed tributary to Mingo Creek to provide access to existing residence located along Little Mingo Road, approximately 300-feet west of intersection of Little Mingo Road and Beagle Club Road (Hackett, PA Quadrangle N: 16.4 inches; W: 2.5 inches) in Nottingham Township, **Washington County**.

E65-665. Encroachment. **Colony Family Partnership**, P. O. Box E, Irwin, PA 15642. To construct and

maintain a 12-foot 10-inch × 8-foot 4-inch structural plate pipe arch enclosure, 415 feet long, in an unnamed tributary to Tinkers Run (TSF) and to place and maintain fill in 0.01 acre of wetland (PEM) for the purpose of providing access to property with proposed commercial development (Irwin, PA Quadrangle N: 12.0 inches; W: 8.1 inches) in North Huntingdon Township, **Westmoreland County**.

E65-666. Encroachment. **Borough of Derry**, 114 E. Second Ave., Derry, PA 15627-1202. To remove existing structure and to construct and maintain four bridges carrying East First Avenue Alley, East First Avenue, East Second Avenue Alley, and East Third Avenue across McGee Run (TSF) located near the Borough Municipal Building (Derry, PA Quadrangle N: 15.15 inches; W: 6.85 inches) in Derry Borough, **Westmoreland County**.

EA26-001SW. Environmental Assessment. **Western PA Coalition for Abandoned Mine Reclamation**, Donohoe Ctr., R R 12, Box 202B, Greensburg, PA 15601. To periodically place high-quality alkaline (limestone) sand in the floodway of Glade Run (HQ-CWF) and two unnamed tributaries to Glade Run. This will allow high flow events to distribute the material downstream where it would dissolve to mitigate non-point source acid mine drainage by reducing acidity levels and raising the stream PH. These sites are located within State Game Lands 51. The site along Glade Run is located at its intersection with TR-722 (Fort Necessity, PA Quadrangle N: 21.8 inches; W: 12.2 inches) in Wharton Township, **Fayette County**.

WATER ALLOCATIONS

Applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Regional Office: Field Operations, Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.

WA 36-1005. Water Allocation. **West Earl Water Authority, Lancaster County**. The applicant is requesting the right to purchase up to 550,000 gallons per day from the City of Lancaster.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audio tape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1(800) 654-5984.

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

Permits Issued

WQM Permit No. 2597405. Sewage. **Edinboro Conference Campgrounds**, 5471 Old State Road, Edinboro, PA 16412. This project is for the proposed expansion of the existing campground facility in Washington Township, **Erie County**.

WQM Permit No. 1097404. Sewage. **Ehrman Farms, L. P.**, 1700 North Highland Road, Suite 302, Pittsburgh, PA 15241. This project is for the proposed construction of a force main and pump station in Cranberry Township, **Butler County**.

WQM Permit No. 4397403. Sewage. **Hermitage Municipal Authority**, 800 North Hermitage Road, Hermitage, PA 16148. This project is for the proposed construction of a small duplex pump station in the City of Hermitage, **Mercer County**.

WQM Permit No. 2597407. Sewage. **Summit Township Sewer Authority**, 8900 Old French Road, Erie, PA 16509. This project is for the construction of a pump station for a large proposed residential development in Summit Township, **Erie County**.

WQM Permit No. 2097401. Sewage. **PA Department of Transportation Safety Rest Areas Nos. 19 and 20**, 1140 Liberty Street, Franklin, PA 16323. This project is for the upgrading of an existing sewage treatment facility in Cussewago Township, **Crawford County**.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA 0222178. Sewage. **Fairview Asphalt, Inc.**, R. D. 3, Box 2A, New Castle, PA 16105 is authorized to discharge from a facility located in Fairview Township, **Erie County** to an unnamed tributary to Brandy Run.

NPDES Permit No. PA 0222216. Sewage. **Edinboro Conference Campgrounds**, 5471 Old State Road, Edinboro, PA 16412 is authorized to discharge from a

facility located in Washington Township, **Erie County** to an unnamed tributary to Boles Run.

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 0291202. Industrial waste, **U. S. Steel Group**, 600 Grant Street, Pittsburgh, PA 15219. Construction of Steel Manufacturing located in the Borough of West Mifflin, **Allegheny County** to serve the Irvin Plant.

Permit No. 0297201. Industrial waste, **U. S. Department of Energy**, Federal Energy Technology Center, 626 Cochran Mill Road, P. O. Box 10940, Pittsburgh, PA 15236-0940. Construction of Mine Research Center located in the Township of South Park, **Allegheny County** to serve the Federal Energy Technology Center.

Permit No. 6596201—Amendment No. 1. Industrial waste, **American Video Glass Company**, 777 Technology Drive, Mt. Pleasant, PA 15666-2715. Construction of Glass Manufacturing located in the Township of East Huntingdon, **Westmoreland County** to serve the American Video Glass Company.

Permit No. 6597201. Industrial waste, **CNG Transmission Corp.**, 445 West Main Street, P. O. Box 2450, Clarksburg, WV 26302-2450. Construction of Industrial Waste—Natural Gas Transmission and Storage located in the Township of Salem, **Westmoreland County** to serve the Oakford Compressor Station.

Permit No. 6597202. Industrial waste, **Westinghouse Electric Corporation**, Interstate 70 Exit 25A, Madison, PA 15663. Construction of Waltz Mill Site located in the Township of Sewickley, **Westmoreland County** to serve the Groundwater Remediation Treatment System.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA 0003000. Sewage, **Centria**, 401 FSC Industrial Park, 14th Street, Ambridge, PA 15003 is authorized to discharge from a facility located at Ambridge Borough, **Beaver County** to Ohio River.

NPDES Permit No. PA 0217557. Sewage. **Delta Chemicals Site Response Action Group**, P. O. Box 2009, Pittsburgh, PA 15230-2009.

This notice reflects changes from the notice published in the March 8, 1997 *Pennsylvania Bulletin*.

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease				15		30

NPDES Permit No. PA0217557. Sewage. **Delta Chemicals Site Response Action Group**, P. O. Box 2009, Pittsburgh, PA 15230-2009 is authorized to discharge from a facility located at Delta Chemicals Site, North Buffalo Township, **Armstrong County** to unnamed tributary to Buffalo Creek.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

NPDES Permit No. PA-0061875. Sewerage. **Hickory Sewer Corporation**, HC 89, Box 113, Route 940, Pocono Summit, PA 18346 is authorized to discharge from a facility located in Foster Township, **Luzerne County** to Pond Creek.

NPDES Permit No. PA-0051608. Sewerage. **Steven Holota**, 3790 Lehigh Drive, Northampton, PA 18067 is authorized to discharge from a facility located in Lehigh Township, **Northampton County** to an unnamed tributary to Indian Creek.

NPDES Permit No. PA-0060429. Sewerage. **Camp Speers-Eljabar**, R. R. 1, Box 89, Dingmans Ferry, PA 18328 is authorized to discharge from a facility located in Delaware Township, **Pike County** to an unnamed tributary to Dingmans Creek.

INDIVIDUAL PERMITS

(PAS)

The following approvals from coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS101711	Clearfield Education Foundation 125 East Market St. Clearfield, PA 16830	Clearfield County Lawrence Twp.	Clearfield Creek West Br. Susquehanna Rvr. Roaring Run

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream</i>
PAS10-G241	DCW, Inc. 214 Kirkbrae Road Kennett Square, PA 19348	East Nottingham Twp. Chester County	Unnamed tributary to West Branch Big Elk Crk.
PAS10-G243	West Chester Area School District 829 Paoli Pike West Chester, PA 19380	West Whiteland Twp. Chester County	Broad Run
PAS10-T068	TH Properties P. O. Box 159 Franconia, PA 18924	Franconia Twp. Montgomery County	Indian Creek
PAS10-G214	The Conrad Pyle Company 372 Rose Hill Road West Grove, PA 19390-0651	Penn Township Chester County	Big Elk Creek

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10U064	JET Properties 9331 Hamilton Boulevard Breinigsville, PA 18031-1722	Northampton Co. Bushkill Twp.	Bushkill Crk.

**INDIVIDUAL PERMITS
(PAR)**

APPROVALS TO USE NPDES GENERAL PERMITS

The following parties have submitted Notices of Intent (NOI) for Coverage under General NPDES Permits to discharge wastewater into the surface waters of the Commonwealth of Pennsylvania. The Department of Environmental Protection approves the following coverages under the specified General Permit. This approval is subject to applicable effluent limitations, monitoring and reporting requirements and other conditions set forth in the respective General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations and special conditions, and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES General Permits issued by Department of Environmental Protection:

NPDES General Permit Type

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems

Facility Location

<i>County and Municipality</i>	<i>Permit No.</i>	<i>Applicant and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Harborcreek Twp. Erie Co.	PAG058303	Travel Ports of America 3495 Winton Place Rochester, NY 14623	Unnamed tributary to Sevenmile Creek	DEP Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
Washington County Peters Township	PAG056103	Groundwater & Environmental Services, Inc. 220 Executive Drive, Suite 500 Cranberry Township, PA 16066	Tributary of Brush Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

**SEWAGE FACILITIES ACT
PLAN APPROVAL**

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure are also available in Braille or on audio tape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Plan Approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

City of Pottsville, Borough of Port Carbon, Borough of Palo Alto, Schuylkill County.

The Department has received the following submissions, as submitted by Alfred Benesch and Company on behalf of the Greater Pottsville Area Sewer Authority (Authority), the City of Pottsville, and the Boroughs of Port Carbon and Palo Alto:

—Correspondence, dated October 27, 1994, from Alfred Benesch and Company, transmitting the following items to the Department:

—Corrective Plan and Schedule for the Authority's Main Wastewater Treatment Facility, Revised and Dated October 27, 1993

—Corrective Plan and Schedule for the Authority's West End Wastewater Treatment Facility, Revised February 1, 1994

—Resolution No. 1994-2, Adopted September 12, 1994, by the Council of the Borough of Palo Alto

—Resolution No. 3 of 1994, Adopted July 1994 by the Council of the Borough of Port Carbon

—Resolution No. 145, Adopted July 18, 1994 by the Council of the City of Pottsville

All of the previously-referenced submissions proposed a revision of the Authority's existing Corrective Plan and Schedule (CP&S) for its Main and West End Wastewater Treatment Facilities. The existing CP&S documents will be replaced by the revised CP&S documents, previously listed in this correspondence, for both the Main and West End Wastewater Treatment Facilities. The revised CP&S documents set forth systematic plans to reduce and eliminate the hydraulic and organic overload conditions which currently exist in the authority's wastewater collection, conveyance and treatment facilities. The CP&S documents also contain time schedules for the implementation of the activities listed in each CP&S.

A substantial period of time has elapsed since the CP&S documents were submitted to the Department.

Since the Department was unable to act on each CP&S in a timely manner, the schedules, in the CP&S documents for both the Main and West End Wastewater Treatment Facilities are quickly becoming outdated. The Department still considers the activities listed in the CP&S documents valid. However, the Department will expect a completely updated CP&S for both the Main and West End Wastewater Treatment Facilities to be included in the Official Sewage Facilities Plan Update Revision currently being prepared by Alfred Benesch and Company on behalf of the municipalities and the Authority.

With this in mind, the Department hereby approves both CP&S document submissions. These documents are now to be considered an integral part of each municipality's Official Sewage Facilities Plan.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act, 35 P. S. §§ 750.1—750.20(a) (Act 537), and Chapter 71 of the Department's regulations (25 Pa. Code Ch. 71), the Department will hold the municipalities and the Greater Pottsville Area Sewer Authority responsible for the complete and timely implementation of the activities listed in the CP&S documents previously described. Noncompliance with any of the provisions of the approved CP&S documents may result in Departmental action against each municipality and/or the Greater Pottsville Area Sewer Authority.

Additional wastewater-related improvements, additions, deletions or changes outside those explicitly described in the CP&S documents must be in compliance with the Department's Regulations and be submitted to and approved by the Department in writing.

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-0530.

Location: Beech Creek Sewage Treatment Plant, located approximately 1,600 feet southeast of the Route 150 bridge over Beech Creek.

Project Description: Approval of revision to the official plan of both Beech Creek Borough and Beech Creek Township, **Clinton County.** Project involves repair of the existing sewage treatment plant.

The Department's review of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 6386502-A1. Public water supply. **Franklin Manor Utilities, LTD.,** 37 Highland Avenue, Washington, PA 15301.

Type of Facility: Addition of Aqua-Mag.

Permit to Construct Issued: April 8, 1997.

Permit No. 0389505-A3. Public water supply. **Pennsylvania-American Water Company,** 800 West Hershey Park Drive, Hershey, PA 17033.

Type of Facility: Pre-treatment caustic soda feed system.

Permit to Construct Issued: April 8, 1997.

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

Permit No. 2096504. Public water supply. **Lakeview Manor Mobile Home Park**, 8775 Hemlock Drive, Meadville, PA 16335 (Paul Seeley, 53 Madison Road, Wellesley, MA 02181). This permit approves the addition of Well No. 4 to the existing sources, pressure tanks, disinfection facility and iron and manganese removal filters in Union Township, **Crawford County**.

Type of Facility: Community Water Supply

Consulting Engineer: Richard A. Deiss, P. E., Richard A. Deiss & Associates, 9342 Pettis Road, Meadville, PA 16335.

Permit to Construct Issued: April 3, 1997

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

4097501. Pennsylvania American Water Company, Rice Street Pump Station, Shavertown, PA. This proposal involves the construction of the Rice Street Booster Pump Station to deliver water from the Hillside Filter Plant distribution system via the Rice Street tank to customers in Shavertown currently served by the Wood Street, Goeringer Avenue and Summit Street wells. This is located in Kingston Township, **Luzerne County**. Permit issued: April 1, 1997.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediations standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-5950.

Coca-Cola Bottling Company, Folcroft Borough, **Delaware County**. Dean Jeffery Telego, Risk Management Technologies, Inc., 110 N. Royal Street, Suite 301, Alexandria, VA 22314, has submitted a Final Report concerning remediation of site soils and groundwater contaminated with BTEX and solvents. The report is intended to document remediation of the site to meet site-specific standards.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Ingersoll-Rand Company Facility, City of Scranton, **Lackawanna County**. Barrett Group Environmental Services, 595 Bennett Street, Luzerne, PA has submitted a Final Report (on behalf of its client, Ingersoll-Rand Company, 605 Davis Street, Scranton, PA) site soils which were found to be contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

SOLID AND HAZARDOUS WASTE

RESIDUAL WASTE PROCESSING FACILITIES

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Solid Waste Program Manager; One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4588.

Permit No. 300550. Frog, Switch & Manufacturing Company, (P. O. Box 70, Carlisle, PA 17013). Application for closure of a residual waste landfill site in Carlisle Borough, **Cumberland County**. Permit issued in the Regional Office April 10, 1997.

HAZARDOUS WASTE, TREATMENT, STORAGE AND DISPOSAL FACILITIES

Notice of Intent under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to grant a hazardous waste determination of applicability permit-by-rule.

Southcentral Regional Office: Regional Program Manager; One Ararat Boulevard, Harrisburg, PA 17110.

PAR000024695. Meadowbrook Copal Company, Inc., J & L Briquettes, 6690 State Route 209, Lykens, PA 17048. The Department granted a hazardous waste permit by rule determination of applicability to J&L Briquettes for a recycling operation involving the reuse of electric arc furnace dust from steel making operations by forming the dust, mill scale and binder materials into briquettes to be returned to the steel manufacturing plant. Approval granted by the Department on April 7, 1997.

AIR POLLUTION OPERATING PERMITS

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

General Plan Approval and Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

General Plan Approval and Operating Permit No. BAQ-GPA/GP-2 for Storage Tanks for Volatile Organic Liquids was issued to the following: **GP-61-185: Health Oil Company**, P. O. Box 941, Oil City, PA 16301.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northwest Regional Office: Air Quality Program, 230 Chestnut St., Meadville, PA 16335.

10-309-060: The Department has issued an air quality operating permit to **Armstrong Cement & Supply Co.** (100 Clearfield Rd., Cabot, PA 16023) for the operation of two stone belts in West Winfield Township, **Butler County**.

The Department has issued air quality operating permits to Borden Chemical, Inc., (P. O. Box 7227, Mt. Jewett, PA 16740) for the following sources:

42-399-018C: Storage Tanks

42-399-033: Storage Tanks

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactive air contamination sources or air cleaning devices.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-3221: On April 4, 1997, the Department issued a Plan Approval to **Industrial Metal Plating, Inc.**, (116 Mitchell Road, Reading, PA 19601-1195) for the construction of a sulfuric acid anodizing line with a packed bed scrubber at their Reading Plant in Bern Township, **Berks County**.

28-318-032. On April 4, 1997, the Department issued a Plan Approval to **Grove North America** (P. O. Box 21, Shady Grove, PA 17256) for the construction of a paint spray booth and drying oven controlled by dry filters in Antrim Township, **Franklin County**.

28-318-035: On April 9, 1997, the Department issued a Plan Approval to **Jerr-Dan Corporation** (1080 Hykes Road, Greencastle, PA 7225) for the construction of two paint spray booths in Antrim Township, **Franklin County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

On March 10, 1997, Plan Approvals were issued to **MacMillan Bloedel Clarion LP** (P. O. Box 340, Shippenville, PA 16254) for the modification of the following sources at Shippenville, **Clarion County**.

16-316-004A; Refiner Start Up Dumps

16-316-005A: 1st Stage Dryer

16-316-006A: Material Handling System

16-316-007A: Board Cooling Vents

PA-33-116A: On March 19, 1997, a Plan Approval was issued to **Plunkett-Webster Dry Kiln, Inc.** (R. D. 3, Box 182, Brookville, PA 16160) for a wood burning boiler at Oliver Township, **Jefferson County**.

MINING

CONDUCT COAL AND NONCOAL ACTIVITIES

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625

Coal Applications Issued:

56673133. Permit renewal, **Soberdash Coal Company** (R. D. 2, Box 55A, Dunbar, PA 15431), commencement, operation and restoration of a bituminous strip mine in Black Township, **Somerset County**, affecting 507.6 acres, receiving stream unnamed tributary to Wilson Creek; to Wilson Creek and to Weimer Run, application received March 01, 1995, permit issued April 4, 1997.

Bureau of Mining and Reclamation, Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

17900110. Thomas Coal Company, Inc., (Star Route Box 53, Curwensville, PA 16833), renewal of an existing bituminous surface mine permit in Penn Township, **Clearfield County** affecting 119.8 acres, receiving streams: unnamed tributary of Bell Run and Bell Run, application received December 1, 1996, permit issued April 2, 1997.

17900140. Junior Coal Contracting, Inc. (R. R. 3, Box 225A, Philipsburg, PA 16866), renewal of an existing bituminous surface mine permit in Decatur Township, **Clearfield County** affecting 60.9 acres, receiving streams: tributaries to Laurel Run to Moshannon Creek to the West Branch Susquehanna River, application received January 7, 1997, permit issued April 2, 1997.

17910129. Beth Contracting Inc. (R. R. 1, Box 208C, Glen Campbell, PA 15742), renewal of an existing bitumi-

nous surface mine permit in Gulich Township, **Clearfield County** affecting 87.0 acres, receiving streams: unnamed tributary to Little Muddy Run to Little Muddy Run to Muddy Run to Clearfield Creek to the west branch of the Susquehanna River, application received January 22, 1997, permit issued April 2, 1997.

Mineral Resources Management—District Mining Operations, Knox District Office, P. O. Box 669, Knox, PA 16232.

33870104. R & L Coal Corp. (P. O. Box 26, Punxsutawney, PA 15767), renewal of an existing bituminous strip operation in McCalmont and Young Townships, **Jefferson County** affecting 257.0 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributaries to Little Elk Run and Little Elk Run. Application received: January 27, 1997. Permit issued: March 31, 1997.

33920105. Doverspike Bros. Coal Company (R. D. 4, Box 271, Punxsutawney, PA 15767), renewal of an existing bituminous strip operation in Porter Township, **Jefferson County** affecting 80.0 acres. Receiving streams: Two unnamed tributaries to Sugarcamp Run. Application received: February 10, 1997. Permit issued: March 31, 1997.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

49960101. MAK Enterprises (501 A Street, Girardville, PA 17935), commencement, operation and restoration of an anthracite surface mine operation in West Cameron and Zerbe Townships, **Northumberland County** affecting 919.0 acres, receiving stream—none. Permit issued: April 8, 1997.

49860102T. Mid Valley Coal Sales, Inc. (5 Woodland Drive, Mt. Carmel, PA 17851), transfer and renewal of an anthracite surface mine operation in Coal Township, **Northumberland County** affecting 1,200.0 acres, receiving stream—none. Transfer/Renewal issued April 11, 1997.

Mineral Resources Management—District Mining Operations, Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Issued

20960303. W. L. Dunn Construction Co. (P. O. Box 8, 180 Franklin St., Cochranon, PA 16314) commencement, operation and restoration of a sand and gravel operation in East Fairfield Township, **Crawford County** affecting 40.0 acres. Receiving streams: N/A. Application received: September 30, 1996. Permit issued: March 31, 1997.

Bureau of Mining and Reclamation, Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Small Industrial Mineral Authorizations Granted:

14960802. Mountaintop Coal Company, Inc. (496 W. Sycamore Road, Snow Shoe, PA 16874), commencement, operation and restoration of a Small Industrial Mineral (Shale) permit in Snow Shoe Township, **Centre County** affecting 2.35 acres, application received November 21, 1996, authorization granted March 20, 1997.

08960803. Ralph Sharer (R. R. 1, Box 126, Laceyville, PA 18623), commencement, operation and restoration of a Small Industrial Mineral (Flagstone) permit in Stevens Township, **Bradford County** affecting 2 acres, application received September 6, 1996, authorization granted April 2, 1997.

12960802. Robert V. Rupp Excav. Contr. (P. O. Box 325, Emporium, PA 15834), commencement, operation and restoration of a Small Industrial Mineral (Sandstone, Flagstone Quarry) permit in Shippen Township, **Cameron County** affecting 1 acre, application received December 13, 1996, authorization granted April 7, 1997.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rule of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E51-152. Encroachment Permit. **US Army Corps of Engineers**, Wanamaker Building, 100 Penn Square East, Philadelphia, PA 19107-3390. To repair and restore approximately 1,350 linear feet of stone masonry retaining wall along the banks of the Delaware River and the Poquessing Creek at the historic Glen Foerd property, located approximately 3,000 feet southeast from the intersection of State Road and Convent Avenue (Beverly, PA-NJ Quadrangle N: 9.4 inches; W: 14.5 inches), in the City of Philadelphia, **Philadelphia County**.

The work includes as follows:

1. Replace the loose or dislodged wall stones.
2. Rebuild unstable and collapsed sections of the river wall through construction of concrete cantilever retaining walls.

3. Install stone riprap bank protection for erosion control.

4. Install temporary access road along the Delaware River and Poquessing Creek.

The project will impact a de minimus amount of wetland.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E11-248. Encroachment. **PA Department of Transportation**, 1620 N. Juniata Street, Hollidaysburg, PA 16648. To remove the existing structure and to construct and maintain a five span bridge having a total normal clear span of 344.6 feet and a minimum underclearance of 34.5 feet across South Fork Branch of Little Conemaugh River. This permit also authorizes the placement and maintenance of fill in a de minimus area of wetlands less than or equal to 0.05 acre and the construction and maintenance of a temporary stream crossing consisting of ten 48-inch diameter CM pipes in South Fork Branch of Little Conemaugh River for the purpose of constructing the new proposed bridge. The project is located on SR 3024, Section 003, Segment 0190 Offset 0241 (Geistown, PA Quadrangle N: 18.0 inches; W: 4.8 inches in Adams and Croyle Townships, **Cambria County**).

E65-660. Encroachment. **Municipality of Murrysville**, 4100 Sardis Road, Murrysville, PA 15668-1120. To remove the existing structure and to construct and maintain a 515-foot long enclosure consisting of a 78-foot long, 60-inch diameter pipe culvert; a transition chamber; and a 437-foot long, 48-inch diameter pipe culvert in an unnamed tributary to Haymakers Run (HQ-CWF) for the purpose of constructing a public service facility. The project is located approximately 200 feet south of the intersection of Sardis Road and Crowfoot Road (Murrysville, PA Quadrangle N: 15.0 inches; W: 5.7 inches) in the Municipality of Murrysville, **Westmoreland County**.

Northcentral Region, Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E08-311. Encroachment. **Towanda Country Club**, R. R. 6, Box 6180, Towanda, PA 18848. To remove a vegetated gravel bar, 175 feet by 30 feet, and to restore, protect with riprap, and maintain an eroded stream bank 250 feet long in Laning Creek. This project is located next to the eighteenth hole of the golf course about 1,500 feet west of Laning Creek Road (Towanda, PA Quadrangle N: 3.75 inches; W: 6.75 inches) in Wysox Township, **Bradford County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E18-229. Encroachment. **Pa. Dept. of Transportation**, 1924-30 Daisy St., Clearfield, PA 16830. To remove the existing structure and to construct and maintain a six span steel girder bridge with a total clear span of 1,157 feet and minimum underclearance of 39.9 feet across the west branch Susquehanna River. This project is located on Route 150 about 1 mile east of Jay Street (Lock Haven, PA Quadrangle N: 2.5 inches; W: 10.1 inches) in the City of Lock Haven, Castenea and Woodward Townships, **Clinton County**.

E19-159. Encroachment. **Fishing Creek Township Spvr.**, R. R. 2, Box 174, Orangeville, PA 17859. To remove the existing structure and to construct and maintain a corrugated aluminum box culvert with a 14 foot 5 inch span and 3 feet 3 inch rise, depressed 6 inches in Yost Run. This project is located on T-603 about 0.4 mile east

of SR 1022 (Stillwater, PA Quadrangle N: 4.28 inches; W: 10.15 inches) in Fishing Creek Township, **Columbia County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E55-142. Encroachment. **Snyder County Commissioners**, c/o Robert H. Reigle, Snyder County Courthouse, P. O. Box 217, Middleburg, PA 17842. To remove the existing structure and to construct and maintain a two span prestressed adjacent concrete box beam bridge that will carry T-344 across the North Branch of Mahantango Creek. The proposed two span bridge shall be constructed with a total clear span of 117.0 feet, an average underclearance of 8.0 feet and a clear roadway width of 22.0 feet. The project is located along the western right-of-way of SR 0104 approximately 1,000.0 feet west of the intersection of T-344 and SR 0104 (Dalmatia, PA Quadrangle N: 7.9 inches; W: 15.9 inches) in Chapman Township, **Snyder County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E13-097. Encroachment. **Carbon County**, P. O. Box 129, Jim Thorpe, PA 18229-1238. To remove the existing structure and to construct and maintain a single span prestressed concrete bridge having a span of approximately 66 feet with an underclearance of 15 feet across Lizard Creek. The project is associated with the Route T354 Bridge Replacement Project and is located at the intersection of T354 and Lizard Creek approximately 0.1 mile downstream of the Pennsylvania Turnpike Northeast Extension (Lehigh, PA Quadrangle N: 7.9 inches; W: 6.3 inches) in East Penn Township, **Carbon County**.

E39-319. Encroachment. **Saucon Valley Country Club**, 2050 Saucon Valley Road, Bethlehem, PA 18015-9000. To repair and maintain: (1) Golf Cart Bridge \$10, having a span of 31.0 feet with an approximate underclearance of 4.0 feet across a Tributary to Saucon Creek with work consisting of the removal of the existing abutments, the construction and maintenance of new concrete abutments and the placement of R6 riprap for scour protection located at Grace Course Hole #4 (Allentown East, PA Quadrangle N: 9.1 inches; W: 2.0 inches); and (2) Golf Cart Bridge #31, having a span of 43.8 feet with an approximate underclearance of 6.0 feet across Saucon Creek with work consisting of the repair of scour damaged abutments and the placement of R6 riprap for scour protection located at Grace Course Hole #14 (Allentown East, PA Quadrangle N: 10.2 inches; W: 0.1 inch). The project is located within the Saucon Valley Country Club immediately east of the intersection of S. R. 0378 and S. R. 2036 in Upper Saucon Township, **Lehigh County**.

E52-146. Encroachment. **Drs. Peter Seitzman and Joseph Minola**, 18 East 77th Street, New York, NY 10021. To construct and maintain a 6 foot by 12 foot cantilevered boat dock along the west bank of Mill Rift Pond. This project is located on the west side of S. R. 1017 (Delaware Drive) approximately 200 feet north of Township Road T-400 (Port Jervis North, PA Quadrangle N: 6.7 inches; W: 16.6 inches) in Westfall Township, **Pike County**.

E64-177. Encroachment. **Wayne County Commissioners**, Wayne County Courthouse Annex, Honesdale, PA 18431. To remove the existing superstructure and to construct and maintain a steel I-beam bridge with steel grating having a span of 38 feet and an underclearance of

approximately 8 feet across Big Brook. This project, County Bridge No. 15, is located along Township Road T-550 approximately 0.2 mile west of S. R. 0191 (Aldenville, PA Quadrangle N: 2.1 inches; W: 1.4 inches) in Dyberry Township, **Wayne County**.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E07-269. Encroachment. **PA Dept. of Transportation**, Engineering District 9-0, Dain Davis, 1620 N. Juniata St., Hollidaysburg, PA 16648. To remove 1 twin 30-inch diameter concrete pipe culvert and to construct and maintain a reinforced concrete box culvert having a span of 8.0 feet and a rise of 3.0 feet in an unnamed tributary to Brush Creek along with realigning and reconstructing the stream channel upstream and downstream of the culvert for a total length of 150 feet located on Scotch Valley Road (T-424) at its intersection with Frankstown Road (SR 1009) (Frankstown, PA Quadrangle N: 14.0 inches; W: 14.5 inches) in Frankstown Township, **Blair County**. This permit also includes 401 Water Quality Certification.

E31-134. Encroachment. **Ralph Weiler**, Jackson Township Supervisors, R. D. 1, Box 389A, Petersburg, PA 16669. To construct and maintain a single span bridge having a span of 43.53 feet and a minimum underclearance of about 5.64 feet across Standing Stone Creek and place fill in a deminimus area of wetlands to replace a structure destroyed during the January 19, 1996 flood event located on Township Road T-525 about 0.5 mile east of its intersection with Township Road T-543 (McAlevy's Fort, Quadrangle N: 7.3 inches; W: 8.4 inches) in Jackson Township, **Huntingdon County**. This permit also includes 401 Water Quality Certification.

E34-086. Encroachment. **Leslie J. Stottle**, R. R. 1, Box 51, Honey Grove, PA 17035-9701. To repair the abutments and to maintain an existing bridge and to remove the concrete abutments at an abandoned railroad embankment across the channel at Willow Creek at a point just upstream of Route 850 (McCoysville, PA Quadrangle N: 5.3 inches; W: 7.8 inches) in Tuscarora Township, **Juniata County**. This permit also includes 401 Water Quality Certification.

E36-628. Encroachment. **PA Dept. of Transportation**, Engineering District 8-0, John Rautzahn, 2140 Herr Street, Harrisburg, PA 17103. To remove the existing structure, construct and maintain a precast reinforced concrete box culvert with bottom baffles, having a normal span of 15.0 feet with an underclearance of 4.0 feet on an 85 degree skew in Boyers Run on SR 4032-001 (Mountain Road), Segment 0130, Offset 2120 (Manheim, PA Quadrangle N: 18.08 inches; W: 1.98 inches) in Penn Township, **Lancaster County**. The placement of R-5 rock riprap will impact a deminimus area of wetlands less than or equal to .05 acre. This permit also includes 401 Water Quality Certification.

E44-083. Encroachment. **Borough of Burnham**, Bobbe McCalips, 200 First Avenue, Burnham, PA 17009. To construct and maintain a 48-inch outfall pipe with type D concrete endwall in Hungry Run as part of approved project to upgrade the existing storm sewer system located at the intersection of Walnut Street and Freedom Avenue (Burnham, PA Quadrangle N: 2.0 inches; W: 9.5 inches) in Burnham Borough, **Mifflin County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E67-579. Encroachment. **William Carter**, 421 Mundis Mill Road, York, PA 17402. To permit three previously constructed stone walls measuring 320 feet, 140 feet and 200 feet in the floodway of Codorus Creek north of Emig Road and Mundis Mill Road (York Haven, PA Quadrangle N: 2.8 inches; W: 12.6 inches) in Springettsbury Township, **York County**. This permit was issued under Section 105.13(e) "Small Projects."

ENVIRONMENTAL ASSESSMENT

Dams, Encroachments and Environmental Assessments

The Department of Environmental Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 1 (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Environmental Assessment Approvals and Actions on 401 Certification

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

EA67-009CO. Environmental Assessment. **Kevin Uhlik** (10 Dickinson Court, New Freedom, PA 17349). To construct and maintain a non-jurisdictional dam adjacent to Beetree Run (WWF) impacting a de minimus area of wetlands (PEM) equal to 0.02 acre for the purpose of recreation located at 10 Dickinson Court at the rear of the property (New Freedom, MD-PA Quadrangle N: 19.6 inches; W: 9.6 inches) in New Freedom, **York County**.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W. Third St., Williamsport, PA 17701, telephone (717) 327-3574.

EA59-001NC. Environmental Assessment. **NE HUB Partners**, LP 2 Riverbend at Lansdowne, 44084 Parkway Suite 340, Leesburg, VA 22075. The purpose of the project is to plug an abandoned natural gas well identified as S-25 in accordance with the USEPA Underground Injection Control (UIC) permit and restore PFO/PEM wetlands (0.2 acre) adjacent to the well site that will be temporarily filled for equipment staging. The project is located north of Jerry Green Road approximately 400 feet from the intersection with Back Road (Elkland, PA Quadrangle N: 5.75 inches; W: 0.8 inch). The Department has determined that this project meets the requirements of section 7 of the Dam Safety and Encroachments Act (32 P. S. § 693.7) 25 Pa. Code § 105.12(16).

WATER QUALITY CERTIFICATION

Final Actions under Section 401 of the Federal Water Pollution Control Act

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

These actions of the Department may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Environmental Hearing Board within 30 days from the date of this issue of the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Certification Request Initiated By: Philadelphia Suburban Water Company, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489.

Project Description/Location: This project involves the maintenance dredging of Lower Crum Reservoir on Crum Creek in Springfield Township, **Delaware County**. Approximately 30,000 cubic yards (average of less than 2 feet of sediment) of material will be removed from the bottom of the reservoir over the 10 acre area of open water from the dam to a point about 600 feet upstream. This proposed dredging activity follows emergency weed removal and dredging performed in June 1996 to remove sediments related to waste and odor problems in finished drinking water at the Crum Creek water treatment plant.

Final Action on Request: Certification Granted.

[Pa.B. Doc. No. 97-642. Filed for public inspection April 25, 1997, 9:00 a.m.]

Availability of Technical Support

Governor's Office List

Once a year on the first Saturday in August, the Governor's Office publishes a list of the nonregulatory guidance documents of all State agencies in the *Pennsylvania Bulletin*. The first publication of this list was in the August 3, 1996, edition of the *Pennsylvania Bulletin*. The next publication of this list will be in the August 2, 1997, *Pennsylvania Bulletin*.

DEP's Technical Guidance Document Inventory

DEP publishes a list of its technical guidance documents in its Technical Guidance Document Inventory twice a year. The most recent edition of the Inventory is the December 1996 edition. This edition is now available on DEP's World Wide Web site. DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of the

Inventory once on the DEP home page, persons should choose the Public Participation Center/Technical Guidance Document/Basic Inventory.

Bound paper copies of the Inventory are available now for those who do not have access to the Web site. DEP automatically mails a paper copy of the December 1996 Inventory to persons who received a bound paper copy of the June 1996 Inventory. Persons who wish to add their address to the mailing list should call Nina Huizinga at (717) 783-8727.

DEP's Technical Guidance Documents on the World Wide Web

DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of DEP's Technical Guidance Documents once on the DEP home page, persons should choose the Public Participation Center. The Center contains several links to DEP's Technical Guidance Documents. Persons should look under the heading "Proposals Open to Comment" for the link to "Draft Technical Guidance." Persons should look under the heading "Proposals Recently Finalized" for the link to "Technical Guidance." Persons should look under the heading "Technical Guidance" for one link to the "Basic Inventory" and a second link to "Final Guidance." The final documents menu will list DEP's bureaus. Persons should click on the name of the bureau to get to the list of the documents from that bureau that are currently on the Web. Then, to get to see a document, persons should click on the ID number of the document. DEP will be adding its revised documents to the Web throughout 1997.

Help Protect the Environment: Use the Web and Save Trees

DEP encourages members of the public who read these announcements in the *Pennsylvania Bulletin* and DEP's *UPDATE* and who have access to the World Wide Web to avoid the needless duplication of paper copies of DEP's technical guidance documents. Persons can download those DEP documents which are posted on DEP's Web site onto their computers and read them electronically. This method saves both paper and money.

Ordering Paper Copies of DEP Technical Guidance

Although DEP promotes the use of electronic copies of its technical guidance rather than paper copies, there are still reasons for DEP to continue to provide members of the public with paper copies: 1) It may be more convenient to use some documents in a paper form, 2) Not everyone has access to the World Wide Web and 3) Not all DEP documents are on the DEP's Web site yet.

Persons can order an unbound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727. [Note: This is a change. DEP is now filing these orders in-house. Persons who placed an order with Elwyn, Inc. (the previous printer) on or after April 15, 1997, will have their order forwarded to DEP.]

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Between publication of its Inventory, DEP announces changes to its technical guidance documents in its weekly newsletter, the *UPDATE* and the *Pennsylvania Bulletin*. Here is the current list of recently finalized documents, draft documents and notices of intended changes to technical guidance.

Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments about the Inventory, the documents on the World Wide Web, the availability of paper copies or the technical guidance document process in general should call Nina Huizinga at (717) 783-8727.

Final Technical Guidance—New Guidance

DEP ID: 364-207-008 Title: Administration of Fee Collection for Planning Module Reviews Description: This guidance establishes a standard method for calculating and collecting Act 537 planning module review fees and provides standardized models of correspondence for regional use. Effective Date: April 15, 1997 Page Length: 8 pages, including attachments Location: Volume 34, Tab 21A Contact: Milt Lauch at (717) 787-8184.

DEP ID: 562-3200-203 Title: Fixing Water Samples Description: This guidance describes how to fix and preserve water samples when testing for a variety of constituents. This is a minor revision to an existing document. Page Length: 3 pages Location: Volume 12, Tab 09 Contact: Mic McCommons at (717) 787-4761.

Draft Technical Guidance

DEP ID: 563-2112-217 Draft Title: Alkaline Addition for Surface Coal Mines Background: DEP will consider proposals for alkaline addition on mine sites under certain limited conditions. Deadline for Submittal of Comments: May 21, 1997 Contact: Keith Brady at (717) 783-8845.

DEP ID: 563-2112-206 Draft Title: Beneficial Use of Coal Ash at Active Coal Mine Sites Background: This document provides the review procedures for beneficial uses of coal ash and will be used by the District Mine Offices to review coal ash permit applications and revisions at coal surface mine sites, coal refuse reprocessing sites and coal refuse disposal sites. Deadline for Submittal of Comments: May 30, 1997 Contact: Alfred Dalberto at (717) 783-8845.

Notice of Intent to Rescind Technical Guidance

DEP ID: 562-2500-801 Title: Verification of License, Liability Insurance, Federal Reclamation Fee and Compliance Status Reason for Rescission: The guidance is no longer necessary. All of the procedures except for verification of a license are contained in other guidance documents. Verification that an operator has a valid license is done in conjunction with permit issuance. Effective Date of Rescission: April 30, 1997 Contact: Michael Terretti at (717) 787-7846.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-643. Filed for public inspection April 25, 1997, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Bid Proposal

The Department of General Services, State Surplus Property Program is seeking contractors to remove used oil, anti-freeze, tar and paint drums from the Department of Transportation. The following counties will be involved in the contract:

Scrap Oil, Anti-Freeze, Tar and Paint Drums

District 6—Bucks, Chester, Delaware, Montgomery and Philadelphia Counties. (This contract period will begin on September 1, 1997.)

District 2—Centre, Clearfield, Clinton, Cameron, McKean, Potter, Elk and Juniata Counties. (This contract period will begin on July 1, 1997.)

These contracts will be for 1 year with an optional extension for a 2nd, 3rd and 4th year. For more information or to obtain a bid proposal for this contract, write to the Department of General Services, State Surplus Property Division, 2221 Forster Street, P. O. Box 1365, Harrisburg, PA 17105, or call (717) 787-4085 prior to the bid opening on June 10, 1997.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 97-644. Filed for public inspection April 25, 1997, 9:00 a.m.]

Design Professional Selections

The Selections Committee for the Department of General Services will meet to consider selections of Design Professionals for the following projects:

Project No. DGS 594-25—Addition to Dormitory "A", Youth Forestry Camp No. 2, Hickory Run, Carbon County, PA. Construction Cost: \$213,000. The scope of work includes, but is not limited to, construction of an addition to Dormitory "A" which will include a bedroom for 3 (adjudicated youths), bathroom with showers, game room, counseling office, storage and mechanical room. Addition to be approximately 1,600 square feet.

Project No. DGS 800-207—Installation of Distribution and Heating Systems for Various Campus Buildings, The Pennsylvania State University, Capital College, Middletown, Dauphin County, PA. Construction Cost: \$1,139,000. The scope of work includes, but is not limited to, upgrade of underground district heating system by replacing existing system. New piping, sized for future building loads, to be installed so it can be expanded to a loop system. All existing buildings on the system to receive new service piping.

Project No. DGS 800-240 Phase 1, Part A—ADA Alterations in 15 Buildings, The Pennsylvania State University, University Park, Centre County, PA. Construction Cost: \$6,667,000. The scope of work includes, but is not limited to, ADA Alterations to the following 15 buildings: Willard, White, Pond Laboratory, Undergraduate Laboratory, Shields, Sparks, Forum, Burrowse, Osmond, Wagner, Davey Laboratory, Ag. Administration, Rackley, Hammond and Sackett. These buildings may require any or all of the following: primary/secondary ingress and egress; elevator access; restrooms; Laboratory/Classroom/Office; smoke/fire alarms; stairs and railings and site modifications.

Project No. DGS 947-9—Restoration and Preservation of the Great House, Old Economy Village, Ambridge, Beaver County, PA. Construction Cost: \$450,000. The scope of work includes, but is not limited to, repair, preservation and restoration of the Great House (the Rapp House). Building envelope repairs include roofing, painting, structural stabilization and carpentry/masonry. Systems to be repaired and/or restored include landscaping, paving, windows/doors, foundations, wood features

and historic interior restoration. (See Special Note under Requirements and Information section regarding Design Expertise.)

Project No. DGS 948-38—Construction of Addition to and Renovation of State Record Center, State Record Center, Susquehanna Township, Dauphin County, PA. Construction Cost: \$2,100,000. The scope of work includes, but is not limited to, construction of an approximately 23,000 square foot masonry and steel addition to the existing Center equipped with a sprinkler system. Fire ratings, power, signal and lighting shall conform to applicable State/National standards pertaining to archival storage. The heating system shall be a zoned, filtered and humidified air system with ultra violet sterilization designed to meet archival storage requirements.

Project No. DGS 992-14—Additional Funds for Restoration and Preservation of Select Miner's Houses, Phase II, Eckley Miner's Village, Weatherly, Luzerne County, PA. Construction Cost: \$2,000,000. The scope of work includes, but is not limited to, stabilization and preservation work including repair/rebuilding of foundation walls and wood structural components; exterior siding repair/replacement; roof replacement; repairs to windows/doors; repair/replace porches; exterior painting; abatement of hazardous materials; selective demolition; and drainage improvements. Professional shall perform a condition assessment and recordation/documentation of all 25 houses prior to finalizing list of buildings to be included in this project. (See Special Note under Requirements and Information section regarding Design Expertise.)

Requirements and Information

Special Note

Firms applying for Projects No. DGS 947-9 and DGS 992-14 must have extensive experience in the preservation of historic structures including no fewer than five structures that are listed on the National Register of Historic Places. A qualified historic archaeologist must also be part of the Professional team.

Note: Project Program

A Project Program, prepared by the Using Agency, for the above advertised projects may be available and can be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, telephone (717) 783-8468.

Instructions for Filing Application

Professionals will not be considered by the Committee until all of the following requirements are met.

(a) Signed Revised 1994 Form 150, not more than 1 year old as of the deadline date stated in paragraph (d) below, must be filed with the Department of General Services for the requesting professional firm and the designated key consultants listed on the requesting professional firm's application (Form 150-S). All signatures on Form 150 must be original signatures. Consultants listed on the requesting professional firm's application (Form 150-S) shall be deemed to be designated key consultants. If these documents are not on file with the Department, the requesting professional firm must submit them with firm's application (Form 150-S). A photocopy of Form 150 without an original signature of a principal of the firm is not acceptable. Revised 1994 Form 150, Architect/Engineer Questionnaire, may be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, telephone: (717) 783-8468.

(b) The requesting professional firm shall obtain from each consultant listed in the requesting professional firm's application (Form 150-S) a signed letter of certification on the consultant's letterhead, attesting to the firm's consent to participate in the requesting professional firm's application (Form 150-S) for the specific project. Signed letters of certification from consultants are required and constitute a part of the requesting professional firm's application (Form 150-S) for the specific project. All signatures on letters of certification must be original signatures.

(c) The requesting professional firm must submit six signed copies of Revised 1994 Form 150-S, Specific Project Form, for each project herein advertised in which the firm is interested and qualified to perform. All signatures on Form 150-S must be original signatures. For architectural projects and, when appropriate, for engineering projects, the Professional shall supply photographs showing a maximum of two different views of each of the three projects described in Question 14, Page 5 of the application (Form 150-S). The requesting professional firm or Joint Venture members must be the Professional of Record for the projects described in Question 14, Page 5 of the application (Form 150-S). It is not acceptable to list work performed by key consultants. The identification and appropriate supportive information concerning each photograph shall include the name, project title, location, and the name of the Professional of Record. Renderings and brochures will not be accepted in lieu of photographs. The photographs shall be attached to each copy of the application, (Form 150-S). The pages of each copy of revised 1994 Form 150-S must be stapled with photographs and consultant's letters of certification followed by photocopies of licenses of registered professionals included as the last section of the application. Do not bind the application (Form 150-S) in any way to any other documentation. Do not bind the application (Form 150-S) in a binder of any type. Revised 1994 Form 150-S may be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, telephone: (717) 783-8468.

(d) A complete project submission, which consists of documents described in paragraphs (a), (b) and (c) above, must be received on or before the close of business (5 p.m.) Friday, May 9, 1997, and addressed to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125. Fax applications are not acceptable.

Project submissions must be made on the current 1994 forms. Outdated forms are not acceptable.

(e) The Selections Committee may at its discretion establish interviews with any or all of the Professionals who have requested consideration for appointment as designer for the above projects. If an interview is required, the Professional will be notified by the Committee as to the date, time and location.

(f) Additional information, in writing, may be requested by the Committee as required.

Additional Services—Indoor Air Quality Assessment Program and Hazardous Materials

The Professional firm selected to design a project will be expected to perform and administer, when required by the Department as Additional Services, an Indoor Air Quality Assessment Program during Building or Renovation Commissioning and the sampling, testing, inspection and monitoring for removal of any asbestos, other hazard-

ous waste or contaminants encountered during project design or construction, unless otherwise stated in the Scope.

The professional agrees to comply with the terms of the Agreement and specifically as it relates to the Professional Liability Insurance and the General Liability Insurance Requirements.

The Selections Committee encourages responses from small firms, minority firms, women-owned firms and firms who have not previously performed State work, and will consider Joint Ventures, which will enable them to participate in this program.

All applications submitted are subject to review by the Selections Committee. The Selections Committee disclaims any liability whatsoever as to its review of the applications submitted and in formulating its recommendations for selection. All recommendations for selection made by the Committee shall be final pursuant to the act of July 22, 1975 (P. L. 75, No. 45).

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 97-645. Filed for public inspection April 25, 1997, 9:00 a.m.]

Remediation Contractors; Request for Proposal

The Department of General Services is seeking interested firms to submit sealed proposals for consideration for the following project:

DGS 173-68.0A—Remediation of Contaminated Facilities, Quehanna Wild Area, Forest District No. 9, Quehanna, Clearfield, PA. A brief description of the project is as follows: Certain structures at Quehanna are known to be contaminated with Strontium-90 and Cobalt-60. The facility is tenanted by PermaGrain Products, Inc. (PPI) for the manufacture of wood products. PPI is licensed by U. S. Nuclear Regulatory Commission (USNRC) for the possession of existing contamination. The Commonwealth desires the decontamination of the facility to meet USNRC criteria for release for unrestricted use. The project has been estimated as requiring up to 1 year of onsite work.

RFP Price—\$100 (Includes 6% PA Sales Tax) per RFP. Payable to the Commonwealth of Pennsylvania. This price is non-refundable. Requests for the RFP should be mailed to The Department of General Services, Bureau of Professional Selections and Administrative Services, Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Contact Bidders Services at (717) 787-3923, for the names of those who have secured the RFP.

Design Expertise—Proposers will be required to conclusively establish that they are qualified, highly skilled and experienced in Radioactive Decontamination and Decommissioning Operations.

Pre-Proposal Conference—A Pre-Proposal Conference has been scheduled for this project on Tuesday, May 20, 1997, at 10:30 a.m. at the Guest House at the Quehanna Boot Camp, Department of Corrections. (Maximum of three individuals per Proposer). Directions: Interstate 80 to Exit 22, Snow Shoe, Route 144 North to 879 North approximately 1 mile north of the Village Karthaus. Take right turn, approximately 2 miles to Quehanna.

Facility Tour—A Facility Tour is scheduled for this project on Tuesday, May 20, 1997 immediately following

the Pre-Proposal Conference. Participants are required to bring hard hats and safety glasses for the Facility Tour. Prospective contractors may submit their questions, in writing, before or within 2 hours after the end of the Pre-Proposal Conference. Questions will be answered, in writing, within 21 days after the Pre-Proposal Conference.

All proposals are due Tuesday, July 1, 1997 no later than 2 p.m., in Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Responses received after this due date and time will be returned unopened.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 97-646. Filed for public inspection April 25, 1997, 9:00 a.m.]

Proposed Plan for the Disposition of Commonwealth Property

The Department of General Services, under the authority contained in Act 48 of 1981 amending the act of April 9, 1929 (P. L. 177, No. 175), known as the Administrative Code of 1929, has published a proposed property disposition plan for review by the public and approval of the Legislature.

Persons wanting to comment on the proposed plan should do so in writing to Michael Reiter, Department of General Services, Bureau of Real Estate, Room 505 North Office Building, Harrisburg, PA 17125, within 30 days from the date of this notice. Correspondence should include the name and address of the writer and "Property Disposition Plan" should be noted in the lower right corner of the envelope. If more detailed information is desired concerning a particular property, written requests may also be directed to the above noted address.

GARY E. CROWELL,
Secretary

General Description of Properties

This property disposition plan is only a proposal to offer for sale the following described real property.

Offering No. 1

Norristown State Hospital Residences—The properties consist of three city lots with a residence on each. The properties are located at 127 Whitehall Road, 1754 Sterigere Street and 1762 Sterigere Street, Norristown, PA.

Offering No. 2

Brown's Mill School—This property consists of two buildings on approximately 0.33 acres of land. The school is approximately 850 square feet. The maintenance shed is 6' x 8'. The property is located at the intersection of Brown's Mill Road and Angle Road in Chambersburg, PA. This property has a historic covenant.

Offering No. 3

Fallowfield Land Parcel—This property consists of approximately 0.44 acres of land and is divided into four lots located on Shannon Street in Charleroi, PA. Property is unimproved.

Offering No. 4

John Brown House—This property consists of a 0.50 acre lot with a two story house and is located at 225 King Street in Chambersburg, PA. This property has a historic covenant.

Offering No. 5

Johston Tavern—This property consists of approximately 17 acres of land, a two story stone tavern and a maintenance shed. The property includes three parcels and is located approximately 4 miles south of Mercer, PA along U. S. Route 19. This property has a historic covenant.

Offering No. 6

Harrisburg State Farm Residence—This property consists of 5 acres of land with a 2 1/2 story brick residence including an attached three car garage. The property is located at 1308 Elmerton Avenue, Harrisburg, PA.

The Department is not guaranteeing to sell any or all of the referenced property. Final determination of sale will be conditioned upon approval from the Legislature and responses received from this notice.

General Terms and Conditions for Properties That May Be Offered for Sale

The terms and conditions for the sale of approved properties and the form of purchase will be determined by General Services depending on market conditions, proposals received, and the best interests of the Commonwealth. General Services will offer properties for sale either through an auction, sealed bid, or request for proposal (RFP). Offers below fair market value or fair consideration established through independent appraisal will be rejected.

Consideration will be given to lump sum purchase, installment purchase, lease purchase or fair consideration, the components of which include: job retention/creation, economic growth, community development, highest and best use, public purpose, expansion of local tax base, short term site redevelopment, and cash to the Commonwealth.

[Pa.B. Doc. No. 97-647. Filed for public inspection April 25, 1997, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

HealthChoices: Medical Assistance Managed Care, The Next Steps

This is to announce the release by the Department of Public Welfare of a paper entitled: *HealthChoices: Medical Assistance Managed Care, The Next Steps*. For the purpose of this paper, the physical and behavioral health Request for Proposals (RFPs) released for Southeast Pennsylvania, should be considered the "draft" RFPs for Southwest Mandatory Managed Care Expansion. Outlined in the paper are decisions made on the structure and design of Statewide Mandatory Managed Care Expansion, beginning with the implementation of the Southwest Zone. This paper incorporates public comments on the Statewide Discussion Paper issued by the Department in December 1996. To receive a copy of the *HealthChoices: Medical Assistance Managed Care, The Next Steps*, please call Cissy Johnson at (717) 772-6288 or FAX the request to (717) 772-6328.

To obtain a copy of either of these RFPs: For physical health (RFP #5-96) call Cissy Johnson at (717) 772-6288;

for behavioral health (RFP #3-96) call Michael Root at (717) 772-2362. These RFPs can also be accessed through the Pennsylvania Home Page on the Internet at: http://www.state.pa.us/PA_Exec/Public_Welfare/overview.html

A public meeting on Southwest Mandatory Managed Care Expansion will be held:

Time: Friday, May 16, 1997, from 9 a.m. to 5 p.m.

Location: Allegheny County Courthouse
The Gold Room (4th Floor)
542 Forbes and Grant Streets
Pittsburgh, PA 15129-2904

Individuals or groups interested in providing comments at the meeting should contact Cissy Johnson at (717) 772-6288 to sign up for a time slot. In order to accommodate all who would like to speak, the Department is asking that remarks be limited to 5 minutes or less, and be submitted in writing as well. Remarks of longer duration will be accepted in writing only. Written comments may be provided at the public meeting or can be sent to: Department of Public Welfare, Office of Medical Assistance Programs, Attention: Cissy Johnson, Room 111, Cherry Wood Building #33, Harrisburg State Hospital Grounds, Harrisburg, PA 17110. The Department asks that written comments be submitted no later than Friday, May 30, 1997.

A separate draft RFP and public meeting related to the Enrollment Assistance Program will be held in Summer 1997.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 97-648. Filed for public inspection April 25, 1997, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation, under 71 P. S. § 513(e)(7), intends to sell certain land owned by the Department.

The parcel available, consisting of 15,354 square feet, is located in Derry Township, Dauphin County at W. Main Street, Hummelstown and Hershey Park Drive, Derry Township. Minimum price \$4,300.

It has been determined that the land is no longer needed for present or future Transportation purposes.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Barry Hoffman, P.E., District Engineer, Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 97-649. Filed for public inspection April 25, 1997, 9:00 a.m.]

Research and Demonstration Grant Program Announcement

The Department of Transportation is announcing its 1997 Public Transportation Research and Demonstration Program. This Grant program is intended to solicit innovative approaches to improving transit's position in the intermodal transportation market place also in increasing ridership. This program is a competitive program and requires a 20% local match. Applications can be obtained by calling (717) 705-1493 or writing to PennDOT Transit Research, 555 Walnut Street, 9th Floor Forum Place Bldg., Harrisburg, PA 17110-1900 Attention: Local & Area Transportation. Applications are to be submitted by June 30, 1997.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 97-650. Filed for public inspection April 25, 1997, 9:00 a.m.]

Retention of Engineering Firms

**Bedford, Blair, Cambria, Fulton,
Huntingdon and Somerset Counties**

Project Reference No. 08430AG2066

The Department of Transportation will retain an engineering firm for an open-end contract for engineering and/or environmental services on various projects in the six county area of Engineering District 9-0. The contract will be for a 60 month period with a maximum cost of \$1 million.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an engineering agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting a letter of interest:

- a. Specialized experience and technical competence of firm. The firm must also be able to address critical environmental issues in a timely and cost effective manner, and be able to procure all necessary permits.
- b. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on open-end contracts. The specific experience of individuals who constitute the firms shall be considered.
- c. Current workload.
- d. Available staffing for this assignment. The firm selected must be capable of handling multiple work orders of a similar or diverse nature. Prompt turnaround time is expected.
- e. Relative size of firm to size of projects that may be completed under this contract.
- f. Location of consultant in respect to the District.

The selected firm will be required to provide necessary professional environmental and engineering services, material and equipment necessary to collect, analyze, map

and organize data; conduct preliminary engineering alternative analyses; assess impacts; conduct agency and public involvement activities; prepare reports; design mitigation plans; and prepare engineering and environmental analyses.

The engineering services will encompass a wide range of design efforts with the possibility of several different types of projects being designed under short completion schedules. The anticipated types of projects include bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type), minor capital improvement projects (bridges or roadway), railroad grade crossing projects and minor location studies, and the like.

The engineering firm may be required to perform field surveys, plot topography and cross sections, prepare submission for utility verification and relocations engineering, prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; evaluate alternatives using benefit/cost analysis; document engineering study findings and activities; develop design review submissions as per applicable Department manuals, procedures and policies; prepare construction plans, specifications, and estimates.

The areas of environmental study required under the contract may include, but are not limited to, air quality; noise; energy; vibration; hazardous waste, surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; and Section 4(f) Determinations and Evaluations. The environmental studies will be conducted in accordance with currently accepted analysis techniques and methodologies.

The preliminary engineering alternative analyses required under the contract may include, but are not limited to, engineering required to assess impacts and mitigation; avoid and/or minimize impacts; assess the condition of historic structures; and avoid impacts to Section 4(f) properties and waters of the United States.

The reports and other written and graphic materials to be prepared may include, but are not limited to, early coordination and scoping correspondence; plans of study; meeting minutes; public meeting and hearing presentations, visualization materials, handouts and displays; technical basis reports (TBRs); NEPA environmental documents, Section 106 documents; Section 4(f) Evaluations; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, remote sensing/mapping innovations, policies, procedures and guidelines and training materials. The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

This is the general work effort involved. A more specific and project related scope of work will be outlined for each individual work order developed under the open-end contract.

The second copy of the letter of interest and required forms (see general requirements and information section) shall be sent to: Earl L. Neiderhiser, P.E., District Engineer, District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648.

Technical questions concerning the requirements for this project should be directed to David L. Sherman, P.E., District 9-0, at (814) 940-5198.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit two copies of a letter of interest and required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the letter of interest and required information must be submitted to Charles W. Allwein, P.E., Chief, Consultant Agreement Division, 7th Floor, Forum Place, 555 Walnut Street, Harrisburg, PA 17101-1900.

The letter of interest and required information must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. prevailing time of the thirteenth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a Joint Venture with an individual, firm or corporation which is permitted under the State law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate letters of interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation, shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and

controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include the following information, and the information must be packaged and presented in the following order:

1. Transmittal Letter (maximum of two typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable) and the firm's Federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats and reports issued by the firm.

2. Project Organization Chart (one page, one side)

This chart should show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 must be signed, dated and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. Under Item 4 of this form, Column A should include the number of subconsultant personnel and Column B should include the number of prime consultant personnel to be assigned to work on this project reference number.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a

company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the letter of interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These forms shall be assembled with the prime's first, followed by the subconsultant's in the same order as they appear in Item 6 of Form 255.

5. Workload Projection Graph (not required for Construction Inspection Services)

A Workload Projection Graph for the prime and each subconsultant should indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next 2-year time frame. The Workload Projection Graph should be submitted for the offices where the work would be performed and should only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their names in the letter of interest, the letters from proposed prime employes should be first, followed by subconsultant employes, in the same order as shown in Item 6 of Form 255.

7. Registration To Do Business

Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include, with each letter of interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

This page must show the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Account must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

9. Additional Information

Additional information, not to exceed ten one sided pages or five double sided pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisements will be made to one of the firms who submitted an acceptable letter of interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's quali-

fication and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this notice and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 97-651. Filed for public inspection April 25, 1997, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Acceptance of Rulemaking Petition for Study

The Environmental Quality Board (Board), at its April 15, 1997, meeting, accepted a petition for further study under 25 Pa. Code Chapter 23 (relating to Environmental Quality Board Policy for Processing Petitions).

The petition was submitted by an organization known as Bushkill Falls, which requests the Board to redesignate Little Bushkill Creek, located in Pike County, from "High Quality" to "Exceptional Value."

The Department is currently reviewing this petition and will forward its report evaluating the petition to the Board. If the Department proposes amendments to the existing regulations and the Board concurs, the amendments will be processed as a proposed rulemaking with opportunity for public comment.

Copies of this petition are available from the Environmental Quality Board, P. O. Box 8477, Harrisburg, PA 17105-8477, (717) 787-4526.

JAMES M. SEIF,
Chairperson

[Pa.B. Doc. No. 97-652. Filed for public inspection April 25, 1997, 9:00 a.m.]

Area Unsuitable for Coal Mining; Shade Township, Somerset County

The Environmental Quality Board (Board) approved the Department of Environmental Protection's (Department) final recommendation not to designate the Shade Township petition area as unsuitable for surface coal mining activities. This recommendation was based on a technical study and evaluation of public comments.

A petition submitted by the Shade Township Supervisors requested that approximately 565 acres of land located northeast of the Village of Reels Corners in Somerset County receive the designation. The petition asserted that further surface mining operations conducted on any coals within the petition area could result in the diminution, loss or degradation of surface and groundwater resources, including aquifer recharge areas used for water supply. A primary concern identified by the petitioners is the potential loss of private water supplies through surface effects of underground mining in the petition area.

The Department's review concluded that while there is a potential that underground mining operations within the petition area could result in diminution, loss or degradation of some water supply wells, there are strata which contain aquifer zones that are suitable as replacement water supplies. Therefore, alternate water supply sources could be developed in the event private water supplies would be affected by surface mining operations.

Notice of the Department's proposed recommendation not to designate the area was published at 26 Pa.B. 5913 (December 7, 1996) with a 30-day public comment period. Copies of the final recommendation, which includes the technical study and comment and response documents addressing comments received on the petition and those addressing the proposed recommendation, are available from Mick McCommons, Bureau of Mining and Reclamation, 2nd Floor, Executive House, P. O. Box 8641, Harrisburg, PA 17105-8461, (717) 787-4761, or through E-mail to McCommons.Milton@a1.dep.state.pa.us.

JAMES M. SEIF,
Chairperson

[Pa.B. Doc. No. 97-653. Filed for public inspection April 25, 1997, 9:00 a.m.]

FISH AND BOAT COMMISSION

Closure to Public Fishing; Section of Muddy Creek, York County

The Executive Director of the Fish and Boat Commission, acting under the authority of 58 Pa. Code § 65.25, is taking action to close a small section of Muddy Creek in Muddy Creek Forks, York County, to public fishing on May 8, 9 and 10, 1997.

The Pennsylvania Film Office has requested the cooperation of the Fish and Boat Commission in closing a small section of Muddy Creek in connection with the production of a film at this site. The Fish and Boat Commission has been informed that all roads in the immediate vicinity will be closed to traffic on the dates in question and that the Muddy Creek Forks area will be filled with a great deal of film equipment. Under these circumstances limiting safe public access to this area, the Executive Director finds that this closure to public fishing is necessary and appropriate for the health and safety of persons who fish.

Muddy Creek is an approved trout water and is stocked with trout. The Fish and Boat Commission has reviewed the stocking schedule for this stream to ensure that this brief closure of a small section of stream does not impair fishing opportunities for stocked trout.

Accordingly, a section of Muddy Creek, 100 yards upstream and downstream of the country store in Muddy Creeks Fork, is closed to public fishing from 12:01 a.m. on May 8, 1997 until midnight on May 10, 1997.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 97-654. Filed for public inspection April 25, 1997, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Notice

The following meetings of the Health Care Cost Containment Council have been scheduled: Wednesday, April 30, 1997, Data Systems Committee at 1:30 p.m. The meeting will be held at the Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101. Thursday, May 1, 1997, Council Meeting at 10 a.m. The meeting will be held in the Conference Center at the Pennsylvania State Employees Benefits Trust Fund, 150 S. 43rd. Street, Harrisburg, PA. The public is invited to attend.

Persons who need accommodation due to a disability and want to attend a meeting, should contact Cherie Kauffman, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, (717) 232-6787, at least 24 hours in advance so arrangements can be made.

ERNEST J. SESSA,
Executive Director

[Pa.B. Doc. No. 97-655. Filed for public inspection April 25, 1997, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Re- fusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Hudson, Theodore, III; file no. 97-264-31672; Erie Insurance Company; doc. no. PH97-04-024; June 2, 1997, at 2 p.m.;

Appeal of Bundy, Dawn and Larry; file no. 97-121-01203; Erie Insurance Company; doc. no. P97-04-022; June 2, 1997, at 3 p.m.;

Appeal of Le, Andrea; file no. 97-264-31390; Keystone Insurance Companies; doc. no. PH97-04-031; June 4, 1997, at 9 a.m.;

Appeal of Pastor, E. William and Janice; file no. 97-264-31603; State Farm Mutual Automobile Insurance Company; doc. no. PH97-04-027; June 4, 1997, at 10 a.m.;

Appeal of Shotts, Rose; file no. 97-121-01092; Quaker City Insurance Company; doc. no. P97-04-021; June 4, 1997, at 11 a.m.;

Appeal of O'Brien, Patricia R.; file no. 97-308-70660; Liberty Mutual Insurance Company; doc. no. P197-04-025; June 4, 1997, at 1 p.m.;

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured

may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracy Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-656. Filed for public inspection April 25, 1997, 9:00 a.m.]

Review Procedure Hearings under The Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Verruggio, Charles; file no. 97-121-01323; Old Guard Mutual Insurance Co.; doc. no. P97-04-023; June 4, 1997, 2 p.m.;

Appeal of Ferro, Joseph and Rosalie; file no. 97-121-01164; USF&G; doc. no. P97-04-020; June 5, 1997, 9 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to partici-

pate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-657. Filed for public inspection April 25, 1997, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Lehigh County, Wine and Spirits Shoppe #3910, Parkway Shopping Center, 1529 Lehigh Street, Allentown, PA 18103-3813.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space within 1 mile of the intersection of Lehigh and Jefferson Streets, Allentown.

Proposals due: May 16, 1997, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661

Contact: Willard Rhodes, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 97-658. Filed for public inspection April 25, 1997, 9:00 a.m.]

OFFICE OF ADMINISTRATION

Request for Proposal; Pennsylvania Employees Benefit Trust Fund

Contract Information Description: The Pennsylvania Employees Benefit Trust Fund is seeking a contractor to provide retail and/or mail order prescription drug benefit services to approximately 90,000 active employees, 50,000 retirees and covered dependents. Services will be implemented January 1, 1998. To learn more about the services required or obtain detailed requirements of the Request for Proposal, contact Thomas S. Tomczyk at (412) 355-7201 by May 5, 1997.

Request for Proposal coordinator is William M. Mercer, Inc., One Mellon Bank Center, Suite 4200, 500 Grant Street, Pittsburgh, PA 15219.

Duration of Contract and/or Purchase Requisition: January 1, 1998, through December 31, 2000, with renewal option.

Estimated Dollar Amount of Contract and/or Purchase Requisition: Over \$500,000.

THOMAS G. PAESE,
Secretary

[Pa.B. Doc. No. 97-659. Filed for public inspection April 25, 1997, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Gas Service Without Hearing

A-120500F2000. Ronald A. Baker i/a/t/d/b/a R. A. Baker Gas Co. Application of Ronald A. Baker i/a/t/d/b/a R. A. Baker Gas Co. for approval of the abandonment or discontinuance of distribution of natural gas service to the public in portions of the townships of West Franklin, North Buffalo and South Buffalo, Armstrong County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before May 12, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Ronald A. Baker i/a/t/d/b/a R. A. Baker Gas Co., R. D. 1, Worthington, PA 16262.

Through and By Counsel: Bruno A. Muscatello, Esquire, Stepanian & Muscatello, 228 South Main Street, Butler, PA 16001.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-660. Filed for public inspection April 25, 1997, 9:00 a.m.]

Gas Service Without Hearing

A-120007F0002. Nido's Ltd. Inc. i/t/d/b/a Shadyside Gas. Application of Nido's Ltd. Inc. i/t/d/b/a Shadyside Gas for approval to begin to offer, render, furnish or supply service to the public in portions of the townships of West Franklin, North Buffalo and South Buffalo, Armstrong County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before May 12, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Nido's Ltd. Inc. i/t/d/b/a Shadyside Gas, 144 Winterwood Drive, Butler, PA 16001.

Through and By Counsel: Bruno A. Muscatello, Esquire, Stepanian & Muscatello, 228 South Main Street, Butler, PA 16001.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-661. Filed for public inspection April 25, 1997, 9:00 a.m.]

Sewer Service Without Hearing

A-230028F200. Spring Lake Village. Application of the abandonment of the provision of sewer service by Spring Lake Village to that portion of the public located in a limited area of Delaware Township, Northumberland County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the

Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before May 12, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Spring Lake Village.

Through and by Counsel: Ronald D. Butler, Esquire, P. O. Box 430, Harrisburg, PA 17108-0430.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-662. Filed for public inspection April 25, 1997, 9:00 a.m.]

Sewer Service Without Hearing

A-230074. Spring Lake Village and Keo Homes, Inc. Joint Application of Spring Lake Village, a partnership and Keo Homes, Inc., a corporation, for approval of: (a) the right of Keo Homes, Inc. to provide sewer service to the public in a limited portion of Delaware Township, Northumberland County, Pennsylvania, known as Spring Lake Crest under the published tariff, rules and regulations of Spring Lake Village and; (b) the sale by Spring Lake Village of its assets to Keo Homes, Inc.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before May 12, 1997.

Applicant: Keo Homes, Inc., R. D. 4, Box 29, Selinsgrove, PA 17870.

Through and by Counsel: Robert B. Lieberman, Esquire, P. O. Box 981, Harrisburg, PA 17108-0981.

Applicant: Spring Lake Village.

Through and by Counsel: Ronald D. Butler, Esquire, P. O. Box 430, Harrisburg, PA 17108-0430.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-663. Filed for public inspection April 25, 1997, 9:00 a.m.]

Telecommunications Service Without Hearing

A-310029F0002. Bell Atlantic-Pennsylvania, Inc. and US WATS, Inc. Bell Atlantic-Pennsylvania, Inc. and US WATS, Inc., by its counsel, filed on April 7, 1997, at the Public Utility Commission, a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All such comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and US WATS, Inc. Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

tion. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, 787-7466.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-664. Filed for public inspection April 25, 1997, 9:00 a.m.]

**Telecommunications Service
Without Hearing**

A-310397. GTE North Incorporated and Commonwealth Communications, Inc. GTE North Incorporated and Commonwealth Communications, Inc., by its counsel, filed on April 7, 1997, at the Public Utility Commission, a Joint Application for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the application and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All such comments are due on or before 20 days after the date of publication of this notice. Copies of the GTE North Incorporated and Commonwealth Communications, Inc. Joint Application are on file with the Pennsylvania Public Utility Commission and are available for public inspection. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, 787-7466.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-665. Filed for public inspection April 25, 1997, 9:00 a.m.]

**Water Service
Without Hearing**

A-211680F2000. Landenberg Water Company. Application of Landenberg Water Company for approval of the abandonment of all water service to Landenberg Manor, located in New Garden Township, Chester County, PA, by the transfer of all distribution mains and appurtenances and customers within Landenberg Manor to Chester Water Authority.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before May 12, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Landenberg Water Company, 13 East St. Joseph's Court, Wilmington, DE 19809;

Through and By Counsel: Ciro C. Poppiti, Esquire, Pennsylvania Building, Suite 406, 100 South French Street, Wilmington, DE 19801.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-666. Filed for public inspection April 25, 1997, 9:00 a.m.]

**Water Service
Without Hearing**

A-210046F2000. Spring Lake Village. Application of the abandonment of the provision of water service by Spring Lake Village to that portion of the public located in a limited area of Delaware Township, Northumberland County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before May 12, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Spring Lake Village.

Through and by Counsel: Ronald D. Butler, Esquire, P. O. Box 430, Harrisburg, PA 17108-0430.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-667. Filed for public inspection April 25, 1997, 9:00 a.m.]

**Water Service
Without Hearing**

A-210074. Spring Lake Village and Keo Homes, Inc. Joint Application of Spring Lake Village, a partnership and Keo Homes, Inc., a corporation, for approval of: (a) the right of Keo Homes, Inc. to provide water service to the public in a limited portion of Delaware Township, Northumberland County, PA, known as Spring Lake Crest under the published tariff, rules and regulations of Spring Lake Village and; (b) the sale by Spring Lake Village of its assets to Keo Homes, Inc.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before May 12, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Keo Homes, Inc., R. D. 4, Box 29, Selinsgrove, PA 17870.

Through and by Counsel: Robert B. Lieberman, Esquire, P. O. Box 981, Harrisburg, PA 17108-0981.

Applicant: Spring Lake Village.

Through and by Counsel: Ronald D. Butler, Esquire, P. O. Box 430, Harrisburg, PA 17108-0430.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-668. Filed for public inspection April 25, 1997, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

May 14, 1997	Grace Curran (Final Average Salary)	1 p.m.
	June Krapf (Reelection of Retirement Option)	2:30 p.m.

May 28, 1997	Roger Alexis (Final Average Salary)	1 p.m.
	Franklin W. Sasso (Final Average Salary)	

Persons with a disability who wish to attend the above-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Authur J. Granito, Assistant Executive Director, at (717) 783-5613 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the general rules of administrative practice and procedure), unless specific exemption is granted.

JAMES A. PERRY,
Secretary

[Pa.B. Doc. No. 97-669. Filed for public inspection April 25, 1997, 9:00 a.m.]