

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 29, 1997.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-22-97	PeoplesBank, A Codorus Valley Company Glen Rock York County	2701 Eastern Blvd. York Springettsbury Twp. York County	Opened
4-25-97	Fulton Bank Lancaster Lancaster County	Garden Spot Village Retirement Community 433 S. Kinzer Avenue New Holland Earl Township Lancaster County	Approved
4-28-97	Wilmington Trust of Pennsylvania West Chester Chester County	402 Lancaster Ave. Haverford Montgomery County	Approved
4-28-97	Wilmington Trust of Pennsylvania West Chester Chester County	One Liberty Place 1650 Market St., 51st Flr. Philadelphia Philadelphia County	Approved
4-28-97	Northwest Savings Bank Warren Warren County	104 East Main Street Lock Haven Clinton County	Filed
4-28-97	Union Bank and Trust Company Pottsville Schuylkill County	Weis Supermarket Rte. 61 and St. Clair Ave. Pottsville Schuylkill County	Filed

Branch Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-10-97	Jefferson Bank Haverford Montgomery County	<i>To:</i> Old York Road and Washington Lane Jenkintown Montgomery County <i>From:</i> 616 Old York Road Jenkintown Montgomery County	Effective
3-10-97	Jefferson Bank Haverford Montgomery County	<i>To:</i> 401 City Line Ave. Bala Cynwyd Montgomery County <i>From:</i> 100 Presidential Blvd., North Bala Cynwyd Montgomery County	Effective

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-28-97	Penn Security Bank & Trust Company Scranton Lackawanna County	<i>To:</i> Corner of Sanderson Ave. and E. Market St. Scranton Lackawanna County	Approved

NOTICES

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
		<i>From:</i> E. Market St. and Boulevard Ave. Scranton Lackawanna County	

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-25-97	Summit Bank Bethlehem Northampton County	Valmont Plaza 270 Susquehanna Blvd. West Hazleton Luzerne County	Approved
4-25-97	Summit Bank Bethlehem Northampton County	640 Hamilton Mall Allentown Lehigh County	Approved

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS**Conversions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
3-27-97	Local 98 I.B.E.W. Credit Union Philadelphia Philadelphia County	Philadelphia	Effective

*To:*Local 98 IBEW Federal Credit Union
Philadelphia
Philadelphia County

Represents conversion from State-chartered credit union to a Federally-chartered credit union.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 97-728. Filed for public inspection May 9, 1997, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION**Applications, Actions and Special Notices****APPLICATIONS****APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT****[National Pollution Discharge Elimination System Program (NPDES)]****DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER****(Part I Permits)**

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Richard Adams at (717) 327-3666. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination Systems (NPDES) permit to discharge to State waters.

Northcentral Region: Environmental Program Manager, Water Management, 200 Pine Street, Williamsport, PA 17701-6510, telephone (717) 327-3666.

PA 0009725. SIC: 3399, **Jersey Shore Steel Company**, P. O. Box 5055, Jersey Shore, PA 17740, Pine Creek Township, **Clinton County**.

This proposed action is for an amendment of an NPDES permit for an existing discharge of industrial contact and noncontact cooling water to an drainage ditch to west branch Susquehanna River in Pine Creek Township, Clinton County. This action is necessary because the permittee has proposed to construct an outfall line to convey the discharge to the West Branch Susquehanna River.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is Pennsylvania American Water Company located at Milton on the west branch Susquehanna River, 48 miles below the point of discharge.

Outfall 001: The proposed effluent limits, based on a design flow of 0.3 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor		
Total Suspended Solids	55	145	185
Oil and Grease	15		30
Temperature	monitor		
Total Iron	monitor		
pH	6.0—9.0 at all times		

Other Conditions: none.

The EPA waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

PA 0027065. Sewerage, **Lackawanna River Basin Sewer Authority**, P. O. Box 9068, Dickson City, PA 18519.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into the Lackawanna River in Archbald Borough, **Lackawanna County**.

The receiving stream is classified for the following uses: warm water, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Danville Water Authority located on the Susquehanna River.

Outfall 001

The proposed effluent limits based on a design flow of 6.0 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	4		8
(11-1 to 4-30)	12		24
Dissolved Oxygen	a minimum of 5.0 mg/l at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Copper	monitor and report		
Total Lead	monitor and report		
Total Zinc	monitor and report		

Point Sources 002 through 017 serve as combined sewer reliefs necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant and are permitted to discharge only for such reason. There are, at this time, no specific effluent limitations of these discharges.

The EPA waiver is not in effect.

PA 0063703. Sewerage, **Thomas E. Little**, R. R. 4, Box 89A, Dalton, PA 18414.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an unnamed tributary of the south branch of the Tunkhannock Creek, Benton Township, **Lackawanna County**.

The receiving stream is classified for the following uses: cold water, fishery, aquatic life, water supply and recreation.

Outfall 001

The proposed effluent limits based on a design flow of 0.0004 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
Fecal Coliform	200/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	monitor and report	

The EPA waiver is in effect.

PA 0027073. Sewerage, **Lackawanna River Basin Sewer Authority**, P. O. Box 9068, Dickson City, PA 18519.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into the Lackawanna River in Moosic Borough, **Lackawanna County**.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Danville Water Authority located on the Susquehanna River.

The proposed effluent limits based on a design flow of 1.0 mgd are:

Outfall 001

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60
Dissolved Oxygen	a minimum of 5.0 mg/l at all times		
Fecal Coliform	200/100 ml as a geometric mean		
(5-1 to 9-30)	2,000/100 ml as a geometric mean		
(10-1 to 4-30)	6.0—9.0 standard units at all times		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine	1.0		2.3
Total Copper	monitor and report		
Total Lead	monitor and report		
Total Zinc	monitor and report		

Point Sources 002 through 005 serve as combined sewer reliefs necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant and are permitted to discharge only for such reason. There are, at this time, no specific effluent limitations of these discharges.

The EPA waiver is not in effect.

PA 0027090. Sewerage, **Lackawanna River Basin Sewer Authority**, P. O. Box 9068, Dickson City, PA 18519.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into the Lackawanna River in Throop Borough, **Lackawanna County**.

The receiving stream is classified for the following uses: warm water, trout stocking fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Danville Water Authority located on the Susquehanna River.

Outfall 001

The proposed effluent limits based on a design flow of 7.0 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60
NH ₃ -N			
(5-1 to 10-31)	4.5		9.0
(11-1 to 4-30)	13.5		27.0
Dissolved Oxygen	a minimum of 5.0 mg/l at all times		
Fecal Coliform	200/100 ml as a geometric mean		
(5-1 to 9-30)	2,000/100 ml as a geometric mean		
(10-1 to 4-30)	6.0—9.0 standard units at all times		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine	0.5		1.2
Total Copper	monitor and report		
Total Lead	monitor and report		
Total Zinc	monitor and report		

Point Sources 002 through 025 serve as combined sewer reliefs necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant and are permitted to discharge only for such reason. There are, at this time, no specific effluent limitations on these discharges.

The EPA waiver is not in effect.

PA 0053147. Sewerage, **Upper Saucon Sewage Treatment Authority**, c/o Raymond J. Janesch, Chairperson, 5500 Camp Meeting Road, Center Valley, PA 18034.

This proposed action is for renewal and transfer of an NPDES permit to discharge treated sewage into north branch of Saucon Creek in Upper Saucon Township, **Lehigh County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the proposed downstream potable water supply (PWS) considered during the evaluation is Keystone Water Company Yurdley District located on the Delaware River.

Outfall 001

The proposed effluent limits based on a design flow of 2.0 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	10	15	20
(11-1 to 4-30)	20	30	40
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	3	4.5	6.0
(11-1 to 4-30)	9	13.5	18
Dissolved Oxygen	a minimum of 5.0 mg/l at all times		
Fecal Coliform	200/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Chlorine Residual	monitor and report		
1st Month through 36th Month	0.5		
37th Month through Expiration	1.0		

Other Requirements. Total Residual Chlorine, Whole Effluent Toxicity Testing and Sludge Disposal.

The EPA waiver is not in effect.

PA 0062774. Industrial waste, SIC: 5541, **Pilot Corporation**, P. O. Box 10146, Knoxville, TN 37939-0146.

This proposed action is for renewal of an NPDES permit to discharge treated stormwater into an Unnamed Tributary to Nescopeck Creek in Sugarloaf Township, **Luzerne County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

Outfall 001

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Recoverable Petroleum Hydrocarbons	monitor only		

This permit is also subject to Special Conditions regarding control and treatment of petroleum product contaminated stormwater runoff.

The EPA waiver is in effect.

PA 0011762. Industrial waste, SIC: 3471, **American Nickeloid Company**, 129 Cherry Street, Walnutport, PA 18088.

This proposed action is for renewal of an NPDES permit to discharge treated process wastewater and noncontact cooling water into the Lehigh River in Walnutport Borough, **Northampton County**. This is an existing discharge.

The receiving stream is classified for the following uses: trout stocking, fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Northampton Borough Water Authority located on the Lehigh River.

The proposed effluent limits for monitoring point 101, based on a design flow of 0.0432 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Dissolved Solids	4,000	8,000	10,000
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Total Copper	2.07	3.38	
Total Lead	0.43	0.69	
Total Zinc	1.48	2.61	
Total Cadmium	0.26	0.69	
Total Chromium	1.71	2.77	
Total Cyanide	0.65	1.20	
Total Nickel	2.38	3.98	
Total Silver	0.24	0.43	
Total Toxic Organics		2.13	
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 001

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0062855. Industrial waste, SIC: 4941, **Mary-D Community Association**, c/o John J. Nortavage, 34-36 Forest Lane, Mary-D, PA 17952.

This proposed action is for renewal of an NPDES permit to discharge treated filter backwash wastewater into Swift Creek in Schuylkill Township, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Pottstown Borough Water Authority located on the Schuylkill River.

Outfall 001

The proposed effluent limits based on a design flow of 0.00038 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	
Total Aluminum	4.0	8.0	
Total Iron	2.0	4.0	
Total Manganese	1.0	2.0	
pH	6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0061468. Sewerage, **Ronald L. Albert**, Liberty Mobile Home Park, R. R. 3, Box 205, Montrose, PA 18801-8809.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an Unnamed Tributary to Snake Creek in Liberty Township, **Susquehanna County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is on Snake Creek at the Pennsylvania/New York border.

Outfall 001

The proposed effluent limits based on a design flow of .03 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	50.0
Total Suspended Solids	30.0	60.0
NH ₃ -N		
(5-1 to 10-31)	4.0	8.0
(11-1 to 4-30)	12.0	24.0
Dissolved Oxygen	a minimum of 5.0 mg/l at all times	
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine		
First 36 Months	monitor and report	
Months 37 through 60	0.3	0.8

The EPA waiver is in effect.

PA 0027081. Sewerage, **Lackawanna River Basin Sewer Authority**, P. O. Box 9068, Dickson City, PA 18519.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Lackawanna River in Clinton Township, **Wayne County**.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is The Danville Water Authority located on the Susquehanna River.

Outfall 001

The proposed effluent limits based on a design flow of 0.7 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	10		20
Dissolved Oxygen	a minimum of 5.0 mg/l at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine	.9		2.1
Total Copper	monitor and report		
Total Lead	monitor and report		
Total Zinc	monitor and report		

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

PA 0222259. Sewage, **Heckathorne United Methodist Church**, R. D. 1, Box 289AA, Heckathorne Church Road, Seneca, PA 16346.

This application is for a new NPDES permit to discharge treated sewage to an Unnamed Tributary of Halls Run in Cranberry Township, **Venango County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fish, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at river mile 90 which is 51.50 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.000750 mgd, are:

Outfall No. 001

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD ₅	10		20
TSS	20		30
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0222305. Sewage, **Andy Confer**, R. D. 2, Box 79, Pittsfield, PA 16340.

This application is for a new NPDES permit to discharge sewage to Caldwell Creek in Deerfield Township, **Warren County**. This is a new discharge.

The receiving water is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 54 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.0008 mgd, are:

Outfall No. 001

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10		20
TSS	20		40
Fecal Coliforms (all year)	200/100 ml as a geometric average		
Total Residual Chlorine	1.5		3.5
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0030295. Sewage. **Commodore Perry School District**, 3002 Perry Highway, Hadley, PA 16130-2699.

This application is for renewal of an NPDES Permit to discharge treated sewage to Millner Run in Perry Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Greenville Municipal Authority intake on the Shenango River located at Greenville, approximately 16 miles below point of discharge.

The proposed effluent limits, based on a design flow of 0.0092 mgd, are:

Outfall No. 001

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Ammonia-Nitrogen (5-1 to 10-31)	4.5	9
(11-1 to 4-30)	13.5	27
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	5,800/100 ml as a geometric average	
Total Residual Chlorine	1.5	3.5
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0002887. Industrial waste, SIC: 3547, **Union Electric Steel Corporation**, P. O. Box 465, Carnegie, PA 15106.

This application is for renewal of an NPDES permit to discharge cooling water and stormwater from flame hardening operations in Carnegie Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Chartiers Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the West View Municipal Authority, located at West View, 9.0 miles below the discharge point.

Outfall 005: existing discharge, design flow of 0.000454 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
TSS			31	60	
Oil and Grease			15		30
Cadmium			0.19	0.38	0.47
Chromium			1.71	2.77	
Copper			1.18	2.36	2.95
Lead			0.43	0.69	
Nickel			0.21	0.42	0.52
Silver			0.009	0.018	0.022
Zinc			0.77	1.55	1.92
Cyanide			0.65	1.20	
TTO				2.13	
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0003107. Industrial waste, SIC: 3321, **Anchor Glass Acquisition Corporation**, P. O. Box 30182, Tampa, FL 33630-3182.

This application is for renewal of an NPDES permit to discharge furnace drain water, cooling tower blowdown and stormwater from Anchor Glass Plant in South Connellsville, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, Youghiogheny River, classified as a high quality, cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Western Pennsylvania Water Company, located at Uniontown.

Outfalls 001 and 006: existing discharge, design flow of 0.3 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30	60	
Oil and Grease			15	30	
pH	not less than 6.0 nor greater than 9.0				

Outfall 013: new discharge (stormwater)

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease			monitor and report		
pH			monitor and report		

Outfalls 004, 007 through 012: new discharges.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
	Discharge consists solely of uncontaminated stormwater runoff				

The EPA waiver is in effect.

PA 0004839. Industrial waste, SIC: 3399, **Kennametal, Inc.**, P. O. Box 231, Latrobe, PA 15650.

This application is for renewal of an NPDES permit to discharge cooling water and stormwater from the Kingston Plant in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Loyalhanna Creek and unnamed tributary of Loyalhanna Creek, classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation.

Outfall 201: existing discharge, design flow of 0.0471 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)	110				
Suspended Solids	report			60	
Dissolved Solids	report			1,000	
Copper	report			0.6	
Iron, Dissolved	report			7.0	
Zinc	report			4.0	
Molybdenum	monitor and report				
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This outfall shall consist solely of the wastewaters from Outfall 201 and uncontaminated stormwater runoff.					

Outfalls 002, 003, 004, 005: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
These outfalls are permitted to discharge uncontaminated stormwater runoff from areas in and around the facility. There are at this time no specific effluent limitations on these outfalls.					

The EPA waiver is in effect.

PA 0006769. Industrial waste, SIC: 3273, **Sheesley Supply Company, Inc.**, 837 Horner Street, Johnstown, PA 15902.

This application is for renewal of an NPDES permit to discharge treated process water from Sheesley Supply Company in Johnstown, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Stony Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Saltsburg Municipal Water Authority, approximately 43 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.004 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids	2.6		30	60	
Oil and Grease			15		30
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: new discharge, design flow of 0.00004 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids	2.6		30	60	
Oil and Grease			15		
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0090948. Industrial waste, SIC: 4953, **CBF, Inc.**, R. D. 1, Box 266, McClellandtown, PA 15458.

This application is for renewal of an NPDES permit to discharge treated leachate and stormwater from a municipal landfill in German Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, tributary of Dunlap Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Brownsville Water Company, located on the Monongahela River, 19 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.014 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.014				
CBOD-5 Day	1.2	2.4	10	20	25
Total Suspended Solids	1.2	2.4	10	20	25
Total Dissolved Solids	monitor/report				
Ammonia Nitrogen (5-1 to 10-31)	0.17	0.35	1.5	3.0	4.0
(11-1 to 4-30)	0.52	1.0	4.5	9.0	11.0
Fecal Coliforms			200/100 ml 2,000/100 ml		1,000/100 ml
Antimony	0.005	0.009	0.040	0.080	0.100
Arsenic	0.006	0.012	0.050	0.100	0.130
Chromium	0.015	0.030	0.125	0.250	0.313
Copper	0.003	0.006	0.023	0.046	0.058
Lead	0.0008	0.0016	0.007	0.014	0.018
Mercury				nondetectable	
Nickel	0.018	0.035	0.150	0.300	0.375
Selenium	0.001	0.002	0.012	0.024	0.030
Zinc	0.020	0.040	0.157	0.314	0.393
Total Phenols	0.004	0.008	0.034	0.068	0.085
Aluminum	0.140	0.280	1.2	2.4	3.0
Barium	0.470	0.930	4.0	8.0	10.0
Boron	0.760	1.520	6.5	13.0	16.25
Cobalt	0.006	0.012	0.050	0.100	0.125
Iron	0.175	0.350	1.5	3.0	3.75
Dissolved Iron	0.14	0.29	1.24	2.48	3.10
Manganese	0.12	0.24	1.0	2.0	2.5
1,1 Dichloroethane			0.090	0.180	0.225
Methylene Chloride			0.100	0.200	0.250
Toluene			0.050	0.100	0.125
Diethyl Phthalate			0.025	0.050	0.063
Acetone			0.110	0.220	0.275
P-Cressol			0.050	0.100	0.125
2-Hexanone			0.015	0.030	0.038
Methyl Ethyl Ketone			0.210	0.420	0.525
Methyl Isobutyl Ketone			0.015	0.030	0.038
1-Propanol			0.550	1.10	1.38
2-Propanol			0.540	1.08	1.35
Total Xylenes			0.010	0.020	0.025
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	monitor/report				

Outfall 003: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	monitor/report				

The EPA waiver is in effect.

PA 0093181. Industrial waste, SIC: NA, **Industrial Waste, Inc.**, P. O. Box 406, Darlington, PA 16115.

This application is for renewal of an NPDES permit to discharge treated leachate from Darlington Waste Disposal Site in Darlington Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, State Line Creek, classified as a high quality, cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is not applicable.

Outfall 001: existing discharge, design flow of 0.24 mgd. Interim Effluent Limitations

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Total Suspended Solids			30	60	
Ammonia Nitrogen (5-1 to 9-30)			3.0	6.0	
(10-1 to 4-30)			4.5	9.0	
Manganese			1.0	2.0	
Cadmium			0.001	0.002	
Copper			0.012	0.002	
Lead			0.005	0.01	
Nickel			0.10	0.20	
Hexavalent Chromium			0.01	0.02	

Outfall 001: existing discharge, design flow of 0.24 mgd. Interim Effluent Limitations

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Phenols			0.01	0.02	
Free Cyanide			0.005	0.01	
Iron			1.5	3.0	
Dissolved Solids			2,000	4,000	
Sulfate			600	1,200	
Thallium			0.01	0.02	
Nitrate and Nitrite			20	40	
Selenium			0.005	0.01	
Zinc			0.08	0.16	
Total Residual Chlorine	monitor and report				
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

Outfall 001: existing discharge, design flow of 0.24 mgd. Final Effluent Limitations

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Total Suspended Solids			30	60	
Ammonia Nitrogen (5-1 to 9-30)			3.0	6.0	
(10-1 to 4-30)			4.5	9.0	
Manganese			1.0	2.0	
Cadmium			0.001	0.002	
Copper			0.012	0.002	
Lead			0.005	0.01	
Nickel			0.10	0.20	
Hexavalent Chromium			0.01	0.02	

Outfall 001: existing discharge, design flow of 0.24 mgd. Final Effluent Limitations

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Phenols			0.01	0.02	
Free Cyanide			0.005	0.01	
Iron			1.5	3.0	
Dissolved Solids			2,000	4,000	
Sulfate			261	522	
Thallium			0.01	0.02	
Nitrate and Nitrite			20	40	
Selenium			0.005	0.01	
Zinc			0.08	0.16	

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Residual Chlorine			0.5	1.25	
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0095176. Industrial waste, SIC: 3511, **Elliott Turbomachinery Company, Inc.**, North Fourth Street, Jeannette, PA 15644-0800.

This application is for renewal of an NPDES permit to discharge treated process water, cooling water and stormwater from the Jeannette facility in Jeannette, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary of Brush Creek, classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation.

Outfall 001, 004, 007, 009, 011, 012, 013, 014, 019, 020, 021, 022, 023, 027, 028, 029, 030, 031, 032, 033, 034: new and existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
These outfalls are permitted to discharge uncontaminated stormwater runoff and/or groundwater from areas in and around the facility. There are at this time no specific effluent limitations on these outfalls.					

Outfall 002: existing discharge, design flow of 0.0144 mgd

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Temperature (°F)					
Zinc	monitor and report				
pH	not less than 6.0 nor greater than 9.0				

Outfall 003: existing discharge, design flow of 0.0953 mgd (interim limits).

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Suspended Solids			31	60	
Oil and Grease			15		30
Cadmium			0.0014	0.0028	
Chromium			1.71	2.77	
Copper			0.013	0.026	
Lead			0.43	0.69	
Nickel			0.187	0.374	
Silver			0.24	0.43	
Zinc			1.48	2.61	
Cyanide			0.65	1.20	
TTO				2.13	
pH	not less than 6.0 nor greater than 9.0				

Outfall 003: existing discharge, design flow of 0.0953 mgd (final limits).

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Suspended Solids			31	60	
Oil and Grease			15		30
Cadmium			0.0014	0.0028	
Chromium			1.71	2.77	
Copper			0.013	0.026	
Lead			0.0038	0.0076	
Nickel			0.187	0.374	
Silver			0.0031	0.0062	
Zinc			0.089	0.176	

NOTICES

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Cyanide			0.65	1.20	
TTO				2.13	
pH	not less than 6.0 nor greater than 9.0				

Outfall 005: existing discharge, design flow of 0.001 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)					110
Zinc			monitor and report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 006: existing discharge, design flow of 0.0025 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)					110
Zinc			monitor and report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 008: existing discharge, design flow of 0.0505 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)					110
Zinc			monitor and report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 015: existing discharge, design flow of 0.0505 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)					110
Zinc			monitor and report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 018: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)					110
pH	6.0—9.0				

Outfall 024: existing discharge, design flow of 0.0007 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)					110
Zinc			monitor and report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 025: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)	110				
Zinc	monitor and report				
pH	not less than 6.0 nor greater than 9.0				

Outfall 026: existing discharge, design flow of 0.0007 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)	110				
Zinc	monitor and report				
pH	not less than 6.0 nor greater than 9.0				

Outfall 035: new discharge, design flow of 0.0144 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)	110				
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0095737. Industrial waste, CIS: 3317, **Pittsburgh Tube Company**, 2060 Pennsylvania Avenue, Monaca, PA 15061.

This application is for renewal of an NPDES permit to discharge treated cooling water and untreated stormwater from the Darlington Plant in Darlington Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary to North Fork of Little Beaver Creek, classified as a high quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the City of East Liverpool Ohio's intake on the Ohio River, over 15 miles below the discharge point.

Outfall 001: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
To consist solely of uncontaminated stormwater and emergency overflow (with internal outfall limits) of recirculating cooling water.					

Other Conditions: Residual waste, stormwater runoff, control floating solids, chemical additives, submission of information, notification of emergency overflow, analytical requirements, mass limit condition, temperature condition, study site for potential discharge points and report to DEP.

Outfall 101: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Total Suspended Solids	0.36	0.72			10
Oil and Grease	0.12	0.30			10
Lead	0.0018	0.0054			0.03
Zinc	0.0012	0.0036			0.02
Dissolved Solids			500		1,250
Temperature (°F)	90				
pH	not less than 6.0 nor greater than 9.0 standard units				

Outfall 201: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Total Suspended Solids	0.36	0.72			10
Oil and Grease	0.12	0.30			10
Lead	0.0018	0.0054			0.03
Zinc	0.0012	0.0036			0.02
Dissolved Solids			500		1,250
Temperature (°F)					90
pH	not less than 6.0 nor greater than 9.0 standard units				

Outfall 002: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
	Outfall to consist solely of uncontaminated stormwater.				

The EPA waiver is in effect.

PA 0205214. Industrial waste, SIC: 4953, **Joseph J. Brunner, Inc.**, R. D. 1, Zelienople, PA 16063.

This application is for issuance of an NPDES permit to discharge treated process and untreated stormwater from the Joseph J. Brunner Municipal Waste Landfill in New Sewickley Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Brush Creek and an unnamed tributary to Brush Creek, classified as warm fisheries with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Beaver Falls Municipal Authority, located in Beaver Falls, 32.0 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.011 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
BOD	9.2	18.4	100	200	250
TSS	9.2	18.4	100	200	250
Ammonia (as N)	1.8	3.6	20	40	50
TRC	0.045	0.09	0.5	1.0	1.25
Antimony	0.041	0.083	0.45	0.9	1.125
Arsenic	0.005	0.009	0.05	0.1	0.125
Beryllium	0.0004	0.0008	0.005	0.01	0.0125
Cadmium	0.0004	0.0008	0.005	0.01	0.0125
Chromium	0.011	0.023	0.125	0.25	0.312
Copper	0.004	0.009	0.05	0.1	0.125
Lead	0.003	0.006	0.036	0.072	0.09
Nickel	0.014	0.028	0.150	0.3	0.375
Selenium	0.007	0.014	0.075	0.15	0.18
Silver	0.0009	0.0018	0.010	0.02	0.025
Thallium	0.009	0.018	0.1	0.2	0.25
Zinc	0.09	0.18	1.0	2.0	2.5
Cyanide, Total	0.0018	0.0036	0.02	0.04	0.05
Barium	0.027	0.054	0.3	0.6	0.75
Phosphorus	0.18	0.36	2.0	4.0	5.0
Boron	0.27	0.54	3.0	6.0	7.5
Cobalt	0.0014	0.009	0.05	0.1	0.125
Iron	0.32	0.64	3.5	7.0	8.75
Manganese	0.092	0.184	1.0	2.0	2.5
Tin	0.073	0.147	0.8	1.6	2.0
Aluminum	0.025	0.05	0.275	0.55	0.687
Vanadium	0.001	0.002	0.009	0.018	0.023
Benzene	0.004	0.009	0.05	0.1	0.125
Chlorobenzene	0.004	0.009	0.05	0.1	0.125
Chloroform	0.0009	0.0018	0.01	0.02	0.025
1,1 Dichloroethane	0.008	0.016	0.09	0.18	0.225
Methyl Chloride	0.009	0.018	0.1	0.2	0.25
Toluene	0.004	0.009	0.05	0.1	0.125
1,2 Trans Dichloroethylene	0.003	0.006	0.03	0.06	0.075

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
1,1,1 Trichloroethane	0.009	0.018	0.1	0.2	0.25
Phenol	0.004	0.009	0.05	0.1	0.125
Butylbenzylphthalate	0.0009	0.0018	0.01	0.02	0.025
2 Chloronaphthalene	0.0009	0.0018	0.01	0.02	0.025
Diethylphthalate	0.002	0.004	0.025	0.05	0.0625
Isophorone	0.004	0.009	0.05	0.1	0.125
Lindane	0.0009	0.0018	0.01	0.02	0.025
4,4 DDT	0.009	0.0018	0.01	0.02	0.025
Acetone	0.01	0.02	0.109	0.218	0.273
2-Butanone (MEK)	0.02	0.04	0.21	0.42	0.525
1,2,3 Trichloropropane	0.009	0.018	0.10	0.2	0.25
Xylenes	0.0009	0.0018	0.01	0.02	0.025
Tetrahydrofuran	0.002	0.004	0.025	0.05	0.0625
p-Cresol	0.004	0.009	0.05	0.1	0.125
2-Hexanone	0.001	0.002	0.015	0.03	0.0375
Methyl Isobutyl Ketone	0.001	0.002	0.015	0.03	0.0375
Methylene Bromide	0.0009	0.0018	0.01	0.02	0.025
Methylene Chloride	0.009	0.018	0.1	0.2	0.25
Acrylonitrile			0.04	0.08	0.1
1,1 Dichloroethylene			0.04	0.08	0.1
Vinyl Chloride			0.013	0.026	0.0325
Benzidine			0.00007	0.00014	0.000175
Benzo(a)Anthracene			0.002	0.004	0.005
Benzo(a)Pyrene			0.002	0.004	0.005
3,4 Benzofluoranthene			0.002	0.004	0.005
Benzo(k)Fluoranthene			0.002	0.004	0.005
Chrysene			0.002	0.004	0.005
Dibenzo(a,h)Anthracene			0.002	0.004	0.005
Hexachlorobenzene			0.0005	0.001	0.00125
Indeno(1,2,3,c,d)Pyrene			0.002	0.004	0.005
N Nitrosodimethylamine			0.0005	0.001	0.00125
Chlordane			0.0003	0.0006	0.00075
Dieldrin			0.00007	0.00014	0.000175
pH	not less than 6.0 nor greater than 9.0				
Chemical Oxygen Demand			monitor and report		
CBOD ₅			monitor and report		
Oil and Grease			monitor and report		
Total Suspended Solids			monitor and report		
Total Dissolved Solids			monitor and report		
Total Organic Carbon			monitor and report		
Barium			monitor and report		
Cadmium			monitor and report		
Chromium			monitor and report		
Lead			monitor and report		
Mercury			monitor and report		
Magnesium (total)			monitor and report		
Magnesium (dissolved)			monitor and report		
Selenium			monitor and report		
Silver			monitor and report		
Ammonia			monitor and report		
Arsenic			monitor and report		
Cyanide (total)			monitor and report		
Nitrate-Nitrite			monitor and report		
Iron (dissolved)			monitor and report		
pH			monitor and report		

Other Conditions: Control of floating materials, oil, grease, scum, effective disinfection to control disease producing organisms, total residual chlorine minimization, monitoring of untreated leachate quantity and quality, control of stormwater runoff, management of leachate discharge rates, control of leachate during low stream flow.

The EPA waiver is in effect.

PA 0026506, Amendment No. 2. Sewage, **West Mifflin Sanitary Sewer Municipal Authority** 1302 Lower Bull Run Road, West Mifflin, PA 15122.

This application is for amendment of an NPDES permit to discharge treated sewage from the Thompson Run Sewage Treatment Plant in West Mifflin Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Thompson Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the PA American Water Company, Becks Run Station.

Outfall 001: existing discharge, new design flow of 4.0 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD-5 Day	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	3.0	4.5		6.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
Issue date to expansion date	1.0			3.3
Expansion date through expiration date	.01			.03
Dissolved Oxygen	not less than 5.0 mg/l			
pH	6.0—9.0			

Other Conditions: None

The EPA waiver is not in effect.

PA 0093432. Sewage, **West Penn Power Company**, 300 Pleasant Valley Road, Connellsville, PA 15425-9700.

This application is for renewal of an NPDES permit to discharge treated sewage from the Pleasant Valley Service Center Sewage Treatment Plant in Bullskin Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as drainage ditch tributary to Mounts Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Authority located on the Youghiogheny River.

Outfall 001: existing discharge, design flow of 0.0005 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0095982. Sewage, **Albert Gallatin Area School District**, 10 West Church Street, Masontown, PA 15461.

This application is for issuance of an NPDES permit to discharge treated sewage from Albert Gallatin North Junior High School Sewage Treatment Plant in German Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of north branch Browns Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Carmichaels Municipal Water Authority located on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.02 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD-5 Day	25			50
Suspended Solids	30			60

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Ammonia Nitrogen (5-1 to 10-31)	2.5			5
(11-1 to 4-30)	7.5			15
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month	monitor and report			
37th month—expiration	0.3			0.7
Dissolved Oxygen	not less than 4 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0217603. Sewage, **Cyprus Cumberland Resources Corp.**, 145 Elm Drive, P. O. Box 1020, Waynesburg, PA 15370.

This application is for issuance of an NPDES permit to discharge treated sewage from the Cyprus Cumberland Mine Bathhouse STP in Whiteley Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Patterson Run, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Marianna Municipal Water Works.

Outfall 001: new discharge, design flow of .03 mg/l

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD-5 Day (5-1 to 10-31)	20			40
(11-1 to 4-30)	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	2.2			4.4
(11-1 to 4-30)	6.6			13.2
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.4			1.0
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0027031. Sewage, **West Chester Borough**, Municipal Building, 401 East Gay Street, West Chester, PA 19380.

This application is for renewal of an NPDES permit to discharge treated sewage from West Chester Borough's Goose Creek STP in West Goshen Township, **Chester County**. This is an existing discharge to Chester Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1.67 mgd are as follows:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅ (5-1 to 10-31)	15	22.5	30
(11-1 to 4-30)	25	37.5	50
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	1.5	2.3	3.0
(11-1 to 4-30)	4.5	6.8	9.0
Total Residual Chlorine	0.03		0.10
Fecal Coliform	200 colonies/100 ml as a geometric average		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
		<i>Maximum Daily (mg/l)</i>	
Phenols, Total	0.023	0.046	0.057
Zinc, Total	0.154	0.308	0.385
Chloroform	0.013		0.156
Copper, Total	monitor/report		
Mercury, Total	monitor/report		
Lead, Total	monitor/report		
2-Chlorophenol	monitor/report		
2,4-Dichlorophenol	monitor/report		
2,4,6-Trichlorophenol	monitor/report		
Pentachlorophenol	monitor/report		
1,1,2,2-Tetrachloroethane	monitor/report		

The EPA waiver is not in effect.

Other Conditions:

1. Submission of DMR to the Department and EPA.
2. Conditions for future permit modification.
3. Implementation of industrial pre-treatment program requirements.
4. TMDL/WLA Analysis.
5. Minimization of Cl₂.
6. Proper sludge disposal.
7. Special Test Methods for certain pollutants.
8. Whole Effluent Toxicity-chronic biomonitoring.

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection. Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Industrial waste and sewerage applications received under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 6297403. Sewage, **James and Charlotte Maze**, SRSTP, 205 High St., Youngsville, PA 16371. This project is for the construction of a Single Residence Sewage Treatment Plant in Sugar Grove Township, **Warren County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

3597402. Sewerage. **Thomas E. Little**, R. R. 4, Box 89A, Dalton, PA 18414. Application to construct and operate a small flow treatment facility, located in Benton Township, **Lackawanna County**. Application received in the Regional Office March 10, 1997.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

2397404. Sewerage. **Middletown Township Delaware County Sewer Authority**, P. O. Box 9, Lima, PA 19037-0009. Construction of a force main and upgrade of the pumping station to serve Middletown Township Delaware County Sewer Authority located in Middletown Township, **Delaware County**.

INDIVIDUAL PERMITS

(PAS)

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of pre-

liminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

Southeast Regional Office: Regional Water Management Program Manager, 555 North Lane, Lee Park, Conshohocken, PA 19428, telephone (610) 832-6131.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, telephone (412) 442-4028.

Southcentral Regional Office: Regional Water Management Program Manager, 1A Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

Allegheny County Conservation District, District Manager, 875 Greentree Road, Pittsburgh, PA 15220, telephone (412) 921-1999.

NPDES Permit PAS10A060-4. Stormwater. **Port Authority of Allegheny County**, 2235 Beaver Avenue, Pittsburgh, PA 15233 has applied to discharge

stormwater from a construction activity located in Carnegie Borough and the City of Pittsburgh, **Allegheny County**, to the Monongahela River.

Berks County Conservation District, District Manager, Agricultural Center, Leesport, PA 19533, telephone (610) 372-4657.

NPDES Permit PAS10C031. Stormwater. **Formula Motorsports Park**, 3151 Bittersweet Road, Center Valley, PA 18034 has applied to discharge stormwater from a construction activity located in New Morgan Borough, **Berks County**, to UNT to Hay Creek.

Bucks County Conservation District, District Manager, 924 Town Center, New Britain, PA 18901, telephone (215) 345-7577.

NPDES Permit PAS10D096. Stormwater. **Realen Homes Inc.**, 725 Talamore Drive, Ambler, PA 19002 has applied to discharge stormwater from a construction activity located in Lower Makefield Township, **Bucks County**, to UNT to the Delaware River.

Butler County Conservation District, District Manager, 122 McCune Drive, Butler, PA 16001, telephone (412) 284-5270.

NPDES Permit PAS10E063. Stormwater. **Community Development Group of Butler County**, 601 Hansen Avenue, Box 10, Butler, PA 16001 has applied to discharge stormwater from a construction activity located in Butler Township, **Butler County**, to UNT to Connoquenessing Creek.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

4297503. Public water supply. **Lewis Run Borough**, 60 Main Street, Lewis Run, PA 16738. This proposal involves the construction of a 297,000 gallon water storage tank, construction of 4,750 L. F. of 12" ductile iron water transmission line; 1,350 L. F. is to convey raw water from the existing reservoir to the proposed tank in Lewis Run Borough, **McKean County**.

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

4697503. Public water supply. **Horsham Water Authority**, 617A Horsham Road, Horsham, PA 19044. This proposal involves the addition of well No. 40 to the existing water supply and distribution system in Horsham Township, **Montgomery County**.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 561W001-A2. Municipal Authority of the Borough of Ebensburg, 300 West High Street, Ebensburg, PA 15931. Construction of one new water supply well, a control building and appurtenances serving Ebensburg Borough, **Cambria County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-5950.

One Man Quarry, Worcester Township, **Montgomery County**. James Burnett-Herkes, RT Environmental Services, Inc., 215 West Church Rd., King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site soils contaminated with petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, telephone (717) 327-3653.

APS ID #666, AUTH ID #537: Adam J. Deitrick Transfer Station, Adam J. Deitrick & Sons Disposal & Coal Hauling, Inc. (1410 W. Sterling St., Shamokin, PA 17872-3301). Application for modification to existing transfer station located in Coal Township, **Northumberland County**, received in the Regional Office on April 11, 1997.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

I. D. No. 101176A. Deep Valley Landfill Inc., 7111 Old Steubenville Pike, Oakdale, PA 15071. An application for Change of Ownership to a municipal waste landfill in North Fayette Township, **Allegheny County**, was received in the Regional Office on April 15, 1997.

Southcentral Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110

400556. Bridgeview Inc., (R. R. 1, Box 364, Morgantown, PA 19543). Application for modification for the addition of a 3rd Chem-Clav unit, reconfiguration of the plant, and removal of the 2,000 lb. incinerator for a site in Robeson Township, **Berks County**. Application determined to be administratively complete in the Regional Office April 18, 1997.

Ash Basin No. 5, Pennsylvania Power & Light Company, (Two North Ninth Street, Allentown, PA 18101-1179). Application for closure plan submittal for approval—Ash Basin No. 5 for a site in East Manchester Township, **York County**. Application submitted in the Regional Office April 23, 1997.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904), and regulations to operate solid waste processing or disposal area or site.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2516.

Permit I. D. No. 101657. Coplay Aggregates, Inc., P. O. Box 58, Northampton, PA 18067. An application for a Municipal Waste Processing (Construction and Demolition Waste Processing) Facility, located in Whitehall Township, **Lehigh County**. The application was received in the Regional Office on April 2, 1997 and was found to be complete on April 15, 1997.

Permit I. D. No. 101615. Commonwealth Environmental Systems Landfill, Commonwealth Environmental Systems, L. P., P. O. Box 249, Dunmore, PA 18512. A Major Permit Modification for Design Changes, which include basegrading/leachate collection zone; delete the Geomembrane Composite Liner from secondary liner system, liner, baseliner; addition of Rusmar Foam AC-667-SE; onsite soil processing plant; onsite cover soil; gas management plan; scrap metal baler and rearrangement of landfill facilities at the SW corner, at this municipal waste landfill, located in Foster Township, **Schuylkill County**. The application was received in the Regional Office on March 4, 1997 and was found to be complete on April 9, 1997.

AIR POLLUTION OPERATING PERMITS

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southeast Regional Office, Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

There is a 30-day comment period from this date of publication.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **09-330-010**

Source: Thermal Soil Remediation Plant

Company: **USA Waste of Fairless Hills, Inc.**

Location: Falls

County: **Bucks**

Applications received for Minor Source Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

OP-04-498: The Department received an Air Quality Operating Permit application from **WorldClass Processing, Inc.** (21 Century Drive, Ambridge, PA 15003) for a metal coating operation at its Ambridge Plant located in Ambridge Borough, **Beaver County**.

OP-26-227: The Department received an Air Quality Operating Permit application from **Davison Sand & Gravel Company** (400 Industrial Boulevard, New Kensington, PA 15068) for a limestone crushing operation at its Connellsville Quarry located in Connellsville Township, **Fayette County**.

OP-65-789: The Department received an Air Quality Operating Permit application from **The Quikrete Companies** (R.R. 9, Box 900, Latrobe, PA 15650) for a concrete products manufacturing operation at its Quikrete Pittsburgh located in Unity Township, **Westmoreland County**.

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

30-305-019: The Department intends to issue an Air Quality Operating Permit to **Consolidation Coal Company** (1800 Washington Road, Pittsburgh, PA 15241) for a coal preparation plant at its Robena Preparation Plant located in Greensboro Borough, **Greene County**.

65-307-079: The Department intends to issue an Air Quality Operating Permit to **Kennametal, Inc.** (P. O.

Box 231, Latrobe, PA 15650) for dust collectors on the jet mill at its Kingston Plant located in Derry Township, **Westmoreland County**.

65-305-049: The Department intends to issue an Air Quality Operating Permit to **Koppers Industries, Inc.** (436 Seventh Avenue, Pittsburgh, PA 15229) for a benzene emissions control system and an ammonia still on the coke by-products recovery plant at its Monessen Coke Plant located in Monessen, **Westmoreland County**.

65-305-048: The Department intends to issue an Air Quality Operating Permit to **Koppers Industries, Inc.** (436 Seventh Avenue, Pittsburgh, PA 15229) for a pushing baghouse, a desulfurization unit and an excess coke oven gas flare on the coke oven battery operations at its Monessen Coke Plant located in Monessen, **Westmoreland County**.

04-309-038: The Department intends to issue an Air Quality Operating Permit to **Pennsylvania Power Company** (1 East Washington Street, P. O. Box 891, New Castle, PA 16103) for a baghouse and bin vents on the MF-lime forced oxidation system at its Shippingport Plant located in Shippingport Borough, **Beaver County**.

Notice of Intent to Issue Title V Operating Permit #32-00157

Under 25 Pa Code § 127.521, the Department of Environmental Protection (DEP) intends to issue a Title V Operating Permit to **T. W. Phillips Gas and Oil Company** for the Kinter Compressor Station operating in Rayne Township, **Indiana County**. The T. W. Phillips Gas and Oil Company representative to contact regarding this application is Terry M. Mohr, Engineering Manager, 205 North Main St., Butler, PA 16001.

The Kinter compressor station is primarily used for the distribution of natural gas. As a result of the levels of nitrogen oxide emitted, Kinter is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

Copies of the application, DEP's analysis, and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

Any person wishing to either object to the operating permit or a proposed condition thereof or provide the Department with additional information which they believe should be considered prior to the issuance of this permit, may submit the information to the Department at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (specify permit #32-00157).
- Concise statements regarding the relevancy of the information or objections to issuance of the permit. A public hearing may be held, if the Department in its discretion, decides that such a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the *Pennsylvania Bulletin*, or by telephone, where the Department

determines such notification by telephone is sufficient. Written comments or request for a public hearing should be directed to Joseph Pezze, Regional Air Quality Manager, Department of Environmental Protection, Southwest Regional Office, Field Operations, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000, or Francis D. Condrick, Air Pollution Control Engineer II, Air Quality Control at the same address.

**Notice of Intent to Issue
Title V Operating Permit #11-00356**

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (DEP) intends to issue a Title V Operating Permit to **Peoples Natural Gas Company** for the Rager Mountain/Laurel Ridge compressor station. The Rager Mountain compressor station is located in Jackson Township, **Cambria County**. The Peoples Natural Gas Company representative to contact regarding this application is William Runyan, P. E., Safety, Environmental and Compliance, 625 Liberty Avenue, Pittsburgh, PA 15222-3197.

The Rager Mtn. compressor station is primarily used for the storage and distribution of natural gas. As a result of the levels of nitrogen oxides emitted, this station is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Copies of the application, DEP's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Resources, 400 Waterfront Drive, Pittsburgh, PA 15222.

Any person wishing to provide the Department of Environmental Protection with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the Department of Environmental Protection at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (specify permit #11-00356).
- Concise statements regarding the relevancy of the information or objections to issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in this newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification by telephone is sufficient. Written comments or request for a public hearing should be directed to Joseph Pezze, Regional Air Quality Program Manager, Department of Environmental Protection, Southwest Region—Field Operations, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000 or Thomas J. Joseph, Air Pollution Control Engineer III, Air Quality Control, at the same address.

**Notice of Intent to Issue
Title V Operating Permit #11-00258**

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (DEP) intends to issue a Title V Operating Permit to **Texas Eastern Transmission Corporation** for the Lilly Compressor Station operating in Cresson Township, **Cambria County**. The Texas Eastern Transmission Corporation representative to contact regarding this application is Charles Wait, Sr. Engineer, P. O. Box 1642, Houston, TX 77251.

The Lilly compressor station is primarily used for the storage and distribution of natural gas. As a result of the levels of nitrogen oxide emitted, Lilly is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Copies of the application, DEP's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

Any person wishing to either object to the operating permit or a proposed condition thereof or provide the Department with additional information which they believe should be considered prior to the issuance of this permit, may submit the information to the Department at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (specify permit #11-00258).
- Concise statements regarding the relevancy of the information or objections to issuance of the permit. A public hearing may be held, if the Department in its discretion, decides that such a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or request for a public hearing should be directed to Joseph Pezze, Regional Air Quality Manager, Department of Environmental Protection, Southwest Regional Office, Field Operations, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000 or R. Shawn Mendt, Air Pollution Control Engineer II, Air Quality Control, at the same address.

**Notice of Intent to Issue
State Only Operating Permit #OP-26-020**

Under 25 Pa. Code § 127.424, notice is here provided that the Department intends to issue a facility-wide State Only Operating Permit to **Commercial Stone Co., Inc.** (2200 Springfield Pike, Connellsville, PA 15425) for the Rich Hill facility operating in Bullskin Township, **Fayette County**.

Permit conditions cover all equipment located at the facility, including equipment covered in the Continuous Process Limestone Crushing Plant and the Wet suppression/Dry Collection System. Permit conditions limit fugitive and visible emissions in accordance with 25

Pa. Code 123.1 and 123.2. Maximum annual emissions (after control) are estimated at 12 tons/year PM-10.

Copies of the application, DEP's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

Any person wishing to either object to the operating permit or a proposed condition thereof or provide the Department with additional information which they believe should be considered prior to the issuance of this permit, may submit the information to the Department at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (specify permit #OP-26-020).
- Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or a request for a public hearing should be directed to Joseph Pezze, Regional Air Quality Manager, Department of Environmental Protection, Southwest Regional Office, Field Operations, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, phone (412) 442-4000. For additional information contact Sheri L. Guerrieri, APCEII, Air Quality at the same address.

**Notice of Intent to Issue
State Only Operating Permit #OP-04-682**

Under 25 Pa. Code § 127.424, notice is here provided that the Department intends to issue a facility-wide State Only Operating Permit to **Heckett Multisery** (612 North Main Street, Butler, PA 16001) for the Plant #53 facility operating in Koppel Borough, **Beaver County**

Permit conditions cover all equipment located at the facility. Maximum allowable annual emissions (after control) are established at less than 10 tons of Particulate Matter per year.

Copies of the application, DEP's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

Any person wishing to either object to the operating permit or a proposed condition thereof or provide the Department with additional information which they believe should be considered prior to the issuance of this permit, may submit the information to the Department at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.

- Identification of the proposed permit (specify permit #OP-04-682).

- Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or request for a public hearing should be directed to Joseph Pezze, Regional Air Quality Manager, Department of Environmental Protection, Southwest Regional Office, Field Operations, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, phone (412) 442-4000. For additional information contact Francis Condrick, APCE II Air Quality at the same address.

**Notice of Intent to Issue
Title V Operating Permits #24-00129 and 24-00120**

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to **CNG Transmission Corporation (CNG)** for its Ardell and Benezette stations. CNG's Ardell and Benezette facilities are located in Benezette Township, **Elk County**. CNG's representative to contact concerning these applications is Sam Mathew, Engineer, 445 West Main Street, P. O. Box 2450, Clarksburg, WV 26302-2450, (304) 623-8929.

CNG's Ardell and Benezette stations are used for the transmission of natural gas along its pipeline. The air emission sources at the stations include compressor engines and turbines and smaller miscellaneous sources. The facilities are major stationary sources as defined in Title I, Part D of the Clean Air Act Amendments due to their potential to emit of Nitrogen Oxides. The facilities are therefore subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Copies of the applications, the Department's analysis and other documents used in the evaluation of the applications are available for public inspection during normal business hours at the Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335.

Any person wishing to provide the Department of Environmental Protection with additional information which they believe should be considered prior to the issuance of these permits may submit the information to the Department at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following information:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (Ardell Station specify Permit #TV 24-00120)
(Benezette Station specify Permit #TV 24-00129)
- Concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the

decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Larry W. Wonders, Regional Air Quality Program Manager, Department of Environmental Protection, Northwest Region, 230 Chestnut Street, Meadville, PA 16335. For additional information concerning the permits or the issuance procedure, contact Eric A. Gustafson, Facilities Section Chief, Air Quality Program, at the same address or phone at (814) 332-6940.

**Notice of Intent to Issue
Title V Operating Permit #33-00140**

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to **CNG Transmission Corporation (CNG)** for its Punxsutawney station. CNG's Punxsutawney station is located in Perry Township, **Jefferson County**. CNG's representative to contact concerning these applications is Sam Mathew, Engineer, 445 West Main Street, P. O. Box 2450, Clarksburg, WV 26302-2450, (304) 623-8929.

CNG's Punxsutawney station is used for the transmission of natural gas along its pipeline. The air emission sources at the stations include natural gas fired compressor engines and smaller miscellaneous sources. The facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments due to the potential to emit of Nitrogen Oxides. The facility is therefore subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335.

Any person wishing to provide the Department of Environmental Protection with additional information which they believe should be considered prior to the issuance of these permits may submit the information to the Department at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following information:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (specify Permit #TV 33-00140).
- Concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Larry W. Wonders, Regional Air Quality Program Manager, Department of Environmental Protection, Northwest Region, 230 Chestnut Street, Meadville, PA 16335. For additional information concerning the permit or the issuance procedure,

contact Eric A. Gustafson, Facilities Section Chief, Air Quality Program, at the same address or phone at (814) 332-6940.

**Notice of Intent to Issue
Title V Operating Permit #16-00127**

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to **Piney Creek Limited Partnership (Piney Creek)**. Piney Creek's facility is located in Piney Township, **Clarion County**. Piney Creek's representative to contact concerning this application is Kendall Reed, Plant Manager, at R. R. 2, Box 56, Clarion, PA 16214 or at (814) 226-8001.

Piney Creek's facility is primarily used for the generation of electricity. The facility's primary air emission sources include a fluidized bed combustion unit and coal and limestone handling and conveying areas. The facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments due to the facility's potential to emit of sulfur oxides, nitrogen oxides, and carbon monoxide. The facility is therefore subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335.

Any person wishing to provide the Department of Environmental Protection with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the Department at the address shown above. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following information:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit (specify Permit # TV 16-00127).
- Concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Larry W. Wonders, Regional Air Quality Program Manager, Department of Environmental Protection, Northwest Region, 230 Chestnut Street, Meadville, PA 16335. For additional information concerning the permit or the issuance procedure, contact Eric A. Gustafson, Facilities Section Chief, Air Quality Program, at the same address or phone at (814) 332-6940.

**Notice of Intent of Issue
Title V Operating Permit No. 15-00020**

Under 25 Pa. Code §§ 127.424 and 127.521, the Department of Environmental Protection (DEP) intends to issue a Title V Operating Permit to **Columbia Gas**

Transmission Corporation for the Downingtown Compressor facility. The Downingtown Compressor Station is located at 1470 Poorhouse Road, in West Bradford Township, **Chester County**.

The Downingtown facility is primarily used for compressing natural gas. As a result of the potential levels of NOx and VOCs emitted, Downingtown Compressor Station is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

The proposed Title V Operating Permit does not adopt any new regulations and does not reflect any change in air emissions from the facility. It incorporates all of the applicable air quality requirements for each source at the existing plant into a single permit as required under Title V of the Clean Air Act Amendments of 1990. Upon final approval, the permit will be issued for a period of 5 years.

An appointment to review the permit application and the draft Title V Operating Permit at the Department's Southeast Regional Office may be scheduled by contacting the Record's Management staff, at (610) 832-6000 between 8 a.m. and 4 p.m. Monday through Friday, except holidays.

A 30 day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and phone number of the person submitting the comments.
- Identification of the proposed permit (specify permit TVOP 15-00020).
- Concise statements regarding the relevancy of objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified on the decision to hold a hearing by publication in this newspaper, or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Francine Carlini, Regional Air Quality Program Manager, Department of Environmental Protection, Southeast Region—Field Operations, 555 North Lane, Suite 6010, Lee Park, Conshohocken, PA 19428, (610) 832-6242 or Edward Jurdones Brown, Facilities Section Chief, Air Quality Program at the same address and phone number.

**Notice of Intent of Issue
Title V Operating Permit No. 15-00022**

Under 25 Pa. Code §§ 127.424 and 127.521, the Department of Environmental Protection (DEP) intends to issue a Title V Operating Permit to **Columbia Gas Transmission Corporation** for the Eagle facility. Eagle Compressor Station is located at 310 Fellowship Road, in Chester Springs Township, **Chester County**.

The Eagle facility is primarily used for compressing natural gas. As a result of the potential levels of NOx and VOCs emitted, Eagle Compressor Station is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

The proposed Title V Operating Permit does not adopt any new regulations and does not reflect any change in air emissions from the facility. It incorporates all of the applicable air quality requirements for each source at the existing plant into a single permit as required under Title V of the Clean Air Act Amendments of 1990. Upon final approval, the permit will be issued for a period of 5 years.

An appointment to review the permit application and the draft Title V Operating Permit at the Department's Southeast Regional Office may be scheduled by contacting the Record's Management staff, at (610) 832-6000 between 8 a.m. and 4 p.m. Monday through Friday, except holidays.

A 30 day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and phone number of the person submitting the comments.
- Identification of the proposed permit (specify permit TVOP 15-00022).
- Concise statements regarding the relevancy of objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified on the decision to hold a hearing by publication in this newspaper, or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Francine Carlini, Regional Air Quality Program Manager, Department of Environmental Protection Southeast Region—Field Operations, 555 North Lane, Suite 6010, Lee Park, Conshohocken, PA 19428, (610) 832-6242 or Edward Jurdones Brown, Facilities Section Chief, Air Quality Program at the same address and phone number.

PLAN APPROVALS

**Notice of Intent to Approve
Plan Approval Application #PA-63-101A**

Under 25 Pa. Code § 127.44, the Department of Environmental Protection (DEP) intends to issue a Plan Approval to the **Maple Creek Mining Company** for a coal processing operation located in New Eagle Borough, PA as described in its application received on November 8, 1996.

Based on the information provided by the applicant and on DEP's analysis of that information, these modifications will increase actual particulate emissions 0.32 ton per year (640 lbs/yr).

Copies of the application, DEP's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

In order for DEP to assure compliance with all applicable standards, DEP proposes to place the following conditions on the Plan Approval:

Special Conditions

1. This Plan Approval is for modifications to the Maple Creek Coal Preparation Plant located in New Eagle Borough, Washington County.

2. This Plan Approval and conditions shall supersede Permit No. 63-305-013.

3. The volume of the coal storage pile shall be limited to 115,000 tons under maximum conditions.

4. The company shall apply a chemical dust binder product to the stockpile as required and in conformance with vendor specifications.

5. A dust suppression system will be installed, maintained and be capable of operation at all times. The system shall, at a minimum, consist of spray heads located at conveyor transfer points, stacking tubes and at sufficient intervals along the top of the barrier to enable dust suppression applications to the entire stockpile.

6. The company shall maintain records of the frequency, time of day, size of pile and amount of chemical sprayed on the pile and make those data available to the Department upon request.

7. The company shall treat the pile through the use of a water truck with high pressure spray nozzles.

8. The company shall maintain a water line at the top of the stacking tube for use in situations that require immediate dust control.

9. The company shall not use trucks to stack or reclaim from the pile without notifying this office.

10. Covered conveyor belts shall be constructed and used to transport coal from the mine to the stockpile area, the use of railcars for this purpose shall be prohibited.

11. Additional measures may be necessary to maintain compliance with 25 Pa. Code §§ 123.1 and 123.2.

12. Noise from the facility shall be minimized through operations consistent with good engineering practices.

13. This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met.

a) The Department must receive written notice from the Owner/Operator of the completion of construction and the operator's intent to commence operation at least 5 working days prior to the completion of construction. The notice should state when construction will be completed and when the operator expects to commence operation.

b) Operation is authorized only to facilitate the start-up and shake-down of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

c) This condition authorizes temporary operation of the sources for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the Owner/Operator under subpart (a), above.

d) The Owner/Operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance, and the reasons compliance has not been established.

e) The notice submitted by the Owner/Operator under subpart (a), above, prior to the expiration of this Plan

Approval, shall modify the plan approval expiration date. The new plan approval expiration date shall be 180 days from the date of the written notice.

Any person wishing to provide the Department of Environmental Protection with additional information which they believe should be considered prior to the issuance of the Plan Approval may submit the information to the Department of Environmental Protection at the address shown below. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.

- Identification of the proposed Plan Approval (specify the Plan Approval number).

- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in this newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Joseph Pezze, Regional Air Quality Program Manager, Department of Environmental Protection, Southwest Region—Field Operation, 400 Waterfront Drive, Pittsburgh, PA 15222-4745 or Thomas J. Joseph, Air Pollution Control Engineer III, Air Quality Control at the same address.

Application received for Plan Approval under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA-65-891A: Firestone Building Products Company (Buncher Commerce, Park Building, Avenue A, Youngwood, PA 15697) for a foam insulation manufacturing process at its Youngwood Plant located in Youngwood Borough, **Westmoreland County**.

65-307-054C: Teldyne, Inc. (P. O. Box 151, Latrobe, PA 15650) for a EAF and AOD Vessel and Combustion at its Teldyne Allvac facility located in Derry Township, **Westmoreland County**.

PA-11-289A: OMG Americas (101 Bridge Street, Johnstown, PA 15902) for three high-speed grinding mills at its Johnstown Plant located in Johnstown, **Cambria County**.

PA-03-206A: Rosebud Mining Company (R. R. 1, Box 379A, Kittanning, PA 16201) for a coal preparation facility at its Tracy Lynne Mine facility located in Kiskiminetas Township, **Armstrong County**.

PA-04-687B: Teledyne Rodney Metals (7544 Route 18 North, P. O. Box Q, Koppel, PA 16136) for the acid pickling dip tank #4 at its Koppel Plant located in Koppel Borough, **Beaver County**.

PA-65-792A: Advanced Metallurgy, Inc. (1003 Corporate Drive, Corporate Park, Export, PA 15632) for a

baghouse on the belt and brush sanders at its Plant #5 facility located in Murrysville, **Westmoreland County**.

Notice of Plan Approval Application Minor Source

The following stationary sources have filed a request for a plan approval with the Department of Environmental Protection (DEP), Bureau of Air Quality. Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protest or comments to the Regional Office at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval application by filing a request with the Regional Office stating the reason for the request.

The Department will evaluate and consider all protests and comments received. The Department will, where appropriate, modify the proposed plan approval based on the protests and comments received.

The final plan approval will contain terms and conditions to ensure that the source is constructed and operated in compliance with the Department's regulations contained in 25 Pa. Code Chapters 121 through 143 and the requirements of the Federal Clean Air Act. A notice of the Department's final decision on the proposed plan approval will be published in the *Pennsylvania Bulletin*. Air contaminants emitted from these sources are less than the amounts that would trigger major new source review requirements.

For additional information on the following applications contact Devendra Verma, Engineering Services Chief, (814) 332-6940.

Northwest Regional Office: Bureau of Air Quality Control, 230 Chestnut Street, Meadville, PA 16335.

PA-10-298B: The Department received a plan approval application for construction of a magnesium hammermill (805 lbs/hr) with cyclone control, by **ESM II, Inc.**, (955 Saxonburg Blvd., Clinton Industrial Park, Saxonburg, PA 16056) in Saxonburg, **Butler County**.

PA-24-022A: The Department received a plan approval application for construction of a continuous furnace for baking metal/graphite parts (600 lbs/day), by **St. Marys Carbon Company** (P. O. Box 427, St. Marys, PA 15857) in St. Marys, **Elk County**.

PA-62-153A: The Department received a plan approval application for construction of a plastic cup printing/screening process (45 million cups/year) by **Whirley Industries, Inc.** (6 Harmar Street, Warren, PA 16365), in Warren, **Warren County**.

MINING

CONDUCT COAL AND NONCOAL ACTIVITIES

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S.

§§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or request for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—123 and 86.31—34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permit into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52, and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity, and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received:

32970201. Britt Energies, Inc. (P. O. Box 515, Indiana, PA 15701), commencement, operation and restoration of a coal refuse reprocessing mine in Center Township, **Indiana County**, affecting 4.6 acres, receiving stream unnamed tributary to Two Lick Creek to Two Lick Creek to Conemaugh River, application received April 18, 1997.

56900111. Permit Renewal, Hoffman Mining, Inc. (R. R. 3, Box 389, Stoystown, PA 15563), commencement, operation and restoration of bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 188.6 acres, receiving stream unnamed tributaries to

Buffalo Creek and unnamed tributary to Piney Run, application received April 18, 1997.

11970102. E. P. Bender Coal Company, Inc. (P. O. Box 594, Carrolltown, PA 15722), commencement, operation and restoration of bituminous strip beneficial use of circulating fluidized bed (CFB) ash mine in Dean Township, **Cambria County**, affecting 87.0 acres, receiving stream unnamed tributaries to Brubaker Run and Tubb Run (topographic drainage for abandoned mine reclamation only), application received April 18, 1997.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

26920103R. Hoffman Mining, Inc. (R. R. 3, Box 389, Stoystown, PA 15563). Renewal application received for continued reclamation of a bituminous surface mine located in German Township, **Fayette County**. Receiving streams: unnamed tributaries to south branch of Browns Run to North Branch of Browns Run to Browns Run to the Monongahela River. Renewal application received April 18, 1997.

03960109. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Application received for commencement, operation and reclamation of a bituminous surface mine with a coal preparation plant/processing facility located in Valley Township, **Armstrong County**, proposed to affect 113.0 acres. Receiving streams: one unnamed tributary to Laurel Run, Laurel Run. Application received April 15, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232.

102327-24900103-E-1. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824). Application for a stream encroachment to mine through unnamed tributary "A" to Boderocco Run. Receiving streams: An unnamed tributary to Boderocco Run and Boderocco Run. Application in Horton and Fox Townships, **Elk County**. Application received April 11, 1997.

37840101. Kerry Coal Company (P. O. Box 19, Portersville, PA 16051) Renewal of an existing bituminous surface strip, auger and tipple refuse disposal operation in Little Beaver and Darlington Townships, **Lawrence and Beaver Counties** affecting 655.6 acres. Receiving streams: Six unnamed tributaries to North Fork of Little Beaver Creek and North Fork of Little Beaver Creek. Application for reclamation only. Application received April 11, 1997.

33860113. Cloe Mining Company, Inc. (P. O. Box I, Grampan, PA 16838). Renewal of an existing bituminous surface strip operation in Young and Oliver Townships, **Jefferson County** affecting 311.6 acres. Receiving streams: Unnamed tributaries to Little Elk Run and Little Elk Run. Application for reclamation only. Application received April 11, 1997.

10860121. Thomas J. Smith, Inc. (R. D. 1, Box 260D, Shelocta, PA 15774), Renewal of an existing bituminous surface strip and auger operation in Summit Township, **Butler County**, affecting 56.2 acres. Receiving streams: Four unnamed tributaries to Bonnie Brook to Connoquenessing Creek. Application for reclamation only. Application received April 14, 1997.

McMurray District Office, 3913 Washington Rd., McMurray, PA 15317.

03851601. TJS Mining, Inc. (R. D. 1, Box 260D, Shelocta, PA 15774), to renew the permit for the Dutch Run preparation plant in Plumcreek Township, **Armstrong County**, no additional discharge. Application received March 17, 1997.

65881601. Coal Loaders, Inc. (P. O. Box 346, Ligonier, PA 15650), to renew the permit for Jubilee No. 1 in Derry Township, **Westmoreland County**, no additional discharge. Application received March 21, 1997.

03950701. Canterbury Coal Company (R. D. 1, Box 119, Avonmore, PA 15618), to revise the permit for the Refuse Area No. 6 Extension in Kiskiminetas Township, **Armstrong County** to add 28.7 permit acres, no additional discharge. Application received March 31, 1997.

56971301. Solar Fuel Company, Inc. (R. D. 1, Fridens, PA 15541), to operate the Solar No. 17 bituminous deep mine in Jenner Township, **Somerset County**, receiving stream unnamed tributary to north branch of Quemahoning Creek. Application received March 18, 1997.

56841321. Miller Springs, Inc., (300 East Main Street, Suite 400, Lexington, KY 40507), to renew the permit for the Bird bituminous deep mine in Stoneycreek and Conemaugh Townships, **Cambria and Somerset Counties** for water handling only, no additional discharge. Application received March 17, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Applications Received:

37900303. Russell Minerals (Pennsylvania), Inc. (P. O. Box 510, Darlington, PA 16115). Transfer of an existing noncoal surface mining operation in Taylor Township, **Lawrence County**, affecting 53.5 acres. Receiving streams: Beaver River and unnamed tributary. Transfer from A. Medure Sand & Gravel Co., Inc. Application received April 14, 1997.

27840601. A. A. Ames & Company (17162 Shreve Run Road, Pleasantville, PA 16341). Transfer of an existing sandstone operation in Tionesta Township, **Forest County** affecting 13.0 acres. Receiving stream: Hunter Run. Transfer from A. A. Ames & Company. Application received April 8, 1997.

37820301. Vetica Construction Co. (508 Morningstar Drive, Ellwood City, PA 16117). Revision to an existing sandstone operation in New Beaver Borough, **Lawrence County** affecting 3.0 acres. Receiving streams: an unnamed tributary to Beaver River. Revision to include 2.5 additional acres of area to the permitted site making the total acreage 5.5 acres. Application received April 17, 1997.

401223-25970801-E-1. Donald Kuhl (10601 Wales Road, Erie, PA 16510). Application for a stream encroachment to use an existing access road across an unnamed tributary to Fourmile Run in Greene Township, **Erie County**. Receiving streams: An unnamed tributary to Fourmile Run. Application received April 22, 1997.

20970303. Frank Tucci, Inc. (R. D. 2, Cambridge Springs, PA 16403). Commencement, operation and restoration of a gravel operation in Rockdale Township, **Crawford County** affecting 12.0 acres. Receiving streams: Kelly Run. Application to include a stream encroachment to construct erosion and sedimentation control facilities within 100 feet of an unnamed tributary to Kelly Run and to construct a haul road across an unnamed tributary to Kelly Run. Application received April 17, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

7574046C2. Valley Quarries, Inc. (P. O. Box J, Chambersburg, PA 17201), renewal of NPDES Permit #PA0613029 in Southampton Township, **Cumberland**

County, receiving stream—unnamed intermittent stream. Application received April 14, 1997.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following Dam Safety and Encroachment permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department).

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for process requests for certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permits, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provision of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 Certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E01-175. Encroachment. **Bryn Eldridge**, P. O. Box 357, Unionville, PA 19375. To construct and maintain a private bridge having a clear span of 26 feet with a minimum underclearance of 5 feet across a tributary to Beaver Creek at a site located east of SR 0194 approximately 1 mile south of Abbottstown Square (Hanover, PA Quadrangle N: 21.2 inches; W: 15.0 inches) in Berwick Township, **Adams County**.

E05-246. Encroachment. **Bedford Auto Pool, Inc.** Thomas Young, P. O. Box 29, Bedford, PA 15522. To place fill in a 0.14 acre of wetland in order to expand the parking lot of Bedford Auto Pool located about 3,700 feet southwest of Interchange 11 of I-76 (Bedford, PA Quadrangle N: 7.7 inches; W: 3.3 inches) in Bedford Township, **Bedford County**.

E05-247. Encroachment. **Bedford County Commissioners**, Norma Ickes, 230 South Juliana Street, P. O. Box 166, Bedford, PA 15522. To rehabilitate and maintain county Bridge 41 across Wills Creek on T-653 (Cunningham Drive) by replacing the timber decking located about 3,200 feet south of Hyndman Borough (Hyndman, PA Quadrangle N: 11.2 inches; W: 12.95 inches) in Hyndman Borough and Londonderry Township, **Bedford County**.

E05-248. Encroachment. **PA Department of Transportation Engineering District 9-0**, Earl Neiderheiser, PE, 1620 Juniata North Street, Hollidaysburg, PA 16648. To remove the existing structure and to construct and maintain a new single span prestressed concrete spread box beam bridge over Piney Creek having a normal span of 42.1 feet on a 50 degrees skew with a minimum underclearance of 6.7 feet on SR 0026, Section 004 located 1,500 feet upstream of its confluence with Blackberry Lick Run (Chaneyville, PA Quadrangle N: 6.85 inches; W: 4.3 inches) in Mann Township, **Bedford County**.

E07-279. Encroachment. **Sheffield Rent-It, Inc.**, Tim Sheffield, 420 Blair Street, Hollidaysburg, PA 16648. To place fill in approximately 0.35 acre of wetlands for the purpose of developing 0.5 acre of a 3.0 acres property for equipment storage located along the south side of SR 0022 about 3.0 miles west of Hollidaysburg (Frankstown, PA Quadrangle N: 13.3 inches; W: 13.0 inches) in Frankstown Township, **Blair County**.

E07-280. Encroachment. **Hollidaysburg Borough Council**, Randell Manning, Municipal Building 401 Blair Street, Hollidaysburg, PA 16648. To construct and maintain a two span pedestrian bridge across the Beaverdam Branch of the Juniata River as part of developing the Hollidaysburg Canal Basin park in the flood plain of the River located in Hollidaysburg at the termination of Canal Street (Hollidaysburg PA Quadrangle N: 9.3 inches; W: 2.8 inches) in Hollidaysburg Borough, **Blair County**.

E50-184. Encroachment. **DCNR Bureau of Forestry**, District 3, Marcus Snyder, 400 Rachel Carson State Office Bldg., 8th Floor, Harrisburg, PA 17105. To remove an existing structure and to construct a 112-inch × 75-inch CMP in the channel of a tributary to Laurel Run at a point at Laurel Run Road (Newburg, PA Quadrangle N: 22.7 inches; W: 4.5 inches) in Toboyne Township, **Perry County**.

E67-590. Encroachment. **LBS Development Corp.**, Lee Linebaugh, 30 Ram Drive, Hanover, PA 17331. To place fill in a deminimus area of wetland less than or equal to 0.05 acre for the purpose of constructing a residential home in the Timberland II subdivision on Lot 46 located south of an unnamed tributary to Oil Creek west of Mountain Drive (Hanover, PA Quadrangle N: 7.0 inches; W: 10.4 inches) in Penn Township, **York County**.

E67-593. Encroachment. **Windsor Township**, Marlene Workinger, 255 Bahn's Mill Road, P. O. Box 458, Red Lion, PA 17356, to remove an existing structure and to construct and maintain a 12 foot wide by 3.5 foot high concrete box culvert over Beaver Creek on Roackey Road approximately 1,000 feet north of Pleasant Grove Road (Red Lion, PA Quadrangle N: 4.7 inches; W: 2.8 inches) in Windsor Township, **York County**.

Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E08-315. Encroachment. **Mountain Hardwood Inc.**, R. R. 3, Box 3130, Rome, PA 18837. To remove a vegetated gravel bar 250 feet long by 31 feet wide and to restore and maintain the stream banks in the removal area for the purpose of flood control in Wysox Creek on SR 187 (Rome, PA Quadrangle N: 21.40 inches; W: 10.50 inches) in Rome Township, **Bradford County**. Stream classification is CWF; Estimated stream disturbance is more than 250 linear feet.

E14-307. Encroachment. **Timothy Hassinger**, P. O. Box 55, Aaronsburg, PA 16820. To construct and maintain a concrete water supply intake 18 inches in diameter with a 4 inch diameter PVC pipeline and control valve for the purpose of directing water to three fish ponds from an unnamed trib. to a sinkhole which eventually resurfaces and empties into Elk Creek. Also to construct and maintain a 2 inch diameter PVC pipeline with a control valve to maintain existing water flow to an exceptional value wetland (Millheim, PA Quadrangle N: 7.9 inches; W: 12.4 inches) in Haines Township, **Centre County**.

E41-403. Encroachment. **East Lycoming School District**, Cemetery St., Hughesville, PA 17737. To construct and maintain an 8 foot wide covered footbridge with a clear span of 34.5 feet and underclearance of 4.5 feet across Laurel Run at a point about 1,500 feet upstream of its confluence with Muncy Creek in Van Rensselaer Park (Picture Rocks Borough and Wolf Township, **Lycoming County**). Estimated stream disturbance is 10 feet with no wetland impact; stream classification is HQ-CWF.

E55-145. Encroachment. **Middleburg Municipal Authority**, 13 North Main St., Middleburg, PA 17842. To construct, operate and maintain a publicly owned waste water treatment plant within floodplains and wetlands associated to Middle Creek. The proposed work shall consist of excavating, filling, regrading and stabilizing within the 100-year floodplain of Middle Creek. The project is located along the northern right-of-way of SR 0522 approximately 2,000.0 feet east of intersection of SR 0522 and East Market St. (Middleburg, PA Quadrangle N: 7.7 inches; W: 5.6 inches) in Middleburg Borough, **Snyder County**. Estimated stream disturbance is zero with 0.04 acre of wetlands impacted; stream classification is Trout Stocking Fishery.

Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

Permit No. E39-336. Encroachment. **Busch Building Group, Inc.** 3140-B Tilghman Street, No. 254, Allentown, PA 18104. To place fill in 0.47 acre of PEM, FO wetlands for the construction of an office building and self storage area. The project is located approximately 0.2 mile east of the intersection of S. R. 0309 and the Pennsylvania Turnpike Northeast Extension (Allentown, West, PA Quadrangle N: 20.6 inches; W: 10.3 inches) in South Whitehall Township, **Lehigh County** (Philadelphia District, Army Corps of Engineers).

Permit No. E48-253. Encroachment. **Northeastern Equity Associates, Inc.**, 641 Market Street, Bangor, PA 18013. To reestablish an approximate 1,100 L. F. reach of a tributary to Martins Creek (TSF) and to maintain the project to original permitted configuration. The construction of this permit was authorized by Emergency Permit No. EP4897401 and consists of two 48-inch diameter R.C.P. stream enclosures, having lengths of 186 L. F. and 190 L. F. and two trapezoidal open-channel sections. The project is located on the north side of S. R. 0512 along the Consolidated Rail Corporation right-of-way, approximately 0.2 mile west of S. R. 1035 (Broad Street) (Stroudsburg, PA Quadrangle N: 0.7 inch; W: 9.3 inches) in East Bangor Borough, **Northampton County** (Philadelphia District, Army Corps of Engineers).

Permit No. E35-282. Encroachment. **Keystone Sanitary Landfill, Inc.**, P. O. Box 249, Dunmore, PA 18512-0249. To fill in 0.29 acre of PEM, PSS wetlands as part of the development of the Phase II Landfill Expansion of the Keystone Sanitary Landfill. The project is located at the

Keystone Sanitary Landfill immediately northeast of the intersection of S. R. 0081 and S. R. 0380 (Olyphant, PA Quadrangle N: 10.1 inches; W: 11.6 inches) in Dunmore and Throop Boroughs, **Lackawanna County** (Baltimore District, Army Corps of Engineers).

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E23-348A. Encroachment. **Kimberly Clark Tissue Company**, Front and Avenue of the States, Chester, PA 19013. To amend permit E23-348 to include the placement and maintenance of fill beneath the existing low deck pier structure and a large storage tank as a rehabilitative measure for a partially collapsed existing low deck pier structure. This site is situated 1,100 feet south of the intersection of Second Street and the Avenue of the States (Bridgeport, NJ-PA USGS Quadrangle N: 16.80 inches; W: 15.25 inches) in Chester City, **Delaware County**.

E09-749. Encroachment. **Dee Cee Jay Inc.**, River Road, Tullytown, PA 19007. To install and maintain approximately 1,160 linear feet of riprap bank protection along the Tullytown Cove a portion of the Delaware Estuary (WWF-MF). The site is located approximately 500 feet northeast of the confluence of Martins Creek and Tullytown Cove (Trenton West PA-NJ, USGS Quadrangle N: 1.90 inches; W: 8.90 inches) in Tullytown Borough, **Bucks County**.

E23-357. Encroachment. **Toll Brothers, Inc.**, 3103 Philmont Avenue, Huntingdon Valley, PA 19006. To perform the following activities associated with the construction of the Concord Chase Residential Subdivision:

1. To construct and maintain approximately 140 linear feet of 36-inch reinforced concrete pipe culvert, associated endwalls and roadway approach fill across an unnamed tributary to the Chester Creek (TSF) for the Beech Tree Drive Crossing.

2. To construct and maintain approximately 105 linear feet of 48-inch reinforced concrete culvert, associated endwalls and roadway approach fill across an unnamed tributary to the Chester Creek (TSF) and 0.36 acre of wetland (PFO) for the Great Oak Drive crossing.

3. To construct and maintain two stormwater outfall structures to unnamed tributaries of Chester Creek.

4. To construct and maintain one 8-inch PVC sanitary sewer line and one 15-inch RCP storm sewer line associated with the Beech Tree Drive Crossing.

This site is located just northeast of the intersection of Baltimore Pike (SR 0001) and School Lane (T-312) (Media USGS Quadrangle N: 4.5 inches; W: 17.0 inches) in Concord Township, **Delaware County**.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

E02-1188. Encroachment. **Frank Pelly**, 10431 Perry Highway, Wexford, PA 15090. To construct and maintain a 11.8 foot x 7.6 foot, 115 foot long arch pipe enclosure in Girtys Run (WWF), connecting to existing downstream and upstream culverts for an overall total length of 1,025 feet for the purpose of providing parking for proposed office building located approximately 650 feet southeast from the intersection of Babcock Boulevard and Evergreen Road (Emsworth, PA Quadrangle N: 7.7 inches; W: 4.0 inches) in Ross Township, **Allegheny County**.

E02-1189. Encroachment. **Metro Property Developers**, 300 Park Manor Drive, Pittsburgh, PA 15205. To place and maintain fill in 0.1 acre of wetlands (EM/SS) for the purpose of developing Phase III of a commercial site known as The Point At North Fayette located on Summit Park Drive approximately 3,000 feet from the Summit Park Drive Exit from Route 60 (Oakdale, PA Quadrangle N: 13.0 inches; W: 8.1 inches) in North Fayette Township, **Allegheny County**.

E11-250. Encroachment. **Jackson Township**, 513 Pike Road, Johnstown, PA 15909. To operate and maintain an 87-inch x 63-inch cnp arch culvert in Hinckston Run (CWF) on T-739 (Simmons Lane). The structure was constructed under Emergency Permit No. EP1196208. It is located approximately 3,000 feet west of SR 271, (Nanty Glo, PA Quadrangle N: 11.7 inches; W: 15.3 inches) in Jackson Township, **Cambria County**.

E30-178. Encroachment. **Greene County Board of Commissioners**, 93 East High Street, Waynesburg, PA 15370. To remove existing structure known as County Bridge No. 53 and to construct and maintain a bridge with a single 40-foot span and underclearance of 5.5 feet in Blockhouse Run (WWF) located on TR 379, 40 feet west of its intersection with SR 3007 (Holbrook, PA Quadrangle N: 1.6 inches; W: 9.85 inches) in Gilmore Township, **Greene County**.

E63-430. Encroachment. **PA Dept. of Transportation**, P. O. Box 459, Uniontown, PA 15401. To remove the existing bridge and to construct and maintain a pre-stressed concrete box beam bridge having a normal span of 48.31 feet and an underclearance of 11.6 feet over Chartiers Creek (WWF). During construction, temporary stream diversion will be maintained in Chartiers Creek. The project is located along Country Club Road (SR 1045) approximately 600 feet south of its intersection with SR 4049 (Washington East, PA Quadrangle N: 15.7 inches; W: 16.0 inches) in Chartiers and South Srabane Townships, **Washington County**.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E37-112. Encroachment. **Whipple-Allen Real Estate**, P. O. Box 928, Erie, PA 16512-0928. To place fill within 0.63 acre of wetlands for development of a Senior Assisted Living Facility. The proposed facility is located on the north side of Glenmoore Boulevard approximately 1,200 feet east of the intersection of Wilmington Avenue (S. R. 0018) and Glenmoore Boulevard. This project will also include the creation of at least 0.63 acre of replacement wetlands adjacent to the proposed facility (New Castle North, PA Quadrangle N: 3.6 inches; W: 13.9 inches) located in Neshannock Township, **Lawrence County**.

DAM SAFETY

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments

must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

D30-031B. Dam. **Consol Pennsylvania Coal Company** (1800 Washington Road, Pittsburgh, PA 15241-1421.) To modify, operate and maintain the Refuse Area No. 1 Dam across a Tributary to Enlow Fork (WWF) at the Bailey Mining Complex near Enon. The modification will raise the height of the existing Refuse Area No. 1 Dam 40 feet to allow for an additional 7 years of fine refuse disposal capability. The dam is located in Richhill Township, **Greene County**.

ENVIRONMENTAL ASSESSMENT

Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

EA09-012C0. Environmental Assessment. **Dover Corporation Ltd.** (66 County Line Road, Souderton, PA 18964). To construct and maintain a non-jurisdictional dam across a Tributary to Mill Creek (TSF) for the purpose of stormwater management at the proposed Telford Chase residential development located approximately 500 feet northeast of the intersection of County Line Road (S. R. 4027) and Summit Avenue (Telford, PA Quadrangle N: 12.9 inches; W: 9.6 inches) in Telford Borough, **Bucks County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audio tape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Services at (800) 654-5984.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA 0042731. Industrial waste. **Warren County Solid Waste Authority**, Warren County Courthouse, Warren, PA 16365 is authorized to discharge from a facility located in Pleasant Township, **Warren County** to an unnamed tributary to Allegheny River.

NPDES Permit No. PA 0222208. Sewage. **Fiamella Subdivision**, 10247 West Main Street, North East, PA 16428 is authorized to discharge from a facility located in Greene Township, **Erie County** to an unnamed tributary to Four Mile Creek.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

NPDES Permit No. PA-0062880. Sewerage. **KidsPeace Corporation** (Wiley House), 5300 KidsPeace Drive, Orefield, PA 18069 is authorized to discharge from a facility located in North Whitehall Township, **Lehigh County** to Jordan Creek.

NPDES Permit No. PA-0007757. Industrial waste. **Celotex Corporation**, P. O. Box 663, Pittston, PA 18640 is authorized to discharge from a facility located in Exeter Township, **Luzerne County** to the north branch Susquehanna River.

NPDES Permit No. PA-0062847. Sewerage. **H. A. Berkheimer, Inc.**, 1883 Jory Road, Pen Argyl, PA 18072 is authorized to discharge from a facility located in Plainfield Township, **Northampton County** to Waltz Creek.

NPDES Permit No. PA-0062341. Sewerage. **Fawn Lake Forest Water Company**, P. O. Box D, Waymart, PA 18472 is authorized to discharge from a facility located in Lackawaxen Township, **Pike County** to Teedyuskung Creek.

NPDES Permit No. PA-0035611. Sewerage. **Commonwealth of Pennsylvania**, Department of Transportation, Harrisburg, PA 17120 is authorized to discharge from a facility (Rest Area #56) located in Lenox Township, **Susquehanna County** to an unnamed tributary of east branch Tunkhannock Creek.

NPDES Permit No. PA-0063401-A1. Sewerage. **Monteforte Enterprises**, R. R. 2, Box 34, New Milford, PA 18834 is authorized to discharge from a facility located in New Milford Township, **Susquehanna County** to an unnamed tributary to Nine Partners Creek.

NPDES Permit No. PA-0023736. Sewerage. **Tri-Boro Municipal Authority**, 216 East Main Street, Susquehanna, PA 18847 is authorized to discharge from a facility located in the Borough of Susquehanna Depot, **Susquehanna County** to the north branch of the Susquehanna River.

NPDES Permit No. PA-0020940. Sewerage. **Tunkhannock Borough Municipal Authority**, P. O. Box B, Tunkhannock, PA 18657 is authorized to discharge from a facility located in Tunkhannock Borough, **Wyoming County** to Tunkhannock Creek.

Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 6597203. Industrial waste, **Koppers Industries, Inc.**, 345 Donner Avenue, Monessen, PA 15062. Construction of Coke Plant located in Monessen, **Westmoreland County** to serve the Monessen Coke Plant.

Permit No. 0497402. Sewerage, **Rochester Borough**, 300 West Park Drive, Rochester, PA 15074. Construction of Pump Station, Force Main and Sewer Line located in the Borough of Rochester, **Beaver County** to serve the Riverfront Development.

NPDES Permit No. PA0038237. Sewage, **Rostraver Township Sewage Authority**, P. O. Box 976, R. D. 4, Port Royal Road, Belle Vernon, PA 15012 is authorized to discharge from a facility located at Sweeney-Fellsburg Water Pollution Control Plant, Rostraver Township, **Westmoreland County** to Youghiogheny River.

NPDES Permit No. PA0096512. Sewage, **Mt. Morris Water and Sewage Authority**, P. O. Box 340, Mt. Morris, PA 15349 is authorized to discharge from a facility located at Mt. Morris Wastewater Treatment Plant, Perry Township, **Greene County** to Dunkard Creek.

NPDES Permit No. PA0097390. Sewage, **Marion Township**, 485 Hartzell School Road, Fombell, PA 16123 is authorized to discharge from a facility located at Vekaplast Sewage Treatment Plant, Marion Township, **Beaver County** to Connoquenessing Creek.

Northcentral Regional Office: Department of Environmental Protection, 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

Permit No. WQM 5997402. Sewerage. **Mr. and Mrs. Wolfe**, Prospect Hill Apartments #9-1B, Flemington, NJ 08822. Approval to construct a single family residence treatment facility, at Tioga Township, **Tioga County**.

Permit No. WQM 4789401-T1. Sewerage. **David and Cindy Pervola**, 125 Welliver Road, Danville, PA 17821. Transfer of permit was approved at Valley Township, **Montour County**.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

NPDES Permit No. PA0031739. Sewerage. **Great Valley School District**, P. O. Box 617, Devault, PA 19432 is authorized to discharge from a facility located in East Whiteland Township, **Chester County** into an unnamed tributary of Valley Creek.

NPDES Permit No. PA0055182. Amendment No. 1. Industrial waste. **Lustig Meats**, 670 East Cherry Road, Quakertown, PA 18951 is authorized to discharge from a facility located in Richland Township, **Bucks County** into an unnamed tributary to Tohickon Creek,

NPDES Permit No. PA005729. Industrial waste. **Hewlett-Packard Company**, 2850 Centerville Road, Wilmington, DE 19808 is authorized to discharge from a facility located in New Garden Township, **Chester County** into a Dry Swale to Egypt Run and Bocktoe Creek.

NPDES Permit No. PA0050652. Sewerage. **Westtown School**, P. O. Box 1799, Westtown Road, Westtown, PA 19395-1799 is authorized to discharge from a facility located in Westtown Township, **Chester County** into the east branch of Chester Creek.

NPDES Permit No. PA0030112. Sewerage. **Methacton School District**, 1001 Kriebel Mill Road, Norristown, PA 19408-2011 is authorized to discharge from a facility located in Worcester Township, **Montgomery County** into an unnamed tributary of Skippack Creek.

NPDES Permit No. PA0050148. Amendment No. 1. Sewerage. **Warwick Township Water and Sewer Authority**, 1985 York Road, Jamison, PA 18929 is authorized to discharge from a facility located in Warwick Township, **Bucks County** into Fish Creek.

NPDES Permit No. PA0057134. Sewerage. **George and Elyse Norton**, 41 Locust Farm Drive, Thornton, PA 19373 is authorized to discharge from a facility located in Concord Township, **Delaware County** into an unnamed tributary to west branch of Chester Creek.

NPDES Permit No. PA0054267. Sewerage. **Remington Properties, Inc.**, 330 Llandrillo Road, Bala Cynwyd, PA 19004 is authorized to discharge from a facility located in Upper Hanover Township, **Montgomery County** into Macoby Creek Branch.

NPDES Permit No. PA0012432. Industrial waste. **Sunny Dell Foods**, 135 North 5th Street, Oxford, PA

19363 is authorized to discharge from a facility located in n Oxford Borough, **Chester County** into an unnamed tributary to the west branch Big Elk Creek.

NPDES Permit No. PA0056324. Amendment No. 1. Industrial waste. **Mobil Oil Corporation**, 40 Liberty Blvd., Malvern, PA 19355 is authorized to discharge from a facility located in West Whiteland Township, **Chester County** into an unnamed tributary to the west branch of Valley Creek.

NPDES Permit No. PA0053899. Industrial waste. **Wheelabrator Falls, Inc.**, 1201 New Ford Mill Road, P. O. Box 1413, Morrisville, PA 19067-0327 is authorized to discharge from a facility located in Falls Township, **Bucks County** into an unnamed tributary to Biles Creek, wetlands of Delaware Estuary (Zone 2) and wetlands of Delaware Estuary (Zone 1).

NPDES Permit No. PA0057088. Industrial waste. **PECO Energy Company**, Fairless Hills Generating Station, Fairless Works, Fairless Hills, PA 19030 is authorized to discharge from a facility located in Falls Township, **Bucks County** into the Delaware River Estuary Zone 2.

NPDES Permit No. PA0054551. Sewerage. **Paul J. Matthews**, 4 Fox Run Lane, Newtown Square, PA 19073-1004 is authorized to discharge from a facility located in Willistown Township, **Chester County** into the West Tributary to Ridley Creek.

NPDES Permit No. PA0054313. Sewerage. **Judy Harris and Grant N. Ziegler**, P. O. Box 338, Springtown, PA 18081 and 5371 Bluebird Drive, New Tripoli, PA 18066 is authorized to discharge from a facility located in Springfield Township, **Bucks County** into Cooks Creek.

NPDES Permit No. PA 0057029. Industrial waste, **Hewlett-Packard Company**, 2850 Centerville Road, Wilmington, DE 19808. The facility is located at Route 41 and Starr Road in New Garden Township, **Chester County**, PA.

The following notice reflects changes to the notice published in the March 8, 1997, *Pennsylvania Bulletin*:

Effluent limits for 1,1-Dichloroethylene, Tetrachloroethylene, 1,2-Trans Dichloroethylene and Trichloroethylene are revised as follows, considering discharge to an intermittent stream:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
1,1-Dichloroethylene	0.007	0.014	0.017
Tetrachloroethylene	0.005	0.01	0.012
1,2-Trans Dichloroethylene	0.7	1.4	1.75
Trichloroethylene	0.005	0.01	0.012

Authorization to discharge stormwater runoff associated with industrial activities through Outfalls 002 and 003.

Permit No. 1596410. Sewerage. **Thornbury Township** (8 Township Drive, Cheyney, PA 19319-1019). Construction of a sewage treatment plant located in Thornbury Township, **Chester County** to serve Bridlewood Farm.

Permit No. 1593412. Amendment No. 1. Sewerage. **Uwchlan Township** (715 North Ship Road, Exton, PA 19341). Construction of a Disinfection system with UV

disinfection located in Uwchlan Township, **Chester County** to serve Eagleview Corporate Center.

Permit No. 2397402. Sewerage. **George and Elyse Norton** (41 Locust Farm Drive, Thornton, PA 19373). Construction of a sewage treatment plant with stream discharge located in Concord Township, **Delaware County** to serve the Norton residence.

Permit No. 1596415. Sewerage. **North Coventry Municipal Authority** (1485 East Schuylkill Road, P. O. Box 833, Pottstown, PA 19464). Construction of and expansion of a sanitary sewer system and pump station

located in North Coventry Township, **Chester County** to serve North Coventry Municipal Authority Sanitary Sewer System Expansion.

Permit No. 1596417. Sewerage. **New Garden Township Sewer Authority** (8934 Gap Newport Pike, Landenberg, PA 19350). Construction of a sewage treatment plant with spray irrigation located in New Garden Township, **Chester County** to serve East End Wastewater Treatment Plant.

Permit No. 2397401. Sewerage. **Southwest Delaware County Municipal Authority** (P. O. Box 2466). Construction of a by-pass interceptor located in Upper Chichester Township, **Delaware County** to serve Marcus Hook Creek Interceptor-Woodbrook Pump Station.

**INDIVIDUAL PERMITS
(PAS)**

The following approvals for coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, telephone (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, Pa 17110, telephone (717) 657-4590.

PAS-10-C007. Individual NPDES. **Jeff Lipton**, R. R. 7, Routes 23 and 100, Pottstown, PA 19464. To implement an Erosion and Sedimentation Control Plan for the construction of residential subdivision on 81 acres in Washington Township, Bally Borough, **Berks County**. The project is located east of Route 100 at the southern end of Bally Borough (Greenville East, Pa Quadrangle N: 3.2 inches; W: 12.6 inches). Drainage will be to the West Branch of Perkiomen Creek.

PAS-10-C022. Individual NPDES. **Group One Properties Inc.**, Cross Roads Corporate Centre, 4641 Pottsville Pike, Reading, PA 19605. To implement an Erosion and Sedimentation Control Plan for a residential subdivision on 32 acres in Leesport Borough, **Berks County**. The project is located between Chestnut and Main Streets (Temple, PA Quadrangle N: 12.4 inches; W: 13.7 inches). Drainage will be to the Schuylkill River.

PAS-10-M080. Individual NPDES. **John R. Hoffman**, 2445 Hoffman Road, Greencastle, PA 17225. To implement an Erosion and Sedimentation Control Plan for a single family housing development on 39.25 acres in Peters and Montgomery Townships, **Franklin County**. The project is located 0.6 mile west of Upton Village (Williamstown, PA Quadrangle N: 10.0 inches; W: 9.8 inches). Drainage will be to unnamed tributary to West Branch Conococheague Creek.

PAS-10-O060. Individual NPDES. **NADU Construction Company**, 1730 Columbia Avenue, Lancaster, Pa 17603. To implement an Erosion and Sedimentation Control Plan for the Willow Run residential development on 50.2 acres in West Lampeter and Pequea Townships, **Lancaster County** The project is located on east side of S. R. 0272, along Peach Bottom Road (Conestoga, PA Quadrangle N: 16.6 inches; W: 2.7 inches). Drainage will be to a tributary to Pequea Creek.

Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit #</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS101909	Northland Inc. 416 River Ave. Williamsport, PA 17701	Gallagher Township Clinton County	Wildcat Hollow and Twin Dam Hollow

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

<i>NPDES Permit #</i>	<i>Applicant Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream</i>
PAS10-G225	Rouse/Chamberlain, Ltd. 500 Exton Commons Exton, PA 19341	Schuylkill Township Chester County	Pickering Creek
PAS10-G244	The Hankin Group 717 Constitution Drive, Suite 201, P. O. Box G Exton, PA 19341	Uwchlan Township Chestr County	Shamona Creek
PAS10-G254	K. Hovnanian of Hershey's Mill, Inc. 1369 Troon Lane West Chester, PA 19380	East Goshen Township Chester County	West Branch Ridley Creek

**INDIVIDUAL PERMITS
(PAR)**

APPROVALS TO USE NPDES GENERAL PERMITS

The following parties have submitted Notices of Intent (NOI) for Coverage under General NPDES Permits to discharge wastewater into the surface waters of the Commonwealth of Pennsylvania. The Department of Environmental Protection approves the following coverages under the specified General Permit. This approval is subject to applicable effluent limitations, monitoring and reporting requirements and other conditions set forth in the respective General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations and special conditions, and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES General Permits issued by Department of Environmental Protection:

NPDES General Permit Type

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Luzerne County Salem Township	PAR212217	Casteck, Inc. Box 1658 River Road R. R. 1 Berwick, PA 18603	Susquehanna River	Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790 (717) 826-2553
Lehigh County Bethlehem	PAR202202	Gardner Cryogenics 2136 City Line Avenue Bethlehem, PA 18017	Lehigh River	Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, PA 18711-0790 (717) 826-2553
Northumberland Milton Boro	PAR804801	ACT Industries, Inc. P. O. Box 109 Milton, PA 17847	West Branch of Susquehanna River	(717) 327-3664 Northcentral
Columbia Co. Stillwater Boro	PAR224809	Charles D. Roberts Co. P. O. Box 6 Stillwater, PA 17878	Raven Creek to Fishing Creek	Northcentral
Columbia Co. Town of Bloomsburg	PAR 134801	Magee Rieter Automotive System 408 West 5th Street Bloomsburg, PA 17815	Fishing Creek	Northcentral (717) 327-3664
Clearfield Co. Wallacton Twp.	PAR224824	Wallacton Hardwoods P. O. Box 54 Wallacton, PA 16870	UNT to Laurel Run	Northcentral (717) 327-3664
Tioga Co., Tioga Township	PAG044939	Mr. & Mrs. William Wolfe Prospect Hill Apartments #9-1B Flemington, NJ 08822	Steam Mill Creek	(717) 327-3664 Northcentral
Northumberland Co. Shamokin Twp.	PAG044938	Marie Boguslaw R. R. 1, Box 323 Paxinos, PA 17860	Shamokin Creek	Northcentral

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Montour Co. Valley Twp.	PAG044936	David and Cindy Pervola 125 Welliver Road Danville, PA 17821	UNT of Mahoning Ck.	Northcentral (717) 327-3664
Northumberland Co. Shamokin Twp.	PAG044935	Corbett Shaffer R. R. 1, Box 197 Paxinos, PA 17860	UNT to Shamokin Creek	Northcentral (717) 327-3664
Snyder Co. Washington Twp.	PAG044937	Richard Moore 210 West 70th Street N0 911 New York, NY 10023	Dry Run	Northcentral (717) 327-3664

SEWAGE FACILITIES ACT PLAN APPROVAL

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audio tape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Richard Shudak at (717) 826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Plan Approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

Waterford Court is located on the northeast side of Lanark Road, 1,750 feet west of the intersection of Lanark Road and Route 309, Upper Saucon Township, **Lehigh County**. This project proposes a 61 lot townhouse project on a 7.66 acre tract. An 8" PVC sewer main extension will serve the project. The proposed 15,250 gpd of sewage flows will be collected, conveyed and treated by the Upper Saucon Township Authority Municipal facilities. Upper Saucon Township will provide public water to the project.

Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Boulevard, Harrisburg, PA 17110.

District Township, Berks County, 202 Weil Road, Boyertown, PA 19512. The approved plan provided for amending local ordinances to provide for replacement area testing in new land development proposing onlot disposal systems (OLDS). OLDS maintenance education, inspections, and voluntary OLDS maintenance programs will be implemented. Provisions for mandatory OLDS maintenance to replace the voluntary program are included should the voluntary system prove unsuccessful. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Colebrookdale Township, Berks County, P. O. Box 194, New Berlinville, PA 19545. The approved plan provided for implementation of plant improvements to upgrade and expand the Morysville wastewater treatment facility. A special study will be submitted to determine details and costs. Future sewer service areas 1, 2 and 3 are identified and will require public sewer service or interim onlot disposal systems (OLDS) for new land development. A sewage management Ordinance will be enacted with mandatory OLDS maintenance in areas identified as having poor soil suitability for OLDS. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Montgomery Township, Franklin County, 11364 Ft. Loudon Road, Mercersburg, PA 17236. The approved plan provided for implementation of an expanded onlot disposal system addressing the entire Township. Additionally, a standardized Small Flow Sewage Treatment Facility agreement will be used throughout the municipality. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Upper Paxton Township, Dauphin County, 506 Berrysburg Road, M. R. Millersburg, PA 17601. The approved plan provided for examination of public sewer extensions in the Route 209 area east of Millersburg. Public sewer alternatives were determined to be financially infeasible at this time. A voluntary onlot disposal system education and maintenance program is assigned to this area. If voluntary participation goals are not reached within 3 years the area will be placed in a mandatory OLDS maintenance program. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Plan revision approval under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20)

Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Boulevard, Harrisburg, PA 17110.

North Middleton Township, Cumberland County. 211 North Middleton Road, Carlisle, PA 17013. The approved plan revision (Paul McAnulty, DEP Code No. A3-21920-146-3S) provides for the installation of an artificial wetland individual residence sewage treatment plant with discharge to an unnamed tributary to the Conodoguinet Creek. The project is located on the south-east side of SR 0074 about 3/4 mile north of the intersection with SR 0944. Any required NPDES Permits or WQM permits must be obtained in the name of the applicant. Approval was granted April 21, 1997.

Dover Township, York County. Approval of a revision to the Official Sewage Plan of Dover Township, York County, 2480 West Canal Road, Dover, PA 17315. Plan approval is given for the replacement of an existing overloaded interceptor sewer line serving existing sewage flows of 460,000 GPD tributary to the Dover Township Wastewater Treatment Plant with larger diameter lines.

The project name is Ashcombe Interceptor Replacement and its DEP Code number is **A3-67915-171-3**. Approval was granted April 22, 1997.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Permit No. 0997504. Public Water Supply, **Village II Community Association**, Samuel Cinamon, P. O. Box 641, New Hope, PA 18938. The permitting of an existing water supply system in New Hope Borough, **Bucks County**.

Type of Facility: Public Water Supply

Consulting Engineer: Weldon C. Harris & Associates, P. O. Box 1361, Doylestown, PA 18901

Permit to Construct Issued: April 18, 1997.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection

of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Pennsylvania Power & Light Company (PP&L)—distribution pole #56454N46658 (Simplex Drive), City of Scranton, **Lackawanna County**. PP&L, 2 North Ninth Street, Allentown, PA has submitted a Final Report concerning the remediation of site soils found to have been contaminated with PCBs (polychlorinated biphenyls). The report was submitted in order to document remediation of the site to meet the Statewide health standard.

SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428.

Permit No. 101550. Danella Environmental Technologies, Inc., P. O. Box 28, Taylor PA 18517. This permit has been revoked because the permittee requested permit revocation, because the facility was never constructed. Facility located in Plymouth Township, **Montgomery County**. Permit revoked in the Southeast Regional Office on April 1, 1997.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.

Permit No. 400593. American Ref-Fuel Company, 333 Earle Ovington Boulevard, Suite 302, Uniondale, NY 11553. This permit is for the reissuance of a Waste Management permit to American Ref-Fuel Company of Delaware County L. P. from Waste Energy Resources Inc. for the continuing operation of the resource recovery facility located in the City of Chester, **Delaware County**. Permit issued in the Southeast Regional Office on April 16, 1997.

Southcentral Regional Office: Regional Solid Waste Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone: (717) 657-4588.

Permit No. 100345. (Modification) Colebrookdale Landfill, Delaware County Solid Waste Authority, (Rose Tree Park-Hunt Club, 1521 N. Providence Road, Media, PA 19063). Application for modification for a new area for soil stockpile and material storage at a site in Earl Township, **Berks County**. Permit issued in the Regional Office April 24, 1997.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit ID No. 101652. West Lebanon Site, Pitt Mining Company, R. D. No. 3, Box 95B, Shelocta, PA 15774. Operation of a municipal waste (sewage sludge) processing facility in Young Township, **Indiana County**. Permit issued by the Regional Office on April 18, 1997.

*Override Justification
West Lebanon Site*

This permit is issued overriding the objections of the Indiana County Commissioners as stated in their July 24, 1996 letter to the Department along with the objections of local residents expressed in the August 14, 1996 public hearing.

Concerns regarding the potential contamination of groundwater and surface water supplies were taken into consideration during the application review process. All waste processing activities will be conducted under roof and on a concrete pad. As requested by the Indiana County Water Authority, the permittee contracted with an independent consultant to conduct an hydrogeologic study of land application of the processed material to the demonstration plots. The study concluded that land application of the finished processed material will have no detrimental affect on the groundwater and surface water in the area.

The traffic analysis was forwarded to the Department of Transportation for their review and comment. Their review indicated a condition exists at the intersection of Township Road 692 and S. R. 156 which requires corrective action. To address this concern the permittee is required to pave a portion of Township Road 692 at that intersection.

Monitoring concerns were addressed by requiring chemical analyses monitoring of both the incoming sewage sludge and the finished processed material. Acceptance criteria were established and records must be maintained to verify the quality of the material.

Air quality concerns were addressed by requiring an air quality plan approval prior to operation of the facility and dustfall monitoring during operation.

Financial liability was addressed by requiring the permittee to post a \$62,771 closure/post closure bond.

Other issues raised have been mitigated or are outside of the purview of regulatory authority.

The Department has determined that the technical issues were adequately addressed by the addendum submission, revisions, justification material and/or permit conditions. All submitted material has been available to the host municipality and county.

AIR POLLUTION PLAN APPROVALS

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contaminant sources or air cleaning devices.

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

63-307-023A: On April 11, 1997, a Plan Approval expiration date was extended to July 31, 1997 to **Lukens Steel Company**, (P. O. Box 494, Washington, PA 15301) for a baghouse on the two electric arc furnaces (EAF) at its Houston Plant located in Houston Borough, **Washington County**.

65-307-054B: On April 11, 1997, a Plan Approval expiration date was extended to **Teledyne, Inc.**, (P. O. Box 151, Latrobe, PA 15650) for a baghouse on the EAF Oxygen Lance and AOD Vessel at its Teledyne Allvac facility located in Perry Township, **Westmoreland County**.

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contaminant sources or air cleaning devices.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-148A: On April 17, 1997, a Plan Approval was issued to **Ervin Industries, Inc.** (681 East Butler Rd., Butler, PA 16001) for modification of electric arc furnaces at Summit Township, **Butler County**.

PA-25-028A: On April 23, 1997, a Plan Approval was issued to **International Paper Company** (P. O. Box 10050, Erie, PA 16533) for the construction of a wood chipper at Erie, **Erie County**.

MINING

CONDUCT COAL AND NONCOAL ACTIVITIES

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued:

11850109. Permit Renewal, **M. B. Energy, Inc.** (250 Airport Road, P. O. Box 1319, Indiana, PA 15701-1319),

commencement, operation and restoration of a bituminous strip mine, valid for reclamation, only in Adams Township, **Cambria County**, affecting 206.6 acres, receiving stream Paint Creek and Sulphur Creek, application received April 15, 1997, permit issued April 16, 1997.

56900111, Permit Renewal, **Hoffman Mining, Inc.** (R. D. 2, Box 389, Stoystown, PA 15563), commencement, operation and restoration of a bituminous strip-auger mine, valid for reclamation, only in Brothersvalley Township, **Somerset County**, affecting 188.6 acres, receiving stream unnamed tributaries to Buffalo Creek and unnamed tributary to Piney Run, application received April 18, 1997, permit issued April 21, 1997.

11960202, **Ebensburg Power Company** (20 S. Van Buren Avenue, Barberton, OH 44203-0351), commencement, operation and restoration of a coal refuse reprocessing, topsoil mining, CFB Ash Beneficial Use mine in Cambria Township, **Cambria County**, affecting 29.8 acres, receiving stream south branch Blacklick Creek, application received October 18, 1996, permit issued April 21, 1997.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

65920104R, **Mehalic Brothers** (R. D. 3, Box 296, Latrobe, PA 15650). Renewal permit issued for continued operation and reclamation of a bituminous surface mine located in Mt. Pleasant Township, **Westmoreland County**, affecting 100.0 acres. Receiving streams: unnamed tributaries to Welty Run. Renewal application received: January 28, 1997. Renewal permit issued: April 15, 1997.

26970101, **Patterson Coal Company** (R. D. 2, Box 335, Smithfield, PA 15478). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in German and Georges Townships, **Fayette County**, affecting 32.0 acres. Receiving streams: unnamed tributary to north and south branches of Browns Run; Browns Run to the Monongahela River. Application received: January 7, 1997. Permit issued: April 16, 1997.

65910106R, **Derry International, Ltd.** (P. O. Box 529, New Alexandria, PA 15670). Renewal permit issued for continued reclamation of a bituminous surface mine located in Derry Township, **Westmoreland County**, affecting 18.5 acres. Receiving streams: unnamed tributaries to Boatyard Run. Renewal application received: March 24, 1997. Renewal permit issued: April 29, 1997.

65880113R, **M. B. Energy, Inc.** (250 Airport Road, P. O. Box 1319, Indiana, PA 15701). Renewal permit issued for continued operation and reclamation of a bituminous surface auger mine located in Derry Township, **Westmoreland County**, affecting 133.3 acres. Receiving streams: unnamed tributaries of Conemaugh River and unnamed tributaries of McGee Run. Renewal application received: March 6, 1997. Renewal permit issued: April 29, 1997.

63830103R, **Joseph Rostosky Coal Company** (R. D. 2, Box 112, Monongahela, PA 15063). Renewal permit issued for continued operation and reclamation of a bituminous surface mine located in Somerset Township, **Washington County**, affecting 86.18 acres. Receiving streams: two unnamed tributaries to North Fork of Pigeon Creek. Renewal application received: March 3, 1997. Renewal permit issued: April 29, 1997.

63850112R, **Twilight Industries** (Division of US Natural Resources, 212 State Street, Belle Vernon, PA 15012). Renewal permit issued for continued reclamation

of a bituminous surface mine located in Somerset Township, **Washington County**, affecting 31.6 acres. Receiving streams: an unnamed tributary to the north branch of Pigeon Creek to the Monongahela River. Renewal application received: February 25, 1997. Renewal permit issued: April 29, 1997.

63850111R, **Twilight Industries** (Division of US Natural Resources, 212 State Street, Belle Vernon, PA 15012). Renewal permit issued for continued operation and reclamation of a bituminous surface mine located in Somerset Township, **Washington County**, affecting 29.5 acres. Receiving streams: a unnamed tributary to the north branch of Pigeon Creek to the Monongahela River. Renewal application received: February 25, 1997. Renewal permit issued: April 29, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33910109, **Colt Resources, Inc.** (R. D. 3, Box 48A, Clarion, PA 16214). Renewal of an existing bituminous strip operation in Oliver Township, **Jefferson County** affecting 51.5 acres. This renewal is for reclamation only. Receiving streams: Six unnamed tributaries to Big Run. Application received February 20, 1997. Permit issued April 9, 1997.

16910107, **Ancient Sun, Inc.** (P. O. Box 129, Shippenville, PA 16254). Renewal of an existing bituminous surface and auger operation in Porter Township, **Clarion County** affecting 157.0 acres. This renewal is for reclamation only. Receiving streams: Unnamed tributary to Leisure Run and unnamed tributary to Jack Run. Application received January 29, 1997. Permit issued April 9, 1997.

33920111, **R. B. Contracting** (R. D. 1, Box 13, Curwensville, PA 16833). Renewal of an existing bituminous surface operation in Gaskill Township, **Jefferson County** affecting 74.9 acres. This renewal is for reclamation only. Receiving streams: One unnamed tributary to Stoney Run and two unnamed tributaries of Clover Run. Application received February 24, 1997. Permit issued April 9, 1997.

16920101, **Doverspike Bros. Coal Co., Inc.** (R. D. 4, Box 271, Punxsutawney, PA 15767). Renewal of an existing bituminous surface operation in Monroe Township, **Clarion County** affecting 27.4 acres. This renewal is for reclamation only. Receiving streams: Two unnamed tributaries of Licking Creek. Application received February 10, 1997. Permit issued April 9, 1997.

33860101, **Terry Coal Sales, Inc.** (P. O. Box 58, Distant, PA 16223). Renewal of an existing bituminous surface operation in Oliver Township, **Jefferson County**, affecting 145.0 acres. This renewal is for reclamation only. Receiving streams: Unnamed tributary to Big Run. Application received January 29, 1997. Permit issued April 9, 1997.

33850107, **P&N Coal Company, Inc.** (P. O. Box 332, 240 W. Mahoning St., Punxsutawney, PA 15767). Renewal of an existing bituminous surface and auger operation in Henderson and Gaskill Townships, **Jefferson County**, affecting 211.0 acres. This permit is for reclamation only. Receiving streams: Two unnamed tributaries to east branch Mahoning Creek and east branch Mahoning Creek. Application received February 10, 1997. Permit issued April 9, 1997.

33860107, **Terry Coal Sales, Inc.** (P. O. Box 58, Distant, PA 16223). Renewal of an existing bituminous surface operation in Perry and Oliver Townships, **Jefferson County**, affecting 67.0 acres. This permit is for

reclamation only. Receiving streams: Big Run. Application received January 29, 1997. Permit issued April 9, 1997.

10970101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Commencement, operation and restoration of a bituminous strip operation in Mercer Township, **Butler County** affecting 40.5 acres. Receiving streams: Two unnamed tributaries to Swamp Run, One unnamed tributary to Wolf Creek and Wolf Creek, One unnamed tributary to McMurray Run. Application received: January 16, 1997. Permit Issued: April 16, 1997.

16960107. Doverspike Bros. Coal Co. (R. D. 4, Box 271, Punxsutawney, PA 15767). Commencement, operation and restoration of a bituminous strip operation in Porter Township, **Clarion County** affecting 226.0 acres. Receiving streams: Rock Run and unnamed tributary to Redbank Creek. Application received: October 3, 1996. Permit Issued: April 21, 1997.

102896-16960109-E-2. Milestone Crushed, Inc. (521 South Street, Clarion, PA 16214) Application for a stream encroachment to conduct mining activities within 100 feet of and construct and maintain a haul road crossing over Dunlap Creek and a nearby wetland area in Perry Township, **Clarion County**. Receiving streams: Unnamed tributary to Dunlap Creek. Application received: March 18, 1997. Permit Issued: April 22, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54743007R2C3. Continental Energy Associates, (50 Tice Blvd., Woodcliff Lake, NJ 07675), correction to an existing anthracite surface mine operation to add bottom ash disposal to the operation in Branch and Cass Townships, **Schuylkill County** affecting 326.0 acres, receiving stream—West Creek. Correction issued April 23, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232. Noncoal Issued

3773SM6. Lee A. Phillips (910 Rockey Grove Avenue, Franklin, PA 16323). Transfer of an existing sand and gravel operation from Margaret E. Phillips in Sugar Creek Borough, **Venango County** affecting 10.0 acres. Receiving streams: Unnamed tributary to Patchel Run and Patchel Run. Application received: April 4, 1996. Permit Issued: April 9, 1997.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

Coal Applications Denied

26960102. William Piccolomini (213 Washington Avenue, Connellsville, PA 15425). Application denied for commencement, operation and reclamation of a bituminous surface mine located in Franklin Township, **Fayette County**, proposed to affect 45.0 acres. Receiving streams: Bolden Run to Redstone Creek. Application received: September 30, 1996. Application denied: April 23, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

General Small Noncoal Authorizations Granted

28970801. Donald L. Weller (14112 Orchard Ridge Road, Hancock, MD 21740), commencement, operation and restoration of a small shale quarry operation in Warren Township, **Franklin County** affecting 3.0 acres, receiving stream—none. Authorization granted April 23, 1997.

58970801. Bill O'Dell (706 Railroad Street, Forest City, PA 18421), commencement, operation and restoration of a bluestone quarry operation in Warford Township,

Susquehanna County affecting 2.0 acres, receiving stream—none. Authorization granted April 25, 1997.

64970801. Walter Yanacek (R. R. 1, Box 131, Damascus, PA 18415), commencement, operation and restoration of a small quarry operation in Manchester Township, **Wayne County** affecting 1.0 acre, receiving stream—none. Authorization granted April 25, 1997.

58970802. Gerald Mensel (R. R. 1, Box 1261, Nicholson, PA 18446), commencement, operation and restoration of a bluestone quarry operation in Lenox Township, **Susquehanna County** affecting 3.0 acres, receiving stream—none. Authorization granted April 25, 1997.

ABANDONED MINE RECLAMATION

Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA 17105-8476

Bond Forfeiture Contract Awarded:

No. BF 394-101.1. Limestone Township, **Clarion County**, PA. Abandoned Mine Land Reclamation Project, R.E.M. Coal Company, Inc. Limestone Township, Clarion County, PA. Contractor: **E. M. Brown**. Amount: \$363,767.00. Date of Award: March 17, 1997.

No. BF 379-101.1. Mount Pleasant Township, **Westmoreland County**. Abandoned Mine Land Reclamation Project, Rondell Company, Mount Pleasant Township, Westmoreland County, PA. Contractor: **Casselman Enterprises, Inc.** Amount: \$71,048.50. Date of Award: January 10, 1997.

No. BF 383-101.1. North Union Township, **Fayette County**. Abandoned Mine Reclamation Project, North Union Township, Fayette County. Contractor: **Earthmovers Unlimited, Inc.** Amount: \$97,479.00. Date of Award: March 17, 1997.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment Approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, telephone (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, telephone (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board, telephone (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Southcentral Regional Office, Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E06-486. Encroachment. **Grace & Camillo's Pizza**, Camillo Ciaravino, 432 Coronet Drive, Blandon, PA 19510. To perform minor grading in the floodway of Sacony Creek at a point approximately 1,200 feet downstream of Main Street (Kutztown, PA Quadrangle N: 3.8 inches; W: 4.2 inches) in Kutztown Borough, **Berks County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E22-359. Encroachment. **PA Dept. of Transportation**, Engineering District 8-0, John Rautzahn, 2140 Herr Street, Harrisburg, PA 17103. To widen an existing bridge across the channel of Paxton Creek at a point at SR 0039 (Harrisburg East, PA Quadrangle N: 9.87 inches; W: 15.62 inches) in Lower Paxton Township, **Dauphin County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E22-362. Encroachment. **909 Partners**, Jeffrey Camp, 3701 Perkiomen Avenue, Reading, PA 19606. To construct and maintain a 314 feet long 84-inch stream enclosure in the channel of a tributary to Paxton Creek and to place fill in 0.02 acre of associated wetlands at a point downstream of Elmerton Avenue (Harrisburg, PA Quadrangle N: 7.4 inches; W: 0.4 inch) in Susquehanna Township, **Dauphin County**. The amount of wetland impact is considered de minimus and wetland mitigation is not required. This permit also includes 401 Water Quality Certification.

E38-114. Encroachment. **PA Dept. of Transportation**, Engineering District 8-0, John Rautzahn, 2140 Herr Street, Harrisburg, PA 17103. To remove the existing structures, construct and maintain a prestressed concrete box beam bridge having a clear span of 73 feet with a minimum underclearance of 21.6 feet across Tulpehocken Creek on SR 2019, Section 002 (Millardsville Road) (Bethel, PA Quadrangle N: 0.2 inch; W: 2.4 inches) in Jackson Township, **Lebanon County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

Permit No. E52-145. Encroachment. **Pennsylvania Department of Conservation and Natural Resources—Bureau of Forestry**, 400 Rachel Carson State Office Building, 8th Floor, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing superstructure on Bridge No. 51-7935-5119-0004, and to construct and maintain a two span timber deck on the existing stone masonry abutments and center pier across Bushkill Creek. The structure has spans of 22.5 feet and a

minimum underclearance of 6.3 feet and is located along Pine Flats Road approximately 1.5 miles west of S.R. 0402 (Twelvemile Pond, PA Quadrangle N: 21.5 inches; W: 13.5 inches) in the Delaware State Forest, District No. 19, Porter Township, **Pike County**.

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. E09-473. Encroachment Permit. **The Doylestown Knoll Association, L. P.**, 67 West Court Street, Doylestown, PA 18901. To place and maintain fill in approximately 0.42 acre of wetlands at the Doylestown Knoll Subdivision to provide access on Brinker Drive, to place fill in an existing farm pond, to widen Lower State Road, to construct and maintain a 34 inch x 53 inch stormwater outfall in a Tributary to Neshaminy Creek and to construct and maintain utility crossings under the bed and across the channel of Neshaminy Creek and associated wetlands located approximately 1,000 feet north of the intersection of T-338 and Lower State Road (Doylestown, PA Quadrangle N: 4.7 inches; W: 4.8 inches), in Doylestown Township, **Bucks County**. This permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project. All conditions specified in the original permit remain in effect and are to be complied with as part of this amendment.

Permit No. E46-757. Encroachment Permit. **Maple Village**, 2815 Byberry Road, Hatboro, PA 19040. To construct and maintain a non-scope dam in a remnant pond area and excavate the impoundment area behind this dam. This stormwater management facility will have a 0.1 acre impact on a body of water and 175 L. F. of an unnamed tributary to Pennypack Creek. The wet basin design of this facility will mitigate aforementioned impacts. Also, to construct and maintain a walking path through a de minimus area of wetland within the proposed Maple Village Development. The site is located on the northwest corner of Byberry and Orangeman's Roads (Hatboro, PA Quadrangle N: 8.00-inch; W: 12.90-inch) in Upper Moreland Township, **Montgomery County**. This permit also authorizes environmental assessment approval for a non-scope jurisdictional dam.

Permit No. E15-537. Encroachment Permit. **The Home Depot**, 3096 Hamilton Boulevard, South Plainfield, NJ 07080. To place fill in a 0.30 acre ornamental pond, and to construct, operate and maintain two trapezoidal grassed stormwater outfall channels along Valley Creek (EV) associated with the construction of a Home Depot department store. The site is located along the south side of Route 30, and about 1,000 feet east of its intersection with Route 202 (Malvern USGS Quadrangle N: 5.75 inches; W: 11.20 inches) in East Whiteland Township, **Chester County**.

Northcentral Region, Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

Permit No. E53-298. Encroachment. **Paul and Catherine Snyder**, R. R. 2, Box 165, Coudersport, PA 16915. To remove the existing structure and to construct and maintain an elliptical culvert 63 inches by 87 inches by 20 feet long with fieldstone headwalls both up and downstream in the west branch of Dingman Run on the west side of Dingman Run Road approximately 3 miles north of SR 006 (Coudersport, PA Quadrangle N: 9.25 inches; W: 7.00 inches) in Eulalia Township, **Potter County**. This permit was issued under Section 105.13(e) "Small Projects."

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E20-439. Encroachment. **Spring Township Supervisors**, R. R. 1, Box 29A, Springboro, PA 16435. To remove the existing bridge and to construct and maintain a prestressed concrete box beam bridge having a clear span of 48.5 feet and an average underclearance of 6.5 feet across Rundelltown Creek on King Road (T-479) approximately 300 feet east of S. R. 4018 at Rundell (Conneautville, PA Quadrangle N: 1.5 inches; W: 4.7 inches) located in Spring Township, **Crawford County**.

E24-196. Encroachment. **PA DCNR, Bureau of Forestry**, 400 Rachel Carson State Office Building, 8th Floor, P. O. Box 8451, Harrisburg, PA 17105-8541. To remove the existing bridge and to construct and maintain a timber bridge having a clear span of approximately 19 feet and an underclearance of 8 feet across Paige Run on Red Run Road in Elk State Forest approximately 1.6 miles northwest of S. R. 2004 (Quehanna Highway) (Driftwood, PA Quadrangle N: 3.75 inches; W: 16.75 inches) located in Benazette Township, **Elk County**. This permit also authorizes the installation, maintenance and removal of a temporary road crossing upstream of the bridge to consist of three 18-inch culverts and clean rock fill. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

DAM SAFETY

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Permits Issued and Actions on 401 Certification

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568

D38-101. Dam. **LGH Construction** (530 West Trout Run Road, Ephrata, PA 17522). To construct, operate and maintain a stormwater detention dam for the Arbor Gate residential development located in Jackson Township, **Lebanon County**.

ENVIRONMENTAL ASSESSMENT

Environmental Assessment Approvals and Actions on 401 Certification

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

EA36-009CO. Environmental Assessment. **Larry Noll** (Safe Harbor Water Power Corporation, 1 Power House Road, Conestoga, PA 17516-9651). To construct and maintain a 1,500 foot skimmer wall replacing the existing flood damaged skimmer wall above the powerhouse at the Safe Harbor Dam located across the Susquehanna River (WWF). The new skimmer wall will be located 50 feet south (riverward) of the existing skimmer wall and will consist of 31 concrete piers connected by prestressed concrete stoplogs and a service deck. In addition, 50,000 cubic yards of rockfill will be used to extend the existing access levee an additional 110 feet into the river (Safe

Harbor, PA Quadrangle N:8.85 inches; W:2.65 inches) in Manor Township, **Lancaster County**.

WATER ALLOCATIONS

Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

WA 65-298E. Water Allocation. **Highridge Water Authority, Indiana County**, PA. To extend service area into the area of Strangford, Burrell Township, Indiana County, PA. Permits issued on April 7, 1997.

SPECIAL NOTICES

Modification to Consent Order and Agreement

Millcreek Dump Site Millcreek Township, Erie County

Under section 122 of the Federal Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended, 42 U.S.C.A. § 9622, and section 1113 of the Hazardous Sites Cleanup Act (35 P. S. § 6020.1113), notice is hereby provided that the Department of Environmental Protection (Department) has modified its Consent Order and Agreement with Millcreek Township (Township), dated April 6, 1995, concerning the Millcreek Dump Site (Site) in Erie County, PA.

From approximately 1970 until 1981, waste containing hazardous substances was disposed at the 84.5 acre Site. On April 6, 1995, the Department entered into a Consent Order and Agreement with the Township whereby the Township, among other things, paid \$1,000 to the Hazardous Sites Cleanup Fund, and it granted the Department and the EPA access to the 4 acre parcel that the Township owns at the Site. The Parties now propose to modify the April 6, 1995 Consent Order and Agreement to include the Township's future ownership of the 64.7 acre property that lies adjacent to and south of the Site that is currently owned by Conrail (Conrail Property).

The Remedial action at the Site includes the construction of a cap over the landfill at the Site and construction of a flood retention basin. To facilitate this Remedial action, a portion of the cap and the basin must be constructed on the adjacent Conrail Property. Conrail intends to donate the Conrail Property to the Township for public use, including for any construction necessary to complete the Remedial action at the Site. The Township is willing to take ownership of the Conrail Property and is willing to grant permanent easements on the Conrail Property to facilitate the completion of the Remedial action at the Site.

The specifics concerning the Township's future ownership of the Conrail Property are set forth in the Department's Consent Order and Agreement with the Township, dated April 25, 1997. The Department will receive and consider comments on the April 25, 1997 Consent Order and Agreement for 60 days from the date of this Public Notice. The Department has the right to withdraw its consent if the comments disclose facts or considerations which indicate that this Consent Order and Agreement is inappropriate, improper, inadequate or not in the public interest. After the public comment period, the April 25, 1997 Consent Order and Agreement shall become final,

and it shall replace the April 6, 1995 Consent Order and Agreement, upon the filing of the Department's response to significant written comments concerning the Township's future ownership of the Conrail Property.

Copies of the April 25, 1997 Consent Order and Agreement are available for inspection at the Department's office at 230 Chestnut Street, Meadville, PA. Comments may be submitted, in writing, to Edward Orris, Project Manager, Department of Environmental Protection, Hazardous Sites Cleanup, 230 Chestnut Street, Meadville, PA 16335-3481. Further information may be obtained by contacting Edward Orris at (814) 332-6648. TDD users may contact the Department through the Pennsylvania Relay Service at (800) 645-5984.

[Pa.B. Doc. No. 97-729. Filed for public inspection May 9, 1997, 9:00 a.m.]

Availability of Technical Guidance

Governor's Office List

Once a year on the first Saturday in August, the Governor's Office publishes a list of the non-regulatory guidance documents of all State agencies in the *Pennsylvania Bulletin*. The first publication of this list was in the August 3, 1996, edition of the *Pennsylvania Bulletin*. The next publication of this list will be in the August 2, 1997, *Pennsylvania Bulletin*.

DEP's Technical Guidance Document Inventory

DEP publishes a list of its technical guidance documents in its Technical Guidance Document Inventory twice a year. The most recent edition of the Inventory is the December 1996 edition. This edition is now available on World Wide Web site, DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of the Inventory once on the DEP home page, persons should choose the Public Participation Center/Technical Guidance Document/Basic Inventory.

Bound paper copies of the Inventory are available now for those who do not have access to the Web site. DEP automatically mails a paper copy of the December 1996 Inventory to persons who received a bound paper copy of the June 1996 Inventory. Persons who wish to add their address to the mailing list should call Nina Huizinga at (717) 783-8727.

DEP's Technical Guidance Documents on the World Wide Web

DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of DEP's Technical Guidance Documents once on the DEP home page, persons should choose the Public Participation Center. The Center contains several links to DEP's Technical Guidance Documents. Persons should look under the heading "Proposals Open to Comment" for the link to "Draft Technical Guidance." Persons should look under the heading "Proposals Recently Finalized" for the link to "Technical Guidance." Persons should look under the heading "Technical Guidance" for one link to the "Basic Inventory" and a second link to "Final Guidance." The final documents menu will list DEP's bureaus. Persons should click on the name of the bureau to get to the list of the documents from that bureau that are currently on the Web. Then, to get to see a document, persons should click on the ID number of the document. DEP will be adding its revised documents to the Web throughout 1997.

Help Protect the Environment: Use the Web and Save Trees

DEP encourages members of the public who read these announcements in the *Pennsylvania Bulletin* and DEP's *UPDATE* and who have access to the World Wide Web to avoid the needless duplication of paper copies of DEP's technical guidance documents. Persons can download those DEP documents which are posted on DEP's Web site onto their computers and read them electronically. This method saves both paper and money.

Ordering Paper Copies of DEP Technical Guidance

Although DEP promotes the use of electronic copies of its technical guidance rather than paper copies, there are still reasons for DEP to continue to provide members of the public with paper copies: 1) It may be more convenient to use some documents in a paper form; 2) Not everyone has access to the World Wide Web; and, 3) Not all DEP documents are on DEP's Web site yet.

Persons can order an unbound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727. **[Note: This is a change. DEP is now filling these orders in-house. Persons who placed an order with Elwyn, Inc. (the previous printer) on or after April 15, 1997, will have their order forwarded to DEP.]**

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Between publication of its Inventory, DEP announces changes to its technical guidance documents in its weekly newsletter, the *UPDATE*, and the *Pennsylvania Bulletin*. Here is the current list of recently finalized documents, draft documents and notices of intended changes to technical guidance.

Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments about the Inventory, the documents on the World Wide Web, the availability of paper copies or the technical guidance document process in general should call Nina Huizinga at (717) 783-8727.

Final Technical Guidance—New Guidance

DEP ID: 254-2100-100 Title: Local Municipality Involvement Process Description: This policy describes a process for involvement of local municipalities in the review of municipal waste permit applications. Effective Date: February 7, 1997 Page Length: 4 pages Location: Volume 6, Tab 48. Contact: Josephine Valencia at (717) 787-9870.

DEP ID: 254-2100-101 Title: Environmental Assessment Process Phase I Review Description: DEP will perform the Environmental Assessment prior to other technical review for applicable municipal waste permit applications. Effective Date: February 7, 1997 Page Length: 15 pages (including 10 pages Form D) Location: Volume 6, Tab 49. Contact: Josephine Valencia at (717) 787-9870.

DEP ID: 254-2100-102 Title: Municipal Waste Facility Review—Traffic Analysis Description: DEP (in cooperation with PennDOT) will review the existing or potential impact of waste vehicles on the public health and safety,

and on the environment, including the impact upon Commonwealth highways and bridges. Effective Date: February 7, 1997 Page Length: 3 pages Location: Volume 6, Tab 50. Contact: Josephine Valencia at (717) 787-9870.

DEP ID: 254-2100-103 Title: Process for Evaluating Daily Volume Description: This policy helps DEP staff determine whether the daily volumes authorized at existing facilities or requested in municipal waste permit applications or modifications should be reduced in order to eliminate or reduce public health and safety hazards and public nuisances, and be in compliance with environmental protection and traffic safety laws. Effective Date: February 7, 1997 Page Length: 4 pages Location: Volume 6, Tab 51. Contact: Josephine Valencia at (717) 787-9870.

Final Technical Guidance—Substantive Revision to Existing Guidance

DEP ID: 562-4180-311 Title: Civil Penalty Collections Description: DEP reviews each violation for possible assessment of a civil penalty. If a penalty is assessed, it must be collected, compromised or written off as uncollectable. Effective Date: April 1, 1997 Page Length: 4 pages Location: Volume 12, Tab 23. Contact: Michael Terretti at (717) 787-7846.

Final Technical Guidance—Minor Revisions

DEP ID: 250-3130-763 Title: Purge Water from Ground-water Sampling Description: Waste generated in the course of purging monitoring wells prior to sampling must be appropriately disposed. This is a minor revision; the program added standard elements (part of all DEP guidance) to an existing document. Contact: Josephine Valencia at (717) 787-9870.

DEP ID: 254-2100-726 Title: Policy and Procedure for Municipal Waste Facilities Equivalency Approvals Description: DEP expedites Statewide review of these requests. This is a minor revision: the program corrected a spelling mistake. Contact: Josephine Valencia at (717) 787-9870.

DEP ID: 400-5900-112 Title: Policy for Gasoline Fume Emergency Criteria Description: This document describes appropriate actions to be taken to protect the public health and safety and the environment when a report is received of gasoline fumes inside a residence or other structure. Effective Date: April 25, 1997 Page Length: 4 pages Location: Volume 8, Tab 15. Contact: Charles High at (717) 787-5027.

DEP ID: 400-5900-113 Title: Chlorine Safety Procedure Description: This document describes safety procedures for Department employees required to inspect facilities such as water treatment, wastewater treatment or sewage treatment plants where chlorine is stored and used. Effective Date: April 25, 1997 Page Length: 2 pages Location: Volume 8, Tab 16. Contact: Charles High at (717) 787-5027.

DEP ID: 400-5900-114 Title: Hazardous Material and Hazardous Atmosphere Safety Policy Description: This policy and procedure provides safety requirements concerning hazardous material and hazardous atmospheres for employees who carry out Field Operations programs. Effective Date: May 1, 1997 Page Length: 5 pages Location: Volume 8, Tab 17. Contact: Charles High at (717) 787-5027.

DEP ID: 400-5900-115 Title: Confined Space Safety Policy Description: This policy forbids entry into confined spaces for routine inspection duties and requires safeguards when working near confined spaces. Effective

Date: April 30, 1997 Page Length: 4 pages Location: Volume 8, Tab 18. Contact: Charles High at (717) 787-5027.

DEP ID: 400-5900-116 Title: Policy for Electrofishing Personnel and Equipment Safety Description: This policy sets forth the minimum safety requirements for Field Operations employees involved with electrofishing surveys. Effective Date: May 1, 1997 Page Length: 2 pages Location: Volume 8, Tab 19. Contact: Charles High at (717) 787-5027.

Draft Technical Guidance

DEP ID: 383-2125-108 Title: Public Water Supply Manual—Part II: Community Water System Design Standards Background: The Department's Lead and Copper Rule requires public water systems exceeding the lead or copper action level to provide corrosion control treatment (stabilization). Membrane filtration is an emerging treatment technology. These have resulted in the need for substantial revisions (Section 4.12: Membrane Filtration; Section 4.19: Stabilization; and Section 5.1: Facilities Design) to the Manual to provide design standards and guidance to the field staff, consultants and the regulated community. These revisions to this Manual were developed with significant input from the WSM Field Operations staff and, for membrane filtration, from an outside consultant. The field staff and the consultants are the primary users of the Manual. Deadline for Submittal of Comments: May 21, 1997. Contact: John J. Wroblewski or Trudy Troutman at (717) 787-9037.

Notice of Intent to Revise Technical Guidance

DEP ID: 383-2128-108 Draft Title: Public Water Supply Manual—Part IV: Noncommunity System Design Standards Background: DEP has not updated this manual since 1991 except for editorial changes. The intent is to review, revise and update the manual to reflect organizational changes, programmatic changes and current or up-to-date criteria and standards. Anticipated Effective Date: September 1, 1997 Anticipated Draft Development Date: June 30, 1997 Proposed Development and Review Process: The Technology Section staff in the Division of Drinking Water Management will develop the revised guidance. WSM Field Operations staff are to be involved in the review. The availability of the final draft for review by the public will be announced in the *Pennsylvania Bulletin* and DEP's *UPDATE*. Contact: John Wroblewski or Trudy J. Troutman at (717) 787-0122.

Notice of Intent to Remove Technical Guidance from the Inventory

DEP ID: 562-3200-204 Title: Priority Handling of Samples Background: This document describes the procedures for identifying and handling priority samples. These procedures are internal to the Department and have no effect on the public or regulated community. Anticipated Effective Date: May 30, 1997 Contact: Evan Shuster at (717) 787-7846.

Notice of Intent to Rescind Technical Guidance

DEP ID: 562-4170-318 Title: Delinquent Debt Collection/Write-off Background: This guidance has been incorporated into, and replaced by DEP ID: 562-4180-311 titled "Civil Penalty Collections." Rescission Became Effective: May 1, 1997. Contact: Michael Terretti at (717) 787-7846.

Notice of Intent to Develop Technical Guidance

DEP ID: 563-2000-103 Title: Sealing Exploratory Drill Holes Background: This guidance will clarify the Depart-

ment's interpretation of 25 Pa. Code §§ 80.54 and 86.133. The program does not intend to change sealing requirements; it intends to clarify the standards which apply in various situations. The guidance will only apply to exploratory drilling associated with underground bituminous coal mines, since these operations experience more problems with unsealed drill holes than other mining activities. Anticipated Effective Date: September 2, 1997. Anticipated Draft Development Date: May 23, 1997. Proposed Development and Review Process: Plans are to draft the guidance internally with assistance from the McMurray District Office. The draft will be circulated among district office staff, program counsel and the Policy Office. External customers including the general public, citizen advocacy groups and the industry will be provided an opportunity to comment. Contact: Harold Miller at (717) 787-3174.

Draft Title: Laboratory Reporting Instructions for Radiological Contaminants in Drinking Water Distribution Systems Background: This is a revision to an existing technical guidance that will lead to the development of a separate document with its own ID number. Previously, the drinking water radiological reporting requirements and the old chemical reporting requirements were included in a single manual. The chemical contaminant reporting requirements were revised and compiled into a separate guidance document (DEP ID: 383-3301-105). The intent of this action is to substantially revise the old manual by deleting all outdated chemical reporting information and updating the radiological requirements. This guidance document will, therefore, contain laboratory reporting instruction information for the current radiological reporting requirements only. Anticipated Effective Date: June 17, 1997 Anticipated Draft Development Date: May 5, 1997 Proposed Development and Review Process: Information Services Section Staff in the Division of Drinking Water Management will develop the revised guidance. WSM Field Operations staff and the Bureau of Laboratories certification staff will be involved in the review. Notice of the availability of the final draft will be published in the *Pennsylvania Bulletin* and DEP's *UPDATE* for public comment. Contact: R. Barry Greenawald at (717) 772-4018.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-730. Filed for public inspection May 9, 1997, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Penns Valley Conservation Association, Trout Unlimited and Pennsylvania Council of Trout Unlimited v. DEP and Con-Stone, Inc., Permittee; EHB Doc. No. 96-094-MR

The Department of Environmental Protection (Department), and Con-Stone, Inc. (Con-Stone), and Penns Valley Conservation Association (PVCA), Trout Unlimited (TU), and the Pennsylvania Council of Trout Unlimited (PT), have agreed to a Settlement of the above matter. On March 25, 1996, the Department issued to Con-Stone Noncoal Surface Mining Permit No. 14920301 for noncoal surface mining on a site in Haines Township, Centre County. In conjunction with Noncoal Surface Mining

Permit No. 14920301, the Department issued NPDES Permit No. PA0207039 (the NPDES Permit) to Con-Stone. The NPDES Permit expires on March 25, 2001. On or about April 22, 1996, PVCA, TU and PT appealed the Department's issuance of Noncoal Surface Mining Permit No. 14920301 and the NPDES Permit to Con-Stone, which appeal is docketed at EHB Docket No. 96-094-MR. The parties have agreed to a settlement, the major provisions of which include:

1. Special Condition No. 1 in Part B of Noncoal Surface Mining Permit No. 14920301 is hereby amended by the addition of the following language:

Whenever the seasonal water table rises above an elevation of 1,080 feet, the permittee is prohibited from operating any mining equipment in, or attempting to extract any stone from that area of the pit where there is standing groundwater.

Con-Stone agrees to waive its right to appeal the revised Part B, Special Condition 1, above.

2. Within 31 days of the execution of this Stipulation of Settlement, PVCA, TU and PT agree to withdraw their appeal docketed at EHB Docket No. 96-094-MR, with prejudice.

3. In the remainder of the Stipulation, the Department agrees to perform the following measures, until March 25, 2001, unless otherwise extended by mutual agreement of all of the parties.

a. The Department shall initiate a study to determine the cause of an apparent increase in suspended solids (hereinafter TSS) at Spring S26 if either the acute TSS trigger level or the chronic TSS trigger level, as defined below, is triggered based upon monitoring data collected by continuous-recording turbidity meters at two monitoring points.

b. In order to determine whether the TSS study must be performed, the Department, and only the Department, shall and will evaluate turbidity data gathered every 30 minutes by the two continuous-recording turbidity meters, which shall be set up at the two monitoring points, on a monthly basis. Electronic copies of that data will be furnished to PVCA, TU, PT and Con-Stone within 15 days of the monthly down-loading. If the information gathered by the Department indicates that either the acute or chronic TSS trigger level, as set forth below, has been exceeded, or if any verifiable information reveals any other adverse impact upon S26, the Department shall initiate a study within 7 days of the date of such determination to ascertain the cause of the increase in TSS, and to determine whether the Con-Stone mining operation described in surface mining Permit No. 14920301 has adversely affected water quality in Pine Creek. Upon the initiation of such a study, the Department shall notify all parties that such a study is being conducted. The study shall be completed within 90 days of the date that the study is initiated, and a report detailing the Department's findings will be furnished to PVCA, TU, PT and Con-Stone.

1. The acute TSS level that will require Department to initiate the study described in this subparagraph is as follows: TSS at S26 exceeds TSS at the upstream monitoring point, and TSS at the S26 monitoring point is equal to or greater than 35 mg/l, as total suspended solids.

2. The chronic TSS level that will require the Department to initiate the study described in this subparagraph is as follows: for months in which less than 5 inches of

rain falls, the monthly average turbidity at S26 exceeds the equivalent of 25 mg/l, as TSS; for months in which 5 to 10 inches of rain falls, the monthly average turbidity at S26 exceeds the equivalent of 35 mg/l, as TSS; for months in which more than 10 inches of rain falls, there shall be no chronic turbidity level trigger. The monthly average, for the purposes of this agreement, shall be the arithmetic average determined over a calendar month.

c. In order to gather information regarding the water temperature at S26, the Department shall employ a temperature monitor at S26. The Department may, at its discretion, employ an additional monitor at a mutually acceptable reference location. The Department shall provide and maintain the equipment necessary to gather information regarding temperature. Water temperature information from the monitor at S26 shall be downloaded once each month during the months of July, August, September and October. Copies of the information downloaded from that monitor during those months shall be furnished to PVCA, TU, PT and Con-Stone.

d. The Department and Con-Stone shall allow a representative from the Pennsylvania Fish and Boat Commission to accompany the Hawk Run District Office surface mine conservation inspector on inspections conducted in response to any study performed under Paragraphs a and b, above, and at that Commission's discretion, during regular monthly inspections of the Con-Stone operation at the Site for which the Department issued Noncoal Surface Mining Permit No. 14920301. In addition, the Department agrees that the representative from the Pennsylvania Fish and Boat Commission may request to schedule and accompany the Hawk Run District Office surface mine conservation inspector on a special site visit if he has a reason to believe that a violation may exist at that Site.

Copies of the full Agreement are in the hands of:

Marc A. Ross, Esquire; Assistant Counsel, DER; 400 Market Street, Ninth Floor; P. O. Box 8464; Harrisburg, PA 17105-8464;

Stephen C. Braverman, Esquire; Buchanan Ingersoll; Eleven Penn Center, 14th Floor; 1835 Market Street; Philadelphia, PA 19103-2895;

Gregory H. Knight, Esquire; 1721 North Front Street; Suite 101; Harrisburg, PA 19103-2895;

and at the office of the Environmental Hearing Board and may be reviewed by any interested party on request during normal business hours.

Any person believing himself aggrieved by the above Settlement has a right to appeal to the Environmental Hearing Board, 400 Market Street, Second Floor, P. O. Box 8457, Harrisburg, PA 17105-8457.

Appeals must be filed within 20 days of this publication.

If information concerning this notice is required in an alternative form, please contact the Secretary to the Board at (717) 783-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

The Environmental Hearing Board is empowered to approve this Settlement if no objection is timely made.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-731. Filed for public inspection May 9, 1997, 9:00 a.m.]

The West Company v. DEP; EHB Doc. No. 97-089-MR

The West Company has appealed the issuance by the Department of Environmental Protection of an NPDES permit to The West Company for a facility in the Borough of Phoenixville, Chester County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, please contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-732. Filed for public inspection May 9, 1997, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Cancellation of Meeting

The May 21, 1997, Environmental Quality Board meeting has been cancelled. The next meeting is scheduled for June 17, 1997, in the First Floor Meeting Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg.

JAMES M. SEIF,
Chairperson

[Pa.B. Doc. No. 97-733. Filed for public inspection May 9, 1997, 9:00 a.m.]

Watershed Redesignation

The Storm Water Management Act (act) (32 P. S. §§ 680.1—680.19) requires Pennsylvania counties to prepare and adopt watershed stormwater plans for designated watersheds. The intent of the act is to address the impacts of development on existing stormwater runoff

levels and recommend measures to control accelerated runoff to prevent flood damages that could occur due to those development activities.

A watershed stormwater plan includes hydrologic and hydraulic evaluation of the drainage basin, consideration of existing drainage problems, existing and proposed flood control projects and their impacts, existing government regulatory mechanisms and provides recommendations for the control of accelerated runoff as a result of development. The Department of Environmental Protection (Department) provides up to 75% funding assistance to counties for their watershed stormwater planning efforts.

Under section 14(a)(10) of the act (32 P. S. § 680.14(a)(10)) (powers and duties of the Department), the Department, in consultation with the counties, originally designated 353 watersheds in the entire Commonwealth. Those watersheds were approved by the Environmental Quality Board (Board) on May 31, 1980, with amendments on November 19, 1991, April 21, 1992, June 21, 1994, April 16, 1996 and April 15, 1997, bringing the current number of watersheds to 356.

The Department, in consultation with Cumberland County, has designated 10 watersheds within Cumberland County. Cumberland County requested the redesignation of the Yellow Breeches Creek into two separate watersheds for stormwater planning. The redesignation will enable Cumberland County to undertake watershed stormwater planning in the upper portion of the Yellow Breeches Creek without studying the entire Yellow Breeches Creek. The remaining portion of the Yellow Breeches Creek Watershed and the other designated watersheds in Cumberland County will remain the same. Cumberland County wanted to begin stormwater planning in this upper portion of the Yellow Breeches because of the severe flooding problems being experienced in this area, the support of the municipalities to undertake planning and the difficulties in completing a stormwater plan for the entire watershed.

The Department, subsequent to advertising in the *Pennsylvania Bulletin* on November 16, 1996, held a public hearing on December 18, 1996, in South Middleton Township to accept public comment. Favorable comments were received at the hearing. Only two oral objections were raised at the hearing. The first was raised by a spokesman for the Cumberland Valley Chapter Trout Unlimited who expressed the belief that stormwater planning in this watershed would result in development that may threaten the quality of the Yellow Breeches and its high quality, cold water fisheries designation. In addressing this objection, the Department made it clear during the public hearing that the redesignation for proposed act watershed planning does not encourage or dictate development levels or patterns within a watershed. Development will continue to occur in this watershed under the regulation of the local governments whether or not stormwater planning takes place. The planning, mandated by law, will help prevent degradation to the Yellow Breeches by providing the municipalities with the tools to limit the impact of stormwater runoff from development over which the Department has no jurisdiction. The objection did not appear to be directed against redesignation, but against development since stormwater planning would eventually be initiated for this watershed in its current designation anyway.

The second objection offered at the public hearing was raised by a member of the Appalachian Audubon Society, who believed that the redesignation does not encourage

regionalization, and that the entire Yellow Breeches Creek should be studied. The lower municipalities in Cumberland County, however, have not voiced support, and York County, which would have had to participate in the planning efforts with Cumberland County if redesignation had not occurred, wishes not to participate in a total watershed plan due to other priorities. The Department responded that while it would be ideal to have the entire watershed studied, starting a plan for the upper portion of the watershed to address existing problems is preferable to no watershed planning at this time.

The public comment period following the hearing concluded on January 17, 1997, but no further comments were received. The Environmental Quality Board approved this request at its public meeting on April 15, 1997.

For further information, contact Durla Lathia, Bureau of Watershed Conservation at (717) 772-4048, or E-mail at Lathia.Durla@a1.dep.state.pa.us. Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). This index is available electronically through the Department's Web site (<http://www.dep.state.pa.us>).

JAMES M. SEIF,
Chairperson

LAKE ERIE BASIN

1. Lake Erie/Elk Creek
2. Conneaut Creek
3. Ashtabula River

GENESEE River BASIN

1. Genessee River

POTOMAC River BASIN

1. Potomac River*

POTOMAC River (From Somerset County to Adams County along Maryland State Line)

2. Little Wills Creek
3. Wills Creek
4. Evitts Creek
5. Little Tonoloway Creek
6. Tonoloway Creek
7. Cove Creek
8. Little Cove Creek
9. Licking Creek
10. Back Creek
11. West Branch Conococheague Creek
12. Conococheague Creek
13. Antietam Creek
14. Monocacy River

OHIO River BASIN

1. Ohio River*
2. Allegheny River*
3. Clarion River*
4. Kiskiminetas River*
5. Youghiogheny River*
6. Monongahela River*
7. Beaver River*

OHIO River (From Confluence with Allegheny River to Ohio State Line)

8. Sawmill Run
9. Robinson Run
10. Chartiers Creek
11. Lowries Run
12. Montour Run
13. Little Sewickley Creek

14. Flaugherty Run
15. Big Sewickley Creek
16. Traverse Creek
17. Service Creek
18. Raccoon Creek
19. Little Beaver Creek
20. Fish Creek
21. Wheeling Creek
22. Cross Creek

ALLEGHENY River (From Potter County to New York State Line)

23. Potato Creek
24. Oswago Creek
25. Tunungwant Creek
26. Upper Allegheny River

ALLEGHENY River (from New York State Line to Confluence with Clarion River)

27. Conewago Creek
28. Brokenstraw Creek
29. Tionesta Creek
30. Oil Creek
31. Muddy Creek
32. Cussewago Creek
33. Conneaut Outlet
34. Sugar Creek
35. French Creek
36. East Sandy Creek
37. Sandy Creek

CLARION River (From McKean County to Confluence with Allegheny River)

38. Elk Creek
39. Little Toby Creek
40. Toms, Cather, Maxwell, Blyson and McCanna Runs
41. Piney Creek
42. Deer Creek
43. Licking Creek

ALLEGHENY River (From Clarion River to Kiskiminetas River)

44. Sandy Lick Creek
45. North Fork Redbank Creek
46. Little Sandy Creek
47. Redbank Creek
48. Stump Creek
49. East Branch Mahoning Creek
50. Big Run
51. Canoe Creek
52. Elk Run
53. Little Mahoning Creek
54. Mahoning Creek
55. Pine Creek
56. Cowanshannock Creek
57. Crooked Creek
58. Glade Run

KISKIMINETAS River (from Somerset County to Confluence with Allegheny River)

59. Quemahoning Creek
60. Shade Creek
61. Paint Creek
62. Bens Creek
63. Stony Creek
64. Little Conemaugh River
65. Two Lick Creek
66. Black Lick Creek
67. Aultmans/Stewart Runs
68. Loyalhanna Creek
69. Conemaugh River
70. Blacklegs Creek

ALLEGHENY River (From Kiskiminetas River to Confluence with Ohio River)

71. Buffalo Creek
72. Bull Creek
73. Pucketa Creek
74. Deer Creek
75. Plum Creek
76. Squaw Run
77. Pine Creek
78. Girty Run

YOUGHIOGHENY River (From Somerset County to Confluence with Monongahela River)

79. Buffalo Creek
80. Coxes Creek
81. Casselman River
82. Laurel Hill Creek
83. Indian Creek
84. Jacobs Creek
85. Sewickley Creek

MONONGAHELA River (From West Virginia State Line to Confluence with Ohio River)

86. Cheat River
87. Dunkard Creek
88. Georges Creek
89. Whitley Creek
90. Muddy Creek
91. Pumpkin Run
92. South Fork Ten Mile Creek
93. Ten Mile Creek
94. Dunlan Creek
95. Redstone Creek
96. Pike Run
97. Pigeon Creek
98. Peters Creek
99. Turtle Creek

BEAVER River (From Ohio State Line to Confluence with Ohio River)

100. Little Shenango River
101. Little Neshannock Creek
102. Neshannock Creek
103. Shenango River
104. Sullivan Run
105. Breakneck Creek
106. Wolf Creek
107. Slippery Rock Creek
108. Connoquenessing Creek
109. Brady Run

SUSQUEHANNA River BASIN

1. Susquehanna River*
2. West Branch Susquehanna River*

SUSQUEHANNA River (From Susquehanna County to Bradford County along New York State Line)

3. Starrucca/Cascade Creeks
4. Drinker Creek
5. Mitchell/Denton Creeks
6. Salt Lick Creek
7. DuBois Creek
8. Snake Creek
9. Choconut Creek
10. Apalachin Creek
11. Wappasening Creek

SUSQUEHANNA River (From Potter County to Confluence with Chemung River along New York State Line)

12. Crooked Creek
13. Cowanesque River
14. Tioga River
15. Chemung River

SUSQUEHANNA River (From Confluence with Chemung River to the Confluence with West Branch Susquehanna River)

16. Sugar Creek
17. Towanda Creek
18. Wysox Creek
19. Wyalusing Creek
20. East and Middle Branch Wyalusing Creek
21. North Branch Wyalusing Creek
22. Meshoppen Creek
23. Mehoopany Creek
24. Tunkhannock Creek upstream from Nine Partners Creek
25. Tunkhannock Creek upstream from Martins Creek
26. East Branch Tunkhannock Creek
27. Martins Creek
28. South Branch Tunkhannock Creek
29. Tunkhannock Creek
30. Bowman Creek
31. Lackawanna River
32. Abrahams Creek
33. Mill Creek
34. Toby Creek
35. Solomon Creek
36. Nanticoke/Newport Creeks
37. Harvey Creek
38. Hunlock Creek
39. L. Wapwallopen/Wapwallopen Creeks
40. Nescopeck Creek
41. Briar Creek
42. Huntingdon Creek
43. Little Fishing Creek
44. Fishing Creek
45. Catawissa Creek
46. Roaring Creek
47. Sechler Run
48. Mahoning Creek

WEST BRANCH SUSQUEHANNA River (From Cambria County to Confluence with Susquehanna River)

49. Chest Creek
50. Anderson Creek
51. Central Region West Branch Susquehanna River Clearfield County
52. Clearfield Creek
53. Moshannon Creek
54. Mosquito Creek
55. Sinnemahoning/Portage Creeks
56. West Creek
57. First Fork Sinnemahoning Creek
58. Sinnemahoning Creek
59. Kettle Creek
60. Young Womans Creek
61. Spring Creek
62. Beech Creek
63. Fishing Creek/Cedar Run
64. Bald Eagle Creek
65. Reeds Run
66. Chatham Run
67. Marsh Creek
68. West Branch Pine Creek
69. Pine Creek

70. Antes Creek
71. Larry's Creek
72. Lycoming Creek
73. Grafius/Millers/McClure Runs
74. Loyalsock Creek
75. Muncy Creek
76. White Deer Hole Creek
77. White Deer Creek
78. Limestone Run
79. Buffalo Creek
80. Bull Run
81. Chillisquaqua Creek

SUSQUEHANNA River (From Confluence with West Branch Susquehanna River to the Confluence with Juniata River)

82. Shamokin Creek
83. Penns Creek
84. Middle Creek
85. Mahanoy Creek
86. Mahantago Creek (West)
87. Mahantago Creek (East)
88. Wiconisco Creek

JUNIATA River (From Centre County to Confluence with Susquehanna River)

89. South Bald Eagle Creek
90. Spruce Creek
91. Little Juniata River
92. Frankstown Branch Juniata River
93. Beaverdam Branch Juniata River
94. Shaver Creek
95. Muddy Run
96. Crooked Creek
97. Standing Stone Creek
98. Shawnee Creek
99. Shobers Run
100. Bobs Creek
101. Dunning Creek
102. Cove Creek
103. Snakespring Valley Run
104. Clear Creek
105. Shaffer Creek
106. Brush Creek
107. Sandy/Sixmile Runs
108. Yellow Creek
109. Shoup Run
110. Great Trough Creek
111. Raystown Branch Juniata River
112. Mill Creek
113. Wooden Bridge Creek
114. Sideling Hill Creek
115. Three Spring Creek
116. Blacklog Creek
117. Aughwich Creek
118. Laurel Creek
119. Honey Creek
120. Kishacoquillas Creek
121. Jacks Creek
122. East Licking Creek
123. Tuscarora Creek
124. Little Buffalo/Buffalo Creeks
125. Juniata River

SUSQUEHANNA River (From Confluence with Juniata River to Maryland State Line)

126. Little Juniata Creek
127. Sherman Creek
128. Clark Creek
129. Stony Creek

130. Fishing Creek
131. Middle Spring Creek
132. Letort Spring Run
133. Hogestown/Trindle Spring Runs
134. Conodoguinet Creek
135. Paxton Creek
136. Spring Creek (West)
137. Mountain Creek
138. Cedar Run
139. Yellow Breeches Creek (Lower)
140. Yellow Breeches Creek (Upper)
141. Quittapahilla Creek
142. Spring Creek (East)
143. Bow/Beaver/Manada Creeks
144. Swatara Creek
145. Conewago Creek
146. Little Conewago Creek
147. Conewago Creek (West)
148. East Branch Codorus Creek
149. South Branch Codorus Creek
150. Codorus Creek
151. Donegal/Little Chickies Creeks
152. Chickies Creek
153. Kreutz Creek
154. Cocalico Creek
155. Mill Creek
156. Little Conestoga Creek
157. Conestoga River
158. Pequea Creek
159. Muddy Creek
160. Conowingo Creek
161. Octoraro Creek

DELAWARE River BASIN

1. Delaware River*
2. Lehigh River*
3. Schuylkill River*

DELAWARE River (From Wayne County to Confluence with Lehigh River along New York and New Jersey State Line)

4. Equinunk Creek
5. Wallenpaupack Creek
6. Lackawaxen River
7. Shohola Creek
8. Saw Kill Creek
9. Bushkill Creek
10. McMichaels Creek
11. Broadhead Creek
12. Cherry Creek
13. Martins/Jacoby Creeks
14. Bushkill Creek

LEHIGH River (From Pike County to Confluence with Delaware River)

15. Tobyhanna Creek
16. Mud Run
17. Black Creek
18. Nesquehoning Creek
19. Mauch Chunk Creek
20. Mahoning Creek
21. Pohopoco Creek
22. Lizard Creek
23. Aquashicola Creek
24. Trout/Bertsch Creeks
25. Hokendaugua Creek
26. Coplay Creek
27. Catasaugua Creek
28. Jordan Creek
29. Little Lehigh Creek

30. Monocacy Creek
31. Saucon Creek
32. Nancy Run

DELAWARE River (From Confluence with Lehigh River to Confluence with Schuylkill River along New Jersey State Line)

33. Tohicon Creek
34. Little Neshaminy Creek
35. Neshaminy Creek
36. Poquessing Creek
37. Pennypack Creek
38. Tacony Creek (Frankford)

SCHUYLKILL River (From Carbon County to Confluence with Delaware River)

39. Little Schuylkill River
40. Sacony Creek
41. Maiden Creek
42. Tulpehocken Creek
43. Manatawny Creek
44. Pigeon Creek
45. French Creek
46. Pickering/Valley Creeks
47. Swamp Creek
48. East Branch Perkiomen Creek
49. Skippack Creek
50. Perkiomen Creek
51. Valley Creek
52. Stony Creek (Sawmill Run)
53. Mill Creek/Rock Run/Gully Creek/Arrowmink Creek
54. Wissahickon Creek

DELAWARE River (From Confluence with Schuylkill River to Delaware State along New Jersey State Line)

55. Cobbs Creek
56. Darby Creek
57. Crum Creek
58. Ridley Creek
59. Chester Creek
60. East Branch Brandywine Creek
61. West Branch Brandywine Creek
62. Sucker Run
63. White Clay Creek (Christina River)
64. Red Clay Creek
65. Brandywine Creek
66. Big Elk Creek (Chesapeake Bay)
67. Little Elk Creek
68. Northeast Creek

DESIGNATED WATERSHEDS BY COUNTIES

ADAMS COUNTY

1. Conewago Creek
2. Monocacy River
3. Conococheague Creek
4. Antietam Creek
5. Mountain Creek

ALLEGHENY COUNTY

1. Pine Creek
2. Chartiers Creek
3. Deer Creek
4. Bull Creek
5. Turtle Creek
6. Sawmill Run
7. Squaw Run
8. Ohio River
9. Robinson Run
10. Peters Creek
11. Montour Run

12. Lowries Run
13. Girty Run
14. Plum Creek
15. L. Sewickley Creek
16. Big Sewickley Creek
17. Flaugherty Run
18. Monongahela River
19. Youghiogheny River
20. Allegheny River
21. Raccoon Creek
22. Connoquenessing Creek
23. Pucketa Creek
24. Breakneck Creek

ARMSTRONG COUNTY

1. Cowanshannock Creek
2. Glade Run
3. Kickiminetas River
4. Allegheny River
5. Pine Creek
6. Crooked Creek
7. Mahoning Creek
8. Redbank Creek
9. Buffalo Creek
10. Blacklegs Creek
11. L. Sandy Creek

BEAVER COUNTY

1. Raccoon Creek
2. Service Creek
3. Traverse Creek
4. Connoquenessing Creek
5. Ohio River
6. Big Sewickley Creek
7. Beaver River
8. Brady Run
9. Little Beaver Creek
10. Slippery Rock Creek
11. Flaugherty Run

BEDFORD COUNTY

1. Dunning Creek
2. Yellow Creek
3. Bobs Creek
4. Shobers Run
5. Shoup Run
6. Raystown Br., Juniata River
7. Snakespring Valley Run
8. Little Wills Creek
9. Cove Creek
10. Clear Creek
11. Shaffer Creek
12. Potomac River
13. Wills Creek
14. Shawnee Creek
15. Brush Creek
16. Frankstown Br. Juniata River
17. Evitts Creek
18. Sandy/Sixmile Runs

BERKS COUNTY

1. Tulpehocken Creek
2. Schuylkill River
3. Maiden Creek
4. Sacony Creek
5. Manatawny Creek
6. Little Lehigh Creek
7. Perkiomen Creek
8. Swamp Creek
9. Conestoga River

10. Swatara Creek
11. French Creek
12. L. Schuylkill River

BLAIR COUNTY

1. Beaverdam Br. Juniata River
2. L. Juniata River
3. Frankstown Br. Juniata River
4. South Bald Eagle Creek
5. Yellow Creek
6. Bobs Creek
7. Moshannon Creek
8. Clearfield Creek

BRADFORD COUNTY

1. Sugar Creek
2. Towanda Creek
3. Wysox Creek
4. Susquehanna River
5. Chemung River
6. Wyalusing Creek
7. Loyalsock Creek
8. Tioga River
9. Mehoopany Creek
10. North Branch Wyalusing Creek
11. Wappasening Creek
12. Apalachin Creek

BUCKS COUNTY

1. Neshaminy Creek
2. L. Neshaminy Creek
3. Tohickon Creek
4. Perkiomen Creek
5. E. Br. Perkiomen Creek
6. Delaware River
7. Poquessing Creek
8. Pennypack Creek
9. Saucon Creek

BUTLER COUNTY

1. Connoquenessing Creek
2. Slippery Rock Creek
3. Wolf Creek
4. Allegheny River
5. Sullivan Run
6. Breakneck Creek
7. Bull Creek
8. Buffalo Creek
9. Deer Creek

CAMBRIA COUNTY

1. L. Conemaugh River
2. Conemaugh River
3. Stony Creek
4. Paint Creek
5. Blacklick Creek
6. Bens Creek
7. W. Br. Susquehanna River
8. Chest Creek
9. Clearfield Creek
10. Frankstown Br. Juniata River
11. L. Juniata River
12. Bobs Creek

CAMERON COUNTY

1. Sinnemahoning Portage Creek
2. West Creek
3. Sinnemahoning Creek
4. First Fork Sinnemahoning Creek
5. West Br. Susquehanna River
6. Potato Creek
7. Mosquito Creek

CARBON COUNTY

1. Lizard Creek
2. Mahoning Creek
3. Mauch Chunk Creek
4. Nesquehoning Creek
5. Black Creek
6. Tobyhanna Creek
7. Mud Run
8. Pohopoco Creek
9. Aquashicola Creeek
10. Lehigh River
11. Little Schuylkill River

CENTRE COUNTY

1. Spring Creek
2. Bald Eagle Creek (north)
3. Fishing Creek
4. Penns Creek
5. Cedar Run
6. Spruce Creek
7. Bald Eagle Creek (south)
8. Moshannon Creek
9. Beech Creek
10. W. Br. Susquehanna River
11. White Deer Creek
12. Buffalo Creek
13. Standing Stone Creek

CHESTER COUNTY

1. Brandywine Creek
2. E. Br. Brandywine Creek
3. Pigeon Creek
4. French Creek
5. Chester Creek
6. Ridley Creek
7. Crum Creek
8. Darby Creek
9. Schuylkill River
10. Pickering Creek
11. Big Elk Creek
12. Little Elk Creek
13. Northeast Creek
14. Octoraro Creek
15. Pequea Creek
16. W. Br. Brandywine
17. Valley Creek
18. White Clay Creek
19. Red Clay Creek
20. Sucker Run

CLARION COUNTY

1. Deer Creek
2. Toms, Cather, Maxwell, Blyson, McCanna Runs
3. Piney Creek
4. Licking Creek
5. Clarion River
6. Redbank Creek
7. Tionesta Creek
8. Allegheny River
9. East Sandy Creek

CLEARFIELD COUNTY

1. Clearfield Creek
2. W. Br. Susquehanna River
3. Anderson Creek
4. Sandy Lick Creek
5. Chest Creek
6. Moshannon Creek
7. Mosquito Creek
8. Stump Creek

9. E. Br. Mahoning Creek
10. Sinnemahoning Creek
11. L. Toby Creek
12. Central Region West Branch
Susquehanna River Clearfield County

CLINTON COUNTY

1. Fishing Creek/Cedar Run
2. Chatham Run
3. Reeds Run
4. Young Womans Creek
5. Kettle Creek
6. W. Br. Susquehanna River
7. Bald Eagle Creek
8. Beech Creek
9. Antes Creek
10. Pine Creek
11. Sinnemahoning Creek

COLUMBIA COUNTY

1. Fishing Creek
2. L. Fishing Creek
3. Huntington Creek
4. Briar Creek
5. Catawissa Creek
6. Roaring Creek
7. Susquehanna River
8. Nescopeck Creek
9. Shamokin Creek
10. Mahoning Creek
11. Mahonoy Creek
12. Chillisquaque Creek
13. Muncy Creek

CRAWFORD COUNTY

1. Conneaut Creek
2. Oil Creek
3. French Creek
4. Conneaut Outlet
5. Muddy Creek
6. Shenango River
7. Cussewago Creek
8. L. Shenango River
9. Sandy Creek
10. Sugar Creek
11. Brokenstraw Creek

CUMBERLAND COUNTY

1. Yellow Breeches Creek (Lower)
2. Yellow Breeches Creek (Upper)
3. Cedar Run
4. Hogestown/Trindle Spring Runs
5. Middle Spring Creek
6. Letort Spring Run
7. Conodoguinet Creek
8. Mountain Creek
9. Susquehanna River
10. Conewago Creek
11. Conococheague Creek

DAUPHIN COUNTY

1. Paxton Creek
2. Spring Creek (West)
3. Wiconisco Creek
4. Spring Creek (East)
5. Swatara Creek
6. Susquehanna River
7. Fishing Creek
8. Clark Creek
9. Stony Creek
10. Mahantango Creek

11. Conewago Creek
12. Bow/Beaver/Manada Creeks

DELAWARE COUNTY

1. Darby Creek
2. Chester Creek
3. Crum Creek
4. Ridley Creek
5. Brandywine Creek
6. Delaware River
7. Schuylkill River
8. Cobbs Creek

ELK COUNTY

1. Elk Creek
2. L. Toby Creek
3. Clarion River
4. Sinnemahoning Creek
5. Mosquito Creek
6. Tionesta Creek
7. West Creek

ERIE COUNTY

1. Lake Erie/Elk Creek
2. French Creek
3. Conneaut Creek
4. Cussewage Creek
5. Brokenstraw Creek
6. Oil Creek
7. Ashtabula River
8. Muddy Creek

FAYETTE COUNTY

1. Redstone Creek
2. Dunlap Creek
3. Georges Creek
4. Youghiogheny River
5. Monongahela River
6. Jacobs Creek
7. Indian Creek
8. Cheat River
9. Laurel Hill Creek

FOREST COUNTY

1. Tionesta Creek
2. Allegheny River
3. Clarion River

FRANKLIN COUNTY

1. Conococheague Creek
2. W. Br. Conococheague Creek
3. Antietam Creek
4. Middle Spring Creek
5. Back Creek
6. Conodoguinet Creek
7. Little Cover Creek
8. Tuscarora Creek
9. Licking Creek
10. Monocacy River
11. Sherman Creek

FULTON COUNTY

1. Cove Creek
2. Sideling Hill Creek
3. Wooden Bridge Creek
4. Aughwick Creek
5. Brush Creek
6. Licking Creek
7. Tonoloway Creek
8. Potomac River
9. Little Tonoloway Creek
10. Great Trough Creek

GREENE COUNTY

1. Wheeling Creek
2. South Fork Tenmile Creek
3. Pumpkin Run
4. Muddy Creek
5. Whitley Creek
6. Dunkard Creek
7. Fish Creek
8. Monongahela River
9. Ten Mile Creek

HUNTINGDON COUNTY

1. Aughwick Creek
2. Three Springs Creek
3. Blacklog Creek
4. Standing Stone Creek
5. Muddy Run
6. Shaver Creek
7. Shoup Run
8. Juniata River
9. Spruce Creek
10. Great Trough Creek
11. Raystown Br. Juniata River
12. Tuscarora Creek
13. Sideling Hill Creek
14. Mill Creek
15. Crooked Creek
16. L. Juniata River
17. Frankstown Br. Juniata River
18. Spring Creek

INDIANA COUNTY

1. Two Lick Creek
2. Cherry Run
3. Yellow Creek
3. Blacklick Creek
4. Crooked Creek
5. Conemaugh River
6. L. Mahoning Creek
7. Aultman/Stuart Runs
8. Canoe Creek
9. Blacklegs Creek
10. Plum Creek
11. W. Br. Susquehanna River
12. Mahoning Creek
13. Cowanshannock Creek

JEFFERSON COUNTY

1. Mahoning Creek
2. Sandy Lick Creek
3. Big Run
4. Elk Run
5. Stump Creek
6. Redbank Creek
7. Canoe Creek
8. Little Sandy Creek
9. L. Toby Creek
10. Clarion River
11. E. Br. Mahoning Creek
12. N. Fork Redbank Creek
13. W. Br. Susquehanna River
14. Toms, Cather, Maxwell, Blyson and McCanna Runs

JUNIATA COUNTY

1. Tuscarora Creek
2. Juniata River
3. E. Licking Creek
4. Mahantango Creek (West)
5. Susquehanna River
6. Blacklog Creek
7. Jacks Creek

LACKAWANNA COUNTY

1. Lackawanna River
2. S. Br. Tunkhannock Creek
3. Susquehanna River
4. Wallenpaupack Creek
5. E. Br. Tunkhannock Creek
6. Lehigh River
7. Lackawaxen River

LANCASTER COUNTY

1. Cocalico Creek
2. L. Conestoga Creek
3. Mill Creek
4. Conestoga River
5. Donegal/L. Chickies Creeks
6. Chickies Creek
7. Pequea Creek
8. Octoraro Creek
9. Conowingo Creek
10. Susquehanna River
11. Conewago Creek
12. West Branch Brandywine Creek

LAWRENCE COUNTY

1. Neshannock Creek
2. L. Neshannock Creek
3. Shenango River
4. Slippery Rock Creek
5. Connoquenessing Creek
6. Mahoning/Beaver Rivers
7. L. Beaver Creek

LEBANON COUNTY

1. Quittapahilla Creek
2. Tulpehocken Creek
3. Swatara Creek
4. Spring Creek
5. Cocalico Creek
6. Conewago Creek
7. Donegal/L. Chickies Creek
8. Stony Creek

LEHIGH COUNTY

1. Jordan Creek
2. L. Lehigh Creek
3. Coplay Creek
4. Lehigh River
5. Saucon Creek
6. Maiden Creek
7. Perkiomen Creek
8. Monocacy Creek
9. Catasauqua Creek
10. Delaware River
11. Trout Creek/Bertsch Creek
12. Sacony Creek

LUZERNE COUNTY

1. Abrahams Creek
2. Toby Creek
3. Harvey Creek
4. Mill Creek
5. Solomon Creek
6. Hunlock Creek
7. Nanticoke/Newport Creeks
8. Nescopeck Creek
9. Huntington Creek
10. L. Wapwallopen/Wapwallopen Creeks
11. Susquehanna River
12. Lehigh River
13. Catawissa Creek

14. Bowman Creek
15. Lackawanna River
16. Mehoopany Creek
17. Black Creek

LYCOMING COUNTY

1. Pine Creek
2. Lycoming Creek
3. Loyalsock Creek
4. Larrys Creek
5. Muncy Creek
6. Antes Creek
7. White Deer Hole Creek
8. W. Br. Susquehanna River
9. L. Fishing Creek
10. Young Womans Creek
11. Chatham Run
12. White Deer Creek
13. Towanda Creek
14. Grafius/Millers/McClure Runs

McKEAN COUNTY

1. Tunungwant Creek
2. Allegheny River (upper)
3. Potato Creek
4. Oswago Creek
5. Allegheny River (lower)
6. Clarion River
7. Tionesta Creek
8. Sinnemahoning Creek
9. Sinnemahoning Portage Creek

MERCER COUNTY

1. Shenango River
2. L. Shenango River
3. Sandy Creek
4. French Creek
5. Neshannock Creek
6. Wolf Creek
7. L. Neshannock Creek

MIFFLIN COUNTY

1. Kishacoquillas Creek
2. Laurel Creek
3. Honey Creek
4. Jacks Creek
5. Juniata River
6. Mill Creek
7. Penns Creek
8. East Licking Creek
9. Middle Creek

MONROE COUNTY

1. Brodhead Creek
2. McMichaels Creek
3. Tobyhanna Creek
4. Cherry Creek
5. Bush Kill Creek
6. Pohopoco Creek
7. Mud Run
8. Aquashicola Creek
9. Delaware River
10. Lehigh River
11. Wallenpaupack Creek

MONTGOMERY COUNTY

1. Perkiomen Creek
2. E. Branch Perkiomen Creek
3. Swamp Creek
4. Skippack Creek
5. Stony Creek/Sawmill Run

6. Wissahickon Creek
7. Schuylkill River
8. Neshaminy Creek
9. Pennypack Creek
10. Manatawny Creek
11. Tacony Creek
12. Cobbs Creek
13. Little Neshaminy Creek
14. Mill Creek/Rock Run/Gully Creek/Arrowmink Creek

MONTOUR COUNTY

1. Mahoning Creek
2. Sechler Run
3. Chillisquaque Creek
4. Limestone Run
5. Susquehanna River
6. Roaring Creek
7. Muncy Creek

NORTHAMPTON COUNTY

1. Monocacy Creek
2. Nancy Run
3. Hokendaugua Creek
4. Martins/Jacoby Creeks
5. Saucon Creek
6. Catasauqua Creek
7. Bushkill Creek
8. Lehigh River
9. Delaware River
10. Trout Creek/Bertsch Creek

NORTHUMBERLAND COUNTY

1. Limestone Run
2. W. Br. Susquehanna River
3. Chillisquaque Creek
4. Shamokin Creek
5. Mahanoy Creek
6. Susquehanna River
7. Mahantango Creek
8. Roaring Creek

PERRY COUNTY

1. L. Juniata Creek
2. Sherman Creek
3. Buffalo/L. Buffalo Creeks
4. Susquehanna River
5. Juniata River
6. Tuscarora Creek
7. Conodoguinet Creek

PHILADELPHIA COUNTY

1. Darby Creek
2. Poquessing Creek
3. Tacony Creek (Frankford)
4. Pennypack Creek
5. Wissahickon Creek
6. Schuylkill River
7. Delaware River
8. Cobbs Creek

PIKE COUNTY

1. Shahola Creek
2. Bush Kill Creek
3. Wallenpaupack Creek
4. Lackawaxen River
5. Saw Kill Creek
6. Delaware River
7. Brodhead Creek

POTTER COUNTY

1. Upper Allegheny River
2. Pine Creek
3. Genessee River
4. W. Br. Pine Creek
5. Oswago Creek
6. Cowanesque River
7. Kettle Creek
8. First Fk. Sinnemahoning Creek
9. Young Womans Creek
10. Sinnemahoning Creek
11. Sinnemahoning Portage Creek

SCHUYLKILL COUNTY

1. Schuylkill River
2. L. Schuylkill River
3. Mahanoy Creek
4. Swatara Creek
5. Mahantango Creek
6. Wiconisco Creek
7. Catawissa Creek
8. Mahoning Creek
9. Lizard Creek
10. Nesquehoning Creek
11. Nescopeck Creek
12. Black Creek
13. Mauch Chunk Creek

SNYDER COUNTY

1. Middle Creek
2. Penns Creek
3. Mahantango Creek (West)
4. Susquehanna River
5. Jacks Creek
6. Honey Creek
7. Juniata River

SOMERSET COUNTY

1. Coxes Creek
2. Stony Creek
3. Quemahoning Creek
4. Bens Creek
5. Paint Creek
6. Shade Creek
7. Casselman River
8. Laurel Hill Creek
9. Wills Creek
10. Buffalo Creek
11. Raystown Br. Juniata River
12. Youghioghny River
13. Shawnee Creek
14. L. Conemaugh River
15. L. Wills Creek

SULLIVAN COUNTY

1. Loyalsock Creek
2. Muncy Creek
3. Fishing Creek
4. Mehoopany Creek
5. Lycoming Creek
6. Towanda Creek
7. Huntington Creek

SUSQUEHANNA COUNTY

1. Salt Lick Creek
2. DuBois Creek
3. Drinker Creek
4. Starrucca/Cascade Creeks
5. Martins Creek
6. Snake Creek
7. Mitchell/Denton Creeks
8. North Branch Wyalusing Creek

9. Tunkhannock Creek
10. E. Br. Tunkhannock Creek
11. Meshoppen Creek
12. Susquehanna River
13. Choconut Creek
14. Apalachin Creek
15. East and Middle Branch of Wyalusing Creek
16. Tunkhannock Creek upstream of Nine Partners Creek
17. Lackawanna River
18. Wappasening Creek
19. Tunkhannock Creek upstream of Martins Creek

TIOGA COUNTY

1. Pine Creek
2. Marsh Creek
3. Crooked Creek
4. Tioga River
5. Cowanesque River
6. Lycoming Creek
7. Chemung River
8. Towanda Creek
9. Kettle Creek
10. Sugar Creek

UNION COUNTY

1. Buffalo Creek
2. Bull Run
3. Penns Creek
4. W. Br. Susquehanna River
5. White Deer Creek
6. White Deer Hole Creek

VENANGO COUNTY

1. Oil Creek
2. Sugar Creek
3. E. Sandy Creek
4. French Creek
5. Allegheny River
6. Slippery Rock Creek
7. Sandy Creek
8. Wolf Creek

WARREN COUNTY

1. Conewango Creek
2. Brokenstraw Creek
3. Allegheny River
4. Oil Creek
5. Tionesta Creek

WASHINGTON COUNTY

1. Chartiers Creek
2. Tenmile Creek
3. Pigeon Creek
4. Pike Run
5. Peters Creek
6. Monongahela River
7. Raccoon Creek
8. Ohio River
9. Robinson Run
10. Cross Creek
11. Wheeling Creek

WAYNE COUNTY

1. Lackawaxen River
2. Equinunk Creek
3. Delaware River
4. Wallenpaupack Creek
5. Lackawanna River
6. Starrucca Creek
7. Lehigh River
8. Tobyhanna Creek

WESTMORELAND COUNTY

1. Sewickley Creek
2. Turtle Creek
3. Loyalhanna Creek
4. Jacobs Creek
5. Kiskiminetas River
6. Pucketa Creek
7. Conemaugh River
8. Youghioghney River
9. Monongahela River
10. Indian Creek
11. Allegheny River

WYOMING COUNTY

1. Bowman Creek
2. Tunkhannock Creek
3. Mehoopany Creek
4. Meshoppen Creek
5. S. Br. Tunkhannock Creek
6. Martin Creek
7. Susquehanna River
8. Harveys Creek

YORK COUNTY

1. Codorus Creek
2. S. Br. Codorus Creek
3. E. Br. Codorus Creek
4. L. Conewago Creek
5. Kreutz Creek
6. Conewago Creek
7. Yellow Breeches Creek (Lower)
8. Muddy Creek
9. Susquehanna River

[Pa.B. Doc. No. 97-734. Filed for public inspection May 9, 1997, 9:00 a.m.]

FISH AND BOAT COMMISSION

Closure to Public Fishing; Section of Muddy Creek, York County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25, is taking action to revise the dates in May 1997 for closure of a small section of Muddy Creek in Muddy Creek Forks, York County, to public fishing.

The Pennsylvania Film Office has requested the cooperation of the Commission in closing a small section of Muddy Creek in connection with the production of a film at this site. The Commission has been informed that all roads in the immediate vicinity will be closed to traffic on the dates in question and that the Muddy Creek Forks area will be filled with a great deal of film equipment. In light of these restrictions on safe public access to this area, the Executive Director finds that this closure to public fishing is necessary and appropriate for the health and safety of persons who fish.

On April 26, 1997, the Commission published a notice at 27 Pa.B. 2090 (April 26, 1997) indicating that this section of stream would be closed on May 7, 8, and 9 due to safety and access concerns raised by use of adjoining areas. The Commission has now been notified that the film production in this area will not take place on the dates planned. Accordingly, the closure is being delayed to

later in May 1997. Because of the vagaries of film production schedules, it is impossible to specify the exact dates of the closure. However, the stream section will not be closed for more than 4 consecutive days, and due notice will be posted at the site.

Accordingly, a section of Muddy Creek, 100 yards upstream and downstream of the country store in Muddy Creeks Fork, is closed to public fishing on such dates in May 1997 as may be posted at the site.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 97-735. Filed for public inspection May 9, 1997, 9:00 a.m.]

HUMAN RELATIONS COMMISSION

Public Hearing Opinions

The Human Relations Commission, under section 7(o) of the Pennsylvania Human Relations Act (P. L. 744, No. 222) hereby announces the publication of the Stipulations of Fact, Findings of Fact, Conclusions of Law, Final Decision and Order, made after a Public Hearing under section 9(e)—(g) of the Act, in the following cases:

Mark A Wright v. Neville Chemical Company; Docket No. E55607D (Pennsylvania Human Relations Commission, April 21, 1997); Race-based discharge; Ruling for Respondent, 8-0 decision; 34 pages.

Elmer Christenson and Barbara Schwartz and Clarice Hofstra v. Robinwood Village, Inc., Howard and Betty Hartshorn; Docket Nos. H5713, H5720 (Pennsylvania Human Relations Commission, April 21, 1997); Familial status, covenant restricts sale of property; Ruling for Respondents, 8-0 decision; 25 pages.

The final orders in the above-listed cases are subject to appeal to Commonwealth Court, and if appealed are subject to being affirmed, reversed or modified, in whole or part.

A copy of the opinions listed in this notice may be obtained by mailing a request indicating the opinions desired, accompanied by a check or money order in the amount of 10¢ per page (the number of pages in the opinion is set forth at the end of the case listing), to Laura J. Treaster, Information Director, Human Relations Commission, 101 South Second Street, Suite 300, Harrisburg, PA 17101. The check or money order should be made payable to the "Commonwealth of Pennsylvania."

HOMER C. FLOYD,
Executive Director

[Pa.B. Doc. No. 97-736. Filed for public inspection May 9, 1997, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws: Richard B. Driscoll d/b/a Action Adjustment Service, Inc.; Doc. No. SC97-04-034

Notice is hereby given of the Order to Show Cause issued on April 28, 1997 by the Deputy Insurance Com-

missioner of the Commonwealth of Pennsylvania in the above-referenced matter. Violation of the following is alleged: sections 6(a)(3), (5) and (12) of the Insurance Adjusters Act (63 P. S. §§ 1606(a)(3), (5) and (12)); and sections 4 and 5(a)(2) of The Unfair Insurance Practices Act (40 P. S. §§ 1171.4 and 1171.5(a)(2)).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If Respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed in writing with the Docket Clerk, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency ADA Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-737. Filed for public inspection May 9, 1997, 9:00 a.m.]

Export List Of Insurance Coverages; Request for Comments

The Insurance Commissioner published a notice at 27 Pa.B. 365 (January 18, 1997) soliciting comments to the export list published at 26 Pa.B. 552 (February 3, 1996). Consideration was given to all comments received. The Insurance Commissioner proposes to amend the February 3, 1996, list to: (1) add Armored Cars, House Movers, Hunting Clubs, Security-Detective-Patrol Agencies and monoline liquor liability; and (2) increase the original new cost or market value from "\$40,000 or greater" to "\$60,000 or greater" referenced under physical damage coverage for private passenger, classic, antique or commercial vehicles.

Persons wishing to comment on the Insurance Commissioner's proposals are invited to submit a written statement within 15 days from the date of this publication. Each written statement must include sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Office of Regulation of Companies, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120 (717) 783-2144, fax (717) 787-8557. Formal notification of any changes will be published in the *Pennsylvania Bulletin* after the 15-day

comment period, or a notice will be published stating that the February 3, 1996, list remains in effect.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-738. Filed for public inspection May 9, 1997, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Miller, Kenneth Warren; file no. 97-303-70567; Erie Insurance Exchange; doc. no. PI97-04-049; June 5, 1997; at 3 p.m.;

Appeal of Kanoff, Jack and Zeld; file no. 97-267-31871; General Accident Insurance Co. of America; doc. no. PH97-04-054; June 17, 1997, at 2 p.m.;

Appeal of Meyer, Hans J.; file no. 97-267-31793; Allstate Insurance Company; doc. no. PH97-04-052; June 17, 1997, at 3 p.m.;

Appeal of Yeager, Patricia L.; file no. 97-121-02292; Erie Insurance Exchange; doc. no. P97-04-057; June 18, 1997, at 11 a.m.;

Appeal of Bajus, Stephen and Kathryn; file no. 97-265-32082; Pennsylvania General Insurance Co.; doc. no. PH97-04-053; June 18, 1997, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to partici-

pate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-739. Filed for public inspection May 9, 1997, 9:00 a.m.]

Review Procedure Hearings under The Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of McCall, Sue; file no. 97-280-31967; Keystone Insurance Company; doc. no. PH97-04-047; June 12, 1997, at 9 a.m.;

Appeal of Artz, Douglas and Tamie; file no. 97-497-90520; American Spirit Insurance Co.; doc. no. E97-04-058; June 17, 1997, at 11 a.m.;

Appeal of Brittain, Harry E., III; file no. 97-121-08957; Erie Insurance Exchange; doc. no. P97-04-055; June 18, 1997, at 9 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-740. Filed for public inspection May 9, 1997, 9:00 a.m.]

Voluntary Surrender Of Certificate Of Authority

The Presbyterian Home at 58th Street, a domestic continuing care retirement community, has submitted an application for approval of the voluntarily surrender of its Certificate of Authority. The filing was made under requirements set forth under the Continuing Care Provider Registration and Disclosure Act (40 P. S. §§ 3201—3225). Persons wishing to comment on the grounds of public or private interest concerning the surrender, are invited to submit a written statement to the Insurance Department within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the writer, identification of the application to which the comment is addressed, and a concise statement with sufficient detail to inform the Insurance Department of the exact basis of the comment and the relevant facts upon which it is based. Written statements should be directed to Robert Brackbill, Licensing Specialist, Company Licensing Division, Room 1345 Strawberry Square, Harrisburg, PA 17120, or by fax to (717) 787-8557.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-741. Filed for public inspection May 9, 1997, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pennsylvania Public Utility Commission, Bureau of
Transportation and Safety v. Kathy A. Barron,
t/d/b/a Kate Barron Trucking; Doc. No.
A-00111524C9701 F. 2

Complaint

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Kathy A. Barron, t/d/b/a Kate Barron Trucking, respondent, maintains a principal place of business at 429 Davis Avenue, Somerset, PA 15501.
2. That all times relevant to this Complaint, respondent held a certificate of public convenience issued by this Commission at Application Docket No. A-00111524, F. 2.
3. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code Chapter 32; respondent is required to maintain evidence of current insurance on file with this Commission.
4. That respondent has failed to maintain evidence of cargo insurance, in violation of the Public Utility Code and regulations cited in Paragraph 3 of this complaint.

5. That as a result of failure to maintain evidence of current insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Commission revoke respondent's certificate of public convenience or order such other remedy as the Commission may deem to be appropriate.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke the certificate of public convenience held by Kathy A. Barron, t/d/b/a Kate Barron Trucking at Docket No. A-00111524, F. 2, for failure to maintain current evidence of insurance on file with the Commission or order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Kenneth E. Nicely,
Director, Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

Verification

I, Kenneth E. Nicely, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Notice to Plead

A. You must file an answer within 20 days of the date of service. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice to plead. 52 Pa. Code § 1.56(a). The answer must raise all factual and legal arguments that you wish to claim in your defense and must include the docket number of this Complaint. Your answer must be verified and the original and two copies sent to John G. Alford, Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265.

B. If you fail to answer this complaint within 20 days of the date of service as identified in Paragraph A. above, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license or imposing such other remedy as may be appropriate.

C. In lieu of an answer, you may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the proof of insurance from your insurer, the complaint proceeding shall be closed.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-742. Filed for public inspection May 9, 1997, 9:00 a.m.]

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Abraham Dayen's World Wide Moving & Storage Co.; Doc. No. A-00106384C9601

Complaint

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Abraham Dayen's World Wide Moving & Storage Co., respondent, maintains a principal place of business at R. D. 3, Norristown, PA 19403.
2. That all times relevant to this Complaint, respondent held a certificate of public convenience issued by this Commission at Application Docket No. A-00106384.
3. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code Chapter 32; respondent is required to maintain evidence of current insurance on file with this Commission.
4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance, in violation of the Public Utility Code and regulations cited in Paragraph 3 of this complaint.
5. That as a result of failure to maintain evidence of current insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Commission revoke respondent's certificate of public convenience or order such other remedy as the Commission may deem to be appropriate.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke the certificate of public convenience held by Abraham Dayen's World Wide Moving & Storage Co. at Docket No. A-00106384, for failure to maintain current evidence of insurance on file with the Commission or order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Kenneth E. Nicely,
Director, Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

Verification

I, Kenneth E. Nicely, hereby state that the facts above set forth are true and correct to the best of my knowl-

edge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Notice to Plead

A. You must file an answer within 20 days of the date of service. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice to plead. 52 Pa. Code § 1.56(a). The answer must raise all factual and legal arguments that you wish to claim in your defense and must include the docket number of this Complaint. Your answer must be verified and the original and two copies sent to John G. Alford, Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265.

B. If you fail to answer this complaint within 20 days of the date of service as identified in Paragraph A. above, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license or imposing such other remedy as may be appropriate.

C. In lieu of an answer, you may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the proof of insurance from your insurer, the complaint proceeding shall be closed.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-743. Filed for public inspection May 9, 1997, 9:00 a.m.]

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Marian Group, Inc.; Doc. No. A-00108229C97

Complaint

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Marian Group, Inc., respondent, maintains a principal place of business at 4250 Wissahickon Avenue, Philadelphia, PA 19129.

2. That all times relevant to this Complaint, respondent held a certificate of public convenience issued by this Commission at Application Docket No. A-00108229.

3. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code Chapter 32; respondent is required to maintain evidence of current insurance on file with this Commission.

4. That respondent has failed to maintain evidence of cargo insurance, in violation of the Public Utility Code and regulations cited in Paragraph 3 of this complaint.

5. That as a result of failure to maintain evidence of current insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Commission revoke respondent's certificate of public convenience or order such other remedy as the Commission may deem to be appropriate.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke the certificate of public convenience held by Marian Group, Inc. at Docket No. A-00108229, for failure to maintain current evidence of insurance on file with the Commission or order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Kenneth E. Nicely,
Director, Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

Verification

I, Kenneth E. Nicely, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Notice to Plead

A. You must file an answer within 20 days of the date of service. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice to plead. 52 Pa. Code § 1.56(a). The answer must raise all factual and legal arguments that you wish to claim in your defense and must include the docket number of this Complaint. Your answer must be verified and the original and two copies sent to John G. Alford, Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265.

B. If you fail to answer this complaint within 20 days of the date of service as identified in Paragraph A. above, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license or imposing such other remedy as may be appropriate.

C. In lieu of an answer, you may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the proof of insurance from your insurer, the complaint proceeding shall be closed.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-744. Filed for public inspection May 9, 1997, 9:00 a.m.]

Request of Mark L. Tewes, Tariff Publisher Representing Patrick A. Kissel, Jr. for a 2% Emergency Fuel Surcharge; SP-28202

Public Meeting held
April 10, 1997

Commissioners Present: John M. Quain, Chairperson;
Lisa Crutchfield, Vice Chairperson; John Hanger; David
W. Rolka; Robert K. Bloom

Order

By the Commission:

Mark L. Tewes, (Tewes) Tariff Publisher representing Patrick A. Kissel, Jr. (carrier) is petitioning this Commission to implement a 2% fuel surcharge as a direct result of escalating fuel costs currently being experienced.

Tewes has compiled data from the represented carrier indicating fuel prices have risen sharply in recent months and carriers requests relief to offset increased operating costs for a period of 30 days with 5 extensions upon conditions warranting it.

The Commission approved a 2% emergency fuel surcharge for Tristate Household Goods Tariff Conference, Inc. representing approximately 275 tristate household goods carriers on June 6, 1996, extended said order an additional 3 months on September 19, 1996, and further extended said order for 6 additional months on March 13, 1997. It would appear prudent for the Commission to include other financial strapped carriers until fuel prices become stabilized. *Therefore It Is Ordered That:*

1. Patrick A. Kissel, Jr., at A-00099886 may establish a 2% fuel surcharge on one day's notice under Special Permission No. 28202 and shall be published in accordance with all other tariff rules of this Commission.

2. Upon determination by the Commission that the price of fuel has stabilized thereby allowing carrier to seek rate relief through normal filing procedures, the Commission will issue an order to eliminate the 2% fuel surcharge.

3. The surcharge be effective for a 30-day period with carriers being permitted to file for 5 additional 30-day extension periods if conditions warrant.

4. Upon approval by this Commission the Secretary shall duly certify this order and deposit same with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-745. Filed for public inspection May 9, 1997, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before June 2, 1997 as set forth at 52 Pa. Code § 3.381 (relating to the applications for the transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Application of the following for the approval of the transfer of stock as described under each application.

A-00111604, F. 5000. Philadelphia's Finest Shuttle, Inc. (1745 South 13th Street, Philadelphia, Philadelphia County, PA 19148), a corporation of the Commonwealth of Pennsylvania—stock transfer—approval of the transfer of all issued and outstanding stock from Joseph M. Spei, II (25 shares), Joseph M. Spei, Sr. (25 shares) and John Spei (25 shares) to Adeline Spei (25 shares held). *Attorney:* John J. Gallagher, Suite 1100, 1760 Walnut Street, Philadelphia, PA 19103.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00113897. Greater Valley Emergency Medical Services, Inc. (904 North Lehigh Avenue, Sayre, Bradford County, PA 18840), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in the county of Bradford, and from points in the said county to points in the county of Sullivan, and vice versa; subject to the following condition: that all service is to be provided in specially modified vehicles equipped with wheelchair lifts, ramps and/or tiedowns. *Attorney:* John Kocsis, 180 North Elmira Street, Athens, PA 18810.

A-00113913. Fame Emergency Medical Services, Inc. (710 Valley Street, Lewistown, Mifflin County, PA 17044), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in the borough of Lewistown, Mifflin County, and within an airline distance of 30 statute miles of the limits of said borough, and from points in said territory, to points in Pennsylvania, and return.

Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.

A-00109365, F. 1, Am-C. Milepost Inns, Inc., t/d/b/a Milepost Industries (775 Baywood Drive, Suite 215, Petaluma, Sonoma County, CA 94954), a corporation of the State of Nevada—inter alia, to transport, by motor vehicle, rail carrier employes and their equipment and baggage for Consolidated Rail Corporation (CONRAIL), between points in Pennsylvania: *so as to permit* the transportation of rail carrier employes and their equipment and baggage for Norfolk Southern Corporation, between points in Pennsylvania. *Attorney:* William A. Gray, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00110957, Folder 1, Am-A. Walter J. Garing and Nancy Jane Garing, Copartners (R. R. 2, Box 490, Honesdale, Wayne County, PA 18431-9615)—persons in group and party service, between points in the county of Wayne and from points in said county to points in the counties of Lackawanna, Monroe, Pike and Wayne: *so as to permit* the transportation of persons in group and party service, between points in the county of Wayne, and from points in said county, to points in Pennsylvania, and return.

Applications of the following for approval of the right to begin to operate as a broker for the transportation of persons as described under each application.

A-00113916. Anthony Eramo and Arnold J. Domes, Jr., Copts., t/d/b/a Fan-Addicts Sports Tours Plus (1709 North Sumner Avenue, Scranton, Lackawanna County, PA 18508)—brokerage license—to arrange for the transportation of persons, between points in Pennsylvania.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under such application.

A-00113914. Steve Karabatos, t/d/b/a Sterling Airport Service (12 South Reading Avenue, P. O. Box 463, Boyertown, Berks County, PA 19592)—persons in airport transfer service, from points in the borough of Boyertown, Berks County, and points in the borough of Pottstown, Montgomery County, to the Philadelphia International Airport in the city and county of Philadelphia and the township of Tunicum, Delaware County, the Allentown-Bethlehem-Easton Airport in the township of Hanover, Lehigh County, and the Reading Airport in the township of Berne, Berks County; which is to be a transfer of the right authorized under the certificate issued at A-00110417 to John Pilon, t/d/b/a Sterling Airport Service, subject to the same limitations and conditions. *Attorney:* Lee F. Mauger, 41 High Street, P. O. Box 1050, Pottstown, PA 19464-0285.

A-00113917. Five Star Transportation, Inc. (411 Church Road, Yeadon, Delaware County, PA 19050), a corporation of the Commonwealth of Pennsylvania—persons, in limousine service, between points in the counties of Bucks, Chester, Delaware, Montgomery and Philadelphia; subject to the following condition: that no right, power or privilege is granted to originate service in the townships of Tredyffrin, Easttown, Willistown, East Whiteland, West Whiteland, East Goshen, West Goshen, Westtown, East Bradford, East Caln, Birmingham,

Thornbury and Pennsbury, and the boroughs of Downingtown, West Chester and Malvern, all in Chester County; which is to be a transfer of the right authorized under the certificate issued at A-00109430 to Gaffney Limousine, Inc., a corporation of the Commonwealth of Pennsylvania, subject to the same limitations and conditions. *Attorney:* Gerald Gornish, Twelfth Floor Packard Building, 111 South 15th Street, Philadelphia, PA 19102-2678.

Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before May 27, 1997.

- A-00113920 Brandon P. Walker, t/d/b/a/ B.P.W.
Transportation
5107 Delta Road, Delta, PA 17314
- A-00113921 Wallace Transportation, Inc.
R. D. 1, Box 179, Woodland, PA 16881:
Dwight L. Koerber, Jr., Esquire, 110
North Second Street, P. O. Box 1320,
Clearfield, PA 16830
- A-00113922 Joseph P. Fremer, Sr. and Joseph P. Fremer,
Jr., Copartners, t/d/b/a Fremer Surface
Mine Reclamation
R. D. 1, Box 203, Brockway, PA 15824:
Dwight L. Koerber, Jr, Esquire, Kriner,
Koerber & Kirk, P.C., 110 North Second
Street, P. O. Box 1320, Clearfield, PA
16830
- A-00113924 MBV Trucking, Inc.
1109 Daisy Street, Clearfield, PA 16830:
Dwight L. Koerber, Jr., Esquire, Kriner,
Koerber & Kirk, P.C., 110 North Second
Street, P. O. Box 1320, Clearfield, PA
16830
- A-00113925 J. B. Hauling, Inc.
3003 Marna Court, Norristown, PA 19403:
Robert Riley, Esquire, 144 East DeKalb
Pike, King of Prussia, PA 19406
- A-00113926 Darrell Damianos and Dave Ireland,
Copartners, t/d/b/a C & L Trucking
2046 McKinney Road, Monroeville, PA
15146
- A-00113927 Kehl Bros., Inc.
Route 4, Box 4050, Fleetwood, PA 19522

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-746. Filed for public inspection May 9, 1997, 9:00 a.m.]

Telecommunications Without Hearing

A-310482. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Cellular Rentals, Inc. Bell Atlantic-Pennsylvania, Inc. and Cellular Rentals, Inc., by its counsel, filed on April 18, 1997, at the Public Utility

Commission, a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All such comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic—Pennsylvania, Inc. and Cellular Rentals, Inc. Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-7466.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-747. Filed for public inspection May 9, 1997, 9:00 a.m.]

STATE ETHICS COMMISSION

Public Meeting Notice

The Public Official and Employee Ethics Law requires that the State Ethics Commission hold at least two public hearings each year to seek input from persons and organizations who represent any individual subject to the provisions of the law and from other interested parties.

The State Ethics Commission will conduct a public meeting in 307 Finance Building, Harrisburg, PA on May 30, 1997, beginning at 9 a.m. for purposes of receiving said input and for the conduct of other agency business. Public officials, public employees, organizations and members of the general public may attend.

Persons seeking to testify or present a statement, information or other comments in relation to the Ethics Law, the Regulations of the State Ethics Commission or agency operations should contact Claire Hershberger at (717) 783-1610 or (800) 932-0936. Written copies of any statement should be provided at the time of said meeting.

JOHN J. CONTINO,
Executive Director

[Pa.B. Doc. No. 97-748. Filed for public inspection May 9, 1997, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Bids

The Turnpike Commission is requesting a sealed bid for Design/Printing of Turnpike Newsletter. A mandatory prebid conference will be held May 22, 1997, 10 a.m., Purchasing Conference Room, PA Turnpike Administration Building, Route 283 and Eisenhower Blvd., Highspire, PA (Dauphin County). Open Date: June 2, 1997, at 11 a.m.

Bids will be received by the Purchasing Manager not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by

communicating with the Bid Clerk, Purchasing Dept. (717) 939-9551, Ext. 2830.

JAMES A. MALONE, III,
Chairperson

[Pa.B. Doc. No. 97-749. Filed for public inspection May 9, 1997, 9:00 a.m.]

—————

**Retention of Engineering Firms
Westmoreland County
Reference No. 1-109**

The Turnpike Commission (Commission) will retain two engineering firms for the design for the total reconstruction project between Mileposts 76.00 and 85.00 in Westmoreland County. Each firm selected will be responsible for the Preliminary and Final Design of an approximate 5-mile section between these limits. Coordination will be required between the two consultants as portions of the work will overlap into the other consultant's area.

The engineering services required would include supplemental field surveys, cross sections, evaluation of utility conflicts and potential relocations, development of erosion and sedimentation control plans and specifications, preparation of hydraulic reports for waterway approvals, preparation of TS&L and final bridge plans, preliminary and final traffic control plans, structural foundation reports, roadway core borings, preparation of preliminary and final construction plans and specifications in order for the Commission to bid the total reconstruction of the roadway between Milepost 76.00 and 85.00.

In addition, low-level photography has been performed on this area to an accuracy of + .05 feet. Hard copies of the mapping and a disk will be provided to the consultants for their use. A digital terrain model in AUTOCAD format will also be provided. The consultants will be required to perform supplemental surveys and reestablish the existing centerline of the Turnpike. Also, cross sections will be cut and plotted from the available information.

Direct inquiries to Michael D. Shaak at (717) 939-9551, Extension 5380.

General Requirements and Information

Firms interested in performing the above services are invited to submit Expanded Letters of Interest to Barry L. Troup, P.E., Assistant Chief Engineer—Design, Administration Building located on Eisenhower Boulevard at the Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676).

The Expanded Letters of Interest must include in the heading the project reference number indicated in the advertisement. A Standard Form 254, "Architect-Engineer and Related Services Questionnaire," not more than 1 year old as of the date of this advertisement, and Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project," must accompany each letter of interest. If the firm has multiple offices, the location of the office performing the work must be identified.

Firms with out-of-State headquarters or corporations not incorporated in this Commonwealth must include

with each letter of interest a copy of their registration to do business in this Commonwealth as provided by the Department of State.

The Commission currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Commission currently limits its participation in the consultant's indirect payroll costs (overhead) on design projects to 130% or the consultant's actual audited overhead rate, whichever is less.

The following factors will be considered by the Committee during their evaluation of the firms submitting letters of interest:

(A) Specialized experience and technical competence of firm.

(B) Past record of performance with respect to cost control, work quality and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.

(C) Expanded Letters of Interest should include an indication of the prime consultant's and subconsultant's current workload for all Department of Transportation and Commission projects.

(D) Location of consultant's office where the work will be performed.

(E) Listing of subconsultants intended. Any deviation from the subconsultants listed in the letter of interest will require written approval from the Commission, if selected.

(F) Special requirements of the project.

(G) Other factors, if any, specific to the project.

Each firm shall demonstrate in their Expanded Letter of Interest their ability to perform the specific requirements indicated for this project by including a maximum three page report on this subject.

The Expanded Letter of Interest and required forms must be received by 12 noon, Friday, May 23, 1997. Any letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable Expanded Letters of Interest in response to this advertisement, two firms will be selected for this project. The order of preference will be established for the purpose of negotiating an agreement with the two highest ranked firms established by the Technical Review Committee and approved by the Selection Committee. Technical Proposals will not be requested for final selection.

The Commission reserves the right to reject all Letters of Interest submitted, to cancel the solicitation requested under this notice and/or to readvertise solicitation for these services.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 97-750. Filed for public inspection May 9, 1997, 9:00 a.m.]