

NOTICES

DELAWARE RIVER BASIN COMMISSION

Commission Meeting and Public Hearings

The Delaware River Basin Commission will hold a public hearing on Wednesday, June 25, 1997. The hearing will be part of the Commission's regular business meeting which is open to the public and scheduled to begin at 1:30 p.m. in the Goddard Conference Room of the Commission's offices at 25 State Police Drive, West Trenton, NJ.

An informal conference among the Commissioners and staff will be held at 10:30 a.m. at the same location and will include a presentation on New Jersey's statewide watershed management implementation strategy, a Natural Resources Conservation Service presentation on Basinwide digitization of soils data, and a status report on the Commission's GIS program.

In addition to the subjects listed which are scheduled for public hearing at the business meeting, the Commission will also address the following: Minutes of the May 28, 1997 business meeting; announcements; General Counsel's report; report on Basin hydrologic conditions; a resolution concerning FY '97 budget adjustments; a resolution providing for the election of the Commission offices of Chair, Vice Chair and Second Vice Chair and public dialogue.

The subjects of the hearing will be as follows:

Current Expense and Capital Budgets. A proposed current expense budget for the fiscal year beginning July 1, 1997, in the aggregate amount of \$3,445,500 and a capital budget reflecting revenues of \$2,187,500 and expenditures of \$2,074,500. Copies of the current expense and capital budgets are available from the Commission on request by contacting Richard C. Gore. This hearing was deferred at the January 22, 1997 business meeting.

Applications for Approval of the Following Projects under Article 10.3, Article 11 and/or Section 3.8 of the Compact.

1. *Chester County Water Resources Authority D-73-87 CP Revision 3.* A project to modify the outlet structure of the applicant's existing Barneston Flood Control Project (Pennsylvania Dam 432) on the East Branch Brandywine Creek in Wallace Township, Chester County, PA. The facility is a dry dam serving Chester County providing flood control by reducing the rate of flood water flow in the East Branch Brandywine Creek via a single-stage riser and a concrete conduit. A new conduit will be installed to replace the existing deteriorating riser/conduit outlet, and no change in the dam's functions or operation is proposed. The new conduit will continue to allow the passage of fish.

2. *Fawn Lake Forest Water Company D-81-61 CP RENEWAL 3.* An application for the renewal of a groundwater withdrawal project to supply up to 4.5 million gallons (mg)/30 days of water to the applicant's distribution system from Well Nos. 1, 2, 3, 4 and 5. Commission approval on May 20, 1992 was limited to 5 years. The

applicant requests that the total withdrawal from all wells remain limited to 4.5 mg/30 days. The project is located in Lackawaxen Township, Pike County, PA.

3. *Borough of Allentown D-89-32 CP RENEWAL.* An application for the renewal of a groundwater withdrawal project to supply up to 9 mg/30 days of water to the applicant's distribution system from Well Nos. 1 and 2. Commission approval on June 28, 1989 was limited to 7 years. The applicant requests that the total withdrawal from all wells remain limited to 9 mg/30 days. The project is located in Allentown Borough, Monmouth County, NJ.

4. *Elastimold, Inc. D-95-54.* An application for approval of an increase in groundwater withdrawal to supply up to 5.83 mg/30 days of water to the applicant's industrial facility from existing Well No. 3, and to limit the withdrawal to 5.83 mg/30 days. The project is located in Washington Township, Morris County, NJ.

5. *Jefferson Township Sewer Authority D-97-6 CP.* A project to construct a 410,000 gallons per day (gpd) sewage treatment plant (STP) to serve communities throughout Jefferson Township, Lackawanna County, PA; including Mount Cobb, Moosic Lakes and Lake Spangenberg, and the residential developments of Happy Acres, Belair Acres, Floral Estates, Jefferson Heights and High View Terrace. The STP will provide tertiary treatment prior to discharge to an unnamed tributary of the West Branch Lake Wallenpaupack Creek. The STP will be situated approximately 1,000 feet south of State Route 348 and just east of Mount Cobb in Jefferson Township. An importation of wastewater of approximately 21,000 gpd is projected from the Happy Acres service area which is located in the Susquehanna River Basin.

Documents relating to these items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Contact Thomas L. Brand concerning docket-related questions. Persons wishing to testify at this hearing are requested to register with the Secretary prior to the hearing.

Other Scheduled Hearings

By earlier notice, the Commission announced its schedule of public hearings on proposed amendments to its Ground Water Protected Area Regulations for Southeastern Pennsylvania concerning the establishment of numerical groundwater withdrawal limits for subbasins in the protected area. The proposed limits, based upon hydrologic budget analyses, would initially be specified for the 14 subbasins in the Neshaminy Creek Basin. Limits for the remaining 52 subbasins within the protected area would be developed upon completion of additional hydrologic budget analyses scheduled to be completed late in 1997.

The public hearings are scheduled as follows:

June 24, 1997 beginning at 3 p.m. and continuing until 5 p.m., as long as there are people present wishing to testify. The hearing will resume at 7 p.m. and continue until 9 p.m., as long as there are people present wishing to testify. The hearings will be held in the Goddard Conference Room of the Commission's offices at 25 State Police Drive, West Trenton, NJ.

Copies of the full text of the proposed amendments as well as the Commission's Ground Water Protected Area Regulations for Southeastern Pennsylvania may be obtained by contacting Susan M. Weisman, Commission Secretary, at (609) 883-9500 ext. 203.

Persons wishing to testify are requested to notify the Secretary in advance. Written comments on the proposed amendments should be submitted to the Secretary at the

Delaware River Basin Commission, P. O. Box 7360, West Trenton, NJ 08628.

SUSAN M. WEISMAN,
Secretary

[Pa.B. Doc. No. 97-984. Filed for public inspection June 20, 1997, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 10, 1997.

BANKING INSTITUTIONS

New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-5-97	American Bank of the Lehigh Valley Allentown Lehigh County	4029 W. Tilghman St. Allentown Lehigh County	Commenced Operations

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
6-4-97	Allied Irish Banks, P.L.C. Dublin, Ireland, and First Maryland Bancorp, Baltimore, Maryland, to acquire 100% of the voting shares of Dauphin Deposit Corporation, Harrisburg, Pennsylvania	Dublin, Ireland and Baltimore, MD	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-5-97	Union Bank and Trust Company Pottsville Schuylkill County	Weis Supermarket Rte. 61 and St. Clair Ave. Pottsville Schuylkill County	Approved
6-5-97	Northwest Savings Bank Warren Warren County	1 Center Square Hanover York County	Opened
6-10-97	USBANCORP Trust Company Johnstown Cambria County	Oakley Park II Route 30 East Greensburg Westmoreland County	Approved
6-10-97	USBANCORP Trust Company Johnstown Cambria County	110 Regent Court Suite 104 State College Centre County	Approved
6-10-97	The Madison Bank Blue Bell Montgomery County	8000 Verree Road Philadelphia Philadelphia	Filed
6-10-97	Ambassador Bank of the Commonwealth Allentown Lehigh County	1605 West Broad Street Bethlehem Lehigh County	Filed
6-10-97	The Glenmede Trust Company Philadelphia Philadelphia County	25825 Science Park Dr. Suite 385 Beachwood Cuyahoga County, Ohio	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-5-97	Minersville Safe Deposit Bank and Trust Company Minersville Schuylkill County	<i>To:</i> 400 Sunbury Street Minersville Schuylkill County <i>From:</i> 129 Sunbury Street Minersville Schuylkill County	Approved
6-6-97	Dauphin Deposit Bank and Trust Company Harrisburg Dauphin County	<i>To:</i> 729 Locust Street West Cornwall Twp. Lebanon County <i>From:</i> 36 Burd Coleman Road Cornwall Lebanon County	Filed

Branch Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-1-97	S & T Bank Indiana Indiana County	<i>To:</i> 35 W. Scribner Ave. DuBois Clearfield County <i>From:</i> 14 W. Long Avenue DuBois Clearfield County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-6-97	Mid-State Bank and Trust Company Altoona Blair County	1935 Daisy Street Clearfield Clearfield	Effective
6-5-97	Financial Trust Company Carlisle Cumberland County	805 West Lisburn Rd. Mechanicsburg Cumberland County	Approved

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-5-97	The Fidelity Deposit & Discount Bank Dunmore Lackawanna County	To provide for a two for one stock split to increase the authorized capital stock <i>from</i> 500,000 shares of \$3.125 par value per share; <i>to</i> 1,000,000 shares of \$1.5625 par value per share.	Approved and Effective

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS**Branch Applications**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
6-4-97	Philadelphia Telco Credit Union Trevose Bucks County	291 E. Swedesford Rd. Wayne Tredyfrin Township Chester County	Approved

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 97-985. Filed for public inspection June 20, 1997. 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of July

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of July is 9 1/2%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on an individual who finances the sale or exchange of residential real property which the individual owns and which the indi-

vidual occupies or has occupied as his principal residence.

Each month the Department of Banking is required by State law to compute and announce the ceiling rate on residential mortgages in Pennsylvania. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the U. S. Treasury. The latest yield rate on long-term government securities is 7.00 to which was added 2.50 percentage points for a total of 9.50 that by law is rounded off to the nearest quarter at 9 1/2%.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 97-986. Filed for public inspection June 20, 1997, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0054593. Sewage. **Robin Sedivy**, 167 Concord Meeting Road, Glen Mills, PA 19342.

This application is for renewal of an NPDES permit to discharge treated sewage from single residence sewage treatment plant in Concord Township, **Delaware County**. This is an existing discharge to an unnamed tributary to West Branch of Chester Creek.

The receiving stream is classified for the following uses: warm water fishery, trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine	monitor and report	monitor and report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0026859. Sewage. **City of Coatesville Authority**, 114 East Lincoln Highway, Coatesville, PA 19320.

This application is for amendment of an NPDES permit to discharge treated sewage from the City of Coatesville's sewage treatment plant in the City of Coatesville, **Chester County**. This is an existing discharge to West Brandywine Creek.

The receiving stream is classified for the following uses: cold water fishery, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 3.85 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	15	23	30
(11-1 to 4-30)	25	38	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	4.0		8.0
Phosphorus (as P)			
(4-1 to 10-31)	2.0		4.0
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Total Residual Chlorine			
(PID* to 8/1/99)	0.7		2.3
(8/2/99 to Expiration)	0.2		0.7

*Permit Issuance Date

PA 0057151. Sewage. **William L. Stoneback**, 1414 Newman Road, Pennsburg, PA 18073.

This application is for issuance of an NPDES permit to discharge treated sewage from the William L. Stoneback residence in Upper Hanover Township, **Montgomery County**. This is a new discharge to UNT to the Perkiomen Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 400 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Total Residual Chlorine	monitor and report	monitor and report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0011568. Industrial waste. **Lukens Steel Company**, 50 South First Avenue, Coatesville, PA 19320.

This application is for revocation and reissuance of an NPDES permit to discharge treated process wastewater from stormwater from Lukens Steel facility located in the City of Coatesville, **Chester County**. This is an existing discharge to Sucker Run, West Branch Brandywine Creek.

The receiving streams are classified for warm water fish, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The following changes have been made to the public notice published on August 24, 1996.

The proposed effluent limits for Outfall 001, based on an average flow of 0.64 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Total Lead	0.015	0.045	0.045
Total Zinc	0.12	0.37	0.37
Total Iron	2.4	4.7	5.8
Dissolved Iron	0.47	0.94	1.2
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Total Residual Chlorine	monitor and report	monitor and report	
Thallium		monitor and report	
Antimony		monitor and report	

The proposed effluent limits for Outfall 016, based on an average flow of 0.50 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Total Chromium	monitor and report	monitor and report	1.07
Total Nickel	0.39	0.78	0.97
Total Copper	0.028	0.056	0.070
Fluoride	monitor and report	monitor and report	
Total Phenols	monitor and report		
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Antimony		monitor and report	

Outfalls: 913—916, 918—921, 923, 936—937B, 939, 941—945A, 947—960, 967—969, 985—989, 991 and 992—994B shall consist solely of stormwater runoff.

The EPA waiver is not in effect.

PA 0050831. Sewage. **HPC Associates**, Two Neshaminy Interplex, Suite 301, Trevese, PA 19053.

This application is for renewal of an NPDES permit to discharge treated sewage from Meadowbrook Apartments sewage treatment plant in Abington Township, **Montgomery County**. This is an existing discharge to Pennypack Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.154 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)	20	40
Total Residual Chlorine	0.5	1.17
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0027103, Amendment No. 1. Sewage. **Delaware County Regional Water Quality Control Authority**, 100 East Fifth Street, P. O. Box 999, Chester, PA 19016-0999.

This application is for amendment of an NPDES permit to discharge treated sewage from Delcora's Western Regional Treatment Plant in City of Chester, **Delaware County**. This is an existing discharge to (001—014) Delaware River Zone 4, (015—018) Ridley Creek and (019—027) Chester Creek.

This permit is being amended in order to extend the due date of Delcora's CSO Long Term Control Plan. The date is being extended to July 25, 1997. Also, an additional CSO relief point is being added to the permit (027—2nd and Dock Street Pump Station). All other conditions and requirements of the permit, as issued on July 21, 1993 remain in effect.

PA 0032301. Sewage. **American Commonwealth Management Service Company, Inc.**, Ridgewood Corporate Center, 402 Boot Road, Downingtown, PA 19335.

This application is for renewal of an NPDES permit to discharge treated sewage from Concord Industrial Park STP in Concord Township, **Delaware County**. This is an existing discharge to West Branch of Chester Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 20,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0057193. Sewage. **Carl Mattacola**, 34 Ryanford Road, Schwenksville, PA 19473.

This application is for issuance of an NPDES permit to discharge treated sewage from the Mattacola residence in Limerick Township, **Montgomery County**. This is a new discharge to Tributary to Mine Run.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 400 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Total Residual Chlorine	monitor and report	monitor and report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.

PA 0011363. SIC: 3356, Industrial waste, **NGK Metals Corporation**, P. O. Box 13367, Reading, PA 19612-3367.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Laurel Run, in Muhlenberg Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.123 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
TDS	1,000	2,000	2,500
TSS	6	12	15
pH	6—9 s.u. at all times		
Osmotic Pressure		129	129
Oil and Grease	15		30
Total Beryllium	0.02	0.04	0.05
Total Lead	0.025	0.05	0.063
Total Copper	0.31	0.62	0.78
Total Zinc	0.54	1.08	1.35
Total Cadmium		monitor and report	
Total Fluoride	5.24	10.48	13
1,1 Dichloroethylene	0.0008	0.0016	0.002
Trichloroethylene		monitor and report	

The EPA waiver is not in effect.

PA 0085103. SIC: 3429, Industrial waste, **Dorma Door Controls, Inc.**, Dorma Drive, Reamstown, PA 17567.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary to Stony Run, in East Cocalico Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the proposed downstream potable water supply intake considered during the evaluation was the Ephrata Area Joint Authority located in Ephrata Borough, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0111 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
1,1-Dichloroethene		0.0002	0.00025
Trichloroethene		0.005	0.0062
1,1,1-Trichloroethane		0.2	0.25
1,1-Dichloroethane		monitor and report	
pH	6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0084301. SIC: 3322, Industrial waste, **Lancaster Malleable Castings Company**, 1170 Lititz Avenue, Lancaster, PA 17601.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary to the Little Conestoga Creek, in Lancaster City, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the proposed downstream potable water supply intake considered during the evaluation was Holtwood Power Plant located in Martic Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.04 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature		110°F as a daily average	
pH		6—9	

The EPA waiver is in effect.

PA 0081833. SIC: 7011, Sewage, **Farell D. Whiteford**, 1605 Dooley Road, Whiteford, MD 21160.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Scott Creek, in Peach Bottom Township, **York County**.

The receiving stream is classified for trout stocking fishes, recreation, water supply and aquatic life. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.013 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25			50
Total Suspended Solids	30			60
Dissolved Oxygen	minimum of 5.0 at all times			
pH	from 6.0—9.0 inclusive			
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	9,000/100 ml as a geometric average			

The EPA waiver is in effect.

PA 0010367. SIC: 4011, Industrial waste, **Consolidated Rail Corporation**, General Office Building, 200 Fourth Avenue, Altoona, PA 16601-6702.

This application is for renewal of an NPDES permit for an existing discharge of industrial waste to Beaverdam Branch, in Hollidaysburg Borough, **Blair County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located near Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfalls 001 and 002 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
Chemical Oxygen Demand		monitor and report	
Total Suspended Solids		monitor and report	
Total Phosphorus		monitor and report	
Total Kjeldahl Nitrogen		monitor and report	
Dissolved Iron		monitor and report	
Oil and Grease		monitor and report	
pH (s.u.)		monitor and report	

The EPA waiver is not in effect.

The proposed effluent limits for Outfall 101 for a design flow of 0.007 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15		30
Temperature	monitor and report		

The EPA waiver is in effect.

PA 0087645. SIC: 5169, Industrial waste, **Black Diamond Energy, Inc.**, P. O. Box 500, Ellerslie, MD 21529.

This application is for issuance of an NPDES permit for an existing discharge of industrial waste from Outfall 001 to Beaverdam Creek and from Outfall 002 to a drainage ditch in Greenfield Township, **Blair County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located near Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfalls 001 and 002 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (S.U.)	from 6.0—9.0 inclusive		
Chloride	monitor and report		
Cyanide, free	monitor and report		
Total Copper	monitor and report		
Sodium	monitor and report		
Total Dissolved Solids	monitor and report		
Osmotic Pressure (mgs/kg)	monitor and report		

The EPA waiver is in effect.

APPLICATIONS—NPDES MINOR RENEWALS

Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0020214	Boro of Mt. Union 9 W. Market St. Mt. Union, PA 17066	Huntingdon Mt. Union Boro	Juniata River	TRC
PA0024147	Cumberland Twp. Auth. 1270B Fairfield Rd. Gettysburg, PA 17325	Adams Cumberland Twp.	Willoughby Run	TRC
PA0080004	Martin's Famous Pastry Shoppe, Inc. 1000 Potato Roll Lane Chambersburg, PA 17201	Franklin Antrim Twp.	UNT of Conococheague Creek	TRC
PA0082198	Peters Twp. Board of Supv. P. O. Box 19 Lemasters, PA 17231-0019	Franklin Peters Twp.	Conococheague Creek	TRC

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0217514. Sewage. **The ALTA Group, Inc.**, 195 Hartzell School Road, Fombell, PA 16123-9518.

This application is for amendment of an NPDES permit to discharge uncontaminated stormwater from areas around the ALTA sewage treatment plant in Marion Township, **Beaver County**.

The following monitoring requirements are proposed for discharge to the receiving waters, known as Connoquenessing Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Authority located on the Beaver River.

Stormwater Outfalls SW-1 and SW-2: existing discharges.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Oil and Grease	monitor and report			
pH	monitor and report			

Other Conditions: Stormwater outfall SW-3 is permitted to discharge uncontaminated stormwater runoff from areas in and around the facility. There are at this time no specific effluent limitations or monitoring requirements on the outfall.

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0021598. Sewage. **Conneaut Lake Joint Municipal Authority**, First Street Extension, Conneaut Lake, PA 16316.

This application is a renewal of a Part I NPDES Permit to discharge treated sewage to French Creek in Sadsbury Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Franklin General Authority and French Creek located at Franklin, in Sadsbury Township, Crawford County, approximately 21 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after chlorine contact tank) based on a design flow of 1.175 mgd, are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅			
(5-1 to 10-31)	15	22.5	30
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	4.2		8.4
(11-1 to 4-30)	12.6		25.2
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	6,000/100 ml as a geometric average		
Total Residual Chlorine			
(Interim Limits)	XX		XX
(Final Limits)	.19		.6
pH	6.0—9.0 at all times		

The EPA waiver is not in effect.

This permit is being redrafted. It was originally drafted and published in the *Pennsylvania Bulletin* on April 6, 1996. This draft permit removes all specific references to sanitary sewer overflows.

PA 0210358. Sewage. **William T. Bunk, Jr.**, 410 Quaker Hill Road, Warren, PA 16365.

This application is for renewal of an NPDES Permit to discharge sewage to an Unnamed Tributary (Quaker Run) to Conewango Creek in Glade Township, **Warren County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at RMI 90.0, approximately 101 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.000 500 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Fecal Coliform (all year)	200/100 ml as a geometric average		
Total Residual Chlorine	XX		XX
pH	6.0—9.0 at all times		

XX = Monitor and Report on Annual Maintenance Report.

The EPA waiver is in effect.

PA 0034061. Sewage. **Goddard Park Vacationland Campground**, 867 Georgetown Road, Sandy Lake, PA 16145.

This application is for renewal of an NPDES Permit, to discharge treated sewage to Unnamed Tributary to Schofield Run in Deer Creek Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fish, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River in Emlenton located at river mile 90.0, approximately 31.2 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.060 000 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Ammonia-Nitrogen (11-1 to 4-30)	4		8
Total Residual Chlorine	1.5		3.5
Fecal Coliform (10-1 to 4-30)	2,200/100 ml as a geometric average		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2553.

PA 0060551. Sewerage. **Rivercrest Public Service Corporation**, 1120 S. Washington Avenue, Scranton, PA.

This proposed action is for renewal of an NPDES permit to discharge treated, sewage into the North Branch of the Susquehanna River in Tunkhannock Township, **Wyoming County**.

The receiving stream is classified for the following uses: warm water, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Danville Water Supply on the North Branch of the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of .175 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Dissolved Oxygen	a minimum of 5 mg/l at all times	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine		
1st month through 24th month	monitor and report	monitor and report
25th month through expiration	1.0	2.0

The EPA waiver is in effect.

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

**Industrial waste and sewerage applications under
The Clean Streams Law (35 P. S. §§ 691.1—
691.1001).**

*Southeast Regional Office, Regional Water Management
Program Manager, Lee Park, Suite 6010, 555 North Lane,
Conshohocken, PA 19428-2233, (610) 832-6130.*

4697405. Sewerage. **Limerick Township Municipal
Authority**, 529 King Road, P. O. Box 29, Royersford, PA
19468. Construction of a pump station and gravity collec-
tion system to serve Winnies Track Development located
in Limerick Township, **Montgomery County**.

0997201. Industrial waste. **Pre Finish Metals, Inc.**,
1295 New Ford Mill Road, Morrisville, PA 19067-3701.
For a sludge thickener and a sand filter to the existing
wastewater treatment system to serve Pre Finish Metals
located in Morrisville Borough, **Bucks County**.

4697406. Sewerage. **Upper Frederick Township
Board of Supervisors**, 3205 Big Road, Obelisk, PA
19492. Construction of a new sludge holding tank to
replace existing and addition of a new sodium bisulfite
feed system to treatment process to serve Perkiomen
Crossing Wastewater Treatment Plant located in Upper
Frederick Township, **Montgomery County**.

4697407. Sewerage. **Carl Mattacola**, 34 Ryanford
Road, Schwenksville, PA 19473. Construction of a small
flow treatment facility to serve the Mattacola residence
located in Limerick Township, **Montgomery County**.

INDIVIDUAL PERMITS

(PAS)

The following parties have applied for an NPDES
permit to discharge stormwater from a proposed construc-
tion activity into the surface waters of this Common-
wealth. Unless otherwise indicated on the basis of pre-
liminary review and application of lawful standards and
regulations, the Department of Environmental Protection
(Department) proposes to issue a permit to discharge,
subject to certain limitations set forth in the permit and
special conditions. These proposed determinations are
tentative. Limitations are provided in the permit as
erosion and sedimentation control measures and facilities
which restrict the rate and quantity of sediment dis-
charged.

Where indicated, the EPA, Region III, Regional Admin-
istrator has waived the right to review or object to this
proposed permit action under the waiver provision 40
CFR 123.24(d).

Persons wishing to comment on the proposed permit
are invited to submit a statement to the Regional Office
or County Conservation District Office indicated as the
responsible office, within 30 days from the date of this
public notice. A copy of the written comments should be
sent to the County Conservation District Office. Com-
ments reviewed within this 30-day period will be consid-
ered in the formulation of the final determinations re-
garding this application. Responses should include the
name, address, and telephone number of the writer and a
concise statement to inform the Regional Office of the
exact basis of the comment and the relevant facts upon

which it is based. A public hearing may be held if the
Regional Office considers the public response significant.

Following the 30-day comment period, the Water Pro-
gram Manager will make a final determination regarding
the proposed permit. Notice of this determination will be
published in the *Pennsylvania Bulletin* at which time this
determination may be appealable to the Environmental
Hearing Board.

The application and related documents, including the
erosion and sedimentation control plan for the construc-
tion activity, are on file and may be inspected at the
County Conservation District Office or the Department
Regional Office indicated above the application.

Persons with a disability who wish to attend the
hearing and require an auxiliary aid, service or other
accommodation to participate in the proceedings should
contact the specified program. TDD users may contact the
Department through the Pennsylvania AT&T Relay Ser-
vice at (800) 654-5984.

*Southwest Regional Office, Regional Water Management
Program Manager, 400 Waterfront Drive, Pittsburgh, PA
15222, (412) 442-4028.*

*Northeast Regional Office, Regional Water Management
Program Manager, 2 Public Square, Wilkes-Barre, PA
18701, (717) 826-2553.*

*Southcentral Regional Office, Regional Water Manage-
ment Program Manager, 1 Ararat Boulevard, Harrisburg,
PA 17110, (717) 657-4590.*

*Northcentral Regional Office, Regional Water Manage-
ment Program Manager, 208 W. 3rd Street, Williamsport,
PA 17701, (717) 327-3669.*

*Northwest Regional Office, Regional Water Management
Program Manager, 230 Chestnut Street, Meadville, PA
16335, (814) 332-6942.*

*Centre County Conservation District, District Manager,
414 Holmes Avenue, Bellefonte, PA 16823, (814) 355-6817.*

NPDES Permit PAS10F066. Stormwater. **Orchard
Creek Partnership**, 1901 E. College Avenue, State
College, PA 16801 has applied to discharge stormwater
from a construction activity located in Halfmoon Town-
ship, **Centre County**, to UNT to Halfmoon Creek.

*Crawford County Conservation District, District Man-
ager, 1012 Water Street, Meadville, PA 16335, (814) 724-
1793.*

NPDES Permit PAS102303. Stormwater. **Leslie
Land Company**, 290 Park Avenue Plaza, Meadville, PA
16335 has applied to discharge stormwater from a con-
struction activity located in West Mead and Woodcock
Townships, **Crawford County**, to Woodcock Creek.

*Cumberland County Conservation District, District
Manager, 43 Brookwood Avenue, Suite 4, Carlisle, PA
17013, (717) 240-7812.*

NPDES Permit PAS10H070. Stormwater. **John and
Harry Fox**, 60 S. Pin Oak Drive, Boiling Springs, PA
17007 has applied to discharge stormwater from a con-
struction activity located in Dickinson Township, **Cum-
berland County**, to Alexander Springs Creek.

*Dauphin County Conservation District, District Man-
ager, 1451 Peters Mountain Road, Dauphin, PA 17018,
(717) 921-8100.*

NPDES Permit PAS10I029. Stormwater. **John Fox**, 60 Pin Oak Drive, Boiling Springs, PA 17007 has applied to discharge stormwater from a construction activity located in Wiconisco Township, **Dauphin County**, to Wiconisco Creek.

Franklin County Conservation District, District Manager, 550 Cleveland Avenue, Chambersburg, PA 17201, (717) 264-8074.

NPDES Permit PAS10M098. Stormwater. **Paul Sands**, 1201 Airport Road, Coatsville, PA 19320 has applied to discharge stormwater from a construction activity located in Southampton Township, **Franklin County**.

NPDES Permit PAS10M099. Stormwater. **Walter Starliper**, 13783 Buchanan Trail West, Mercersburg, PA 17236 has applied to discharge stormwater from a construction activity located in Peters Township, **Franklin County**, to Buck Run.

Lehigh County Conservation District, District Manager, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit PAS10Q139. Stormwater. **Estates at Trexler Park Inc.**, P. O. Box 509, Allentown, PA 18105 has applied to discharge stormwater from a construction activity located in the City of Allentown, **Lehigh County**, to Little Lehigh Creek.

NPDES Permit PAS10Q140. Stormwater. **K & M Associates, Inc.**, P. O. Box 332, Trexlertown, PA 18087 has applied to discharge stormwater from a construction activity located in Upper Macungie Township, **Lehigh County**, to Little Lehigh Creek.

Monroe County Conservation District, District Manager, 8050 Running Valley Road, Stroudsburg, PA 18360, (717) 629-3060.

NPDES Permit PAS10S017-1. Stormwater. **Outletter Associates**, 285 Crossings Outlet Square, Tannersville, PA 18372 has applied to discharge stormwater from a construction activity located in Pocono Township, **Monroe County**, to Scott Run and Pocono Creek.

Northampton County Conservation District, District Manager, Greystone Building, R. R. 4, Nazareth, PA 18064, (610) 746-1971.

NPDES Permit PAS10U073. Stormwater. **Lehigh Valley Industrial Park Inc.**, 100 Brodhead Road, Suite 160, Bethlehem, PA 18017 has applied to discharge stormwater from a construction activity located in Bethlehem Township, **Northampton County**, to Monocacy Creek.

Westmoreland County Conservation District, District Manager, R. D. 12, Box 202B, Greensburg, PA 15601, (412) 837-5271.

NPDES Permit PAS10X082. Stormwater. **DEP-BAMR**, P. O. Box 8476, Harrisburg, PA 17105-8476 has applied to discharge stormwater from a construction activity located in Derry Township, **Westmoreland County**, to UNT to Stony Run.

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

NPDES Permit PAS101502. Stormwater. **Bureau of Abandoned Mine Reclamation**, P. O. Box 8476, Harrisburg, PA 17105-8476, has applied to discharge stormwater from a construction activity located in Monroe Township, **Clarion County**, to Unnamed Tributary to Leatherwood Creek.

SAFE DRINKING WATER

Applications received for Operating Permits issued under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office, Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

A. 1597504. Public water supply. **Immaculata College**, Thomas J. Ford, 1145 King Road, Immaculata, PA 19345. This proposal involves the permitting of the Immaculata College's existing water supply system. The system consists of two wells, three storage tanks, one caustic system and 2 inch to 6 inch water mains in East Whiteland Township, **Chester County**.

Northeast Regional Office, Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

A. 5497503. Public water supply. **Country Hill Apartments**, Allen Greenwalt, 225 Woodlawn Drive, Orwigsburg, PA 17961. Permitting of an existing system consisting of two supply wells, four precharged hydropneumatic tanks, disinfection facilities and distribution system. It is located in West Brunswick Township, **Schuylkill County**. *Engineer:* Edward J. Gaydos, P.E., 250 Gerald Avenue, Orwigsburg, PA 17961.

Southwest Regional Office, Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 3272501-A2. **Central Indiana County Water Authority**, 30 East Wiley Street, Homer City, PA 15748. Installation of iron and manganese removal equipment, change in coagulant and construction of a storage tank serving Homer City Borough, **Indiana County**.

A. 6597502. **Municipal Authority of Westmoreland County**, Lincoln Highway West, Greensburg, PA 15601. Construction of a water storage tank serving Bell Township, **Westmoreland County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person

proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Regional Field Office, Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Corporate Real Estate Limited—Werner Street Site, Washington Township, Northampton County. Kristen Main, Vectre Corporation, P. O. Box 930, Lafayette, NJ 07848 has submitted a Notice of Intent to Remediate, on behalf of her client, George Goodwin, Corporate Real Estate Ltd., 636 Pen Argyl Street, Pen Argyl, PA 18072, concerning the remediation of site soils and groundwater which are suspected of being contaminated with BTEX (benzene, toluene, ethylbenzene and xylene) compounds and metals. The applicant proposes to meet the nonresidential Statewide health standard for groundwater and most metals; the background standard is proposed for arsenic in soils.

LAND RECYCLING AND ENVIRONMENTAL REMEDICATION

Under Act 2, 1995

Preamble 2

Acknowledgment of Notices of Intent to Remediate submitted to the Department under the Land Recycling and Environmental Remediation Stan- dards Act (35 P. S. §§ 6026.101—6026.908).

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department

provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified below, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period a municipality may request that the person identified below, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office, Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

ORFA Corp. of America, City of Philadelphia, Philadelphia County. Scott R. Campbell, P. G., American Resource Consultants, Inc., P. O. Box 2227, Doylestown, PA, has submitted a Notice of Intent to Remediate site soil contaminated with lead, heavy metals, pesticides, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons; and groundwater contaminated with lead, heavy metals, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet Special Industrial Area standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on May 16, 1997.

Southwest Field Office, John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Equitrans, L. P. (Pratt Compressor Station #47), Franklin Township, Greene County. Holy Hudson, 3500 Park Lane, Pittsburgh, PA 15275 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Observer Reporter* on May 12, 1997.

**SOLID AND HAZARDOUS WASTE
OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.

Northwest Regional Office, Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

Permit No. 100329. Waste Management Disposal Services of Pennsylvania, Inc. (Lake View Landfill), 851 Robison Road East, Erie, PA 16509. Major permit modification application for equivalency review to use auto-shredder fluff as an alternate daily cover. The landfill is located in Summit Township, **Erie County**. Permit modification application accepted in Regional Office on May 27, 1997.

**AIR POLLUTION
OPERATING PERMITS**

Construct, modify or activate air contaminant sources

25 Pa. Code, § 129.1

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department intends to issue an Air Quality Operating Permit for the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-307-004B**
Source: 2 Furn/Ladle/Mullers w/2 Baghouses
Company: **Ransom Industries Incorporated**
Location: Macungie Borough
County: **Lehigh**

Permit: **40-309-034A**
Source: Plantwide Applicability Limit/PAL
Company: **Techneglas Incorporated**
Location: Jenkins Township
County: **Luzerne**

Permit: **40-313-020A**
Source: Hydrofluoric Wash Sta. w/Scrubber
Company: **Techneglas Incorporated**
Location: Jenkins Township
County: **Luzerne**

Permit: **40-399-039**
Source: Batchplant Storage w/12 Baghouses
Company: **Techneglas Incorporated**
Location: Jenkins Township
County: **Luzerne**

Permit: **45-310-014**
Source: Stone Crushing Oper w/Watersprays
Company: **Haines & Kibblehouse Incorporated**
Location: Smithfield Township
County: **Monroe**

Permit: **48-318-126**
Source: 3 Cement Spray/Cure w/Filters
Company: **S K F USA Incorporated**
Location: Hanover Township
County: **Northampton**

Permit: **66-310-008**
Source: Sand and Gravel Operation
Company: **Wyoming Sand and Stone Company**
Location: Mehoopany Township
County: **Wyoming**

Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

36-2012A. The Department intends to issue an Air Quality Operating Permit to **Quality Custom Kitchens, Inc.** (P. O. Box 189, New Holland, PA 17557) for a wood cabinet surface coating operation at its facility located at 125 Peters Road in Earl Township, **Lancaster County**.

67-318-120. The Department intends to issue an Air Quality Operating Permit to **FES, A Division of Thermo Power** (3475 Board Road, York, PA 17405) for two paint booths in Manchester Township, **York County**.

Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

17-302-022. The Department intends to issue an operating permit to **Burke Parsons Bowlby Corporation** (P. O. Box 287, DuBois, PA 15801) for the operation of a wood-fired boiler and associated air cleaning device (a cyclone collector) in Sandy Township, **Clearfield County**.

OP-08-0003A. The Department intends to issue an operating permit to **E. I. duPont deNemours & Company, Inc.** (R. R. 1, Box 15, Towanda, PA 18848-9784) for the operation of four coating solutions mix tanks (A, B, C and D), a spent cleaning solvent hold tank and a parts washer and associated air cleaning device (a regenerative fume incinerator) in North Towanda Township, **Bradford County**.

Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

03-000-027. The Department intends to issue an Air Quality Operating Permit to **GPU Generation Corporation** (1001 Broad Street, Johnstown, PA 15907) for low NOx burners on the steam electric generator at its Keystone Generating Station located in Plumcreek Township, **Armstrong County**.

04-000-032. The Department intends to issue an Air Quality Operating Permit to **LTV Steel Company** (P. O. Box 490, Franklin Avenue, Aliquippa, PA 15001) for low NOx burners on the steam boilers at its Aliquippa Tin Mill located in Aliquippa Borough, **Beaver County**.

04-308-037. The Department intends to issue an Air Quality Operating Permit to **The ALTA Group** (195 Hartzell School Road, Fombell, PA 16123) for a scrubber on the electrolytic cells at its facility located in Marion Township, **Beaver County**.

65-309-061B. The Department intends to issue an Air Quality Operating Permit to **Norton Pakco Industrial Ceramics** (55 Hillview Avenue, Latrobe, PA 15650) for two cartridge filters on the ceramic mixing and firing operation at its Derry Plant located in Derry Township, **Westmoreland County**.

63-000-016. The Department intends to issue an Air Quality Operating Permit to **West Penn Power Company** (800 Cabin Hill Drive, Greensburg, PA 15601) for a

LNCFS III on the pulverized coal-fired boiler at its Mitchell Station located in Union Township, **Washington County**.

PA-04-033A. The Department intends to issue an Air Quality Operating Permit to **Nova Chemicals, Inc.** (400 Frankfort Road, Monaca, PA 15061) for a D2 Liquid Lube Dyllite Process at its Beaver Valley Plant located in Potter Township, **Beaver County**.

OP-04-00160. The Department received an Air Quality Operating Permit application from **Sun Company, Inc.** (1801 Market Street, 26/10 PC, Philadelphia, PA 19103) for Storage Tanks Nos. 2, 3, 4, 5, and 6 at their Beaver Terminal located in Brighton Township, **Beaver County**.

OP-03-000207. The Department received an Air Quality Operating Permit application from **Davison Sand & Gravel Company** (400 Industrial Boulevard, New Kensington, PA 15068) for a sand and gravel dredge at its Allegheny II Dredge located in Gilpin Township, **Armstrong County**.

OP-03-00010. The Department received an Air Quality Operating Permit application from **Canterbury Coal Company** (R. R. 1, Box 119, Avonmore, PA 15618) for a mechanical wet coal cleaning process at its David Coal Preparation Plant located in Kiskiminetas Township, **Armstrong County**.

OP-11-00102. The Department received an Air Quality Operating Permit application from **Forest Hills School District** (P. O. Box 158, Sidman, PA 15955) for an incinerator at its Forest Hills Elementary School located in Adams Township, **Cambria County**.

OP-63-000885. The Department received an Air Quality Operating Permit application from **Thepitt Manufacturing Company** (P. O. Box 579, Country Club Road, Meadowlands, PA 15347) for a stamping and die casting operation at its facility located in Chartiers Township, **Washington County**.

OP-65-00044. The Department received an Air Quality Operating Permit application from **TE Products Pipeline Company, L. P.** (P. O. Box 2521, Houston, TX 77252) for a LPG storage and delivery facility at its Greensburg Terminal located in Greensburg, **Westmoreland County**.

OP-26-00023. The Department received an Air Quality Operating Permit application from **Doane Products Company** (12 Feed Mill Road, Everson, PA 15631) for a grain milling operation at its facility located in Everson Borough, **Fayette County**.

Notice of Intent to Issue

Title V Operating Permit No. TV 06-05063

The Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the EAFCO for the Eastern Foundry located in Boyertown, Berks County. The Title V Operating Permit is required under 25 Pa. Code, Chapter 127, Subchapter G for major stationary sources.

An appointment to review the application and other pertinent documents at the Reading District Office may be scheduled by contacting Roger Fitterling at (610) 916-0100 between 8 a.m. and 3:30 p.m., Monday through Friday, except holidays.

Those wishing to comment on the proposed action may contact Roger Fitterling, Air Pollution Control Engineer, Department of Environmental Protection, 1005 Cross Roads Boulevard, Reading, PA 19605.

Comments may be submitted during the 30 day period immediately following the publication of this notice. Each comment must include the name, address and telephone number of the persons submitting the comments along with the reference number of the permit (TV 06-05063).

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the comment period. The Department will give notice of any scheduled public hearing at least 30 days in advance of the hearing under 25 Pa. Code § 127.521.

PLAN APPROVALS

Plan approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources and associated air cleaning devices.

Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

An application for Plan Approval has been received by this office for the construction, modification or reactivation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **35-323-019G**
Source: Pyrolysis Furnace w/Afterburner
Received: May 20, 1997
Company: **V M F Incorporated**
Location: City of Scranton
County: **Lackawanna**

Permit: **45-310-016**
Source: Stone Crushing Plant/Watersprays
Received: May 29, 1997
Company: **Locust Ridge Quarry**
Location: Tobyhanna Township
County: **Monroe**

Permit: **48-310-030**
Source: Stone Crushing Plant/Watersprays
Received: May 29, 1997
Company: **Abe Materials Company**
Location: Lower Mt. Bethel Township
County: **Northampton**

Permit: **54-302-061G**
Source: Cleaver Brooks Boiler (12.5 mmbtu)
Received: May 23, 1997
Company: **Papetti Hygrade Egg Products Inc.**
Location: Upper Mahantango Township
County: **Schuylkill**

Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

28-03003. Installation of a mist eliminator on an existing potato chip fryer by **Martin's Famous Pastry Shoppe, Inc.** (1000 Potato Roll Lane, Chambersburg, PA 17201) in Antrim Township, **Franklin County**.

31-310-004C. Modification of the existing limestone crushing plant by **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) in Cromwell Township, **Huntingdon County**.

31-310-019F. Modification of the Tyrone Fine Crushing Plant No. 5 controlled by a fabric collector by **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) in Warriors Mark Town-

ship, **Huntingdon County**. The source is subject to 40 CFR 60, Subpart 000, Standards of Performance for New Stationary Sources.

34-03001. Construction of a regenerative cycle gas turbine generator, waste wood-fired, controlled by cyclone separator by **West Allegheny Biomass Energy Corporation** (327 Winding Way, King of Prussia, PA 19406) in Farmanagh Township, **Juniata County**.

36-308-005D. Installation of an electric arc furnace at the existing foundry by **Colonial Metals Company** (P. O. Box 311, Columbia, PA 17512-0311) in Columbia Borough, **Lancaster County**. The source is subject to 40 CFR 60, Subpart M, Standards of Performance for New Stationary Sources.

44-03004. Installation of a mirror coating operation, along with a regenerative thermal oxidizer, by **Guardian Industries Corporation** (6288 SR 103 North, MCIDC Plaza, Bldg. #35, Lewistown, PA 17044) at the Falconer Glass Industries, Inc. plant in Granville Township, **Mifflin County**.

67-3011. Installation of a flexographic label printing operation by **Topflight Corporation** (P. O. Box 2847, York, PA 17405) in Springfield Township, **York County**. The facility was previously located in North York Borough, York County.

07-327-001A. Modification of the existing vapor degreaser by **Chicago Rivet & Machine Company**, Tyrone Division (Industrial Park, Tyrone, PA 16686) in the Borough of Tyrone, **Blair County**. The source is subject to 40 CFR 63, Subpart T, National Emission Standards for Hazardous Air Pollutants.

38-313-013A. Installation of a pneumatic conveying system to transport PVC preblend resin by the **O'Sullivan Corporation** (1507 Willow Street, Lebanon, PA 17042) in the City of Lebanon, **Lebanon County**.

05-2004A. Installation of a roll coater in the existing leather coating facility by **Seton Company** (Horton Drive, Saxton, PA 16678-1508) in Saxton Borough, **Bedford County**.

07-310-022A. Modification of the existing wet mortar manufacturing operation controlled by a fabric collector by **A. P. Green Refractories, Inc.** (R. D. 1, Box 588-D, Claysburg, PA 16625) in Greenfield Township, **Blair County**.

Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

17-399-015B. Instruction of a powdered metal parts sintering furnace (number 11) by **Laurel Manufacturing, Inc.** (P. O. Box 1047, DuBois, PA 15801) in the City of DuBois, **Clearfield County**.

14-313-036. Modification of a chemical process facility to manufacture a new product (identified as Product 35) by **Ruetgers-Nease Corporation** (201 Struble Road, State College, PA 16801) in College Township, **Centre County**.

Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA-32-330A. Senate Coal Mines, Inc. (One Energy Place, Suite 5100, Latrobe, PA 15650) for a coal screening/loading operation at its Ondo Mine facility located in Brushvalley Township, **Indiana County**.

PA-11-427A. Emglo Products, L. P. (303 Industrial Park Road, Johnstown, PA 15904) for a powder-coating system at its Johnstown Plant facility located in Johnstown, **Cambria County**.

PA-65-064A. Latronics Corporation (1001 Lloyd Avenue, Box 469, Latrobe, PA 15650) for a H/J Degreaser at its Latrobe Plant located in Unity Township, **Westmoreland County**.

REASONABLY AVAILABLE CONTROL TECHNOLOGY

(RACT)

Approval of Reasonably Available Control Technology (RACT) Plan; Public Hearing

Notice of proposed revision to the State Implementation Plan for oxides of nitrogen and volatile organic compounds; Notice of proposed establishment of emission limitations to ensure maintenance of the National Ambient Air Quality Standard for nitrogen dioxide; and Notice of public hearing.

The Department of Environmental Protection (Department) has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a line production facility (Bellefonte Plant) owned and operated by Bellefonte Lime Company in Spring Township, Centre County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit for the facility and will be submitted to the United States Environmental Protection Agency (EPA) as a revision to the Commonwealth's State Implementation Plan.

The following is a summary of the preliminary RACT determination for this operation:

<i>Source</i>	<i>Nitrogen oxides emission limit</i>
#4 lime kiln	4.20 pounds per ton of lime produced
#5 lime kiln	7.90 pounds per ton of lime produced

The Department has additionally determined that the following nitrogen oxides emission limitations are needed to ensure the maintenance of the National Ambient Air Quality Standard for nitrogen dioxide and is consequently also proposing to establish these limitations as a condition of the proposed operating permit issuance:

<i>Source</i>	<i>Nitrogen oxides emission limit</i>
#4 lime kiln	69.9 pounds per hour
#5 lime kiln	106.9 pounds per hour

One public hearing will be held for the purpose of receiving comments on the proposed operating permit and the proposed SIP revision. The hearing will be held on July 10, 1997 at 1 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (717) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organiza-

tion is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (717) 327-3659 or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to William P. Parsons, Acting Air Quality Environmental Program Manager, Department of Environmental Protection, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments should be submitted by July 25, 1997.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (717) 327-3693.

MINING

CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be

incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Coal Applications Received:

17970108. M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701-1319), commencement, operation and restoration of a bituminous surface mine-auger permit in Bell Township, **Clearfield County** affecting 453 acres. Receiving streams: unnamed tributaries of Whisky Run and unnamed tributaries of Haslett Run to Whisky Run and Haslett Run both contributory to West Branch Susquehanna River. Application received May 19, 1997.

17920119. Junior Coal Contracting, Inc. (R. D. 3, Box 225-A, Philipsburg, PA 16866), revision to an existing bituminous surface mine permit for an increase in surface mine permit acreage from 103.4 to 120.7 acres, Sandy Township, **Clearfield County**. Receiving streams: unnamed tributaries to Slab Run and Clear Run. Application received May 27, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232.

10860118. C & K Coal Company (P. O. Box 69, Clarion, PA 16214), renewal of an existing bituminous surface strip operation in Allegheny Township, **Butler County** affecting 124.0 acres. Receiving streams: an unnamed tributary to North Branch of Bear Creek to North Branch of Bear Creek to Bear Creek. Application for reclamation only. Application received May 27, 1997.

10920106. BMB Management, Inc. (R. D. 6, Friendship Plaza, Kittanning, PA 16201), renewal of an existing bituminous strip and tippel refuse disposal operation in Clay Township, **Butler County** affecting 80.2 acres. Receiving streams: an unnamed tributary to Stoney Run and two unnamed tributaries to Pine Run. Application for reclamation only. Application received June 3, 1997.

37920101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001), renewal of an existing bituminous surface strip operation in Shenango Township, **Lawrence County** affecting 213.0 acres. Receiving streams: an unnamed tributary to McKee Run and four unnamed tributaries to the Beaver River. Application for reclamation only. Application received June 4, 1997.

McMurray District Office, 3913 Washington Rd., McMurray, PA.

03961302. TJS Mining, Inc. (R. D. 1, Box 260D, Shelocta, PA 15774), to operate the TJS No. 4 Bituminous Deep Mine in Plumcreek Township, **Armstrong County**. Receiving stream: Dutch Run. Application received May 28, 1997.

32341307. Tanoma Coal Company, Inc. (R. R. 1, Box 594, Marion Center, PA 15759), to revise the permit for the Tanoma Bituminous Deep Mine in Rayne Township, **Indiana County** to install Main "E" Shaft. Receiving stream: unnamed tributary to Crooked Creek. Application received May 30, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54860108C. Reading Anthracite Company (200 Mahantongo Street, Pottsville, PA 17901), correction to an existing anthracite surface mine operation for an incidental boundary correction in New Castle and Norwegian Townships and St. Clair Borough, **Schuylkill County** affecting 11.0 acres. Receiving stream—none. Application received May 16, 1997.

49783007C5. Blaschak Coal Corporation (St. Nicholas, P. O. Box 12, Mahanoy City, PA 17948), correction to an existing anthracite surface mine operation to make modifications to apply biosolids (stabilized sewage sludge) to enhance vegetation in Coal Township, **Northumberland County**, affecting 323.0 acres. Receiving stream—Carbon Run to Susquehanna River. Application received May 6, 1997.

19881301C3. UAE CoalCorp Associates (P. O. Box 0306, Mt. Carmel, PA 17851), correction to an existing anthracite deep mine operation in Conyngham and Mt. Carmel Townships, **Columbia and Northumberland Counties**, affecting 776.3 acres. Receiving stream—Shamokin Creek. Application received May 27, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Applications Received:

302831-10960301-E-2. Quality Aggregates, Inc. (P. O. Box 9347, Neville Island, PA 15225), application for a stream encroachment to construct erosion and sedimentation control facilities within 100 feet but no closer than 25 feet of an unnamed tributary to Slippery Rock Creek in Marion Township, **Butler County**. Application received May 30, 1997.

10960305. Quality Aggregates, Inc. (P. O. Box 9347, Neville Island, PA 15225), revision to an existing sand and gravel operation in Marion Township, **Butler County** affecting 116.7 acres. Revision to include the addition of 15.9 limestone acres to be removed making the final highwall height 115 to 118 feet. Receiving streams: an unnamed tributary to Blacks Creek and an unnamed tributary to Slippery Rock Creek. Application received May 30, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Received:

39970301. Lafarge Corporation (5160 Main Street, Whitehall, PA 18052-1827), commencement, operation and restoration of a quarry operation in Whitehall Township, **Lehigh County** affecting 211.71 acres. Receiving stream—unnamed tributary to Coplay Creek. Application received May 20, 1997.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department).

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Application filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-753. Encroachment. Bartley Millett, Durham Township, P. O. Box 4, Durham, PA 18039. To perform maintenance dredging in a mill race situated near Cooks Creek (EV) to restore the structure to its original condition. The dredging is proposed from the mill race lock approximately 1,200 linear feet upstream to the point where Coon Hollow Run enters the mill race. The work will also include bank rehabilitation and protection utilizing riprap stone in the eroded sections of the mill race. The mill race lock is located approximately 200 feet west from the intersection of Old Furnace Road (T 497) and Durham Road (S. R. 4075) (Riegelsville, PA Quadrangle N: 13.7 inches; W: 14.0 inches) in Durham Township, **Bucks County**.

Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

E45-330. Encroachment. Township of Hamilton, P. O. Box 285, Sciota, PA 18354. To remove the existing structure and to construct and maintain a new bridge having a span of 28 feet and an underclearance of 3.6 feet across Lake Creek and associated wetlands on East Terrace Drive (T202), approximately 100 feet northeast of

the intersection of East Terrace Drive and Golf Drive (Saylorsburg, PA Quadrangle N: 4.1 inches; W: 8.7 inches) in Hamilton Township, **Monroe County**.

Southcentral Regional Office, Section Chief, Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, (717) 657-4590.

E06-494. Encroachment. **Exeter Public Golf Course**, Enrico Filippini, R. D. 3, Reading, PA 19606. To fill approximately 0.12 acre of wetlands along a tributary to Antietam Creek at a point upstream of Shelbourne Road (Birdsboro, PA Quadrangle N: 12.0 inches; W: 12.9 inches) in Exeter Township, **Berks County**. The permittee is required to provide 0.17 acre of replacement wetlands.

E36-633. Encroachment. **Brecknock Township Board of Supervisors**, 1026 Dry Tavern Road, Denver, PA 17515. To remove sediment deposits, widen the channel bottom to a 14-foot width, and realign approximately 175 linear feet of a tributary to Muddy Creek, beginning at the inlet of pipe culverts under Horning Road (Terre Hill, PA Quadrangle N: 13.4 inches; W: 4.25 inches) in Brecknock Township, **Lancaster County**.

E67-601. Encroachment. **Springfield Township**, E. Lehman, R. R. 2, Box 206, Seven Valleys, PA 17360. To fill a de minimis area of wetlands less than or equal to 0.05 acre to widen the east side of East Springfield Lane (T-399), beginning from a point 1,040 feet to 1,800 feet from its intersection at One Road (SR 0214) (Glen Rock, PA Quadrangle N: 18.4 inches; W: 9.2 inches) in Springfield Township, **York County**.

Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E49-204. Encroachment. **Northumberland Borough**, 221 Second St., Northumberland, PA 17857. To remove the existing structure and to construct and maintain 1) 250 feet of R-5 riprap channel lining, 2) 260 linear feet of 5 foot diameter pipe, 3) 240 linear feet of 6 foot diameter pipe, 4) 850 linear feet of mostly open channel except for four box culverts under roads and alleys in an unnamed tributary to the north branch of the Susquehanna River located near the Liberty Pool Complex (Northumberland, PA Quadrangle N: 3.0 inches; W: 5.25 inches) in the Borough of Northumberland, **Northumberland County**. Estimated stream disturbance is approximately 1,600 linear feet; stream classification is WWF.

E59-343. Encroachment. **Westfield Township**, P. O. Box 61, Cowanesque, PA 16918. To extend an existing dike and to maintain the entire dike, about 1,500 feet long along the Cowanesque River just downstream of the Potterbrook bridge (Potter Brook, PA Quadrangle N: 6.75 inches; W: 13.75 inches) in Westfield Township, **Tioga County**. The Cowanesque River is designated WWF and this project will impact 670 feet of stream with no wetland impacts.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-264. Encroachment. **Treesdale Golf and Country Club**, One Arnold Palmer Drive, Gibsonia, PA 15044. To place fill in 0.425 acre of seven separate wetlands, to construct and maintain two bridges across two separate wetlands, to enclose and maintain 150 linear feet of a

tributary to Breckneck Creek (WWF, contributory drainage area approximately 120 acres) and to enclose approximately 1,390 linear feet of four separate tributaries to Breckneck Creek (WWF, contributory drainage areas less than 100 acres) to construct the third nine holes for the Treesdale Golf and Country Club Golf Course. This project will also include the creation of a single 0.45-acre replacement wetland adjacent to hole No. 4. The project is located approximately 4,000 feet southwest of the intersection of S. R. 0228 and S. R. 3015 (Mars/Valencia Road) (Mars, PA Quadrangle N: 9.3 inches; W: 1.1 inches) located in Adams Township, **Butler County**.

E20-443. Encroachment. **Estate of Ivor J. Lee, II**, c/o William T. Jorden, Esq., 966 South Main Street, Meadville, PA 16335. To maintain 1.10 acres of wetland fill through an approximately 30-acre wetland system, maintain 1,100 feet of channel realignment and maintain a 36-inch culvert in the old Erie Canal. These wetlands are nonexceptional value palustrine, forested, broad-leaved, deciduous, seasonally saturated, fresh water, mineral soil wetlands. The watershed is of high quality water use. This after-the-fact application is the result of a Consent Order and Agreement. The applicant has successfully constructed 2.29 acres of replacement wetland and has successfully restored 1.0 acre of wetland. The project is located between Aldina Drive and S. R. 0618, approximately 3,000 feet northeast of the intersection of S. R. 0618 and S. R. 0006 (Conneaut Lake, PA Quadrangle N: 20.8 inches; W: 9.2 inches) located in Sadsbury Township, **Crawford County**.

E25-551. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 1-0, 1140 Liberty Street, Franklin, PA 16323-1289. To pave the streambed with concrete to a depth of 1 foot below the existing streambed and to place rock protection at the inlet and outlet of the existing bridge located on S. R. 3021 (West Stancliff Road) across Goodban Run (CWF, MF). This project will protect the existing bridge from further scour damage. The project is located on S. R. 3021 (West Stancliff Road) approximately 5,400 feet east of the intersection of S. R. 3021 and S. R. 0098 (Edinboro North, PA Quadrangle N: 15.2 inches; W: 11.2 inches) located in Franklin Township, **Erie County**.

E43-258. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 1-0, 1140 Liberty Street, Franklin, PA 16323-1289. To pave the streambed with concrete to a depth of 1 foot below the existing bridge located on S. R. 0062 across Pine Run (WWF, TSF). This project will protect the existing bridge from further scour damage. The project is located on S. R. 0062 in the City of Sharon approximately 800 feet west of the intersection of S. R. 0062 and S. R. 0518 (Sharon East, PA Quadrangle N: 19.5 inches; W: 16.7 inches) located in the City of Sharon, **Mercer County**.

E43-259. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 1-0, 1140 Liberty Street, Franklin, PA 16323-1289. To pave the streambed with concrete to a depth of 1 foot below the existing streambed and to place rock protection at the inlet and outlet of the existing bridge located on S. R. 4019 (Methodist Road) across a tributary to Little Shenango River (TSF) locally known as Sankeys Run. This project will protect the existing bridge from further scour damage. The project is located on S. R. 4019 (Methodist Road) approximately 4,200 feet southwest of the intersection of S. R. 4019 and S. R. 0358 (Greenville East, PA Quadrangle N: 5.6 inches; W: 12.9 inches) located in Hempfield Township, **Mercer County**.

E62-331. Encroachment. Pennsylvania Department of Transportation, 1140 Liberty Street, Franklin, PA 16323. To remove the existing bridge and to construct a new bridge with a clear span of 27 feet and an average underclearance of 5.4 feet over Andrews Run, a cold water fishery. Temporary stream diversion structures will be implemented during abutment construction and temporary traffic run-arounds will be constructed in Andrews Run and wetland. The temporary run-around will impact 0.059 acre of nonexceptional value wetland. Project is located on S. R. 3007 approximately 1,700 feet north of the intersection of S. R. 3007 and T-374 (Pittsfield, PA Quadrangle N: 11.9 inches; W: 1.4 inches) located in Pittsfield Township, **Warren County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System
Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

A person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office, Regional Manager; Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit No. PA 0011649. Industrial waste. **PECO Energy Company**, Richmond Generating Station, 2301 Market Street, Philadelphia, PA 19101.

The following notice reflects changes to the notice published in the March 15, 1997 edition of the *Pennsylvania Bulletin*:

Monitoring requirements for Iron dissolved at Outfall 202 is deleted. The limits for total residual chlorine at Outfall 102 are removed and gross limits for suspended solids at Outfall 102 are changed to net limits.

Permits Issued

Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

NPDES Permit No. PA0011649. Industrial waste. **PECO Energy Company**, 2301 Market Street, P. O. Box 8699, Philadelphia, PA 19101-8699 is authorized to discharge from a facility located in the City of Philadelphia, **Philadelphia County** into the Delaware River Estuary Zone 3.

NPDES Permit No. PA0026964. Amendment #2. Sewerage. **Oaks Wastewater Treatment Facility**, P. O. Box 613, Oaks, PA 19456 is authorized to discharge from a facility located in Upper Providence Township, **Montgomery County** into the Schuylkill River.

NPDES Permit No. PA0056740. Industrial waste. **The Woodbridge Group**, 4240 Sherwoodtowne Boulevard, Suite 300, Mississauga, Ontario, Canada LAZ2G6 is authorized to discharge from a facility located in Doylestown Borough, **Bucks County** into an unnamed tributary leading to Cooks Run Creek.

Northcentral Regional Office, Department of Environmental Protection, 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

NPDES Permit No. PA00033502. Sewerage. **Bradford County Commissioners**, R. R. 3, Box 322, Troy, PA 16947. Renewal was granted to discharge treated sewage from treatment plant to Sugar Creek. Facility is located at West Burlington Township, **Bradford County**.

NPDES No. PA01122721. Transfer, Sewerage. **Roger E. Baker**, R. R. 1, Box 39, Williamsport, PA 17701. Applicant was granted authorization to discharge from facility located at Loyalsock Township, **Lycoming County**.

NPDES No. PA 0028461-A1, Amendment. Sewerage. **Mifflinburg Borough Municipal Authority**, 333 Chestnut Street, Mifflinburg, PA 17844. The existing sewage treatment plant was rerated and amended and is capable of receiving 1.4 mgd flows. Facility is located at Mifflinburg Borough, **Union County**.

NPDES No. PA0115312. Sewerage. **Loyalsock Township Supervisors**, 2501 East Third Street, Williamsport, PA 17701. Renewal of its NPDES permit to discharge treated domestic sewage to unnamed tributary of Grafius Rund in Loyalsock Township, **Lycoming County**.

NPDES No. PA0111546. Sewerage. **Stroehmann Bakeries Limited Partnership**, 3375 Lycoming Creek Road, Williamsport, PA 17701. Renewal to discharge treated sewage from a bakery along with noncontact cooling water. Facility located at Old Lycoming Township, **Lycoming County**.

NPDES No. PA0031453. Sewerage. **Southern Columbia Area School District**, R. R. 2, Box 372B, Catawissa, PA 17820. Renewal was granted to discharge treated sewage from sewage treatment plant serving the Southern Columbia Junior/Senior High School and the Hartman Elementary School in Franklin Township, **Columbia County**.

NPDES No. PA00033502. Sewerage. **Bradford County Commissioners**, R. R. 3, Box 322, Troy, PA 16947. Renewal was granted to discharge treated sewage from treatment plant to Sugar Creek. Facility is located at West Burlington Township, **Bradford County**.

WQM No. 4173413-T1. Transfer Sewerage. **Roger E. Baker**, R. R. 1, Box 39, Williamsport, PA 17701. Transfer is complete for single family residence treatment facility, at Loyalsock Township, **Lycoming County**.

WQM No. 0897404. Sewerage. **Valley Joint Sewer Authority**, 1 South River Street, Athens, PA 18810. Applicant was granted approval to construct a sewage treatment facility: UV system located at Loyalsock Township, **Lycoming County**.

WQM No. 1987408-A3, Amendment. Sewerage. **Knoebels Amusement Resort**, R. R. 1, Box 317, Elysburg, PA 17824-0317. Applicant was granted permission to install an effluent dechlorination system at their existing wastewater treatment facility serving Knoebels Amusement Resort. Location at Franklin Township, **Columbia County**.

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0222241. Sewerage. **James McCosby**, 120 Schar Road, Evans City, PA 16033 is authorized to discharge from a facility located in Forward Township, **Butler County**, to an unnamed tributary to Breakneck Creek.

NPDES Permit No. PA 0222283. Sewerage. **Corsica Borough**, Municipal Building Main Street, P. O. Box 176, Corsica, PA 15829 is authorized to discharge from a facility located in Corsica Borough, **Jefferson County** to receiving waters named Welch Run.

NPDES Permit No. PA 0102938. Sewerage. **Buffalo Elementary School**, Freeport Area School District, P. O. Drawer C, Freeport, PA 16229 is authorized to discharge from a facility located in Buffalo Township, **Butler County** to an unnamed tributary to Sarver Run.

NPDES Permit No. PA 0103331. Sewerage. **Jackson Center Borough**, R. D. 1, Box 38, Jackson Center, PA 16133 is authorized to discharge from a facility located in Jackson Township, **Mercer County** to receiving waters named Yellow Creek.

NPDES Permit No. PA 0102601 Sewerage. **Wick Auto Sales, Inc.** 423 Dogwood Drive, Butler, PA 16001 is authorized to discharge from a facility located in Franklin Township, **Butler County** to an unnamed tributary to Mulligan Run.

NPDES Permit No. PA 0003085. Industrial waste. **The Carbide/Graphite Group, Inc.**, 800 Theresia Street, St. Marys, PA 15857 is authorized to discharge from a facility located in St. Marys, **Elk County** to an unnamed tributary to the South Branch of Elk Creek and to the South Branch of Elk Creek.

WQM Permit No. 1097403. Sewerage. **James McCosby**, 120 Schar Road, Evans City, PA 16033. This project is for the construction and operation of a small flow sewage treatment plant in Forward Township, **Butler County**.

WQM Permit No. 1097402. Sewerage. Cranberry Township, **Brush Creek Water Pollution Control Facility**, 2525 Rochester Road, Suite 700, Cranberry Township, PA 16066-6498. This project is for the expansion of an existing waste treatment facility located in Cranberry Township, **Butler County**.

WQM Permit No. 3397401. Sewerage. **Bell Township**, Jefferson County, R. R. 2, Box 56A, Punxsutawney, PA 15767. This project is for the construction and operation of a separate sanitary sewer service to Albion, Cloe and Fairview in Bell Township, **Jefferson County**.

**INDIVIDUALS PERMITS
(PAS)**

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

<i>NPDES Permit #</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-G242	Emma Builders, Inc. 153 Timothy Circle Radnor, PA 19087	West Vincent Township Chester County	Birch Run

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

<i>NPDES Permit #</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10E061	Oakview Heights Development 16 Angleway Pittsburgh, PA 15223	Butler Cranberry	Unnamed Tributary to Wolfe Run

**INDIVIDUAL PERMITS
(PAR)**

APPROVALS TO USE NPDES GENERAL PERMITS

The following parties have submitted Notices of Intent (NOI) for Coverage under General NPDES Permits to discharge wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection approves the following coverages under the specified General Permit. This approval is subject to applicable effluent limitations, monitoring and reporting requirements and other conditions set forth in the respective General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24.

The application and related documents, effluent limitations and special conditions and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES General Permits issued by the Department of Environmental Protection:

*NPDES
General Permit Type*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems

*Facility Location
County and
Municipality*

Permit #

*Applicant Name
and Address*

*Receiving Stream or
Body of Water*

*Contact Office
and Telephone #*

Lebanon County Union Township	PAR603535	Commander—US Army Fort Indiantown Gap ATTN: AFZS-FIG-EH-E Annville, PA 17003-5011	UNT to Manada Creek	SCRO—(717) 657-4590
York County York City	PAR603534	Darrah's Salvage, Inc. 535-547 Prospect Street York, PA 17403	Retention Pond	
Blair County Logan Township	PAR803614	Consolidated Rail Corporation Juniata Locomotive Shop 200 4th Ave. Altoona, PA 16601	Spring Run	
Blair County	PAR803615	Consolidated Rail Corporation The Rose Yard 200 4th Ave. Altoona, PA 16601	Little Juniata River	
York County Spring Garden Township	PAR203586	New York Wire Company Wire Facility P. O. Box 0866 Mt. Wolf, PA 17347-0866	Mill Creek	
York County Mt. Wolf Borough	PAR133509	New York Wire Company P. O. Box 0866—Textile Facility Mt. Wolf, PA 17347-0866	Hartman Run	
York County	PAR203585	New York Wire Company Weaving Facility PO Box 8066 Mt. Wolf, PA 17347-0866	Poorhouse Run	
Clearfield County Bradford Twp.	PAR704813	IA Construction Corporation P. O. Box 248 Zelienople, PA 16063	UNT to Roaring Run	Northcentral (717) 327-3664
Lycoming Co. Wolf Twp.	PAR 704812	IA Construction Corporation P. O. Box 90 Muncy, PA 17756-0900	Detention Pond/ Swale	Northcentral (717) 327-3664
Lycoming Co. Clinton Twp.	PAR224833	Spring Window Fashion Div. Inc. R. D. 1, Box 405 South Montgomery, PA 17752	UNT to West Br. Susquehanna	Northcentral (717) 327-3664

<i>Facility Location County and Municipality</i>	<i>Permit #</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone #</i>
Bradford Co. Albany Twp.	PAG044943	Stanley D. Bundle R. D. 2, Box 209A New Albany, PA 18833	UNT Sugar Creek	Northcentral (717) 327-3664
Perry County Penn Township	PAG053510	Petersburg Commons, Inc. 101 Basin Hill Road Duncannon, PA 17020	Susquehanna River	SCRO— (717) 657-4590
Lancaster County West Donegal Town- ship	PAG-053511	West Donegal Township 7 West Ridge Road Elizabethtown, PA 17022	Retention Basin	

SEWAGE FACILITIES ACT

PLAN APPROVAL

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20)

Southcentral Regional Office: Water Management Program Manager; One Ararat Blvd., Harrisburg, PA 17110.

Location: **Reading Township, Adams County**, 50 Church Road, East Berlin, PA. The approved plan provided for expansion and upgrade of an existing sewage treatment plant. The new facility will consist of a .30 mgd sequencing batch reactor with reed beds for sludge drying. Additionally, a small collection system expansion is planned to serve an existing residential area. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Location: **Taylor Township, Fulton County**, P. O. Box 627, Hustontown, PA 17229. The approved plan provided for construction of a public collection system and a .04 mgd sewage treatment plant discharging to Fortune Tellers Creek watershed to provide public sewer service to the village of Hustontown. In addition to adopting privy, well drillers, sewer system operational ordinances, the Township will modify its permit and subdivision ordinances. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Northeast Regional Office, Sanitarian Regional Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Permit No. 4590502. Public water supply. **Poco Apartments West Water Company**, The Russell Partnership, 611 Main Street, Stroudsburg, PA 18360. This proposal involves an application for permit for the Poco Apartments West Water Company. This project consists of two, Well #1 and Well #3 which supplies water service to 18 apartment units. Treatment consists of disinfection only. It is located in Smithfield Township, **Monroe County**.

Permit to Operate: June 3, 1997.

Southwest Regional Office, Regional Manager; Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 7219-T1. Public water supply. **Pennsylvania-American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033-0888.

Type of Facility: Transfer for homestead borough system.

Permit to Operate Issued: May 23, 1997.

Permit No. 0387501-T1-A1. Public water supply. **Creekside Mushrooms Ltd.**, One Moonlight Drive, Worthington, PA 16262-9730.

Type of Facility: Chemical feed process improvements.

Permit to Operate Issued: May 23, 1997.

Permit No. 0296506. Public water supply. **Richland Township Municipal Authority**, 2070 Kramer Road, Gibsonsia, PA 15044.

Type of Facility: Two interconnections with the Hampton Township Municipal Authority located at Turner Road and on Route 8.

Permit to Operate Issued: May 22, 1997.

Permit No. 5677503-A1. Public water supply. **Hooversville Borough Municipal Authority**, P. O. Box 176, Main Street, Hooversville, PA 15936.

Type of Facility: Addition of Aqua Mag (sodium ortho/polyphosphate) and sodium bicarbonate.

Permit to Operate Issued: May 22, 1997.

Permit No. 5697501. Public water supply. **Seven Springs Municipal Authority**, R. D. 1, Champion, PA 15622-9610.

Type of Facility: Seven Springs Water Plant modifications.

Permit to Operate Issued: May 23, 1997.

Permit No. 3097501. Public water supply. **Southwestern Pennsylvania Municipal Authority**, P. O. Box 187, Greene and Washington Streets, Jefferson, PA 15344.

Type of Facility: 1mg concrete reservoir and pump station.

Permit to Construct Issued: May 23, 1997.

Northwest Regional Office, Regional Manager; Water Supply Management, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6899.

2097501. Non-Transient Non-Community. **Spartansburg Elementary School**, Corry Area School District, 150 Water Street, Spartansburg, PA 16434. Permit issued

for the construction of a poly-phosphate-silicate blend system for the purpose of corrosion control in Spartansburg Borough, **Crawford County**.

Type of Facility: School.

Consulting Engineer: Timothy P. Coldren, AEP, CES, CEI, Environmental Specialist, W. J. Smith & Associates, Inc., P. O. Box 153, Corry, PA 16407.

Permit to Construct Issued: June 4, 1997.

1697501. Public water supply. **Fryburg Water Company**, Sportsman's Club Road, Fryburg, PA 16326 (P. O. Box 397, Reno, PA 16343-0397). Permit issued for the construction of chemical feed systems for corrosion control and pH adjustment, located in Washington Township, **Clarion County**.

Type of Facility: Public water supply.

Consulting Engineer: Richard J. Cotter, PE, 1316 Otter Street, Franklin, PA 16323.

Permit to Construct Issued: June 4, 1997.

6197502. Public water supply. **Venango Water Company**, P. O. Box 397, Reno, PA 16343 (Reno Water Company—Pump House). Permit issued for installation of chemical feed systems for corrosion control and pH adjustment in Sugarcreek Borough, **Venango County**.

Type of Facility: Public water supply.

Consulting Engineer: Richard J. Cotter, PE, 1316 Otter Street, Franklin, PA 16323.

Permit to Construct Issued: June 4, 1997.

6197501. Public water supply. **Sugarcreek Water Company**, Sugarcreek Drive, Sugarcreek, PA 16323 (P. O. Box 397, Reno, PA 16343-0397). Permit issued for installation of chemical feed systems for corrosion control and pH adjustment in Sugarcreek Borough, **Venango County**.

Type of Facility: Public water supply.

Consulting Engineer: Richard J. Cotter, PE, 1316 Otter Street, Franklin, PA 16323.

Permit to Construct Issued: June 4, 1997.

SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southeast Regional Office, Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.

Permit No. 603343(15). **Wheelabrator Clean Water Systems, Inc.**, 180 Admiral Cochrane Drive, Suite 305, Annapolis, MD 21401. This permit is issued for the agricultural utilization of municipal sewage sludge from the Montgomery County Oaks, Upper Saucon Township, Borough of Lansdale, City of Reading, Downingtown Regional Water Pollution Control Center, Lehigh County Wastewater Pretreatment Plant, Nutrecon, Inc., City of York, Telford Borough Authority, Pottstown, Dover Township, Loysville Village, Borough of Waynesboro, City of Lancaster, Exeter Township, and Pennridge Wastewater

Treatment Authority sewage treatment plants on the Balderston Family Trust located in East Brandywine Township, West Brandywine Township and West Caln Township, **Chester County**. Permit was issued in the Southeast Regional Office on May 27, 1997.

Permit No. 101640. Big Road Environmental Service, Inc., 2242 Big Road, Gilbertville, PA 19525. This permit application was denied because the application is not complete and accurate, and does not fully comply with the requirements of the Solid Waste Management Act. Permit application denied in the Southeast Regional Office May 30, 1997.

Southcentral Regional Office, Regional Solid Waste Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4588.

Permit No. 300980. Commonwealth Disposal, Inc. (2340 Paxton Church Road, Harrisburg, PA 17110). Renewal application for the storage of water treatment sediment in a storage lagoon (impoundment) site in Carroll Township, **Perry County**. Permit issued in the Regional Office June 3, 1997 and will expire June 2, 2007.

Northcentral Regional Office, Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.

Permit No. 301197. Shawville Ash Disposal Site. **GPU Generation, Inc.** (1001 Broad Street, Johnstown, PA 15907). Repermitting of a Class I Residual Waste Landfill located in Bradford Township, **Clearfield County** issued in the Regional Office on June 5, 1997.

Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 301264. National Granulating Company, Inc., 41 Detroit Avenue, Washington, PA 15301. Operation of a residual waste processing facility in the City of Washington, **Washington County**. Permit terminated in the Regional Office on May 29, 1997.

AIR POLLUTION

OPERATING PERMITS

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department has issued the following Air Quality Operating Permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **13-399-003**

Source: 5 Silos w/Baghouses (Truck Unload)

Company: **Horsehead Resource Development Co.**

Location: Palmerton Borough

County: **Carbon**

Permit: **35-301-038A**
 Source: 2-Type 4 Crematories/Afterburners
 Company: **Maple Hill Cemetery Association**
 Location: Archbald Borough
 County: **Lackawanna**

Permit: **39-011B**
 Source: Cement Kilns 2 and 3
 Company: **Lafarge Corporation**
 Location: Whitehall Township
 County: **Lehigh**

Permit: **39-304-018**
 Source: #2 Finishing System w/Baghouse
 Company: **Victaulic Company of America**
 Location: Alburts Borough
 County: **Lehigh**

Permit: **39-304-019**
 Source: Foundry Sand System w/Baghouse
 Company: **Victaulic Company of America**
 Location: Alburts Borough
 County: **Lehigh**

Permit: **39-304-020**
 Source: #1 Finishing System w/Baghouse
 Company: **Victaulic Company of America**
 Location: Alburts Borough
 County: **Lehigh**

Permit: **39-304-021**
 Source: Melt Area w/Baghouse
 Company: **Victaulic Company of America**
 Location: Alburts Borough
 County: **Lehigh**

Permit: **39-317-005**
 Source: Various Systems
 Company: **The Pillsbury Company**
 Location: City of Allentown
 County: **Lehigh**

Permit: **39-317-021A**
 Source: Crumb Collect Cyclone Line 6-7-8-9
 Company: **The Pillsbury Company**
 Location: City of Allentown
 County: **Lehigh**

Permit: **39-317-023**
 Source: Heat Cleaning Oven
 Company: **The Pillsbury Company**
 Location: City of Allentown
 County: **Lehigh**

Permit: **39-318-100**
 Source: 2 Paint Dip Operations
 Company: **Victaulic Company of America**
 Location: Alburts Borough
 County: **Lehigh**

Permit: **40-305-019**
 Source: Coal Drying and Packing w/Baghouse
 Company: **Lang Filter Media**
 Location: City of Hazleton
 County: **Luzerne**

Permit: **48-309-027D**
 Source: Kiln/Rollermill/Cooler w/ESP and 2 Bag
 Company: **Essroc Cement Corporation**
 Location: Nazareth Borough
 County: **Northampton**

Permit: **54-313-077**
 Source: Nylon Extrusion/Biaxial Oriented
 Company: **Allied-Signal Incorporated**
 Location: Norwegian Township
 County: **Schuylkill**

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

A Plan Approval has been issued by this office for the construction, modification, reactivation or operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **48-313-079**
 Source: Pigment Manufacturing w/Baghouse
 Issued: May 29, 1997
 Company: **M A Hanna Color Company**
 Location: City of Bethlehem
 County: **Northampton**

Permit: **48-318-126**
 Source: (3) Cement Spray/Cure w/Filters
 Issued: May 19, 1997
 Company: **S K F USA Incorporated**
 Location: Hanover Township
 County: **Northampton**

Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-1007E: On May 15, 1997, the Department issued a Plan Approval to **Carpenter Technology Corporation** (P. O. Box 14662, Reading, PA 19612-4662) for the construction of two reheat furnaces with low NOx burners at their Reading Plant in Reading, **Berks County**.

06-319-099E: On May 12, 1997, the Department issued a Plan Approval to **General Battery Corporation** (P. O. Box 13995, Reading, PA 19612-3995) for the construction of a No. 6 battery assembly line with a fabric collector at their SLI Plant in Muhlenberg Township, **Berks County**. The source is subject to 40 CFR 60, Subpart KK, Standards of Performance for New Stationary Sources.

07-309-013A: On May 13, 1997, the Department issued a Plan Approval to **BMI—France** (P. O. Box 276, Snow Shoe, PA 16874) for the reactivation/construction of a refractory material processing operation controlled by a fabric collector at their Altoona Plant in Logan Township, **Blair County**. The source is subject to 40 CFR 60, Subpart 000, Standards of Performance for New Stationary Sources.

21-317-058: On May 9, 1997, the Department issued a Plan Approval to **The Quaker Oats Company** (P. O. Box 3040, Shiremanstown, PA 17011) for the construction of a high pressure #4 extrusion line in Hampden Township, **Cumberland County**.

31-310-030: On May 13, 1997, the Department issued a Plan Approval to **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) for the construction of a portable limestone crushing plant controlled by water sprays at their Union Furnace Quarry in Spruce Creek Township, **Huntingdon County**.

36-304-055E: On May 13, 1997, the Department issued a Plan Approval to **Grinnell Corporation** (1411 Lancaster Avenue, Columbia, PA 17512) for the construction of a foundry casting, grinding and cleaning system controlled by a fabric collector at their South Foundry in Columbia Borough, **Lancaster County**.

44-307-002A: On May 9, 1997, the Department issued a Plan Approval to **Standard Steel** (500 North Walnut Street, Burnham, PA 17009) for the installation of a steel conditioning grinder controlled by a baghouse in Burnham Borough, **Mifflin County**.

67-2001A: On May 13, 1997, the Department issued a Plan Approval to **J. E. Baker Company** (232 East Market Street, P. O. Box 1189, York, PA 17405-1189) for the modification of a refractory production facility in West Manchester Township, **York County**.

38-310-017B: On June 3, 1997, the Department issued a Plan Approval to **Carmeuse Pennsylvania, Inc.** (P. O. Box 160, Annville, PA 17003) for the installation of a portable crushing plant controlled by wet suppression at their Millard Quarry in North Londonderry Township, **Lebanon County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

67-310-006C: On May 30, 1997, the Department issued a Plan Approval to **York Building Products Company, Inc.** (P. O. Box 1708, York, PA 17405) for the construction of a stone crushing plant at their Lincoln Stone Division in Jackson Township, **York County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

36-316-006B: On June 6, 1997, the Department issued a Plan Approval to **Conestoga Wood Specialties Corporation** (P. O. Box 158, East Earl, PA 17519) for the modification of their wood working operations in areas 2A, 2B, 2C, 2D and 2E in East Earl Township, **Lancaster County**.

36-316-022E: On June 6, 1997, the Department issued a Plan Approval to **Conestoga Wood Specialties Corporation** (P. O. Box 158, East Earl, PA 17519) for the modification of their woodworking operations in areas 3A, 3B, 3C, 3D, 3E and 3F in East Earl Township, **Lancaster County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

49-318-033. On May 13, 1997, plan approval was issued to **Shumaker Industries, Inc.** (P. O. Box 206, Northumberland, PA 17857) for the construction of shotblasting and surface coating operations in Northumberland Borough, **Northumberland County**.

PA-53-0009A. On May 13, 1997, plan approval was issued to **National Fuel Gas Supply Corporation** (P. O. Box 2081, Erie, PA 16512) for the installation of air cleaning devices (low emission combustion retrofit kits) on one 1,000 HP natural gas-fired reciprocating engine and two 2,000 HP natural gas-fired reciprocating engines at the Ellisburg Compressor Station in Allegany Township, **Potter County**.

PA-53-0007A. On May 13, 1997, plan approval was issued to **National Fuel Gas Supply Corporation** (P. O. Box 2081, Erie, PA 16512) for the installation of air cleaning devices (low emission combustion retrofit kits) on three 540 HP natural gas-fired reciprocating engine at the East Fork Compressor Station in Wharton Township, **Potter County**.

41-309-003B. On May 27, 1997, plan approval was issued to **Milestone Materials, Inc.** (P. O. Box 231, Easton, PA 18044-0231) for the installation of an air cleaning device (a fabric collector) on an agricultural limestone pulverizing system at the Pine Creek Quarry in Limestone Township, **Lycoming County**.

GP5-17-03. On May 9, 1997, **Angerman Associates** was granted authorization to operate a 144 horsepower natural gas fired reciprocating engine, a 318 horsepower natural gas fired reciprocating engine and a natural gas dehydrator under the Department's General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP5) at the North Compressor Station in Brady Township, **Clearfield County**.

GP5-18-01. On May 9, 1997, **Cabot Oil and Gas Corporation** was granted authorization to operate a 265 horsepower natural gas fired reciprocating engine and a natural gas dehydrator under the Department's General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP5) at the Turner Compressor Station in Chapman Township, **Clinton County**.

GP5-17-01. On May 15, 1997, **Cabot Oil and Gas Corporation** was granted authorization to operate a natural gas dehydrator under the Department's General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP5) and denied authorization to operate a 150 horsepower natural gas fired reciprocating engine under the same general plan approval/general operating permit at the Olanta Compressor Station in Knox Township, **Clearfield County**.

GP5-17-02. On May 15, 1997, **Cabot Oil and Gas Corporation** was granted authorization to operate a natural gas dehydrator under the Department's General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP5) and denied authorization to operate a 165 horsepower natural gas fired reciprocating engine under the same general plan approval/general operating permit at the Mahaffey Compressor Station in Chest Township, **Clearfield County**.

GP5-17-04. On May 15, 1997, **Angerman Associates** was denied authorization to operate an 840 horsepower natural gas fired reciprocating engine and a 462 horsepower natural gas fired reciprocating engine under the Department's General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP5) at the South Compressor Station in Brady Township, **Clearfield County**.

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA-65-890A: On May 28, 1997, a Plan Approval was issued to **Basic Carbide Corporation** (900 Blythedale Road, P. O. Box 525, Buena Vista, PA 15018) for a carbide manufacturing process at its Lower Facility located in Sewickly Township, **Westmoreland County**.

PA-63-101A: On May 28, 1997, a Plan Approval was issued to **Maple Creek Mining, Inc.** (981 Route 917, Bentleyville, PA 15314) for a coal storage area at its Maple Creek Preparation Plant facility located in New Eagle Borough, **Washington County**.

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contaminant sources or air cleaning devices.

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

65-304-039: On May 28, 1997, a Plan Approval expiration date was extended to August 28, 1997, for **Tasman**

Development Company, Ltd., (P. O. Box 81620, Pittsburgh, PA 15217) for a sand removal and screening process at its Latrobe Plant located in Latrobe Borough, **Westmoreland County**.

04-313-053B: On May 28, 1997, a Plan Approval expiration date was extended to September 1, 1997 for **Envirotrol, Inc.** (P. O. Box 61, Sewickley, PA 15143) for a scrubber and afterburner on the Rotary Kiln Carbon Regenerator at its Darlington Facility located in Darlington Township, **Beaver County**.

MINING

CONDUCT COAL AND NONCOAL ACTIVITIES

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued:

56960110. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), commencement, operation and restoration of a bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 312.2 acres, receiving stream Blue Lick Creek, unnamed tributary to Blue Lick Creek. Application received September 19, 1996. Permit issued June 2, 1997.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

17910136. P & N Coal Company, Inc. (P. O. Box 332, Punxsutawney, PA 15767), renewal of an existing bituminous surface mine-auger permit in Brady and Henderson Townships, **Clearfield and Jefferson Counties** affecting 130 acres, receiving streams: unnamed tributaries to Each Branch Mahoning Creek and East Branch Mahoning Creek. Application received March 24, 1997. Permit issued May 16, 1997.

17960123. Johnson Brothers Coal Company (R. R. 1, Box 580, Mahaffey, PA 15757), commencement, operation and restoration of a bituminous surface mine permit in Brady Township, **Clearfield County** affecting 8.4 acres, receiving streams: unnamed tributary to Little Anderson Creek and Little Anderson Creek. Application received December 19, 1996. Permit issued May 21, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33920102. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838). Renewal of an existing bituminous strip operation in Snyder Township, **Jefferson County** affecting 195.0 acres. Receiving streams: Four unnamed tributaries of Mill Creek. Application received: March 27, 1997. Permit Issued: May 27, 1997.

61970101. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Commencement, operation and restoration of a bituminous strip operation in Irwin Township, **Venango County** affecting 66.5 acres. Receiving streams: four unnamed tributaries to Scrubgrass Creek. Application received: January 28, 1997. Permit Issued: May 30, 1997.

McMurray District Office, 3913 Washington Rd., McMurray, PA

30841310. Duquesne Light Co. (P. O. Box 457, Greensburg, PA 15338), to renew the permit for the Warwick #3 Bituminous Deep Mine in Dunkard Township, **Greene County**, no additional discharge. Permit issued June 3, 1997.

56841318. Solar Fuel Co., Inc. (P. O. Box 488, Somerset, PA 15501), to renew the permit for the Solar #7 Bituminous Deep Mine in Quemahoning Township, **Somerset County**, no additional discharge. Permit issued June 5, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454

40840206T. Northampton Fuel Supply Co., Inc. (7500 Old Georgetown Road, 13th Floor, Bethesda, MD 20814-6161), transfer of an existing surface mine/coal refuse reprocessing operation in Plains Township, **Luzerne County** affecting 126.9 acres, receiving stream—none. Transfer issued June 4, 1997.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Large Industrial Mineral Permits Issued:

4774SM4. Milestone Materials, Inc. (P. O. Box 231, Easton, PA 18044-0231), renewal of an existing large industrial mineral NPDES permit, Fairfield Township, **Lycoming County**. Application received March 21, 1997. Permit issued June 3, 1997.

4773SM5. Milestone Materials, Inc. (P. O. Box 231, Easton, PA 18044-0231), renewal of an existing large industrial mineral NPDES permit, Muncy Creek Township, **Lycoming County**. Application received May 12, 1997. Permit issued June 3, 1997.

4773SM3. Milestone Materials, Inc. (P. O. Box 231, Easton, PA 18044-0231), renewal of an existing large industrial mineral NPDES permit, Limestone Township, **Lycoming County**. Application received March 24, 1997. Permit issued June 3, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

7574046C2. Valley Quarries, Inc. (P. O. Box J, Chambersburg, PA 17201-0809), renewal of NPDES Permit #PA0613029 in Southampton Township, **Cumberland County**, receiving stream—unnamed intermittent stream to Green Spring Creek. Renewal issued June 3, 1997.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Small Industrial Mineral Authorizations Granted:

08960806. Donald Eugene Johnson, Sr. (R. R. 1, Box 257A, Monroeton, PA 18832), commencement, operation and restoration of a Small Noncoal (Bluestone) permit in Asylum Township, **Bradford County** affecting 1 acre, application received December 18, 1996, authorization granted May 16, 1997.

08970803, Wayne W. Warner (R. R. 1, Box 95, Stevensville, PA 18845-9730), commencement, operation and restoration of a Small Noncoal (Bluestone) permit in Pike Township, **Bradford County** affecting 1 acre, application received March 7, 1997, authorization granted May 29, 1997.

08970802, Robert H. Fields (R. R. 1, Box 93, Stevensville, PA 18845), commencement, operation and restoration of a Small Noncoal (Bluestone) permit in Herrick Township, **Bradford County** affecting 1 acre, application received March 6, 1997, authorization granted May 29, 1997.

53950805, James D. Chalmers (R. R. 1, Box 147, Galeton, PA 16922), commencement, operation and restoration of a Small Noncoal (Flagstone) permit in Abbott Township, **Potter County** affecting 2 acres, application received October 20, 1995, authorization granted May 29, 1997.

08970801, Frank Kamarauskas (R. D. 4, Box 118, Montrose, PA 18801), commencement, operation and restoration of a Small Noncoal (Bluestone) permit in Tuscarora Township, **Bradford County** affecting 1 acre, application received March 5, 1997, authorization granted May 30, 1997.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33970801. Doverspike Bros. Coal Company (R. D. 4, Box 271, Punxsutawney, PA 15767), commencement, operation and restoration of a small noncoal sandstone operation in McCalmont Township, **Jefferson County** affecting 5.1 acres. Receiving streams: None. Application received: March 20, 1997. Permit Issued: May 21, 1997.

25970802. Lewis G. and Carolyn R. Skelton (13310 Edinboro Plank Road, Waterford, PA 16441), commencement, operation and restoration of a small noncoal sand and gravel operation in Washington Township, **Erie County** affecting 5.0 acres. Receiving streams: None. Application received: February 25, 1997. Permit Issued: May 21, 1997.

McMurray District Office, 3913 Washington Rd., McMurray, PA

Coal Mining Applications Returned:

17961301. Power Operating Company, Inc. (P. O. Box 25, Osceola Mills, PA 16666), to operate the New Rosemary Bituminous Deep Mine in Gulich Township, **Clearfield County**, receiving stream Moshannon Creek. Application returned June 4, 1997.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800)

654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1 and 693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-745. Encroachment Permit. **Quakertown Borough**, 15-35 N. Second Street, P. O. Box 727, Quakertown, PA 18951. To reconstruct, operate and maintain wellhouse No. 18 at the location of existing wellhouse No. 15, which will be demolished and debris removed from floodplain. The site is located along Beaver Run, in the 100 year floodplain, at the south side dead end of Second Street (Quakertown USGS Quadrangle N: 10.90 inches; W: 11.60 inches) in Richland Township, **Bucks County**. This permit was issued under section 105.13(e) "small projects."

E23-326. Encroachment Permit. **Southeastern Pennsylvania Transportation Authority**, 1234 Market Street, Philadelphia, PA 19107-3780. To remove an existing 25.7-foot long bridge and rebuild the structure utilizing 47.4-foot long prestressed concrete beams with parapet walls and concrete roadway paving. The abutments and approach areas will also be rebuilt. This bridge will have a span of approximately 43.5 feet and an underclearance of 8 feet. This bridge spans Cobbs Creek along Hathaway Lane (Lansdowne, PA Quadrangle N: 21.6 inches; W: 7.75 inches), in Haverford Township, **Delaware County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E46-760. Encroachment Permit. **Wissahickon Valley Watershed Association**, 12 Morris Road, Ambler, PA 19002-5499. To construct and maintain a 48-foot wide prefabricated pedestrian bridge across a branch of the Wissahickon Creek and in the adjacent 100-year floodway at Four Mills Nature Reserve. The site is located approximately 8,300 feet upstream from the confluence with Sandy Run (Ambler, Quadrangle N: 4.00-inch; W: 14.00-inch) in Upper Dublin Township, **Montgomery County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E15-396. Encroachment Permit. **Wooldrige Construction of PA, Inc.**, 1500 Greenhill Road, West Chester, PA 19380. To perform the following activities:

1. To construct and maintain 37 linear feet of 72-inch by 44-inch ALCMP culvert beneath Chandler Drive and across an unnamed tributary to Boot Run (HQ TSF), and adjacent wetlands (PEM) situated immediately south of Lincoln Village;

2. To remove the riser box on the upstream end of Chandler Drive road crossing of Boot Run, and to install 8 linear feet of 73-inch by 55-inch CMP culvert to an existing 73-inch by 55-inch CMP roadway culvert, and operate and maintain this culvert crossing;

3. To operate and maintain 5 existing water obstructions and encroachments, consisting of fill placed in wetland, the 100 year floodway of Boot Run and tributaries of Boot Run; 29 stormwater outfall structures; and 5 utility line crossings of regulated waters of the Commonwealth;

4. To restore 1.05 acres of wetland and approximately 1,000 feet of watercourse.

The project includes a total of 4.31 acres of wetland impact during construction of the Hershey's Mills Golf Course and Residential Subdivision. This development is bounded by Boot Road to the west, Green Hill Road to the north, and Chester Road (S. R. 0352) to the east (Malvern, PA Quadrangle N: 0.05 inch and W: 6.5 inches), in East Goshen Township, **Chester County**. This permit requires the construction of 8.50 acres of replacement wetlands.

E15-520. Encroachment Permit. **County of Chester**, Courthouse, 2nd and High Streets, West Chester, PA 19380. To repair, modify and maintain Chester County Bridge No. 178 carrying Pickering Road (T-504) over Pickering Creek (HQ-TSF). The proposed work will consist of replacing deteriorated iron trusses and laminated timber deck with steel I-beams, open steel grid and timber plank deck, and remounting existing steel trusses on exterior beams. The work also will include repair of existing stone masonry abutment and wingwall facings, constructing new reinforced concrete abutments behind existing abutments, and placing riprap stone protection along the abutments and wing walls. Also included in this project will be the reconstruction of approximately 350 linear feet of roadway bridge approaches, and installation of two storm drainage outfall structures which are a 38-foot long, 18-inch diameter CMP for Pickering Road and a 52-foot long, 24-inch by 18-inch elliptical CMP for Lincoln Road. This bridge is located approximately 1 1/2 miles southeast of the intersection of S. R. 113 and Pickering Road (Malvern, PA Quadrangle N: 18.3 inches; W: 9.8 inches) in Charlestown Township, **Chester County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, (717) 657-4590.

E36-630. Encroachment. **John Rautzahn**, PA Dept. of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103. To remove the existing structure, construct and maintain a cast in place reinforced concrete frame culvert having a clear normal span of 20 feet with a minimum underclearance of 6.0 feet

across Swarr Run on S. R. 3017—Section 004, Segment 0450, offset 0000 (Columbia East, PA Quadrangle N: 15.2 inches; W: 4.75 inches) in East Hempfield Township, **Lancaster County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E50-183. Encroachment. **John Rautzahn**, PA Dept. of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103. To remove an existing structure and to construct and maintain a bridge having a clear span of 27.4 feet and an underclearance of 3.93 feet across the channel of Muddy Run at a point at ST 0274-007 (Landisburg, PA Quadrangle N: 21.0 inches; W: 13.5 inches) in Tyrone Township, **Perry County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

Northcentral Region, Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E08-310. Encroachment. **Calvin C. Cole, Inc.**, 809 North Elmira St., Sayre, PA 18840. To place and maintain fill in 0.7 acre of palustrine emergent wetlands for the purpose of expanding a materials storage area of an existing asphalt plant. The permit applicant will construct 0.7 acre of replacement wetlands to compensate for unavoidable impacts. The project site is located adjacent to the west side of SR 220, approximately 0.6 mile south of the village of Greenes Landing (Sayre, PA Quadrangle N: 8.2 inches; W: 3.7 inches) in Athens Township, **Bradford County**.

E14-302. Encroachment. **PA Dept. of Transportation**, 1924-30 Daisy St., Clearfield, PA 16830. To remove the existing structure and to construct and maintain a post tensioned twin cell reinforced concrete box culvert with a clear span of 33.5 feet on a skew of 73 degrees and a minimum underclearance of 5 feet and the placement of R-7 rock along the stream bank for a distance of approximately 60 feet upstream and downstream of the proposed culvert in Slab Cabin Run under SR 3012 about 0.5 mile west of the intersection of SR 3012 (Puddintown Road) and SR 3011 (Houserville Rd.) (State College, PA Quadrangle N: 12.4 inches; W: 11.6 inches) in College Township, **Centre County**.

E14-305. Encroachment. **Calibre Boalsburg L. P.**, 100 N. Patterson St., State College, PA 16801. To construct and maintain the outfalls of a 12 inch, a 15 inch, an 18 inch and a 36 inch stormwater pipe with their associated endwalls and riprap aprons on the right bank of Spring Creek located approximately 1,000 feet northeast of the intersection of SR 0322 and SR 0045 (State College, PA Quadrangle N: 5.25 inches; W: 4.5 inches) in Harris Township, **Centre County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E14-306. Encroachment. **Diversified Realty, Inc.**, c/o Gregory C. Spotts, 1522 Woodledge Circle, State College, PA 16830. To construct, operate and maintain a relocated channel of an unnamed tributary to Big Hollow for the construction of an industrial development. The proposed work shall consist of relocating 720.0 linear feet of the stream. The project is located along southern right-of-way of SR 0322 approximately 500 feet northeast of the intersection of Valley Vista Drive and North Atherton St. (Julian, PA Quadrangle N: 11.8 inches; W: 5.7 inches) in Patton Township, **Centre County**.

E17-308. Encroachment. **Laurel Manufacturing, Inc.**, 1 Tom Mix Dr., DuBois, PA 15801. To excavate fill and construct, operate and maintain a parking area in the floodway of Beaver Run. The work shall consist of 1) excavating 11,719.0 cubic yards of fill from the floodway, 2) placing 7,213.0 cubic yards of subbase in the floodway and 3) constructing a parking area with 4,959.0 cubic yards of bituminous paving material in the floodway. The project is located along the eastern right of way of SR 0219 approx. 4,000 feet west of the intersection of SR 4017 and Beaver Drive (Luthersburg, PA Quadrangle N: 22.2 inches; W: 16.7 inches) in the City of DuBois, **Clearfield County**.

E41-398. Encroachment. **Loyalsock Township Supervisors**, 2501 E. Third St., Williamsport, PA 17701. To remove brush, trees and five unvegetated gravel and silt bars measuring 300, 200, 120, 150 and 150 feet in an unnamed tributary to McClures Run. The project is located about 150 feet east of River Avenue between Sheridan Street and Washington Blvd. (Montoursville North, PA Quadrangle N: 0.4 inch; W: 14.6 inches) in Loyalsock Township, **Lycoming County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E02-1183. Encroachment. **Town of McCandless**, 9955 Grubbs Road, Wexford, PA 15090. To remove the existing structure and to construct and maintain a R. C. box culvert having a span of 8.0 feet and an underclearance of 4.5 feet in Little Pine Creek. The culvert is located on Remington Drive approximately 1,000 feet north of the intersection of Remington Drive and Peebles Road (Emsworth, PA Quadrangle N: 11.5 inches; W: 2.0 inches) in McCandless Township, **Allegheny County**. This permit was issued under Section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E02-1184. Encroachment. **Richland Township**, 4010 Dickey Road, Gibsonia, PA 15044. To remove the existing parapet walls and to construct and maintain two box culvert extensions. One box culvert has a span of 8 feet, an underclearance of 6 feet and is 30 feet long, located in Willow Run (TSF). The other box culvert has a span of 7 feet, an underclearance of 5 feet and is 30 feet long, located in a tributary to Willow Run (TSF). The purpose of this project is to improve the intersection of Grubbs Road and S. R. 910 (Valencia, PA Quadrangle N: 0.9 inch; W: 13.1 inches) in Richland Township, **Allegheny County**.

E04-241. Encroachment. **THF Chippewa Development, L. P.**, 955 Executive Parkway, Suite 210, St. Louis, MO 63141. To construct and maintain a 78-inch corrugated metal pipe (depressed 12 inches) 219 feet long, to construct and maintain four outfall structures in a tributary to Wallace Run and to place and maintain fill in approximately 0.3 acre of wetland (PFO) for the purpose of providing access to a proposed retail development site. The project is located on the north side of Route 51 approximately 3,000 feet northwest of the intersection of Route 51 and Route 251 (New Galilee, PA Quadrangle N: 5.3 inches; W: 1.2 inches) in Chippewa Township, **Beaver County**. This permit approved the Environmental Assessment for a nonjurisdictional dam.

E26-236. Encroachment. **Fay-Penn Industrial Development Corp.**, P. O. Box 2101, Uniontown, PA 15401. To repair, operate and maintain four railroad bridges across Redstone Creek and an unnamed tributary to Redstone Creek for the purpose of improving structural integrity. The bridges are located in the City of Uniontown and South Union Township, **Fayette County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E65-477-A1. Encroachment. **JJ Gumberg Co.**, 1051 Brinton Rd., Pittsburgh, PA 15221-4599. To operate and maintain the existing 980-foot \times 8.25-foot culvert and to construct and maintain a 215-foot long, 16-foot \times 8.25-foot multiplate steel arch extension to the existing enclosure in an unnamed tributary to Tinkers Run for the purpose of expanding the existing commercial site to include a restaurant. This permit amendment eliminates the requirement to enhance 1,150 L. F. of an unnamed tributary to Tinkers Run by funding a water quality improvement project in Turtle Creek Watershed. The project is located on U. S. Route 30 (Irwin, PA Quadrangle N: 12.6 inches; W: 9.3 inches) in North Huntingdon Township, **Westmoreland County**.

E65-664. Encroachment. **Continuing Care Concepts**, c/o Dataplan Inc., 347 Franklin Street, Slippery Rock, PA 16057. To place and maintain fill in 0.22 acre of wetlands for the purpose of constructing a 38-bed patient care facility along Old William Penn Highway (Murrysville, PA Quadrangle N: 8.4 inches; W: 2.9 inches) in the Municipality of Murrysville, **Westmoreland County**.

E65-666. Encroachment. **Derry Borough**, 114 E. Second Ave., Derry, PA 15627-1202. To remove the existing structures and to construct and maintain four bridges across McGee Run (TSF) located on the following streets: East First Avenue Alley having a span of 12 feet and an underclearance of 6.25 feet; East Second Avenue having a span of 12.25 feet and an underclearance of 6.70 feet; East Second Avenue Alley having a span of 12 feet and an underclearance of 5.5 feet; East Third Avenue having a span of 13 feet and an underclearance of 4.75 feet (Derry, PA Quadrangle N: 15.15 inches; W: 6.85 inches) in Borough of Derry, **Westmoreland County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-256. Encroachment. **Municipal Sewer and Water Authority of Cranberry Township**, 2525 Rochester Road, Cranberry Township, PA 16066. To construct and maintain additions to the main and auxiliary sewage pump station buildings and a service road within the floodway and floodplain of Brush Creek for the expansion and upgrade of the existing Brush Creek Water Pollution Control Facility along Powell Road approximately 600 feet south of Glen Eden Road (S. R. 3024) (Braden, PA Quadrangle N: 17.3 inches; W: 3.7 inches) located in Cranberry Township, **Butler County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E20-441. Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street. To remove the existing bridge and to construct and maintain a prestressed concrete composite spread box beam bridge having a clear, normal span of 48.5 feet and an average underclearance of 8.0 feet across Five Mile Creek on S. R.

0089, Segment 0250, Offset 2745 approximately 1.7 miles south of S. R. 77 (Spartansburg, PA Quadrangle N: 6.1 inches; W: 8.3 inches) located in Sparta Township, **Crawford County**.

E20-442. Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street, Franklin, PA 16323. To remove the existing bridge and to construct and maintain a prestressed concrete composite spread box beam bridge having a clear, normal span of 67 feet and an average underclearance of 7.7 feet across East Branch Oil Creek on S. R. 0089, Segment 0260, Offset 0267 approximately 1.45 miles south of S. R. 77 (Spartansburg, PA Quadrangle N: 6.7 inches; W: 8.7 inches) located in Sparta Township, **Crawford County**.

E24-198. Encroachment. **City of St. Marys**, 808 South Michael Road, P. O. Box 1994, St. Marys, PA 15857-1994. To remove the existing culvert and to install and maintain a 42-foot long, 16.6-foot wide by 4.3-foot high low profile metal box culvert in Iron Run on Averyville Road approximately 1,600 feet south of S. R. 2008 (South Michael Road) (St. Marys, PA Quadrangle N: 6.4 inches; W: 4.8 inches) located in the City of St. Marys, **Elk County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E25-547. Encroachment. **Transportation Investment Group.**, 3011 West 17th Street, Erie, PA 16505. To fill 0.3 acre of wetland and to replace an existing 18-inch diameter stormwater outfall pipe in a tributary to Lake Erie (Marshall Run) for the construction of a Federal Express Sorting Facility at 3011 West 17th Street approximately 1,500 feet west of Peninsula Drive (S. R. 832) (Swanville, PA Quadrangle N: 16.8 inches; W: 2.9 inches) located in Millcreek Township, **Erie County**.

E27-054. Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street, Franklin, PA 16323. To remove the existing bridge and to construct and maintain a concrete box culvert having a 14-foot wide by 6.7-foot high waterway opening in Blue Jay Creek on S. R. 1003, Segment 0020, Offset 1879 approximately 4,000 feet north of S. R. 66 (Lynch, PA Quadrangle N: 7.3 inches; W: 7.7 inches) located in Howe Township, **Forest County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E33-178. Encroachment. **PA Department of Transportation, District 10-0**, P. O. Box 429, Route 286 South, Indiana, PA 15701. To remove the remains of the existing two span bridge and to construct and maintain a prestressed concrete spread box beam bridge having a clear, normal span of 68.5 feet and an average underclearance of 7.5 feet across Little Sandy Creek on S. R. 3018, Segment 0050, Offset 1069 approximately 1,900 feet south of T-368 in the Village of Coolspring (Coolspring, PA Quadrangle N: 7.6 inches; W: 11.6 inches) located in Oliver Township, **Jefferson County**.

E62-330. Encroachment. **Dana R. Wellington**, R. R. 1, Box 10B, Tidioute, PA 16351. To construct and maintain a steel grinder bridge having a clear span of 39 feet and a maximum underclearance of 6 feet across North Branch Akeley Run at Cable Hollow for a private driveway extending south from Cable Hollow Road (S. R. 1016) approximately 900 feet west of Mill Road (T-588) (Scandia, PA Quadrangle N: 19.5 inches; W: 14.0 inches) located in Pine Grove Township, **Warren County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

DAM SAFETY

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Permits Issued and Actions on 401 Certification

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D02-118. Dam. To construct, operate and maintain a stormwater detention dam (Duncan Avenue Extension West Dam) across a tributary to Little Pine Creek in the Town of McCandless, **Allegheny County**.

ENVIRONMENTAL ASSESSMENT

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (*Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.*)

Permits Issued and Actions on 401 Certification:

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

Environmental Assessment Approvals and Actions on 401 Certifications

EA20-003NW. Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street, Franklin, PA 16323. To remove the existing Atlantic Truss, a steel truss bridge including super structure, piers and abutments on SR 3013 Section B03 across McMillen Hollow approximately 0.25 mile south of SR 3006 (Atlantic Road) at the Village of Atlantic (Conneaut Lake, PA Quadrangle N: 0.15 inch; W: 12.05 inches) located in East Fallowfield Township, **Crawford County**.

WATER QUALITY CERTIFICATION

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of

practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Final Actions under Section 401 of the Federal Water Pollution Control Act

Northcentral Regional Office, Assistant Regional Director, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3320.

Certification Request Initiated By: Department of Transportation, District 2-0, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830.

Date of Initial Pennsylvania Bulletin Notice: January 25, 1997.

Project Description/Location: To construct and maintain various size culverts and bridges and impact 31.5 acres of wetlands in and along tributaries to South Bald Eagle Creek, North Bald Eagle Creek, and Buffalo Run for improvements to U. S. 220 in Snyder Township, **Blair County**, and Taylor, Worth, Huston, and Patton Townships, **Centre County**.

Final Action on Request: Certification granted.

David E. Milhous, P. E., Regional Manager, Water Management, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6945.

Certification Request Initiated By: John L. Baker, P. E., District Engineer, Engineering District 1-0, Department of Transportation, 1140 Liberty Street, Franklin, PA 15323.

Date of Initial Pennsylvania Bulletin Notice: May 3, 1997.

Location: City of Erie and Harborcreek Township, **Erie County**.

Project Description: To construct approximately 6.1 miles of new, 4-lane, controlled access highway connecting the eastern terminus of the existing Bayfront Parkway to Interstate 90 at its interchange with Station Road. The project will impact the following streams: Fourmile Creek (WWF, MF), McDaniel Run (WWF, MF), Cemetery Run (WWF, MF), Garrison Road (WWF, MF), two unnamed tributaries to Fourmile Run (WWF, MF), four unnamed tributaries to McDaniel Run (WWF, MF), and one unnamed tributary to Fivemile Creek (WWF, MF). In addition, a total of 3.8 acres of wetland are proposed to be impacted (0.7 acre PEM, 0.3 acre PSS, 2.6 acres PFO, and 0.2 acre PFO in the Coastal Zone of Lake Erie). Stream and wetland mitigation will be required.

Final Action on Request: The certification granted, is subject to the following conditions:

1. A Water Obstruction and Encroachment Permit must be secured from the Department of Environmental Protection, Soils and Waterways Section, Water Management, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335-3481.

2. The proposed activities must comply with the above permit as well as Chapters 93, 95, 102 and 105 of the Department's Rules and Regulations and all other applicable State regulations and other State requirements.

WATER ALLOCATIONS

Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631-641) relating to the acquisition of rights to divert waters of this Commonwealth.

Southwest Regional Office, Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permits issued on May 27, 1997.

WA 11-620B. Water Allocation. **Highland Sewer and Water Authority, Cambria County, PA.** The right to withdraw a maximum of 5.383 million gallons per day of water, as a daily peak, from the Beaverdam Reservoir, **Cambria County, PA.**

WA 11-620C. Water Allocation. **Highland Sewer and Water Authority, Cambria County, PA.** The right to withdraw a maximum of 1.495 million gallons per day of water, as a 30-day average, from the Lloydell Reservoir, **Cambria County, PA.**

WA 11-620D. Water Allocation. **Highland Sewer and Water Authority, Cambria County, PA.** The right to withdraw, on an emergency basis only, a maximum of 0.409 million gallons per day of water, as a 30-day average, from the Bear Rock Reservoir, **Cambria County, PA.**

[Pa.B. Doc. No. 97-987. Filed for public inspection June 20, 1997, 9:00 a.m.]

Availability of Technical Guidance

Governor's Office List

Once a year on the first Saturday in August, the Governor's Office publishes a list of the non-regulatory guidance documents of all State agencies in the *Pennsylvania Bulletin*. The next publication of this list will be in the August 2, 1997, *Pennsylvania Bulletin*.

DEP's Technical Guidance Document Inventory

DEP publishes a list of its technical guidance documents in its Technical Guidance Document Inventory twice a year. The June 1997 edition of the Inventory will soon be available on DEP's World Wide Web site. DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of the Inventory once on the DEP home page, persons should choose the Public Participation Center/Technical Guidance Document/Inventory.

Bound paper copies of the June 1997 Inventory will become available in July for those who do not have access to the Web site. DEP automatically mails a paper copy of the June 1997 Inventory to persons who received a bound paper copy of the December 1996 Inventory. Persons who wish to add their address to the mailing list should call Nina Huizinga at (717) 783-8727.

DEP's Technical Guidance Documents on the World Wide Web

DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of DEP's Technical Guidance Documents once on the DEP home page, persons should choose the Public Participation Center. The Center contains several links to DEP's Technical Guidance Documents. Persons should look under the heading "Proposals Open to Comment" for the link to "Draft Technical Guidance." Persons

should look under the heading "Proposals Recently Finalized" for the link to "Technical Guidance." Persons should look under the heading "Technical Guidance" for one link to the "Basic Inventory" and a second link to "Final Guidance." The final documents menu will list DEP's bureaus. Persons should click on the name of the bureau to get to the list of the documents from that bureau that are currently on the Web. Then, to get to see a document, persons should click on the ID number of the document. DEP will be adding its revised documents to the Web throughout 1997.

Help Protect the Environment: Use the Web and Save Trees

DEP encourages members of the public who read these announcements in the *Pennsylvania Bulletin* and DEP's UPDATE and who have access to the World Wide Web to avoid the needless duplication of paper copies of DEP's technical guidance documents. Persons can download those DEP documents which are posted on DEP's Web site onto their computers and read them electronically. This method saves both paper and money.

Ordering Paper Copies of DEP Technical Guidance

Although DEP promotes the use of electronic copies of its technical guidance rather than paper copies, there are still reasons for DEP to continue to provide members of the public with paper copies: 1) It may be more convenient to use some documents in a paper form, 2) Not everyone has access to the World Wide Web and 3) Not all DEP documents are on DEP's Web site yet. Persons can order an unbound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Between publication of its Inventory, DEP announces changes to its technical guidance documents in its weekly newsletter, the UPDATE and the *Pennsylvania Bulletin*. Here is the current list of recently finalized documents, draft documents and notices of intended changes to technical guidance.

Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments about the Inventory, the documents on the World Wide Web, the availability of paper copies from the printer or the technical guidance document process in general should call Nina Huizinga at (717) 783-8727.

Final Technical Guidance—New Guidance

DEP ID: 254-5403-100 Title: Guidelines for Yard Waste Composting Facilities Description: The purpose of this document is to provide instructions and operating procedures for the operation of a yard waste composting facility operating under permit-by-rule. Page Length: 15 pages Location: Volume 6, Tab 27 Contact: Josephine Valencia at (717) 787-9870.

DEP ID: 563-2504-501 BMR PGM: II:5:1 Title: Qualifying, Processsing and Tracking Financial Guarantees and Bond Credits Description: This document provides guidance to evaluate, process and track financial guarantees and Bond Credits for coal remining and reclamation. Page

Length: 17 pages Location: Volume 12, Tab 68A Contact: Evan Shuster at (717) 787-7846.

Final Technical Guidance—Revision to Existing Guidance

DEP ID: 561-2305-601 BMR PGM: VII:6:1 Title: Small Operator Assistance Program (SOAP) and Remining Operator's Assistance Program (ROAP) Applicant Liability and Reimbursement Procedure Description: The purpose of this guidance is to establish the criteria and procedures to be used in seeking reimbursement from SOAP and ROAP recipients and to establish "good faith" criteria for waivers of reimbursement. Page Length: 3 pages Location: Volume 12, Tab 98A Contact: Evan Shuster at (717) 787-7846.

Final Technical Guidance—Minor Revisions—Bureau of Mining and Reclamation Documents

The Bureau of Mining and Reclamation has made minor (not substantive) revisions to the following documents. Persons who have questions about any of these documents should contact Dottie Shellehamer at (717) 787-5103.

DEP ID: 562-2100-704 BMR PGM I:7:4 Title: Municipal Mining Licenses, Permits and Bonds Page Length: 2 pages Location: Volume 12, Tab 37

DEP ID: 562-2500-702 BMR PGM: I:7:2 Title: Insurance Requirements and Water Supply Replacement Assurance Page Length: 8 pages Location: Volume 12, Tab 35

DEP ID: 562-3000-802 BMR PGM: I:8:2 Title: AVS Compliance Page Length: 4 pages Location: Volume 12, Tab 39

DEP ID: 562-4180-309 BMR PGM: I:3:9 Title: Reclamation in Lieu of Cash Payment for Civil Penalties Page Length: 5 pages Location: Volume 12, Tab 21

DEP ID: 562-4170-308 BMR PGM: I:3:8 Title: Bond Forfeiture Page Length: 5 pages Location: Volume 12, Tab 20

DEP ID: 562-3000-802 Title: AVS Compliance Page Length: 4 pages Location: Volume 12, Tab 39

DEP ID: 563-2112-608 BMR PGM: II:6:8 Title: Constructed Wetlands for Mine Drainage Treatment Page Length: 4 pages Location: Volume 12, Tab 77

DEP ID: 563-2112-656 BMR PGM: II:6:56 Title: Liners - Impoundments and Storage Areas Page Length: 4 pages Location: Volume 12, Tab 83

DEP ID: 563-2500-401 BMR PGM: VIII:4:1 Title: Noncoal Surface Mining Payment in Lieu of Bond Page Length: 6 pages Location: Volume 12, Tab 110

DEP ID: 563-2504-407 BMR PGM: II:4:7 Title: Bonding - Direct Submittal of Bonds Page Length: 3 pages Location: Volume 12, Tab 63

DEP ID: 563-2504-412 Title: Evaluating Postmining Discharges Page Length: 4 pages Location: Volume 12, Tab 67

Draft Technical Guidance

DEP ID: 561-5300-201 BMR PGM: VI:2:1 Title: Damage Claim Processing Background: The Coal and Clay Mine Subsidence Insurance Act of August 23, 1961 (P. L. 1068, No. 484; 52 P. S. §§ 3201—3226) requires DEP to administer the Mine Subsidence Insurance program for the purpose of providing a reliable and economical source of insurance coverage against the losses caused by mine subsidence. This document provides the instructions and criteria required to process Mine Subsidence Insurance

damage claims. Deadline for Submittal of Comments: July 15, 1997 Contact: Lawrence Ruane at (717) 783-9586.

DEP ID: 563-2000-104 BMR PGM: II:1:4 Title: Sealing Exploratory Drill Holes Background: 25 Pa.Code §§ 86.133 and 89.54 require exploratory drill holes to be cased, lined, sealed or otherwise managed to prevent degradation of the quality of ground and surface water, minimize disturbance to the prevailing hydrologic balance, ensure the safety of people, livestock, fish, wildlife and protect machinery in the permit and adjacent areas. The Department has documented adverse hydrologic consequences associated with improperly sealed drill holes at underground bituminous coal mines, and has historically required mine operators to seal these holes with cement or bentonite. This guidance is intended to document those requirements as written policy. Deadline for Submittal of Comments: July 14, 1997 Contact: Harold Miller at (717) 787-3174.

DEP ID: 563-2504-411 BMR PGM: II:1:4 Title: Processing Completion Reports Background: This document is being revised to improve clarity, to address Office of Surface Mining Reclamation and Enforcement (OSMRE) concerns about bond rollover and to add recommended items for consideration when allowing sediment controls to be left permanently. We have also incorporated the bond release changes authorized by Act 43 which will make bond release computation the same for both coal mining and coal remining permits. Deadline for Submittal of Comments: July 8, 1997 Contact: John Meehan at (717) 783-9388.

Notice of Intent to Remove Technical Guidance from the Inventory

DEP ID: 560-0600-205 BMR PGM: I:9:5 Title: Memorandum of Understanding with the Bureau of Laboratories Background: This document pertains only to internal DEP procedures for handling water samples. It contains the Bureau of Laboratories standard operating procedures for maintaining the chain of custody of water samples. Effective Date: June 30, 1997 Contact: Evan Shuster at (717) 787-7846.

Notice of Intent to Add and Revise Technical Guidance

Draft Title: Critical Elements for Certification of Laboratories for Microbiology Background: This document is being added to the Inventory (It is an existing document that has never been listed on the Inventory before) and it is being revised. This guidance provides conditions for obtaining and/or maintaining drinking water laboratory certification in the area of microbiological analyses. It is based on EPA's Manual for the Certification of Laboratories Analyzing Drinking Water. Anticipated Effective Date: September 1, 1997 Anticipated Draft Development Date: June 15, 1997 Proposed Development and Review Process: The draft will be distributed within DEP, including drinking water program staff as well as program counsel, for review. It will also be announced in the *Pennsylvania Bulletin* and the UPDATE for public review and comment. Contact: Ted Lyter at (717) 783-7150.

Draft Title: Critical Elements for Certification of Laboratories for Chemistry Background: This document is being added to the Inventory (It is an existing document that has never been listed on the Inventory before) and it is being revised. This guidance provides conditions for

obtaining and/or maintaining drinking water laboratory certification in the area of chemical analyses. It is based on EPA's Manual for the Certification of Laboratories Analyzing Drinking Water. Anticipated Effective Date: September 1, 1997 Anticipated Draft Development Date: June 15, 1997 Proposed Development and Review Process: The draft will be distributed within DEP, including drinking water program staff as well as program counsel, for review. It will also be announced in the *Pennsylvania Bulletin* and the UPDATE for public review and comment. Contact: Ted Lyter at (717) 783-7150.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-988. Filed for public inspection June 20, 1997, 9:00 a.m.]

Proposed Water Management Experimental Permit for Small Flow Sewage Treatment System

The Pennsylvania Rural Electric Association (PREA) has applied for an experimental permit to construct and operate a new technology demonstration project on the property of Willis and Terese Stevick, Cranberry Township, Venango County. The project will consist of a small flow sewage treatment system comprised of conventional septic tanks, a recirculating sand filter and an ultra-violet light for disinfection. A discharge into a soil infiltration system is planned. The project is designed to serve a home and will address existing sewage problems at the project location.

Unless otherwise indicated on the basis of detailed technical review of the application and/or lack of submission of necessary prerequisite planning approvals or municipal sponsorship/ordinance assuring proper operation and maintenance of the project, the Department has made a tentative decision to issue the experimental permit. All experimental permits represent only the conditional approval of such systems and must be promptly replaced or modified by the permittee, to the satisfaction of the Department if they fail, malfunction or cause a public nuisance. At the completion of the successful demonstration, the permit will be transferred to the property owner who will be responsible for continued compliance, operation and maintenance.

Persons wishing to comment on the proposed permit are invited to submit a written statement to, Permits Section, Division of Permits and Compliance, P. O. Box 8774, Harrisburg, PA 17105-8774, or John Murtha @A1.DEP.STATE.PA.US within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the final determination regarding this application. All comments should include the name, address and telephone number of the writer and a brief statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A fact-finding public meeting may be held if the Department considers the public response significant.

Following the comment period, the Department will make a final determination regarding the proposed permit action. Notice of the final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents, and the proposed permit with any special conditions can be inspected at the Division of Permits and Compliance located on the 10th floor of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-989. Filed for public inspection June 20, 1997, 9:00 a.m.]

Wetlands Protection Advisory Committee Meeting

"The Wetlands Protection Advisory Committee meeting scheduled for July 1, 1997, has been moved from the 1st Floor Conference Room to the 2nd Floor Training Room of the Rachel Carson State Office Building."

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-990. Filed for public inspection June 20, 1997, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Design Professional Selections

The Selections Committee for the Department of General Services will meet to consider selections of Design Professionals for the following projects:

Project No. DGS 800-220—Construction of Multi-Purpose Facility for Student Activities, The Pennsylvania State University, The Behrend College Campus, Erie, Erie County, PA. Construction Cost: \$9,000,000. The scope of work includes, but is not limited to, a facility to house a variety of spaces including a main arena which will also accommodate academic assemblies and concerts. Also included are a Natatorium; Racquet/Sports Area; Training and Rehabilitation Areas which will include General/Team/Visiting Team/Faculty locker and shower areas; Fitness and Research Area; Office Area and parking area with site work.

Project No. DGS 1103-43—Renovation and Addition to Alumni Hall and Chemistry Building, University of Pittsburgh, Pittsburgh, Allegheny County, PA. Construction Cost: \$5,000,000. The scope of work includes, but is not limited to, renovations and additions to Alumni Hall required to accommodate the expansion of the Chemistry and other Science programs. In addition, bring the facility into conformance with all applicable codes/regulations, including ADA. The work in the Chemistry Building will be that which is required to extend utilities and other systems to the renovated areas.

Requirements and Information

Note—Project Program

A Project Program, prepared by the Using Agency, for the above advertised projects may be available and can be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, telephone (717) 783-8468.

Instructions for Filing Application

Professionals will not be considered by the Committee until all of the following requirements are met.

(a) Signed Revised 1994 Form 150, not more than 1 year old as of the deadline date stated in paragraph (d) below, must be filed with the Department of General Services for the requesting professional firm and the designated key consultants listed on the requesting professional firm's application (Form 150-S). All signatures on Form 150 must be original signatures. Consultants listed on the requesting professional firm's application (Form 150-S) shall be deemed to be designated key consultants. If these documents are not on file with the Department, the requesting professional firm must submit them with firm's application (Form 150-S). A photocopy of Form 150 without an original signature of a principal of the firm is not acceptable. Revised 1994 Form 150, Architect/Engineer Questionnaire, may be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, telephone: (717) 783-8468.

(b) The requesting professional firm shall obtain from each consultant listed in the requesting professional firm's application (Form 150-S) a signed letter of certification on the consultant's letterhead, attesting to the firm's consent to participate in the requesting professional firm's application (Form 150-S) for the specific project. Signed letters of certification from consultants are required and constitute a part of the requesting professional firm's application (Form 150-S) for the specific project. All signatures on letters of certification must be original signatures.

(c) The requesting professional firm must submit six signed copies of Revised 1994 Form 150-S, Specific Project Form, for each project herein advertised in which the firm is interested and qualified to perform. All signatures on Form 150-S must be original signatures. For architectural projects and, when appropriate, for engineering projects, the Professional shall supply photographs showing a maximum of two different views of each of the three projects described in Question 14, Page 5 of the application (Form 150-S). The requesting professional firm or Joint Venture members must be the Professional of Record for the projects described in Question 14, Page 5 of the application (Form 150-S). It is not acceptable to list work performed by key consultants. The identification and appropriate supportive information concerning each photograph shall include the name, project title, location, and the name of the Professional of Record. Renderings and brochures will not be accepted in lieu of photographs. The photographs shall be attached to each copy of the application, (Form 150-S). The pages of each copy of revised 1994 Form 150-S must be stapled with photographs and consultant's letters of certification followed by photocopies of licenses of registered professionals included as the last section of the application. Do not bind the application (Form 150-S) in any way to any other documentation. Do not bind the application (Form 150-S) in a binder of any type. Revised 1994 Form 150-S may be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, telephone: (717) 783-8468.

(d) A complete project submission, which consists of documents described in paragraphs (a), (b) and (c) above, must be received on or before the close of business (5 p.m.) Tuesday, July 15, 1997, and addressed to the Selections Committee, Department of General Services,

Room 104, 18th and Herr Streets, Harrisburg, PA 17125. FAX applications are not acceptable.

Project submissions must be made on the current 1994 forms. Outdated forms are not acceptable.

(e) The Selections Committee may at its discretion establish interviews with any or all of the Professionals who have requested consideration for appointment as designer for the above projects. If an interview is required, the Professional will be notified by the Committee as to the date, time and location.

(f) Additional information, in writing, may be requested by the Committee as required. Additional Services—Indoor Air Quality Assessment Program and Hazardous Materials.

The Professional firm selected to design a project will be expected to perform and administer, when required by the Department as Additional Services, an Indoor Air Quality Assessment Program during Building or Renovation Commissioning and the sampling, testing, inspection and monitoring for removal of any asbestos, other hazardous waste or contaminants encountered during project design or construction, unless otherwise stated in the Scope.

The professional agrees to comply with the terms of the Agreement and specifically as it relates to the Professional Liability Insurance and the General Liability Insurance Requirements.

The Selections Committee encourages responses from small firms, minority firms, women-owned firms and firms who have not previously performed State work, and will consider Joint Ventures, which will enable them to participate in this program.

All applications submitted are subject to review by the Selections Committee. The Selections Committee disclaims any liability whatsoever as to its review of the applications submitted and in formulating its recommendations for selection. All recommendations for selection made by the Committee shall be final under the act of July 22, 1975, (P. L. 75, No. 45).

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 97-991. Filed for public inspection June 20, 1997, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Availability of Title XX Social Services Block Grant Planning Document

The Department of Public Welfare (Department) is making available for public review and comment the 1997-98 Social Services Block Grant Plan. Comments on this document will be used to formulate the Department's final plan for using Title XX Social Services Block Grant funds in the Fiscal Year 1997-98.

Persons wishing to obtain a copy of the plan may do so at their local County Assistance Office or by contacting the Department at the address below.

Persons wishing to submit written comments on this plan must do so by July 21, 1997. Comments are to be addressed to John R. Gibble, Department of Public Wel-

fare, Office of Social Programs, Bureau of Social Services, 2nd Floor, Bertolino Building, P. O. Box 2675, Harrisburg, PA 17105.

Persons with a disability may request a copy of the plan and/or provide comments by using the AT&T Relay Service. The Relay Service can be accessed by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users). Persons who require another alternative should contact John Gibble at (717) 787-5756.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 97-992. Filed for public inspection June 20, 1997, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Bethlehem Apparatus Company, Inc. v. DEP; Doc. No. 96-070-MG

The Department of Environmental Protection (Department) and Bethlehem Apparatus Company, Inc. (Bethlehem) have agreed to a settlement of the above matter. Bethlehem operates a mercury recycling facility located in Hellertown, PA (Hellertown Facility). By letter dated January 30, 1996, Bethlehem submitted a Request for Determination of Minor Significance to the Department, which requested that the Department determine that the Hellertown Facility was a source of minor significance and thus was exempt from the plan approval and operating permit requirements. By letter dated February 12, 1996, the Department denied Bethlehem's Request for Determination of Minor Significance. By notice of appeal dated March 18, 1996, Bethlehem appealed the Department's February 12, 1996 letter.

The Department and Bethlehem have agreed to a settlement, the major provisions of which include:

1. Bethlehem's Hellertown Facility will be designated as a source of minor significance and exempt from the plan approval and operating permit requirements during such times that the facility complies with the terms and conditions set forth in the determination.
2. Bethlehem will install specified air pollution control equipment and will conduct daily monitoring of process emissions.
3. Bethlehem will pay a civil penalty of \$1,000 in full resolution and satisfaction of civil penalty liability for alleged violations of the Department's rules and regulations concerning emissions on August 5, 1995 and September 7, 1995.

Copies of the full consent adjudication are in the possession of:

John Herman, Assistant Counsel, Department of Environmental Protection, Southwest Regional Office of Chief Counsel, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4262;

John P. Judge, Esquire, Eckert Seamans Cherin & Mellot, 1700 Market Street, Suite 3232, Philadelphia, PA 19103, (215) 575-6000;

and at the offices of the Environmental Hearing Board, and may be reviewed by an interested person on request during normal business hours.

Persons who are aggrieved by the above settlement have a right to appeal the Environmental Hearing Board, Second Floor, Market Street State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 783-3483. TDD users may contact the Board through the Pennsylvania Relay Service at 1 (800) 654-5984.

Appeals must be filed within 20 days of this publication.

The Environmental Hearing Board is empowered to approve this settlement if no objection is timely filed with the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-993. Filed for public inspection June 20, 1997, 9:00 a.m.]

County of Adams v. DEP and Middle Creek Bible Conference, Inc., Permittee; EHB Doc. No. 97-123-C

The County of Adams has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Middle Creek Bible Conference, Inc., for a facility in Freedom and Liberty Townships, Adams County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, please contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties pursuant to 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-994. Filed for public inspection June 20, 1997, 9:00 a.m.]

Easton Area Joint Sewer Authority v. DEP; Doc. No. 97-116-MR

Easton Area Joint Sewer Authority has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in City of Easton, Northampton County.

A date for the hearing on the appeal has not been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be re-

viewed by an interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-995. Filed for public inspection June 20, 1997, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Notice

The following meeting of the Health Care Cost Containment Council has been scheduled: Thursday, June 26, 1997, Council Meeting at 10:30 a.m. The meeting will be held in the Conference Center at the Pennsylvania State Employees Benefits Trust Fund, 150 South 43rd Street, Harrisburg, PA. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meeting should contact Cherie Kauffman, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, (717) 232-6787, at least 24 hours in advance so arrangements can be made.

ERNEST J. SESSA,
Executive Director

[Pa.B. Doc. No. 97-996. Filed for public inspection June 20, 1997, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, June 5, 1997, and took the following actions:

Regulations Approved:

Environmental Quality Board # 7-299: Corrections to Drainage Lists (amends 25 Pa. Code §§ 93.9(c)—93.9(g), 93.9(i), 93.9(l), 93.9(n), 93.9(o), 93.9(p), 93.9(q), 93.9(r), 93.9(s), 93.9(t), 93.9(w), 93.9(x) and 93.9(y))

Board of Claims # 105-3: Rules of Procedure (rescinds 4 Pa. Code Chapter 121 and amends 61 Pa. Code Chapter 899)

Insurance Department # 11-154: Premium Taxes for Foreign Fire Insurance (amends 31 Pa. Code Chapter 113)

Insurance Department # 11-156: Investments of Fire and Casualty Companies (amends 31 Pa. Code Chapter 101)

Insurance Department # 11-158: Conversion of Certain Mutual Insurance Companies (repeals 31 Pa. Code, Chapter 109, Sections 109.1—109.6)

Regulations Disapproved:

Environmental Quality Board # 7-294: Administration of Sewage Facilities, Planning Program and Standards for Sewage Disposal Facilities (Act 149) (amends 25 Pa. Code Chapters 71—73)

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Alvin C. Bush; Arthur Coccodrilli; John F. Mizner

Public Meeting held
June 5, 1997

Environmental Quality Board—Corrections to Drainage Lists; Doc. No. 7-299

Order

On July 24, 1996, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking would amend 25 Pa. Code §§ 93.9(c)—93.9(g), 93.9(i), 93.9(l), 93.9(n), 93.9(o), 93.9(p), 93.9(q), 93.9(r), 93.9(s), 93.9(t), 93.9(w), 93.9(x) and 93.9(y). The authority for this regulation is sections 5(b)(1) and 402 of The Clean Streams Law (35 P. S. §§ 691.5(b)(1) and 691.402), and Section 1920-A of The Administrative Code of 1929 (71 P. S. § 510-20). The proposed regulation was published in the August 3, 1996 *Pennsylvania Bulletin* with a 45-day public comment period. The final-form regulation was submitted to the Commission on May 6, 1997.

This rulemaking represents an extensive editing project. The amendments to 25 Pa. Code § 93.9 in this regulation include minor corrections and reinstatements of information inadvertently dropped from the drainage lists during a reformatting of Chapter 93 in 1992. No additional costs will be imposed on the Commonwealth, local governments or private sector by this regulation.

We have reviewed this regulation and find it to be in the public interest. These amendments are intended to correct errors in the stream listings and will not change current stream designations that are being implemented for these streams. This regulation is beneficial because it provides the public with the proper information for stream designations that are already in effect.

Therefore, It Is Ordered That:

1. Regulation No. 7-299 from the Environmental Quality Board, as submitted to the Commission on May 6, 1997, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Alvin C. Bush; Arthur Coccodrilli; John F. Mizner

Public Meeting held
June 5, 1997

Board of Claims—Rules of Procedure; Doc. No. 105-3

Order

On May 9, 1997, the Independent Regulatory Review Commission (Commission) received this regulation from the Board of Claims (Board). This rulemaking would

rescind 4 Pa. Code Chapter 121 and amend 61 Pa. Code Chapter 899. The authority for this regulation is found at 72 P. S. § 4651-10. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

The Board is proposing to rescind two outdated sets of rules of practice and procedure and replace them with a single set of procedural rules. The Board's enabling statute and caselaw requires that all matters before the Board be governed by the Pennsylvania Rules of Civil Procedure (Pa.R.C.P.). The new rules supplement the Pa.R.C.P. to conform to the Board's authority and to allow for the efficient handling of claims.

Two major procedural changes are proposed. First, the new rules require a party filing preliminary objections to also file a supporting brief. Failure to file the brief may result in the dismissal of the preliminary objections. Second, the new rules delete the filing of discovery material with the Board and limit each party in an action to the service of 60 interrogatories or requests for admission.

During our review, we discovered drafting errors in three of the proposed rules. The more substantive of the errors is in Rule 402(b) relating to discovery motions. As submitted, the rule provided that a brief need not be filed by a moving party when a motion to compel answers to interrogatories or production of documents is filed. However, the Board intended to eliminate the brief requirement in situations when the motion avers only that a response or objection has not been timely served. As drafted, a brief need not be filed if any motion avers that a response or objection has not been timely served.

The Board submitted a letter to the Commission on May 30, 1997, amending the regulation. The amendments clarify the very limited exception to the brief requirement and correct additional drafting errors.

We have reviewed this regulation and find it to be in the public interest. The regulation deletes obsolete procedural rules and replaces them with rules of procedure consistent with the Pa.R.C.P. The new rules will allow the Board to expeditiously and efficiently process claims.

Therefore, It Is Ordered That:

1. Regulation No. 105-3 from the Board of Claims, as submitted to the Commission on May 9, 1997, and amended on May 30, 1997, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Alvin C. Bush; Arthur Coccodrilli; John F. Mizner

Public Meeting held
June 5, 1997

Insurance Department—Premium Taxes for Foreign Fire Insurance; Doc. No. 11-154

Order

On May 15, 1997, the Independent Regulatory Review Commission (Commission) received this proposed rulemaking from the Insurance Department (Department). It would amend 31 Pa. Code Chapter 113 by deleting sections 113.21—113.23 as obsolete and unnecessary. The authority for this rulemaking is found in sections 206, 506, 1501 and 1502 of The Administrative Code of 1929 (71 P. S. §§ 66, 186, 411 and 412); and the Foreign Fire

Insurance Tax Distribution Law (1984 Law) (53 P. S. §§ 895.701—895.803). Notice of proposed rulemaking was omitted for these amendments; they will become effective upon publication in the *Pennsylvania Bulletin*.

The affected sections were adopted in April of 1970, under the authority of the act of June 25, 1895, P. L. 108 (1895 Act) (72 P. S. § 2262). The 1895 Act provided that a 2% premium tax paid by foreign fire insurers be distributed to political subdivisions and used for relief or pension funds for the paid and volunteer employees of fire departments. The regulations require foreign fire insurers to assign a code number to each policy to identify the political subdivision in which the insured property is located. The Department of Revenue (Revenue) used the codes to assure that tax revenue was properly distributed among the various political subdivisions. The 1895 Act was repealed by section 801 of the 1984 Law (53 P. S. § 895.801).

The 1984 Law provides a formula for the distribution of the 2% tax, which is different than that provided under the 1895 Act. The distribution is now based on population and market values of property. Revenue no longer requires information concerning location of insured properties and no longer assigns codes to political subdivisions. Section 706 of the 1984 Law (53 P. S. § 895.706) sets forth specific requirements that municipalities are to follow in connection with the use of foreign fire insurance tax moneys.

We have reviewed this regulation and find it to be in the public interest. The Department's repeal of the obsolete provisions of sections 113.21—113.23 of 31 Pa. Code will eliminate confusion by deleting outdated and inapplicable requirements.

Therefore, It Is Ordered That:

1. Regulation No. 11-154 from the Insurance Department, as submitted to the Commission on May 15, 1997, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Alvin C. Bush; Arthur Coccodrilli; John F. Mizner

Public Meeting held
June 5, 1997

Insurance Department—Investments of Fire and Casualty Companies; Doc. No. 11-156

Order

On May 15, 1997, the Independent Regulatory Review Commission (Commission) received this regulation from the Insurance Department. This rulemaking would amend 31 Pa. Code Chapter 101, by deleting sections 101.1 and 101.2. The authority for this regulation is contained in sections 206, 506, 1501 and 1502 of The Administrative Code of 1929 (71 P. S. §§ 66, 186, 411 and 412); and sections 802.1 and 803.1 of The Insurance Company Law (40 P. S. §§ 912.1 and 913.1). Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

Sections 101.1 and 101.2 subject mutual fire insurance companies and mutual casualty insurance companies to investment laws applicable to stock fire insurance companies and stock casualty insurance companies. These provisions were promulgated in 1958 under sections 517, 602 and 802 of The Insurance Company Law (40 P. S. §§ 652, 722 and 912). Sections 517, 602 and 802 of The Insurance Company Law have since been repealed by Act 106 of 1989 (Act 106). Further, Act 106 enacted new requirements at sections 802.1 and 803.1 relating to investments of mutual fire and mutual casualty companies.

We have reviewed this regulation and find it to be in the public interest. Repeal of the obsolete information at sections 101.1 and 101.2 of the Department regulations will eliminate potential confusion by removing outdated information and citations.

Therefore, It Is Ordered That:

Therefore, It Is Ordered That:

1. Regulation No. 11-156 from the Insurance Department, as submitted to the Commission on May 15, 1997, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Alvin C. Bush; Arthur Coccodrilli; John F. Mizner

Public Meeting held
June 5, 1997

Insurance Department—Conversion of Certain Mutual Insurance Companies; Doc. No. 11-158

Order

On May 15, 1997, the Independent Regulatory Review Commission (Commission) received this regulation from the Insurance Department (Department). This rulemaking would repeal 31 Pa. Code, Chapter 109, sections 109.1—109.6, and is proposed under the Department's authority under sections 206, 506, 1501 and 1502 of The Administrative Code of 1929 (71 P. S. §§ 66, 186, 411 and 412). Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

The purpose of Chapter 109 was to implement the provisions of Act 279 of 1970 and to facilitate compliance. However, Act 279 was repealed by Act 79 of 1995. The currently effective requirements for the conversion of mutual companies are found in sections 801-A—818-A of the Insurance Company Mutual-to-Stock Conversion Act (act) (40 P. S. §§ 911-A—928-A).

The repeal of Chapter 109 has no fiscal impact because the currently effective requirements relating to the conversion of mutual companies are found in the act. All mutual insurance companies licensed to do business in Pennsylvania will be impacted by the repeal of Chapter 109 because they will now rely on the language of the act for the requirements governing the conversion of mutual insurance companies. The repeal of Chapter 109 will benefit insurance companies by eliminating the potential confusion created by having outdated requirements in the regulations and the current requirements in the act.

We have reviewed this regulation and find it to be in the public interest. The repeal of Chapter 109 will eliminate an obsolete, unnecessary regulation.

Therefore, It Is Ordered That:

1. Regulation No. 11-158 from the Insurance Department, as submitted to the Commission on May 15, 1997, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Robert J. Harbison, III, Vice Chairperson; Alvin C. Bush; Arthur Coccodrilli; John F. Mizner

Public Meeting held
June 5, 1997

Environmental Quality Board—Administration of Sewage Facilities, Planning Program and Standards for Sewage Disposal Facilities (Act 149); Doc. No. 7-294

Order

On March 12, 1996, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking would amend 25 Pa. Code Chapters 71—73. The authority for this regulation is contained in section 9 of the Pennsylvania Sewage Facilities Act (act) (35 P. S. § 750.9), section 1920-A of The Administrative Code of 1929 (71 P. S. § 510.20), and The Clean Streams Law (35 P. S. §§ 691.1—691.1001.). The proposed regulation was published in the March 30, 1996 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on May 6, 1997.

This regulation implements various amendments to the act which were enacted on December 14, 1994 (P. L. 1250, No. 149). The regulatory amendments to Chapters 71, 72 and 73 are necessary to bring existing regulations into compliance with amendments to the act and to update some technical standards for onlot sewage treatment systems. Among the more significant regulatory amendments are provisions relating to procedures for private requests for permitting authorized under section 5 of the act (35 P. S. § 750.5); review of official plans, update revisions, requests for exceptions to the requirements to revise an official plan, responsibilities of and administrative procedures for delegated agencies, and reimbursement to and expanded authority of local agencies under sections 6 and 8 of the act (35 P. S. §§ 750.6 and 750.8); individual spray irrigation systems authorized under section 7.3 of the act (35 P. S. § 750.7c); and fees for the review of planning modules and certain permit applications and certain responsibilities of sewage enforcement officers.

There was extensive comment on the proposed regulation. We received written comments from the following parties on the proposed regulation:

Chester County Health Department
City of Philadelphia Health Department
Cook Township Supervisors
Shamokin Dam Borough
Montgomery County Department of Health
Pennsylvania State Association of Township Supervisors
Pennsylvania Builders Association
Pennsylvania Society of Land Surveyors
Pennsylvania Society of Professional Engineers (PSPE)
Pennsylvania Association of Sewage Enforcement Officers
Pennsylvania Septage Management Association
Pennsylvania Association of Realtors

We also received numerous written comments from Sewage Enforcement Officers (SEOs) and Professional Engineers (PEs). Most of the comments focused on the question of whether an SEO is authorized by statute or qualified by training and education to design the individual residential spray irrigation systems (IRSIS).

In response to these comments, Department of Environmental Protection (DEP) sent a request dated May 14, 1996, to the State Registration Board for Professional Engineers, Land Surveyors, and Geologists (PE Board) for a formal determination as to who may design IRSIS. The PE Board responded on May 28, 1996, stating that its members voted unanimously to oppose the proposed regulation because, in the PE Board members' opinion, the design of IRSIS constitutes the practice of engineering. Section 3 of the Engineers, Land Surveyors, and Geologists Registration Law (63 P. S. § 150) prohibits the practice of engineering in the Commonwealth by any person unless he or she is licensed and registered under the laws of the Commonwealth as a PE.

In our comments on the proposed regulation, we raised two concerns with the proposal to authorize SEOs to design onlot systems. First, based upon our review of arguments raised in comments and review of the act, we could not find any provisions which indicated that the Legislature intended or authorized SEOs to design onlot sewage systems. Second, the SEO "design" course on IRSIS does not require any proof of the expertise of a student to design such a system because there is no examination at the conclusion of the course. Accordingly, we recommended that the EQB delete the provisions which would allow SEOs to design IRSIS. We also recommended that the EQB review the qualifications of landscape architects with the State Registration Board for Landscape Architects to determine if their training would qualify them to design all phases of IRSIS including the effluent requirements.

In the final-form regulation, the EQB deleted qualifications of designers from the final-form regulation, leaving the regulation silent as to who could design IRSIS. After the submittal of the final-form regulation, we received a letter from PSPE urging disapproval of the regulation because it no longer contains any guidance regarding the qualifications for designers of pressurized onlot systems including IRSIS. PSPE believes the language in the final-form regulation could be interpreted to allow almost anyone to prepare a spray irrigation system or other complex pressurized distribution system.

We have reviewed this regulation and find it not to be in the public interest. Specifically, we believe that the regulation may result in unnecessary costs being imposed on individuals who desire to have an IRSIS system installed and does not meet the clarity and reasonableness criteria in the Regulatory Review Act (71 P. S. §§ 745.5(e)(1) and (3)). The EQB responded to comments from commentators and the PE Board by deleting the proposed language allowing SEOs to design IRSIS and pressure systems, but went a step further by deleting the existing and proposed language stating that IRSIS and pressure systems must be designed by a PE. This action creates an unacceptable level of ambiguity. EQB deleted existing language and proposed language establishing the qualifications for designers of pressurized distribution, dosing pumps and IRSIS systems in Sections 73.44(c)(1), 73.46(a)(7) and 73.161(a). Given this absence of direction in the final-form regulation, it could be logically concluded that anyone could design these systems and have a permit approved by this regulation. However, DEP staff admits this is not their intent.

We recognize the fact that many people believe SEOs should be allowed to design IRSIS systems. The preamble of the final-form regulation states that the EQB and DEP believe some SEOs who are not PEs are qualified to design such systems. At our public meeting, the DEP staff made it clear that they are pursuing two options to allow SEOs to design these systems. First, they are working to develop a training course to be approved by the PE Board that would qualify SEOs to design IRSIS systems. In addition, they believe that the General Assembly may pass legislation to amend the Engineers, Land Surveyors and Geologists Registration Law to exempt SEOs from the PE license requirement for designing onlot systems. We do not disagree with the EQB's and DEP's policy goals. However, we are constrained by current law and our statutory criteria as established in the Regulatory Review Act. We are required to consider the clarity, reasonableness and consistency of a regulation with existing statutes.

Given the decision of the PE Board, we believe that the EQB has no other choice than to amend the regulation to state that only PEs can design IRSIS systems. DEP staff stated in our public meeting that their preference would be to keep the regulation neutral in anticipation of a policy change by the PE Board or legislative change in the statutes. However, DEP counsel admits that the EQB does not have the authority to ignore or overrule the decision by the PE Board.

DEP has informed all registered SEOs by letter that if an application for IRSIS does not have a PE seal, the permit application should be returned as incomplete. If the DEP and EQB recognize the PE Board's legal authority to make the PE seal a requirement for these systems, this requirement needs to be in the regulation. The regulation does not provide the necessary guidance on the qualifications of designers. We believe any confusion caused by this omission is unnecessary. DEP is following the PE Board's ruling. Hence, the requirement for IRSIS to be designed by a PE needs to be in the regulation.

In the preamble of the final-form regulation, the EQB reasoned that the act does not provide a statutory basis for the EQB to determine the qualifications of system designers. The EQB believes qualification of designer determinations must be made under appropriate statutes related to registration or licensing of professionals. We strongly disagree with the EQB's position. Although the EQB may not have the authority to contradict or contravene the PE Board, we believe it has the power, if not the duty, to establish qualifications for designers in this regulation. The act does provide a statutory basis for the EQB to establish qualifications of system designers as part of the permit standards for sewage systems. For example, section 7 of the act (35 P. S. § 750.7) states the following:

(b)(1) Application for permit shall be in writing to the local agency in accordance with the provisions of section 8 of this act, and *shall be made in such form and shall include such data as the department may prescribe.* (Emphasis added.)

Section 7.3. *Individual Residential Spray Irrigation Systems* (35 P. S. § 750.7c) provides the following:

Permits for the construction of individual residential spray irrigation systems may be issued by a local agency under this act when all of the following have been met:

* * *

(2) The site, soil conditions *and system design meet the Department's standards for these systems.* (Emphasis added.)

Furthermore, the EQB has authority under Section 9. *Powers and Duties of the Environmental Quality Board* (35 P. S. § 750.9) which provides the following:

The Environmental Quality Board shall have the power and its duty shall be to adopt such rules and regulations of the department, applicable throughout the Commonwealth, as shall be necessary for implementation of the provisions of this act. Such rules and regulations shall *establish standards for the construction, installation, alteration, maintenance and operation of individual sewage systems and community sewage systems and of sewage treatment plants in such systems, . . .* (Emphasis added.)

These provisions clearly provide the EQB with authority to establish qualifications of system designers as part of the permit standards for sewage systems

Deleting any qualifications for designers from the regulation, creates unnecessary confusion for home builders, property owners, SEOs, or anyone who looks to the regulation for the legal requirements applicable to IRSIS or pressurized systems. We recommend that the regulation not be written to overrule or ignore the decisions of the PE Board, but be written to conform with the PE Board decision and current law. Further, the regulation's requirements should not differ from standards that DEP intends to impose. When there is a change in the PE Board's decision or in current law on this particular issue, we stand ready to work with the EQB to expedite the appropriate change in the regulation.

Therefore, It Is Ordered That:

1. Regulation No. 7-294 from the Environmental Quality Board, as submitted to the Commission on May 6, 1997, is disapproved;
2. The Environmental Quality Board shall, within 7 days of receipt of this Order, notify the Governor, the designated Standing Committees of the House of Representatives and the Senate, and the Commission of its intention to either proceed with the promulgation of the regulation without revisions, to revise the regulation, or to withdraw the regulation. Failure to submit notification within the 7-day period shall constitute withdrawal of the regulation;
3. The Commission will transmit a copy of this Order to the Legislative Reference Bureau; and
4. This Order constitutes a bar to final publication of Regulation No. 7-294 under section 6(b) of the Regulatory Review Act (71 P. S. § 745.6(b)).

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 97-997. Filed for public inspection June 20, 1997, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws: Robert A. Suzuki; Doc. No. SC97-05-040

Notice is hereby given of the Order to Show Cause issued on June 6, 1997, by the Deputy Insurance Commissioner of the Commonwealth of Pennsylvania in the

above-referenced matter. Violation of the following is alleged: Section 604 of the Insurance Department Act (40 P. S. § 234); and section 4 of The Unfair Insurance Practices Act (40 P. S. § 1171.4).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If Respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code §§ 31.1—35.251 (relating to General Rules of Administrative Practice and Procedure); 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed in writing with the Docket Clerk, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the above-referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency ADA Coordinator at (717) 787-4298.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-998. Filed for public inspection June 20, 1997, 9:00 a.m.]

Catastrophic Loss Benefits Continuation Fund

The Catastrophic Loss Benefits Continuation Fund (Fund) is the primary payor for eligible individuals who suffered a catastrophic loss arising out of the maintenance or use of a motor vehicle occurring after October 1, 1984, and prior to June 1, 1989, or during the December 1988-89 registration year for which payment for Catastrophic Loss Trust Fund coverage was made in accordance with 75 Pa.C.S. § 1762 (repealed). The Fund coordinates benefits with health and other insurance carriers. Insurers may confirm whether the Fund is the primary payor on a particular claim by contacting Michael Sullivan, Claims Manager for the Fund, 901 North Seventh Street, First Floor, Harrisburg, PA 17102, (717) 783-8093.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-999. Filed for public inspection June 20, 1997, 9:00 a.m.]

Per Diem Charges for Financial Examinations of Insurance Companies

Under the authority contained in § 907 of the Insurance Department Act of 1921 (40 P. S. § 323.7) and under 31 Pa. Code § 12.4, an updated schedule of per diem charges for financial examinations conducted by the Pennsylvania Insurance Department is hereby adopted.

The new schedule of charges is as follows:

Examiner Trainee	\$206 per day
Examiner 1	\$252 per day
Examiner 2	\$313 per day
Examiner 3	\$393 per day
Exam Manager	\$424 per day

As prescribed in 31 Pa. Code § 12.4(c), the Insurance Department will calculate and bill per diem charges for examination costs in one-half hour units.

This schedule is effective July 1, 1997.

This document supersedes the notice published at 26 Pa.B. 3241 (July 6, 1996), and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-1000. Filed for public inspection June 20, 1997, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Williams, Theodore; file no. 97-264-32385; State Farm Fire Mutual Automobile Insurance Company; doc. no. PH97-06-003; July 15, 1997, at 9 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-1001. Filed for public inspection June 20, 1997, 9:00 a.m.]

Review Procedure Hearings under The Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with the termination of the insured's policy.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Lloyd, Lisa D.; file no. 97-215-32125; First General Insurance Company; doc. no. PH97-06-007; July 15, 1997, at 9 a.m.;

Appeal of Bellamy, Richard and Bertha; file no. 97-215-32404; State Farm Fire and Casualty Insurance Company; doc. no. PH97-06-004; July 15, 1997, at 10 a.m.;

Appeal of Fitch, Thomas and Constance; file no. 97-264-32768; Boyertown Mutual Insurance Company; doc. no. PH97-06-006; July 15, 1997, at 11 a.m.;

Appeal of Daniels, Lonnie and Anna; file no. 97-267-32785; State Farm Fire and Casualty Insurance Company; doc. no. PH97-06-005; July 15, 1997, at 1 p.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 97-1002. Filed for public inspection June 20, 1997, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no such documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Manual M205.2—Meeting Room Facilities—Amended May 1, 1997.

Manual M315.1—Municipal Tax Rate Schedules—Revision No. 2, Dated May 6, 1997.

Manual M410.3—Guidelines for Equal Employment Opportunity Plans and Programs—Amended May 8, 1997.

Manual M610.1—General Services Commodity Distribution Center Catalog—Revision No. 1, Dated May 1, 1997.

Management Directive No. 210.1—Directives Management System—Amended May 20, 1997.

Management Directive No. 230.6—Travel Expenses of Job Applicants—Amended April 30, 1997.

Management Directive No. 305.6—Withholding Payments to Municipalities (Act No. 166 of 1978)—Amended May 1, 1997.

Management Directive No. 305.9—Use of Forms STD-419/419L, Refund of Expenditures, and STD-420/C420/420L Transmittal of Revenue, When Unaccompanied by Remittances—Amended May 13, 1997.

Management Directive No. 305.13—Use of Forms STD-419/419L, Refund of Expenditures, and STD-420/C420/420L, Transmittal of Revenue, When Accompanied by Remittances—Amended May 6, 1997.

Management Directive No. 410.10—Guidelines for Investigating and Resolving Discrimination Complaints—Amended April 29, 1997.

Management Directive No. 410.11—Commonwealth's Equal Employment, Outreach, and Employment Counseling Program—Dated May 8, 1997.

Management Directive No. 505.12—Annual List of Employees—Amended April 29, 1997.

Management Directive No. 530.21—Paid Leave for Blood Donation—Amended May 13, 1997.

Management Directive No. 530.24—Retired Employee Health Program Eligibility Requirements—Amended May 7, 1997.

Management Directive No. 590.5—Guidelines to be Followed During Legal or Illegal Strikes—Amended May 13, 1997.

Administrative Circular No. 97-16—1997-1998 Rebudget Instructions—Dated May 16, 1997.

Administrative Circular No. 97.17—Closing Instruction No. 3, Prior Encumbrances for Act 146 Waivers and Contracted Repairs—Dated May 16, 1997.

GARY R. HOFFMAN,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 97-1003. Filed for public inspection June 20, 1997, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION

Drinking Water State Revolving Fund Projects; Federal FY 1997 Project Priority List and In- tended Use Plan

The Pennsylvania Infrastructure Investment Authority and the Department of Environmental Protection have received approval from the Environmental Protection Agency (EPA) of the final fiscal year 1997 Project Priority List (PPL) and Intended Use Plan (IUP) list of drinking water projects to be considered for a design and engineering or construction loan from funds Pennsylvania will receive from fiscal year 1997 funds approved by Congress to capitalize the Drinking Water State Revolving Fund (DWSRF) program.

A public meeting was held on January 22, 1997, for the purpose of receiving comments from the public regarding the FY 1997 DWSRF PPL and the FY 1997 IUP. Interested persons were invited to express their views on the priority rating or ranking of projects on the PPL and the IUP at the public meeting. Comments were also received from EPA relative to the eligibility of certain projects on the proposed PPL and IUP. A summary of the testimony received is available for review by any interested person by contacting the Administrative Services Section, Division of Municipal Financial Assistance, Bureau of Water Supply Management, 11th Floor, Rachel Carson State Office Building, P. O. Box 8466, Harrisburg, PA 17105-8466, telephone (717) 787-6744.

The projects to be considered for a loan from the DWSRF must meet the Federal requirements for funding

in accordance with section 1452 of the Federal Safe Drinking Water Act. Accordingly, the projects included in the IUP are expected to meet the requirements applicable to use of the DWSRF loan funds. Projects listed on the FY 1997 IUP are expected to proceed with design and engineering or to construction in the near future. Other projects on the DWSRF Project Priority List are projects that are in development or will be developed for future loan consideration. Any project removed from an IUP is maintained on the Project Priority List unless otherwise completed.

The final FY 1997 PPL and IUP follow this notice.

Interested persons may direct questions relating to the status of a project or its priority rating to the appropriate regional office of the Department. A list of the Department's regional offices follows:

Southeast Region:
Water Supply Manager
Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428
(610) 832-6059

Northeast Region:
Water Supply Manager
2 Public Square, Wilkes-Barre, PA 18711-0790
(717) 826-2511

Southcentral Region:
Water Supply Manager
One Ararat Boulevard, Harrisburg, PA 17110
(717) 657-4586

Northcentral Region:
Water Supply Manager
Suite 101, 208 West 3rd Street, Williamsport, PA 17701
(717) 327-3675

Southwest Region:
Water Supply Manager
400 Waterfront Drive, Pittsburgh, PA 15222-4745
(412) 442-4217

Northwest Region:
Water Supply Manager
230 Chestnut Street, Meadville, PA 16335-3481
(814) 332-6899

PENNVEST
22 S. Third Street, 4th Floor, Keystone Building,
Harrisburg, PA 17101
(717) 787-8137

JAMES M. SEIF,
Secretary
Department of Environmental Protection
Vice-Chairperson
Pennsylvania Infrastructure Investment Authority
PAUL K. MARCHETTI,
Executive Director
Pennsylvania Infrastructure Investment Authority

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY
AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
DRINKING WATER STATE REVOLVING FUND
FY 1997 INTENDED USE PLAN PROJECT LIST

EXPLANATION OF COLUMNAR HEADINGS (EXCEPT THOSE THAT ARE SELF-EXPLANATORY)

NEEDS CATEGORY:

- I — SOURCE REHABILITATION OR DEVELOPMENT
- II — TRANSMISSION
- III — WATER TREATMENT
- IV — STORAGE
- V — DISTRIBUTION SYSTEM
- VI — OTHER

PROJECT TYPE:

- SRC — SOURCE
- TRANS — TRANSMISSION SYSTEM
- TREAT — WATER TREATMENT PLANT
- TREATMOD — WATER TREATMENT PLANT MODIFICATION
- WS — WATER STORAGE
- DS — DISTRIBUTION SYSTEM
- OTHER — ADMINISTRATIVE, LEGAL, FINANCIAL, ENGINEERING, PERMITS, CONTINGENCY, OR AS SPECIFIED

PWSID NUMBER:

PUBLIC WATER SUPPLY IDENTIFICATION NUMBER

PROJECT NUMBER:

FEDERAL LOAN PROJECT IDENTIFICATION NUMBER (PENNVEST LOAN IDENTIFICATION NUMBER)

ELIGIBLE PROJECT COSTS:

ESTIMATED PENNVEST LOAN AMOUNT

APPLICANT NAME ADDRESS CITY	STATE	COUNTY ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V:	NEEDS CATEGORY VI: ELIGIBLE PROJECT COST
BEAVER FALLS MUN. AUTH. P. O. BOX 400 EASTVALE	PA	BEAVER 15010	V—PITTSBURGH	SRC,TREAT 5040012	04152019609-CW 18
I:	II:	III:	IV:	V:	VI: \$1,891,975.00
BRACKENRIDGE, BOROUGH OF 1000 BRACKENRIDGE AVE. BRACKENRIDGE	PA	ALLEGHENY 15014	V—PITTSBURGH	TRANS. TREAT, WS, DS, OTHER (GEN) 5020006	02036049609-CW 19
I:	II:	III:	IV:	V:	VI: \$1,280,250.00

APPLICANT NAME ADDRESS CITY	COUNTY	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING
STATE	ZIPCODE	NEEDS CATEGORY	NEEDS CATEGORY	NEEDS CATEGORY
NEEDS CATEGORY	NEEDS CATEGORY	NEEDS CATEGORY	NEEDS CATEGORY	NEEDS CATEGORY
I:	II:	III:	IV:	V:
				VI: ELIGIBLE PROJECT COST
BUFFALO TOWNSHIP, MUN. AUTH. OF 707 S. PIKE STREET SARVER	BUTLER	VI—MEADVILLE	DS 5100097	10015059601-CW 20
PA	16055			
I:	II:	III:	IV:	V:
				VI: \$ 283,675.00
CHARLEROI BOROUGH AUTHORITY P. O. BOX 211 325-327 MCKEAN AVE. CHARLEROI	WASHINGTON	V—PITTSBURGH	WS, DS 5630039	(To Be Assigned) 13
PA	15022-0211			
I:	II:	III:	IV:	V:
				VI: \$ 412,645.00
DELAWARE WATER GAP 49 MAIN STREET DELAWARE WATER GAP	MONROE	II—WILKES-BARRE	SRC,TREAT, WS, DS 2450022	45012019605-CW 4
PA	18327			
I:	II:	III:	IV:	V:
				VI: \$ 738,000.00
EAST ALLEN TWP. MUN. AUTH. 5344 NOR-BATH BLVD. NORTHAMPTON	NORTH- HAMPTON	II—WILKES-BARRE	SRC,TRANS, DS 3480086	48024019609-CW 9
PA	18067			
I:	II:	III:	IV:	V:
				VI: \$ 527,000.00
EAST TAYLOR MUN. AUTH. 430 DONRUTH LANE JOHNSTOWN	CAMBRIA	V—PITTSBURGH	TRANS, WS, DS 4110043	(To Be Assigned) 22
PA	15909			
I:	II:	III:	IV:	V:
				VI: \$ 790,000.00
EDINBORO WATER AUTHORITY 124 MEADVILLE ST. EDINBORO	ERIE	VI—MEADVILLE	TREAT 6250022	(To Be Assigned) 3
PA	16412			
I:	II:	III:	IV:	V:
				VI: \$ 425,000.00
FREDERICKSBURG WATER & SEWER P. O. BOX 161 FREDERICKSBURG	LEBANON	III—HARRISBURG	SRC,TRANS, DS 7380035	38006069609-CW 21
PA	17026			
I:	II:	III:	IV:	V:
				VI: \$ 631,042.00
LEWISTOWN BOROUGH MUN. AUTH. 70 CHESTNUT STREET LEWISTOWN	MIFFLIN	III—HARRISBURG	SRC,TRANS, TREAT, WS 4440010	44030029605-CW 12
PA	17044			
I:	II:	III:	IV:	V:
				VI: \$14,977,763.00

APPLICANT NAME ADDRESS CITY	COUNTY STATE ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING	
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V:	NEEDS CATEGORY VI: ELIGIBLE PROJECT COST
LITTLESTOWN BOROUGH 46 EAST KING STREET LITTLESTOWN PA	ADAMS 17340	III—HARRISBURG	TREAT 7010022	01066019605-CW 23	\$ 678,650.00
MANOR TWP. JOINT MUN. AUTH. 2310 PLEASANT VIEW DRIVE FORD CITY PA	ARMSTRONG 16226	V—PITTSBURGH	SRC, TRANS, WS, DS 5030006	(To Be Assigned) 7	\$ 238,000.00
MANOR TWP. JOINT MUN. AUTH. 2310 PLEASANT VIEW DRIVE FORD CITY PA	ARMSTRONG 16226	V—PITTSBURGH	SRC, TRANS, WS, DS 5030006	(To Be Assigned) 24	\$ 376,000.00
MCKEAN BOROUGH 8952 MAIN STREET MCKEAN PA	ERIE 16426	VI—MEADVILLE	OTHER (TEST WELLS) 6259996	25072019609-CW 5	\$ 50,000.00
NORTH FAYETTE COUNTY M.A. P. O. BOX 368 DUNBAR PA	FAYETTE 15431	V—PITTSBURGH	DS 5260019	(To Be Assigned) 15	\$1,150,000.00
PA AMERICAN WATER CO. (PV-01) 800 WEST HERSHEY PARK DRIVE HERSHEY PA	MONROE 17033	II—WILKES-BARRE	TRANS. TREAT, WS, DS 2459999	45030069605-CW 10	\$5,863,441.00
PA AMERICAN WATER CO. (PV-02) 800 WEST HERSHEY PARK DRIVE HERSHEY PA	MONROE 17033	II—WILKES-BARRE	SRC, TRANS, DS 2459999	45009049609-CW 11	\$3,000,000.00
PA AMERICAN WATER CO. 800 WEST HERSHEY PARK DRIVE HERSHEY PA	CLARION 17033	VI—MEADVILE	DS 6160025	(To Be Assigned) 16	\$2,200,000.00

APPLICANT NAME ADDRESS CITY	COUNTY STATE ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V:
NEEDS CATEGORY VI: ELIGIBLE PROJECT COST				
PARDEESVILLE WATER ASSOC. R. D. 2 HAZLETON	LUZERNE PA 18201	II—WILKES-BARRE	SRC, TREAT, WS, DS 2400016	40081019605-CW 1
I:	II:	III:	IV:	V:
\$ 189,700.00				
SAINT FRANCIS COLLEGE P. O. BOX 600 LORETTO	CAMBRIA PA 15940	V—PITTSBURGH	TREAT, WS, DS 4110040	11111019605-CW 14
I:	II:	III:	IV:	V:
\$3,426,670.00				
SCHUYLKILL COUNTY M. A. 221 S. CENTRE ST. POTTSVILLE	SCHUYLKILL (Village of New Boston) 17901	II—WILKES-BARRE	DS 3540038	(To Be Assigned) 2
I:	II:	III:	IV:	V:
\$ 549,000.00				
SOMERSET TOWNSHIP M. A. 2209 N. CENTER AVE. SOMERSET	SOMERSET PA 15501	V—PITTSBURGH	DS 4560046	(To Be Assigned) 17
I:	II:	III:	IV:	V:
\$ 469,000.00				
SOUTHWESTERN PA WATER AUTH. P. O. BOX 187 JEFFERSON	GREENE PA 15344	V—PITTSBURGH	WS, DS 5260024	(To Be Assigned) 8
I:	II:	III:	IV:	V:
\$3,942,000.00				
WILLIAMSBURG WATER DEPT. 305 EAST SECOND STREET WILLIAMSBURG	BLAIR PA 16693	III—HARRISBURG	WS, DS 4070022	07069019609-CW 6
I:	II:	III:	IV:	V:
\$3,942,000.00				

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY
 AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
 DRINKING WATER STATE REVOLVING FUND
 FY 1997 PROJECT PRIORITY LIST

IN PRIORITY ORDER

EXPLANATION OF COLUMNAR HEADINGS (EXCEPT THOSE THAT ARE SELF-EXPLANATORY)

NEEDS CATEGORY:

- I — SOURCE REHABILITATION OR DEVELOPMENT
- II — TRANSMISSION
- III — WATER TREATMENT
- IV — STORAGE
- V — DISTRIBUTION SYSTEM
- VI — OTHER

PROJECT TYPE:

- SRC — SOURCE
- TRANS — TRANSMISSION SYSTEM
- TREAT — WATER TREATMENT PLANT
- TREATMOD — WATER TREATMENT PLANT MODIFICATION
- WS — WATER STORAGE
- DS — DISTRIBUTION SYSTEM
- OTHER — ADMINISTRATIVE, LEGAL, FINANCIAL, ENGINEERING, PERMITS, CONTINGENCY, OR AS SPECIFIED

PWSID NUMBER:

PUBLIC WATER SUPPLY IDENTIFICATION NUMBER

PROJECT NUMBER:

FEDERAL LOAN PROJECT IDENTIFICATION NUMBER (PENNVEST LOAN IDENTIFICATION NUMBER)

ELIGIBLE PROJECT COSTS:

ESTIMATED PENNVEST LOAN AMOUNT

APPLICANT NAME ADDRESS CITY	COUNTY STATE ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V: VI: ELIGIBLE PROJECT COST
PARDEESVILLE WATER ASSOC. R. D. 2 HAZLETON	LUZERNE PA 18201	II—WILKES-BARRE	SRC,TREAT, WS, DS 2400016	40081019605-CW 1
I:	II:	III:	IV:	V: VI: \$ 189,700.00
SCHUYLKILL COUNTY M. A. 221 S. CENTRE ST. POTTSVILLE	SCHUYLKILL (Village of New Boston) PA 17901	II—WILKES-BARRE	DS 3540038	(To Be Assigned) 2
I:	II:	III:	IV:	V: VI: \$ 549,000.00

APPLICANT NAME ADDRESS CITY	COUNTY STATE ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V:
				NEEDS CATEGORY VI: ELIGIBLE PROJECT COST
EDINBORO WATER AUTHORITY 124 MEADVILLE ST. EDINBORO	ERIE PA 16412	VI—MEADVILLE	TREAT 6250022	(To Be Assigned) 3
I:	II:	III:	IV:	V: VI: \$ 425,000.00
DELAWARE WATER GAP 49 MAIN STREET DELAWARE WATER GAP	MONROE PA 18327	II—WILKES-BARRE	SRC,TREAT, WS, DS 2450022	45012019605-CW 4
I:	II:	III:	IV:	V: VI: \$ 738,000.00
MCKEAN BOROUGH 8952 MAIN STREET MCKEAN	ERIE PA 16426	VI—MEADVILLE	OTHER (TEST WELLS) 6259996	25072019609-CW 5
I:	II:	III:	IV:	V: VI: \$ 50,000.00
WILLIAMSBURG WATER DEPT. 305 EAST SECOND STREET WILLIAMSBURG	BLAIR PA 16693	III-HARRISBURG	WS, DS 4070022	07069019609-CW 6
I:	II:	III:	IV:	V: VI: \$3,942,000.00
MANOR TWP. JOINT MUN. AUTH. 2310 PLEASANT VIEW DRIVE FORD CITY	ARMSTRONG PA 16226	V-PITTSBURGH	SRC, TRANS, WS, DS 5030006	(To Be Assigned) 7
I:	II:	III:	IV:	V: VI: \$ 238,000.00
SOUTHWESTERN PA WATER AUTH. P. O. BOX 187 JEFFERSON	GREENE PA 15344	V-PITTSBURGH	WS, DS 5260024	(To Be Assigned) 8
I:	II:	III:	IV:	V: VI: \$3,942,000.00
EAST ALLEN TWP. MUN. AUTH. 5344 NOR-BATH BLVD. NORTHAMPTON	NORTH- HAMPTON PA 18067	II-WILKES-BARRE	SRC,TRANS, DS 3480086	48024019609-CW 9
I:	II:	III:	IV:	V: VI: \$ 527,000.00
PA AMERICAN WATER CO. (PV-01) 800 WEST HERSHEY PARK DRIVE HERSHEY	MONROE PA 17033	II-WILKES-BARRE	TRANS, TREAT, WS, DS 2459999	45030069605-CW 10
I:	II:	III:	IV:	V: VI: \$5,863,441.00

APPLICANT NAME ADDRESS CITY	COUNTY STATE ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V:
NEEDS CATEGORY VI: ELIGIBLE PROJECT COST				
PA AMERICAN WATER CO. (PV-02) 800 WEST HERSHEY PARK DRIVE HERSHEY PA 17033	MONROE	II-WILKES-BARRE	TRANS, SCR, DS 2459999	45009049609-CW 11
I:	II:	III:	IV:	V:
\$3,000,000.00				
LEWISTOWN BOROUGH MUN. AUTH. 70 CHESTNUT STREET LEWISTOWN PA 17044	MIFFLIN	III-HARRISBURG	SRC,TRANS, TREAT, WS 4440010	44030029605-CW 12
I:	II:	III:	IV:	V:
\$14,977,763.00				
CHARLEROI BOROUGH AUTHORITY P. O. BOX 211 325-327 MCKEAN AVE. CHARLEROI PA 15022-0211	WASHINGTON	V-PITTSBURGH	WS, DS 5630039	(To Be Assigned) 37 13
I:	II:	III:	IV:	V:
\$ 412,645.00				
SAINT FRANCIS COLLEGE P. O. BOX 600 LORETTO PA 15940	CAMBRIA	V-PITTSBURGH	TREAT, WS, DS 4110040	11111019605-CW 14
I:	II:	III:	IV:	V:
\$3,426,670.00				
NORTH FAYETTE COUNTY M.A. P. O. BOX 368 DUNBAR PA 15431	FAYETTE	V-PITTSBURGH	DS 5260019	(To Be Assigned) 15
I:	II:	III:	IV:	V:
\$1,150,000.00				
PA AMERICAN WATER CO. 800 WEST HERSHEY PARK DRIVE HERSHEY PA 17033	CLARION	VI-MEADVILE	DS 6160025	(To Be Assigned) 16
I:	II:	III:	IV:	V:
\$2,200,000.00				
SOMERSET TOWNSHIP M. A. 2209 N. CENTER AVE. SOMERSET PA 15501	SOMERSET	V-PITTSBURGH	DS 4560046	(To Be Assigned) 17
I:	II:	III:	IV:	V:
\$ 469,000.00				
BEAVER FALLS MUN. AUTH. P. O. BOX 400 EASTVALE PA 15010	BEAVER	V-PITTSBURGH	SRC,TREAT 5040012	04152019609-CW 18
I:	II:	III:	IV:	V:
\$1,891,975.00				

APPLICANT NAME ADDRESS CITY	COUNTY STATE ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V:
				NEEDS CATEGORY VI: ELIGIBLE PROJECT COST
BRACKENRIDGE, BOROUGH OF 1000 BRACKENRIDGE AVE. BRACKENRIDGE PA	ALLEGHENY 15014	V-PITTSBURGH	TRANS. TREAT, WS, DS, OTHER (GEN) 5020006	02036049609-CW 19 \$1,280,250.00
I:	II:	III:	IV:	V: VI:
BUFFALO TOWNSHIP, MUN. AUTH. OF 707 S. PIKE STREET SARVER PA	BUTLER 16055	VI-MEADVILLE	DS 5100097	10015059601-CW 20 \$ 283,675.00
I:	II:	III:	IV:	V: VI:
FREDERICKSBURG WATER & SEWER P. O. BOX 161 FREDERICKSBURG PA	LEBANON 17026	III-HARRISBURG	SRC, TRANS, DS 7380035	38006069609-CW 21 \$ 631,042.00
I:	II:	III:	IV:	V: VI:
EAST TAYLOR MUN. AUTH. 430 DONRUTH LANE JOHNSTOWN PA	CAMBRIA 15909	V-PITTSBURGH	TRANS, WS, DS 4110043	(To Be Assigned) 22 \$ 790,000.00
I:	II:	III:	IV:	V: VI:
LITTLESTOWN BOROUGH 46 EAST KING STREET LITTLESTOWN PA	ADAMS 17340	III-HARRISBURG	TREAT 7010022	01066019605-CW 23 \$ 678,650.00
I:	II:	III:	IV:	V: VI:
MANOR TWP. JOINT MUN. AUTH. 2310 PLEASANT VIEW DRIVE FORD CITY PA	ARMSTRONG 16226	V-PITTSBURGH	SRC, TRANS, WS, DS 5030006	(To Be Assigned) 24 \$ 376,000.00
I:	II:	III:	IV:	V: VI:
SHOEMAKERSVILLE, BOROUGH OF P. O. BOX 190 SHOEMAKERSVILLE PA	BERKS 19555	III-HARRISBURG	OTHER (DESIGN TREAT) 3060100	06165019609-AW 25 \$ 150,000.00
I:	II:	III:	IV:	V: VI:
WARMINSTER TWP. MUN. AUTH. 415 GIBSON AVENUE WARMINSTER PA	BUCKS 18976	I-CONSHOCKEN	WS, DS 1090069	09144019601-CW 26 \$1,486,500.00
I:	II:	III:	IV:	V: VI:

APPLICANT NAME ADDRESS CITY	STATE	COUNTY ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING	NEEDS CATEGORY NEEDS CATEGORY NEEDS CATEGORY NEEDS CATEGORY NEEDS CATEGORY NEEDS CATEGORY	NEEDS CATEGORY ELIGIBLE PROJECT COST
I:	II:	III:	IV:	V:	VI:		
PLEASANT VALLEY WATER AUTH. 2320 MOYER ROAD CONNELLSVILLE	PA	CAMBRIA 15425	V-PITTSBURGH	DS 5260006	26012039609-CW 27		
I:	II:	III:	IV:	V:	VI:		\$ 350,000.00

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
 FY 1997 PROJECT PRIORITY LIST
 *** Added to PPL 2-4-97 ***

APPLICANT NAME ADDRESS CITY	COUNTY STATE ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING	
NEEDS CATEGORY I:	NEEDS CATEGORY II:	NEEDS CATEGORY III:	NEEDS CATEGORY IV:	NEEDS CATEGORY V:	NEEDS CATEGORY VI: ELIGIBLE PROJECT COST
VINTONDALE	CAMBRIA	V-PITTSBURGH	TRANS, TREAT, DS 4119997	(To Be Assigned) 28	
I:	II: \$790,640.00	III: \$ 99,850	IV:	V: \$1,224,895.00	VI: \$634,615.00 \$2,750,000.00
CARROLLTOWN BOROUGH M. A. P. O. BOX 37 CARROLLTOWN	CAMBRIA PA 15722	V-PITTSBURGH	SRC, DS 4110004	(To Be Assigned) 29	
I: \$ 40,976.00	II:	III:	IV:	V: \$1,474,330.00	VI: \$457,000.00 \$2,000,000.00
FAIRCHANCE BOROUGH WATER 125 WEST CHURCH STREET FAIRCHANCE	FAYETTE PA 15436	V-PITTSBURGH	SRC, TREAT, WS 5260007	(To Be Assigned) 30	
I: \$230,000.00	II:	III: \$50,000.00	IV: \$250,000.00	V:	VI: \$ 86,000.00 \$ 616,000.00
GIRARD TOWNSHIP MUN. AUTH. P. O. BOX 36 LECONTES MILLS	CLEARFIELD PA 16850	IV-WILLIAMSPORT	OTHER (FEAS. STUDY) 6170026	(To Be Assigned) 31	
I:	II:	III:	IV:	V:	VI: \$14,000.00 \$ 14,000.00
HIGHRIDGE WATER AUTHORITY 28 NORTH WALNUT STREET BLAIRSVILLE	WESTMORE- LAND PA 15717	V-PITTSBURGH	DS 5650069	(To Be Assigned) 32	
I:	II:	III:	IV:	V: \$1,832,000.00	VI: \$1,832,000.00
INDIANA CO. MUN. SVCS. AUTH. P. O. BOX 351 INDIANA	INDIANA PA 15701	V-PITTSBURGH	DS 5329994	(To Be Assigned) 33	
I:	II:	III:	IV:	V: \$2,713,000.00	VI: \$2,713,000.00
MOUNTAIN WATER ASSOCIATION P. O. BOX 227 SMITHFIELD	FAYETTE PA 15478	V-PITTSBURGH	SRC, TREAT, WS, DS 5260032	(To Be Assigned) 34	
I: \$50,000.00	II:	III: \$25,000.00	IV: \$250,000.00	V: \$400,000.00	VI: \$145,000.00 \$ 870,000.00

PENNSYLVANIA BULLETIN, VOL. 27, NO. 25, JUNE 21, 1997

NOTICES

3017

APPLICANT NAME ADDRESS CITY	STATE	COUNTY ZIPCODE	REGION	PROJECT TYPE PWSID NUMBER	PROJECT NUMBER PROJECT RANKING	NEEDS CATEGORY NEEDS CATEGORY I:	NEEDS CATEGORY NEEDS CATEGORY II:	NEEDS CATEGORY NEEDS CATEGORY III:	NEEDS CATEGORY NEEDS CATEGORY IV:	NEEDS CATEGORY NEEDS CATEGORY V:	NEEDS CATEGORY NEEDS CATEGORY VI:	ELIGIBLE PROJECT COST
NEW KENSINGTON MUN. AUTH. P. O. BOX 577 NEW KENSINGTON	PA	WESTMORE- LAND 15068	V-PITTSBURGH	DS 5650070	(To Be Assigned) 35	I:	II:	III:	IV:	V: \$8,500,000.00	VI:	\$8,500,000.00
NICHOLSON TWP. BOARD	PA	FAYETTE	V-PITTSBURGH	DS 5269997	(To Be Assigned) 36	I:	II:	III:	IV:	V: \$300,000.00	VI:	\$ 300,000.00
PERRY TWP. BOARD P. O. BOX 183 STAR JUNCTION	PA	FAYETTE 15482	V-PITTSBURGH	DS 5260028	(To Be Assigned) 37	I:	II:	III:	IV:	V: \$302,470.00	VI: \$106,269.00	\$ 408,739.00
SALTSBURG BOROUGH BOX 104, POINT ST. SALTSBURG	PA	INDIANA	V-PITTSBURGH	TRANS, DS 5320035	(To Be Assigned) 38	I:	II:	III:	IV:	V:	VI:	

[Pa.B. Doc. No. 97-1004. Filed for public inspection June 20, 1997. 9:00 a.m.]

PENNSYLVANIA MUNICIPAL RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by Pennsylvania Municipal Retirement Code (53 Pa.C.S. §§ 881.101—881.501) relating to Pennsylvania Municipal Retirement Board, in connection with the Pennsylvania Municipal Retirement Board's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Pennsylvania Municipal Retirement Board, 1010 North 7th Street, Suite 301, Eastgate Center, Harrisburg, PA 17102.

July 21, 1997	Glen W. Elfner (Disability Benefit)	1:30 p.m.
July 28, 1997	Victor Lee Alli (Disability Retirement Benefits)	1:30 p.m.

Persons with a disability who wish to attend the above-listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Helen Willis at (717) 787-2065 to discuss how the Pennsylvania Municipal Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 16 Pa. Code § 91.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code §§ 31.1—35.251 unless specific exemption is granted.

JAMES B. ALLEN,
Secretary

[Pa.B. Doc. No. 97-1005. Filed for public inspection June 20, 1997, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Railroad With Hearing

A-0011325. Consolidated Rail Corporation. An application has been made to the Pennsylvania Public Utility Commission, under the provisions of Public Utility Code, for approval of: Abandonment of seven crossings where Conrail's Weirton Secondary from MP 26.7 to MP 35.7 intersects various roadways with four at-grade crossings and three under-grade separated crossings, Sub. No.

1132X, LC 402206, Washington County.

A public hearing on this application will be held Tuesday, August 19, 1997 at 10 a.m. in the 11th Floor Hearing Room, Pittsburgh State Office Building, 300 Liberty Avenue, Pittsburgh, PA, when and where all persons in interests may appear and be heard if they so desire.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1007. Filed for public inspection June 20, 1997, 9:00 a.m.]

Railroad With Hearing

A-00113589. County of Lebanon Transit Authority; C-00970106. South Lebanon Township Board of Supervisors v. Consolidated Rail Corporation; C-00970107. City of Lebanon v. Consolidated Rail Corporation; C-00970126. Pennsylvania Department of Transportation v. Consolidated Rail Corporation. An application and three complaints have been made to the Pennsylvania Public Utility Commission (Commission) under the provisions of the Public Utility Code, requesting that the Commission approve the suspension of a series of crossings involving the Cornwall Industrial Track of Consolidated Rail Corporation (CONRAIL) located in the City of Lebanon, Lebanon County (**A-00113589**). A complaint stating the South Lebanon Township Board of Supervisors has received numerous complaints about the crossing at South Lincoln Avenue mainly regarding ruts and deep holes causing damage to vehicles (**C-00970106**). A complaint stating the City of Lebanon is concerned about the condition of crossings on the Cornwall Industrial Track of CONRAIL at the following locations in the City of Lebanon: Willow Street; Cumberland Street; Chestnut Street; Walnut Street; 12th Street; 10th Street; 8th Street. Complainant states it has received complaints from the public that crossings are causing damage to their vehicles (**C-00970107**).

A complaint stating that the Department of Transportation is concerned about the safety of at-grade crossing at State Route 2003, L. R. 38016 at State Drive. Complainant says crossing is sunken with rotting timbers breaking out. Due to location on an over vertical curb, a driver is not aware of crossing's poor condition until it is too late (**C-00970126**).

A public hearing on this application will be held Tuesday, August 5, 1997 at 10 a.m. in an available Hearing Room, Ground Floor, North Office Building, North Street and Commonwealth Avenue, Harrisburg, PA, when and where persons in interests may appear and be heard if they so desire.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1008. Filed for public inspection June 20, 1997, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before July 14, 1997 as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for amendment to the contract carrier permit approving the operation of motor vehicles as *contract carriers* for transportation of *persons* as described under each application.

A-00109365. F. 1, Am-C. Milepost Inns, Inc., t/d/b/a Milepost Industries (775 Baywood Drive, Suite 215, Petaluma, Sonoma County, CA 94954), a corporation of the State of Nevada—inter alia, to transport, as a contract carrier, by motor vehicle, rail carrier employes and their equipment and baggage for Consolidated Rail Corporation (CONRAIL), between points in Pennsylvania: *So As To Permit* the transportation of rail carrier employes and their equipment and baggage, as a contract carrier, for Norfolk Southern Corporation, between points in Pennsylvania. *Attorney:* William A. Gray, 2310 Grant Building, Pittsburgh, PA 15219-2383.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *household goods* as described under each application.

A-00114027. Weleski Transfer of Johnstown, Inc. (161 Horner Street, Johnstown, Cambria County, PA 15902), a corporation of the Commonwealth of Pennsylvania—(1) as a Class D carrier, household goods and office furnishings, in use, between points in the city of Johnstown, Cambria County, and within 25 miles by the usually traveled highways of the limits of said city; (2) as a Class D carrier, household goods and office furnishings, in use, from points in the city of Johnstown, Cambria County, and within 25 miles by the usually traveled highways of the limits of the said city, to other points in Pennsylvania, and vice versa; (3) as a Class C carrier, new uncrated furniture from points in the city of Johnstown, Cambria County, to other points in Pennsylvania, and vice versa; rights 1, 2 and 3 subject to the following condition: that no right, power or privilege is granted to transport household goods in use between points in any municipality more than 5 miles distant by the usually traveled highways from the limits of the city of Johnstown, Cambria County; (4) as a Class B carrier, property between points in the city of Johnstown, Cambria County, and within 5 miles by the usually traveled highways of the limits of said city; (5) as a Class D carrier, new furniture, for Fine Furniture, Inc., from the Pennsylvania facilities owned or leased by Family Furniture, Inc., to points in Pennsylvania, and vice versa; which is to be a transfer of all of the rights issued to Replogle Storage Company under the certificate issued at A-00025914, F. 2, subject to the same limitations and conditions. *Attorney:* Richard A. Franklin, 1700 Sansom Street, 12th Floor, Philadelphia, PA 19103.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as *common carriers* for transportation of *persons* as described under each application.

A-00114036. 7th Ward Civic Association (404 Cedar Street, Johnstown, Cambria County, PA 15902)—persons in paratransit service, between points in the city of Johnstown, Cambria County, and within an airline distance of 70 statute miles of the limits of the said city, and from points in the said territory, to points in Pennsylvania, and return.

Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before July 7, 1997.

- | | |
|------------|--|
| A-00113928 | Drug Transport, Inc.
1939 Forge Street, P. O. Box 1678,
Tucker, GA 30085-1678; Charles D.
Ganz, One Atlantic Center, 1201
Peachtree Street, N. W. Suite 2000,
Atlantic, GA 30309 |
| A-00114001 | Kenneth M. Dillenburg, t/d/b/a KMD
Enterprises
11657 Newell Road, Dunkirk, NY
14048 |
| A-00114026 | Tuscarora Hardwoods Trucking, Inc.
R. D. # 1, Box 64, Elliotsburg, PA
17024; Christopher Zettlemyer,
P. O. Box 11844, Harrisburg, PA
17108-1844 |
| A-00114031 | Glen M. Hurst
6049 Buena Vista Road, Gap, PA
17527 |
| A-00114032 | Ace Doran Hauling & Rigging, Inc.,
1601 Blue Rock, Cincinnati, OH
45223; Norman R. Gavin, 10 West
Market Street, Suite 1777, India-
napolis, IN 46204-2971 |
| A-00114028 | George M. Hebda, t/d/b/a G H
Construction
One West Wall Street, Plymouth, PA
18651 |
| A-00114029 | Jeffrey D. Larock, t/d/b/a J. D. Larock
Trucking
R. D. 2, Box 102, Reynoldsville, PA
15851; Dwight L. Koerber, Jr., 110
North Second Street, P. O. Box
1320, Clearfield, PA 16830 |
| A-00114030 | D and L Yerger, Ltd.
282 Chapel Hill Road, Sinking
Spring, PA 19608; J. Bruce Walter,
Esquire, One South Market Square,
P. O. Box 1146, Harrisburg, PA
17108-1146 |
| A-00114033 | C. L. Smith, t/d/b/a C. L. Smith
Trucking
2062 East Maiden Street, Washing-
ton, PA 15301 |

- A-00114034 Ernie's Transport Services, Inc.
144 Church Road, Davidsville, PA
15928; Matthew G. Melvin, Esquire,
146 West Main Street, P. O. Box
775, Somerset, PA 15501-0075
- A-00114035 William Krempasky
312 Wilmore Road, Portage, PA
15946
- A-00114037 Gerald B. Benner
R. D. 6, Box 303 Franklin Road,
Boyertown, PA 19512
- A-00114038 Q. R. Distribution Systems, Inc.
224 Cherry Valley Road, McDonald,
PA 15057
- A-00114039 Central Transport, Inc.
P. O. Box 7007, High Point, NC
27263; Thomas H. Bilodeau, Es-
quire, 194 Washington Street, Bos-
ton, MA 02108-1360
- A-00112026, F. 2 Clayton R. Christian, t/d/b/a Christian
Trucking & Repair
151 Tracey Dale Road, Howard, PA
16841

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1009. Filed for public inspection June 20, 1997, 9:00 a.m.]

Telecommunications Service

Doc. No. A-310534. Bell Atlantic-Pennsylvania, Inc. and WirelessCo, L. P. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and WirelessCo, L. P. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and WirelessCo, L. P., by its counsel, filed on June 3, 1997, at the Public Utility Commission, a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and WirelessCo, L. P. Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-7466.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1010. Filed for public inspection June 20, 1997, 9:00 a.m.]

Transfer by Sale Without Hearing

A-230240F0002. Little Washington Wastewater Company and Peddler's View Utility Company, Inc. Application of Little Washington Wastewater Company

and Peddler's View Utility Company, Inc. for the transfer, by sale, of the wastewater system assets of Peddler's View Utility Company, Inc. to Little Washington Wastewater Company.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 7, 1997, under 52 Pa. Code (relating to public utilities).

Applicants: Little Washington Wastewater Co., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Peddler's View Utility Co., Inc., 842 Durham Road, Suite 200, Newtown, PA 18940.

Through and By Counsel: Mary J. Kropilak, Esquire, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Edward F. Murphy, Esquire, McBride & Murphy, Village at Anchor Crossing, Suite 22, NW Corner Rts. 413 and 232, P. O. Box 1186, Newtown, PA 18940.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1011. Filed for public inspection June 20, 1997, 9:00 a.m.]

Transfer by Sale Without Hearing

A-212370F0030. Philadelphia Suburban Water Company and Peddler's View Utility Company, Inc. Application of Philadelphia Suburban Water Company and Peddler's View Utility Company, Inc. for approval of the transfer, by sale, of the water system assets of Peddler's View Utility Company, Inc., to the Philadelphia Suburban Water Company.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 7, 1997, under 52 Pa. Code (relating to public utilities).

Applicants: Philadelphia Suburban Water Co., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Peddler's View Utility Co., Inc., 842 Durham Road, Suite 200, Newtown, PA 18940.

Through and By Counsel: Mary J. Kropilak, Esquire, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Edward F. Murphy, Esquire, McBride & Murphy, Village at Anchor Crossing, Suite 22, NW Corner Rts. 413 and 232, P. O. Box 1186, Newtown, PA 18940.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1012. Filed for public inspection June 20, 1997, 9:00 a.m.]

Wastewater Service Without Hearing

A-230240F0003. Little Washington Wastewater Company. Application of Little Washington Wastewater Company for the right to furnish wastewater service to the public in the service area of Peddler's View Utility Company, Inc.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 7, 1997, under 52 Pa. Code (relating to public utilities).

Applicants: Little Washington Wastewater Co., 762 W. Lancaster Avenue, Bryn Mwr, PA 19010-3489; Peddler's View Utility Co., Inc., 842 Durham Road, Suite 200, Newtown, PA 18940.

Through and By Counsel: Mary J. Kropilak, Esquire, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Edward F. Murphy, Esquire, McBride & Murphy, Village at Anchor Crossing, Suite 22, NW Corner Rts. 413 and 232, P. O. Box 1186, Newtown, PA 18940.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1013. Filed for public inspection June 20, 1997, 9:00 a.m.]

Wastewater Service Without Hearing

A-230038F2000. Peddler's View Utility Company, Inc. Application of Peddler's View Utility Company, Inc. for approval of the abandonment of wastewater service to the public in its current service territory which is located in a portion of Solebury Township, Bucks County, Pennsylvania, known as the Peddler's View Development.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 7, 1997, under 52 Pa. Code (relating to public utilities).

Applicants: Little Washington Wastewater Co., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Peddler's View Utility Co., Inc., 842 Durham Road, Suite 200, Newtown, PA 18940.

Through and By Counsel: Mary J. Kropilak, Esquire, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Edward F. Murphy, Esquire, McBride & Murphy, Village at Anchor Crossing, Suite 22, NW Corner Rts. 413 and 232, P. O. Box 1186, Newtown, PA 18940.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1014. Filed for public inspection June 20, 1997, 9:00 a.m.]

Water Service Without Hearing

A-210053F2000. Peddler's View Utility Company, Inc. Application of Peddler's View Utility Company, Inc. for the abandonment of water service to the public in its current territory which is located in a portion of Solebury Township, Bucks County, Pennsylvania, known as the Peddler's View Development.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 7, 1997, under 52 Pa. Code (relating to public utilities).

Applicants: Philadelphia Suburban Water Co., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Peddler's View Utility Co., Inc., 842 Durham Road, Suite 200, Newtown, PA 18940.

Through and By Counsel: Mary J. Kropilak, Esquire, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Edward F. Murphy, Esquire, McBride & Murphy, Village at Anchor Crossing, Suite 22, NW Corner Rts. 413 and 232, P. O. Box 1186, Newtown, PA 18940.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1015. Filed for public inspection June 20, 1997, 9:00 a.m.]

Water Service Without Hearing

A-212370F0031. Philadelphia Suburban Water Company. Application of Philadelphia Suburban Water Company for the right to furnish water service to the public in the service area of Peddler's View Utility Company, Inc.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 7, 1997, under 52 Pa. Code (relating to public utilities).

Applicants: Philadelphia Suburban Water Co., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Peddler's View Utility Co., Inc., 842 Durham Road, Suite 200, Newtown, PA 18940.

Through and By Counsel: Mary J. Kropilak, Esquire, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489; Edward F. Murphy, Esquire, McBride & Murphy, Village at Anchor Crossing, Suite 22, NW Corner Rts. 413 and 232, P. O. Box 1186, Newtown, PA 18940.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-1016. Filed for public inspection June 20, 1997, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project No. 9627.1a, Rehabilitation of Fender System at Pier 82 South until 2 p.m. on Thursday, July 10, 1997.

The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Sq., 13th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be

available June 24, 1997. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. The contractor will be required to comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held July 3, 1997, 10 a.m. at Pier 82 South, Southside.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 97-1006. Filed for public inspection June 20, 1997, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

July 9, 1997	Linda G. Yarnell (Disability Eligibility) Alfreda J. Armstrong (Change of Retirement Plan)	1 p.m. 2:30 p.m.
July 23, 1997	Joan M. Saxman (Purchase of Maternity Leave) Thomas E. Reese (Membership Eligibility)	1 p.m. 2:30 p.m.

Persons with a disability who wish to attend the above-listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Arthur J. Granito, Assistant Executive Director at (717) 783-5613 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

JAMES A. PERRY,
Secretary

[Pa.B. Doc. No. 97-1017. Filed for public inspection June 20, 1997, 9:00 a.m.]
