

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending August 19, 1997.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-13-97	Ambassador Bank of the Commonwealth, Allentown, and Wilbur Savings Bank, Bethlehem Surviving Institution—Ambassador Bank of the Commonwealth, Allentown	Allentown	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-13-97	Northern Central Bank Williamsport Lycoming County	Mobile Branch to be Operated in Bradford, Sullivan, Lycoming, Clinton, Union, Montour, Northumberland, Columbia, Juniata and Snyder Counties	Filed
8-13-97	Mid-State Bank and Trust Company Altoona Blair County	Mobile Branch to be Operated in Bedford, Blair, Centre, Clearfield and Huntingdon Counties	Filed
8-13-97	Financial Trust Company Carlisle Cumberland County	Mobile Branch to be Operated in Franklin, Adams, York, Cumberland, Perry, Lancaster and Dauphin Counties	Filed
8-15-97	Chambersburg Trust Company Chambersburg Franklin County	Mobile Branch to be Operated in Franklin County	Filed
8-18-97	Dauphin Deposit Bank and Trust Company Harrisburg Dauphin County	WalMart Routes 83 & 851 Shrewsbury York County	Withdrawn

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-13-97	Reeves Bank Beaver Falls Beaver County	<i>To:</i> 1700 Beaver Road Economy Beaver County <i>From:</i> 1676 W. State Street Economy Beaver County	Approved
8-18-97	Dauphin Deposit Bank and Trust Company Harrisburg	<i>To:</i> 2027 Lincoln Way East Chambersburg Franklin County <i>From:</i> 2001 Lincoln Way East Chambersburg Franklin County	Authorization Rescinded

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
8-14-97	Pocono Community Bank (In Organization) Stroudsburg Monroe County	To amend Article Eighth of the Articles of Incorporation by increasing the number of First Directors.	Approved and Effective

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS

No activity.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 97-1402. Filed for public inspection August 29, 1997, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of September 1997

The Department of Banking of the Commonwealth of Pennsylvania (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of September is 9%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 6.55 to which was added 2.50 percentage points for a total of 9.05 that by law is rounded off to the nearest quarter at 9%.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 97-1403. Filed for public inspection August 29, 1997, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Pennsylvania Housing Advisory Committee Meeting

The Pennsylvania Housing Advisory Committee will meet to advise the Department of Community and Economic Development regarding housing and related needs, priorities and goals to be delineated in the 1998 Action Plan which supplements the Commonwealth's Consoli-

dated Plan (CP) for Federal fiscal years 1995 through 1999. Meetings of this committee are open to the public under the Sunshine Act. The meeting will be held as follows:

September 10, 1997: Pennsylvania Housing Finance Agency
Board Room
2101 North Front Street, Bldg. #2
Harrisburg, PA 17110
2 p.m. to 5 p.m.

Anyone who has a disability and wishes to attend this meeting and requires an auxiliary aid, service or other accommodation to participate in the proceeding should contact Aldona Kartorie, Room 509, Forum Building, Harrisburg, PA 17120, (717) 720-7409 to discuss how the Department of Community and Economic Development may best accommodate those needs. For anyone with a hearing disability, Text Telephone (TT) calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the Department's number listed above.

SAMUEL A. MCCULLOUGH,
Secretary

[Pa.B. Doc. No. 97-1404. Filed for public inspection August 29, 1997, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council; Meeting Notice

A meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources will be held on Monday, September 8, 1997. The meeting will be held at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Glenda Miller directly at (717) 772-9087 or

through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN C. OLIVER
Secretary

[Pa.B. Doc. No. 97-1405. Filed for public inspection August 29, 1997, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Availability of 1997-98 Competitive Funds under the Carl D. Perkins Vocational and Applied Technology Education Act Amendments of 1990

Applications for FY 1997-98 Perkins Vocational and Applied Technology Education competitive funds are invited for the following category:

386—Tech Prep Education: New Programs Development

1. *Eligibility Requirements*

To invite competitive applications from school districts, Area Vocational-Technical schools or intermediate units

currently operating Department of Education approved Tech Prep Education programs, to apply for Tech Prep funding in developing additional programs. All programs developed must meet the requirements of the Tech Prep/School-to-Work Assurances.

2. *Application Requirements*

Applications are due September 30, 1997, by 4:30 p.m.

3. *Application Forms and Guidelines*

Completion of applications requires the use of two references: the general and categorical guidelines. Documents are available from Emmanuel Constantine, Division of Advisory and Approval Services, Bureau of Vocational-Technical Education, 333 Market Street, 6th Floor, Harrisburg, PA 17126-0333, (717) 787-5293.

4. *Completed Applications*

All completed applications are to be mailed or delivered (not faxed) to the Division of Advisory and Approval Services on or before the designated due date.

EUGENE W. HICKOK,
Secretary

[Pa.B. Doc. No. 97-1406. Filed for public inspection August 29, 1997, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewater into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Richard Adams at (717) 327-3666. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0031208. Sewage, **Garnet Valley School District**, 550 Smithbridge Road, Glen Mills, PA 19342.

This application is for renewal of an NPDES permit to discharge treated sewage from Garnet Valley School District in Concord Township, **Delaware County**. This is an existing discharge to Green Creek.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Phosphorus (as P)		
Total Residual Chlorine	1.0	1.5
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0052744. Sewage, **Concordville Hotel, Inc.**, 780 Baltimore Pike, P. O. Box 607, Concordville, PA 19331-0607.

This application is for renewal of an NPDES permit to discharge treated sewage from Concord Hotel STP in Concord Township, **Delaware County**. This is an existing discharge to UNT to West Branch Chester Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .025 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	20	40
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	
Total Residual Chlorine		
(Years 1 and 2)	1.0	1.5
(Years 3, 4 and 5)	0.13	0.3

The EPA waiver is in effect.

PA 0045021. Industrial waste, **Pre Finish Metals, Inc.**, 2195 New Ford Mill Road, Morrisville, PA 19067.

This application is for amendment of an NPDES permit to discharge treated process wastewater from Pre Finish Metals, Inc. in Falls Township, **Bucks County**. This is an existing discharge to an unnamed tributary to Biles Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.0335 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
Oil and Grease	15		30
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Total Aluminum	0.20 (lbs/day)	0.40 (lbs/day)	1.78
Total Chromium	0.09 (lbs/day)	0.17 (lbs/day)	0.77
Hexavalent Chromium	0.02	0.04	0.05
Total Copper	0.023	0.046	0.057

The proposed effluent limits for Outfall 001, based on an average flow of 0.0335 mgd during the period from September 29, 1995 through September 30, 1998 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Cyanide	0.06 (lbs/day)	0.12 (lbs/day)	0.55
Free Cyanide	monitor/report	monitor/report	monitor/report
Total Iron	0.26 (lbs/day)	0.52 (lbs/day)	2.31
Dissolved Iron	monitor/report	monitor/report	monitor/report
Total Zinc	0.16	0.32	0.40

The proposed effluent limits for Outfall 001, based on an average flow of 0.0335 mgd during the period from October 1, 1998 through expiration are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Cyanide	0.06 (lbs/day)	0.12 (lbs/day)	0.55
Free Cyanide	0.012	0.024	0.03
Total Iron	0.26 (lbs/day)	0.52 (lbs/day)	2.31
Free Iron	0.72	1.43	1.79
Total Zinc	0.16	0.32	0.4

The proposed effluent limits for Outfall 001, based on an average flow of 0.0335 mgd during the period from September 29, 1995 through September 30, 1997 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	monitor/report	monitor/report	monitor/report
Total Dissolved Solids	monitor/report	monitor/report	monitor/report

The proposed effluent limits for Outfall 001, based on an average flow of 0.0335 mgd during the period from October 1, 1997 through expiration are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Dissolved Solids	2,500	5,000	6,250

The proposed effluent limits for monitoring point 101 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 7.5 to 9.0 at all times		

The EPA waiver is in effect.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

PA 0029653. Sewerage, **Jewish Community Center Day Camp**, 601 Jefferson Avenue, Scranton, PA 18510.

This proposed action is for renewal issuance amendment of an NPDES permit to discharge treated sewage into Spring Brook in Covington Township, **Lackawanna County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Pennsylvania-American Water Company's Waters Reservoir located approximately 4.7 miles downstream.

The proposed effluent limits for Outfall 001 based on a design flow of .0078 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	4	8
(11-1 to 4-30)	12	24
Dissolved Oxygen	a minimum of 6 mg/l at all times	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine		
First Month through 24th Month	monitor and report	
25th Month through Expiration Date	1.2	2.8

The EPA waiver is in effect.

PA 0063681. Industrial waste, SIC: 7542, **Penske Truck Leasing Co., L. P.**, 1182 Route 61 South, Pottsville, PA 17901.

This proposed action is for issuance of an NPDES permit to discharge treated car wash wastewater into Schuylkill River in North Manheim Township, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water, fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is the Pottstown Water Supply on Schuylkill River.

The proposed effluent limits for Outfall 001 based on a design flow of .000125 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	30	60	
Oil and Grease	15		30
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3666.

PA 0008443. Industrial waste, SIC: 4911, **Pennsylvania Power & Light Company**, Two North Ninth Street, Allentown, PA 18101.

This proposed action is for renewal of an NPDES permit for existing discharges of treated process water, cooling water, sewage, stormwater and fly ash leachate from the Montour Steam Electric Station in Derry Township, **Montour County**.

The following effluent limitations are proposed for these discharges to the receiving waters of Chillisquaque Creek and an unnamed tributary to Mud Creek, which are both classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Sunbury Municipal Authority located on the Susquehanna River approximately 20 river miles downstream.

The proposed effluent limits for Outfall 050, based on a design flow of 7.1 mgd for this discharge from the detention basin to Chillisquaque Creek are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	125
Oil and Grease	15	20	30
Ammonia-N	monitor and report		
Temperature	This discharge shall not change the stream temperature by more than ±2°F in any one hour period		
pH	6.0—9.0 at all times		
Free Available Chlorine		0.08	0.19
Total Cl ₂ , Residual			
1st Month—36th Month	report		
37th Month—Permit Expiration Date	0.09		0.29
Total Copper	monitor and report		
Total Aluminum	monitor and report		
Total Zinc	monitor and report		
Total Iron	1.7	3.4	4.3
Total Thallium	0.0023	0.0046	0.0058
Total PCBs	monitor and report		
Clam-trol-1	N. D.	N. D.	
Clam-trol-2	N. D.	N. D.	

Internal Monitoring Point 150, Unit No. 1 and Unit No. 2: The proposed effluent limits for this discharge of cooling tower blowdown are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Chromium	0.2	0.2	
Total Zinc	1.0	1.0	

Outfall 051: The proposed effluent limits, based on a design flow of 0.02 mgd, for this discharge from the sewage treatment plant to the stormwater basin are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Total Cl ₂ Residual	monitor and report	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 at all times	

Outfall 052: The proposed effluent limits, based on a design flow of 0.54 mgd, for this discharge from the stormwater basin to Chillisquaque Creek are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	30		125
Oil and Grease	15	20	30
pH	6.0—9.0 at all times		
Total Cl ₂ Residual 1st Month—36th Month	report		
37th Month—Permit Expiration Date	0.09		0.29
Total PCBs	monitor and report		
Total Aluminum	monitor and report		
Total Iron	monitor and report		
Total Manganese	monitor and report		

Internal Monitoring Point 152: The proposed effluent limits for this discharge of the final portion of cooling tower basin water to the stormwater basin during maintenance outages are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Free Available Chlorine		0.2	0.5
Total Chromium	0.2	0.2	
Total Zinc	1.0	1.0	

Outfall 055: The proposed effluent limits for this discharge of leachate/runoff from dry fly ash disposal area No. 3 to an unnamed tributary of Mud Creek that will occur only when a 10-year, 24-hour rainfall event is exceeded are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Cadmium	monitor and report		
Total Copper	monitor and report		
Total Lead	monitor and report		
Total Nickel	monitor and report		
Total Selenium	monitor and report		
Total Zinc	monitor and report		
pH	6.0—9.0 at all times		

Other Conditions:

- (1) Requirement to submit a Toxic Reduction Evaluation.
- (2) Procedures for granting time extensions to achieve final water quality-based effluent limitations.
- (3) Requirement to submit acute chronic whole effluent toxicity testing.
- (4) There shall be no discharge of polychlorinated biphenyl compounds such as those commonly used for transformer fluid.

The EPA waiver is not in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0046671. Sewage, **Linden Hall United Steelworkers**, R. D. 1, Linden Hall Road, Box 225A, Dawson, PA 15428.

This application is for renewal of an NPDES permit to discharge treated sewage from the Linden Hall United Steelworkers Sewage Treatment Plant in Lower Tyrone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of the Youghiogheny River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland County Municipal Authority—McKeesport located on the Youghiogheny River.

Outfall 001: existing discharge, design flow of 0.035 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0096539. Sewage, **Burrell Food Systems, Inc.**, 250 Airport Road, P. O. Box 1319, Indiana, PA 15701-1319.

This application is for renewal of an NPDES permit to discharge treated sewage from the Burrell Food Systems, Inc. STP in Burrell Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of the Conemaugh River, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Waterworks on the Conemaugh River.

Outfall 001: existing discharge, design flow of 0.02 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅				
(5-1 to 10-31)	20			40
(11-1 to 4-30)	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.3			4.6
(11-1 to 4-30)	6.4			12.8
Lead	monitor and report			
Oil and Grease	monitor and report			
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, Pennsylvania 16335-3481, (814) 332-6942.

PA 0222372. Sewage, **VFW Post 740**, 10613 Route 98, Edinboro, PA 16412.

This application is for a new NPDES permit to discharge treated sewage to an unnamed tributary to Little Elk Creek in Franklin Township, **Erie County**. This is a new discharge.

The receiving water is classified for cold water and migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS NO₂-NO₃, fluoride and phenolics, there are not potable water supplies (PWS) to consider between the point of discharge and Lake Erie.

The proposed effluent limits for Outfall 001, based on average design flow of 0.001200 mgd, are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
NH ₃ -N	6	12
Phosphorus as "P"	1.0	2.0
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0030031. Sewage. **Kerbert Enterprises, Inc.**, Kerbert Industrial Park, R. D. 6, P. O. Box 418, Meadville, PA 16335.

This application is for a renewal of an NPDES Permit to discharge treated sewage to the unnamed tributary to Conneaut Outlet in Greenwood Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the General Authority of the City of Franklin on French Creek located in Franklin, approximately 24 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of 0.5 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Ammonia-Nitrogen (5-1 to 10-31)	9.0	18
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 2,000/100 ml as a geometric average	
Total Residual Chlorine	0.5	1.6
Dissolved Oxygen	minimum of 3 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0222356. Industrial waste. **Former Teledyne—Penn Union Facility**, 350 Allwood Road, Clifton, New York 07015; Facility location in Edinboro, **Erie County**.

This application is for a new NPDES Permit to discharge industrial waste to Darrows Creek in Edinboro, Erie County. This is a new discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation.

The proposed discharge limits for Outfall No. 001, based on a design flow of .144 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitoring only		
Tetrachloroethylene	.007		.010
Trichloroethylene	.026		.040
Cis-1, 2-Dichloroethylene	monitoring only		
Total Iron	1.8		2.8
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0029122. Sewage. **Saxonburg Area Authority**, 420 West Main Street, Saxonburg, PA 16056.

This application is for renewal of an NPDES Permit to discharge treated sewage to Thorn Creek in Jefferson Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed

downstream potable water supply considered during the evaluation is the Zelenople Municipal Water Works intake on Connoquenessing Creek located at Zelenople, approximately 24 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of 0.5 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	15	20
(11-1 to 4-30)	20	30	40
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	2		4
(10-1 to 4-30)	6		12
Total Phosphorus (as P)	2		4
Copper	monitor and report		
Zinc	monitor and report		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,800/100 ml as a geometric average		
Total Residual Chlorine (Interim)	monitor and report		
(Final)	0.07		0.23
Dissolved Oxygen	minimum of 6 mg/l at all times		
pH	6.0—9.0 at all times		

1. Final water quality based effluent limitations for Copper and Zinc.
2. Requirement to submit a Toxic Reduction Evaluation.
3. Conditions for future permit modification.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

The EPA waiver is in effect.

PA 0025470. Sewage. **Vernon Township Sanitary Authority (Fredricksburg Plant)**, 66 Jackson Avenue, Meadville, PA 16335.

This application is for renewal of an NPDES Permit to discharge treated sewage to Cussewago Creek in Vernon Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the General Authority of the City of Franklin on French Creek located at Franklin, approximately 25 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of .37 mgd, are:

<i>Parameter</i>	<i>Average Monthly 9mg/l)</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	10		20
Phosphorus (as Total P) (4-1 to 10-31)	2		4
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	22,600/100 ml as a geometric average		
Total Residual Chlorine (Interim Limit)	XX		XX
(Final Limit)	.4		1.4
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department). Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications received under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 2597416. Sewage. **Millcreek Township Sewer Authority**, P. O. Box 8158, Erie, PA 16505-0158. This project is for the construction of an 8-inch gravity sewer and of an 8-inch force main sewer, including a submersible pump station.

WQM Permit No. 6297405. Sewage. **Randy and Stacey Daugharty SRSTP**, 306 Jamestown St., Sugar Grove, PA 16350. This project is for the construction of a Single Residence Sewage Treatment Plant in Sugar Grove Borough Township, **Warren County**.

INDIVIDUAL PERMITS

(PAS)

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as

erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 825-2511.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.

Northcentral Regional Office: Regional Water Management Program Manager, 308 W. 3rd Street, Williamsport, PA 17701, (717) 327-3669.

Beaver County Conservation District, District Manager, 1000 3rd Street, Beaver, PA 15009, (412) 774-7090.

NPDES Permit PAS100241. Stormwater. **Tri State Indoor Sports**, 160 Hickory Drive, Beaver Falls, PA 15010 has applied to discharge stormwater from a construction activity located in South Beaver Township, **Beaver County**, to UNT to the north fork of Little Beaver Creek.

NPDES Permit PAS100242. Stormwater. **National Gypsum Company**, 2001 Rexford Road, Charlotte, NC 28211 has applied to discharge stormwater from a con-

struction activity located in Shippingport Township, **Beaver County**, to Haden Run to the Ohio River.

Centre County Conservation District, District Manager, 414 Holmes Avenue, Bellefonte, PA 16823, (814) 355-6817.

NPDES Permit PAS10F067. Stormwater. **Chris Kopac**, Vista Woods, 100 N. Patterson Street, State College, PA 16801 has applied to discharge stormwater from a construction activity located in Patton Township, **Centre County**, to UNT to Buffalo Run.

Chester County Conservation District, District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, (610) 696-5126.

NPDES Permit PAS10G278. Stormwater. **General Real Estate Development Corporation**, 921 Briarwood Circle, West Chester, PA 19380 has applied to discharge stormwater from a construction activity located in West Goshen Township, **Chester County**, to UNT to Broad Run.

NPDES Permit PAS10G279. Stormwater. **General Real Estate Development Corporation**, 921 Briarwood Circle, West Chester, PA 19380 has applied to discharge stormwater from a construction activity located in Malvern Borough, **Chester County**, to the Schuylkill River.

Cumberland County Conservation District, District Manager, 43 Brookwood Avenue, Carlisle, PA 17013, (717) 240-7812.

NPDES Permit PAS10H073. Stormwater. **Shryle Diehl**, 205 E. Yellow Breeches Road, Carlisle, PA 17013 has applied to discharge stormwater from a construction activity located in Penn Township, **Cumberland County**, to the Yellow Breeches Creek.

NPDES Permit PAS10H074. Stormwater. **The McNaughton Company**, 4400 Deerpath Road, Harrisburg, PA 17110 has applied to discharge stormwater from a construction activity located in Hampden Township, **Cumberland County**, to Sears Run.

Indiana County Conservation District, District Manager, 251 Rt. 286N, Indiana, PA 15701, (412) 463-7702.

NPDES Permit PAS103115. Stormwater. **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701 has applied to discharge stormwater from a construction activity located in Jacksonville, Coal Run, McIntyre and Young Townships, **Indiana County**, to Reeds Run.

NPDES Permit No. PAS103114. Stormwater. **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701 has applied to discharge stormwater from a construction activity located in Shelocta Township, **Indiana County**, to Crooked Creek.

NPDES Permit PAS103113. Stormwater. **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701 has applied to discharge stormwater from a construction activity located in Rossitor Township, **Indiana County**, to Canoe Creek.

NPDES Permit No. PAS103112. Stormwater. **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701 has applied to discharge stormwater from a construction activity located in Plumville Township, **Indiana County**, to the north branch of Plum Creek.

Lehigh County Conservation District, District Manager, Lehigh Ag Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, (610) 820-3398.

NPDES Permit No. PAS10Q144. Stormwater. **Alexander Tamerler**, 64 Warba Drive, Allentown, PA 18104 has applied to discharge stormwater from a construction activity located in Upper Macungie Township, **Lehigh County**, to Little Lehigh Creek.

Northwest Regional Office: Regional Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6860.

NPDES Permit PAS107802. Stormwater. **Texakoma Oil & Gas Corporation**, One Lincoln Centre, 5400 LBJ Freeway, Suite 500, Dallas, TX 75240 has applied to discharge stormwater from a construction activity located in Jenks and Howe Townships, **Forest County**, to Spring Creek, East Branch Spring Creek, Rappe Run and Warner Run.

Public Hearing

The Department of Environmental Protection will hold a public hearing to receive testimony and comments on the Chiou Hog Farm Limited Liability Company permit application. Chiou has applied for an Individual NPDES permit for discharges of stormwater from construction activities at its site in Monroe Township, Bedford County, located in the Sideling Hill Creek watershed. Specifically, the permit would enable Chiou to commence earth moving activities at the site, such as clearing and regrading, in accordance with acceptable erosion and sediment control procedures. The project site is the former Barry Farm and consists of a total of 237 acres. Eighteen acres of the site are proposed to be disturbed by the earth moving activities.

The hearing will be held on Tuesday, September 30, 1997, at the Monroe Township Municipal Building, R. D. 2, Clearville, PA beginning at 7 p.m.

Any person intending to testify at the hearing should contact Mary Ann Fischer at (717) 541-7969 on or before September 24, 1997. Persons unable to attend the hearing may submit written testimony before October 14, 1997 to Mary Ann Fischer at One Ararat Boulevard, Harrisburg, PA 17110.

All testimony should be to the point. Each individual will have up to 10 minutes for his/her presentation. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time will be prohibited. Further details relating to the procedures to be followed at the hearing will be outlined at the beginning of the proceedings.

An appointment may be scheduled to review the permit application at the Southcentral Regional Office in Harrisburg by contacting Mary DiSanto at (717) 540-5018 between the hours of 8 a.m. and 4 p.m., Monday through Friday.

Persons with a disability who wish to attend the hearing but who require an auxiliary aid, service or other accommodations to participate in the proceedings, should contact the Department for assistance. TDD users may use the AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

4897501. Public water supply. **Portland Borough Authority**, P. O. Box 572, Portland, PA 18351. William Godshalk, Authority Chairperson. This proposal involves

the construction of well no. 3 as an additional source of supply to the system and construction of transmission mains: interconnecting the existing 10 inch DIP main to Portland to the existing 8 inch CIP main to Slateford and connecting the proposed well no. 3 to the CIP main with flow reversed to the control/treatment building.

Engineer: Samuel M. D'Alessandro, P. E., RKR Hess Associates, Inc.

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 7031-T1-A3. Pittsburgh Water & Sewer Authority, 441 Smithfield Street, Pittsburgh, PA 15222. Construct a new Hypalon liner and aluminum geodesic dome cover for the McNaugher Reservoir, serving the City of Pittsburgh, **Allegheny County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDICATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Regional Office: Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 321-6525.

Montour Oil Service Company, Montoursville Borough, **Lycoming County**. Rick Thomas on behalf of Montour Oil Service Company, 112 Broad Street,

Montoursville, PA 17754 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* on August 11, 1997.

Textron-Lycoming-Service Center, Montoursville Borough, **Lycoming County**. David W. Swetland, on behalf of Textron-Lycoming, 652 Oliver Street, Williamsport, PA 17701, has submitted a Notice of Intent to Remediate groundwater contaminated with solvents, BTEX and PHCs. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* on July 24, 1997.

Distribution Pole #30780N37199, Muncy Creek Township, **Lycoming County**. PP&L, Two North Ninth Street, Allentown, PA 18101-1179 has submitted a Notice of Intent to Remediate soil contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* on August 20, 1997.

Northwest Regional Office: Craig Lobins, Acting Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

Housing Authority of the City of Meadville, 611/613 Terrace Street, Meadville, PA, **Crawford County**, has submitted a Notice of Intent to Remediate soil. The site has been found to be contaminated with Lead. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to remediate was published in the *Meadville Tribune* on August 7, 1997.

SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

A. 101549. Safety Disposal System of PA, Inc., Autoclaves, 201 East 10th Street, Marcus Hook, PA 19061. This Permit Reissuance is related to the potential purchase of the assets of KS Processing by Safety Disposal. Facility located in Marcus Hook Borough, **Delaware County**. Application received in the Southeast Regional Office on August 13, 1997.

A. 101659. Champion Recycling, Inc. c/o Galante Hauling, 16 Yeatan Lane, Glenmoore, PA 19343. Received new application for the above municipal waste transfer facility located in East Caln Township, **Chester County**. Application received in the Southeast Regional Office on August 6, 1997.

A. 100148. G.R.O.W.S. Landfill, 1513 Bordentown Road, Morrisville, PA 19067. Received a Major Permit Modification for G.R.O.W.S. Landfill Gas Management

Plan. Facility located in Falls Township, **Bucks County**. Application received in the Southeast Regional Office on July 31, 1997.

A. 101494. Tullytown Resource Recovery Facility, 200 Bordentown Road, Tullytown, PA 19007. Received a Major Permit Application for Tullytown Resource Recovery Facility Gas Management System. Facility located in Tullytown Borough, **Bucks County**. Application received in the Southeast Regional Office on July 31, 1997.

Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.

A. 300977. Standard Steel (500 North Walnut Street, Burnham, PA 17009). Application for modification for repermitting of a residual waste landfill in Derry Township, **Mifflin County**. Application determined to be administratively complete in the Regional Office August 8, 1997.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.

A. 101217. (Major Permit Modification). Wellsboro Area Transfer Station, Casella Waste Systems, Inc. (P. O. Box 866, Rutland, VT 05702). Application for modification of existing transfer station located in Delmar Township, **Tioga County** received in the Regional Office on August 13, 1997.

A. 101217. Wellsboro Area Transfer Station, Casella Waste Management Inc. (16 State St., Montpelier, VT 05602). Application for change of ownership/permit reissuance for transfer station located in Delmar Township, **Tioga County**, received in the Regional Office on April 24, 1997 and deemed administratively complete on August 12, 1997.

PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE

INFECTIOUS OR CHEMOTHERAPEUTIC WASTE

Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Bridgeview, Inc., R. R. 1, Box 364, Chestnut Hill Road, Morgantown, PA 19543; Shawn Netterville, Director of Transportation; License No. **PA-HC 0084**; renewal application received on August 5, 1997.

Bio-Haz Solutions, Inc., 3157 Pelham Place, Doylestown, PA 18901; David Hellar, Secretary/Treasurer; License No. **PA-HC 0191**; renewal application received on August 12, 1997.

Sanford Motors, Inc., 1307 South Pennsylvania Avenue, Morrisville, PA 19067; Craig P. Sanford, President; License No. **PA-HC 0122**; renewal application received on August 13, 1997.

T. J. Egan & Company, Inc., 5 Lawrence Street, Bloomfield, NJ 07003; James M. Egan, President; License No. **PA-HC 0079**; renewal application received on August 15, 1997.

AIR POLLUTION

OPERATING PERMITS

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

Operating Permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

40-318-049: The Department intends to issue an operating permit to **Modern Plastics Corporation** located in the City of Wilkes-Barre, **Luzerne County** for two spray booths with panel filters.

48-307-058: The Department intends to issue an operating permit to **Centec Corporation** located in the City of Bethlehem, **Northampton County** for a grit blast room with baghouse.

66-315-033: The Department intends to issue an operating permit to **Procter & Gamble Paper Products** located in Washington Township, **Wyoming County** for a diaper production line with baghouse.

Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4587.

07-308-006A: The Department intends to issue an operating permit to **Amerway, Inc.** (3701 Beale Avenue, Altoona, PA 16601) for a tin/lead solder secondary processing facility controlled by a drop-out box and a fabric collector located in the City of Altoona, **Blair County**.

31-303-005: The Department intends to issue an operating permit to **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) for a relocatable batch asphalt plant controlled by a cyclone, in series with a fabric collector, at their Tyrone Blacktop Plant in Warriors Mark Township, **Huntingdon County**. The source is subject to 40 CFR 60, Subpart I, Standards of Performance for New Stationary Sources.

67-318-119: The Department intends to issue an operating permit to **Blockhouse Furniture** (P. O. Box 370, Red Lion, PA 17356) for a surface coating operation at their facility located at 3285 Farmtrail Road, Manchester Township, **York County**.

Northcentral Regional Office: Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.

OP-41-0005A: The Department intends to issue an operating permit to **Transcontinental Gas Pipe Line Corporation** (P. O. Box 1396, Houston, TX 77251-1396) for the operation of three 2050 horsepower natural gas fired reciprocating engines at Station 520 in Mifflin Township, **Lycoming County**.

41-309-003B: The Department intends to issue an operating permit to **Milestone Materials, Inc.** (P. O. Box 231, Easton, PA 18044-0231) for the operation of an agricultural limestone pulverizing system and associated air cleaning device (a fabric collector) at the Pine Creek Quarry in Limestone Township, **Lycoming County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

63-311-006: The Department intends to issue an Air Quality Operating Permit to **Davison Sand & Gravel Company, Inc.** (400 Industrial Boulevard, New

Kensington, PA 15068) for a concrete production and distribution facility at its Charleroi Plant located in Charleroi Borough, **Washington County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

20-313-021: The Department intends to issue an operating permit to **Lord Corporation** (P. O. Box 556, Saegertown, PA 16433) for the operation of a rotary filter and vacuum pump at Saegertown, **Crawford County**.

24-308-001: The Department intends to issue an operating permit to **SGL Carbon Corp.** (900 Theresia Street, St. Marys, PA 15857) for the operation of 10 graphite purification furnace and fume scrubber at St. Marys, **Elk County**.

37-307-039: The Department intends to issue an operating permit to **Reactive Metals & Alloys Corp.** (P. O. Box 366, West Pittsburg, PA 16160) for the operation of four induction furnaces at Taylor Township, **Lawrence County**.

37-318-023: The Department intends to issue an operating permit to **East Manufacturing Corp.** (40 Furnace Street, New Castle, PA 16101) for the operation of three paint booths and a dry filter bank at New Castle, **Lawrence County**.

37-399-004A: The Department intends to issue an operating permit to **New Castle Industries** (P. O. Box 7359, New Castle, PA 16107) for the operation of four chrome plating tanks and composite mesh-pad system at New Castle, **Lawrence County**.

42-322-001: The Department intends to issue an operating permit to **McKean County Solid Waste Authority** (P. O. Box 448, Mt. Jewett, PA 16740) for the operation of a landfill gas extraction systems and flare at Sergeant Township, **McKean County**.

43-308-009: The Department intends to issue an operating permit to **Cobra Metals, Inc.** (4100 Congress Parkway, West, Richfield, OH 44286) for the operation of a smelting furnaces and afterburner baghouse at Pymatuning Township, **Mercer County**.

62-312-035: The Department intends to issue an operating permit to **United Refining Company** (P. O. Box 780, Warren, PA 16365) for the operation of an oil heater at Warren, **Warren County**.

PA-10-298A: The Department intends to issue an operating permit to **ESM II, Incorporated** (1161 Pittsburgh Road, Valencia, PA 16059) for the operation of two magnesium hammermills and cyclone at Clinton Township, **Butler County**.

PA-24-022A: The Department intends to issue an operating permit to **St. Marys Carbon Co.** (1939 State Street, St. Marys, PA 15857) for the operation of a continuous furnace at St. Marys, **Elk County**.

PA-33-116A: The Department intends to issue an operating permit to **Plunkett Webster Dry Kiln, Inc.** (R. D. 3, Box 182, Brookville, PA 15825) for the operation of a wood burning steam boiler and multicyclone at Oliver Township, **Jefferson County**.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities

subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permits).

Copies of the Title V application, proposed permit and other relevant information are available for public inspection and additional information may be obtained by contacting the regional office noted below.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Southeast Regional Office: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Attn: Edward Brown, (610) 832-6242.

46-00006: Allegro MicroSystems, W. G., Inc. (3900 Welsh Road, Willow Grove, PA 19090), located in Upper Moreland Township, **Montgomery County**. The facility is primarily used for manufacturing silicon-based integrated circuits. The facility's major air emission points include: a manufacturing line, boilers and emergency services equipment, which emit major levels of Volatile Organic Compounds (VOCs).

15-00033: Department of Public Welfare—Embreeville Center (1822 W. Strausburg Road, Coatesville, PA 19230) located in West Bradford Township, **Chester County**. The facility is primarily used to secure housing for learning disabled juveniles. The facility's major air emissions include three boilers and numerous emergency electrical generators and heaters which emit major levels of Sulfur Oxides.

46-00061: Pennsylvania Department of Corrections—Graterford Facility (Route 29, Graterford, PA 19426) located in Skippack Township, **Montgomery County**. The facility is primarily used to house convicted felons. The facility's major air emissions include four boilers which emit major levels of Nitrogen Oxides (NOx), Sulfur Oxides (SOx) and Total Suspended Particulate Matter (TSP).

09-00011: Perkasio Industries Corporation (50 E. Spruce Street, Perkasio, PA 18944) located in Perkasio Borough, **Bucks County**. The facility is a manufacturer of fluorescent lighting fixtures and related products. The facility's major air emissions include four coating line spray booths, oven and heaters which emit major levels of Volatile Organic Compounds (VOCs).

46-00082: Stabilus (92 County Line Road, Colmar, PA 19230) located in Montgomery Township, **Montgomery County**. The facility is primarily used for coating of automotive parts and accessories. The facility's major air emission points include a coating and painting system, which emits major levels of Volatile Organic Compounds (VOCs).

Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, Attn: Kanubhai L. Patel, (717) 657-4587.

22-05013: Metal Industries, Inc. of California (P. O. Box 100A, Millersburg, PA 17061) located in Upper Paxton Township, **Dauphin County**. The facility's major sources of emissions include surface coating which primarily emit VOCs.

36-05031: Bollman Hat Company, Willow Street Plant (110 E. Main Street, Adamstown, PA 19501) located in Adamstown Borough, **Lancaster County**. The facility's major source is a hat dipping and drying operation which primarily emit VOC.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Attn: Mark Wayner, (412) 442-4161.

20-00265: GPU Generation, Inc.—Wayne Station (1001 Broad Street, Johnstown, PA 15097, Attn. Timothy E. McKenzie) located in Wayne Township, **Crawford County**. The facility's major sources include a combustion turbine. The facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments due to the facility's potential to emit of Nitrogen Oxides.

30-00109: Equitrans, Inc., Rogersville Station (3500 Park Lane, Pittsburgh, PA 15275) located in Center Township, **Greene County**. The facility's major source of emissions include one natural gas engine and three natural gas turbine units which primarily emit NOx.

65-00622: General Carbide Corporation, Greensburg Plants (3) (P. O. Box C, Greensburg, PA 15601-0076) located in Hempfield Township, **Westmoreland County**. The facility's major source of emissions include (15) ball mills which mix the carbide in a slurry formation and (11) dryers. Both of these processes use heptane which is a VOC and these processes have the potential of emitting more than 50 tons of VOCs.

65-00839: Texas Eastern Transmission Corporation, Delmont Station (P. O. Box 1642, Houston, TX 77251) located in Salem Township, **Westmoreland County**. The facility's major source of emissions include various sources of natural gas combustion which includes engines, turbines and generators. These sources primarily emit NOx.

65-00837: Consolidated Natural Gas Transmission Corporation, Oakford Compressor Station (Mail Drop 5-2, 625 Liberty Avenue, Pittsburgh, PA 15222) located in Salem Township, **Westmoreland County**. The facility's major source of emissions include 20 internal combustion engines and other combustion sources as well as several storage tanks which primarily emit NOx and VOCs.

PLAN APPROVALS

Plan Approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

39-304-009B: Installation of eight grinders and one cutter with cart filter at **Ransom Industries, Inc.** located in Macungie Borough, **Lehigh County**.

40-318-050: Installation of four paint spray booths with panel filters at **Quality Collision Inc.** located in Dallas Township, **Luzerne County**.

45-318-016A: Installation of an alumitek finish operation with filters at **Transistor Devices Inc.** located in Stroudsburg Borough, **Monroe County**.

45-318-025B: Installation of plating lines with scrubbers at **Instrument Specialties Co.** located in Delaware Water Gap Boro, **Monroe County**.

48-302-097G: Installation of a 150 HP Superior Boiler (natural gas) at **Binney & Smith Inc.** located in Forks Township, **Northampton County**.

54-302-034A: Installation of a #4 CB Boiler (D60) (#6 fuel oil) at **Guilford Mills, Inc.** located in Pine Grove Borough, **Schuylkill County**.

Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4587.

28-318-036: Installation of a spray paint booth by **Appalachian Mill Collection** (11437 Church Hill Road, Mercersburg, PA 17236) in Mercersburg Borough, **Franklin County**.

36-310-074: Installation of a new portable crushing plant at an existing quarry by **Martin Limestone, Inc.** (P. O. Box 550, Blue Ball, PA 17505-0550) in East Cocalico Township, **Lancaster County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

Northcentral Regional Office: Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.

41-309-004: Installation of an air cleaning device (a fabric collector) on an agricultural limestone production facility by **P Stone, Inc.** (P. O. Box 254, Jersey Shore, PA 17740) in Limestone Township, **Lycoming County**.

08-313-003C: Installation of a replacement air cleaning device (a packed bed scrubber) on various pieces of phosphor processing equipment by **OSRAM SYLVANIA Products, Inc.** (Hawes Street, Towanda, PA 18848-0504) in Department 022, Building 10, North Towanda Township, **Bradford County**.

59-304-007A: Installation of an air cleaning device (a cartridge collector) on five casting cleaning machines by **Ward Manufacturing, Inc.** (P. O. Box 9, Blossburg, PA 16912-0009) at Plant 3 in Blossburg Borough, **Tioga County**.

REASONABLY AVAILABLE CONTROL TECHNOLOGY

(RACT)

Proposed Revision to the State Implementation Plan for Oxides of Nitrogen (NOx) and Volatile Organic Compounds (VOC); Public Hearing

Approval of Reasonably Available Control Technology (RACT) Plans for:

Allegro Microsystems W. G., Inc. (Upper Moreland Township, Montgomery County)

Waste Management Disposal Services of PA, Inc. (Pottstown Landfill), (West Pottsgrove Township, Montgomery County)

Rhone-Poulenc Rorer, Inc. (Upper Providence Township, Montgomery County)

Hale Products, Inc. (Conshohocken Borough, Montgomery County)

Fres-Co System USA, Inc. (West Rockhill Township, Bucks County)

Uniform Tubes, Inc. (Trapper Borough, Montgomery County)

Fibre-Metal Products Company (Concord Township, Delaware County)

Ortho-McNeil Pharmaceutical (Lower Gwynedd Township, Montgomery County)

Monsey Products Company (East Pikeland Township, Chester County)

Pierce & Stevens Corporation (East Pikeland Township, Chester County)

Kimberly-Clark Tissue Company (City of Chester, Delaware County)

The Department of Environmental Protection has made

a preliminary determination to approve RACT plans as amendments to the State Implementation Plan (SIP) for the above facilities. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

These preliminary determinations, if finally approved, will be incorporated into Plan Approval(s) and/or Operating Permit(s) for the facilities and will be submitted to the United States Environmental Protection Agency (EPA) as revisions to Pennsylvania's SIP.

The following is a summary of the preliminary RACT determinations for these facilities:

Allegro Microsystems W. G., Inc. (Operating Permit OP-46-0006)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Integrated Circuit Manufacturing	51.3	Recordkeeping	Implemented

This facility will maintain limitations required for it to become a Synthetic Minor for NOx.

Waste Management Disposal Services of PA, Inc. (Pottstown Landfill) (Operating Permit OP-46-0033)

<i>Source</i>	<i>Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
One Enclosed Flare	5.29 VOC 80.95 NOx	Manufacturer Specifications	Implemented
Two Turbines	2.09 VOC (each) 24.77 NOx (each)	Manufacturer Specifications	Implemented
Landfill	90% VOC Collection 98% VOC Removal	Landfill Gas Collection and Removal	Implemented

Rhone-Poulenc Rorer, Inc. (Operating Permit OP-46-0048B)

<i>Source</i>	<i>Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Research Lab	8.14 VOC	Recordkeeping	Implemented
Facility Boilers	135 NOx	Presumptive	Implemented

Hale Products, Inc. (Operating Permit OP-46-0057)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Foundry	38.1	Material Substitution	Implemented

This facility is not a major NOx emitter.

Fres-Co System USA, Inc. (Operating Permit OP-09-0027)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Ink Mixing	5	Good Housekeeping	90 days from issuance
Four Bag Machines	11	Manufacturer Specifications	90 days from issuance
Cleaning and Degreasing	2.7	De Minimis	90 days from issuance

This facility is not a major NOx emitter.

Uniform Tubes, Inc. (Operating Permit OP-46-0046a)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Degreasers	55	Presumptive	Implemented
Coating and Lubrication	18.5	Best Management Practices	Implemented
Methanol Dewatering	7.8	Best Management Practices	Implemented

This facility is not a major NOx emitter.

Fibre-Metal Products Company (Operating Permit OP-23-0025)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Safety Products Mfg.	140	Recordkeeping, Maintenance and Inspection Procedures	Implemented

This facility is not a major NOx emitter.

Ortho-McNeil Pharmaceutical (Operating Permit OP-46-0027)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Capsule Coating	50	Recordkeeping, Maintenance and Inspection Procedures	Implemented

This facility will meet the presumptive NOx requirements of section 129.93.

Monsey Products Company (Operating Permit OP-15-0031)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Coating Mixing Tanks	75.0	Tank Covers, Recordkeeping	Implemented

Facility also includes miscellaneous storage tanks and is not a major NOx emitter.

Pierce & Stevens Corporation (Operating Permit OP-15-0011)

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Coating and Adhesive Mixers	56.7	Condenser	Implemented

This facility is not a major NOx emitter.

Kimberly-Clark Tissue Company (Operating Permit OP-23-0014A)

<i>Source</i>	<i>Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Two Fire Pumps	3.44 NOx Total	Manufacturers Specifications	Implemented
Paper Machine 8	72.06 VOC	Good Operating Practices	Implemented
Paper Machine 10	68.88 VOC	Good Operating Practices	Implemented
Paper Machine 12	110.91 VOC	Good Operating Practices	Implemented
Paper Machine 14	16.42 VOC	Good Operating Practices	Implemented
Paper Machine 16	65.46 VOC	Good Operating Practices	Implemented
Paper Machine 17	125.83 VOC	Good Operating Practices	Implemented
Paper Machine 18	79.12 VOC	Good Operating Practices	Implemented
Paper Machine 19	13.79 VOC	Good Operating Practices	Implemented
Pulp Brightening	28.96 VOC	Good Operating Practices	Implemented

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions. The hearing will be held at 2 p.m. on October 3, 1997 at the Department of Environmental Protection Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to DEP on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to comment should send their written comments to Francine Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before October 3, 1997.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for review at the Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6003.

MINING**APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES****MINING ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received:

11920104. Permit renewal, **K & J Coal Company, Inc.** (P. O. Box 189, Westover, PA 16692), commencement, operation and restoration of bituminous strip mine in Chest and Chest Townships; Westover Boro, **Cambria and Clearfield Counties**, affecting 135.0 acres, receiving stream discharge to unnamed tributary to/and Chest Creek, application received August 7, 1997.

1-02154-56860104-07. Stream encroachment, **Action Mining, Inc.** (1117 Shaw Mines Road, Meyersdale, PA 15552-7228), is requesting permission to relocate a section of an unnamed tributary to Bear Run. The proposed variance area begins approximately 260 feet upstream of the confluence of the unnamed tributary to Bear Run

with Bear Run, and extends upstream from this point approximately 100 feet. Application received August 2, 1997.

56920107. Permit renewal, **Laura D. Coal, Inc.** (P. O. Box 188, Jennerstown, PA 15547), commencement, operation and restoration of bituminous strip mine in Jenner Township, **Somerset County**, affecting 36.6 acres, receiving stream discharge to unnamed tributaries to Quemahoning Creek, application received August 14, 1997.

McMurray District Office

56841604. **Genesis, Inc. d/b/a Meadow Run Genesis, Inc.** (P. O. Box 317, Stoystown, PA 15563), to revise the permit for the Jenner Prep Plant in Jenner Township, **Somerset County** to post mining land use as part of previously accepted transfer application, no additional discharge. Application received August 1, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54921031R. **M & H Coal Company** (P. O. Box 559, Hegins, PA 17938), renewal of an existing anthracite deep mine operation in Frailey Township, **Schuylkill County** affecting 8.7 acres, receiving stream Middle Creek. Application received August 4, 1997.

49971301. **F. K. & Z. Coal Inc.** (119 Greenwood Street, Trevorton, PA 17881), commencement, operation and restoration of an anthracite underground mine operation in Mt. Carmel Township, **Northumberland County**, affecting 5.0 acres, receiving stream Locust Creek. Application received July 18, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Received

5273SM2C2. **Milestone Materials, Inc.** (1900 Sulivan Trail, P. O. Box 231, Easton, PA 18044-0231), correction to an existing quarry operation in Thornbury and Middletown Township, **Delaware County** affecting 245.4 acres, receiving stream Chester Creek. Application received August 1, 1997.

15830602C. **Devault Crushed Stone Co.** (P. O. Box 98, 1805 Berks Road, Worchester, PA 19490), correction to an existing quarry operation to add stone washers in Charlestown Township, **Chester County** affecting 79.5 acres, receiving stream unnamed tributary to Pickering Creek. Application received August 1, 1997.

58920301C. **New Milford Sand & Gravel, Inc.** (R. R. 2, Box 231, New Milford, PA 18834), correction to an existing quarry operation in New Milford Township, **Susquehanna County** affecting 131.0 acres, receiving stream Beaver Creek and unnamed tributary to Beaver Creek. Application received August 4, 1997.

06970302. **Haines & Kibblehouse, Inc.** (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474), commencement, operation and restoration of a Shale Quarry in Robeson and Union Townships, **Berks County**, affecting 289.6 acres, receiving stream Hay Creek to Schuylkill River (includes a stream variance). Application received August 8, 1997.

ABANDONED MINE RECLAMATION

Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA 17105-8476.

Under Act 181 of 1984, the Department of Environmental Protection gives notice of an unsolicited proposal received from Milestone Crushed Corporation, Clarion,

PA, to reclaim an abandoned surface mine in Perry Township, Clarion County. The Department intends to enter into negotiations with Milestone Crushed Corporation to contract for site reclamation, if funding is available.

The project, CS 94-65, involves reclamation of the area mined by AH-RS Coal Corporation where bonds were forfeited by the Department under Permit Number MDP 3672BSM1.

Milestone Crushed Corporation proposes to backfill, regrade and revegetate 30.4 acres. All areas will be regraded to promote surface drainage and provide integration with surrounding unmined areas.

Interested parties should send comments to Richard L. Joyce, Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA no later than 4 p.m., September 29, 1997.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection.

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-550. Encroachment. **Gary R. Green**, YMCA of Central Chester County, 1 East Chestnut St., West Chester, PA 19380. To remove a reinforced concrete footbridge, and to construct and maintain a prefabricated steel arch bridge with concrete footings and structural plate headwalls at this location, and to construct and maintain two stormwater outfalls within wetlands along the East Branch of the Red Clay Creek (TSF) associated with the construction of the Central Chester County

YMCA Facility. The site is located just north of the intersection of East Cypress Street (S. R. 3046) and Race Street (Kennett Square), PA-DEL USGS Quadrangle N: 17.7 inches; W: 11.4 inches) in Kennett Square Borough, **Chester County**.

E46-782. Encroachment. **Upper Merion Township**, 175 West Valley Forge Rd., King of Prussia, PA 19406. To encroach on approximately 1,080 linear feet of Abrams Run (WWF) (a.k.a. East Branch Crow Creek) and the 100-year floodway to rehabilitate and stabilize an eroded streambed and streambank, and protect an existing sanitary sewer line situated along the western side of the stream bank. The proposed project will include the following activities:

1. The installation of approximately 400 linear feet of 1.5 to 5.6-foot high gabion retaining walls along both sides of the stream channel, beginning at the upstream face of an existing 16.5-foot by 5-foot box culvert situated beneath Kingwood Road.
2. The placement of riprap erosion protection with filter stone or erosion control blanket along the streambed and within a 100-year floodway of the stream.
3. The installation of a Reno mattress blanket at the downstream end of an existing 48-inch diameter CMP culvert situated beneath the Conrail Railroad tracks.
4. The removal of a gravel bar along the streambed along with slight channel realignment.

The project site is located between Kingwood Road and Conrail Railroad tracks, approximately 1000 feet southeast from the intersection of the De Kalb Pike (U. S. Route 202) and Pennsylvania Turnpike (Norristown, PA Quadrangle N: 15.6 inches; W: 17.4 inches) in Upper Merion Township, **Montgomery County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

Permit No. E13-103. Encroachment. **Hauto Valley Estates, Inc.**, One Industrial Complex, Nesquehoning, PA 18240, to place fill in 0.40 acre of wetlands (PEM) for the expansion of a commercial development. The project is located northeast of the intersection of Angelina Avenue and Nesquehoning Creek, approximately 0.6 mile northeast of the intersection of S. R. 0209 and S. R. 0054 (Nesquehoning, PA Quadrangle N: 21.2 inches; W: 8.2 inches) in Nesquehoning Borough, **Carbon County** (Philadelphia District, Army Corps of Engineers).

Permit No. E48-261. Encroachment. **Lehigh University—Facilities Services**, 461 Webster Street, Bethlehem, PA 18015. To construct and maintain two 72-inch diameter CMP culverts in two tributaries to Saucon Creek (CWF). This work is associated with the proposed realignment of Seidersville Road to correct deficient roadway geometry and improve access to the southern campus from S. R. 0078. The project is located at Lehigh University between South Mountain Drive and S. R. 0412 (Hellertown, PA Quadrangle N: 16.7 inches; W: 15.0 inches) in the City of Bethlehem and Lower Saucon Township, **Northampton County** (Philadelphia District, Army Corps of Engineers).

Permit No. E54-239. Encroachment. **Mountain Valley, Inc.**, P. O. Box 179, Mahanoy City, PA 17948. To construct and maintain an elevated boardwalk across PEM wetlands, 10 feet wide by 250 feet long to be used by golf carts at the Mountain Valley Golf Course. This project is located between Interstate 81 and S. R. 1006 (Burma Road), 200 feet south of S. R. 1011 (Shenandoah,

PA Quadrangle N: 7.5 inches; W: 1.0 inches) in Ryan Township, **Schuylkill County** (Baltimore District, Army Corps of Engineers).

Permit No. E66-115. Encroachment. **Richard N. Brewer**, R. R. 3, Box 173A, Tunkhannock, PA 18657. To place fill in approximately 0.17 acre of PSS wetlands for the purpose of providing buildable area for a proposed healthcare professional office building. The project is located on the west side of S. R. 0006, just north of the intersection of S. R. 0006 and Township Road T430 (Tunkhannock, PA Quadrangle N: 12.4 inches; W: 12.2 inches) in Tunkhannock Township, **Wyoming County** (Baltimore District, Army Corps of Engineers).

Southwest Regional Office: Soils & Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

E02-1199. Encroachment. **Thomas Builders Inc.**, 103 Warlington Circle, McMurray, PA 15317. To construct and maintain (3) 10' x 32' conspan arches over McLaughlin Run (WWF) for the purpose of accessing a proposed assisted living facility located on the southwest side of McLaughlin Run Road (SR 3004) approximately 2,800 feet north of its intersection with McMillan Road (Bridgeville, PA Quadrangle N: 18.4 inches; W: 12.1 inches) in Upper St. Clair Township, **Allegheny County**.

E02-1200. Encroachment. **Rebecca Residence**, 900 Rebecca Avenue, Pittsburgh, PA 15221. To place and maintain fill in 0.19 acre of wetlands (PEM) and temporarily in less than 0.01 acre of wetlands (PEM) for the purpose of constructing an assisted living/care facility along the north side of Cedar Ridge Road approximately 2,400 feet west of its intersection with SR 910 (Glenshaw, PA Quadrangle N: 18.8 inches; W: 3.1 inches) in West Deer Township, **Allegheny County**.

E02-1201. Encroachment. **Moon Transportation Authority**, 1000 Beaver Grade Road, Moon Township, PA 15108. To place and maintain fill in 0.25 acre of wetland (PEM) for the purpose of relocating Cliff Mine Road to reduce traffic congestion. The project is located along Cliff Mine Road between its intersection with Thorn Run Road Extension and Coraopolis Carnot Road/Beaver Grade Road (Ambridge, PA Quadrangle N: 0.3 inch; W: 11.1 inches) in Moon Township, **Allegheny County**.

E02-1202. Encroachment. **Allegheny County Commissioners**, 501 County Office Building, 542 Forbes Avenue, Pittsburgh, PA 15219. To construct and maintain a 7' x 34" long culvert, attaching it to existing enclosure, in Campbells Run (WWF) for the purpose of protecting roadway embankment on south side of Campbells Run Road approximately 1,200 feet northwest of its intersection with McMichaels Road (Oakdale, PA Quadrangle N: 11.2 inches; W: 3.2 inches) in Robinson Township, **Allegheny County**.

E30-181. Encroachment. **Greene County Commissioners**, 93 East High St., Waynesburg, PA 15370. To remove existing structure known as Bridge No. 68 and to construct and maintain a single span 60-foot bridge with an underclearance of 8.2 feet over the PA Fork of Fish Creek (WWF) located on TR 345 approximately 150 feet from its intersection with SR 3010 (Hundred, WV-PA Quadrangle N: 22.15 inches; W: 17.1 inches) in Springhill Township, **Greene County**.

E32-386. Encroachment. **PA Dept. of Transportation**, P. O. Box 429, Indiana, PA 15701. To place and maintain fill in 0.11 acre of palustrine emergent wetlands for the purpose of restoring and upgrading 1.9 miles of existing highway located along SR 0119 from the Village

of Barton and extending north 1.9 miles (Marion Center, PA Quadrangle N: 10.5 inches; W: 7.5 inches) in East Mahoning Township, **Indiana County**. Mitigation of wetland loss will include 105.0' of bank stabilization of an unnamed tributary of Pickering Run and reclamation of 0.12 acre of wetland by removal of abandoned roadway.

E63-437. Encroachment. **Jeffrey A. and Sue A. Blackhurst**, 196 Fischer Road, Washington, PA 15301-9589. To construct and maintain a 14' long, 60' span bridge with 4.6' of underclearance over Little Chartiers Creek (HQ-WWF) for the purpose of providing access to a private residence located along the north side of Ross Road, approximately 0.5 mile north east of the intersection of Ross Road and Linden Road (Washington East, PA Quadrangle N: 19.1 inches; W: 0.6 inch) in North Strabane Township, **Washington County**.

E63-438. Encroachment. **PA Dept. of Transportation**, P. O. Box 459, Uniontown, PA 15401. To remove the existing structure and to construct and maintain a spread box beam bridge having a normal span of 25.0' and a minimum underclearance of 5.8' over an unnamed tributary to Peters Creek (TSF). The project is located along SR 1006 (Washington Avenue) 1,500' west of its intersection with SR 0088 (Glassport, PA Quadrangle N: 0.8 inch; W: 16.9 inches) in Finleyville Borough, **Washington County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E24-203. Encroachment. **Ridgway Township Supervisors**, Ridgway Drive, Ridgway, PA 15853. To remove the existing single land bridge and to construct and maintain a single cell concrete box culvert measuring 20 feet wide by 6 feet high on T-351 across Little Mill Creek (HQ-CWF). The box culvert will be depressed into the streambed approximately 1.5 feet to allow unrestricted access by aquatic organisms. This project will also include placement and maintenance of a gabion basket retaining wall measuring 9 feet high by 75 feet long on the western approach to protect the roadway T-351. The placement of the box culvert and associated approach work will include a de minimis wetland impact. The project is located on T-351 approximately 1,300 feet east of the intersection of T-351 and SR 4003 (Trambine Road) (Wilcox, PA Quadrangle N: 0.25 inches; W: 14.3 inches) located in Ridgway Township, **Elk County**.

E25-555. Encroachment. **Erie-Western Pennsylvania Port Authority**, 17 West Dobbins Landing, Erie, PA 16507-1424. To construct and maintain a pedestrian overpass connecting West Dobbins Landing with the "Sand Dock" associated with the Sassafras Street Dock across the Western Canal Basin located in Presque Isle Bay, Lake Erie. The overpass is a steel through truss bridge with a clear span of 114 feet, a width of 10 feet, and an underclearance of 64 feet above the average Lake Erie elevation (572.8 feet IGLD). The project is located on the western end of Dobbins Landing (Public Dock) at the north terminus of State Street in the City of Erie (Erie North, PA Quadrangle N: 2.0 inches; W: 12.7 inches) located in City of Erie, **Erie County**.

E25-556. Encroachment. **David E. and Rosemary A. Sarra**, 8563 Skinner Road, McKean, PA 16426-1132. To remove existing concrete block stream bank retaining wall and to construct and maintain a concrete block stream bank retaining wall measuring approximately 300 feet in length and 10 feet high along Elk Creek (CWF, MF, Trout Stocked). The project is located along the north

stream bank of Elk Creek adjacent to and located on the Sarra's property approximately 1,400 feet east of the intersection of Rick Road and Skinner Road. This project will also utilize a temporary stream diversion to allow for placement of the wall under low flow conditions (Swanville, PA Quadrangle N: 0.5 inch; W: 6.1 inches) located in McKean Township, **Erie County**.

E43-252A. Encroachment. **George Kraynak**, 2525 East Street, Hermitage, PA 16148. To amend DEP Permit No. E43-252 to straighten approximately 130 feet of the channel of Magargee Run extending upstream from the permitted 20-foot wide by 4-foot high concrete box culvert on a private driveway approximately 250 feet upstream of S. R. 62 and 2,000 feet east of Neshannock Road (Sharon East, PA Quadrangle N: 20.3 inches; W: 2.2 inches) located in the City of Hermitage, **Mercer County**.

E61-210. Encroachment. **National Fuel Gas Supply Corporation**, 1100 State Street, Erie, PA 16501. To remove existing 48-inch culvert, to remove existing dam measuring 2 feet in height and 20 feet in length, to remove existing steel open deck bridge, and to construct and maintain a prefabricated steel superstructure/wooden deck bridge with a clear span of 40 feet across South Sandy Creek (CWF, wild trout). This project will also include the establishment of a new stream channel (approximately 80 linear feet) along the alignment of the existing 48-inch culvert. The project is located on South Sandy Creek at Henderson Station approximately 1.86 miles south of the intersection of S. R. 0965 and Henderson Station Road (T-300) (Polk, PA Quadrangle N: 18.2 inches; W: 16.2 inches) located in Mineral Township, **Venango County**.

DAM SAFETY

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D46-322. Dam. **West Norriton Township Municipal Authority** (1634 West Marshall Street, Jeffersonville, PA

19403). To modify, operate and maintain a dam located across a tributary to Indian Creek (WWF) in West Norriton Township, **Montgomery County**. The modifications to the dam will improve access to a proposed sanitary sewage pumping station.

ENVIRONMENTAL ASSESSMENT

Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

EA09-013C0. Environmental Assessment. **Trueblood Construction Company** (904 Sumneytown Pike, Springhouse, PA 19477). To construct and maintain two nonjurisdictional dams in the watershed of a Tributary to Jericho Creek (WWF) impacting approximately 0.14 acre of wetlands (PEM) for the purpose of stormwater management at the proposed Ely Farm subdivision located approximately 2,200 feet northeast of the intersection of Woodhill Road (T-367) and Slack Road (T-384) (Lambertville, PA-NJ Quadrangle N: 8.85 inches; W: 4.20 inches) in Upper Makefield Township, **Bucks County**. The applicant has proposed making a contribution to the Pennsylvania Wetland Replacement Project as compensatory mitigation for wetland impacts.

D24-012EA. Environmental Assessment. **Willamette Industries, Inc.** (100 Center Street, Johnsonburg, PA 15845). To breach and remove a run-of-river intake dam at Willamette Industries, Penntech Papers, for the purpose of restoring the East Branch Clarion River (HQ-CWF) to a free-flowing condition. The dam is located approximately 100 feet downstream of the S. R. 219 bridge across the East Branch Clarion River (Ridgway, PA Quadrangle N: 21.25 inches; W: 7.30 inches) in Johnsonburg Borough, **Elk County**.

EA36-010C0. Environmental Assessment. **Frey Dairy Farm Inc.** (2646 River Road, Conestoga, PA 17516). To construct and maintain a nonjurisdictional dam across a Tributary to Manns Run (WWF) impacting approximately 0.1 acre of wetlands (PEM) for the purpose of recreation located approximately 1,500 feet west of the intersection of River Road (S. R. 3030) and Letort Road (S. R. 3032) (Safe Harbor, PA Quadrangle N: 15.6 inches; W: 9.5 inches) in Manor Township, **Lancaster County**.

EA46-029C0. Environmental Assessment. **Guidi Homes, Inc.** (1301 S. Bethlehem Pike, Ambler, PA 19002). To construct and maintain a nonjurisdictional dam across a tributary to Wissahickon Creek (TSF) impacting approximately 0.19 acre of wetlands (PSS) for the purpose of stormwater management at the proposed Gwyn Crest subdivision located approximately 1,700 feet south of the intersection of Swedesford Road and Sumneytown Pike (Lansdale, PA Quadrangle N: 13.5 inches; W: 1.3 inches) in Lower Gwynedd Township, **Montgomery County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

EA40-004NE. Environmental Assessment. **Luzerne County Flood Protection Authority**, Luzerne County Courthouse, 200 North River Street, Wilkes-Barre, PA 18711-1001. To remove the abandoned Delaware and Hudson Railroad Bridge across the Susquehanna River

(WWF). The bridge piers will be removed down to existing channel bed elevation. The project includes excavation/regrading along approximately 700 linear feet of the right bank and approximately 250 linear feet of the left bank, in the vicinity of the removed abutments/approaches, for the purpose of restoring the channel cross-section. The bridge is located approximately 1 mile upstream of the S. R. 2005 bridge (Wilkes-Barre West, PA Quadrangle N: 21.9 inches; W: 5.9 inches), in Wilkes-Barre City and Larksville Borough, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Manager; Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit No. PA 0026859. Sewage, **City of Coatesville Authority**, 114 East Lincoln Highway, Coatesville, PA 19320, **Chester County**.

The following notice reflects changes to the notice published in the June 21, 1997, *Pennsylvania Bulletin*:

Monitoring requirements for total copper have been added to Outfall 001.

Permits Issued

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. PA0096130. Sewage, **Nemacolin, Inc.**, 803 Pershing Boulevard, P. O. Box 117, Nemacolin, PA 15351 is authorized to discharge from a facility located at Nemacolin, Inc. Sewage Treatment Plant, Cumberland Township, **Greene County** to Monongahela River.

NPDES Permit No. PA0205869. Sewage, **West Branch Sewer Authority**, P. O. Box 278, Barnesboro, PA 15714 is authorized to discharge from a facility located at West Branch Sewer Authority STP, Susquehanna Township, **Cambria County** to west branch Susquehanna River.

Permit No. 6593401. Sewerage, **Derry Township Municipal Authority**, P. O. Box 250, New Derry, PA 15671. Construction of Sanitary Sewers, Pump Station, Force Main located in the Township of Derry, **Westmoreland County** to serve the Elmadale, Oaklawn, Route 217 SS + ps.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0100129. Sewage, **Seneca Hills Bible Conference**, Box 288, Franklin, PA 16323 is authorized to discharge from a facility located in Victory Township, **Venango County** to Sandy Creek.

NPDES Permit No. PA0101621. Industrial waste, **Bradford City Water Authority**, 28 Kennedy Street, Bradford, PA 16701 is authorized to discharge from a facility located in Bradford Township, **McKean County** to the West Branch of Tunungwant Creek.

NPDES Permit No. PA0101931. Sewage, **Jenks Township and Jenks Township Municipal Authority**, P. O. Box 436, 2 Pine Street, Marienville, PA 16239 is authorized to discharge from a facility located in Jenks Township, **Forest County** to an unnamed tributary to Salmon Creek (outfall 001) and West Branch Millstone Creek (outfall 002).

NPDES Permit No. PA0034061. Sewage, **Goddard Park Vacationland and Campground**, 867 Georgetown Road, Sandy Lake, PA 16145 is authorized to discharge from a facility located in Deer Creek Township, **Mercer County** to an unnamed tributary to Schofield Run.

NPDES Permit No. PA0006238—Amendment No. 2. Industrial waste, **Napco, Inc.**, McFann Road at Route 8, Valencia, PA 16059 is authorized to discharge from a facility located in Middlesex Township, **Butler County** to Glade Run. This notice reflects changes in the permit issued January 8, 1996.

Outfall No. 002

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow	monitor and report		
Oil and Grease	15		
Total Residual Chlorine	XX		
pH	6.0—9.0 at all times		

WQM Permit No. 1097406. Sewage. **Butler Country Club**, P. O. Box 348, Butler, PA 16003. This project is for the construction of flow equalization facilities at the existing sewage treatment plant in Penn Township, **Butler County**.

WQM Permit No. 2597414. Sewage. **Fairview Township Sewer Authority**, 7485 McCray Road, P. O. Box U, Fairview, PA 16415. This project is for installation of gravity sewers, a force main and submersible pump station to serve Fairview Industrial Park in Fairview Township, **Erie County**.

WQM Permit No. 2097407. Sewerage, **Mark and Karen Temel**, SRSTP, 7786 U. S. Highway 6, Conneaut

Lake, PA 16316. Construction of Mark and Karen Temel SRSTP located in Sadsbury Township, **Crawford County**.

INDIVIDUAL PERMITS (PAS)

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit No.	Applicant Name and Address	County and Municipality	Receiving Stream
PAS10-G249	P. Robert Keeley, Jr. 363 Brownbacks Church Road Spring City, PA 19475	East Nottingham Twp. Chester County	Unnamed Tributary to French Creek
PAS10-T074	Audubon Land Development Corporation 2620 Egypt Road Norristown, PA 19403	Lower Providence Township Montgomery County	Skippack Creek

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

NPDES Permit No.	Applicant Name and Address	County and Municipality	Receiving Stream
PAS10U065	Rondel Development Company 3200 Farmersville Road Bethlehem, PA 18017	Northampton Co. Plainfield Township	Tributary to Little Bushkill Creek

INDIVIDUAL PERMITS (PAR)

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge

or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

*List of NPDES and/or other
General Permit Type*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

*Facility Location
County and
Municipality*

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
PAR232234	Praxair Inc. 39 Old Ridgebury Road Danbury, CT 06817	Saucon Creek	Northeast Regional Office Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (717) 826-2554
PAR222207	Procter & Gamble Paper Products P. O. Box 32 Mehoopany, PA 18629	Carney Creek	Northeast Regional Office Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (717) 826-2554
PAR216143	National Gypsum Company 2001 Rexford Road Charlotte, NC 28211	Unnamed swale to the Ohio River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
PAR806180	Calgon Carbon Corporation P. O. Box 717 Pittsburgh, PA 15230-0717	Ohio River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
PAG048451	Mark and Karen Temel 7786 U. S. Highway 6 Conneaut Lake, PA 16316	Unnamed Tributary to Shenango River via Erie Extension Canal	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
PAG048443	Ross Cardas 188 Latonka Dr. Mercer, PA 16137	Lake Latonka	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
PAG048452	Eugene Cianci 185 Williamson Rd. Greenville, PA 16125-1143	Unnamed Tributary to Little Shenango River	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Oakdale Borough	PAG056107	Exxon Company, USA 2567 University Avenue, Suite 5008 Morgantown, WV 26505	Unnamed tributary of Robinson Run (a tributary of Chartiers Run)	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
York County York City	PAG-08-3501	York City Wastewater Treatment Plant 1701 Black Bridge Rd. York, PA 17402		DEP SCRO (717) 657-4590
Berks County City of Reading	PAG-08-3502	Joint Municipal Authority of Wyomissing Valley 701 Old Wyomissing Rd. Reading, PA 19611		DEP SCRO (717) 657-4590
York County New Kingstown	PAG-09-3501	Young's Sanitary Septic Service, Inc. P. O. Box 1921 New Kingstown, PA 17072		DEP SCRO (717) 657-4590
Franklin County Shippensburg	PAG-09-3502	Lamar K Wadel 6734 White Church Road Shippensburg, PA 17257		DEP SCRO (717) 657-4590
Blair County Martinsburg	PAG-09-3503	Jerry Widmann R. D. 2, Box 27D Martinsburg, PA 16662		DEP SCRO (717) 657-4590
Dauphin County Grantville	PAG-09-3504	Walters Septic Service 463 Manada Gap Road Grantville, PA 17028		DEP SCRO (717) 657-4590
Lebanon County Palmyra	PAG-09-3505	Jim's Septage Service, Inc. R. R. 3, Box 362 Palmyra, PA 17078		DEP SCRO (717) 657-4590

SEWAGE FACILITIES ACT

PLAN APPROVAL

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northcentral Regional Office: Department of Environmental Protection, Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-0530.

Location: Riverside Borough, **Northumberland County.**

Project Description: The approved update calls for construction of a new sewage collection system, pump station and force main to serve the **Sunny Acres/Blue Development** section of Riverside Borough. The project will allow the borough to abandon a local municipal treatment facility presently serving a portion of the Sunny Acres subdivision. The existing STP has had a lengthy history of providing inadequate treatment.

The new system will initially serve approximately 74 existing equivalent dwelling units from Sunny Acres and the Blue Development. The estimated 26,700 gallons per day of collected wastewater will be conveyed to the existing Riverside Borough collection system for conveyance of this flow to Danville for treatment. Capacity will be provided in the new sewer extension for future connection of other existing and/or new development in this area of the borough.

The Department's review of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Permit No. 5289510. Pocono Mountain Lakes Estates—Section 5A, c/o Thomas R. Wilkins, President, Wilkins & Associates Real Estate, Inc., NEPA Management Associates, 304 Park Avenue, Stroudsburg, PA 18360. This proposal involves the permitting of an existing public water supply serving the Pocono Mountain Lake Estates in Dingmans Ferry, **Pike County.** The existing system consists of two wells, each with its own well house containing of 6,000 gallon hydropneumatic tank, chlorination and pvc distribution system. Additional iron and manganese removal facilities have been proposed. *Permit to Operate:* August 7, 1997.

Permit No. 4097502. Hazleton City Authority Water Authority, Mr. Synoski. This proposal involves the construction of a water booster pump station and 500,000 gallon storage tank to supply water from the Hazleton

City Authority's filtration plant to the Village of Lattimer and 5,000 lineal feet of 8 inch ductile iron transmission main. It is located in Hazleton City, **Luzerne County**. *Permit to Operate*: August 11, 1997.

Permit No. 5497503. Country Hill Apartments, Allen Greenwalt, 225 Woodlawn Drive, Orwigsburg, PA 17961. Permitting of an existing system consisting of two (2) supply wells, four (4) precharged hydropneumatic tanks, disinfection facilities and distribution system. It is located in West Brunswick Township, **Schuylkill County**. *Permit to Operate*: July 25, 1997.

Permit No. 6497501. Woodlyn Residence, James Conner, Owner, P. O. Box 2875, Branchville, NJ 07826. This proposal involves the modification and permitting of an existing system serving private residences within a development. Treatment will include disinfection and storage. *Permit to Operate*: July 29, 1997.

Permit No. 6697501. Saddle Lake, Inc., 74 Kendal Drive, Kennett Square, PA 19348-2326. This proposal involves the addition of source well #2, wellhouse/pump station, disinfection and finished water storage. It is located in Tunkhannock Township, **Wyoming County**. *Permit to Operate*: July 30, 1997.

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 0288508-A2. Public water supply. Pennsylvania-American Water Company, 410 Cooke Lane, Pittsburgh, PA 15234.

Type of Facility: 350,000 gallon wash water tank.

Permit to Operate Issued: August 12, 1997.

Permit No. 0288508-A2. Public water supply. Pennsylvania-American Water Company, 410 Cooke Lane, Pittsburgh, PA 15234.

Type of Facility: 250,000 gallon finished water storage tank located in Homestead Borough.

Permit to Operate Issued: August 13, 1997.

Permit No. 0297502. Public water supply. Springdale Borough, 325 School Street, Springdale, PA 15144.

Type of Facility: 1.5 mg pre-stressed concrete water storage tank.

Permit to Construct Issued: August 6, 1997.

Permit No. 0385505-A1. Public water supply. Cowanshannock Township Municipal Authority, 74 Second Street, Box 127, NuMine, PA 16244.

Type of Facility: Cowanshannock Township (Village of Margaret) Water Supply.

Permit to Operate Issued: August 6, 1997.

Permit No. 6593502-A1. Public water supply. New Florence Water Authority, P. O. Box 263, New Florence, PA 15944.

Type of Facility: Well no. 1.

Permit to Operate Issued: August 8, 1997.

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.

Permit No. 2597502. Public water supply. Fairview Township Water Authority, 7485 McCray Road, Fairview, PA 16415 has been issued a permit for the installation of a water main, booster pump station and water

storage tank to serve the Fairview Business Park (Phase I) and Fairview Industrial Park in Fairview Township, **Crawford County**.

Type of Facility: Community Water Supply

Consulting Engineer: David A. Johnson, D. A. Johnson & Associates, Box 11, Corry, PA 16407

Permit to Construct Issued: August 11, 1997

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish a notice of submission of any final reports in the *Pennsylvania Bulletin*. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Pennsylvania Power & Light Company (PP&L)—Retired Old Forge Substation, Old Forge Borough, **Lackawanna County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found to have been contaminated with PCBs (polychlorinated biphenyls). The report was submitted in order to document remediation of the site to meet the Statewide human health standard.

Pennsylvania Power & Light Company (PP&L)—Retired Avoca Substation, Avoca Borough, **Luzerne County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found to have been contaminated with PCBs (polychlorinated biphenyls). The report was submitted in order to document remediation of the site to meet the Statewide human health standard.

Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4592.

Bethlehem Steel Corporation Steelton-Highspire Site, Highspire Borough and Steelton Borough, **Dauphin County**. Bethlehem Steel Corporation, c/o Pennsylvania Steel Technologies, Inc., 215 South Front Street, Steelton, PA 17113-2594 has submitted a Final Report concerning remediation of site soils contaminated with heavy metals. The report is intended to document remediation of the site to meet the background standard.

Northwest Regional Office: Craig Lobins, Acting Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

Fostermation, Inc., 200 Valley View Drive, Meadville, PA, **Crawford County**, has submitted a Final Report to Remediate soil. The site has been found to be contaminated with PHC's. The report is intended to document remediation of the site to meet Statewide health standard.

SOLID AND HAZARDOUS WASTE

LICENSE TO TRANSPORT HAZARDOUS WASTE

Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Miller Environmental Group Inc., P. O. Box 610, Calverton, NY 11933; License No. **PA-AH 0501**; renewal license issued August 11, 1997.

P&F Trucking, Inc., P. O. Box 897, Hebron, OH 43025; License No. **PA-AH 0362**; renewal license issued August 11, 1997.

S&C Transport, Inc., 18900 Telegraph Road, Romulus, MI 48174; License No. **PA-AH 0446**; renewal license issued August 11, 1997.

Amended license issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Environmental Industrial Services Corp. of New Jersey, 524-B South Walnut Street, Wilmington, DE 19801; License No. **PA-AH 0457**; amended license issued August 11, 1997.

License expired under the Solid Waste Management Act (35 P. S. §§ 6018.1001—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Leader Industries, Inc., 284 West 1050 North, Chesterton, IN 46304; License No. **PA-AH 0490**; license expired on July 31, 1997.

Ozinga Transportation Systems, Inc., 21900 South Central Avenue, Matteson, IL 60443; License No. **PA-AH 0433**; license expired on July 31, 1997.

BENEFICIAL USE DETERMINATIONS

Approval of Determination of Applicability under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Market Street, State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit Determination of Applicability No. WMGR019D001A. Kulp Foundry, Inc., Stokes Avenue, East Stroudsburg, PA 18301-0179 under permit WMGR019 issued to PA Foundrymen's Association for the beneficial use of waste foundry sand as a roadway construction material, ingredient or component in concrete or asphalt products. Determination of applicability was approved by Central Office on July 30, 1997.

HAZARDOUS WASTE, TREATMENT, STORAGE AND DISPOSAL FACILITIES

Proposed action on an application for a permit under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to close and conduct post-closure care of a hazardous waste management facility.

Persons wishing to comment on the proposed action are invited to submit a statement to the Regional Office indicated as the office responsible, within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer; and concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

Intent to Modify Permit

Regional Office: Regional Manager, Waste Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PAD004344222. Bethlehem Steel Corporation, 1170 8th Avenue, Bethlehem, PA 18016. Closure and post-closure of a hazardous waste land treatment area located

at Bethlehem Steel's Riders Disposal Area in East Taylor Township, **Cambria County**. The application for a permit to close and conduct post-closure care of this facility was considered for intent to approve by the Regional Office on August 15, 1997.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

A. 603343(16). Wheelabrator Water Technologies, Inc., 180 Admiral Cochrane Drive, Suite 305, Annapolis, MD 21401. This permit renewal for the agricultural utilization of municipal sewage sludges on the Standhardt Farm located in Douglass Township, **Montgomery County** was withdrawn by the applicant. The application was returned and our review was terminated in the Southeast Regional Office on August 7, 1997.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Solid Waste Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4588.

Permit No. 400556. Bridgeview Inc. (R. R. 1, Box 364, Morgantown, PA 19543). Application for modification for the addition of a 3rd Chem-Clay unit, reconfiguration of the plant, and removal of the 2,000 lb. incinerator for a site in Robeson Township, **Berks County**. Permit issued in the Regional Office August 15, 1997.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No. 100281. Waste Management Disposal Services of PA, Inc., 3 Greenwood Square, 3329 Street Road, Bensalem, PA 19020. Permit modification to use specific virgin fuel contaminated soil with allowable contaminant concentrations as daily cover at the Greenridge Reclamation Landfill, East Huntingdon Township, **Westmoreland County** issued in the Regional Office on August 12, 1997.

Permit ID No. 101421. Shade Landfill (formerly Shade Township Waste Management Facility), a subsidiary of USA Waste Services, Inc., R. D. 1, Box 305, Cairnbrook, PA 15924. Operation of a municipal waste landfill in Shade Township, **Somerset County**. Permit modification changing ownership of the facility issued in the Regional Office on August 12, 1997.

Permit ID No. 100280. USA Valley Facility (formerly Valley Landfill), a subsidiary of USA Waste Services, Inc., R. D. 2, Box 282A, Pleasant Valley Road, Irwin, PA 15642. Operation of a municipal waste landfill in Penn Township, **Westmoreland County**. Permit modification for change of ownership was issued in the Regional Office on August 12, 1997.

PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE

INFECTIOUS OR CHEMOTHERAPEUTIC WASTE

Licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Medwaste Management, Inc., of New England, P. O. Box 120019, East Haven, CT 06512-0019; License No. **PA-HC 0198**; license issued August 14, 1997.

Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Contributors to the Pennsylvania Hospital, 800 Spruce Street, Philadelphia, PA 19107; License No. **PA-HC 0118**; renewal license issued August 11, 1997.

York Hospital, 1001 South George Street, York, PA 17405; License No. **PA-HC 0017**; renewal license issued August 4, 1997.

AIR POLLUTION

OPERATING PERMITS

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

46-00039: PECO Energy Company—Moser Facility (Moser and Yost Streets, Pottstown, PA 19464), located in Lower Pottsgrove Township, **Montgomery County**. The Department has issued a facility-wide Title V Operating Permit for the operation of the air contamination sources for the above facility.

09-00016: PECO Energy Company—Croydon Facility (955 River Road, Croydon, PA 19020), located in Bristol Township, **Bucks County**. The Department has issued a facility-wide Title V Operating Permit for the air contamination sources and control devices for the above facility.

46-399-112: On July 7, 1997, an operating permit was issued to **Hale Products** located in Conshohocken, **Montgomery County** for no-bake pump mold and casting.

23-329-004: On July 8, 1997, an operating permit was issued to **Boeing Defense** located in Ridley Township, **Delaware County** for an emergency generator.

23-399-026: On July 31, 1997, an operating permit was issued to **Boeing Defense and Space Group** located in Ridley Township, **Delaware County** for four emergency gas turbine generators.

15-312-030GP: On August 4, 1997, a General Plan Approval and Operating Permit was issued to **Sun Company, Inc.** located in East Whitehall Township, **Chester County** for a storage tank for volatile organic liquid #11.

15-312-031GP: On August 4, 1997, a General Plan Approval and Operating Permit was issued to **Sun Company, Inc.** located in East Whiteland Township, **Chester County** for a storage tank for volatile organic liquid #12.

AQ-SE-0001: On July 21, 1997, a Portable Plan Approval and Operating Permit was issued to **Glasgow, Inc.** for a portable stone crushing plant which will operate in **Philadelphia, Bucks, Montgomery, Chester and Delaware Counties.**

Northeast Regional Office, Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

64-0001: Commonwealth of Pennsylvania, Fairview Facility located in Waymart Borough, **Wayne County.** A Title V Operating Permit was issued for the operation of the air contamination sources for the above facility.

40-0025: Sun Company, Inc. located in Edwardsville Borough, **Luzerne County.** A Title V Operating Permit was issued for the bulk gasoline storage terminal at the above facility.

13-302-021G: An operating permit was issued to **Champion Aviation Products** located in Weatherly Borough, **Carbon County** for a Goordon Platt Boiler (#2 oil).

13-302-022G: An operating permit was issued to **Champion Aviation Products** located in Weatherly Borough, **Carbon County** for an Eclipse Boiler (#2 oil).

45-399-012: An operating permit was issued to **Connaught Laboratories** located in Pocono Township, **Monroe County** for a thermal egg dryer with afterburner.

Northwest Regional Office, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

10-313-050: An operating permit was issued to **II-VI, Inc.** (375 Saxonburg Blvd., Saxonburg, PA 16056) for the operation of a chemical vapor deposition furnace in Clinton Township, **Butler County.**

PA-24-131A: An operating permit was issued to **SGL Carbon Corp.** (900 Theresia Street, St. Marys, PA 15857) for a graphite machining operation in St. Marys, **Elk County.**

PA-25-095A: An operating permit was issued to **Lord Corporation** (Mechanical Products Division, 1635 West 12th Street, Erie, PA 16514) (P. O. Box 10039, Erie, PA 16514) for an adhesive spray machine, two booths and oven in Erie, **Erie County.**

61-313-009: An operating permit was issued to **OMG Americas** (P. O. Box 111, Franklin, PA 16323) for the operation of a batch chemical reactor and tanks in Sugarcreek Borough, **Venango County.**

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

46-310-019B: On June 17, 1997, a plan approval was issued to **Highway Materials, Inc.** located in Marlboro, **Montgomery County** for a stone crushing plant.

46-317-006A: On June 17, 1997, a plan approval was issued to **Colorcon** located in Upper Gwynedd Township, **Montgomery County** for pigment and coating manufacturing systems.

46-313-091A: On June 23, 1997, a plan approval was issued to **Rhone-Poulenc Rorer Pharmaceuticals** located in Upper Providence Township, **Montgomery County** for a process development laboratory.

15-318-018: On June 23, 1997, a plan approval was issued to **Graco Children's Products, Inc.** located in Elverson Township, **Chester County** for a powder coating system.

46-399-092: On June 25, 1997, a plan approval was issued to **Upper Moreland-Hatboro Joint Sewer Authority** located in Upper Moreland Township, **Montgomery County** for a municipal sewage sludge treatment plant.

46-313-116C: On July 7, 1997, a plan approval was issued to **Lonza, Inc.** located in Upper Merion Township, **Montgomery County** for synthesized pharmaceuticals fine organic chemicals manufacturing.

09-399-041A: On July 11, 1997, a plan approval was issued to **Lockheed Martin Corporation** located in Newtown, **Bucks County** for a spacecraft assembly facility.

23-399-030: On July 21, 1997, a plan approval was issued to **Community Light & Source, Inc.** located in the City of Chester, **Delaware County** for hand lamination and resin mixing operations.

46-318-049: On July 22, 1997, a plan approval was issued to **Triumph Controls, Inc.** located in Upper Gwynedd Township, **Montgomery County** for a paint spray booth.

15-318-010F: On August 4, 1997, a plan approval was issued to **Johnson Matthey, Inc.** located in Tredyffrin Township, **Chester County** for a precious metal process.

09-330-011C: On August 4, 1997, a plan approval was issued to **R3 Technologies, Inc.** located in Falls Township, **Bucks County** for a Cedarrapids jaw crusher.

46-327-017: On August 8, 1997, a plan approval was issued to **SPS Technologies, Inc.** located in Abington Township, **Montgomery County** for a vapor degreaser.

Northeast Regional Office, Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

13-302-021G: On August 12, 1997, a plan approval was issued to **Champion Aviation Products** located in Weatherly Borough, **Carbon County** for a Goordon Platt Boiler (#2 oil).

13-302-022G: On August 12, 1997, a plan approval was issued to **Champion Aviation Products** located in Weatherly Borough, **Carbon County** for an Eclipse Boiler (#2 oil).

35-322-003B: On August 12, 1997, a plan approval was issued to **Empire Sanitary Landfill, Inc.** located in Taylor Borough, **Lackawanna Borough** for a kryogenic condensation gas plant.

40-318-049: On August 11, 1997, a plan approval was issued to **Modern Plastics Corporation** located in the City of Wilkes-Barre, **Luzerne County** for two spray booths with panel filters.

48-303-056: On August 1, 1997, a plan approval was issued to **Eastern Industries Inc.** located in Upper Mt. Bethel Township, **Northampton County** for a batch asphalt plant with baghouse.

48-309-100: On August 5, 1997, a plan approval was issued to **ESSROC Cement Corporation** located in Nazareth Borough, **Northampton County** for cement packing 2 and 3 with baghouses.

Southcentral Regional Office, Air Quality Program, One Ararat Blvd., Harrisburg, PA 17110, (717) 657-4587.

28-304-030: On August 14, 1997, a plan approval was issued to **Casting Technologies, Inc.** (P. O. Box 598, Waynesboro, PA 17268) for the installation of a grinding hood controlled by a fabric filter in Waynesboro Borough, **Franklin County**.

36-308-005D: On August 12, 1997, a plan approval was issued to **Colonial Metals Company** (Second & Linden Streets, P. O. Box 311, Columbia, PA 17512-0311) for the installation of a #9 electric furnace controlled by an existing spray tower and fabric filter in Columbia Borough, **Lancaster County**. The source is subject to 40 CFR 60, Subpart M, Standards of Performance for New Stationary Sources.

67-310-018I: On August 14, 1997, a plan approval was issued to **Global Stone PenRoc, Inc.** (P. O. Box 1967, York, PA 17405-1967) for the modification of the jet stream air classifying system at their Whiting Plant in West Manchester Township, **York County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-63-884A: On August 4, 1997, a plan approval was issued to **Mine Technik America, Inc.** (2045 West Pike Street, Houston, PA 15342) for a mine machinery manufacturing and repair operation at its Houston Facility located in Chartiers Township, **Washington County**.

PA-65-051A: On August 7, 1997, a plan approval was issued to **Elliott Turbomachinery Company, Inc.** (800 North Fourth Street, Jeannette, PA 15644) for a B & W Tube Steam Boiler at its Jeannette Facility located in Penn Township, **Westmoreland County**.

PA-30-040A: On August 7, 1997, a plan approval was issued to **Cyprus Cumberland Resources Corporation** (145 Elm Drive, P. O. Box 1020, Waynesburg, PA 15370) for a coal preparation plant at its Cumberland Mine facility located in Whitely, **Greene County**.

Northwest Regional Office, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-24-022A: On June 19, 1997, a plan approval was issued to **St. Marys Carbon Co.** (P. O. Box 427, St. Marys, PA 15857) for the construction of a continuous furnace in St. Marys, **Elk County**.

PA-62-017A: On July 22, 1997, a plan approval was issued to **United Refining Co.** (P. O. Box 780, Warren, PA 16365) for the installation of floating roofs and fixed roofs at Warren, **Warren County**.

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contaminant sources or air cleaning devices.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

33-302-017: The Department has issued a Plan Approval extensions to **Punxsutawney Area School District** (Beyer Avenue, Punxsutawney, PA 15767) for a space heating boiler and a regenerative centrifugal cyclone in Punxsutawney, **Jefferson County**.

REASONABLY AVAILABLE CONTROL TECHNOLOGY (RACT)

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an operating permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.

Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

CP-23-0034: The Department has issued a compliance permit to **Villanova University** located in Radnor Township, **Delaware County** for the operation of a NOx facility.

15-0040: The Department has issued an operating permit to **Bequette Corporation** located in Uwchlan Township, **Chester County** for a flexographic printing facility.

09-0024: The Department has issued an operating permit to **Tullytown Resource Recovery Facility** located in Tullytown, **Bucks County** for a VOC and NOx facility.

15-0024: The Department has issued an operating permit to **Sonoco Products** located in Downingtown, **Chester County** for a NOx facility.

46-0040: The Department has issued an operating permit to **National Label** located in Whitemarsh Township, **Montgomery County** for a VOC and NOx facility.

23-0015: The Department has issued an operating permit to **Wyeth-Ayerst Laboratories** located in Radnor Township, **Delaware County** for a Synthetic Minor NOx facility.

23-0032: On July 10, 1997, the Department issued a plan approval to **Delaware County Regional Water Quality Control Authority** located in the City of Chester, **Delaware County** for the acceptance of certain residual sludges.

09-0009: On July 10, 1997, the Department issued a plan approval to **Webcraft Technologies, Inc.** located in New Britain Township, **Bucks County** for Press 18.

46-0005A: On July 11, 1997, the Department issued a plan approval to **Merck & Company, Inc.** located in

Upper Gwynedd Township, **Montgomery County** for a fluid bed granulator-dryer column.

46-0010: On July 29, 1997, the Department issued a plan approval to **Montenay Energy Resources of Montgomery County, Inc.** located in Plymouth Township, **Montgomery County** for two 20 L & C Steinnullers.

09-0068: On August 4, 1997, the Department issued a plan approval to **Orchard Hill Memorial Park, Inc.** located in Richland Township, **Bucks County** for animal crematoriums.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued:

56960105. L. K. Mining, Inc. (R. D. 1, Box 185, Rockwood, PA 15557), commencement, operation and restoration of a bituminous strip mine in Milford Township, **Somerset County**, affecting 18.8 acres, receiving stream unnamed tributary to South Glade Creek, application received June 28, 1997, permit issued August 14, 1997.

McMurray District Office

32841307. Tanoma Coal Co., Inc. (R. R. 1, Box 594, Marion Center, PA 15759), to revise the permit for the Tanoma Mine in Rayne Township, **Indiana County** to install Main "E" Shaft, unnamed tributary to Crooked Creek. Permit issued August 14, 1997.

30831303. Cyprus Cumberland Resources Corp. (145 Elm Dr., Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Wayne Township, **Greene County**, No. 3 dewatering borehole site, no additional discharges. Permit issued August 14, 1997.

56910701. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), to renew the permit for the Job 10 in Brothers Valley and Somerset Township, **Somerset County**, no additional discharges. Permit issued August 14, 1997.

30841307. Cyprus Emerald Resources Corp. (P. O. Box 1020, 145 Elm Dr., Waynesburg, PA 15370), to revise the permit for the Emerald Mine No. 1 in Franklin Township, **Greene County**, surface permit for #7 shaft site with access roads, portal facility, parking area, sewage treatment plant, water tank substation and boreholes, unnamed tributary to Laurel Run. Permit issued August 14, 1997.

56841612. Svonavec, Inc. (140 West Union St., Somerset, PA 15501), to renew the permit for the Coal Preparation Plant #2 in Black Township, **Somerset County**, no additional discharges. Permit issued August 14, 1997.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Small Noncoal Applications Issued:

32970801. John P. Shawley (R. D. 1, Box 93A, Saltsburg, PA 15681), in Conemaugh Township, **Indiana County**, receiving stream unnamed tributary to Blacklegs Creek, application received July 3, 1997, permit issued August 13, 1997.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

45970301. Eureka Stone Quarry, Inc. (Lower State and Pickertown Roads, Chalfont, PA 18914), commencement, operation and restoration of a quarry operation in Hamilton Township, **Monroe County** affecting 97.7 acres, receiving stream—none. Permit issued August 12, 1997.

45970302. Eureka Stone Quarry, Inc. (Lower State and Pickertown Roads, Chalfont, PA 18914), commencement, operation and restoration of a quarry operation in Hamilton Township, **Monroe County** affecting 16.7 acres, receiving stream—none. Permit issued August 12, 1997.

6376SM2A1. York Building Products Co., Inc. (P. O. Box 1708, York, PA 17405), amendment to an existing quarry operation in Jackson Township, **York County** affecting 276.5 acres, receiving stream—Little Conewago Creek. Amendment issued August 12, 1997.

7974SM2A2C2. Bucks County Crushed Stone Co. (P. O. Box 196, Penns Park, PA 18943), renewal of NPDES Permit #PA0611999 in Nockamixon Township, **Bucks County**, receiving stream—Rapp Creek. Renewal issued August 13, 1997.

7974SM5A1C2. Haines & Kibblehouse, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474), renewal of NPDES Permit PA0612243 in Hilltown Township, **Bucks County**, receiving stream—North Branch Neshaminy Creek. Renewal issued August 13, 1997.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal under section 4 of the Environmental Hearing Board Act (35 P.S. § 7414), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice

of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rule of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications.

Southeast Regional Office, Program Manager; Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-741. Encroachment Permit. **Pennsylvania Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19086. To remove the remains of an existing dilapidated bridge, and to construct and maintain a 31-foot long, 20-foot wide, and 9-foot high single span precast concrete box culvert in and along the 100-year floodway of Silver Creek (TSF). The site is located approximately 250 feet southwest of the intersection of Reading Avenue and Pond Avenue (Trenton West, PA-NJ Quadrangle N: 19.70-inches; W: 11.70-inches) in the borough of Yardley, **Bucks County**. Emergency permit, EP0996313, was issued on July 23, 1996 in conjunction with the proposed work. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E23-358. Encroachment Permit. **Pennsylvania Department of Transportation**, 200 Radnor-Chester Road, St. David's, PA 19087-5178. To remove the existing Ridley Creek roadway culvert and to construct and maintain 75 linear feet of 12-foot by 6.5-foot precast reinforced concrete box culvert in and along Broomall's Run (TSF). This culvert is located approximately 175 feet north of the intersection of Ridley Creek Road (S. R. 4003, Section 28M) and Baltimore Pike (S. R. 2016 (Media, PA Quadrangle N: 7.65 inches; W: 3.8 inches) in Upper Providence Township, **Delaware County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E46-764. Encroachment Permit. **Whitemarsh Township**, 616 Germantown Pike, Lafayette Hill, PA 19444-1498. To perform the following activities associated with the Pine Tree Road Drainage Improvements Project along an unnamed tributary to the Wissahickon Creek (TSF): 1. To remove approximately 140 linear feet of existing 65-inch by 40-inch corrugated metal pipe-arch storm sewer pipe; 2. To construct and maintain approximately 24 linear feet of timber retaining wall; 3. To construct and maintain a reinforced concrete endwall to an existing twin 7-foot by 2-foot reinforced concrete box culvert and to remove existing siltation and debris within the culvert; 4. To enlarge the cross section of approximately 213 linear feet of existing drainage channel; 5. To remove approximately 144 linear feet of timber retaining wall; 6. To

construct and maintain approximately 36 linear feet of timber/gabion retaining wall; 7. To remove an existing reinforced concrete endwall and replace it with a new reinforced concrete endwall to accommodate the revised channel cross-section; 8. To remove and replace an existing wood fence located within the assumed 100-year floodway as a result of the proposed outlet channel excavation and regrading. The site is located approximately 200 feet north of the intersection of Pine Tree Road and Fields Drive (Germantown, PA USGS Quadrangle N: 16.4 inches, W: 16.0 inches) in Whitemarsh Township, **Montgomery County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E46-781. Encroachment Permit. **County of Montgomery**, Court House, Norristown, PA 19040. To modify operate and maintain the existing Montgomery County Bridge No. 238. The proposed work will include the following: A. To replace the existing deteriorated superstructure with new beams, deck, parapets walls, and abutments on steel piles; B. To widen the existing superstructure to include a 12-foot wide pedestrian trail on the bridge; C. To construct, operate and maintain a trail along the east and west causeways; D. To construct, operate and maintain two 8-foot wide lookouts on the bridge and three 8-foot wide lookouts on the east causeway; E. To construct two staging areas at each end of the causeway bridge approaches; F. To replace the existing guide rail with new steel-backed timber guide rail for the full length of both causeways and two adjacent areas. The bridge carries Knight Road over Green Lane Reservoir (Perkiomen Creek) (Sassamansville, PA Quadrangle N: 21.3-inches; W: 1.5 inches) in Upper Hanover and Marlborough Township, **Montgomery County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

E13-102. Encroachment. **Pennsylvania Department of Transportation, District 5-0**, 1713 Lehigh Street, Allentown, PA 18103. To repair and maintain an existing reinforced concrete arch bridge having a span of 21.7 feet with an underclearance of approximately 10 feet on a 15 degree skew to repair a deteriorated structure and widen the bridge 7.8 feet across Sand Spring Run. The project, associated with S. R. 0534, Section 02B, is located where S. R. 0534 crosses Sand Spring Run (Hickory Run, PA Quadrangle N: 9.1 inches; W: 4.7 inches) in Kidder Township, **Carbon County**.

E39-321. Encroachment. **Cogle's Recycling, Inc.**, 1000 South 4th Street, Hamburg, PA 19526. To construct and maintain a single span precast concrete arch bridge across Trout Creek having a span of 40.38 feet with an underclearance of 9.67 feet to provide access to the proposed Cogle's Recycling facility. The project is located immediately upstream of the intersection of Trout Creek and the Conrail Railroad approximately 0.8 mile northwest of the intersection of S. R. 0145 and S. R. 2002 (Allentown East, PA Quadrangle N: 15.5 inches; W: 12.7 inches) in the City of Allentown, **Lehigh County**.

E39-325. Encroachment. **City of Allentown**, 435 Hamilton Street, Allentown, PA 18101-1699. To repair and maintain the existing stone masonry arch bridge, having three spans (17 feet, 32 feet, 18 feet) with an underclearance from 8 feet, 6 inches to 15 feet, 6 inches across Little Lehigh Creek with work consisting of the replacement of missing stones, repointing of joints and sealing/weatherproofing the entire structure. The project, locally known as Schreiber's Bridge, is located across

Little Lehigh Creek, immediately south of the intersection of Overhill Road and Martin Luther King, Jr. Drive (Allentown East, PA Quadrangle N: 16.3 inches; W: 15.8 inches) in the City of Allentown, **Lehigh County**.

E40-460. Encroachment. **Pennsylvania Power & Light Company**, Scranton Service Center, 600 Larch Street, Scranton, PA 18509-2420. To remove the existing structure and to construct and maintain a low-flow crossing of a Tributary to Hunlock Creek, consisting of an open-bottom corrugated aluminum culvert having a span of approximately 14.7 feet and an underclearance of approximately 3.3 feet, for the purpose of providing access for maintenance of an existing electrical power line. The project (Stanton/Susquehanna Line Bridge Replacement) is located on the south side of S. R. 4001 (Hartman Road), approximately 0.4 mile east of the intersection of S. R. 4001 and T-544 (Nanticoke, PA Quadrangle N: 18.2 inches; W: 7.7 inches), in Hunlock Township, **Luzerne County**.

E48-254. Encroachment. **Valley Housing Development Corporation**, 333 Ridge Street, Emmaus, PA 18049. To construct and maintain a 42-inch diameter RCP stormwater outfall structure along the east bank of Saucon Creek. The project is associated with the Hellertown Elderly Housing Storm Sewer Improvement Plan and is located approximately 0.2 mile northwest of the intersection of S. R. 0412 and S. R. 3004 (Hellertown, PA Quadrangle N: 14.8 inches; W: 13.1 inches) in the Borough of Hellertown, **Northampton County**.

E64-180. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a single span adjacent box beam bridge having a span of 117.6 feet and an underclearance of 8.4 feet on a 60° skew across Middle Creek. This project is located along S. R. 3028, Section 670, immediately north of S. R. 2004 (Hawley, PA Quadrangle N: 19.4 inches; W: 13.25 inches) in Palmyra and Paupack Townships, **Wayne County**.

E02-243-A1. Encroachment. **Patricia Ancarana**, 401 River Road, Port Vue, PA 15132. To reissue and amend Permit No. E02-243 to construct and maintain a boat dock along the left bank of the Youghiogheny River, located near River Mile 0.3 (McKeesport, PA Quadrangle N: 17.9 inches; W: 16.8 inches) in Port Vue Borough, **Allegheny County**. This permit was issued pursuant to section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E02-1188. Encroachment. **Frank Pelly**, 10431 Perry Hwy. Ste. 300, Wexford, PA 15090. To construct and maintain a stream enclosure approximately 110 feet in length and consisting of a corrugated steel arch culvert having a span of 11.8 feet with an underclearance of 7.6 feet in Girty's Run to provide parking and access to applicant's property. The culvert will be constructed between two existing culverts having total lengths of 420 feet and 490 feet and is located approximately 600 feet downstream from the intersection of Babcock Boulevard and Rosanna Reed Road (Emsworth, PA Quadrangle N: 7.7 inches; W: 4.0 inches) in Ross Township, **Allegheny County**.

E02-1194. Encroachment. **Moon Township**, 1000 Beaver Grade Road, Moon Township, PA 15108-2984. To remove the existing structure and to construct and maintain a single span bridge having a span of 33.0 feet and an underclearance of 5.0 feet across Flaugherty Run. The bridge is located on Becks Run Road and Flaugherty Run

Road (Ambridge, PA Quadrangle N: 5.2 inches; W: 16.2 inches) in Moon Township, **Allegheny County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E04-246. Encroachment. **PA Department of Transportation**, 45 Thoms Run Rd., Bridgeville, PA 15017. To remove the existing structure and to construct and maintain a low profile metal box culvert having a span of 14.5 feet and underclearance of 7.7 feet across a tributary to Raccoon Creek to relocate and maintain approximately 83 feet of the stream channel and to place and maintain fill in a de minimus area of wetlands less than or equal to 0.05 acre for the purpose of replacing the deteriorated existing structure and the widening of S. R. 0030. The project is located along S. R. 0030 approximately 3.5 miles west of the Village of Clinton (Section B06, SEG/Offset 02100/0000, L. R. 00538 Station 661+62) (Clinton, PA Quadrangle N: 22.1 inches; W: 14.9 inches) in Independence Township, **Beaver County**.

E11-250. Encroachment. **Jackson Township**, 513 Pike Street, Johnstown, PA 15909. To operate and maintain an 87-inch x 63-inch cmp arch culvert constructed under Emergency Permit No. EP1196208 in Hinckston Run. The structure is located on T-739 (Simmons Lane) approximately 3,000 feet west of S. R. 271 (Nanty Glo, PA Quadrangle N: 11.7 inches; W: 15.3 inches) in Jackson Township, **Cambria County**. This permit was issued under section 105.13(E) "small projects." This permit also includes 401 Water Quality Certification.

E11-253. Encroachment. **PA Dept. of Transportation**, 1620 N. Juniata Street, Hollidaysburg, PA 16648. To remove the existing bridge and to construct and maintain a precast concrete box culvert having a normal span of 12.0 feet and an effective underclearance of 5.5 feet in Solomon Run (WWF). The culvert invert will be depressed 1.0 feet. During construction a temporary stream diversion consisting of a 42-inch CMP pipe will be maintained in Solomon Run. The project is located along Solomon Run Road (S. R. 3033) approximately 120 feet south of the intersection of Solomon Run Road and Walters Avenue (S. R. 3029) Section 001, Segment 0010, Offset 0415 (Geistown, PA Quadrangle N: 9.9 inches; W: 14.2 inches) in Richland Township, **Cambria County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E30-179. Encroachment. **Columbia Gas Transmission Corporation**, 950 Manifold Road, Washington, PA 15301. To construct and maintain two ford crossings in Purman Run and in an unnamed tributary to Purman Run (WWF) for the purpose of providing access to a regular set. The project is located approximately 200 feet west of Liberty Avenue and 8,400 feet north of S. R. 21 (Waynesburg, PA Quadrangle N: 8.10 inches; W: 9.10 inches) in Franklin Township, **Greene County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E63-424. Encroachment. **Monongahela Iron & Metal Co. Inc.**, P. O. Box 250, Monongahela, PA 15063-1401. To construct and maintain a barge loading facility in the channel of and along the left bank of Monongahela River, located at River Mile 32.8 (Monongahela, PA Quadrangle N: 12.8 inches; W: 4.8 inches) in the City of Monongahela, **Washington County**.

E65-665. Encroachment. **Colony Family Partnership**, P. O. Box E, Irwin, PA 15642. To construct and maintain a 315-foot long, 12.8-foot x 8.3-foot structural plate pipe arch enclosure in an unnamed tributary to Tinkers Run (TSF) and to place and maintain fill in 0.01 acre of de minimis wetland (PEM) to provide property access and develop a highway commercial property located just upstream of intersection of S. R. 30 and Barnes Lake Road (S. R. 3020) (Irwin, PA Quadrangle N: 12.10 inches; W: 8.15 inches) in North Huntingdon Township, **Westmoreland County**.

DAM SAFETY

The Department of Environmental Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal under section 4 of the Environmental Hearing Board Act (35 P. S. § 7415), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Permits Issued and Actions on 401 Certification

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D13-085A. Dam. **Bethlehem Authority** (City Center Administration Building, Room 502, 10 East Church Street, Bethlehem, PA 18018). To modify, operate and maintain Penn Forest Dam located across the confluence of Wild Creek and Hell Creek in Penn Forest Township, **Carbon County**.

WATER ALLOCATIONS

Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.

Southwest Regional Office, Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

WA 26-1002. Water Allocation. **HCSW Joint Water Authority, Fayette County**, PA. The right to withdraw 1.5 million gallons per day of water, from the Youghiogheny River, Fayette County, PA. Permit issued on August 12, 1997.

[Pa.B. Doc. No. 97-1407. Filed for public inspection August 29, 1997, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "June 1997 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will be adding its revised documents to the Web throughout 1997.

Ordering Paper Copies of DEP Technical Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Here is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Nina Huizinga at (717) 783-8727.

Notice of Addition of Existing Large Documents to the Web

The Bureau of Oil and Gas Management has six large documents that it will place on DEP's World Wide Web site in three stages. First, the program is adding a short paragraph which describes the contents of the document and the table of contents. As the program revises each document, the draft will be added to the web. Then, the program will add the revised narratives of each chapter. Finally, the program will add the revised tables and figures. Contact: Frank Bialas at (717) 772-2199.

<i>DEP ID</i>	<i>Title</i>	<i>Date</i>	<i>Length</i>	<i>On Web</i>
550-0300-001	Oil & Gas Operator's Manual	April 1997	810	Table of Contents and Chapter Narratives
550-2000-001	Administrative Policies and Procedures	1990	180	Table of Contents
550-2100-002	Oil and Gas Wastewater Permitting	Oct. 1990	80	Table of Contents

<i>DEP ID</i>	<i>Title</i>	<i>Date</i>	<i>Length</i>	<i>On Web</i>
550-2100-003	Technical Services Manual	March 1988	107	Table of Contents
550-2501-101	Submitting Oil and Gas Well Bonds	Jan. 1988	70	Table of Contents
550-4000-001	Compliance and Monitoring	June 1997	135	Table of Contents

Draft Technical Guidance

DEP ID: 258-2182-773 Title: Policy and Procedure Establishing Criteria of Uncontaminated Soils, Rock, Stone, Brick and Block, Gravel, Concrete, Used Asphalt, Dredged Material and Waste from Land Clearing, Grubbing and Excavation as Clean Fill Background: DEP revised this guidance to conform the clean fill levels of regulated substances to the Statewide health standards (SHS) adopted under the land recycling program of Act 2. The policy sets up procedures to determine whether, when and how the various materials listed in the title of the document may be used as fill material. Deadline for Submittal of Comments: September 22. Submit comments to: Khatija P. Swaroop, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8472, Harrisburg, PA 17105-8472 or via e-mail at swaroop.khatija@a1.dep.state.pa.us. For information, call: (717) 787-7381.

Correction: Persons should note that the Notice of Intent to Revise this document appeared in the August 16, 1997 *Pennsylvania Bulletin*, with the ID number 254-2000-715. The correct number is 258-2182-773.

DEP ID: 362-5512-003 Title: Chapter 71 Sewage Facilities Planning Assistance Grants: Cost Eligibility of Items Estimating Inflow and Infiltration (I&I) Affecting Existing Sewerage Facilities Background: DEP has experienced difficulty processing planning grant requests due to lack of written program guidance on this subject. This guidance lists common eligible sewage facilities planning costs related to inflow and infiltration, as well as costs that are not eligible. The guidance provides transition so that processing of grant applications relating to planning efforts which were initiated prior to the effective date are not unduly impacted. Deadline for Submittal of Comments: September 30, 1997 Contact: John J. McHale at (717) 787-8184.

Notice of Intent to Develop Technical Guidance—New Guidance

Title: Surface Water Identification Protocol—NCWS Background: Under the Final Federal Surface Water Treatment Rule, non-community water supply (NCWS) ground water sources are to be identified for direct surface water influence by June 29, 1999. There are approximately 7,500 NCWSs almost exclusively using groundwater sources as wells, springs and infiltration galleries in Pennsylvania. Of concern are potential health hazards caused by protozoans such as giardia lamblia and cryptosporidium and other micro-organisms that may be present in traditional ground water sources. Anticipated Effective Date: December 1, 1997 Anticipated Draft Development Date: August 1, 1997 Proposed Development and Review Process: Drafts of this guidance will be sent to all water supply management staff and appropriate water supply organizations for review and comment. Then, availability of the revised draft will be announced in the *Pennsylvania Bulletin* and DEP's weekly newsletter, the *UPDATE*. Contact: John Diehl at (717) 772-4018 or Trudy Troutman at (717) 787-0122.

Title: Summary of Key Requirements for Consecutive Water Systems Background: Currently, there is no guid-

ance on monitoring requirements for consecutive water systems. This guidance will present specific monitoring requirements for these systems to the regulated community, DEP staff and the general public in an easy to read format. Anticipated Effective Date: January 1, 1998 Anticipated Draft Development Date: August 11, 1997 Proposed Development and Review Process: Drafts of this guidance will be sent to all water supply management staff and appropriate water supply organizations for review and comment. Then, availability of the revised draft will be announced in the *Pennsylvania Bulletin* and DEP's weekly newsletter, the *UPDATE*. Contact: Bruce Carl at (717) 772-4018 or Trudy Troutman at (717) 787-0122.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-1408. Filed for public inspection August 29, 1997, 9:00 a.m.]

Mining and Reclamation Advisory Board; Meeting Notice

The Mining and Reclamation Advisory Board (MRAB) will meet on Tuesday, September 9 and Wednesday, September 10, 1997, in the Pottsville District Mining Office. The office is located at 5 West Laurel Boulevard in Pottsville. This is a special meeting that was requested to discuss the new re-mining and abandoned mine reclamation incentives that the Department of Environmental Protection is developing.

Questions concerning the agenda can be directed to Rod Kelley at (717) 783-5338 or e-mail to Kelley.Rodney@a1.dep.state.pa.us. The agenda for this meeting will also be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Rodney Kelley directly at (717) 783-5338 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-1409. Filed for public inspection August 29, 1997, 9:00 a.m.]

DEPARTMENT OF HEALTH

Local Community-Based Organizations; HIV/AIDS Test Results

Section 5(h) of the Confidentiality of HIV Related Information Act (35 P. S. § 7605(h)), requires the Department of Health (Department) to prepare a list of local

community based organizations to be used by individuals having an HIV/AIDS test as part of physical examinations for insurance purposes, if they choose to designate an entity to receive notice of a positive test result other than the Department, a local health department or their physician. The local community-based organization then notifies the individual of the test results. See 35 P. S. § 7605(h)(3). It is the Department's intention to update its current list, to remove those organizations which no longer wish to perform this service. Therefore, the Department is seeking local community-based organizations with expertise in HIV prevention counseling and results counseling and who are interested in performing this public health service. Interested parties should contact Susan Harding, Department of Health, Division of HIV/AIDS, Counseling, Testing, Referral and Partner Notification Section, P. O. Box 90, Room 912 Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0574, (717) 783-6514 (TT). Persons with a disability may contact the Department in an alternative format or may request the notice in an alternative format (for example, large print, audiotape, braille) at the above address or telephone numbers, including (717) 783-6514 (TT).

DANIEL F. HOFFMANN,
Secretary

[Pa.B. Doc. No. 97-1410. Filed for public inspection August 29, 1997, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Diamonds & Dollars Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-1—3761-15), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Diamonds & Dollars.

2. *Price:* The price of a Pennsylvania Diamonds & Dollars instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Diamonds & Dollars instant lottery game ticket will contain a "Your Numbers" area, a "Winning Number" area and a "Bonus Box" area. The "Your Numbers" area will contain four play areas designated as "Game #1," "Game #2," "Game #3" and "Game #4." Each game is played separately. The play symbols and their captions located in the "Your Numbers" area and the "Winning Number" area are: 1 (ONE), 2 (TWO), 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT) and 9 (NIN). The play symbols and their captions located in the "Bonus Box" area are: Diamond Symbol (DOUBLE) and NO BONUS.

4. *Prize Play Symbols:* The prize play symbols and their captions located in the play area are: \$1.⁰⁰ (ONE DOL), \$2.⁰⁰ (TWO DOL), \$4.⁰⁰ (FOUR DOL), \$8.⁰⁰ (EGT DOL), \$16\$ (SXTN DOL), \$24\$ (TWTY FOR), \$48\$ (FORTY EGT), \$96\$ (NTY SIX) and \$4,000 (FOUR THO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$8, \$16, \$24, \$48, \$96 and \$4,000. The player can win up to four times on each ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the Pennsylvania Diamonds & Dollars instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$4,000 (FOUR THO) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$4,000.

(b) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$96\$ (NTY SIX) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$96.

(c) Holders of tickets where the "Winning Number" play symbol matches three of the "Your Numbers" play symbols and a prize play symbol of \$16\$ (SXTN DOL) appears to the right of the matching "Your Numbers" play symbols, in each of the three games, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$96.

(d) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$48\$ (FORTY EGT) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$48.

(e) Holders of tickets where the "Winning Number" play symbol matches three of the "Your Numbers" play symbols and a prize play symbol of \$8.⁰⁰ (EGT DOL) appears to the right of the matching "Your Numbers" play symbols, in each of the three games, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$48.

(f) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$24\$ (TWTY FOR) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$24.

(g) Holders of tickets where the "Winning Number" play symbol matches three of the "Your Numbers" play symbols and a prize play symbol of \$4.⁰⁰ (FOUR DOL) appears to the right of the matching "Your Numbers" play symbols, in each of the three games, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$24.

(h) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$16\$ (SXTN DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$16.

(i) Holders of tickets where the "Winning Number" play symbol matches four of the "Your Numbers" play symbols and a prize play symbol of \$2.⁰⁰ (TWO DOL) appears to the right of the matching "Your Numbers" play symbols, in each of the four games, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$16.

(j) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$8⁰⁰ (EGT DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$8.

(k) Holders of tickets where the "Winning Number" play symbol matches four of the "Your Numbers" play symbols and a prize play symbol of \$1⁰⁰ (ONE DOL) appears to the right of the matching "Your Numbers" play symbols, in each of the four games, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$8.

(l) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$4⁰⁰ (FOUR DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$8.

(m) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$4⁰⁰ (FOUR DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$4.

(n) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play

symbols and a prize play symbol of \$2⁰⁰ (TWO DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$4.

(o) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$2⁰⁰ (TWO DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$2.

(p) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$1⁰⁰ (ONE DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, and a Diamond Symbol (DOUBLE) play symbol appears in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$2.

(q) Holders of tickets where the "Winning Number" play symbol matches any one of the "Your Numbers" play symbols and a prize play symbol of \$1⁰⁰ (ONE DOL) appears to the right of the matching "Your Numbers" play symbol, in the same game, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Match Any Of Your Numbers To The Winning Number Win Prize Shown. Get A Diamond In The Bonus Box To Double Winning Prize. With Prizes Of:

	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 9,600,000 Ticket</i>
\$1	\$1	1:12	800,000
\$1 x 2	\$2	1:75	128,000
\$2	\$2	1:100	96,000
\$1 (D)	\$2	1:13.64	704,000
\$1 x 4	\$4	1:300	32,000
\$1 x 2 + \$2	\$4	1:375	25,600
\$2 (D)	\$4	1:375	25,600
\$4	\$4	1:750	12,800
\$2 x 4	\$8	1:300	32,000
\$4 (D)	\$8	1:750	12,800
\$1 x 4 (D)	\$8	1:750	12,800
\$8	\$8	1:1,500	6,400
\$4 x 4	\$16	1:1,500	6,400
\$8 + \$8	\$16	1:1,500	6,400
\$2 x 4 (D)	\$16	1:1,500	6,400
\$8 + \$4 x 2	\$16	1:1,500	6,400
\$16	\$16	1:1,500	6,400
\$4 x 3 (D)	\$24	1:750	12,800
\$8 x 3	\$24	1:1,500	6,400
\$8 + \$16	\$24	1:1,500	6,400
\$24	\$24	1:1,500	6,400
\$8 x 3 (D)	\$48	1:7,059	1,360
\$4 x 2 + \$16 + \$24	\$48	1:7,059	1,360
\$16 x 3	\$48	1:7,059	1,360
\$24 x 2	\$48	1:7,059	1,360
\$48	\$48	1:7,059	1,360
\$16 x 3 (D)	\$96	1:14,118	680
\$48 x 2	\$96	1:17,143	560
\$24 x 2 + \$48	\$96	1:34,286	280
\$8 + \$16 + \$24 + \$48	\$96	1:34,286	280
\$96	\$96	1:80,000	120
\$4,000	\$4,000	1:564,706	17

(D) = Prize Doubles

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Diamonds & Dollars instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Diamonds & Dollars, prize money on winning Pennsylvania Diamonds & Dollars instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Diamonds & Dollars instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Diamonds & Dollars or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 97-1411. Filed for public inspection August 29, 1997, 9:00 a.m.]

Pennsylvania Fifty Grand Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-1—3761-15), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Fifty Grand.

2. *Price:* The price of a Pennsylvania Fifty Grand instant lottery game ticket is \$2.00.

3. *Play Symbols:* Each Pennsylvania Fifty Grand instant lottery game ticket will contain one play area featuring one "Lucky Number" area and eight "Your Numbers" areas. The play symbols and their captions located in the "Lucky Number" area and the "Your Numbers" areas are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SNTN), 18 (EGTN), 19 (NINTN) and 20 (TWTY).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the play area are: \$1.⁰⁰ (ONE DOL), \$2.⁰⁰ (TWO DOL), \$4.⁰⁰ (FOUR DOL), \$8.⁰⁰ (EGT DOL), \$16\$ (SXTN DOL), \$24\$ (TWTYFOR), \$40\$ (FORTY), \$80\$ (EGTY), \$800 (EGT HUN) and \$50,000 (FIFTY THO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$8, \$16, \$24, \$40, \$80, \$800 and \$50,000. The player can win up to eight times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 8,160,000 tickets will be printed for the Pennsylvania Fifty Grand instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$50,000 (FIFTY THO) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$800 (EGT HUN) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$800.

(c) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$80\$ (EGTY) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$80.

(d) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$40\$ (FORTY) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(e) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$24\$ (TWTYFOR) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$24.

(f) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$16\$ (SXTN DOL) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$16.

(g) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$8.⁰⁰ (EGT DOL) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$8.

(h) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$4.⁰⁰ (FOUR DOL) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(i) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$2.⁰⁰ (TWO DOL) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(j) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$1.⁰⁰ (ONE DOL) appears under the "Your Numbers" play symbol that matches the "Lucky Number" play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Match The Winning Number To Any Of Your Numbers, With Prize(s) Of:</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 8,160,000 Ticket</i>
\$1 + \$1	\$2	1:10	816,000
\$2	\$2	1:18.75	435,200
\$1 x 4	\$4	1:32.61	250,240
\$1 x 2 + \$2	\$4	1:44.12	184,960
\$2 x 2	\$4	1:53.57	152,320
\$4	\$4	1:68.18	119,680
\$1 x 8	\$8	1:375	21,760
\$1 x 4 + \$4	\$8	1:750	10,880
\$4 x 2	\$8	1:750	10,880
\$8	\$8	1:750	10,880
\$2 x 8	\$16	1:375	21,760
\$2 x 4 + \$4 x 2	\$16	1:750	10,880
\$1 x 4 + \$4 + \$8	\$16	1:750	10,880
\$16	\$16	1:750	10,880
\$2 x 6 + \$4 + \$8	\$24	1:750	10,880
\$4 x 2 + \$16	\$24	1:750	10,880
\$8 + \$16	\$24	1:750	10,880
\$2 x 2 + \$4 x 3 + \$8	\$24	1:750	10,880
\$24	\$24	1:750	10,880
\$4 x 6 + \$8 x 2	\$40	1:2,400	3,400
\$8 x 3 + \$16	\$40	1:2,400	3,400
\$8 x 5	\$40	1:3,000	2,720
\$8 + \$16 x 2	\$40	1:3,000	2,720
\$16 + \$24	\$40	1:3,000	2,720
\$40	\$40	1:12,000	680
\$8 x 6 + \$16 x 2	\$80	1:8,571	952
\$40 x 2	\$80	1:10,000	816
\$16 + \$24 + \$40	\$80	1:12,000	680
\$8 x 3 + \$16 + \$40	\$80	1:12,000	680
\$80	\$80	1:30,000	272
\$800	\$800	1:60,000	136
\$50,000	\$50,000	1:680,000	12

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Fifty Grand instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Fifty Grand, prize money on winning Pennsylvania Fifty Grand instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Fifty Grand instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets

from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Fifty Grand or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 97-1412. Filed for public inspection August 29, 1997, 9:00 a.m.]

Pennsylvania Jack O'Lantern Jackpot '97 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-1—3761-15), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Jack O'Lantern Jackpot '97.

2. *Price:* The price of a Pennsylvania Jack O'Lantern Jackpot '97 instant lottery game ticket is \$3.00.

3. *Play Symbols:* Each Pennsylvania Jack O'Lantern Jackpot '97 instant lottery game ticket will contain four "Play Area" areas. Each "Play Area" is played separately. The play symbols and their captions located in each "Play Area" are: \$1.⁰⁰ (ONE DOL), \$2.⁰⁰ (TWO DOL), \$3.⁰⁰ (THREE DOL), \$4.⁰⁰ (FOUR DOL), \$5.⁰⁰ (FIVE DOL), \$10.⁰⁰ (TEN DOL), \$15.⁰⁰ (FTN DOL), \$25\$ (TWYFIVE), \$50\$ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$2,500 (TWFIVHUN), \$5,000 (FIVETHO) and \$100,000 (ONEHNTHO).

4. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$4, \$5, \$10, \$15, \$25, \$50, \$100, \$250, \$500, \$2,500, \$5,000 and \$100,000. The player can win up to 4 times on each ticket.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 2,400,000 tickets will be printed for the Pennsylvania Jack O'Lantern Jackpot '97 instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols of \$100,000 (ONEHNTHO) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets with three matching play symbols of \$5,000 (FIVETHO) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets with three matching play symbols of \$2,500 (TWFIVHUN) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets with three matching play symbols of \$500 (FIV HUN) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets with three matching play symbols of \$250 (TWOHUNFTY) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$250.

(f) Holders of tickets with three matching play symbols of \$100 (ONE HUN) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets with three matching play symbols of \$50\$ (FIFTY) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets with three matching play symbols of \$25\$ (TWYFIVE) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$25.

(i) Holders of tickets with three matching play symbols of \$15.⁰⁰ (FTN DOL) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$15.

(j) Holders of tickets with three matching play symbols of \$10.⁰⁰ (TEN DOL) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets with three matching play symbols of \$5.⁰⁰ (FIVE DOL) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets with three matching play symbols of \$4.⁰⁰ (FOUR DOL) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$4.

(m) Holders of tickets with three matching play symbols of \$3.⁰⁰ (THREE DOL) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$3.

(n) Holders of tickets with three matching play symbols of \$2.⁰⁰ (TWO DOL) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$2.

(o) Holders of tickets with three matching play symbols of \$1.⁰⁰ (ONE DOL) in the same "Play Area," on a single ticket, shall be entitled to a prize of \$1.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 2,400,000 Tickets</i>
\$1 x 3	\$3	1:10	240,000
\$1 + \$2	\$3	1:33.33	72,000
\$3	\$3	1:50	48,000
\$1 x 4	\$4	1:20	120,000
\$1 x 2 + \$2	\$4	1:100	24,000
\$2 x 2	\$4	1:250	9,600
\$4	\$4	1:166.67	14,400
\$1 x 3 + \$2	\$5	1:23.81	100,800
\$1 + \$2 x 2	\$5	1:250	9,600
\$1 + \$4	\$5	1:83.33	28,800
\$5	\$5	1:500	4,800
\$1 x 2 + \$4 x 2	\$10	1:71.43	33,600
\$5 x 2	\$10	1:250	9,600
\$10	\$10	1:500	4,800
\$5 + \$10	\$15	1:250	9,600
\$5 x 3	\$15	1:500	4,800
\$3 + \$4 x 3	\$15	1:500	4,800
\$15	\$15	1:500	4,800
\$5 x 3 + \$10	\$25	1:400	6,000
\$5 x 2 + \$15	\$25	1:400	6,000
\$10 + \$15	\$25	1:400	6,000
\$25	\$25	1:400	6,000
\$5 x 2 + \$15 + \$25	\$50	1:1,500	1,600
\$10 + \$15 + \$25	\$50	1:1,500	1,600

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 2,400,000 Tickets</i>
\$25 x 2	\$50	1:3,750	640
\$50	\$50	1:7,500	320
\$25 x 4	\$100	1:3,750	640
\$25 x 2 + \$50	\$100	1:3,750	640
\$100	\$100	1:3,750	640
\$250 x 4	\$1,000	1:60,000	40
\$500 x 2	\$1,000	1:60,000	40
\$2,500 x 4	\$10,000	1:120,000	20
\$5,000 x 2	\$10,000	1:120,000	20
\$100,000	\$100,000	1:480,000	5

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Jack O'Lantern Jackpot '97 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Jack O'Lantern Jackpot '97, prize money on winning Pennsylvania Jack O'Lantern Jackpot '97 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Jack O'Lantern Jackpot '97 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Jack O'Lantern Jackpot '97 or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 97-1413. Filed for public inspection August 29, 1997, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Fayette, Greene, Washington and Westmoreland Counties

Project Reference No. 08430AG2105

The Department of Transportation will retain two (2) surveying and/or engineering firms, with a minimum of two (2) survey corps each, for preliminary, final and construction surveys for projects in Fayette, Greene, Washington and Westmoreland Counties, Engineering District 12-0.

The Contract will be for a period of thirty (30) months from the date of the notice to proceed. It is estimated that approximately 563 crew days may be required for each of the two (2) firms selected.

The two (2) selected firms will be required to adequately staff a minimum of two (2) four-person survey crews. The firms will be required to furnish each survey crew with all required material, equipment, liability insurance, safety equipment and procedures necessary for the efficient, timely and professional completion of preliminary highway surveys, property surveys, construction stakeouts for structures, and roadways, retracing alignment, referencing control points and right-of-way and other related projects as directed by the Department. Preliminary highway surveys shall be performed using three-dimensional (3D) electronic survey procedures, unless otherwise directed by the Department. To ensure that all survey data is collected in a format that is compatible with the Department's existing Electronic Theodolite Interface (ETI) Software, the Department will provide Department-developed Electronic Survey Collection (ESC) Software and User's Manual to the selected firms. The software will be restricted to use on Department projects. The selected firms will be responsible for providing the hardware configuration necessary to complete surveys using the Department's software.

The hardware requirements are a Corvallis Microtechnology, Inc., M C V-Q hand-held computer with 640K of memory or compatible data collection equipment: a 3-1/2" floppy disk drive; and an electronic total station surveying instruments and serial cables to communicate with the hand-held computer. The total-station will be comparable or better than a five second instrument (5").

The Department will establish an order of ranking of a minimum of five (5) firms for the purpose of negotiating an agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letter of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of employee's resumes with emphasis on surveying capabilities and specialized experience in Highway/Route Surveying.

b. Geographical location of firm in relation to the Engineering District.

c. Understanding of the Department's requirements, policies and specifications.

d. Ability to provide survey crew on short (3-day minimum) notice.

- e. Present workload of survey corps.
- f. Past performance.

g. Additional equipment not required such as; laptop computers, calculators, digital levels, etc., will be considered.

The qualifications and experience required of each firm's personnel must meet or exceed the requirements of the Department's surveyor class specification. The descriptions for these classifications can be obtained from the District contact person identified at the end of this solicitation.

The survey personnel and supporting resume information must be submitted with the letter of interest. There shall be no substitution or addition of personnel without first submitting resumes and receiving written approval by the Department.

1. All field survey work shall be under the supervision of a Professional Land Surveyor licensed in the Commonwealth of Pennsylvania.

2. Each survey crew shall consist of a minimum of one (1) party chief, one (1) instrument person and rod/prism/chain personnel to complete the crew, whether it be 3 or 4 people.

3. Electronic equipment and procedures, as described above, must be utilized in completion of surveys, unless otherwise directed by the Department.

4. The party chief should have a minimum of three (3) years experience as a party chief in highway related work. In the absence of the party chief, the corps will cease operations. Operations will commence when corps is properly staffed and capable of executing the assignment.

5. Provisions will be included for railroad insurance, rental of arrow boards, ladders, and/or boats when and if needed.

If a survey firm is submitting a letter of interest, it must indicate in the body of its transmittal letter the names and Professional Land Surveyor License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's surveying activities, and whose names and seals shall be stamped on plans, specifications, plans and reports issued by the firm.

The second copy of the letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, P.O. Box 459, North Gallatin Avenue Extension, Uniontown, PA 15401.

Any technical questions concerning the requirements for this project should be directed to Mr. Donald P. Boord, P. L.S., Chief of Surveys, Engineering District 12-0 at (412) 439-7338.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest and required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief
Consultant Selection Committee
7th Floor, Forum Place,
555 Walnut Street
Harrisburg, Pennsylvania 17101-1900

The Letter of Interest and required information must be received within thirteen (13) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 P.M. prevailing time of the thirteenth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each Letter of Interest must include the following information and the information must be packaged and presented in the following order:

1. Transmittal Letter (Maximum of two (2) typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm.

2. Project Organization Chart (one page, one side)

This Chart should show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team).

The Standard Form 255 must be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. Under Item 4 of this form, Column A should include the number of subconsultant personnel and Column B should include the number of prime consultant personnel to be assigned to work on this project reference number.

If a Disadvantage Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, must accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the Letter of Interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These Forms shall be assembled with the prime's first, followed by the subconsultant's in the same order as they appear in Item 6 of Form 255.

5. Workload Projection Graph (Not required for Construction Inspection Services)

A Workload Projection Graph for the prime and each subconsultant should indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next two-year time frame. The Workload Projection Graph should be submitted for the office(s) where the work would be performed and should

only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees should be first, followed by subconsultant employees, in the same order as shown in Item 6 of Form 255.

7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

This page must show the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Account must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

9. Additional Information

Additional information, not to exceed ten (10) one sided pages or five (5) double sided pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY
Secretary

[Pa.B. Doc. No. 97-1414. Filed for public inspection August 29, 1997, 9:00 a.m.]

FISH AND BOAT COMMISSION

Additional Restrictions on Commission Property; Oxbow Lake, Wyoming County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 53.18 (relating to additional restrictions) is banning the use or possession of beer and alcoholic beverages on Commission owned and controlled property at Oxbow Lake, Wyoming County.

The Commission recently completed construction of an access road, parking lot and fishing facilities for persons with disabilities at Oxbow Lake. The Lake itself is open to public fishing; it is owned by the Catholic Diocese of Scranton, which prohibits the use or possession of alcohol on its property. The Commission property was acquired from the Church for development to provide additional fishing opportunities for persons with disabilities and other anglers. Banning the use or possession of beer and alcoholic beverages on the Commission property is appropriate for the protection and management of this property.

Accordingly, effective immediately and until further notice, the use or possession of beer and alcoholic beverages is prohibited on all Commission owned or controlled property at Oxbow Lake, Wyoming County.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 97-1415. Filed for public inspection August 29, 1997, 9:00 a.m.]

Proposed Redesignation of a Section of Kettle Creek, Potter County

The Fish and Boat Commission (Commission), acting under 58 Pa. Code Ch. 65, is considering the deletion of 1.7 miles (from 500 ft. downstream of SR0144 upstream 1.7 miles) of Kettle Creek, Potter County, from the list of Catch-and-Release Areas (designated under 58 Pa. Code § 65.5) and adding the same stream section to the list of Delayed Harvest Artificial Lures Only areas designated under 58 Pa. Code § 65.6) effective January 1, 1998.

Under 58 Pa. Code Chapter 65, the Commission designates certain streams and stream sections as being subject to special trout fishing regulations. Since 1988, a 1.7 mile section of Kettle Creek has been managed as a biomass Class B water under Catch-and-Release regulations. Catch-and-Release regulations were designed for waters supporting either Class A wild trout fisheries or Class B waters where a substantial portion of the population consists of wild trout. Recent inventory information has confirmed that this section of stream no longer maintains a viable biomass Class B wild trout fishery, primarily due to changes in the instream habitat. Therefore, in order to manage this water closer to its biological potential, the Commission is considering placing this stream section under the Delayed Harvest Artificial-Lures-Only program. The change would provide for additional seasonal angling opportunities through an increase in the spring hatchery allocation along with the addition of a fall stocking consistent with Delayed Harvest management. However, under Delayed Harvest management, emphasis will continue to focus on recreation rather than harvest.

The Commission is soliciting public input concerning this proposed change in designation. Persons with comments, objections or suggestions concerning this proposed redesignation of this stream section are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000 by no later than October 2, 1997. In addition, the

Commission will conduct a public information meeting on the proposed change in the designation of this stream at 7 p.m. on September 18, 1997, at the Cross Fork Fire Hall, Cross Fork, PA.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 97-1416. Filed for public inspection August 29, 1997, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Scheduled

The Health Care Cost Containment Council has scheduled the following meetings for September: Wednesday, September 3, 1997, Data Systems Committee at 10 a.m.; Education Committee at 1 p.m.; Legislative Committee at 2:30 p.m. The committee meetings will be held in the conference room at the Council office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The Council meeting will be held on Thursday, September 4, 1997 at 10 a.m. at the Pennsylvania Medical Society, 777 East Park Drive, Harrisburg, PA 17105. The public is invited to attend. Persons who need accommodation due to a disability and want to attend a meeting, should contact Cherie Kauffman, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, (717) 232-6787, at least 24 hours in advance so arrangements can be made.

ERNEST J. SESSA,
Executive Director

[Pa.B. Doc. No. 97-1417. Filed for public inspection August 29, 1997, 9:00 a.m.]

INSURANCE DEPARTMENT

Blue Cross of Northeastern Pennsylvania; Rate Increase for Community-Rated Group Basic Blue Cross; Filing No. 319-BCCG-1/98

Blue Cross of Northeastern Pennsylvania submitted a filing requesting the Insurance Department's approval to increase the monthly rates by 11.49% for the Blue Cross Community-Rated Group Program for an effective date of November 1, 1997. This rate change will produce an estimated additional annual income of \$4.6 million and will affect approximately 26,000 policy holders.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1418. Filed for public inspection August 29, 1997, 9:00 a.m.]

Blue Cross of Northeastern Pennsylvania; Rate Increase for Community-Rated Group Major Medical; Filing No. 314-MMCG-1/98

Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield submitted a filing requesting the Insurance Department's approval to increase the monthly rates by 24.78% for the Major Medical Community-Rated Program for an effective date of November 1, 1997. The proposed increase will produce an estimated additional annual income of \$4.7 million and will affect approximately 29,500 policy holders.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1419. Filed for public inspection August 29, 1997, 9:00 a.m.]

increases are approximately 47.78%, 21.69%, 21.65% and 15.15% for Security 65 packages A, B, C and H respectively, which yields a 20.66% overall average increase.

	Current Rate	Proposed Rates
Security 65 Package A	\$20.20	\$ 29.85
Security 65 Package B	\$42.30	\$ 51.48
Security 65 Package C	\$52.80	\$ 64.23
Security 65 Package H	\$87.05	\$100.24

This increase will produce approximately \$6.8 million dollars of additional revenue for 1998 for an estimated 56,800 subscribers.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1421. Filed for public inspection August 29, 1997, 9:00 a.m.]

Blue Cross of Northeastern Pennsylvania; Rate Increase for Non-Group Major Medical; Filing No. 315-MMNG-1/98

Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield submitted a filing requesting the Insurance Department's approval to increase the monthly rates by 29.07% for the Major Medical Non-Group Program for an effective date of January 1, 1998. The proposed increase will produce an estimated additional annual income of \$1.3 million and will affect approximately 7,200 policy holders.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1420. Filed for public inspection August 29, 1997, 9:00 a.m.]

Capital Blue Cross; Community-Rated Group 65-Special and Prescription Drug Riders Rate Increase; Filing No. 97-AA

By Filing No. 97-AA, Capital Blue Cross and Pennsylvania Blue Shield propose to increase the rates for the Community-Rated Group 65-Special Program. The proposed increase is 13.0%. This rate change will produce an estimated additional annual income of \$0.7 million and will affect approximately 10,000 policy holders. An effective date of October 1, 1997 is requested.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1422. Filed for public inspection August 29, 1997, 9:00 a.m.]

Blue Cross of Northeastern Pennsylvania; Rate Increase for Security 65 Programs: Plan A, Plan B, Plan C and Plan H; Filing No. 328-SEC-65-1-98

Blue Cross of Northeastern Pennsylvania filed to increase rates for the Security 65 Program for an effective date of January 1, 1998. Specifically, the requested rate

Capital Blue Cross; Rate Increase for Basic Blue Cross Program for Individual Subscribers; Filing No. 97-T

By Filing No. 97-T, Capital Blue Cross and Pennsylvania Blue Shield propose to increase the rates for the Individual Basic Blue Cross Program. The proposed increase is 22.9%. This rate change will produce an estimated additional annual income of \$3.9 million and will

affect approximately 8,000 policy holders. An effective date of January 1, 1998 is requested.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1423. Filed for public inspection August 29, 1997, 9:00 a.m.]

Capital Blue Cross; Security 65 Program Rate Increase for Plans B, C and H; Filing No. 97-KK

By Filing No. 97-KK, Capital Blue Cross requests to increase rates for Plans B, C and H of their Security 65 program. The requested rate increases are: 20.5% for Plan B, 3.9% for Plan C and 28.0% for Plan H. No rate increase is requested for Plan A.

The rate change will produce an estimated additional annual income of \$12.5 million and will affect 120,700 subscribers. An effective date of January 1, 1998 has been requested.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1424. Filed for public inspection August 29, 1997, 9:00 a.m.]

Erie Insurance Exchange and Erie Insurance Company; Rate Revision for Private Passenger Auto

On August 15, 1997, the Insurance Department received from Erie Insurance Exchange and Erie Insurance Company, a filing of rates for Private Passenger Auto Insurance.

The filing requests an overall 1.4% increase amounting to \$8,794,200 annually for Erie Insurance Exchange, and an overall 2.9% increase amounting to \$1,683,700 annually for Erie Insurance Company, to be effective January 1, 1998 for both new business and renewals.

Unless formal administrative action is taken prior to October 14, 1997, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Rick Pawelski, Insurance Department, Office of Rate and Policy Regulation, Room 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1425. Filed for public inspection August 29, 1997, 9:00 a.m.]

L. R. Markham; Hearing

Appeal of L. R. Markham under The Motor Vehicle Financial Responsibility Law; Catastrophic Loss Benefits Continuation Fund; Doc. No. CF97-08-020

A telephone pre-hearing conference initiated by this office shall be conducted on October 14, 1997 at 10 a.m. The parties shall have exchanged and filed prior to October 14, 1997 all exhibits intended for use at the hearing, a witness list identifying the names, addresses and telephone numbers for the proposed witnesses, the identity of all experts along with their curriculum vitae and proposed testimony, an estimate of time for the respective party's case-in-chief, a listing of all legal issues and the supportive citation for the respective party's position pertaining to the legal issues and all joint factual stipulations.

The hearing shall occur on October 28, 1997 at 11 a.m. in Room 200, Administrative Hearing Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1426. Filed for public inspection August 29, 1997, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Dellavecchia, Donna; file no. 97-121-04623; Colonial Insurance Company of California; doc. no. P97-08-009; September 23, 1997, at 2 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1427. Filed for public inspection August 29, 1997, 9:00 a.m.]

Review Procedure Hearings under The Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Nichi, Natalie; file no. 97-198-05180; The Ohio Casualty Insurance Co.; doc. no. P97-08-008; September 24, 1997, at 11 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

GREGORY S. MARTINO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 97-1428. Filed for public inspection August 29, 1997, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:

Lehigh County, Wine & Spirits Shoppe #3908

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space within the Borough of Macungie.

Proposals due: September 19, 1997 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

The following Liquor Control Board lease will expire:

Erie County, Wine & Spirits Shoppe #2520, Imperial Point Plaza, 9135 Ridge Rd., Girard, PA 16417-9625

Lease Expiration Date: May 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space within a shopping center environment. Store-room should be conveniently located to serve both Girard and Fairview.

Proposals due: September 12, 1997 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 97-1429. Filed for public inspection August 29, 1997, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Interconnection Agreement

A-310565. Bell Atlantic—Pennsylvania, Inc. and D & E Wireless Incorporated. Joint Petition of Bell Atlantic—Pennsylvania, Inc. and D & E Wireless Incorporated for Approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic—Pennsylvania, Inc. and D & E Wireless Incorporated, by its counsel, filed on August 7, 1997, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic—Pennsylvania, Inc. and D & E Wireless Incorporated Joint Petition are on file with the Commission and are available for public inspection. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1430. Filed for public inspection August 29, 1997, 9:00 a.m.]

Interconnection Agreement

A-310567. Bell Atlantic—Pennsylvania, Inc. and PhillieCo, L. P. Joint Petition of Bell Atlantic—Pennsylvania, Inc. and PhillieCo, L. P. for Approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic—Pennsylvania, Inc. and PhillieCo, L. P., by its counsel, filed on August 7, 1997, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic—Pennsylvania, Inc. and PhillieCo, L. P. Joint Petition are on file with the Commission and are available for public inspection. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1431. Filed for public inspection August 29, 1997, 9:00 a.m.]

1998 Schedule of Filing Dates for Recovery of Purchased Gas Costs; Doc. No. L-840102

Regulations promulgated by the Pennsylvania Public Utility Commission at 52 Pa. Code § 53.64(b) direct the Commission to annually publish a schedule of filing dates for jurisdictional gas utilities subject to the procedure of 66 Pa.C.S. § 1307(f) (relating to sliding scale of rate; adjustments) for the recovery of purchased gas costs.

The 1998 schedule of filing dates is as follows:

February 2, 1998: National Fuel Gas Distribution Corporation—Pennsylvania Division; T. W. Phillips Gas and Oil Company.

April 1, 1998: Columbia Gas of Pennsylvania, Inc.; Peoples Natural Gas Company; Equitable Gas Company.

June 3, 1998: P. G. Energy, Inc.; PECO—Gas Division; UGI Corporation; PFG Gas, Inc.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1432. Filed for public inspection August 29, 1997, 9:00 a.m.]

Petition of Excell Agent Services, Inc. for Subscriber Listing Information and Directory Listing Information under 47 U.S.C.A. § 222(e) of the Telecommunications Act of 1996; Doc. No. P-00961105

On September 9, 1996, Excell Agent Services, Inc. (Petitioner) filed an omnibus Petition (Petition) with the Federal Communications Commission, the Department of Justice and several states, including Pennsylvania. The Petitioner seeks Subscriber Listing Information, both listed and unlisted, and Directory Listing information under sections 222(d) and 251(b)(3) of the Telecommunications Act of 1996 (TA-96) in order to provide competitive directory assistance at the National and international level.

The Petitioner alleges that the delay in providing Subscriber Listing Information and Directory Listing Information violates section 222(e) of TA-96. The Petitioner seeks access to the Subscriber Listing and Directory Listing databases of the Pennsylvania local exchange companies (LECs) in readily available magnetic and electronic formats consistent with the Pennsylvania Public Utility Commission's (Commission) authority.

The Petition was not served on any of the Pennsylvania LECs, the Office of Consumer Advocate or the Office of Small Business Advocate. Moreover, the Petition was not served on the other interested entities such as the Pennsylvania Telephone Association and the Pennsylvania Utility Law Project.

After a careful review of the complex legal, policy and technical questions raised by the Petition, the Commission believes that the solicitation of public comment is appropriate.

Consequently, the Commission is providing this notice to the public with a deadline for comments and reply comments. The deadline for comments shall be 30 days from the date of publication in the *Pennsylvania Bulletin*. The deadline for the filing of Reply Comments will be 45 days from the date of publication in the *Pennsylvania Bulletin*.

A copy of the Petition is available from the Office of the Prothonotary, Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265. A copy of this Notice will also be electronically available on the Commission's Bulletin Board.

The contact person at the Commission is Joseph K. Witmer, Esq., Assistant Counsel, Law Bureau, (717) 787-3663 or Shirley M. Leming, Regulatory Coordinator, (717) 772-4597.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1433. Filed for public inspection August 29, 1997, 9:00 a.m.]

Telecommunications

A-310442. Bell Atlantic—Pennsylvania, Inc. and Blue Ribbon Rentals II, Inc. Joint Petition of Bell Atlantic—Pennsylvania, Inc. and Blue Ribbon Rentals II, Inc. for Approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic—Pennsylvania, Inc. and Blue Ribbon Rentals II, Inc., by its counsel, filed on August 12, 1997, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic—Pennsylvania, Inc. and Blue Ribbon Rentals II, Inc. Joint Petition are on file with the Commission and are available for public inspection. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1434. Filed for public inspection August 29, 1997, 9:00 a.m.]

Telecommunications

A-310068F0002. Bell Atlantic—Pennsylvania, Inc. and North American Communications, Inc. Joint Petition of Bell Atlantic—Pennsylvania, Inc. and North American Communications, Inc. for Approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic—Pennsylvania, Inc. and North American Communications, Inc., by its counsel, filed on August 7, 1997, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic—Pennsylvania, Inc. and North American Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection. The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1435. Filed for public inspection August 29, 1997, 9:00 a.m.]

Water Service Without Hearing

A-210620 F2002. Country Club Gardens Water Company. Application of Country Club Gardens Water Company for approval of the abandonment of its right to provide water service to the undeveloped portion of its

country club gardens service territory in South Whitehall Township, Lehigh County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before September 15, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Country Club Gardens Water Company

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas Thomas Armstrong & Niesen, Suite 500, 212 Locust Street, P. O. Box 9500, Harrisburg, PA 17108-9500.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1436. Filed for public inspection August 29, 1997, 9:00 a.m.]

Water Service Without Hearing

A-212285 F0041 (Transfer of property). A-212285 F0042 (Begin water service) Pennsylvania-American Water Company. Application of Pennsylvania-American Water Company for approval of: 1) the transfer, by sale, of the waterworks property and rights of the Pocono Mountains Industrial Park Authority to Pennsylvania-American Water Company; and 2) the rights of Pennsylvania-American Water Company to begin to offer or furnish water service to the public in additional portions of Coolbaugh Township, Monroe County, PA, in portions of Mount Pocono Borough, Monroe County.

This Application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before September 15, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Pennsylvania-American Water Company

Through and By Counsel: Velma A. Redmond, Esquire, Corporate Counsel, Pennsylvania-American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1437. Filed for public inspection August 29, 1997, 9:00 a.m.]

Water Service Without Hearing

A-210076. Riverwoods Water Company, Inc. Application of Riverwoods Water Company, Inc., for approval of the right to offer, render, furnish or supply water service to the public in the Riverwoods at New Hope residential development, Bucks County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg,

with a copy served on the applicant on or before September 15, 1997, under 52 Pa. Code (relating to public utilities).

Applicant: Riverwoods Water Company, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, D. Mark Thomas, Esquire, Thomas, Thomas, Armstrong & Niesen, 212 Locust Street, P. O. Box 9500, Harrisburg, PA 17108-9500.

JAMES J. MCNULTY,
Acting Secretary

[Pa.B. Doc. No. 97-1438. Filed for public inspection August 29, 1997, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Requests for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9712.1, Concrete Pavement Repairs and Striping at Packer Avenue Marine Terminal, until 2 p.m. on Thursday, September 18, 1997. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Square, 13th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available September 2, 1997. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held September 11, 1997, 10 a.m. at Delaware and Packer Avenues, Philadelphia, PA.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 97-1439. Filed for public inspection August 29, 1997, 9:00 a.m.]

STATE SYSTEM OF HIGHER EDUCATION

Request for Proposals

The State System of Higher Education will select a firm or firms to provide a full range of architectural and engineering services under an open-ended design agreement for projects located at the Dixon University Center and at the 14 State System Universities. Professional liability insurance will be a requirement of this contract. Interested professionals can obtain a Request for Proposals (RFP) from Rebecca Meacham at the Dixon University Center; 2986 North Second Street; North Hall, Room 105; Harrisburg, PA 17110, (717) 720-4117, or fax requests can be sent to (717) 720-4013 or (717) 720-7117. RFPs are due on September 23, 1997 by 4:30 p.m. The System encourages responses from small firms, minority firms, women owned firms and firms which have not previously worked for the System, and will consider joint ventures which will enable these firms to participate in System Professional Services Contracts. Nondiscrimination and equal opportunity are the policies of the Commonwealth and the State System of Higher Education.

JAMES H. MCCORMICK,
Chancellor

[Pa.B. Doc. No. 97-1440. Filed for public inspection August 29, 1997, 9:00 a.m.]