

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending September 2, 1997.

#### BANKING INSTITUTIONS

##### Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
8-28-97	F.N.B. Corporation, Hermitage. To acquire up to 20.0% of the voting shares of Sun Bancorp, Inc., Selinsgrove	Hermitage	Approved

##### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-27-97	Johnstown Bank and Trust Company, Johnstown; Laurel Bank, Ebensburg; and Fayette Bank, Uniontown Surviving Institution— Johnstown Bank and Trust Company, Johnstown, with a change in corporate title to Laurel Bank	Johnstown	Filed
8-28-97	Northwest Savings Bank, Warren, and Northwest Interim Savings Bank I, Warren Surviving Institution— Northwest Savings Bank, Warren  Subject merger is being effected solely in connection with the two-tier reorganization of Northwest Bancorp, M.H.C., Warren.	Warren	Approved
8-28-97	Harris Savings Bank, Harrisburg, and Harris Interim Savings Bank I, Harrisburg Surviving Institution— Harris Savings Bank, Harrisburg  Subject merger is being effected solely in connection with the two-tier reorganization of Harris Financial, MHC, Harrisburg.	Harrisburg	Approved

##### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-29-97	Fulton Bank Lancaster Lancaster County	Oregon Dairy Farm Market 2900 Oregon Pike Manheim Township Lancaster County	Filed

##### Branch Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-2-97	Three River Bank and Trust Company Jefferson Borough	<i>To:</i> 269 Clairton Blvd. (West Mifflin) Pittsburgh Allegheny County  <i>From:</i> 5253 Brownsville Road (Baldwin) Pittsburgh Allegheny County	Filed

**Branch Discontinuances**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-26-97	Summit Bank Bethlehem Northampton County	55 Blue Valley Dr. Bangor Northampton County	Approved
8-29-97	Wayne Bank Honesdale Wayne County	Jackson Street Thompson Susquehanna County	Effective
9-2-97	Summit Bank Bethlehem Northampton County	3900 Hamilton Blvd. Allentown Lehigh County	Approved

**Articles of Amendment**

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
8-29-97	The Fidelity Deposit & Discount Bank Dunmore Lackawanna County	To provide for the acquisition of fiduciary powers.	Approved Effective 9-2-97

**SAVINGS ASSOCIATIONS**

No activity.

**CREDIT UNIONS**

No activity.

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 97-1476. Filed for public inspection September 12, 1997, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

**Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.**


---

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0031178.** Sewage, **Melody Lakes Properties**, 1045 North West End Boulevard, Lot No. 10, Quakertown, PA 18951.

This application is for renewal of an NPDES permit to discharge 72,000 gpd of treated sewage from Melody Lakes Properties Sewage Treatment Plant, in Richland Township, **Bucks County**. This is an existing discharge to an unnamed tributary to Tohickon Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 72,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	30	50
Ammonia (as N)		
(5-1 to 10-31)	2.0	4.0
(11-1 to 4-30)	6.0	12.0
Phosphorus (as P)	0.5	1.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 6.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	
Total Residual Chlorine		
(Issuance through Year 2)	0.8	2.0
(Year 3 through Expiration)	0.03	0.1

The EPA waiver is in effect.

*Other conditions:* Conditions for future permit modification. Effective disinfection. Final water quality based effluent limitations for Total Residual Chlorine.

**PA 0050962.** Sewage, **Ridge View Terrace, Inc.**, 165 West Ridge Pike, Limerick, PA 19468.

This application is for renewal of an NPDES permit to discharge treated sewage from Ridge View Terrace Mobile Home Park sewage treatment plant in Limerick Township, **Montgomery County**. This is an existing discharge to Landis Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .016 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>		
(5-1 to 10-31)	20	40
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Phosphorus (as P)	2.0	4.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	
Total Residual Chlorine		
(years 1 and 2)	1.0	1.5
(years 3, 4 and 5)	0.5	1.0

The EPA waiver is in effect.

---

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**PA 0039861.** Reconstituted tobacco, SIC: 2121, **Consolidated Cigar Corporation**, McAdoo-Tresckow Road, McAdoo, PA 18237.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial wastewater and contact cooling water to a wet weather channel to Catawissa Creek in Banks Township, **Carbon County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Water Company located on the North Branch of the Susquehanna River.

*Outfall 101*—Waste Treatment Plant: The proposed effluent limits, based on a design flow of 0.037 mgd, are:

*Parameter*

CBOD<sub>5</sub> (1)

Total Suspended Solids (1)

1. In no case shall the arithmetic means of the effluent values of the biochemical oxygen demand (5 day) and suspended solids discharged during a period of 30 consecutive days exceed 15% respective arithmetic means of the influent values for those parameters during the same time period, except as specifically authorized by the permitting authority.

*Outfall 001*—Combined Discharge from waste treatment and contact cooling water: The proposed effluent limits, based on a design flow of 0.120 mgd, are:

*Parameter*

*lbs/day Monthly average*

CBOD<sub>5</sub>

13.1

Total Suspended Solids

9.7

Dissolved Oxygen

minimum of 6.0 mg/l at all times

pH

6.0—9.0 at all times

*Other Conditions:* 1. Disposal of collected screenings

The EPA waiver is in effect.

**PA 0032816.** Water supply filter back wash, SIC: 4941, **Jim Thorpe Municipal Authority**, 101 East Third Street, Jim Thorpe, PA 18229.

This proposed action is for reissuance of an NPDES permit for an existing discharge of filter backwash to Mauch Chunk Creek in Jim Thorpe Borough, **Carbon County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is Northampton Municipal Authority located on the Lehigh River.

The proposed effluent limits for Outfall 001, based on a design flow of 0.084 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Iron	2	4	6
Total Aluminum	1.2	2.4	3.0
Total Manganese	1	2	2.5
Total Suspended Solids	30	60	60
pH	6.0—9.0 at all times		

*Other Conditions:* (1) Sludge disposal requirement

The EPA waiver is in effect.

**PA 0061727.** Sewerage, **Passionist Nuns Monastery**, St. Gabriel's Retreat, 631 Griffin Pond Road, Clarks Summit, PA 18411-2899.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into a wet weather channel leading to Leggetts Creek in South Abington Township, **Lackawanna County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Authority on the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of .00825 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	50.0
Total Suspended Solids	30.0	60.0
NH <sub>3</sub> -N		

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
(5-1 to 10-31) Fecal Coliform	12.0	24.0
(5-1 to 9-30) (10-1 to 4-30) pH	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean 6.0—9.0 standard units at all times	
Total Residual Chlorine (Months 1—24) (Months 25—60)	monitor and report 1.2	2.8

The EPA waiver is not in effect.

**PA 0055174.** Industrial waste, **Buckeye Pipe Line Company, L. P.**, 135 Buckeye Road, Macungie, PA 18062.

This application is for renewal of an NPDES permit to discharge untreated stormwater from the Buckeye Pipe Line facility in Lower Macungie Township, **Lehigh County**. This is an existing discharge to an unnamed tributary to Swabia Creek.

The receiving stream is classified for the following uses; high quality trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits are as follows:

The proposed effluent limits for Outfalls 001, 002 and 003 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Recoverable Petroleum Hydrocarbons Diesel Range Organics Gasoline Range Organics			monitor/report monitor/report monitor/report

*Other Requirements:*

1. DMR to DEP
2. PPC Plan Requirements
3. Other Wastewater
4. Definitions

The EPA waiver is in effect.

**PA 0053813.** Industrial waste, **Farm and Home Oil Company**, 100 Tank Farm Road, Macungie, PA 18062.

This application is for renewal of an NPDES permit to discharge treated stormwater from the Farm and Home Oil Petroleum Marketing Terminal in Lower Macungie Township, **Lehigh County**. This is an existing discharge to Brinker Pond to an unnamed tributary to Swabia Creek.

The receiving stream is classified for the following uses: high quality cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Recoverable Petroleum Hydrocarbons Diesel Range Organics Gasoline Range Organics		monitor/report monitor/report monitor/report	

*Other Requirements:*

1. DMR to DEP
2. Product Contaminated Stormwater Runoff
3. Monitoring and Reporting
4. PPC Plan Requirements
5. Other Wastewaters
6. Definitions

The EPA waiver is in effect.

**PA 0070084.** Industrial waste, **Agway Petroleum Corporation**, P. O. Box 4852, Syracuse, NY 13221.

This application is for renewal of an NPDES permit to discharge treated stormwater from the Agway Petroleum Marketing Terminal in Lower Macungie Township, **Lehigh County**. This is an existing discharge to unnamed tributary to Swabia Creek.

The receiving stream is classified for the following uses: high quality cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfalls 001 and 002 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Recoverable			
Petroleum Hydrocarbons			monitor/report
Diesel Range Organics			monitor/report
Gasoline Range Organics			monitor/report

*Other Requirements:*

1. DMR to DEP
2. Product Contaminated Stormwater Runoff
3. Monitoring and Reporting
4. PPC Plan Requirements
5. Other Requirements
6. Definitions

The EPA waiver is in effect.

**PA 0061069.** Optical glass, SIC: 3229, **Schott Glass Technologies, Inc.**, 400 York Avenue, Duryea, PA 18642.

This proposed action is for reissuance of an NPDES permit for an existing discharge of noncontact cooling water and stormwater to storm sewer to the Lackawanna River in Duryea Borough, **Luzerne County**.

The receiving stream is classified for the following uses: trout stocked fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Danville Water Supply intake located on the Susquehanna River.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0146 mgd, are:

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum<sup>2</sup></i>
pH (std units)	within the range 6.0—9.0		
Total Suspended Solids	30	60	60
Oil and Grease	15		30
Total Iron	monitor only		
Total Copper	monitor only		
Total Aluminum	monitor only		
Total Lead	monitor only		
Total Manganese	monitor only		
Total Zinc	monitor only		
Chloroform	monitor only		

Outfall 002, 003, 004, 005:

No specific discharge parameters are being established for these outfalls. The permittee shall ensure that the discharge contains flows from stormwater areas only, no industrial process water is allowed to be discharged through these outfall points. A Stormwater Preparedness, Prevention and Implementation Plan which addresses best management practices (BMPs) to control the discharges of pollutants to the receiving waters is required.

*Other Conditions:* none.

The EPA waiver is in effect.

**PA 0012394.** Industrial waste, SIC: 3443, **Patterson-Kelly Company**, P. O. Box 458, East Stroudsburg, PA 18301.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial wastewater to Wet Weather Channel to Brodhead Creek in East Stroudsburg Borough, **Monroe County**.

The receiving stream is classified for the following uses: trout stocking, migratory fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the proposed downstream potable water supply (PWS) considered during the evaluation is East Stroudsburg water supply located at East Stroudsburg.

The proposed effluent limits for Outfall 001, based on a design flow of 0.016 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lb/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
TSS		100	200		
Oil and Grease	15		30		
pH	6.0—9.0 at all times				

The EPA waiver is in effect.

**PA 0011517.** Industrial waste, **Keystone Cement Company**, Route 329, P. O. Box A, Bath, PA 18014.

This application is for renewal of an NPDES permit to discharge untreated cooling water from the Keystone Cement facility, located in East Allen Township, **Northampton County**. This is an existing discharge to Monocacy Creek.

The receiving stream is classified for the following uses: high quality cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 003, based on an average flow of 0.44 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
Temperature			100°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Stormwater Outfall 004 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			monitor/report
COD			monitor/report
Oil and Grease			monitor/report
pH	within the limits of 6.0—9.0 standard units at all times		
Total Suspended Solids			50
Total Kjeldahl Nitrogen			monitor/report
Total Phosphorus			monitor/report
Iron (Dissolved)			monitor/report

The EPA waiver is in effect.

**PA 0011801.** Industrial waste, **Ashland Chemical Company**, 400 Island Park Road, Easton, PA 18042-6899.

This application is for renewal of an NPDES permit to discharge treated process wastewater, cooling water, treated groundwater and stormwater from the Ashland Chemical Company facility in Glendon Borough, **Northampton County**. This is an existing discharge to Lehigh River.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.086 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Ammonia as N	20	40	50
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Temperature			110
pH	within limits of 6.0—9.0 standard units at all times		
Total Dissolved Solids	1,300	2,600	3,250
True Color (pt-co)			100
Total Organic Carbon		monitor/report	
Chemical Oxygen Demand		monitor/report	
Fluoride		monitor/report	
Total Silver	0.059	0.118	0.148

**PA 0052591.** Sewerage, **Richard C. Becker**, Walnutport Mobile Court, 901 South Best Avenue, Route 145, Walnutport, PA 18088-1218.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Bertsch Creek in Lehigh Township, **Northampton County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Northampton Municipal Water Authority, located on the Lehigh River.

The proposed effluent limits for Outfall 001 based on a design flow of 0.050 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	50.0
Total Suspended Solids	30.0	60.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine (Months 1—24)	monitor and report	
(Months 25—60)	1.2	2.8

The EPA waiver is in effect.

**PA 0060348.** Sewerage, Commonwealth of Pennsylvania, **Department of Transportation**, Bureau of Design, 555 Walnut Street, 7th Floor, Forum Place, Harrisburg, PA 17101-1900.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an unnamed tributary to Kleinhans Creek in Palmyra Township, **Pike County**.

The receiving stream is classified for the following uses: high quality, cold water, fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is City of Easton on the Delaware River.

The proposed effluent limits for Outfall 001 based on a design flow of .015 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	50.0
Total Suspended Solids	30.0	60.0
NH <sub>3</sub> -N (5-1 to 10-31)	9.0	18.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine (Months 1—36)	monitor and report	
(Months 37—60)	1.2	2.8

The EPA waiver is in effect.

**PA 0061344.** Industrial waste, SIC: 4961, **Westwood Energy Properties Limited Partnership**, P. O. Box 312, Tremont, PA 17981.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial wastewater (001) to Lower Rausch Creek in Frailey Township, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Lebanon Municipal Water Company located at Lebanon.

#### *Outfall 001*

The proposed effluent limits, based on a design flow of 0.36 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lbs/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
Total Iron	8	16	20	24	48
Dissolved Iron	7	14	17	21	42



## NOTICES

Parameter	Concentration (mg/l)			Mass (lbs/day)	
	Average Monthly	Daily Maximum	Instantaneous Maximum	Average Monthly	Daily Maximum
Total Manganese	8	16	20	24	48
Total Mercury	0.0002	0.0004	0.0005	0.0006	0.0012
Total Zinc	0.18	0.36	0.45	0.54	10.8
pH	6.0—9.0 at all times				

*Internal Monitoring Point 101*

The proposed effluent limits, based on a design flow of 0.055 mgd, are:

Parameter	Concentration (mg/l)			Mass (lbs/day)	
	Average Monthly	Daily Maximum	Instantaneous Maximum	Average Monthly	Daily Maximum
TSS	30	100			
Oil and Grease	15	20			
pH	6.0—9.0 at all times				

*Internal Monitoring Point 201*

The proposed effluent limits, based on a design flow of 0.032 mgd, are:

Parameter	Concentration (mg/l)			Mass (lbs/day)	
	Average Monthly	Daily Maximum	Instantaneous Maximum	Average Monthly	Daily Maximum
TSS	30	100			
Oil and Grease	15	20			
pH	6.0—9.0 at all times				

*Internal Monitoring Point 301*

The proposed effluent limits, based on a design flow of 0.0058 mgd, are:

Parameter	Concentration (mg/l)			Mass (lbs/day)	
	Average Monthly	Daily Maximum	Instantaneous Maximum	Average Monthly	Daily Maximum
TSS	30	100			
Oil and Grease	15	20			
pH	6.0—9.0 at all times				

*Internal Monitoring Point 401*

The proposed effluent limits, based on a design flow of 0.27 mgd, are:

Parameter	Concentration (mg/l)			Mass (lbs/day)	
	Average Monthly	Daily Maximum	Instantaneous Maximum	Average Monthly	Daily Maximum
Free Chlorine		0.2	0.5		
Total Chromium	0.2	0.2			
pH	6.0—9.0 at all times				

*Internal Monitoring Point 501*

The proposed effluent limits, based on a design flow of 0.001 mgd, are:

Parameter	Concentration (mg/l)			Mass (lbs/day)	
	Average Monthly	Average Weekly	Instantaneous Maximum	Average Monthly	Average Weekly
CBOD <sub>5</sub>	25		50	0.21	
TSS	30		60	0.25	
Total Chlorine	report				
pH	6.0—9.0 at all times				

The EPA waiver is in effect.

**PA 0061263.** Industrial waste, SIC: 4931, **Wheelabrator Frackville Energy Company, Inc.**, P. O. Box 392, Frackville, PA 17931.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated stormwater (001), industrial wastewater (002) and sewage (003) to Mill Creek in Mahoning Township, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Pottstown Water Authority located at Pottstown.

*Outfall 001*

The proposed effluent limits, based on a design flow of an average storm event, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lbs/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
TSS			50		

*Outfall 002*

The proposed effluent limits, based on a design flow of 0.096 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lbs/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
Cadmium	0.015	0.03	0.0375	0.012	0.024
Chromium		0.02			
Copper	0.07	0.14	0.0175	0.056	0.112
Lead	0.16	0.32	0.4	0.13	0.26
Silver	0.014	0.028	0.035	0.011	0.022
Zinc		1.0			9.6
Aluminum	5	10	12.5	4	8
Total Iron	6	12	15	4.8	9.6
TSS	30	100			
Oil and Grease	15	20			
TDS	1,500	2,000		1,200	1,600
Free Available Chlorine		0.2	0.5		
pH	6.0—9.0 at all times				

*Outfall 003*

The proposed effluent limits, based on a design flow of 0.0012 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lbs/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
CBOD <sub>5</sub>	25		50	0.25	
TSS	30		60	0.3	
Fecal Coliforms	200				
pH	6.0—9.0 at all times				

The EPA waiver is in effect.

**PA 0036463.** Industrial waste, SIC: 4952, **GenCorp, Inc.**, Hickory Drive, P. O. Box 429, Auburn, PA 17922-0429.

This proposed action is for renewal of an NPDES permit for discharge of treated industrial waste to an unnamed tributary to the Schuylkill River in West Brunswick Township, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Pottstown Water Authority located on the Schuylkill River.

*Outfall 101:*

The proposed effluent limits, based on a design flow of 0.0022 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 su at all times	

*Outfall 001:*

The proposed effluent limits, based on a design flow of 0.01 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	25	50
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	6.0—9.0 su at all times	

The EPA waiver is in effect.

**PA 0060461.** Sewerage, **Silver Lake Township Municipal Authority**, P. O. Box 1975, Brackney, PA 18812.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Laurel Lake Creek in Silver Lake Township, **Susquehanna County**.

The receiving stream is classified for the following uses: cold water, fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) policy was applied to NY-PA border where Snake Creek crosses into Liberty Township, Susquehanna County.

The proposed effluent limits for Outfall 001 based on a design flow of .07 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	2.5		5
(11-1 to 4-30)	7.5		15
Dissolved Oxygen	a minimum of 6 mg/l at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine			
1st Month—36th Month	monitor and report		
37th Month—Expiration Date	.13		.29

The EPA waiver is in effect.

---

*Northcentral Region: Environmental Program Manager, Water Management, 208 W. Third Street, Suite 101, Williamsport, PA 17701-6510, (717) 327-3666.*

**PA 0008923.** Wastewater, SIC: 3229, **Corning Asahi Video Products Company**, P. O. Box 9, State College, PA 16801-0009.

This proposed action is for re-issuance of an NPDES permit for an existing discharge of treated wastewater to Logan Branch of Spring Creek in College Township, **Centre County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the proposed/assumed downstream potable water supply (PWS) considered during the evaluation is Bald Eagle Creek located at Lock Haven approximately 30 miles downstream.

For Outfall 001 which receives wastewater from combined effluent from industrial waste treatment and other contact and noncontact cooling sources. The permittee is authorized to discharge 2.12 mgd during the period from permit effective date until the 223 furnace expansion around (4/98).

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>			
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (std units)	within the range 6.0—9.0			
Total Suspended Solids		13	26	26
Oil and Grease		11	22	22
Total Antimony		monitor	monitor	
Total Aluminum		monitor	monitor	
Total Barium		monitor	monitor	
Total Lead		200	400	500

For Outfall 001 which receives wastewater from combined effluent from industrial waste treatment and other contact and noncontact cooling sources. The permittee is authorized to discharge 2.12 mgd during the period from the 223 furnace expansion around (4/98) until permit issuance date plus 3 years.

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (std units)	within the range 6.0—9.0		
Total Suspended Solids	16	32	32
Oil and Grease	14	28	28
Total Antimony	monitor	monitor	
Total Aluminum	monitor	monitor	
Total Barium	monitor	monitor	
Total Lead	70	105	140
Total Zinc	monitor	monitor	

For Outfall 101 an internal monitoring point which receives abrasive industrial wastewater from the IW treatment facility generated by the glass finishing production lines. The permittee is authorized to discharge 0.47 mgd during the period from permit effective date until the 223 furnace expansion around (4/98).

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>			
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (std units)	within the range 6.0—9.0			
Total Lead		0.17	0.34	0.43
Fluoride		22	46	55

For Outfall 101 an internal monitoring point which receives abrasive industrial wastewater from the IW treatment facility generated by the glass finishing production lines. The permittee is authorized to discharge 0.9 mgd during the period after furnace 223 expansion approximately (4/98) to permit expiration.

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>			
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)				
pH (std units)	within the range 6.0—9.0			
Total Lead		0.11	0.23	0.28
Fluoride		15	30	38

For Outfall 001 which receives wastewater from combined effluent from industrial waste treatment and other contact and noncontact cooling sources. The permittee is authorized to discharge 2.12 mgd during the period from permit effective date until expiration.

<i>Discharge Parameter</i>	<i>Temperature (°F)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature*	monitor	monitor	monitor

\*Temperature Reduction/Best Demonstrated technology and additional monitoring of Logan Branch of Spring Creek

For Outfall 001 which receives wastewater from combined effluent from industrial waste treatment and other contact and noncontact cooling sources. The permittee is authorized to discharge 2.12 mgd during the period from permit issuance date plus 3 years to expiration date (unless Part C, Special Condition No. 7 Section A.2.b is declared).

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>			
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (std units)	within the range 6.0—9.0			
Total Suspended Solids		16	32	32
Oil and Grease		14	28	28
Total Antimony*		0.0115	0.023	0.029
Total Aluminum*		0.575	1.15	1.44
Total Barium*		1.15	2.30	2.875
Total Lead*		0.006	0.012	0.015
Total Zinc	monitor	monitor	monitor	XXX

*Other Conditions:*

- (1) Preliminary water quality based effluent limitations for Outfall 001.

<i>Parameter</i>	<i>Units</i>	<i>Monthly Average</i>
Total Antimony	mg/l	0.0115
Total Aluminum	mg/l	0.575
Total Barium	mg/l	1.15
Total Lead	mg/l	0.006

- (2) Requirement to submit a Toxic Reduction Evaluation Work Plan within 90 days of permit issuance date.
- (3) Procedures for granting time extensions to achieve final water quality based effluent limitations.
- (4) Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
- (5) Chemical Additives Usage
- (6) Chronic Whole Effluent Toxicity Testing

The EPA waiver is not in effect.

**PA 0110281.** Sewage, SIC: 4952, **Philip C. Hall (Vali-View MHP)**, P. O. Box 438, Montoursville, PA 17754.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Twin Run in Fairfield Township, **Lycoming County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located 15 river miles downstream on the West Branch of the Susquehanna River.

The proposed effluent limits for Outfall 001, based on a design flow of 0.03 mgd, are:

	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>		
(5-1 to 10-31)	15	30
(11-1 to 4-30)	25	50
Total Suspended Solids	30	60
Total Cl <sub>2</sub> Residual	1	2.3
NH <sub>3</sub> -N		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 at all times	

*Other Conditions:* none.

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0002305.** Industrial waste, SIC: 3471, **Robertshaw Controls Company**, One Robertshaw Drive, New Stanton, PA 15672.

This application is for renewal of an NPDES permit to discharge treated process water, cooling water, stormwater from metal finishing and processing in New Stanton Borough, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary of Sewickley Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is McKeesport Municipal Water Authority, located at McKeesport on the Youghioghene River, 20.5 miles below the discharge point.

*Interim Limits*

*Outfall 001:* existing discharge, design flow of 0.279 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Oil and Grease			15		30
Cadmium			0.003	0.006	
Total Chromium			0.32	0.64	
Hexavalent Chromium			0.010	0.020	
Copper			0.035	0.070	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Lead			0.050	0.100	
Nickel			0.200	0.400	
Free Cyanide			0.005	0.010	
Zinc			0.200	0.400	
Silver			0.023	0.046	
Temperature					110°F
Total Residual Chlorine			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

*Final Limits*

*Outfall 001:* existing discharge, design flow of 0.279 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Oil and Grease			15		30
Cadmium			0.003	0.006	
Total Chromium			0.32	0.64	
Hexavalent Chromium			0.010	0.020	
Copper			0.035	0.070	
Lead			0.016	0.032	
Nickel			0.200	0.400	
Free Cyanide			0.005	0.010	
Zinc			0.200	0.400	
Silver			0.023	0.046	
Temperature	same limits as Outfall 002				
Total Residual Chlorine			0.023	0.046	
pH	not less than 6.0 nor greater than 9.0				

*Outfall 101:* existing discharge, design flow of 0.000672 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Mercury			0.013	0.026	

*Outfall 201:* existing discharge, design flow of 0.053 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Total Suspended Solids			31	60	
Oil and Grease			26	52	
Cadmium			0.26	0.69	
Chromium			1.71	2.77	
Copper			2.07	3.38	
Lead			0.43	0.69	
Nickel			2.38	3.98	
Silver			0.24	0.43	
Zinc			1.48	2.61	
Cyanide			0.65	1.20	
Total Toxic Organics				2.13	
Total Residual Chlorine			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

*Outfall 301:* existing discharge, design flow of 0.236 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature	110°F				

*Interim Limits*

*Outfall 002:* existing discharge, design flow of 0.052 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature	110°F				

*Final Limits*

*Outfall 002:* existing discharge, design flow of 0.052 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature					
(1-1 to 1-31)	40.3°F				
(2-1 to 2-29)	40.4°F				
(3-1 to 3-31)	46.9°F				
(4-1 to 4-15)	53.0°F				
(4-16 to 4-30)	59.0°F				
(5-1 to 5-15)	64.7°F				
(5-16 to 5-31)	73.1°F				
(6-1 to 6-15)	80.9°F				
(6-16 to 6-30)	84.9°F				
(7-1 to 7-31)	87.5°F				
(8-1 to 8-31)	87.4°F				
(9-1 to 9-15)	84.3°F				
(9-16 to 9-30)	78.3°F				
(10-1 to 10-15)	72.3°F				
(10-16 to 10-31)	66.3°F				
(11-1 to 11-15)	58.4°F				
(11-16 to 11-30)	50.3°F				
(12-1 to 12-31)	42.3°F				
pH	not less than 6.0 nor greater than 9.0				

*Outfall 003:* existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
	This outfall shall contain uncontaminated stormwater runoff only				

The EPA waiver is not in effect.

**PA 0036593.** Sewage. Commonwealth of Pennsylvania, **Department of Corrections**, R. D. 1, Box 67, Waynesburg, PA 15370.

This application is for renewal of an NPDES permit to discharge treated sewage from State Correctional Institute in Morgan Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as tributary South Fork Tenmile Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri County Joint Water Authority.

*Outfall 001:* existing discharge, design flow of .062 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—24th month	monitor and report			
25th month—expiration	1.4			3.3
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

*Outfall 001:* expanded discharge, design flow of 0.150 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.6
Dissolved Oxygen	not less than 4 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0090131.** Sewage, **Samuel Bottone**, R. D. 1, Lot 6, Beryl Acres, Scenery Hill, PA 15360.

This application is for renewal of an NPDES permit to discharge treated sewage from the Beryl Acres STP in North Bethlehem Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary South Branch Pigeon Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ellsworth Municipal Water Works.

*Outfall 001:* existing discharge, design flow of .011 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3.8			7.6
(11-1 to 4-30)	11.4			22.8
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	4,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	.63			1.47
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0090913.** Sewage, **Independence Township**, P. O. Box 156, Avella, PA 15312.

This application is for renewal of an NPDES permit to discharge treated sewage from the P&W Patch Sewage Treatment Plant in Independence Township, **Washington County**.



The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Cross Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the City of Wheeling on the Ohio River.

*Outfall 001:* existing discharge, design flow of .024 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	4.0	6.0		8.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	.08			.19
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0095044.** Sewage, **Northgate Townhouses Condominium Association**, 380Z Northgate Drive, Apollo, PA 15613.

This application is for renewal of an NPDES permit to discharge treated sewage from the Northgate Townhouses Sewage Treatment Plant in Washington Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an Unnamed Tributary of Pine Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Freeport Water Company.

*Outfall 001:* existing discharge, design flow of .0042 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	3.2			6.4
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	.038			.088
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0098094.** Sewage, **Mark Gruber**, P. O. Box 500, Clinton, PA 15026.

This application is for renewal of an NPDES permit to discharge treated sewage from the Pittsburgh Airport Park Sewage Treatment Plant in Independence Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Raccoon Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Works.

*Outfall 001:* existing discharge, design flow of .0125 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 100,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month 37th month—expiration	monitor and report 1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0204455.** Sewage, **Orchard Estates MHP LLC**, c/o The Carlyle Group, Inc., 9073 Nemo Street, Los Angeles, CA 90069.

This application is for renewal of an NPDES permit to discharge treated sewage from The Orchard Estates Mobile Home Park STP in Economy Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Big Sewickley Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority.

Outfall 001: existing discharge, design flow of .02 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31) (11-1 to 4-30)	2.0 5.0			4.0 10.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month 37th month—expiration	monitor and report .13			.31
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

**PA 0102679.** Sewage, **Runamuck Camping Area**, 8896 US Highway 6, Conneaut Lake, PA 16316.

This application is for a renewal of an NPDES permit to discharge treated sewage to the Unnamed Tributary to Conneaut Lake in Sadsbury Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: high quality, warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the City of Franklin's intake on French Creek located at Franklin, approximately 30 miles below point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.008 mgd, are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	10	20
TSS	10	20
Ammonia-Nitrogen (5-1 to 10-31) (11-1 to 4-30)	3 9	6 12
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 2,000/100 ml as a geometric average	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	1.5	3.5
Dissolved Oxygen	minimum of 5 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0026697—Amendment No. 1.** Sewage, **Butler Area Sewer Authority**, 100 Littman Road, Butler, PA 16001-3256.

This application is for an amendment of an NPDES permit to discharge treated sewage to Connoquenessing Creek in Butler Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Zelenople Water Works intake on Connoquenessing Creek located at Zelenople, approximately 21 miles below point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 10.0 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
(WQ-93) Total Residual Chlorine	0.33	1.1

Delete all permit requirements pertaining to Copper and Dichlorobromomethane based on the Department's review of the facility's Toxics Reduction Evaluation Report.

The EPA waiver is not in effect.

**PA 0024856.** Sewage, **Taylor Township Sewer Authority**, P. O. Box 489, West Pittsburgh, PA 16160-0489.

This application is for a renewal of an NPDES permit to discharge treated sewage to the Beaver River in Taylor Township, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of the Township of North Sewickley intake on the Beaver River located in North Sewickley Township, Beaver County, approximately 11 miles below point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.2 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 100,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.6
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

**PA 0025291.** Sewage, **Southwest Warren County Municipal Authority**, 174 Main Street, P. O. Box 132, Tidioute, PA 16351.

This application is for renewal of an NPDES permit to discharge treated sewage to the Allegheny in Tidioute Borough, **Warren County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at River Mile 90 in Emlenton which is 76.65 miles below point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.250000, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
TSS	30	60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 100,000/100 ml as a geometric average	
Total Residual Chlorine	0.8	2.6
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0035505.** Sewage, **Faith Builders Educational Programs**, P. O. Box 127, Guys Mills, PA 16327.

This application is for renewal of an NPDES permit to discharge treated sewage to the Unnamed Tributary to Woodcock Creek in Randolph Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: high quality cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the City of Franklin on French Creek located at River Mile 2.17 which is 54.76 miles below point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.018000 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31) (11-1 to 4-30)	20 25	40 50
TSS	30	60
Ammonia-Nitrogen (5-1 to 10-31) (11-1 to 4-30)	1.5 4.5	3.0 9.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 28,000/100 ml as a geometric average	
Total Residual Chlorine	0.5	1.2
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0103781.** Industrial waste, SIC: 3317, **Sharon Tube Company**, 134 Mill Street, Sharon, PA 16146.

This application is for renewal of an NPDES permit, to discharge treated industrial waste, noncontact cooling water and stormwater to the Shenango River in Sharon, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the W. PA Water Company on the Shenango River located at New Castle, approximately 24 miles below point of discharge.

The proposed discharge limits, based on a design flow of N/A mgd, are:

*Outfall No. 001*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Zinc			monitor and report
Iron			monitor and report
Oil and Grease			monitor and report

The proposed discharge limits, based on a design flow of 0.8822 mgd, are:

*Outfall No. 002*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
Oil and Grease	15		30
Iron (Interim)	monitor and report		
(Final)*	1.7		4.3

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Lead	monitor and report		
Zinc	monitor and report		
pH	6.0—9.0 at all times		

The proposed discharge limits, based on a design flow of 0.2962 mgd, are:

*Suboutfall No. 302*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
TSS	monitor and report		
Oil and Grease	monitor and report		
pH	6.0—9.0 at all times		

The proposed discharge limits, based on a design flow of 0.3187 mgd, are:

*Suboutfall No. 402*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
TSS	monitor and report		
Oil and Grease	monitor and report		
Lead	monitor and report		
Zinc	monitor and report		
pH	6.0—9.0 at all times		

1. Final water quality based effluent based limitation for Iron (Total).
2. Requirement to submit a Toxic Reduction Evaluation.
3. Conditions for future permit modification.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

The EPA waiver is in effect.

## DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

### Applications under the Pennsylvania Clean Streams Law

#### (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department). Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other

accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

#### Industrial waste and sewerage applications received under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222 4745, (412) 442-4000.*

**A. 4945 Amendment No. 1.** Sewerage, **Rochester Area Joint Sewer Authority**, 300 West Park Street, Rochester, PA 15074. Application for the excavation and replacement of the Lacock Run Interceptor located in Rochester Borough, **Beaver County**.

**A. 0297408.** Sewerage, **Arienne Mueller**, 5713 Wesleyann Drive, Gibsonia, PA 15044. Application for the construction and operation of a Sewage Treatment Plant located in the Township of Richland, **Allegheny County** to serve the Mueller residence.

**A. 6597405.** Sewerage, **Joseph Benzinger**, 2110 Hulton Road, Verona, PA 15147. Application for the construction and operation of a single residence sewage treatment plant to serve the Benzinger Residence located at Lot 1—Glover Plan of Lots located in North Huntingdon Township, **Westmoreland County**.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**WQM Permit No. 2597418.** Sewage, **Dear, Inc., dba Lakeview Estates**, 12430 East Lake Road, North East, PA 16428. This project is for the expansion of an existing facility in North East Township, **Erie County**.

**WQM Permit No. 4397410.** Sewage, **Willow Bend Mobile Home Park**, 1309-100 Bend Road, Mercer, PA 16137. This project is for the construction and operation of a sewage treatment plant to serve the Willow Bend Mobile Home Park in Lackawannock Township, **Mercer County**.

**WQM Permit No. 2597417.** Sewage, **Robert Farrell, SRSTP**, 6008 Longwood Dr., Erie, PA 16505. This project is for the construction of a Single Residence Sewage Treatment Plant in Harborcreek Township, **Erie County**.

**WQM Permit No. 6297406.** Sewage, **Donald E. Shinn, SRSTP**, 736 Cobham Park Rd., Warren, PA 16365. This project is for the construction of a Single Residence Sewage Treatment Plant in Glade Township, **Warren County**.

**WQM Permit No. 2597419.** Sewage, **James Becker, SRSTP**, 2103 Woodlawn Ave., Erie, PA 16510. This project

is for the construction of a Single Residence Sewage Treatment Plant in Waterford Township, **Erie County**.

**DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER FROM OIL AND GAS ACTIVITIES**

*Northwest Regional Office: Regional Oil & Gas Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6860.*

**PA 0008729.** Industrial waste, SIC: 4922 (Natural Gas Transmission), **CNG Transmission Corporation**, 445 West Main Street, Clarksburg, WV 26301.

This application is for renewal of an NPDES Permit to discharge noncontact cooling water and stormwater to a branch of Cook Creek in Lawrence Township, **Tioga County**. This is an existing discharge.

The receiving water is classified for warm water fish, water supply and recreation. No downstream potable water supply will be adversely affected by the continuance of this discharge.

The proposed discharge limits for Outfall 001 are:

<i>Parameter</i>	<i>Effluent Concentrations (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report	
Oil and Grease	15	30
Total Suspended Solids	30	60
Temperature	monitor and report	
pH	6.0 to 9.0 at all times	

The EPA waiver is in effect.

**INDIVIDUAL PERMITS (PAS)**

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon

which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 825-2511.*

*Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4028.*

*Northcentral Regional Office, Regional Water Management Program Manager, 208 W. 3rd Street, Williamsport, PA 17701, (717) 327-3669.*

*Southcentral Regional Office, Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

*Allegheny County Conservation District, District Manager, Lexington Technology Park, 400 Lexington Avenue, Pittsburgh, PA 15208, (412) 241-7645.*

**NPDES Permit PAS10A104.** Stormwater. **Oxford Development Company**, One Oxford Center, Pittsburgh, PA 15219 has applied to discharge stormwater from a construction activity located in Pine Township, **Allegheny County**, to UNT to Pine Creek.

*Carbon County Conservation District, District Manager, 92 Blakeslee Boulevard East, Lehighton, PA 18235, (610) 377-4894.*

**NPDES Permit PAS101315.** Stormwater. **Lake Hauto Woods Partnership**, The Landmark Building, 115 S. Centre Street, Pottsville, PA 17901 has applied to discharge stormwater from a construction activity located in Nesquehoning Boro, **Carbon County**, to Nesquehoning Creek and Tippets Pond.

*Clinton County Conservation District, District Manager, 2 State Route 150, Mill Hall, PA 17751, (717) 726-3798.*

**NPDES Permit PAS101909-1.** Stormwater. **Ponderosa Acres**, 416 River Avenue, Williamsport, PA 17701 has applied to discharge stormwater from a construction activity located in Gallagher Township, **Clinton County**, to Lick Run.

*Dauphin County Conservation District, District Manager, 1451 Peters Mountain Road, Dauphin, PA 17018, (717) 921-8100.*

**NPDES Permit PAS10I032.** Stormwater. **S H W Properties**, c/o Dennis Herr, Oregon Commons, 1525 Oregon Pike, Lancaster, PA 17601 has applied to discharge stormwater from a construction activity located in Derry Township, **Dauphin County**, to Swatara Creek.

*Pike County Conservation District, District Manager, HC 6, Box 6770, Hawley, PA 18428, (717) 226-8220.*

**NPDES Permit PAS10V013-1.** Stormwater. **Delaware Valley School District**, HC 77, Box 379A, Milford, PA 18337 has applied to discharge stormwater from a construction activity located in Westfall Township, **Pike County**, to the Delaware River.

*York County Conservation District, District Manager, 118 Pleasant Acres Road, York, PA 17402, (717) 840-7430.*

**NPDES Permit PAS10Y068.** Stormwater. **Michael Manning & Associates**, 1706 Rathon Street, New Cumberland, PA 17070 has applied to discharge stormwater from a construction activity located in Fairview Township, **York County**, to Fishing Creek and Big Trout Run.

## SAFE DRINKING WATER

### Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Northcentral Field Operations, Bureau of Water Supply, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. 4197501.** The Department issued a permit for construction to **Limestone Township Municipal Water Authority**, R. R. 2, Box 823, Jersey Shore, PA 17740 (Limestone Township, **Lycoming County**) for construction of two new wells, raw water storage, an Environmental Productions Division pressure sand filtration system, disinfection and finished water storage.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 1

#### Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**M. B. Land Company**, Horsham Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, Suite 500, 401 City Ave., Bala Cynwyd, PA 19004, has submitted a Notice of Intent to Remediate site soil contaminated with lead, BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons and VOCs. The applicant proposes to remediate the site to meet the Statewide health and background standards. A final report was simultaneously submitted.

**Exton Properties, L. P.**, West Whiteland Township, **Chester County**. Jennifer Menges-Smith, Lewis Environmental Group, P. O. Box 639, Royersford, PA 19468, has submitted a Notice of Intent to Remediate site soil contaminated with lead, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

*Northwest Regional Office: Craig Lobins, Acting Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.*

**Eastway Sunoco**, 4203 Buffalo Road, **Erie County**, Harborcreek Township, has submitted a Notice of Intent to Remediate Soil and Groundwater. The site has been contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in the *Erie Times News* on August 11, 1997.

#### LAND RECYCLING AND ENVIRONMENTAL REMEDICATION

Under Act 2, 1995

Preamble 2

---

**Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

---

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period a municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

*Southeast Regional Office, Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Greenway Court Apartments**, City of Philadelphia, **County of Philadelphia**. Charlene R. Drake, React Environmental Services, Inc., 654A Mount Road, Aston, PA 19014, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* on August 22, 1997.

*Northcentral Regional Office, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 321-6525.*

**Playworld Systems**, New Berlin Borough, **Union County**. Michael M. Molesevich on behalf of his client Playworld Systems, P. O. Box 505, New Berlin, PA 17855, has submitted a Notice of Intent to Remediate soil contaminated with BTEX. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Item* on August 13, 1997.

*Northwest Regional Office: Craig Lobins, Acting Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.*

**Spedd, Inc.**, Warren Industrial Center, 920 Pennsylvania Avenue West, **Warren County**, City of Warren, has submitted a Notice of Intent to Remediate groundwater and soil. The site has been found to be contaminated with lead, heavy metals, solvents and PHCs. The applicant proposes to remediate the site to meet the Special Industrial Area Standard. The Notice of Intent was published in the *Warren Times Observer* on August 18, 1997.

#### SOLID AND HAZARDOUS WASTE

##### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

---

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.**

---

*Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.*

**A. 300655. NGK Metals Corporation** (P. O. Box 13367, Reading, PA 19612-3367). Application for repermitting of a residual waste landfill site in Muhlenberg Township, **Berks County**. Application determined to be administratively complete in the Regional Office August 22, 1997.

*Northcentral Regional Office, Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.*

**A. 101217.** (Permit Modification). **Wellsboro Area Transfer Station**, Casella Waste Management of PA (200 Tioga St., Wellsboro, PA 16901). Modification to existing transfer station located in Delmar Township, **Tioga County**. Application received in the regional office on August 13, 1997 and deemed administratively complete on August 29, 1997.

**A. 101649.** (Permit Modification). **Phoenix Resources, Inc.**, Construction/Demolition Facility, (R. R. 1, Box 12A, Wellsboro, PA 16901). Modification to existing construction/demolition facility to modify natural attenuation soil specifications. Facility is located in Duncan



Township, **Tioga County**. Application received in the regional office on August 28, 1997.

*Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.*

**Permit No. 300818. Pennsylvania Power Company**, 1 East Washington Street, P. O. Box 891, New Castle, PA 16103, located in Taylor Township, **Lawrence County**. An application to repermit the residual waste landfill at the New Castle Power Plant was determined to be administratively complete by the Regional Office on August 19, 1997.

#### PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE

##### INFECTIOUS OR CHEMOTHERAPEUTIC WASTE

**Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Harrisburg Hospital**, 111 South Front Street, Harrisburg, PA 17101; Patrick W. Wilson, Manager; License No. **PA-HC 0083**; renewal application received on August 26, 1997.

**York Waste Disposal, Inc.**, 1110 East Princess Street, York, PA 17405; Jinni Shoemaker, Sales Assistant; License No. **PA-HC 0057**; renewal application received on August 22, 1997.

**Cumberland Waste Service, Inc.**, 142 Vaughn Road, Shippensburg, PA 17257; Michael R. Grove, President; application received August 27, 1997.

## AIR POLLUTION

### OPERATING PERMITS

#### Construct, modify or activate air contaminant sources

##### 25 Pa. Code § 129.1

**Operating Permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4587.*

**36-320-026D:** The Department intends to issue an operating permit to **R. R. Donnelly & Sons Company** (216 Greenfield Road, Lancaster, PA 17601) for a three-unit printing press controlled by a thermal oxidizer in Lancaster, **Lancaster County**.

**36-320-028:** The Department intends to issue an operating permit to **Mellott Wood Preserving Company, Inc.** (P. O. Box 209, Needmore, PA 17212) for a wood-fired boiler in Belfast Township, **Fulton County**.

**67-2006:** The Department intends to issue an operating permit to **York County Solid Waste and Refuse Authority** and the operator **York Resource Energy Systems, Inc.** for the York County Resource Recovery Facility (2561 Blackbridge Road, York, PA 17402) in Manchester Township, **York County**.

*Northcentral Regional Office, Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.*

**41-308-001B:** The Department intends to issue an operating permit to **Coastal Aluminum Rolling Mills, Inc.** (2475 Trenton Avenue, Williamsport, PA 17701) for the operation of an aluminum coal rolling mill (Mill 4) and associated air cleaning devices (a prefilter, a final filter and a stack skimmer) in the City of Williamsport, **Lycoming County**.

**41-313-007G:** The Department intends to issue an operating permit to **Lonza, Inc.** (3500 Trenton Avenue, Williamsport, PA 17701) for the operation of various halohydrantoin reaction vessels and dryers and associated air cleaning devices (scrubbers and fabric collectors) in the City of Williamsport, **Lycoming County**.

**OP-19-0003A:** The Department intends to issue an operating permit to **Heinz Pet Products** (6670 Low Street, Bloomsburg, PA 17815) for the operation of a can side stripe operation and associated air cleaning device (a catalytic oxidizer) in South Centre Township, **Columbia County**.

**OP-55-0001B:** The Department intends to issue an operating permit to **Pennsylvania Power & Light Company** (Two North Ninth Street, Allentown, PA 18101) for the operation of a dry fly ash handling system and associated air cleaning devices at the Sunbury Steam Electric Station in Shamokin Dam Borough, **Snyder County**.

#### Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permits).

Copies of the Title V application, proposed permit and other relevant information are available for public inspection and additional information may be obtained by contacting the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of scheduled public hearings at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southeast Regional Office: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Attn: Edward Brown, (610) 832-6242.*

**09-00017: PECO Energy—Falls Station** (Bristol and Tyburn Roads, Falls, PA 19030) located in Falls Township, **Bucks County**. The facility is primarily used for provid-

ing electrical energy for peak demand periods. The facility's major air emission points are three combustion turbines which emit major levels of nitrogen oxides (NOx) and sulfur oxides (SOx).

**23-00018: PECO Energy—Chester Station** (Front and Ward Streets, Chester, PA 19013) located in the City of Chester, **Delaware County**. The facility is primarily used for providing electrical energy for peak demand periods. The facility's major air emission points are three combustion turbines which emit major levels of nitrogen oxides (NOx) and sulfur oxides (SOx).

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, Attn: Michael Safko, (717) 826-2531.*

**40-00019. Pope & Talbot Inc.** (901 Sathers Drive, P. O. Box 6000, Pittston, PA 18640) (Pittston Plant) located in Pittston Township, **Luzerne County**. The facility's major sources of emissions include Flexographic Printing which primarily emit volatile organic compounds (VOCs).

*Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, Attn: Kanubhai L. Patel, (717) 657-4587.*

**05-05021: Creative Pultrusions, Inc.** (Pleasantville Park, Alum Bank, PA 15521) located in West St. Clair Township, **Bedford County**. The facility's major sources include pultrusion lines and a chrome electroplating operation which primarily emit hazardous air pollutants.

**06-05002: Allentown Cement, Inc.** (P. O. Box 619, Blandon, PA 19590-0199) located in Maiden Creek Township, **Berks County**. The facility's major sources are equipment for producing portland cement including kilns, calcination, cooling, sizing and storing equipment which primarily emit particulate matter emissions.

**06-05065: Glen-Gery Corporation** (423 Pottsville Pike, Shoemakersville, PA 19555) located in Perry Township, **Berks County**. The facility's major sources of emissions include two kilns, which are primary emitters of the hazardous air pollutants: hydrogen fluoride (HF) and hydrochloric acid (HCL), and primary emitters of the criteria pollutants: sulfur oxides (SO<sub>x</sub>) and particulate matter (PM<sub>10</sub>).

**29-05001: JLG Industries, Inc.** located in Ayr Township, **Fulton County**. The Title V Operating Permit is required under 25 Pa. Code, Chapter 127, Subchapter G for major stationary sources.

**36-05019: Grinnell Corporation** (1411 Lancaster Avenue, PA 17512) located in Columbia Borough, **Lancaster County**. The facility's major sources of emissions include foundry operations which primarily emit the following contaminants: volatile organic compounds and particulate matter.

**36-05024: Bigbee Steel & Tank Company** (99 West Elizabethtown Road) located in Rapho Township, **Lancaster County**. The facility's major source are four paint spray booths which primarily emit VOC emissions.

**36-05061: Lancaster Malleable Casting Company** (1170 Litz Avenue, Lancaster, PA 17601) located in Manheim Township, **Lancaster County**. The facility's major operations include sand handling, melting, pouring/cooling/knockout, annealing, grinding/cleaning, finishing and core making which primarily emit carbon monoxide (CO) and sulfur oxides (SO<sub>x</sub>).

**36-05066: U. S. Lock & Hardware Company** (P. O. Box 60, Columbia, PA 17512) located in Columbia Bor-

ough, **Lancaster County**. The facility's major operations include core and mold manufacturing, melting, pouring, shakeout, casting cleaning and sand handling which primarily emit carbon monoxide emissions.

**36-05068: Masonic Homes** (1 Masonic Drive, Elizabethtown, PA 17022) located in Elizabethtown Borough, **Lancaster County**. The facility's major sources include three boilers, coal fired.

**67-05002: Stone Container Corporation** (423 Kings Mill Road, York, PA 17405) located in York, **York County**. The facility's major sources of emissions include two boilers which primarily emit nitrogen oxides and sulfur oxides.

**67-05027: York Wallcoverings** (750 Linden Avenue, York, PA 19404) located in York City, **York County**. The facility's major sources are equipment for producing wall-paper including surface coaters and printing presses which primarily emit VOC emissions.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Attn: Mark Wayner, (412) 442-4161.*

**30-00077: Texas Eastern Transmission Corporation** (P. O. Box 1642, Houston, TX 77251-1642) for their Holbrook Station located in Richhill Township, **Greene County**. The facility's major sources include various compressor engines, generators, and turbines which emit major quantities of NOx.

#### PLAN APPROVALS

#### Plan Approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Northeast Regional Office, Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**39-399-044:** Installation of pipe reamers with fabric collectors by **Tyler Pipe, Penn Division** located in Macungie Township, **Lehigh County**.

**40-306-007C:** Installation of a gas turbine with water injection by **Williams Power Company—Hazleton** located in Hazle Township, **Luzerne County**.

**40-313-033A:** Installation of toner production lines by **Coates Reprographics Inc.** located in Dallas Borough, **Luzerne County**.

**48-306-010A:** Installation of a Natural Gas Boiler (Unit 3A) by **Pennsylvania Power and Light Co.** located in Lower Mt. Bethel Township, **Northampton County**.

**54-302-034A.** Installation of a no. 6 oil-fired steam boiler by **Guilford Mills, Inc.** located in Pine Grove Borough, **Schuylkill County**.

*Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4587.*

**22-317-010C:** Installation of a venturi prescrubber and ductwork to connect the prescrubber to a boiler by **Moyer Packing Company** (Route 225, Elizabethtown, PA 17023) in Washington Township, **Dauphin County**.

**67-399-021:** Construction of a municipal waste combustor ash recycling facility by **American Ash Recycling Corp. of America** (6622 Southpoint Drive, Suite 310, Jacksonville, FL 32216) for their facility located at 1058 Roosevelt Avenue, West Manchester Township, **York County**.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

#### MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor de-

sires to have the conference conducted in the locality of the proposed mining activities.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### *Coal Applications Received*

**32970103.** Transfer Application from **General Mining, Inc. to Kent Coal Mining Company** (P. O. Box 729, Indiana, PA 15701), commencement, operation and restoration of bituminous strip-auger mine in Conemaugh and Young Townships, **Indiana County**, affecting 113.0 acres, receiving stream Marshall Run to Blacklegs Creek, application received August 26, 1997.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

**26920105. Twilight Industries** (Division of U. S. Natural Resources, Inc., 212 State Street, Belle Vernon, PA 15012). Renewal application received for continued operation and reclamation of a bituminous surface auger mine located in Jefferson Township, **Fayette County**. Receiving streams unnamed tributaries of both Washington Run and Little Redstone Creek. Renewal application received August 19, 1997.

**26920101R. Black Rock Exploration Co., Inc.** (273 Main Street, Greenville, PA 16125). Renewal application received for continued operation and reclamation of a bituminous surface mine located in Brownsville Boro, Brownsville Township, Luzerne Township, and Redstone Township, **Fayette County**. Receiving streams Monongahela River watershed. Renewal application received August 22, 1997.

**65920102R. Sosko Coal Company** (R. D. 3, Box 330, Mt. Pleasant, PA 15666). Renewal application received for continued restoration of a bituminous surface mine located in East Huntingdon Township, **Westmoreland County**. Receiving streams unnamed tributary to Jacobs Creek to Jacobs Creek to the Youghiogheny River. Renewal application received August 22, 1997.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

**17970112. Cougar Contracting, Inc.** (P. O. Box 217, Houtzdale, PA 16651), commencement, operation and restoration of bituminous surface mine-auger permit in Bigler Township, **Clearfield County** affecting 86 acres, receiving streams unnamed stream to Muddy Run. Application received August 7, 1997.

**17930116. Hamilton Bros. Coal, Inc.** (R. R. 2, Box 563, Clymer, PA 15728), revision to an existing bituminous surface mine-auger permit for a reduction in permit acreage from 148 acres to 107 acres, Beccaria Township, **Clearfield County**, receiving streams Snyder Run and three unnamed tributaries to Clearfield Creek. Application received August 19, 1997.

**17890115. Al Hamilton Contracting Company** (R. D. 1, Box 87, Woodland, PA 16881), renewal of an existing bituminous surface mine—sandy shale (demonstration) permit in Boggs Township, **Clearfield County** affecting 639 acres, receiving streams Camp Hope Run, Sandbourn Run, unnamed tributary to Sandbourn Run to Clearfield Creek. Application received August 7, 1997.

**17970113. Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), commencement, operation and restoration of a bituminous surface mine-auger permit in Bell Township, **Clearfield County** affecting 65 acres, receiving streams Deer Run to West Branch Susquehanna River. Application received August 19, 1997.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**16803004. Milestone Crushed, Inc.** (P. O. Box N, Parker, PA 16049), transfer of an existing bituminous surface, strip and tipple refuse disposal operation in Perry Township, **Clarion County** affecting 165.0 acres. Receiving streams unnamed tributaries to Fiddler's Run and Fiddler's Run. Transfer from C & K Coal Company. Application received August 27, 1997.

*McMurray District Office*

**32841307. Tanoma Coal Co., Inc.** (R. D. 1, Box 594, Marion Center, PA 15759), to renew the permit for the Tanoma Mine in Rayne Township, **Indiana County**, no additional discharges. Application received July 18, 1997.

**63831302. Eighty Four Mining Co.** (P. O. Box 729, Indiana, PA 15710), to revise the permit for the Mine #84 in South Strabane Township, **Washington County** to install 8' ventilation shaft (Smith Shaft), unnamed tributary to Little Chartiers Creek. Application received August 18, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Coal Permits Received*

**40850203C2. Silverbrook Anthracite, Inc.** (322 Simpson Street, Dupont, PA 18641), correction to an existing mining operation to include coal refuse disposal in Newport Township, **Luzerne County** affecting 49.0 acres, receiving stream South Branch Newport Creek. Application received August 22, 1997.

*Noncoal Permits Received*

**67870301C. York Building Products Co., Inc.** (1020 North Hartley Street, York, PA 17404), correction to an existing quarry operation to add an additional NPDES Discharge Point to NPDES Permit #PA0010235 in West Manchester Township, **York County** receiving stream Willis Run. Application received August 21, 1997.

## APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection.

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. § 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this

notice as well as questions to the Bureau or Field Office indicated as the responsible office.

### Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

*Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E46-783. Encroachment. Horsham Township,** 1025 Horsham Road, Horsham, PA 19044. To construct and maintain a 2-foot × 8-foot culvert in and along Pennypack Creek (WWF, MF) for the purpose of constructing the Horsham Township Jogging Path located along the PECO Energy easement near the terminus of Colonial Drive (Ambler, PA Quadrangle N: 10.1 inches; W: 3.8 inches) in Horsham Township, **Montgomery County**.

**E46-785. Encroachment. Meadowview Homes, Inc.,** 1120 N. Bethlehem Pike, P. O. Box 280, Springhouse, PA 19477. To construct and maintain the Road "A" crossing consisting of 86 linear feet of 60-inch reinforced concrete culvert, associated endwalls and roadway approach fill across an unnamed tributary of the Stoney Creek (TSF) and 0.52 acre of wetland associated with the construction of the Sunny Brooke Estates Residential Subdivision. The site is located just north of the intersection Skippack Pike (S. R. 0073) and North Wales Road (T-377) (Lansdale, PA USGS Quadrangle N: 10.5 inches; W: 8.1 inches) in Worcester Township, **Montgomery County**.

**E46-784. Encroachment. Upper Merion Township,** 175 West Valley Forge Rd., King of Prussia, PA 19406-0139. To replace an existing deteriorating pedestrian bridge over Crow Creek (a.k.a. Abram's Creek) (WWF) at Sweetbriar Park. The project consists of removing the existing 3-foot wide by 50-foot long metal grate bridge superstructure, concrete abutments and stairways, and constructing a new bridge at this location. The new structure will be a 5-foot wide by 52-foot long prefabricated steel frame with wooden deck bridge placed on new reinforced concrete abutments. The site located just next to the Hansen Road cul-de-sac at a point approximately 2,000 feet north of its intersection with Valley Forge Road (S. R. 23) (Valley Forge, PA Quadrangle N: 19.5 inches; W: 0.3 inch) in Upper Merion Township, **Montgomery County**.

*Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.*

**E13-104. Encroachment. Carbon County Economic Development Corporation,** P. O. Box 210, Jim Thorpe, PA 18229-0210. To place fill in 0.475 acre of wetlands (PEM) for the construction of a 40,080 square foot multitenant building and associated parking lot. The project is located within the Green Acres Industrial Park, approximately 2.4 miles west of the intersection of S. R. 0054 and S. R. 0209 (Nesquehoning, PA Quadrangle N: 19.7 inches; W: 15.4 inches) in Nesquehoning Borough, **Carbon County** (Philadelphia District U. S. Army Corps of Engineers).

**E40-472. Encroachment. Ecumenical Enterprises, Inc.,** 1075 Memorial Highway, Dallas, PA 18612. To construct and maintain a pedestrian crossing of a tributary to Toby Creek (CWF), and approach walkways for the purpose of connecting the two V2 Sections of The

Meadows Campus. The crossing will consist of a 49-inch by 33-inch corrugated steel pipe arch culvert. The project is located on the west side of S. R. 1047, approximately 0.1 mile northwest of the intersection of S. R. 1047 and S. R. 1044 (Center Hill Road) (Kingston, PA Quadrangle N: 16.6 inches; W: 12.8 inches), in Dallas Township, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

**E40-473.** Encroachment. **Penn State Seed Company, Inc.**, Box 390, Route 309, Dallas, PA 18612. To maintain fill within the floodway along the easterly (right) bank of a 600-foot reach of Leonard Creek (HQ-CWF), including fill within 0.06 acre of (PFO) wetlands. The project is located on the east side of S. R. 0309, approximately 2,300 feet south of the Luzerne/Wyoming County line (Centermoreland, PA Quadrangle N: 1.9 inches; W: 14.7 inches), in Dallas Township, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

**E52-151** Encroachment. **Charles and Marie Dowd**, P. O. Box 147, Mill Rift, PA 18340-0547. To construct and maintain a pedestrian bridge having a span of 28 feet and an underclearance of approximately 15 feet to be built on the existing concrete abutments across Bushkill Creek (EV). This project is located on the southwest side of S. R. 1017 at 126 Bluestone Boulevard (Port Jervis South, PA Quadrangle N: 6.1 inches; W: 16.3 inches) in Westfall Township, **Pike County** (Philadelphia District, U. S. Army Corps of Engineers).

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, (717) 657-4590.*

**E31-140.** Encroachment. **Mount Union Borough**, Ben Daniel, P. O. Box 90, Mount Union, PA 17066. To construct and maintain a Little League Baseball Field in the 100 year floodplain of Hill Valley Creek located along the south side of Hill Valley Creek about 0.6 mile upstream from its confluence with the Juniata River (Mount Union, PA Quadrangle N: 1.0 inch; W: 0.6 inch) in Mount Union Borough, **Huntingdon County**.

**E67-604.** Encroachment. **Shrewsbury Township**, John O'Keefe, R. D. 4, Box 40160, Glen Rock, PA 17327. To maintain Township Bridge No. 323 on Seitzland Road (T-431) across the South Branch Codorus Creek by underpinning the bridge foundation with reinforced concrete and to stabilize the eroded left upstream bank with 50 l. f. of mortared riprap (Glen Rock, PA Quadrangle N: 6.1 inches; W: 13.9 inches) in Shrewsbury Township, **York County**.

**E67-605.** Encroachment. **Kinsley Equities II Limited Partnership**, Robert Kinsley, 2700 Water Street, York, PA 17403. To fill 0.18 acre and 0.16 acre of wetlands for construction of 127 l. f. of 2-foot diameter reinforced concrete pipe (RCP), and 92 l. f. of 3-foot diameter RCP culvert for an access road crossing through two wetland areas to lots within the Susquehanna Business Park, located on the east side of Susquehanna Trail (T-956), (Dover, PA Quadrangle N: 12.7 inches; W: 1.9 inches) in Conewago Township, **York County**.

*Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.*

**E08-326.** Encroachment. **Manville Cook**, R. R. 2, Box 85, Wysox, PA 18848. To remove a 500 foot by 50 foot gravel bar from Johnson Creek and to backfill 550 feet of the adjacent eroded left stream bank which will be graded at a :3:1 slope and stabilized with log deflectors and

vegetation located approximately 1,000 feet south of the SR 187 and SR 467 intersection (Rome, PA Quadrangle N: 13.25 inches; W: 13.75 inches) in Wysox Township, **Bradford County**. This project proposes to impact approximately 575 linear feet of Johnson Creek which is classified as Cold Water Fishery.

**E14-309.** Encroachment. **Garner Lumber Inc.**, P. O. Box 462, James Creek, PA 16657. To construct and maintain a ford crossing to haul forest products across Beech Creek located 0.3 mile upstream of the confluence of Twin Run and Beech Creek (Howard, PA Quadrangle N: 19.9 inches; W: 10.3 inches) in Beech Creek Township, **Clinton County** and Liberty Township, **Centre County**. Estimated stream disturbance is about 30 feet; stream classification is CWF.

**E19-171.** Encroachment. **Christopher J. Welkom**, R. R. 9, Box 323B, Bloomsburg, PA 17815. To construct and maintain a 6 foot 6 inch diameter steel culvert pipe in an unnamed tributary to Black Run. This property is located off Tunnel Road approximately 0.5 mile north of Black Run Road (Millville, PA Quadrangle N: 14.0 inches; W: 5.0 inches) in Madison Township, **Columbia County**. Estimated stream disturbance is approximately 80 feet; stream classification is CWF.

*Southwest Regional Office: Soils & Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**E11-255.** Encroachment. **PA Dept. of Transportation**, 1620 N. Juniata Street, Hollidaysburg, PA 16648. To remove existing structure and to construct and maintain a prestressed concrete spread box beam bridge having a single normal span of 57.5 feet and an underclearance of 9.8 feet over Chest Creek (HQ-CWF); to temporarily place and maintain fill in a de minimis area of PEM wetlands less than or equal to 0.05 acre during construction and to construct a temporary crossing consisting of three 84-inch CMP pipes upstream in Chest Creek. The project is located along SR 1007, 200 feet west of Bradley Junction (Carrolltown, PA Quadrangle N: 9.3 inches; W: 6.1 inches) in Allegheny and East Carroll Townships, **Cambria County**.

**E32-387.** Encroachment. **H. Banks Wright**, Box 79, Armagh, PA 15920. To remove existing structure and to construct and maintain a 142" x 91" corrugated metal arch culvert in an unnamed tributary to Mardis Run (CWF) for the purpose of providing access to a proposed warehouse site (New Florence, PA Quadrangle N: 15.0 inches; W: 4.7 inches) in East Wheatfield Township, **Indiana County**.

**E56-279.** Encroachment. **Somerset County Commissioners**, 111 East Union Street, Ste. 100, Somerset, PA 15501. To remove existing structure known as Heckle Bridge (County Bridge No. 66/T-383) and to construct and maintain a 2-span 58.25-foot/bridge with an underclearance of 14.5 feet over the Casselman River (WWF) (Meyersdale, PA Quadrangle N: 15.90 inches; W: 6.00 inches) in Summit Township, **Somerset County**.

**E63-439.** Encroachment. **Washington County**, 701 Courthouse Square, 100 Beau Street, Washington, PA 15301. To remove existing structure and to construct and maintain a bridge across Robinson Fork Wheeling (WWF) with a span of 44.0 feet and a minimum underclearance of 4.5 feet on T-360 approximately 2,000 feet northeast of the intersection of T-360 and SR 3037 (Claysville, PA Quadrangle N: 2.1 inches; W: 12.3 inches) in West Finley Township, **Washington County**.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

**E25-470A.** Encroachment. **Millcreek Mall Corporation, The Cafaro Company**, 1445 Belmont Avenue, P. O. Box 2186, Youngstown, OH 44504-0186. To amend existing Permit No. E25-470 (as amended 11/28/94) to authorize the construction and maintenance of 10.7 acres of replacement wetlands located within the Conneaut Creek (WWF, MF) watershed. The replacement wetlands will be located east of S. R. 0215 adjacent to Conneaut Creek approximately 4,000 feet north of the intersection of S. R. 0215 and S. R. 3002 (West Cherry Hill Road) at Kidders Corner (East Springfield, PA Quadrangle N: 7.9 inches; W: 2.8 inches) located in Springfield Township, **Erie County**.

**ACTIONS**

**FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**

[National Pollution Discharge Elimination System Program (NPDES)]

**DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER**

(Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35

P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, Second Floor, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**NPDES Permit No. PA 0031739.** Sewage, **Great Valley School District**, P. O. Box 617, Devault, PA 19432.

The following notice reflects changes to the notice published in the November 9, 1996, *Pennsylvania Bulletin*:

The revised effluent limits for Outfall 001, are as follows:

<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Not Detectable	Not Detectable

Total residual Chlorine

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**NPDES Permit No. PA-0070491.** Sewerage, **Mahoning Valley Nursing & Rehabilitation Center**, 397 Hemlock Drive, Lehighton, PA 18235-9640 is authorized to discharge from a facility located in Mahoning Township, **Carbon County** to Stewart Creek.

**NPDES Permit No. PA-0070254.** Sewerage, **Lynn Township Sewer Authority**, P. O. Box 208, New Tripoli, PA 18066 is authorized to discharge from a facility located in Lynn Township, **Lehigh County** to Ontelaunee Creek.

**NPDES Permit No. PA-0012505.** Industrial waste, **LaFarge Corporation**, 5160 Main Street, Whitehall, PA 18052 is authorized to discharge from a facility located in Whitehall Township, **Lehigh County** to the Lehigh River.

**NPDES Permit No. PA-0063657.** Sewage, **Wyoming Area School District**, 20 Memorial Street, Exeter, PA 18643-2698 is authorized to discharge from a facility located at the Sarah J. Dymond Elementary School,

Sutton Creek Road, Harding, PA 18643, in Exeter Township, **Luzerne County** to an Unnamed Tributary to Sutton Creek.

**NPDES Permit No. PA-0063011.** Industrial waste, **Hazleton City Authority**, Water Department, 400 E. Arthur Gardner Parkway, Hazleton, PA 18201 is authorized to discharge from a facility located in Hazle Township, **Luzerne County** to Dreck Creek Reservoir—Dam F.

**NPDES Permit No. PA-0046795.** Industrial waste, **Agway Petroleum Corporation**, P. O. Box 4852, Syracuse, NY 13221 is authorized to discharge from a facility located in Pittston Township, **Luzerne County** to an Unnamed Tributary of Collins Creek.

**NPDES Permit No. PA-0036811.** Industrial waste, **Interstate Energy Company**, 2543 Applebutter Road, Hellertown, PA 18055 is authorized to discharge from a facility (Gilbert Terminal) located in Lower Saucon Township, **Northampton County** to the Lehigh River.

**NPDES Permit No. PA-0062600.** Industrial waste, **Agway Petroleum Corporation**, P. O. Box 4852, Syracuse, NY 13221 is authorized to discharge from a facility

(Schuylkill Haven Bulk Plant) located in North Manheim Township, **Schuylkill County** to an Unnamed Tributary of Mahanoy Creek.

**NPDES Permit No. PA-0043885.** Sewage, **Greater Pottsville Area Sewer Authority**, 401 North Centre Street, P. O. Box 1163, Pottsville, PA 17901 is authorized to discharge from a facility (Main STP) located in Pottsville City, **Schuylkill County** to the Schuylkill River.

**NPDES Permit No. PA-0060526.** Industrial waste, **Pennsylvania-American Water Company**, 20 East Union Street, Wilkes-Barre, PA 18701-1397 is authorized to discharge from a facility (Forest City Water Treatment Plant) located in Forest City Borough, **Susquehanna County** to the Lackawanna River.

**NPDES Permit No. PA-0062651.** Industrial waste, **Agway Petroleum Corporation**, P. O. Box 4852, Syracuse, NY 13221 is authorized to discharge from a facility (New Milford Bulk Plant) located in New Milford Borough, **Susquehanna County** to Salt Lick Creek.

**Permit No. 3997404.** Sewerage, **City of Allentown**, 112 Union Street, Allentown, PA 18102-4910. Permit to construct and operate modifications to the Kline Island STP, located in the City of Allentown, **Lehigh County**.

**Permit No. 3997405.** Sewerage, **Parkland School District**, 1210 Springhouse Road, Allentown, PA 18104-2119. Permit to construct and operate wastewater treatment facilities for the proposed Parkland Senior High School, located in South Whitehall Township, **Lehigh County**.

*Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**NPDES Permit No. PA0031844.** Sewage, **Kiski Area School District**, 200 Poplar Street, Vandergrift, PA 15690 is authorized to discharge from a facility located at North Washington Elementary School STP, Washington Township, **Westmoreland County** to Unnamed Tributary of Pine Run.

**NPDES Permit No. PA0096733—Amendment No. 1.** Sewage, **Lance L. Safran**, 5800 Steel Road, Murrysburg, PA 15668 is authorized to discharge from a facility located at Pleasant View Mobile Home Park STP, Saltlick Township, **Fayette County**.

*Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**WQM Permit No. 6297404.** Sewerage, **Thomas L. Holden**, SRSTP, P. O. Box 274, Sheffield, PA 16347. Construction of Thomas L. Holden SRSTP located in Sheffield Township, **Warren County**.

**WQM Permit No. 4397203.** Industrial waste, **Consumer Pennsylvania Water Company**, Shenango Valley Division, 665 South Dock Street, P. O. Box 572, Sharon, PA 16146-1835. This project is for the construction and operation of wastewater treatment facilities in the City of Sharon, **Mercer County**.

**WQM Permit No. 4397408.** Sewage, **Jackson Center Borough**, R. D. 1, Box 38, Jackson Center, PA 16133. This project is for the expansion of sewage treatment facilities in Jackson Center Borough, **Mercer County**.

**NPDES Permit No. PA 0024899.** Sewage, **Borough of Lake City**, 2350 Main Street, Lake City, PA 16423 is authorized to discharge from a facility located in Lake City, **Erie County** to Elk Creek.

**NPDES Permit No. PA 0034789.** Industrial waste, **St. Marys Area Water Authority**, 429 Ridgeway Road, P. O. Box 33, St. Marys, PA 15857 is authorized to discharge from a facility located in St. Marys, **Elk County** to Laurel Run.

**NPDES Permit No. PA 0020541.** Sewage, **Girard Borough**, 34 Main Street West, Girard, PA 16417 is authorized to discharge from a facility located in Girard Borough, **Erie County** to Elk Creek.

**NPDES Permit No. PA 0222348.** Sewage, **Thomas L. Holden**, P. O. Box 410, Sheffield, PA 16347 is authorized to discharge from a facility located in Sheffield Township, **Warren County** to Unnamed Tributary to South Branch Tionesta Creek.

#### INDIVIDUAL PERMITS (PAS)

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

*Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-D048	Toll Brothers, Inc. 3103 Philmont Avenue Huntingdon Valley, PA 19006	Lower Makefield Township Bucks County	Brock Creek Tributary to Buck Run

*Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10U066	JAMD, Inc. 101 Timberline Drive Bangor, PA 18072	Northampton Co. Washington Township	Little Martins Crk.
PAS10U069	Red Rock Land Corp. 163 Treeline Drive Pen Argyl, PA 18072	Northampton Co. Forks Township	Bushkill Creek

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS107202	North Coast Energy 3896 Oakwood Avenue Youngstown, OH 44515	Warren County Conewango Township	Morse Run

**INDIVIDUAL PERMITS  
(PAR)**

---

**APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS**

---

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

*List of NPDES and/or other General Permit Type*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Sewage Sludge By Land Application to Agricultural Land, Forest, A Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

*Facility Location  
County and  
Municipality*

<i>County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Susquehanna County Rush Township	PAR106409	Pennsylvania Department of Transportation Engineering District 4-0 P. O. Box 111 Scranton, PA 18501	Wyalusing Creek	Northeast Regional Office 2 Public Square Wilkes-Barre, PA 18711-0790 (717) 826-5485
McKean County Port Allegany	PAR104105	Ball Foster Glass Container Co. LLC P. O. Box 4200 Muncie, IN 47307-4200	Allegheny River	Northwest Region Water Management Program Manager 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942



<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Girard Borough Erie County	PAR158302	Walton Paint Company DBA Beaver Paint Company 710 Beaver Road Girard, PA 16417	Unnamed Tributary to Elk Creek	Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
Adams Twp. Butler County	PAR118316	Lectromat, Inc. P. O. Box 608 Mars, PA 16046	Breakneck Creek	Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
Zelienople Borough Butler County	PAR118321	The F. B. Leopold Co., Inc. 227 South Division Street Zelienople, PA 16063	Glade Run to Connoquenessing Creek to Beaver River	Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
Hermitage City Mercer County	PAR208336	Advanced Monobloc Corporation One Llodio Drive Hermitage, PA 16148	Unnamed Tributary to Shenango River Basin and City of Hermitage Pond/Industrial Park Flood Control	Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
Erie City Erie County	PAR218306	A. Duchini Inc. P. O. Box 10005 Erie, PA 16514	Garrison Run to Lake Erie	Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
Summit Twp. Butler County	PAR208302	Bear Metallurgical Co. 679 East Butler Road Butler, PA 16001	Ohio River Basin Connoquenessing Creek Unnamed Tributary	Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
Farrell Mercer County	PAG058310	John H. Weeter Guttman Oil Company 200 Speers Street Belleverson, PA 15012	Pine Run	Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942

## SAFE DRINKING WATER

### Permit issued under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. 1897502.** The Department issued an Innovative Technology Construction Permit to **Crawford Township Authority**, R. R. 2, Box 388, Jersey Shore, PA 17740, (Crawford Township, **Clinton County**) for construction of an Environmental Products Division pressure sand filtration plant, storage tanks for finished water, backwash water, and raw water and an intake on Rauchtown Creek.

**A. 4146292-A8.** The Department issued a permit for construction to **Aqua Penn Spring Water Company**, One Aqua Penn Drive, P. O. Box 938, Milesburg, PA 16853 (Boggs Township, **Centre County**) for construction of a new raw water pump station, new ozonator and raw water storage tank and additional labels.

*Northwest Regional Office, Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.*

**Permit No. 4397503.** Public water supply, **Consumers PA Water Company**, Shenango Valley Division, 665 S. Dock St., Sharon, PA 16146-1835. This project is to construct a 2 million gallon per day (mgd) booster pump station at Seig Hill. This booster pump station will provide increased pressure to the Oak Tree Subdivision and will also serve to provide water to Hubbard, Ohio in periods of increased demands. The booster pump station is located in Shenango Township, **Mercer County**.

*Type of Facility:* Community Water Supply.

*Consulting Engineer:* Jack N. Walter, P. E., Consumers PA Water Company, 665 S. Dock St., Sharon, PA 16146-1835.

*Permit to Construct Issued:* August 27, 1997.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### Under Act 2, 1995

#### Preamble 3

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require

the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**M. B. Land Company**, Horsham Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, Suite 500, 401 City Avenue, Bala Cynwyd, PA 19004, has submitted a Final Report concerning remediation of site soil contaminated with lead, BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons and VOCs. The report is intended to document remediation of the site to meet Statewide health and background standards.

*Northwest Regional Office: Craig Lobins, Acting Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.*

**Pennsylvania Electric Company, d/b/a GPU Energy**, for the Brockway Subdistrict Facility, Borough of Brockway, **Jefferson County**, James Street and Evergreen Avenue Intersection, has submitted a Final Report to Remediate soil. The site has been found to be contaminated with BTEX and PHCs. The applicant proposes to remediate the site to meet the Statewide health standard.

## SOLID AND HAZARDOUS WASTE

### LICENSE TO TRANSPORT HAZARDOUS WASTE

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Buckham Transport Ltd.**, Box 601, Peterborough, Ontario, Canada K9J6Z8; License No. **PA-AH 0336**; renewal license issued August 28, 1997.

**MSE Environmental, Inc.**, 880 Verdulera Street, Camarillo, CA 93010; License No. **PA-AH 0499**; renewal license issued August 27, 1997.

**SLT Express, Inc.**, P. O. Box 710, Denver, CO 80201; License No. **PA-AH 0498**; renewal license issued August 27, 1997.

### RESIDUAL WASTE PROCESSING FACILITIES

**Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.**

*Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.*

**General Permit No. WMGR028. Pennsylvania Asphalt Pavement Association**, 3540 N. Progress Avenue, Harrisburg, PA 17110-9637. A permit for beneficial use of hot-mix asphalt plant residues consisting of baghouse fines and scrubber pond precipitates as a soil additive or soil amendment. The permit was issued by Central Office on August 27, 1997.

Persons interested in reviewing the permit may contact the General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.*

**Permit No. 400558. Montenay Montgomery Limited Partnership**, 1155 Conshohocken Road, Conshohocken, PA 19428. This Amended Waste Management permit is for the acceptance of various categories of municipal-like residual waste at the Montgomery County Resource Recovery Incinerator Facility, located in Plymouth Township, **Montgomery County**. Permit was issued in the Southeast Regional Office on July 29, 1997.

*Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.*

**Permit No. 101295. Tri-County Landfill, Inc.**, 199 Landfill Road, Grove City, PA 16217, located in Pine and Liberty Townships, **Mercer County**.

An application to repermit the Tri-County Landfill, received February 1, 1991, was denied in the Regional Office on August 6, 1997. The application was denied in accordance with 25 Pa. Code § 273.202, as amended January 25, 1997; a municipal waste landfill may not be operated within 10,000 feet or 3,048 meters of an airport runway that is or will be used by turbine-powered aircraft during the life of disposal operations under the permit.

**PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE  
INFECTIOUS OR CHEMOTHERAPEUTIC WASTE**

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), and municipal waste regulations for general permits for the processing of infectious or chemotherapeutic waste.**

*Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.*

**General Permit No. WMGI002. Winfield Environmental Co., LLC**, 520 S. Andreasen Drive, Escondido, CA 92029. A permit for disinfection of infectious waste by chemical disinfection using chlorine dioxide. The permit was issued by Central Office on August 26, 1997.

**General Permit No. WMGI009. O B F Industries, Inc.**, 2719 Curtiss Street, Downers Grove, IL 60515. A permit for the processing of infectious waste by using a formulation of glutraldehyde, silicon dioxide and potassium and/or sodium polyacrylate. The permit was issued by Central Office on August 22, 1997.

Persons interested in reviewing or registration information may contact the General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

**AIR POLLUTION  
OPERATING PERMITS**

**Construct, modify or activate air contaminant sources**

**25 Pa. Code § 129.1**

**Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**03-00190: Five Rubber Corporation** (1655 Orr Avenue, Kittanning, PA 16201) located in Kittanning Borough, **Armstrong County**. The facility has emissions of 40 tons of VOCs.

**PLAN APPROVALS**

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and air cleaning devices.**

*Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4587.*

**44-03004:** On August 18, 1997, the Department issued a plan approval to **Guardian Industries Corp.** (One Belle Avenue, Building 35, Lewistown, PA 17044-2434) for construction of the mirror coating operation controlled by a regenerative thermal oxidizer in Granville Township, **Mifflin County**.

**44-03005:** On August 18, 1997, the Department issued a plan approval to **Complete Resource Company** (1275 East Fifth Avenue, Columbus, OH 43219) for the installation of the portable crushing and screening plant con-

trolled by wet suppression in Brown Township, **Mifflin County**. This source is subject to 40 CFR 60, Subpart 000, Standards of Performance for New Stationary Sources.

**ER-06-5012:** On August 21, 1997, the Department issued an Emission Reduction Credit Approval to **Rexam DSI** (220 Corporate Drive, Reading, PA 19605) for the shutdown of a surface coating operation at their Reading Plant in Muhlenberg Township, **Berks County**.

**06-309-001B:** On August 21, 1997, the Department issued a plan approval to **Glen-Gery Corp.** (423 South Pottsville Pike, Shoemakersville, PA 19555) for the modification of a brick manufacturing operation controlled by a fabric collector at their Mid Atlantic Plant in Perry Township, **Berks County**.

**07-308-003D:** On August 22, 1997, the Department issued a plan approval to **Fry Metals, Inc.** (4100 Sixth Avenue, Altoona, PA 16602) for modification of the construction of the refining and dross treatment operations controlled by a postcombustion settling chamber and a fabric filter in the City of Altoona, **Blair County**.

**36-317-184B:** On August 22, 1997, the Department issued a plan approval to **Pepperidge Farm, Inc.** (2195 North Reading Road, Denver, PA 17517) for modification and construction of the bakery operations at their Denver Bakery located in East Cocalico Township, **Lancaster County**.

**MINING**

**APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES**

**MINING ACTIVITY ACTIONS**

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Coal Applications Issued*

**11813005.** Permit renewal. **Ratay Coal, Inc.** (R. D. 1, Box 198, Penn Run, PA 15765), commencement, operation and restoration of a bituminous strip-auger mine, valid for reclamation, only in Conemaugh Township, **Cambria County**, affecting 224.2 acres, receiving stream unnamed tributaries to/and Clapboard Run. Application received March 7, 1996. Permit issued August 25, 1997.

**56813127.** Permit renewal. **Richland Resources, Inc.** (R. D. 1, Box 198, Penn Run, PA 15765), commencement, operation and restoration of a bituminous strip mine, valid for reclamation, only in Quemahoning Township, **Somerset County**, affecting 82.9 acres, receiving stream unnamed tributaries to Stony Creek and to Stony Creek. Application received March 7, 1996. Permit issued August 25, 1997.

**11860101.** Permit renewal. **Laurel Land Development, Inc.** (P. O. Box 629, Carrolltown, PA 15722), commencement, operation and restoration of a bituminous strip mine in Blacklick Township, **Cambria County**, affecting 67.0 acres, receiving stream Coalpit Run. Application received April 7, 1997. Permit issued August 22, 1997.

**56870101.** Permit renewal. **Hilltop Mining, Inc.** (R. D. 4, Box 83-C, Berlin, PA 15530), commencement, operation and restoration of a bituminous strip-coal refuse disposal mine in Brothersvalley Township, **Somerset County**, affecting 15.8 acres, receiving stream unnamed tributary to Buffalo Creek. Application received July 3, 1997. Permit issued August 25, 1997.

**32970901.** **Mears Enterprises, Inc.** (P. O. Box 157, Clymer, PA 15728), commencement, operation and restoration of a bituminous strip mine in Cherryhill Township, **Indiana County**, affecting 8.0 acres, receiving stream unnamed tributary to and Dixon Run. Application received April 2, 1997. Permit issued August 26, 1997.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

**17920109.** **Thomas Coal Co., Inc.** (Star Route, Box 53, Curwensville, PA 15833), renewal of an existing bituminous surface mine permit in Bloom Township, **Clearfield County** affecting 151.5 acres, receiving streams unnamed tributaries of Bell Run and Bigler Run. Application received April 18, 1997. Permit issued August 19, 1997.

**17960124.** **Sky Haven Coal, Inc.** (R. R. 1, Box 180, Penfield, PA 15849), commencement, operation and restoration of a bituminous surface mine permit in Brady and Bell Townships, **Clearfield County** affecting 127 acres, receiving streams: Buck Run to Beech Run to East Branch Mahoning Creek to Mahoning Creek to Allegheny River. Application received December 27, 1996. Permit issued August 22, 1997.

**17910122.** **Hamilton Bros. Coal, Inc.** (R. R. 2, Box 563, Clymer, PA 15728), renewal of an existing bituminous surface mine-auger permit in Beccaria Township, **Clearfield County** affecting 137 acres, receiving streams: tributaries to North Witmer Run to North Witmer Run to Clearfield Creek to the West Branch of the Susquehanna River. Application received July 7, 1997. Permit issued August 25, 1997.

**17940122.** **Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830), transfer of an existing bituminous surface mine-auger permit from Hepburnia Coal Company, Greenwood Township, **Clearfield County** affecting 120.2 acres, receiving streams: unnamed stream, tributary to Watts Creek, Watts Creek to Little Clearfield Creek to Clearfield Creek to West Branch of the Susquehanna River. Application received May 5, 1997. Permit issued August 22, 1997.

**17950106.** **Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830), transfer of an existing bituminous surface mine-auger permit from R. B. Contracting, Greenwood Township, **Clearfield County** affecting 100.2 acres, receiving streams: unnamed stream, tributary to Watts Creek, Watts Creek to Little Clearfield Creek to Clearfield Creek to West Branch of the Susquehanna River. Application received May 5, 1997. Permit issued August 22, 1997.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**33920104.** **Dutch Run Coal, Inc.** (R. D. 2, Box 366, Shelocta, PA 15774), renewal of an existing bituminous strip and auger operation in Ringgold Township, **Jefferson County** affecting 68.8 acres. This renewal is issued for reclamation only. Receiving streams two unnamed tributaries to Painter Run. Application received June 19, 1997. Permit issued August 14, 1997.

**33870110.** **Hepburnia Coal Company** (P. O. Box I, Grampian, PA 16838), renewal of an existing bituminous strip and auger operation in Washington and Snyder Townships, **Jefferson County** affecting 63.0 acres. This renewal is issued for reclamation only. Receiving streams unnamed tributary to Curry Creek and unnamed tributary to Mill Creek. Application received June 23, 1997. Permit issued August 14, 1997.

**10910103.** **D.W.L. Coal Company** (1201 West Main Street, Grove City, PA 16127), renewal of an existing bituminous strip, auger and tippel refuse disposal operation in Cherry Valley Borough, **Butler County** affecting 126.0 acres. This renewal is issued for reclamation only. Receiving streams South Fork, Little Scrubgrass Creek and two unnamed tributaries to South Fork. Application received July 7, 1997. Permit issued August 14, 1997.

**10970102.** **Aspen Minerals, Inc.** (P. O. Box 269, Shippenville, PA 16254), commencement, operation and restoration of a bituminous strip operation in Oakland Township, **Butler County** affecting 76.0 acres. Receiving streams three unnamed tributaries to Lake Oneida. Application received February 12, 1997. Permit issued August 13, 1997.

**10970103.** **Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001), commencement, operation and restoration of a bituminous strip operation in Oakland Township, **Butler County** affecting 77.0 acres. Receiving streams two unnamed tributaries to Pine Run and one unnamed tributary to Connoquenessing Creek. Application received February 28, 1997. Permit issued August 13, 1997.

**102360-10970103-E-1.** **Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001), application for a stream encroachment to conduct mining activities within 100 feet but no closer than 25 feet to unnamed tributary No. 3 to Connoquenessing Creek for the purposes of support facility construction and maintenance, and mineral extraction in Oakland Township, **Butler County**. Receiving streams two unnamed tributaries to Pine Run and one unnamed tributary to Connoquenessing Creek. Application received February 28, 1997. Permit issued August 13, 1997.

**102360-10970103-E-2.** **Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001), application for a stream encroachment to conduct mining activities within 100 feet but no closer than 25 feet to unnamed tributaries No. 1 and No. 5 to Pine Run for the purposes of support facility construction and maintenance, and mineral extraction in Oakland Township, **Butler County**. Receiving streams two unnamed tributaries to Pine Run and one unnamed tributary to Connoquenessing Creek. Application received February 28, 1997. Permit issued August 13, 1997.

**33910110.** **MSM Coal Co., Inc.** (P. O. Box 243, DuBois, PA 15801), renewal of an existing bituminous strip and auger operation in Oliver Township, **Jefferson**

County affecting 74.6 acres. Receiving streams two unnamed tributaries to Little Sandy Creek. Application received June 3, 1997. Permit issued August 25, 1997.

*McMurray District Office*

**56971301. GM & S Coal Corp.** (P. O. Box 233, Jennerstown, PA 15547), to operate the Geronimo Mine in Jenner Township, **Somerset County**, unnamed tributary to North Branch of Quemahoning Creek. Permit issued August 19, 1997.

**03841307. Keystone Coal Mining Corp.** (P. O. Box 729, Indiana, PA 15710), to revise the permit for the Emilie No. 4 in Plumcreek Township, **Armstrong County**, post mining land use change, no additional discharges. Permit issued August 28, 1997.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

*Noncoal Permits Issued*

**20830301. Berkey's Nursery** (138 Jefferson St., P. O. Box 215, Spartansburg, PA 16434-0215), transfer of an existing sand and gravel operation in Sparta Township, **Crawford County** affecting 6.5 acres. Receiving streams Five Mile Creek. Application received June 19, 1997. Permit issued August 19, 1997.

**20970301. Meadville Redi-Mix Concrete, Inc.** (P. O. Box 418, Meadville, PA 16335), commencement, operation and restoration of a sand and gravel operation in Summit Township, **Crawford County** affecting 220.4 acres. Receiving streams none. Application received January 30, 1997. Permit issued August 21, 1997.

**4672SM9. Tionesta Sand & Gravel, Inc.** (P. O. Box 307, Tionesta, PA 16355), revision to an existing sand and gravel operation to change the postmining land use from a water impoundment to pastureland/land occasionally cut for hay on the Charles H. Theuret property in Pittsfield Township, **Warren County**. Receiving streams Hosmer Run. Application received June 18, 1997. Permit issued August 25, 1997.

**43910304. Meadville Redi-Mix Concrete, Inc.** (P. O. Box 418, Meadville, PA 16335), renewal of NPDES #PA0208361, French Creek Township, **Mercer County**. Receiving streams two unnamed tributaries to Powdermill Run. Application received July 3, 1997. Permit issued August 25, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**7773SM1A2C2. Pottstown Trap Rock Quarries, Inc.** (One Quarry Road, Douglassville, PA 19518), correction and renewal of NPDES #PA0595322 and to include wet processing in Douglassville Township, **Berks County** affecting 335.0 acres, receiving stream unnamed tributary to Schuylkill River. Correction issued August 29, 1997.

**01970301. National Earth Products, Inc.** (245 Butler Avenue, Lancaster, PA 17602), commencement, operation and restoration of a quarry operation in Mt. Joy Township, **Adams County** affecting 12.7 acres, receiving stream none. Permit issued August 29, 1997.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

*Small Industrial Mineral Authorizations Granted*

**59970801. Jill D. Cross** (P. O. Box 240, Mainesburg, PA 16932), commencement, operation and restoration of a Small Industrial Mineral (Sandstone) permit in Clymer Township, **Tioga County** affecting 4 acres, receiving

streams: Baker Branch Asaph Run, tributary to Pine Creek. Application received July 24, 1997. Authorization granted August 19, 1997.

**53960805. Gordnier Excavating** (R. R. 3, Box 234A, Coudersport, PA 16915), commencement, operation and restoration of a Small Industrial Mineral (Flagstone, Shale, Rock and Topsoil) permit in Keating Township, **Potter County** affecting 1 acre, receiving streams East Branch Freeman Run, tributary to Freeman Run. Application received July 24, 1996. Authorization granted August 19, 1997.

**08970811. Scott A. Dunn** (R. R. 1, Box 250-B, Towanda, PA 18848), commencement, operation and restoration of a Small Industrial Mineral (Bluestone) permit in Pike Township, **Bradford County** affecting 1 acre, receiving streams Williams Creek. Application received May 20, 1997. Authorization granted August 28, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*General Small Noncoal Authorizations Granted*

**58970848. Donald R. Rood** (P. O. Box I, Nicholson, PA 18446), commencement, operation and restoration of a small bluestone quarry operation in Lenox Township, **Susquehanna County** affecting 1.0 acre, receiving stream none. Authorization granted August 26, 1997.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**25970803. Rohrer-Blum** (8847 Hatch Hollow Road, Union City, PA 16438), commencement, operation and restoration of a small noncoal sand and gravel operation in Amith Township, **Erie County** affecting 2.0 acres. Receiving streams none. Application received March 17, 1997. Authorization granted August 28, 1997.

## ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment Approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)),** (*Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.*)

*Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E09-729.** Encroachment Permit. **Toll Brothers, Inc.**, 3103 Philmont Avenue, Huntingdon Valley, PA 19006. To perform the following activities associated with the construction of the Mill Road Estates Residential Subdivision (a.k.a. Timber Ridge):

1. To relocate approximately 95 linear feet of an unnamed tributary to Brock Creek (WWF) in association with the widening of Oxford Valley Road.

2. To construct and maintain 75 linear feet of 36-inch reinforced concrete culvert, an 8-inch water line and an 8-inch sanitary sewer line crossing of an unnamed tributary of Brock Creek and adjacent wetlands. These activities are associated with the construction of Landmark Road.

3. To construct and maintain 94 linear feet of 42-inch reinforced concrete culvert and 74 linear feet of 18-inch reinforced concrete culvert, an 8-inch water line, and 8-inch sanitary sewer line crossing of an unnamed tributary of Brock Creek and adjacent wetlands. These activities are associated with the construction of Hearthstone Drive.

4. To place and maintain fill in wetlands to facilitate construction of Hearthstone Road, Arbor Court, Lot No. 26 and Lot No. 33. Also to install an 8-inch water line, 4-inch force main and 18-inch R.C.P. storm sewer utility line crossings of wetlands.

5. Issuance of this permit constitutes approval of the Environmental Assessment for a nonjurisdictional dam (outfall for Basin 1A) proposed at the project site.

This site is located just northwest of the intersection of Oxford Valley Road and Mill Road (Trenton West, NJ-PA Quadrangle N: 16.9 inches; W: 13.7 inches) in Lower Makefield Township, **Bucks County**. The applicant proposes to construct 0.6 acre of replacement wetlands at the project site.

**E23-257.** Encroachment Permit. **Pennsylvania Department of Transportation**, 200 Radnor-Chester Road, St. David's, PA 19087-5178. To reissue Permit No. E23-257 which authorized to replace the superstructure and to maintain a bridge having a clear span of 31 feet 11 5/8 inches with an underclearance of 17 feet 6 inches across Cobbs Creek on S. R. 1005 (Eagle Road), Segment 008C, Offset 3292, Section 06S, Station 154+94 (Lansdowne, PA Quadrangle N: 21.5 inches; W: 6.95 inches) in Haverford Township, **Delaware County**.

*Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.*

**E40-456.** Encroachment. **Luzerne County Convention Center Authority**, 54 West Union Street, Wilkes-Barre, PA 18711. To construct and maintain a stream enclosure of Coal Brook, consisting of approximately 840

linear feet of 7-foot-diameter corrugated steel pipe, for the purpose of constructing the Northeastern Pennsylvania Civic Arena/Convention Center. The project is located in the Highland Industrial Park (Wilkes-Barre East, PA Quadrangle N: 21 inches; W: 13.5 inches), in Wilkes-Barre Township, **Luzerne County**.

**E40-462.** Encroachment. **Luzerne County Commissioners**, Luzerne County Courthouse, 200 North River Street, Wilkes-Barre, PA 18711-1001. Giving its consent to remove the existing structure (County Culvert No. 37508) and to construct and maintain a single-span precast concrete slab bridge, having a span of approximately 10 feet and an underclearance of approximately 4 feet, across a Tributary to Big Wapwallopen Creek. The structure is located on T-393, approximately 0.7 mile south of the northern intersection of T-393 and S. R. 2045 (Freeland, PA Quadrangle N: 18.9 inches; W: 9.4 inches), in Wright Township, **Luzerne County**.

**E45-319.** Encroachment. **Jerry and Lynn Rosenbloom**, 209 Remington Road, Broomall, PA 19008. Giving its consent to place fill in a de minimis area of wetlands less than or equal to 0.05 acre for the purpose of constructing a single family dwelling on Lot 31 of Lake Naomi Estates residential subdivision. The project is located on the north side of Split Rock Lane, approximately 800 feet southwest of its intersection with Tanglewood Drive (Pocono Pines, PA Quadrangle N: 20.4 inches; W: 9.3 inches) in Tobyhanna Township, **Monroe County**.

**E52-148.** Encroachment. **Forest Lake Club**, R. R. 1, Box 333, Hawley, PA 18428-9718. Giving its consent to remove the existing structure and to construct and maintain a 2-slip, pile supported boathouse, having dimensions of 22 feet wide by 26 feet long in Corilla Lake. This project is located on the east side of S. R. 4003, approximately 800 feet north of township road T-441 (Narrowsburg, NY-PA Quadrangle N: 5.3 inches; W: 12.0 inches) in Lackawaxen Township, **Pike County**.

*Southcentral Region: Section Chief, Southcentral Regional Office, Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, (717) 657-4590.*

**E21-267.** Encroachment. **R. Scott Rankin**, 2048 Southpoint Drive, Hummelstown, PA 17036. To construct and maintain a 6' x 3' squash pipe across an unnamed tributary to Yellow Breeches Creek (Kellars Gap Hollow) to provide access for farm equipment located about 1,000 feet north of the Pentecostal Church in Brushtown Village (Dickinson, PA Quadrangle N: 16.5 inches; W: 10.48 inches) in Penn Township, **Cumberland County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

**E67-595.** Encroachment. **Wagman Construction, Inc.**, Jeff Winter, 3290 Susquehanna Trail North, York, PA 17404. To place fill in 0.1 acre of wetlands for the purpose of constructing a proposed medical facility to be located on the Dover Commons Tract west of SR 0074 just north of Palomino Road (West York, PA Quadrangle N: 21.6 inches; W: 13.1 inches) in Dover Township, **York County**. The permittee is responsible for compensating for wetlands by contributing to the wetland replacement fund. This permit also includes 401 Water Quality Certification.

*Northcentral Region, Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E41-401.** Encroachment. **Sun Pipe Line Co.**, John Nyce, Vice President, Ten Penn Center, 1801 Market St., Philadelphia, PA 19103-1699. Construct, operate, and maintain two (2) 8-inch diameter pipelines for the transmission of petroleum product beneath the West Branch Susquehanna River. The work shall consist of directional drilling beneath the existing river bed and installing two (2) 8-inch diameter pipes that measure 765 linear feet. The project is located along the southern right-of-way of SR 0180 approximately 2.5 miles south of the intersection of SR 2039 and SR 0180 (Montoursville South, PA Quadrangle N: 20.8 inches; W: 10.1 inches) in Armstrong and Loyalsock Townships, **Lycoming County**.

**E41-402.** Encroachment. **Walter G. Neidig**, P. O. Box 275, Muncy, PA 17756. Remove topsoil 5 feet deep and backfill with old concrete, asphalt, topsoil in the floodway of Muncy Creek located along SR 405 approximately 1,000 feet north of the Muncy Creek bridge (Muncy, PA Quadrangle N: 16.0 inches; W: 0.75 inch) in Muncy Creek, **Lycoming County**. This permit was issued under section 105.13(e) Small Projects.

**E41-405.** Encroachment. **Lycoming County Water & Sewer Authority**, Lycoming County Airport, Room 203, Montoursville, PA 17754. To remove an existing culvert and to construct and maintain three 42-inch reinforced concrete pipe culverts with associated concrete headwalls in the Gut located approximately 4,200 feet southwest of the SR 2047 and SR 0220 intersection (Muncy, PA Quadrangle N: 19.96 inches; W: 16.75 inches) in Fairfield Township, **Lycoming County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

**E55-144.** Encroachment. **Susquehanna University**, P. O. Box DD, 514 University Ave., Selinsgrove, PA 17870-1075. To construct and maintain a 30 LF-21'6" x 7'9" plate steel arch culvert with riprap stone outfall, a 36 1/4 inch x 22 1/2 inch CMP arch culvert, a proposed culvert bridge with a span of 21'6" and an underclearance of 7'9", a 32" high slip form concrete floodwall and the placement of fill in the floodway for site access road ramps. The proposed facilities will be located in or adjacent to the South Tributary to Penns Creek at Susquehanna University on the north side of Sassafras St. approximately 0.5 mile west of Market Street (Freeburg/Sunbury, PA Quadrangle N: 18.4 inches; W: 16.7 inches) in the Borough of Selinsgrove, **Snyder County**.

**E55-146.** Encroachment. **Middleburg Borough**, 13 N. Main St., Middleburg, PA 17842-0415. To construct and maintain walls and roofing for replacement of dugouts and a new picnic pavilion, all located within the floodway of Middle Creek in the Charles Park Playground on South Walnut St. (Middleburg, PA Quadrangle N: 6.9 inches; W: 6.2 inches) in the Borough of Middleburg, **Snyder County**. This permit was issued under section 105.13(e) Small Projects.

**E59-341.** Encroachment. **Richmond Township**, 563 Valley Rd., Mansfield, PA 16933. To remove on an as-needed basis for a period of 5 years built up gravel deposits from a section approximately 450 feet in length

of Canoe Camp Creek on the south side of T-493 between old Rt. 15 and the Tioga River (Mansfield, PA Quadrangle N: 5.8 inches; W: 9.6 inches) Richmond Township, **Tioga County**.

*Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E20-446.** Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street, Franklin, PA 16323. To remove the existing bridge and to construct and maintain a prestressed concrete spread box beam bridge having two 49.16-foot clear spans and an average underclearance of 10.35 feet on a 60 degree skew across Conneaut Creek on S. R. 0198, Segment 0160, Offset 0258 approximately 700 feet west of S. R. 18 (Conneautville, PA Quadrangle N: 1.4 inches; W: 16.5 inches) located in Conneautville Borough, **Crawford County**.

**E25-552.** Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street, Franklin, PA 16323. To install concrete streambed paving 1-foot below the existing streambed, rock riprap scour protection and to maintain the existing bridge having a clear span of 20 feet and an underclearance of 7 feet across a tributary to West Branch French Creek on S. R. 0089, Segment 0410, Offset 0000 approximately 0.5 mile south of S. R. 430 at Colts Station (Wattsburg, PA Quadrangle N: 20.3 inches; W: 10.0 inches) located in Greenfield Township, **Erie County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

**E43-260.** Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street, Franklin, PA 16323. To install concrete streambed paving 1-foot below the existing streambed, rock riprap scour protection and to maintain the existing bridge having a clear span of 18 feet and an underclearance of 6.5 feet across Pine Run on S. R. 0062, Segment 0050, Offset 0814 approximately 1,500 feet west of S. R. 518 (Sharon East, PA Quadrangle N: 19.3 inches; W: 16.6 inches) located in the City of Sharon, **Mercer County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

## SPECIAL NOTICES

### Certification to Perform Radon-Related Activities in Pennsylvania

In the month of August 1997, the Department of Environmental Protection, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1 (800) 23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Anthony LaMastra A.B.E. Radiation Measurements Lab Airttech Radon Services, Inc.	1005 Old Route 22 Lenhartsville, PA 19534 709 Sloop Road Pittsburgh, PA 15237	Testing and Laboratory Mitigation
Brendan Ryan ALARA Environmental	538 Dorseyville Road Pittsburgh, PA 15238	Testing
Richard Armstrong	1268 Laurelwood Road Pottstown, PA 19465	Testing
Joseph Baicker	P. O. Box 900 Rocky Hill, NJ 08553	Laboratory
Bryan Cole	317 McWilliams Road Trafford, PA 15085	Testing
Edinboro Scientific Co.	12862 Wetsell Ridge Road Edinboro, PA 16412	Testing
Robert Lloyd	1698 Walnut Bottom Road Newville, PA 17241	Testing
Blair Burton Miers	Box 2180 Flemington, NJ 08822	Mitigation
Wayne Murray	1021 Gypsy Hill Road Lancaster, PA 17602	Testing
Timothy Musser Musser & Co.	213 North 14th Street Allentown, PA 18102	Mitigation
Doris Natalie	P. O. Box 2422 Southeastern, PA 19399	Testing
Dennis Nilan	679 Barclay Lane Broomall, PA 19008	Testing and Mitigation
Robert Payne	1232 Raven Drive Pittsburgh, PA 15243	Testing
Sydney Porter, Jr. Porter Consultants, Inc.	125 Argyle Road Ardmore, PA 19003	Testing
James Wandless	1424 West 30th Street Erie, PA 16508	Mitigation

[Pa.B. Doc. No. 97-1477. Filed for public inspection September 12, 1997, 9:00 a.m.]

### Availability of Technical Guidance

Technical guidance documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "June 1997 Inventory" heading is the Governor's List of Nonregulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will be adding its revised documents to the Web throughout 1997.

#### *Ordering Paper Copies of DEP Technical Guidance*

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

### *Changes to Technical Guidance Documents*

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Jonathan Brightbill at (717) 783-8727.

#### *Final Technical Guidance — New Guidance*

DEP ID: 294-2309-002 Title: Pennsylvania Radon Mitigation Standards Description: Standards for the installation of radon mitigation systems in detached and attached residential buildings, three stories or less in height, within the Commonwealth of Pennsylvania, by certified contractors. Effective Date: October 1, 1997 Page Length: 22 pages Location: Volume 04, Tab 5 Contact: Robert K. Lewis at (717) 783-3594.

DEP ID: 580-2200-008 Title: Guidelines for Use of Internal Combustion Motors in Underground Mines other than Coal Location: Volume 9, Tab 13 [Correction to location published in PA Bulletin 9/6/97] Contact: Matt Bertovich at (412) 439-7304.

#### *Final Technical Guidance—Minor Revision*

DEP ID: 400-5900-107 Title: Policy for Authorities of the Director of Environmental Emergency Response De-



scription: This policy addresses the authorities of the Director of Environmental Emergency Response during emergencies. Effective Date: September 15, 1997 Page Length: 1 page Location: Volume 8, Tab 10 Contact: Kris Lutz at (717) 787-5028.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 97-1478. Filed for public inspection September 12, 1997, 9:00 a.m.]

### Radiation Protection Advisory Committee Meeting

The next meeting of the Department of Environmental Protection's Radiation Protection Advisory Committee (RPAC) scheduled for September 24, 1997, will be cancelled due to commitments being met and found to be unnecessary.

Questions concerning cancellation of this meeting should be addressed to Stuart Levin at (717) 787-3720 or e-mail at levin.stuart@a1.dep.state.pa.us.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 97-1479. Filed for public inspection September 12, 1997, 9:00 a.m.]

## DEPARTMENT OF GENERAL SERVICES

### State Surplus Property Sale

The Department of General Services, State Surplus Property Program will conduct a 50% Off sale at the Harrisburg Distribution Center on Saturday, September 20, 1997. The sale will run from 8 a.m. through 2 p.m. with half off all merchandise on the sales floor. Included in this sale are desks, tables, chairs, typewriters, file cabinets, computer equipment and many more items. The Center is located at 2221 Forster Street in Harrisburg. Please use the Briggs Street entrance. For additional information, please contact the State Surplus Property Program at (717) 787-4085.

GARY E. CROWELL,  
*Secretary*

[Pa.B. Doc. No. 97-1480. Filed for public inspection September 12, 1997, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on September 17, 1997, at 10:30 a.m. in Room 812, Health and Welfare Building, Commonwealth and Forster Streets, Harrisburg, PA.

This meeting is subject to cancellation without notice.

For additional information, or for persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Robin Bowman at (717) 783-2500.

DANIEL F. HOFFMANN,  
*Secretary*

[Pa.B. Doc. No. 97-1481. Filed for public inspection September 12, 1997, 9:00 a.m.]

### Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Meeting

The Statewide HIV Community Prevention Planning Committee (Committee), established by the Department of Health under sections 301 and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on September 17, 1997.

The meeting will be held at the Sheraton Inn Harrisburg, 800 East Park Drive, Harrisburg, PA, from 10 a.m. to 4 p.m.

For additional information, or persons with a disability who desire to attend the meeting and require an auxiliary aid service, or other accommodation to do so, should contact Tom DeMelfi, Department of Health, Bureau of HIV/AIDS, P. O. Box 90, Room 912, Harrisburg, PA 17108 (717) 783-0574. TDD: (717) 783-6514 or Network/TDD: (8) 717-433-6514.

DANIEL F. HOFFMANN,  
*Secretary*

[Pa.B. Doc. No. 97-1482. Filed for public inspection September 12, 1997, 9:00 a.m.]

## DEPARTMENT OF PUBLIC WELFARE

### Office of Medical Assistance Programs; Payments to Nursing Facilities; Notice of Change in Meth- ods and Standards of Setting Payment Rates

The purpose of this announcement is to provide advance notice under 42 CFR 447.205 that the Department of Public Welfare (Department) proposes to make changes in its methods and standards for setting payment rates for nursing facilities during FY 1997-98. Specifically, the Department proposes to amend its payment standards to specify the circumstances in which the Department will make capital component payments for replacement beds. This notice also announces the Department's intention to issue a policy establishing a process and guidelines to review requests by applicants or participating providers to increase the number of Medical Assistance (MA) certified nursing facility beds.

#### *The Department's Replacement Bed Statement Policy*

Department regulations relating to reimbursement for nursing facilities enrolled and participating in the Commonwealth's Medical Assistance (MA) Program authorize capital component payments for replacement beds only if the nursing facility was "issued a Certificate of Need or a letter of nonreviewability for the project by the Department of Health." 55 Pa. Code § 1187.113(a)(3). Because

Chapter 7 and all other portions of the Health Care Facilities Act (35 P. S. §§ 448.701—448.712) pertaining to Certificate of Need (CON) sunset on December 18, 1996, the Department must amend its regulations to authorize capital payments for replacement beds constructed subsequent to the sunset of the CON program. Pending the promulgation of these amendments, the Department will issue a statement of policy and amend its State Plan to clarify the circumstances under which the Department will make capital component payments for replacement beds. The purpose of the replacement bed policy is to ensure that the Commonwealth will authorize capital component payments for replacement beds (up to applicable regulatory limits) only when the Department has determined that there is a need for the beds.

The Department's new policy will require a nursing facility provider that intends to seek capital payments for replacement beds to obtain the Department's approval before it begins construction. To qualify for capital component payments as a replacement bed, a replacement bed must replace a pre-moratorium bed, that is, a bed that was built under a CON dated on or before August 31, 1982 and for which the Department is making a capital payment under these regulations. The new policy will also specify the factors that the Department will consider in determining to grant approval of a replacement bed project. The Department will consider, among other things, bed shortages or surpluses in the provider's service area, the basis for the construction of replacement beds and the economic feasibility of the project.

If the Department determines that a provider's project qualifies for capital component payments as a replacement bed project, those payments will be calculated consistent with the Department's case-mix regulations (55 Pa. Code §§ 1187.1—1187.141). Since the policy would simply authorize the Department to continue to make capital payments for replacement beds in accordance with existing payment methods and standards, the Department does not anticipate any change in aggregate annual expenditures.

*The Department's Policy Regarding Enrollment and Expansion of Nursing Facilities*

Federal law requires, among other things, that the Department guard against over utilization and misutilization of MA services and to avoid unnecessary costs to the MA Program. See 42 U.S.C.A. § 1396a(a)(30)(A). Prior to December 19, 1996, the Department relied, in part, upon the CON process to meet these Federal requirements. With the sunset of the CON program, the Department took steps to enable it to continue to fulfill its obligations under Federal law.

The Department, by statement of policy effective December 19, 1996, adopted an interim policy announcing that, as a general matter, it intended to exercise its discretion to terminate or to refuse to enter into a MA provider agreement with a provider of nursing facility services that sought to increase the number of MA certified nursing facility beds through enrollment or expansion, unless the Department granted an exception on a case-by-case basis to permit that provider to enroll or expand; or, in the case of an enrolled provider, the provider did not expand by more than ten beds or 10%, whichever was less, over a 2-year period. See 26 Pa.B. 5996 (December 14, 1996). The Department revised its

interim policy effective August 11, 1997, to prohibit enrolled nursing facility providers from expanding their existing licensed bed capacity, under any circumstances, without first receiving an exception from the Department. See 27 Pa.B. 4005 (August 9, 1997).

When it published its initial interim statement of policy, the Department announced its intention to supersede the interim policy with a permanent MA/Long Term Care (LTC) participation review process. To that end, the Department developed a process and guidelines that it intends to use to grant exceptions on a case-by-case basis to its general policy to deny or terminate MA enrollment. In conducting its case-by-case reviews under these guidelines, the Department will consider, among other things: the extent to which MA recipients, day-one MA recipients, and/or technology-dependent recipients have access to nursing facility services in the applicant's or provider's primary service area; the availability and potential availability of other support services for MA recipients, including home and community-based services; the need for additional nursing facility beds in the applicant's or provider's primary service area; and the economic and financial feasibility of the project. The guidelines also specify the time frame within which the Department will review exceptions requests.

Because the guidelines do not alter existing payment methods and standards, but only specify the information that the Department views as relevant in determining whether to grant exceptions permitting the enrollment or expansion of nursing facility providers, the Department does not anticipate any change in aggregate annual expenditures.

*Public Comments on the Replacement Bed and MA/LTC Participation Review Policies*

Before it implements its Replacement Bed and MA/LTC Participation review policies, the Department is making them available for public review and comment. Copies of both policies are available for review at the local County Assistance Offices throughout the Commonwealth. The Department will also discuss and solicit input on these policies at meetings that will be held in Room 327, Health and Welfare Building, Harrisburg on September 24, 1997, 1 p.m. (Medical Assistance Advisory Committee (MAAC) Consumer Subcommittee) and September 25, 1997, 10 a.m. (MAAC). These meetings are open to the public. In addition, the Department invites interested persons to submit written comments about the proposed statements of policy to the Department by September 30, 1997.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users). Persons who require another alternative should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209. Comments should be addressed to: Regulations Coordinator, Office of Medical Assistance, Room 515 Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1870.

Following review and consideration of comments, the Department anticipates publishing statements of policy on the reimbursement of replacement beds and the MA/LTC Participation Review process in the *Pennsylvania Bulletin* by November 1, 1997.

FEATHER O HOUSTOUN,  
Secretary

**Fiscal Note:** 14-NOT-152. No fiscal impact; (8) recommends adoption. There is no cost associated with this policy change since facilities will still have to obtain the Department of Public Welfare's approval before constructing replacement beds and the existing payment methods and standards will remain the same.

[Pa.B. Doc. No. 97-1483. Filed for public inspection September 12, 1997, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application Receipt for Section 16 Program

The Department of Transportation, Bureau of Public Transportation, under the authority contained in Section 5310 of the Federal Transit Laws, 49 U.S.C. § 5310, gives notice that it will receive applications for the State-administered Section 16 Program. Under this program, private non-profit organizations and designated public bodies may apply for Federal capital assistance to pay up to 80% of the purchase cost of new wheelchair accessible small transit vehicles and other equipment used to provide needed transportation services for elderly and disabled persons who cannot be reasonably accommodated by existing transportation providers. A Guidelines and Procedures package containing all application forms can be obtained by calling the Bureau of Public Transportation at (717) 787-7540. The initial filing deadline for the Program is October 24, 1997. Questions, comments or suggestions may be directed to Ben Brosius, Section 16 Program Coordinator, 555 Walnut Street, 8th Floor, telephone number (717) 787-7540.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-1484. Filed for public inspection September 12, 1997, 9:00 a.m.]

### Finding

#### Columbia County

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Department of Transportation plans to replace the existing bridge carrying Township Route 878 over Little Pine Creek in Fishing Creek Township, Columbia County. The existing bridge is listed on the National Register of Historic Places. The effect of this project on the existing bridge will be mitigated by the following measures to minimize harm to the resource.

1. A Historic American Engineering Record (HAER) documentation package will be prepared as a permanent record of the existing bridge carrying Township Road 878 over Little Pine Creek prior to demolition of the existing bridge.

I have considered the environmental, economic, social, and other effects of the proposed project as enumerated in Section 2002 of the Administrative Code, and have concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize such effect.

No adverse environmental effect is likely to result from the replacement of this bridge.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-1485. Filed for public inspection September 12, 1997, 9:00 a.m.]

### Finding

#### Somerset County

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Department of Transportation plans to replace the existing Heckle Bridge, County Bridge No. 66 carrying Township Road T-383 (Petenbrink Road) over the Casselman River in Summit Township, Somerset County. The existing Heckle Bridge, County Bridge No. 66 has been determined eligible for the National Register of Historic Places. The effect of this project on the Heckle Bridge, County Bridge No. 66 will be mitigated by the following measures to minimize harm to the resource.

1. A Historic American Engineering Record (HAER) documentation package will be prepared as a permanent record of the Heckle Bridge, County Bridge No. 66's existence.

2. Section 2002 resources and their boundaries will be shown on the construction plans, and protective fencing will be used to keep equipment and workers out of sensitive areas.

3. All temporary construction areas will be fenced to ensure construction activities will not move beyond the designated areas.

4. A permanent plaque commemorating the history and significance of the Heckle Bridge will be mounted on the new bridge, once construction has been completed. The PHMC will be given an opportunity to review the context of the plaque before it is erected.

I have considered the environmental, economic, social, and other effects of the proposed project as enumerated in Section 2002 of the Administrative Code, and have concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize such effect.

No adverse environmental effect is likely to result from the replacement of this bridge.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-1486. Filed for public inspection September 12, 1997, 9:00 a.m.]

**Land No Longer Needed for Transportation Purposes**

**Township of Exeter  
Wyoming County**

Notice is hereby given that the Department of Transportation pursuant to 71 P.S. § 513(e)(7), intends to sell certain land owned by it.

The Pennsylvania Department of Transportation invites offers for purchase by sealed bids, a parcel of land containing 11,565.754 square feet (.266 acres) improved with a two car framed garage, 24' X 24'. The property address is RD #1, Box 320, State Route 0092, Village of Falls, PA. The property will be sold in "as is condition". The estimated fair market value of the parcel is \$10,000.00.

The property can be inspected on Monday, October 6, 1997 at 10 a.m. and Wednesday, October 8, 1997 at 2 p.m., at which time bid forms can be obtained. The bid opening will be held on Tuesday, October 21, 1997 at 10 a.m., at the Engineering District 4-0 Office, Room 205 in Dunmore, PA.

Real Estate Broker participation is invited. Written notices of representation must be included in with the sealed bid.

*Conditions:*

Bids received after the date and time of the bid opening will not be accepted. A deposit of 10% of the bid price in either certified or cashier's check must accompany the sealed bid. The bid must be submitted on a Department Bid Form RW685.

The Pennsylvania Department of Transportation reserves the right to reject any and all bids for any reason and to waive technicalities, when in the best interest of the Department.

For additional information and a bid form, please contact Richard F. Terotta, Staff Appraiser, Pennsylvania Department of Transportation, P.O. Box 111, Scranton, PA. (717) 963-3405, Monday thru Friday from 7:30 a.m. to 3:30 p.m.

Interested public entities are invited to express their interest in purchasing the site within thirty calendar days from the date of publication of this notice to: Pennsylvania Department of Transportation, P.O. Box 111, Scranton, PA. 18501, C/O Donald J. Van Fleet, Acting District Right-of-Way Administrator.

**BRADLEY L. MALLORY**  
*Secretary*

[Pa.B. Doc. No. 97-1487. Filed for public inspection September 12, 1997, 9:00 a.m.]

**Retention of Engineering Firms**

**Philadelphia County  
Project Reference No. 08430AG2108**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately thirteen (13) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on S.R. 0095, Section H03, the construction of the interchange which connects the Betsy Ross Bridge to Aramingo Avenue in the City of Philadelphia.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspector's resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- b. Specialized experience in structures, including fabricated structural steel and concrete bridge decks and maintenance and protection of traffic.
- c. Number of NICET certified inspectors in each pay-roll classification.
- d. Understanding of Department's requirements, policies and specifications.
- e. Ability to provide one (1) "CDS" operator or person capable of inputting data into a personal computer (TCIS Classification).
- f. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (1)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	6 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCM-1)	\$43.61
(TCIS)	\$38.21
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- a. One (1) 35 MM camera.
- b. Three (3) two-way radios/repeater equipment and base unit.
- c. Safety Vests—high visibility for Inspectors.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	3
TCIS	4
TCI	8

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Andrew Warren, District Administrator, Engineering District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to Mr. George Dunheimer, District 6-0, at (610) 964-6554.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

Suggestions for factors:

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Ability to provide CPM scheduling.
- f. Past Performance.
- g. Workload.

**General Requirements and Information**

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest and required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to: Mr. Charles W. Alwein, P.E., Chief Consultant Selection Committee, 7th Floor, Forum Place, 555 Walnut Street, Harrisburg, Pennsylvania 17101-1900.

The Letter of Interest and required information must be received within thirteen (13) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 p.m. prevailing time of the thirteenth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each Letter of Interest must include the following information and the information must be packaged and presented in the following order:

1. Transmittal Letter (Maximum of two (2) 8 1/2" × 11" typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm.

2. Project Organization Chart (one 8 1/2" × 11" page, one side)

This Chart must show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team).

The Standard Form 255 must be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. Under Item 4 of this form, Column A must include the number of subconsultant personnel and Column B must include the number of prime consultant personnel to be assigned to work on this project reference number. The prime and each subconsultant may include no more than one page each for Items 10 and 11.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the

name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, must accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the Letter of Interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These Forms must be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Form 255.

5. Workload Projection Graph (Not required for Construction Inspection Services)

Separate Workload Projection Graphs for the prime and each subconsultant shown in Item 6 of the Form 255 must be included and must indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next two-year time frame. The Workload Projection Graphs must be submitted for the office(s) where the work would be performed and must only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees must be first, followed by subconsultant employees, in the same order as shown in Item 6 of Form 255.

7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

A single page summary must indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the

latest rate available from a Certified Public Account must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

#### 9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-1488. Filed for public inspection September 12, 1997, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for Redomestication of MidAmerica Life Insurance Company of Philadelphia, Pennsylvania

MidAmerica Life Insurance Company of Philadelphia, Pennsylvania has filed an application for a plan of redomestication whereby the state of domicile would change from Pennsylvania to Nebraska. The initial filing was made under the requirements set forth under the Business Corporation Law of 1988, 15 Pa.C.S. Section 1 et. seq. Persons wishing to comment on the grounds of public or private interest to the issuance of the Insurance Department's (Department) order approving the redomestication are invited to submit a written statement to the Department within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120 or by fax to (717) 787-8557.

M. DIANE KOKEN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 97-1489. Filed for public inspection September 12, 1997, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board leases will expire:  
Clinton County, Wine & Spirits Shoppe #1801, 137 E. Main Street, Lock Haven, PA 17745

*Lease Expiration Date:* May 31, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 to 3,500 net useable square feet of new or existing retail commercial space within the City of Lock Haven or Bald Eagle Township.

*Proposals due:* October 3, 1997 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661  
**Contact:** Ronald Hancher, (717) 657-4228

Dauphin County, Wine & Spirits Shoppe #2203, 1248 Market Street, Harrisburg, PA 17103-2226

*Lease Expiration Date:* June 30, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,000 to 2,600 net useable square feet of new or existing retail commercial space within the eastern section of Harrisburg City between Herr Street to the North, I-83 to the South, Cameron Street to the West, and 17th Street to the East.

*Proposals due:* October 3, 1997 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661  
**Contact:** Charles D. Mooney (717) 657-4228

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 97-1490. Filed for public inspection September 12, 1997, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Gas Service Without Hearing

**A-120009. Golier Gas Company, Inc.** Application of Golier Gas Company, Inc., for approval to begin to offer, render, furnish or supply gas service to the public in: 1) Clarion, Farmington, Highland, Limestone and Monroe Townships, Clarion County; 2) Greene and Kingsley Townships, Forest County; and 3) Barnett, Beaver, Eldred, Heath, Knox, Oliver, Pinecreek, Warsaw, Washington and Winslow Townships, Jefferson County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before September 29, 1997, under 52 Pa. Code (relating to public utilities).

*Applicant:* Golier Gas Company, Inc.

*Through and By Counsel:* Martin W. Sheerer, Esquire, Martin W. Sheerer and Associates, 1550 Koppers Building, Pittsburgh, PA 15219.

JAMES J. MCNULTY,  
*Acting Secretary*

[Pa.B. Doc. No. 97-1491. Filed for public inspection September 12, 1997, 9:00 a.m.]

the Office of the Prothonotary of the Commission shall cancel the operating authority of the Aspers Water Company and mark this file as closed.

JAMES J. MCNULTY,  
*Acting Secretary*

[Pa.B. Doc. No. 97-1492. Filed for public inspection September 12, 1997, 9:00 a.m.]

**In the Matter of The Aspers Water Company; De Facto Abandonment; Doc. No. A-210050F2000**

*Commissioners Present:* John M. Quain, Chairperson; Robert K. Bloom, Vice-Chairperson; John Hanger; David W. Rolka; Nora Mead Brownell

Public Meeting held  
August 28, 1997

**Tentative Order**

By letter filed June 20, 1997, the Possum Valley Municipal Authority (PVMA) of Bendersville, Adams County, PA, informed the Pennsylvania Public Utility Commission (Commission) that the Aspers Water Company (Aspers), a certified water utility, has abandoned service. Aspers was organized in 1927 and subsequently received operating authority from the Public Service Commission, predecessor to this Commission, to provide water distribution service to the public in portions of Adams County. Aspers was originally certificated at Docket No. A-16064, but the Office of the Prothonotary assigned Aspers the above-captioned docket number for the purpose of this tentative order.

In its June 20, 1997 letter, PVMA informed the Commission that Aspers stockholder disbanded Aspers and transferred all its assets to PVMA, a nonjurisdictional water authority. These actions occurred on June 30, 1993.

To the best of the Commission's knowledge, all jurisdictional service by Aspers has been abandoned and is now being provided by PVMA. Consequently, absent any contrary responses from concerned parties, this Commission will cancel the operating authority issued to Aspers; *Therefore, It Is Ordered that:*

1. The operating authority issued to the Aspers Water Company will be deemed abandoned if no response objecting to this action is received by this Commission within 20 days of the publication date of this order in the *Pennsylvania Bulletin*.
2. A copy of this order shall be served upon the Aspers Water Company at its last known address.
3. A copy of this order shall be served upon the Possum Valley Municipal Authority, P.O. Box 420, Bendersville, PA 17306.
4. The Secretary shall certify this order and deposit it with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.
5. If no objection to this order is filed with the Commission within 20 days of the publication date in the *Pennsylvania Bulletin*, this order shall become final, and

**Merger  
Without Hearing**

**A-122050F0003, A-120650F0006. Pennsylvania Power & Light Company, PFG Gas, Inc. and North Penn Gas Company.** Application of Pennsylvania Power & Light Company, PFG Gas, Inc. and North Penn Gas Company for a certificate of public convenience evidencing approval under section 1102(a)(3) of the Public Utility Code of the transfer from Penn Fuel Gas, Inc. to PP&L Resources, Inc. by merger the title to, or the possession or use of, all property of Penn Fuel Gas, Inc.'s public utility subsidiaries, PFG Gas, Inc. and North Penn Gas Company, used or useful in the public service.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before September 29, 1997, under 52 Pa. Code (relating to public utilities).

*Applicant's Attorney:* David B. MacGregor, Esquire, Morgan, Lewis & Bockius LLP, 2000 One Logan Square, Philadelphia, PA 19103-6993; John H. Isom, Esquire, Morgan, Lewis & Bockius LLP, One Commerce Square, 417 Walnut Street, Harrisburg, PA 17101-1904.

*Attorney for PP&L:* Paul E. Russell, Associate General Counsel, Pennsylvania Power & Light Company, Two North Ninth Street, Allentown, PA 18101-1179.

JAMES J. MCNULTY,  
*Acting Secretary*

[Pa.B. Doc. No. 97-1493. Filed for public inspection September 12, 1997, 9:00 a.m.]

**Service of Notice of Motor Carrier Applications**

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before October 6, 1997 as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Application of the following for the approval of the transfer of stock as described under each application.**

**A-00106639, Folder 5000. Norristown Transportation Company** (41 Burnside Avenue, Norristown, Mont-



gomery County, PA 19403), a corporation of the Commonwealth of Pennsylvania—for the approval of the transfer of all the issued and outstanding 100 shares of stock from Francis J. Smith with 50 to Patricia M. Chermela and 50 to Bonnie R. Geist. *Attorney:* Raymond A. Thistle, Jr., Suite 3, 726 Fitzwatertown Road, Willow Grove, PA 19090-1390.

**A-00100317, F. 5000. Conshohocken Yellow Cab Co., Inc.** (41 Burnside Avenue, Norristown, Montgomery County, PA 19403), a corporation of the Commonwealth of Pennsylvania—stock transfer—approval of the transfer of all issued and outstanding stock from the estate of Francis J. Smith (100 shares) to Patricia M. Chermela (50 shares) and Bonnie R. Geist (50 shares). *Attorney:* Raymond A. Thistle, Jr., Suite 3, 726 Fitzwatertown Road, Willow Grove, PA 19090-1390.

**A-00013766, F. 5000. Norristown Yellow Cab Co., Inc.** (41 Burnside Avenue, Norristown, Montgomery County, PA 19403), a corporation of the Commonwealth of Pennsylvania—stock transfer—approval of the transfer of all issued and outstanding stock from the estate of Francis J. Smith (100 shares) to Patricia M. Chermela (50 shares) and Bonnie R. Geist (50 shares). *Attorney:* Raymond A. Thistle, Jr., Suite 3, 726 Fitzwatertown Road, Willow Grove, PA 19090-1390.

**A-00114166. Donald H. Gerstner** (R. D. 5, Box 584, Mount Pleasant, Westmoreland County, PA 15666)—household goods in use, between points in the city of Pittsburgh, Allegheny County, and within an airline distance of 40 statute miles of the limits of said city, and from points in said territory, to points in Pennsylvania.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.**

**A-00114166. Donald H. Gerstner** (R. D. 5, Box 584, Mount Pleasant, Westmoreland County, PA 15666)—household goods in use, between points in the city of Pittsburgh, Allegheny County, and within an airline distance of 40 statute miles of the limits of said city, and from points in said territory, to points in Pennsylvania.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.**

**A-00114202. Montrose Minute Men, Inc.** (Rear, 55 Grow Avenue, Montrose, Susquehanna County, PA 18801), a corporation of the Commonwealth of Pennsylvania—persons, in paratransit service, between points in Susquehanna County, and from points in said county, to points in Pennsylvania, and return. *Attorney:* Michael Giangreco, 26 Public Avenue, Montrose, PA 18801.

**A-00114170. Harley Evans Jeter, Sr.** (6022 Kershaw Street, Philadelphia, Philadelphia County, PA 19151)—persons, in paratransit service, from points in the city and county of Philadelphia, to all State and Federal Correctional Institutions, located in Pennsylvania, and return.

**A-00114161. North Pocono Bus Co., Inc.** (R. R. 3, 3367 F, Moscow, Lackawanna County, PA 18447), a corporation of the Commonwealth of Pennsylvania—persons in group and party service, between points in the county of Lackawanna, and those portions of Pike and Wayne Counties lying on and south of Interstate Highway

Route 84 and west of State Route 191 from Exit 6 of Interstate Highway Route 84 to Newfoundland and west of State Route 447 from Newfoundland to the Monroe County Line, and from points in said territory, to points within an airline distance of 60 statute miles of the limits of said territory; subject to the following condition: that all service must be provided in transit-style school-type buses having a minimum seating capacity of 78 persons. Application for temporary authority has been filed at A-00114161, seeking the right cited above. *Attorney:* W. Boyd Hughes, 1421 East Drinker Street, Dunmore, PA 18512.

**A-00114206. Leon S. Parker** (Wellsboro Road, P. O. Box 447, Tioga, Tioga County, PA 16946)—persons, in limousine service, between points in the county of Tioga, and from points in said county, to points in Pennsylvania, and vice versa. Application for temporary authority has been filed at A-00114206, seeking the right to transport persons, in limousine service, between points in the County of Tioga, and from points in said county, to points in Pennsylvania, and return.

**A-00114212. William Gist, t/a Bill Gist Car Service** (1300 Federal Street, Pittsburgh, Allegheny County, PA 15212)—persons, upon call or demand, in the city of Pittsburgh, Allegheny County.

**Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.**

**A-00090011, Folder 2, Am-B. Ridall Bus Lines, Inc.** (R. D. 3, Shickshinny, Luzerne County, PA 18655), a corporation of the Commonwealth of Pennsylvania, inter alia—groups and parties of persons from the borough of Shickshinny, Luzerne County, the townships of Briar Creek, Benton and Fishing Creek, Columbia County, and the townships of Conyngham, Hollenback, Salem, Nescopeck, Union, Ross, Fairmount and Huntingdon, Luzerne County, to points in Pennsylvania; *So as to permit* the transportation of persons, in group and party service, between points in the townships of Lake and Lehman, Luzerne County, and from points in said townships, to points in Pennsylvania. *Attorney:* James D. Campbell, Jr., 3631 North Front Street, Harrisburg, PA 17011-1533.

**A-00105306, F. 1, Am-B. Barry J. Testa, t/d/b/a Hollywood Limousine Service.** (414 Harrison Avenue, Greensburg, Westmoreland County, PA 15601)—inter alia, to transport, by motor vehicle, persons in limousine service between points in the counties of Westmoreland and Fayette, and from said counties to points in the county of Allegheny, and from points in the county of Allegheny to points in the counties of Fayette and Westmoreland; subject to the following conditions: (a) that no right, power or privilege is granted to transport persons for funeral homes, funeral directors, or funeral businesses, between points in Westmoreland County; and (b) that no right, power or privilege is granted to transport persons from or to the Westmoreland County Airport, located in Unity Township, Westmoreland County, and from or to the Allegheny County Airport, located in the borough of West Mifflin, Allegheny County: *So as to permit* the transportation of persons in limousine service from points in the counties of Westmoreland and Fayette to points in Pennsylvania, and (2) from the Westmoreland County Airport, located in Unity Township, Westmoreland County, to points in Westmoreland County,

and vice versa. *Attorney:* John A. Pillar, 1106 Frock Building, Pittsburgh, PA 15219.

**Applications of the following for approval *amendment of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.***

**A-00108503, Folder 1, Am-C. Gary L. Arndt, t/a A Limousine Service** (57 Greismere Street, Pittsburgh, Allegheny County, PA 15223)—persons in limousine service, from points in the county of Allegheny, to other points within an airline distance of 60 statute miles of the limits of the city of Pittsburgh, Allegheny County, and vice versa; subject to the following conditions: (1) that no right, power or privilege is granted to render service to or from Westmoreland County; and (2) that no right, power or privilege is granted to originate service at points in the townships of Wilmington, Pulaski, Washington and Plain Grove and the boroughs of New Wilmington and Volant, Lawrence County; the townships of Shenango, Wilmington, Springfield, Liberty, Pine, Wolf Creek, Findley, East Lackawannack, Lackawannack and Hickory and the boroughs of West Middlesex, Grove City and Mercer, Mercer County; the township and borough of Slippery Rock, Butler County; and the townships of Darlington, Big Beaver, North Sewickley, Franklin and the boroughs of Darlington, New Galilee, Koppel, Homewood and West Mayfield, Beaver County; which is to be a transfer of all of the right authorized under the certificate issued at A-00108197 to The Limo Center, Ltd., subject to the same limitations and conditions. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

**Application of the following for approval *amendment of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under each application.***

**A-00108345, Folder 1, Am-A. Montoursville Moving and Storage, Inc.** (R. D. 3, Box 678, Mansfield, Tioga County, PA 16933), a corporation of the Commonwealth of Pennsylvania—(1) household goods, in use, from points in the city of Wilkes-Barre, Luzerne County, and within 3 miles of the limits of said city, to other points in Pennsylvania, and vice versa; and (2) household goods, in use, from points in the city of Pittston, Luzerne County, and the area within 3 miles of the limits of said city, excluding the boroughs of Exeter and Wyoming, Luzerne County, to points in Pennsylvania, and vice versa; which is to be a transfer of part of the rights authorized under the certificate issued at A-00081935, F. 3, Am-A to City Delivery Service, Inc., a corporation of the Commonwealth of Pennsylvania, subject to the same limitations and conditions. *Attorney:* John E. Fullerton, 212 Locust Street, Suite 500, P. O. Box 9500, Harrisburg, PA 17108.

**Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer as described under each application.***

**A-00114221. O'Brien Transportation, Inc.** (40 Walnut Street, Reading, Berks County, PA 19606), a corporation of the Commonwealth of Pennsylvania—(1) household goods in use, between points in the city of Reading, Berks County, and within 3 miles of the limits of the said

city, and from points in the city of Reading, Berks County, and within 3 miles of the limits of said city, to other points in Pennsylvania, and vice versa; and (2) property, except household goods in use, between points in Pennsylvania; which is to be a transfer of all of the rights issued to Bruce Hunsberger, t/d/b/a Brown's Transfer, under the certificate issued at A-00106561, subject to the same limitations and conditions. Application for temporary authority filed seeking the same rights cited above. *Attorney:* Jana R. Barnett, 1238 Cleveland Avenue, Wyomissing, PA 19610-2102.

**Motor Carrier Applications—Property, Excluding Household Goods in Use**

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before September September 29, 1997.

- A-00103054 Richard H. Frantz  
F. 2 HCR 1, Box 405,  
Brodheads ville, PA 18322
- A-00114199 Gerald Brussell, Jr.  
HCR Box 313, Damascus, PA 18415
- A-00114200 Daniel V. Paul, t/d/b/a D & J Transport  
P. O. Box 20, Uniontown, PA 15401:  
William A. Gray, Esquire, Vuono & Gray,  
2310 Grant Building, Pittsburgh, PA  
15219-2383
- A-00114201 Thomas Vincent Harrity, t/d/b/a Business  
to Business Transport  
P. O. Box 1478, Cranberry Township, PA  
16066-0478
- A-00114208 K. D. Burns, Inc.  
R. R. 2, Box 280, Route 107, Jermyn, PA  
18433: Eugene Daniel Lucas, Esquire,  
1425 Green Ridge Street, Dunmore, PA  
18509
- A-00114209 Mark H. Johnson, t/d/b/a L & M Johnson  
Trucking  
P. O. Box 266, Sugar Grove, PA 16350-  
0266
- A-00114203 Stoltz Trucking, Inc.  
P. O. Box 203, Myerstown, PA 17067:  
Robert L. Knupp, 407 North Front  
Street, Harrisburg, PA 17108-1848
- A-00114204 A.E.R. Construction, Inc.  
P. O. Box 1032, Cranberry Township, PA  
16066-0832
- A-00114205 Jerome M. Golden, III, t/d/b/a ANJ Con-  
tractors  
313 Forest Avenue, Willow Grove, PA  
19090
- A-00114207 James C. Williams, Inc.  
3368 West Ridge Pike, Pottstown, PA  
19464
- A-00114225 James H. Wachs, t/d/b/a Jade Transit Lines  
280 Wachs Road, West Newton, PA 15089
- A-00114226 Wright Motor Lines, Inc.  
P. O. Box 79, Old Route 22, Armagh, PA  
15920

- A-00114227 Earl Ziegler, t/d/b/a E-Z Office Trailer Transport  
2024 South 3rd Avenue, Whitehall, PA 18052
- A-00114228 Paul S. Messenger, t/d/b/a Messenger Trucking  
R. D. #1, Box 29, Spring Creek, PA 16436
- A-00114229 Iron City Express, Inc.  
1260 Stoops Ferry Road, Coraopolis, PA 15108
- A-00114230 Douglas Wormuth, t/d/b/a Wormuth Flagstone  
10 Stone Drive, Childs, PA 18407
- A-00114231 Stephen C. Claar  
R. R. 2, Box 1336, Clavsburg, PA 16625
- A-00114232 OCI, Inc., t/d/b/a Graft Oil Company  
P. O. Box 899, Connellsville, PA 15425
- A-00114224 Severn L. Haney  
R. R. 1, Box 867, Adrian, PA 16210
- A-00114223 Clinton W. Fegley, t/d/b/a C. Fegley's Garage  
Box 58, Quakake, PA 18245
- A-00114222 Frank D. Hudak, Frank D. Hudak Trucking  
P. O. Box 63, Cyclone, PA 16726; Jeff Duke, Esquire, 222 West Washington, Bradford, PA 16701
- A-00114218 Robert D. Spicer  
R. R. Box 310, Osceola Mills, PA 16666
- A-00113645, F. 2 Richard Lawson Excavating, Inc.  
3467 Washington Avenue, Finleyville, PA 15332; Jana L. Phillis, 8 East Pine Street, Washington, PA 15301
- A-00114217 L.L.C. Utzran  
900 High Street, Hanover, PA 17331; James L. Fritz, Esquire, 100 Pine Street, Harrisburg, PA 17108
- A-00114216 Foster Crawford, t/d/b/a Foster Crawford Concrete  
P. O. Box N, DuBois, PA 15801
- A-00113557, F. 2 Jake E. Beiler, Jr.  
116 Meadow Valley Road, Ephrata, PA 17522
- A-00114219 William H. Piacenti, Jr., t/d/b/a BP&S Trucking  
36 North Main Street, Beaver Brook, PA 18201
- A-00111135, F. 2 James W. Heater  
614 Jack Street, Greensburg, PA 15601
- A-00114220 Carroll Independent Fuel Company  
2700 Loch Raven Road, Baltimore, MD 21218; Charles E. Partridge, Jr., Esquire, One North Charles Street, Suite 1300, Baltimore, MD 21201

**Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Keri Corporation;  
Doc. No. A-00106653C9701**

*Complaint*

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission

has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. In response to the Federal Authorization Aviation Act of 1994, which, inter alia, amended the Interstate Commerce Act at 49 U.S.C. §§ 14501(c) and 41713(b), this Commission on December 20, 1994, issued an order at P-00940884 which set forth new application procedures for motor carriers of property. The order directed that former contract carriers of property would be deemed to be common carriers of property. As common carriers of property, they were now required to file evidence of cargo insurance with this Commission, as required by 52 Pa. Code § 32.13, in addition to bodily injury and property damage insurance, as required by 52 Pa. Code § 32.12.

2. That by virtue of the Commission's order at Docket No. P-00940884, Keri Corporation, respondent, which has its principal place of business at P. O. Box 176, Maspeth, NY 11378, who held contract carrier authority at Docket No. A-00106653, was deemed to now hold common carrier authority.

3. The Commission, by letter dated November 7, 1996, directed the respondent, to file acceptable evidence of cargo insurance.

4. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512 and 52 Pa. Code Chapter 32, respondent is required to maintain evidence of current insurance on file with this Commission.

5. That respondent has failed to maintain evidence of cargo insurance, in violation of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code § 32.13.

6. That as a result of failure to maintain evidence of current cargo insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Commission revoke respondent's certificate of public convenience or order such other remedy as the Commission may deem to be appropriate.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke the certificate of public convenience held by Keri Corporation at Docket No. A-00106653, for failure to maintain current evidence of insurance on file with the Commission or order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,  
Joseph W. Farrell  
Director, Bureau of  
Transportation and Safety  
P. O. Box 3265  
Harrisburg, PA 17105-3265

*Verification*

I, Joseph W. Farrell, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

\_\_\_\_\_  
Joseph W. Farrell

DATE: \_\_\_\_\_

**Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Edward Doyle Trucking, Inc.; Doc. No. A-00108653C9701**

*Complaint*

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Edward Doyle Trucking, Inc., respondent, maintains a principal place of business at Industrial Highway #15, Lester, PA 19029.

2. That all times relevant to this Complaint, respondent held a certificate of public convenience issued by this Commission at Application Docket No. A-00108653.

3. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code Chapter 32; respondent is required to maintain evidence of current insurance on file with this Commission.

4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance, in violation of the Public Utility Code and regulations cited in Paragraph 3 of this complaint.

5. That as a result of failure to maintain evidence of current insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Commission revoke respondent's certificate of public convenience or order such other remedy as the Commission may deem to be appropriate.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke the certificate of public convenience held by Edward Doyle Trucking, Inc. at Docket No. A-00108653, for failure to maintain current evidence of insurance on file with the Commission or order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,  
Joseph W. Farrell  
Director, Bureau of  
Transportation and Safety  
P. O. Box 3265  
Harrisburg, PA 17105-3265

*Verification*

I, Joseph W. Farrell, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

\_\_\_\_\_  
Joseph W. Farrell

DATE: \_\_\_\_\_

**Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Cleveland General Transport Co., Inc.; Doc. No. A-000923228C9701 F. 2**

*Complaint*

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. In response to the Federal Authorization Aviation Act of 1994, which, inter alia, amended the Interstate Commerce Act at 49 U.S.C. §§ 14501(c) and 41713(b), this Commission on December 20, 1994, issued an order at P-00940884 which set forth new application procedures for motor carriers of property. The order directed that former contract carriers of property would be deemed to be common carriers of property. As common carriers of property, they were now required to file evidence of cargo insurance with this Commission, as required by 52 Pa. Code § 32.13, in addition to bodily injury and property damage insurance, as required by 52 Pa. Code § 32.12.

2. That by virtue of the Commission's order at Docket No. P-00940884, Cleveland General Transport Co., Inc., respondent, which has its principal place of business at 1 Van Street, Staten Island, NY 10310, who held contract carrier authority at Docket No. A-00092328, F. 2, was deemed to now hold common carrier authority.

3. The Commission, by letter dated November 6, 1997, directed the respondent, to file acceptable evidence of cargo insurance.

4. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512 and 52 Pa. Code Chapter 32, respondent is required to maintain evidence of current insurance on file with this Commission.

5. That respondent has failed to maintain evidence of cargo insurance, in violation of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code § 32.13.

6. That as a result of failure to maintain evidence of current cargo insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Commission revoke respondent's certificate of public convenience or order such other remedy as the Commission may deem to be appropriate.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke the certificate of public convenience held by Cleveland General Transport Co., Inc. at Docket No. A-00092328, F. 2, for failure to maintain current evidence of insurance on file with the Commission or order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,  
Joseph W. Farrell Director,  
Bureau of  
Transportation and Safety  
P. O. Box 3265  
Harrisburg, PA 17105-3265

*Verification*

I, Joseph W. Farrell, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I

understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

\_\_\_\_\_  
Joseph W. Farrell

DATE: \_\_\_\_\_

JAMES J. McNulty,  
*Acting Secretary*

[Pa.B. Doc. No. 97-1494. Filed for public inspection September 12, 1997, 9:00 a.m.]

## TURNPIKE COMMISSION

### Request for Proposals

Sealed Proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated for the following Contract:

Contract No. 86-021-RP90—Expansion and Rehabilitation of the Hickory Run Service Plaza in Carbon County, PA

Bid Opening Date—October 15, 1997, 11 a.m.

Bid Surety—5%

Plans, Specifications and Contract Documents will be available and open to public inspection at the Administration Building. Copies may be purchased upon payment of \$65 per set by check or P. O. Money Order (No Cash) to the Pennsylvania Turnpike Commission. Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA, 17106-7676. (Do not add State tax). No refund for any reason will be made for plans, specifications and contract documents.

A prebid meeting for the project under the direction of the Engineer is scheduled for 10 a.m. Wednesday, September 24, 1997, in the Lower Level Conference Room of the Pennsylvania Turnpike Commission Administration Building adjacent to Exit 19.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Purchasing Manager for a listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 97-1495. Filed for public inspection September 12, 1997, 9:00 a.m.]