

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 14, 1997.

### BANKING INSTITUTIONS

#### Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
10-6-97	The Chase Manhattan Corporation, New York, NY, to acquire 100% of the voting stock of New Trust Company, National Association, Pittsburgh, PA	New York, NY	Filed

#### New Chapter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-6-97	Susquehanna Trust Company Lititz Lancaster County  <i>Correspondent:</i> Charles L. O'Brien, Esq. Morgan, Lewis & Brockius, LLP 417 Walnut St. Harrisburg, PA 17101	26 N. Cedar Street Lititz Lancaster County	Filed

#### Conversions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
10-10-97	PSB Mutual Holding Co. Philadelphia Philadelphia County  <i>To:</i> PSB Bancorp, Inc. Philadelphia Philadelphia County  Represents conversion from a mutual holding company to a stock holding company.	Philadelphia	Filed

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-10-97	Johnstown Bank and Trust Company Johnstown; Laurel Bank, Ebensburg; and Fayette Bank, Uniontown Surviving Institution— Johnstown Bank and Trust Company, Johnstown, with a change in corporate title to "Laurel Bank"  <i>Branches Acquired Via Merger:</i> 111 West High Street Ebensburg Cambria County	Johnstown      58 West Main Street Uniontown Fayette County	Effective
10-14-97	Community Bank and Trust Company Forest City Susquehanna County	Forest City	Approved

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
	Purchase of assets/assumption of liabilities of two Branch Offices of First Union National Bank, Avondale, located at: Eynon Plaza Route 6 Eynon Lackawanna County	97 College Avenue Factoryville Wyoming	

**Branch Applications**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-12-97	Summit Bank Bethlehem Northampton County	Laneco Store Stefko Boulevard Shopping Center 1880 Stefko Boulevard Bethlehem Northampton County	Opened
10-9-97	The Peoples Bank of Oxford Oxford Chester County	Baltimore Pike and Route 796 Penn Township Chester County	Filed

**Branch Relocations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-6-97	Parkvale Savings Bank Monroeville Allegheny County	<i>To:</i> 4885 McKnight Road Storeroom #1A Pittsburgh Ross Township Allegheny County  <i>From:</i> 4885 McKnight Road Storeroom #18 Pittsburgh Ross Township Allegheny County	Filed

**Branch Discontinuances**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-26-97	Summit Bank Bethlehem Northampton County	55 Blue Valley Dr. Bangor Northampton County	Effective

**Articles of Amendment**

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
10-10-97	BT Management Trust Company Johnstown Cambria County	To provide for a change in corporate title to "Laurel Trust Company."	Approved and Effective

**SAVINGS ASSOCIATIONS**

No activity.

**CREDIT UNIONS**

No activity.

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 97-1700. Filed for public inspection October 24, 1997, 9:00 a.m.]

**Maximum Lawful Rate of Interest for Residential Mortgages for the Month of November 1997**

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful

rate of interest for residential mortgages for the month of November 1997 is 9%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which

override State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department of Banking is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the

United States Treasury. The latest yield rate on long-term government securities is 6.54 to which was added 2.50 percentage points for a total of 9.04 that by law is rounded off to the nearest quarter at 9%.

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 97-1701. Filed for public inspection October 24, 1997, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

#### APPLICATIONS

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and applications of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceedings, should contact the Community Relations Coordinator at (717) 657-4585. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**PA 0035351.** Sewerage, **Pocono International Raceway, Inc.**, P. O. Box 500, Long Pond Road, Long Pond, PA 18334-0500.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Tobyhanna Creek in Tobyhanna Township, **Monroe County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Hazleton Water Authority on the Lehigh River near Rockport.

The proposed effluent limits for Outfall 001 based on a design flow of .0045 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	50.0
Total Suspended Solids	30.0	60.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine (Months 1 through 24)	monitor and report	
(Months 25 through 60)	1.2	2.8

The EPA waiver is in effect.

*Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

**PA 0087190.** Sewage, SIC: 4649, **St. Thomas Township Supervisors**, 965 Hade Road, Chambersburg, PA 17201-7227.

This application is for issuance of an NPDES permit for a new discharge of treated sewage to Wilson Run, in St. Thomas Township, **Franklin County**.

The receiving stream is classified for trout stocking fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the proposed downstream potable water supply intake considered during the evaluation was Hagerstown located in Maryland. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.08 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N (5-1 to 10-31)	4	XXX	XXX	8
(11-1 to 4-30)	12	XXX	XXX	24
Total Phosphorus	monitor and report	XXX	XXX	monitor and report
Total Residual Chlorine	0.24	XXX	XXX	0.80
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0—9.0 inclusive		
Fecal Coliforms (5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		5,000/100 ml as a geometric average		

The EPA waiver is in effect.

**PA 0008435.** Industrial waste, SIC: 4911, **Pennsylvania Power & Light Company (Holtwood Hydro-Steam Electric Station)**, Two North Ninth Street, Allentown, PA 18101.

This application is for amendment of an NPDES permit for an existing discharge of treated industrial waste to the Susquehanna River, in Martic Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Conowingo Dam located in Maryland. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 100 for a design flow of 0.172 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	
Oil and Grease	15	20	30
pH		6.0—9.0 inclusive	

The EPA waiver is in effect.

**PA 0046680.** Industrial waste, SIC: 4953, **Modern Trash Removal of York, Inc.**, R. D. 9, Box 317, York, PA 17402.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary to Kreutz Creek, in Windsor/Lower Windsor Township, **York County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Red Lion—Green Branch located in York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	10	20
CBOD <sub>5</sub>	10	20
NH <sub>3</sub> -N		
(5-1 to 10-31)	1.0	4.0
(11-1 to 4-30)	3.0	12.0
Phosphorus as P	2.0	4.0
Total Iron	1.81	3.62
Total Copper	0.013	0.026
Total Lead	0.0038	0.0079
Total Zinc	monitor and report	monitor and report
Thallium	monitor and report	monitor and report
Mercury	monitor and report	monitor and report
Total Residual Chlorine	0.028	0.092
Fecal Coliform		
(5-1 to 7-30)	200	
(10-1 to 6-30)	2,000	
D. O.		minimum 5.0 mg/l
pH		6.0—9.0 standard

The EPA waiver is in effect.

---

*Northcentral Region: Environmental Program Manager, Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3670.*

**PA 0112895.** Sewerage, SIC: 4952, **Daniel L. Roeder**, R. R. 1, Box 187-A, Catawissa, PA 17820.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of Mill Creek in Roaring Creek Township, **Columbia County**.

The receiving stream is classified for the following uses: high quality cold water fishery, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Company located 20 river miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0004 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10		20
TSS	20		40
Total Cl <sub>2</sub> Residual	report		
Fecal Coliforms		200 col/100 ml as a geometric mean	
pH		6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0115126.** SIC: 4952, **Sheetz, Inc.**, 5700 Sixth Avenue, Altoona, PA 16602.

This proposed action is for renewal of an NPDES permit for discharge of treated sewage to an unnamed tributary of Pentz Run in Sandy Township, **Clearfield County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Hawthorne Area Water Authority located approximately 30 miles below the discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0008 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10	20
Suspended Solids	10	20

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH <sub>3</sub> -N (5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine	monitor	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 su at all times	

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0093866.** Industrial waste, SIC: 4953, **Southern Alleghenies Disposal Service, Inc.**, R. D. 3, Box 310, Hollsopple, PA 15935.

This application is for renewal of an NPDES permit to discharge treated process water, stormwater and leachate from the Southern Alleghenies Landfill in Conemaugh Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, Stony Creek and Unnamed Tributary 45265, classified as warm water and cold water fishery, respectively, with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Saltsburg Municipal Water Works, located on the Conemaugh River, over 50 miles below the discharge point.

*Outfall 001:* existing discharge, design flow of 0.066 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.066				
BOD <sub>5</sub>	8.25	16.5	15	30	37.5
COD	62.75	125.5	114	228	285
TSS	16.5	30.0	30	60	75
TDS			monitor and report		
NH <sub>3</sub> -N (5-1 to 10-31)	1.1	2.2	2	4	6
(11-1 to 4-30)	3.3	6.6	6	12	18
Antimony	0.25	0.5	0.45	0.9	1.0
Arsenic	0.03	0.06	0.05	0.10	0.1
Beryllium	0.0006	0.0012	0.001	0.002	0.002
Cadmium	0.003	0.006	0.005	0.010	0.01
Chromium, Hexavalent	0.07	0.14	0.125	0.25	0.3
Copper	0.02	0.04	0.03	0.06	0.07
Lead	0.02	0.04	0.036	0.072	0.09
Nickel	0.08	0.16	0.15	0.3	0.4
Selenium	0.04	0.08	0.075	0.150	0.2
Silver	0.006	0.012	0.010	0.020	0.03
Thallium	0.06	0.12	0.1	0.2	0.3
Zinc	0.6	1.2	1.0	2.0	2.5
Cyanide	0.01	0.02	0.02	0.04	0.05
Barium	0.06	0.12	0.1	0.2	0.3
Boron	1.7	3.4	3.0	6.0	7.5
Cobalt	0.03	0.06	0.05	0.10	0.1
Iron	1.5	3.0	2.7	5.4	6.8
Aluminum	0.15	0.3	0.275	0.550	0.7
Manganese	0.6	1.2	1.0	2.0	2.5
Tin	0.44	0.88	0.8	1.6	2.0
Vanadium	0.005	0.01	0.009	0.018	0.02
Benzene			0.05	0.10	
Chlorobenzene			0.05	0.10	
Chloroform			0.01	0.02	
1,1 Dichloroethane			0.09	0.18	
Chloromethane (Methyl Chloride)			0.10	0.20	
Methylene Chloride			0.10	0.20	
Toluene			0.05	0.10	
1,2 Trans-dichloroethylene			0.03	0.06	
1,1,1 Trichloroethane			0.10	0.20	
Phenol			0.05	0.10	

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Butyl Phthalate			0.01	0.02	
2-Chloro-Naphthalene			0.01	0.02	
Diethyl Phthalate			0.025	0.05	
Isophorone			0.05	0.10	
Lindane (gamma-BHC)			0.01	0.02	
4,4 DDT			0.00001	0.00002	
Acetone			0.11	0.20	
2 Butanone (MEK)			0.21	0.42	
Bis-(Chloromethyl) Ether			0.0001	0.0002	
1,2,3 Trichloropropane			0.10	0.20	
Xylenes			0.01	0.02	
1-Propanol			0.55	1.1	
2-Propanol			0.54	1.08	
Tetrahydrofuran			0.025	0.05	
p-Cresol			0.05	0.10	
2-Hexanone			0.015	0.03	
4-Methyl 2-Pentanone (Methyl Isobutyl Ketone)			0.015	0.03	
Dibromomethane			0.01	0.02	
Phenols			0.24	0.48	0.6
Mercury	0.0005	0.001	0.0009	0.0018	
Benzidine			0.00001		0.000025
Hexachlorobenzene			0.00007		0.000175
Oil and Grease	8.3		15		30
Vinyl Chloride			0.002		0.005
Benzo(a)anthracene			0.00030		0.00075
Benzo(a)pyrene			0.00030		0.00075
3,4-Benzofluoranthene			0.00030		0.00075
Benzo(k)fluoranthene			0.00030		0.00075
Bis(2-Chloroethyl) Ether			0.003		0.0075
Chrysene			0.00030		0.00075
Dibenzo(a,h)anthracene			0.00030		0.00075
3,3'-Dichlorobenzidine			0.004		0.010
1,2-Diphenylhydrazine			0.004		0.010
Indeno(1,2,3-cd)pyrene			0.00030		0.00075
N-Nitrosodimethylamine			0.000070		0.000175
Aldrin			0.000010		0.000025
Chlordane			0.000050		0.000125
Dieldrin			0.000010		0.000025
Heptachlor			0.000020		0.000050
Total PCBs			0.000004		0.000010
Toxaphene			0.000020		0.000050
pH (standard units)			not less than 6.0 nor greater than 9.0		

Other Conditions: Solids disposal, chemical additives, control floating solids, mass and instantaneous maximum limits, stormwater, priority pollutant sampling conditions and landfill standard conditions.

Outfall 002: existing discharge, design flow of 0.054 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Chemical Oxygen Demand					monitor and report
BOD <sub>5</sub>					monitor and report
Oil and Grease					monitor and report
Total Dissolved Solids					monitor and report
Barium					monitor and report
Cadmium					monitor and report
Chromium, Hexavalent					monitor and report
Lead					monitor and report
Mercury					monitor and report
Selenium					monitor and report
Silver					monitor and report
Ammonia					monitor and report
Arsenic					monitor and report
Cyanide					monitor and report

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Nitrate plus Nitrite Nitrogen				monitor and report	
Dissolved Iron				monitor and report	
Total Suspended Solids				monitor and report	
Aluminum				monitor and report	
Total Iron				monitor and report	
Manganese				monitor and report	

Outfall to consist solely of uncontaminated stormwater discharge.

*Outfall 003:* existing discharge, design flow of 0.090 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chemical Oxygen Demand				monitor and report	
BOD <sub>5</sub>				monitor and report	
Oil and Grease				monitor and report	
Total Dissolved Solids				monitor and report	
Barium				monitor and report	
Cadmium				monitor and report	
Chromium, Hexavalent				monitor and report	
Lead				monitor and report	
Mercury				monitor and report	
Selenium				monitor and report	
Silver				monitor and report	
Ammonia				monitor and report	
Arsenic				monitor and report	
Cyanide				monitor and report	
Nitrate plus Nitrite Nitrogen				monitor and report	
Dissolved Iron				monitor and report	
Total Suspended Solids				monitor and report	
Total Iron				monitor and report	
Manganese				monitor and report	

Outfall to consist solely of uncontaminated stormwater discharge.

*Outfall 004:* existing discharge, design flow of 0.051 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chemical Oxygen Demand				monitor and report	
BOD <sub>5</sub>				monitor and report	
Oil and Grease				monitor and report	
Total Dissolved Solids				monitor and report	
Barium				monitor and report	
Cadmium				monitor and report	
Chromium, Hexavalent				monitor and report	
Lead				monitor and report	
Mercury				monitor and report	
Selenium				monitor and report	
Silver				monitor and report	
Ammonia				monitor and report	
Arsenic				monitor and report	
Cyanide				monitor and report	
Nitrate plus Nitrite Nitrogen				monitor and report	
Dissolved Iron				monitor and report	
Total Suspended Solids				monitor and report	
Total Iron				monitor and report	
Manganese				monitor and report	

Outfall to consist solely of uncontaminated stormwater discharge.



Outfall 005: existing discharge, design flow of 0.022 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Chemical Oxygen Demand					monitor and report
BOD <sub>5</sub>					monitor and report
Oil and Grease					monitor and report
Total Dissolved Solids					monitor and report
Barium					monitor and report
Cadmium					monitor and report
Chromium, Hexavalent					monitor and report
Lead					monitor and report
Mercury					monitor and report
Selenium					monitor and report
Silver					monitor and report
Ammonia					monitor and report
Arsenic					monitor and report
Cyanide					monitor and report
Nitrate plus Nitrite Nitrogen					monitor and report
Dissolved Iron					monitor and report
Total Suspended Solids					monitor and report
Total Iron					monitor and report
Manganese					monitor and report

Outfall to consist solely of uncontaminated stormwater discharge.

The EPA waiver is in effect.

**PA 0090786.** Sewage, **Hempfield Township Supervisors**, R. D. 6, Box 500, Woodward Drive, Greensburg, PA 15601.

This application is for issuance of an NPDES permit to discharge treated sewage from the Hempfield Park Sewage Treatment Plant in Hempfield Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Brush Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the PA American Water Company—Pittsburgh.

Outfall 001: existing discharge, design flow of 0.005 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	4			8
(11-1 to 4-30)	12			24
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	4,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	0.7			1.7
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0092037.** Sewage, **James Bender**, 57 Woodland Drive, Apartment 101, Vero Beach, FL 32962.

This application is for renewal of an NPDES permit to discharge treated sewage from the Woodlawn Mobile Home Court STP in Unity Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Little Crabtree Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Water Works.

Outfall 001: existing discharge, design flow of .00525 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Phosphorus	2.0			4.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0205257.** Sewage, **Greensboro-Monongahela Township Joint Sewer Authority**, P. O. Box 342, Greensboro, PA 15338.

This application is for renewal of an NPDES permit to discharge treated sewage from the Greensboro-Monongahela Township Sewage Treatment Plant in Monongahela Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Dunkard Valley Joint Municipal Authority.

Outfall 001: existing discharge, design flow of 0.110 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	0.5			1.6
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0217727.** Sewage, **Rices Landing Borough**, P. O. Box 185, 100 Water Street, Rices Landing, PA 15357.

This application is for issuance of an NPDES permit to discharge treated sewage from the Rices Landing Sewage Treatment Plant in Rices Landing Borough, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri-County Joint Municipal Authority located on the Monongahela River at river mile 64.80.

Outfall 001: new discharge, design flow of 0.08 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager; Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

**PA 0035289.** Sewage, **Glen Lakes Estates**, 1037 Barkeyville Road, Grove City, PA 16127.

This application is for revoke and reissuance of a Part 1 NPDES permit to discharge treated sewage to the unnamed tributary to Wolf Creek in Pine Township, **Mercer County**. This is a minor discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Camp Allegheny—Salvation Army on Slippery Rock Creek located at Camp Allegheny, approximately 24 miles below point of discharge.

The proposed interim effluent limits, based on a design flow of 0.005 mgd, are:

*Outfall No. 001 (after disinfection)*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
Ammonia-Nitrogen			
(5-1 to 10-31)	4		8
(11-1 to 4-30)	12		24
pH	within limits of 6.0—9.0 standard units at all times		
Dissolved Oxygen	minimum of 4.0 mg/l at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
Total Residual Chlorine	monitor and report		
pH	6.0—9.0 at all times		

The proposed final effluent limits, based on a design flow of 0.030 mgd are:

*Outfall No. 001 (after disinfection)*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
Ammonia-Nitrogen			
(5-1 to 10-31)	4		8
(11-1 to 4-30)	12		24
pH	within limits of 6.0—9.0 standard units at all times		
Dissolved Oxygen	minimum of 3.0 mg/l at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	4,900/100 ml as a geometric average		
Total Residual Chlorine	0.3		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

### Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

*Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0084483	Broad Top City Borough Route 913 Broad Top City, PA 16621-0228	Huntingdon Broad Top Borough	Shoup Run	TRC
PA 0051900	Robeson Township Munic. Authority R. D. 4, Box 3 Birdsboro, PA 19508	Berks Robeson Twp.	Schuylkill River	TRC
PA 0082589	Fairview Township 599 Lewisberry Rd. New Cumberland, PA 17070-2399	York Fairview Twp.	UNT to Fishing Creek	TRC

#### **DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER**

##### **Applications under the Pennsylvania Clean Streams Law**

##### **(Part II Permits)**

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department). Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

#### **Applications received for industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

**A. 0797401.** Sewage, submitted by **Blair Township Water and Sewer Authority**, 575 Cedar Crest Drive, Duncansville, PA 16635 in Blair Township, **Blair County** to construct a sewer extension to serve Pleasant View Estates Phase 1B was received in the Southcentral Region on September 24, 1997.

**A. 3697408.** Sewage, submitted by **Quarryville Borough**, 300 Saint Catherine Street, Quarryville, PA 17566 in Quarryville Borough, **Lancaster County** to construct a plant upgrade which will include the addition of two secondary aerobic digesters and the associated air supply system as well as interconnections to the existing piping to accommodate the new facilities was received in the Southcentral Region on September 30, 1997.

**A. 0694418 (97-1).** Sewage, amendment submitted by the **Borough of Kutztown**, 45 Railroad Street, Kutztown, PA 19530-1112 in Kutztown Borough, **Berks County** to construct the following additions to the wastewater treatment plant: addition of one raw wastewater pump, an influent screw type screen, four new primary settling tanks, two new final settling tanks in addition to the two existing final settling tanks, two new trickling filter recirculation pumps, and the associated piping was received in the Southcentral Region on October 6, 1997.

**A. 3197404.** Sewage, submitted by **Mill Creek Area Municipal Authority**, P. O. Box 4, Main Street, Mill Creek, PA 17060 in Mill Creek Borough, **Huntingdon County** to construct approximately 1,200 L. V. of 4-inch Force Main and duplex Pump Station to serve the Millstone Mobile Home Park, replacing existing package sewage treatment plant for the Mobile Home Park was received in the Southcentral Region on October 6, 1997.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**A. 5697402.** Sewerage, **Gordon Mihalik**, 965 Highland Park Dr., Somerset, PA 15501. Application for the construction and operation of a Single Residence Sewage Treatment Plant located in the Township of Somerset, **Somerset County** to serve the Mihalik residence.

*Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**WQM Permit No. 4397414.** Sewage, **PEC Management II** (I-80 Development Project-Mercer Site), 1250 Tower Lane, Erie, PA 16505. This project is for the construction and operation of a package sewage treatment facility for the proposed commercial development in East Lackawannock Township, **Mercer County**.

**WQM Permit No. 1097408.** Sewage, **Robert W. Sirera**, SRSTP, 304 Green Lake Dr., Mars, PA 16046. This project is for the construction of a Single Residence Sewage Treatment Plant in Adams Township, **Butler County**.

#### INDIVIDUAL PERMITS (PAS)

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the

County Conservation District Office or the Department's Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**NPDES Permit PAS10-G284.** Stormwater. **J. Loew and Associates**, 55 Country Club Drive, Downingtown, PA 19335, has applied to discharge stormwater from a construction activity located in Uwchlan Township, **Chester County**, to Unnamed Tributary to Shamona Creek.

**NPDES Permit PAS10-G285.** Stormwater. **Stephen E. Cushman**, P. O. Box 294, Thorndale, PA 19372, has applied to discharge stormwater from a construction activity located in Honeybrook and West Caln Townships, **Chester County**, to Octorara Creek.

**NPDES Permit PAS10-G286.** Stormwater. **BK Campbell**, 402 Bayard Road, Suite 200, Kennett Square, PA 19348, has applied to discharge stormwater from a construction activity located in New London Township, **Chester County**, to Warp Run.

**NPDES Permit PAS10-G287.** Stormwater. **Greenpoint Farm**, 402 Bayard Road, Suite 200, Kennett Square, PA 19348, has applied to discharge stormwater from a construction activity located in New London Township, **Chester County**, to Big Elk Creek.

**NPDES Permit PAS10-G288.** Stormwater. **Four A Partners, Inc.**, P. O. Box 310, Avondale, PA, has applied to discharge stormwater from a construction activity located in London Grove Township, **Chester County**, to East Branch of White Clay Creek.

**NPDES Permit PAS10-G289.** Stormwater. **Koons Steel, Inc.**, 2092 West Main Street, Norristown, PA 19404, has applied to discharge stormwater from a construction activity located in East Coventry Township, **Chester County**, to Schuylkill River.

*Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

*Pike County Conservation District, District Manager, HC 6, Box 6770, Hawley, PA 18428, (717) 226-8220.*

**NPDES Permit PAS10V019.** Stormwater. **Woodloch Pines, Inc.**, John Kiesendahl, R. R. 1, Box 280, Hawley, PA 18428 has applied to discharge stormwater from a construction activity located in Lackawaxen Township, **Pike County**, to Hell Gate Brook, tributary of Lackawaxen River.

*Southcentral Regional Office, Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

*Perry County Conservation District, District Manager, P. O. Box 36, New Bloomfield, PA 17068, (717) 582-8988.*

**NPDES Permit PAS105103.** Stormwater. **Perry Meadows Farm Partnership**, P. O. Box 187, 410 E. Lincoln Avenue, Myerstown, PA 17067 has applied to discharge stormwater from a construction activity located in Jackson Township, **Perry County**, to Shermans Creek.

Northcentral Regional Office, Regional Water Management Program Manager, 208 W. Third St., Suite 101, Williamsport, PA 17701, (717) 327-3669.

Clearfield County Conservation, District Manager, 650 Leonard St., Clearfield, PA 16830, (814) 765-2629.

**NPDES Permit PAS101714.** Stormwater. **Department of Environmental Protection, Bureau of Abandoned Mine Reclamation**, P. O. Box 8476, Harrisburg, PA 17105 has applied to discharge stormwater from a construction activity located in Huston Township, **Clearfield County**, to Bark Camp Run.

#### Stormwater Individual

The following parties have applied for NPDES permits to allow the discharge of stormwater from an industrial site into surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to issue these permits and proposes to issue them subject to effluent limitations, and monitoring and reporting requirements.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office

NPDES No.	Facility Name and Address	County and Municipality	Tributary Stream	New Permit Requirements
PAS802212	Graver Trucking, Inc. R. D. 7, Box 7655 Stroudsburg, PA 18360	Monroe County Stroud Twp.	Wigwam Run	
PAS202205	Banner Metals, Inc. Box 431 Main St. Stroudsburg, PA 18360	Monroe County Stroud Twp.	Pocono Creek and Little Pocono Crk.	
PAS602201	D. Katz & Sons, Inc. P. O. Box 510 Stroudsburg, PA 18360	Monroe County Stroudsburg	McMichaels Creek	
PAS112204	National Carbon Prod. 100 Stokes Avenue E. Stroudsburg, PA 18301	Monroe County Stroud Twp.	Brodhead Crk.	
PAS212203	Rock Hill Materials Co. 339 School Street Catasauqua, PA 18032	Monroe County Hamilton Twp.	Lake Crk.	
PAS802213	United Parcel Serv. R. D. 2, Box 2129C Stroudsburg, PA 18360	Monroe County Stroudsburg	McMichaels Crk.	

### SAFE DRINKING WATER

#### Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office, Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

**1397503.** Public water supply. **Lehigh River Authority**, Richard Barclay, Chairperson, Box 29, Municipal Building, Lehigh River, PA 18325. This proposal involves the construction of a new raw water infiltration gallery and 1.6 million gallon per day pump station in and along the Lehigh River. The project also involves the construction of 7,330 feet of 16 inch raw and treated water transmission

indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

mains. A stream crossing is involved. It is located in Lehigh River, **Carbon County**.

**6697502.** Public water supply. **Messhoppin Borough**, John Bunnell, President, P. O. Box 237, Meshoppen, PA 18630. This proposal involves the replacement of the existing 6-inch transmission main from Well 1 to the distribution system; replacement of the existing distribution system; and replacement of the existing concrete reservoir with a new 140,000 gallon storage tank.

Engineer: Christopher McCue, P. E., Borton-Lawson Engineering Inc., 1460 San Souci Pkwy., WB PA 18702.

Southcentral Regional Office, Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4692.

**A. 5097502.** Public water supply. **Creekview Mobile Home Park**, Carroll Township, **Perry County**, *Responsible Official*: Charles E. Lupfer, owner, Creekview Mobile Home Park, R. D. 2, Box 192, Shermans Dale, PA 17090. *Type of Facility*: expansion of an existing Community Water System to serve 206 additional lots. New facilities are to include wells 2, 5, 6 and 7 and associated treatment. Wells 2 and 7 to be treated at existing pumphouse. Wells 5 and 6 to be treated at new pumphouse with caustic soda, sodium hypochlorite, ferric chloride and greensand filtration. *Consulting Engineer*: Terrance L. Kline, P. E., Kline Engineering, P. C., 449 Cameron Street, Marysville, PA 17053.

## HAZARDOUS SITES CLEAN-UP

Under the Act of October 18, 1988

### Prompt Interim Response Under the Hazardous Sites Cleanup Act

Covington Township  
Lackawanna County

The Department of Environmental Protection (Department) under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305) (HSCA) initiated a prompt interim response (response) at the Windship Road Drum Site (Site). The Site is located along a private roadway off of Windship Road near Route 307, in Covington Township, Lackawanna County.

On February 26, 1996, the Department personnel inspected the site subsequent to a citizen's report that several drums of unknown material were discovered as a result of some excavation activities performed during the cleanout of a drainage culvert. During the inspection, six drums, exposed or partially exposed, were noted. A subsequent investigation by the Department, using metal detection instrumentation, indicated the probable presence of additional buried drums. The Site is located directly adjacent to a commercial property as well as several residences. A small stream runs along the eastern edge of the site into a wetland approximately 200 feet south of the site.

After determining that the Site constituted a substantial threat to public health and safety and the environment, the Department initiated a response at the Site on February 28, 1996. The prompt action interim response chosen by the Department (Prompt Action Interim Response #1) consisted of excavation of drums, repackaging, chemical analysis, temporary storage and final disposal at an approved facility. A total of 56 drums, as well as one small container, were unearthed and subsequently disposed of. This action by the Department eliminated the substantial threat to public health and the environment posed by the material in the drums. The Department made the public aware of Prompt Action Interim Response #1 by issuing a public notice which appeared in the March 23, 1996 editions of the *Pennsylvania Bulletin* and the *Scranton Times* newspaper.

On November 20, 1996, metal detector and ground penetrating radar surveys were conducted at the Site. The surveys resulted in the delineation of additional areas of suspected drum burial. On April 27, 1997 the Department completed an investigation which resulted in the unearthing of 19 drums at the Site. The material in the drums was determined to be a hazardous waste and contained the hazardous substance trichloroethylene (TCE) and lead. On July 17, 1997, after determining that the Site constituted a substantial threat to public health

and safety and the environment, the Department undertook a Prompt Action Interim Response (Prompt Action Interim Response #2) at the Site. The Prompt Action Interim Response involved the disposal, at an approved hazardous waste disposal facility, of the drums which were unearthed during the April 27, 1997 investigation. This action by the Department eliminated the substantial threat to public health and the environment posed by the material in the drums. The Department made the public aware of Prompt Action Interim Response #2 by issuing a public notice which appeared in the August 16, 1997 editions of the *Pennsylvania Bulletin* and the *Scranton Times* newspaper.

Subsequent to the unearthing of drums containing hazardous waste at the Site, 12 home wells were sampled and analyzed for volatile organic compounds. Four of the home wells were contaminated with levels of TCE above the Federal Maximum Contaminant Level (MCL). On August 12, 1997, after determining that the Site constituted a substantial threat to public health and safety and the environment, the Department undertook a Prompt Action Interim Response (Prompt Action Interim Response #3) at the Site. Prompt Action Interim Response #3 involved the installation of point-of-entry carbon filtration systems on those homes whose well water had been contaminated at levels above the MCL for TCE. Point-of-entry carbon filtration systems were placed in a total of four homes. This action by the Department eliminated the substantial threat to public health posed by the TCE in the groundwater. The Department also considered the alternative of supplying bottled water to affected residents. This option was rejected because it would not protect affected individuals from exposure to TCE through inhalation. The Department also considered the alternative of taking no action. This option was rejected due to the substantial threat posed by TCE in the groundwater to the public and the environment.

The administrative record contains information which was used as the basis for the decision to conduct the response at the Site. The administrative record will be available for public inspection from 8 a.m. to 4 p.m., Monday through Friday, at the Department's Northeast Regional Office located at 2 Public Square, Wilkes-Barre, PA 18711.

Written comments concerning the response of information in the administrative record will be accepted in person, if delivered, or by mail, if postmarked, on or before January 23, 1998 to the attention of Leonard Zelinka, Project Officer—Hazardous Sites Cleanup Program, at the Northeast Regional Office address.

Additionally, the public will have an opportunity to present oral comments on Prompt Action Interim Response #3 at a public hearing. The public hearing has been scheduled for December 3, 1997 at 7 p.m. at the Covington Township Municipal Building. Persons wishing to present oral comments must register on or before November 25, 1997 by calling Leonard Zelinka at (717) 826-5441. If no person registers to present oral comments by November 25, 1997, the hearing will not be held. Persons interested in finding out if anyone has registered, if the hearing will be held or the location of the hearing should contact Leonard Zelinka.

The Department is providing this notice under section 506(b) of the HSCA. The date of publication of this notice in the *Pennsylvania Bulletin* initiates the minimum 90-day public comment period on the administrative record, as provided under the HSCA. Questions concerning the

Site may be directed to Leonard Zelinka at (717) 826-5441, or Michael Ferrence, Assistant Counsel, at (717) 826-2519.

Persons with a disability and who wish to attend the public hearing referenced above and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Leonard Zelinka directly or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

### LAND RECYCLING AND ENVIRONMENTAL REMEDICATION

#### Under Act 2, 1995

##### Preamble 1

---

#### **Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

---

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Rhoads Metals Fabrication & Maintenance Services, Inc.**, Lower Moreland Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, Suite 500, 401 City Avenue, Bala Cynwyd, PA, 19004, has submitted a Notice of Intent to Remediate site soil contaminated with lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons; and groundwater contaminated with solvents and BTEX. The applicant proposes to remediate the site to

meet the Statewide health standard for soils and background standard for groundwater. A final report was simultaneously submitted.

*Northcentral Regional Office, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 321-6525.*

**Abramson Auto Wrecking**, College Township, **Centre County**. Blazosky Associates, Inc. on behalf of Fred Abramson, 3149 Nittany Valley Drive, Howard, PA 16841, has submitted a Notice of Intent to Remediate soil contaminated with BTEX, PHCs and PAHs; and groundwater contaminated with BTEX, PHCs, PAHs, Mirex and Kepone. The applicant proposes to remediate the soil to meet the Statewide health standard and the groundwater to meet the background standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Centre Daily Times* on September 25, 1997.

**Distribution Pole #37049N23278**, Mount Carmel Borough, **Northumberland County**. **PP&L**, Two North Ninth Street, Allentown, PA 18101-11779 has submitted a Notice of Intent to Remediate soil contaminated with PCBs. The applicant proposes to remediate the soil to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Shamokin News-Item* on September 26, 1997.

### LAND RECYCLING AND ENVIRONMENTAL REMEDICATION

#### Under Act 2, 1995

##### Preamble 2

---

#### **Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

---

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to



Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period a municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Regional Field Office, Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Lehigh Landing Riverfront Revitalization Project**, City of Allentown, **Lehigh County**. H. Scott Laird, Project Manager, Woodward Clyde Consultants, 1400 Union Meeting Road, Suite 202, Blue Bell, PA 19422 has submitted a Notice of Intent to Remediate (on behalf of his client, the Allentown Economic Development Corporation, 462 Walnut Street, P. O. Box 1400, Allentown, PA 18101) concerning the remediation of the project site which has become contaminated with petroleum hydrocarbons, polyaromatic hydrocarbons, PCBs (polychlorinated biphenyls), BTEX (benzene, toluene, ethylbenzene and xylene) compounds, lead and other metals and solvents. The applicant proposes to address the site to meet the Special Industrial Area standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Allentown Morning Call* on September 18, 1997.

*Northwest Regional Office: Craig Lobins, Acting Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.*

**Franklin Industries, Inc.**, Franklin Twp., **Venango County**, 600 Atlantic Avenue, Franklin, PA, has submitted a Notice of Intent to Remediate soil, groundwater and sediment contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAHs. The applicant proposes to remediate the site to meet the Special Industrial Area Standard. A summary of the Notice of Intent to Remediate was published in the *Franklin News Herald*.

## SOLID AND HAZARDOUS WASTE

### BENEFICIAL USE DETERMINATIONS

**Applications for determination of Applicability for General Permit received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for municipal and residual waste.**

*Northcentral Regional Office, Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.*

**General Permit No. WMGR038. GSR Recycling Inc.** (P. O. Box 6, Millville, PA 17846). Application for a General Permit Determination of Applicability for a tire processing facility located in Millville Boro, **Columbia County** received in the regional office on September 11, 1997.

Interested parties or municipalities may submit comments to the Department within 60 days. Comments should be addressed to Richard L. Bittle, Waste Management, 208 W. Third St., Suite 101, Williamsport, PA 17701.

**Beneficial use determinations received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the regulations for municipal and residual waste.**

*Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.*

**PAD083965897. Medusa-Crescent, Inc.**, 2001 Portland Park, Wampum, PA 16157, located in Wampum Borough, **Lawrence County**. A notice to beneficially use coal ash as a structural fill to construct a truck ramp behind the mill building was received in the Regional Office on September 25, 1997.

### RESIDUAL WASTE PROCESSING FACILITIES

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (35 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.*

**WMGR025SE001. Nutra Soils, Inc.**, 324 East Baltimore Pike, Avondale, PA 19311, London Grove Township, **Chester County**. Previous notice was given on September 20, 1997 regarding receipt of this application. That notice contained a typographical error indicating the application number as WMGR025SE991. The corrected application number is WMGR025SE001 as shown above.

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (35 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.*

**Permit No. 101397. Superior Greentree Landfill Inc.**, 635 Toby Road, Kersey, PA 15846, located in Fox Township, **Elk County**. A Phase III application to expand the Superior Greentree Landfill was accepted by the Regional Office on September 25, 1997.

**PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE**

**INFECTIOUS OR CHEMOTHERAPEUTIC WASTE**

**Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6), and regulations for license to transport infectious and chemotherapeutic waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Altoona Hospital**, 620 Howard Avenue, Altoona, PA 16001; Ronald E. Kirkpatrick, Director of Environmental Services; License No. **PA-HC 0124**; renewal application received on October 8, 1997.

**AIR POLLUTION**

**OPERATING PERMITS**

**Operating Permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**46-399-098: SmithKline Beecham Pharmaceutical** (709 Swedeland Road, King of Prussia, PA 19034) for the installation of two boilers and one electric generator in Upper Merion Township, **Montgomery County**.

**15-399-046: Worthington Steel Company** (45 North Morehall Road, Malvern, PA 19355) for the installation of a coil cleaning and plating line in East Whiteland Township, **Chester County**.

**46-302-193: Merck & Company, Inc.** (P. O. Box 4, WP20-208, West Point, PA 19486) for the installation of Boiler No. 7 as a condition of CP-46-0005 in Upper Gwynedd Township, **Montgomery County**.

*Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4587.*

**07-310-020E: New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) for the Limestone Crushing Plant No. 1 controlled by water sprays and three fabric collectors at their Roaring Spring Plant in Taylor Township, **Blair County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

**28-322-005: James River Paper Company, Inc.** (1002 Wayne Avenue, Chambersburg, PA 17201) for the installation of Press #8, lithographic printing press located in Chambersburg Borough, **Franklin County**.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**OP-65-00280: Kalumetals, Inc.** (P. O. Box 455, Latrobe, PA 15650) for a tool manufacturing operation at the Derry Plant in Derry Township, **Westmoreland County**.

**OP-56-00029: Keystone Lime Co., Inc.** (P. O. Box 278, Springs, PA 15562) for a limestone crushing plant at their Galley Quarry in Elk Lick Township, **Somerset County**.

**OP-56-00160: Keystone Lime Company, Inc.** (P. O. Box 278, Springs, PA 15562) for a crushed limestone/asphalt plant at the Eichorn Plant in Elk Lick Township, **Somerset County**.

**OP-04-00466: New Sewickly Pet Crematory** (P. O. Box 311, Zelienople, PA 16063) for an animal crematory at their facility in New Brighton Borough, **Beaver County**.

**OP-56-00156: Windber Medical Center** (600 Somerset Avenue, Windber, PA 15963) for a general hospital in Windber Borough, **Somerset County**.

**Notice of Intent to Issue Title V Operating Permits**

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permits).

Copies of the Title V application, proposed permit and other relevant information are available for public inspection and additional information may be obtained by contacting the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Attn: Mark Wayner; (412) 442-4161.*

**TV-04-00497: Tuscarora, Inc.** (Blockhouse Run Road, New Brighton, PA 15066) located in New Brighton Borough, **Beaver County**. This facility's major source of emissions includes an expandable polystyrene molding process which primarily emits Volatile Organic Compounds (VOC's).

**PLAN APPROVALS**

**Plan Approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4587.*

**67-310-039: Global Stone PenRoc, Inc.** (P. O. Box 1967, York, PA 17405-1967) for the operation of a limestone crushing plant controlled by a wet suppression system at 501 Hokes Mill Road in West Manchester, **York County**.

**305-02001A: Cannondale Corporation** (R. D. 7, Friendship Road, Bedford, PA 15522) for the installation of a wheelchair coating line in the existing bicycle frame coating facility in Bedford Township, **Bedford County**.

*Northcentral Regional Office, Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.*

**41-305-004E: Keystone Filler and Manufacturing Company** (214 Railroad Street, Muncy, PA 17756) for the installation of air cleaning devices (fabric collectors) on various pieces of carbon, coal, shale, coke and limestone storage and processing equipment in Muncy Creek Township, **Lycoming County**.

**14-399-009F: Murata Electronics Northamerica, Inc.** (1900 West College Avenue, State College, PA 16801) for the construction of five ceramic chip capacitor binder removal ovens and associated air cleaning devices (electrically-heated thermal after burner) in Ferguson Township, **Centre County**.

**8-318-024A: Masonite Corporation** (P. O. Box 311, Towanda, PA 18848) for the modification of a surface coating operation (Coating II/Prestain) in Wysox Township, **Bradford County**.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-32-316A: Three Rivers Pipeline** (2030 William Pitt Way, Pittsburgh, PA 15238) for a natural gas compressor at the Pennview Compressor Station in West Wheatfield Township, **Indiana County**.

**PA-04-235A: Pennsylvania Power Company** (76 South Main Street, Akron, OH 44308) for a forced oxidation gypsum plant at the Bruce Mansfield facility in Shippingport Borough, **Beaver County**.

**PA-63-550A: South Hills Landfill, Inc.** (3100 Hill Road, Library, PA 15129) for a landfill at the Arnoni Landfill in Union Township, **Washington County**.

**PA-04-600A: MJ Mining Company** (1021 Whitestown Road, Butler, PA 16001) for a coal crushing and screening operation at Mine 1 in Greene Township, **Beaver County**.

**PA-65-899A: Snyder Funeral Home** (Bell and 402 E. Church Street, Ligonier, PA 15658) for a human crematory at their facility in Donegal Borough, **Westmoreland County**.

**PA-65-629A: Latrobe Brewing Company** (119 Jefferson Street, Latrobe, PA 15650) for two natural gas/propane boilers at their facility in Latrobe Borough, **Westmoreland County**.

**PA-04-446A: Beaver Valley Partners, Inc.** (394 Frankfort Road, Monaca, PA 15061) for a CFB Boiler at their Beaver Valley Cogeneration facility in Potter Township, **Beaver County**.

**PA-63-659A: Penn-Pikt Greenhouses, LLC** (51 Locust Avenue, Suite 302, New Canaan, CT 06840) for boilers at the Arden Facility in Chartiers Township, **Washington County**.

*Northwest Regional Office, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-24-131B: SGL Carbon Corporation** (900 Theresia St., Box 1030, St. Marys, PA 15857-1030) for the construction of 12 graphite purification furnaces (7,000 lbs/cycle/furnace) with scrubber control in St. Marys, **Elk County**.

---

### Notice of Intent to Approve Plan Approval Application #PA-30-072B

---

Under 25 Pa. Code § 127.44, the Department of Environmental Protection (Department) intends to issue a Plan Approval to Consol Pennsylvania Coal Co. for the modification of the Bailey Mine Complex Coal Preparation Plant located in Richhill Twp., Greene County as described in its application.

Based on the information provided by the applicant and on the Department's analysis of that information, this operation will emit not more than 1,708 tons per year of sulfur dioxide (SO<sub>2</sub>), 718 tons per year of nitrogen oxides (NO<sub>x</sub>), 1170.1 tons per year of volatile organic compounds (VOC), 1359 tons per year carbon monoxide (CO), and 313.2 tons per year particulate matter (PM<sub>10</sub>). These emissions in conjunction with other PSD increment-consuming sources, require allocation of 47.1% of the annual, 86.8% of the 24-hour, and 44.6% of the 3-hour SO<sub>2</sub> increments; and 23.4% of the annual, and 64.7% of 24-hour PM<sub>10</sub> increments; and 22.2% of the annual NO<sub>x</sub> increment available in the area of the maximum impact of the source.

Copies of the application, the Department's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the following address.

In order to assure compliance with all applicable standards, the Department proposes to place the following conditions on the Plan Approval:

#### *General Conditions*

1. This Plan Approval is for the installation of additional coal wash equipment and the modification to increase plant capacity to a 27MM ton/year coal preparation facility owned by Consol Pennsylvania Coal Company (CONSOL) located at the Bailey Mining Complex Preparation Plant, Richhill Township, Greene County.

2. This approval to construct/modify shall become invalid if: (1) construction is not commenced (as defined in 40 CFR 52.21(b)(8)) within 18 months after the date of this approval; or (2) if construction is discontinued for a period of 18 months or more; or (3) construction is not completed within a reasonable time. CONSOL shall provide a detailed construction schedule to the Department within 30 days of issuance of this Plan Approval.

3. The facility is permitted to operate 8,760 hours per year.

4. CONSOL shall maintain records of coal fired (tons/month) in each thermal dryer and the monthly average of the sulfur content, ash content and heating value of the coal burned. This information shall be reported to the Department upon request.

5. This construction/modification is subject to 25 Pa. Code § 127.206(d)(1) and (2) and other applicable provisions of Subchapter E of Chapter 127 for New Source Review. The plant may not commence operation of the new coal washing equipment or increase emissions from the dryers until the required emission reductions are certified by the Department.

6. In accordance with 25 Pa. Code § 127.205(3), each modification to a facility shall offset in accordance with 25 Pa. Code §§ 127.201 and 127.211, the total of the net increase in potential to emit.

7. In accordance with 25 Pa. Code § 127.206(d)(1) and (2), ERCs must be properly generated, certified by the

Department and processed through the registry no later than the date approved by the Department for commencement of operation of the proposed modified facility.

8. CONSOL is required to obtain 434.5 tons/yr. of VOC emission reduction credits and 464.4 tons/yr. of NOx emission reduction credits.

9. CONSOL shall install, certify, maintain and operate continuous emission monitors on each of the thermal dryers for the following pollutants: sulfur oxides (as SO<sub>2</sub>) and oxides of nitrogen (as NO<sub>x</sub>) in accordance with 25 Pa. Code Chapter 139. Emissions shall be continuously recorded and reported to the Department on a quarterly basis.

10. At least 90 days prior to system start-up, the company shall submit information required by Phase I of the Department's "Continuous Source Monitoring Manual", Revision 4, July 1987 to Joe Nazzaro at 1st Floor Executive House, Harrisburg, PA 17120.

11. Data from the continuous emission monitoring systems shall be recorded in both pounds per million BTU and pounds per hour and shall be reported on a quarterly basis in a format to be specified during the certification process.

12. CONSOL shall continuously monitor and record the following conditions:

A. Outlet gas temperature from each dryer prior to the scrubber.

B. Pressure drop (in w. c.) across the scrubber on each dryer.

C. Pressure of the water supply to the scrubber on each dryer.

These monitoring devices must meet the accuracy specifications, the location and calibration requirements in 40 CFR 60.253.

13. This Plan Approval authorizes temporary operation of the source covered by this Plan Approval provided the following conditions are met.

A. The Department must receive written notice from the Owner/Operator of when the Operator expects to commence operation.

B. Operation is authorized only to facilitate the startup and shakedown of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

C. This condition authorizes temporary operation of the source for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the Owner/Operator under Subpart (A), above.

D. The Owner/Operator may request an extension if compliance with all applicable regulation and Plan Approval requirements have not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance and the reasons compliance has not been established.

E. The notice submitted by the Owner/Operator under Subpart (A), above, prior to the expiration of this Plan Approval, shall modify the Plan Approval expiration date.

The new Plan Approval expiration date shall be 180 days from the date of the written notice.

14. Thermal Dryer No. 1 and Thermal Dryer No. 2 Conditions:

A. The particulate emissions (TSP/PM10) from Thermal Dryer No. 1 and Thermal Dryer No. 2 shall not exceed 138 and 128 tons/year, respectively.

B. Particulate emissions (TSP/PM10) from Thermal Dryer No. 1 and No. 2 shall not exceed 31 and 32 lb./hr., respectively.

C. Particulate emissions from Thermal Dryer No. 1 shall not exceed .031 grains/dscf and Thermal Dryer No. 2 shall not exceed .02 grains/dscf.

D. The sulfur oxide emissions (as SO<sub>2</sub>) from Thermal Dryer No. 1 and No. 2 shall not exceed 631 and 1077 tons/year, respectively.

E. The sulfur oxide emissions (as SO<sub>2</sub>) from Thermal Dryer No. 1 and No. 2 shall not exceed 144 and 246 lb./hr., respectively.

F. The sulfur oxide emissions (as SO<sub>2</sub>) from Thermal Dryer No. 1 and Thermal Dryer No. 2 shall not exceed 1.2 lb./MMBTU.

G. The NOx emissions from Thermal Dryer No. 1 and No. 2 shall not exceed 305 and 413 tons/yr., respectively.

H. The NOx emissions from Thermal Dryer No. 1 and No. 2 shall not exceed 96 and 121 lb./hr., respectively.

I. The NOx emissions from Thermal Dryer No. 1 and No. 2 shall not exceed 0.8 lb./MMBTU and .59 lb./MMBTU, respectively.

J. The CO emissions from Thermal Dryer No. 1 and No. 2 shall not exceed 946 and 413 tons/yr., respectively.

K. The CO emissions from Thermal Dryer No. 1 and No. 2 shall not exceed 274 and 107 lb./hr., respectively.

L. The CO emissions from Thermal Dryer No. 1 and Thermal Dryer No. 2 shall not exceed 1.8 lb./MMBTU and .46 lb./MMBTU, respectively.

M. The VOC emissions from Thermal Dryer No. 1 and No. 2 shall not exceed 231 and 368 tons/yr., respectively.

N. The VOC emissions from Thermal Dryer No. 1 and No. 2 shall not exceed 70 and 109 lb./hr., respectively.

O. Thermal Dryer No. 1 and Thermal Dryer No. 2 venturi scrubber shall operate with a pressure differential of at least 35 and 32 inches of water, respectively.

P. The Department reserves the right to revise the emission limits above, based upon stack test results, continuous monitoring data and other reliable information.

Q. There shall be no malodors emitted from the Thermal Dryers or from the coal washing equipment which are detectable beyond the property line.

R. Visible emissions from Thermal Dryer No. 1 and No. 2 shall not exceed an opacity of 20%.

S. Compliance with the short term emission limits, specified in lb./MMBTU or lb./hr., shall be established on a 1-hour average basis.

T. The Department reserves the right to require additional stack testing at any time.

U. The maximum dryer gas exit temperature, minimum pressure drop across the venturi and minimum scrubber water supply pressure shall be established during the initial compliance stack test. Operation above that

temperature or below these pressures shall be deemed to be a violation of this permit unless compliance is established through stack testing and continuous emission monitoring, while operating at the new conditions.

15. Conditions for the new Wash Module at Plant 1

A. The VOC emission from the new froth flotation cells and vacuum filters in Plant 1 shall not exceed 27.2 tons/yr.

B. The VOC emissions from the antifreeze and flocculent shall not exceed 15 tons/yr.

16. In the event of a malfunction of the air cleaning devices, CONSOL shall promptly shut the sources down. CONSOL shall not restart the sources until the air cleaning device have been repaired and are functioning properly. CONSOL shall maintain a log of any malfunctions to the air cleaning device and provide it upon request.

17. Stack Testing Requirements

A. CONSOL shall conduct stack tests for compliance purposes for TSP/PM<sub>10</sub>, VOC, and CO and for monitor certification purposes for sulfur oxides (as SO<sub>2</sub>) and NO<sub>x</sub> (as NO<sub>2</sub>) in accordance with 25 Pa. Code Chapter 139, 40 CFR 60.8 and 40 CFR 60.254.

B. Within 60 days after achieving maximum firing rate, but no later than 180 days after start-up, stack tests shall be conducted on the new equipment and the modified capacity of the Thermal Dryers. Stack testing for compliance purposes (TSP/PM<sub>10</sub>, VOC, and CO) shall be performed on at least an annual basis thereafter. For VOC emissions, CONSOL shall perform emission checks using portable instruments approved by the Department on at least a quarterly basis.

C. Consol shall submit a pretest protocol to the Department for approval at least 30 days prior to the performance of the stack test.

D. The Department shall be notified at least 2 weeks in advance to the date and time of the stack test so that an observer may be present.

E. Two copies of the stack test report outlining the test results of the above mentioned test shall be supplied to the Department for review within 60 days of completion of testing.

18. The Bailey Coal Preparation Plant (including Thermal Dryer No. 1 and No. 2) is subject to the new source performance standards for coal preparation plants, 40 CFR Part 60, Subpart Y. In accordance with 40 CFR 60.4, copies of all requests, reports, applications, submittals and other communications shall be forwarded to both the EPA and the Department at the following addresses unless otherwise noted.

Director, Air Toxics and Radiation, U. S. EPA, Region III, 841 Chestnut Street, Philadelphia, PA 19107.

Pennsylvania Department of Environmental Protection, Office of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Persons wishing to provide the Department with additional information which they believe should be considered prior to the issuance of the Plan Approval may submit the information to the Department at the address shown. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.

- Identification of the proposed Plan Approval (specify Plan Approval #PA-30-072B.).

- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper or by the *Pennsylvania Bulletin* or by telephone, where the Department determines notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Joseph Pezze, Regional Air Quality Program Manager, Commonwealth of Pennsylvania, Department of Environmental Protection, Southwest Region—Field Operation, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. For additional information persons may contact the following at the same address: Sheri L. Guerrieri, Air Pollution Control Engineer II, Air Quality Control.

**REASONABLY AVAILABLE CONTROL TECHNOLOGY**

(RACT)

---

**Plan Approval applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.**

---

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-46-0130: Atarasii Coatings, Inc.** (86 Oxbow Circle, Chalfont, PA 18914) for the construction of a spray booth in Upper Dublin Borough, **Montgomery County**.

**AQ-SE-0003: Highway Materials, Inc.** (500 Stenton Avenue, Plymouth Meeting, PA 19462) for the construction of a Portable Non-Metallic Mineral Plant in Whitmarsh Township, **Montgomery County**.

**PA-15-0013: Graphic Packaging Corporation** (350 Griggs Road, Clover, SC 29710) for the construction of a flexographic printing press in Tredyffrin Township, **Chester County**.

**PA-23-0062GP: State Correctional Institute—Chester** (2520 Lisburn Road, P. O. Box 598, Camp Hill, PA 17001) for the construction of one boiler in City of Chester, **Delaware County**.

**PA-15-0016C: Worthington Steel Company** (45 N. Morehall Road, Malvern, PA 19355) for the modification of a cleaning and zinc plating line in East Whiteland Township, **Chester County**.

**PA-46-0131: UTI Corporation** (206 Jones Boulevard, Limerick, PA 19468) for the construction of an electroplating facility in Limerick Township, **Montgomery County**.

**PA-09-0021: MRI Flexible Packaging** (122 Penns Trail, Newtown, PA 18940) for the construction of a flexographic printing press in Newtown Township, **Bucks County**.

---

**Operating Permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.**

---

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**OP-46-0016: Handy and Harman Tube Company** (701 West Township Line Road, Norristown, PA 19403) for Major VOC Emitting Sources in East Norriton Township, **Montgomery County**.

**OP-09-0021: MRI Flexible Packaging** (P. O. Box 128, 122 Penns Trail, Newtown, PA 18940) for the installation of Printing Press No. 5 in Newtown Township, **Bucks County**.

**OP-09-0073: Leonard Kunkin Associates** (P. O. Box 47, Line Lexington, PA 18932) for a Facility NOx/VOC RACT located in Hilltown Township, **Bucks County**.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

#### MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19(a)); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or

agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### Coal Applications Received

**32920104.** Permit Revision. **Opal Industries, Inc.** (P. O. Box 980, Latrobe, PA 15650), revision to an existing bituminous strip operation to change the postmining land use from forestland to pastureland on the Steve Skapura property in Conemaugh Township, **Indiana County**, affecting 88.0 acres. Receiving streams unnamed tributary to/and Blacklegs Creek. Application received October 6, 1997.

**32960102.** Permit Revision. **John R. Yenzi, Jr.** (P. O. Box 287, Anita, PA 15711). The permit revision involves the addition of coal mining acreage as follows: On the Upper Freeport Seam, an additional 2.2 coal mining acres, on the Lower Freeport Seam, an additional 12.1 coal mining acres, and 20 Lower Freeport auger acres. Also, a request has been made to modify the proposed land usages on the properties of Genevieve, Raynold and Karen Haverilla, James Timblin, William Mahan and Sylvia Ferrara. Instead of returning these areas to forestland, it has been proposed to return them to pastureland or land occasionally cut for hay. The revision is located in Canoe Township, **Indiana County**, affecting 262 acres. Receiving stream unnamed tributaries to Canoe Creek to Canoe Creek to Little Mahoning Creek. Application received October 6, 1997.

**32960104.** **D. J. & W. Mining, Inc.** (P. O. Box 425, Indiana, PA 15701). Boundary revision to add 8.4 acres to an existing bituminous surface mine permit for additional mining of the Lower Freeport coal seam. Total SMP acres goes from 71.0 to 79.4. This site is located in Rayne Township, **Indiana County**. Receiving streams are Brush Run and Crooked Creek. Application received October 9, 1997.

**11971115.** **Wesott, Inc.** (P. O. Box 328, Carrolltown, PA 15722). Stream variance, BMR-GP-101 permit for the construction of a temporary stream crossing of an unnamed tributary to Fox Run for coal refuse exploration and testing activities in West Carroll Township, **Cambria County**. Receiving stream an unnamed tributary to Fox Run and Fox Run. Application received October 8, 1997.

**56920112.** Permit Renewal. **PBS Coals, Inc.** (1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541), commencement, operation and restoration of bituminous strip mine in Stonycreek Township, **Somerset County**, affecting 76.3 acres, receiving stream an unnamed tributary to Clear Run to Clear Run to Indian Lake to Lake Stonycreek to Rhoads Creek to Stony Creek to the Conemaugh River, application received October 10, 1997.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

**63870102R. Robinson Coal Company** (200 Neville Road, Neville Island, PA 15225). Renewal application received for continued reclamation of a bituminous surface mine located in Robinson Township, **Washington County**. Receiving streams unnamed tributary to Little Raccoon Run to Raccoon Creek to the Ohio River. Renewal application received October 3, 1997.

**03970107. Seven Sisters Mining Co., Inc.** (P. O. Box 300, 200 US Route 22, Delmont, PA 15626). Application received for commencement, operation and reclamation of a bituminous surface auger mine with sandstone and shale removal located in South Bend Township, **Armstrong County**, proposed to affect 62.3 acres. Receiving streams unnamed tributary to Fagley Run to Fagley Run to Roaring Run to Crooked Creek to the Allegheny River. Application received October 6, 1997.

**26920110-09. Patterson Coal Company** (R. R. 2, Box 335, Smithfield, PA 15478). Application received to revise permit to add 3.2 acres to permit area of an existing surface mining site located in German, Georges and Nicholson Townships, **Fayette County**, affecting 267 acres. Receiving streams unnamed tributaries to South Branch Brown's Run, Brown's Run, Monongahela River; unnamed tributaries to Jacobs Creek to Monongahela River. Application received October 8, 1997.

*McMurray District Office*

**03841312. Brookport Resources Co.** (301 East Main St., Suite 900, Lexington, KY 40507), to renew the permit for the Spaces Corners Mine in Rayburn Township, **Armstrong County** to transfer permit from Hays Run Coal Co., no additional discharges. Application received September 8, 1997.

**03971301. DLR Mining, Inc.** (R. D. 3, Box 115-A, Indiana, PA 15701), to operate the Ridge Mine in South Bend Township, **Armstrong County** to unnamed tributary to Big Run and unnamed tributary to Whisky Run. Application received September 19, 1997.

**30871301. Genesis, Inc. d/b/a Meadow Run Genesis, Inc.** (P. O. Box 317, Stoystown, PA 15563-0317), to renew and revise the permit for the Meadow Run Mine in Dunkard Township, **Greene County**, renewal and revision to add 600 underground acres and revise subsidence control, Dunkard Creek, no additional discharges. Application received September 23, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**54860108R2. Reading Anthracite Company** (P. O. Box 1200, Pottsville, PA 17901) renewal of an existing mining operation in St. Clair Borough, New Castle and Norwegian Townships (in the Vicinity of Wadesville), **Schuylkill County**, affecting 1,468.0 acres, receiving stream Schuylkill River. Application received September 24, 1997.

**49830202T. Split Vein Coal Company, Inc.** (R. R. 1, Box 1027, Paxinos, PA 17860), transfer of an existing bank removal and reclamation operation in Coal Township, **Northumberland County**, from Norwood Mining Company, Inc. affecting 276.5 acres, receiving stream Shamokin Creek to Susquehanna River. Application received September 25, 1997.

**49851603T. Split Vein Coal Company, Inc.** (R. R. 1, Box 1027, Paxinos, PA 17860), transfer of an existing anthracite surface mine operation in Shamokin Township,

**Northumberland County**, from R & N Coal Company, affecting 21.6 acres, receiving stream Shamokin Creek to Susquehanna River. Application received September 25, 1997.

**40960201T. Rossi Excavating Company** (9 West 15th Street, Hazleton, PA 18201), transfer of an existing bank removal and reclamation operation in Sugarloaf Township, **Luzerne County**, from Continental Energy Associates affecting 32.0 acres, receiving stream none. Application received September 30, 1997.

**40930202T. Rossi Excavating Company** (9 West 15th Street, Hazleton, PA 18201), transfer of an existing coal refuse reprocessing disposal and bank removal operation in Hazle Township, **Luzerne County**, from Continental Energy Associates affecting 447.7 acres, receiving stream Little Nescopeck Creek. Application received September 30, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Permits Received*

**40850302A1C. Airport Sand & Gravel Co., Inc.** (500 Swetland Lane, West Wyoming, PA 18644), correction to an existing quarry operation to add NPDES Discharge Permit #PA0223816 in West Wyoming Borough, **Luzerne County**, receiving stream Abraham's Creek. Application received September 24, 1997.

**7974SM1C. Milestone Materials, Inc.** (P. O. Box 231, Easton, PA 18044-0231), renewal of NPDES Permit #PA0594121 in East Rockhill Township, **Bucks County**, receiving stream unnamed tributary of Tohickon Creek. Application received September 29, 1997.

**7775SM6A1C3. Glen-Gery Corporation** (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit #PA0119121 in Perry Township, **Berks County**, receiving stream unnamed tributary to Schuylkill River. Application received October 1, 1997.

**7775SM9A1C4. Glen-Gery Corporation** (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit #PA0595659 in Perry Township, **Berks County** receiving stream unnamed tributary to Schuylkill River. Application received October 1, 1997.

**8274SM1A1C3. D. M. Stoltzfus & Son, Inc.** (P. O. Box 84, Talmage, PA 17580-0084), renewal of NPDES Permit #PA0595705 in Upper Leacock Township, **Lancaster County**, receiving stream Conestoga River. Application received October 1, 1997.

**5676SM1T2. Dexter Construction Company** (R. R. 1, Box 1416, Beach Lake, PA 18405), transfer of an existing quarry operation from Dexter Construction Company in Damascus Township, **Wayne County** affecting 12.0 acres, receiving stream none. Application received October 3, 1997.

## APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department).

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed pri-

mary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit, and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

**Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

*Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E23-366.** Encroachment. **Gricco's Marine Services, Inc.**, 722 Delaware Avenue, Norwood, PA 19074. To expand, operate and maintain Gricco's Marine Service, Inc. facilities situated along the northern bank of the Delaware River by installing and maintaining a 90-foot long addition attached at the terminus of the existing floating dock. The proposed floated dock system would extend a total length of 270 feet waterward of the existing low water line and would provide 29 mooring slips occupying approximately 0.7 acre of the submerged lands of this Commonwealth. The project is located in the town of Essington, approximately 200 feet south of the intersection of Front Street and Bartram Avenue (Bridgeport, NJ-PA Quadrangle N: 19.8 inches; W: 6.5 inches) in Tinticum Township, **Delaware County**.

**E15-556.** Encroachment. **PA DOT**, 200 Radnor Chester Rd., St. Davids, PA 19087-5178. To remove a steel girder bridge and to construct and maintain a single-span prestressed concrete spread box beam bridge with a clear span of 50 feet and an underclearance of 9 feet 2 inches on a 76 degree skew. This bridge spans Bucks Run along Park Avenue (SR 3077 Section 67S) (Coatesville, PA Quadrangle N: 12.2 inches; W: 15.75 inches) in East Fallowfield and Highland Townships, **Chester County**.

**E46-787.** Encroachment. **Gambone Brothers**, 1030 W. Germantown Ave., Fairview Village, PA 19409. To divert stormwater runoff into approximately 1,750 feet of storm sewer piping between Cassel Road and the proposed stormwater detention basin located at the southwest corner of the proposed Cassel Mill Farm Residential Subdivision and also to relocate an unnamed tributary of the Skippack Creek (TSF) through approximately 210 linear feet of pipe and approximately 1,425 feet of open channel. This subdivision is located just east of the intersection of Mill Road (SR 4005) and Cassel Road (Collegeville USGS Quadrangle N: 13.2 inches; W: 6.2 inches) in Skippack Township, **Montgomery County**.

*Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.*

**E41-411.** Encroachment. **Hepburn Township Supervisors**, 4350 Bloomingrove Rd., Williamsport, PA 17701. To remove a gravel bar and miscellaneous debris in order to divert approximately 850 feet of Mill Creek from its current bed into the original stream channel. The project is located near the Hepburn Township maintenance building off SR 973 approximately 2 miles northeast of the intersection of SR 973 and US Rt. 15 (Cogan Station, PA Quadrangle N: 11.2 inches; W: 6.0 inches) in Hepburn Township, **Lycoming County**. Estimated stream disturbance is 850 feet of waterway with no wetland impact; stream classification is stocked trout fishery.

**E53-300.** Encroachment. **Pa. Dept. of Transportation**, 1924-30 Daisy St., Clearfield, PA 16830. To remove an existing structure and to construct, operate and maintain a twin cell precast concrete box culvert to carry SR 1011, Seg-offset 0090/0000 across the Genesee River. The twin cell culvert shall be constructed with a span of 20.0 feet, a rise of 7.0 feet and a skew of 90 degrees. The project is located along the eastern right-of-way of SR 0449 approximately 2,000 feet south of the intersection of T-407 and SR 1011 (Ulysses, PA Quadrangle N: 12.7 inches; W: 9.3 inches) in Bingham Township, **Potter County**. Estimated stream disturbance is 85 linear feet of stream with no wetland impact; stream classification is cold water fishery.

*Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**E02-1206.** Encroachment. **North Fayette Township**, 400 North Branch Road, Oakdale, PA 15071. To construct and maintain a 13.0-foot steel plate arch culvert with 6.75 feet of underclearance and a length of 95 feet in an unnamed tributary to North Branch Robinson Run (WWF) and to place and maintain fill in 0.47 acre of wetlands (PEM) for the purpose of accessing a proposed residential development known as Manor at Stonebridge (Oakdale, PA Quadrangle N: 9.4 inches; W: 12.8 inches) in North Fayette Township, **Allegheny County**.

**E02-1207.** Encroachment. **McCandless Township**, 9957 Grubbs Road, Wexford, PA 15090. To place and maintain fill for an approximate distance of 200 feet in the floodway of Rinaman Run (CWF) for the purpose of stabilizing Rinaman Road located 0.9 mile south of intersection of Rinaman Road and Grubbs Road (Emsworth, PA Quadrangle N: 17.2 inches; W: 5.5 inches) in McCandless Township, **Allegheny County**.

**E02-1208.** Encroachment. **McKees Rocks Industrial Enterprises, Inc.**, Nichol Ave., McKees Rocks, PA 15136. To operate and maintain the existing barge docking facility and to construct and maintain a 0.3 dock expansion in the Ohio River (WWF) (McKees Rocks, PA Quadrangle N: 19.7 inches; W: 8.3 inches) in McKees Rocks, **Allegheny County**.

**E03-336.** Encroachment. **PA Department of Transportation**, P. O. Box 429, Indiana, PA 15701. To remove existing structure and to construct and maintain a 3-span bridge with a 47-foot underclearance over the Allegheny River (WWF) located on SR 0128 at the southwest end of Ford City (Kittanning, PA Quadrangle N: 2.1 inches; W: 6.3 inches) in Borough of Ford City, Manor Township and North Buffalo Township.

**E11-256.** Encroachment. **PA Department of Transportation**, 1620 North Juniata Street, Hollidaysburg, PA 16648. To remove the existing bridge and to construct and maintain a prestressed concrete spread box beam bridge having a single normal span of 31.5 feet and a minimum



underclearance of 7.0 feet over Clearfield Creek (WWF); to place and maintain fill in 0.11 acre of PEM wetlands for the purpose of widening the bridge; and to construct and maintain a temporary stream crossing consisting of four 60-inch pipes in Clearfield Creek during construction. The project is located along SR 1005, 150 feet north of its intersection with Township Road T542 (Cresson, PA Quadrangle N: 20.1 inches; W: 14.7 inches) in Allegheny Township, **Cambria County**. The wetland loss will be compensated by Advance Wetland Construction at State Game Lands No. 108.

**E11-257.** Encroachment. **Windber Area Authority**, 1700 Stockholm Ave., Windber, PA 15963-2061. To operate and maintain a 11.5 foot x 7.5 foot corrugated metal arch pipe and one 8-foot diameter CMP installed under Emergency Permit EP1196207. The pipes were installed at one location to provide access to the Windber Area Sewage Treatment Plant (Johnstown, PA Quadrangle N: 1.7 inches; W: 2.2 inches) in Richland Township, **Cambria County**.

**E26-240.** Encroachment. **Redstone Township**, Box 211, Twin Hills Road, Grindstone, PA 15442. To construct and maintain a flood protection project along 1,200 feet of Dunlap Creek (WWF) consisting of sediment removal and fill placement (New Salem, PA Quadrangle N: 12.1 inches; W: 14.3 inches) in Redstone Township, **Fayette County**.

**E65-676.** Encroachment. **South Gate Plaza**, R. R. 2, Golfland Bldg., Belle Vernon, PA 15012. To place and maintain fill in 0.1 acre of wetland (PEM) and to construct and maintain 0.1 acre of wetlands on site as part of proposed commercial development known as South Gate Plaza (Donora, PA Quadrangle N: 11.0 inches; W: 9.5 inches) in Rostraver Township, **Westmoreland County**.

**E02-1209.** Encroachment. **Manorcare Health Services, Inc.**, 11555 Darnestown Road, Gaithersburg, MD 20878. To place and maintain fill in 0.1 acre of wetlands (PEM) for the purpose of constructing an assisted living facility just east of the intersection of Anderson Lane, Wyngate Drive and Tech One Drive (Braddock, PA Quadrangle N: 10.6 inches; W: 4.4 inches) in Monroeville Borough, **Allegheny County**.

**E26-239.** Encroachment. **Friends of George C. Marshall Inc.**, P. O. Box 696, Uniontown, PA 15401. To place and maintain a 26-foot span bridge on existing abutments in Coal Lick Run (WWF) for the purpose of accessing proposed George C. Marshall Memorial Plaza located at the intersection of south and north Mt. Vernon Avenues (Uniontown, PA Quadrangle N: 4.65 inches; W: 14.85 inches) in the City of Uniontown, **Fayette County**.

**E65-677.** Encroachment. **Glimcher Devcor, Inc.**, One Mellon Bank Center, 500 Grant Street, Suite 200, Pittsburgh, PA 15218. To place and maintain fill in 0.42 acre of wetlands (PEM) for the purpose of commercial development located between S.R. 0070 and Finley Road (Donora, PA Quadrangle N: 2.25 inches; W: 10.75 inches) in Rostraver Township, **Westmoreland County**.

## DAM SAFETY

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**D10-064A.** Dam. **Treesdale Golf and Country Club** (One Arnold Palmer Drive, Gibsonia, PA 15044). To modify, operate and maintain Pond No. 1 dam at the Treesdale Golf and Country Club. This dam is located across a Tributary to Breakneck Creek (WWF) (Mars, PA Quadrangle N: 10.1 inches; W: 0.5 inch) in Adams Township, **Butler County**. The dam is currently used for recreation and will also be used for stormwater detention for the remaining phases of the Four Lakes development.

## ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### [National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### (Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Second Floor, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audio tape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

#### Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

*Northcentral Regional Office, 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.*

**Permit No. NPDES PA0115231.** Sewerage. **Woodland Bigler Area Authority**, P. O. Box 27, Woodland, PA 16881. Application has been renewed for facility located in Bradford Township, **Clearfield County**.

**Permit No. NPDES PA0112372.** Sewerage. **Shamokin Street Corporation**, 612 North Shamokin Street,

Shamokin, PA 17872. Application has been renewed for facility located at Shamokin Township, **Northumberland County**.

**Permit No. NPDES PA0020486.** Sewerage. **Bellefonte Borough**, 236 West Lamb Street, Bellefonte, PA 16823. Application has been renewed for facility located at Spring Township, **Centre County**.

**Permit No. NPDES PA0113778.** Sewerage. **Brookside Associates**, 215 West Church Road, Suite 105, King of Prussia, PA 19406-3207. Application has been renewed for facility located at Pleasant View Estates Mobile Home Park in South Centre Township, **Columbia County**.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0222372.** Sewerage. **VFW Post 740**, 10613 Route 98, Edinboro, PA 16412, is authorized to discharge from a facility located in Franklin Township, **Erie County** to an unnamed tributary to Little Elk Creek.

**NPDES Permit No. PA0222372.** Sewerage. **Vernon Township Sanitary Authority** (South Watson Run STP), 10929 Jackson Avenue, Meadville, PA 16335 is authorized to discharge from a facility located in Vernon Township, **Crawford County** to Watson Run.

**WQM Permit No. 2597415.** Sewerage. **Marshall E. Tolley**, SRSTP, 5514 New Perry Highway, Erie, PA 16509. Construction of Marshall E. Tolley SRSTP located in Franklin Township, **Erie County**.

**WQM Permit No. 6197403.** Sewerage. **Heckathorne United Methodist Church**, Box 289AA, Heckathorne Church Road, Seneca, PA 16346. This project is for the construction of a small flow sewage treatment facility to serve the existing church located on Heckathorne Church Road in Cranberry Township, **Venango County**.

**INDIVIDUAL PERMITS**

**(PAS)**

The following approvals for coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by an aggrieved person under The Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

*Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-D100	Ryland Homes 20000 Horizon Way Mt. Laurel, NJ 08054	Northampton Township Bucks County	Mill Creek
PAS10-G209	Hillcrest Associates, Inc. P. O. Box 7958 Newark, DE 19714	New Garden Township Chester County	Bucktoe Creek
PAS10-G266	RML Enterprises, Inc. P. O. Box 7958 Newark, DE 19714	Franklin Township Chester County	Tributary to East Branch White Clay Creek
PAS10-G275	Shared Medical Systems Corporation 51 Valley Stream Parkway Malvern, PA 19355	East Whiteland Township Chester County	Valley Creek

*Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10U071	Saucon Valley School District 1050 South Main Street Hellertown, PA 18055	Northampton County Lower Saucon Township	Polk Valley Run
PAS10U073	Lehigh Valley Industrial Park, Inc. 100 Brodhead Road Suite 160 P. O. Box 20305 Lehigh Valley, PA 18002-0305	Northampton County Bethlehem Township	Monocacy Creek

*Southcentral Regional Office, Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, (717) 657-4590.*

**PAS-10-0020.** Individual NPDES. **Herrs Ridge Development Corp.**, P. O. Box 3234, Gettysburg, PA 17325. To Implement an Erosion and Sedimentation Control Plan for construction of a residential development on 107 acres in Cumberland Township, **Adams County**. The project is

**oment Corp.**, P. O. Box 3234, Gettysburg, PA 17325. To Implement an Erosion and Sedimentation Control Plan for construction of a residential development on 107 acres in Cumberland Township, **Adams County**. The project is

located on both sides of Herra Ridge Road just north of S. R. 0116 (Fairfield, PA Quadrangle N: 13.2 inches; W: 3.7 inches). Drainage will be to tributaries to Marsh Creek and Willoughbyn Run.

**PAS-10-0069.** Individual NPDES. **Green Leaf Enterprises, Inc.**, 17 West Main Street, Leola, PA 17540. To Implement an Erosion and Sedimentation Control Plan for the construction of a farm/wholesale nursery including parking, greenhouses and stormwater facilities on 42.085 acres in East Lampeter Township, **Lancaster County**. The project is located along the north side of S. R. 340, and on the west side of the Mt. Sidney Road intersection with the Philadelphia Pike (Leola, PA Quadrangle N: 7.5 inches; W: 12.3 inches). Drainage will be to Mill Creek.

**PAS-10-C033.** Individual NPDES. **Conrad Weiser Area School District**, 347 East Penn Avenue, Robesonia, PA 19551-8948. To Implement an Erosion and Sedimentation Control Plan for the construction of a high school complex on 96 acres in Heidelberg and Lower Heidelberg Townships, **Berks County**. The project is located on the west side of Big Spring Road (T-510) approximately 600 feet north of Route 422 (Sinking Spring, PA Quadrangle N: 18.2 inches; W: 16.9 inches). Drainage will be to Furnace Creek.

**INDIVIDUAL PERMITS  
(PAR)**

**Approvals to Use NPDES and/or Other General Permits**

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

*List of NPDES and/or other  
General Permit Type*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

*General Permit Type—PAG 2*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Straban Twp. Adams County	PAR-10-0055	Richard Lambert 673 Latimore Valley Road York Springs, PA 17372	Beaver Dam Creek	Adams County CD 57 North Fifth St. Gettysburg, PA 17325 (717) 334-0636
Straban Twp. Adams County	PAR-10-0043	Caldwell Development Co. 434 North Front Street Wormleysburg, PA 17043	Rock Creek	Adams County CD 57 North Fifth St. Gettysburg, PA 17325 (717) 334-0636
East Hanover Twp. Dauphin County	PAR-10-I129	99th Regional Support CMD Bldg. 176, NAS Willow Grove, PA 19090	Manada Creek	Dauphin CCD 1451 Peters Mt. Road Dauphin, PA 17018 (717) 921-8100

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
East Cocalico Twp. Lancaster County	PAR-10-O232	J. Roy Wise P. O. Box 125 Bowmansville, PA 17507	UNT Little Muddy Creek	Lancaster CCD 1383 Arcadia Road Room 6 Lancaster, PA 17601 (717) 299-5261
Manheim Township Lancaster County	PAR-10-O268	Montessori Academy of Lancaster 1460 Edem Road Lancaster, PA 17601	UNT Little Conestoga Creek	Lancaster CCD 1383 Arcadia Road Room 6 Lancaster, PA 17601 (717) 299-5361
Lititz Borough Lancaster County	PAR-10-O269	Luther Care 600 E. Main Street Lititz, PA 17543	Lititz Run	Lancaster CCD 1383 Arcadia Road Room 6 Lancaster, PA 17601 (717) 299-5361
Dillsburg Borough York County	PAR-10-Y264	Autumn Woods Townhouses 503 Bridge Street New Cumberland, PA 17070	Fisher Run	York CCD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Windsor Twp. York County	PAR-10-Y273	Locust Grove Estates Attn: A&A Ltd. Partnership 890 Windsor Road York, PA 17402	Kreutz Creek	York CCD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Hallam Borough York County	PAR-10-Y269	Haines Farm Joint Venture 37 W. Market Street York, PA 17401	Kreutz Creek	York CCD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Penn Township York County	PAR-10-Y275	Hanover Foods Corp. P. O. Box 334 Hanover, PA 17331	Oil Creek	York CCD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Silver Spring Twp. Cumberland County	PAR-10-H131	Evergreen Subdivision Max Marbain 2933 Arcona Road Mechanicsburg, PA 17055	Trindle Spring Run	Cumberland CCD 43 Brookwood Ave. Suite 4 Carlisle, PA 17013 (717) 240-7812
Luzerne County Dupont Borough	PAR10R124	Insalaco Development Group 490 N. Main Street Pittston, PA 18640	Mill Creek to Susquehanna	Luzerne County Conservation District Smith Pond Road P. O. Box 250 Lehman, PA 18627 (717) 674-7991
Luzerne County Dallas Township	PAR10R125	Dallas School District P. O. Box 2000 Dallas, PA 18612	Toby Creek	Luzerne County Conservation District Smith Pond Road P. O. Box 250 Lehman, PA 18627 (717) 674-7991
Northampton County Forks, Lower Mt. Bethel, Washington and Upper Mt. Bethel Townships	PAR10U075	Columbia Gas Transmission Corp. 525 Highlands Blvd. Suite 100 Coatesville, PA 19320	Various	Northampton County Conservation District R. R. 4 Greystone Building Nazareth, PA 18064 (610) 746-1971
Monroe County Smithfield Township				

NOTICES

5531

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Middletown Township Delaware County	PAR10-J103	Herbert T. Sweeney, Jr. 308 Dutton Mill Road Brookhaven, PA 19015-1197	Chester Creek	Southeast Region Office Regional Water Mgt. Program Manager Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Horsham Township Montgomery County	PAR10-T382	Liberty Property Limited Partnership 65 Valley Stream Parkway Great Valley CorporateCenter Malvern, PA 19355	Tributary to Pennypack Creek	Southeast Region Office Regional Water Mgt. Program Manager Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Silver Spring Twp. Cumberland County	PAS-10-H078	Fry Communications, Inc. 800 W. Church Rd. Mechanicsburg, PA 17055	Hogestown Run	DEP Southcentral Region Office 1 Ararat Blvd. Harrisburg, PA 17110-9333 (717) 657-4590
Silver Spring Twp. Cumberland County	PAS-10-H077	Harold Stoner 25 Iron Gate Court Mechanicsburg, PA 17055	Trindle Spring Run	DEP Southcentral Region Office 1 Ararat Blvd. Harrisburg, PA 17110-9333 (717) 657-4590
North Cornwall Twp. Lebanon County	PAG-08-3503	City of Lebanon Auth. 250 Dairy Road Lebanon, PA 17042		DEP Southcentral Region Office 1 Ararat Blvd. Harrisburg, PA 17110-9333 (717) 657-4590
North Annville Twp. Lebanon County	PAG-08-3504	Annville Twp. WWTP P. O. Box 320 Annville, PA 17003		DEP Southcentral Region Office 1 Ararat Blvd. Harrisburg, PA 17110-9333 (717) 657-4590
Springettsbury Twp. York County	PAG-08-3505	Springettsbury Twp. 3501 North Sherman St. York, PA 17402-9719		DEP Southcentral Region Office 1 Ararat Blvd. Harrisburg, PA 17110-9333 (717) 657-4590

*General Permit Type—PAG 3*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lehigh County City of Allentown	PAR122204	The Pillsbury Company 2132 Downyflake Lane Allentown, PA 18103	Unnamed Trib. to Trout Creek	Northeast Regional Office, Regional Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2554

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lackawanna County Taylor Borough	PAR502206	Environmental and Recycling Services 1100 Union Street Taylor, PA 18517	Saint Johns Creek	Northeast Regional Office, Regional Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2554
Berks County Leesport Borough	PAR803579	BFI Waste System of North America, Inc. P. O. Box 197 Leesport, PA 19533	Unnamed Quarry	Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 (717) 657-4590
Franklin County	PAR143506	Fort James Operating Company 1002 Wayne Avenue Chambersburg, PA 17201	UNT to Conococheague Creek	Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 (717) 657-4590
Franklin County Waynesboro Borough	PAR113543	York International/Frick Co. 100 CV Avenue Waynesboro, PA 17268-0997	Antietam Creek	Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 (717) 657-4590
Lancaster County East Hempland Township	PAR233533	Air Products & Chemicals Inc. 3250 Hempland Road Lancaster, PA 17601-1314	W. Branch/Little Conestoga Creek	Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 (717) 657-4590
Lancaster County Upper Leacock Township	PAR223523	H. M. Stauffer & Sons, Inc. 33 Glenola Drive Leola, PA 17540	Storm Sewer	Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 (717) 657-4590
York County Spring Garden Township	PAR143522	Yorktowne Paper Mills Inc. 1001 Loucks Mill Rd. York, PA 17405	Mill Creek/Codorus Creek	Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 (717) 657-4590
Berks County Maidencreek Township	PAR323510	FCP, Inc. Excelsior Industrial Park P. O. Box 99 Blandon, PA 19510-0099	Municipal Storm Swale	Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 (717) 657-4590
Cameron Co. Emporium Boro	PAR224813	International Paper Emporium 9 Green Street Augusta, Maine 04330	Driftwood Br. Sinnemahoning Ck.	Northcentral Regional Office 208 W. Third Street Suite 101 Williamsport, PA 17701-6448 (717) 327-3664
Columbia County Town of Bloomsburg	PAR204819	Kawneer Co Onc 500 E 12th Street Bloomsburg, PA 17815	Neals Run to Susquehanna	Northcentral Regional Office 208 W. Third Street Suite 101 Williamsport, PA 17701-6448 (717) 327-3664
Lycoming Co. Williamsport	PAR704807	Milestone Materials Inc. Williamsport HMA Plantsite 3485 West Fourth St. Williamsport, PA 17701	Daugherty Run	Northcentral Regional Office 208 W. Third Street Suite 101 Williamsport, PA 17701-6448 (717) 327-3664

NOTICES

5533

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Clinton Co. Beach Creek Twp.	PAR144802	Armstrong World Industries P. O. Box 405 150 Main St. Beech Creek, PA 16822	Beech Creek	Northcentral Regional Office 208 W. Third Street Suite 101 Williamsport, PA 17701-6448 (717) 327-3664
Indiana County Center and Brush Valley Townships	PAR406103	Sanifill of Pennsylvania, Inc. P. O. Box 195 Coral, PA 15731	Drainage ditch that discharges to Laurel Run and unnamed tributary of Laurel Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Westmoreland County Hempfield Township	PAR326110	Commercial Asphalt Products Co. Division of Commercial Stone Co. 2200 Springfield Pike Connellsville, PA 15425	Unnamed tributary to Little Sewickley Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Westmoreland County Unity Township	PAR206136	Industrial Process Equipment Corp. R. D. 2, Box 318A Donahue Road Latrobe, PA 15650	Unnamed tributary to Fourmile Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG 4*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Clearfield Co. Bradford	PAG044946	Kevin Jordan 1237 Turnpike Ave. Clearfield, PA 16830	Forcey Run	Northcentral Regional Office 208 W. Third Street Suite 101 Williamsport, PA 17701-6448 (717) 327-3664
Franklin Twp. Erie City	PAG048454	Marshall E. Tolley 5514 New Perry Hgwy. Erie, PA 16509	Unnamed Tributary of Cussewago Creek	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942

*General Permit Type—PAG 5*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Penn Hills Township	PAG056108	Amoco Oil Company EH&S LM—Remediation Serv. 1 West Pennsylvania Avenue Towson, MD 21204	Duff's Run to Chalfant Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Strattanville Borough Clarion County	PAG058311	Doug Juras Unocal AMG 2410 South Commerce Walled Lake, MI 48390-2129	Unnamed Tributary to Douglas Run	DEP Water Management Northwest Region 230 Chestnut St. Meadville, PA 16335 (814) 332-6942

## SEWAGE FACILITIES ACT

### PLAN APPROVAL

#### Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

*Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Blvd., Harrisburg, PA 17110.*

Location: Oxford Township, **Adams County**, P. O. Box 86, New Oxford, PA 17350.

The approved plan provided for construction of an interceptor, gravity and low pressure collection system that will connect to the **New Oxford Municipal Authority** sewage treatment plant. The service area includes Oxford Meadows, Mt. Misery and Irishtown. The remainder of Township will utilize On-lot Disposal System (OLDS) Management. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Location: **Pike Township, Berks County**, 112 Oysterdale Rd., Boyertown, PA 19512.

The approved plan provided for continued use of individual on-lot disposal system (OLDS), more stringent planning requirements in the Exceptional Value (EV) Pine Creek watershed and in elevated nitrate areas surrounding Piketown Village. The Township will conduct an OLDS education and voluntary maintenance program, with a provision for mandatory OLDS management in 3 years if voluntary does not achieve compliance. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Location: Lyons Borough, **Berks County**, P. O. Box 230, Lyons Station, PA 19536.

The approved plan provided for expansion of the **Lyons Borough Municipal Authority** sewage treatment plant capacity to .2 mgd from .15 mgd. The additional capacity is to provide treatment capacity for future sewer service to Bowers area of Maxatawny Township. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southeast Regional Office, Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**Permit No. 4697501.** Public water supply. **Red Hill Water Authority**, P. O. Box 26, Red Hill, PA 18076. A permit has been issued granting Red Hill Water Authority permission to construct well No. 3 in Upper Hanover Township, **Montgomery County**.

*Type of Facility:* Public Water Supply

*Consulting Engineer:* Tatman and Lee Associates, 171 South Main Street, Doylestown, PA 18901.

*Permit to Construct Issued:* October 2, 1997

*Northeast Regional Office, Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Permit No. 4896503. East Allan Township Municipal Authority**, 5344 Nor-Bath Boulevard, Northampton, PA 18067-9062, Charles Wert, Chairperson. This proposal involves the permittee of two water distribution systems known as EastAllan Estates/Delaware Trace already interconnected to the City of Bethlehem. The extension of this system (via a transmission line) to the Victoria Square (VS) Development (with distribution piping), and the additional transmission extension to the Spring Lake Village (SLV) Development (with distribution piping). SLV will also require a booster pump station for adequate pressure. All wells in VS and SLV will be abandoned. This is located in **Northampton County**.

*Permit to Operate:* September 29, 1997.

**Permit No. 5296503. Moon Valley Falls, J. Wares, Inc.**, Robert H. Miller, President, R. R. 4, Box 8095, Milford, PA 18337. This proposal involves the addition of well No. 4 to an existing public water supply system serving Moon Valley Falls. Treatment consists of disinfection and iron and manganese sequestering. Distribution storage is proposed. It is located in Milford Township, **Monroe County**.

*Permit to Operate:* October 6, 1997.

**Permit No. 4897501. Portland Borough Authority**, P. O. Box 572, Portland, PA 18351. William Godshalk, Authority Chairperson. This proposal involves the construction of well #3 as an additional source of supply to the system and construction of transmission mains: interconnecting the existing 10 inch DIP main to Portland to the existing 8 inch CIP main to Slateford and connecting the proposed well #3 to the CIP main with flow reversed to the control/treatment building.

*Permit to Operate:* September 29, 1997.

*Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. 1795507.** The Department issued an operating permit to **Riviera Utilities Water Company of PA, Inc.**, 487 Treasury Lake, DuBois, PA 15801 (Sandy Township, **Clearfield County**) for operation of Well N-32, chemical treatment and transmission line.



## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 3

**The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final report:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Rhoads Metals Fabrication & Maintenance Services, Inc.**, Lower Moreland Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, Suite 500, 401 City Avenue, Bala Cynwyd, PA 19004, has submitted a Final Report concerning remediation of site soil contaminated with lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons and groundwater contaminated with solvents and BTEX. The report is intended to document remediation of the site to meet the Statewide health standard for soil and background standard for groundwater.

## SOLID AND HAZARDOUS WASTE

### LICENSE TO TRANSPORT HAZARDOUS WASTE

**Renewal Licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**R.G.M. Liquid Waste Removal Corp.**, 972 Nicolls Road, Deer Park, NY 11729; Lic. No. **PA-AH S005**; renewal license issued October 7, 1997.

**Licenses expired under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Aptus, Inc.**, Highway 169 North, P. O. Box 1328, Coffeyville, KS 67337; License No. **PA-AH 0304**; license expired on September 30, 1997.

**Howell Transportation Co., Inc.**, 24 Featherbed Court, Lawrenceville, NJ 08648; License No. **PA-AH 0497**; license expired on September 30, 1997.

### BENEFICIAL USE DETERMINATIONS

**Application withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.**

*Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.*

**Bethlehem Steel Corp.**, 1170 Eighth Avenue, Bethlehem, PA 18016-7699. An application for the use of iron pyrite material (IPM) as an aggregate subbase for roadways and parking lots. The application has been withdrawn by the applicant. The Department review was terminated on October 8, 1997.

### RESIDUAL WASTE PROCESSING FACILITIES

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.*

**Permit No. 301303. Wyeth-Ayerst Laboratories**, P. O. Box 861, Paoli, PA 19301 was issued a permit to renew their continuing operation of a captive residual waste incineration facility located in East Whiteland Township, **Chester County**. Operations originally approved under Permit No. 400516 have been renewed in their entirety under Permit No. 301303 and Permit No. 400516 will be revoked. Permit No. 301303 was issued by the Southeast Regional Office on October 9, 1997.

**Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428.*

**Permit No. 400516. Wyeth-Ayerst Laboratories**, P. O. Box 861, Paoli, PA 19301 was revoked by the Southeast Regional Office on October 9, 1997. Operations of the captive waste incineration facility originally ap-

proved under Permit No. 400516 have been renewed in their entirety under Permit No. 301303 issued on October 9, 1997. With the issuance of Permit No. 301303, Permit No. 400516 is no longer necessary and has been revoked.

**Applications denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**A. 301290. Cherokee Bio Technology, Inc.,** P. O. Box 1901, West Chester, PA 19380. This permit application for a petroleum contaminated soil processing facility to be located in the City of Chester, **Delaware County** was denied because of major technical deficiencies. Permit application denied in the Southeast Regional Office October 6, 1997.

**OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Applications denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**A. 400483. New Hanover Incineration, Inc.,** 2645 Church Road, Perkiomenville, PA 18074, New Hanover Township, **Montgomery County**. Application for a modification of the waste permit to expand the existing infectious waste incineration facility was denied by the Southeast Regional Office September 29, 1997.

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2516.*

**Permit I. D. No. 101615. Commonwealth Sanitary Landfill, Commonwealth Environmental Systems, L. P.,** P. O. Box 249, Dunmore, PA 18512. An approval for a major permit modification for design changes, which include revised basegrades/leachate collection zone; deletion of the Geomembrane Composite Liner from secondary liner systems, liner revisions; addition of Rusmar Foam AC-667-SE; onsite soil processing plant; onsite cover soil; gas management plan; scrap metal baler and rearrangement of landfill facilities at the SW corner, at this municipal waste landfill, located in Foster Township, **Schuylkill County**. The major permit modification was approved in the Regional Office on October 1, 1997.

**Permits terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.**

*Northcentral Regional Office, Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.*

**Permit No. 300875. Kenneth Hoover Farm, Leprino Foods Company** (400 Leprino Avenue, Waverly, NY 14892-1384). Permit for solid waste land application in Athens Township, **Bradford County**, has been terminated, at the request of the applicant, in the Regional Office as of October 7, 1997.

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**Permit ID No. 100172. Arden Landfill, William H. Martin, Inc.,** Park West Two, Suite 420, 2000 Cliff Mine Road, Pittsburgh, PA 15275. Operation of a municipal solid waste landfill in Chartiers Township, **Washington County**. Major modification for changes to liner system, base grades and final cover grades, additional soil borrow area, additional haul road, revised specifications to geotextile and revised bond liability issued in the Regional Office on October 3, 1997.

**PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE**

**INFECTIOUS OR CHEMOTHERAPEUTIC WASTE**

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Pinnacle Health Hospitals,** 111 South Front Street, Harrisburg, PA 17101; License No. **PA-HC 0083**; renewal license issued October 8, 1997.

**York Waste Disposal, Inc.,** P. O. Box 1401, York, PA 17405-1401; License No. **PA-HC 0057**; renewal license issued October 8, 1997.

**AIR POLLUTION**

**PLAN APPROVALS**

**Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Regional Office, Air Quality Program, One Ararat Blvd., Harrisburg, PA 17110, (717) 657-4587.*

**06-1040B: East Penn Mfg. Co., Inc.** (P. O. Box 147, Lyon Station, PA 19536) issued September 29, 1997, for the construction of a rotary scrap dryer controlled by a fabric collector and wet scrubber at their Smelter Plant in Richmond Township, **Berks County**. This source is subject to 40 CFR 63, Subpart X, National Emission Standards for Hazardous Air Pollutants.

**67-320-022A: Fry Communications, Inc.** (800 West Church Road, Mechanicsburg, PA 17055) issued September 30, 1997, for the modification of a two-web, eight-unit

offset press, "ATF-1", with two heatset dryers, controlled by a catalytic incinerator (TEC HXC 4000) in Manchester Township, **York County**.

**67-320-022B: Fry Communications, Inc.** (800 West Church Road, Mechanicsburg, PA 17055) issued September 30, 1997, for the modification of a two-web, eight-unit offset press, "ATF-2", with two heatset dryers, controlled by a catalytic incinerator (TEC CRPC-15) in Manchester Township, **York County**.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-63-876A: Twilight Industries** (212 State Street, Belle Vernon, PA 15012) issued September 18, 1997, for the operation of a coal staging/processing facility at the Hawkins II Surface Mine in Somerset Township, **Washington County**.

**PA-65-788C: Sony Electronics, Inc.** (1001 Technology Drive, Mt. Pleasant, PA 15666) issued October 2, 1997, for the operation of a Cup Kewanee Boiler #3 at the Pittsburgh Manufacturing Center in Mt. Pleasant Township, **Westmoreland County**.

**PA-03-206A: Rosebud Mining Company** (RR 1, Box 379A, Kittanning, PA 16201) issued October 2, 1997, for the operation of a coal preparation facility located at the Tracy Lynne Mine in Kiskiminetas Township, **Armstrong County**.

**PA-11-332A: Cambria CoGen Company** (7201 Hamilton Boulevard, Allentown, PA 18195) issued October 2, 1997, for the operation of a selective noncatalytic reduction system on the boilers in Cambria Township, **Cambria County**.

**Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contaminant sources or air cleaning devices.**

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-03-198A: Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001) for the operation of a portable coal crusher at their Huskins Run Crusher facility in Cowanshannock Township, **Armstrong County**.

**04-313-065A: Nova Chemicals, Inc.** (400 Frankfort Road, Monaca, PA 15061) for the operation of a Pentane Emission Reduction System and baghouse on the Dylite Unit at the Beaver Valley Plant in Potter Township, **Beaver County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

#### MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19(a)); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); The Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits

issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### Coal Applications Issued

**1-02710-56900112-05.** Stream encroachment application. **Future Industries, Inc.** (P. O. Box 157, Meyersdale, PA 15552), a variance is being requested on the 100' barrier of Stony Batter Run beginning at a point approximately 7,000' south of its confluence with the Casselman River and extending southward for a distance of approximately 600' on the east side of the stream. The variance area will extend to within 30' of the stream. The variance areas have been delineated on the Exhibit 9 and 18 maps, plus a land use change from forestland to wildlife habitat—receiving streams Stony Batter Run and Shaffer Run. Application received May 6, 1997. Issued October 10, 1997.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

**03960109. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Permit issued for commencement, operation and reclamation of a bituminous surface mine with a coal preparation plant/processing facility located in Valley Township, **Armstrong County**, affecting 113.0 acres. Receiving streams: one unnamed tributary to Laurel Run, Laurel Run. Application received: April 15, 1997. Permit issued: October 3, 1997.

**02910101R. Cherep's Excavating** (9742 Saltsburg Road, Pittsburgh, PA 15239-2126). Renewal issued for reclamation only of a bituminous surface mine located in Plum Borough, **Allegheny County**, affecting 71.5 acres. Receiving streams: unnamed tributaries to Pucketa Creek. Application received: September 17, 1997. Renewal issued: October 6, 1997.

**26970102. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Saltlick Township, **Fayette County**, affecting 93.5 acres. Receiving streams: unnamed tributary "A" to Poplar Run and unnamed tributary "A" to Indian Creek. Application received: March 26, 1997. Permit issued: October 7, 1997.

**02970101. Robinson Coal Company** (200 Neville Road, Neville Island, PA 15225). Permit issued under Financial Guarantees Program for commencement, operation and reclamation of a bituminous surface mine located in North Fayette Township, **Allegheny County**, affecting 88 acres. Receiving streams: unnamed tributary to North Branch Robinson Run, North Branch Robinson Run, Robinson Run, Chartiers Creek and Ohio River. Application received: May 30, 1997. Permit issued: October 9, 1997.

**04970101. Kerry Coal Company** (P. O. Box 19, Portersville, PA 16051). Permit issued under Financial Guarantees Program for commencement, operation and reclamation of a bituminous surface mine located in Darlington Township, **Beaver County**, affecting 316.6 acres. Receiving streams: unnamed tributary to Coalbank Run, unnamed tributaries to North Fork Little Beaver Creek, unnamed tributaries to Dillworth Run. Application received: March 12, 1997. Permit issued: October 10, 1997.

**26950102. Bridgeview Coal Company** (Route 40, Box 257, Farmington, PA 15437). Permit revised to change land use from forestland to pastureland/land occasionally cut for hay at a surface mining site located in Wharton Township, **Fayette County**, affecting 221 acres. Application received: June 16, 1997. Revision issued: October 10, 1997.

**26-97-01. M & Y Services, Inc.** (P. O. Box 9, Uniontown, PA 15401). No Cost Contract issued for the removal and reclamation of an entire abandoned coal refuse deposit located in German Township, **Fayette County**, affecting 8.6 acres. Receiving streams: unnamed tributary to Middle Run. No Cost Contract Application received: February 24, 1997. No Cost Contract Issued: October 14, 1997.

*McMurray District Office*

**17921604. Waroquire Coal Co.** (P. O. Box 128, Clearfield, PA 16830), to revise the permit for the Truck Tipple in Lawrence Township, **Clearfield County** to add 4 permit acres and enclose 380' of stream, no additional discharges. Permit issued October 8, 1997.

**11860701. Cooney Bros. Coal Co.** (Box 246, Cresson, PA 16630), to renew the permit for the Somman Refuse in Portage Township, **Cambria County**, no additional discharges. Permit issued October 9, 1997.

**11860701. Cooney Bros. Coal Co.** (P. O. Box 246, Cresson, PA 16630), to revise the permit for the Sonman Refuse in Portage Township, **Cambria County** to add 6 permit acres, no additional discharges. Permit issued October 9, 1997.

**32951301. CRG Group** (P. O. Box 386, Youngstown, PA 15695), to transfer the permit for the Burrell Deep Mine in Burrell Township, **Indiana County**, from Marquise Mining Corp. and revise the surface facilities, no additional discharges. Permit issued October 9, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**49910202RC. Split Vein Coal Co., Inc.** (R. R. 1, P. O. Box 1027, Paxinos, PA 17860), correction and renewal of an existing coal refuse reprocessing operation to add surface mining, affecting 191.0 acres, receiving stream—none. Correction and renewal issued October 9, 1997.

**49950202. Gilberton Coal Company** (Gilberton, PA 17934), commencement, operation and restoration of a coal refuse reprocessing operation in Mt. Carmel Township, **Northumberland County** affecting 142.0 acres, receiving stream—none. Permit issued October 9, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**7973SM2C4. Better Materials, Corporation** (P. O. Box 196, Penns Park, PA 18943), renewal of NPDES Permit # PA0043901 in Wrightstown Township, **Bucks County**, receiving stream—unnamed tributary to Neshaminy Creek. Renewal issued October 6, 1997.

**06970301. John T. Dyer Quarry** (R. D. 3, Box 188, Birdsboro, PA 19508), commencement, operation and restoration of a quarry operation in Robeson Township, **Berks County** affecting 58.5 acres, receiving stream—none. Permit issued October 8, 1997.

**48970301. Eastern Industries, Inc.** (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), commencement, operation and restoration of a quarry operation in Upper Mount Bethel Township, **Northampton County** affecting 164.75 acres, receiving stream—Jacoby Creek. Permit issued October 8, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*General Small Noncoal Authorizations Granted*

**58970836. Stanley Bennett** (R. R. 4, Box 121C, Montrose, PA 18801), commencement, operation and restoration of a small bluestone quarry operation in Rush Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Authorization granted October 6, 1997.

**58970862. Samuel Clapper** (R. R. 2, Box 714, Convent Street, Susquehanna, PA 18847), commencement, operation and restoration of a small bluestone quarry operation in Oakland Township, **Susquehanna County** affecting 3.0 acres, receiving stream—none. Authorization granted October 9, 1997.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Coal Applications Denied*

**54881303R. Potts Contracting Co., Inc.** (RR 4, Box 350, Pine Grove, PA 17963), renewal of an existing deep mine operation in Tremont Township, **Schuylkill County** affecting 1.1 acres, receiving stream—Swatara Creek. Application received May 7, 1993. Renewal denied October 7, 1997.

## ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).**

*Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E46-414.** Encroachment Permit. **Pennsylvania Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To reissue and amend Permit No. E46-414 for the extension and maintenance of an existing 10-foot by 5-foot box culvert which exists under Horsham Road (S. R. 0463) and along a tributary to Park Creek. Work also includes: 1. Extend the Horsham Roadway culvert by 15 feet on the upstream end and 45 feet on the downstream end. 2. To construct and maintain a concrete retaining wall associated with the culvert's outlet structure. 3. To extend by 85 linear feet an existing 36-inch R.C.P. stream enclosure. The site is located approximately 434 feet southeast from the intersection of Babylon and Horsham Roads (Ambler, PA Quadrangle N: 13.6 inches; W: 5.9 inches) in Horsham Township, **Montgomery County**.

**E09-743.** Encroachment Permit. **Borough of Doylestown**, 57 West Court Street, Doylestown, PA 18901. To improve the North Street stormwater management facilities in and along a tributary to Cooks Run (WWF, MF). This work will include the following: 1. To remove the existing culverts and enclosures between Swamp Road (S. R. 313) and Fonthill Drive. 2. To install and maintain stream enclosures consisting of: a. 851 linear feet of twin 30-inch diameter HERCP stream enclosure and associated swaling, being just downstream from S. R. 313 to point 190 linear feet, upstream from Fonthill Drive. (Roadway culverting described separately). b. 57 linear feet of twin 38-inch by 24-inch HERCP culvert under Chapman Avenue. c. 27 linear feet of twin 30-inch CPP culvert under Mercer Avenue. 3. To install and maintain 50 linear feet of 6.5 foot by 2.5 foot concrete box culvert under Fonthill Drive. 4. To modify the stream channel approximately 190 linear feet, upstream from the proposed Fonthill Drive culvert. This project is located approximately 1,400 feet southeast from the intersection of Route 313 and Route 611 (Doylestown, PA Quadrangle N: 13.5 inches; W: 0.3 inch) Doylestown Borough, **Bucks County**.

*Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.*

#### Permits

**E40-455.** Encroachment. **Kenneth J. Skuba**, 107 Conyngham Crest Drive, Sugarloaf, PA 18249. To excavate and to place fill within approximately 0.6 acre of wetlands for the purpose of preparing a 6.3-acre site for future development. The project is located on the east side of S. R. 0309, approximately 3,000 feet north of S. R. 0080 (Freeland, PA Quadrangle N: 11.3 inches; W: 12.2 inches) in Butler Township, **Luzerne County**.

**E45-324.** Encroachment. **Pennsylvania Department of Transportation, Engineering District 5-0**, 1713 Lehigh Street, Allentown, PA 18103-4727. Giving its consent to maintain a concrete, open bottom arch stream enclosure having a length of approximately 245 l. f. in Forest Hills Run. This stream enclosure was modified using Emergency Permit No. EP4597401 to authorize pouring a concrete channel along the stream bed to interlock with the existing abutments to prevent further scour of the stream bed and abutments while preserving the structural integrity of the structure. The arch stream enclosure has a span of 8.5 feet and a minimum underclearance of approximately 7.3 feet measured from

the top of the 8-inch high concrete fish baffles. The project is located along S. R. 0611, Section 07M, approximately 0.9 mile south of its intersection with S. R. 0940 (Mount Pocono, PA Quadrangle N: 21.0 inches; W: 13.8 inches) in the Borough of Mount Pocono, **Monroe County**.

**E45-325.** Encroachment. **Pocono Property Finders, Inc.**, R. R. 5, Box 5234, East Stroudsburg, PA 18301. To place fill in a de minimis area of wetlands less than or equal to 0.05 acre for the purpose of constructing a gravel driveway and lawn area for a proposed single family dwelling on Lot 57, Section 1 of Lake of the Pines Residential Subdivision. The project is located approximately 1 mile southwest of the intersection of S. R. 1016 and S. R. 0209 (Bushkill, PA-NJ Quadrangle N: 13.1 inches; W: 6.1 inches) in Middle Smithfield Township, **Monroe County**.

**E48-244.** Encroachment. **Saucon Valley Square L. P.**, 961 Marcon Boulevard, Allentown, PA 18103. To place fill in approximately 0.18 acre of wetlands for the purpose of constructing a commercial building and widening S. R. 0378 for the proposed Saucon Valley Square Shopping Center. The project is located between S. R. 0078 and S. R. 0378, south of Township Road T411 (West Raders Lane) (Allentown East, PA Quadrangle N: 15.5 inches; W: 1.5 inches) in Lower Saucon Township, **Northampton County**. The permittee is required to provide 0.10 acre of replacement wetlands onsite and by participating in the Pennsylvania Wetland Replacement Project for 0.08 acre.

**E54-234.** Encroachment. **Schuylkill County Commissioners**, 401 North 2nd Street, Pottsville, PA 17901. To repair and maintain a concrete arch bridge, County Bridge No. 105, having a span of approximately 100 feet and a maximum underclearance of 10.5 feet across Mill Creek. Repairs consist of the removal and replacement of sidewalks, the placement of riprap along the abutments and minor concrete work on spalled areas. This project is located along Acre Street, 100 feet upstream of S. R. 0209 (Pottsville, PA Quadrangle N: 12.6 inches; W: 5.6 inches) in the Borough of Port Carbon, **Schuylkill County**.

**E64-179.** Encroachment. **Kenneth Love**, P. O. Box 147, Narrowsburg, NY 12764. To excavate 0.62 acre of wetlands for the construction of a pond. This project is located along the east side of Township Road T-624 (Atco Road), 0.2 mile north of Township Road T-517 (Mohr Road) (Damascus, PA Quadrangle N: 1.4 inches; W: 11.7 inches) in Damascus Township, **Wayne County**. The permittee is required to provide 1.24 acres of replacement wetlands to resolve a violation on this previously constructed pond.

**E66-112.** Encroachment. **Preston D. Funk**, R. R. 2, Box 181F, Mehoopany, PA 18629. To construct and maintain a private footbridge across White Brook having a single span of 26.0 feet and an underclearance of approximately 6.0 feet. The project is located 200 feet upstream from S. R. 3001 (Dutch Mountain, PA Quadrangle N: 22.5 inches; W: 1.0 inch) in Forkston Township, **Wyoming County**.

*Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1195.** Encroachment. **Ben Avon Borough**, 7101 Church Avenue, Ben Avon, PA 15202. To remove the existing bridge, to construct and maintain a metal arch culvert having a span of 15.7 feet and an underclearance of 8.0 feet and to construct and maintain gabion walls on the upstream and downstream sides of the culvert in

Spruce Run. The project is located on Spruce Run Road at the intersection of Spruce Run Road and Strugeon Street, Spruce Run Bridge No. 2 (Emsworth, PA Quadrangle N: 1.0 inch; W: 11.0 inches) in Ben Avon Borough, **Allegheny County**.

**E11-251.** Encroachment. **Cambria County Commissioners**, Cambria County Courthouse, P. O. Box 269, Ebensburg, PA 15931. To remove the existing structure, to construct and maintain a 1-foot depressed 22.0-foot x 7.0-foot concrete box culvert in Little Conemaugh River, to construct and maintain an outfall channel downstream of the proposed culvert, to place and maintain R-7 rock riprap along the banks of Little Conemaugh River for a distance of 50.0 feet upstream and 62.5 feet downstream of the proposed culvert for bank stabilization and to place and maintain fill in 0.1 acre of wetlands for the purpose of widening T-434. This permit also authorizes 0.16 acre of replacement wetlands adjacent to the project area. The project is located on T-434, Station 14+44.44 (Cresson, PA Quadrangle N: 10.8 inches; W: 17.1 inches) in Washington Township, **Cambria County**.

**E11-252.** Encroachment. **Cambria County Commissioners**, P. O. Box 269, Cambria County Courthouse, Ebensburg, PA 15931. Remove the existing structure, to construct and maintain a single span bridge having a normal span of 84.7 feet and an underclearance of 11.5 feet across North Branch Blacklick Creek and to place and maintain fill in a de minimis area of wetlands less than or equal to 0.05 acre for the purpose of improving transportation safety and roadway standards. This permit also authorizes the construction and maintenance of a temporary roadway crossing consisting of nine 60-inch corrugated metal pipe culverts in North Branch Blacklick Creek at a point approximately 110 feet downstream from the proposed bridge for the purpose of accommodating local traffic during construction. The project is located on T-498, Station 24+42 (Colver, PA Quadrangle N: 11.1 inches; W: 15.1 inches) in Blacklick Township, **Cambria County**.

**E56-278.** Encroachment. **Somerset County Commissioners**, 111 East Union Street Ste. 100, Somerset, PA 15501. To remove the existing structure and to construct and maintain the New Baltimore Covered Bridge. The proposed structure is a single span bridge having a normal span of 72.0 feet and an average underclearance of 6.6 feet across the Raystown Branch of the Juniata River located on Town Hill Road (T-813) (New Baltimore, PA Quadrangle N: 20.3 inches; W: 3.2 inches) in Allegheny Township and New Baltimore Borough, **Somerset County**.

**E63-066-A1.** Encroachment. **Dredge Docks, Inc.**, 1231 River Avenue, Pittsburgh, PA 15212. Giving its consent to amend Permit No. E63-066 to extend and maintain the existing barge mooring facility an additional 175.0 feet in the channel of and along the left back of the Monongahela River (WWF) for the purpose of improving the existing facility. The project is located near River Mile 39.0 (Monongahela, PA Quadrangle N: 7.1 inches; W: 0.4 inch) in Carroll Township, **Washington County**.

**E63-426.** Encroachment. **PA Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676. To remove existing structures, to construct and maintain four culverts in various unnamed tributaries to Peters Creek (TSF); to construct and maintain a bridge having a span of 43.4 feet and an underclearance of 7 feet across Peters Creek (TSF); to relocate and maintain nine channel relocations in Peters Creek and its tributaries, Huston Run and its tributaries and an unnamed tributary to

Mingo Creek (TSF); to place and maintain fill in two nonjurisdictional dams; to place and maintain fill in 0.32 acre of six wetlands (PEM); and to place and maintain fill in two nonjurisdictional ponds located at Station 1292+30 and 1301+00. The work is being done in conjunction with the construction of the Mon/Fayette Expressway (S. R. 0043), Construction Section 52H, consisting of a four lane limited access, divided toll highway. This construction section begins off of Finleyville Elrama Road and ends approximately 1,500 feet north of Gill Hall Road (project starts at Monongahela, PA Quadrangle N: 18.1 inches; W: 15.4 inches and ends at Glassport, PA Quadrangle N: 2.5 inches; W: 14.6 inches) in Union Township, **Washington County**. The wetland replacement was approved under PA DEP Permit No. E02-1132.

**E63-433.** Encroachment. **Gustine Washington Associates, Ltd.**, Birmingham Towers, 2100 Wharton St., Ste. 700, Pittsburgh, PA 15203. To place and maintain fill in approximately 0.35 acre of wetlands associated with an unnamed tributary to Chartiers Creek for the purpose of constructing the Strabane Square Development. The project is located on the east side of Old Manifold Road at the intersection of 19 and S. R. 70-79 (Interchange 7) (Washington East PA Quadrangle N: 11.6 inches; W: 14.0 inches) in South Strabane Township, **Washington County**. This permit also authorizes the construction of 0.55 acre of replacement wetlands.

**E65-657.** Encroachment. **The Municipal Authority of the Borough of Smithton**, P. O. Box 350, Smithton, PA 15479-0350. To construct and maintain a sanitary sewage treatment facility along an unnamed tributary to the Youghiogheny River. Project includes construction of 11,000 l. f. of sanitary sewers; a wetland crossing, a discharge outfall below normal pool elevation of the Youghiogheny River and to relocate and maintain 113 feet of an unnamed tributary to the Youghiogheny River located along S. R. 981, west of the intersection of S. R. 981 and T-372 (Smithton, PA Quadrangle N: 5.7 inches; W: 16.5 inches) in Smithton Borough, **Westmoreland County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

**E65-673.** Encroachment. **Hannastown Golf Club**, 121 Blank School Road, Greensburg, PA 15601. To place and maintain fill in and along 2,810 feet of an unnamed tributary to Jacks Run, to place and maintain fill in 0.5 acre of wetlands (PEM, PSS) and to construct and maintain three separate culverts in an unnamed tributary to Jacks Run. Culverts A and B consist of single 38-inch x 60-inch elliptical concrete pipes. Culvert C consists of two 34-inch x 53-inch elliptical concrete pipes in an unnamed tributary to Jacks Run. This permit also authorizes 0.62 acre of replacement wetlands (PEM, PSS) onsite. This work is part of the construction of a 9-hole golf course expansion of the existing Hannastown Golf Club. The project is located off of Union Cemetery Road (T-798) (Greensburg, PA Quadrangle N: 14.0 inches; W: 4.5 inches) in Hempfield Township, **Westmoreland County**.

**E32-388.** Encroachment. **Ronald J. Stewart**, R. R. 1 Box 133, Marion Center, PA 15759. Construct and maintain a 100-foot x 60-foot convenience store/garage building in the 100-year floodway of an unnamed tributary to Pine Run for the purpose of replacing the previous structure destroyed by fire at this location. The project is located on SR 403 (Marion Center, PA Quadrangle N: 3.4 inches; W: 6.75 inches) in the Borough of Marion Center, **Indi-**

**ana County.** This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

**E63-432.** Encroachment. **Craig and Cindy Fox**, 645 Duncan Avenue, Washington, PA 15301. Operate and maintain the existing bridge having a span of 12.0 feet with an underclearance of 6.0 feet (constructed under Emergency Permit No. EP6397202) across an unnamed tributary to Georges Run to provide access to applicant's property. The bridge is located approximately 900 feet west from the intersection of S. R. 4035 and S. R. 0018 (Washington West, PA Quadrangle N: 16.4 inches; W: 5.3 inches) in Canton Township, **Washington County**. This permit was originally published as an application under Permit Application No. E63-422. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

**E63-438.** Encroachment. **Pennsylvania Department of Transportation**, P. O. Box 459, Uniontown, PA 15401-0459. Remove the existing bridge, to construct and maintain a spread box beam bridge having a normal span of 25.0 feet and a minimum underclearance of 5.8 feet over a tributary to Peters Creek (TSF). This project is located along S. R. 1006 (Washington Avenue) approximately 1,500 feet east of its intersection with S. R. 0088 (Glassport, PA Quadrangle N: 0.8 inch; W: 16.9 inches) in Finleyville Borough, **Washington County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

[Pa.B. Doc. No. 97-1702. Filed for public inspection October 24, 1997, 9:00 a.m.]

### Availability of Technical Guidance

Technical guidance documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "June 1997 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will be adding its revised documents to the Web throughout 1997.

#### *Ordering Paper Copies of DEP Technical Guidance*

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### *Changes to Technical Guidance Documents*

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Jonathan Brightbill at (717) 783-8727.

#### *Final Technical Guidance—Minor Revision*

DEP ID: 383-0810-102 Title: Summary of Key Requirements for Total Coliform Rule Description: Supports implementation of the Total Coliform Rule under the safe drinking water management program. Effective Date: March 27, 1997 Page Length: 6 pages Location: Vol 16, Tab 01 Contact: Joseph Hoffman at (717) 787-5017

DEP ID: 383-0810-105 Title: Summary of Key Requirements for Phase II&V Wellhead Protection Rules Description: Supports implementation of the Phase II and Phase V/Wellhead Protection Rules under the drinking water management programs. Effective Date: March 27, 1997 Page Length: 23 pages Location: Vol 19, Tab 01 Contact: Joseph Hoffman at (717) 787-5017

DEP ID: 383-0810-106 Title: Summary of Key Requirements for Surface Water Filtration Rule Description: Supports implementation of the Surface Water Filtration Rule under the drinking water management programs. Effective Date: March 27, 1997 Page Length: 10 pages Location: Vol 20, Tab 01 Contact: Joseph Hoffman at (717) 787-5017

DEP ID: 383-0810-203 Title: Summary of Key Requirements for Bottled Water Systems Description: Supports implementation of the bottled water activities under the drinking water management programs. Effective Date: March 27, 1997 Page Length: 19 pages Location: Vol 17, Tab 01a Contact: Joseph Hoffman at (717) 787-5017

DEP ID: 383-0810-303 Title: Summary of Key Requirements for Vended Water Systems, Retail Water Facilities, and Bulk Water Hauling Systems Description: Supports implementation of the vended water, retail water, and bulk water hauling activities under the drinking water management programs. Effective Date: March 27, 1997 Page Length: 19 pages Location: Vol 17, Tab 01b Contact: Joseph Hoffman at (717) 787-5017

DEP ID: 393-2318-001 Title: ASNT Level II Certification Description: Defines and clarifies the equivalent of ASNT Level II certification requirement. Effective Date: August 13, 1993 Page Length: 3 pages Location: Vol 33, Tab 15 Contact: Vic Funk at (717) 772-5551

DEP ID: 393-2318-002 Title: PE Certification for Aboveground Storage Tanks (ASTs) Description: Permit requirements for regulated aboveground storage tanks (ASTs) that require owners to provide a certification by a registered professional engineer. Effective Date: December 21, 1993 Page Length: 2 pages Location: Vol 33, Tab 16 Contact: Vic Funk at (717) 772-5551

DEP ID: 393-2318-003 Title: Upgrade Requirements Triggered by Substantial Modification of Underground Storage Tanks (USTs) Description: Determines if an existing regulated underground storage tank (UST) or facility needs to be upgraded to meet interim technical standards. Effective Date: April 27, 1994 Page Length: 2 pages Location: Vol 33, Tab 17 Contact: Vic Funk at (717) 772-5551

DEP ID: 393-4180-001 Title: Penalty Assessment Matrix Description: The penalty matrix was modified to place the basic penalty dollar amount on violation seriousness. Effective Date: October 13, 1995 Page Length: 7 pages Location: Vol 33, Tab 20 Contact: Vic Funk at (717) 772-5551

#### *Intent to Revise Technical Guidance—Substantial Revision*

DEP ID: 383-3310-409 Title: Pennsylvania Drinking Water Information System (PADWIS) Violation and Enforcement User's Manual Description: Replacement manual will serve as a complete guide on accessing,

updating, and adding violations to PADWIS. Anticipated Effective Date: December 15, 1997 Contact: Barry Greenawald at (717) 772-4018

*Intent to Rescind Technical Guidance*

DEP ID: 383-3310-309 Title: MSIS User's Manual Connecting the Wang to a PC Description: An SAS on-line version of this application went into production on the DEC/VAX in December 1996. As a result, the "Wang" manual is no longer needed. Anticipated Effective Date: December 15, 1997 Contact: Barry Greenawald at (717) 771-4018

DEP ID: 560-0700-301 Title: Review of Surface Mine Applications by PHMC Description: The procedures are based upon an MOU with PHMC which is no longer in effect. Anticipated Effective Date: October 24, 1997 Contact: Evan Shuster (717) 787-7846

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 97-1703. Filed for public inspection October 24, 1997, 9:00 a.m.]

**21st Century Environment Commission; Public Roundtable Schedule**

The Commonwealth of Pennsylvania's 21st Century Environment Commission is holding 15 regional roundtable meetings across the Commonwealth. The purpose of these meetings is to explain the Commission's charge and seek public input regarding environmental priorities and solutions. In addition to having 21st Century Environment Commissioners at each roundtable, there will be invited guests (community leaders) around the table to present their ideas, as well as the general public, who will be given an opportunity for comment plus will participate in break-out sessions. Following are listed the dates, time and locations of each roundtable meeting.

*October 30*

6 p.m. to 9 p.m.

Williamsport  
PA Dept. of Environmental Protection  
208 West Third Street—Suite 101

*October 31*

9 a.m. to 12 p.m.

Williamsport  
Gennetti Hotel  
200 West Fourth Street

*November 5*

3:30 p.m. to 6:30 p.m.

Bedford  
The Arena Restaurant & Conference Center  
PA Turnpike at Exit 11

*November 6*

1 p.m. to 4 p.m.  
6 p.m. to 9 p.m.

Pittsburgh Area  
Radisson  
101 Mall Boulevard  
Monroeville

*November 12*

2 p.m. to 5 p.m.

DuBois  
Holiday Inn  
Route 219 and I-80

*November 13*

1 p.m. to 4 p.m.  
6 p.m. to 9 p.m.

Franklin (Venango County)  
Inn at Franklin  
1411 Liberty Street

*November 20*

1 p.m. to 4 p.m.  
6 p.m. to 9 p.m.

York  
York Budget Inn  
1650 Toronita Street

*December 4*

1 p.m. to 4 p.m.  
6 p.m. to 9 p.m.

Mayfield (Scranton Area)  
National Inst. for Environmental Renewal  
1300 Old Plank Road

*December 12*

9 a.m. to 12 p.m.

Allentown  
Days Inn and Conference Center  
1151 Bulldog Drive

*December 16*

1 p.m. to 4 p.m.

Upper Merion (Montgomery County)  
Upper Merion Township Building  
175 West Valley Forge Road  
King of Prussia

6 p.m. to 9 p.m.

Conshohocken  
PA Dept. of Environmental Protection  
Lee Park—Suite 6010, 555 North Lane

Questions concerning these roundtable meetings can be directed to Carol Collier at (Harrisburg office) (717) 772-4770; or (Conshohocken office) (610) 832-6222, or e-mail to 21st.century.env.commission@a1.dep.state.pa.us. For directions to any event, please contact the facility listed, or call the Commission at (717) 772-4770.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Nancy Roush directly at (717) 772-4770, or through the Pennsylvania AT & T Relay Service at (800) 654-5984 (TDD) to discuss how the Commission may accommodate their needs.

CAROL COLLIER,  
*Executive Director*

[Pa.B. Doc. No. 97-1704. Filed for public inspection October 24, 1997, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Meeting

The Statewide HIV Community Prevention Planning Committee (Committee), established by the Department of Health under sections 301 and 317 of the Public Health



Service Act (42 U.S.C.A. §§ 241(a), 247(b)), will hold a public meeting on November 19, 1997.

This meeting will be held at the Sheraton Inn Harrisburg, 800 East Park Drive, Harrisburg, PA from 10 a.m. to 4 p.m.

For additional information, or for persons with a disability who desire to attend the meeting and require an auxiliary aid service, or other accommodation to do so, should contact Tom DeMelfi, Department of Health, Bureau of HIV/AIDS, P. O. Box 90, Room 912, Harrisburg, PA 17108, (717) 783-0574. TDD: (717) 783-6514 or Network/TDD: (8) (717) 433-6514.

DANIEL F. HOFFMANN,  
*Secretary*

[Pa.B. Doc. No. 97-1705. Filed for public inspection October 24, 1997, 9:00 a.m.]

### Pennsylvania Cancer Control Prevention and Research Advisory Board

The Pennsylvania Cancer Control, Prevention and Research Advisory Board is scheduled to hold a meeting on November 12, 1997, from 10 a.m. to 1 p.m. in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. Anyone wishing to attend the meeting or who has questions regarding the meeting should contact Susan F. George, Program Manager, Department of Health, Cancer Control Program at (717) 787-5251.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Susan F. George at (717) 787-5251. TDD: (717) 783-6514/Network TDD: 8-433-6514.

DANIEL F. HOFFMANN,  
*Secretary*

[Pa.B. Doc. No. 97-1706. Filed for public inspection October 24, 1997, 9:00 a.m.]

## DEPARTMENT OF PUBLIC WELFARE

### Draft Independent Enrollment Assistance Program

This is to announce the Department of Public Welfare's intent to solicit public comments on a draft Request for Proposals (RFP) for an Independent Enrollment Assistance Program contractor for the HealthChoices Southwest and Lehigh/Capital Zones. The Commonwealth will be expanding the HealthChoices capitated, mandatory managed care program in the Southwest and Lehigh/Capital Zones. As part of this effort, the Commonwealth is seeking contractor assistance in enrolling Medical Assistance consumers with the managed care plan of their choice. Before releasing a final RFP, the Department is seeking input from all interested or affected parties. To receive a copy of the Draft Independent Enrollment Assistance Program RFP, please call Lisa Roscoe at (717) 772-6277 or FAX your request to (717) 772-6328.

Public meetings on the Draft Independent Enrollment Assistance Program RFP will be held:

*Time:* Tuesday, November 18, 1997, 9:30 a.m. *Location:* Pennsylvania Game Commission, Auditorium, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797

*Time:* Thursday, November 20, 1997, 10 a.m. *Location:* Allentown State Hospital, Admissions Auditorium, 1600 Hanover Avenue, Allentown, PA 18103-2498

*Time:* Tuesday, November 25, 1997, 9 a.m. *Location:* Allegheny County Courthouse, The Gold Room (4th Floor), 542 Forbes and Grant Streets, Pittsburgh, PA 15129-2904

Individuals or groups interested in providing comments at the meeting should contact Christine Enrico at (717) 772-7768 to sign up for a time slot. In order to accommodate all who would like to speak, the Department is asking that remarks be limited to 5 minutes or less, and be submitted in writing as well. Remarks of longer duration will be accepted in writing only. Written comments may be provided at the public meeting or can be sent to: Department of Public Welfare, Office of Medical Assistance Programs, Attention: Christine Enrico, Room 113, Cherry Wood Building #33, Harrisburg State Hospital Grounds, Harrisburg, PA 17110. The Department asks that written comments be submitted no later than December 11, 1997.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). Persons who require another alternative, should contact Thomas Vracarich at (717) 783-2209.

FEATHER O. HOUSTOUN,  
*Secretary*

[Pa.B. Doc. No. 97-1707. Filed for public inspection October 24, 1997, 9:00 a.m.]

### Notice of 1997 Group One Exceptions Requests; MA/LTC Participation Review

The Department of Public Welfare (Department), by statement of policy effective December 19, 1996, adopted an interim policy announcing that, as a general matter, it intended to exercise its discretion to terminate or to refuse to enter into a MA provider agreement with a provider of nursing facility services that sought to increase the number of MA certified nursing facility beds through enrollment or expansion, unless the Department granted an exception on a case-by-case basis to permit that provider to enroll or expand; or, in the case of an enrolled provider, the provider did not expand by more than ten beds or 10%, whichever was less, over a 2-year period. See 26 Pa.B. 5996 (December 14, 1996). The Department revised its interim policy effective August 11, 1997, to prohibit enrolled nursing facility providers from expanding their existing licensed bed capacity, under any circumstances, without first receiving an exception from the Department. See 27 Pa.B. 4005 (August 9, 1997).

When it published its initial interim statement of policy, the Department announced its intention to supersede the interim policy with a permanent MA/Long Term Care (LTC) participation review process. To that end, the Department developed a process and guidelines that it intends to use to grant exceptions on a case-by-case basis to its general policy to deny or terminate MA enrollment. The Department anticipates publishing a final policy in the *Pennsylvania Bulletin* by November 1, 1997, and concluding its review of all exceptions requests received

between December, 1996 and June 30, 1997 (collectively referred to as "Group One") by the end of December, 1997.

Under the process and guidelines scheduled to be published by November 1, 1997, the Department has

committed to publish a notice in the *Pennsylvania Bulletin* listing all pending Group One exceptions requests. By this notice, the Department announces the 1997 Group One exceptions requests covering the submission period of December 19, 1996 through June 30, 1997.

#### New Facility Projects

<i>Number</i>	<i>Name</i>	<i>Address</i>	<i>County</i>	<i>Beds</i>
JJ97001	Friends Hall	424 North Matlack Street, West Chester	Chester	99
JJ97004	ManorCare—Wexford	Wexford	Allegheny	120
JJ97005	Home For The Jewish Aged	Horsham Township	Montgomery	360
JJ97006	Schoolyard Square	11 High Street, Pine Grove	Schuylkill	16
JJ97007	Mon Valley Care Center	Carroll Township	Washington	118
JJ97009	Leader Nursing & Rehab. of Northampton	Bethlehem Township	Northampton	180
JJ97010	Leader Nursing & Rehab. of Whitehall	Whitehall Township	Allegheny	150
JJ97019	University of Pittsburgh M C (Montefiore)	UPMC Oakland Campus, Pittsburgh	Allegheny	30
JJ97024	Hallsworth House	Grand Boulevard, Monessen	Westmoreland	90
JJ97026	Golden Pond Health & Rehab. Ctr.	Lords Valley	Pike	150
JJ97035	Clara Burke Community	251 Stenton Avenue, Plymouth Meeting	Montgomery	69
JJ97036	Belle Reve Health Care Center	Milford	Pike	120
JJ97038	Easton Hospital	250 S. 21st Street, Easton	Northampton	25
JJ97039	Eastern PA Eastern Star Home	850 Norristown Road, Warminster	Bucks	28
JJ97040	Western PA Eastern Star Home	226 Bellevue Road, Pittsburgh	Allegheny	38
JJ97042	Pittston Hospital	Pittston	Luzerne	176
JJ97044	Presbyterian Medical Center	39th and Market Street	Philadelphia	50
JJ97048	Eliza Cathcart Home (Westminster)	445 North Valley Forge Road, Devon	Chester	67
JJ97053	Dowden Nursing & Rehabilitation Center	3503 Rhoads Avenue, Newtown Square	Delaware	194
JJ97054	Lee Hospital Transitional Care Unit	320 Main Street, Johnstown	Cambria	18
JJ97056	Germantown Hospital and Medical Center	Germantown	Philadelphia	180

#### Expansion Projects

<i>Number</i>	<i>Name</i>	<i>Address</i>	<i>County</i>	<i>Beds</i>
JJ97008	Davis Nursing Home	185 S. Mountain Blvd, Mountain Top	Luzerne	10
JJ97011	Medbridge—Pittsburgh	1848 Greentree Road, Pittsburgh	Allegheny	60
JJ97015	Normandie Ridge (York UM Home)	1700 Normandie Drive, York	York	66
JJ97020	Carpenter Care Center	Tunkhannock	Wyoming	60
JJ97022	Mid Valley Hospital	Peckville	Lackawanna	60
JJ97023	Mount Lebanon Manor Conv. Ctr.	350 Old Gilkeson Road, Mount Lebanon	Allegheny	60
JJ97031	St. Joseph's Manor	1616 Huntingdon Pike, Meadowbrook	Montgomery	120
JJ97034	Philadelphia Protestant Home	6500 Tabor Road, Philadelphia	Philadelphia	20
JJ97041	Maria Joseph Manor	875 Montour Boulevard, Danville	Montour	60
JJ97045	Miners Memorial Medical Center	360 W. Ruddle Street, Coaldale	Schuylkill	28
JJ97049	Langhorne Gardens	Langhorne	Bucks	16
JJ97055	Washington County Health Center	36 Old Hickory Ridge Road, Washington	Washington	50

Copies of the above-listed exception requests are available for review by the public during regular business hours. To schedule an appointment to review a request, please call (717) 772-2570.

The Department will accept written comments related to the requests for a 15 day period following the date of

this publication. Written comments may be submitted to: Department of Public Welfare, Bureau of LTC Programs, Attention: Policy Section, MA/LTC Participation Review, P. O. Box 8025, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800)

654-5988 (voice users). Persons who require another alternative format, should contact Thomas Vracarich at (717) 783-2209.

FEATHER O. HOUSTOUN,  
*Secretary*

[Pa.B. Doc. No. 97-1708. Filed for public inspection October 24, 1997, 9:00 a.m.]

### Office of Medical Assistance Programs; Payments to Nursing Facilities

The purpose of this announcement is to provide advance notice under 42 CFR 447.205 that, during fiscal year (FY) 1998-99, the Department of Public Welfare (Department) intends to make changes in its methods and standards for setting payment rates for county nursing facilities by revising 55 Pa. Code § 1187.95(b) to extend the time period for county nursing facility transition rates through June 30, 1999. This notice also announces the Department's intention to enter into an intergovernmental transfer of funds and make county nursing facility supplementation payments to qualifying providers in accordance with the approved State Plan Amendment and 55 Pa. Code § 1187.116 during FY 1997-98.

The Department is in the process of preparing an agreement with the County Commissioners Association of Pennsylvania which will provide for an intergovernmental transfer of funds for FY 1997-98. As a result of the intergovernmental transfer agreement, the State share of payments for nursing facility Medical Assistance services during FY 1997-98 will be derived, in part, from transfers of funds to the Commonwealth from several counties as authorized under Federal law. (See 42 U.S.C.A. § 1396b(w)(6)(A) and 42 CFR 433.51(b)).

Under Federal law, the Department is permitted to pay for nursing facility services at rates which, in the aggregate, do not exceed the amount that would be paid for these services under Medicare cost principles. The Department has determined that to the extent it can utilize funds that have been transferred to the Commonwealth by local county governments to contribute towards the payment of nursing facility services at rates which are below the Medicare upper limit, yet higher than the rates that the Department might otherwise pay for these services, the Department will do so.

The proposed change concerning the extension of the county nursing facility transition rates during FY 1998-99 is contingent upon: (1) approval by the Federal government of an amendment to Pennsylvania's State Plan authorizing the county nursing facility transition rates through June 30, 1999; (2) the successful implementation of an intergovernmental transfer during FY 1997-98; and (3) the Department's implementation of this regulatory change.

The Department's payment of the county nursing facility supplementation payments for FY 1997-98 is contingent upon: (1) the successful implementation of an intergovernmental transfer during FY 1997-98; and (2) the Department's determination that sufficient state and Federal funds are available to make such payments.

The estimated increase in annual aggregate expenditures during FY 1997-98 is \$148.644 million in total funds (\$22.971 million in intergovernmental transfer funds).

A copy of this notice is available for review at the local County Assistance Offices throughout the Commonwealth. Interested persons are invited to submit written comments about this notice to the Department within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Comments should be addressed to: Department of Public Welfare, Office of Medical Assistance, Attention: Regulations Coordinator, Room 515 Health and Welfare Building, Harrisburg, PA 17120, (717)787-1870.

Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (Voice Users). Persons who require another alternative should contact Thomas Vracarich in the Office of Legal Counsel at (717)783-2209.

FEATHER O. HOUSTOUN,  
*Secretary*

[Pa.B. Doc. No. 97-1709. Filed for public inspection October 24, 1997, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Lease of Right-of-Way

The Department of Transportation, pursuant to the authority contained in section 2002(c) of the Administrative Code (71 P. S. § 512(c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right-of-way has been submitted to the Department by TWOTON, Inc., 1743 Rohrsers Road, Lancaster, PA seeking to lease highway right-of-way beginning at the intersection of S. R. 0230 and S. R. 4025 and running in a northwesterly direction to the approximate station of 296+50 for parking purposes only.

Interested persons are invited to submit, within thirty (30) days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Barry G. Hoffman, P.E., District Engineer, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699.

Questions regarding this application or the proposed use may be directed to: Kim J. Smith, R/W Representative, 2140 Herr St., Harrisburg, PA 17103-1699, (717) 772-5119.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-1710. Filed for public inspection October 24, 1997, 9:00 a.m.]

### Retention of Engineering Firms

#### Allegheny County Project Reference No. 08430AG2120

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately eleven (11) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on S.R. 0079, Section A17, I-79, Allegheny County. This project

involves the reconstruction of S.R. 0079 from a point approximately 9500 feet north of the Allegheny/Washington County line to approximately 3900 feet north to the Bridgeville Interchange. Also includes bridge preventive maintenance, drainage, guiderail and signs.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" Section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, drainage, guiderail, signing, and climbing.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Past Performance.
- e. Number of NICET certified inspectors in each payroll classification.
- f. Number of available inspectors in each payroll classification.
- g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	7 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at

least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCM-1)	\$43.61
(TCIS)	\$38.21
(TCI-Materials)	\$34.52
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one inspector certified in computer documentation and perform other duties as may be required. *Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.*

The firm selected will be required to supply the approximate number of the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauges/License
- 1 Vehicle for the Transportation of Nuclear Gauges
- 1 Base Radio Station
- 11 Two-way Radios
- 1 Camera (type Date Base)

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total agreement price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	2
TCI-M	2
TCI	9

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Henry M. Nutbrown, P.E., District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Any technical questions concerning the requirements for this project should be directed to Mr. Terry McCue, District 11-0, at (412) 429-4926.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Luzerne County  
Project Reference Number 08430AG2121**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately six (6) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on S.R. 3023, Section 301. The project includes the construction of a two-lane roadway approximately 1.0 miles in length on new location and a new interchange on Interstate Route 81 in Hazle Township. Also included are three (3) signalized intersections and two structures. The project is locally known as the southwest segment of the Hazleton Beltway.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, asphalt paving, drainage, environmental regulations, and computerized documentation.
- c. Availability and number of inspectors in each class, their NICET certification and abilities to perform testing of materials.
- d. Understanding of Department's requirements, policies, and specifications including some metric specifications.
- e. Past Performance.

f. Location of consultant.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	3 (2)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCIS)	\$38.21
(TCI-Materials)	\$34.52
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; provide certified CDS operators, provide certified inspectors on bituminous paving and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauges/License
- 1 Vehicle for the Transportation of Nuclear Gauges
- 2 Cellular Phones
- 3 Telephone Pagers

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for the TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	2
TCI-M	2
TCI	4

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Charles M. Mattei, P.E., District Engineer, District 4-0, P. O. Box 111, Scranton, Pa 18501.

Any technical questions concerning the requirements for this project should be directed to Mr. Robert J. Horutz, P.E., District 4-0, at (717) 963-4064.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Armstrong County  
Project Reference Number 08430AG2122**

The Department of Transportation will retain an engineering firm to provide final design services and construction services including shop drawing review and construction consultation for S.R. 3015, Section 150, Buffalo Creek Bridge, in North Buffalo Township, Armstrong County, Pennsylvania at Segment 0070, Offset 1690. The estimated construction cost is \$1.1 million.

The required services will be for the final design of a structure (approximately 138 LF in length) over Buffalo Creek with approximately 562 LF of roadway approach work. The selected firm will be provided approved preliminary design drawings for the structure and roadway alignment. A PS & E submission is anticipated in nine (9)

months from notice to proceed date. All environmental clearances and permits will have been obtained.

The selected firm will provide final design services using english units of measurements. The following tasks will be included: field survey; plot and check survey; utility coordination; cross sections; final type, size and location plans; geotechnical engineering report; foundation design (including testing and analysis of previously obtained test borings); erosion control plans; right-of-way plans; traffic control plans; final roadway and bridge plans; value engineering; safety review; construction C.P.M. scheduling; meetings and project management. The selected firm will also provide shop drawing review and construction consultation services.

Letters of interest will be evaluated at the Engineering District 10-0 office with emphasis on the following factors which are listed in order of importance:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Specialized experience and technical competence of firm.
- c. Ability of prime and subconsultants to provide a completed PS&E package within the allotted schedule.
- d. Location of firm.
- e. Workload and available staff of prime and subconsultants.
- f. Past records of performance with respect to technical competence, cost control, work quality and ability to meet or exceed schedules.

The District will announce the firms that have been shortlisted at an open public meeting to be held at Engineering District 10-0, P. O. Box 429, Route 286 South, Indiana, PA 15701, on November 17, 1997. All candidates that submitted a letter of interest will be notified if the date is changed. Specify a contact person in the letter of interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The second copy of the letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Richard H. Hogg, P.E., Engineering District 10-0, P. O. Box 429, Indiana, PA 15701.

Any technical questions concerning the requirements for this project should be directed to Mr. Joseph S. Prola, Project Manager, District 10-0, at (412) 357-2669.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Luzerne County  
Project Reference Number 08430AG2123**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately fourteen (14) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on S.R. 0081, Section 393. The project involves construction of a new interchange on Interstate Route 81 in Wilkes-Barre Township. Construction consists of a 0.3 mile four lane connector road, widening and reconstruction of 1.1 mile High-

land Park Boulevard, and widening/reconstruction of 0.8 mile Mundy Street, also four signalized intersections and two structures.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- c. Specialized experience in the Maintenance and Protection of Traffic, soils, structures, asphalt paving, drainage, OSHA regulations regarding hazardous waste protection, and computerized documentation.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Understanding of Department's requirements, policies, and specifications including some metric specifications.
- f. Availability and number of inspectors in each class, their certification and abilities to perform testing of materials and CDS operator experience.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	8 (6)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of High-

way Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCIS)	\$38.21
(TCI-Materials)	\$34.52
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; provide certified CDS operators, provide certified inspectors on bituminous paving, and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction and personnel who have completed OSHA training for the removal/handling of hazardous waste.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 2 Nuclear Densometer Gauges/License (one each Agreement part)
- 2 Vehicles for the Transportation of Nuclear Gauges (one each Agreement part)
- 1 Base Radio Station
- 6 Two-way Radios (three each Agreement part)

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for the TCIS

positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI-M	3
TCI	10

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Charles M. Mattei, P.E. District Engineer, District 4-0, P. O. Box 111, Scranton, PA 18501.

Any technical questions concerning the requirements for this project should be directed to Mr. Robert J. Horutz, P.E. District 4-0, at (717) 963-4064.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Centre, Mifflin, McKean and Elk Counties  
Project Reference Number 08430AG2124**

The Department of Transportation will retain an engineering firm to provide constructability review and construction management services for the construction of limited access highways on new locations in Centre, Mifflin, McKean, and Elk Counties. The Agreement will cover six (6) design projects and eleven (11) construction contracts with the construction costs of approximately \$270 million. The anticipated duration of the agreement is seven (7) years.

The six (6) design projects involving constructability review services will be as follows:

- \* S.R. 0026, Section C02      \* S.R. 0022, Section C02
- \* S.R. 0026, Section C03      \* S.R. 0219, Section C08
- \* S.R. 0026, Section C05      \* S.R. 0219, Section C10

The eleven (11) construction contracts involving construction management services will be as follows:

- \* S.R. 0026, Section C02      \* S.R. 0022, Section C02
- \* S.R. 0026, Section C03      \* S.R. 0022, Section C04
- \* S.R. 0026, Section C05      \* S.R. 0022, Section A02
- \* S.R. 0026, Section A02      \* S.R. 0219, Section C08
- \* S.R. 0026, Section B02      \* S.R. 0219, Section C10
- \* S.R. 0026, Section A03

S.R. 0026 sections involve the Route 26 relocation project from research park in State College to the Bellefonte bypass at Pleasant Gap in Centre County. S.R. 0022 sections involve the construction of the Northern Lewistown bypass in Mifflin County. S.R. 0219, Section C08 involves the construction of the Bradford bypass in McKean County. S.R. 0219, Section C10 involves the construction of the Johnsonburg bypass in Elk County.

The selected firm will be required to:

1. Perform constructability reviews of the consultant designs. The constructability reviews are to assure efficient and economical construction with minimal inconvenience to the traveling public. The selected firm shall provide a team of qualified individuals with experience in the construction and construction management of complex transportation projects. The selected firm will not be allowed to release any information to prospective bidders of the construction project. The constructability review may consist of, but not be limited to the following: technical constructability; clarity of construction docu-

ments; compatibility of the PS&E package; scheduling requirements; construction phasing; erosion and sedimentation control, maintenance and protection of traffic.

2. Perform construction management services will include, but not be limited to; implementing a project control system to document, monitor, evaluate, and resolve all related issues including scheduling, field construction problems, engineering design problems, community relations, and contractors submissions and claims; develop, monitor and maintain master and project specific C.P.M. schedules to integrate and coordinate the activities of the design and construction contracts; prepare monthly construction summary reports; conduct regular process meetings for each construction project; establish and maintain a system of document control during construction; attend pre-bid and pre-construction meetings; review contractors' proposals for feasibility and compliance with construction and schedule requirements; review cost estimates and coordinate value engineering effects; provide advice, make recommendations, and prepare correspondence for PADOT signature on construction related issues; evaluate change orders, provide claims avoidance evaluations, time impact analysis and support for claim mitigation; coordinate and participate in community relations; establish and coordinate necessary interaction among the project's designers, contractors, traveling public, communities, public and private agencies, utility companies, local government and PADOT; take and maintain a log of pre-construction photos and videos and progress photos; monitor environmental issues in conjunction with the Department; provide structural and roadway control services; coordinate and resolve all traffic related issues in conjunction with the District Traffic Engineer, Design Consultant Engineer, Liaison Engineer, and Community Relations Coordinator; implement a field observation reporting system to record and comment on field work and schedule of management team and provide a documentation trail; provide specialized services for A) archaeological monitoring during construction, B) concrete and steel evaluation and testing, C) public information and graphics, D) paint/coatings testing and evaluation, and E) hazardous material monitoring and testing; implement incident management to provide a reporting system on accidents which may occur on each project by contractor personnel or traveling public within the contract limits; assist in the development, description, compilation and approval process of work orders; complete construction auditing of project records; and complete duties of the District Labor Compliance Officer/DBE Coordinator/District Safety Officer.

3. Provide an office within the State College area to be used for daily construction management functions of the selected firm, Department, and the Federal Highway Administration. The selected firms full time office staff shall include one project manager, one assistant project manager, four construction engineers, two schedule engineers, five technicians, two secretary/receptionists, five auditors, and one environmental engineer. Support staff to be on call as needed will include a claims engineer, computer specialist, draftsman, typist, structural engineer, electrical engineer, mechanical engineer, roadway engineer, and a waste management specialist.

The letters of interest, at a minimum, shall address the following: 1. how the selected firm will accomplish the tasks outlined or provide the services as detailed; 2. the location of home office for the support staff; 3. indicate the division of duties between support staff and full time project staff; and 4. the names and resumes of individuals and firms intended to be utilized to fulfill the full time staff and specialized services.



Firms shortlisted for this project will be required to make an oral presentation. The oral presentation will be held at the District office with a time limit of one half hour with a question period to follow. Introduce key personnel and describe/provide information pertaining to subconsultants or specialized services to be used during this agreement.

Firms responsible for the final design of any project, or part thereof, identified in this advertisement are not eligible for this project assignment.

It should be noted that a member of the construction management team cannot provide construction inspection services or actual construction of any project identified in this advertisement.

The Department will establish an order of ranking of a minimum of three (3) firms. The following factors, listed in order of importance, will be considered by the Consultant Selection Committee during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Specialized experience, previous experience, technical competence of individuals who constitute the proposed project team.
- c. Specialized experience and technical competence of firm.
- d. Past record of performance with respect to cost control, work quality, and ability to meet schedules.
- e. Current workload and capacity of firm to perform work.
- f. Special requirements of this constructability and construction management assignment.

The shortlisting for this project(s) will be done at the District. All firms submitting letters of interest will be notified by the District of the shortlisting date.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The second copy of the letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. George Khoury, P.E., District Engineer, District 2-0, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830.

Any technical questions concerning the requirements for this project should be directed to Mr. Vasco A. Ordonez, P.E., District 2-0, at (814) 765-0439.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Centre, Mifflin, McKean and Elk Counties  
Project Reference Number 08430AG2125**

The Department of Transportation will retain an engineering firm to provide constructability review and construction management services for the construction of 18 miles of limited access highway on new locations in Centre County. The Agreement will cover three (3) design projects and nine (9) construction contracts with the construction costs of approximately \$360 million. The anticipated duration of the agreement is seven (7) years.

The three (3) design projects involving constructability review services will be as follows:

- \* S.R. 0220, Section C10
- \* S.R. 0220, Section C11
- \* S.R. 0220, Section C12

The nine (9) construction contracts involving construction management services will be as follows:

- \* S.R. 0220, Section C10
- \* S.R. 0220, Section B10
- \* S.R. 0220, Section A11
- \* S.R. 0220, Section C12
- \* S.R. 0220, Section B12
- \* S.R. 0220, Section A10
- \* S.R. 0220, Section C11
- \* S.R. 0220, Section B11
- \* S.R. 0220, Section A12

The S.R. 0220 relocation project begins in the Village of Bald Eagle, Blair County and ends at the Mount Nittany Expressway, Centre County.

The selected firm will be required to:

1. Perform constructability reviews of the consultant designs. The constructability reviews are to assure efficient and economical construction with minimal inconvenience to the traveling public. The selected firm shall provide a team of qualified individuals with experience in the construction and construction management of complex transportation projects. The selected firm will not be allowed to release any information to prospective bidders of the construction project. The constructability review may consist of, but not be limited to the following: technical constructability; clarity of construction documents; compatibility of the PS&E package; scheduling requirements; construction phasing; erosion and sedimentation control, maintenance and protection of traffic.

2. Perform construction management services will include, but not be limited to; implementing a project control system to document, monitor, evaluate, and resolve all related issues including scheduling, field construction problems, engineering design problems, community relations, and contractors submissions and claims; develop, monitor and maintain master and project specific C.P.M. schedules to integrate and coordinate the activities of the design and construction contracts; prepare monthly construction summary reports; conduct regular process meetings or each construction project; establish and maintain a system of document control during construction; attend pre-bid and pre-construction meetings; review contractors' proposals for feasibility and compliance with construction and schedule requirements; review cost estimates and coordinate value engineering effects; provide advice, make recommendations, and prepare correspondence for PADOT signature on construction related issues; evaluate change orders, provide claims avoidance evaluations, time impact analysis and support for claim mitigation; coordinate and participate in community relations; establish and coordinate necessary interaction among the project's designers, contractors, traveling public, communities, public and private agencies, utility companies, local government and PADOT; take and maintain a log of pre-construction photos and videos and progress photos; monitor environmental issues in conjunction with the Department; provide structural and roadway control services; coordinate and resolve all traffic related issues in conjunction with the District Traffic Engineer, Design Consultant Engineer, Liaison Engineer, and Community Relations Coordinator; implement a field observation reporting system to record and comment on field work and schedule of management team and provide a documentation trail; provide specialized services for A) archaeological monitoring during construction, B) concrete and steel evaluation and testing, C) public informa-

tion and graphics, D) paint/coatings testing and evaluation, and E) hazardous material monitoring and testing; implement incident management to provide a reporting system on accidents which may occur on each project by contractor personnel or traveling public within the contract limits; assist in the development, description, compilation and approval process of work orders; complete construction auditing of project records; and complete duties of the District Labor Compliance Officer/DBE Coordinator/District Safety Officer.

3. Provide an office within the State College area to be used for daily construction management functions of the selected firm, Department, and the Federal Highway Administration. The selected firms full time office staff shall include one project manager, one assistant project manager, four construction engineers, two schedule engineers, five technicians, two secretary/receptionists, five auditors, and one environmental engineer. Support staff to be on call as needed will include a claims engineer, computer specialist, draftsman, typist, structural engineer, electrical engineer, mechanical engineer, roadway engineer, and a waste management specialist.

The letters of interest, at a minimum, shall address the following: 1. how the selected firm will accomplish the tasks outlined or provide the services as detailed; 2. the location of home office for the support staff; 3. indicate the division of duties between support staff and full time project staff; and 4. the names and resumes of individuals and firms intended to be utilized to fulfill the full time staff and specialized services.

Firms shortlisted for this project will be required to make an oral presentation. The oral presentation will be held at the District office with a time limit of one half hour with a question period to follow. Introduce key personnel and describe/provide information pertaining to subconsultants or specialized services to be used during this agreement.

Firms responsible for the final design of any project, or part thereof, identified in this advertisement are not eligible for this project assignment.

It should be noted that a member of the construction management team cannot provide construction inspection services or actual construction of any project identified in this advertisement.

The Department will establish an order of ranking of a minimum of three (3) firms. The following factors, listed in order of importance, will be considered by the Consultant Selection Committee during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Specialized experience, previous experience, technical competence of individuals who constitute the proposed project team.
- c. Specialized experience and technical competence of firm.
- d. Past record of performance with respect to cost control, work quality, and ability to meet schedules.
- e. Current workload and capacity of firm to perform work.
- f. Special requirements of this constructability and construction management assignment.

The shortlisting for this project(s) will be done at the District. All firms submitting letters of interest will be notified by the District of the shortlisting date.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The second copy of the letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. George Houry, P.E., District Engineer, District 2-0, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830.

Any technical questions concerning the requirements for this project should be directed to Mr. Vasco A. Ordonez, P.E., District 2-0, at (814) 765-0439.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Bucks, Delaware and Philadelphia Counties  
Project Reference No. 08430AG2126**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately eighteen (18) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on approximately twelve (12) surface treatment projects for each of the next three (3) years on various highways located throughout Bucks, Delaware and Philadelphia Counties.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- c. Specialized experience in bituminous paving, milling, base repair, pavement marking, utility adjustments and maintenance and protection of traffic.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Understanding of Department's requirements, policies and specifications.
- f. Ability to provide three (3) "CDS" operators or persons capable of inputting data into a personal computer (TCIS Classification).
- g. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	12 (7)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCIS)	\$38.21
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- a. One (1) 35 MM camera per county.
- b. One (1) cellular telephone with battery and auto adapter per county.
- c. Pagers (a minimum of five (5) pagers per county)
- d. Safety Vests - high visibility for inspectors.

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	4
TCI	13

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Andrew Warren, District Administrator, Engineering District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to Mr. Lou Calvanese, District 6-0, at (610) 964-6707.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Chester and Montgomery Counties  
Project Reference No. 08430AG2127**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately twelve (12) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on approximately eight (8) surface treatment projects for each of the next three (3) years on various highways located throughout Chester and Montgomery Counties.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- c. Specialized experience in bituminous paving, milling, base repair, pavement marking, utility adjustments and maintenance and protection of traffic.
- d. Number of NICET certified inspectors in each payroll classification.

e. Understanding of Department's requirements, policies and specifications.

f. Ability to provide two (2) "CDS" operators or persons capable of inputting data into a personal computer (TCIS Classification).

g. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	8 (6)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCIS)	\$38.21
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- a. One (1) 35 MM camera per county.
- b. One (1) cellular telephone with battery and auto adapter per county.
- c. Pagers (a minimum of five (5) pagers per county).
- d. Safety Vests - high visibility for inspectors.

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI	10

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Andrew Warren, District Administrator, Engineering District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to Mr. Lou Calvanese, District 6-0, at (610) 964-6707.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Monroe County  
Project Reference No. 08430AG2128**

The Department of Transportation will retain an engineering firm to conduct pre-final design, final design and services during construction (shop drawing review and construction consultation) for S.R. 0209, Section 007, the relocation of S.R. 0209 and S.R. 0402 around the Village of Marshalls Creek, Monroe County. The project is located in Smithfield and Middle Smithfield Townships, Monroe County. The estimated construction cost is \$35.0 million.

S.R. 0209, in the project area, is a two (2) lane, principle arterial highway, which extends north and south through Monroe County. S.R. 0402 is also a two (2) lane highway which extends north and south through Monroe County. The project limits extend along S.R. 0209 from approximately 1.8 miles south of the intersection of S.R. 0209 and S.R. 0209 business to approximately 1.4 miles north of the intersection, and on S.R. 0402 to approximately 2 miles north of the intersection of S.R. 0209 and S.R. 0402.

The firm selected for this contract will be expected to complete pre-final design within eight (8) months from the notice to proceed and final design within twenty-six (26) months from the notice to proceed.

The selected firm must be experienced in roadway and bridge design, with the ability to expedite the project. The District will shortlist the interested firms based on the following criteria:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Project team composition.
- c. Project team experience.
- d. Maintaining schedule and budget.
- e. Past Performance.
- f. Current Workload.

The shortlist announcement will be made on November 26, 1997 at 10:00 A.M. at the Engineering District 5-0 office, 1713 Lehigh Street, Allentown, PA.

The second copy of the letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Walter E. Bortree, P.E., District Engineer, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103.

Any technical questions concerning the requirements for this project should be directed to Mr. Donald E. Lerch, P.E., District 5-0, at (610) 791-6019 or Mr. David A. Earp, P.E., District 6-0, at (610) 791-6021.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

#### **General Requirements and Information**

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest and required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief  
 Consultant Selection Committee  
 7th Floor, Forum Place,  
 555 Walnut Street  
 P. O. Box 3060  
 Harrisburg, Pennsylvania 17105-3060

The Letter of Interest and required information must be received within thirteen (13) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 P.M. prevailing time of the thirteenth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than

one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each Letter of Interest must include the following information and the information must be packaged and presented in the following order:

1. Transmittal Letter (Maximum of two (2) 8 1/2" x 11" typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm.

2. Project Organization Chart (one 8 1/2" x 11" page, one side)

This Chart must show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team).

The Standard Form 255 must be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. Under Item 4 of this form, Column A must include the number of subconsult-

ant personnel and Column B must include the number of prime consultant personnel to be assigned to work on this project reference number. The prime and each subconsultant may include no more than one page each for Items 10 and 11.

If a Disadvantage Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, must accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the Letter of Interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These Forms must be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Form 255.

5. Workload Projection Graph (Not required for Construction Inspection Services)

Separate Workload Projection Graphs for the prime and each subconsultant shown in Item 6 of the Form 255 must be included and must indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next two-year time frame. The Workload Projection Graphs must be submitted for the office(s) where the work would be performed and must only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees must be first, followed by subconsultant employees, in the same order as shown in Item 6 of Form 255.

7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

A single page summary must indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Account must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-1711. Filed for public inspection October 24, 1997, 9:00 a.m.]

## Retention of Engineering Firms

### Wyoming County Project Reference No. 08430AG2129

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately fifteen (15) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on S.R. 0006, Sections E-10 and E-11, the Tunkhannock Transportation Improvement Project. The project involves construction of a two lane roadway on new location approximately 3.0 miles in length, two signalized intersections and three structures over Tunkhannock Creek. The project will be bid as two separate sections.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, asphalt paving, drainage, environmental regulations, and computerized documentation.

c. Availability and number of NICET certified inspectors in each payroll classification.

d. Understanding of Department's requirements, policies, and specifications including metric specifications.

e. Ability to provide two (2) "CDS" operators or persons capable of inputting data into a personal computer (TCI Classification).

f. Location of consultant/Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (2)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	7 (5)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCM-1)	\$43.61
(TCIS)	\$38.21
(TCI-Materials)	\$34.52
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; provide certified CDS operators, provide certified inspectors on bituminous paving, and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

3	Cellular Phones
3	Telephone Pagers
1	Base Radio Station with two channel capability (one short range and one long range) also a contract with local repeater
10	Two-way, hand held radios

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and/or TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	3
TCIS	3
TCI-M	3
TCI	9

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Charles M. Mattei, P.E., District Engineer, District 4-0, P.O. Box 111, Scranton, PA 18501.

Any technical questions concerning the requirements for this project should be directed to Mr. Robert J. Horutz, P.E., District 4-0, at (717) 963-4064.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Westmoreland County  
Project Reference No. 08430AG2130**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design and services during construction (consultation during construction and shop drawing review) for S.R. 0022, Section B01, the reconstruction of Traffic Route 22 located in the Municipality of Murrysville, Westmoreland County. The estimated construction cost is \$24.0 million.

The proposed project consists of the reconstruction of Traffic Route 22 from the Allegheny/ Westmoreland County line eastward to Cozy Inn, a total distance of 3.0 miles.

The selected firm will be required to perform field surveys; preliminary and final roadway design; intersection geometry investigation; signing layout; geotechnical reports; traffic control plans; hydraulic computations; utility coordination; right-of-way plans; preliminary and final structure design; erosion and sedimentation control plans; signing, sign lighting and pavement marking plans; traffic signal plans; construction plans, forms, estimates and specifications; roadway and structure borings; project partnering and public involvement.

The following factors, listed in order of importance, will be considered by the Department during evaluation of the firms submitting acceptable letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Experience in roadway and bridge design.
- c. Ability to expedite project and maintain schedule and budget.
- d. Project team composition.
- e. Project team experience.
- f. Past Performance.
- g. Current Workload.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The District's copy of the Letter of Interest and required forms (see "General Requirements and Information" section for details) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, P.O. Box 459, Uniontown, PA 15401, Attention: Mr. P. Gregory Bednar, P.E.

Any technical questions concerning the requirements for this project should be directed to Mr. P. Gregory Bednar, P.E., District 12-0, at (412) 439-7243.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Allegheny County  
Project Reference No. 08430AG2131**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately fifteen (15) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following projects:

1. S. R. 0028, Section A19, Allegheny County  
Local Name: Heinz Pedestrian Bridge  
This project involves construction of a plate girder pedestrian bridge, 110' in length, with a 150' ramp and a 400' ramp or embankment. Also includes highway and sign lighting, drainage, landscaping and concrete shoulder replacement.
2. S. R. 0022, Section A11, Allegheny County  
Local Name: TR 22 Reconstruction/Washington TR 30

This project involves the reconstruction of eastbound S. R. 0022 from approximately the Washington/ Allegheny County line to S. R. 0978. Includes concrete pavement subbase, drainage, and redecking a one span prestressed concrete beam bridge.

3. S. R. 0008, Section A09 and S. R. 0008, Section 035, Allegheny County.

Local Name: William Flynn Highway/Rt. 8 Duquesne to Elfinwild

This project involves widening with bituminous material to provide left turn lanes at Duquesne, Burchfield, and Elfinwild Roads. Also included is resurfacing drainage, plain cement concrete paving, traffic signal replacement pavement markings, guiderail.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage, guiderail, signing, lighting, climbing and signals.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Past Performance.
- f. Number of available inspectors in each payroll classification.
- g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (2)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	11 (7)



<i>Classification</i>	<i>No. of Inspectors</i>
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCM-1)	\$43.61
(TCIS)	\$38.21
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one inspector certified in computer documentation and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the approximate number of the following equipment at no direct cost to the Department:

- 3 Base Radio Stations
- 15 Two-way Radios
- 1 Camera (type date base)

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent

(15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and/or TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	3
TCIS	2
TCI	14

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Mr. Henry Nutbrown, P.E., District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. Attention: Mr. Richard Curry, P.E.

Any technical questions concerning the requirements for this project should be directed to Mr. Terry McCue, District 11-0, at (412) 429-4926.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**General Requirements and Information**

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest and required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief  
 Consultant Selection Committee  
 7th Floor, Forum Place,  
 555 Walnut Street  
 P.O. Box 3060  
 Harrisburg, Pennsylvania 17105-3060

The Letter of Interest and required information must be received within thirteen (13) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 P.M. prevailing time of the thirteenth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime

may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each Letter of Interest must include the following information and the information must be packaged and presented in the following order:

1. Transmittal Letter (Maximum of two (2) 8 1/2" x 11" typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm.

2. Project Organization Chart (one 8 1/2" x 11" page, one side)

This Chart must show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team).

The Standard Form 255 must be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. Under Item 4 of this form, Column A must include the number of subconsultant personnel and Column B must include the number of prime consultant personnel to be assigned to work on this

project reference number. The prime and each subconsultant may include no more than one page each for Items 10 and 11.

If a Disadvantage Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, must accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the Letter of Interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These Forms must be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Form 255.

5. Workload Projection Graph (Not required for Construction Inspection Services)

Separate Workload Projection Graphs for the prime and each subconsultant shown in Item 6 of the Form 255 must be included and must indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next two-year time frame. The Workload Projection Graphs must be submitted for the office(s) where the work would be performed and must only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees must be first, followed by subconsultant employees, in the same order as shown in Item 6 of Form 255.

7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

A single page summary must indicate the latest audited overhead rate developed in accordance with Federal Ac-

quisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Account must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

#### 9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-1712. Filed for public inspection October 24, 1997, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Delaware County Regional Water Quality Control Authority v. DEP; EHB Doc. Nos. 96-194-MG, 97-082-MG

The Department of Environmental Protection (Department) and the Delaware County Regional Water Quality Control Authority (DELCORA) have agreed to a settlement of the above matters. The Commonwealth had issued a Plan Approval on August 27, 1996 for installation of additional burners in its sewage sludge incinerators, and a Plan Approval on August 29, 1996 for installation of an odor scrubber in the belt filter press room. DELCORA filed timely appeals of the Plan Approvals. On March 12, 1997 the Department issued a Reasonably Available Control Technology Operating Permit. DELCORA filed a timely appeal of the Operating Permit.

The parties have agreed to a settlement, the major provisions of which include: the Department has issued revised Plan Approvals and Operating Permit which DELCORA will not appeal, DELCORA will conduct further testing to determine whether the emission standards in the Plan Approvals allow for adequate operating margins, and DELCORA will obtain Department certification for installation of continuous temperature monitors for both incinerators. Both Plan Approvals and the Operating Permit are available for review at the office of the Department.

Copies of the full Consent Adjudication are in the hands of:

Benjamin G. Stonelake, Blank, Rome Comisky & McCauley, One Logan Square, Philadelphia, PA 19103-6998;

Douglas G. White, Assistant Counsel, Department of Environmental Protection, Office of Chief Counsel—

Southeast Region, Lee Park—555 E. North Lake—Suite 6015, Conshohocken, PA 19428-2233, (610) 632-6300;

and at the office of the Environmental Hearing Board and may be reviewed by any interested party on request during normal business hours.

Any person believing himself aggrieved by the above Settlement may have the right of an appeal to the Environmental Hearing Board, 2nd Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457.

Appeals must be filed within 20 days of this publication.

The Environmental Hearing Board is empowered to approve this settlement which becomes final if no objection is timely made.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 97-1713. Filed for public inspection October 24, 1997, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Meetings Scheduled

The Health Care Cost Containment Council has scheduled the following meetings for November: Wednesday, November 5, 1997, Data Systems Committee at 10 a.m.; Education Committee at 1 p.m.; Legislative Committee at 2:30 p.m. The committee meetings will be held in the conference room at the Council office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The Council meeting will be held on Thursday, November 6, 1997 at 10 a.m. at the Hospital and Healthsystem Association of Pennsylvania, 4750 Lindle Road, Harrisburg, PA. The public is invited to attend. Persons who need accommodation due to a disability and want to attend a meeting, should contact Cherie Kauffman, Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101, (717) 232-6787, at least 24 hours in advance so arrangements can be made.

DONALD L. ZIMMERMAN,  
*Executive Director*

[Pa.B. Doc. No. 97-1714. Filed for public inspection October 24, 1997, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, October 9, 1997, and took the following actions:

#### *Regulations Approved:*

Pennsylvania Infrastructure Investment Authority #101-3: Water Pollution Control Revolving Fund (deletes Chapter 962, amends 25 Pa. Code Chapter 963, and adds 25 Pa. Code Chapter 965)

Department of Agriculture #2-110: Peach and Nectarine Program (amends 7 Pa. Code Chapter 104)

Environmental Quality Board #7-285: PostMining Discharges/Licensing and Bonding (amends 25 Pa. Code Chapters 86—90)

Environmental Quality Board #7-314: Nitrogen Oxides Allowance Program (amends 25 Pa. Code Chapters 121 and 123)

Environmental Quality Board #7-319: Gasoline Volatility (amends 25 Pa. Code Chapters 121, 126 and 139)

*Commissioners Present:* John R. McGinley, Jr., Chairperson; Alvin C. Bush; Arthur Coccodrilli

Public Meeting held  
October 9, 1997

*Pennsylvania Infrastructure Investment Authority—Water Pollution Control Revolving Fund; Doc. No. 101-3*

#### Order

On July 13, 1995, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Infrastructure Investment Authority (PIIA). This rulemaking would delete Chapter 962 which is a Statement of Policy on value engineering analysis, amend 25 Pa. Code Chapter 963 Pennsylvania Infrastructure Investment Authority Assistance and add 25 Pa. Code Chapter 965 Clean Water State Revolving Fund. The authority for this regulation is 35 P. S. §§ 751.5(c)(2) and 6(4). The proposed regulation was published in the July 29, 1995 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on August 22, 1997. The final-form regulation was tolled on September 10, 1997, and resubmitted with amendments on September 18, 1997.

Chapter 963 already exists and establishes general procedures and criteria for awarding financial assistance under the Pennsylvania Infrastructure Investment Authority Act. Chapter 963 is being amended to add a second opinion project review in place of Chapter 962's Statement of Policy on value engineering analysis. Chapter 965 is a new chapter that creates standards for eligibility and administration of the Clean Water State Revolving Fund (CWSRF).

The Pennsylvania Infrastructure Investment Authority (PIIA) administers approximately \$364 million in Federal funds as a revolving loan program for building and updating of sewerage systems. The CWSRF is in existence and PIIA is presently loaning money to communities. However, PIIA does not have specific regulations for the CWSRF. The proposed amendments are the result of meetings between the PIIA, the Department of Environmental Protection, and the Environmental Protection Agency (EPA). The proposed amendments are necessary to comply with the Water Quality Act of 1987 and various Capitalization Grant Agreements entered into by EPA and the PIIA for the administration of Federal funds allocated to the Commonwealth of Pennsylvania.

We have reviewed this regulation and find it to be in the public interest. The Pennsylvania State Association of Township Supervisors (Township Supervisors) raised several objections with the final-form regulation. The Township Supervisors main concern was that the "second opinion review," in the body of the regulation, is overly broad compared to the definition of "second opinion review. It is also unnecessarily intrusive because it would

evaluate the complexity of a project and the impact of the project on the community. PIIA defended the provisions with convincing citations to their statutory authority at 35 P. S. §§ 751.10(a) Criteria for obtaining assistance and (b) Financial assistance. Based upon the language of these provisions, we believe the PIIA has adequately addressed the issues raised by the Township Supervisors. The PIIA has also satisfied the concerns raised in the Commission's Comments. Additionally, these regulations will enable the PIIA to improve administration of approximately \$364 million in Federal funds.

*Therefore, It Is Ordered That:*

1. Regulation No. 101-3 from the Pennsylvania Infrastructure Investment Authority, as submitted to the Commission on August 22, 1997, and amended on September 18, 1997, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* John R. McGinley, Jr., Chairperson; Alvin C. Bush; Arthur Coccodrilli

Public Meeting held  
October 9, 1997

*Department of Agriculture—Peach and Nectarine Research Program; Doc. No. 2-110*

#### Order

On April 18, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture (Department). This rulemaking would amend 7 Pa. Code Chapter 104. The authority for this regulation is sections 3 and 11 of the Pennsylvania Agricultural Commodities Marketing Act (act). The proposed regulation was published in the May 3, 1997 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on August 6, 1997, tolled on August 20, 1997, and returned without revisions on September 12, 1997.

The regulation adds a subchapter for the Peach and Nectarine Research Program (Program) which establishes requirements and procedures for payment of producer charges to the Program. Provisions establishing requirements for: a \$5 per acre charge on affected producers; submission of an annual statement; deadlines for submission of forms and payments; and penalties for noncompliance.

We have reviewed this regulation and find it to be in the public interest. The proposal clarifies the extent of the Department's authority and establishes penalty procedures.

*Therefore, It Is Ordered That:*

1. Regulation No. 2-110 from the Department of Agriculture, as submitted to the Commission on September 12, 1997, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* John R. McGinley, Jr., Chairperson; Alvin C. Bush; Arthur Coccodrilli

Public Meeting held  
October 9, 1997

*Environmental Quality Board—Postmining Discharges/  
Licensing and Bonding; Doc. No. 7-285*

#### Order

On December 5, 1995, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking would amend 25 Pa. Code Chapters 86—90. The authority for this regulation is sections 4(d), 4.2(a), 4.5(f) and 18.4 of the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.4(d), 1396.4b(a), 1396.4e(f) and 1396.18d); sections 5(b), 315(b) and 605(b) of The Clean Streams Law (35 P. S. §§ 691.5(b), 691.315(b) and 691.605(b)); section 3.2(a) of the Coal Refuse Disposal Control Act (52 P. S. § 30.53b(a)); section 7(b) of The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. § 1406.7(b)); and under Article 1920A of The Administrative Code of 1929 (71 P. S. § 510-20). The proposed regulation was published in the December 16, 1995 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on September 9, 1997.

The proposal addresses statutory changes enacted through Act 173 of 1993 and Act 43 of 1996. The proposal amends existing mining regulations concerning coal mine operator licensing, bonding, postmining pollutional discharges and liability insurance.

We have reviewed this regulation and find it to be in the public interest. The Commission raised concerns with the reasonableness of the Board's proposed method of calculating the amount of financial assurance required from a mine operator for post-mining discharges. The Mining and Reclamation Advisory Board (MRAB) subsequently requested a broad evaluation of the overall environmental and economic costs associated with postmining pollutional discharges. Further, Department of Environmental Resources (Department) anticipates that there may be changes in Federal oversight on this issue. In light of these developments, the Board has eliminated the financial assurance provisions from this final-form rulemaking and will propose amendments once the MRAB evaluation and Federal issues are sufficiently resolved. Even though this language is removed from the rulemaking, Department and a mine operator can still rely on statutory authority to enter into individual financial assurances for post-mining discharges. Therefore, issues raised in our Comments are resolved concerning this rulemaking.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-285 from the Environmental Quality Board, as submitted to the Commission on September 9, 1997, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* John R. McGinley, Jr., Chairperson; Alvin C. Bush; Arthur Coccodrilli

Public Meeting held  
October 9, 1997

*Environmental Quality Board—Nitrogen Oxides Allowance Requirements; Doc. No. 7-314*

#### Order

On April 1, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking would amend 25 Pa. Code Chapters 121 and 123. The authority for this regulation is the Air Pollution Control Act (35 P. S. § 4005). The proposed regulation was published in the April 12, 1997 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on September 17, 1997.

The Board is amending 25 Pa. Code Chapters 121 and 123 to establish a program to limit the emission of nitrogen oxides (NOx) from fossil fired combustion units of 250 MMBtu/hour or more and electric generating units of 15 megawatts or greater. Ninety-five percent of the affected emissions come from electric generating units which include electric utilities and Independent Power Producers. The remainder are large industrial processes.

The 1990 Clean Air Act Amendments (CAAA) recognized that ozone is a regional problem. The Northeast Ozone Transport Commission (OTC) was established under the CAAA to assist in developing recommendations for the control of interstate ozone. The OTC member states, including Pennsylvania, proposed a regional approach to address NOx emissions and through a memorandum of understanding agreed to propose regulations for the control of NOx emissions. These regulations are based on, but not identical to, the model regulations.

The driving force behind this rulemaking is the Federal mandate to reduce ozone in the CAAA. There are 84 electric generating units and large industrial processes in Pennsylvania that will be affected by this regulation. In addition, any new fossil fired source with NOx emissions would be affected.

We have reviewed this regulation and find it to be in the public interest. The Board has adequately addressed the concerns raised in the Commission's Comments. Furthermore, we anticipate that the Board will adjust the regulations, as necessary, to accommodate the evolution of the new electric generation marketplace.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-314 from the Environmental Quality Board, as submitted to the Commission on September 17, 1997, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* John R. McGinley, Jr., Chairperson; Alvin C. Bush; Arthur Coccodrilli

Public Meeting held  
October 9, 1997

*Environmental Quality Board—Gasoline Volatility; Doc. No. 7-319*

#### Order

On April 21, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking would amend 25 Pa. Code Chapters 121, 126 and 139. The authority for this regulation is contained in section 5 of the Pennsylvania Air Pollution Control Act (35 P. S. § 4005). The proposed regulation was published in the May 3, 1997 edition of the *Pennsylvania Bulletin*

with a 60-day public comment period. The final-form regulation was submitted to the Commission on September 17, 1997.

The regulation will require the sale of either low Reid Vapor Pressure (RVP) or Reformulated Gasoline (RFG) during the specified ozone season in the Pittsburgh-Beaver Valley region. For refiners, distributors, resellers, carriers and wholesalers, the time period is May 1 through September 15. For wholesale purchaser consumers and retailers of gasoline, the time period is June 1 through September 15.

We have reviewed this regulation and find it to be in the public interest. The regulation is necessary to decrease the amount of ground level ozone occurring in the Pittsburgh-Beaver Valley Region. It is a part of the Commonwealth's overall strategy to meet the requirements in the Federal Clean Air Act.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-319 from the Environmental Quality Board, as submitted to the Commission on September 17, 1997, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.  
*Chairperson*

[Pa.B. Doc. No. 97-1715. Filed for public inspection October 24, 1997, 9:00 a.m.]

### Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. The regulations will be considered within 30 days of their receipt at a public meeting of the Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-475	State Registration Board for Professional Engineers, Land Surveyors and Geologists	10/8/97
16A-546	State Board of Pharmacy Approval of Plans: Pharmacy Alterations	10/8/97
16A-468	State Board of Dentistry Volunteer License	10/8/97
16A-439	State Board of Chiropractic Volunteer License	10/8/97
16A-494	State Board of Medicine Volunteer License	10/8/97
16A-443	State Board of Podiatry Volunteer License	10/8/97
16A-517	State Board of Nursing Volunteer License	10/8/97
16A-537	State Board of Osteopathic Medicine Volunteer License	10/8/97
16A-526	State Board of Optometry Volunteer License	10/8/97
16-15	Bureau of Professional and Occupational Affairs Schedule of Civil Penalties	10/8/97

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-632	State Board of Psychology Continuing Education	10/8/97
16A-512	State Board of Nursing Endorsement of Foreign Trained Nurses	10/8/97
3-32	Department of Banking Repeal of Various Provisions	10/10/97
57-179	Pennsylvania Public Utility Commission Residential Low Income Usage Reduction Programs	10/10/97
3-31	Department of Banking Registration of Loan Brokers	10/10/97
57-169	Pennsylvania Public Utility Commission Water Service	10/10/97
57-166	Pennsylvania Public Utility Commission Motor Carriers of Property	10/10/97
57-164	Pennsylvania Public Utility Commission Obsolete Regulations	10/10/97
57-168	Pennsylvania Public Utility Commission Wastewater Utilities	10/10/97

JOHN R. MCGINLEY, Jr.  
*Chairperson*

[Pa.B. Doc. No. 97-1716. Filed for public inspection October 24, 1997, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Approval to Acquire Additional Shares of American Fidelity & Liberty Insurance Company

Aloysius J. Abel, III has filed an application to acquire additional shares of American Fidelity & Liberty Insurance Company, a Pennsylvania domiciled stock casualty insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P.S. § 991.1402, et seq). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Pennsylvania Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, or by fax to (717) 787-8557.

M. DIANE KOKEN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 97-1717. Filed for public inspection October 24, 1997, 9:00 a.m.]

**Application for Approval to Acquire Additional Shares of Mennonite Indemnity, Inc.**

Mennonite Aid Union has filed an application to acquire additional shares of Mennonite Indemnity, Inc., a Pennsylvania domiciled stock fire insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. § 991.1402, et seq.). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Pennsylvania Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, or by fax to (717) 787-8557.

M. DIANE KOKEN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 97-1718. Filed for public inspection October 24, 1997, 9:00 a.m.]

**Application for Approval to Acquire Additional Shares of Mennonite Indemnity, Inc.**

Mennonite Property Aid Association has filed an application to acquire additional shares of Mennonite Indemnity, Inc., a Pennsylvania domiciled stock fire insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. § 991.1402, et seq.). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, or by fax to (717) 787-8557.

M. DIANE KOKEN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 97-1719. Filed for public inspection October 24, 1997, 9:00 a.m.]

**Application for Approval to Acquire Additional Shares of Mennonite Indemnity, Inc.**

Mennonite Aid Union of Kansas has filed an application to acquire additional shares of Mennonite Indemnity, Inc., a Pennsylvania domiciled stock fire insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. § 991.1402, et seq.). Persons wishing to comment on the acquisition are invited to submit a written statement to

the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, or by fax to (717) 787-8557.

M. DIANE KOKEN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 97-1720. Filed for public inspection October 24, 1997, 9:00 a.m.]

**Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield; Rate Hearing for Non-Group Basic and Major Medical Programs and Medicare Supplement/Security 65 Programs Plans A, B, C and H; Filing No. 318-BCNG-1/98, 315-MMNG-1/98, 328-SEC-65-1/98, 1-DPMS-97-HI and 1-DPCM-97-HI**

Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield have requested approval to increase the premium rates for the above listed filings. The requested premium rate increases vary by filing. These filings were previously published for public comment in the *Pennsylvania Bulletin*. See 27 Pa.B. 4054 (August 9, 1997) and 27 Pa.B. 4515-4516 (August 30, 1997).

A public informational hearing on these rate filings has been scheduled for:

*Date:* Wednesday November 12, 1997

*Time:* 10 a.m.

*Location:* Radisson Lackawanna Station Hotel, 700 Lackawanna Avenue, Scranton, PA

Persons wishing to testify about these filings may contact the Office of Rate and Policy Regulation at the address and phone number below to schedule to testify at this hearing. Individuals may also appear at the hearing without advance notice and will be afforded the opportunity to testify after all individuals scheduled in advance have testified. Testimony will be limited to no more than a 10 minute presentation. The Department requests that individuals provide a written copy of their testimony the day of the hearing.

Copies of the filings are available for public inspection, by appointment, during normal business hours at the Insurance Department's offices in Harrisburg.

All interested parties are invited to submit written comments, suggestions and objections about these filings to NEPA Rate Hearing, Pennsylvania Insurance Department, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, (717)787-4192 by November 19, 1997.

M. DIANE KOKEN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 97-1721. Filed for public inspection October 24, 1997, 9:00 a.m.]

# LIQUOR CONTROL BOARD

## Expiration of Leases

The following Liquor Control Board lease will expire:

Bucks County, Wine & Spirits Shoppe #0910, Store 4, 1045 Route 113, Souderton, PA 18964-1032.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space within a 1 mile radius of the Borough of Souderton.

*Proposals due:* November 21, 1997 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Bureau of Real Estate, 4501 Kelly Drive, Philadelphia, PA 19129-1794  
**Contact:** Robert Jolly, (215) 560-5310

JOHN E. JONES, III  
*Chairperson*

[Pa.B. Doc. No. 97-1722. Filed for public inspection October 24, 1997, 9:00 a.m.]

# PENNSYLVANIA INTERGOVERNMENTAL COOPERATION AUTHORITY

## Publication of Financial Statement

Under the provisions of section 207 of the Pennsylvania Intergovernmental Cooperation Authority Act for Cities of the First Class (Act of June 5, 1991, P. L. 9, No. 6) the Pennsylvania Intergovernmental Cooperation Authority (Authority) is required to publish a "concise financial statement" annually in the *Pennsylvania Bulletin*. The Authority has issued its annual report for its fiscal year ended June 30, 1997, which includes an audit for the period performed in accordance with generally accepted auditing standards by an independent firm of certified public accountants. The complete annual report of the Authority may be obtained from the Authority at 1429 Walnut Street—14th Floor, Philadelphia, PA 19102, (215) 561-9160.

JOSEPH C. VIGNOLA,  
*Executive Director*

## PENNSYLVANIA INTERGOVERNMENTAL COOPERATION AUTHORITY

### CONDENSED BALANCE SHEET JUNE 30, 1997

#### ASSETS

##### CURRENT ASSETS:

Cash and short-term investments	\$ 179,301,714
Accrued interest receivable	624,074
Accounts receivable—PICA taxes	6,185,722
Interfund receivable	228,236
	<hr/>

Total current assets 186,339,746

PROPERTY, PLANT AND EQUIPMENT—Office furniture and equipment	112,403
--	---------

OTHER ASSETS—Prepaid rent and security deposit	11,940
---	--------

AMOUNT AVAILABLE IN DEBT SERVICE FUND FOR RETIREMENT OF LONG-TERM DEBT	86,809,073
--	------------

AMOUNT TO BE PROVIDED FOR RETIREMENT OF LONG-TERM DEBT	1,015,570,927
--	---------------

TOTAL ASSETS	<u>\$1,288,844,089</u>
--------------	------------------------

#### LIABILITIES AND FUND EQUITY

##### CURRENT LIABILITIES:

Accounts payable	\$ 148,119
Accrued payroll and taxes	97,380
Due to the City of Philadelphia	6,420,616
Bonds payable—current portion	47,385,000
Interfund payable	228,236
	<hr/>

Total current liabilities	<u>54,279,351</u>
---------------------------	-------------------

BONDS PAYABLE—Long-term portion	<u>1,054,995,000</u>
---------------------------------	----------------------

##### FUND EQUITY:

Fund balances:	
Unreserved	665,591
Reserved for debt service	86,809,073
Reserved for the benefit of the City of Philadelphia	91,182,671
Reserved for subsequent PICA administration	800,000
	<hr/>
Total fund balances	<u>179,457,335</u>

Investment in general fixed assets	<u>112,403</u>
------------------------------------	----------------

TOTAL LIABILITIES AND FUND EQUITY	<u>\$1,288,844,089</u>
--------------------------------------	------------------------

### CONDENSED STATEMENT OF REVENUES, EXPENDITURES AND CHANGES IN FUND BALANCES

#### YEAR ENDED JUNE 30, 1997

##### REVENUES:

PICA taxes	\$220,495,831
Interest earned on investments	13,084,620
	<hr/>
Total revenues	<u>233,580,451</u>

##### EXPENDITURES:

Grants to the City of Philadelphia	137,176,716
Debt service:	
Principal	43,795,000
Interest	63,324,937
Administration—operations	803,367
Debt issuance costs	167,950
	<hr/>

Total expenditures	<u>245,267,970</u>
--------------------	--------------------

##### EXCESS OF EXPENDITURES OVER REVENUES

	(11,687,519)
--	--------------

FUND BALANCES, JULY 1, 1996	<u>191,144,854</u>
-----------------------------	--------------------

FUND BALANCES, JUNE 30, 1997	<u>\$179,457,335</u>
------------------------------	----------------------

[Pa.B. Doc. No. 97-1723. Filed for public inspection October 24, 1997, 9:00 a.m.]



# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before November 17, 1997 as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

### Application of the following for approval *amendment of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under each application.*

**A-00086452, Folder 2, Am-D. The Snyder Brothers Moving, Inc., t/a George Transportation Company** (729 New Castle Street, Zelenople, Butler County, PA 16063), a corporation of the Commonwealth of Pennsylvania—household goods and office furniture and fixtures in use from points in the city of Pittsburgh, Allegheny County, and within 5 miles by the usually traveled highways of the limits of said city, to points in Pennsylvania, and vice versa: *so as to permit* the transportation of household goods and office furniture in use, between points in the city of Franklin, Venango County, and points in the said county within 25 miles, by the usually traveled highways, of the limits of said city, to points in Pennsylvania; which is to be a transfer of part of the rights authorized under the certificate issued at A-00110372 to Bert Klapec, Inc., subject to the same limitations and conditions. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

### Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265 on or before November 10, 1997.

- A-00114329 Joseph M. Sinatra  
1635 South Rosewood Street, Philadelphia, PA 19145
- A-00114330 Dugan Hill, Inc.  
2019 South Gilmore Street, Allentown, PA 18103; Douglas Marinos, 1605 North Cedar Crest Boulevard, Suite 516, Allentown, PA 18104
- A-00114331 Penthouse Meat Co. Division of Ottman Custom Processors, Inc., t/d/b/a Penthouse Meat Co.  
R. R. 1, Box 188, Dalton, PA 18414

A-00114332 Mintz Trucking, Inc.  
840 Alter Street, Hazleton, PA 18201

JAMES J. MCNULTY,  
*Acting Secretary*

[Pa.B. Doc. No. 97-1724. Filed for public inspection October 24, 1997, 9:00 a.m.]

## Water Service Without Hearing

**A-212285, F0044. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval of the right to offer, render, furnish or supply water service to the public in additional portions of Newberry Township, York County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before November 10, 1997, under 52 Pa. Code (relating to public utilities).

*Applicant:* Pennsylvania-American Water Company

*Through and By Counsel:* Velma A. Redmond, Corporate Counsel and Secretary, Pennsylvania-American Water Company, 800 West Hershey Park Drive, P.O. Box 888, Hershey PA 17033-0888.

JAMES J. MCNULTY,  
*Acting Secretary*

[Pa.B. Doc. No. 97-1725. Filed for public inspection October 24, 1997, 9:00 a.m.]

# PHILADELPHIA REGIONAL PORT AUTHORITY

## Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9715.8, Repairs to Freight Elevators Bi-Parting Doors, Pier 84 South until 2 p.m. on Thursday, November 13, 1997. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Square, 13th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available October 28, 1997. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. The contractor will be required to comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held November 6, 1997, 10 a.m. at Pier 84 South, Main Door. The PRPA will consider only those bids received from parties who attended the prebid meeting.

JAMES T. MCDERMOTT,  
*Executive Director*

[Pa.B. Doc. No. 97-1726. Filed for public inspection October 24, 1997, 9:00 a.m.]

# STATE BOARD FOR CERTIFICATION OF SEWAGE ENFORCEMENT OFFICERS

## Examination Announcement for 1998

### *Examination Dates:*

January 24, 1998—Applications must be received by the Board, complete and correct by close of business December 15, 1997.

April 25, 1998—Applications must be received by the Board, complete and correct by close of business March 26, 1998.

July 25, 1998—Applications must be received by the Board, complete and correct by close of business June 15, 1998.

November 7, 1998—Applications must be received by the Board, complete and correct by close of business September 28, 1998.

The certification examination for January and July will be offered in the Harrisburg area only.

The certification examination for April and November will be offered in the area of the following cities:

Altoona, Harrisburg, Meadville, Philadelphia, Pittsburgh, Williamsport and Wilkes-Barre

Application packages may be obtained by contacting the Department of Environmental Protection, Division of Certification and Licensing, Rachel Carson State Office Building, 400 Market St., P. O. Box 8454, Harrisburg, PA 17105-8454, (717) 787-6045. The sewage enforcement officer (SEO) technical manual is available to examination applicants upon request.

All SEO exam candidates are required to complete mandatory pre-certification training consisting of a 2-day pre-certification training course (#101), and a 1-day soils interpretation training course (#103). SEO candidates who successfully complete mandatory training in addition to pre-certification training, will receive credit if the training is completed within 2 years of certification. For information on training, contact Department of Environmental Protection, Environmental Training, P. O. Box 8467, Harrisburg, PA 17105-8467, or call (717) 787-1458.

The Sewage Enforcement Officer examination contains 125 multiple choice questions and is divided into four subject areas: Planning, 12 questions; Administration & Enforcement, 24 questions; Soils, 24 questions; Technical Criteria, 65 questions. The passing grade is 50% correct responses to questions in each of the four subject areas; additionally, an overall score of 88 correct responses is required.

Approximately 4 weeks prior to an examination, applicants will receive an admittance letter from the Certification Board.

Persons with a disability who require accommodation to take the SEO examination, should contact the Board at

(717) 787-6045 or through Pennsylvania AT&T Relay Services at 1 (800) 654-5984 (TDD) to discuss how the Board may accommodate their needs.

ANITA L. GROSS,  
*Secretary*

[Pa.B. Doc. No. 97-1727. Filed for public inspection October 24, 1997, 9:00 a.m.]

# STATE BOARD FOR CERTIFICATION OF SEWAGE TREATMENT PLANT AND WATERWORKS OPERATORS

## Examination Announcement for 1998

### *Examination Dates:*

April 25, 1998—Applications must be received, complete and correct, no later than February 9, 1998.

November 7, 1998—Applications must be received, complete and correct, no later than August 24, 1998.

The certification examination will be offered in the area of the following cities:

Altoona, Harrisburg, Meadville, Philadelphia, Pittsburgh, Williamsport and Wilkes-Barre

Applications may be obtained from and must be returned to the Department of Environmental Protection, Certification and Licensing, P. O. Box 8454, 400 Market Street, Harrisburg, PA, 17105-8454, telephone (717) 787-5236, by the established cutoff dates stated above (not postmarked). Information regarding the certification examination can be obtained by contacting this same address and telephone number.

Information on training courses can be obtained by contacting the Department of Environmental Protection, Technical Training, P. O. Box 8467, Harrisburg, PA, 17105-8467, (717) 787-1458.

Applicants requesting two examinations (water and sewage) must be examined in the Harrisburg area.

Qualified applicants will receive a "letter of notification" approximately 3 weeks prior to the examination. This letter must be presented at the examination center for admission to the examination.

All applicants will be notified of examination results within 75 days after the examination date.

The sewage and water treatment plant operator examination consists of 100 multiple-choice questions. A formula conversion table is provided with the examination package at the test site.

Persons with a disability who require accommodation to take the sewage treatment plant or waterworks operator exam, should contact the Board at (717) 787-5236 or

through PA AT&T Relay Services at 1 (800) 654-5984 (TDD) to discuss how the Board may accommodate their needs.

ROBERT J. SLATICK,  
*Secretary*

[Pa.B. Doc. No. 97-1728. Filed for public inspection October 24, 1997, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

### Request for Proposals; Document Imaging and Workflow System for the State Employees' Retirement System

The State Employees' Retirement Board, on behalf of the Commonwealth, is issuing a Request for Proposal (RFP) for a Document Imaging and Workflow System for the State Employees' Retirement System (SERS). This system will replace, on a prospective basis, the current microfiche system used for member accounts.

Document imaging and workflow system vendors must qualify by showing expertise with either public or private employe retirement systems or similar operational environments.

All proposals must be submitted in 12 copies to Susan C. Hostetter, Director, Bureau of Benefit Administration, SERS, 30 N. Third Street, P.O. Box 1147, Harrisburg, PA. 17108-1147. The deadline to submit proposals is stated in the RFP package.

A preproposal conference will be held for the Request for Proposal (date provided in the RFP). Prospective bidders are invited to attend this meeting before developing proposals. It will be held at the SERS offices on the 5th floor at 30 N. Third Street, Harrisburg, PA at 10 a.m. Because of limited facilities, only two representatives per vendor will be permitted to attend this conference.

The purpose of the preproposal conference is to clarify any points which may not have been understood in the Request for Proposal. Please submit any pertinent questions in written form 2 days prior to the preproposal conference. All prospective bidders will be provided with answers to the questions submitted, in writing, within 1 week after the preproposal conference date.

Interested parties may write to Susan C. Hostetter, Director, Bureau of Benefit Administration, at the above referenced address, fax your request to (717) 787-5866, or request by electronic mail to shostett@sers.state.pa.us to obtain a copy of this Request for Proposal. Late proposals will not be considered regardless of the reason.

JOHN BROSIUS,  
*Executive Director*

[Pa.B. Doc. No. 97-1729. Filed for public inspection October 24, 1997, 9:00 a.m.]

## STATE TRANSPORTATION COMMISSION

### Meeting Notice

The State Transportation Commission will hold a regular scheduled business meeting on Thursday, October 30, 1997. This meeting is open to the public to attend and will begin at 1 p.m. at the following location: Holiday Inn—Johnstown, 250 Market Street, Johnstown, PA 15907, (814) 535-7777.

The meeting location is accessible to persons having disabilities. Persons having special needs or requiring special aides are requested to contact the State Transportation Commission Office at (717) 787-2913 in order that special disability needs may be accommodated.

BRADLEY L. MALLORY,  
*Chairperson*

[Pa.B. Doc. No. 97-1730. Filed for public inspection October 24, 1997, 9:00 a.m.]

## TURNPIKE COMMISSION

### Request for Proposals

Sealed Proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P.O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following Contract:

Contract No. 97-002-RF20—Roadway Rehabilitation between M. P. 149.57 and M. P. 156.50 in Bedford County, PA

Bid Opening Date—November 25, 1997, 11 a.m.

Bid Surety—5%

Plans, Specifications and Contract documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment of \$45 (Do not add sales tax) by check or P.O. Money Order (no cash) to the Pennsylvania Turnpike Commission. Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA, 17106-7676. No Refund for plans, specifications and contract documents will be made for any reason.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Purchasing Manager for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III  
*Chairperson*

[Pa.B. Doc. No. 97-1731. Filed for public inspection October 24, 1997, 9:00 a.m.]