

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 3, 1998.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-2-98	Three Rivers Bank and Trust Company Jefferson Borough Allegheny County	Jefferson Borough	Filed
	Purchase of assets/assumption of liabilities of two branch offices of National City Bank of Pennsylvania, Pittsburgh, located at: 600 East Ohio Street Pittsburgh Allegheny County	823 Braddock Avenue Braddock Allegheny County	

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-23-98	Mid Penn Bank Millersburg Dauphin County	Mobile branch to be operated at various locations throughout Dauphin and Cumberland Cos.	Effective
2-27-98	Berks County Bank Reading Berks County	500 Hawkridge Drive Hamburg Berks County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-25-98	First Republic Bank Philadelphia Philadelphia County	<i>To:</i> 1601 Market Street Philadelphia Philadelphia County <i>From:</i> 1515 Market Street Philadelphia Philadelphia County	Filed

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
3-3-98	Financial Trust Company Chambersburg Franklin County	To provide for a change in the principal place of business <i>To:</i> 1415 Ritner Highway, Carlisle, Cumberland County, PA <i>From:</i> 14 North Main Street, Chambersburg, Franklin County, PA	Approved and Effective

SAVINGS ASSOCIATIONS

Branch Applications

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
2-25-98	First Financial Savings Bank, PaSA Downingtown Chester County	414 Lancaster Avenue Devon Chester County	Approved

CREDIT UNIONS

No activity.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 98-417. Filed for public inspection March 13, 1998, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of April, 1998

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of April, 1998, is 8 1/2%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on an individual who finances the sale or exchange of residential real property which the individual owns and which the indi-

vidual occupies or has occupied as the principal residence.

Each month the Department of Banking is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 5.94 to which was added 2.50 percentage points for a total of 8.44% that by law is rounded off to the nearest quarter at 8 1/2%.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 98-418. Filed for public inspection March 13, 1998, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS**APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT****[National Pollution Discharge Elimination System Program (NPDES)]****DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER****(Part I Permits)**

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0051454. Sewage, **Kimmel Enterprises, Inc.**, 1055 West Germantown Pike, Norristown, PA 19403.

This application is for renewal of an NPDES permit to discharge treated sewage from a small flow treatment plant in East Norriton Township, **Montgomery County**. This is an existing discharge to an unnamed tributary to Stony Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1,460 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	20	40
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N) (5-1 to 10-31)	1.5	3.0
(11-1 to 4-30)	4.5	9.0
Total Residual Chlorine	1.0	1.5
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2553.

PA 0062961. Industrial waste, SIC: 2815, **Laminations, Inc.**, 1008 South Irving Avenue, Scranton, PA 18505.

This proposed action is for renewal of an NPDES permit to discharge noncontact cooling water into Stafford Meadow Brook in Scranton City, **Lackawanna County**.

The receiving stream is classified for the following uses: warm water trout fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Supply on north branch of the Susquehanna.

The proposed effluent limits for Outfall 001, based on a design flow of .047 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15		30
pH	6—9 standard units at all times		
Temperature			monitor/report

The EPA waiver is in effect.

PA 0009971. Industrial waste, SIC: 3229, **Techneglas, Inc.**, Old Boston Road, Pittston, PA 18640.

This proposed action is for renewal of an NPDES permit to discharge treated process wastewater, cooling water and stormwater into Gardner Creek/Lamp Black Creek in Jenkins Township, **Luzerne County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Pa. Power and Light Steam Electric Station located on the Susquehanna River.

The proposed effluent limits for Outfall 001, based on a design flow of .3463 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15		30
pH	6—9 at all times		
Lead	.0091	.018	.020
Cadmium	less than or equal to intake concentration		
Cyanide (Free)	.014	.028	.033
Temperature			
Jan. 1—31			56.1°F
Feb. 1—29			57.8°F
Mar. 1—31			68.3°F
April 1—15			65.5°F
April 16—30			69.6°F

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
May 1—15			63.6°F
May 16—30			67.6°F
June 1—15			65.6°F
June 16—30			69.6°F
July 1—31			69.2°F
Aug. 1—15			68.6°F
Aug. 16—31			68.6°F
Sept. 1—15			66.1°F
Sept. 16—30			62.1°F
Oct. 1—15			56.3°F
Oct. 16—30			52.3°F
Nov. 1—15			49.0°F
Nov. 16—30			45.0°F
Dec. 1—31			53.5°F

Monitoring Point 101

The proposed effluent limits based on a design flow of .246 mgd are:

<i>Parameter</i>	<i>Monthly Average (lbs/day)</i>	<i>Daily Maximum (lbs/day)</i>
Total Suspended Solids	198	396
Fluoride	79	159
pH	6—9 at all times	

Monitoring Point 201

The proposed effluent limits based on a design flow of .0003 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>
Total Chromium	1.71	2.77
Nickel	2.38	2.98
Silver	.24	.43
Copper	2.07	3.38
Zinc	1.48	2.61
Total Cyanide	.65	1.20
Total Suspended Solids	31	60
Total Toxic Organics		2.13
pH	6—9 standard units at all times	

Outfalls 002 and 003 uncontaminated stormwater with no effluent limits or monitoring required.

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0034797. Sewage, U. S. Department of Justice, Federal Bureau of Prisons, Northeast Regional Office, U. S. Customs House, 7th Floor, Second and Chestnut Streets, Philadelphia, PA 19106.

This application is for renewal of an NPDES permit to discharge treated sewage from Loretto Federal Correctional Institution in Allegheny Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Clearfield Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the PA American Water Company on the West Branch Susquehanna River near Milton.

Outfall 001: existing discharge, design flow of 0.2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅				
(5-1 to 10-31)	20	30		40
(11-1 to 4-30)	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	3.0	4.5		6.0
(11-1 to 4-30)	7.7	11.6		15.4

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,500/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month)	monitor and report			
(37th month—expiration)	0.28			0.92
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0096016. Sewage, **Rostraver Estates, Inc.**, R. R. 2, Belle Vernon, PA 15012.

This application is for renewal of an NPDES permit to discharge treated sewage from the Rostraver Estates Sewage Treatment Plant in Rostraver Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Speers Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Western Pennsylvania Water Company located on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.006 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	2.5			5.0
(11-1 to 4-30)	7.5			15.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month)	monitor and report			
(37th month—expiration)	0.19			0.44
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

Other Conditions: The plant is proposed to be expanded to 0.013125 mgd in the near future. The same limitations listed above will apply except for the NH₃-N and TRC limitations which will be revised as follows:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
Ammonia Nitrogen (5-1 to 10-31)	2	4
(11-1 to 4-30)	6	12
Total Residual Chlorine	0.09	0.22

The EPA waiver is in effect.

PA 0111520. Sewage, **Miller-Picking Corporation**, 1120 Miller-Picking Road, Johnstown, PA 15907.

This application is for renewal of an NPDES permit to discharge treated sewage from the Miller-Picking Sewage Treatment Plant in Conemaugh Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary to Soap Hollow, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.011 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	30			60

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Ammonia Nitrogen (5-1 to 10-31)	3			6
(11-1 to 4-30)	6.5			13
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

PA 0036064. Sewage, **Washington Township Sewer and Water Authority**, 11800 Edinboro Road, Edinboro, PA 16412.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Edinboro Lake (local name is Whipple Creek) in Washington Township, **Erie County**. This is an existing discharge.

The receiving water is classified for warm water and migratory fishery, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the City of Franklin in Venango County, approximately 46 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on average design flow of 0.20 mgd, are:

Parameter	Effluent Concentration (mg/l)		
	Average Monthly	Average Weekly	Instantaneous Maximum
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31)	1.5	2.25	3.0
(11-1 to 4-30)	4.5	6.75	9.0
Phosphorus as P	1.0		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
Total Residual Chlorine (Interim)	0.5		1.5
(Final)	0.03		0.009
Fecal Coliform (5-1 to 9-30)	200/100 ml		
(10-1 to 4-30)	2,200/100 ml		
pH	6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0001945. Industrial waste, SIC: 3272, **Medusa-Crescent, Inc.**, 2001 Portland Park, Wampum, PA 16157.

This application is for a renewal of an NPDES permit to discharge treated sewage, treated industrial waste, noncontact cooling water and stormwater to Drivers Run and UNT Beaver River in Wampum Borough, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver Falls Municipal Authority intake on the Beaver River located at Beaver Falls, approximately 10.5 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.02 mgd, are:

Outfall No. 001

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow	monitor and report		
Oil and Grease	15		30
pH	6.0—9.0 at all times		

The proposed discharge limits, based on a design flow of 0.007 mgd, are:

Outfall No. 002

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitoring and report		
CBOD ₅	25		50
TSS	30		60
Fecal Coliforms (5-1 to 9-30)	200/100 ml		
(10-1 to 4-30)	2,000/100 ml		
TRC	1.5		3.5
pH	6.0—9.0 at all times		

The proposed discharge limits, based on a design flow of 0.415 mgd, are:

Outfall No. 003

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
TSS			50
Total Iron	3.5		7.0
Total Manganese	2.0		4.0
Oil and Grease	15		30
pH	6.0—9.0 at all times		

The proposed discharge limits, based on a design flow of 0.0288 mgd, are:

Outfall No. 004

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
Oil and Grease	15		30
pH	6.0—9.0 at all times		

The proposed discharge limits, based on a design flow of 0.415 mgd, are:

Outfall No. 005

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
Total Suspended Solids			50
Total Iron	3.5		7.0
Total Manganese	2.0		4.0
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0222453. Sewage, **Scenic Heights Golf Course**, John Afton, Owner, 8923 Wattsburg Road, Erie, PA 16509.

This application is for a new NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Six Mile Creek in Venango Township, **Erie County**. This is a new discharge.

The receiving water is classified for cold water and migratory fishery, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, there is no existing/proposed downstream potable water supply to be considered during the evaluation until the stream reaches Lake Erie.

The proposed effluent limits for Outfall 001, based on an average design flow of 0.002 mgd, are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
NH ₃ -N		
(5-1 to 10-31)	6	12
(11-1 to 4-30)	18	36
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine	1.4	4.3
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations Officer indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0020508	McConnellsburg Sew. Auth. P. O. Box 681 McConnellsburg, PA 17233-0681	Fulton Ayr Township	Big Cove Creek	TRC
PA 0029602	Juniata Valley Sch. Dist. P. O. Box 318 Alexandria, PA 16611-0318	Huntingdon Porter Twp.	Frankstown Branch of the Juniata River	TRC

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

Applications under the Pennsylvania Clean Streams Law

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commenter will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of

each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications received for industrial waste and sewage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.

A. 0695404 (98-1). Sewage, submitted by **Borough of Bally**, P. O. Box 217, South 7th Street, Bally, PA 19503-0217 in Washington Township, **Berks County** to construct an emergency overflow pipe which will originate from the chlorine contact tank and extend to an unnamed tributary of the West Branch of the Perkiomen Creek, where headwall will be built was received in the Southcentral Region on February 18, 1998.

A. 0197405. Sewage, submitted by **Timeless Towns of Americas, Inc.**, 2636 Emmittsburg, PA 17325 in Cumberland Township, **Adams County** to change their treatment process was received in the Southcentral Region on December 16, 1997.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 5698402. Sewerage. **Roger Young**, 140 Oak St., Somerset, PA 15501. Application for the construction and operation of a single residence sewage treatment plant located in the Township of Somerset, **Somerset County** to serve the Young residence.

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 4398409. Sewage. **Glen Lake Estates**, 6315 Forbes Avenue, Pittsburgh, PA 15217. This project is for the expansion of the Glen Lake Estates Mobile Home Park and a new sewage treatment facility in Pine Township, **Mercer County**.

INDIVIDUAL PERMITS (PAS)

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

NPDES Permit PAS10E066. Stormwater. **Buffalo Center Associates, Inc.**, 801 Center Avenue, Pittsburgh, PA 15238, has applied to discharge stormwater from a construction activity located in Buffalo Township, **Butler County**, to unnamed tributary to Little Buffalo Creek.

NPDES Permit PAS10K017-1. Stormwater. **Millcreek Mall Corporation/The Cafaro Company**, 2445 Belmont Avenue, Youngstown, OH 44504-0186, has applied to discharge stormwater from a construction activity located in Millcreek Township, **Erie County**, to Walnut Creek.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office, Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

5297503. Public water supply. **Milford Landing**, Richard Snyder, President, Three Lane Utilities, Inc., P. O. Box 927, Milford, PA 18337. This proposal involves modification of permitting of an existing public water supply system serving 99 EDUs. The system consists of two wells, treatment, pump station and distribution system. It is located in Westfall Township, **Pike County**. *Engineer: Leo Achterman.*

5498501. Public water supply. **Tamaqua Area Water Authority**. This proposal involves an application for permit to rerate the Tamaqua Area Filtration Plant from 4.02 million gallons per day to 5.02 million gallons per day. It is located in Tamaqua Borough, **Schuylkill County**. *Engineer: Dale R. Glatfelter, Gannett Fleming, Inc.*

Southcentral Regional Office, Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4692.

A. 3698501. Public water supply. **Mount Joy Township Authority**, Mount Joy Township, **Lancaster County**. *Responsible Official: Bruce Hamer, Administrator, 157 Merts Drive, Elizabethtown, PA 17022; Type of Facility:* Application is to permit an existing water system that is currently interconnected to West Donegal Township Authority. No treatment is involved. *Consulting Engineer: Stephen F. Talian, P. E., Gannett Fleming, Inc., 207 Senate Avenue, Camp Hill, PA 17011.*

Southwest Regional Office, Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

0298504. Cheswick Borough, 220 South Atlantic Avenue, P. O. Box 235, Cheswick, PA 15024. Installation of corrosion control equipment at the Cheswick Borough water treatment plant serving Cheswick Borough, **Allegheny County**.

6598501. Easy Living Estates of Ligonier, R. D. 4, Box 107, Ligonier, PA 15658-8807. Addition to an existing personal care home serving Cook Township, **Westmoreland County**.

Northwest Regional Office, Regional Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6899.

A. 4298501. Public water supply. **Hazel Hurst Water Association**, P. O. Box 197, Hazel Hurst, PA 16733. This proposal involves the construction of a 20 gpm water treatment plant with direct filtration, chlorination and storage in Hamlin Township, **McKean County**.

**SOLID AND HAZARDOUS WASTE
OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.

A. 100944. Lanchester Landfill, Chester County Solid Waste Authority (7224 Division Highway, Narvon, PA 17555). Application to modify closure and increase capacity of Area B landfill unit in Honey Brook and Caernarvon Township, **Lancaster** and **Chester County**. Application determined to be administratively complete in the Regional Office February 23, 1998.

**AIR POLLUTION
OPERATING PERMITS**

Operating Permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

09-399-025: Air Liquide America Corp, Alphagaz Div (19 Steel Road West, Morrisville, PA 19067) for the operation of a specialty gas facility in Falls Township, **Bucks County**.

46-310-019B: Highway Materials, Inc. (1128 Crusher Road, Perkiomenville, PA 18074) for the operation of stone crushers in Marlborough Township, **Montgomery County**.

OP-46-0061: Pa. Department of Corrections (Route 29, Graterford, PA 19426) for the operation of a Facility NOx/VOCs RACT in Skippack Township, **Montgomery County**.

PLAN APPROVALS

Plan Approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northcentral Regional Office, Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.

49-303-005A: Meckley's Limestone Products, Inc. (R. R. 1, Box 950, Herndon, PA 17830) for the modification and installation of a fabric collector on a batch asphalt concrete plant in Lower Mahanoy Township, **Northumberland County**. The modified plant will be subject to Subpart I of the Federal Standards of Performance for New Stationary Sources.

49-309-007J: Meckley's Limestone Products, Inc. (R. R. 1, Box 950, Herndon, PA 17830) for the construction of a screen and two associated conveyors in a stone crushing plant in Lower Mahanoy Township, **Northumberland County**. This equipment is subject to Subpart OOO of the Federal Standards of Performance for New Stationary Sources.

41-304-014B: Andritz Incorporated (Sherman Street, Muncy, PA 17756) for the installation of a fabric collector on various pieces of general castings finishing equipment (grinders, and the like) in Muncy Borough, **Lycoming County**.

8-302-038A: Leprino Foods Company (117 Bradford Street, South Waverly, PA 18840) for the construction of a 500 horsepower natural gas/#6 fuel oil fired boiler in South Waverly Borough, **Bradford County**.

41-302-044B: Koppers Industries, Inc. (436 Seventh Avenue, Pittsburgh, PA 15219-1800) for the modification of a creosoted wood waste fired cogeneration boiler (increase in allowable carbon monoxide emissions) in Clinton Township, **Lycoming County**. This boiler is subject to Subpart Db of the Federal Standards of Performance for New Stationary Sources.

**REASONABLY AVAILABLE CONTROL
TECHNOLOGY**

(RACT)

Public Hearing

**Reasonably Available Control Technology
and Emission Reduction Credits**

**Cyprus Cumberland Resources Corporation and
United Coaters (Centria) Ambridge Plant**

The Department of Environmental Protection (Department) reviewed the RACT plans and ERC application and made a preliminary determination to approve these plans and amendments to the State Implementation Plan (SIP) for the above listed facilities.

The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in the RACT approval for these facilities to comply with current regulations.

The preliminary RACT determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the United States Environmental Protection Agency (EPA) as revisions to Pennsylvania's State Implementation Plan.

Cyprus Cumberland Resources Corporation (Cyprus)

Cyprus chose a case-by-case approach to meeting the requirements of 25 Pa. Code § 129.92 for the thermal dryer, the frothing operations, solvent cleaning operation, storage tanks and fuel dispensing. Cyprus proposed low NOx burners as add-on controls for the thermal dryers as they were determined to be cost effective through a top-down analysis. Cyprus proposes there are no additional control technologies available for the frothing and degreasing operations. Cyprus proposes to meet the presumptive RACT requirements of 25 Pa. Code § 129.93 for all other sources at this facility.

Cyprus has applied for ERCs for the reduction of 64 tons/year of NOx and 15 tons/year of VOC emissions generated through the shutdown of the thermal dryer at the Cumberland Mine as provided for in 25 Pa. Code § 127.207(5)(I).

United Coaters (Centria) Ambridge Plant

The proposed RACT permit for the Ambridge Plant is for the application of presumptive RACT to the three Cleaver Brooks Steam Boilers, and the operation of an incinerator on the emissions from the coil coating operation. This incinerator will perform with an efficiency adequate to reduce the VOCs emitted from the coating materials employed to a level meeting the requirements of 25 Pa. Code § 129.52. Based upon information supplied by United Coaters and the Department's analysis of that information, the current work practices in the cleanup and paint mixing areas limit solvent emissions to a level

for which further environmental benefit will require expenditures beyond the RACT guidelines.

A public hearing will be held to receive comments on the RACT plan and ERC approval. The hearing date is April 8 for Cyprus Resources Corporation and for United Coaters (Centria) at the Department of Environmental Protection Island Conference Room, 400 Waterfront Drive, Pittsburgh. Deadline to register to speak is April 6.

A 30-day comment period from the date of publication will exist for the submission of written comments.

Persons wishing to present testimony at the hearings should contact Community Relations Coordinator Rita Zettelmayer at (412) 442-4182 by April 6, 1998.

Oral testimony will be limited to a maximum of 10 minutes and two written copies of the testimony should be provided. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to do so, should contact Rita Zettelmayer or the Pennsylvania AT&T Relay Service at 1(800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearings, but wishing to comment, should provide written comments to the Department of Environmental Protection, Regional Air Quality Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

Comments should be submitted within 30 days of the date of this publication notice.

All pertinent documents are available for review from 8 a.m. to 4 p.m. at the Department's Regional Office in Pittsburgh. Appointments for scheduling a review may be made by calling (412) 442-4000.

Proposed Revision to the State Implementation Plan for Oxides of Nitrogen and Volatile Organic Compounds; and Notice of Public Hearing

Approval of Reasonably Available Control Technology (RACT) plan for Eldorado Properties Corporation/Petroleum Products Corporation.

The Department of Environmental Protection (Department) has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a petroleum products distribution facility owned by Eldorado Properties Corporation and operated by Petroleum Products Corporation.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit for the facility and will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The following is a summary of the preliminary RACT determination for this operation:

The potential to emit volatile organic compounds from each of the following source categories shall never exceed 3 pounds per hour, 15 pounds per day or 2.7 tons per year (as determined by the Department). Should any of these limitations ever be exceeded for any of the source categories

listed, a detailed RACT analysis which meets the criteria specified in 25 Pa. Code § 129.92 must be submitted to the Department for each source contained in the respective source category.

- distillate truck loading rack
- pumps, valves and flanges
- oil/water separators
- additive tanks
- heating oil tank
- furnace

One public hearing will be held for the purpose of receiving comments on the proposed operating permit and the proposed SIP revision. The hearing will be held on April 15, 1998, at 1 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (717) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to do so should contact Daniel Spadoni at (717) 327-3659 or the Pennsylvania AT&T relay service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to David Aldenderfer, Air Quality Environmental Program Manager, Pennsylvania DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments should be submitted by April 30, 1998.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (717) 327-3693.

Proposed Revision to the State Implementation Plan for Oxides of Nitrogen and Volatile Organic Compounds; and Notice of Public Hearing

Approval of Reasonably Available Control Technology (RACT) plan for Pennsylvania House, Inc. in East Buffalo Township, Union County.

The Department of Environmental Protection (Department) has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a wood furniture manufacturing facility owned and operated by Pennsylvania House, Inc. in East Buffalo Township, Union County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit (OP-60-0006) for the facility and will be submitted to the

United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The following is a summary of the preliminary volatile organic compound RACT determination for this facility:

- All topcoats and sealers shall comply with the volatile organic compound content limitations specified in the EPA's CTG document "Control of Volatile Organic Compound Emissions from Wood Furniture Manufacturing Operations."
- All coatings shall comply with the applicable volatile organic compound content limitations specified in 25 Pa. Code § 129.52 unless the limitations specified in the CTG document are more restrictive in which case, they will supersede the respective § 129.52 limitations.
- Semitransparent wiping and glazing stains shall not contain volatile organic compounds in excess of 6.4 pounds per gallon of coating (minus water) as applied.
- Semitransparent spray stains and toners shall not contain volatile organic compounds in excess of 6.8 pounds per gallon of coating (minus water) as applied.
- The total volatile organic compound emissions from the "Deburg Line" shall not exceed 760 tons in any 12 consecutive month period and the total volatile organic compound emissions from the "Flat Conveyor Line" shall not exceed 267 tons in any 12 consecutive month period.
- The only solvents to be used in the wash off area and surface coating cleanup operations shall be acetone or other materials which contain no volatile organic compounds or hazardous air pollutants.
- Pennsylvania House shall develop and implement a coating transfer equipment leak inspection and maintenance plan and an operator training program.
- All containers of volatile organic compound-containing materials shall be kept closed when not in actual use.
- The combined volatile organic compound emissions from the facility's combustion sources shall not exceed 14.4 tons in any 12 consecutive month period.
- The volatile organic compound emissions from the lumber drying operation shall not exceed 3 pounds per hour, 15 pounds per day or 2.7 tons in any 12 consecutive month period.

One public hearing will be held for the purpose of receiving comments on the proposed operating permit and the proposed SIP revision. The hearing will be held on April 15, 1998 at 1 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (717) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to do so should contact Daniel Spadoni at (717) 327-3659 or the Pennsylvania AT&T relay service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to David Aldenderfer, Air Quality Environmental Program Manager, Pennsylvania DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments should be submitted by April 30, 1998.

All pertinent documents are available for review from 8 a.m to 4 p.m. in the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (717) 327-3693.

Corrected Notice

Public Hearing

Reasonably Available Control Technology and Emission Reduction Credits

Allegheny Ludlum Corp., Washington Plant

The Department reviewed the RACT plans and ERC application and made a preliminary determination to approve these plans and amendments to the State Implementation Plan (SIP) for the above listed facilities.

The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in the RACT approval for these facilities to comply with current regulations.

The preliminary RACT determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the United States Environmental Protection Agency (EPA) as revisions to Pennsylvania's State Implementation Plan.

Allegheny Ludlum Corporation (AL)

AL chose a case-by-case approach to meeting the requirements of 25 Pa. Code § 129.92 for the electric arc furnaces, two annealing furnaces and the batch pickling operation. AL proposes no additional controls as they were determined to be not cost effective through a top-down analysis. AL proposes to meet the presumptive RACT requirements of 25 Pa. Code § 129.93 for all other sources at this facility. The conditions of the RACT permit as proposed limit facility wide NOx emissions to 191.6 tons/yr. and facility wide VOC emissions to 4.5 tons/year.

AL has applied for ERCs for the reduction of 7.78 tons/year of NOx and 8.7 tons/year of VOC emissions generated through the shutdown of three electric arc furnaces at the Washington Facility as provided for in 25 Pa. Code § 127.207(5)(I).

A public hearing will be held to receive comments on the RACT plan and ERC approval. The hearing date is March 18 for Allegheny Ludlum at the Department of Environmental Protection Waterfront Conference Room, 500 Waterfront Drive, Pittsburgh. Deadline to register to speak is March 17.

A 30-day comment period from the date of publication will exist for the submission of written comments.

The public is invited to comment on the proposed plan and SIP revision. Persons wishing to present testimony at the hearings should contact Community Relations Coordinator Rita Zettelmayer at (412) 442-4182 by March 17, 1998.

Oral testimony will be limited to a maximum of 10 minutes and two written copies of the testimony should be provided. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to do so, should contact Rita Zettelmayr or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearings, but wishing to comment, should provide written comments to the Department of Environmental Protection, Regional Air Quality Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

Comments should be submitted within 30 days of the date of this publication notice.

All pertinent documents are available for review from 8 a.m. to 4 p.m. at the Department's Regional Office in Pittsburgh. Appointments for scheduling a review may be made by calling (412) 442-4000.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for

compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

32860106. Permit Revision. **Kent Coal Mining Company** (P. O. Box 729, Indiana, PA 15701), to change the postmining land use from cropland to forestland on the Rochester & Pittsburgh Coal Company property in Blacklick Township, **Indiana County**, affecting 233.1 acres, receiving stream four unnamed tributaries to Aultmans Run and Aultmans Run. Application received February 20, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232.

10930106. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous surface strip operation in Clay and Center Townships, **Butler County** affecting 109.5 acres. Receiving streams: Four unnamed tributaries to Stony Run and an unnamed tributary to Pine Run. Application for reclamation only. Application received February 12, 1998.

101157-33940106-E-3. Ed Hanslovan Coal Company, Inc. (R. D. 2, Box 230, Morrisdale, PA 16858) Application for a stream encroachment to construct erosion and sedimentation control facilities within 300 feet but no closer than 50 feet of an unnamed tributary to Rattlesnake Creek in Snyder and Washington Townships, **Jefferson County**. Application received February 12, 1998.

33813020. John R. Yenzi, Jr. (P. O. Box 287, Anita, PA 15711) Revision to an existing bituminous surface strip operation in Winslow Township, **Jefferson County** affecting 270.0 acres. Receiving streams: An unnamed tributary to Trout Run and an unnamed tributary to Front Run. Revision to include the addition of auger mining within the confines of the previously approved permit area. Application received February 17, 1998.

33901601. DSB Company (P. O. Box 729, Indiana, PA 15701) Revision to an existing bituminous preparation plant in Winslow Township, **Jefferson County** affecting 17.5 acres of surface area. Receiving streams: Panther Run. Revision to include a post mining landuse change from forestland to commercial/industrial land or the lands of Clyde Beck. Application received: February 19, 1998.

33920107. Rice Coal Company (711 Edward Street, Philipsburg, PA 16866) Renewal of an existing bituminous surface strip operation in Knox Township, **Jefferson County** affecting 46.3 acres. Receiving streams: An un-

named tributary to Five Mile Run. Application for reclamation only. Application received February 25, 1998.

McMurray District Office

03841302. Canterbury Coal Co. (R. D. 1, Box 119, Avonmore, PA 15618), to revise the permit for the Dianna Mine in Kiskiminetas Township, **Armstrong County** to revise surface site and two stream variances for the Dianne No. 2 shaft, no additional discharges. Application received January 27, 1998.

32921302. Helvetia Coal Co. (P. O. Box 729, Indiana, PA 15701), to revise the permit for the Marshall Run Mine in Young Township, **Indiana County**, to revise the permit area and subsidence control plan area, no additional discharges. Application received February 2, 1998.

33921301. Doverspike Bros. Coal Co., Inc. (R. D. 4, Box 271, Punxsutawney, PA 15767), to renew the permit for the Mauk Mine in Oliver and Ringgold Township, **Jefferson County**, reclamation only, no additional discharges. Application received February 6, 1998.

03861601. McVile Mining Co. (301 East Main St., Suite 900, Lexington, KY 40507-1585), to renew the permit for the McVile Prep Plant in South Buffalo Township, **Armstrong County**, no additional discharges. Application received February 6, 1998.

63831302. Eighty Four Mining Co. (P. O. Box 729, Indiana, PA 15701), to revise the permit for the Mine No. 84 in South Strabane Township, **Washington County**, revision to install McKahan ventilation shaft and associated surface facilities, unnamed tributary to Little Chartiers Creek. Application received February 18, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Applications Received

3075SM26. Neshannock Sand & Gravel, Inc. (R. D. 1, Box 72, New Castle, PA 16105), transfer of an existing sand and gravel operation in Slippery Rock Township, **Butler County** affecting 92.0 acres. Receiving streams: Unnamed tributaries to Wolf Creek. Transfer from Cooper Brothers, Inc. Application received February 17, 1998.

25980301. Ray Showman Jr. Excavating, Inc. (P. O. Box 646, Waterford, PA 16441), commencement, operation and restoration of a sand and gravel operation in Waterford Township, **Erie County** affecting 73.2 acres. Receiving streams: An unnamed tributary to LeBoeuf Creek. Application received February 17, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

8074SM2C. Highway Materials Inc. (1750 Walton Road, Blue Bell, PA 19422-0465), correction to an existing quarry operation in Whitemarsh Township, **Montgomery County**, affecting 345.2 acres, receiving stream Lorraine Run. Application received February 10, 1998.

74740303A4C2. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0594334 in Lower Mt. Bethel Township, **Northampton County**, receiving stream Delaware River. Application received February 18, 1998.

7874SM2A1C3. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0612880 in North Whitehall Township, **Lehigh County**, receiving stream Coplay Creek. Application received February 18, 1998.

8274SM2C3. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454),

renewal of NPDES Permit No. PA0612871 in West Cocalico Township, **Lancaster County**, receiving stream unnamed tributary to Indian Run. Application received February 18, 1998.

7874SM3A1C2. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0612537 in Whitehall Township, **Lehigh County**, receiving stream Coplay Creek. Application received February 18, 1998.

7474SM1A1C2. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0119253 in Lower Nazareth Township, **Northampton County**, receiving stream unnamed tributary to Schoeneck Creek. Application received February 18, 1998.

39880301A1C4. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0594199 in North Whitehall Township, **Lehigh County**, receiving stream Coplay Creek. Application received February 18, 1998.

13760301C2. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0124214 in Towamensing Township, **Carbon County**, receiving stream unnamed tributary to Aquashicola Creek. Application received February 18, 1998.

7774SM1A1C4. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0044555 in Oley Township, **Berks County**, receiving stream unnamed tributary to Limekiln Creek. Application received February 18, 1998.

67830301C2. Glen-Gery Corporation (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit No. PA0613380 in Conewago Township, **York County**, receiving stream unnamed tributary to Conewago Creek. Application received February 18, 1998.

4975SM3A1C2. Glen-Gery Corporation (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit No. PA0612235 in Hamilton Township, **Adams County**, receiving stream Muncy Run. Application received February 18, 1998.

**Bureau of Deep Mine Safety
Request for Variance**

The Bureau of Deep Mine Safety has approved a request for variance from **Cyprus Emerald Resources Corporation**. The following notification contains a summary of this request. Complete copies of the variance request may be obtained from Matthew A. Bertovich by calling (724) 439-7469.

Summary of the Request: Cyprus Emerald Resources Corporation requested an increase in shelter hole distances to 150-foot centers for all mains development at the Emerald Mine.

The basis for the Bureau's approval can be summarized in the following statements:

1. Pedestrians will have the right-of-way. All vehicle operators must stop until workers are able to enter shelter hole.

2. Locomotives used to transport supplies or equipment must be of sufficient size (tonnage) to be able to stop their loads within a safe distance.

3. All vehicles will be operated at speeds that will allow controlled stops under prevailing track conditions.

4. Signs shall be posted stating the shelter hole spacing distance.

5. A means of identifying shelter hole locations shall be provided using a reflective indicator/marker which will be visible from along the track haulage travelway. Markers will be of standardized color and design.

6. Crosscuts which are used as shelter holes shall be maintained free of obstructions and debris, other than normal roof-to-ground supports. Clearance will be maintained for a depth of at least 15 feet and the entire width except for roof support.

7. Shelter holes will be maintained at all switch throws and doors.

8. Supply cars and equipment will be pulled by a locomotive in the direction of travel. When it is necessary to push nonpropelled (supply cars, and the like) track haulage equipment, it shall be done only from the last track switch. Trip lights shall be used on the end that does not have locomotive coupled.

9. Workers performing tasks, that is track repair, block repair, and the like, along track haulage roads shall be provided with flashing warning lights. These devices shall be placed in clear view of approaching haulage equipment, but as close as practicable to the work site.

10. All employes and persons entering the mine shall be trained concerning shelter hole procedure and safety precautions.

This approval is limited to a variance from the distance requirements for shelter holes contained in section 268(b) of the Bituminous Coal Mine Act. All other terms and requirements of section 268 shall remain in effect. Continued authorization for operation under the approval is contingent upon compliance with the measures described in the approved plan.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-762. Encroachment. Metromedia Fiber Network of PA Inc., 110 E. 42nd St., Suite 1502, New York, NY 10017. To install and maintain a fiber optics utility line crossing of the Pennsylvania Canal (a.k.a. Delaware Canal) associated with the Metromedia Fiber Network Project which extends from Jersey City, NJ to Crystal City, VA. The site is located at the point where the Pennsylvania Canal flows beneath the Conrail Railroad Bridge (Trenton West NJ-PA USGS Quadrangle N: 20.30 inches; W: 11.00 inches) in Yardley Borough, **Bucks County**.

E46-633A. Encroachment. 225 Washington Club, Inc., 225 Washington St., Conshohocken, PA 19428. To reissue and amend permit no. E46-633 to include the construction of a 14,000 square foot wooden deck patio which will be situated in the 100-year floodway of Schuylkill River and span a remnant section of the abandoned Schuylkill Canal. The site is located on the landward side of a floating barge restaurant, and is located approximately 1,200 feet downstream of the confluence of Arrowmink Creek with the Schuylkill River (Norristown, PA Quadrangle N: 12.5 inches; W: 7.40 inches) in Conshohocken Borough, **Montgomery County**.

Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

E58-227. Encroachment. Pennsylvania Department of Transportation, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a road crossing of Butler Creek (CWS), consisting of twin 18-foot by 11.25-foot reinforced concrete box culverts, with their inverts depressed 1.0 foot below stream bed elevation. One of the culverts will contain a 1.1-foot weir at the inlet. The project is located on S. R. 0547, Section 570, Segment 0180, Offset 0067 (Harford, PA Quadrangle N: 9.7 inches; W: 2.7 inches) in Gibson Township, **Susquehanna County** (Baltimore District U. S. Army Corps of Engineers).

E58-228. Encroachment. Pennsylvania Department of Transportation, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a road crossing of Nick Creek (CWF), consisting of a 17.0-foot × 6.5-foot precast reinforced concrete box culvert, with its invert depressed 1.0 foot below streambed elevations. The project is located on S. R. 3009, Section 551, Segment 0040, Offset 2337, approximately 1.8 miles north of the Susquehanna/Wyoming County line (Auburn Center, PA Quadrangle N: 7.8 inches; W: 0.6 inch in Auburn Township, **Susquehanna County**) (Baltimore District, U. S. Army Corps of Engineers).

E66-117. Encroachment. Pennsylvania Department of Transportation, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing SR0092 structure and a 400 linear foot sediment deposition located along Tunkhannock Creek near the confluence with the Susquehanna River, to place fill in the floodplain of Tunkhannock Creek and to construct and maintain three bridges (1) the Eastern Terminus consisting of a four-span prestressed I-beam bridge having a span of 475 feet and an underclearance of 30 feet on a 51° skew; (2) the SR0092 bridge consisting of a three-span prestressed spread box beam bridge having a span of 256 feet and an underclearance of 23.9 feet; and (3) the Viaduct consisting of a five-span prestressed I-beam bridge having a span of 620 feet and an underclearance of 31.9 feet across

Tunkhannock Creek. This work is part of the Tunkhannock By-Pass Project which begins west of the intersection of SR0006 and SR0029, runs parallel to SR0006 between Tunkhannock Creek and the Susquehanna River and ends east of the intersection of SR0006 and SR0092 (Tunkhannock, PA Quadrangle N: 6.8 inches; W: 8.3 inches and N: 8.7 inches; W: 12.5 inches) in Tunkhannock Borough and Tunkhannock Township, **Wyoming County**.

Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E41-419. Encroachment. **Joseph Allar**, R. R. 2, Box 75, Hughesville, PA 17737. To maintain two 9-foot diameter by 21-foot long steel culvert pipes and to construct and maintain inlet and outlet concrete wingwalls in Sugar Run approximately 1.5 miles east of Hughesville and 0.4 mile north of RT 118 off Green Valley Road on a private driveway (Hughesville, PA Quadrangle N: 20.1 inches; W: 9.8 inches) in Wolf Township, **Lycoming County**. Estimated stream disturbance is 40 feet of waterway with no wetland disturbance; stream classification is Cold Water Fisheries.

E53-309. Encroachment. **Robert E. Long**, R. R. 1, Box 197, Coudersport, PA 16915. To remove the existing structure and to construct and maintain a 5-foot diameter culvert 20 feet long in North Hollow Creek located off North Hollow Road approximately 2 miles north of Route 6 (Sweden Valley, PA Quadrangle N: 7.0 inches; W: 10.2 inches) in Sweden Township, **Potter County**. Estimated stream disturbance is 20 feet of waterway with no wetland impact; stream classification is CWF.

E60-131. Encroachment. **Union County Commissioners**, 103 S. 2nd St., Lewisburg, PA 17837. To remove the existing structure and to construct and maintain a two span prestressed concrete bridge with a clear span of 153 feet and minimum underclearance of 7 feet across Penns Creek located on RT 304 just north of Thomas Dam Road (Beavertown, PA Quadrangle N: 19.7 inches; W: 17.3 inches) in Hartley Township, **Union County**. Estimated stream disturbance is 150 feet of stream with 0.003 acre of permanent wetland impacts and 0.02 acre of temporary wetland impact; stream classification is HQ-CWF.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1218. Encroachment. **Robinson Peripheral Developers**, 300 Park Manor Drive, Pittsburgh, PA 15205. To place and maintain fill in 0.57 acre of wetlands (PEM/PSS) for a proposed commercial and retail development of an approximately 470 acre lot as part of Phase II of the Robinson Town Center Development (Oakdale, PA Quadrangle N: 14.6 inches; W: 5.0 inches) in Robinson Township, Moon Township and North Fayette Township, **Allegheny County**.

E63-448. Encroachment. **Pennsylvania Department of Transportation, Engineering District 12-0**, P. O. Box 459, Uniontown, PA 15401-0459. To remove the existing bridge and to construct and maintain a single span, prestressed concrete bridge having a normal span of 84.0 feet and a vertical underclearance of 13.7 feet over Mingo Creek (TSF). Also, to conduct channel realignment and cleaning and to install R-8 rock, bank stabilization for a distance of 205.0 feet along Mingo Creek. The project is located along S. R. 0088 approximately 1,800 feet north of its intersection with S. R. 0837 in the village of River View (Monongahela, PA Quadrangle N: 15.1 inches; W: 12.5 inches) in New Eagle Borough, **Washington County**.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E16-102. Encroachment. **Donald W. Deitz**, R. D. 1, Box 308, Clarion, PA 16214-9416. To install and maintain 2-inch natural gas line across the Clarion River approximately 250 feet downstream of SR 3007 (Knox, PA Quadrangle N: 6.8 inches; W: 5.2 inches) located in Beaver and Licking Townships, **Clarion County**.

E25-567. Encroachment. **PA Department of Transportation, Engineering District 1-0**, 1140 Liberty Street, Franklin, PA 16323-1289. To place and maintain stream bed paving approximately 1 foot in depth within the existing twin 30 foot diameter concrete arch culverts to protect structure from scour. This structure is located on Elk Creek (WWF-MF, trout stocked) where S. R. 0005 crosses over Elk Creek (Fairview, PA Quadrangle N: 3.7 inches; W: 15.1 inches) located in Lake City Borough, **Erie County**.

E25-568. Encroachment. **Gary L. Brown**, P. O. Box 254, Waterford, PA 16441-9749. To construct and maintain a 24 foot wide by 46 foot long pile supported private residence within the 100-year floodway of LeBoeuf Creek on property located at the intersection of Water Street and West Street (Waterford, PA Quadrangle N: 11.35 inches; W: 15.3 inches) located in Waterford Borough, **Erie County**.

E42-253. Encroachment. **Gene W. and Barbara A. Glasgow**, 100 Katherine Street, Port Allegany, PA 16743. To remove existing culvert and to construct and maintain a 240-foot-long 36-inch diameter stream enclosure in a tributary to Allegheny River for yard construction adjacent to an existing residence northeast of the intersection of Keating and Katherine Streets (Port Allegany, PA Quadrangle N: 12.8 inches; W: 4.6 inches) located in Port Allegany Borough, **McKean County**.

E42-256. Encroachment. **City of Bradford**, 24 Kennedy Street, Bradford, PA 16701. To remove the existing Mill Street Bridge and to construct and maintain a composite prestressed concrete adjacent Box Beam Bridge having three normal spans of 16.84 meters and a minimum underclearance of 3.23 meters on a 72-degree skew across Tunungwant Creek on Mill Street (Bradford, PA Quadrangle N: 15.9 inches; W: 1.5 inches). Project will include construction and maintenance of a temporary causeway in Tunungwant Creek located in the City of Bradford, **McKean County**.

E43-264. Encroachment. **Willard E. Campbell Enterprises, Inc.**, 764 Plaza Unit No. 1, P. O. Box 1018, Duncansville, PA 16635. To fill 0.3 acre of a 2.0 acre wetland (PEM/PSS) for the construction of a Hoss's Restaurant and associated parking lot along the north side of SR 208 approximately 1,700 feet west of I-79 (PA Quadrangle N: 3.3 inches; W: 5.0 inches). Project proposes construction of 0.3 acre of replacement wetland on site located in Springfield Township, **Mercer County**.

WATER QUALITY CERTIFICATION

Requests for Certification under Section 401 of the Federal Water Pollution Control Act

The following requests have been made to the Department of Environmental Protection (Department) for certification under section 401(a) of the 1972 amendments to the Federal Water Pollution Control Act, 33 U.S.C.A. § 1341(a), that there is reasonable assurance that the construction herein described will not violate applicable Federal and State water quality standards.

Prior to final approval of the proposed certification, consideration will be given to any comments, suggestions or objections which are submitted in writing 30 days from the date of this notice. Comments should be submitted to the Department at the address indicated above each of the following requests for certification. All comments should contain the name, address and telephone number of the person commenting; identification of the certification request to which the comments or objections are addressed; and a concise statement of comments, objections or suggestions in sufficient detail to inform the Department of the exact basis of the proposal and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given comments if deemed necessary to resolve conflicts. Each individual will be notified in writing of the time and place of any scheduled hearing or conference concerning the certification request to which the protest relates. Maps, drawings and other data pertinent to the certification request are available for inspection and review at the address indicated above each request for certification between the hours of 8 a.m. and 4 p.m. on each working day.

Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Certification Request Initiated By: The Port of Philadelphia & Camden, Inc., 3460 N. Delaware Avenue—Room 207, Philadelphia, PA 19134.

Project Description/Location: The project involves the discharge of supernatant from the Ft. Mifflin Dredge Disposal Basin. The supernatant will be generated through the disposal of approximately 20,000 cubic yards of sediment dredged from the Delaware River at Pier 2 of the Philadelphia Naval Shipyard.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System
Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street, Second Floor, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage actions under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

NPDES Permit No. PA0056839, Amendment No. 1. Industrial waste. **Sun Company Inc.**, 1801 Market Street, 10 Penn Center, Philadelphia, PA 19103 is authorized to discharge from a facility located in Radnor Township, **Delaware County** into Ithan Creek.

NPDES Permit No. PA0022411, Amendment No. 1. Sewerage. **Dept. of the Navy Northern Division Naval Facilities Engineering Command**, 10 Industrial Highway, Mail Stop 82, Lester, PA 19113-2090, is authorized to discharge from a facility located in Horsham Township, **Montgomery County** to an unnamed tributary to Park Creek.

NPDES Permit No. PA0055158. Sewerage. **Roger and Theresa Bahnck**, 327 Durham Road, Ottsville, PA 18942, is authorized to discharge from a facility located in Nockamixon Township, **Bucks County**.

NPDES Permit No. PA0052272. Industrial waste. **Monsey Products Company**, Cold Stream Road, Kimberton, PA 19442, is authorized to discharge from a facility located in East Pikeland Township, **Chester County**, to an unnamed tributary to French Creek.

NPDES Permit No. PA0021172, Amendment No. 2. Sewerage. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976, is authorized to discharge from a facility located in Doylestown Borough, **Bucks County** into Cooks Run Tributary to Neshaminy Creek.

NPDES Permit No. PA0028380, Amendment No. 2. Sewerage. **Tinicum Township Sewerage Authority**, 125 Chippewa Street, Lester, PA 19020 is authorized to discharge from a facility located in Tinicum Township, **Delaware County**, into Darby Creek.

NPDES Permit No. PA0036455, Amendment No. 1. Industrial waste. **Naval Facilities Engineering Command-Northern Division Phila Naval Complex**, South Broad Street, Philadelphia, PA 19112 is authorized to discharge from a facility located in City of Philadelphia into Delaware and Schuylkill Rivers.

NPDES Permit No. PA0013081, Amendment No. 3. Industrial waste. **Kimberly Clark Tissue Company**, Front Street and Avenue of the States, Chester, PA 19013 is authorized to discharge from a facility located in City of Chester, **Delaware County**, into Delaware River Estuary Zone 4 and Chester Creek.

NPDES Permit No. PA0051535. Sewerage. **Kenneth S. Lord**, P. O. Box 244, Eagleville, PA 19408, is authorized to discharge from a facility located in Lower Providence Township, **Montgomery County** into Perkiomen Creek.

WQM Permit No. 0997409. Sewerage. **Upper Southampton Sewer Authority**, 945 Street Road, P. O. Box 481, Southampton, PA 18966. Construction and operation to replace sewer system to an existing sewer system which is serving Upper Southampton Township

S. W. drainage basin located in Township of Upper Southampton, **Bucks County**.

WQM Permit No. 4697413. Sewerage. **Mr. and Mrs. William Hodson**, 387 Allentown Road, Souderton, PA 18964-2103. Construction and operation of a single residence STP to serve the Hodson residence located in Franconia Township, **Montgomery County**.

WQM Permit No. 4697416. Sewerage. **William Smith**, 1492 Salford Street, Salford, PA 18957. Construction and operation of a single residence STP to serve the Smith residence located in Upper Salford Township, **Montgomery County**.

WQM Permit No. 1597411. Sewerage. **Michael and Antianette Hughes**, 305 Auburn Drive, Downingtown, PA 19335. Construction and operation of a single residence STP to serve the Hughes residence located in Upper Uwchlan Township, **Chester County**.

Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 5697404. Sewerage, **RoxCoal, Inc.**, 2851 Stoystown Road, Friedens, PA 15541. Construction of a small flow sewage treatment facility located in the Township of Stonycreek, **Somerset County** to serve the Barbara No. 2 small flow sewage treatment facility.

NPDES Permit No. PA0025984, Amendment No. 1. Sewerage, **Allegheny County Sanitary Authority**, 3300 Preble Avenue, Pittsburgh, PA 15233 is authorized to discharge from a facility located at Alcosan Wastewater Treatment Plant, City of Pittsburgh, **Allegheny County**.

NPDES Permit No. PA0033405, Amendment No. 1. Sewerage, **Thomas P. Berch**, 1434 Greensburg Pike, West Newton, PA 15089 is authorized to discharge from a facility located at Sewickley Pines Manor STP, Sewickley Township, **Westmoreland County**.

NPDES Permit No. PA0093076. Sewerage, **Brookhaven Estates Mobile Home Park**, 620 Highland Ridge Road, Claysville, PA 15323 is authorized to discharge from a facility located at Brookhaven Estates Mobile Home Park, South Franklin Township, **Washington County** to Unnamed Tributary of Chartiers Creek.

NPDES Permit No. PA0217760. Sewerage, **RoxCoal, Inc.**, 2851 Stoystown Road, Friedens, PA 15541 is authorized to discharge from a facility located at Barbara No. 2 small flow sewage treatment facility, Stonycreek Township, **Somerset County** to Reitz Creek.

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0210293. Sewerage. **Vision Quest National Ltd., Vision Quest-Big Lodge**, 600 North Swan, P. O. Box 12906, Tucson, AZ 85732-2906 is

authorized to discharge from a facility located in Sandy Creek Township, **Venango County** to an unnamed tributary to Morrison Run.

NPDES Permit No. PA0026271, Amendment No. 1. Sewerage. **Meadville Area Sewer Authority**, 984 Water Street, Meadville, PA 16335 is authorized to discharge from a facility located in the City of Meadville, **Crawford County** to French Creek.

NPDES Permit No. PA0210501. Sewerage. **Earl G. Willey**, 3974 Longview Rd., West Middlesex, PA 16159 is authorized to discharge from a facility located in Shenango Township, **Mercer County** to Hogback Run.

WQM Permit No. 4398403. Sewerage, **Donald Blank Estate, c/o Rod McClelland**, SRSTP, 101 Beaver St., Mercer, PA 16137. Construction of Donald Blank Estate SRSTP located in Jackson Township, **Mercer County**.

WQM Permit No. 2598404. Sewerage, **Robert Blakeslee**, SRSTP, 23855 Maple Grove Rd., Union City, PA 16438. Construction of Robert Blakeslee SRSTP located in Concord Township, **Erie County**.

WQM Permit No. 4398404. Sewerage, **Randall L. Carroll**, SRSTP, 622 Charleston Rd., Sharpsville, PA 16150. Construction of Randall L. Carroll SRSTP located in Jefferson Township, **Mercer County**.

INDIVIDUAL PERMITS

(PAR)

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted Notices of Intent (NOIs) for coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or other General Permit Type

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems

*List of NPDES and/or other
General Permit Type*

PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

General Permit Type—PAG-2

Facility Location

*County and
Municipality*

<i>County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Allegheny Co. Bridgeville Borough	PAR10A052R	PA Department of Transportation 45 Thoms Run Road Bridgeville, PA 15017	Chartiers Creek	Allegheny County CD (412) 241-7645
Allegheny Co. Bridgeville Borough	PAR10A130R	PA Department of Transportation 45 Thoms Run Road Bridgeville, PA 15017	Chartiers Creek	Allegheny County CD (412) 241-7645
Allegheny Co. Upper St. Clair Twp.	PAR10A243	Upper St. Clair School District 1820 McLaughlin Run Rd. Pittsburgh, PA 15241	McLaughlin Run	Allegheny County CD (412) 241-7645
Allegheny Co. Hampton Township	PAR10A247	Glade Ventures Partnership 9380 McKnight Road Pittsburgh, PA 15237	Pine Creek	Allegheny County CD (412) 241-7645
Allegheny Co. City of Pittsburgh	PAR10A249	Urban Development Authority of Pittsburgh 200 Ross Street Pittsburgh, PA 15219	Monongahela River	Allegheny County CD (412) 241-7645
Allegheny Co. Kennedy Township	PAR10A250	Ohio Valley General Hospital Heckel Road McKees Rocks, PA 15136	Ohio River	Allegheny County CD (412) 241-7645
Allegheny Co. Forward Township	PAR10A252	Matthew Canestrале P. O. Box 234 Belle Vernon, PA 15012	Monongahela River	Allegheny County CD (412) 241-7645
Beaver Co. Center Township	PAR100219R	Stanley Brobeck 120 Center Grange Rd. Aliquippa, PA 15001	UNT Logtown Run	Beaver County CD (724) 774-7090
Beaver Co. New Sewickley Township	PAR100244	Mark and Annette Lherbier 25 Walnut Street Pittsburgh, PA 15205	UNT Brush Creek	Beaver County CD (412) 774-7090
Cambria Co. Blacklick Township Buffington Township Jackson Township Vintondale Borough Nanty Glo Borough	PAR101043	Blacklick Valley Municipal Authority P. O. Box 161 Vintondale, PA 15961	Tributaries to Blacklick Creek	Cambria County CD (814) 472-2120
Indiana Co. Conemaugh Township	PAR103140	Bureau of Abandoned Mine Reclamation P. O. Box 8476 Harrisburg, PA 17105	Conemaugh River	Indiana County CD (412) 463-7702
Butler County Cranberry Township	PAR10E064-R	Allegheny Metal Working Corporation 17 Leonburg Road Cranberry, PA 16066	Bush Creek	Butler Conservation District 122 McCune Drive Butler, PA 16001-65001 (724) 284-5270

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Butler Co. Center Twp.	PAR10E079	Miller-Nebel Partnership R. D. 1, 778 N. Pike Rd. Cabot, PA 16023-9637	Connoquenessing Creek	Butler Conservation District 122 McCune Dr. Butler, PA 16001-65001 (724) 284-5270
Butler Co. Cranberry Township	PAR10E080	Jeff Meyerl—Possum Jack, Inc. 108 Lakeland Drive Mars, PA 16046	Breakneck Creek	Butler Conservation District 122 McCune Drive Butler, PA 16001-65001 (724) 284-5270
Butler Co. Butler Township	PAR10E081	Robert R. Heaton 239 Meridian Road Butler, PA 16001	Tributary of Sawmill Run	Butler Conservation District 122 McCune Dr. Butler, PA 16001-65001 (724) 284-5270
Montour County Danville Borough Northumberland County Mahoning Twp.	PAR104718	Pa. Dept. of Transportation 715 Jordan Ave. Montoursville, PA 17754	Susquehanna River	Montour CCD 112C Woodbine Lane Danville, PA 17821 (717) 271-1140
Snyder County Jackson Township	PAR105901R	Central Pa. Developers Inc. R. R. 1, Box 840 Richfield, PA 17086	Penns Creek	Snyder CCD 403 W. Market St. Middleburg, PA 17842 (717) 837-0085
Snyder Co. Penns Township	PAR105906R	Eastern Development & Planning Inc. 7300 Derry St. Harrisburg, PA 17111	Tributary to Penns Creek	Snyder CCD 403 W. Market St. Middleburg, PA 17842 (717) 837-0085
Lackawanna Co. City of Carbondale City of Scranton Carbondale Twp. Dunmore Borough Throop Borough Olyphant Borough Jessup Borough Archbald Borough Mayfield Borough Jermyn Borough	PAR10N058	Charles Mattei PennDOT District 4-0 O'Neill Highway Dunmore, PA 18512	Lackawanna River	Lackawanna CD (717) 587-2607
<i>General Permit Type—PAG 3</i>				
<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Chester County West Goshen Township	PAR800086	Conway Central Express XWC 206 Garfield Avenue West Chester, PA 19381	Chester Creek	Southeast Region Water Management 555 North Lane Conshohocken, PA 19428 (610) 832-6130
South Pymatuning Twp. Mercer Co.	PAR128304	Dean Dairy Products Company 1858 Oneida Lane Sharpville, PA 16150	McCullough Run	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
City of Erie Erie County	PAR208322	PSB Industries, Inc. 1202 West 12th Street Erie, PA 16512-1318	Cascade Creek	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
City of Erie Erie County	PAR128303	Van de Kamp's, Inc. P. O. Box 10367 Erie, PA 16514	Lake Erie	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
North East Borough Erie County	PAR118325	The Electric Materials Company Box 390 North East, PA 16428	Sixteen Mile Creek Tributary	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942
City of Franklin Venango County	PAR238314	J-M Manufacturing Co. Inc. R. R. 2, Box 124 Cochrannton, PA 16314	French Creek	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Jackson Township Mercer County	PAG048479	Donald Blank Estate c/o Rod McClelland 101 Beaver St. Mercer, PA 16137	Tributary Lake Latonka	Northwest Region Water Management 230 Water St. Meadville, PA 16335-3481 (814) 332-6942
Concord Township Erie County	PAG048476	Robert Blakeslee 23855 Maple Grove Rd. Union City, PA 16438	Unnamed Tributary of Lilley Run	Northwest Region Water Management 230 Water St. Meadville, PA 16335-3481 (814) 332-6942
Jefferson Township Mercer County	PAG048480	Randall L. Carroll 622 Charleston Rd. Sharpsville, PA 16150	Tributary Shenango Reservoir	Northwest Region Water Management 230 Water St. Meadville, PA 16335-3481 (814) 332-6942
Wolf Creek Township Mercer County	PAG048472	Cleveland and Connie Eddinger 148 Stoneboro Rd. Grove City, PA 16127	Unnamed Tributary to Wolf Creek	Northwest Region Water Management 230 Water St. Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lancaster County West Hempfield Township	PAG053518	Turkey Hill Minit Market Turkey Hill #136 257 Centerville Road Lancaster, PA 17603	UNT to Chickies Creek	Southcentral Room 126 1 Ararat Boulevard Harrisburg, PA 17110

General Permit Type—PAG-8

<i>Facility Location County and Municipality (If Applicable)</i>	<i>General Permit No.</i>	<i>Applicant Name and Address</i>	<i>Contact Office and Telephone No.</i>
	PAG089901	Spectraserv, Inc. 75 Jacobus Avenue South Kearney, NJ 07032	Bureau of Water Quality Protection (717) 787-8184

*Facility Location
County and Municipality
(If Applicable)*

*General
Permit No.*
PAG089902

Montgomery County
Pottstown Borough

PAG080005

*Applicant Name
and Address*

Passaic Valey Sewerage
Commissioners
600 Wilson Avenue
Newark, NJ 07105

Pottstown Borough
Authority
241 King Street
Pottstown, PA 19464

*Contact Office and
Telephone No.*

Bureau of Water Quality
Protection
(717) 787-8184

Southeast Region
Water Management
555 North Lane
Conshohocken, PA 19428
(610) 832-6130

**SEWAGE FACILITIES ACT
PLAN APPROVAL**

**Plan Approval granted under the Pennsylvania
Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

*Northeast Regional Office, Water Management Program
Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790,
(717) 826-2553.*

Hazle Township, Luzerne County.

The Department of Environmental Protection (Department) has completed its review of the Airport Road Act 537 Special Study (Special Study), dated July, 1997 and revised January, 1998 (received by the Department on January 13, 1998), with additional documentation dated October 13, 1997 (received by the Department on October 16, 1997), as prepared by Schumacher Engineering Inc., on behalf of Hazle Township.

The Department's review has found that the Special Study is now acceptable and hereby grants planning approval.

The Hazle Township Municipal Authority (Authority), on behalf of Hazle Township, proposes to implement Alternative No. 1 of the Special Study. Alternative No. 1 proposes the construction of a new wastewater collection and conveyance system to serve limited, specific portions of Hazle Township. The areas to be served by the proposed system are limited to those shown on Drawing No. 1 of the Special Study: the Village of Hollywood including the Woodcrest Estates Subdivision and Holly-Lynn Mobile Home Park, properties adjacent to a portion of the Airport Beltway (SR3026) from SR0309 west to the area of the Wal-Mart Super Center, properties adjacent to Old Airport Road (T-470) and Hess Road (T-499) and the Hazleton Municipal Airport. Construction of the proposed system will occur in two phases. Phase 1 will include all areas except for the Old Airport Road and Hazleton Municipal Airport Areas. Phase 2 will include only the Old Airport Road and Hazleton Municipal Airport Areas.

The wastewater collection and conveyance systems proposed will consist of approximately 13,300 lineal feet of gravity sewer lines and force main along with associated appurtenances. The conveyance system will also include the construction of a 460 gpm wastewater pumping station. The pump station's equipment will be housed in a 45 foot by 25 foot aboveground structure to be constructed along the Airport Beltway. The proposed pump station's force main will discharge its wastewater to an existing manhole located on Liberty Avenue in the Park Crest Subdivision located within Hazle Township. Wastewater will then be conveyed through existing collection and

conveyance system lines to the Greater Hazleton Joint Sewer Authority's Wastewater Treatment Facility for treatment and discharge.

Due to the project's construction, the Authority will abandon the existing Hollywood Pump Station. Wastewater from the Hollywood Collection System will be conveyed to the proposed pump station to be constructed adjacent to the Airport Beltway. The project's construction will also allow for the abandonment of the Holly-Lynn Mobile Home Park's Wastewater Treatment Facility. Several commercial establishments, including Lagana's Corporate Center, Affordable Dentures Inc., Rex TV and Appliance Inc, and the Hazleton Municipal Airport, which currently utilize holding tank facilities as their method of wastewater disposal, will be required to properly abandon their holding tanks and connect to the proposed wastewater collection system.

The proposed project will be financed through commercial and residential tapping fees, a capital contribution from the Authority's Capital Improvement Fund and a commercial bank loan obtained by the Authority.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act, 35 P. S. §§ 750.1—750.20(a) (Act 537), and 25 Pa. Code Ch. 71, the Department will hold Hazle Township responsible for the complete and timely implementation of the Special Study's chosen wastewater disposal alternative. Implementation of the Special Study's chosen wastewater disposal alternative must be performed within the time frames indicated in the Special Study's Schedule of Implementation.

Any additional wastewater-related improvements, additions, deletions or changes outside of those explicitly described in the Special Study must be in compliance with the Department's regulations and be submitted to and approved by the Department in writing.

This approval covers only the wastewater planning aspects of the proposed construction project as it relates to Hazle Township's Official Sewage Facilities Plan. Before construction of the proposed project may commence, the Authority must obtain a Part II—Water Quality Management Permit from the Department. A copy of the Special Study's approval correspondence must accompany the permit application when it is submitted to the Department's Northeast Regional Office.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office, Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Permit No. 0997513. Public water supply. **Milford Township Water Authority**, Harold B. Koenig, P. O. Box 516, Spinnerstown, PA 18951. A permit has been issued to Milford Township Water Authority for the construction of Well No. 2 to augment its existing water supply system in Milford Township, **Bucks County**.

Type of Facility: Public Water Supply System

Consulting Engineer: Anderson Engineering Associates, Inc., 306 North 5th Street, Perkasio, PA 18944.

Permit to Construct Issued: February 18, 1998

Permit No. 1597508. Public water supply. **HMR Associates, Inc.**, Michael A. Losito, 181 Willow Street, Toughkenomon, PA 19374. A permit has been issued for the existing water supply system. The system consists of one well, a 500 gallon pressure tank, a UV disinfection treatment unit, chlorination and 2-80 gallon hydro pneumatic tanks for Lake Road Mobile Home Park in London Grove Township, **Chester County**.

Type of Facility: Public Water Supply System

Consulting Engineer: Walter B. Satterthwaite Associates, Inc., 920 Old Fern Hill Road, West Chester, PA 19380.

Permit to Construct Issued: February 24, 1998

Permit No. 4697508. Public water supply. **Superior Water Company**, Robert Braglio, 1030 W. Germantown Pike, Fairview Village, PA 19409. For the construction of Well No. 10 at Superior Water Company's Winding Creek facility. Well No. 10 will take the place of existing Well No. 3. The pump in Well No. 3 will be moved to Well No. 10. Well No. 3 will be taken out of service and used to refracture Well No. 2 in Douglass Township, **Montgomery County**.

Type of Facility: Public Water Supply System

Consulting Engineer: R. E. Coleman Associates, Inc., 638 Lancaster Avenue, Frazer, PA 19355.

Permit to Construct Issued: February 18, 1998

Permit No. 0997512. Public water supply. **Perkasie Borough Authority**, Gary Winton, 306 N. 5th Street, Perkasio, PA 18944-0159. A construction permit has been issued to Perkasio Borough Authority granting permission to construct Well No. 12 as an additional source of supply for its water supply system in Perkasio Borough, **Bucks County**.

Type of Facility: Public Water Supply System

Consulting Engineer: Anderson Engineering Associates, Inc., 306 N. 5th Street, Perkasio, PA 18944.

Permit to Construct Issued: February 18, 1998

Permit No. 4697503. Public water supply. **Horsham Water Authority**, Ralph M. McQuaid, 617A Horsham Road, Horsham, PA 19044. A permit has been issued to Horsham Water Authority granting permission to use existing well No. 40 and to construct a new well building, a chlorine detention tank and a distribution system in Horsham Township, **Montgomery County**.

Type of Facility: Public Water Supply System

Consulting Engineer: Carroll Engineering Corporation, 949 Easton Road, Warrington, PA 18976.

Permit to Construct Issued: February 24, 1998

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 1497502. The Department issued a construction permit to the **Rebersburg Water Company** (P. O. Box 157, Rebersburg, PA 16872, Miles Township, **Centre County**) authorizing construction of Well No. 3 and the transmission line.

A. M. A. The Department issued an operating permit to **Huston Township Water Authority** (P. O. Box 166, Penfield, PA 15849, Huston Township, **Clearfield County**) for the operation of the sodium hypochlorite facilities.

A. 1795505. The Department issued an operating permit to **Huston Township Water Authority** (P. O. Box 166, Penfield, PA 15849, Huston Township, **Clearfield County**) for the use of Well No. 1, the finished water storage tank, customer meters, interconnection with Jay Township Water Authority and various transmission and distribution main replacements.

A. M. A. The Department issued an operating permit to **Mansfield Borough Municipal Authority** (19 East Wellsboro Street, Mansfield, PA 16933, Richmond Township, **Tioga County**) for the springs, pumping station and conveyance system.

Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4692.

Permit No. 2297502. Public water supply. **United Water Pennsylvania, Inc.**, Lower Paxton Township, **Dauphin County**. *Responsible Official:* Gregory P. Wyatt, Vice-President, 4211 East Park Circle, Harrisburg, PA 17111; *Type of Facility:* Installation of an inground booster pump station on Fairmont Drive and Locust Lane.

SOLID AND HAZARDOUS WASTE RESIDUAL WASTE PROCESSING FACILITIES

Request permit modification under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office—Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit No. WMGR043. Atlas Environmental Services & Equipment Company, 6801 State Road, Building A, Philadelphia, PA 19135. A permit modification has been requested to allow the processing of nonhazardous petroleum contaminated soils at a fixed stationary location. The original general permit was issued only for mobile use of their soil processing technology. The fixed stationary location has been indicated as 6801 State Road, Building A, Philadelphia, PA. The modification request was received in this office on February 6, 1998.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office, Regional Solid Waste Manager; Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.

Permit No. 100549. Waste Management Disposal Services, Inc., 1425 Sell Road, Pottstown, PA 19464. This amended waste management permit is for the addition of three new high efficiency flares to the gas management system at the Pottstown Landfill located in West Pottsgrove and Douglass Townships in **Montgomery** and **Berks Counties**. Permit was issued in the Southeast Regional Office on February 3, 1998.

Northwest Regional Office: Regional Solid Waste Manager; 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

Permit No. 101397. Superior Greentree Landfill, 635 Toby Road, Kersey, PA 15846, located in Fox Township, **Elk County**. A permit modification changing the ownership of the landfill from Homestand Land Corporation to Superior Greentree Landfill, a subsidiary of Superior Services, Inc., of West Allis, Wisconsin and permitting solidification of liquid wastes was approved in the Regional Office on February 6, 1998.

AIR POLLUTION OPERATING PERMITS

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

65-313-013: Sony Display Device (1001 Technology Drive, Mt. Pleasant, PA 15666) issued February 24, 1998, for the installation of deionized water regen. system at the Pittsburgh Mfg. Center in Mt. Pleasant Township, **Westmoreland County**.

OP-65-864A: Zeus Aluminum Products (USA) Inc. (R. R. 6, Box 20, Latrobe Industrial Park, Latrobe, PA 15650) issued February 24, 1998, for the construction of a sand reclamation unit at the Latrobe Plant in Unity Township, **Westmoreland County**.

PA-65-882A: CSM Industries, Inc. (R. D. 6, Box 21, Center Drive, Building D12, Latrobe, PA 15650) issued February 24, 1998, for installation of electroplating operation at the Latrobe Plant in Unity Township, **Westmoreland County**.

Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

09-313-083: Rhodia, Inc. (2300 S. Pennsylvania Avenue, Morrisville, PA 19067) issued February 27, 1998, for a polyphosphoric acid process in Morrisville Borough, **Bucks County**.

09-313-008: Rhodia, Inc. (2300 S. Pennsylvania Avenue, Morrisville, PA 19067) issued February 27, 1998, for a phosphorous products manufacturing process in Morrisville Borough, **Bucks County**.

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-04-235A: Pennsylvania Power Company (76 South Main Street, Akron, OH 44308) issued February 24, 1998, for construction of forced oxidation gypsum plant in Shippingport Borough, **Beaver County**.

PA-63-570A: RAS Industries (12 Eighty Four Drive, Eighty Four, PA 15330) issued February 24, 1998, for construction of architectural molding manufacturing at the Speers Plant in Speers Borough, **Washington County**.

PA-03-209A: Buffalo Limestone, Inc. (R. D. 1, Box 55-C, Kittanning, PA 16201) issued February 24, 1998, for construction of portable limestone crushing at the Stitt Mine in Kittanning Township, **Armstrong County**.

PA-65-899A: Snyder Funeral Home, Inc. (Bell and 402 East Church Street, Ligonier, PA 15658) issued February 24, 1998, for installation of human crematory in Donegal Borough, **Westmoreland County**.

26-000-119: Anchor Glass Container Corporation (4343 Anchor Plaza Parkway, Tampa, FL 33182) issued February 24, 1998, for installation of glass container manufacturing at Plant 5 in South Connellsville Borough, **Fayette County**.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Permits Issued

56930104. Future Industries, Inc. (P. O. Box 157, Meyersdale, PA 15552), permit revision to change the land use of wildlife habitat to cropland on the Merrill Enterprises, Inc. property in Brothersvalley Township, **Somerset County**, affecting 129.0 acres, receiving stream unnamed tributaries to Buffalo Creek and Buffalo Creek. Application received December 31, 1997; permit issued February 23, 1998.

11920102. Permit Renewal. L & J Energy Company, Inc. (P. O. Box I, Grampian, PA 16838), commencement,

operation and restoration of a bituminous strip-auger mine, valid for reclamation, only in Susquehanna Township, **Cambria County**, affecting 113.3 acres, receiving stream unnamed tributaries to Moss Creek. Application received December 26, 1997; permit issued February 23, 1998.

32920106. Permit Renewal. R & L Coal Corporation (P. O. Box 26, Punxsutawney, PA 15767), commencement, operation and restoration of bituminous strip mine for reclamation, only in Banks Township, **Indiana County**, affecting 18.0 acres, receiving stream unnamed tributary to and South Branch Bear Run, Straight Run to Little Mahoning Creek. Application received February 18, 1998; application issued February 23, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33880102. Swisher Contracting, Inc. (P. O. Box 1223, Clearfield, PA 16830) Renewal of an existing bituminous strip and auger operation in Perry Township, **Jefferson County** affecting 58.0 acres. This renewal is issued for reclamation only. Receiving streams: Big Run. Application received: December 29, 1997. Permit Issued: February 23, 1998.

24870101. Tamburlin Bros. Coal Co., Inc. (P. O. Box 1419, Clearfield, PA 16830) Renewal of an existing bituminous strip and auger operation in Fox Township, **Elk County** affecting 81.0 acres. Receiving streams: Unnamed tributaries to Toby Creek. Application received: January 5, 1998. Permit Issued: February 25, 1998.

McMurray District Office

32841307. Tanoma Coal Company, Inc. (R. R. 1, Box 594, Marion Center, PA 15759), to revise the permit for the Tanoma Mine in Rayne Township, **Indiana County**, addition of one 12 inch diameter vent/bleeder borehole, no additional discharges. Permit issued February 20, 1998.

32841307. Tanoma Coal Company, Inc. (R. R. 1, Box 594, Marion Center, PA 15759), to renew the permit for the Tanoma Mine in Rayne Township, **Indiana County**, no additional discharges. Permit issued February 20, 1998.

30841316. Consol Pennsylvania Coal Co. (P. O. Box 174, Graysville, PA 15337), to revise the permit for the Bailey Mine in Richhill Township, **Greene County**, to add 3E panel boreholes and 1 north power borehole, no additional discharges. Permit issued February 20, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

49970203. Mid Valley Coal Sales, Inc. (5 Woodland Drive, Mt. Carmel Estates, Mt. Carmel, PA 17851), commencement, operation and restoration of a coal refuse reprocessing, disposal and coal preparation plant operation in Coal Township, **Northumberland County** affecting 533.0 acres, receiving stream none. Permit issued February 25, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

7975SM1A1C3. Haines & Kibblehouse, Inc. (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit No. PA0045047 in Hilltown Township, **Bucks County** receiving stream unnamed run to Morris Run. Renewal issued February 25, 1998.

5676SM1T2. Dexter Construction Company (R. R. 1, Box 1416, Beachlake, PA 18405), transfer of an existing

quarry operation in Damascus Township, **Wayne County** affecting 11.5 acres, receiving stream none. Transfer issued February 26, 1998.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment Approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302), sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-759. Encroachment Permit. Newtown Township, 100 Municipal Drive, Newtown, PA 18940. To construct and maintain a pedestrian bridge spanning Core Creek (CWF, MF) and associated approach grading as part of the proposed regional 3.3 mile long walking trail which will link Tyler State Park and Core Creek Park. The proposed prefabricated pedestrian bridge unit, a 60-foot long by 8-foot wide steel frame with wooden deck structure, will be placed on new reinforced concrete abutments and will have minimum underclearance of approximately 6 feet. The proposed bridge is situated within the former Newtown-Yardley Road's right-of-way, immediately upstream of the Newtown By-Pass Road (S. R. 332) at a point approximately 300 feet east of the intersection of Silver Lake Road (Langhorne, PA Quadrangle N: 19.3 inches; W: 3.7 inches) in Newtown Township, **Bucks County**. This permit was issued under section 105.13(e)

Small Projects. This permit also includes 401 Water Quality Certification.

E46-770. Encroachment Permit. **Hatfield Township**, 1950 School Road, Hatfield, PA 19440-1992. To replace the existing deteriorated and inadequate single span Line Lexington Road Bridge which crosses the Unionville Tributary of the West Branch of Neshaminy Creek (WWF-MF). The proposed single span bridge consists of composite prestressed concrete adjacent box beams with reinforced concrete slab superstructure on reinforced concrete cantilever type abutments with appurtenant wing-walls. The 40-foot clear span bridge, will have a 30-foot roadway width with a 5-foot sidewalk, and have 4 feet 10 inches of minimum underclearance. The proposed work also includes placing rip-rap stone protection along the new abutments and wing walls. This bridge is located approximately a half mile southwest of the intersection of County Line Road (S. R. 309) and Line Lexington Road (Telford, PA Quadrangle N: 5.2 inches; W: 2.8 inches) in Hatfield Township, **Montgomery County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

E09-755. Encroachment Permit. **Middletown Township**, 2140 Trenton Avenue, Levittown, PA 19056-1483. To relocate a reach of an unnamed tributary to Queen Anne Creek (WWF) into a stormwater management basin, to excavate within its assumed 100-year floodway to provide storage capacity and to construct and maintain a 45-foot extension to the upstream end of an existing 24-inch reinforced concrete stream enclosure which will disturb a total of approximately 255 feet of stream and 0.28 acre of wetland. The site is located just north of the intersection of Terrace Road and Trim Road, approximately 1,000 feet southeast of the intersection of Woodbourne Road (SR 2033) and Lincoln Highway (SR 2037) (Langhorne USGS Quadrangle N: 9.1 inches; W: 1.1 inches) in Middletown Township, **Bucks County**. This permit also approves an

Environmental Assessment for the proposed in-stream nonjurisdictional dam. This permit requires the construction of 1.3 acres of replacement wetlands.

E46-786. Encroachment Permit. **Pennsylvania Department of Transportation, District 6-0**, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To replace the existing deteriorated Bridge Road (S. R. 1015) steel truss bridge which spans Skippack Creek (TSF) at a point immediately upstream of the Evansburg State Park boundary. The proposed bridge will be constructed at the same location and includes reconstruction and relocation of approximately 650 feet of roadway bridge approaches. The proposed multiple stringer, composite steel deck bridge structure with a 78-foot single span and a minimum underclearance of 10.4 feet will be supported by reinforced concrete abutments. The width of the proposed bridge, will be increased from 16 feet to 34 feet to accommodate two lane automobile traffic. The work also will include placing a rock scour protection along abutment footings and wing walls. The bridge is located approximately 500 feet south of the intersection of Old Forty Foot Road (S. R. 1006) with Bridge Road (Collegeville, PA Quadrangle N: 19.9 inches; W: 0.4 inch) in Lower Salford and Towamencin Townships, **Montgomery County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

E23-360. Encroachment Permit. **Radnor Valley Country Club**, 555 Sproul Road, Villanova, PA 19085. To operate and maintain eight water obstructions and encroachments located at the Radnor Valley Country Club in and along Ithan Creek (CWF, MF) and an unnamed tributary to Ithan Creek for the purpose of regrading greens, tees and bunkers at 555 Sproul Road (Norristown, PA Quadrangle N: 4.4 inches; W: 16.0 inches) in Radnor Township, **Delaware County**. Appendix A is a listing of the specific water obstructions and encroachments.

Appendix A

<i>Encroachment No.</i>	<i>Location</i>	<i>Type</i>
1.	15th tees	floodway fill
2.	18th tees	floodway fill
3.	Green 18 and Green 13	stone retaining wall and floodway fill
4.	Hole 13	modify lake
5.	Hole 13	golf cart bridge replacement which spans the stream channel
6.	Green 12	floodway fill
7.	Green 16	stone retaining wall along reservoir
8.	Fairway 14	stream channel modification

This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

E40-461. Encroachment. **Rosemarie Kovalski and Mary Smulowitz**, 69 Wyoming Street, Wilkes-Barre, PA 18702. To (1) maintain an existing dock, having a width of 12 feet, extending approximately 20 feet from the shoreline; (2) construct and maintain a stone masonry retaining wall, approximately 8 feet high, extending approximately 5 feet lakeward along approximately 50

feet of shoreline, for the purpose of constructing a private parking area; and (3) construct and maintain a dock/boathouse, having an overall width of 30 feet, extending 50 feet from the retaining wall, in Harveys Lake. The project is located at Pole #229, Lakeside Drive (Harveys Lake, PA Quadrangle N: 21.0 inches; W: 6.0 inches), in Harveys Lake Borough, **Luzerne County**.

E45-338. Encroachment. **Joseph S. Romagano**, 84 Run Valley Road, Conestoga, PA 17516. To place fill in a de minimis area of wetlands less than or equal to 0.05 acre for the purpose of constructing a single family residence and driveway on Lot 64, Block 64, Section II of the Arrowhead Lake Residential Subdivision. This project

is located on the northwest side of North Arrowhead Lake, southwest of the intersection of Skippack Drive and North Arrow Drive (Thornhurst, PA Quadrangle N: 7.25 inches; W: 9.25 inches) in Coolbaugh Township, **Monroe County**.

E52-152. Encroachment. **Drs. Peter A. Seitzman and Joseph A. Minola**, 18 East 77th Street, Apartment 1B, New York, NY 10021. To construct and maintain a covered pedestrian bridge having a span of 38 feet and an underclearance of 22.4 feet across Bushkill Creek. This bridge will be constructed at the site of a previous bridge and will utilize the existing stone masonry abutments. This project is located on the west side of S. R. 1017 (Delaware Drive) next to the Millrift Museum in the Village of Millrift (Port Jervis North, NY-PA Quadrangle N: 6.55 inches; W: 16.55 inches) in Westfall Township, **Pike County**.

E54-244. Encroachment. **Guilford Mills, Inc.**, Penn Dye Street, P. O. Box 248, Pine Grove, PA 17963. To construct and maintain two commercial building additions constructed on piers and having dimensions of 86' × 38' and 52' × 31' in the floodway of Swatara Creek. This project is located at the Guilford Mills Complex located along the east side of S. R. 125 at Penn Dye Street (Pine Grove, PA Quadrangle N: 10.5 inches; W: 2.0 inches) in Pine Grove Borough, **Schuylkill County**.

E58-225. Encroachment. **Pennsylvania Department of Transportation, Engineering District 4-0**, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a single-span prestressed concrete spread box beam bridge having a normal span of 20 feet and an underclearance of approximately 5.3 feet across Salt Lick Creek. This project will permanently impact a de minimis area of wetlands less than or equal to 0.05 acre associated with the placement of fill for the widened roadway and is located along S. R. 492, Section 570, immediately west of the intersection of S. R. 492 and T-613 (Harford, PA Quadrangle N: 19.8 inches; W: 4.9 inches) in New Milford Township, **Susquehanna County**.

Northcentral Region, Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E17-313. Encroachment. **Union Township Supervisors, c/o Val Orcutt**, R. R. 2, Rockton, PA 15856. To maintain a 98 inch steel pipe culvert in the Laborde Branch of Sandy Lick Creek located on T-372, 0.45 mile north of US Rt. 322 (Luthersburg, PA Quadrangle N: 13.2 inches; W: 7.2 inches) in Union Township, **Clearfield County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

E18-244. Encroachment. **Woodward Township Supervisors**, 101 Riverside Terrace, Lock Haven, PA 17745. To complete minor grading and construct and maintain recreation facilities for a new park in the floodplain of the West Branch of Susquehanna River located on Farandville Road, 0.4 mile west of the Veteran's Bridge (Lock Haven, PA Quadrangle N: 3.2 inches; W: 10.1 inches) in Woodward Township, **Clinton County**. This permit was issued under section 105.13(e) Small Projects.

E47-063. Encroachment. **Pa. Department of Transportation**, 715 Jordan Ave., Montoursville, PA 17754. Encroach on 0.24 acre of wetland for two roadside rest area's safety improvements located approximately 1 mile east of the SR 3003 underpass of SR 0080 (Riverside, PA Quadrangle N: 21.3 inches; W: 13 inches) in Liberty and Valley Townships, **Montour County**.

E59-355. Encroachment. **Sullivan Township Supervisors**, P. O. Box 84, Mainesburg, PA 16932. To construct, operate and maintain a wastewater treatment facility and its appurtenances in the 100-year floodplain of Corey Creek for the treatment of municipal sewage. The construction work will require the placement of fill that shall not exceed 1,800 cubic yards that is located along the northern right-of-way of SR 0006 approximately 1,800-foot west of the intersection of T-836 and SR 0006 (Mansfield, PA Quadrangle N: 0.70 inch; W: 6.50 inches) in Sullivan Township, **Tioga County**. This permit was issued under section 105.13(e) Small Projects.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-360. Encroachment. **Borough of Kittanning**, P. O. Box 973, Kittanning, PA 16201-0973. To construct and maintain the Kittanning Riverfront Park along the left bank of the Allegheny River. The park will consist of new pavilions, an amphitheater, new walkways, a gabion wall along the left bank of said stream, repairing and repaving an existing boat launch and roadway, dredging an area as shown on Attachment 1 to a depth no greater than 14.4 feet from the normal pool water surface elevation and performing minor landscaping of the park. The project is located just upstream and downstream of the Kittanning Highway Bridge on the south side of South Water Street (Kittanning, PA Quadrangle N: 11.0 inches; W: 2.7 inches) in Kittanning Borough, **Armstrong County**.

E63-442. Encroachment. **Washington County Commissioners**, Courthouse Square, 100 West Beau Street, Washington, PA 15301. To remove the existing structure (Wheeling Bridge No. 21—Clint Sprowls Bridge) and to construct and maintain a bridge having a span of 38.0 feet with a minimum underclearance of 9.2 feet across Templeton Fork (TSF). The bridge is located on T-448 at the intersection of T-448 and T-414 (Wind Ridge, PA Quadrangle N: 21.8 inches; W: 8.3 inches) in West Finley Township, **Washington County**. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E33-191. Encroachment. **Jefferson County Commissioners**, Jefferson Place, 155 Main Street, Brookville, PA 15825. To remove the existing County Bridge No. JC-26 and to construct and maintain a prestressed concrete spread box beam bridge having three clear spans of 78.5 feet and a minimum underclearance of 14.5 feet on an 80 degree skew across Redbank Creek on T-337 approximately 500 feet south of S. R. 3007 at the village of Heathville (Summerville, PA Quadrangle N: 16.5 inches; W: 7.8 inches) located in Beaver Township, **Jefferson County**.

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of February 1998, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in this

Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons

certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, 1 (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Alexander Efremenko, Jr. Radon Technology, Inc.	3402 Route 8 Allison Park, PA 15101	Mitigation
Vilas Godbole	307 Dogwood Lane Wallingford, PA 19086	Mitigation
Gregory Hancock	193 Park Avenue Woolrich, PA 17779	Testing
Scott Jacobs Superior Home Inspection	618 North Maple Avenue Ridgway, PA 15853	Mitigation
Leonard Kelsey	800 Sunset Lane Stroudsburg, PA 18360	Testing
Jeffrey Krupa	108 Nova Court St. Mary's, PA 15857	Testing
John Marryott, Sr.	P. O. Box 145 Washington Crossing, PA 18977	Mitigation
Thomas O'Connor	8620 Rochester Road Pittsburgh, PA 15237	Testing
Robert Osborne	P. O. Box 523 Milford, NJ 08848	Testing
Donald Smith Air Quality Control, Inc.	210-B Progress Drive Montgomeryville, PA 18936	Mitigation
David Steinman	P. O. Box 5056 Lancaster, PA 17606	Testing
Roy Stirling Nat'l. Property Inspections, Inc.	P. O. Box 145 Geigertown, PA 19523	Testing

[Pa.B. Doc. No. 98-419. Filed for public inspection March 13, 1998, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "January 1998 Inventory" heading is the Governor's List of Nonregulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1998.

Ordering Paper Copies of DEP Technical Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Jonathan Brightbill at (717) 783-8727.

Final Technical Guidance—Minor Revision

DEP ID: 383-3500-106 Title: Guidance for Surface Water Identification Protocol Description: Directs and supports staff implementation of the requirements for the surface water treatment rule. Effective Date: February 1, 1998 Page Length: 48 pages Location: Vol 20, Tab 03 Contact: Joseph Hoffman at (717) 787-5017

Notice of Intent—Develop New Guidance

Title: Verification of Emergency Containment Structures for Aboveground Storage Tanks Description: Provides staff and industry with information necessary to verify existing emergency containment and to determine compliance options. Anticipated Effective Date: May 15, 1998 Anticipated Draft Development Date: March 31, 1998 Contact: Glenn Rider at (717) 772-5599

Title: Industrial Minerals MOU with PFBC Description: Defines the roles of the Department and the Pennsylvania Fish and Boat Commission for the regulation of industrial minerals (noncoal) mining. Anticipated Effective Date: May 15, 1998

tive Date: November 12, 1998 Anticipated Draft Development Date: February 27, 1998 Contact: Evan Shuster at (717) 783-8845

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 98-420. Filed for public inspection March 13, 1998, 9:00 a.m.]

1998 Sunset Review Schedule

This schedule includes the Department of Environmental Protection's (Department) regulations, by chapter, which will undergo a sunset review in 1998. The Department will publish an annual sunset schedule which will contain the *Pennsylvania Code* chapters which will be reviewed by the Department. Each regulation will be reviewed to determine whether the regulation effectively fulfills the goals for which it was intended and remains consistent with the following principles contained in Executive Order 1996-1 (regarding Regulatory Review and Promulgation):

1. Regulations shall address a compelling public interest.
2. Costs of regulations shall not outweigh their benefits.
3. Regulations shall be written in clear, concise and, when possible, nontechnical language.
4. Regulations shall address definable public health, safety or environmental risks.
5. Where Federal regulations exist, Pennsylvania's regulations shall not exceed Federal standards unless justified by a compelling and articulable Pennsylvania interest or required by State law.
6. Compliance shall be the goal of all regulations.
7. Where viable nonregulatory alternatives exist, they shall be preferred over regulations.
8. Regulations shall be drafted and promulgated with early and meaningful input from the regulated community.
9. Regulations shall not hamper Pennsylvania's ability to compete effectively with other states.
10. All agency heads shall be held directly accountable for regulations promulgated by their respective agencies.

The chapters listed were reviewed as part of the Department's Regulatory Basics Initiative. These chapters were reviewed to identify regulations which contain standards or requirements more stringent than Federal law; impose disproportionate economic costs; have a history of significant noncompliance; are prescriptive or technology specific; inhibit the application of new green technologies; do not support a pollution prevention approach; are obsolete or redundant; or lack clarity. This initiative will result in proposed and final rulemakings which will be listed on the Department's Regulatory Agenda, which is published semiannually in February and July.

Both the sunset review schedule and the regulatory agenda are available on the Department's World Wide Web site at <http://www.dep.state.pa.us> (choose Public Participation Center).

Chapter 86. Surface and Underground Coal Mining: General

Chapter 87. Surface Mining of Coal

Chapter 88. Anthracite Coal

Chapter 89. Underground Mining of Coal and Coal Preparation Facilities

Chapter 90. Coal Refuse Disposal

Chapter 91. General Provisions

Chapter 92. National Pollutant Discharge Elimination System

Chapter 93. Water Quality Standards

Chapter 94. Municipal Wasteload Management

Chapter 95. Wastewater Treatment Requirements

Chapter 97. Industrial Wastes

Chapter 101. Special Water Pollution Regulations

Chapter 102. Erosion Control

Chapter 105. Dam Safety and Waterway Management

Chapter 109. Safe Drinking Water

Chapter 121. General Provisions - Air Resources

Chapter 122. National Standards of Performance for New Stationary Sources

Chapter 123. Standards for Contaminants

Chapter 124. National Emission Standards for Hazardous Air Pollutants

Chapter 126. Standards for Motor Fuels

Chapter 127. Construction, Modification, Reactivation and Operation of Sources

Chapter 128. Alternative Emission Reduction Limitations

Chapter 129. Standards for Sources

Chapter 131. Ambient Air Quality Standards

Chapter 133. Local Air Pollution Agencies

Chapter 135. Reporting of Sources

Chapter 137. Air Pollution Episodes

Chapter 139. Sampling and Testing

Chapter 141. Variances and Alternate Standards

Chapter 143. Disbursements from the Clean Air Fund

Chapter 215. General Provisions

Chapter 216. Registration of Radiation-Producing Machines

Chapter 217. Licensing of Radioactive Material

Chapter 218. Fees

Chapter 219. Standards for Protection Against Radiation

Chapter 220. Notices, Instructions and Reports to Workers; Inspections

Chapter 221. X-rays in the Healing Arts

Chapter 223. Veterinary Medicine

Chapter 224. Medical Use of Radioactive Materials

Chapter 225. Radiation Safety Requirements for Industrial Radiographic Operations

Chapter 226. Radiation Safety Requirements for Wireline Service Operations and Subservice Tracer Studies

Chapter 227. Radiation Safety Requirements for Analytical X-ray Equipment, X-ray Gauging Equipment and Electron Microscopes

Chapter 228. Radiation Safety Requirements for Particle Accelerators

Chapter 230. Packaging and Transportation of Radioactive Material

Chapter 236. Low-Level Radioactive Waste Management and Disposal

Chapter 240. Radon Certification

Chapter 260. Definitions and Requests for Determination

Chapter 261. Criteria, Identification and Listing of Hazardous Waste

Chapter 262. Generators of Hazardous Waste

Chapter 263. Transporters of Hazardous Waste

Chapter 264. New and Existing Hazardous Waste Management Facilities Applying for a Permit

Chapter 265. Interim Status Standards for Hazardous Waste Management Facilities and Permit Program for New and Existing Hazardous Waste Management Facilities

Chapter 266. Special Standards for the Management of Certain Hazardous Waste Activities

Chapter 267. Financial Responsibility Requirements for Hazardous Waste Storage, Treatment and Disposal Facilities

Chapter 269. Siting

Chapter 270. Permit Program

Chapter 271. Municipal Waste Management - General Provisions

Chapter 272. Municipal Waste Planning, Recycling and Waste Reduction

Chapter 273. Municipal Waste Landfills

Chapter 275. Land Application of Sewage Sludge

Chapter 277. Construction/Demolition Waste Landfills

Chapter 279. Transfer Facilities

Chapter 281. Composting Facilities

Chapter 283. Resource Recovery and Other Processing Facilities

Chapter 285. Storage, Collection and Transportation of Municipal Waste

Chapter 287. Residual Waste Management - General Provisions

Chapter 288. Residual Waste Landfills

Chapter 289. Residual Waste Disposal Impoundments

Chapter 291. Land Application of Residual Waste

Chapter 293. Transfer Facilities for Residual Waste

Chapter 295. Composting Facilities for Residual Waste

Chapter 297. Incinerators and Other Processing Facilities

Chapter 299. Storage and Transportation of Residual Waste

The Department will publish a sunset review schedule on an annual basis. Regulations in future years will be evaluated using the principles outlined above.

For additional information, contact Sharon Freeman, DEP Regulatory Coordinator, P.O. Box 2063, Harrisburg, PA 17105-2063 (717)783-1303; or e-mail Freeman.Sharon@a1.dep.state.pa.us.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 98-421. Filed for public inspection March 13, 1998, 9:00 a.m.]

Oil and Gas Technical Advisory Board Meeting

The Oil and Gas Technical Advisory Board will meet on April 2, 1998, at 10 a.m. in the 10th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the agenda can be directed to James Erb at (717) 772-2199 or e-mail at Erb.James@a1.dep.state.pa.us. The agenda is also available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact James Erb or Joyce Williams directly at (717) 772-2199, or through the Pennsylvania AT&T Relay Service at 1(800)654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 98-422. Filed for public inspection March 13, 1998, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

State Surplus Property Program Bid Items

Under the provisions of section 510 of The Administrative Code of 1929 (P. S. 165, No. 67), the Department of General Services, State Surplus Property Program is offering for sale to counties, boroughs, incorporated towns, cities and townships the following items:

<i>Item</i>	<i>Make</i>	<i>Eq. #</i>	<i>Location</i>
1. Tandem Static Roller	Galion	792-9435	PA Dot-Mercer
2. Excavator, T644	Koehring	008-6368	PA Dot-Franklin
3. Artic. Front End Loader, 2500C	Yale	030-8043	PA Dot-Warren
4. Gas Wood Chipper, 800	Olath	034-2529	PA Dot-Warren
5. Tandem 10 Ton Roller	Galion	543-3435	PA Dot-Bellefonte
6. 3 Wheel Roller	Galion	572-3435	PA Dot-Coudersport
7. Wheel Loader, 544A	John Deere	030-1385	PA Dot-Coudersport
8. Wheel Loader, 544A	John Deere	104-1385	PA Dot-Coudersport
9. 3 Wheel Roller, 10-12 Ton Static	Galion	574-3435	PA Dot-Bloomsburg
10. Tandem-Static Roller	Galion	716-6435	PA Dot-Bear Creek
11. 3 Wheel Static Roller, 10 Ton Chief	Galion	633-3435	PA Dot-Bear Creek
12. 3 Wheel Roller, 10-12 Ton	Galion	496-3435	PA Dot-Honesdale
13. Rubber Tire Roller, 10-12 Ton	Bros	126-2440	PA Dot-Honesdale
14. Hydrostatic Roller, 4-6 Ton	Galion	840-9435	PA Dot-Allentown
15. 2 Wheel Roller, 10 Ton	Galion	664-6435	PA Dot-Allentown
16. Rubber Tire Roller	Bros.	117-2440	PA Dot-Allentown
17. Grader, F1500	Huber	153-1676	PA Dot-Allentown
18. Tandem Static Roller, 12-15 Ton	Huber	242-6432	PA Dot-Stroudsburg
19. Rubber Tire Roller, 10-12 Ton	Galion	687-2435	PA Dot-Stroudsburg
20. Self-Propelled Excavator, T644 Bantam	Koehring	010-6368	PA Dot-Easton
21. Rubber Tire Roller	Bros	016-2440	PA Dot-Easton
22. Tandem Static Roller, 10 Ton	Galion	720-6435	PA Dot-Schuylkill Haven
23. Rubber Tire Roller	Bros	128-2440	PA Dot-Schuylkill Haven
24. Articulated Loader, 920	Caterpillar	036-1387	PA Dot-Schuylkill Haven
25. Articulated Loader, 920	Caterpillar	039-1387	PA Dot-Schuylkill Haven
26. Three Wheel Steel Roller	Galion	585-3435	PA Dot-Carlisle
27. Tandem Steel Static Roller	Huber	244-6432	PA Dot-Carlisle
28. Hydraulic Excavator, T744	Bantam	014-6366	PA Dot-Carlisle
29. Tandem Roller, 5 Ton	Galion	917-1435	PA Dot-York
30. Tandem Roller, 10 Ton	Huber	251-6432	PA Dot-York
31. 3 Wheel Roller, 10-12 Ton	Galion	598-3435	PA Dot-Harrisburg
32. 3 Wheel Roller, 10-12 Ton	Galion	512-3435	PA Dot-Harrisburg
33. Tandem Roller, 12-15 Ton	Galion	464-6435	PA Dot-Harrisburg
34. Tandem Static Roller, 12-15 Ton	Huber	254-6432	PA Dot-Lancaster
35. 3 Wheel Roller, 10-12 Ton	Galion	742-3435	PA Dot-Lancaster
36. 3 Wheel Roller	Galion	560-3435	PA Dot-New Bloomfield
37. Grader Mounted Widner	Burch	020-7042	PA Dot-New Bloomfield
38. Bituminous Finisher Paver	Blow Knox	037-1958	PA Dot-New Bloomfield
39. 3 Wheel Roller, 10 Ton	Galion	505-3435	PA Dot-Shipperville
40. Front End Loader, 544C	John Deere	053-2040	PA Dot-Indiana
41. Static Tandem Roller, 3-6 Ton	Galion	820-9435	PA Dot-Uniontown
42. Ridgid Crawler Loader	Case	146-8056	PA Dot-Waynesburg
43. 3/4 Ton Utility Trailer	Checker Cab	Tag: 038082	PEMA-Annville
44. 3/4 Ton Utility Trailer	Fruheff	Tag: 038085	PEMA-Annville
45. 3/4 Ton Utility Trailer	Fruheff	Tag: 03803	PEMA-Annville
46. Wheeled Tractor, 460	International	Tag: 61403	DCNR-Blain
47. Wheeled Tractor, 460	International	Tag: 61402	DCNR-Blain
48. Crawler Tractor Dozer	International	Tag: 51139	DCNR-Petersburg
49. Chipper	Asplund	Tag: 027968	DCNR-Emporium
50. Brush Chipper	Wayne	Tag: 027969	DCNR-Emporium
51. 6 Wheel Tandem Road Grader	Galion	Tag: 002525	DCNR-Laporte
52. Tracked Bull Dozer	Cat	Tag: 61405	DCNR-Mifflintown
53. Wheeled Backhoe, 3444	International	Tag: 61404	DCNR-Mifflintown

The equipment listed will be sold to the highest responsible bidder by sealed bid. Those political subdivisions which are interested in procuring one or more of these items should contact the Department of General Services, State Surplus Property Division, P.O. Box 1365, Harrisburg, PA 17105 or call (717) 787-4085 prior to the bid opening on April 6, 1998 at 1 p.m. to receive a bid proposal.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 98-423. Filed for public inspection March 13, 1998, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Health Care Services Review Division: Availability of Applications for Designation as an Impairment Rating Evaluation Physician

The Department of Labor and Industry (Department), Bureau of Workers Compensation announces that the application for designation as an Impairment Rating Evaluation (IRE) Physician is available to any physician who desires to be placed on the list of IRE physicians established in accordance with section 306(a.2) of the Workers Compensation Act (act). Qualified physicians who are placed on the Department's list will be eligible for designation by the Bureau to perform IREs.

The amendments to the Workers Compensation Act of Act 57 of 1996, established the use of the AMA Guides to the Evaluation of Permanent Impairment (Guides) to determine an employee's percentage of whole body impairment due to a compensable work-related injury after the receipt of 104 weeks of total disability benefits.

In accordance with the provisions of section 306(a.2) of the act, IRE physicians must be licensed in the Commonwealth of Pennsylvania; certified by an American Board of Medical Specialties approved board or its osteopathic equivalent; and be active in clinical practice for at least 20 hours per week. Under the Department's regulations "active in clinical practice" means the act of providing preventive care and the evaluation, treatment and management of medical conditions of patients on an ongoing basis. In addition, in order to qualify as a physician on the Department's list, the physician must have completed a Departmentally approved course on the use the AMA Guides or be certified by a Departmentally approved examining organization.

Please contact the Bureau of Workers Compensation at (717) 783-5421 Ext. 300 to request an application or to inquire about application procedures or qualification requirements for IRE physicians.

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 98-424. Filed for public inspection March 13, 1998, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Tax-Free Million Instant Lottery Game

[CORRECTION]

An error occurred in the Notice of the Department of Revenue which appeared at 28 Pa.B. 1051 (February 21, 1998).

The correct versions of "4. Prize Play Symbols" and "7. Determination of Prize Winners, (h) and (i)" is as follows, with ellipses referring to the existing text of the Notice:

* * * * *

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Your Numbers" area are: \$5⁰⁰ (FIVE DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and MILLION (TAX-FREE).

* * * * *

7. *Determination of Prize Winners:*

* * * * *

(h) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$10⁰⁰ (TEN DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(i) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$5⁰⁰ (FIVE DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$5.

* * * * *

[Pa.B. Doc. No. 98-313. Filed for public inspection February 20, 1998, 9:00 a.m.]

Pennsylvania Winner Take All Instant Lottery Game

[CORRECTION]

An error occurred in the notice of the Department of Revenue which appeared at 28 Pa.B. 577, 578 (January 31, 1998).

The correct version of "4. Prize Play Symbols and 7.(j) Determination of Prize Winners" is as follows with ellipses referring to the existing text of the notice:

* * * * *

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Your Numbers" area are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOUR DOL), \$5⁰⁰ (FIVE DOL), \$10⁰⁰ (TEN DOL), \$15\$ (FIFTN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIVE HUN) and \$25,000 (TWYFIVTHO).

* * * * *

7. *Determination of Prize Winners:*

* * * * *

(j) Holders of tickets where any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$15\$ (FIFTN DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$15.

* * * * *

[Pa.B. Doc. No. 98-186. Filed for public inspection January 30, 1998, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Clarion County Project Reference No. 08430AG2168

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately eleven (11) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following projects:

1. S. R. 0080, Section 346, Clarion County Local Name: Strattenville Rehabilitation This project involves four lane bituminous resurfacing starting at mile marker 62, which is west of Exit 10, and extends approximately 10 miles east to a point one thousand feet past the Jefferson County line. Also included are milling, paved shoulders, drainage, and bridge parapet repairs. Milling at night is possible. Shifting inspector's schedules to cover longer paving days is probable.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information section of the *Pennsylvania Bulletin*.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, drainage, roadway and structure rehabilitation.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Number of available inspectors in each payroll classification.
- e. Number of NICET certified inspectors in each payroll classification.
- f. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	5 (3)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCM-1)	\$44.93
(TCIS)	\$39.36
(TCI-Materials)	\$35.51
(TCI)	\$34.43
(TA)	\$23.67

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The maximum allowable overhead rate for Department participation under this contract is 95%.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for

payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; provide certified CDS operator, nuclear gauge licensed operator, and a NECEPT Certified Field Bituminous Technician and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauges/License at point of need
- 1 Base Radio Station
- 5 Two-Way Radios

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI-M	2
TCI	6

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Richard Hogg, P.E., District Engineer, District 10-0, P.O. Box 429, Rt. 286 South, Indiana, PA 15701.

Any technical questions concerning the requirements for this project should be directed to: Mr. Frederic M. Heilman, P.E., District 10-0, at (412) 357-4805.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Philadelphia County
Project Reference No. 08430AG2169**

The Department of Transportation will retain an engineering firm for an Open-End Contract to provide supplementary construction inspection staff, under the Department's Inspector-in-Charge, to provide construction inspection services on various projects in Philadelphia County, Engineering District 6-0, on an as-needed basis. The Contract will include various roadway and bridge construction projects. The Open-End Contract will be for a period of sixty (60) months, with a maximum cost of one million (\$1,000,000) dollars.

It is anticipated that a maximum supplementary construction inspection staff of fifteen (15) inspectors will be required for this assignment.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be estab-

lished directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section of the *Pennsylvania Bulletin*.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- c. Specialized experience in asphalt paving, structures, concrete, drainage, paint inspection and Maintenance and Protection of Traffic.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Understanding of Department's requirements, policies, and specifications.
- f. Ability to provide CPM scheduling (TCM-1 Classification)
- g. Ability to provide a "CDS" operator or personnel capable of inputting data into a personal computer (TCIS Classification)

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1)	1 (1)
(NICET Highway Construction Level 4 or equivalent)	
Transportation Construction Insp. Super. (TCIS)	3 (2)
(NICET Highway Construction Level 3 or equivalent)	
Transportation Construction Inspector (TCI)	6 (4)
(NICET Highway Materials Level 2 or equivalent)	
Technical Assistant (TA)	3 (1)
(NICET Highway Construction Level 1 or equivalent)	
NACE Intermediate Coating Inspector	1 (0)**
NACE Basic Coating Inspector	1 (0)**

** These two specialized classifications will be used for bridge painting inspection. Under these classifications, the selected firm must provide lead abatement training for these employees prior to any job assignment. The firm must also establish, implement and maintain an effective employee medical surveillance in accordance with 29 CFR 1926 throughout the duration of this inspection assignment.

These two specialized classifications will have the following requirements:

1. NACE Intermediate Coating Inspector Training/or equivalent.

The inspector for the above NACE Intermediate Coating Inspector Training category shall have completed at least 80% of the required credits for this NACE category or equivalent training; also, shall have a minimum of five (5) years coating inspection experience on heavy industrial or highway projects; also, shall have a minimum of one (1) year experience of coatings inspection on a lead removal project where air monitoring, blood monitoring, containment and disposal of lead debris were performed; also, shall be knowledgeable in OSHA 1926.62 (lead) regulations, applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025) shall also be capable of "climbing" on high bridge members to perform coatings inspection; shall be capable of supervising/training lower level coatings inspectors (both consultant and state) if necessary. The inspector shall also have completed EPA accredited training for lead removal (Title X, Sections 402 and 404).

2. NACE Basic Coating Inspector Training/or equivalent.

The inspector for the NACE Basic Coating Inspector shall have completed at least 80% of the required credits for this category or equivalent training also, shall have a minimum of three (3) years coating inspection experience on heavy industrial or highway project; also, shall have a minimum of six (6) months experience on lead removal project; also, shall be knowledgeable in OSHA 1926.62 (lead regulations) applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025); shall also be capable of working with state inspectors; shall also have completed EPA accredited training for lead removal (Title X, Sections 402 and 404).

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998 shall be as follows:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCM-1)	\$44.93
(TCIS)	\$39.36

Maximum Straight Time Reimbursement Per Hour of Inspection

<i>Payroll Classification</i>	
(TCI)	\$34.43
(TA)	\$23.67
NACE Intermediate Coating Inspector	\$58.15
NACE Basis Coating Inspector	

The maximum straight time reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 2 Paint Test Kits per project or as may be required as needed
- 2 Two-Way Radios per project or as may be required as needed
- 2 Cellular Phones per project or as may be required as needed

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI	7
NACE Intermediate	2
NACE Basic	2

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Andrew Warren, District Administrator, District 6-0, 200 Radnor-Chester Road St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. George Dunheimer, District 6-0 at (610) 964-6554.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Philadelphia County
Project Reference No. 08430AG2170**

The Department of Transportation will retain an engineering firm to perform final design and services during construction for S. R. 0095, Section RS2, Delaware Expressway (I-95) in the City of Philadelphia from Marlborough Street to Lehigh Avenue, a distance of

approximately 1.75 km (1.1 miles). The estimated construction cost of this project is \$90.0 million. The Expressway reconstruction will include interchange improvements and bridge widening, rehabilitation and replacement.

The selected firm will be required to provide the following engineering and design services: surveys; roadway design; drainage design; roadside development design; preparation of cross sections; erosion and sedimentation control design; structure design; subsurface boring, sampling and testing; point of access report preparation; transit design; noise analysis and noise wall design; preparation of traffic control, pavement marking and signing plans; traffic signal design; utility coordination; coordination with public agencies, municipal officials, and the public; preparation of final plans, specifications and estimates; shop drawing reviews; alternate design review; and consultation during construction.

Firms that are currently serving, or are being considered for selection, as municipal engineer in the municipality listed in the project description will not be considered for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for a site located along the project will likewise not be considered for this assignment. Firms should state in the letter of interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Mr. Michael J. Girman, III, at the telephone number listed below.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Specialized experience and technical competence of the firm including the firm's experience with similar type projects and their ability to provide innovative solutions to complex technical problems.
- c. Experience of employees to be associated with this project. Particularly important are the key people assigned to the project including their experience and past record of performance with similar projects.
- d. Overall current workload of the firm.
- e. Past performance record.

The District will announce the firms that have been shortlisted at an open public meeting scheduled for April 17, 1998 at 10:00 A.M. in Engineering District 6-0's Large Conference Room.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section of the advertised project(s).

The second copy of letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Andrew L. Warren, District Administrator, District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to Mr. Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526, or Mr. Michael J. Girman, III, District 6-0, at (610) 964-6530.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division, at (717) 783-9309.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest are required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief
 Consultant Selection Committee
 7th Floor, Forum Place
 555 Walnut Street
 P. O. Box 3060
 Harrisburg, Pennsylvania 17105-3060

Note: The Zip Code for express Mailing is 17101-1900

The Letter of Interest and required information must be received within twenty (20) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 P.M. prevailing time of the twentieth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act, WBEs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each Letter of Interest must include the following information and the information must be packaged and presented in the following order:

1. Transmittal Letter (Maximum of two (2) 8 1/2" x 11" typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm.

2. Project Organizational Chart (one page, one side, maximum size 11" x 17")

This Chart must show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 must be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project.

Under Item 4 of this form, Column A must specify only the number of subconsultant personnel and Column B must specify only the number of prime consultant personnel to be assigned to work on this project reference number. Do not include the total personnel for either the subconsultant or prime consultant under Item 4 unless the total personnel are necessary to provide the required work and services.

The prime and each subconsultant may include no more than one page each for Items 10 and 11.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, must accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a

Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the Letter of Interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These Forms must be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Form 255.

5. Workload Projection Graph (Not required for Construction Inspection Services) Separate Workload Projection Graphs for the prime and each subconsultant shown in Item 6 of the Form 255 must be included and must indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next two-year time frame. The Workload Projection Graphs must be submitted for the office(s) where the work would be performed and must only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (For Construction Inspections Services, if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees must be first, followed by subconsultant employees, in the same order as shown in Item 6 of Form 255.

7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

A single page summary must indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Accountant must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicita-

tions requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 98-425. Filed for public inspection March 13, 1998, 9:00 a.m.]

FISH AND BOAT COMMISSION

Application for Tagged Fish Contest on Boundary Lakes

The Fish and Boat Commission (Commission) has received an application under 30 Pa.C.S. § 2907.1 and 58 Pa. Code Chapter 69, Subchapter E (relating to tagged fish contests in boundary lakes) to conduct a tagged fish contest in Lake Pymatuning. Fishing in America has applied to conduct a 60-day tagged fish contest for crappie on Lake Pymatuning during the period from May 2 through June 30, 1998. The applicant estimates that 3,500 persons will participate in this contest. The State of Ohio has issued a permit for this contest on its portion of Lake Pymatuning.

In addition to conducting the tagged fish contest described above, Fishing in America has also applied for a permit to conduct a 1-day fishing tournament on Lake Pymatuning on April 26, 1998 for the purpose of gathering crappie to be captured, tagged and released for use in the tagged fish contest.

Under the provisions of 58 Pa. Code § 69.44(b), the Commission is hereby giving the public the opportunity to offer comments, objections, protests or interventions with respect to the proposed tagged-fish contest. The Commission has established a 15-day public comment period for this application. Persons with comments, suggestions, protests or objections to the proposed tagged fish contest or who wish to intervene in the permit application process are invited to submit them to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 15 days of the date of the publication of this notice in the *Pennsylvania Bulletin*.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 98-426. Filed for public inspection March 13, 1998, 9:00 a.m.]

Lake Erie Commercial Fishing—1998

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 69.31(c), has established the total allowable 1998 commercial catch for yellow perch from the Pennsylvania waters of Lake Erie. The 1998 total allowable commercial catch for yellow perch is 35,000 pounds. The commercial fishing season for yellow perch on Lake Erie shall end when the Executive Director determines that 35,000 pounds of yellow perch probably have been taken by commercial fishing interests fishing in the Pennsylvania waters of Lake Erie.

The Executive Director of the Commission, acting under 58 Pa. Code § 69.31(b), has determined that the 1998 total allowable commercial catch of walleye from the Pennsylvania waters of Lake Erie is 18,000 pounds. The commercial fishing season for walleye on Lake Erie shall end when the Executive Director determines that 18,000 pounds of walleye probably have been taken by commercial fishing interests fishing in the Pennsylvania waters of Lake Erie.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 98-427. Filed for public inspection March 13, 1998, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Mandated Benefits

Section 9 of Act 34 of 1993 requires that the Health Care Cost Containment Council (Council) review existing or proposed mandated health benefits on request of the executive and legislative branches of government. The Council has been requested by Senator F. Joseph Loeper, Chairperson of the Senate Rules Committee to review Senate Bill 39, the proposed Cancer Prevention and Early Detection Services Act which would require insurance coverage of certain cancer-related services, as well as a proposed amendment that would exclude the following from affected health insurance policies: "accident only, fixed indemnity, limited benefit, credit, dental, vision, specified disease, Medicare supplement, Civilian Health and Medical Program of the Uniform Service (CHAMPUS) supplement, long-term care or disability income, workers' compensation or automobile medical payment insurance." The amendment would also add coverage of annual digital rectal exams and PSA tests for men 40-years old and older with certain prostate cancer risk factors and would specify that the benefits be subject to the same copayment and coinsurance provisions of an insurance policy as other medical services, but shall be exempt from any deductible or dollar limit provisions.

The Council is requesting that anyone supporting or opposing these mandated insurance benefits provide six copies of documentation to the Council no later than May 29, 1998. The documentation should be mailed to Lynne A. Edris, PA Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101.

Documentation submitted should be in accordance with any or all of the following information categories described in Section 9 of Act 34:

(i) The extent to which the proposed benefit and the services it would provide are needed by, available to and utilized by the population of the Commonwealth.

(ii) The extent to which insurance coverage for the proposed benefit already exists, or if no such coverage exists, the extent to which this lack of coverage results in inadequate health care or financial hardship for the population of the Commonwealth.

(iii) The demand for the proposed benefit from the public and the source and extent of opposition to mandating the benefit.

(iv) All relevant findings bearing on the social impact of the lack of the proposed benefit.

(v) Where the proposed benefit would mandate coverage of a particular therapy, the results of at least one professionally accepted, controlled trial comparing the medical consequences of the proposed therapy, alternative therapies and no therapy.

(vi) Where the proposed benefit would mandate coverage of an additional class of practitioners, the result of at least one professionally accepted, controlled trial comparing the medical results achieved by the additional class of practitioners and those practitioners already covered by benefits.

(vii) The results of any other relevant research.

(viii) Evidence of the financial impact of the proposed legislation, including at least:

(A) The extent to which the proposed benefit would increase or decrease cost for treatment or service.

(B) The extent to which similar mandated benefits in other states have affected charges, costs and payments for services.

(C) The extent to which the proposed benefit would increase the appropriate use of the treatment or service.

(D) The impact of the proposed benefit on administrative expenses of health care insurers.

(E) The impact of the proposed benefits on benefits costs of purchasers.

(F) The impact of the proposed benefits on the total cost of health care within this Commonwealth.

CLIFFORD L. JONES,
Executive Director

[Pa.B. Doc. No. 98-428. Filed for public inspection March 13, 1998, 9:00 a.m.]

Mandated Benefits

Section 9 of Act 34 of 1993 requires that the Health Care Cost Containment Council (Council) review existing or proposed mandated health benefits on request of the executive and legislative branches of government. The Council has been requested by Senator F. Joseph Loeper, Chairperson of the Senate Rules Committee, to review House Bill 656, which would mandate insurance benefits for certain diabetic supplies and services, require any insurer underwriting Medicare or Medicaid insurance for Pennsylvania residents to provide coverage for hearing aids in accordance with the "Hearing Aid Sales Registration Law," as well as a proposed amendment which would define the term "orthotics" in the bill to include "orthotics related to the treatment of diabetes illness" and require that services must be provided "by an individual with expertise in diabetes self-management, training and education."

The Council is requesting that anyone supporting or opposing these mandated insurance benefits provide six copies of documentation to the Council no later than May 29, 1998. The documentation should be mailed to Lynne A. Edris, PA Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101.

Documentation submitted should be in accordance with any or all of the following information categories described in Section 9 of Act 34:

(i) The extent to which the proposed benefit and the services it would provide are needed by, available to and utilized by the population of the Commonwealth.

(ii) The extent to which insurance coverage for the proposed benefit already exists, or if no such coverage exists, the extent to which this lack of coverage results in inadequate health care or financial hardship for the population of the Commonwealth.

(iii) The demand for the proposed benefit from the public and the source and extent of opposition to mandating the benefit.

(iv) All relevant findings bearing on the social impact of the lack of the proposed benefit.

(v) Where the proposed benefit would mandate coverage of a particular therapy, the results of at least one professionally accepted, controlled trial comparing the medical consequences of the proposed therapy, alternative therapies and no therapy.

(vi) Where the proposed benefit would mandate coverage of an additional class of practitioners, the result of at least one professionally accepted, controlled trial comparing the medical results achieved by the additional class of practitioners and those practitioners already covered by benefits.

(vii) The results of any other relevant research.

(viii) Evidence of the financial impact of the proposed legislation, including at least:

(A) The extent to which the proposed benefit would increase or decrease cost for treatment or service.

(B) The extent to which similar mandated benefits in other states have affected charges, costs and payments for services.

(C) The extent to which the proposed benefit would increase the appropriate use of the treatment or service.

(D) The impact of the proposed benefit on administrative expenses of health care insurers.

(E) The impact of the proposed benefits on benefits costs of purchasers.

(F) The impact of the proposed benefits on the total cost of health care within this Commonwealth.

CLIFFORD L. JONES,
Executive Director

[Pa.B. Doc. No. 98-429. Filed for public inspection March 13, 1998, 9:00 a.m.]

HOUSING FINANCE AGENCY

Public Forums Concerning Housing for People with Disabilities

The Governor's Disabilities Policy Team's Housing Work Group will conduct public forums to which all interested persons are invited. The Housing Work Group was established by the Governor's Disability Policy Team to identify the housing needs of persons with disabilities and includes representatives from the Governor's Policy Office, the Housing Finance Agency, the Pennsylvania Developmental Disabilities Council, the Pennsylvania Human Relations Commission, and the Departments of Community and Economic Development, Aging, Health, Insurance and Public Welfare.

The public forums are free of charge and will be held at the following locations:

<i>Location</i>	<i>Date</i>	<i>Time</i>
North Eastern Pennsylvania Center for Independent Living Lower Level Class Room, IBEW Building 431 Wyoming Avenue Scranton, PA	March 25, 1998	3—6 p.m.
Rachel Carson State Office Building Room 105 400 Market Street Harrisburg, PA	March 31, 1998	3—6 p.m.
Community College of Allegheny County (CCAC) Room 3002, 3rd Floor North Campus 8701 Perry Highway Pittsburgh, PA	April 1, 1998	3—6 p.m.
Edinboro University Multipurpose Room University Center Scotland Road Edinboro, PA	April 2, 1998	3—6 p.m.
Temple University Institute on Disabilities Kiva Auditorium, Ritter Annex 1301 Cecil B. Moore Avenue Philadelphia, PA	April 7, 1998	3—6 p.m.

Purpose:

Forum participants are invited to speak for up to 10 minutes about affordable housing policies, programs and solutions that are relevant to persons with disabilities. Those who have participated in successful local efforts are asked to present examples of activities that could have Statewide applications. Suggestions about identifying and solving housing problems (that is, revisions to tax laws, ways to make capital more accessible, and the like) are welcome and encouraged.

To register and/or schedule a 10 minute presentation, call (717) 780-3874 by March 20, 1998. TDD for persons with a hearing loss (717) 780-1869—specify the forum location being attended. All locations are fully accessible, but anyone requiring special accommodations may wish to note those needs when calling.

Persons who are unable to attend, but wish to submit written comments or materials, written comments will be accepted prior to April 7, 1998 and may be submitted to Lisa J. Yaffe, Director, Housing Services Division, Pennsylvania Housing Finance Agency, 2101 North Front Street, P. O. Box 8029, Harrisburg, PA 17105-8029.

WILLIAM C. BOSTIC,
Executive Director

[Pa.B. Doc. No. 98-430. Filed for public inspection March 13, 1998, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

Regulation Approved:

#1891 Corrections #19-1: State Correctional Institutions and Facilities (amends 37 Pa. Code Chapter 93)

Commissioners Present: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
February 26, 1998

Department of Corrections—State Correctional Institutions and Facilities; Doc. No. 19-1

Order

On September 24, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Corrections (Department). This rulemaking amends 37 Pa. Code Chapter 93. The authority for this regulation is the Prison Medical Services Act of 1996 (61 P. S. § 1014) and Act 53 of 1996 (71 P. S. § 310-3). The proposed regulation was published in the October 4, 1997 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on January 29, 1998.

The regulation establishes a program requiring inmates in State correctional institutions and facilities to pay a fee to cover a portion of the actual costs of the medical services provided. Additionally, Act 53 of 1996 requires the Department to implement a system whereby inmates who are covered by medical insurance are to pay for their own medical needs through their insurance, consistent with the terms of the policy.

We have reviewed this regulation and find it to be in the public interest. The Department estimates that implementation of the program will save the Commonwealth approximately \$180,000 to \$202,000 per year in the provision of medical services. In addition, the Department estimates that \$380,000 per year will be generated from the copayments. This regulation is consistent with the Prison Medical Services Act of 1996 and Act 53 of 1996.

Therefore, It Is Ordered That:

1. Regulation No. 19-1 from the Department of Corrections, as submitted to the Commission on January 29, 1998, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,

Chairperson

[Pa.B. Doc. No. 98-431. Filed for public inspection March 13, 1998, 9:00 a.m.]

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. To obtain the date and time of the

meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-704	State Board of Certified Real Estate Appraisers General Provisions/Standards of Professional Conduct	3/2/97

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 98-432. Filed for public inspection March 13, 1998, 9:00 a.m.]

INSURANCE DEPARTMENT

Mutual-to-Stock Plan of Conversion; Provident Mutual Life Insurance Company

[CORRECTION]

A notice was published at 28 Pa.B. 1287 (March 7, 1998) relating to the above matter. The notice was certified for publication by Gregory S. Martino, Deputy Insurance Commissioner.

[Pa.B. Doc. No. 98-391. Filed for public inspection March 6, 1998, 9:00 a.m.]

Rate Filing; Prudential Property and Casualty Insurance Company; Private Passenger Automobile Filing

On March 2, 1998, the Insurance Department received from Prudential Property and Casualty Insurance Company a filing for a proposed rate level change for private passenger automobile insurance.

The company requests an overall -7.0% decrease amounting to -\$10,428,440 annually, to be effective June 19, 1998, for new business and July 15, 1998, for renewal business.

Unless formal administrative action is taken prior to May 1, 1998, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

All interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 98-433. Filed for public inspection March 13, 1998, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with his company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Ronald J. Junker; file no. 97-265-37410; Erie Insurance Exchange; doc. no. PH98-02-019; April 14, 1998, 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 98-434. Filed for public inspection March 13, 1998, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Allegheny County, Wine & Spirits Shoppe #9207, Wexford Plaza Shopping Center, 10668 Perry Hwy., Wexford, PA 15090-9244.

Lease Expiration Date: July 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 to 5,000 net useable square feet of new or existing retail commercial space in a shopping center environment on Route 19 in Wexford.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222

Contact: George Danis, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #0228, Edgewood Towne Centre, 1753 S. Braddock Avenue, Pittsburgh, PA 15218.

Lease Expiration Date: October 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,000 net useable square feet of new or existing retail commercial space in a shopping center environment serving the Edgewood/Swissvale area.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Joseph J. Molhoek, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #0277, 8050 McKnight Road, Pittsburgh, PA 15237-5750.

Lease Expiration Date: January 31, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,000 to 6,000 net useable square feet of new or existing retail commercial space in a shopping center environment near the intersection of McKnight and Peebles Roads.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #0288, Caste Village Shopping Ctr., 530-A Village Plaza, Pittsburgh, PA 15236-1514.

Lease Expiration Date: January 31, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space in a shopping center environment on Baptist Road in Whitehall.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Cambria County, Wine & Spirits Shoppe #1107, 348 Greeve Street, East Conemaugh, PA 15909-1929.

Lease Expiration Date: January 31, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,500 net useable square feet of new or existing retail commercial space serving the East Conemaugh area.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board

Location: Bureau of Real Estate, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222

Contact: Tom Deal, (412) 565-5130

Schuylkill County, Wine & Spirits Shoppe #5413, 65 E. Pottsville Street, Pine Grove, PA 17963-1518.

Lease Expiration Date: May 31, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,600 net useable square feet of new or existing retail commercial space within 1 mile of the intersection of Route 443 (Pottsville Street) and Route 125, Pine Grove.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Willard J. Rhodes, (717) 657-4228

Philadelphia County, Wine & Spirits Shoppe #5116, 101 E. Olney Avenue, Philadelphia, PA 19120-2499.

Lease Expiration Date: January 31, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space within a half mile radius of the intersection of Front Street & Olney Avenue, Philadelphia.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, 4501 Kelly Drive, Philadelphia, PA 19129-1794
Contact: Robert Jolly, (215) 560-5310

Delaware County, Wine & Spirits Shoppe #2332, 821 W Sproul Road, Springfield, PA 19064-1208.

Lease Expiration Date: September 30, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,500 net useable square feet of new or existing retail commercial space on Sproul Road within a 2 mile radius of Route 1 in Marple or Springfield Townships.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, 4501 Kelly Drive, Philadelphia, PA 19129-1794
Contact: Robert Jolly, (215) 560-5310

The Liquor Control Board seeks the following new site:

Allegheny County, Wine & Spirits Shoppe #0231, Robinson Township.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 6,500 net useable square feet of new or existing retail commercial space in a regional shopping center environment near the intersection of Steubenville Pike (Route 60) and Route 22/30 serving the Robinson Township area.

Proposals due: April 3, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board

Location: Bureau of Real Estate, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222

Contact: Joseph J. Molhoek, (412) 565-5130
JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 98-435. Filed for public inspection March 13, 1998, 9:00 a.m.]

PENNSYLVANIA ECONOMIC DEVELOPMENT FINANCING AUTHORITY

Pennsylvania Community Development Bank; Capacity Building Grant Guidelines and Workshop

The 1997-98 Appropriation Act (Act 4A of 1997), as amended, includes \$15 million for the Pennsylvania Community Development (PCD) Bank program. The program does not constitute an institution chartered by the Department of Banking or any Federal agency. The Pennsylvania Economic Development Financing Authority (Authority) will administer the PCD Bank.

The PCD Bank will provide grant and loan assistance to Community Development Financial Institutions (CDFIs) and other community-based organizations. The PCD Bank, through CDFIs it assists, will make capital available for community and economic development to revitalize disadvantaged areas and provide economic opportunities for low-income people. The PCD Bank is a key component of Governor Ridge's Project for Community Building.

The PEDFA Board approved the PCD Bank's Capacity Building Grant Guidelines governing the distribution of grants to nonprofit CDFIs and certain other nonprofit organizations. These grants are available in the following categories:

Track 1. Startup Grants: These grants are to assist nonprofit organizations to attain accreditation standards defined by the PCD Bank and for Accredited CDFIs to startup operations in a new geographic service area.

Track 2. Expansion Grants: These grants are to expand the operation and programs of Accredited CDFIs that are also nonprofit organizations.

Track 3. Development Services Grants: These grants to nonprofit technical assistance providers, including both CDFIs and nonCDFI technical assistance providers working with CDFIs, are to build the capacity of CDFI business borrowers and expand business lending markets for CDFIs. These grants will provide technical assistance and capacity building services to small businesses and other potential borrowers of CDFIs or community lending programs.

The Authority and the Department of Community and Economic Development (DCED) will conduct a workshop to provide program information about the PCD Bank Capacity Building Grant Guidelines. The application process and information about program requirements will be covered for each of the three tracks described. Breakout sessions for each of the three grant tracks will be held during the workshop. The workshop will be held on April 7, 1998 from 9:30 a.m. until 4:30 p.m. at the Radisson

Penn Harris Hotel and Convention Center, in Camp Hill, PA. Interested applicants are encouraged to attend this workshop.

Potential applicants can obtain a copy of the guidelines and can register for the workshop by calling the DCED Customer Service Center at (800) 379-7448.

Workshop space is limited. No more than two persons should attend from each organization. Space will be filled on a first-come, first served basis. There is no registration fee for the workshop; however, preregistration is requested. Persons with a disability who wish to attend the workshop and require an auxiliary aid, service or other accommodation to participate in the workshop should contact the Customer Service Center to discuss how those needs may be best accommodated. Text Telephone (TT) calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the phone number listed above.

SAMUEL A. MCCULLOUGH,
Chairperson

[Pa.B. Doc. No. 98-436. Filed for public inspection March 13, 1998, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before April 6, 1998, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00114670. Connors Transportation, Inc.(4235 Sussex Drive, Apartment 36, Harrisburg, Dauphin County, PA 17109), a corporation of the Commonwealth of Pennsylvania—persons in group and party service, between points in the county of Dauphin, and from points in Dauphin County, to other points in Pennsylvania, and return; subject to the following condition: groups and parties shall consist of more than 15 persons, but no more than 55 persons per motor coach. *Attorney: M. Lucile Seaman, 15 North Lime Street, Lancaster, PA 17602.*

A-00114593, F. 3. Majestic Limousine Service, Inc., t/d/b/a Majestic Shuttle (444 North Main Street, Doylestown, Bucks County, PA 18901), a corporation of the Commonwealth of Pennsylvania—persons in group and party service between points in the borough of Doylestown, Bucks County, and within an airline radius of 10 statute miles of the limits of said borough, and from

points in said territory, to points in Pennsylvania, and return. *Attorney:* William Casey, 99 East Court Street, Doylestown, PA 18901.

Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.

A-00103570, Folder 2. Central Florida Coach Lines, Inc. (484 South Mountain Road, P. O. Box 127, Mountaintop, Luzerne County, PA 18707), a corporation of the State of Florida—additional right—persons in call or demand service in that portion of Luzerne County north of Interstate Highway Route 80. *Attorney:* David H. Radcliff, 3905 North Front Street, Harrisburg, PA 17110.

Applications of the following for approval of the right and privilege to partially discontinue/abandon operating as common carriers by motor vehicle for the transportation of household goods in use as described under each application.

A-00109136, F. 2, Am-A. PJAX, Inc. (PO Box 1290, Gibsonia, Allegheny County, PA 15044), corporation of the Commonwealth of Pennsylvania—partial discontinuance of service—(1) household goods, in use, between points in the city of Sunbury, Northumberland County, and within 10 miles by the usually traveled highways of the limits of said city, and from points in said territory, to points in Pennsylvania, and vice versa; (2) household goods, in use, from points in the borough of Columbia, and within 10 miles by the usually traveled highways of the limits of said borough, to other points in Pennsylvania; and (3) household goods, in use, from points in the borough of Latrobe and territory within 3 miles of the limits of said borough, to other points in Pennsylvania, and vice versa. *Attorney:* Louise R. Schrage, 2310 Grant Building, Pittsburgh, PA 15219-2383.

Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265 on or before March 30, 1998.

A-00112192 F.2 Adam's Moving & Hauling, Inc.
355 West Main Street, Suite 112,
Norristown, PA 19401; Richard T.
Mulcahey, Jr., Suite 1400 Two Penn
Center, Philadelphia, PA 19102

A-00114699 AVP Transport, Inc.
92 Dilley Street, Forty Fort, PA
18704

A-00114700 James F. Hein
1278 Ellsworth Drive, Whitehall, PA
18052

A-00114701 LLT, Inc.
14115 Lovers Lane, Culpeper, VA
22701; Michael F. Marrone, 101 G
Street NW., Suite 500 West, Washing-
ton, DC 20001

A-00114704 Branka Corp.
4239 Levans Road, Schnecksville, PA
18078

A-00114705 William J. Jordan, t/a Jordan's Tow-
ing
827 South Irving Avenue, Scranton,
PA 18505

A-00114706 Russell J. Miklos, t/a Russ Miklos
Trucking
250 East Main Street, Canfield, OH
44406; Donald Harriatt, Suite 1200
Metropolitan Tower Building, Young-
stown, OH 44501

A-00114707 G. L. Adams, Excavating, Inc.
R. D. 1, Box 396A, Polk, PA 16323;
Michael D. Snyder, 314 West Park
Street, Franklin, PA 16323-1390

A-00114708 KDB Trans. Service, Inc.
1936 Land Road, Jamison, PA 18929

A-00114709 Maxine L. & Joseph H. Heidkamp,
Jr., t/a Maxine's Express
114 Klein Road, Cranberry Twp., PA
16066

A-00114710 Richard Lauffer, t/a Lauffer Trucking
3379 Johnson Road, Duncansville, PA
16635

A-00114711 Davis Fuel Service, Inc., t/a Keystone
Hauling
14 Top of the Oaks, Chadds Ford, PA
19317

A-00114712 Henry H. Daugherty, t/a Henry In-
dustries
R. D. 2, Dubois, PA 15801

A-00114713 Victor J. Saladino Trucking, Inc.
1631 New Hope Street, Norristown,
PA 19401; Eugene A. Steger, Jr., 270
W. Lancaster Ave., Ste. J-1, Malvern,
PA 19355

A-00114714 Bruce E. Wilson
R. R. 1, Box 906, Venus, PA 16364;
Kent S. Pope, 10 Grant Street, Suite
A, Clarion, PA 16214

A-00114716 CGI International, Inc.
1215 Henderson Avenue, Washington,
PA 15301

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 98-437. Filed for public inspection March 13, 1998, 9:00 a.m.]

**Telecommunications
Without Hearing**

A-310213 F0006 and A-310258 F0004. AT&T Corporation and Teleport Communications Group, Inc. Joint Application of AT&T Corporation and Teleport Communications Group, Inc., for approval of Agreement and Plan of Merger whereby control of Teleport Communications Group, Inc., will be transferred to AT&T Corporation.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the

applicant on or before March 24, 1998, under 52 Pa. Code (relating to public utilities).

Applicant: AT&T Corp.

Through and By Counsel: Daniel Clearfield, Esq, Alan Kohler, Esq, Wolf, Block, Schorr and Solis-Cohen, Locust Court Building, Suite 300, 212 Locust Street, Harrisburg, PA 17101; and

Applicant: Teleport Communications Group, Inc.

Through and By Counsel: James H. Cawley, Esq, Rhoads and Sinon, LLP, One South Market Square, P. O. Box 1146, Harrisburg, PA 17108-1146.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 98-438. Filed for public inspection March 13, 1998, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

April 20, 1998	Linda D. Benson (Disability)	1:30 p.m.
April 29, 1998	Walter D.Poleski (D) (Payment of Death Benefit)	1 p.m.
	Charles Miskar (D) (Payment of Death Benefit)	2:30 p.m.

Persons with a disability, who wish to attend the above-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Arthur J. Granito, Assistant Executive Director, at (717) 783-5613 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

JAMES A. PERRY,
Secretary

[Pa.B. Doc. No. 98-439. Filed for public inspection March 13, 1998, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Bids

The Turnpike Commission requests sealed bids for Roof Renovation—Lawn Service Plaza, Milepost 258.75 Westbound, Dauphin Co.

Mandatory Site Inspection—March 24, 1998, at 11 a.m. at Lawn Service Plaza.

Open Date—April 2, 1998 at 11 am.

Bids will be received by the Purchasing Manager not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Department, (717) 939-9551, Ext. 2830.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 98-440. Filed for public inspection March 13, 1998, 9:00 a.m.]

Request for Bids

The Turnpike Commission is requesting sealed bids for:

Supply and Install Microwave System

Mandatory Site Inspection: March 23, 1998 at 10 a.m., at Days Inn Facility (PTC Offices), 800 Eisenhower Blvd., Middletown, PA 17057

Open Date: March 31, 1998 at 11 a.m.

3/4 Ton Vans

Open Date: March 25, 1998 at 11 a.m.

Bids will be received by the Purchasing Manager not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Department, (717) 939-9551, Ext. 2830.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 98-441. Filed for public inspection March 13, 1998, 9:00 a.m.]

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated for the following contract:

Contract No. 88-062-RQ07—Rehabilitation and redecking of Bridge No. NB-725 at M. P. A-105.29 on the PA Turnpike System in Lackawanna Co., PA

Bid Opening Date—April 15, 1998, 11 a.m.

Bid Surety—5%

Plans, Specifications and Contract documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment of \$30 per set (Do not add State tax) by check or P. O. Money Order (no cash) payable to the Pennsylvania

Turnpike Commission, Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. No refund for any reason will be made for plans, specifications and contract documents.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Purchasing Manager for a listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 98-442. Filed for public inspection March 13, 1998, 9:00 a.m.]