

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 31, 1998.

#### BANKING INSTITUTIONS

##### Holding Company Acquisitions

<i>Date</i>	<i>Name of Institution</i>	<i>Location</i>	<i>Action</i>
3-27-98	Fulton Financial Corporation, Lancaster, to acquire 100% of the voting shares of Keystone Heritage Group, Inc., Lebanon	Lancaster	Effective

##### New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-27-98	Community Trust Company Lemoyne Cumberland County  <i>Correspondent:</i> John B. Lampi, Esq. Saul, Ewing, Remick & Saul, LLP 2 North Second St., 7th Fl. Harrisburg, PA 17101-1713	1013 Mumma Road Lemoyne Cumberland County	Filed

##### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-27-98	Farmers Trust Bank, Lebanon, and Lebanon Valley National Bank, Lebanon surviving institution—Farmers Trust Bank, Lebanon, with a change in corporate title to Lebanon Valley Farmers Bank, Lebanon	Lebanon	Effective

Subsequent to the merger, the principal place of business of Lebanon Valley Farmers Bank will be 555 Willow Street, Lebanon, the former main office of Lebanon Valley National Bank.

*Branches Acquired Via Merger:*

300 Lyman Avenue Womelsdorf Berks County	901 East Main Street Palmyra Lebanon County		
1 West Main Street Annville Lebanon County	1 West Main Street Palmyra Lebanon County		
9th and Cumberland Sts. Lebanon Lebanon County	107 West Main Street Schaefferstown Lebanon County		
1205 Quentin Road Lebanon Lebanon County	55 S. Tulpehocken Street Pine Grove Schuylkill County		
297 West Lincoln Avenue Myerstown Lebanon County			
3-27-98	Fulton Bank Lancaster Lancaster County	Lancaster	Effective

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
	Purchase of assets/assumption of liabilities of 11 branch offices of Lebanon Valley Farmers Bank, located at:		
	4807 Jonestown Road Harrisburg Dauphin County	1195 Manheim Pike Lancaster Lancaster County	
	1212 Cocoa Avenue Hershey Dauphin County	38 East Roseville Road Lancaster Lancaster County	
	2296 South Market Street Elizabethtown Lancaster County	Route 501 at Newport Rd. Lititz Lancaster County	
	1713 West Main Street Ephrata Lancaster County	201 West Main Street New Holland Lancaster County	
	922 Columbia Avenue Lancaster Lancaster County	Route 23 & Summit Drive Silver Spring Lancaster County	
	792 New Holland Avenue Lancaster Lancaster County		
3-31-98	PSB Interim Bank, East Berlin, and The Peoples State Bank, East Berlin Surviving Institution—PSB Interim Bank, East Berlin, with a change in corporate title to "The Peoples State Bank"	East Berlin	Effective

The merger is being effected solely to facilitate the acquisition of The Peoples State Bank, East Berlin, by Community Banks, Inc., Millersburg, an existing holding company.

#### Conversions

<i>Date</i>	<i>Name of Institution</i>	<i>Location</i>	<i>Action</i>
3-25-98	Northwood Savings Association Philadelphia Philadelphia County <i>to:</i> Northwood Savings Bank Philadelphia Philadelphia County	1500 E. Susquehanna Avenue Philadelphia Philadelphia County	Approved
	Represents conversion from a State-chartered mutual savings association to a State-chartered mutual savings bank.		

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-27-98	Somerset Trust Company Somerset Somerset County	116 Market Street Johnstown Cambria County	Filed
3-30-98	CSB Bank Curwensville Clearfield County	Bucktail Village Route 120 (Bucktail Rd.) St. Marys Elk County	Filed
3-30-98	Summit Bank Bethlehem Northampton County	Genuardi's Family Market Huntingdon Valley Shopping Center 737 Huntingdon Pike Huntingdon Valley Montgomery County	Filed

**Articles of Amendment**

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
3-27-98	Harris Savings Bank Harrisburg Dauphin County	To provide for the acquisition of full fiduciary powers.	Approved and Effective

**SAVINGS ASSOCIATIONS**

No activity.

**CREDIT UNIONS**

No activity.

RICHARD RISHEL,  
*Secretary*

[Pa.B. Doc. No. 98-570. Filed for public inspection April 10, 1998, 9:00 a.m.]

---

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

#### Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0051942.** Sewage, **Stephen and Margaret Brower**, 40 Grays Lane, Elverson, PA 19520.

This application is for renewal of an NPDES permit to discharge treated sewage from a small flow sewage treatment plant in Warwick Township, **Chester County**. This is an existing discharge to unnamed tributary to French Creek.

The receiving stream is classified for the following uses: high quality warm water fishery, high quality cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 400 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

**PA 0054798.** Sewage, **Gwynmont Farms Utility Corporation**, 131 Gwynmont Drive, North Wales, PA 19454-1812.

This application is for renewal of an NPDES permit to discharge treated sewage from Gwynmont Farms Sewage Treatment Plant, located in Montgomery Township, **Montgomery County**. This is an existing discharge to an Unnamed Tributary to Little Neshaminy Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 24,000 gallons per day are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N) (5-1 to 10-31)	2	4
(11-1 to 4-30)	6	12
Nitrate and Nitrite (as N) (7-1 to 10-31)	9	18
Phosphorus (as P) (4-1 to 10-31)	2	4
Total Residual Chlorine	0.5	1.17
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

*Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

**PA 0011169.** Industrial waste, SIC: 3351, **Brush Wellman, Inc.**, P. O. Box 973, Reading, PA 19603.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial and sanitary waste to an unnamed tributary of the Schuylkill River and the Schuylkill River, in Perry Township, **Berks County**.

The receiving streams are classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Pottstown Borough Authority located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed Interim effluent limits for the UNT at Outfall 001 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s. u.)		6.0—9.0 inclusive	
Beryllium	monitor and report		XXX
Hexavalent Chromium	monitor and report		XXX
Total Copper	0.620	1.300	1.550
Total Lead	monitor and report		XXX
Total Suspended Solids	30.0	60.0	75.0
Oil and Grease	15.0	XXX	30.0
Nitrate	monitor and report		XXX
Nitrite	monitor and report		XXX
Total Dissolved Solids	monitor and report		XXX
Sulfate	monitor and report		XXX
MBAS	monitor and report		XXX

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Osmotic Pressure	monitor and report		XXX
WETT	monitor and report		XXX

The proposed Final effluent limits for the UNT at Outfall 001 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s. u.)		6.5—8.5 inclusive	
Total Beryllium	0.004	0.008	0.01
Hexavalent Chromium	0.014	0.028	0.035
Total Copper	0.015	0.030	0.038
Total Lead	0.004	0.008	0.010
Total Suspended Solids	20.0	40.0	50.0
Oil and Grease	15.0	XXX	30.0
Nitrate	10.0	20.0	25.0
Nitrite	1.0	2.0	2.5
Total Dissolved Solids	500.0	1,000.0	1,250.0
Sulfate	250.0	500.0	625.0
MBAS		monitor and report	
Osmotic Pressure	XXX	67.0	67.0
WETT		monitor and report	

The proposed Interim effluent limits for the UNT at Outfall 002 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s.u.)		6.0—9.0 inclusive	
CBOD <sub>5</sub>	25.0	XXX	50.0
Total Suspended Solids	30.0	XXX	60.0
NH <sub>3</sub> -N	20.0	XXX	40.0
Fecal Coliform	200.0	XXX	XXX
Total Lead	monitor and report	XXX	XXX
Dissolved Oxygen		5.0 mg/l (minimum)	
Total Residual Chlorine	1.5	XXX	2.5
Nitrate	monitor and report	XXX	XXX
Nitrite	monitor and report	XXX	XXX
Total Beryllium	monitor and report	XXX	XXX
Total Copper	monitor and report	XXX	XXX
Total Dissolved Solids	monitor and report	XXX	XXX
Sulfate	monitor and report	XXX	XXX

The proposed Final effluent limits for the UNT at Outfall 002 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s.u.)		6.5—8.5 inclusive	
CBOD <sub>5</sub>	10.0	XXX	20.0
Total Suspended Solids	20.0	XXX	40.0
NH <sub>3</sub> -N	3.0	XXX	6.0
Fecal Coliform	200.0	XXX	XXX
Total Lead	0.004	XXX	0.008
Dissolved Oxygen		5.0 mg/l (minimum)	
Total Residual Chlorine	1.5	XXX	2.5
Nitrate	10.0	XXX	20.0
Nitrite	1.0	XXX	2.0
Total Beryllium	0.004	XXX	0.008
Total Copper	0.015	XXX	0.030
Total Dissolved Solids	500.0	XXX	1,000.0
Sulfate	250.0	XXX	500.0

The proposed Interim effluent limits for the UNT at Outfall 003 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s.u.)		6.0—9.0 inclusive	
Total Manganese	monitor and report		XXX
Nitrate	monitor and report		XXX
Nitrite	monitor and report		XXX
Total Beryllium	monitor and report		XXX

## NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Copper	1.0	2.0	2.5
Total Lead		monitor and report	XXX
Total Dissolved Solids		monitor and report	XXX
Total Suspended Solids		monitor and report	XXX
Osmotic Pressure		monitor and report	XXX
Sulfate		monitor and report	XXX

The proposed Final effluent limits for the UNT at Outfall 003 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s.u.)		6.5—8.5 inclusive	
Total Manganese	0.050	0.100	0.125
Nitrate	10.0	20.0	25.0
Nitrite	1.0	2.0	2.5
Total Beryllium	0.004	0.008	0.010
Total Copper	0.015	0.030	0.038
Total Lead	0.004	0.008	0.01
Total Dissolved Solids	500.0	1,000.0	1,250.0
Total Suspended Solids	20.0	40.0	50.0
Osmotic Pressure	XXX	67.0	67.0
Sulfate	250.0	500.0	625.0

The proposed Interim effluent limits for the UNT at Outfall 004 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s. u.)		6.0—9.0 inclusive	
Total Suspended Solids	30.0	60.0	75.0
Nitrate		monitor and report	XXX
Nitrite		monitor and report	XXX
Total Copper	1.0	2.0	2.5
Total Dissolved Solids		monitor and report	XXX
Total Beryllium		monitor and report	XXX
Total Zinc		monitor and report	XXX
Total Manganese		monitor and report	XXX
Chromium VI		monitor and report	XXX
Sulfate		monitor and report	XXX
MBAS		monitor and report	XXX
Osmotic Pressure		monitor and report	XXX

The proposed Final effluent limits for the UNT at Outfall 004 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s. u.)		6.5—8.5 inclusive	
Total Suspended Solids	20.0	40.0	50.0
Nitrate	10.0	20.0	25.0
Nitrite	1.0	2.0	2.5
Total Copper	0.015	0.030	0.038
Total Dissolved Solids	500.0	1,000.0	1,250.0
Total Beryllium	0.004	0.008	0.010
Total Zinc	0.101	0.202	0.253
Total Manganese	0.050	0.100	0.125
Chromium VI	0.014	0.028	0.035
Sulfate	250.0	500.0	625.0
MBAS		monitor and report	XXX
Osmotic Pressure	XXX	67.0	67.0

The proposed effluent limits for the Schuylkill River at Outfall 001:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (s. u.)		6.0—9.0 inclusive	
Total Suspended Solids	30.0	60.0	75.0
Total Beryllium		monitor and report	XXX
Total Copper		monitor and report	XXX
Oil and Grease	15.0	XXX	30.0
NH <sub>3</sub> -N	20.0	XXX	40.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Dissolved Solids	1,000.0	2,000.0	2,500.0
Fecal Coliform			
(5-1 to 9-30)	200.0	XXX	XXX
(10-1 to 4-30)	10,000.0	XXX	XXX
CBOD <sub>5</sub>	25.0	XXX	50.0
TRC	1.5	XXX	2.5

The EPA waiver is in effect.

**PA 0028347.** Sewage, SIC: 4952, **Martinsburg Municipal Authority**, 133 East Allegheny Street, Martinsburg, PA 16662-0307.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Plum Creek, in North Woodbury Township, **Blair County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located near Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed interim effluent limits for Outfall 001 for a design flow of 0.70 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	2.5	XXX	5.0
(11-1 to 4-30)	7.5	XXX	15
Total Phosphorus			
(4-1 to 10-31)	2.0	XXX	4.0
Total Residual Chlorine	report	XXX	XXX
Total Copper	0.027	XXX	0.067
Total Lead	report	XXX	report
Free Cyanide	report	XXX	report
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0—9.0 inclusive	
Fecal Coliforms			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,800/100 ml as a geometric average	

The proposed final effluent limits for Outfall 001 for a design flow of 0.70 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	2.5	XXX	5.0
(11-1 to 4-30)	7.5	XXX	15
Total Phosphorus			
(4-1 to 10-31)	2.0	XXX	4.0
Total Residual Chlorine	0.1	XXX	0.3
Total Copper	0.027	XXX	0.067
Total Lead	0.015	XXX	0.037
Free Cyanide	0.008	XXX	0.020
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0—9.0 inclusive	
Fecal Coliforms			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,800/100 ml as a geometric average	

Part C requirements for toxics are briefly listed as:

1. Water quality based effluent goals for total lead and free cyanide.
2. Requirements to submit the first phase of a toxics reduction evaluation within 2 years of permit issuance.
3. Conditions for future permit modifications.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

The EPA waiver is in effect.

**PA 0024961.** Sewage, SIC: 4952, **Oley Township Municipal Authority**, P. O. Box 19, Oley, PA 19547.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to the Manatawny Creek, in Oley Township, **Berks County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Water Supply located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.40 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N	20	XXX	XXX	40
Total Phosphorus	2.0			4.0
Total Residual Chlorine	0.5			1.6
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0—9.0 inclusive		
Fecal Coliforms		200/100 ml as a geometric average		
(5-1 to 9-30)		10,000/100 ml as a geometric average		
(10-1 to 4-30)				

The EPA waiver is in effect.

---

*Northcentral Region: Environmental Program Manager; Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6510, (717) 327-3666.*

**PA 0037966-A2** SIC: 4952, **Moshannon Valley Joint Sewer Authority**, P. O. Box 581, Phillipsburg, PA 16866-0581.

This amendment is necessary to make the NPDES permit consistent with the pending Water Quality Management Permit No. 1498404, which will rerate the existing sewage treatment plant to 1.732 mgd annual average flow.

This proposed action is to amend the NPDES permit for an increase in discharge of treated sewage to Moshannon Creek in Rush Township, **Centre County**.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Milton intake located on the Susquehanna River, 155 miles downstream.

The proposed effluent limits for Outfall 001, based on an annual average design flow of 1.732 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
TSS	30	45	60
TRC	0.5		1.6
Fecal Coliform		200/100 ml as a geometric average	
(5-1 to 9-30)		2,000/100 ml as a geometric average	
(10-1 to 4-30)			
pH	6.0—9.0 at all times		

*Other Conditions:* none

The EPA waiver is not in effect.

---

*Southwest Regional Office: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0025755.** Sewage, **Borough of Freeport**, 414 Market Street, Freeport, PA 16229.

This application is for renewal of an NPDES permit to discharge treated sewage from the Freeport Borough Sewage Treatment Plant in Freeport Borough, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Buffalo Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Harrison Township Water Authority on the Allegheny River.



*Outfall 001:* existing discharge, design flow of 0.35 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	37.5		50
Suspended Solids	30	45		60
Ammonia Nitrogen (5-1 to 10-31)	12	18		24
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	5,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month)	monitor and report			
(37th month—expiration)	1.0			3.3
pH	not less than 6.0 nor greater than 9.0			

Outfalls 002, 004, 005 and 007, which discharge to the receiving waters known as Allegheny River and Outfalls 003 and 006, which discharge to the receiving waters known as Buffalo Creek, serve as combined sewer overflows necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant. These combined sewer overflows are permitted to discharge only for that reason. There are at this time no specific effluent limitations on the outfalls. Each discharge shall be monitored for cause, frequency, duration and quantity of flow.

The EPA waiver is in effect.

**PA 0032182.** Sewage, **William J. Felix**, 92 Little Mingo Road, Finleyville, PA 15332.

This application is for renewal of an NPDES permit to discharge treated sewage from the Hills of Mingo Estates STP in Nottingham Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Tributary of Mingo Creek, which are classified as a high quality trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Western Pennsylvania Water Company.

*Outfall 001:* existing discharge, design flow of .012 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	20			50
Suspended Solids	20			40
Ammonia Nitrogen (5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0095087.** Sewage, **Chippewa Township Sanitary Authority**, Municipal Building, 2568 Darlington Road, Beaver Falls, PA 15010-1742.

This application is for renewal of an NPDES permit to discharge treated sewage from the Chippewa Township Sanitary Authority STP in Chippewa Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Bradys Run (mouth), which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the ARCO Chemical Company BV Plant.

*Outfall 001:* existing discharge, design flow of 2.13 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	37.5		50
Suspended Solids	30	45		60

## NOTICES

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month) (37th month—expiration)	monitor and report			1.6
pH	0.5	not less than 6.0 nor greater than 9.0		

The EPA waiver is not in effect.

**PA 0098493.** Sewage, **Rocco Boni**, 6 Erie Mine Road Extension, Burgettstown, PA 15021.

This application is for renewal of an NPDES permit to discharge treated sewage from Rocco Boni Rental in Burgettstown Borough, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Burgetts Fork, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Municipal Authority.

*Outfall 001:* existing discharge, design flow of .0065 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month) (37th month—expiration)	monitor and report			3.3
pH	1.4	not less than 6.0 nor greater than 9.0		

The EPA waiver is in effect.

**PA 0215988.** Sewage, **Sonnynick, Inc.**, R. D. 4, Box 240, Elizabeth, PA 15037.

This application is for renewal of an NPDES permit to discharge treated sewage from the Sonnynick, Inc. Sewage Treatment Plant in Menallen Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Saltlick Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Newell Municipal Authority on the Monongahela River at approximate River Mile 51.

*Outfall 001:* existing discharge, design flow of 0.013125 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31) (11-1 to 4-30)	5 15			10 30
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 3,000/100 ml as a geometric mean			
Total Residual Chlorine (1st Month—36th Month) (37th Month—expiration)	monitor and report			1.3
Dissolved Oxygen	0.6	not less than 4.0 mg/l		
pH		not less than 6.0 nor greater than 9.0		

*Outfall 001:* proposed expanded discharge, design flow of 0.055125 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.14			0.33
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

*Other Conditions:* The permittee must obtain an amendment to the existing Water Quality Management (Part II) Permit No. 2693404 before proceeding with the expansion of the facilities to treat a design flow of 0.055125 mgd.

The EPA waiver is in effect.

---

*Northwest Regional Office: Regional Manager; Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**PA 0210196.** Industrial waste, SIC: 4953, **Seneca Landfill, Inc.**, P. O. Box 648, Mars, PA 16046.

This application is for a renewal of an NPDES permit to discharge treated industrial waste and stormwater to Connoquenessing Creek in Jackson Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Zelienople Municipal Water Works on Connoquenessing Creek located at Zelienople, approximately 2.6 miles below point of discharge.

The proposed discharge limits, based on a design flow of .016 mgd, are:

*Outfall No. 001*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	0.016		
CBOD <sub>5</sub>	100	200	250
NH <sub>3</sub> -N	20	40	50
Fecal Coliform			
(5-1 to 9-30)		200/100 ml	
(10-1 to 4-30)		100,000/100 ml	
TSS	100	200	250
Oil and Grease	15		30
Aluminum	0.275	0.55	0.69
Barium	0.3	0.6	0.75
Boron	3.0	6	7.5
Cobalt	0.05	0.1	0.13
Total Iron	3.5	7.0	8.8
Manganese	1.0	2.0	2.5
Arsenic	0.05	0.1	0.13
Cadmium	0.005	0.01	0.01
Total Chromium	0.125	0.25	0.31
Copper	0.05	0.1	0.13
Lead	0.036	0.07	0.09
Nickel	0.15	0.3	0.38
Selenium	0.075	0.15	0.187
Vandium	0.009	0.02	0.023
Zinc	1.0	2.0	2.5
4,4'-DDT	0.0002	0.0004	0.0005
Total Residual Chlorine	XX		XX
pH		6.0—9.0 at all times	

XX—monitor and report.

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall Nos. 002 and 003*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Chemical Oxygen Demand			
Oil and Grease			
Total Dissolved Solids (TDS)			
Total Organic Carbon (TOC)			
Total Barium			
Total Chromium			
Total Lead			
Total Mercury			
Total Magnesium			
Dissolved Magnesium			
Total Selenium			
Total Silver			
Ammonia			
Total Arsenic			
Total Cyanide			
Nitrate plus Nitrite Nitrogen			
Dissolved Iron			
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

---

#### **Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges**

---

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

---

*Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0083143	Saxton Boro Municipal Authority 9th and Spring Streets Saxton, PA 16678-1213	Bedford Liberty Township	Raystown Branch Juniata River	TRC
PA 0085383	Reichert Residence Fairview Drive Reading, PA 19605	Berks Bern Township	UNT to Plum Creek	TRC
PA 0085405	Mr. and Mrs. Tom O'Gara Baladerry Inn 40 Hospital Road Gettysburg, PA 17325	Adams Cumberland Township	UNT to Rock Creek	TRC

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0020236	Spring Grove Area SD Seven Valleys Elem. 7 Maple Street Seven Valleys, PA 17360	York Seven Valleys	UNT to South Branch of the Codorus Creek	TRC

## DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

### Applications under the Pennsylvania Clean Streams Law

#### (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**A. 4098402.** Sewerage. **Hazle Township Municipal Authority**, P. O. Box 888, 23rd and Peace Streets, Hazleton, PA 18201. Application to construct a new wastewater pumping station, collection and conveyance lines along Airport Road (SR3026) to replace existing Hollywood Boulevard pump station, located in Hazle Township, **Luzerne County**. Application received in the Regional Office—February 27, 1998.

*Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4590.*

**A. 2198402.** Sewage, submitted by **William L. Mauchamer**, 250 Roxbury Road, Newville, PA 17241 in Lower Mifflin Township, **Cumberland County** to construct and install a small flow treatment facility to serve their single family residence was received in the Southcentral Regional Office on March 20, 1998.

**A. 0798403.** Sewage, submitted by **Martinsburg Municipal Authority**, 133 East Allegheny Street, Martinsburg, PA 16662-0307 in North Woodbury Township, **Blair County** to construct/replace the Hoover Drive Pump Station was received in the Southcentral Region on March 24, 1998.

**A. 2198402.** Sewage, submitted by **Silver Spring Township Authority**, 6475 Carlisle Pike, Mechanicsburg, PA 17055 in Silver Spring Township, **Cumberland County** to construct the Gingerfields and Brookmeadow Cluster Development Pumping Station and Sewer Extension was received in the Southcentral Region on March 25, 1998.

**A. 2298403.** Sewage, submitted by **Royalton Borough Authority** 131 Dock Street, Royalton, PA 17057 in Borough of Royalton, **Dauphin County** to construct the Edgewater Pump Station and Sewer Extension was received in the Southcentral Region on March 26, 1998.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**A. 3298401.** Sewerage. **John S. and Lynae M. Williams**, 308 North Main Street, Punxsutawney, PA 15767. Application for the construction and operation of a sewage treatment plant with a proposed package sewage treatment plant located in the Township of Armstrong, **Indiana County** to serve the Maple Valley Personal Care Home.

**A. 5698403.** Sewerage. **Donald N. Thomas**, 377 Maple Springs Road, Hollsopple, PA 15935-7522. Application for the construction and operation of a single residence sewage treatment plant located in the Township of Jenner, **Somerset County** to serve the Thomas residence.

**A. 6592411, Amendment No. 1.** Sewerage. **Thomas F. Forsythe, David L. and Wendy J. Leonard and Charlotte L. Forsythe**. Application for the expansion of the existing subsurface sand filter treatment plant from 800 gpd to 1,200 gpd capacity located in the Township of East Huntingdon, **Westmoreland County** to serve the Forsythe and Leonard residences.

*Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**WQM Permit No. 4298201.** Industrial waste. **Zippo Manufacturing Company**, 33 Barbour Street, Bradford, PA 16701. This project is for the modification of an existing Water Quality Management permit for treatment of industrial waste in Bradford Township, **McKean County**.

**WQM Permit No. 3798401.** Sewage. **Praxair Surface Technologies, Inc.**, 3225 Honeybee Lane, New Castle, PA 16105. This project is for the construction and operation of a small flow treatment system with spray irrigation in Wilmington Township, **Lawrence County**.

**INDIVIDUAL PERMITS****(PAS)**

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

*Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

*Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.*

**NPDES Permit PAS10Q036-1R.** Stormwater. **K & B Farms**, Sol Krawitz, 1975 Mack Boulevard, Allentown, PA 18103, has applied to discharge stormwater from a construction activity located in Upper Macungie Township, **Lehigh County**, to Little Lehigh Creek.

**NPDES Permit PAS10Q153.** Stormwater. **Liberty Property Limited Partnership**, Robert Kiel, 1510 Valley Ctr. Pkwy., Ste. 240, Bethlehem, PA 18017, has

applied to discharge stormwater from a construction activity located in Upper Macungie Township, **Lehigh County** to Little Lehigh Creek.

*Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**NPDES Permit PAS102510.** Stormwater. **Blue Sky**, 362 North Park Street, Sykesville, PA 15865-1195, has applied to discharge stormwater from a construction activity located in Horton and Fox Townships, **Elk County**, to Boggy Run.

**NPDES Permit PAS103312.** Stormwater. **Flying J. Travel Plaza**, 50 West 990 South, P.O. Box 678, Brigham City, UT 84302, has applied to discharge stormwater from a construction activity located in Brookville, **Jefferson County**, to Clement Run and North Fork Creek.

**SAFE DRINKING WATER****Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Northwest Regional Office, Regional Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6899.*

**A. 6198502.** Public water supply. **Sugarcreek Borough**, 212 Fox Street, Franklin, PA 16435. This proposal involves the construction of the replacement system that will service the original 20 and five new customers. The new system will consist of 8" and 10" PVC waterline, gate valves, hydrants, service connections and a pressure reducing/metering station in Sugarcreek Borough, **Venango County**.

**A. 1098503.** Public water supply. **Adams Ridge, Inc.**, 20th and Sheffield, Aliquippa, PA 15001. This proposal involves the changing of disinfection, and the addition of a pumping station, additional distribution system and iron and manganese removal filters in Adams Township, **Butler County**.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION****Under Act 2, 1995****Preamble 1****Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under

the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Regional Field Office, Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**James Meilinger Property**, Bethlehem Township, **Northampton County**. Terrence Shannon, Project Director with Synergist, Inc., 10 Enterprise Drive, Carbondale, PA 18407 (on behalf of his client, Nancy Meilinger, 1375 Van Buren Road, Easton, PA 18045) has submitted a Notice of Intent to Remediate concerning the remediation of site soils suspected to be contaminated with lead. The applicant proposes to remediate the site to meet the Statewide human health standard.

**Former Penn Linen and Uniform Service**, Hanover Township, **Lehigh County**. John Chen, Environmental Engineer, Unitog Rental Services, 1300 Washington Street, Kansas City, MO 64105, has submitted a Notice of Intent to Remediate concerning the remediation of site soils suspected to be contaminated with solvents (tetrachloroethylene). The applicant proposes to remediate the site to meet the Statewide human health standard.

**Teel Residence**, Upper Mt. Bethel Township, **Northampton County**. Kevin Van Kuren, President, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 has submitted a Notice of Intent to Remediate (on behalf of his client, Dorothy Teel, 2445 North Delaware Drive, Mt. Bethel, PA 18343) concerning the remediation of site soils contaminated with polyaromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide human health standard. A Final Report was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

### Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a

release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, a municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northcentral Regional Office, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 321-6525.*

**Montour Oil Service Company**, Montoursville Borough, **Lycoming County**. Rick Thomas, Montour Oil Service Company, 112 Broad Street, Montoursville, PA 17754 has submitted an Amended Notice of Intent to Remediate soil and groundwater contaminated with BTEX and lead. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Amended Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* on March 23, 1998.

**KC Video**, City of Lock Haven, **Clinton County**. Scott Laird on behalf of his client Montour Oil Service Company, 112 Broad Street, Montoursville, PA 17754 has submitted an Amended Notice of Intent to Remediate soil and groundwater contaminated with Lead and BTEX. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lock Haven Express* on February 11, 1998.

**SOLID AND HAZARDOUS WASTE  
OPERATE WASTE PROCESSING OR DISP. O.SAL  
AREA OR SITE**

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.*

**A. 101100. Mountain View Reclamation, Community Refuse, Ltd.** (9760 Letzberg Road, Greencastle, PA 17225). Application for modification to change to the postclosure monitoring program for pads 9 and 10 in Antrim and Montgomery Township, **Franklin County**. This application was previously denied. Application resubmitted March 27, 1998.

**A. 101538. South Central Counties Solid Waste Agency Landfill, (SCCSWA), South Central Counties Solid Waste Agency** (P. O. Box 57, Defiance, PA 16633). Application for change of ownership of SCCSWA Landfill to WSI Hopewell Landfill, Inc., in Broad Township, **Bedford County**. Application determined to be administratively complete in the Regional Office March 5, 1998.

This was incorrectly published in the March 28, 1998, issue of the *Pennsylvania Bulletin*.

**AIR POLLUTION**

**Public Notice**

**Notice of Plan Approval and Operating Permit Applications**

**Non-major Sources and Modifications**

The Department of Environmental Protection (Department) has developed an integrated plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application and at one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits have 30 days to submit protests or comments. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the

objections. If the Department's schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

**OPERATING PERMITS**

**Operating Permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**46-318-047: Knoll, Inc.** (1235 Water Street, East Greenville, PA 18041) for the operation of nine spray booths in East Greenville Borough, **Montgomery County**.

**46-307-007: Lukens Steel Company** (Conshohocken Road, Conshohocken, PA 19428) for the operation of a Steckel Mill Process in Plymouth Township, **Montgomery County**.

**46-399-111A: McNeil Consumer Products Co.** (7050 Camp Hill Road, Fort Washington, PA 19034) for the operation of a Glatt 15 fluidized bed processor in Whitmarsh Township, **Montgomery County**.

**PA-46-0053: Superior Metal Products Co., Inc.** (116 Berks Street, Pottstown, PA 19464) for the operation of a spray paint line in Pottstown Borough, **Montgomery County**.

**PA-46-0014A: Knoll, Inc.** (1235 Water Street, East Greenville, PA 18041) for the operation of a cyclonic baghouse in Upper Hanover Township, **Montgomery County**.

**23-399-028: Witco Corporation** (3300 West 4th Street, Trainer, PA 19061) for the operation of a solids conveyance system in Trainer Borough, **Delaware County**.

*Southcentral Regional Office, Air Quality Program, One Ararat Blvd., Harrisburg, PA 17110, (717) 657-4587.*

**06-323-018: Royal Green Corp.** (P. O. Box 9, Temple, PA 19560) for the ferrous metal shredder controlled by a fabric collector, foam spray and enclosures in Ontelaunee Township, **Berks County**.

**67-309-001E: The J. E. Baker Company** (P. O. Box 1189, York, PA 17405) for a limestone crushing, sizing, storage and shipping operation in West Manchester Township, **York County**.

*Northcentral Regional Office, Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.*

**19-320-001D: Haddon Craftsmen, Inc.** (4411 Old Berwick Road, Bloomsburg, PA 17815) for the operation of three book binding lines and associated operations in South Centre Township, **Columbia County**.

**NMOP-49-00036: Anthracite Industries, Inc.** (P. O. Box 112, Sunbury, PA 17801) for the operation of equipment used for processing coal in Upper Augusta Township, **Northumberland County**.

**NMOP-55-008: Apex Homes, Inc.** (247 US Highway 522N, Middleburg, PA 17842) for the operation of equipment used in producing manufactured housing in Middlecreek Township, **Snyder County**.



**NMOP-19-00012: Berwick Hospital Center** (701 East 16th Street, Berwick, PA 18603) for the operation of incinerator/boilers in Berwick, **Columbia County**.

**NMOP-19-008: Bloomsburg Hospital** (549 East Fair Street, Bloomsburg, PA 17815) for the operation of boilers in Bloomsburg, **Columbia County**.

**NMOP-47-00008: Cabinet Industries Inc.** (400 Water Street, P. O. Box 259, Danville, PA 17821) for surface coating operations in Danville, **Montour County**.

**NMOP-18-00015: Champion Parts** (P. O. Box 474, Route 150 Industrial Park, Beech Creek, PA 16822) for surface coating operations in Beech Creek Township, **Clinton County**.

**NMOP-53-011: Charles Cole Memorial Hospital** (US Route 6 East, RR1, Box 205, Coudersport, PA 16915-9762) for the operation of boilers in Coudersport, **Potter County**.

**NMOP-49-00029: Clark's Feed Mills, Inc.** (Route 61 North, P. O. Box W, Shamokin, PA 17872) for the operation of grain processing equipment in Shamokin, **Northumberland County**.

**NMOP-49-00031: Doorcraft of Pennsylvania** (P. O. Box 746, Sunbury, PA 17801-0746) for surface coating operations in Sunbury, **Northumberland County**.

**NMOP-60-00014: Evangelical Community Hospital** (One Hospital Drive, Lewisburg, PA 17837) for the operation of boilers in Kelly Township, **Union County**.

**NMOP-60-00023: Fuel Fabricators, Inc.** (Coal Preparation, Bigler, PA 16825) for the operation of coal processing equipment in Bradford Township, **Clearfield County**.

**NMOP-14-00014: Glenn O. Hawbaker, Inc.** (450 East College Avenue, Bellefonte, PA 16823) for the operation of equipment used in the production of asphalt concrete in Spring Township, **Centre County**.

**NMOP-17-00020: Glenn O. Hawbaker, Inc.** (450 East College Avenue, Bellefonte, PA 16823) for the operation of equipment used in the production of asphalt concrete in Sandy Township, **Clearfield County**.

**NMOP-17-00018: Harmony Area School District** (RD 1, Box 96A, Westover, PA 16692) for the operation of boilers in Burnside Township, **Clearfield County**.

**NMOP-18-00014: Jersey Shore Steel Company** (P. O. Box 5055, Jersey Shore, PA 17740) for the operation of equipment used in milling ferrous metals in Pine Creek Township, **Clinton County**.

**NMOP-14-00013: Lemont Water Company** (P. O. Box 26, Lemont, PA 16851) for the operation of two air strippers in Lemont, **Centre County**.

**NMOP-41-00035: Linear Dynamics** (RR2, Box 311, Muncy, PA 17737) for the operation of a boiler and surface coating equipment in Muncy Township, **Lycoming County**.

**NMOP-55-007: Lozier Corporation** (East Ohio Street, McClure, PA 17841) for the operation of equipment used in manufacturing furniture and fixtures in McClure, **Snyder County**.

**NMOP-55-00013: Mid-West School District** (568 East Main Street, Middleburg, PA 17842) for the operation of boilers in Spring Township, **Snyder County**.

**NMOP-14-00015: Murata Electronics North America, Inc.** (1900 West College Avenue, State College, PA 16801) for surface coating operations in Ferguson Township, **Centre County**.

**NMOP-55-00011: National Limestone Quarry** (P. O. Box 397, Middleburg, PA 17842) for the operation of crushing and screening equipment in Perry Township, **Snyder County**.

**NMOP-55-00010: National Limestone Quarry** (P. O. Box 397, Middleburg, PA 17842) for the operation of crushing and screening equipment in Franklin Township, **Snyder County**.

**NMOP-14-00016: Penns Valley Area School District** (RR3, Box 116, Spring Mills, PA 16875) for the operation of boilers in Penn Township, **Centre County**.

**NMOP-14-012: Ruetgers-Nease Corporation** (201 Struble Road, State College, PA 16801) for the operation of chemical manufacturing equipment in College Township, **Centre County**.

**NMOP-49-00034: Shikellamy School District** (200 Island Blvd., Sunbury, PA 17801) for the operation of boilers in Sunbury, **Northumberland County**.

**NMOP-49-00027: Somerset Consolidated Industries, Inc.** (5th and Ash Streets, P. O. Box 126, Watsontown, PA 17777) for the operation of equipment used in producing gray iron in Delaware Township, **Northumberland County**.

**NMOP-19-00011: Stillwater Asphalt** (P. O. Box 330, Benton, PA 17814) for the production of asphalt concrete in Stillwater, **Columbia County**.

**NMOP-41-00036: Strick Corporation Wood Products Division** (201 Boak Avenue, Hughesville, PA 17737) for the operation of boilers in Wolf Township, **Lycoming County**.

**NMOP-49-00032: Sunbury Community Hospital** (350 North 11th Street, Sunbury, PA 17801) for the operation of boilers and generators in Sunbury, **Northumberland County**.

**NMOP-49-00030: Sunbury Textile Miles, Inc.** (P. O. Box 768, Sunbury, PA 17801) for the operation of equipment used in the production of broadwoven cotton in Sunbury, **Northumberland County**.

**NMOP-18-00016: Susque Valley Animal Hospital** (HC80 Box 41, Lock Haven, PA 17745) for the operation of an incinerator in Pine Creek Township, **Clinton County**.

**NMOP-17-00022: Walker Lumber Inc.** (P. O. Box 60, Woodland, PA 16881) for the operation of drying kilns in Bradford Township, **Clearfield County**.

**NMOP-17-00019: Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830) for the operation of coal processing equipment in Lawrence Township, **Clearfield County**.

**NMOP-49-00035: Warrior Run School District** (RR2, Box 151A, Turbotville, PA 17772) for the operation of boilers in Lewis Township, **Northumberland County**.

**NMOP-49-00033: Watsontown Brick Company** (P. O. Box 68, Watsontown, PA 17777) for the operation of a tunnel kiln and crushing and screening equipment in Delaware Township, **Northumberland County**.

**NMOP-17-00021: West Branch Area School District** (RR2, Box 194, Morrisdale, PA 16858) for the operation of boilers in Morris Township, **Clearfield County**.

**NMOP-49-00028: Wildwood Cemetery Company** (1151 Cemetery Street, Williamsport, PA 17701) for the operation of an incinerator in Sunbury, **Northumberland County**.

**SMOP-08-007: Leprino Foods Company** (400 Leprino Avenue, Waverly, NY 14892) for the operation of food processing equipment in South Waverly, **Bradford County**.

**SMOP-08-00012: Taylor Packing Co., Inc.** (P. O. Box 188, Wyalusing, PA 18853) for the operation of packaging equipment in Wyalusing Township, **Bradford County**.

**SMOP-08-00011: Taylor By-Products Inc.** (P. O. Box 188, Wyalusing, PA 18853) for equipment used in rendering operations in Wyalusing Township, **Bradford County**.

**SMOP-55-00009: NRB Industries, Inc.** (441 West Market Street, Beavertown, PA 17813) for the operation of boilers in Beavertown Borough, **Snyder County**.

**SMOP-55-00012: Wood Metal Industries** (One Second Street, Kreamer, PA 17833) for surface coating operations in Middlecreek, **Snyder County**.

#### Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Copies of the Title V application, proposed permit and other relevant information are available for public inspection and additional information may be obtained by contacting the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, Attn: Michael Safko, (717) 826-2531.*

**39-00016: Farm & Home Oil Co., Macungie Terminal** (P. O. Box 146, Macungie, PA 18062) in Lower Macungie Township, **Lehigh County**. The facility's major source of emissions include petroleum storage tanks and a loading rack which primarily emit volatile organic compounds (VOCs).

*Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110, Attn: Kanubhai L. Patel, (717) 657-4587.*

**21-05002: PPG Industries, Inc.** (400 Park Drive, Carlisle, PA 17013) in South Middleton Township, **Cumberland County**. The facility's major emission sources

are two flat glass furnaces. The major pollutants are nitrogen oxides and sulfur oxides.

#### PLAN APPROVALS

#### Plan Approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-46-0008: Coopers Creek Chemical Corp.** (884 River Road, West Conshohocken, PA 19428) for the installation of storage tanks and receiver vents in Upper Merion Township, **Montgomery County**.

**PA-15-0069: Champion Recycling, Inc.** (Trestle Place, Downingtown, PA 19335) for the construction of a diesel engine in East Caln Township, **Chester County**.

**PA-15-0060A: SECCRA Landfill** (219 West Street Road, West Grove, PA 19348) for the construction of a landfill gas enclosure flare in London Grove Township, **Chester County**.

**PA-09-0037A: CMS Gilbreth Packaging Systems** (3001 State Road, Croydon, PA 19021) for the construction of five printing presses in Bristol Township, **Bucks County**.

**PA-09-0037: CMS Gilbreth Packaging Systems** (3001 State Road, Croydon, PA 19021) for the construction of a Temco Press in Bristol Township, **Bucks County**.

**46-313-007: Hammond Lead Products, Inc.** (10 S. Grosstown Road, Pottstown, PA 19464) for the modification of a lead oxide plant in Pottstown Borough, **Montgomery County**.

**AQ-SE-0006: Haines & Kibblehouse, Inc.** (Hanover Road, Pottstown, PA 19464) for the construction of a portable crushing plant in Lower Pottsgrove Township, **Montgomery County**.

**PA-46-0142: Fluid Energy Processing & Equipment Co.** (2629 Penn Avenue, Hatfield, PA 19440) for the construction of an 8" Jet-O-Dryer Flash Drying System in Hatfield Township, **Montgomery County**.

**46-313-133: Republic Environmental Systems, Inc.** (2869 Sandstone Drive, Hatfield, PA 19440) for the modification of a Cement Kiln Dust Silo in Hatfield Township, **Montgomery County**.

**46-313-132: Republic Environmental Systems, Inc.** (2869 Sandstone Drive, Hatfield, PA 19440) for the modification of a solid containment building in Hatfield Township, **Montgomery County**.

**46-313-057C: Republic Environmental Systems (PA) Inc.** (2869 Sandstone Drive, Hatfield, PA 19440) for the modification of a hazardous waste TSD in Hatfield Township, **Montgomery County**.

**PA-23-0067: Alloy Surfaces Company, Inc.** (I-95 Industrial Park, Aston, PA 19014) for the construction of a caustic metal treatment process in Chester Township, **Delaware County**.

*Northeast Regional Office, Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**40-31-012B: Kaminski Brothers, Inc.** (226 New Boston Road, Pittston, PA 18640) for the modification of the stone crushing operation in Jenkins Township, **Luzerne County**

*Southcentral Regional Office, Air Quality Program, One Ararat Blvd., Harrisburg, PA 17110, (717) 657-4587.*

**06-5063BL: EAFCO, Inc.** (Spring and Schaeffer Streets, Boyertown, PA 19512) for a paint spray booth with dry filters in Boyertown, **Berks County**.

**44-304-009: Donsco, Inc.** (P. O. Box 2001, Wrightsville, PA 17368) for the installation of two cold box core machines at their Belleville foundry located in Union Township, **Mifflin County**.

*Northcentral Regional Office, Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.*

**59-304-008B: Ward Manufacturing, Inc., ACP Division** (P. O. Box 9, Blossburg, PA 16912-0009) for the construction of a castings Tumbler unit and grinders and a fabric collector in Lawrence Township, **Tioga County**.

**OP-53-0009B: National Fuel Gas Supply Corporation** (P. O. Box 2081, Erie, PA 16512) for the modification of two natural gas dehydrators (#2 and #3) and the installation of a thermal oxidizer on the modified dehydrators at the Ellisburg Compressor Station in Allegany Township, **Potter County**.

**OP-59-0005A: CNG Transmission Corporation** (CNG Tower, 625 Liberty Avenue, Pittsburgh, PA 15222-3199) for the construction of a 3,200 horsepower natural gas-fired reciprocating internal combustion engine at the Boom Compressor Station in Lawrence Township, **Tioga County**.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-63-626A: Washington Penn Plastic Co., Inc.** (2080 N. Main Street, P. O. Box 236, Washington, PA 15301) for the installation of a banbury extruder line at V-Bat Division in Canton Township, **Washington County**.

**PA-63-565A: Washington Penn Plastic Co., Inc.** (2080 North Main Street, Washington, PA 15301) for installation of a pelletizer exhaust at Performance Products in South Strabane Township, **Washington County**.

**OP-04-00218: NF&M International** (1729 Pennsylvania Avenue, Monaca, PA 15061) for the operation of titanium cleaning and machining in Monaca Borough, **Beaver County**.

**PA-04-044A: Zinc Corporation of America** (300 Frankfort Road, Monaca, PA 15061) for the installation of zinc high grade column #29 at Monaca Zinc Smelter in Potter Township, **Beaver County**.

**PA-56-025A: New Enterprise Stone & Lime Co., Inc.** (P. O. Box 77, New Enterprise, PA 16664) for the installation of an aggregate crushing plant at the Bakersville Crushing Plant in Jefferson Township, **Somerset County**.

**OP-65-00073: Latrobe Construction Co.** (P. O. Box 150, 150 Marcia Street, Latrobe, PA 15650) for the operation of an asphalt mix plant in Ligonier Township, **Westmoreland County**.

**OP-65-00047: CBS Corp.** (One Stewart Station Drive, Trafford, PA 15085) for the operation of commercial printing at W/Westinghouse Printing in Trafford Borough, **Westmoreland County**.

**OP-03-00013: IA Construction Corp.** (P. O. Box 290, Homer City, PA 15748) for the operation of paving mixtures and block manufacturing at Tarrtown Plant in East Franklin Township, **Armstrong County**.

## REASONABLY AVAILABLE CONTROL TECHNOLOGY

(RACT)

**Operating Permit applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.**

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**OP-09-0027: Fres-Co System USA, Inc.** (3005 State Road, Telford, PA 18969) on February 27, 1998, for the approval of Facility VOC/NOx RACT in West Rockhill Township, **Bucks County**.

**OP-46-0109: Eastern Continuous Forms, Inc.** (1931 Morris Road, North Wales, PA 19454) on January 13, 1998, for the approval of Facility VOC/NOx RACT in Whitpain Township, **Montgomery County**.

**OP-15-0060A: SECCRA Landfill** (219 West Street Road, West Grove, PA 19390) on February 6, 1998, for the approval of Facility VOC/NOx RACT in London Grove Township, **Chester County**.

**OP-15-0034: Sanofi Winthrop, Inc.** (25 Great Valley Parkway, Malvern, PA 19355) on February 18, 1998, for the approval of Facility VOC/NOx RACT in East Whiteland Township, **Chester County**.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. § 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### *Coal Applications Received*

**11860104.** Permit Renewal. **Cooney Brothers Coal Company** (Box 246, Cresson, PA 16630), commencement, operation and restoration of bituminous strip mine in Conemaugh Township, **Cambria County**, affecting 456.0 acres, receiving stream Bear Run and unnamed tributaries to/and Little Conemaugh River. Application received March 24, 1998.

**56823008.** Permit Renewal. **Croner, Inc.** (P. O. Box 157, Berlin, PA 15530), commencement, operation and restoration of bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 176.0 acres, receiving stream unnamed tributaries to Buffalo Creek and to Tubs Run. Application received March 26, 1998.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

**17980107.** **Moravian Run Reclamation Co., Inc.** (605 Sheridan Drive, Clearfield, PA 16830), commencement, operation and restoration of a bituminous surface mine-auger permit in Bell Township, **Clearfield County** affecting 58 acres, receiving streams: unnamed tributary to Haslett Run. Application received March 19, 1998.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**16930101.** **Aspen Minerals, Inc.** (P. O. Box 269, Shippenville, PA 16254). Renewal of an existing bituminous surface strip and tippel refuse disposal operation in Redbank Township, **Clarion County** affecting 57.0 acres. Receiving streams: Leisure Run and three unnamed tributaries to Town Run. Application for reclamation only. Application received March 25, 1998.

**24980101.** **Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824). Commencement, operation and restoration of a bituminous surface strip and auger operation in Fox Township, **Elk County** affecting 457.0 acres. Receiving streams: McCauley Run, unnamed tributaries to McCauley Run; Hayes Run; Little Toby Creek and an unnamed tributary to Little Toby Creek. Application received March 23, 1998.

**102327-24980101-E-1.** **Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824). Application for a stream encroachment to construct a haul road across McCauley Run in Fox Township, **Elk County**. This stream encroachment is essential in linking this mine site to an existing operation. Application received March 23, 1998.

*McMurray District Office*

**56931601.** **Laurel Energy, L. P.** (One Energy Place, Suite 7500, Latrobe, PA 15650-9628), to transfer the permit for the Laurel Preparation Plant in Shade Township, **Somerset County**, from Custom Coals International, no additional discharges. Application received February 13, 1998.

**63841303.** **Beth Energy Mines, Inc.** (P. O. Box 29, Ebensburg, PA 15931), to renew the permit for the Marianna #58 in West Bethlehem Township, **Washington County**, reclamation only, no additional discharges. Application received February 25, 1998.

**03880701.** **Rosebud Mining Company** (RR9, Box 379A, Kittanning, PA 16201), to renew the permit for the T.R.D. No. 2 in Perry Township, **Armstrong County**, no additional discharges. Application received March 12, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**35920101R.** **Maco Associates, Inc.,** (400 Mill Street, Dunmore, PA 18512), renewal of an existing anthracite surface mine and NPDES #PA0596060 in Fell Township, **Lackawanna County**, affecting 1700.0 acres, receiving stream—Wilson Creek. Application received March 23, 1998.

**35940201T.** **PEI Power Corporation,** (P. O. Box 157, 170 Power Boulevard, Archbald, PA 18403), transfer of an existing anthracite surface mine from Archbald Power Corporation in Archbald Borough, **Lackawanna County**, affecting 170 acres, receiving stream—Laurel Run. Application received March 19, 1998.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

#### *Noncoal Applications Received*

**02910301R.** **Collier Stone Co.** (80 Noblestown Road, Carnegie, PA 15106). NPDES renewal application (PA0203114) received for a noncoal quarry located in Collier Township, **Allegheny County**. Receiving streams: Scotts Run and Robinson Run to Chartiers Creek. Renewal application received: March 23, 1998.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

#### *Large Industrial Mineral Permit Applications Received:*

**59980301.** **NE Hub Partners, L. P.** (2 Riverbend at Lansdowne, 44084 Riverside Parkway, Suite 340, Leesburg, VA 22075), commencement, operation and restoration of a Large Industrial Mineral Surface Mine permit for the surface activities connected with surface or underground solution mining of caverns in salt formation 4,500-5,000 feet below ground surface in Lawrence,

Farmington and Tioga Townships, **Tioga County** affecting 2,379 acres, receiving streams: Baldwin Creek, Cummings Creek, Crawford Run and Elkhorn Creek, application received March 11, 1998.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Industrial Minerals NPDES Permit Renewal Applications Received:*

**4273SM2. H. B. Mellott Estate, Inc.** (Route 1, Box 25, Warfordsburg, PA 17267), renewal of NPDES Permit No. PA0212547, Thompson Township, **Fulton County**, receiving streams unnamed tributary to Tonoloway Creek. NPDES renewal application received March 25, 1998.

**29940301. H. B. Mellott Estate, Inc.** (Route 1, Box 25, Warfordsburg, PA 17267), renewal of NPDES Permit No. PA0607908, Bethel and Thompson Townships, **Fulton County**, receiving streams Little Tonoloway Creek. NPDES renewal application received March 25, 1998.

## APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

### Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

*Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.*

**E13-110.** Encroachment. **Panther Creek Partners**, 1001 Industrial Road, Nesquehoning, PA 18240. To excavate and place fill in 0.15 acre of PEM wetlands for the construction of a wastewater impoundment. The project is associated with the Panther Creek Energy facility and is located approximately 1.3 miles northeast of Hauto Dam (Tamaqua, PA Quadrangle N: 19. inches; W: 0.75 inch) in Nesquehoning Borough, **Carbon County** (Philadelphia District Army Corps of Engineers).

**E13-111.** Encroachment. **Bethlehem Authority**, City Center Administration Building—10 East Church Street, Bethlehem, PA 18018-6025. To construct and maintain a single span precast modular concrete arch bridge having a span of 32 feet with an underclearance of 8 feet across Wild Creek (ED). The project is associated with the Penn Forest Dam replacement project and is located approximately 0.26 mile downstream of the Penn Forest Dam (Pohopoco Mountain, PA Quadrangle N: 9.7 inches; W: 8.4 inches) in Penn Forest Township, **Carbon County** (Philadelphia District, Army Corps of Engineers).

**E35-293.** Encroachment. **Siniawa VIII, L. P.**, 760 Scranton-Carbondale Highway, Scranton, PA 18508-9806. To construct and maintain approximately 1,000 linear feet of a 7 foot diameter CMP stream enclosure within a tributary to the Lackawanna River (CWF), locally known as Morgan Grier Creek. The project, associated with the Siniawa Land Development Project, is located at a beginning point along Commerce Boulevard extending 1,000 feet upstream (north end) towards S. R. 0006 (Scranton-Carbondale Highway), (Scranton, PA Quadrangle N: 16.8 inches; W: 1.8 inches) in the Borough of Dickson City, **Lackawanna County** (Baltimore District, Army Corps of Engineers).

**E35-294.** Encroachment. **Northeast Real Estate Development, Inc.**, P. O. Box 128, Waverly, PA 18471. To fill in 0.28 acre of PEM, SS, FO wetlands for the construction of Village Square @ Blakely, a 56 residential lot subdivision. The project is located approximately 0.8 mile east of S. R. 1023 and S. R. 0247 (Olyphant, PA Quadrangle N: 20.1 inches; W: 10.5 inches) in Blakely Borough, **Lackawanna County** (Philadelphia District, Army Corps of Engineers).

**E39-347.** Encroachment. **Wegman's Food Markets**, 1500 Brooks Avenue, Box 844, Rochester, NY 14692-0844. To fill in 0.43 acre of PEM wetlands for the construction of a proposed retail facility. The project is associated with the Wegman's Food Markets Development, is located on the south side of S. R. 1002 (Tilghman Street) immediately southeast of its intersection with 40th Street (Allentown West, PA Quadrangle N: 16.9 inches; W: 5.9 inches) in the City of Allentown, **Lehigh County** (Philadelphia District, Army Corps of Engineers).

**E39-348.** Encroachment. **Fuller Bulk Handling Corporation**, 614 Front Street, Catasauqua, PA 18032. To place and maintain a 30 inch diameter PVC outfall structure along the left bank of Lehigh Canal (CWF). The project is located along the left bank of the Lehigh Canal approximately 0.23 mile downstream of the Northampton County/Lehigh County boundary line (Catasauqua, PA Quadrangle N: 5.1 inches; W: 12.2 inches) in Catasauqua Borough, **Lehigh County** (Philadelphia District, U. S. Army Corps of Engineers).

**E40-490.** Encroachment. **Heritage Pittston Realty Company Inc.**, 1 Commerce Road, Pittston, PA 18640. To construct and maintain a stream enclosure of Lidy Creek (CWF) consisting of approximately 210 linear feet of 54-inch CMP, impacting approximately 240 linear feet of the existing channel; and to place fill in a de minimus area of wetlands less than or equal to 0.04 acre, for the purpose of expanding the Berkely Publishing Group facility. The overall project will include several activities to be authorized by general permits. The project is located within the eastern distribution center industrial park, at the east side of Commerce Road, approximately 1.0 mile southeast of Interchange 49 of Interstate 81 (Avoca, PA

Quadrangle N: 14.0 inches; W: 13.4 inches) in Pittston Township, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

*Southcentral Regional Office, Water Management Program, Soils and Waterways Section, One Ararat Blvd., Harrisburg, PA 17110, (717) 657-4590.*

**E01-192.** Encroachment. **The Links at Gettysburg, LLC.**, Richard Klein, 5220 Klees Mill Road, Sykesville, MD 21784. To construct and maintain five golf cart bridges across Lousy Run consisting of (1) a 47-foot single span bridge with an underclearance of 6.8 feet (2) a 25-foot single span bridge with a 9-foot underclearance impacting a de minimis area of wetlands equal to 0.02 acre (3) a 30-foot single span bridge with a 7-foot underclearance (4) a 40-foot single span bridge with a 4-foot underclearance (5) a 37-foot single span bridge with a 4-foot underclearance; and, to place fill in the floodway of Rock Creek to construct Greens No. 11 and 14 to be located at The Links of Gettysburg Golf Course located on either side of Mason Dixon Road approximately 1 mile west of SR 0134 near the MD State Line (Taneytown, MD-PA Quadrangle N: 18.1 inches; W: 14.5 inches) in Mount Joy Township, **Adams County**.

**E05-261.** Encroachment. **Bedford County Commissioners**, Norma Ickes, 230 S. Juliana St., Bedford, PA 15522. To remove an abandoned structure and to construct and maintain a twin 22-foot span box culvert on 80.81 degree skew with an average underclearance of 4.75 feet in the channel of Wolf Camp Run on T-378 located in Madley Village (Buffalo Mills, PA Quadrangle N: 4.1 inches; W: 6.85 inches) in Londonderry Township, **Bedford County**.

**E06-511.** Encroachment. **Longswamp Township**, P. O. Box 37, Mertztown, PA 19539. To remove a 47-inch x 71-inch arch culvert in the channel of Sacony Creek at a point at Stone Road (Manatawny, PA Quadrangle N: 16.1 inches; W: 7.5 inches) in Longswamp Township, **Berks County**.

**E67-622.** Encroachment. **Glen Rock Sewer Authority**, C. Edward Long, P. O. Box 116, Glenn Rock, PA 17327. To construct and maintain additions to the existing Glen Rock Sewer Authority Wastewater Treatment Plant located in the floodplain of the South Branch of the Codorus Creek including part of the administration building, aeration tanks, aerobic digesters and a generator/blower pad. The site is located west of Main Street 0.4 mile north of Church Street (Glen Rock, PA Quadrangle N: 8.9 inches; W: 15.8 inches) in Shrewsbury Township, **York County**.

*Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.*

**E14-321.** Encroachment. **Pa. Dept. of Transportation**, Eng. Dist 2-0, 1924-30 Daisy St., Clearfield, PA 16830. To remove the existing structure and to construct and maintain a precast concrete box culvert with a span of 16 feet and effective underclearance of 6 feet in Halfmoon Creek located on SR 550 approximately 0.8 mile north of its intersection with SR 3017 (Port Matilda, PA Quadrangle N: 9.88 inches; W: 1.71 inches) in Halfmoon Township, **Centre County**. Estimated stream disturbance is 60 feet of stream with no wetland impacts; stream classification is HQ-CWF.

**E18-253.** Encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing structure and to construct and maintain a cast in place concrete box culvert with a normal span of 17.4 feet and effective underclearance of 5.5 feet in Camp Run located on Cooks Run Road approximately 0.4 mile north of its intersection with Cole Run Road (Keating, PA Quadrangle N: 7.8 inches; W: 7.2 inches) in East Keating Township, **Clinton County**. Estimated stream disturbance is 160 feet of stream with no wetland impact; stream classification is HQ-CWF.

**E41-423.** Encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing structure and to construct and maintain a precast concrete box culvert with a 12 foot span and a 5 foot underclearance in Big Dam Hollow located on Francis Road approximately 3 miles north of Slate Run Road (Lee Fire Tower, PA Quadrangle N: 7.18 inches; W: 7.00 inches) in Brown Township, **Lycoming County**. Estimated stream disturbance is approximately 50 feet with no wetland impact; stream classification is HQ-CWF.

**E49-216.** Encroachment. **Lisa A. Purcell**, 211 S. Shamokin St., Shamokin, PA 17872. To construct and maintain two 6 foot diameter by 18-foot long metal pipes in Shamokin Creek located approximately 1 mile east on SR 4026 from its intersection with SR 890 (Trevorton, PA Quadrangle N: 8.5 inches; W: 10.75 inches) in Rockefeller Township, **Northumberland County**. Stream classification Warm Water Fishery.

*Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E04-005T-1.** Encroachment. **Marathon Ashland Petroleum, LLC**, 2000 Ashland Drive, Russell, KY 41169. To amend Permit No. E04-005T-1 to include the construction and maintenance of an additional 320.0 foot long x 130.0 foot wide barge mooring facility in the channel of and along the right bank of the Ohio River (WWF) for the purpose of expanding the existing facility. The project is located near River Mile 34.8, just downstream of the intersection of S. R. 68 and the S. R. 168 bridge (Midland, PA Quadrangle N: 0.6 inch; W: 8.3 inches) in Industry Borough, **Beaver County**.

*Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E10-275.** Encroachment. **Breakneck Creek Regional Authority**, 1166 Mars-Evans City Road, Mars, PA 16046. To place fill within the 50-foot left floodway of a tributary to Breakneck Creek beginning at Mars-Evans City Road and extending downstream approximately 140 feet for a driveway associated with construction of an administration building at the Breakneck Creek Regional Authority Waste Water Treatment Plant approximately 1.2 miles north of Hutchman Road (Mars, PA Quadrangle N: 17.5 inches; W: 13.6 inches) located in Adams Township, **Butler County**.

**E10-277.** Encroachment. **Butler County Commissioners**, 124 West Diamond Street, P. O. Box 1208, Butler, PA 16003-1208. To remove the existing culvert and to install and maintain a 12-foot wide by 5-foot, 10-inch high multiplate low profile arch culvert in Buffalo Creek (HQ-CWF, trout stocked) on T-603 (Hilderbrand Road) approximately 1,600 feet south west of T-830 (Rattigan Road) (Chicora, PA Quadrangle N: 5.1 inches; W: 13.8 inches) located in Donegal Township, **Butler County**.

**E24-204.** Encroachment. **City of St. Marys**, 808 South St. Michael Street, P. O. Box 1994, St. Marys, PA 15857. To remove an existing cut stone retaining wall and to construct and maintain a 200 foot long con span concrete arch stream enclosure having a span of 24 feet and an underclearance of 10 feet in Elk Creek along Depot Street extending upstream from South St. Michael Street (Saint Marys, PA Quadrangle N: 6.8 inches; W: 8.2 inches) located in the City of St. Marys, **Elk County**.

**E25-570.** Encroachment. **PA Department of Transportation**, Engineering District 1-0, 1140 Liberty Street, P. O. Box 711, Franklin, PA 16323. To remove the existing structure and to construct and maintain a pre-stressed concrete spread box beam bridge with a single clear span measuring 70 feet and with an underclearance of 6.64 feet on S. R. 0430 across Sixmile Creek (CWF, MF). The project is located on S. R. 0430 approximately 1,800 feet west of the intersection of S. R. 0430 and S. R. 0531 at Owens Corners (Hammett, PA Quadrangle N: 21.2 inches; W: 5.2 inches) located in Harborcreek Township, **Erie County**.

**E37-118.** Encroachment. **PA Department of Transportation**, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017-2853. To remove the existing two span bridge and to construct and maintain a three span bridge with each clear span measuring 113.67 feet with a minimum underclearance of 17.8 feet on S. R. 0108 (Mount Jackson Road) across the Mahoning River (WWF). This project will utilize a single causeway across the Mahoning River (streambank to streambank) to allow for removal of existing piers and creation of new piers. The project is located on S. R. 0108 across the Mahoning River approximately 200 feet west of the intersection of S. R. 0108 and S. R. 0018 (Bessemer PA Quadrangle N: 17.4 inches; W: 1.3 inches) located in the City of New Castle, North Beaver Township and Taylor Township, **Lawrence County**.

**E42-257.** Encroachment, **Bradford Township**, Allen J. Pingie, Chairperson, 136 Hemlock Street, Bradford, PA 16701. To remove the existing bridge deck and to construct and maintain a timber deck across the existing bridge on T-499 (Clark's Lane) across the West Branch of Tunungwant Creek (HQ-CWF, Wild Trout). The project is located on T-499 (Clarks Lane) across Tunungwant Creek approximately 1,000 feet east of the intersection of T-499 (Clark's Lane) and T-332 (Langmade Lane) (Bradford, PA-NY Quadrangle N: 11.5 inches; W: 7.2 inches) located in Bradford Township, **McKean County**.

**E43-266.** Encroachment. **Grove City Borough**, 123 West Main Street, P. O. Box 110, Grove City, PA 16127-0110. To remove the existing single-span pedestrian bridge across Wolf Creek (CWF Trout Stocked) and to repair existing concrete bridge abutments. The project is located across Wolf Creek approximately 500 feet north-east of the intersection of South Broad Street and East Pine Street in Grove City Borough (Grove City, PA Quadrangle N: 6.5 inches; W: 11.5 inches) located in Grove City Borough, **Mercer County**.

**E62-337.** Encroachment. **Southwest Township**, c/o Leo Brown, Secretary, RD2, Titusville, PA 16354. To remove the existing truss superstructure and to construct and maintain a steel multi-beam with wood deck superstructure on T-306 (Mount Hope Road) across Pine Creek (CWF, Trout Stocked, Wild Trout). The project is located

on T-306 (Mount Hope Road) across Pine Creek approximately 600 feet north of the intersection of T-306 (Mount Hope Road) and S. R. 3002 (Titusville Enterprise Road) (Grand Valley, PA Quadrangle N: 0.7 inch; W: 12.4 inches) located in Southwest Township, **Warren County**.

#### ENVIRONMENTAL ASSESSMENT

**The following Environmental Assessment and request for Water Quality Certification are being processed under sections 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.**

*Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**EA33-003NW.** Environmental Assessment. **Robert Hedin**, Hedin Environmental, 634 Washington Road, Suite 216, Pittsburgh, PA 15228. To place fill in a de minimis area of wetland (0.02 acre) as part of a project to redirect an acid mine discharge (203 gpm average flow) through a 4,000 ton anoxic limestone drain and through two separate constructed wetlands (0.95 acre and 1.3 acres) to provide passive treatment prior to discharge to Beaver Run (HQ-CWF). The project is located in a strip-mined area on the west side of Beaver Run approximately 600 feet southwest of the intersection of S. R. 3022 and Conifer Road in the Village of Conifer (Summerville, PA Quadrangle N: 14.5 inches; W: 2.0 inches) located in Beaver Township, **Jefferson County**.

#### WATER ALLOCATIONS

**Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.**

*Southeast Regional Office—Bureau of Water Supply Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**WA 09-1001.** Water Allocation. **Warwick Township Water and Sewer Authority**, 1733 Township Green, Jamison, PA 18929. The applicant is requesting the right to purchase 460,000 gallons of water per day from Philadelphia Suburban Water Company in Warwick Township, **Bucks County**.

#### ACTIONS

#### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

**[National Pollution Discharge Elimination System Program (NPDES)]**

**DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER**

**(Part I Permits)**

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704

(relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audio tape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

**Actions under The Clean Streams Law Act (35 P. S. §§ 691.1—691.1001).**

*Northcentral Regional Office: Department of Environmental Protection, 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.*

**NPDES Permit No. PA00115215.** Industrial waste. **Lucas Trucking Corporation**, RD 5, Box 5, Jersey Shore, PA 17740. Applicant renewed NPDES permit to discharge from an oil/water separator serving the shop floor drains and fuel pad. Facility located at Piatt Township, **Lycoming County**.

**WQM Permit 1798403.** Sewerage. **William and Sandra Harchak**, 712 Stone Street, Osceola Mills, PA 16666. Granted permit to discharge from single residence facility, located at Gulich Township, **Clearfield County**.

*Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**NPDES Permit No. PA0217603—Amendment No. 1.** Sewage, **Cyprus Cumberland Resource Corp.**, 145 Elm Drive, P. O. Box 1020, Waynesburg, PA 15370 is authorized to discharge from a facility located at Cumberland Mine Bathhouse STP, Whiteley Township, **Greene County**.

*Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**Permit No. 6574602—Amendment No. 1.** Industrial waste, **Menasha Corporation**, P. O. Box M, Yukon, PA 15698. Upgrading of the Wastewater Treatment Plant located in the Township of Sewickley, **Westmoreland County** to serve the Menasha Corporation.

**Permit No. 6575412—Amendment No. 2.** Industrial waste, **Menasha Corporation**, P. O. Box M, Yukon, PA 15698. Installation of an aerobic digestion tank at the wastewater treatment plant located in the Township of Sewickley, **Westmoreland County** to serve the Menasha Corporation.

**Permit No. 1197402.** Sewerage, **Pegasus Sewer Authority**, 1296 Clapboard Run Road, Johnstown, PA

15904. Construction of Collector Sewers and Pump Stations located in the Township of Conemaugh, **Cambria County** to serve the Bon Air and Frankstown Road.

**Permit No. 3098401.** Sewerage, **Cyprus Cumberland Resource Corp.**, 145 Elm Drive, P. O. Box 1020, Waynesburg, Pa 15370. Construction of a Sewage Treatment Plant located in the Township of Whiteley, **Greene County** to serve the Cumberland Mine Bathhouse.

**Permit No. 3297403.** Sewerage, **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701. Construction of Sanitary Sewer System and Sewage Treatment Plant located in the Township of South Mahoning, **Indiana County** to serve the Village of Plumville.

**Permit No. 3297404.** Sewerage, **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701. Construction of Sanitary Sewer System, Pump Station and Sewage Treatment Plant located in the Township of Blacklick, **Indiana County** to serve the Village of Jacksonville.

**Permit No. 3297405.** Sewerage, **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701. Construction of Sewage Treatment Plant, Pump Station, Forcemain, and Sanitary Sewer System located in the Township of Armstrong, **Indiana County** to serve the Shelocta and Armstrong Township.

**Permit No. 3297406.** Sewerage, **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701. Construction of Sanitary Sewer System, Pump Station and Sewage Treatment Plant located in the Township of Canoe, **Indiana County** to serve the Village of Rossiter.

**Permit No. 6369405—Amendment No. 1.** Sewerage. **Peters Township Sanitary Authority**, 3244 Washington Road, McMurray, PA 15317. Expansion of a Water Pollution Control Plant Phase I Improvements located in the Township of Peters, **Washington County** to serve the Donaldson's Crossroads Sewage Treatment Plant.

*Northwest Regional Office—Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0210056.** Sewage. **Amsterdam Estates, c/o Mary C. Russ**, 115 Amsterdam Road, Grove City, PA 16127 is authorized to discharge from a facility located in Liberty Township, **Mercer County** to an unnamed tributary to Black Run.

**NPDES Permit No. PA0104141.** Sewage. **Jay Township Authority**, P. O. Box 186, Weedville, PA 15868-0186 is authorized to discharge from a facility located in Jay Township, **Elk County** to Bennett Branch of Sinnemahoning Creek.

**WQM Permit No. 2498401.** Sewage. **Jay Township Authority**, P. O. Box 186, Weedville, PA 15868-0186. This project is for the construction and operation of a wastewater treatment facility in Jay Township, **Elk County**.

**WQM Permit No. 4398415.** Sewerage. **Judy Ammer, SRSTP**, 143 Schaffer Road, Mercer, PA 16335. Construction of Judy Ammer SRSTP located in Findley Township, **Mercer County**.



## INDIVIDUAL PERMITS

(PAS)

**The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.**

*Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

<i>NPDES Permit</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10A102	Michael G. Zamagias Interests LTD d/b/a Zamagias Properties Times Building 336 Fourth Ave. Pittsburgh, PA 15222	Allegheny Richland Township	Pine Creek Crouse Run
PAS10L018	Meadow Farms Estate Walnut Street Hopwood, PA 15445	Fayette South Union Township	UNT Redstone Creek
PAS103112	Indiana County Municipal Services Authority P. O. Box 351 Indiana, PA 15701	Indiana Plumville Borough South Mahoning Township	North Branch Plum Creek
PAS103113	Indiana County Municipal Services Authority P. O. Box 351 Indiana, PA 15701	Indiana Canoe Township	Canoe Creek UNTs Canoe Creek
PAS103114	Indiana County Municipal Services Authority P. O. Box 351 Indiana, PA 15701	Indiana Shelocta Borough Armstrong Township	Anthony Run Cheese Run Curry Run Crooked Creek UNTs Crooked Creek
PAS103115	Indiana County Municipal Services Authority P. O. Box 351 Indiana, PA 15701	Indiana Black Lick Township Young Township	Reeds Run UNTs Neal Run
PAS103116	Heritage Oaks L. P. One Highpointe Place Indiana, PA 15701	Indiana White Township	UNT McCarthy Run
PAS10W062	Pennsylvania Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106-7676	Washington Carroll Township	Pigeon Creek

## INDIVIDUAL PERMITS

(PAR)

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices, and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements, and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

*List of NPDES and/or other  
General Permit Type*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

*General Permit Type PAG 2*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Hampden Township Cumberland County	PAR-10-H155	Exel Logistics, Inc. 501 West Schrock Road Westerville, OH 43081	Trindle Spring Run	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 717-240-7812
South Middleton Township Cumberland County	PAR-10-H166	Stoken-Hely 2120 Ritner Highway Carlisle, PA 17013	Alexander Spring	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 717-240-7812
Middlesex Township Cumberland County	PAR-10-H152	Triple Crown Corporation Shady Lane Warehouse 5351 Jaycee Avenue Harrisburg, PA 17112	Letort Spring Run	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 717-240-7812
West Pennsboro Township Cumberland County	PAR-10-H164	Harry Fox, Jr. Cross Road School Estates 241 Old York Road Dillsburg, PA 17019	Mount Rock Creek	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 717-240-7812
Shippensburg Township Cumberland County	PAR-10-H165	Troy Beam Rocky Knob Apartments 401 Shippensburg Road Shippensburg, PA 17257	Burd Run	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 717-240-7812
York City York County	PAR-10-Y295	York Catholic HS Athletic Field 601 E. Springettsbury Avenue York, PA 17403	Poorhouse Run	York County CD 118 Pleasant Acres Rd. York, PA 17402 717-840-7430
Franklin Township York County	PAR-10-Y286	Ridgeview & Ridge Estates Harry Ramage 135 Tyler Run Road York, PA 17403	North Branch of Bermudian Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 717-840-7430
Franklin Township York County	PAR-10-Y290	North York County School Dist. Dr. Brian Small 149 South Baltimore Street Dillsburg, PA 17019	UNT to Codorus Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 717-840-7430
Windsor Township York County	PAR-10-Y303	Red Lion Area School District Locust Grove Elementary Sch. 696 Delta Road Red Lion, PA 17356-9185	Kreutz Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 717-840-7430

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Fairview Township York County	PAR-10-Y297	Rev. Pleasantview Prd Phase I Eastern Dev. & Planning Inc. John Akerschner 7300 Derry Street Harrisburg, PA 17111	Fishing Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 717-840-7430
Elk County, Jay Township	PAR102513	Jay Township Authority P. O. Box 186 Weedville, PA 15868	Bennet Branch Cherry Run, and Kersey Run	Elk Conservation District Elk County Courthouse P. O. Box 448 Ridgway, PA 15853 814-776-5373
Elk County, Horton Township	PAR102514	DEP—Bureau of Abandoned Mine Reclamation P. O. Box 149 Ebensburg, PA 15931	Brandy Camp Run	Elk Conservation District Elk County Courthouse P. O. Box 448 Ridgway, PA 15853 814-776-5373
Lawrence County, Shenango Township	PAR103729	Ron Esposito Woodland Hills No. 4 2400 Old Butler Road New Castle, PA 16101	Big Run	Elk Conservation District Elk County Courthouse P. O. Box 448 Ridgway, PA 15853 814-776-5373
Erie County, Lake City Borough	PAR10K099	Lakeside Heights Limited 915 State Street Erie, PA 16501	UNT of Lake Erie	Erie Conservation District 12723 Route 19 P. O. Box 801 Waterford, PA 16441 814-796-4203
Lehigh Co. N. Whitehall Twp.	PAR10Q098	Heritage Baptist Church James Barr 3749 Route 309 Orefield, PA 18069	Coplay Creek	Lehigh CD 610-391-9583
Northampton Co. City of Bethlehem	PAR10U- 046-R	Edward Ruland 4570 Falmer Dr. Bethlehem, PA 18020	Saucon Creek	Northampton CD 610-746-1971

*General Permit Type PAG 3*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Luzerne County Hazle Township	PAR202234	Allen-Stevens Corp. 500 Jaycee Drive West Hazleton, PA 18201-1186	Black Creek	Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square Wilkes-Barre, PA 18711-0790 (717) 826-2553
Luzerne County Hazle Township	PAR232225	National Starch and Chemical Company 504 White Birch Road Hazleton, PA 18201	Unnamed Pond	Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre PA 18711-0790 (717) 826-2553
City of Franklin, Venango County	PAR118309	Joy Mining Machinery Thorn Hill Ind. Park 177 Thorn Hill Dr. Warrendale, PA 15086	Allegheny River	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 814-332-6942

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Brookville Boro. Jefferson County	PAR808325	Pittsburgh & Shawmut Rail- road, Inc. R. R. 2, Middle Street Brookville, PA 15825	Sandy Lick Creek	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 814-332-6942

*General Permit Type 4*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Clearfield County Gulich Township	PAG044997	Harchak, William and Sandra 712 Stone Street Osceola Mills, PA 16666	Untributary to Little Muddy Run	Northcentral 208 W. Third St. Williamsport, PA 17701 717-327-3664
Findley Twp. Mercer County	PAG048470	Judy Ammer 143 Schaffer Rd. Mercer, PA 16137	Unnamed Tributary of Cool Spring Creek	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 814-332-6942
Shenango Twp. Mercer County	PAG048493	Brian K. Ruffo 222 Fetsko Rd. West Middlesex, PA 16159	Unnamed Tributary (ditch) to Turkey Run	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 814-332-6942
Slippery Rock Twp. Lawrence County	PAG048484	Larry J. Haney R. R. 2, Box 102 Young Road Portersville, PA 16051-9802	Unnamed Tributary to Slippery Rock Creek	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 814-332-6942
Penn Twp. Butler County	PAG048495	Timothy J. and Cynthia L. Cowan 4190 Woodland Rd. Butler, PA 16002	Thorn Creek	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 814-332-6942

*General Permit Type PAG 5*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lebanon County Bethel Twp.	PAG053519	Redner's Warehouse Markets Inc. Route 22 and Blue Mountain Rd. Fredericksburg, PA 17026	Beach Run	Southcentral Region Office Water Mgmt. Room 126 Ararat Blvd. Harrisburg, PA 17110
Washington County Houston Borough	PAG056117	United Refining Co. of Pennsylvania P. O. Box 599 Warren, PA 16365	Chartiers Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Indiana County Marion Center Borough	PAG056118	Ronald Stewart 119 S. Manor St. Marion Center, PA 15759	Unnamed Tributary to Pine Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type PAG 8*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Carroll Township Perry County	PAG-08-3514	Creekview Farms STP 280 Airy Road Shermans Dale, PA 17090		DEP Southcentral Region Office 1 Ararat Blvd. Harrisburg, PA 17110 717-657-4590
Allegheny Township Blair County	PAG-08-3512	Altoona City Westerly WWTP 3172 Route 764 Duncansville, PA 16635-7800		DEP Southcentral Regional Office 1 Ararat Blvd. Harrisburg, PA 17110 717-657-4590
Logan Township Blair County	PAG-08-3511	Altoona City Easterly WWTP RD 1 Box 925 Altoona, PA 16602		DEP Southcentral Region Office 1 Ararat Blvd. Harrisburg, PA 17110 717-657-4590

**SEWAGE FACILITIES ACT**

**PLAN APPROVAL**

**Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

*Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Blvd., Harrisburg, PA 17110.*

*Location: Bernville Borough, Berks County, 212 East Fifth Street, Bernville, PA 19506.*

The approved plan provided for upgrade and expansion of an existing sewage treatment plant to a .285 mgd capacity. Additionally, Bernville will adopt an onlot disposal system (OLDS) management ordinance to address all remaining OLDS in the municipality. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Location: Colebrookdale Township, Berks County, P. O. Box 194, New Berlinville, PA 19545.*

The approved special study provided documentation in support of initiating a permit application for re-rating the existing Morysville sewage treatment plant from .25 mgd to .40 mgd capacity. The Department's review of the sewage facilities special study has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4692.*

**Permit No. 6797504.** Public water supply. **Roman Catholic Diocese of Harrisburg**, Abbottstown Borough, **Adams County**. *Responsible Official:* Very Reverend James M. Lyons, Vicar General/General Secretary, Roman Catholic Diocese, 4800 Union Deposit Road, Harrisburg, Pa 17105, *Type of Facility:* Existing Community Water System seeks a permit to demolish an existing elevated storage tank and build a 49,000 gallon standpipe and booster station.

**Permit No. 3697506.** Public water supply. **Borough of Adamstown**, Adamstown Borough, **Lancaster County**. *Responsible Official:* Edward Stoudt, Borough Council President, 98 Lancaster Avenue, P. O. Box 546, Adamstown, PA 19501, *Type of Facility:* Installation of soda ash and aeration for pH control.

**Permit No. 3697507.** Public water supply. **Locust Woods Mobile Home Park**, East Cocalico Township, **Lancaster County**. *Responsible Official:* Ray E. Bomberger, 286 S. Reading Road, Ephrata, PA 17522-1837, *Type of Facility:* Use of a new well which will replace an existing well that is no longer producing water.

**Permit No. 3697508.** Public water supply. **Borough of Terre Hill**, Terre Hill Borough, **Lancaster County**. *Responsible Official:* Robert R. Rissler, Public Work Su-

perintendent, Borough of Terre Hill, P. O. Box 250, Terre Hill, PA 17581-0250, *Type of Facility*: Installation of soda ash and related equipment for lead and copper corrosion control treatment.

### LAND RECYCLING AND ENVIRONMENTAL REMEDICATION

**Under Act 2, 1995**

**Preamble 3**

**The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908)**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final reports.

*Northeast Regional Field Office, Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Teel Residence**, Upper Mt. Bethel Township, **Northampton County**. Kevin Van Kuren, President, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 has submitted a Final Report (on behalf of his client, Dorothy Teel, 2445 North Delaware Drive, Mt. Bethel, PA 18343) concerning the remediation of site soils contaminated with polyaromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide human health standard. A Notice of Intent to Remediate was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

**Pennsylvania Power & Light Company (PP&L)—South Catasauqua Substation**, North Catasauqua Borough, **Northampton County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found to have been contaminated with PCBs (polychlorinated biphenyls). The report was submitted in order to document remediation of the site to meet the Statewide human health standard.

**Pennsylvania Power & Light Company (PP&L)—Jermyn Substation**, Borough of Jermyn, **Lackawanna County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found to have been contaminated with PCBs (polychlorinated biphenyls). The report was submitted in order to document remediation of the site to meet the Statewide human health standard.

*Northcentral Regional Office, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 321-6525.*

**Textron-Lycoming—Service Center**, Montoursville Borough, **Lycoming County**. David Swetland, on behalf of his client Textron-Lycoming, 652 Oliver Street, Williamsport, PA 17701 has submitted a Final Report addressing groundwater contaminated with solvents, BTEX and PHCs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

### SOLID AND HAZARDOUS WASTE

#### OPERATE WASTE PROCESSING OR DISP. O.SAL AREA OR SITE

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2516.*

**Permit I. D. #100265. Grand Central Sanitary Landfill**, Grand Central Sanitary Landfill, Inc., 1963 Pen Argyl Road, Pen Argyl, PA 18072. A permit is issued for the lateral expansion of the northern landfill at the Grand Central Sanitary Landfill facility, located in Plainfield Township, **Northampton County**. It is for the construction and operation of an additional 27 acres of disposal area. The total disposal area will now increase to 87.5 acres, and there isn't any increase in acreage to the permit area. In addition, the quarterly average daily volume is increased from 1,800 tons per day to 2,750 tons per day; and the maximum daily volume is not affected by this permit modification. The permit was issued in the Regional Office on March 17, 1998.

**Permit applications denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.**

*Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**Permit I. D. No. 101658. Turkeyfoot Municipal Waste Processing Facility**, Turkeyfoot Demolition and Construction, Inc., 1142 Maiden Street, Beallsville, PA 15315. Operation of a municipal waste processing facility in Beallsville Borough, **Washington County**. Permit application denied in Regional Office on March 26, 1998.

## AIR POLLUTION OPERATING PERMITS

**Minor Modification of Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northcentral Regional Office, Air Quality Program, 200 Pine Street, Williamsport, PA 17701, (717) 327-3637.*

**08-302-039: Masonite Corporation** (P. O. Box 311, Towanda, PA 18848) issued March 25, 1998, to delete a plan approval condition added on October 31, 1997, which temporarily restricted the permissible steam load of a woodwaste fired boiler (#3) in Wysox Township, **Bradford County**.

**Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**46-318-049: Triumph Controls, Inc.** (205 Church Road, North Wales, PA 19454) issued for the operation of a Dry Spray Paint Booth in Upper Gwynedd Township, **Montgomery County**

**46-318-037: United States Can Co.** (431 Privet Road, Horsham, PA 19044) for the operation of a can side seam welding and coating in Horsham Township, **Montgomery County**.

**15-301-072: PA Department of Health** (Welsh Pool Road, Lionville, PA 19353) issued for the operation of an incineration in Uwchlan Township, **Chester County**. The operating permit was revoked on March 11, 1998.

**OP-46-0070: Finnaren & Haley, Inc.** (901 Washington Street, Conshohocken, PA 19428) issued March 5, 1998, for the operation of a Facility VOC/NOx RACT in Whitmarsh Township, **Montgomery County**.

**OP-09-0027: Fres-Co System USA, Inc.** (3005 State Road, Telford, PA 18969) issued March 5, 1998, for the operation of a Facility VOC/NOx RACT in West Rockhill Township, **Bucks County**.

**OP-15-0025: Transwall Corp.** (1220 Wilson Drive, West Chester, PA 19380) issued March 10, 1998, for the operation of a Facility VOCs/NOx RACT I West Chester Borough, **Chester County**.

**OP-46-0046A: Uniform Tubes, Inc.** (200 West 7th Avenue, Trappe, PA 19426) issued March 26, 1998, for the operation of a Facility VOC/NOx RACT in Trappe Borough, **Montgomery County**.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**65-307-079: Kennametal, Inc.** (P. O. Box 231, Latrobe, PA 15650) issued March 20, 1998, for the operation of a jet mill at the Kingston Plant in Derry Township, **Westmoreland County**.

**65-000-853: Koppers** (436 Seventh Avenue, Pittsburgh, PA 15219) issued March 20, 1998 for the operation of a coke plant at the Monessen Coke Plant in Monessen, **Westmoreland County**.

**OP-65-00644: Lenox Crystal** (Route 31 East, Mt. Pleasant, PA 15666) issued March 20, 1998, for the operation of pressed and blown glass manufacturing in Mt. Pleasant Township, **Westmoreland County**.

**OP-65-621A: Kennametal Inc.** (P. O. Box 231, Latrobe, PA 15650) issued March 20, 1998, for the operation of titanium carbide powder production at the Kingston Plant in Derry Township, **Westmoreland County**.

## PLAN APPROVALS

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-15-0015A: Sartomer Company, Inc.** (610 South Bolmar Street, West Chester, PA 19382) issued March 10, 1998, for the operation of an emergency generator in West Chester Borough, **Chester County**.

**PA-46-0128: Bell Atlantic** (100 Greenwood Avenue, Jenkintown, PA 19046) issued March 13, 1998, for the operation of an emergency diesel generator in Abington Township, **Montgomery County**.

**23-313-024D: Degussa Corporation** (1200 West Front Street, Chester, PA 19013) issued March 17, 1998, for the operation of a fabric collector in the City of Chester, **Delaware County**

**PA-46-0127: Bell Atlantic** (1050 Virginia Drive, Ft. Washington, PA 19034) issued March 23, 1998, for the operation of an emergency diesel generator in Upper Dublin Borough, **Montgomery County**.

**46-313-148: Cabot Corp.** (County Line Road, Boyertown, PA 19512) issued March 24, 1998, for the operation of a refrigerated condenser in Douglass Township, **Montgomery County**.

**46-313-147: Cabot Corp.** (County Line Road, Boyertown, PA 19512) issued March 24, 1998, for the operation of a refrigerated condenser in Douglass Township, **Montgomery County**.

*Southcentral Regional Office, Air Quality Program, One Ararat Blvd., Harrisburg, PA 17110, (717) 657-4587.*

**67-304-018E: Donsco, Inc.** (P. O. Box 2001, Wrightsville, PA 17368-0400) issued March 24, 1998, for the installation of two shotblast machines controlled by a fabric filter at their Wrightsville Foundry in Wrightsville Borough, **York County**.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-11-423A: Johnstown Wire Technologies** (124 Laurel Avenue, Johnstown, PA 15906) issued March 20, 1998, for the installation of automated cleaning house in Johnstown, **Cambria County**.

**PA-63-028B: Cerdec Corp.** (P. O. Box 519, Washington, PA 15301) issued March 20, 1998, for the installation of two shuttle kilns at Drakenfeld Products in Canton Township, **Washington County**.

**PA-04-227A: Koppel Steel Corp.** (P. O. Box 750, Beaver Falls, PA 15010) issued March 20, 1998, for the installation of spray coater, west bay at the Ambridge Plant in Harmony Township, **Beaver County**.

**PA-04-701A: Allegheny Asphalt Manufacturing Inc.** (P. O. Box 98100, Pittsburgh, PA 15227) issued March 20, 1998, for the installation of drum mix asphalt plant at the Monaca Asphalt Plant in Monaca Borough, **Beaver County**.

**PA-63-892A: Vesta Mining Company** (P. O. Box 409, Fredericktown, PA 15333) issued March 20, 1998, for the installation of coal preparation plant in North Bethlehem Township, **County**.

**PA-63-096A: Union Electric Steel Corporation** (P. O. Box 465, Carnegie, PA 15106) issued February 24, 1998, for the installation of one forging/two annealing furnaces at the Harmon Creek Plant in Smith Township, **Washington County**.

*Northwest Regional Office, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-24-083B: Carbone of America, Graphite Materials Division** (215 Stackpole Street, St. Marys, PA 15857), issued March 20, 1998, for the installation of a graphite machining center in St. Marys, **Elk County**.

**25-313-025E: Mallinckrodt Chemical, Calsicat Division** (1707 Gaskell Avenue, Erie, PA 16503) issued March 17, 1998, for the construction of a box dryer in the maleic plant in Erie, **Erie County**.

**PA-42-182A: Allegheny Store Fixtures, Inc.** (500 Chestnut Street, Bradford, PA 16701) issued March 13, 1998, for the operation of a surface coating operation in Bradford, **McKean County**.

**Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office, Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**23-313-024C: Degussa Corp.** (1200 West Front Street, Chester, PA 19013) issued March 23, 1998, for the operation of a silica manufacturing process in Chester Township, **Delaware County**.

**15-313-052: Sanofi Winthrop, Inc.** (29 Great Valley Parkway, Malvern, PA 19355) issued March 23, 1998, for the operation of a pharmaceutical sciences pilot plant in East Whiteland Township, **Chester County**.

**46-313-140: SmithKline Beecham Pharmaceuticals** (709 Swedeland Road, King of Prussia, PA 19406) issued March 23, 1998, for the operation of a hydrochloric acid tank in Upper Merion Township, **Montgomery County**.

**23-399-028: Witco Corporation** (3300 West 4th Street, Trainer, PA 19061) issued March 24, 1998, for the operation of a solids conveyance system in Trainer Borough, **Delaware County**.

*Southcentral Regional Office, Air Quality Program, One Ararat Blvd., Harrisburg, PA 17110, (717) 657-4587.*

**06-319-077B: General Battery Corp.** (P. O. Box 13995, Reading, PA 19612-3995) issued March 14, 1998, to authorize temporary operation of the casting operation covered by this Plan Approval until July 11, 1998, at their SLI Plant in Muhlenberg Township, **Berks County**. This

source is subject to 40 CFR 60, Subpart KK, Standards of Performance for New Stationary Sources.

**07-302-031: Appleton Papers, Inc.** (200 Paper Mill Road, Roaring Spring, PA 16673) issued March 23, 1998, to authorize temporary operation of the power boiler no. 4 covered by this Plan Approval until July 21, 1998, in Roaring Spring Borough, **Blair County**. This source is subject to 40 CFR 60, Subpart Db, Standards of Performance for New Stationary Sources.

**21-303-001A: Hempt Brothers, Inc.** (205 Creek Road, Camp Hill, PA 17011) issued March 30, 1998, to authorize temporary operation of the three asphalt plants covered by this Plan Approval until July 28, 1998, at their Camp Hill Quarry, in Lower Allen Township, **Cumberland County**. This source is subject to 40 CFR 60, Subpart I, Standards of Performance for New Stationary Sources.

**36-310-023D: Compass Quarries, Inc.** (47 McIlvaine Road, Paradise, PA 17562) issued March 25, 1998, to authorize temporary operation of the Limestone Milling Plant covered by this Plan Approval until July 23, 1998, in Paradise Township, **Lancaster County**. This source is subject to 40 CFR 60, Subpart I, Standards of Performance for New Stationary Sources.

*Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**26-310-011B: Commercial Stone Co., Inc.** (2200 Springfield Pike, Connellsville, PA 15425) issued March 20, 1998, for the installation of a portable crusher at the Springfield Pike Quarry in Connellsville Township, **Fayette County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Coal Applications Issued:*

**32803010-04. Kent Coal Mining Company** (P. O. Box 729, Indiana, PA 15701). Revision to add 1.0 acre through an insignificant boundary correction on a bituminous surface mining site located in Blacklick Township, **Indiana County**, total SMP acres goes from 88.9 to 89.9. Road variance within 100 feet of the south side of S. R. 3031 beginning 0.5 mile south of the intersection of S. R. 3031 and S. R. 286, and continuing easterly for a distance of 250 feet. Stream variance and a Chapter 105 encroachment permit waiver to conduct coal mining activities within 100 feet of an unnamed tributary to Aultmans Run located on the south side of S. R. 3031 beginning 0.5 mile



from the intersection of said road and S.R. 286 and extending easterly for a distance of 250 feet. Receiving streams unnamed tributary to Aultmans Run. Application received August 5, 1997. Issued March 23, 1998.

**56970102. Hoffman Mining, Inc.** (P. O. Box 130, 118 Runway Road, Friedens, PA 15541), commencement, operation and restoration of a bituminous strip mine in Paint Township, **Somerset County**, affecting 279.0 acres, receiving stream Weaver Run, unnamed tributary to Shade Creek, unnamed tributary to Roaring Fork, application received July 14, 1997, permit issued March 27, 1998.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

**04920102R. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Renewal issued for reclamation only of a bituminous surface mine located in North Sewickley Township, **Beaver County**, affecting 116 acres. Receiving streams: unnamed tributaries to Connoquenessing Creek to the Beaver River. Application received: February 12, 1998. Renewal issued: March 13, 1998.

**65920101R. Ralph Smith & Son, Inc.** (200 Second Street, Derry, PA 15627). Renewal permit issued for reclamation only of a bituminous surface mine located in Derry Township, **Westmoreland County**, affecting 54.2 acres. Receiving streams: unnamed tributary to Stony Run and Stony Run. Application received: February 12, 1998. Renewal issued: March 25, 1998.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

**17860133. Johnson Brothers Coal Company** (R. R. 1, Box 580, Mahaffey, PA 15757), revision to an existing bituminous surface mine permit for a Change in Permit Acreage from 188.4 to 226.6 acres, Brady and Penn Townships, **Clearfield County**, receiving streams: Laurel Branch Run and Beech Run to East Branch Mahoning Creek, East Branch Mahoning Creek to Mahoning Creek, Mahoning Creek to Allegheny River, Allegheny River to Ohio River, application received January 30, 1998, permit issued March 4, 1998.

**17940118. Cougar Contracting, Inc.** (P. O. Box 189, Westover, PA 16692), revision to an existing bituminous surface mine permit for a Change in Land Use from forestland to pastureland or land occasionally cut for hay, Woodward Township, **Clearfield County**, application received February 11, 1998, permit issued March 18, 1998.

**17940114. Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), revision to an existing bituminous surface mine permit to apply biosolids (stabilized sewage sludge) to enhance vegetation on a surface mine site, Jordan Township, **Clearfield County** affecting 103.3 acres, receiving streams: two unnamed tributaries to Potts Run to Clearfield Creek to West Branch Susquehanna River, application received September 23, 1997, permit issued March 18, 1998.

**17970115. Cougar Contracting, Inc.** (P. O. Box 217, Houtzdale, PA 16651), commencement, operation and restoration of a bituminous surface mine-auger permit, Bigler and Gulich Townships, **Clearfield County** affecting 229 acres, receiving streams: unnamed streams to Muddy Run and Little Muddy Run and Little Muddy Run to the West Branch of the Susquehanna River, application received September 12, 1997, permit issued March 23, 1998.

**17910112. Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine permit in Bell Township, **Clearfield County** affecting 119.1 acres, receiving streams: two unnamed tributaries to the West Branch of the Susquehanna River, application received February 14, 1998, permit issued March 18, 1998.

**17930109. Floyd Mottern Coal, Inc.** (R. D. 1, Box 118, Penfield, PA 15849), renewal of an existing bituminous surface mine permit in Huston Township, **Clearfield County** affecting 51.8 acres, receiving streams: unnamed tributaries to Moose Run and Moose Run, application received February 4, 1998, permit issued March 18, 1998.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**33820143. P & N Coal Co., Inc.** (240 West Mahoning Street, Punxsutawney, PA 15767) Renewal of an existing bituminous strip, auger and tippel refuse disposal operation in Gaskill Township, **Jefferson County** affecting 222.7 acres. Receiving streams: Unnamed tributary to Ugly Run and Ugly Run. Application received: February 6, 1998. Permit Issued: March 26, 1998.

**10930104. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous strip operation in Clay and Center Townships, **Butler County** affecting 145.0 acres. Receiving streams: One unnamed tributary to Stony Run and three unnamed tributaries to Pine Run. Application received: January 23, 1998. Permit Issued: March 26, 1998.

**102327-24900103-E-2 Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824) Application for a stream encroachment to conduct mining activities within 100 feet and construct and maintain a temporary haul road crossing over Boderocco Run in Horton and Fox Townships, **Elk County**. Receiving streams: McCauley Run, Curry Run, Boderocco Run, Brandy Camp Creek, and unnamed tributaries to Little Toby Creek. Application received: December 3, 1997. Permit Issued: March 18, 1998.

**16970105. Doverspike Bros. Coal Company** (R. D. 4, Box 271, Punxsutawney, PA 15767) Commencement, operation and restoration of a bituminous strip operation in Madison and Porter Townships, **Clarion County** affecting 360.0 acres. Receiving streams: Unnamed tributary to Redbank Creek. Application received: October 2, 1997. Permit Issued: March 18, 1998.

**33970110. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767) Commencement, operation and restoration of a bituminous strip and auger operation in Oliver Township, **Jefferson County** affecting 111.5 acres. Receiving streams: Unnamed tributary to Big Run and Unnamed tributary to Little Sandy Creek. Application received: September 26, 1997. Permit Issued: March 26, 1998.

**10970104. Ben Hal Mining Company** (389 Irishtown Road, Grove City, PA 16127) Commencement, operation and restoration of a bituminous strip operation in Venango Township, **Butler County** affecting 130.8 acres. Receiving streams: Unnamed tributaries to Little Scrubgrass Creek, unnamed tributaries to Scrubgrass Creek and Unnamed tributary to Seaton Creek. Application received: October 8, 1997. Permit Issued: March 23, 1998.

*McMurray District Office*

**14831301. Pennsylvania Mines Corp.** (P. O. Box 367, Ebensburg, PA 15931) to renew the permit for the Rushon Mine in Rush Township, **Centre County**, no additional discharges. Permit issued March 25, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**54930101R. J & L Coal Company**, (RD 4, Box 4225, Pottsville, PA 17901), renewal of an existing anthracite surface mine in Branch Township, **Schuylkill County**, affecting 102.8 acres, receiving stream—Schaefer Creek. Renewal issued March 24, 1998.

**54803201R2. Blaschak Coal Corp.**, (P. O. Box 12, St. Nicholas, Mahanoy City, PA 17948), renewal of an existing coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 17.4 acres, receiving stream—none. Renewal issued March 26, 1998.

**40763208R2. Popple Brothers**, (P. O. Box 126, Duryea, PA 18642), renewal of an existing coal refuse reprocessing operation in Duryea Borough, **Luzerne County** affecting 130.0 acres, receiving stream—none. Renewal issued March 26, 1998.

**54860109R2. Harriman Coal Corporation** (P. O. Box 127, Valley View, PA 17983), renewal of an anthracite surface mine operation in Tremont Township, **Schuylkill County** affecting 35.0 acres, receiving stream—none. Renewal issued March 26, 1998.

**40960201T. Rossi Excavating Company**, (9 West 15th Street, Hazleton, PA 18201), transfer of an existing coal refuse reprocessing operation in Sugarloaf Township, **Luzerne County** affecting 32.0 acres, receiving stream—none. Transfer issued March 27, 1998.

**40930202T. Rossi Excavating Company**, (9 West 15th Street, Hazleton, PA 18201), transfer of an existing coal refuse reprocessing operation in Hazle Township, **Luzerne County** affecting 447.7 acres, receiving stream—none. Transfer issued March 27, 1998.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

*Coal Returned*

**33960104. R & L Coal Corp.** (P. O. Box 26, Punxsutawney, PA 15767) Commencement, operation and restoration of a bituminous strip operation in Pinecreek Township, **Jefferson County** affecting 34.0 acres. Receiving streams: Two unnamed tributaries to Sandy Lick Creek to Redbank Creek. Application received April 23, 1996. Permit Returned: April 24, 1998.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

*Small Noncoal Issued*

**37980801 Bruce Sikora** (8 Woodland Drive, Pulaski, PA 16143) Commencement, operation and restoration of a small noncoal and gravel operation in Pulaski Township, **Lawrence County** affecting 1.0 acre. Receiving streams: None. Application received: January 16, 1998. Permit Issued: March 26, 1998.

**42970801. Brian Sees** (Box B, Mount Jewett, PA 16740) Commencement, operation and restoration of a small noncoal topsoil and sandstone operation in Hamlin Township, **McKean County** affecting 5.0 acres. Receiving streams: None. Application received: October 9, 1997. Permit Issued: March 18, 1998.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Coal Applications Withdrawn:*

**56890109. Permit Revision, Erickson of Johnstown, Inc.** (P. O. Box 304, Windber, PA 15963), revision to an existing bituminous strip operation to change the post-mining land use change from wildlife habitat and forestland to pastureland or land occasionally cut for hay on the Eagleshire Corporation property in Paint Township, **Somerset County**, affecting 80.0 acres, receiving streams unnamed tributary to Weaver Run and Weaver Run, received October 14, 1997. Returned/Withdrawn March 25, 1998.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

*Small Industrial Mineral Authorizations Granted:*

**08970801. Ernest J. Latini** (R. R. 1, Box 219, Wyalusing, PA 18853), commencement, operation and restoration of a Small Industrial Mineral (Bluestone) permit in Tuscarora and Wyalusing Townships, **Bradford County** affecting 3 acres, receiving streams: unnamed tributary to Wyalusing Creek, application received May 13, 1997, authorization granted March 18, 1998.

**08970821. Kenneth W. Stanley** (320 Glendale Drive, Endicott, NY 13760), commencement, operation and restoration of a Small Industrial Mineral (Bluestone) permit in Warren Township, **Bradford County** affecting 3 acres, receiving streams: Wappasening Creek, application received November 5, 1997, permit issued March 10, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*General Small Noncoal Authorizations Granted*

**58980802. Todd G. Groover** (R.R. 2, Box 5A, Montrose, PA 18801), commencement, operation and restoration of a small bluestone quarry operation in Liberty Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Authorization granted March 27, 1998.

## ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment Approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, telephone (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and proce-

dures may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board, (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)**

*Northeast Regional Office, Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.*

**Permit No. E64-184.** Encroachment. **Chip Schulz**, Halls Mill Road, Freehold, NJ 07728. To maintain a 0.36 acre pond by excavating 0.33 acre of wetlands and 230 linear feet of the channel of a Tributary to the East Branch of the Lackawanna River. This project is located along the south side of S. R. 0370, 0.5 mile east of S. R. 0670, (Orson, PA Quadrangle N: 11.6 inches; W: 7.6 inches) in Preston Township, **Wayne County**. The permittee is required to provide 0.66 acre of replacement wetlands.

*Southcentral Regional Office, Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, (717) 657-4590.*

**E01-190.** Encroachment. **Tim-Bar Corporation**, Bob Mahone, 148 North Penn Street, Hanover, PA 17331. To excavate a de minimis area of 0.01 acre of wetlands for the purpose of constructing a stormwater basin in association with building expansion located northwest of the existing Tim-Bar Oxford Container building between Commerce Street and South College Street (McSherrytown, PA Quadrangle N: 20.3 inches; W: 6.5 inches) in New Oxford Borough, **Adams County**. This permit also includes 401 Water Quality Certification.

**E36-643.** Encroachment. **Manor Township**, Edward Goodhart, 950 West Fairway Drive, Lancaster, PA 17603. To remove the existing structure, construct and maintain a twin reinforced concrete box culvert each cell having a 12.5-foot span × 9-foot rise across the West Branch Little Conestoga Creek on Owl Bridge Road (T-583) (Safe Harbor, PA Quadrangle N: 22.0 inches; W: 4.4 inches) in Manor Township, **Lancaster County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E67-605.** Encroachment. **Kinsley Equities II Limited Partnership**, Robert Kinsley, 2700 Water Street, York, PA 17403. To fill 0.18 acre and 0.16 acre of wetlands for construction of 127 linear feet of 2-foot diameter reinforced concrete pipe (RCP) and 92 linear feet of 3-foot diameter RCP culvert for an access road crossing through the two wetland areas. Juniata Drive will provide access to lots within the Susquehanna Business Park, located on the east side of Susquehanna Trail (T-956) (Dover, PA Quadrangle N: 12.7 inches; W: 1.9 inches) in Conewago Township, **York County**. The permittee is required to provide a minimum of 0.34 acre of replacement wetlands.

This permit also includes 401 Water Quality Certification.

*Northcentral Region, Water Management-Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**Permit No. E14-313.** Encroachment. **Milesburg Borough Council**, P. O. Box 518, Milesburg, PA 16853. To construct, operate and maintain an earthen dike within the floodway of Moose Run for the improvement of existing culvert hydraulics. The dike shall be constructed with a top width of 10 feet, a minimum side slope of 3 feet horizontal to 1 foot vertical, a maximum height of 3.5 feet and a length of 320 feet that is located along the eastern right of way of SR 0220, approximately 300 feet northwest of the intersection of Logan and Broadway Street (Bellefonte, PA Quadrangle N: 12.6 inches; W: 5.9 inches) in Milesburg Borough, **Centre County**. This permit was issued under section 105.13(e) "Small Projects."

**Permit No. E18-245.** Encroachment. **David and Sharon Masters**, RR 1, Lock Haven, PA 17745. To construct, operate and maintain a concrete bulkhead, concrete pads and wooden decks within the floodway of the West Branch Susquehanna River for the improvement of a recreational lot. The work shall consist of 1) casting in place a concrete bulkhead that shall not exceed 484 square feet of surface area 2) casting in place concrete pads that shall not exceed 384 square feet of surface area, cumulatively; and 3) constructing a wooden deck that shall not exceed 320 square feet of surface area that is located along the southern right of way of SR 1001 approximately 2.1 miles west of the intersection of SR 0120 and SR 1001 (Lock Haven, PA Quadrangle N: 5.3 inches; W: 12.8 inches) in Woodard Township, **Clinton County**. This permit was issued under section 105.13(e) "Small Projects."

#### WATER ALLOCATIONS

**Actions taken on applications filed under the act of June 24, 1939 (P. L. 842; No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.**

*Northwest Regional Office, Regional Manager, Water Supply Management, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6899.*

#### Permits Issued

**Permit No. WA 10-647C.** Subsidiary Water Allocation. **The Municipal Sewer & Water Authority of Cranberry Township**, 2525 Rochester Road, Suite 700, Cranberry Township, PA 16066-6498. Granting the modification to increase allocation to 4,400,000 gpd for the duration of agreement between applicant and the Municipal Authority of the Borough of West View. The Municipal Sewer and Water Authority of Cranberry Township operates under the Municipal Authorities Act of 1945, and serves customers located in Cranberry Township, **Butler County**.

*Type of Facility:* Municipal Authority

*Consulting Engineer:* KLH Engineers, Inc., 5173 Campbells Run Road, Pittsburgh, PA 15205.

*Permit Issued:* March 20, 1998.

[Pa.B. Doc. No. 98-571. Filed for public inspection April 10, 1998, 9:00 a.m.]

### Availability of Technical Guidance

Technical guidance documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "January 1998 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1998.

#### *Ordering Paper Copies of DEP Technical Guidance*

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### *Changes to Technical Guidance Documents*

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Jonathan Brightbill at (717) 783-8727.

#### *Final Technical Guidance—Minor Revision*

DEP ID: 362-0300-004 Title: Industrial Wastewater Management Manual Description: Outlines the requirements and procedures for obtaining permits and other approvals for industrial wastewater management systems and discharges in PA. Effective Date: October 1, 1997 Page Length: 109 pages Location: Vol 33, Tab 01 Contact: Milt Lauch at (717) 787-8184

DEP ID: 400-5900-114 Title: Hazardous Material and Hazardous Atmosphere Safety Policy Description: A minor typographical error was corrected on this policy. Effective Date: March 17, 1998 Page Length: 6 pages Location: Vol 08, Tab 17 Contact: Charles High at (717) 787-5027

#### *Draft Technical Guidance—New Guidance*

DEP ID: 273-5401-001 Title: Compliance Strategy for Mushroom Composting Operations Description: Clarifies the exemption of commercial production, processing or storage of compost as pertaining to the Air Pollution Control Act and Solid Waste Management Act. Anticipated Effective Date: June, 1998 Deadline for Submittal of Comments: May 5, 1998 Contact: Todd Wallace at (717) 783-5901

#### *Notice of Intent to Revise Technical Guidance*

DEP ID: 562-3900-401 Title: Citizens requests pertaining to mining: Receiving, Tracking, Investigating, Appealing, and Filing Description: Document will condense and clarify all provisions of guidance documents 562-3900-401, 562-3900-402 & 562-3900-403. Anticipated Effective Date: January 8, 1999 Anticipated Draft Development Date: April 15, 1998 Contact: John Meehan at (717) 783-9388

#### *Notice of Intent to Develop Technical Guidance*

Title: Additional Bonding for Wide Pits and Remote Spoil Storage Description: This document will outline a

standard procedure for determining how much additional bond should be required on operations with wide pit variances or remote spoil storage. Anticipated Effective Date: January 8, 1999 Anticipated Draft Development Date: April 15, 1998 Contact: John Meehan at (717) 783-9388

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 98-572. Filed for public inspection April 10, 1998, 9:00 a.m.]

### Cleanup Standards Scientific Advisory Board Process Validation Subcommittee; Meeting Notice

The Cleanup Standards Scientific Advisory Board (CSSAB) Process Validation Subcommittee meeting has been scheduled for April 17, 1998. The meeting will be held at 400 Market Street, Rachel Carson State Office Building, 14th Floor Conference Room from 9:30—3:30.

Questions concerning this meeting can be directed to Marilyn Wooding at (717) 783-7509 or e-mail to [Wooding.Marilyn@al.dep.state.pa.us](mailto:Wooding.Marilyn@al.dep.state.pa.us). The agenda and meeting materials will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Marilyn Wooding directly at (717) 783-7509 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 98-573. Filed for public inspection April 10, 1998, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Retention of Engineering Firms

#### Fayette, Greene, Washington and Westmoreland Counties Project Reference No. 08430AG2175

The Department of Transportation will retain an engineering firm for an Open-End Contract for various engineering and/or environmental services on various projects located in Engineering District 12-0, that is Fayette, Greene, Washington and Westmoreland Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$1.0 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Specialized experience and technical competence of firm.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-End Contracts. The specific experience of individuals employed by the firm shall be considered.
- d. Location of Consultant in respect to the District.
- e. Available staffing for this assignment and the ability to meet the Department's needs.
- f. Projected workload for the next two 2) calendar years.

The work and services required under this Contract may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type), minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to: perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size, and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engi-

neering plans, and remote sensing/mapping innovations. The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, District 12-0, P. O. Box 459, Uniontown, PA 15401.

Any technical questions concerning the requirements for this project should be directed to: Mr. William Oshnack, District 12-0, at (724) 439-7321.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Montour and Northumberland Counties  
Project Reference No. 08430AG2176**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately five (5) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services for S.R. 0054, Section 014 and S.R. 0054, Section A14, in Montour and Northumberland Counties.

The project designated S.R. 0054, Section 014 will provide a new bridge across the Susquehanna River from Riverside to Danville with associated roadway construction. The project designated S.R. 0054, Section A14 will provide construction of the approach roadway to the bridge which will feature a unique cut and cover through the historic district of Danville. The construction will take approximately two (2) years.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Number of available inspectors in each payroll classification.
- c. Number of NICET certified inspectors in each payroll classification.
- d. Review of inspectors' resumes with the emphasis on construction inspection, capabilities and specialized experience in structures, asphalt paving, drainage, CPM scheduled usage, construction documentation system and soils.
- e. Understanding of Department's requirements, policies, and specifications.
- f. Past performance.

g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	2 (2)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

One inspector in the TCIS and TCI classification must be certified by the Northeast Center of Excellence for Pavement Technology (NECEPT) as a Field Technician.

Since this project is a large bridge, all of the inspectors assigned must have a climbing ability.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$44.93
(TCIS)	\$39.36
(TCI)	\$34.43

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and/or TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	3
TCI	3

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Paul E. Heise, P.E., District Engineer, District 3-0, P. O. Box 218, Montoursville, PA 17754,

Any technical questions concerning the requirements for this project should be directed to: Mr. John P. Ryan, P.E., District 3-0, at (717) 368-4233.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Allegheny and Beaver Counties  
Project Reference No. 08430AG2177**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately twelve (12) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following projects:

1. S.R. 3077, Section A05, Allegheny County. Local Name: Beaver Grade Widening. This project involves the reconstruction of Beaver Grade Road and Coraopolis Heights Road to improve sight distance and add turning lanes. Also included is concrete curb gutter, drainage, driveway adjustments, new traffic signal installation at their intersection, signing, pavement markings, and widening for a right turn lane on Beaver Grade Road at the intersection with Thorn Run Road.

2. S.R. 0065, Section B13, Beaver County. Local Name: Mercer Road. This project involves the milling and resurfacing with bituminous wearing course and bituminous binder course of Mercer Road in Beaver County. Also included is paved shoulders, rebuilding inlets, driveway adjustments, and guide rail.

3. S.R. 0051, Section B16, Beaver County. Local Name: Ohio River Boulevard. This project involves concrete patching, bituminous wearing course, bituminous binder course, guide rail, and drainage for Ohio River Boulevard in Beaver County.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, concrete, asphalt paving, drainage, guide rail, signing, pavement markings, and signals.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Past performance.
- e. Number of NICET certified inspectors in each payroll classification.
- f. Number of available inspectors in each payroll classification.
- g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	3 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	3 (2)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$39.36
(TCI-Materials)	\$35.51
(TCI)	\$34.43
(TA)	\$23.67

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; supply one (1) inspector certified in computer documentation and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauges/License
- 1 Vehicle for the Transportation of Nuclear Gauges
- 3 Base Radio Stations
- 9 Two-Way Radios
- 3 Computers/Printers/Monitors
- 3 Fax Machines
- 3 Copiers

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	4
TCI-M	4
TCI	4

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Henry Nutbrown, P.E., District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. Attention Mr. Richard Curry, P.E.

Any technical questions concerning the requirements for this project should be directed to: Mr. Bob Collins, P.E., District 11-0, at (412) 429-4928.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Allegheny County  
Project Reference No. 08430AG2178**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately six (6) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services for S.R. 0022, Section A07, Allegheny County, Route 22 Expressway Rehabilitation. This project involves the reconstruction of existing roadway, shoulders, and two (2) bridge decks. Also included is drainage, guide rail, crossovers and temporary lighting.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, drainage, guide rail and lighting.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Past performance.
- e. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector - Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	3 (2)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$39.36
(TCI-Materials)	\$35.51
(TCI)	\$34.43
(TA)	\$23.67

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for



payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one (1) inspector certified in computer documentation and perform other duties as may be required. *Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.*

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Camera (type digital)
- 1 Computer/Printer/Monitor
- 1 Fax Machine
- 1 Copier

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	2
TCI-M	2
TCI	4

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Henry Nutbrown, P.E. District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. Attention: Mr. Richard Curry, P.E.

Any technical questions concerning the requirements for this project should be directed to: Mr. Bob Collins, P.E., District 11-0, at (412) 429-4928.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Allegheny County  
Project Reference No. 08430AG2179**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately twenty (20) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following projects:

1. S.R. Group 111-97-7135-4, Allegheny County. This project involves bituminous resurfacing, drainage work, and base work on various state roads in Wilkinsburg, Plum, Edgewood, Forest Hills, and Churchill, all in Allegheny County.

2. S.R. 0051, Section A40, Allegheny County. Local Name: Traffic Route 51. This project involves concrete pavement patching at various locations on Traffic Route 51, along with bituminous and concrete overlay of two (2) bridge decks. The job is located in Elizabeth Borough, and is approximately 5.3 miles in length.

3. S.R. 0019, Section A25, Allegheny County. Local Name: Washington Road. This project involves the milling and resurfacing of Washington Road with superpave wearing surface. Also included is concrete patching, drainage work, curbs, sidewalks, and pavement markings, and is located in Mount Lebanon, Allegheny County.

4. S.R. Group 111-98-7135-6, Allegheny County. This project involves the milling and resurfacing on nine (9) roads in Franklin Park, McCandless, Marshall Township, Pine Township, and Leetsdale, all in Allegheny County. Also included is drainage, loop sensors, paved shoulders, and bituminous gutter work.

5. S.R. 0376, Section A18, Allegheny County. Local Name: I-376/Grant Street to Greensburg Pike. This project involves concrete patching and spall repair on I-376 from the Bates St. Ramp to the Greensburg Pike Ramp, located in the City of Pittsburgh, Edgewood, and Churchill I Allegheny County. Also included is crack scaling, loop sensors and pavement markings. The majority of the work will be done on weekends.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of traffic, soils, structures, concrete, asphalt paving, drainage, curbs, sidewalks, loop sensors, and pavement markings.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Past performance.
- e. Number of NICET certified inspectors in each payroll classification.
- f. Number of available inspectors in each payroll classification.
- g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	5 (5)

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	10 (7)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	5 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$39.36
(TCI)	\$34.43
(TA)	\$23.67

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; supply one (1) inspector certified in computer documentation and perform other duties as may be required. *Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.*

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauges/License
- 1 Vehicle for the Transportation of Nuclear Gauges
- 5 Base Radio Stations
- 15 Two-Way Radios
- 1 Cellular Phone
- 5 Computers/Printers/Monitors
- 5 Fax Machines
- 5 Copiers

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	6
TCI	12

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Henry Nutbrown, P.E., District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. Attention: Mr. Richard Curry, P.E.

Any technical questions concerning the requirements for this project should be directed to: Mr. Bob Collins, P.E., District 11-0, at (412) 429-4928.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Allegheny County  
Project Reference No. 08430AG2180**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately nine (9) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services for S.R. 0279, Sections A39 and A50, Allegheny County, Fort Pitt Blue Phase. This project involves the rehabilitation of selected ramps in the Point Interchange in the City of Pittsburgh. Also included is lighting, rehab of part of the Portal Bridge, Fort Pitt Tunnel cut slopes, over-height detector installation, repair of the Fort Pitt Tunnel Portal Building's roofs and electrical work on the Fort Pitt Tunnel.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of traffic, soils, structures, concrete, asphalt paving, drainage, lighting, and electrical work.

c. Understanding of Department's requirements, policies, and specifications.

d. Past performance.

e. Number of NICET certified inspectors in each payroll classification.

f. Number of available inspectors in each payroll classification.

g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	4 (3)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$44.93
(TCIS)	\$39.36
(TCI-Materials)	\$35.51
(TCI)	\$34.43
(TA)	\$23.67

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; supply one (1) inspector certified in computer documentation and perform other duties as may be required. *Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.*

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Paint Test Kit
- 1 Base Radio Station
- 3 Two-Way Radios
- 1 Cellular Phone
- 1 Camera (type digital)
- 1 Computer/Printer/Monitor
- 1 Fax Machine
- 1 Copier

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and/or TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	2
TCI-M	2
TCI	5

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Henry Nutbrown, P.E., District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. Attention: Mr. Richard Curry, P.E.

Any technical questions concerning the requirements for this project should be directed to: Mr. Bob Collins, P.E., District 11-0, at (412) 429-4938.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Chester County  
Project Reference No. 08430AG2181**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately twenty (20) inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following projects:

1. S.R. 0030, Section C10, Chester County. This project involves various signal improvements on Traffic Route 30, Traffic Route 100 and Traffic Route 113 in Uwclan, West Whiteland and East Caln Townships.

2. S.R. 0100, Section R2R, Chester County. This project involves an interchange improvement and ramp construction at the northbound exit ramp of Traffic Route 100 to Traffic Route 724 in North Coventry Township.

3. S.R. 2006, Section 54S, Chester County. This project involves the bridge replacement of Westbourne Road over Goose Creek in Westtown Township.

4. S.R. 2007, Section S98, Chester County. This project involves an intersection improvement of Westtown Road at the Traffic Route 202 ramps in West Goshen Township.

5. S.R. 3028, Section 64S, Chester County This project involves the bridge replacement of Pennsgrove Road over Big Elk Creek in Upper Oxford Township.

6. S.R. 3070, Section M00, Chester County. The project involves the milling, overlay and drainage system replacement on Traffic Route 30 from Hope Avenue to the Conrail Bridge in Coatesville Borough, Caln Township.

7. S.R. 3070, Section M01, Chester County. The project involves the milling, overlay and shoulders and minor drainage on Traffic Route 30 from the Conrail Bridge to Stuart Avenue in Downingtown Borough and Caln Township.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

b. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.

c. Specialized experience in bituminous paving, drainage structures and signalization.

d. Number of NICET certified inspectors in each payroll classification.

e. Understanding of Department's requirements, policies and specifications.

f. Ability to provide three (3) "CDS" operators or persons capable of inputting data into a personal computer (TCIS Classification).

g. Past performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	9 (6)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	9 (6)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1998:

**Allegheny, Beaver and Lawrence Counties  
Project Reference No. 08430AG2182**

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$39.36
(TCI)	\$34.43
(TA)	\$23.67

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- a. Seven (7) 35MM cameras (one per project)
- b. Two (2) two-way radios/repeater equipment and base unit (maximum number per project) for S.R. 3070, Section M00 and S.R. 3070, Section M01 only.
- c. Safety vests—high visibility for inspectors S.R. 0030, Section C10, S.R. 2007, Section S98, S.R. 3070, Section M00 and S.R. 3070, Section M01 only.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	10
TCI	10

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Andrew Warren, District Administrator, District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Russell Swallow, District 6-0, at (610) 964-6686.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

The Department of Transportation will retain an engineering firm for an Open-End Contract for various geotechnical engineering services on various projects located in Engineering District 11-0, that is Allegheny, Beaver and Lawrence Counties. The Contract will be for a sixty (60) month period with project assigned on an as-needed basis. The required services may encompass a wide range of design, review and consultation efforts with the possibility of several different types of projects having short completion schedules. The anticipated types of projects may include, but are not limited to, bridge replacements or bridge rehabilitations with minor approach work, roadway betterments (3R type), Capital Improvement Projects (bridges or roadways), maintenance type remediation and minor location studies. The maximum amount of the Open-End Contract will be one million (\$1,000,000) dollars.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting the letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Understanding of Department's requirements, design manuals, policies and specifications.
- c. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms shall be considered.
- d. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on Open-End Contracts.
- e. Location of consultant in respect to the District. This will include ability/provisions for quick responses to District requests.
- f. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The firm may be required to perform, but will not be limited to, the following geotechnical engineering services: review of geotechnical work performed by private engineering firms; perform geotechnical design for major Department designed projects; perform geotechnical investigations under a Health and Safety Plan; develop Health and Safety Plans (HASP) for projects; investigate and prioritize slope movements and other geologic hazards for future programming; install and/or monitor geotechnical instruments; perform geophysical investigations; geotechnical consultation during and after construction; review projects developed by local municipalities; drilling inspection in accordance with D.M. 4/D.M. 1 qualifications and criteria; review of wetland designs from a geological or geotechnical perspective emergency response to geologic hazards; review and comment on Department procedures and documents; review of right-of-way relinquishments; investigate tunnels and design any necessary remediations; review of requests of mine

variances; review of permit requests; assist in evaluating the level of effort needed to complete geotechnical work tasks; investigate stability of retaining systems; develop specifications; water quality sampling and evaluation; review erosion and sedimentation plans from a geological or geotechnical perspective; develop experimental work plan activities and other research activities; review preliminary area reconnaissances (PAR'S), initial site assessments (ISA'S), preliminary site investigations (PSI'S), detailed site investigations (DSI'S) and waste management plans; prepare and review pavement designs; respond to requests from maintenance for various types of investigations; develop and administer subsurface boring sampling and testing contracts; perform stability analyses of slopes and retaining structures; preparation of erosion and sedimentation plans; perform scour analyses and developing remedial solutions; review of contour grading plans; review of storm water management plans; develop remediation schemes for acid mine drainage (AMD) problems; and preparation of geotechnical engineering reports. These services may include, but not be limited to, the following specific items: attend field views and prepare minutes; prepare submissions for field views and safety review meeting; perform related field surveys; plot topography and cross sections. Most of the drilling and testing services will be provided by the Department through separate service purchase contracts with other contractors. However, the firm may be required to let separate contracts for drilling and will have to have soil. Rock and water testing capabilities. The soil and rock testing will be performed at an AASHTO Materials Reference Laboratory (AMRL) accredited laboratory and the water testing must be performed at a Pennsylvania Department of Environmental Resources certified laboratory. Some tests may be required to be performed under a HASP.

The primary services to be provided are geotechnically related; however, other services may be required and they may include, but not be limited to, the following items: prepare submissions and materials necessary for the Department to prepare the application to Public Utility Commission (PUC) for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during project design; develop erosion control details and narrative; develop right-of-way plans; prepare type, size and location reports; prepare hydraulic report for waterway approval; prepare bridge drawings; prepare traffic control plans and narrative; investigate utility and property involvement; prepare and disseminate right-of-entry letters; prepare prints and information required for a value engineering review; make the necessary investigations and adjustments to the design as a result of the value engineering review comments; make all necessary contact with railroad officials for any railroad-related costs estimates, permits, insurance, approvals and other required information; alternatives using benefit/cost analysis; document geotechnical study activities and findings; attend coordination and status meetings with District personnel and prepare minutes; and construction plans, specifications including special provisions and estimates.

The format and content of all documents, plans and specifications will be consistent with applicable State and Federal regulations and guidelines.

The firm may be required to perform any or all of the following environmental studies: air quality; surface water and groundwater hydrology; terrestrial ecology;

wetlands; soils; geology; farmland; hazardous waste; visual quality; socioeconomic, cultural; Section 4(f) and Section 106 documents; and other related studies not identified above. The environmental studies will be conducted in accordance with Department policy and accepted analysis techniques and methodologies.

The reports and other written graphic material to be prepared may include, but are not limited to, early coordination and scoping correspondence; meeting minutes; public meetings and hearing presentations; handouts and displays; technical basis reports; NEPA environmental documents; Section 106 documents; Section 4(f) evaluations; mitigation plans and reports; and wetland and floodplain findings.

The firm may also be required to perform any or all of the following in order to ensure a complete investigation has been performed: plans and lists of areas where soil, rock and water will be impacted and demolition will occur during proposed construction activities.

The geotechnical, geological and geophysical engineering services identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related scope of work will be outlined for each individual Work Order developed under this Open-End Contract.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Henry Nutbrown, P.E., District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Any technical questions concerning the requirements for this project should be directed to: Mr. William R. Adams, Jr., P.E., District 11-0, at (412) 429-4919.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

#### **General Requirements and Information**

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest are required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to: Mr. Charles W. Alwein, P.E., Chief, Consultant Selection Committee, 7th Floor, Forum Place, 555 Walnut Street, P. O. Box 3060, Harrisburg, Pennsylvania 17105-3060. Note: The Zip Code for express Mailing is 17101-1900.

The Letter of Interest and required information must be received within twenty (20) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 P.M. prevailing time of the twentieth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each Letter of Interest must include the following information and the information must be packaged and presented in the following order:

1. Transmittal Letter (Maximum of two (2) 8 1/2" x 11" typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm.

2. Project Organizational Chart (one page, one side, maximum size 11" x 17")

This Chart must show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 must be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project.

Under Item 4 of this form, Column A must specify only the number of subconsultant personnel and Column B must specify only the number of prime consultant personnel to be assigned to work on this project reference number. Do not include the total personnel for either the subconsultant or prime consultant under Item 4 unless the total personnel are necessary to provide the required work and services.

The prime and each subconsultant may include no more than one page each for Items 10 and 11.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, must accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the Letter of Interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These Forms must be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Form 255.

5. Workload Projection Graph (Not required for Construction Inspection Services)

Separate Workload Projection Graphs for the prime and each subconsultant shown in Item 6 of the Form 255 must be included and must indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next two-year time frame. The Workload Projection Graphs must be submitted for the office(s) where the work would be performed and must only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (For Construction Inspections Services, if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees must be first, followed by subconsultant employees, in the same order as shown in Item 6 of Form 255.

### 7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

### 8. Overhead Rates (one page)

A single page summary must indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Accountant must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

### 9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 98-574. Filed for public inspection April 10, 1998, 9:00 a.m.]

## HUMAN RESOURCES INVESTMENT COUNCIL

### Meeting Notice

The Human Resources Investment Council, established by Executive Order 1997-7, will hold a regular meeting on Tuesday, May 5, 1998. The meeting will be held at the Ramada Inn-East, 23 South Second Street, Harrisburg, PA 17101 beginning at 1 p.m.

For additional information, contact Pete Tartline, Interim Chief Operating Officer, Human Resources Investment Council at (717) 787-1954.

PETE TARTLINE,  
*Interim Chief Operating Officer*

[Pa.B. Doc. No. 98-575. Filed for public inspection April 10, 1998, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, March 26, 1998, and took the following actions:

#### *Regulations Approved:*

#1752 Department of Revenue #15-373: Public Transportation Assistance Fund Taxes & Fees (deletes § 9.4 and adds § 47.19 to 61 Pa. Code).

#1702 State Board of Certified Real Estate Appraisers #16A-704: General Provisions/Standards of Professional Conduct (add a new Subchapter C to 49 Pa. Code Chapter 36).

#1929 Department of Community and Economic Development #4-65: Private Activity Bonds—Allocation (amends 12 Pa. Code Chapter 63).

#1829 Environmental Quality Board #7-307: Coal Mining Permitting and Performance Standards (amends 25 Pa. Code Chapters 86—90).

#1830 Environmental Quality Board #7-315: Water Supply Protection/Replacement (Mining) (amends 25 Pa. Code Chapters 87 and 88).

*Commissioners Present:* Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
March 26, 1998

*Department of Revenue—Public Transportation Assistance Fund Taxes and Fees; Doc. No. 15-373*

### Order

On June 12, 1996, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Revenue (Department). This rulemaking deletes § 9.4 and adds § 47.19 to 61 Pa. Code. The authority for this regulation is section 2301 of the Tax Reform Code (72 P. S. § 9301). The proposed regulation was published in the June 22, 1996 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on January 28, 1998. The Department submitted a request to toll this regulation on February 13, 1998. The revised regulation was submitted on March 12, 1998.

The regulation converts a statement of policy relating to Public Transportation Assistance Fund taxes and fees into a new regulation. The revenue generated by these fees and taxes are deposited into the Public Transportation Assistance Fund (Fund) in the State Treasury. The Fund is used for public transit programs and capital projects. The regulation includes provisions for a tire fee, motor vehicle lease tax, motor vehicle rental fee and public utility realty tax. The Department claims that the regulation will not impose additional costs on the Commonwealth, local governments or regulated community.

We have reviewed this regulation and find it to be in the public interest. The rulemaking is necessary because it codifies a statement of policy into regulatory provisions and simultaneously clarifies and refines these provisions.



*Therefore, It Is Ordered That:*

1. Regulation No. 15-373 from the Department of Revenue, as submitted to the Commission on March 12, 1998, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

---

*Commissioners Present:* Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
March 26, 1998

*State Board of Certified Real Estate Appraisers—General Provisions/Standards of Professional Conduct; Doc. No. 16A-704*

### Order

On January 19, 1996, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Certified Real Estate Appraisers (Board). This rulemaking will add a new Subchapter C to 49 Pa. Code Chapter 36. It is authorized by sections 3 and 7(a)(6) of the Assessors Certification Act (act) (63 P.S. §§ 458.3 and 458.7(a)(6)). The proposed regulation was published in the February 3, 1996 edition of the *Pennsylvania Bulletin*, with a 30-day public comment period. The final-form regulation was submitted to the Commission on March 2, 1998.

This new regulation will establish formal standards of professional conduct for Certified Pennsylvania Evaluators (CPEs) licensed by the Board. The standards are modeled after the Code of Ethics and Standards of Professional Conduct of the International Association of Assessing Officers. Subjects addressed include general duties, public review of assessments and records, professional qualifications, conflicts of interest, limitations on activities, advertising and promotion and reporting of unethical practices. CPE responsibilities are restricted to assessing the valuation of real property in Pennsylvania for ad valorem taxation purposes.

The House Professional Licensure Committee approved the final-form regulation at its meeting on March 18, 1998.

We have reviewed this regulation and find it to be in the public interest. This regulation will impact approximately 476 persons currently licensed as CPEs, as well as candidates for licensure as CPEs. The proposal will guide CPEs in their relations with assessment offices, public officials and the general public, and enhance the integrity and reliability of real estate assessments in Pennsylvania.

*Therefore, It Is Ordered That:*

1. Regulation No. 16A-704 from the State Board of Certified Real Estate Appraisers, as submitted to the Commission on March 2, 1998, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
March 26, 1998

*Department of Community and Economic Development—Private Activity Bonds—Allocation; Doc. No. 4-65*

### Order

On February 23, 1998, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Community and Economic Development (Department). This rulemaking amends 12 Pa. Code Chapter 63. The authority for this regulation is contained in section 7(4) of the Tax Exempt Bond Allocation Act (73 P.S. § 397.7(4)). Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

We have reviewed this regulation and find it to be in the public interest. The Federal Internal Revenue Code of 1986 (26 U.S.C.A. § 146) imposes a ceiling on the aggregate amount of private activity bonds that may be issued in any calendar year by or on behalf of the Commonwealth and its political subdivisions. The Department's proposed amendments are necessary because the existing regulation provides only the allocations for the calendar year 1997, which are no longer current.

*Therefore, It Is Ordered That:*

1. Regulation No. 4-65 from the Department of Community and Economic Development, as submitted to the Commission on February 23, 1998, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

---

*Commissioners Present:* Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
March 26, 1998

*Environmental Quality Board—Coal Mining Permitting and Performance Standards; Doc. No. 7-307*

### Order

On April 16, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking amends 25 Pa. Code Chapters 86—90. It is authorized by: sections 3, 4, 4.2 and 4.6 of the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.3, 1396.4, 1396.4b, and 1396.4f); sections 5 and 315 of The Clean Streams Law (35 P.S. §§ 691.5 and 691.315); section 3.2(a) of the Coal Refuse Disposal Control Act (52 P.S. § 30.53b(a)); and section 1920-A of The Administrative Code of 1929 (71 P.S. § 510-20). The proposed regulation was published in the May 3, 1997 edition of the *Pennsylvania Bulletin*, with a 60-day public comment period. The final-form regulation was submitted to the Commission on February 24, 1998.

The amendments are comprehensive and relate to permitting and performance standards for surface coal mining, underground coal mining and coal refuse disposal operations. The proposal provides notification to the owner or operator of an existing oil or gas well an opportunity to object to a mining application, as well as other safeguards designed to help protect the integrity of existing wells.

We have reviewed this regulation and find it to be in the public interest. This rulemaking grew out of the Department of Environmental Protection's Regulatory Basics Initiative and compliance with Governor Ridge's Executive Order #1996-1. Consequently, the amendments revise existing regulatory standards to be no more stringent than Federal requirements. The EQB estimates that the regulated community will experience cost savings of approximately \$28,000 annually.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-307 from the Environmental Quality Board, as submitted to the Commission on February 24, 1998, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
March 26, 1998

*Environmental Quality Board—Water Supply Protection/Replacement (Mining); Doc. No. 7-315*

#### Order

On April 16, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking amends 25 Pa. Code Chapters 87 and 88. The authority for this regulation is found in section 4.2(a) of the Surface Mining Conservation and Reclamation Act (act) (52 P. S. §§ 1396.4b(a)). The proposed regulation was published in the May 3, 1997 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on February 24, 1998.

The amendments in the EQB's regulations address two major areas: water supply replacement for a degraded water supply within 1,000 feet of a coal mining operation; and revegetation of previously disturbed and unreclaimed areas. The proposal will affect approximately 480 coal mine operators. It will also affect water supply owners and users. More expeditious replacement of degraded water supplies is anticipated.

We have reviewed this regulation and find it to be in the public interest. The proposal brings the EQB's regulations into conformity with 1992 and 1996 amendments to the Surface Mining Conservation and Reclamation Act and with several decisions by the Environmental Hearing Board.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-315 from the Environmental Quality Board, as submitted to the Commission on February 24, 1998, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 98-576. Filed for public inspection April 10, 1998, 9:00 a.m.]

#### Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
10-148	Department of Health Health Facility Licensure	3/30/98
14-443	Department of Public Welfare General Eligibility Provisions; Allowances and Benefits; Resources; Income	3/31/98

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 98-577. Filed for public inspection April 10, 1998, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of George and Monica Thelwell; file no. 98-181-00612; Allstate Insurance Company; doc. no. P98-03-023; April 28, 1998, 11 a.m.;

Appeal of Irma Maldonado; file no. 98-121-01560; TICO; doc. no. P98-03-026; April 30, 1998, 1 p.m.;

Appeal of Joe Green; file no. 98-215-30443; USAA Casualty Insurance Company; doc. no. PH98-03-030; May 5, 1998, 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN  
Insurance Commissioner

[Pa.B. Doc. No. 98-578. Filed for public inspection April 10, 1998, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of William M. Breen; file no. 98-183-00628; Donegal Mutual Insurance Company; doc. no. P98-03-024; April 23, 1998, 10 a.m.;

Appeal of Koy J. Hann and Linda A. Skiles; file no. 98-124-00365; Nationwide Insurance Company; doc. no. P98-03-025; April 23, 1998, 1 p.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P.S. § 1171.8) and the regulations set forth at 31 Pa. Code 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
Insurance Commissioner

[Pa.B. Doc. No. 98-579. Filed for public inspection April 10, 1998, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board lease will expire:

Carbon County, Wine & Spirits Shoppe #1301, 46 W. Ridge St., Lansford, PA 18232-1306.

*Lease Expiration Date:* August 31, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,200 to 2,749 net useable square feet of new or existing retail commercial space within the Borough of Lansford.

*Proposals due:* May 1, 1998 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661.

**Contact:** Williard J. Rhodes, (717) 657-4228

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 98-580. Filed for public inspection April 10, 1998, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before May 4, 1998, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.**

**A-00114788. John R. Hecker** (P. O. Box 334, Paupack, Pike County, PA 18451)—persons upon call or demand in the counties of Pike and Wayne.

**A-00114752. P. Carter** (3009 North 23rd Street, Philadelphia, Philadelphia County, PA 19132)—persons, in paratransit service, from points in the city and county of Philadelphia, to the following correctional facilities and return: Green, Waynesburg, Greensburg, Somerset, Laurel Highlands, Albion, Mercer, Cambridge Springs, Minersville, Allenwood, McKean, Loretto, Muncy and Cresson. *Attorney:* John J. Gallagher, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

**Application of the following for the approval of the transfer of stock as described under each application.**

**A-00109480, Folder 5000. Rolling Hills Limousine Service, Inc.** (R. D. 1, Box 307 B, Ligonier, Westmoreland County, PA 15658)—a corporation of the Commonwealth of Pennsylvania—for the approval of the transfer of 100 shares of issued and outstanding shares of stock held by: 50 from Shirley Tosh, 40 Kenneth Tosh, 5 Lelia Tosh and 5 Joel Tosh to: 50 Charlotte L. Swogger, 40 Dennis E. Swogger, Sr., 5 Dennis E. Swogger, Jr. and 5 Denise D. Swogger. *Attorney:* Ronald J. Fonner, 550 East Pittsburgh Street, Greensburg, PA 15601.

**Motor Carrier Applications—Property, Excluding Household Goods in Use**

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before April 27, 1998.

- A-00114794 Joseph Kubricki, t/a Joseph Kubricki Trucking  
R. R. 1, Box 93-B, Wapwallopen, PA 18660
- A-00112058 F.2 R.W. Smith  
R. D. 3, Box 439, Hanover, PA 17331
- A-00114702 RO Express, Inc.  
240 Welsh Pool Road, Exton, PA 19341; F. Scott Donahue, 1515 Market Street, Suite 1540, Philadelphia, PA 19102
- A-00114787 Peter Evans, Inc.  
14 Thornapple Drive, Maytown, PA 17550; David H. Radcliff, 3905 North Front Street, Harrisburg, PA 17110
- A-00114795 Road Management Services of Philadelphia, Inc., t/a Timecycle  
554 North Lawrence Street, Philadelphia, PA 19123; David H. Radcliff, 3905 North Front Street, Harrisburg, PA 17110
- A-00114223 F.2 Clayton W. Fegley, t/a C Fegley's Garage & Trucking  
Box 58, Quakake, PA 18245
- A-00114796 U. S. Trucking, Inc.  
104 Lake Street, Dunmore, PA 18512; W. Boyd Hughes, 1421 East Drinker Street, Dunmore, PA 18512
- A-00114132 F.2 Material Delivery Service, Inc.  
248 E. County Line Road, Hatboro PA 19040; George P. O'Connell, 608 Huntingdon Pike, Rockledge, PA 19046-4490
- A-00113952 F.2 Shelia A. Campbell & Thomas J. Swenglish, t/a Campbell/Swenglish Trucking  
R. D. 1, Box 593, Uniontown, PA 15401; Vincent J. Roskovensky, II, 9 Court Street, Uniontown, PA 15401

- A-00114793 James L. Slagel, t/a Willow Street Amoco  
P. O. Box 185, Willow Street, PA 17584-0185
- A-00114792 Raymond Carone, t/a Raymond Carone Trucking  
1627 Old Princeton Road, New Castle, PA 16101
- A-00114791 Donald Nydam  
P. O. Box 192, Albrightsville, PA 18210; Mike Garfield, P. O. Box 609, Albrightsville, PA 18210
- A-00114790 Mark Hall, t/a Mark Hall's Mobile Home Services  
R. D. 1, Box 269, Connellsville, PA 15425
- A-00114056 F.2 Frederick A. Farabaugh, t/a Farabaugh Trucking Company  
Box 217, Miller Road, Ebensburg, PA 15931
- A-00114789 Scott Eimerbrink  
Box 304-A, R. R. 1, Port Royal, PA 17082

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 98-581. Filed for public inspection April 10, 1998, 9:00 a.m.]

**Water Service  
Without Hearing**

**A-211810 F0002. Manwalamink Water Company.** Application of The Manwalamink Water Company for approval of the right to offer, render, furnish or supply water service to the public in an additional portion of Smithfield Township, Monroe County, PA.

Notice is hereby given that this Application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before April 27, 1998, under 52 Pa. Code (relating to public utilities).

*Applicant:* The Manwalamink Water Company

*Through and By Counsel:* Gerald F. Durkin, River Road, Fort DePuy, 3rd Floor, P O Box 93, Shawnee-on-Delaware, PA 18356-0093.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 98-582. Filed for public inspection April 10, 1998, 9:00 a.m.]

**Water Service  
Without Hearing**

**A-212070F0002. The Newtown Artesian Water Company.** The Newtown Artesian Water Company for approval of the right to begin to offer, render, furnish or

supply water service to the public in that portion of Wrightstown Township, Bucks County, PA, south of Worthington Mill Road and Wrightstown-Taylorsville Road.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before April 27, 1998, under 52 Pa. Code (relating to public utilities).

*Applicant:* The Newtown Artesian Water Company

*Through and By Counsel:* Thomas T. Niesen, Esquire, D. Mark Thomas, Esquire, Thomas, Thomas, Armstrong & Niesen, 212 Locust Street, P. O. Box 9500, Harrisburg, PA 17108-9500.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 98-583. Filed for public inspection April 10, 1998, 9:00 a.m.]

## PHILADELPHIA REGIONAL PORT AUTHORITY

### Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9806.3, Furnish and Install Backflow Preventer at Pier 40 South until 2 p.m. on Thursday, April 23, 1998. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Sq., 13th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available April 15, 1998. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held April 16, 1998, 10 a.m. at Pier 40 South, Main Door. The PRPA will consider only those bids received from parties who attended the prebid meeting.

JAMES T. MCDERMOTT,  
*Executive Director*

[Pa.B. Doc. No. 98-584. Filed for public inspection April 10, 1998, 9:00 a.m.]

## TURNPIKE COMMISSION

### Request for Bids

The Turnpike Commission requests a sealed bid for Bottled Water, 2-Year Contract.

*Open Date:* April 27, 1998 at 11 a.m.

Bids will be received by the Purchasing Manager not later than the time indicated above. Bid proposal Forms

and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Dept., (717) 939-9551, Ext. 2830.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 98-585. Filed for public inspection April 10, 1998, 9:00 a.m.]

### Request for Bids

The Turnpike Commission requests sealed bids for

1. Window Replacement at Trevoise Maintenance Building (Bucks County) *Mandatory Site Inspection:* April 29, 1998 at 10 a.m. at Trevoise Maintenance Building, Milepost 353.1, PA Turnpike & Galloway Road, Bensalem, PA  
*Open Date:* 5-11-98 at 11 a.m.
2. Window Replacement at Plymouth Meeting Maintenance Building (Montgomery County) *Mandatory Site Inspection:* April 29, 1998 at 11:30 a.m. at Plymouth Meeting Maintenance Building, Milepost 333.6, 402 Germantown Pike, Plymouth Meeting, PA  
*Open Date:* 5-12-98 at 11 a.m.

Bids will be received by the Purchasing Manager not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Dept., (717) 939-9551, Ext. 2830.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 98-586. Filed for public inspection April 10, 1998, 9:00 a.m.]

### Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated for the following contract:

*Contract No. 89-052-RJ95*—Rehabilitation and widening of Bridge Nos. EB-533, EB-535 and EB-536 from M. P. 282.04 to M. P. 283.68 on the PA Turnpike System in Lancaster County, PA

*Bid Opening Date*—May 14, 1998, 11 a.m.

*Bid Surety*—5%

Plans, Specifications and Contract documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment of \$120.00 per set (Do not add State tax) by check or P. O. Money Order (no cash) payable to the Pennsylvania Turnpike Commission, Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. No refund for any reason will be made for plans, specifications and contract documents.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Purchasing Manager for a listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 98-587. Filed for public inspection April 10, 1998, 9:00 a.m.]

\_\_\_\_\_

#### **Retention of a Developer; Reference No. 146-112**

The Turnpike Commission (Commission) will consider entering into a long-term (maximum of 50 years), unsubordinated ground lease of 11± acres in Caernarvon Township, Berks County. The property has frontage on Rt. 10 in Morgantown and on the Pennsylvania Turnpike. It is located across Rt. 10 from the Home Furnishings Outlet Mall and McDonald's Restaurant. The property is currently zoned C-3 (Highway Commercial) and C-2 (Neighborhood Commercial). The Commission will con-

sider proposals from all qualified firms for development of this property.

All interested parties must attend a mandatory meeting scheduled for 11 a.m., May 21, 1998 at the Pennsylvania Turnpike Commission's Eastern Regional Office, located at 251 Flint Hill Road, King of Prussia, PA. The proposals must be received by the Commission at its Harrisburg office by 4 p.m., July 31, 1998.

Firms interested in receiving a copy of the Request for Proposals (RFP) should call Ann Clemens at (717) 986-9685, or send written requests to Ann Clemens, Pennsylvania Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 98-521. Filed for public inspection April 10, 1998, 9:00 a.m.]

\_\_\_\_\_