

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 17, 1998.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-16-98	Southwest National Bank of Pennsylvania Greensburg Westmoreland County <i>To:</i> Southwest Bank Greensburg Westmoreland County	Greensburg	Filed

Application represents conversion from a nationally-chartered banking institution to a State-chartered banking institution.

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-13-98	The First National Bank of Maryland, Baltimore, MD; Dauphin Deposit Bank and Trust Company, Harrisburg, PA; and The York Bank and Trust Company, York, PA Surviving Institution— The First National Bank of Maryland, Baltimore, MD	Baltimore, Maryland	Effective

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-9-98	FirstService Bank Lansdale Montgomery County	Neshaminy Valley Commons 2460 Bristol Road Bensalem Bucks County	Opened
11-10-98	East Penn Bank Emmaus Lehigh County	1251 S. Cedar Crest Blvd. Salisbury Township Lehigh County	Filed
11-12-98	Fulton Bank Lancaster Lancaster County	South York Plaza Pauline Drive York Township York County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-4-98	Abington Savings Bank Jenkintown Montgomery County	<i>To:</i> 1536 Easton Road Horsham Montgomery County <i>From:</i> 1432 Easton Road Warrington Bucks County (Approved/Unopened)	Effective

NOTICES

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-12-98	Community Bank and Trust Company Forest City Susquehanna County	<i>To:</i> 1601 Main Street Dickson City Lackawanna County <i>From:</i> Corner of Main and Lackawanna Avenues Dickson City Lackawanna County (Approved/Unopened)	Approved
11-12-98	Sun Bank Selinsgrove Snyder County	<i>To:</i> 100 Maynard Street Williamsport Lycoming County <i>From:</i> 330 Pine Street Williamsport Lycoming County	Approved
11-12-98	Parkvale Savings Bank Monroeville Allegheny	<i>To:</i> 3520 Forbes Avenue Pittsburgh Allegheny County <i>From:</i> 3530 Forbes Avenue Pittsburgh Allegheny County	Approved
11-12-98	Northern Central Bank Williamsport Lycoming County	<i>To:</i> 193A N. Main Street Mansfield Tioga County <i>From:</i> 1199 S. Main Street Mansfield Tioga County (Approved/Unopened)	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-6-98	The York Bank and Trust Company York York County	1425 N. Sherman St. York York County	Effective

SAVINGS ASSOCIATIONS**Conversions**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
11-16-98	Security Savings Association of Hazleton Hazleton Luzerne County	Hazleton	Approved

Application represents conversion from a State-chartered mutual savings association to a State-chartered stock savings association.

CREDIT UNIONS

No activity.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 98-1946. Filed for public inspection November 27, 1998, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0055964. Sewage, **William and Joy Williams**, 7263 Tohickon Hill Road.

This application is for renewal of an NPDES permit to discharge treated sewage from the Williams Residence STP in Plumstead Township, **Bucks County**. This is an existing discharge to UNT to Tohickon Creek.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 800 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

Other Conditions:

The EPA waiver is in effect.

PA 0050750. Sewage, **United Mobile Homes, Inc.**, 125 Wycoff Road, P. O. Box 335, Eatontown, NJ 07724.

This application is for renewal of an NPDES permit to discharge treated sewage from the Oxford Village Mobile Home Park WWTP in Penn Township, **Chester County**. This is an existing discharge to the East Branch of Big Elk Creek.

The receiving stream is classified for the following uses: high quality trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 47,000 gallons per day are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
Ammonia (as N)	20		40
Total Residual Chlorine (years 1 and 2)	1.0		2.0
(years 3, 4 and 5)	0.5		1.2
Fecal Coliform (5-1 to 9-30)	200 colonies/100 ml as a geometric average		
(10-1 to 4-30)	46,000 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 2.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		

PA 0011746. Industrial waste, **Pennsylvania-American Water Company**, 800 W. Hershey Park Drive, P. O. Box 888, Hershey, PA 17033-0888.

This application is for renewal/flow increase of an NPDES permit to discharge treated process water from a water purification plant in Norristown Borough, **Montgomery County**. This is an existing discharge to the Schuylkill River.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.522 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Total Iron	2.0	4.0	5.0
Total Dissolved Iron	1.0	2.0	2.5
Total Aluminum	4.0	8.0	10.0
Total Manganese	1.0	2.0	2.5
Total Residual Chlorine (Years 1 and 2)	monitor/report		monitor/report
(Years 3, 4 and 5)	0.5		1.2
Chloroform	monitor/report		
Chlorodibromo-methane	monitor/report		
Dichlorobromo-methane	monitor/report		
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0012190. Industrial waste, **Meuller Streamlined Company**, 287 Wissahickon Avenue, North Wales, PA 19454.

This application is for renewal of an NPDES permit to discharge cooling water and stormwater from Precision Tube Company, Inc. in Upper Gwynedd Township, **Montgomery County**. This is an existing discharge to the Wissahickon Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 002, based on an average flow of .01775 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
CBOD ₅	monitor/report		
COD	monitor/report		
Oil and Grease	monitor/report		
Total Suspended Solids	monitor/report		
Total Kjeldahl Nitrogen	monitor/report		
Total Phosphorous	monitor/report		
Effluent Guideline Pollutants	monitor/report		
Dissolved Iron	monitor/report		
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0052205. Sewage, **John J. Murphy, Jr.**, 89 Chestnut Valley Drive, Doylestown, PA 18901.

This application is for renewal of an NPDES permit to discharge treated sewage from a single residence sewage treatment plant in Doylestown Borough, **Bucks County**. This is an existing discharge to an unnamed tributary to Cooks Run.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Total Residual Chlorine	monitor/report	
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0052906. Industrial waste, **Montenay Montgomery Limited Partnership**, 1155 Conshohocken Road, Conshohocken, PA 19428.

This application is for renewal of an NPDES permit to discharge stormwater from a resource recovery facility in Plymouth Township, **Montgomery County**. This is an existing discharge to Plymouth Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on the average flow of a stormwater event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
COD	monitor/report	monitor/report
Total Dissolved Solids	monitor/report	monitor/report
Oil and Grease	monitor/report	monitor/report
Total Barium	monitor/report	monitor/report
Total Cadmium	monitor/report	monitor/report
Total Chromium	monitor/report	monitor/report
Total Lead	monitor/report	monitor/report
Total Mercury	monitor/report	monitor/report
Total Magnesium	monitor/report	monitor/report
Dissolved Magnesium	monitor/report	monitor/report
Total Selenium	monitor/report	monitor/report
Total Silver	monitor/report	monitor/report
Ammonia	monitor/report	monitor/report
Total Arsenic	monitor/report	monitor/report
Total Cyanide	monitor/report	monitor/report
Nitrate Plus Nitrite Nitrogen	monitor/report	monitor/report
Dissolved Iron	monitor/report	monitor/report
Total Organic Carbon	monitor/report	monitor/report
pH	within limits of 6.0—9.0 standard units at all times	

Other Conditions:

The EPA waiver is in effect.

PA 0050237. Sewage, **Darlington Woods Homeowners**, 400 Ashley Court, Glen Mills, PA 19342.

This application is for renewal of an NPDES permit to discharge treated sewage from a sewage treatment plant in Chester Heights Borough, **Delaware County**. This is an existing discharge to East Branch of Chester Creek.

The receiving stream is classified for the following uses: stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.15 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	15	30
(11-1 to 4-30)	25	50
Suspended Solids	30	60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Ammonia (as N) (5-1 to 10-31)	13	26
(11-1 to 4-30)	20	40
Total Residual Chlorine (0—2 years)	0.8	2.0
(3—5 years)	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0051934. Sewage, **Limerick Township Municipal Authority**, P. O. Box 29, Royersford, PA 19468.

This application is for renewal of an NPDES permit to discharge treated sewage from sewage treatment plant in Limerick Township, **Montgomery County**. This is an existing discharge to unnamed tributary to Schuylkill River.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1.6 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	2.5		5.0
(11-1 to 4-30)	3.5		7.0
Total Residual Chlorine (0—2 Years)	0.5		1.2
(3—5 Years)	0.01		0.03
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	monitor		
pH	within limits of 6.0—9.0 standard units at all times		
Whole Effluent Toxicity (Ceriodaphnia Dubia)			monitor/report
(Fathead Minnow)			monitor/report
Total Copper	monitor/report		
Hardness	monitor/report		

The proposed effluent limits for Outfall 002 (extended outfall to Schuylkill River), based on an average flow of 1.6 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)	20		40
Total Residual Chlorine	0.5		1.2
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Whole Effluent Toxicity (Ceriodaphnia Dubia)			monitor/report
(Fathead Minnow)			monitor/report

The proposed effluent limits for Stormwater Outfall 003 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			monitor/report
COD			monitor/report
Oil and Grease			monitor/report
pH			monitor/report
Total Suspended Solids			monitor/report
Total Kjeldahl Nitrogen			monitor/report

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Phosphorus			monitor/report
Dissolved Iron			monitor/report

The EPA waiver is not in effect.

PA 0043931. Industrial waste, **Penn Color, Inc.** 2755 Bergey Road, Hatfield, PA 19440.

This application is for renewal of an NPDES permit to discharge cooling water and stormwater from rolling mills, mixers, ball mills and production area of the company, located in Doylestown Borough, **Bucks County**. This is an existing discharge to Pine Run.

The receiving stream is classified for the following uses: trout stocking fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 4,000 gallons per day for noncontact cooling water from roll mills are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 002 based on an average flow of 15,000 gallons per day for noncontact cooling water from Baker Perkins Mixers are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 003, based on an average flow of 23,000 gallons per day for noncontact cooling water from Baker Perkins Mixer and stormwater from roof are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Iron	1.06	2.12	2.65
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 004, based on an average flow of 135,000 gallons per day for noncontact cooling water from ball mills and media mills and stormwater from production area are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

Thermal Requirements.

Authorization to Discharge Stormwater from Outfalls 005, 006, 007, and 009.

PA 0011533. Industrial waste, **Sun Company, Inc. (R&M)** located at 3144 Passyunk Avenue, Philadelphia, PA 19145-5299.

This application is for renewal of an NPDES permit to discharge treated process wastewater, cooling water and stormwater from Girard Point Process area oil refinery industrial wastewater treatment plant in City of Philadelphia, **Philadelphia County**. This is an existing discharge to Schuylkill River Zone 4 of Delaware River Estuary.

The receiving stream is classified for warm water fish (maintenance only), migratory fish (passage only), industrial water supply, wildlife water supply, boating, fishing and navigation.

The proposed effluent limits for Outfall 001 for an emergency overflow from separator No. 4 are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Organic Carbon		110
Oil and Grease		15
pH	within limits of 6.0—9.0 standard units at all times	

The proposed effluent limits for Outfall 002 for an emergency overflow from separator No. 3 of a contaminated stormwater runoff from process area are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Organic Carbon		110
Oil and Grease		15
pH	within limits of 6.0—9.0 standard units at all times	

The proposed effluent limits for Outfall 004 for a noncontact cooling water from Elliott and Scaiffee air compressor surface condensers are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Organic Carbon (net)		5.0
Temperature		110°F
pH	within limits of 6.0—9.0 standard units at all times	

The proposed effluent limits for Outfall 009 for an emergency overflow of process wastewater from separator No. 2B are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅	21	42	53
Total Suspended Solids	22	34	55
Chemical Oxygen Demand	192	370	480
Oil and Grease	8	15	20
Ammonia Nitrogen	15	33	38
Sulfide	0.14	0.32	0.35
Total Chromium	0.15	0.44	0.44
Hexavalent Chromium	0.01	0.03	0.03
Phenolic Compounds	0.13	0.37	0.37
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 011 for once through cooling water from Bluebird air compressor surface condenser by separator No. 2A are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Organic Carbon (net)		5.0
Temperature		110°F
pH	within limits of 6.0—9.0 standard units at all times	

The proposed effluent limits for Outfall 014 for an overflow from separator No. 8 are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Organic Carbon		110
Oil and Grease		15
pH	within limits of 6.0—9.0 standard units at all times	

The proposed effluent limits for Outfall 015, based on an average flow of 7.3 mgd from industrial wastewater treatment plant are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅	21	42	53
Total Suspended Solids	22	34	55
Chemical Oxygen Demand	192	370	480
Oil and Grease	8	15	20
Ammonia Nitrogen	15	33	38
Sulfide	0.14	0.32	0.35
Total Chromium	0.15	0.44	0.44
Hexavalent Chromium	0.01	0.03	0.03
Phenolic Compounds	0.13	0.37	0.37
Free Cyanide	monitor	monitor	
CBOD ₂₀		2,170 lbs per day	
BOD ₅ Removal		89.25%	
Fluoride	7.2		18
Total Aluminum	monitor	monitor	
Total Residual Oxidants		0.2	0.5
Total Zinc	monitor	monitor	
Phosphorus as PO ₄		monitor	
pH	within limits of 6.0—9.0 standard units at all times		
Total Copper	monitor	monitor	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Lead	monitor	monitor	
1,2-Dichloroethane	monitor	monitor	
Trichloroethylene	monitor	monitor	
Tetrachloroethylene	monitor	monitor	
Chronic Toxicity (TUc)		monitor	

Other Conditions:

- Conditions for future permit modification.
- Continuous operation of sand filter unit.
- 89.25% reduction of BOD₅ per DRBC requirements.
- Thermal Requirements.
- Authorization to discharge stormwater at Outfalls 005, 010 and 012 from roof drainage system.
- Credits for stormwater runoff, intake service water, ballast water and intake filtered water.
- Use of certain chemical additives.
- Requirements for contaminated stormwater runoff.
- Special Test Methods for certain pollutants.
- The EPA waiver is not in effect.

PA 0046868. Sewage, **Lower Moreland Township Authority**, 640 Red Lion Road, Huntingdon Valley, PA 19006-6234.

This application is for renewal of an NPDES permit to discharge treated sewage from the Chapel Hill Wastewater Treatment Plant in Lower Moreland Township, **Montgomery County**. This is an existing discharge to an unnamed tributary to Southampton Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.22 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	10	15	20
(11-1 to 4-30)	20	30	40
Suspended Solids	10	15	20
Ammonia (as N)			
(5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18.0
Total Residual Chlorine			
(years 1 and 2)	1.0		2.0
(years 3, 4 and 5)	0.08		0.25
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 001, based on an average flow of 0.22 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Copper			
(years 1, 2 and 3)	monitor/report	monitor/report	
(years 4 and 5)	0.021	0.042	0.053
Dissolved Copper	monitor/report	monitor/report	
Total Zinc	monitor/report	monitor/report	
Dissolved Zinc	monitor/report	monitor/report	
Dichlorobromomethane	monitor/report	monitor/report	
Hardness as CaCO ₃	monitor/report	monitor/report	

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2553.

PA 0061417. Industrial waste, SIC: 4911, **Northeastern Power Company**, P. O. Box 7, McAdoo, PA 18237-0007.

This proposed action is for renewal of an NPDES permit to discharge treated process wastewater and stormwater into Little Schuylkill River in Kline Township, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Pottstown Water Authority located on the Schuylkill River.

Outfall 001—Stormwater and Plant Washdown—Flow 0.005 mgd

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30.0	100.0	
Oil and Grease	15.0	20.0	30.0
pH	6.0 to 9.9 standard units at all times		

Outfall 002—Ash Water Storage Tank Emergency Outflow

<i>Parameter</i>	<i>Monthly Average</i>
Total Residual Chlorine	monitor and report
Total Suspended Solids	monitor and report
Oil and Grease	monitor and report
Total Copper	monitor and report
Total Lead	monitor and report
Total Chromium	monitor and report
Total Zinc	monitor and report
Total Aluminum	monitor and report
Total Iron	monitor and report
Total Manganese	monitor and report
pH	monitor and report

Outfall 003—Greenhouse Washdown—0.005 mgd

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15.0		30.0
pH	6.0 to 9.9 standard units at all times		
Pesticides	monitor and report		

The EPA waiver is in effect.

Outfall 002 is an emergency overflow from the ash water storage tank. The water in this tank is used for ash conditioning. Make-up water is from cooling tower blowdown, boiler blowdown and backwash water from the demineralizer treatment plant. Overflows from this tank are infrequent, occurring only under abnormal plant conditions. In the event of an overflow, monitoring is required for those parameters which are expected to be present in this type of wastewater.

Outfall 003 contains tray, bench and general washdown water from the greenhouse operation. The approximate flow is normally 500 gpd, but increases to 5,000 gpd during bulb potting operations. BEJ based limits for oil and grease and pH for this outfall are as follows:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15.0	30.0
pH	6.0 to 9.0 standard units at all times	

Monitoring is required to verify the presence of or concentrations of pesticides at Outfall 003.

PA 0029432. Sewerage, **Clarks Summit State Hospital**, 1451 Hillside Drive, Clarks Summit, PA 18411.

This proposed action is for renewal issuance amendment of an NPDES permit to discharge treated sewage into Falls Creek in Newton Township, **Lackawanna County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is PP&L Electric Station on North Branch of Susquehanna.

The proposed effluent limits for Outfall 001, based on a design flow of .6 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	.5	1
(11-1 to 4-30)	1.5	3
Dissolved Oxygen	a minimum of 6 mg/l at all times	

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine (1st Month—36th Month) (37th Month—Expiration)	monitor and report .02	monitor and report .04

The EPA waiver is in effect.

PA 0061476. Sewerage, **Edgewood Mobile Home Park**, R. R. 1, Box 313, Carbondale, PA 18407.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into unnamed tributary of Ackerly Creek in Glenburn Township, **Lackawanna County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Authority on North Branch of Susquehanna River.

The proposed effluent limits for Outfall 001, based on a design flow of .02 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N (5-1 to 10-31) (11-1 to 4-30)	4 12	8 24
Dissolved Oxygen	a minimum of 6 mg/l at all times	
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine (1st Month—36th Month) (37th Month—Expiration)	monitor and report .25	monitor and report .59

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0083747. Industrial waste, SIC: 2421, **Weaber, Inc.**, Route 241 South, R. D. 4, Box 1255, Lebanon, PA 17042.

This application is for issuance of an NPDES permit for an existing discharge of treated sanitary waste and stormwater to Gingrich Run, in South Annville Township, **Lebanon County**.

The receiving stream is classified for trout stocking, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was American Water Works located in South Hanover Township, Lebanon County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.015 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		6.0 to 9.0 at all times	
Dissolved Oxygen		5.0 at all times	
Total Residual Chlorine (Interim) (Final)	monitor and report <0.1	XXX XXX	XXX <0.2
Total Suspended Solids	30.0	XXX	60.0
CBOD ₅	25.0	XXX	50.0
NH ₃ -N (5-1 to 10-31) (11-1 to 4-30)	1.5 4.5	XXX XXX	3.0 9.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200.0 2,000.0	XXX XXX	XXX XXX

The proposed effluent limits for Stormwater Outfalls 002, 003, 004 and 005 are:

Parameter

Flow	monitor and report
pH	monitor and report
Dissolved Oxygen	monitor and report
CBOD ₅	monitor and report
Chemical Oxygen Demand	monitor and report
Total Suspended Solids	monitor and report
Total Lead	monitor and report
Total Zinc	monitor and report
Total Aluminum	monitor and report
Total Arsenic	monitor and report
Total Boron	monitor and report
Total Iron	monitor and report
Total Manganese	monitor and report
Total Beryllium	monitor and report
Total Copper	monitor and report

Northcentral Region: Environmental Program Manager; Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3670.

PA 0209732. Sewerage, SIC: 4952, **Mary Graham**, R. D. 1, Box 529 A, Woodland, PA 16881.

This proposed action is for issuance of an NPDES permit for a new discharge of treated sewage wastewater to Unnamed Tributary of West Branch Susquehanna River in Bradford Township, **Clearfield County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0008 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10		20
TSS	20		40
Total Cl ₂ Residual	report		report
Fecal Coliforms (5-1 to 9-30)		200 col/100 ml as a geometric mean	
(10-1 to 4-30)		200 col/100 ml as a geometric mean	
pH		6.0 to 9.0 at all times	

The EPA waiver is in effect.

PA 0041131. Sewerage, SIC: 4952, **Columbia Montour Vocational Technical School**, 5050 Sweppenheiser Drive, Bloomsburg, PA 17815-8920.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of Susquehanna River (locally known as Campbell's Run) in South Centre Township, **Columbia County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Municipal Authority located at Danville.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0198 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Ammonia-N (5-1 to 10-31)	3		6
(11-1 to 4-30)	5		10
Total Cl ₂ Residual	1.0		2.3
Fecal Coliforms (5-1 to 9-30)		200 col/100 ml as a geometric mean	
(10-1 to 4-30)		2,000 col/100 ml as a geometric mean	
pH		6.0 to 9.0 at all times	

The EPA waiver is in effect.

PA 0035777. Sewerage and Industrial waste, SIC: 4952, **Hoeganaes Corp.**, 1001 Taylors Lane, Cinnaminson, NJ 08077.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater and noncontact cooling water to an unnamed tributary of Muddy Run in Delaware Township, **Northumberland County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

Outfall 001 Sewage

The proposed effluent limits, based on a design flow of 0.011 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Ammonia-N			
(5-1 to 10-31)	20		40
(11-1 to 4-30)	no limit		no limit
Oil and Grease	15		30
Total Cl ₂ Residual	1.0		2.3
Fecal Coliforms			
(5-1 to 9-30)		200 col/100 ml as a geometric mean	
(10-1 to 4-30)		2,000 col/100 ml as a geometric mean	
pH		6.0 to 9.0 at all times	

Outfall 002 Noncontact Cooling Water

The proposed effluent limits, based on a design flow of 0.0085 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lb/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
TSS	report				
Temperature		100°F			
Oil and Grease	15		30		
pH	6.0—9.0 at all times				

The EPA waiver is in effect.

PA 0110680. SIC: 2434, **Wood-Mode, Inc.**, One Second Street, Kreamer, PA 17833.

This proposed action is for renewal of an NPDES permit for discharge of treated industrial waste to Middle Creek in Middlecreek Township, **Snyder County**.

The receiving stream is classified for the following uses: trout stocked fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Dauphin Consolidated Water Company located approximately 42 miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0138 mgd, are:

<i>Specific Substance</i>	<i>Monthly Average</i>	<i>Instantaneous Maximum</i>
TSS	30	60
pH	6.0—9.0 su at all times	

Special conditions include monitoring for chemical additives.

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

This application is for renewal of an NPDES permit to discharge treated sewage from the Raccoon Creek Wastewater Treatment Plant in Smith Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Raccoon Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough W.A. located on the Ohio River.

Outfall 001: new discharge, design flow of 0.8 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(6-1 to 10-31)	3	4.5		6
(11-1 to 5-31)	7	10.5		14
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
pH	not less than 6.0 nor greater than 9.0			

Other Conditions:

The EPA waiver is in effect.

PA 0092223. Industrial waste, SIC: 2822 and 2821, **BASF Corporation**, 370 Frankfort Road, Monaca, PA 15061.

This application is for renewal of an NPDES permit to discharge treated process water, sewage, untreated cooling water and stormwater from BASF in Potter Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Midland Borough Water Authority, located on the Ohio River, ~6.6 miles below the discharge point.

Outfall 101: existing discharge, proposed flow of 0.066 mgd (2002—Basoplast Production) total discharge proposed flow of 0.133 mgd (2002)

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Acenaphthene	0.012	0.0325	0.022	0.059	
Acrylonitrile	0.053	0.132	0.096	0.242	
Benzene	0.021	0.076	0.037	0.0136	
Carbon Tetrachloride	0.01	0.021	0.018	0.038	
Chlorobenzene	0.008	0.015	0.015	0.028	
1,2,4 Trichlorobenzene	0.037	0.077	0.068	0.140	
Hexachlorobenzene	0.008	0.015	0.015	0.028	
1,2 Dichloroethane	0.037	0.116	0.068	0.211	
1,1,1 Trichloroethane	0.011	0.029	0.021	0.054	
Hexachloroethane	0.011	0.029	0.021	0.054	
1,1 Dichloroethane	0.012	0.032	0.022	0.059	
1,1,2 Trichloroethane	0.011	0.029	0.021	0.054	
Chloroethane	0.058	0.148	0.104	0.268	
Chloroform	0.011	0.025	0.021	0.046	
2 Chlorophenol	0.018	0.055	0.031	0.098	
1,2 Dichlorobenzene	0.042	0.09	0.077	0.163	
1,3 Dichlorobenzene	0.018	0.024	0.031	0.044	
1,4 Dichlorobenzene	0.008	0.015	0.015	0.028	
1,1 Dichloroethylene	0.008	0.014	0.016	0.025	
1,2 Trans Dichloroethylene	0.011	0.029	0.021	0.054	
2,4 Dichlorophenol	0.021	0.061	0.039	0.112	
1,2 Dichloropropane	0.084	0.127	0.153	0.23	
1,3 Dichloropropylene	0.016	0.024	0.029	0.44	
2,4 Dimethylphenol	0.01	0.02	0.018	0.36	
2,4 Dinitrotoluene	0.063	0.156	0.113	0.285	
2,6 Dinitrotoluene	0.145	0.35	0.255	0.641	
Ethyl benzene	0.018	0.06	0.032	0.11	
Fluoranthene	0.014	0.037	0.025	0.068	
Methylene chloride	0.023	0.048	0.040	0.089	
Methyl chloride	0.048	0.096	0.086	0.19	
Hexachlorobutadiene	0.011	0.027	0.020	0.049	
Naphthalene	0.013	0.032	0.022	0.059	
Nitrobenzene	0.014	0.037	0.027	0.068	
2 Nitrophenol	0.023	0.037	0.041	0.068	
4 Nitrophenol	0.04	0.068	0.072	0.124	
2,4 Dinitrophenol	0.04	0.068	0.071	0.123	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
4,6 Dinitro-o-cresol	0.043	0.153	0.078	0.272	
Phenol	0.008	0.014	0.15	0.026	
Bis(2 ethylhexyl) phthalate	0.056	0.153	0.103	0.279	
Di-n-butyl phthalate	0.014	0.031	0.027	0.057	
Diethyl phthalate	0.045	0.111	0.081	0.203	
Dimethyl phthalate	0.01	0.025	0.019	0.047	
Benzo(a)anthracene	0.013	0.032	0.022	0.059	
Benzo(a)pyrene	0.013	0.034	0.023	0.061	
3,4 Benzofluoranthene	0.013	0.034	0.023	0.061	
Benzo(k)fluoranthene	0.013	0.032	0.022	0.059	
Chrysene	0.013	0.032	0.022	0.059	
Acenaphthylene	0.013	0.032	0.022	0.059	
Anthracene	0.013	0.032	0.022	0.059	
Fluorene	0.013	0.032	0.022	0.059	
Phenanthrene	0.013	0.032	0.022	0.059	
Pyrene	0.013	0.032	0.025	0.067	
Tetrachloroethylene	0.013	0.031	0.022	0.056	
Toluene	0.014	0.043	0.026	0.080	
Trichloroethylene	0.011	0.029	0.021	0.054	
Vinyl Chloride	0.058	0.148	0.104	0.268	
Total Chromium	0.612	1.52	1.11	2.77	
Total Copper (WQ)			0.6	1.2	
Total Cyanide	0.23	0.66	0.42	1.20	
Total Lead	0.18	0.37	0.32	0.69	
Total Nickel	0.93	2.19	1.69	3.98	
Total Zinc	0.58	1.43	1.05	2.61	
BOD ₅	115	195	24	64	
TSS	225	377	40	130	
COD	2,584	3,861	624	1,660	
Oil and Grease	102	160	15	30	
Benzidine*(WQ)			0.003	0.06	
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge, design flow of 3.61 mgd*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)**					
January 1—31	110				
February 1—29	67.8				
March 1—August 31	70.5				
September 1—15	110				
September 16—30	108.9				
October 1—15	102.9				
October 16—31	97.1				
November 1—15	97.1				
November 16—30	85.8				
December 1—31	72.3				
pH	62.9				
	not less than 6.0 nor greater than 9.0				

*Highest flow projected during the life of the permit cycle. Permittee is proposing recycle option which may reduce the flows to ~0.72 mgd.

**Limits apply only after the installation of cooling towers by June 1, 2000.

Outfall 002—004: new discharge, design flow of n/a mgd—Stormwater

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease	monitor and report				
TSS	monitor and report				
Zinc	monitor and report				
Fecal Coliform	monitor and report				

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Mercury					monitor and report
pH	not less than 6.0 nor greater than 9.0				

Outfall 201: existing discharge, design flow of 0.007 mgd

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
CBOD ₅			25	50	
TSS			30	60	
Fecal Coliform					
(5-1 to 9-30)					200/100 ml (as a geometric mean)
(10-1 to 4-30)					2,000/100 ml (as a geometric mean)
Total Residual Chlorine			1.4	3.5	
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is not in effect.

PA 0030856. Sewage, **Western Beaver County School District**, 343 Ridgemont Drive, Midland, PA 15059.

This application is for renewal of an NPDES permit to discharge treated sewage from the Western Beaver Jr./Sr. High School STP in Industry Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as swale to unnamed tributary of Wolf Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is Midland Borough Municipal Authority, located on the Ohio River.

Outfall 001: existing discharge, design flow of 0.032 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.1			4.2
(11-1 to 4-30)	4.4			8.8
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)			monitor and report	
(37th month—expiration)	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0033341. Sewage, **Robert McKool**, 1115 Pine Crest Boulevard, Johnstown, PA 15905.

This application is for renewal of an NPDES permit to discharge treated sewage from Pine Crest Estates Mobile Home Park Sewage Treatment Plant in Conemaugh Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as tributary of Stony Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Water Works.

Outfall 001: existing discharge, design flow of .022 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen	15			30
Phosphorus	monitor and report			

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month) (37th month—expiration)	monitor and report 1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

Outfall 101: existing discharge, design flow of .022 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen		monitor and report		
Phosphorus		monitor and report		
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 3 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0205931. Sewage, **Menallen Township Sewer Authority**, P. O. Box 576, New Salem, PA 15468.

This application is for issuance of an NPDES permit to discharge treated sewage from the Upper Menallen Township Sewer Authority in Menallen Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Redstone Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Newell Municipal Authority.

Outfall 001: existing discharge, design flow of 0.099 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 7,500/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month) (37th month—expiration)	monitor and report 1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

PA 0210820. Sewage, **Michael P. and Cheryl L. Nass**, 2670 Old State Road, Waterford, PA 16441.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Little Conneauttee Creek in Waterford Township, **Erie County**. This is an existing discharge.

The receiving water is classified for cold water fishery, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Franklin Water Department, located at Franklin on the Allegheny River, approximately 53 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on an average design flow of 0.0004 mgd, are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Total Residual Chlorine	1.4	3.3
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	2,000/100 ml as a geometric average	
(10-1 to 4-30)	6.0 to 9.0 standard units at all times	
pH		

The EPA waiver is in effect.

PA 0221031. Sewage. **Daniel E. Long**, 1499 Mercer-New Wilmington Road, New Wilmington, PA 16142.

This application is for renewal of an NPDES permit, to discharge treated sewage to an Unnamed Tributary of Little Neshannock Creek in East Lackawannock Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of the Township of North Sewickley on the Beaver River located at river mile 7.56 miles, which is 30 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of 0.0004 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	
TSS	20	40
Fecal Coliform	200/100 ml as a geometric average	
Total Residual Chlorine	1.5	3.5
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin*, at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0063282	Fairland Sewer Co. 5426 Route 873 Schnecksville, PA 18078	Lehigh North Whitehall Twp.	CWF	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Industrial waste and sewerage applications under
The Clean Streams Law (35 P. S. §§ 691.1—
691.1001).**

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 4698440. Sewerage. **Limerick Township Municipal Authority**, 529 King Road, P. O. Box 29, Royersford, PA 19468. This project is for the construction and operation of a 12" diameter sanitary sewer on Township Line Road located in Limerick Township, **Montgomery County**.

WQM Permit No. 1598422. Sewerage. **Valley Forge Sewer Authority**, 333 Pawling Road, Phoenixville, PA 19460. This project is for the construction and operation to replace the existing Perkiomen Pump Station located in Schuylkill Township, **Chester County**.

WQM Permit No. 0998422. Sewerage. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. This project is for the construction and operation of a 310,000 gallon equalization tank at the headworks of the Harvey Avenue WWTP located in Doylestown Borough, **Bucks County**.

WQM Permit No. 1598423. Sewerage. **East Vincent Municipal Authority**, 262 Ridge Road, Spring City, PA 19475. This project is for the construction and operation of a dechlorination system and modifications to the existing chlorination system located in East Vincent Township, **Chester County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

A. 4598407. Sewerage. **Penn Estates Utilities, Inc.**, 503 Hallet Road, East Stroudsburg, PA 18301. Application to upgrade existing sewage treatment plant, located in Stroud Township, **Monroe County**. Application received in the Regional Office—November 10, 1998.

A. 5298404. Sewerage. **Delaware Valley School District**, 236 Routes 6 and 209, Milford, PA 18337. Application to modify existing sewage treatment plant, located in Dingman Township, **Pike County**. Application received in Regional Office—November 10, 1998.

A. 5498403. Sewerage. **Rush Township Sewer Authority**, R. D. 1, Box 1389B, Tamaqua, PA 18252. Application for sanitary sewer improvements, located in Rush Township, **Schuylkill County**. Received in the Regional Office—November 12, 1998.

Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707.

Persons who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.

A. 0771402, Amendment 98-1. Sewage, submitted by **Borough of Tyrone**, 1100 Logan Avenue, Tyrone, PA 16686 in Snyder Township, **Blair County** to construct and upgrade to their existing wastewater treatment plant was received in the Southcentral Region on November 6, 1998.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 6398407. Sewerage. **Keith Thurner**, 21 Saw Mill Road, Finleyville, PA 15332. Application for the construction and operation of a small flow sewage treatment plant to serve the Thurner residence located in Nottingham Township, **Washington County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 3796201, Amendment No. 1. Industrial waste. **Farmers Dairy Foods, Inc.**, R. R. 1, Box 111B, New Wilmington, PA 16142. This project is for the modification of an existing treatment facility by the addition of a solid liquid separator downstream of the anaerobic treatment units in Wilmington Township, **Lawrence County**.

**INDIVIDUAL PERMITS
(PAS)**

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit PAS10-G349. Stormwater. **Bat-tenkill Properties**, 322 Kennett Pike, P. O. Box 895, Mendenhall, PA 19357, has applied to discharge stormwater from a construction activity located in Wallace and West Brandywine Townships, **Chester County**, to Indian Run.

NPDES Permit PAS10-G350. Stormwater. **Bruce Vanderhoef**, 341 Fremont Road, Nottingham, PA 19362, has applied to discharge stormwater from a construction activity located in Lower Oxford Township, **Chester County**, to East Branch of Big Elk Creek.

NPDES Permit PAS10-T014-R. Stormwater. **Linfield Corporate Center**, 55 County Club Drive, Suite 200, Downingtown, PA 19335, has applied to discharge stormwater from a construction activity located in Limerick Township, **Montgomery County**, to Unnamed Tributary to the Schuylkill River.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 657-4707.

Franklin County Conservation District, District Manager, 550 Cleveland Avenue, Chambersburg, PA 17201, (717) 264-1720.

NPDES Permit PAS-10-M102. Stormwater. **Pennsylvania Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676, has applied to discharge stormwater from a construction activity located in Fannett, Metal and Lurgan Townships, **Franklin County**, to West Branch Conococheague Creek.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

NPDES Permit PAS10K022. Stormwater. **Steven C. Rapp**, 8050 Hamot Road, Erie, PA 16509, has applied to

discharge stormwater from a construction activity located in Millcreek Township, **Erie County**, to Walnut Creek and Thomas Run.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

A. 4698507. Public water supply. **The Klein Company**, 1700 Market Street, Suite 2600, Philadelphia, PA 19103-3861. This proposal involves the construction of a booster pump station and storage tank in Limerick Township, **Montgomery County**.

A. 1598518. Public water supply. **City of Coatesville Authority**, 114 East Lincoln Highway, P. O. Box 791, Coatesville, PA 19320. This proposal involves the installation of a water main extension, a 200,000 gallon storage tank and two pumps in West Caln Township, **Chester County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken PA 19428, (610) 832-5950.

Realen Limited Partner, Inc., Middletown Township, **Delaware County**. Joseph W. Standen, Jr., Leggette, Brashears & Graham, Inc., 426 Brandywine Parkway, West Chester, PA 19380, has submitted a Notice of Intent to Remediate site soil contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the Statewide health standard.

Estate of Claire R. Becker, Plumstead Township, **Bucks County**. Joseph M. Aspinall, ANCO Environmental Services, 35 Russo Place, P. O. Box 188, Berkeley Heights, NJ 07922-0188, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

Murata-Wiedemann Facility (Former), Upper Merion Township, **Montgomery County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the Statewide health and background standards.

Matthew McKenny Residence, Lower Southampton Township, **Bucks County**. Brian R. Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A Final Report was simultaneously submitted.

David Lehequet Residence, Lower Southampton Township, **Bucks County**. Brian R. Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A Final Report was simultaneously submitted.

Penns Park Road Spill Site, Wrightstown Township, **Bucks County**. Steven E. Jakatt, P.G., Kleeman Associates, Inc., 1500 South Delaware Avenue, Suite 200, Philadelphia, PA 19147, has submitted a Notice of Intent to Remediate site soil contaminated with petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Wirth Property (2407 Sycamore Street), Wilson Borough, **Northampton County**. David Crowther, Geologist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 has submitted a Notice of Intent to Remediate (on behalf of his client, Barclay Contracting, Inc., 1040 North Jerome Street, Allentown, PA 18103) concerning the remediation of site soils found to have been contaminated with BTEX (benzene, toluene, ethylbenzene and xylene) compounds and polycyclic aromatic hydrocarbons. The applicant proposes to meet the Statewide human health standard. A Final Report was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Pittsburgh International Airport, Old Terminal, Fuel Farm Area, Moon Township, **Allegheny County**. Allegheny Department of Aviation, Pittsburgh International Airport, Landside Terminal, Suite 400, P. O. Box 12370, Pittsburgh, PA 15231-0370 and Brad D. Cook, Camp, Dresser & McKee, 200 Fleet Street, Pittsburgh, PA 15220 has submitted a Notice of Intent to Remediate soil contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Tribune Review* on September 11, 1998.

Northwest Regional Office: Craig Lobins, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

Fenestra Corporation, 4040 W. 20th Street, Erie, PA, **Erie County**, City of Erie, has submitted a Notice of Intent to Remediate groundwater and soil. The site has been found to be contaminated with solvents and BTEX. The applicant proposes to remediate the site to meet the Statewide health standard and the background standard. The Notice of Intent to Remediate was reported to be published in the *Erie Daily Times* on October 21, 1997.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circula-

tion in the area by the person conducting remediation. For the sites identified, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period a municipality may request that the person identified, as the remediation of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediation of a site. For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

PNC Bank, N. A., City of Philadelphia, **Philadelphia County**. Robert J. Bucola, P.G., RT Environmental Services, Inc., 510 Heron Drive, Suite 306, P. O. Box 521, Bridgeport, NJ 08014, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with solvents and BTEX. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Inquirer* on October 21, 1998.

Metroplex Corporate Center, Plymouth Township, **Montgomery County**. Kimberly L. Ward, Pennoni Associates, Inc., One Drexel Plaza, 3001 Market St., Philadelphia, PA 19104, has submitted a Notice of Intent to Remediate site soil contaminated with asbestos. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Montgomery Life* on October 22, 1998.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

ICI Explosives USA Inc.—Wakefield Property, Walker Township, **Schuylkill County**. Daria L. Killinger, Counsel, ICI Explosives USA Inc., 2452 Horseshoe Trail, Chester Springs, PA 19425 has submitted a Notice of Intent to Remediate (on behalf of her client, ICI Explosives USA Inc., One River Road, Tamaqua, PA 18252) concerning the remediation of site soils and groundwater found to be contaminated with lead and other metals. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lehigh Times-News* on October 9, 1998.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

LTV Steel Company, Inc. Coke Plant, City of Pittsburgh, **Allegheny County**. LTV Steel Company, Inc., 200 Public Square, Cleveland, OH 44114 and Martin C. Knuth, Civil and Environmental Consultants, Inc., 601 Holiday Drive, Foster Plaza 3, Pittsburgh, PA 15220 have submitted a Notice of Intent to Remediate soil and groundwater contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAHs. The applicant

proposes to remediate the site to meet a site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pittsburgh Post Gazette* on October 31, 1998.

SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 400618. The Milton S. Hershey Medical Center, (500 University Drive, Hershey, PA 17033-0850). Application for permit renewal for a pathological and infectious waste incinerator for a site in Derry Township, **Dauphin County**. Application determined to be administratively complete in the Regional Office November 6, 1998.

A. 100739. Western Berks Refuse Authority, (455 Poplar Neck Road, Birdsboro, PA 19508). Application for major modification for Cell 5 expansion and restructuring Cell 4 for a site in Cumru Township, **Berks County**. Application administratively complete in the Regional Office November 6, 1998.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.

A. 300717. Major Permit Modification. Pine Hill Landfill & Reclamation Operation, Pine Hill Inc. (P. O. Box 62, Blossburg, PA 16912-0062). Application for major permit modification of existing residual waste landfill located in Ward Township, **Tioga County**, received in the regional office on October 30, 1998.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or request for informal conferences on applications, may be submitted by any

person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625

Coal Applications Received

56793032. Permit Renewal, **Action Mining, Inc.** (1117 Shaw Mines Road, Meyersdale, PA 15552), commencement, operation and restoration of bituminous strip mine, for reclamation, only in Summit and Brothersvalley Townships, **Somerset County**, affecting 262.9 acres, receiving stream unnamed tributary to Blue Lick Creek; unnamed tributaries to Casselman River; to Blue Lick Creek. Application received November 5, 1998.

32940109. Revision, **KMP Associates** (R. D. 2, Box 194, Avonmore, PA 15618), to conduct surface coal mining, augering and blasting activities. The present 119.6 acre operation is being modified by the addition of 13.5 acres, of which 5.0 are coal acres on the Pittsburgh coal seam, to the surface mine permit for a new total of 133.1 acres. A variance has been requested to conduct support activities within 100 feet of an unnamed tributary to Whisky Run, and also, to modify and upgrade an existing pipe crossing over an unnamed tributary to Whisky Run in Young Township, **Indiana County**, receiving stream unnamed tributary to/and Whisky Run. Application received November 6, 1998.

56930110. Permit Renewal, **Future Industries, Inc.** (P. O. Box 157, Meyersdale, PA 15552), commencement, operation and restoration of bituminous strip mine in

Black Township, **Somerset County**, affecting 129.0 acres, receiving stream unnamed tributaries to Rhoades Creek; Rhoades Creek; unnamed tributary to Isers Run; and unnamed tributary to Casselman River. Application received November 9, 1998.

56753048. Permit Renewal, **Gray Mining Company, Inc.** (1134 Stoystown Road, Friedens, PA 15541), commencement, operation and restoration of bituminous strip mine in Quemahoning and Stonycreek Townships, **Somerset County**, affecting 296.0 acres, receiving stream to Stony Creek. Application received November 6, 1998.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

65840119. **M. B. Energy, Inc.** (P. O. Box 1319, Indiana, PA 15701-1319). Application received to revise permit for a stream relocation and to add 1.1 acres at a bituminous surface mining site located in Derry Township, **Westmoreland County**, currently affecting 630.3 acres. Receiving streams: unnamed tributary of Stony Run and unnamed tributaries of McGee Run to Conemaugh Run. Application received: November 5, 1998.

65950111. **M. B. Energy, Inc.** (P. O. Box 1319, Indiana, PA 15701-1319). Application received to revise permit for a road variance and stream encroachment, and to add 5 acres at a bituminous surface mining site located in Derry Township, **Westmoreland County**, currently affecting 73.8 acres. Receiving streams: unnamed tributary to Saxman Run and unnamed tributary to Miller Run to Loyalhanna Creek to Kiskiminetas River. Application received: November 6, 1998.

03960102. **Walter L. Houser Coal Co., Inc.** (R. R. 9, Box 434, Kittanning, PA 16201). Application received to revise permit for a road variance and to add 22.0 acres to an existing bituminous surface auger mine located in Sugarcreek Township, **Armstrong County**, currently affecting 278.8 acres. Receiving streams: unnamed tributaries of Snyder Run and Snyder Run to the Allegheny River. Application received: November 9, 1998.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17900140. **Junior Coal Contracting, Inc.** (R. D. 3, Box 225-A, Philipsburg, PA 16866), major permit revisions to an existing bituminous surface mine permit which include a change in permit acreage from 60.9 to 63.9 acres, adding 6.7 acres of Lower Freeport coal and 3.0 acres of Upper Kittanning coal and add augering of the Upper Kittanning coal seam, Decatur Township, **Clearfield County**. Receiving streams: unnamed tributary to Laurel Run. Application received October 30, 1998.

17900105. **Southwest Reclamation, Inc.** (P. O. Box 1419, Clearfield, PA 16830), revision to an existing bituminous surface mine permit for a change in permit acreage from 86.4 to 88.6 acres, Huston Township, **Clearfield County**. Receiving streams: Bennett Branch and Horning Run. Application received November 2, 1998.

17910101. **Warquier Coal Company** (P. O. Box 128, Clearfield, PA 16830), revision to add augering to an existing bituminous surface mine permit in Knox Township, **Clearfield County**, affecting 47.1 acres, receiving streams: Carson Run and unnamed tributary of Potts Run. Application received November 5, 1998.

14940101. **Power Operating Co., Inc.** (P. O. Box 25, Osceola Mills, PA 16666), major permit modification to apply biosolids (stabilized sewage sludge) to enhance

vegetation on an existing bituminous surface mine permit in Rush Township, **Centre County**, affecting 522 acres, receiving streams; unnamed tributary to Moshannon Creek. Application received November 9, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33890102. Terry Coal Sales, Inc. (P. O. Box 58, Distant, PA 16223) Renewal of an existing bituminous surface strip and tippel refuse disposal operation in Knox Township, **Jefferson County** affecting 90.0 acres. Receiving streams: Three unnamed tributaries to Sandy Lick Creek. Application for reclamation only. Application received November 9, 1998.

16830113. Colt Resources, Inc. (R. D. 3, Box 48A, Clarion, PA 16214) Renewal of an existing bituminous surface strip and tippel refuse disposal operation in Perry Township, **Clarion County** affecting 112.5 acres. Receiving streams: Two unnamed tributaries to the Clarion River. Application received November 10, 1998.

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

65981701. LTV Steel Co., Inc. (200 Public Square, Cleveland, OH 44114-2308), to operate the Banning AMD Plants in Rostraver Township, **Westmoreland County**, new IW permit, unnamed tributary to Youghiogheny River. Application received October 5, 1998.

56951301. RoxCoal, Inc. (P. O. Box 149, Friedens, PA 15541), to renew the permit for the Agustus Mine in Shade Township, **Somerset County**, to add haulroad to surface site, no additional discharges. Application received October 15, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54910206R. Meadowbrook Coal Co., Inc. (Box 477, Lykens, PA 17048), renewal of an existing coal refuse reprocessing operation in Tremont Township, **Schuylkill County**, affecting 190.0 acres, receiving stream—Stumps Run. Application received November 6, 1998.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Small Industrial Minerals Applications Received

32982801. Penn Run Quarry (R. D. 1, Box 29A, Penn Run, PA 15765), in Cherryhill Township, **Indiana County**, affecting 10 acres, receiving stream unnamed tributaries to Penn Run. Application received November 6, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Applications Received

64730304C. Milestone Materials, Inc. (P. O. Box 231, Easton, PA 18044-0231), correction to an existing quarry operation in Dennison Township, **Luzerne County** affecting 90.0 acres, receiving stream—Wright Creek. Application received November 2, 1998.

67870301C2. York Building Products Co., Inc. (P. O. Box 1708, York, PA 17405-1708), renewal of NPDES Permit No. PA0010235 in West Manchester Township, **York County**, receiving stream—Willis Run. Application received November 5, 1998.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for

water quality certification have been received by the Department of Environmental Protection (Department) Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-598. Encroachment. Mary and Mark Gruber, 688 Strickersville Rd., Landenberg, PA 19350. To excavate within the 100-year floodway of an unnamed tributary to Big Elk Creek (HQ-TSF-MF) to provide storage behind a proposed non-scope dam which will serve as an irrigation pond on a Christmas tree farm. The site is located at 688 Strickersville Road in Landenberg (Newark West, DEL-MD-PA Quadrangle N: 2.4 inches; W: 9.0 inches) in Elk Township, **Chester County**. The application also includes a request for an Environmental Assessment approval concerning the construction of the above referenced non-scope dam.

E46-823. Encroachment. Five Tower Bridge Assoc., 100 Front Street, Suite 900, West Conshohocken, PA 19428. To construct and maintain a ground level parking lot which is partially located in the floodway of the Schuylkill River, associated with construction of Five Tower Office Facility. The work will also include construction of an 18-inch RCP stormwater outlet structure and to remove an abandoned 36-inch by 32-inch storm drain along the bank of the Schuylkill River (WWF-MF). This site is located approximately 300 feet northeast of the intersection of Front Street and William Street (Norristown, PA Quadrangle N: 12.8 inches; W: 8.6 inches) in West Conshohocken Borough, **Montgomery County**.

Northeast Regional Office, Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

EA40-005NE. Encroachment. PA Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, 2 Public Square—5th Floor, Wilkes-Barre, PA 18711-0790. To backfill a 0.88 acre water body contained within an 8.4 acre abandoned strip mine pit in conjunction with Abandoned Mine Reclamation Project OSM 40(2135) 102.1, Lee Park Southwest (Wilkes-Barre, PA West Quadrangle N: 17.25 inches; W: 7.12 inches),

Hanover Township, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E08-341. Encroachment. **Kevin Bozman**, R. R. 4, Box 248, Towanda, PA 18848-8929. To place and maintain fill in 0.06 acre of a palustrine emergent wetland system for the purpose of constructing a road to access a home. The site is located approximately 2.0 miles north of the SR 006/SR 0187 intersection in Wysox on the east side of Lake Hill Road (SR 1029). (Towanda, PA Quadrangle N: 8.9 inches; W: 3.5 inches) in Wysox Township, **Bradford County**.

E19-181. Encroachment. **Pa. Dept. of Transportation**, 715 Jordan Ave., Montoursville, PA 17754. To remove the existing structure and to construct and maintain a single span concrete beam bridge with a 40 foot clear span on a 75 degree skew, with a curb width of 29.6 feet and an average underclearance of 7.2 feet and to construct a temporary stream crossing over Elk Run on SR 4049 approximately 0.25 mile east of the Columbia County boundary line (Elk Grove, PA Quadrangle N: 10.1 inches; W: 4.4 inches) in Sugarloaf Township, **Columbia County**. Estimated stream disturbance is 70 feet of waterway with no wetland impact; stream classification is Exceptional Value.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E26-250. Encroachment. **Consolidated Rail Corporation**, Room 12A Two Commerce Square, 2001 Market Street, Philadelphia, PA 19101-1412. To construct and maintain river bank protection for a total length of 1,400 feet at the right bank of the Monongahela River (WWF) located near Masontown and New Geneva for the purpose of stabilizing the railroad embankment (Masontown, PA Quadrangle N: 7.5 inches; W: 4.8 inches) in Nicholson Township, **Fayette County**.

E32-395. Encroachment. **Montgomery Township**, P. O. Box 133, Arcadia, PA 15712. To remove the existing structure and to construct and maintain a low flow roadway crossing consisting of five 48-inch RCP culverts in Cush Creek (CWF, Stocked) for the purpose of providing access to heavy truck traffic. The project is located on T-436 (Brown Road) off of S. R. 879 (Burnside, PA Quadrangle N: 10.9 inches; W: 12.3 inches) in Montgomery Township, **Indiana County**.

E65-713. Encroachment. **Helen Newhouse**, 5 Sunshine Road, Herminie, PA 15637. To operate and maintain a single span bridge having a normal span of 10.0 feet and an underclearance of 6.3 feet across an unnamed tributary to Little Sewickley Creek (TSF) constructed under the Department's Emergency Permit No. EP6598206. The bridge is located off of Sunshine Road (Irwin, PA Quadrangle N: 2.9 inches; W: 13.0 inches) in Sewickley Township, **Westmoreland County**.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-290. Encroachment. **Butler County**, P. O. Box 1208, Butler, PA 16003-1208. To remove the existing structure (County Bridge No. 63, Studebaker Bridge) and to construct and maintain a steel beam bridge with a single clear span of 23 feet and a maximum underclearance of 6 feet on T-344 (Dickey Road) across Black Run (CWF). The project is located on T-344 (Dickey Road)

across Black Run approximately 1,100 feet southeast of the intersection of T-344 (Dickey Road) and T-890 (West Plank Road) located in the village of Jacksville (Slippery Rock, PA Quadrangle N: 2.9 inches; W: 15.4 inches) located in Worth Township, **Butler County**.

E42-260. Encroachment. **Foster Township**, 1185 East Main Street, Bradford, PA 16701. To remove the existing structure and to construct and maintain a prestressed concrete spread box beam bridge with a single normal span of 11.0 meters and a minimum underclearance of 2.85 meters on T-361 (Totten Hollow Road) across Kendall Creek (WWF). This project will also utilize a temporary roadway with six 1.5 meter diameter culverts and fill across Kendall Creek, and fill placed in 0.1 hectare (de minimis) of wetland. This project is located on T-361 (Totten Hollow Road) across Kendall Creek approximately 200 meters northeast of the intersection of T-361 (Totten Hollow Road) and S. R. 0046 (Derrick City, PA Quadrangle N: 12.3 inches; W: 12.8 inches) located in Foster Township, **McKean County**.

E10-291. Encroachment. **Cranberry Commous Joint Venture L. P.**, Donald Rodgers, 215 Executive Drive, Cranberry Township, PA 16066. To authorize the following:

1. Placement of fill in 3.34 acres of five separate wetlands;

2. Placement of fill within 2,840 linear feet of a tributary to Brush Creek (WWF, contributory drainage area 160 acres); and

3. Placement and maintenance of a 36-inch-diameter by 177-foot-long stream enclosure for a roadway crossing in a tributary to Brush Creek for the development of a retail shopping complex.

This project is located north of S. R. 0228 approximately 0.85 mile east of the intersection of S. R. 0228 and S. R. 0019 in Cranberry Township. In addition, this project will include:

1. The creation of 3.6 acres of replacement wetlands in two separate locations. A 0.7 acre replacement area will be constructed at the outlet to Stormwater Basin No. 2, and a 2.9 acre replacement area will be constructed within Stormwater Basin No. 1; and

2. The creation of 2,640 linear feet of replacement stream channel. (Mars, PA Quadrangle N: 14.5 inches, W: 13.5 inches) located in Cranberry Township, **Butler County**.

E16-107. Encroachment. **Waterfront Boatworks**, P. O. Box 472, East Brady, PA 16028. To construct and maintain a 20-inch-diameter outfall pipe and associated fill and riprap outlet protection along the left bank of the Allegheny River at River Mile 69.1 as an extension of an existing stormwater outfall pipe and erosion protection at the Waterfront Boatworks facility along S. R. 0068 (East Brady, PA Quadrangle N: 20.3 inches; W: 16.3 inches) located in East Brady Borough, **Clarion County**.

E37-124. Encroachment. **Lawrence County Commissioners**, Lawrence County Government Center, 430 Court Street, New Castle, PA 16101. To rehabilitate and maintain the Banks Covered Bridge having a span of 122 feet and an underclearance of 16 feet across Neshannock Creek on T-476 (Covered Bridge Road) approximately 1,100 feet north of S. R. 0956 (New Castle North, PA Quadrangle N: 16.6 inches; W: 5.2 inches) located in Wilmington Township, **Lawrence County**.

ENVIRONMENTAL ASSESSMENT

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

EA15-004SE. Environmental Assessment. **Majesty Properties, Inc.**, 227 William Penn Blvd., West Chester, PA 19380. To construct, operate and maintain an on-stream non-jurisdictional dam to provide stormwater management and roadway access at the Locksley Glen Subdivision. The dam will impact approximately 0.28 acre of wetland (PFO). This dam is located across an unnamed tributary to Tweed Creek (TSF) at a point 2,100 feet southwest from the intersection of Wedgewood Rd. and Locust St. (Oxford, PA Quadrangle N: 4.2 inches; W: 16.95 inches) in East Nottingham Township, **Chester County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Market Street State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

Permits Issued

WQM Permit No. 0998411. Sewerage, **James M. Mini**, 1422 Hilltown Pike, Hilltown, PA 18927. This project is for the construction and operation of a small

flow treatment facility located in Hilltown Township, **Bucks County**.

WQM Permit No. 2398408. Sewerage. **Brandywine Operating Partnership**, 1622 Campus Boulevard, Suite 150, Newtown Square, PA 19073. This project is for the construction and operation of Newtown Square Corporate Center STP located in Newtown Township, **Delaware County**.

WQM Permit No. 2398406. Sewerage. **Upper Providence Township Sewer Authority**, 935 N. Providence Road, Media, PA 19063. This project is for the construction and operation of forcemains and pump stations which will replace an existing Braves Trail pump station located in Upper Providence Township, **Delaware County**.

NPDES Permit No. PA0024422. Sewage. **Lower Salford Township Authority**, P. O. Box 243, Harleysville, PA 19483 is authorized to discharge from a facility located at Lower Salford-Harleysville STP located in Lower Salford Township, **Montgomery County** to the receiving waters named unnamed tributary to Indian Creek.

NPDES Permit No. PA0052221. Industrial waste. **PECO Energy Company**, 2301 Market Street S21-2, Philadelphia, PA 19101-8699 is authorized to discharge from a facility located at Bradshaw Reservoir located in Bedminster Township, **Bucks County** to receiving waters named East Branch of Perkiomen Creek.

NPDES Permit No. PA0039004. Sewage. **Upper Gwynedd—Towamencin Municipal Authority**, 2225 Kriebel Road, Lansdale, PA 19446 is authorized to discharge from a facility located at Upper Gwynedd—Towamencin Municipal Authority STP located in Towamencin Township, **Montgomery County** to receiving waters named Towamencin Creek.

NPDES Permit No. PA0011002. Industrial waste. **American Inks and Coatings Corporation**, P. O. Box 803 Valley Forge, PA 19428 is authorized to discharge from a facility located at American Inks and Coating Corporation—NCCW and SWRO located in Schuylkill Township, **Chester County** to receiving waters named Schuylkill River.

NPDES Permit No. PA0012572. Industrial waste. **Jefferson Smurfit Corporation (U. S.)** 5000 Flat Rock Road, Philadelphia, PA 19127 is authorized to discharge from a facility located at Jefferson Smurfit Corporation (US) located in the City of Philadelphia to receiving waters named Schuylkill River.

NPDES Permit No. PA0011631. Amendment No. 1 Industrial waste. **PECO Energy Company**, 2301 Market Street, S21-2, Philadelphia, PA 19101-8699 is authorized to discharge from a facility at Cromby Generating Station located in East Pikeland Township, **Chester County** into Schuylkill River and Outfall 007 to Stony Run.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

NPDES Permit No. PA-0063835. Industrial waste. **Richard Burroughs**, Burroughs Fuels, Inc., 1450 North 5th Street, Stroudsburg, PA 18360 is authorized to discharge from a facility located in Kidder Township, to Mud Run.

NPDES Permit No. PA-0061085. Sewerage. **Glenburn Service Company**, P. O. Box O, Clarks Summit, PA 18411 is authorized to discharge from a facility located in Glenburn Township, **Lackawanna County**, to Ackerly Creek

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

NPDES Permit No. PA0221058. Sewerage. **Kirk D. Hummer**, R. R. 1, Box 21, Grand Valley, PA 16420 is authorized to discharge from a facility located in Eldred Township, **Warren County** to an Unnamed Tributary of Caldwell Creek.

NPDES Permit No. PA0220981. Sewerage. **Darrell L. Kysor (Kysor & Swarm)**, P. O. Box 34, Corry, PA 16407 is authorized to discharge from a facility located in Elgin Borough, **Erie County** to Beaver Run.

NPDES Permit No. PA0222593. Sewerage. **William C. Hickman**, 104 Atlantic Avenue, Elizabeth, PA 15037 is authorized to discharge from a facility located in North East Township, **Erie County** to an unnamed tributary to Sixteen Mile Creek.

NPDES Permit No. PA0222674. Sewerage. **McKean Township Sewer Authority**, P. O. Box 88, McKean, PA 16426-0088 is authorized to discharge from a facility located in McKean and Fairview Townships, **Erie County** to Elk Creek.

NPDES Permit No. PA0040517. Sewerage. **Idyll Whyte Village Mobile Home Park**, 400 Skyline Drive, McKean, PA 16426 is authorized to discharge from a facility located in McKean Township, **Erie County** to Elk Creek.

NPDES Permit No. PA0222585. Sewerage. **Brokenstraw Valley Area Authority**, Box 155, Youngsville, PA 16371 is authorized to discharge from a facility located in Pleasant Township, **Warren County** to the Allegheny River.

WQM Permit No. 6298413. Sewerage, **Roger E. Chelton, SRSTP**, R. R. 1, Box 17, Bear Lake, PA 16402-9609. Construction of Roger E. Chelton SRSTP located in Freehold Township, **Warren County**.

WQM Permit No. 2598412. Sewerage. **Timothy D. Klein, SRSTP**, 1201 Sirak Dr., Fairview, PA 16415-1407. Construction of Timothy D. Klein SRSTP located in LeBouef Township, **Erie County**.

INDIVIDUAL PERMITS (PAR)

Approvals to Use NPDES and/or Other General Permits

The following parties have submitted Notice of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices, and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specific General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements, and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or other General Permit Type

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater From Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contract Site or a Land Reclamation Site
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site.

*General Permit Type—PAG-2**Facility Location
County and
Municipality**Permit No.**Applicant Name
and Address**Receiving Stream
or Body of Water**Contact Office and
Telephone No.*Erie County,
Washington Township

PAR10K117

13041 Capp Road, Box 1
Edinboro, PA 16412Unnamed
Tributary to
Conneautee CreekErie Conservation
District
12723 Route 19
P. O. Box 801
Waterford, PA 16441
(814) 796-4203Clarion County,
Porter and Limestone
Townships

PAR101520

Bureau of Abandoned Mine
Reclamation
Div. of Acid Mine Drainage
Abatement
P. O. Box 8476
Harrisburg, PA 17105-8476Unnamed
Tributary to
Leatherwood CreekDEP, Northwest Region
Water Mgt. Program
Manager, 230 Chestnut
St.
Meadville, PA
16335-3481
(814) 332-6942Allegheny County
Moon Township

PAR10A062R

Anglo Falcone
382 West Chestnut St.
Washington, PA 15301

Narrows Run

Allegheny County CD
(412) 241-7645Allegheny County
North Fayette
Township

PAR10A242

James Dinert
116 Kenyon Road
Pittsburgh, PA 15205

Montour Run

Allegheny County CD
(412) 241-7645Allegheny County
Pleasant Hills Borough

PAR10A281

Pleasant Hills Construction
Company
60 Terrace Drive
Pittsburgh, PA 15236

Lick Run

Allegheny County CD
(412) 241-7645Allegheny County
Bethel Park Borough

PAR10A282

M&PB Investments
1230 Grant Building
Pittsburgh, PA 15219

Piney Fork

Allegheny County CD
(412) 241-7645Allegheny County
Pine Township

PAR10A287

Bar Development Company
772 Pine Valley Road
Pittsburgh, PA 15239

Pine Creek

Allegheny County CD
(412) 241-7645Allegheny County
Kennedy Township

PAR10A293

Springer, Bush & Perry
500 Cherrington Parkway
Suite 420
Coraopolis, PA 15108

Porter Run

Allegheny County CD
(412) 241-7645Allegheny County
North Fayette
Township

PAR10A296

Western Allegheny County
Municipal Authority
403 Virginia Avenue
Oakdale, PA 15071

UNT Robinson Run

Allegheny County CD
(412) 241-7645Allegheny County
Pine Township

PAR10A297

Palm Springs Development,
LLC
10521 Perry Highway
Wexford, PA 15090

Pine Creek

Allegheny County CD
(412) 241-7645Allegheny County
City of Pittsburgh

PAR10A299

Giant Eagle, Inc.
1155 Meadowbrook Avenue
Youngstown, OH 44512

Chartiers Creek

Allegheny County CD
(412) 241-7645Allegheny County
North Versailles
Township

PAR10A303

North Versailles Outparcels
LC
CDS 5 Screen LLC
Commonwealth Warehouse
Building
123 36th Street
Pittsburgh, PA 15201

Turtle Creek

Allegheny County CD
(412) 241-7645Allegheny County
Oakmont Borough

PAR10A304

Oakmont Zeta Associates
550 Washington Avenue
Carnegie, PA 15106

Plum Creek

Allegheny County CD
(412) 241-7645Allegheny County
West Deer Township
Richland Township

PAR10A308

Richland Township
4011 Dickey Road
Gibsonia, PA 15044

Deer Creek

Allegheny County CD
(412) 241-7645

NOTICES

5915

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Armstrong County City of Parker	PAR10B026	City of Parker Box 350 Parker, PA 16049	UNT Allegheny River	Armstrong County CD (724) 548-3425
Armstrong County Washington Township	PAR10B027	DEP Bureau of Abandoned Mine Reclamation P. O. Box 8476 Harrisburg, PA 17105-8476	Allegheny River	Armstrong County CD (724) 548-3425
Cambria County Ebensburg Borough Cambria Township	PAR101047-1	Wal-Mart Plaza Ebensburg Properties L. P. Manor Complex—Suite 700 564 Forbes Avenue Pittsburgh, PA 15219-2903	UNT Blacklick Creek	Cambria County CD (724) 472-2120
Cambria County Johnstown City	PAR101049	Greater Johnstown Water Authority P. O. Box 1287 Johnstown, PA 15907-1287	Bens Creek Stony Creek Little Conemaugh River	Cambria County CD (724) 472-2120
Fayette County South Union Township	PAR10L045	CHL Development R. D. 1, Box 296A Hopwood, PA 15445	Redstone Creek	SW Regional Office (412) 442-4315
Washington County South Strabane Township	PAR10W128	Gustine Washington Associates 2100 Wharton Street Suite 700 Pittsburgh, PA 15203	Chartiers Creek	Washington County CD (724) 228-6774
Washington County North Franklin Township	PAR10W129	North Franklin Township Rec. & Business Auth. The Hood Insurance Bldg. 382 W. Chestnut Street Washington, PA 15301	Chartiers Creek	Washington County CD (724) 228-6774
Bensalem Township Bucks County	PAR10-D407	3057 Mechanicsville Road LP c/o Shooster Development Company 521 East Baltimore Pike Media, PA 19063	Poquessing Creek	Bucks County Conservation District 924 Town Center New Britain, PA 18901
Bensalem Township Bucks County	PAR10-D403	The Rubenstein Co LP 4100 One Commerce Street 2005 Market Street Philadelphia, PA 19103	Poquessing Creek	Bucks County Conservation District 924 Town Center New Britain, PA 18901
Richlandtown Borough Bucks County	PAR10-D342	Roland P. Amey Jr. P. O. Box 579 Richlandtown, PA 18955	Tohickon Creek	Bucks County Conservation District 924 Town Center New Britain, PA 18901
Warrington Township Bucks County	PAR10-D375	Legacy Oaks Development Assoc. LP c/o Barness Organization 975 Easton Rd. Warrington, PA 18976	Mill Creek	Bucks County Conservation District 924 Town Center New Britain, PA 18901
Upper Providence Township Montgomery County	PAR10-T476	Pitcairn Properties Inc. 165 Township Line Road Suite 1500 Jenkintown, PA 19046	Doe Run	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Upper Merion Township Montgomery County	PAR10-T477	Liberty Property Trust 65 Valley Stream Parkway Great Valley Malvern, PA 19355	Matsunk Creek	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Hatfield Township Montgomery County	PAR10-T429	BonBrit Development Corp. 538 E. Main Street Lansdale, PA 19446	Lansdale Tributary to Neshaminy Creek West Branch	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Lower Salford Township Montgomery County	PAR10-T372	W. B. Homes Inc. 538 E. Main Street Lansdale, PA 19446	Unnamed tributary to the West Branch of Skippack Creek	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Whitpain Township Montgomery County	PAR10-T445	ACTS Inc. 375 Morris Road P. O. Box 90 West Point, PA 19486	Wissahickon Creek	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Upper Merion Township Montgomery County	PAR10-T458	Upper Merion School District 435 Crossfield Rd. King of Prussia, PA 19406	Crow Creek	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Montgomery Township Montgomery County	PAR10-T448	Allan Napen/Nappen & Associates 119 Keystone Drive Montgomeryville, PA 18936	Park Creek	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Upper Dublin Township Montgomery County	PAR10-T469	Upper Dublin School District 530 Twining Road Dresher, PA 19025	Tributary to Wissahickon Creek	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Lower Providence Township Montgomery County	PAR10-T404	Stewart and Conti Development Co. 3130 Mill Road Fairview Village, PA 19403	Skippack Creek and tributary to Perkiomen Creek	Montgomery County Conservation District 1015 Bridge Road, Suite B Collegeville, PA 19426
Lower Chichester Township Delaware County	PAR10-J134	Corporate Express 1 Environmental Way Bromfield, CO 80021	Delaware River	Delaware County Conservation District Rose Tree Park— Hunt Club 1521 N. Providence Road Media, PA 19063
Lackawanna County S. Abington Township	PAR10N073	Jack Mahlmann 304 S. State St. Clarks Summit, PA 18411	Buttermilk Creek	Lackawanna CD (717) 281-9495
Lehigh County Upper Saucon Township	PAR10Q108	Wedgewood Golf Course, Inc. Maryalyce S. Schulze 1753 Panther Valley Rd. Pine Grove, PA 17963	Saucon Creek	Lehigh CD (610) 391-9583
Biglerville Borough Adams County	PAR-10-0074	Upper Adams School District North Main Street Biglerville, PA 17307	Conewago Creek	Adams County CD 57 N. Fifth Street Gettysburg, PA 17325 (717) 334-0636

NOTICES

5917

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Carlisle Borough Cumberland County	PAR-10-H188	Ritner Park Associates Watts Business Center 625 Hamilton Street Carlisle, PA 17013	Conodoguinet Creek	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 (717) 240-7812
Derry Township Dauphin County	PAR-10-I160	RVG Management & Dev. Company 100 North Front Street, Suite 240 Wormleysburg, PA 17403	Spring Creek	Dauphin County CD 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Lower Swatara Township Dauphin County	PAR-10-I168	Bob Associates 1020 North Hartley Street P. O. Box 2587 York, PA 17405	Swatara Creek	Dauphin County CD 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Steelton Borough Dauphin County	PAR-10-I171	Chemetron c/o FTF Construction 533 West Chocolate Avenue Suite 200 Hershey, PA 17033	Susquehanna River	Dauphin County CD 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Middle Paxton Township Dauphin County	PAR-10-I167	Kinsley Construction Inc. 111 Hagy Lane P. O. Box 4058 Dauphin, PA 17018	Susquehanna River	Dauphin County CD 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
North Lebanon Township Lebanon County	PAR-10-P083	Hess Home Builders, Inc. 15 Meadow Lane Lancaster, PA 17601	UNT Swatara Creek	Lebanon County CD 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 3
North Cornwall Township Lebanon County	PAR-10-P084	Caklea Corporation 103 Farmstead Circle Lebanon, PA 17042	Snitz Creek	Lebanon County CD 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 3
South Lebanon Township Lebanon County	PAR-10-P085	Corinne H. Krall 197 Golf Road Myerstown, PA 17067	UNT to Quittapahilla Creek	Lebanon County CD 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 3
North Lebanon Township Lebanon County	PAR-10-P087	Gary Marks 1594 Colonial Circle Lebanon, PA 17046	UNT to Little Swatara Creek	Lebanon County CD 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 3
Jackson Township Lebanon County	PAR-10-P088	Twin Maples 3210 Grande Oak Place Lancaster, PA 17601	UNT to Tulpehocken Creek	Lebanon County CD 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 3
West Manchester Township York County	PAR-10-Y353	Normandie Ridge Carol McKinley 1700 Normandie Drive York, PA 17404	Little Conewago Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Dover Township York County	PAR-10-Y340	Wheatland/Harry McKean Pentago Partnership c/o New Age Associates 209 Locust Street, Box 215 East Berlin, PA 17316	UNT to Fox Run	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Penn Township York County	PAR-10-Y356	Hanover Area Ind. Park Lot 11B Conewago Contractors Int. P. O. Box 688 Hanover, PA 17331	Gitts Run	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
East Manchester Township York County	PAR-10-Y351	East Manchester Township Dellinger Road 5080 N. Sherman Street Ext Mt. Wolf, PA 17347	Codorus Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Newberry Township York County	PAR-10-Y335	Grandview Acres Phase 11 Alvin Fisher 404 Coppenhaffer Road York, PA 17404	UNT to Susquehanna River	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Penn Township York County	PAR-10-Y346	Doubleday Direct David Brillhart 501 Ridge Avenue Hanover, PA 17331	Oil Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Dover Township York County	PAR-10-Y357	SKH Dover Store Jim Stauffer/SKH Management Co. P. O. Box 1500 Lititz, PA 17543	Fox Run	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
York City York County	PAR-10-Y345	Gregg Snyder Mini-Storage & Used Car Lot 4267 West Market Street York, PA 17404	Conewago Creek Honey Run	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Snyder County Penn Township	PAR 105914	Daniel J. Clement P. O. Box 93 Lewisburg, PA 17837	UNT Trib. to Penns Creek	Snyder County CD 403 W. Market St. Middleburg, PA 18424 (717) 837-0085
Lawrence County Neshannock Township	PAR103729	2911 Wilmington Road New Castle, PA 16105	Unnamed Tributary to Neshannock Creek	Lawrence Conservation Dist. Lawrence Co. Gov. Center 430 Court Street New Castle, PA 16101-3593 (724) 652-4512
Bradford Township McKean County	PAR148303	Georgia-Pacific Corp. 1 Owens Way Bradford, PA 16701	East Branch Tunugwant Creek	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
Shenango Township Mercer County	PAR808311	Pitt Ohio Express, Inc. 45 26th St. Pittsburgh, PA 15222	Shenango River	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
Glade Township Warren County	PAG048549	Randy S. Hert 124 Egypt Hollow Rd. Warren, PA 16365	Unnamed Tributary of Hatch Run	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Freehold Township Warren County	PAG048546	Roger E. Chelton R. R. 1, Box 17 Bear Lake, PA 16402-9609	Unnamed Tributary of Little Brokenstraw	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
LeBoeuf Township Erie County	PAG048540	Timothy D. Klein 1201 Sirak Dr. Fairview, PA 16415-1407	Unnamed Tributary of LeBoeuf Creek	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
Lehigh County Whitehall Township	PAG-052204	Top Star, Inc. 14 East Main Street Emmaus, PA 18049	Lehigh River	Northeast Regional Office, Water Management Program 2 Public Sq. Wilkes-Barre, PA 18711 (717) 826-2553
Beaver Township Clarion County	PAG088303	Knox Borough Knox Borough Sewage Treatment Plant 620 S. Main St. P. O. Box 366 Knox, PA 16232-0298	None	DEP Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office, Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Permit No. 1598515. Public water supply. **Philadelphia Suburban Water Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. A permit has been issued to the Philadelphia Suburban Water Company granting permission to install a powdered activated carbon feed system at the Fern Hill Water Treatment Plant in West Goshen Township, **Chester County**.

Type of Facility: Public Water Supply System

Consulting Engineer: Acer Engineers and Consultants, Inc., 270 Granite Run Drive, Lancaster, PA 17601.

Permit to Construct Issued: October 27, 1998.

Permit No. 1598514. Public water supply. **Philadelphia Suburban Water Company**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010. A permit has been issued to the Philadelphia Suburban Water Company for the construction of a new booster pump station to serve the Whitland Ridge development in Uwchlan Township, **Chester County**.

Type of Facility: Public Water Supply System

Consulting Engineer: CIT Engineering Services, 1240 N. Mountain Road, Harrisburg, PA 17112.

Permit to Construct Issued: October 28, 1998.

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Application No. M. A. The Department issued an operating permit to **Irvona Municipal Authority** for a change in the chemical applied for iron and manganese sequestration at Well Nos. 1 and 2 from Aqua Mag to Calgon C-5.

HAZARDOUS SITES CLEAN-UP

Under the Act of October 18, 1988

**Proposed Interim Response
Mays/Messner Site**

North Fayette Township, Allegheny County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1304) (HSCA), is proposing a response action for the Mays/Messner Site (site). The site is located along routes 22 and 978 in North Fayette Township in Allegheny County. The site consists of approximately ½ acre of the approximately 65-acre Messner property. Included are four roll-off containers of mixed waste and crushed drums and one tank of liquid waste illegally disposed of on the site as well as contaminated soils.

The tarps that once covered the roll-off containers are now torn and in poor condition. The mixed waste and crushed drums in the roll-off containers are exposed to the elements, in particular, precipitation, which will result in further deterioration of the drums and continued run-off of contaminated water. The roll-off containers and the tank of liquid are leaking and there is visible waste material on the ground as well as significant staining of the site soils.

Photo ionizer detector (PID) readings taken near a vent pipe on the tank gave values of 800-1020 PPM. Department sampling conducted at the site identified hazardous substances according to 40 CFR Part 302 and HSCA section 103 in the waste samples and soil samples collected. The following hazardous substances were identified at the site: Acetone, Benzene, Carbon Disulfide, Dichlorofluoromethane, Dichloromethane, Ethylbenzene, Cumene, 4-Methyl-2-pentanone, m/p and o-Xylene, Naphthalene, n-Propylbenzene, Styrene, Toluene, Anthracene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(k)fluoranthene, Benzo(g,h,i)perylene, Benzo(a)pyrene, Chrysene, Fluoranthene, Indene-1,2,3-cd-pyrene, p-Cresol, Bis(2ethylhexyl)phthalate, Phenanthrene, Phenol and Pyrene.

As documented above, there was a release and is a threat of release of hazardous substances. Samples taken from the soils contain hazardous substances including Naphthalene and Styrene above Act 2 Soil to Groundwater Standards. Direct contact, inhalation and ingestion threats exist from the waste materials in the roll-off containers, waste materials on the ground and the liquid waste in the tank. In addition, the organic vapors in the tank pose a possible fire-explosion hazard.

The Department proposes an interim response at the site that will address direct contact, ingestion, inhalation and environmental threats created by the exposed waste and eliminate the fire/explosion hazard created by the tank of liquid waste.

The following alternatives were considered in addressing the conditions at this site: 1) No Department action; 2) Fence the area of contamination, re-tarp the roll-off containers and monitor the site periodically; 3) Remove and dispose of the waste materials and crushed drums present in the roll-off containers and tank, scrap the roll-off containers and tank, and remove and dispose of the visibly contaminated surface soils.

The Department proposes using Alternative Three to address the threats at the site. Alternative One would not adequately protect human health and the environment. Alternative Two would not be permanent, and could not prevent waste on the ground from migrating by the surface water pathway. Alternative Three meets the Applicable, Relevant and Appropriate Regulations (ARARs) to the extent possible.

This notice is being provided under section 506(b) of HSCA. The administrative record, containing information that forms the basis and documents the selection of this response action, is available for public review and comment. The administrative record is located at the Southwest Regional Office of the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 and is available for review Monday through Friday from 8 a.m. to 5 p.m.

The Administrative Record will be open for comment from the date of publication for 90 days. Persons may submit written comments into the record during this time only, by sending them to Gary Mechtly at 400 Waterfront Drive, Pittsburgh, PA 15222 or by delivering to this office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing. The Department scheduled the hearing on January 19, 1999, at 7 p.m. at the N. Fayette Township Municipal Building, 400 N. Branch Road, Oakdale. Persons wishing to present comments must register with Betsy Mallison

before January 15 by telephone at (412) 442-4182 or in writing at PA DEP, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings should call Mallison or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The following final reports were submitted to the Department of Environmental Protection (Department) under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

David Lehequet Residence, Lower Southampton Township, **Bucks County**. Brian R. Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

Matthew McKenny Residence, Lower Southampton Township, **Bucks County**. Brian R. Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Regional Field Office, Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Wirth Property (2407 Sycamore Street), Wilson Borough, **Northampton County**. David Crowther, Geologist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 has submitted a Final Report (on behalf of his client, Barclay Contracting, Inc., 1040 North Jerome Street, Allentown, PA 18103) concerning the remediation of site soils found to have been contaminated with BTEX (benzene, toluene, ethylbenzene and xylene) compounds and polycyclic aromatic hydrocarbons. The report was submitted to document remediation of the site to meet the Statewide human health standard. A Notice of Intent to Remediate was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

Southcentral Regional Office, Environmental Cleanup Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Pole #33817S26828, East Donegal Township, **Lancaster County, PA Power & Light Company**, Two North Ninth Street, Allentown, PA 18101, has submitted a Final Report concerning remediation of site soils contaminated with PCBs. The report is intended to document remediation of the site to meet the Statewide Health standard.

Pole #35066S25565, Columbia Borough, **Lancaster County, PA Power & Light Company**, Two North Ninth Street, Allentown, PA 18101, has submitted a Final Report concerning remediation of site soils contaminated with PCBs. The report is intended to document remediation of the site to meet the Statewide Health standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 4

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediations Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environment Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at site to one of the Act 2 (Land Recycling and Environmental Remediations Standards Act) remediation standards. Plans and reports required by provisions of Act 2 for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report, and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and

analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Northeast Regional Field Office, Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Solarek Property, City of Allentown, **Lehigh County**. David Crowther, Geologist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 submitted a Final Report (on behalf of his client, Barclay Contracting, Inc., 1040 North Jerome Street, Allentown, PA 18103) concerning the remediation of site soils found to have been contaminated with BTEX (benzene, toluene, ethylbenzene and xylene) compounds and polycyclic aromatic hydrocarbons. The final report demonstrated attainment of the Statewide human health standard, and was approved by the Department on November 4, 1998.

Gromlich Property, City of Easton, **Northampton County**. Brian Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 submitted a Final Report (on behalf of his client, Lawrence Gromlich, 1304 Lehigh Street, Easton, PA 18042) concerning the remediation of site soils found to have been contaminated with BTEX (benzene, toluene, ethylbenzene and xylene) compounds and polycyclic aromatic hydrocarbons. The final report demonstrated attainment of the Statewide human health standard, and was approved by the Department on October 1, 1998.

Bruner Residence and Haas Property, South Canaan Township, **Wayne County**. Kevin Van Kuren, President, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 submitted a Final Report (on behalf of his clients, Dale and Diane Bruner, Route 296, South Canaan, PA 18459 and Herbert Haas, P. O. Box 132, Waymart, PA 18472) concerning the remediation of site soils found to have been contaminated with BTEX (benzene, toluene, ethylbenzene and xylene) compounds and polycyclic aromatic hydrocarbons. The final report demonstrated attainment of the Statewide human health standard, and was approved by the Department on November 9, 1998.

SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

An application to expand the landfill and utilize specific variances provided for in § 271.231 of the municipal waste regulations was received from **Superior Greentree Landfill**, 635 Toby Road, Kersey, PA 15846, located in Fox Township, **Elk County**, Permit No. 101397. This application was approved in the Regional Office on November 10, 1998.

The following design and/or operational specific variances have been approved: 1. Subbase with 33% slopes, 2. HDPE geonet composite, 3. Protective cover particle size, 4. Daily cover material, 5. Intermediate cover material.

Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No. 300876. Conemaugh Station Ash/Refuse Disposal Site, GPU Generation, Inc., 1001 Broad Street, Johnstown, PA 15907. Repermitting and operation of a residual waste landfill in West Wheatfield Township, **Indiana County**. Permit issued in the Regional Office on November 4, 1998.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued:

11960109, Permit Revision, Paul F. Becker Coal Company (Rt. 22, Duncansville, PA 16635), is for a boundary correction to add 1.0 acre of mining area to the northern end of the permit on the Margaret Kelly Estate, now Paul F. and Ada M. Becker property, total SMP acres goes from 26.0 to 27.0 in Elder Township, **Cambria County**, receiving stream unnamed tributary to Brubaker Run, application received August 26, 1998, permit issued November 5, 1998.

11980101. L & J Energy Company, Inc. (P. O. Box I, Grampian, PA 16838), commencement, operation and restoration of a bituminous strip-auger mine in Susquehanna Township, **Cambria County**, affecting 93.0 acres, receiving stream West Branch of Susquehanna River; Douglas Run, application received April 8, 1998, permit issued November 9, 1998.

56980101. Heritage Mining Company (P. O. Box 126, Cresson, PA 16630), commencement, operation and restoration of a bituminous strip mine in Shade and Paint Townships, **Somerset County**, affecting 62.3 acres, receiving stream unnamed tributaries to/and Shade Creek, application received January 21, 1998, permit issued November 12, 1998.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

26970101. Patterson Coal Company (R. D. 2, Box 335, Smithfield, PA 15478). Permit revised to amend the permit boundary at an existing bituminous surface mining site located in German and Georges Townships, **Fayette County**, affecting 32.0 acres. Receiving streams: unnamed tributaries to North and South Branches of Browns Run, Browns Run to the Monongahela River. Application received: June 1, 1998. Revision issued: November 10, 1998.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17960102. M. R. Hainsey Contracting Company (R. D. 2, Box 57, Clearfield, PA 16830), revision to an existing bituminous surface mine permit for a Change in Permit Acreage from 70.1 to 73.2 acres, Goshen Township, **Clearfield County**, receiving streams: unnamed tributary to Pine Run, Pine Run, unnamed tributary to Trout Run, application received August 7, 1998, permit issued October 30, 1998.

17820139. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838), renewal of an existing bituminous surface mine permit in Ferguson and Greenwood Townships, **Clearfield County** affecting 514.5 acres, receiving streams: Watts Creek to Little Clearfield Creek to Clearfield Creek to West Branch Susquehanna River to Susquehanna River, application received July 24, 1998, permit issued October 30, 1998.

17930112. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838), renewal of an existing bituminous surface mine permit in Jordan Township, **Clearfield County** affecting 68.5 acres, receiving streams: unnamed tributary #1, application received August 6, 1998, permit issued October 30, 1998.

17820152. James I. Cowfer Contracting Co., Inc. (P. O. Box 86, Osceola Mills, PA 16666), renewal of an existing bituminous surface mine permit in Woodward and Decatur Townships, **Clearfield County** affecting 288 acres, receiving streams: unnamed tributary to Goss Run, to Goss Run, and Goss Run, to Beaver Run to Moshannon Creek, to West Branch Susquehanna River, to Susquehanna River, application received July 24, 1998, permit issued October 30, 1998.

17820104. Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine-auger permit in Boggs and Bradford Townships, **Clearfield County** affecting 479.5 acres, receiving streams: Long Run and an unnamed tributary to Clearfield Creek to West Branch Susquehanna River, application received August 18, 1998, permit issued October 30, 1998.

17930128. Moravian Run Reclamation Co., Inc. (605 Sheridan Drive, Clearfield, PA 16830), renewal of an existing bituminous surface mine-auger permit in Penn Township, **Clearfield County** affecting 106.2 acres, receiving streams: unnamed tributaries to Bell Run to West Branch Susquehanna River, application received September 14, 1998, permit issued October 29, 1998.

17930124. Al Hamilton Contracting Company (R. R. 1, Box 87, Woodland, PA 16881), transfer of an existing bituminous surface mine-auger permit from James I. Cowfer Contracting, Inc., Woodward and Decatur Townships, **Clearfield County**, affecting 346.0 acres, receiving streams: North Branch to Upper Morgan Run, Upper Morgan Run to Clearfield Creek, Clearfield

Creek to West Branch Susquehanna River; and Little Beaver Run to Beaver Run, Beaver Run to Moshannon Creek, Moshannon Creek to West Branch Susquehanna River, application received July 16, 1998, permit issued October 30, 1998.

17960110. Forcey Coal, Inc. (P. O. Box 225, Madera, PA 16661), transfer of an existing bituminous surface mine permit from E. P. Bender Coal Co., Inc., Bigler Township, **Clearfield County**, affecting 70.5 acres, receiving streams: unnamed tributaries to Banian Run to Clearfield Creek to the West Branch of the Susquehanna River, application received July 10, 1998, permit issued October 30, 1998.

17793123. Strishock Coal Company (220 Hillcrest Drive, DuBois, PA 15801), renewal of an existing bituminous surface mine-auger permit in Union and Brady Townships, **Clearfield County** affecting 102.8 acres, receiving streams: Sugar Camp Run to Luthersburg Branch and Laborde Branch to Sandy Lick Creek to Redbank Creek to Allegheny River, application received August 3, 1998, permit issued November 6, 1998.

17814000. Al Hamilton Contracting Company (R. D. 1, Box 87, Woodland, PA 16881), renewal of an existing bituminous surface mine permit in Penn Township, **Clearfield County** affecting 204.2 acres, receiving streams: an unnamed tributary to, and Irish Run to Curry Run to West Branch Susquehanna River, application received August 10, 1998, permit issued November 10, 1998.

17970108. M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701), major permit revision for a Change in Permit Acreage from 453.0 to 458.0 acres, and a variance to utilize and modify an existing stream crossing of Haslett Run, Bell Township, **Clearfield County**, receiving streams: unnamed tributaries to Whisky Run and unnamed tributaries to Haslett Run to Whisky Run and Haslett Run, both tributary to the West Branch of the Susquehanna River, application received August 19, 1998, permit issued November 4, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232.

24980101. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824) Commencement, operation and restoration of a bituminous strip and auger operation in Fox Township, **Elk County** affecting 457.0 acres. Receiving streams: Unnamed tributary to McCauley Run, Unnamed tributary to Little Toby Creek, and Hays Run. Application received: March 23, 1998. Permit Issued: November 5, 1998.

102327-24980101-E-1. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824) Application for a stream encroachment to construct and maintain a temporary haulroad crossing over McCauley Run in Fox Township, **Elk County**. Receiving streams: Unnamed tributary to McCauley Run, Unnamed tributary to Little Toby Creek, and Hays Run. Application received: March 23, 1998. Permit Issued: November 5, 1998.

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

30841309. Dunkard Mining Co. (Dilliner, PA 15327), to revise the permit for the Dunkard #2 in Dunkard Township, **Greene County**, to revise subsidence control plan boundary, no additional discharges. Permit issued October 26, 1998.

17921604. Waroquier Coal Co. (P. O. Box 128, Clearfield, PA 16830), to renew the permit for the Truck

Tipple in Lawrence Township, **Clearfield County**, no additional discharges. Permit issued October 30, 1998.

32841307. Tanoma Coal Company, Inc. (R. R. 1, Box 594, Marion Center, PA 15759), to revise the permit for the Tanoma Coal Mine in Rayne Township, **Indiana County** to add 900 acres to underground permit area, no additional discharges. Permit issued October 30, 1998.

30921301. Cyprus River Processing Corp. (145 Elm Dr., P. O. Box 1020, Waynesburg, PA 15370), to renew the permit for the Monongahela Resource Mine in Jefferson Township, **Greene County**, no additional discharges. Permit issued November 5, 1998.

17921602. King Coal Sales, Inc. (P. O. Box 712, Philipsburg, PA 16830), to renew the permit for the Cunard Coal Prep Facility in Morris Township, **Clearfield County**, no additional discharges. Permit issued November 5, 1998.

30831303. Cyprus Cumberland Resources Corp. (145 Elm Dr., P. O. 1020, Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Whiteley Township, **Greene County** to install the No. 7 shaft, trib. to Whiteley Creek. Permit issued November 6, 1998.

56911302. RoxCoal, Inc. (1576 Stoystown Rd., P. O. Box 149, Friedens, PA 15541), to revise the permit for the Long T Mine in Stonycreek Township, **Somerset County** to revise reclamation land use at Diamond T Mine, no additional discharges. Permit issued November 6, 1998.

16901601. W. Duane Kiser (101 South 3rd Ave., Clarion, PA 16214), to renew the permit for the Shippenville Tipple in Elk Township, **Clarion County**, no additional discharges. Permit issued November 6, 1998.

56841328. BethEnergy Mines, Inc. (P. O. Box 29, Ebensburg, PA 15931), to renew the permit for the Windber Mine No. 78 in Paint Township, **Somerset County**, no additional discharges. Permit issued November 6, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40930102R. Diamond Coal Company, Inc. (Route 309 North, Box Q, Milnesville, PA 18239-0185), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County**, affecting 405.0 acres, receiving stream—none. Renewal issued November 6, 1998.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

Coal Applications Returned

03980106. Thomas J. Smith, Inc. (R. D. 1, Box 206D, Shelocta, PA 15774). Application returned for commencement, operation, and reclamation of a bituminous surface auger mine located in South Bend Township, **Armstrong County**, proposed to affect 94.1 acres. Receiving streams: Lindsay Run to Crooked Creek. Application received: September 16, 1998. Application returned: November 13, 1998.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17673057. Power Operating Co., Inc. (P. O. Box 25, Osceola Mills, PA 16666), major permit modification to an existing bituminous surface mine permit to apply biosolids (stabilized sewage sludge) to enhance vegetation, Gulich and Woodward Townships, **Clearfield County**, affecting 1,180 acres, application received December 12, 1996, permit returned November 6, 1998.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Small Noncoal (Industrial Mineral) Permits Issued

53970802. Ayers Excavating (R. R. 1, Box 2564, Austin, PA 16720), commencement, operation and restoration of a Small Industrial Mineral (Rock and Topsoil) permit in Summit Township, **Potter County** affecting 1 acre, receiving streams: Borie Branch, tributary to Sinemahoning Creek, application received September 9, 1997, permit issued November 6, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232.

42982801. Culver Construction (P. O. Box 215, Port Allegany, PA 16743) Commencement, operation and restoration of a Small Noncoal (Industrial Mineral) Flagstone operation in Annin Township, **McKean County** affecting 3.0 acres. Receiving streams: None. Application received: March 6, 1998. Permit Issued: November 2, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454

58980841. Michael J. Romeika (R. R. 1, Box 125, Susquehanna, PA 18847), commencement, operation and restoration of a bluestone quarry operation in Gibson Township, **Susquehanna County**, affecting 1.0 acre, receiving stream—none. Permit issued November 10, 1998.

54970868. Jack L. McKeeby (Box 571, New Milford, PA 18834), commencement, operation and restoration of a bluestone quarry operation in Franklin Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued November 10, 1998.

58970858. Donald C. Robbins (R. R. 3, Box 3607, Nicholson, PA 18446), commencement, operation and restoration of a bluestone quarry operation in Lathrop Township, **Susquehanna County**, affecting 1.0 acre, receiving stream—none. Permit issued November 12, 1998.

58980845. Olin Miller (R. R. 1, New Milford, PA 18834), commencement, operation and restoration of a bluestone quarry operation in Harford Township, **Susquehanna County** affecting 3.0 acres, receiving stream—none. Permit issued November 12, 1998.

58980846. Meshoppen Stone, Inc. (P. O. Box 127, Meshoppen, PA 18630), commencement, operation and restoration of a bluestone quarry operation in Auburn Township, **Susquehanna County**, affecting 2.0 acres, receiving stream—none. Permit issued November 12, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

4874SM1A1C3. County Line Quarry, Inc. (P. O. Box 99, Wrightsville, PA 17368), renewal of NPDES Permit PA0119628 in Hellam Township, **York County**, receiving stream—Kreutz Creek. Renewal issued November 6, 1998.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval,

and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

Southeast Regional Office, Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-571. Encroachment Permit. **Honey Brook Township**, P. O. Box 1281, Suplee Road, Honey Brook, PA 19344-1281. To replace an existing deteriorated roadway bridge spanning the West Branch of the Brandywine Creek (HQ-TSF, MF) along East Walnut Road. The proposed low flow replacement structure will consist of a 30-foot long pre-cast concrete box culvert providing a 20-foot wide by 6-foot high waterway opening. The culvert invert will be depressed 1-foot. The new culvert will accommodate two-lane automobile traffic which will require the reconstruction of the roadway approaches. The site is located approximately 1 mile northeast of the intersection of the Horseshoe Pike (U. S. Rt. 322) and the Conestoga Avenue (S. R. 10) (Honey Brook, PA Quadrangle N: 18.0 inches; W: 3.5 inches) in Honey Brook Township, **Chester County**.

E15-583. Encroachment Permit. **PA Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087-5106. To remove an existing 57-inch by 38-inch arch culvert and place and maintain 30 linear feet of 4-foot by 10-foot low flow stream crossing concrete box culvert located in and along Crum Creek (HQ, CWF), beneath Warren Avenue, (S. R. 2015), (Malvern, PA Quadrangle N: 4.25 inches; W: 0.8 inches) in Willistown Township, **Chester County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E15-588. Encroachment Permit. **Boden-Trievell Partnership**, 750 North Pottstown Pike, Exton, PA 19341. To replace an existing corrugated pipe driveway culvert, with

a low flow stream crossing which will provide access to the Boden-Trievl Partnership property across an unnamed tributary to the Pickering Creek (HQ, TSF). The proposed, approximate 20-foot span steel I-beam bridge, having a 10-foot wide wooden deck, will be supported on reinforced concrete abutments and have minimum underclearance of approximately 3 feet. The project is located at a point approximately 400 feet south of the intersection of the Art School Road and Miller Road (Downingtown, PA Quadrangle N: 19.1 inches; W: 1.5 inches) in West Pikeland Township, **Chester County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

Northcentral Region, Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E18-263. Encroachment. **Ernest Renninger**, R. R. 1, Box 95E, Mill Hall, PA 17751. To construct and maintain a 76 foot 9 inch timber slope stabilization wall and private 36 foot x 20 foot boat slip on the West Branch of Susquehanna River located 1 mile west on SR 1001 from the intersection of Jay St. (Lock Haven, PA Quadrangle N: 3.9 inches; W: 11.6 inches) in Woodward Township, **Clinton County**. This proposed project will require a cofferdam during which will be restored to preexisting condition at construction completion.

E19-178. Encroachment. **North Centre Township Supervisors**, R. R. 2, Box 2603, Berwick, PA 18603. To remove an existing structure and to construct, operate and maintain a road crossing that will carry T-651 across West Branch, Briar Creek. It shall be constructed with a single cell aluminum arch culvert that will have a minimum span of 19.7 feet, minimum rise of 5.75 feet, and a skew of 75°. The project is located along the western right-of-way of SR 0093 approximately 1,600 feet north of the intersection of T-481 and T-651 (Mifflinville, PA Quadrangle N: 9.9 inches; W: 12.6 inches) in North Centre Township, **Columbia County**.

Southwest Regional Office, Soils & Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1241. Encroachment. **Port of Pittsburgh Commission**, 503 Martindale Street, 5th Floor, Pittsburgh, PA 15212-5746. To construct and maintain a boat docking facility in the channel of and along the right bank of the Ohio River (WWF) and to dredge and maintain the channel of said stream. The project is located approximately 3,000 feet upstream from the West End Bridge (Pittsburgh West, PA Quadrangle N: 12.7 inches; W: 2.25 inches) in the City of Pittsburgh, **Allegheny County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E65-704. Encroachment. **Three Rivers Marine & Rail Terminals, Inc.**, 2200 Springfield Pike, Connellsville, PA 15425. To construct and maintain an embedded barge facility having a total length of 700.0 feet and a width of 26.0 feet in and along the east bank of the Monongahela River (WWF) for the purpose of accommodating additional cargo handling operations at approximately River Mile 43.1 (Monongahela, PA Quadrangle N: 0.9 inch; W: 1.1 inches) in Rostraver Township, **Westmoreland County**.

E02-1218. Encroachment. **Robinson Peripheral Developers**, 300 Park Manor Drive, Pittsburgh, PA 15205. To place and maintain fill in 0.57 acre of wetlands (PEM/PSS) for a proposed commercial and retail develop-

ment of approximately 470 acre lot as part of Phase II of the Robinson Town Center Development (Oakdale PA Quadrangle N: 14.6 inches; W: 5.0 inches) in Robinson Township, Moon Township and North Fayette Township, **Allegheny County**. This permit also authorizes the construction of 0.57 acre of replacement wetlands (PEM/PSS). This permit includes the Environmental Assessment for three nonjurisdictional dams.

E11-262. Encroachment. **Jack Scansaroli**, 3676 Admiral Perry Highway, Ebensburg, PA 15931. To place and maintain fill in 2.35 acres of wetlands (PEM) located in the headwaters of an unnamed tributary to South Branch Blacklick Creek (CWF) between SR 22 and SR 3034 (Nanty Glo, PA Quadrangle N: 17.5 inches; W: 0.7 inch) in Cambria Township, **Cambria County**. The permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project. The applicant will construct 2.35 acres of wetlands at an offsite location.

E63-458. Encroachment. **Rite Aid of Pennsylvania, Incorporated**, 8 Parkway Center, 875 Greentree Road, Pittsburgh, PA 15220. To operate and maintain the existing culvert having a span of 11.5 feet with an underclearance of 6.0 feet and to construct and maintain an 80 foot long extension to the existing culvert in Dry Run (WWF) to provide access to the proposed Rite Aid Development. The culvert extension will have a span of 12.0 feet with an underclearance of 6.25 feet and is located on the north side of Main Street (S. R. 88), approximately 50 feet east from the intersection of Main Street (S. R. 88) and S. R. 136 (Monongahela, PA Quadrangle N: 14.8 inches; W: 8.8 inches) in the City of Monongahela, **Washington County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E65-708. Encroachment. **Ligonier Township Supervisors**, 18 Old Lincoln Highway West, Ligonier, PA 15658. To remove the existing structure and to construct and maintain a single span bridge having a normal span of 19.9 feet and an underclearance of 4.5 feet across North Fork Trout Run. This permit also authorizes the placement and maintenance of fill in a de minimis area of wetlands equal to 0.022 acre. The project is located on Austraw Road (T-721) (Derry, PA Quadrangle N: 7.65 inches; W: 0.35 inch) in Ligonier Township, **Westmoreland County**.

E02-1243. Encroachment. **Pittsburgh Indoor Sports, L. P.**, 5180 Mamont Road, Murrysville, PA 15668. To place and maintain fill in approximately 0.13 acre of wetlands (PEM) adjacent to and on the right bank of Deer Creek (WWF) and to construct and maintain two outfall structures on the right bank of said stream for the purpose of constructing the Pittsburgh Indoor Sports Complex. The project is located east of Rich Hill Road, just northeast from the intersection of the PA Turnpike and Rich Hill Road (New Kensington West, PA Quadrangle N: 10.0 inches; W: 12.3 inches) in Harmar Township, **Allegheny County**. This permit also authorizes the construction of 0.28 acre of replacement wetland.

E02-1244. Encroachment. **County of Allegheny—Department of Public Works**, 501 County Office Building, 542 Forbes Avenue, Pittsburgh, PA 15219-2904. To remove the existing bridge (Wible Run Road Bridge No. 5) and to construct and maintain a culvert having a span of 12.0 feet with an underclearance of 6.0 feet in the channel of Wible Run (WWF). The bridge is located on Wible Run Road, near the intersection of Wible Run Road and Soose Road (Glenshaw, PA Quadrangle N: 0.8 inch;

W: 13.25 inches) in Shaler Township, **Allegheny County**. This permit was issued under section 105.13(e) "small projects." This permit also includes 401 Water Quality Certification.

E56-284. Encroachment. **JIRO Enterprises, Inc.**, 218 North Kimberly Avenue, Somerset, PA 15501. To place and maintain fill in 0.38 acre of wetlands (PEM) for the purpose of constructing a gravel lot for parking. To mitigate for the wetland impact, the permittee must construct 0.4 acre of replacement wetlands (PEM) onsite. The project is located on the southwest side of the intersection of T-482 and T-561 (Somerset, PA Quadrangle N: 5.2 inches; W: 11.2 inches) Somerset Township, **Somerset County**.

Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E37-121. Encroachment. **GEM Building Contractors and Developers, Inc.**, 3009 Wilmington Road, New Castle, PA 16105. To authorize the following activities associated with the Northgate Industrial Park development located on Mitchell Road approximately 0.5 mile west of S. R. 0018 (New Castle North, PA Quadrangle N: 12.4 inches; W: 16.4 inches) located in Neshannock Township, **Lawrence County**: (1) Fill placed without a permit in 0.387 acre of three separate wetlands for development of an access road, (2) Fill 0.18 acre of wetland to complete construction of the access road, (3) Fill 0.88 acre of three separate wetlands for development of industrial/commercial lots (Lots 1 and 3). Project includes construction of a total of at least 1.87 acres of replacement wetlands adjacent to existing wetlands in the Northgate Industrial Park.

E25-574. Encroachment. **PA Department of Transportation, District 1-0**, 1140 Liberty Street, Franklin, PA 16323. To remove the existing bridge and to construct and maintain a prestressed concrete adjacent box beam bridge having a clear, normal span of 80 feet with a minimum underclearance of 2.75 feet and maximum underclearance of 14.8 feet across Conneauttee Creek within the pool area of Edinboro Lake on S. R. 3006, Segment 0410, Offset 1442 approximately 2 miles east of I-79 (Edinboro North, PA Quadrangle N: 0.2 inch; W: 1.4 inches) located in Edinboro Borough, **Erie County**.

E42-259. Encroachment. **Wetmore Township**, R. D. 1, Box 20A, Spring Street, Kane, PA 16735. To remove the existing culverts and to install and maintain a 64-inch-wide by 43-inch-high corrugated metal pipe arch culvert in a tributary to West Run on T-300 approximately 300 feet east of T-303 (Kane, PA Quadrangle N: 5.0 inches; W: 13.6 inches) located in Wetmore Township, **McKean County**.

DAM SAFETY

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Permits Issued and Actions on 401 Certification

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D46-324. Dam. **Gambone Brothers Development Company** (P. O. Box 287, Fairview Village, PA 19409). To construct, operate and maintain a stormwater detention dam, Basin No. 2, located across a tributary to the Schuylkill River in Upper Merion Township, **Montgomery County**. The proposed facility is part of the stormwater management plan for the Gulph Mills Business Park.

D46-328. Dam. **Gambone Brothers Development Company** (P. O. Box 287, Fairview Village, PA 19409). To construct, operate, and maintain a stormwater detention dam, Railroad Basin, located across a tributary to the Schuylkill River in Upper Merion Township, **Montgomery County**. The proposed facility is part of the stormwater management plan for the Gulph Mills Business Park.

D67-500A. Dam. **Pennsylvania Power and Light, Inc.** (Two North Ninth Street, Allentown, PA 18101-1179). To close Ash Basin No. 7 at the Brunner Island Steam Electric Station by regrading the ash in the basin, covering the site with 1 foot of soil, and seeding in East Manchester Township, **York County**.

ENVIRONMENTAL ASSESSMENT

Southwest Regional Office, Soils & Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permits Issued

Environmental Assessment No. EA11-002SW. **Kohler Construction**, 104 Mable Street, Johnstown, PA 15905. To repair a breached nonjurisdictional dam in an unnamed tributary to St. Clair Run (CWF) to restore open water habitat, 0.13 acre of wetlands (PEM) in the reservoir area to be inundated. The project is located just north of the intersection of Lake Shore Drive and Greentree Lane (Johnstown, PA Quadrangle N: 13.0 inches; W: 12.25 inches) in the Borough of Westmont, **Cambria County**. The applicant has met the wetland replacement requirements by participating in the Pennsylvania Wetland Replacement Project.

STORAGE TANKS

SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permit under the authority of the Storage Tank and Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and 25 Pa. Code Chapter 245, Subchapter C has been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
98-02-001	Aristech Chemical Corp. 200 Neville Road Pittsburgh, PA 15225-1696	Allegheny Co. Neville Township	49,000 gallon AST storing Phthalic Anhydride

Actions on plans submitted under the Storm Water Management Act (32 P. S. § 680.9).

Bureau of Watershed Conservation, P. O. Box 8555, Harrisburg, PA 17105-8555.

Plan No. SWMP 356:46. Mill Creek, Rock Run, Gully Run, Arrowmink Creek (Lower Merion Drainage) Watershed Storm Water Management Plan, as submitted by **Montgomery County**, was approved on October 29, 1998.

SPECIAL NOTICES

**Submission Date
for Recycling Program Development and
Implementation Grants
under Act 101 Section 902 of
the Municipal Waste Planning, Recycling and
Waste Reduction Act**

The Department of Environmental Protection announces a request for applications from municipalities for recycling program grant assistance under section 902 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P. S. §§ 4000.101—4000.1904). Municipalities eligible for recycling grants include counties, cities, boroughs, incorporated towns, townships and home rule municipalities. Authorities are not eligible to apply for the grants, but may be sponsored by a municipality.

The following categories of recycling projects will be given funding priority in the order they are listed. Intergovernmental cooperative projects within any category will receive higher priority.

1. Projects implemented by a municipality, mandated by Act 101 to have a curbside recycling program, that establish or maintain compliance with the recycling requirements including:

a) programs for the collection of recyclables and leaf or yard waste from residential, and/or commercial, institutional and municipal establishments.

b) semi-annual public information and education programs required under Act 101 Section 1501(d) concerning recycling program features and requirements for the residential, commercial, institutional and municipal sectors; and,

2. Implementation of a curbside recycling, drop-off recycling or composting program.

3. Replacement equipment for the collection or processing of recyclables or leaf and yard wastes.

4. General recycling education projects.

5. Expansion of existing public sector recycling collection centers or materials processing facilities.

6. New public sector recycling collection centers or materials processing facilities.

Municipalities are eligible for 90% funding of approved recycling program costs. Municipalities considered financially distressed by the Department of Community and Economic Development under the Financially Distressed Municipalities Act (53 P. S. §§ 1701.101—1701.501), are eligible for an additional 10% of approved costs.

The following recyclable materials diverted from the municipal solid waste will be considered as eligible for grant funding: clear glass, colored glass, aluminum, steel and bimetallic cans, high-grade office paper, newsprint, corrugated paper, other marketable grades of paper, plastics, source separated food scraps, and leaf and yard wastes.

Eligible recycling program development costs include: recycling program design costs; recycling market investigations; development of recycling market commitments; development of recycling program ordinances; development of recycling public education programs; and the costs of developing contracts for procuring equipment or services necessary for the operation of the recycling program.

Eligible recycling program implementation costs include: purchasing or leasing vehicles used to collect recyclables, transport recyclables to processing facilities or markets, and vehicles used in the operation of a materials recovery facility; reusable containers for the collection or storage of recyclable materials; acquiring and/or renovating buildings for the processing or storage of recovered materials; equipment used to process or manufacture recyclable materials into usable products; improvements to land needed to operate a recycling facility or yard waste composting facility; and the costs associated with educating the public on recycling program requirements, including the development and publication of printed and audio-visual educational materials, advertisements, the development of Internet "Recycling Home Pages," and school or special event programs. Composting projects and programs will be considered to be recycling projects or programs accordingly. A municipality must retain sole ownership of equipment or facilities funded by the grant.

Funding for equipment or facilities purchased for the recycling program used for recycling and other purposes will be pro-rated according to its recycling use. Funding for certain leaf and yard waste collection equipment may be limited according to its seasonal use. Funding for wood processing equipment will be approved only when the equipment is part of an approved yard waste composting facility operating under the Department's guidelines or in cases where the equipment is used cooperatively among two or more municipalities.

Funding may be restricted in situations where equipment or services requested through a grant application may be available from the public or private sector within the county of the applicant. Public notices may be required before the grant application may be submitted depending upon the nature of the funding request. When the municipality submits the recycling grant application to the Department, it must include proof of compliance

with the notification requirements, a description of any responses received to the notice, and an explanation of why the municipality has concluded the mechanical processing equipment is not available to the program from the private sector.

It is strongly recommended that potential applicants contact the appropriate DEP Regional Planning and Recycling Coordinator listed below to schedule a pre-application conference to discuss application requirements. Grant application forms are available from DEP Regional and Central offices.

Grant applications must be received or postmarked by 3 p.m. February 18, 1999. Applications received by the

Department after that date will not be considered during the current round of solicitation. Applications must be on forms provided by the Department, with two copies submitted to the appropriate DEP Regional Office. All grant awards will be predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101, and the availability of moneys in the Recycling Fund.

Inquiries concerning this notice should be directed to Todd Pejack, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

Regional Planning & Recycling Coordinators

Southeast Region

Bureau of Land Recycling and Waste Management
Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428
(610) 832-6212

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

Northeast Region

Bureau of Land Recycling and Waste Management
2 Public Square
Wilkes-Barre, PA 18711-0790
(717) 826-2516

Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne and Wyoming Counties

Southcentral Region

Bureau of Land Recycling and Waste Management
909 Elmerton Avenue
Harrisburg, PA 17110-8200
(717) 705-4706

Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry and York Counties

Northcentral Region

Bureau of Land Recycling and Waste Management
208 W. 3rd Street, Suite 101
Williamsport, PA 17701
(717) 327-3653

Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga and Union Counties

Southwest Region

Bureau of Land Recycling and Waste Management
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4000

Allegheny, Armstrong, Beaver, Cambria, Fayette, Greene, Indiana, Somerset, Washington and Westmoreland Counties

Northwest Region

Bureau of Land Recycling and Waste Management
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6848

Butler, Clarion, Crawford, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Venango and Warren Counties

Coordinator

Calvin Ligans
Ann Ryan
Mary Alice Reisse

Chris Fritz
Joan Banyas

Belinda May

Ron Sommers

Sharon Svitek
Stephen Sales
Bob Emmert

Guy McUmber

Availability of Technical Guidance

Technical Guidance Documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "July 1998 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1998.

Ordering Paper Copies of DEP Technical Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Technical Guidance

DEP ID: 012-5500-002 Title: Environmental Education Grants Elective Program Description: The Department maintains a competitive grant program to give environmental education grants to schools, county conservation districts and/or nonprofit groups (with a conservation/education mission) with a grant round offered yearly. In addition, the Department will offer, on a limited basis, environmental educational grants to certain elective programs. Anticipated Effective Date: January 1, 1998 Deadline for Submittal of Comments: December 28, 1998 Contact: Heidi Haertsch at (717) 772-1828

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 98-1948. Filed for public inspection November 27, 1998, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

State Surplus Property Division

The Department of General Services, State Surplus Property Division is offering for sale dairy farm equipment to include the following:

1. Bulk Tank—600 gallon with washer
Pipeline—
50cfm vacuum pump
320'—2" stainless steel milk line
320'—3" PVC Vacuum line

55/45 dual pulse electronic pulsation system
34 stall cocks for both milk and vacuum
5 mini orb milkers

Complete washing system for pipeline including Electronic brain.

2. Barn Cleaner—
320 ft. Jamesway chain
Jamesway motorized cleaning unit

This equipment is located at the Warren State Hospital in North Warren, PA. If you would like to receive a bid form or have any questions on this equipment call (717) 787-4085 or send your name and address to the Department of General Services, State Surplus Property Division, 2221 Forster Street, G-48, Harrisburg, PA 17125. Requests for bids will be taken until the bid opening date of December 18, 1998 at 1 p.m.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 98-1949. Filed for public inspection November 27, 1998, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Cancer Control Prevention and Research Advisory Board

The Pennsylvania Cancer Control, Prevention and Research Advisory Board is scheduled to hold a meeting by telephone conference call on December 2, 1998, from 10 a.m. to 11:30 a.m. in room 929 of the Health and Welfare Building, Harrisburg, PA.

Anyone wishing to attend the meeting or who has questions regarding the meeting should contact Susan F. George, Program Manager, Department of Health, Cancer Control Program, 1011 Health and Welfare Building, Harrisburg, PA, at (717) 787-5251.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, please contact Susan F. George at (717) 787-5251.

V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

DANIEL F. HOFFMANN,
Secretary

[Pa.B. Doc. No. 98-1950. Filed for public inspection November 27, 1998, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The contractors referenced as follows have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P.S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P.S. § 165-11(e)), this firm or this person, or any firms, corporations or partnerships in

which the firm or person has an interest, shall be awarded no contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Klondike Insulation, Inc. (Fed. ER ID No. 25-1703833)	3025 Washington Road McMurray, PA 15317	10/28/98
-and- Paul Guzan (Fed. ER ID No. 25-1727730)	509 Clubview Drive McMurray, PA 15317	

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 98-1951. Filed for public inspection November 27, 1998, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Fat Cat Doubler Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of changes to the Pennsylvania Fat Cat Doubler instant lottery game rules that were published at 27 Pa.B. 2206 (May 3, 1997).

With the exception of the \$1 million grand prize, the Lottery hereby announces that it is doubling the prize amounts awarded in the Grand Prize Drawings for the month of December, 1998. To effectuate the change in prize amounts, the Pennsylvania Fat Cat Doubler is amended as follows:

6. *Determination of Prize Winners.*

* * * * *

(n) Holders of tickets with three matching play symbols of FREE (TICKET) in the "Play Area" on a single ticket, shall be entitled to a prize of one Pennsylvania instant lottery game ticket of equivalent sale price which is currently on sale, plus an entry into a Semifinal Grand Prize Drawing to qualify for a Grand Prize Drawing with prizes awarded in the month of December, 1998, of \$10,000, \$100,000, \$150,000, \$200,000, or an annuity worth \$1 million (\$50,000 a year for 20 years).

* * * * *

7. *Grand Prize Drawing Procedure.*

* * * * *

(d) *Manner of conducting Grand Prize Drawings.*

* * * * *

(2) The Lottery will award the following prizes to the eligible finalists in each of the Grand Prize Drawings held in the month of December, 1998:

<i>Grand Drawing Prizes</i>	<i>No. of Winners</i>	<i>Amount</i>
Grand Prize	1	\$1 million-annuity, or \$200,000, or \$150,000, or \$100,000
Consolation Prize	9	\$10,000

(e) *Procedure for conducting Grand Prize Drawings.*

* * * * *

(2) The smaller wheel will contain designated amounts of \$1 million—annuity, \$100,000, \$75,000 and \$50,000. For Grand Prize Drawings held during December, 1998, the prizes designated as \$100,000, \$75,000 and \$50,000 shall be paid at double the designated value.

* * * * *

(4) The nine finalists whose names remain will receive a consolation prize of \$10,000 each.

* * * * *

8. *Retailer Incentive Awards:*

(a) *Grand Prize Bonus.* The Lottery will pay a bonus to a retailer selling a redeemed and validated winning Pennsylvania Fat Cat Doubler instant lottery game ticket selected for a Grand Prize Drawing awarded in the month of December, 1998, as follows:

* * * * *

(2) A winner of a \$200,000 grand prize entitles the selling retailer to a bonus of \$2,000.

(3) A winner of a \$150,000 grand prize entitles the selling retailer to a bonus of \$1,500.

(4) A winner of a \$100,000 grand prize entitles the selling retailer to a bonus of \$1,000.

(5) A winner of a \$10,000 consolation prize entitles the selling retailer to a bonus of \$100.

* * * * *

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 98-1952. Filed for public inspection November 27, 1998, 9:00 a.m.]

Pennsylvania Kash Kabob Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of changes to the Pennsylvania Kash Kabob instant lottery game rules that were published at 27 Pa.B. 2208 (May 3, 1997).

With the exception of the \$1 million grand prize, the Lottery hereby announces that it is doubling the prize amounts awarded in the Grand Prize Drawings for the month of December, 1998. To effectuate the change in prize amounts, the Pennsylvania Kash Kabob is amended as follows:

7. *Determination of Prize Winners.*

* * * * *

(j) Holders of tickets where the "Your Number" play symbol matches any one of the play symbols in the same game and a prize play symbol of FREE (TICKET) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of one Pennsylvania instant lottery game ticket of equivalent sale price which is currently on sale, plus an entry into a Semifinal Grand Prize Drawing to qualify for a Grand Prize Drawing with prizes awarded in the month of December, 1998, of \$10,000, \$100,000, \$150,000, \$200,000, or an annuity worth \$1 million (\$50,000 a year for 20 years).

8. *Grand Prize Drawing Procedure:*

* * * * *
 (d) *Manner of conducting Grand Prize Drawings.*
 * * * * *

(2) The Lottery will award the following prizes to the eligible finalists in each of the Grand Prize Drawings held in the month of December, 1998:

<i>Grand Drawing Prizes</i>	<i>No. of Winners</i>	<i>Amount</i>
Grand Prize	1	\$1 million-annuity or \$200,000, or \$150,000, or \$100,000
Consolation Prize	9	\$10,000

(e) *Procedure for conducting Grand Prize Drawings.*
 * * * * *

(2) The smaller wheel will contain designated amounts of \$1 million—annuity, \$100,000, \$75,000 and \$50,000. For Grand Prize Drawings held during December, 1998, the prizes designated as \$100,000, \$75,000 and \$50,000 shall be paid at double the designated value.

* * * * *

(4) The nine finalists whose names remain will receive a consolation prize of \$10,000 each.

* * * * *

9. *Retailer Incentive Awards:*

(a) *Grand Prize Bonus.* The Lottery will pay a bonus to a retailer selling a redeemed and validated winning Pennsylvania Kash Kabob instant lottery game ticket selected for a Grand Prize Drawing awarded in the month of December, 1998, as follows:

* * * * *

(2) A winner of a \$200,000 grand prize entitles the selling retailer to a bonus of \$2,000.

(3) A winner of a \$150,000 grand prize entitles the selling retailer to a bonus of \$1,500.

(4) A winner of a \$100,000 grand prize entitles the selling retailer to a bonus of \$1,000.

(5) A winner of a \$10,000 consolation prize entitles the selling retailer to a bonus of \$100.

* * * * *

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 98-1953. Filed for public inspection November 27, 1998. 9:00 a.m.]

Pennsylvania Million Dollar Spin Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of changes to the Pennsylvania Million Dollar Spin instant lottery game rules that were published at 27 Pa.B. 4971 (September 27, 1997).

With the exception of the \$1 million grand prize, the Lottery hereby announces that it is doubling the prize amounts awarded in the Grand Prize Drawings for the

month of December, 1998. To effectuate the change in prize amounts, the Pennsylvania Million Dollar Spin is amended as follows:

6. *Determination of Prize Winners:*

* * * * *

(h) Holders of tickets with three matching play symbols of FREE (TICKET) in the play area, on a single ticket, shall be entitled to a prize of one Pennsylvania instant lottery game ticket of equivalent sale price which is currently on sale, plus an entry into a Semifinal Grand Prize Drawing to qualify for a Grand Prize Drawing with prizes awarded in the month of December, 1998, of \$10,000, \$100,000, \$150,000, \$200,000, or an annuity worth \$1 million (\$50,000 a year for 20 years). In order to be eligible for entry into the final Pennsylvania Million Dollar Spin drawing, free tickets must be received at Lottery Headquarters no later than December 1, 1998.

* * * * *

7. *Grand Prize Drawing Procedure:*

* * * * *

(d) *Manner of conducting Grand Prize Drawings.*

* * * * *

(2) The Lottery will award the following prizes to the eligible finalists in each of the Grand Prize Drawings held in the month of December, 1998:

<i>Grand Drawing Prizes</i>	<i>No. of Winners</i>	<i>Amount</i>
Grand Prize	1	\$1 million-annuity, or \$200,000, or \$150,000, or \$100,000
Consolation Prize	9	\$10,000

(e) *Procedure for conducting Grand Prize Drawings.*

* * * * *

(2) The smaller wheel will contain designated amounts of \$1 million—annuity, \$100,000, \$75,000 and \$50,000. For Grand Prize Drawings held during December, 1998, the prizes designated as \$100,000, \$75,000 and \$50,000 shall be paid at double the designated value.

* * * * *

(4) The nine finalists whose names remain will receive a consolation prize of \$10,000 each.

* * * * *

8. *Retailer Incentive Awards:*

(a) *Grand Prize Bonus.* The Lottery will pay a bonus to a retailer selling a redeemed and validated winning Pennsylvania Million Dollar Spin instant lottery game ticket selected for a Grand Prize Drawing awarded in the month of December, 1998, as follows:

* * * * *

(2) A winner of a \$200,000 grand prize entitles the selling retailer to a bonus of \$2,000.

(3) A winner of a \$150,000 grand prize entitles the selling retailer to a bonus of \$1,500.

(4) A winner of a \$100,000 grand prize entitles the selling retailer to a bonus of \$1,000.

(5) A winner of a \$10,000 consolation prize entitles the selling retailer to a bonus of \$100.

* * * * *

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 98-1954. Filed for public inspection November 27, 1998, 9:00 a.m.]

Pennsylvania Two For The Money Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of changes to the Pennsylvania Two For The Money instant lottery game rules that were published at 27 Pa.B. 2211 (May 3, 1997).

With the exception of the \$1 million grand prize, the Lottery hereby announces that it is doubling the prize amounts awarded in the Grand Prize Drawings for the month of December, 1998. To effectuate the change in prize amounts, the Pennsylvania Two For The Money is amended as follows:

6. *Determination of Prize Winners.*

* * * * *

(i) Holders of tickets with three matching play symbols of FREE (TICKET) in the same game, on a single ticket, shall be entitled to a prize of one Pennsylvania instant lottery game ticket of equivalent sale price which is currently on sale, plus an entry into a Semifinal Grand Prize Drawing to qualify for a Grand Prize Drawing with prizes awarded in the month of December, 1998, of \$10,000, \$100,000, \$150,000, \$200,000, or an annuity worth \$1 million (\$50,000 a year for 20 years).

7. *Grand Prize Drawing Procedure.*

* * * * *

(d) *Manner of conducting Grand Prize Drawings.*

* * * * *

(2) The Lottery will award the following prizes to the eligible finalists in each of the Grand Prize Drawings held in the month of December, 1998:

<i>Grand Drawing Prizes</i>	<i>No. of Winners</i>	<i>Amount</i>
Grand Prize	1	\$1 million-annuity, or \$200,000, or \$150,000, or \$100,000
Consolation Prize	9	\$10,000

(e) *Procedure for conducting Grand Prize Drawings.*

* * * * *

(2) The smaller wheel will contain designated amounts of \$1 million—annuity, \$100,000, \$75,000 and \$50,000. For Grand Prize Drawings held during December, 1998, the prizes designated as \$100,000, \$75,000 and \$50,000 shall be paid at double the designated value.

* * * * *

(4) The nine finalists whose names remain will receive a consolation prize of \$10,000 each.

* * * * *

8. *Retailer Incentive Awards:*

(a) *Grand Prize Bonus.* The Lottery will pay a bonus to a retailer selling a redeemed and validated winning Pennsylvania Two For The Money instant lottery game ticket selected for a Grand Prize Drawing awarded in the month of December, 1998, as follows:

* * * * *

(2) A winner of a \$200,000 grand prize entitles the selling retailer to a bonus of \$2,000.

(3) A winner of a \$150,000 grand prize entitles the selling retailer to a bonus of \$1,500.

(4) A winner of a \$100,000 grand prize entitles the selling retailer to a bonus of \$1,000.

(5) A winner of a \$10,000 consolation prize entitles the selling retailer to a bonus of \$100.

* * * * *

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 98-1955. Filed for public inspection November 27, 1998, 9:00 a.m.]

Realty Transfer Tax Revised; 1997 Common Level Ratio Real Estate Valuation Factors

The following real estate valuation factors are based on sales data compiled by the State Tax Equalization Board in 1997. These factors are the mathematical reciprocals of the actual common level ratio. For Pennsylvania Realty Transfer Tax purposes, these factors are applicable for documents accepted from January 1, 1999 to June 30, 1999. The date of acceptance of a document is rebuttably presumed to be its date of execution, that is the date specified in the body of the document as the date of the instrument (61 Pa. Code § 91.102).

<i>County</i>	<i>Adjusted Common Level Ratio Factor</i>
Bradford	2.00*
Mifflin	2.00*

* Adjusted by the Department of Revenue to reflect assessment base change effective January 1, 1999.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 98-1956. Filed for public inspection November 27, 1998, 9:00 a.m.]

Revenue-Neutral Reconciliation Rate Notice for the Tax Year Beginning January 1, 1999

Title 66 Pa.C.S. § 2810(a) provides "It is the intention of the General Assembly that the restructuring of the electric industry be accomplished in a manner that allows Pennsylvania to enjoy the benefits of competition, promotes the competitiveness of Pennsylvania's electric utilities and maintains revenue neutrality to the Commonwealth. This section is not intended to cause a shift in proportional tax obligations among customer classes or individual electric distribution companies. It is the intention of the General Assembly to establish this revenue replacement at a level necessary to recoup losses that may result from the restructuring of the electric industry and the transition thereto."

Title 66 Pa.C.S. § 2810(c) requires the Secretary of Revenue to publish the rate of the revenue-neutral reconciliation (RNR) tax in the form of a notice in the *Pennsylvania Bulletin* by December 1, 1998, and each October 1 thereafter until and including October 1, 2002. The tax rate established in section 2810(c) shall be imposed upon gross receipts as provided in 66 Pa.C.S. § 2810(b) for the period beginning the next January 1. In the event the RNR tax rate is negative, a credit is provided under 66 Pa.C.S. § 2810(c)(5). This credit is available only to a taxpayer upon which tax is imposed under 66 Pa.C.S. § 2810(b).

The result of the revenue-neutral reconciliation calculation provided in 66 Pa.C.S. § 2810 is -0.002 . Therefore, a credit equal to the negative tax rate multiplied by the taxable gross receipts for tax periods beginning on or after January 1, 1999, shall be allowed against the taxpayer's liability for a tax for that year imposed under section 1101(b) and (f) of the Tax Reform Code of 1971 (TRC) (72 P.S. § 8101(b) and (f)) and 66 Pa.C.S. § 2810(i), (j) and (k). A taxpayer's combined tax rate is effectively .042, rather than .044.

The utility gross receipts tax rate, however, remains .050 for gross receipts taxable under section 1101(a) of the TRC (72 P.S. § 8101(a)).

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 98-1957. Filed for public inspection November 27, 1998, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Montgomery County Project Reference No. 08430AG2266

The Department of Transportation will retain an engineering firm to perform environmental studies, preliminary engineering, final design, and construction consultation for S.R. 1023, Section 10S, Swamp Creek Road in Marlborough Township, Montgomery County. This project involves widening and rehabilitation of existing bridge over Unimi Creek, including roadway approaches. Approximate construction length is 395 meters including approaches to the bridge. The estimated project construction cost is \$750 thousand.

The selected firm will be required to provide the following engineering and design services: surveys; roadway design; pavement design; preparation of cross sections; soils and geological investigations; erosion and sedimentation control design; right-of-way investigation and plan; structure design; hydrologic and hydraulic analysis; preparation of traffic control, pavement marking, and signing plans; utility coordination and design; PennDER; Corps of Engineers, municipal officials, and the public; preparation of final plans, specifications, and estimates; shop drawing reviews; and alternate design review.

The selected firm will also be required to provide environmental services to identify and assess the following: historic and archaeological resources; regional and community growth; land use and development patterns; wildlife habitat; wetlands; floodplains; surface water and

ground water; vegetation; geological resources; noise and air quality; parks and recreational facilities; emergency service, health, and educational facilities; utility locations; residential and commercial property values; hazardous waste; aquatic resources; national natural landmarks; vibration; aesthetics and visual qualities; and construction impacts.

The environmental studies will be conducted to prepare a Categorical Exclusion in accordance with accepted analysis techniques and methodologies.

The selected firm will be required to perform the following to insure that a complete environmental investigation has been performed; provide all necessary environmental services, material and equipment necessary to collect, analyze and organize data, assess impacts, conduct agency and public involvement activities, and prepare reports and mitigation plans. The reports and other written graphic material to be prepared may include, but are not limited to, early coordination and scoping correspondence; project need; preliminary alternatives analysis; meeting minutes, newsletters; mailing lists; public meetings and hearings; handouts and displays; technical basis reports; NEPA environmental documents; Section 106 documents; Section 4(f) evaluation; mitigation plans and reports; hazardous waste mitigation plans; PADER permits, Corps of Engineers 404 permits; formulating and participating in public involvement program; and coordinating the development of the study with various agencies and special interest groups.

Firms that are currently serving, or are being considered for selection, as the municipal engineer in the municipalities listed in the project description will not be considered for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for a site located along the project will likewise not be considered for this assignment. Firms should state in the letter of interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Mr. Timothy R. O'Brien, P.E., at the telephone number listed below.

The consultant shortlist announcement meeting will be held in the Engineering District 6-0 office, 200 Radnor-Chester Road, St. Davids, PA on January 8, 1999 at 10 a.m.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

We encourage small firms to submit a letter of interest for this assignment.

The letter of interest should include no more than four (4) resumes of key staff members for the prime consultant and two (2) resumes for each subconsultant.

The District's copy of the Letter of Interest and required forms (see general requirements and information section) shall be sent to: Mr. Andrew Warren, District Administrator, Engineering District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526, or Mr. John R. Laughner, P.E., District 6-0, at (610) 964-6539.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

Bucks County

Project Reference No. 08430AG2267

The Department of Transportation will retain an engineering firm to perform environmental studies, preliminary engineering, final design, and construction consultation for S.R. 2095, Section 10S, Dark Hollow Road in Buckingham and Warwick Townships, Bucks County. This project involves removal of existing two span truss bridge with appropriate treatments of roadway approaches. Length of reconstruction is approximately 250 meters. Limits of construction are 100 meters each side of Neshaminy Creek. The estimated project construction cost is \$350 thousand.

The selected firm will be required to provide the following engineering and design services: surveys; roadway design; pavement design; preparation of cross sections; soils and geological investigations; erosion and sedimentation control design; right-of-way investigation and plan; structure design; hydrologic and hydraulic analysis; preparation of traffic control, pavement marking, and signing plans; utility coordination and design; PennDER; Corps of Engineers, municipal officials, and the public; preparation of final plans, specifications, and estimates; and shop drawing reviews.

The selected firm will also be required to provide environmental services to identify and assess the following: historic and archaeological resources; regional and community growth; land use and development patterns; wildlife habitat; wetlands; floodplains; surface water and ground water; vegetation; geological resources; noise and air quality; parks and recreational facilities; emergency service, health, and educational facilities; utility locations; residential and commercial property values; hazardous waste; aquatic resources; national natural landmarks; vibration; aesthetics and visual qualities; and construction impacts.

The environmental studies will be conducted to prepare a Categorical Exclusion in accordance with accepted analysis techniques and methodologies.

The selected firm will be required to perform the following to insure that a complete environmental investigation has been performed; provide all necessary environmental services, material and equipment necessary to collect, analyze and organize data, assess impacts, conduct agency and public involvement activities, and prepare reports and mitigation plans. The reports and other written graphic material to be prepared may include, but are not limited to, early coordination and scoping correspondence; project need; preliminary alternatives analysis; meeting minutes, newsletters; mailing lists; public meetings and hearings; handouts and displays; technical basis reports; NEPA environmental documents; Section 106 documents; Section 4(f) evaluation; mitigation plans and reports; hazardous waste mitigation plans; PADER permits, Corps of Engineers 404 permits; formulating and participating in public involvement program; and coordinating the development of the study with various agencies and special interest groups.

Firms that are currently serving, or are being considered for selection, as the municipal engineer in the municipalities listed in the project description will not be considered for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for a site located along the

project will likewise not be considered for this assignment. Firms should state in the letter of interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Mr. Timothy R. O'Brien, P.E., at the telephone number listed below.

The consultant shortlist announcement meeting will be held in the Engineering District 6-0 office, 200 Radnor-Chester Road, St. Davids, PA on January 8, 1999 at 10 a.m.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

We encourage small firms to submit a letter of interest for this assignment.

The letter of interest should include no more than four (4) resumes of key staff members for the prime consultant and two (2) resumes for each subconsultant.

The District's copy of the Letter of Interest and required forms (see general requirements and information section) shall be sent to: Mr. Andrew Warren, District Administrator, Engineering District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526, or Mr. John R. Laughner, P.E., District 6-0, at (610) 964-6539.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

Allegheny, Beaver and Lawrence Counties
Project Reference No. 08430AG2268

The Department of Transportation will retain an engineering firm for an Open-End Contract for various geotechnical engineering services, preliminary engineering, environmental studies and/or final design services on various projects located in Engineering District 11-0. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The required services may encompass a wide range of design, review and consultation efforts with the possibility of several different types of projects having short completion schedules. The anticipated types of projects may include, but are not limited to, bridge replacements or bridge rehabilitations with minor approach work, roadway betterments (3R Type), Capital Improvement Projects (bridges or roadways), maintenance type remediation and minor location studies. The maximum amount of the Open-End Contract will be \$1.0 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

b. Understanding of Department's requirements, design manuals, policies and specifications.

c. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms shall be considered.

d. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on Open-End Contracts.

e. Location of consultant in respect to the District. This will include ability/provisions for quick responses to District requests.

f. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The firm may be required to perform, but will not be limited to, the following geotechnical engineering services: review of geotechnical work performed by private engineering firms; perform geotechnical design for major Department designed projects; perform geotechnical investigations under a Health and Safety Plan; develop Health and Safety Plans (HASP) for projects; investigate and prioritize slope movements and other geologic hazards for future programming; install and/or monitor geotechnical instruments; perform geophysical investigations; geotechnical consultation during and after construction; review projects developed by local municipalities; drilling inspection in accordance with D.M. 4/D.M. 1 qualifications and criteria; review of wetland designs from a geological and geotechnical perspective; emergency response to geologic hazards; review and comment on Department procedures and documents; review of right-of-way relinquishments; investigate tunnels and design any necessary remediations; review of requests of mine variances; review of permit requests; prepare man-hour loading analyses; investigate stability of retaining systems; develop specifications; water quality sampling and evaluation; review erosion and sedimentation plans from a geological or geotechnical perspective; develop experimental work plan activities and other research activities; review preliminary area reconnaissances (PAR'S), initial site assessments (ISA'S), preliminary site investigations (PSI'S), detailed site investigations (DSI'S) and waste management plans; prepare and review pavement designs; respond to requests from maintenance for various types of investigations; develop and administer subsurface boring sampling and testing contracts; perform stability analyses of slopes and retaining structures; preparation of erosion and sedimentation plans; perform scour analyses and developing remedial solutions; review of contour grading plans; review of storm water management plans; develop remediation schemes for acid mine drainage (AMD) problems; and preparation of geotechnical engineering reports. These services may include, but not be limited to, the following specific items: attend field views and prepare minutes; prepare submissions for field views and safety review meeting; perform related field surveys; plot topography and cross sections.

Most of the drilling and testing services will be provided by the Department through separate service purchase contracts with other contractors. However, the firm may be required to assist with letting separate non-professional contracts for drilling and soil, rock and water testing. The soil and rock testing must be performed at an AASHTO Materials Reference Laboratory (AMRL)

and the water testing must be performed at a Pennsylvania Department of Environmental Resources certified laboratory. Some tests may be required to be performed under a HASP.

The primary services to be provided are geotechnically related; however, other services may be required and they may include, but not be limited to, the following items: prepare submissions and materials necessary for the Department to prepare the application to Public Utility Commission (PUC) and the PUC field conference; attend and supply any required information for all PUC meetings and hearings during project design; develop erosion control details and narrative; develop right-of-way plans; prepare type, size and location reports; prepare hydraulic report for waterway approval; prepare bridge drawings; prepare traffic control plans and narrative; investigate utility and property involvement; prepare and disseminate right-of-entry letters; prepare prints and information required for a value engineering review; make the necessary investigations and adjustments to the design as a result of the value engineering review comments; make all necessary contact with railroad officials for any railroad-related costs estimates, permits, insurance, approvals and other required information; alternatives using benefit/cost analysis; document geotechnical study activities and findings; attend coordination and status meetings with District personnel and prepare minutes; and construction plans, specifications including special provisions and estimates.

The format and content of all documents, plans and specifications will be consistent with applicable State and Federal regulations and guidelines.

The firm may be required to perform any or all of the following environmental studies: air quality; surface water and groundwater hydrology; terrestrial ecology; wetlands; soils, geology; farmland; hazardous waste; visual quality; socioeconomic, cultural; Section 4(f) and Section 106 documents; and other related studies not identified above. The environmental studies will be conducted in accordance with Department policy and accepted analysis techniques and methodologies.

The reports and other written graphic material to be prepared may include, but are not limited to, early coordination and scoping correspondence; meeting minutes; public meetings and hearing presentations; handouts and displays; technical basis reports; NEPA environmental documents; Section 106 documents; Section 4(f) evaluations; mitigation plans and reports; and wetland and floodplain findings.

The firm may also be required to perform any or all of the following in order to ensure a complete investigation has been performed: plans and lists of areas where soil, rock and water will be impacted and demolition will occur during proposed construction activities.

The services identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related scope of work will be outlined for each individual Work Order developed under this Open-End Contract.

The second copy of the letter of interest and required forms (see "General Requirements and Information" section) shall be sent to: Mr. Raymond Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017, Attention Mr. Richard T. Curry, P.E.

Any technical questions concerning the requirements for this project should be directed to: Mr. William R. Adams, P.E., District 11-0, at (412) 429-4919.

Any questions concerning the submittal of the letter of interest for this Open-End Contract can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest are required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief
Consultant Selection Committee
7th Floor, Forum Place
555 Walnut Street
P. O. Box 3060
Harrisburg, Pennsylvania 17105-3060

Note: The Zip Code for express Mailing is 17101-1900

The Letter of Interest and required information must be received within twenty (20) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 P.M. prevailing time of the twentieth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation

shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act, WEBs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The Department requests that each Letter of Interest include the following information and that the information be packaged and presented in the order indicated below to facilitate the Department's review and evaluation.

The firm's ability and willingness to package and present the requested information in the above order to facilitate the Department's review and evaluation will be the first factor considered in the evaluation process.

1. Transmittal Letter (Maximum of two (2) 8 1/2" x 11" typed pages, one side)

2. A fact sheet that includes the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant should indicate on this fact sheet the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm. If the project advertisement indicated the Department will retain a Land Surveying firm for the project, the applicant should indicate on this fact sheet the names and Professional Land Surveyor Registration Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's land surveying activities, and whose names and seals shall be stamped on all plans, plats, and reports issued by the firm.

3. Project Organizational Chart (one page, one side, maximum size 11" x 17")

This Chart should show key staff from the prime and each subconsultant and their area of responsibility.

4. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 should be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project.

Under Item 4 of this form, Column A must specify only the number of subconsultant personnel and Column B should specify only the number of prime consultant personnel to be assigned to work on this project reference number. Do not include the total personnel for either the subconsultant or prime consultant under Item 4 unless the total personnel are necessary to provide the required work and services.

The prime and each subconsultant should not include more than one page each for Items 10 and 11.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

5. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, should accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

These Forms should be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Standard Form 255.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees should be first, followed by subconsultant employees, in the same order as shown in Item 6 of Standard Form 255.

7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

A single page summary should indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Accountant must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

Letters of Interest will be rejected for the following reasons:

1. Received after the cut-off time and date specified above.
2. Failure to identify a Department Certified Disadvantaged Business Enterprise (DBE) if a DBE participation goal is identified in the advertised project.

3. Failure to include a copy of the registration to do business in the Commonwealth, if applicable.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 98-1958. Filed for public inspection November 27, 1998, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission (Commission) received, on the dates indicated, the following final-form regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
11-177	Insurance Department Medicare Supplement Insurance Minimum Standards	11/10/98
30-49	Pennsylvania Emergency Management Agency Radiation Emergency Response Fund	11/16/98
30-50	Pennsylvania Emergency Management Agency Radiation Transportation Emergency Response Fund	11/16/98

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 98-1959. Filed for public inspection November 27, 1998, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Merger of a Domestic Stock Life Insurance Corporation With and Into a Non-Domestic Stock Life Insurance Corporation

First Union Life Insurance Company (First Union), a stock life insurance company organized under the laws of the State of Arizona, filed an application to merge with Princeton Life Insurance Company (Princeton Life), a domestic stock life insurance company with First Union

surviving the merger. The filing was made under the requirements set forth under the Insurance Holding Company Act (40 P.S. § 991.1402 et. seq.) and the GAA Amendments Act of 1990 (15 P.S. § 21101 et seq.) Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Michael S. Graeff, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; email <http://www.mgraeff@ins.state.pa.us>.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 98-1960. Filed for public inspection November 27, 1998, 9:00 a.m.]

Children's Health Insurance Program; Public Meetings

The Insurance Department (Department) has created a Concept Document, which is a proposal to improve the Children's Health Insurance Program (CHIP). An opportunity for oral presentation of comments is encouraged at public meetings that are scheduled Statewide. Public meetings will be held as follows:

- | | |
|--|--|
| <i>Location:</i> United Way of Southeast Philadelphia
7 Benjamin Franklin Parkway
Philadelphia, PA 19103 | <i>Date:</i> December 7, 1998
<i>Time:</i> 10 a.m. |
| <i>Location:</i> United Way of Wyoming Valley
9 East Market Street
Wilkes-Barre, PA 18711-0351 | <i>Date:</i> December 8, 1998
<i>Time:</i> 10 a.m. |
| <i>Location:</i> Jewish Community Center
3301 N. Front Street
Harrisburg, PA 17110 | <i>Date:</i> December 9, 1998
<i>Time:</i> 10 a.m. |
| <i>Location:</i> United Way of Allegheny County
1 Smithfield Street
Pittsburgh, PA 15230 | <i>Date:</i> December 10, 1998
<i>Time:</i> 10 a.m. |

Persons wishing to testify about this Concept Document may contact CHIP at the address and telephone number listed as follows to schedule to testify at this meeting. Individuals may also appear at the meeting without advance notice and will be afforded the opportunity to testify after all individuals scheduled in advance have testified. Testimony will be limited to no more than a 10 minute presentation. The Department requests that individuals provide a written copy of their testimony the day of the meeting. Individuals may submit testimony without personally appearing at the meetings. Written testimony may be sent to the address listed.

Persons with a disability who wish to attend the above-referenced public meeting, and require an auxiliary aid, service or other accommodation to participate in the meeting, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

Interested parties are invited to submit written comments, suggestions or obtain copies of this Concept Document by contacting: Patricia H. Stromberg, Executive Director, Children's Health Insurance Program, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 783-4789, E-mail: chip@ins.state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 98-1961. Filed for public inspection November 27, 1998, 9:00 a.m.]

Hartford Insurance Company of the Midwest; Personal Automobile Rate Revision; Rate Filing

On November 12, 1998, the Insurance Department received from Hartford Insurance Company of the Midwest a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 4.0% decrease amounting to -\$1,636,000 annually, to be effective February 20, 1999, for renewal business and January 1, 1999, for new business.

Unless formal administrative action is taken prior to January 11, 1999, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (e-mail at mikeb@ins.state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 98-1962. Filed for public inspection November 27, 1998, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Walter F. Berstler, Sr.; file no. 98-198-07783; The Continental Insurance Company; doc. no. P98-11-009; December 17, 1998, at 10 a.m.;

Appeal of Mary J. Hill; file no. 98-219-34760; Allstate Insurance Company; doc. no. PH98-11-011; December 17, 1998, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 98-1963. Filed for public inspection November 27, 1998, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurer has requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with the termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Erie Insurance Exchange; file no. 98-121-07265; Joyce G. McCullough; doc. no. P98-11-010; December 16, 1998, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 98-1964. Filed for public inspection November 27, 1998, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:

Pike County, Wine & Spirits Shoppe #5202, Blooming Grove Township.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,400 to 3,000 net useable square feet of new or existing retail commercial space along PA Route 739 South of the intersection with I-84 in Blooming Grove Township.

Proposals due: December 18, 1998 at 12:00 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Ronald Hancher, (717) 657-4228

The following Liquor Control Board lease will expire:

Lehigh County, Wine & Spirits Shoppe #3918, Fairmont Village Unit #173, 7001 Route 309, Coopersburg, PA 18036-1121.

Lease Expiration Date: November 30, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space on PA Route 309 within 1 mile of the intersection of Fairmont Street, Upper Saucon Township.

Proposals due: December 18, 1998 at 12:00 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Willard J. Rhodes, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 98-1965. Filed for public inspection November 27, 1998, 9:00 a.m.]

MEDICAL PROFESSIONAL LIABILITY CATASTROPHE LOSS FUND

Notice of and Amount of Surcharge

The Medical Professional Liability Catastrophe Loss Fund, under the authority granted by section 701(e) of the Health Care Services Malpractice Act (40 P.S. § 1301.701(e)) as amended by Act 135 of 1996, has determined that the annual surcharge to be assessed for calendar year 1999 shall be 59% applied to the prevailing primary premium for each health care provider.

Act 135 of 1996 defines "prevailing primary premium" as the schedule of occurrence rates approved by the Insurance Commissioner for the Joint Underwriting Association (JUA). For purposes of the 1999 annual surcharge, the JUA rates to be used are \$400,000/\$1,200,000 for health care providers other than hospitals, and \$400,000/\$2,000,000 for hospitals.

Health care providers having approved self-insurance plans shall be surcharged an amount equal to the surcharge imposed on a health care provider of like class, size, risk and kind as determined by the Fund's Director.

JOHN H. REED,
Director

[Pa.B. Doc. No. 98-1966. Filed for public inspection November 27, 1998, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Railroad
 With Hearing

C-00981174. Pennsylvania Department of Transportation v. Railroad Ventures, Inc. et al. Complainant raises safety and other issues in this formal complaint, as amended, about various crossings on the Railroad Ventures, Inc. Line: 1) complainant states that

the crossing with the line and SR0051 in Darlington Township, Beaver County (AAR No. 869 979 V) should be suspended due to safety and other reasons; 2) complainant states that the crossing with the line and SR4004 in Darlington Township, Beaver County (AAR No. 869 973 E) should be suspended due to safety and other reasons; 3) complainant states that the crossing with the line and SR4004 in Darlington Township, Beaver County (AAR No. 869 975 T) should be suspended due to safety and other reasons; 4) complainant states that the crossing with the line and SR0051 in Darlington Township, Beaver County (AAR No. 869 985 Y) should be suspended due to safety and other reasons. Complainant requests that the crossings be suspended and that it be reimbursed for its costs in altering the crossing at AAR No. 869 979 V; and requests that upon abandonment of the line that the Commission order Railroad Ventures to abolish the crossings. Additional respondents: The Ohio and Pennsylvania Railroad Company, Darlington Township, Beaver County.

An initial hearing on this matter will be held Wednesday, January 20, 1999, at 10 a.m., 11th floor hearing room, Pittsburgh State Office Building, 300 Liberty Avenue, Pittsburgh, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 98-1967. Filed for public inspection November 27, 1998, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before December 21, 1998, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00115449. Beverly A. Hall and Richard G. Lengel, Copartners, t/d/b/a Lemirage Limousine (347 West Main Street, Newmanstown, Lebanon County, PA 17073)—persons, in limousine service, between points in the counties of Lebanon, Berks, Lancaster and Schuylkill, and from points in the said counties, to points in Pennsylvania, and return.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under each application.

A-00109373, F. 1, Am-A. Roan's Transfer and Storage, Inc. (2100 Whitney Road, Williamsport, Lycoming

County, PA 17701), a corporation of the Commonwealth of Pennsylvania—household goods and office furnishings, in use, between points in the city of Williamsport, Lycoming County, and within 5 miles by the usually traveled highways of the limits of said city: *so as to permit* the transportation of (1) household goods and office furnishings, in use, from points in the city of Williamsport, Lycoming County, and within 5 miles by the usually traveled highways of the limits of said city to other points in Pennsylvania, and vice versa, provided that no right power or privilege is granted to transport said property from the borough of Montoursville, Lycoming County; (2) household goods in use, works of art, fixtures, office furnishings in use, plant equipment and furnishings, between points in a territory bounded by and including Williamsport, Montoursville, Picture Rocks, Hughesville, Muncy and Montgomery, Lycoming County; (3) household goods in use, works of art, fixtures, office furnishings in use, plant equipment and furnishings, from points in a territory bounded by and including Williamsport, Montoursville, Picture Rocks, Hughesville, Muncy and Montgomery, Lycoming County, to other points in Pennsylvania, and vice versa; (4) household goods in use, works of art, office furnishings and fixtures in use, plant equipment and furnishings, between points on the route of Halls Station and Muncy, Lycoming County, and Towanda, Bradford County, and intermediate points by Highway Route 642, Hughesville Highway Route 220, Eagles Mere, and within 3 miles thereof, and from points in the said territory to points in Pennsylvania, and vice versa; (5) household goods in use from points in the city of Lock Haven, Clinton County, to other points in Pennsylvania, and vice versa; and (6) household goods and office furnishings, in use, from points in the borough of Jersey Shore, Lycoming County, and within 15 miles by the usually traveled highways of the limits of said borough, to other points in Pennsylvania, and vice versa, excluding transportation between points in the city of Williamsport, Lycoming County and the city of Lock Haven, Clinton County; which is to be a transfer of part of the rights authorized to Trencos, Inc., under the certificate issued at A-00095344, subject to the same limitations and conditions. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for the transportation of household goods as described under each application.

A-00108945, F. 1, Am-A. Gardner Moving Company (3236 Beacon Hill Avenue, Pittsburgh, Allegheny County, PA 15216), a corporation of the Commonwealth of Pennsylvania—inter alia—household goods, personal effects and property used to or to be used in a dwelling when a part of the furnishings, equipment or supplies of such dwelling as an incidental part of a removal of the householder from one domicile to another; furniture, fixtures, equipment and the property of stores, offices, museums, institutions, hospitals or other establishments when a part of the stock, equipment or supply of such stores, offices, museums, institutions, hospitals or other establishments in connection with the removal from one location to another; and articles, in use, including objects of art, displays, and exhibits which because of their unusual nature or value, require special handling and equipment usually employed in moving household goods between points in the county of Allegheny, and from points in said county to points in Pennsylvania; subject to

the following condition: that no right, power or privilege is granted to provide service to points in the counties of Chester and Montgomery, and the city of Harrisburg, Dauphin County, and points within 10 miles by the usually traveled highway of the limits of said city: *so as to permit* the transportation of household goods in use, between points within an airline radius of 75 statute miles of the Allegheny County Courthouse, located in the city of Pittsburgh, Allegheny County. *Attorney:* Mark C. Stephenson, 1900 Market Street, Philadelphia, PA 19103.

Motor Carrier Applications—Property, Excluding Household Goods In Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before December 14, 1998.

- | | |
|------------|--|
| A-00115443 | Christopher P. Walker, t/a C.W. Trucking
P. O. Box 23, Shanksville, PA 15560-0023 |
| A-00115444 | Walter E. Miller, III, t/a Walter Miller Trucking
117 Oak Lane, Beaver Falls, PA 15010 |
| A-00115445 | Gerald Malorgio, t/a J. C. Malorgio Trucking
P. O. Box 81, Morton, PA 19070-0081 |
| A-00115446 | Richard E. Keener, t/a R. E. Keener Trucking
151 Lancaster Estates, Mount Joy, PA 17552 |
| A-00115454 | James A. Smith, Sr., t/a Jim's Auto Transport
4593 S. R. 103-N, Lewistown, PA 17044 |
| A-00115453 | Owen Schlauch, t/a MTAR Towing & Recovery
R. 1246 Sans Souci Parkway, Wilkes-Barre, PA 18702; Stephen J. Fendler, 584 Wyoming Avenue, Kingston, PA 18704-3702 |
| A-00115452 | T. J. McGeehan Sales & Service, Ltd.
R. R. 1, Box 101-D, White Haven, PA 18661; Senape & Associates, 612-614 Main Street, P. O. Box 179, Freeland, PA 18224-0179 |
| A-00115450 | Reo's Towing, Inc.
121 Second Street, Plains Township, PA 18702 |
| A-00115451 | Allenergy Marketing Company, LLC, t/a AE Fuels L.L.C.
R. R. 1, Box 97B, White Haven, PA 18661; Henry M. Wick, Jr., 1450 Two Chatham Center, Pittsburgh, PA 15219-3427 |
| A-00115441 | Saint Regis Courier Service, Inc.
16 Motrose Avenue, Upper Darby, PA 19082 |
| A-00115440 | Frank D. Kranyc, t/a F.D.K. Transport
120 Ridgeview Road North, Elizabethtown, PA 17022 |

A-00115438 William B. Anderson, Jr., t/a Anderson Hauling
373 Linfield Trappe Road, Limerick, PA 19468

A-00115439 Harold R. Rock, t/a H. Rock Trucking
784 Sportsman Road, Somerset, PA 15501

A-00112152F.2 Grand View Limousine, Inc.
803 Perry Hwy, Pittsburgh, PA 15229;
David M. O'Boyle, 1450 Two Chatham Center, Pittsburgh, PA 15219-3427

JAMES J. MCGINLEY,
Secretary

[Pa.B. Doc. No. 98-1968. Filed for public inspection November 27, 1998, 9:00 a.m.]

Sewer Service Without Hearing

A-230210F2000. Borough of Kutztown. Application by the Borough of Kutztown for approval of termination of sanitary sewer service certificate of convenience regarding service districts in Maxatawny Township, Berks County, PA, for the purpose of conveyance of certain facilities and operations in the service districts to the Kutztown Municipal Authority.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before December 14, 1998, under 52 Pa. Code (relating to public utilities).

Applicant: Borough of Kutztown

Through and By Counsel: Timothy G. Dietrich, Esquire, Rhoda, Stoudt & Bradley, Sixth Floor, The Berkshire, 501 Washington Street, P. O. Box 877, Reading, PA 19603-0877

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 98-1969. Filed for public inspection November 27, 1998, 9:00 a.m.]

Water Service Without Hearing

A-221700F2000. Borough of Kutztown. Application by the Borough of Kutztown for approval of termination of water supply service certificate of convenience regarding service districts in Maxatawny Township, Berks County, PA, for the purpose of conveyance of certain facilities and operations in the service districts to the Kutztown Municipal Authority.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before December 14, 1998, under 52 Pa. Code (relating to public utilities).

Applicant: Borough of Kutztown

Through and By Counsel: Timothy G. Dietrich, Esquire, Rhoda, Stoudt & Bradley, Sixth Floor, The Berkshire, 501 Washington Street, P. O. Box 877, Reading, PA 19603-0877

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 98-1970. Filed for public inspection November 27, 1998, 9:00 a.m.]

STATE ETHICS COMMISSION

Public Meeting

The Public Official and Employee Ethics Law requires that the State Ethics Commission (Commission) hold at least two public hearings each year to seek input from persons and organizations who represent any individual subject to the provisions of the law and from other interested parties.

The Commission will conduct a public meeting in 307 Finance Building, Harrisburg, PA on December 15, 1998, beginning at 9 a.m. for purposes of receiving input and for the conduct of other agency business. Public officials, public employees, organizations and members of the general public may attend.

Persons seeking to testify or present statements, information or other comments in relation to the Ethics Law, the regulations of the Commission or agency operations should contact Claire Hershberger at (717) 783-1610 or (800) 932-0936. Written copies of any statement should be provided at the time of the meeting.

JOHN J. CONTINO,
Executive Director

[Pa.B. Doc. No. 98-1971. Filed for public inspection November 27, 1998, 9:00 a.m.]

STATE POLICE

Implementation of the Pennsylvania Instant Check System

The State Police, under the requirement contained in the Uniform Firearms Act, 18 Pa.C.S. § 6111.1 (relating to Pennsylvania State Police) announces the implementation of the Pennsylvania Instant Check System (PICS) on November 30, 1998, for firearms (long guns) which exceed the barrel lengths set forth in 18 Pa.C.S. § 6102 (relating to definitions).

Questions concerning this notice should be directed to the PICS administrative unit at (717) 783-5598.

COLONEL PAUL J. EVANKO,
Commissioner

[Pa.B. Doc. No. 98-1972. Filed for public inspection November 27, 1998, 9:00 a.m.]

TURNPIKE COMMISSION

Retention of an Engineering or Construction Management Firm

Construction Inspection/Project Management Services for the Roadway and Bridge Reconstruction between Mileposts 187.00 and 197.00 Franklin County, PA

Reference No. 2-055

The Turnpike Commission (Commission) will retain an Engineering or Construction Management firm with full depth highway replacement and structure inspection experience to provide a staff of approximately seven field inspection personnel for the complete construction inspection, management, administration and documentation for the Roadway and Bridge Reconstruction Project between mileposts 187.00 and 197.00, in Franklin County. Construction will include the total removal of the existing roadway and replacement with a bid alternate of flexible or rigid pavement. Roadway widening, guiderail and drainage work will also be performed. Structure work includes the widening and redecking of bridge B-110A at milepost 190.58, the replacement of bridges B-462 and B-464 at milepost 190.71 and 196.29, widening of bridge B-460 at milepost 188.59, widening of culvert S-228A at milepost 188.97 and various repairs to bridges B-359 and B-335 at mileposts 188.82 and 191.18. Major construction will be scheduled for the spring and fall construction seasons. Construction costs are estimated at \$46 million. The consultant agreement is anticipated to start in January 1999 and terminate in September 2001.

The selected firm will be required to provide a full time on-site construction inspection staff, with sufficient office personnel, managers, engineers, technicians and clerical staff to support the field functions. The selected firm will also be required to perform constructability reviews, attend the prebid meeting and preconstruction conference, write all project correspondence and review and approve contractor's submissions. In addition, the selected firm will be required to keep records utilizing the Turnpike's Construction Documentation System (CDS) to document the construction work, prepare current and final estimates for payment to the construction contractor, prepare change orders, conduct monthly job conferences, monitor the monthly progress, provide liaison with affected utilities and communities, conduct semifinal and final inspections, determine the final quantities of each contract item, and perform other duties as may be required.

Eighty percent (80%) of the inspection staff assigned to this Commission constructed project must meet the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies, (NICET) as a Transportation Engineering Technician—Construction Level 2 or higher.
2. Be registered as a professional engineer by the Commonwealth of Pennsylvania with 1 year highway inspection experience acceptable to the Commission.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with 2 years of highway inspection experience acceptable to the Commission.
4. Hold a Bachelor of Science Degree in Civil Engineering or Civil Engineering Technology with 2 years of highway inspection experience acceptable to the Commission.

5. Hold an Associate Degree in Civil Engineering Technology with 3 years of highway inspection experience acceptable to the Commission.

The remaining 20% assigned to this project shall meet the following education and experience requirements:

Education—Graduation from high school or equivalent certification or formal training. Completion of a training program in construction inspection approved by the Commission may be substituted for high school graduation.

Experience—One year of experience in construction inspection or workmanship which requires reading and interpreting construction plans and specifications, or 1 year of experience in a variety of assignments involving the testing of materials used in highway or similar construction projects. A 2- to 4-year engineering college degree may be substituted for 1 year of experience.

Questions and inquiries concerning this project should be directed to Matthew J. Wagner, P.E., at (717) 939-9551, Ext. 5210, or by email at mwagner@paturnpike.com.

General Requirements and Information

Firms interested in performing the above services are invited to submit expanded letters of interest to Michael W. Flack, P.E., Assistant Chief Engineer—Construction, at the PA Turnpike Commission Administration Building located on Eisenhower Boulevard at the Harrisburg-East Interchange (No. 19). (FedEx address: Route 283 and Eisenhower Boulevard, Highspire, PA 17034; Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676.

The expanded letters of interest must include in the heading the project reference number indicated in the advertisement. A Standard Form 254, "Architect-Engineer and Related Services Questionnaire," not more than 1 year old as of the date of this advertisement, and Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project," must accompany each expanded letter of interest. Explanation that the firm has successfully completed similar type projects, of the same magnitude, is required. If the firm has multiple offices, the location of the office performing the work must be identified.

Firms with out-of-State headquarters or corporation not incorporated in Pennsylvania must include with each expanded letter of interest a copy of their registration to do business in this Commonwealth as provided by the Department of State.

The Commission currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Commission currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection/project management projects to 100% for field staff and 130% for office staff, or the consultant's actual audited overhead rate, whichever is less.

The following factors should be identified by the consultant in their submission:

(A) Specialized experience and technical competence of firm. The firm must clearly demonstrate their capabilities of completing this project by identifying similar full depth highway pavement replacement projects that they have inspected, the magnitude of the project and the client.

(B) Past record of performance with respect to cost control, work quality and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.

(C) Expanded letters of interest must include an indication of the prime consultant's and subconsultant's current workload for all Pennsylvania Department of Transportation and Pennsylvania Turnpike Commission projects.

(D) Location of consultant's office where the work will be performed.

(E) Listing of subconsultants intended. Any deviation from the subconsultants listed in the expanded letter of interest will require written approval from the Commission. (Please note DBE/MBE/WBE participation requirements as follows)

(F) Special requirements of the project.

(G) An organization chart for the project, identifying key personnel. Only resumes of key personnel should be included.

(H) Other factors, if any, specific to the project.

The Commission is committed to the inclusion of disadvantaged, minority and woman firms in contracting opportunities. The minimum participation level for DBE/MBE/WBEs in this contract will be 10%. Responding firms shall identify DBE/MBE/WBE firms, expected to participate in this contract, in their expanded letter of Interest. If the selected firm does not meet the minimum requirement for DBE/MBE/WBE participation, they will be required to demonstrate good faith efforts to achieve the required level. Proposed DBE/MBE/WBE firms must be certified by the Pennsylvania Department of Transpor-

tation at the time of the submission of the expanded letter of interest. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Office of Equal Opportunity Development, Pennsylvania Turnpike Commission at the above address, or by calling (717) 939-9551, Ext. 4241.

The expanded letter of interest and required forms must be received by 12 p.m., Friday, December 18, 1998. Any letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable expanded letters of interest received in response to this solicitation, one firm will be selected for this project. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Selection Committee. Technical Proposals or Requests for Proposals will not be requested prior to selection.

The Commission reserves the right to reject all expanded letters of interest, to cancel solicitation requested under this notice, and/or to re-advertise solicitation for these services.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 98-1973. Filed for public inspection November 27, 1998, 9:00 a.m.]