

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 1, 1998.

### BANKING INSTITUTIONS

#### Holding Company Acquisitions

| <i>Date</i> | <i>Name of Corporation</i>  | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------|
| 11-30-98    | ACNB Corporation, Gettysburg,<br>to acquire 100% of the voting<br>shares of Farmers National<br>Bancorp, Inc., Newville, and<br>indirectly acquire Farmers<br>National Bank of Newville, Newville | Gettysburg      | Approved      |

#### Consolidations, Mergers and Absorptions

| <i>Date</i> | <i>Name of Bank</i>  | <i>Location</i>   | <i>Action</i> |
|-------------|--|-------------------|---------------|
| 12-1-98     | Three Rivers Bank and<br>Trust Company<br>Jefferson Borough<br>Allegheny County<br><br>Purchase of assets/assumption of<br>liabilities of one branch<br>office of First Western Bank, N.A.,<br>located at:<br><br>451 Hyde Park Road<br>Leechburg<br>Westmoreland County | Jefferson Borough | Approved      |

#### Branch Applications

| <i>Date</i> | <i>Name of Bank</i>  | <i>Location</i>   | <i>Action</i> |
|-------------|--|---|---------------|
| 11-23-98    | Millennium Bank<br>Malvern<br>Chester County                             | 1200 Broadcasting Rd.<br>Wyomissing<br>Berks County   | Approved      |
| 11-23-98    | Abington Savings Bank<br>Jenkintown<br>Montgomery County                 | 101 Ft. Washington Ave.<br>Fort Washington<br>Montgomery County                                       | Approved      |
| 11-23-98    | Abington Savings Bank<br>Jenkintown<br>Montgomery County                 | 667 Welsh Road<br>Huntingdon Valley<br>Lower Moreland Twp.<br>Montgomery County                       | Approved      |
| 11-23-98    | Penn Security Bank and<br>Trust Company<br>Scranton<br>Lackawanna County | Northeast Corner of<br>PA Route 447 and<br>US Business Route 209<br>East Stroudsburg<br>Monroe County | Opened        |
| 11-25-98    | Fidelity Deposit and<br>Discount Bank<br>Dunmore<br>Lackawanna County    | 4010 Birney Avenue<br>Moosic<br>Lackawanna County   | Filed         |
| 11-30-98    | Fulton Bank<br>Lancaster<br>Lancaster County                             | South York Plaza<br>Pauline Drive<br>York Township<br>York County                                     | Approved      |

**Branch Relocations/Consolidations**

| <i>Date</i> | <i>Name of Bank</i>   | <i>Location</i>   | <i>Action</i> |
|-------------|---|---|---------------|
| 11-20-98    | Northern Central Bank<br>Williamsport<br>Lycoming Bank        | <i>To:</i> 193A N. Main Street<br>Mansfield<br>Tioga County<br><br><i>From:</i> 1199 S. Main Street<br>Mansfield<br>Tioga County<br>(Approved/Unopened)                         | Effective     |
| 11-23-98    | The Bryn Mawr Trust Company<br>Bryn Mawr<br>Montgomery County | <i>To:</i> 330 E. Lancaster Ave.<br>Radnor Township<br>Delaware County<br><br><i>From:</i> 3 Radnor Corporate Center<br>Radnor Township<br>Delaware County                      | Filed         |
| 11-30-98    | Lebanon Valley<br>Farmers Bank<br>Lebanon<br>Lebanon County   | <i>Into:</i> Palmyra Shopping Center<br>901 East Main Street<br>Palmyra<br>Lebanon County<br><br><i>From:</i> 41 N. Londonderry Sq.<br>North Londonderry Twp.<br>Lebanon County | Approved      |

**Branch Discontinuances**

| <i>Date</i> | <i>Name of Bank</i>  | <i>Location</i>                                    | <i>Action</i> |
|-------------|--|--|---------------|
| 12-1-98     | First Commonwealth<br>Trust Company<br>Indiana<br>Indiana County | 501 Penn Street<br>Huntingdon<br>Huntingdon County | Filed         |

**SAVINGS ASSOCIATIONS**

No activity.

**CREDIT UNIONS****Branch Applications**

| <i>Date</i> | <i>Name of Credit Union</i>                                     | <i>Location</i>  | <i>Action</i> |
|-------------|---|--|---------------|
| 11-25-98    | UTI Employees Credit Union<br>Collegeville<br>Montgomery County | 206 Jones Boulevard<br>Pottstown<br>Limerick Township<br>Montgomery County | Filed         |

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 98-2030. Filed for public inspection December 11, 1998, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Eisenhower Postsecondary Grant Application Guidelines for Professional Development Programs

Applications from Pennsylvania nonprofit organizations, which have previously conducted successful reading professional development activities, and Pennsylvania institutions of higher education will be accepted for professional development programs specially designed to improve reading in this Commonwealth. Grant awards will be funded with higher education money authorized by Subchapter II—Dwight D. Eisenhower Professional Development Program—The Improving America's Schools Act of 1994 (P. L. 103-382).

The Commonwealth has approximately \$534,267 available for this competition. Awards issued under these guidelines will be for a maximum of three full funding cycles; funding in subsequent years is estimated to be about \$373,987 each cycle. Awards for this competition and the subsequent two funding cycles are specifically contingent upon the appropriation of funds by the Federal government, a valid and comprehensive assessment of the success of the project, including, but not limited to, demonstration of significant increase in participants' knowledge of how children learn to read by pre/postcontent based tests and a fully executed contract/memorandum of understanding.

It is anticipated that \$250,000 or more will be awarded to one to three grant recipients for the first funding cycle. Only applications including commitments from regional sites and those seeking funding for all three cycles will be funded. Funding will be awarded only to the applicant;

funds to support each regional site will be included in the applicant's final grant award.

Copies of the Eisenhower Postsecondary Grant Application (EPGA) guidelines are available on the Department's web page at <http://www.pde.psu.edu/docs/pde/posteisen.html> or from the Issuing Office, which is the sole point of contact for the guidelines: Division of Program Services, Bureau of Postsecondary Services, Department of Education, 333 Market Street, Harrisburg, PA 17126-0333, (717) 772-3623; TDD (717) 783-8445.

A preproposal conference is scheduled for Monday, January 4, 1999, at 10 a.m. in Heritage Room A, Lobby Level at 333 Market Street, Harrisburg. If special accom-

modations are required to participate in the preproposal conference, contact the Division of Program Services. Written questions are to be submitted by December 28, 1998, on PDE-4658 available on the Department's web page at <http://www.pde.psu.edu/docs/pde/posteisen.html>.

Applications submitted in response to the EPGA guidelines are due in the Division of Program Services no later than 5 p.m., Friday, January 29, 1999.

EUGENE W. HICKOK,  
Secretary

[Pa.B. Doc. No. 98-2031. Filed for public inspection December 11, 1998, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period, will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding, should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

#### Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

---

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0020532.** Sewage, **Upper Montgomery Joint Authority**, P. O. Box 6, Pennsburg, PA 18073.

This application is for renewal of an NPDES permit to discharge treated sewage from a sewage treatment plant in Upper Hanover Township, **Montgomery County**. This is an existing discharge to Green Lane Reservoir.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 2.0 mgd average annual are as follows:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Average<br/>Weekly (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|--|----------------------------------|---|
| CBOD <sub>5</sub>       | 25   | 40                               | 50                                      |
| Suspended Solids        | 30   | 45                               | 60                                      |
| Ammonia (as N)          | 20   |                                  | 40                                      |
| Phosphorus (as P)       | 1.0  |                                  | 2.0                                     |
| Total Residual Chlorine | 0.5  |                                  | 1.2                                     |
| Fecal Coliform          | 200 colonies/100 ml as a geometric average           |                                  |   |
| Dissolved Oxygen        | minimum of 5.0 mg/l at all times                     |                                  |   |
| pH                      | within limits of 6.0—9.0 standard units at all times |                                  |   |
| Mercury                 | monitor/report                                       |                                  |   |

The EPA waiver is not in effect.

*Other Conditions:*

Toxics Reduction Evaluation for Mercury  
Minimize Stormwater Bypasses.

**PA 0052761.** Sewage, **Buckingham Valley Nursing Home**, P. O. Box 447, Buckingham, PA 18912.

This application is for renewal of an NPDES permit to discharge treated sewage from a sewage treatment plant in Buckingham Township, **Bucks County**. This is an existing discharge to unnamed tributary to Mill Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 14,000 gpd are as follows:

| <i>Parameter</i>           | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|----------------------------|--|---|
| CBOD <sub>5</sub>          |  |   |
| (5-1 to 10-31)             | 10   | 20                                      |
| (11-1 to 4-30)             | 20   | 40                                      |
| Suspended Solids           | 30   | 60                                      |
| Ammonia (as N)             |  |   |
| (5-1 to 10-31)             | 3.0  | 6.0                                     |
| (11-1 to 4-30)             | 9.0  | 18.0                                    |
| Total Residual Chlorine    |  |   |
| (0—2 years)                | 1.2  | 2.0                                     |
| (3—5 years)                | 0.1  | 0.25                                    |
| Fecal Coliform             | 200 colonies/100 ml as a geometric average           |   |
| Dissolved Oxygen           | minimum of 5.0 mg/l at all times                     |   |
| pH                         | within limits of 6.0—9.0 standard units at all times |   |
| Phosphorus (as P)          |  |   |
| (4-1 to 10-31)             | 2.0  | 4.0                                     |
| Nitrate and Nitrate (as N) |  |   |
| (7-1 to 10-31)             | 8  | 16                                      |

The EPA waiver is in effect.

**PA 001720.** Industrial waste, **Rhodia, Inc.**, CN 7500 Prospect Plains Road, Cranbury, NJ 08512-7500.

This application is for renewal of an NPDES permit to discharge cooling water from an industrial facility serving a phosphorus products manufacturing company located in Falls Township, **Bucks County**. This is an existing discharge to Biles Creek.

The receiving stream is classified for the following uses: warm water fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 4,000 gallons per day, are as follows:

| <i>Parameter</i>       | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Maximum<br/>Daily (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|------------------------|--|---------------------------------|---|
| BOD <sub>5</sub>       | monitor  | monitor                         | monitor                                 |
| Suspended Solids       | 30   | 60                              | 75                                      |
| Oil and Grease         | 15   |                                 | 30                                      |
| Temperature            |  |                                 | 110°F                                   |
| pH                     | within limits of 6.0—9.0 standard units at all times |                                 |   |
| Total Dissolved Solids | 1,000  | 2,000                           | 2,500                                   |
| Phosphorus as P        | monitor  | monitor                         | monitor                                 |
| Sulfide as S           | monitor  | monitor                         | monitor                                 |
| Total Phenols          | 0.02   | 0.04                            | 0.05                                    |
| Total Iron             | 1.5  | 3.0                             | 3.75                                    |

*Other Conditions:*

The EPA waiver is in effect.

Thermal Requirements

**PA 0057479.** Industrial waste, **Metro Machine of PA**, P. O. Box 1860, Norfolk, VA 23501.

This application is for issuance of an NPDES permit to discharge treated process wastewater from dry dock No. 2 at the Philadelphia Naval Complex in Philadelphia, **Philadelphia County**. This is a transfer of an existing discharge to the Delaware River.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 010, based on an average flow of 1.7 mgd are as follows:

| <i>Parameter</i>       | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Maximum<br/>Daily (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|------------------------|--|---------------------------------|---|
| Total Suspended Solids | 100  | 200                             | 250                                     |
| Oil and Grease         | 15   |                                 | 30                                      |
| pH                     | within limits of 6.0—9.0 standard units at all times |                                 |   |
| Total Iron             | monitor/report                                       | monitor/report                  |   |
| Total Copper           | monitor/report                                       | monitor/report                  |   |
| Total Lead             | monitor/report                                       | monitor/report                  |   |
| Total Zinc             | monitor/report                                       | monitor/report                  |   |
| 1, 2, Dichloroethane   | monitor/report                                       | monitor/report                  |   |
| Tetrachloroethylene    | monitor/report                                       | monitor/report                  |   |
| Trichloroethylene      | monitor/report                                       | monitor/report                  |   |

*Other Conditions:*

The EPA waiver is in effect.

**PA 0057649.** Sewage, **Jeanette DeMoreland**, 34 Tohickon Drive, Ottsville, PA 18942.

This application is for issuance of an NPDES permit to discharge treated sewage from DeMoreland single residential STP in Haycock Township, **Bucks County**. This is a new discharge to Dimple Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 400 gpd are as follows:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Average<br/>Weekly (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|--|----------------------------------|---|
| CBOD <sub>5</sub>       | 10   |                                  | 20                                      |
| Suspended Solids        | 20   |                                  | 40                                      |
| Total Residual Chlorine | monitor/report                                       |                                  | monitor/report                          |
| Fecal Coliform          | 200 colonies/100 ml as a geometric average           |                                  |   |
| pH                      | within limits of 6.0—9.0 standard units at all times |                                  |   |

*Other Conditions:*

The EPA waiver is in effect.

**PA 0055263.** Sewage, **Executive Center Condominium Association, c/o B. C. Property Management**, 610 Louis Drive, Suite 303, Warminster, PA 18974.

This application is for renewal of an NPDES permit to discharge treated sewage from a small sewage treatment plant in Plumstead Township, **Bucks County**. This is an existing discharge to an unnamed tributary to the North Branch of Neshaminy Creek.

The receiving stream is classified for the following uses: warm water fishery, trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1,000 gpd are as follows:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|---|
| CBOD <sub>5</sub>       |                                   |   |
| (5-1 to 10-31)          | 10                                | 20                                      |
| (11-1 to 4-30)          | 20                                | 40                                      |
| Suspended Solids        | 10                                | 20                                      |
| Ammonia (as N)          |                                   |   |
| (5-1 to 10-31)          | 3                                 | 6                                       |
| (11-1 to 4-30)          | 9                                 | 18                                      |
| Total Residual Chlorine | 1.2                               | 2.5                                     |

| <i>Parameter</i> | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|------------------|--|---|
| Fecal Coliform   | 200 colonies/100 ml as a geometric average           |   |
| Dissolved Oxygen | minimum of 2.0 mg/l at all times                     |   |
| pH               | within limits of 6.0—9.0 standard units at all times |   |

The EPA waiver is in effect.

**PA 0057576.** Sewage, **Bruce K. Entwisle**, 500 Swedesford Road, Lower Gwynedd, PA 19002.

This application is for issuance of an NPDES permit to discharge treated sewage from a single residence sewage treatment plant in Lower Gwynedd Township, **Montgomery County**. This is a new discharge to an unnamed tributary to the Wissahickon Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 700 gpd are as follows:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|--|---|
| CBOD <sub>5</sub>       | 10   | 20                                      |
| Suspended Solids        | 20   | 40                                      |
| Total Residual Chlorine | monitor/report                                       |   |
| Fecal Coliform          | 200 colonies/100 ml as a geometric average           |   |
| pH                      | within limits of 6.0—9.0 standard units at all times |   |

The EPA waiver is in effect.

**PA 0057622.** Sewage, **Leonard Lowinski and Ira Saft**, 241 and 261 Woodhill Lane, Media, PA 19063.

This application is for issuance of an NPDES permit to discharge treated sewage from a residential sewage treatment plant serving two dwelling units located in Upper Providence Township, **Delaware County**. This is a new discharge to an unnamed tributary to Ridley Creek.

The receiving stream is classified for the following uses: high quality trout stocking fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 1,000 gallons per day are as follows:

| <i>Parameter</i>                    | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------------------|--|---|
| CBOD <sub>5</sub><br>(5-1 to 10-31) | 10   | 20                                      |
| (11-1 to 4-30)                      | 20   | 40                                      |
| Suspended Solids                    | 10   | 20                                      |
| Ammonia (as N)<br>(5-1 to 10-31)    | 1.5  | 3.0                                     |
| (11-1 to 4-30)                      | 4.5  | 9.0                                     |
| Total Residual Chlorine             | 0.5  | 1.2                                     |
| Fecal Coliform                      | 200 colonies/100 ml as a geometric average           |   |
| Dissolved Oxygen                    | minimum of 6 mg/l at all times                       |   |
| pH                                  | within limits of 6.0—9.0 standard units at all times |   |

The EPA waiver is in effect.

**PA 0027154.** Sewage, **Borough of Phoenixville**, 140 Church Street, Phoenixville, PA 19460.

This application is for renewal of an NPDES permit to discharge treated sewage from a sewage treatment plant serving Borough of Phoenixville and Schuylkill Township located in Borough of Phoenixville, **Chester County**. This is an existing discharge to Schuylkill River.

The receiving stream is classified for: warm water fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 4.0 mgd are as follows:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i>                    | <i>Average<br/>Weekly (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|--|----------------------------------|---|
| CBOD <sub>5</sub>       | 25   | 40                               | 50                                      |
| Suspended Solids        | 30   | 45                               | 60                                      |
| Ammonia (as N)          | 20   |                                  | 40                                      |
| Total Residual Chlorine | 0.5  |                                  | 1.6                                     |
| Fecal Coliform          | 200 colonies/100 ml as a geometric average           |                                  |   |
| Dissolved Oxygen        | monitor  |                                  | monitor                                 |
| pH                      | within limits of 6.0—9.0 standard units at all times |                                  |   |

*Other Conditions:*

The EPA waiver is not in effect.

*Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2553.*

**PA 0063843.** Industrial waste, SIC: 4941, **Milford Borough Municipal Authority**, 120 Pear Alley, P. O. Box 459, Milford, PA 18337.

This proposed action is for issuance of an NPDES permit to discharge treated process wastewater into Vantine Brook in Milford Township, **Pike County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the evaluation was conducted at the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.001 mgd are:

| <i>Parameter</i>       | <i>Monthly<br/>Average (mg/l)</i> | <i>Daily<br/>Maximum (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|------------------------|-----------------------------------|---------------------------------|---|
| Total Suspended Solids | 30.0                              | 60.0                            |   |
| pH                     | 6—9 standard units at all times   |                                 |   |

The EPA waiver is in effect.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0014605.** Industrial waste, SIC: 4951, **United Water Pennsylvania, Inc.**, 4211 East Park Circle, Harrisburg, PA 17111-0151.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Yellow Breeches Creek, in Fairview Township, **York County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American located on the Yellow Breeches Creek. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.073 mgd are:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i> | <i>Maximum<br/>Daily (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|---------------------------------|---|
| pH                      | 6.0—9.0 at all times              |                                 |   |
| Total Suspended Solids  | 30                                | 60                              | 75                                      |
| Total Residual Chlorine | 1.0                               |                                 | 2.0                                     |
| Total Aluminum          | 4.0                               | 8.0                             | 10.0                                    |
| Total Manganese         | 1.0                               | 2.0                             | 2.5                                     |
| Total Iron              | 2.0                               | 4.0                             | 5.0                                     |

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0085600.** Industrial waste, SIC: 3089, **Ono Industries, Inc.**, Route 22 West, P. O. Box 150, Ono, PA 17077.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste and stormwater to Reeds Creek, in East Hanover Township, **Lebanon County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.057 mgd are:

| <i>Parameter</i>       | <i>Average<br/>Monthly (mg/l)</i> | <i>Maximum<br/>Daily (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|------------------------|-----------------------------------|---------------------------------|---|
| BOD <sub>5</sub>       | 13                                | 26                              | 32                                      |
| Total Suspended Solids | 14                                | 50                              | 62                                      |
| Oil and Grease         | 15                                | 29                              | 30                                      |
| Temperature            | 87°F                              |                                 |   |
| pH                     | 6.0—9.0                           |                                 |   |

The proposed effluent limits for Outfall 002 for stormwater are:

| <i>Parameter</i>       | <i>Average<br/>Monthly (mg/l)</i> | <i>Maximum<br/>Daily (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|------------------------|-----------------------------------|---------------------------------|---|
| BOD <sub>5</sub>       |                                   |                                 | monitor and report                      |
| Total Suspended Solids |                                   |                                 | monitor and report                      |
| COD                    |                                   |                                 | monitor and report                      |
| Oil and Grease         |                                   |                                 | monitor and report                      |
| pH                     |                                   |                                 | monitor and report                      |
| Total Kjeldahl N       |                                   |                                 | monitor and report                      |
| Total Phosphorus       |                                   |                                 | monitor and report                      |
| Dissolved Iron         |                                   |                                 | monitor and report                      |

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0080560.** Industrial waste, SIC: 5541, **TA Operating Corporation**, 24601 Center Ridge Road, Westlake, Ohio 44145-5634.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of Manada Creek, in West Hanover Township, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 002 are:

| <i>Parameter</i> | <i>Average<br/>Monthly (mg/l)</i> | <i>Maximum<br/>Daily (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|------------------|-----------------------------------|---------------------------------|---|
| Oil and Grease   | 15                                |                                 | 30                                      |
| pH (s.u.)        |                                   | 6.0—9.0                         |   |

Individuals may make an appointment to review the Department files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0084255.** Sewage, SIC: 6515, **Swatara Mobile Home Park**, 2459 Grace Avenue, Lebanon, PA 17046.

This application is for amendment of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary of Swatara Creek, in Swatara Township, **Lebanon County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American Water Company located in South Hanover Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0088 mgd are:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|---|
| CBOD <sub>5</sub>       | 25                                | 50                                      |
| Total Suspended Solids  | 30                                | 60                                      |
| NH <sub>3</sub> -N      |                                   |   |
| (5-1 to 10-31)          | 2.5                               | 5.0                                     |
| (11-1 to 4-30)          | 7.5                               | 15.0                                    |
| Total Residual Chlorine | 0.23                              | 0.75                                    |
| Dissolved Oxygen        |                                   | minimum of 5.0 at all times             |
| pH                      |                                   | from 6.0—9.0 inclusive                  |
| Fecal Coliforms         |                                   |   |
| (5-1 to 9-30)           |                                   | 200/100 ml as a geometric average       |
| (10-1 to 4-30)          |                                   | 3,200/100 ml as a geometric average     |

Part C includes a Schedule of Compliance for Total Residual Chlorine.

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

*Northcentral Region: Environmental Program Manager; Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3666.*

**PA 0021733.** Sewerage, SIC: 4952, **Borough of Watsontown**, P. O. Box 273, Watsontown, PA 17777.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to West Branch Susquehanna River in Watsontown Borough, **Northumberland County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton approximately 4 river miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.33 mgd, are:

| <i>Parameter</i>  | <i>Average<br/>Monthly (mg/l)</i> | <i>Average<br/>Weekly (mg/l)</i>   | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|---|-----------------------------------|--|---|
| CBOD <sub>5</sub>   | 25                                | 40   | 50                                      |
| TSS   | 30                                | 45   | 60                                      |
| Total Cl <sub>2</sub> Residual<br>(1st month—36th month)<br>(37th month—permit expiration date) | report<br>1.0                     |  | 3.3                                     |
| Fecal Coliforms<br>(5-1 to 9-30)<br>(10-1 to 4-30)  |                                   | 200 col/100 ml as a geometric mean<br>2,000 col/100 ml as a geometric mean |   |
| pH  |                                   | 6.0—9.0 at all times   |   |

The EPA waiver is in effect.

**PA 0114545.** SIC: 7215, **Barry Schoenly, c/o Troy Schoenly**, P. O. Box 156, Sylvania, PA 16945.

This proposed action is for renewal of an NPDES permit for discharge of treated industrial waste to South Branch Sugar Creek in Troy Township, **Bradford County**.

The receiving stream is classified for the following uses: trout stocked fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Danville Municipal Water Company located approximately 160 miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0092 mgd, are:

| <i>Specific Substance</i> | <i>Monthly<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instantaneous<br/>Maximum</i> |
|---------------------------|----------------------------|--------------------------|----------------------------------|
| CBOD <sub>5</sub>         | 22.0                       | 44.0                     | 55.0                             |
| TSS                       | 20.0                       | 40.0                     | 50.0                             |
| NH <sub>3</sub> -N        | 8.0                        | 16.0                     | 20.0                             |
| Oil and Grease            | 15.0                       | 30.0                     | 30.0                             |
| Total Chlorine Residual   | monitor                    |                          |                                  |
| pH                        | 6.0—9.0 standard units     |                          |                                  |

The EPA waiver is in effect.

**PA 0228061.** SIC: 4952, **Rivera Sewer Company of Pennsylvania, Inc.**, Treasure Lake Mini Mall No. 4, DuBois, PA 15801-09010.

This proposed action is for issuance of an NPDES permit for a new discharge of treated sewage to Narrows Creek in Sandy Township, **Clearfield County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purposes of modeling for fluoride and nitrate/nitrite, the nearest downstream potable water supply intake is on Redbank Creek at Hawthorn. This intake is 40 river miles downstream; therefore, no limits are necessary.

The proposed effluent limits for Outfall 001, based on a design flow of 1.0 mgd, are:

| <i>Parameter</i>                                      | <i>Average<br/>Monthly (mg/l)</i> | <i>Average<br/>Weekly (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|---|-----------------------------------|----------------------------------|---|
| CBOD <sub>5</sub><br>(5-1 to 10-31)<br>(11-1 to 4-30) | 15<br>25                          | 22.5<br>40                       | 30<br>50                                |
| Suspended Solids                                      | 30                                | 45                               | 60                                      |
| Ammonia Nitrogen<br>(5-1 to 10-31)<br>(11-1 to 4-30)  | 1.5<br>4.5                        | 2.3<br>6.9                       | 3.0<br>9.0                              |

| <i>Parameter</i>                | <i>Average<br/>Monthly (mg/l)</i> | <i>Average<br/>Weekly (mg/l)</i>    | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|---------------------------------|-----------------------------------|-------------------------------------|---|
| Total Chlorine Residual         | 0.18                              |                                     | 0.58                                    |
| Dissolved Oxygen                |                                   | minimum of 6.0 mg/l at all times    |   |
| pH                              |                                   | 6.0—9.0 at all times                |   |
| Fecal Coliform<br>(5-1 to 9-30) |                                   | 200/100 ml as a geometric average   |   |
| (10-1 to 4-30)                  |                                   | 2,000/100 ml as a geometric average |   |
| <i>Other Conditions:</i> none.  |                                   |                                     |   |
| The EPA waiver is in effect.    |                                   |                                     |   |

*Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**PA 0210137.** Industrial waste, SIC: 7542. **Adesa Pennsylvania Inc., dba Adesa Pittsburgh.**

This application is for renewal of an NPDES permit, to discharge treated industrial waste and stormwater to an UNT to Cool Spring Creek and an UNT to Yellow Creek in Cool Spring Township and Jackson Township in **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stock fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Beaver Falls Municipal Authority on the Beaver River located at Beaver Falls, approximately 42 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of 0.001 mgd, are:

| <i>Parameter</i>  | <i>Average<br/>Monthly</i> | <i>Maximum<br/>Daily (mg/l)</i>    | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------|----------------------------|------------------------------------|---|
| Flow (mgd)        |                            |                                    | 0.7 gpm                                 |
| Copper            | 0.93                       | 1.5                                | 2.3                                     |
| Lead              | 0.4                        | 0.8                                | 1.0                                     |
| Chromium          | 0.22                       | 0.74                               | 0.74                                    |
| Zinc              | 1.1                        | 2.9                                | 2.9                                     |
| TSS               | 20                         | 40                                 | 50                                      |
| Oil and Grease    | 10                         | 20                                 | 25                                      |
| CBOD <sub>5</sub> | 50                         | 100                                | 125                                     |
| D. O.             |                            | no less than 3.0 mg/l at all times |   |
| pH                |                            | 6.0—9.0 at all times               |   |

The EPA waiver is in effect.

**PA 0222739.** Sewage. **Blooming Valley United Methodist Church**, 24740 State Street, Meadville, PA 16335.

This application is for a discharge to replace a malfunctioning onlot system. The discharge is to an Unnamed Tributary to Woodcock Creek in Blooming Valley Borough, **Crawford County**. This is a new discharge.

The receiving water is classified for the following uses: high quality cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the City of Franklin on French Creek located at approximately 36 miles below the discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of .0015, are:

| <i>Parameter</i>        | <i>Average<br/>Monthly (mg/l)</i> | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|---|
| CBOD <sub>5</sub>       | 10                                | 20                                      |
| TSS                     | 20                                | 40                                      |
| Fecal Coliform          | 200/100 ml as a geometric average |   |
| Total Residual Chlorine | 1.4                               | 3.3                                     |
| pH                      |                                   | 6.0—9.0 at all times                    |

The EPA waiver is in effect.

**PA 0093157.** Sewage. **Moraine Camplands Association, Inc.**, 281 Staff Road, Slippery Rock, PA 16057.

This application is for renewal of an NPDES permit to discharge treated sewage to an unnamed tributary to Big Run in Brady Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Camp Allegheny Intake on Slippery Rock Creek located at Wayne Township, Lawrence County, approximately 20 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of 0.05 mgd, are:

| <i>Parameter</i>        | <i>Monthly<br/>Average (mg/l)</i> | <i>Maximum<br/>Daily (mg/l)</i>     | <i>Instantaneous<br/>Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|-------------------------------------|---|
| Flow                    | XX                                |                                     |   |
| CBOD <sub>5</sub>       | 25                                |                                     | 50                                      |
| Total Suspended Solids  | 30                                |                                     | 60                                      |
| NH <sub>3</sub> -N      |                                   |                                     |   |
| (5-1 to 10-31)          | 3                                 |                                     | 6                                       |
| (11-1 to 4-30)          | 9                                 |                                     | 18                                      |
| Total Residual Chlorine | 1.4                               |                                     | 3.3                                     |
| Dissolved Oxygen        |                                   | minimum of 3 mg/l at all times      |   |
| Fecal Coliform          |                                   |                                     |   |
| (5-1 to 9-30)           |                                   | 200/100 ml as a geometric average   |   |
| (10-1 to 4-30)          |                                   | 2,000/100 ml as a geometric average |   |
| pH                      |                                   | 6.0—9.0 at all times                |   |

XX—monitor and report on monthly DMRs.

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0000914A2.** Industrial waste, SIC: 8731, **Department of Energy**, Pittsburgh Naval Reactors Office, Bettis Atomic Power Lab, 814 Pittsburgh-McKeesport Boulevard, West Mifflin, PA 15122-0109.

This application is for a modification of an NPDES permit to discharge treated groundwater from Bettis Atomic Power Lab in West Mifflin Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters Bull Run classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Western PA Water Company, located at Pittsburgh, Allegheny County approximately 9 miles below the discharge point.

*Outfall 007:* new discharge, design flow of 0.043 mgd.

| <i>Parameter</i>     | <i>Mass (lb/day)</i>                   |                          | <i>Concentration (mg/l)</i> |                          |                                  |
|----------------------|--|--------------------------|-----------------------------|--------------------------|----------------------------------|
|                      | <i>Average<br/>Monthly</i>             | <i>Maximum<br/>Daily</i> | <i>Average<br/>Monthly</i>  | <i>Maximum<br/>Daily</i> | <i>Instantaneous<br/>Maximum</i> |
| Flow                 | monitor and report                     |                          |                             |                          |                                  |
| Tetrachloroethylene  |  |                          | 0.0022                      |                          | 0.0055                           |
| Trichloroethylene    |  |                          | 0.005                       |                          | 0.0125                           |
| 1,2-Dichloroethylene |  |                          | 0.005                       |                          | 0.0125                           |
| TSS                  |  |                          | 30                          |                          | 75                               |
| Dissolved Iron       |  |                          |                             |                          | 7.0                              |
| pH                   | not less than 6.0 nor greater than 9.0 |                          |                             |                          |                                  |

The EPA waiver is in effect.

**PA 0097462.** Industrial waste, SIC: 4941, **Cherry Tree Borough Municipal Authority**, P. O. Box 125, Cherry Tree, PA 15724.

This application is for renewal of an NPDES permit to discharge treated process water from the Cherry Tree Water Treatment Plant in Susquehanna Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Peg Run, classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Clearfield Municipal Water Treatment Plant, located at Clearfield, 30 miles below the discharge point.

*Outfall 001:* existing discharge, design flow of 0.0009 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i>       |                          | <i>Concentration (mg/l)</i> |                          |                                  |
|------------------|----------------------------|--------------------------|-----------------------------|--------------------------|----------------------------------|
|                  | <i>Average<br/>Monthly</i> | <i>Maximum<br/>Daily</i> | <i>Average<br/>Monthly</i>  | <i>Maximum<br/>Daily</i> | <i>Instantaneous<br/>Maximum</i> |
| Flow (mgd)       | monitor and report         |                          |                             |                          |                                  |
| Suspended Solids |                            |                          | 30                          |                          | 60                               |
| Iron             |                            |                          | 2                           |                          | 4                                |
| Aluminum         |                            |                          | 4                           |                          | 8                                |
| Manganese        |                            |                          | 1                           |                          | 2                                |

| Parameter  | Mass (lb/day)                          |               | Concentration (mg/l) |                    |                       |
|--|--|---------------|----------------------|--------------------|-----------------------|
|  | Average Monthly                        | Maximum Daily | Average Monthly      | Maximum Daily      | Instantaneous Maximum |
| Total Residual Chlorine<br>(1st month—36th month)<br>(37th month—expiration) |  |               | 0.5                  | monitor and report | 1.25                  |
| pH   | not less than 6.0 nor greater than 9.0 |               |                      |                    |                       |

The EPA waiver is in effect.

**PAS206108.** Industrial waste, SIC: 3466, **William Croushere, Anchor Hocking Packaging Company**, 1840 Baldrige Street, Connellsville, PA 15425.

This application is for an issuance of an NPDES permit to discharge stormwater from the Anchor Hocking Packaging Company in South Connellsville, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, Youghiogheny River, classified as a HQ-CWF fishery with existing and/or potential uses for aquatic life, water supply and recreation.

*Outfalls 001, 002 and 003:* new discharge, design flow of n/a mgd.

| Parameter                        | Mass (lb/day)   |               | Concentration (mg/l) |               |                       |
|----------------------------------|-----------------|---------------|----------------------|---------------|-----------------------|
|                                  | Average Monthly | Maximum Daily | Average Monthly      | Maximum Daily | Instantaneous Maximum |
| Total Aluminum                   |                 |               |                      |               | monitor and report    |
| Total Iron                       |                 |               |                      |               | monitor and report    |
| Total Zinc                       |                 |               |                      |               | monitor and report    |
| NO <sub>2</sub> -NO <sub>3</sub> |                 |               |                      |               | monitor and report    |

The EPA waiver is in effect.

**PA 0030864.** Sewage, **Western Beaver County School District**, 343 Ridgemont Drive, Midland, PA 15059.

This application is for renewal of an NPDES permit to discharge treated sewage from the Fairview Elementary School STP in Ohioville Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Swale to Headwaters of Island Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the City of East Liverpool, Ohio on the Ohio River.

*Outfall 001:* existing discharge, design flow of 0.0065 mgd.

| Parameter   | Concentration (mg/l)                   |                |               |                       |
|---|--|----------------|---------------|-----------------------|
|   | Average Monthly                        | Average Weekly | Maximum Daily | Instantaneous Maximum |
| CBOD <sub>5</sub>                                 | 25                                     |                |               | 50                    |
| Suspended Solids                                  | 30                                     |                |               | 60                    |
| Ammonia-Nitrogen<br>(5-1 to 10-31)                | 2.3                                    |                |               | 4.6                   |
| (11-1 to 4-30)                                    | 6.6                                    |                |               | 13.2                  |
| Fecal Coliform<br>(5-1 to 9-30)                   | 200/100 ml as a geometric mean         |                |               |                       |
| (10-1 to 4-30)                                    | 2,000/100 ml as a geometric mean       |                |               |                       |
| Total Residual Chlorine<br>(1st month—36th month) | monitor and report                     |                |               |                       |
| (37th month—expiration)                           | 1.4                                    |                |               | 3.3                   |
| Dissolved Oxygen                                  | not less than 5.0 mg/l                 |                |               |                       |
| pH  | not less than 6.0 nor greater than 9.0 |                |               |                       |

The EPA waiver is in effect.

**PA 0033294.** Sewage, **Franklin Manor Utilities, Ltd.**, 37 Highland Avenue, Washington, PA 15301.

This application is for renewal of an NPDES permit to discharge treated sewage from Franklin Manor Sewage Treatment Plant in South Franklin Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Chartiers Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Western Pennsylvania Water Company.

*Outfall 001:* existing discharge, design flow of 0.06 mgd.

| <i>Parameter</i>                                  | <i>Concentration (mg/l)</i>            |                       |                      |                              |
|---|--|-----------------------|----------------------|------------------------------|
|   | <i>Average Monthly</i>                 | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD <sub>5</sub>                                 | 10                                     |                       |                      | 20                           |
| Suspended Solids                                  | 25                                     |                       |                      | 50                           |
| Ammonia-Nitrogen<br>(5-1 to 10-31)                | 1.4                                    |                       |                      | 2.8                          |
| (11-1 to 4-30)                                    | 2.8                                    |                       |                      | 5.6                          |
| Fecal Coliform<br>(5-1 to 9-30)                   | 200/100 ml as a geometric mean         |                       |                      |                              |
| (10-1 to 4-30)                                    | 2,000/100 ml as a geometric mean       |                       |                      |                              |
| Total Residual Chlorine<br>(1st month—36th month) | monitor and report                     |                       |                      |                              |
| (37th month—expiration)                           | 0.1                                    |                       |                      | 0.3                          |
| Dissolved Oxygen                                  | not less than 5.0 mg/l                 |                       |                      |                              |
| pH  | not less than 6.0 nor greater than 9.0 |                       |                      |                              |

The EPA waiver is in effect.

**PA 0095150.** Sewage, **Evan Ford**, Box 349, Bunola, PA 15020.

This application is for renewal of an NPDES permit to discharge treated sewage from the Evan Ford Mobile Home Park Sewage Treatment Plant in Forward Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Western Pennsylvania Water Company.

*Outfall 001:* existing discharge, design flow of 0.028 mgd.

| <i>Parameter</i>                | <i>Concentration (mg/l)</i>            |                       |                      |                              |
|---------------------------------|--|-----------------------|----------------------|------------------------------|
|                                 | <i>Average Monthly</i>                 | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD <sub>5</sub>               | 25                                     |                       |                      | 50                           |
| Suspended Solids                | 30                                     |                       |                      | 60                           |
| Fecal Coliform<br>(5-1 to 9-30) | 200/100 ml as a geometric mean         |                       |                      |                              |
| (10-1 to 4-30)                  | 2,000/100 ml as a geometric mean       |                       |                      |                              |
| Total Residual Chlorine         | 1.4                                    |                       |                      | 3.3                          |
| pH                              | not less than 6.0 nor greater than 9.0 |                       |                      |                              |

The EPA waiver is in effect.

**PA 0098060.** Sewage, **Eugene J. Smith, Jr.**, R. D. 1, Box 341-J, Lancaster Road, Fombell, PA 16123.

This application is for renewal of an NPDES permit to discharge treated sewage from the Smithwind Mobile Home Park STP in Franklin Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as tributary of Slippery Rock Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Authority.

*Outfall 001:* existing discharge, design flow of .0022 mgd.

| <i>Parameter</i>                                  | <i>Concentration (mg/l)</i>      |                       |                      |                              |
|---|----------------------------------|-----------------------|----------------------|------------------------------|
|   | <i>Average Monthly</i>           | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD <sub>5</sub>                                 | 25                               |                       |                      | 50                           |
| Suspended Solids                                  | 30                               |                       |                      | 60                           |
| Ammonia Nitrogen<br>(5-1 to 10-31)                | 2.5                              |                       |                      | 5.0                          |
| (11-1 to 4-30)                                    | 6.0                              |                       |                      | 12.0                         |
| Fecal Coliform<br>(5-1 to 9-30)                   | 200/100 ml as a geometric mean   |                       |                      |                              |
| (10-1 to 4-30)                                    | 2,000/100 ml as a geometric mean |                       |                      |                              |
| Total Residual Chlorine<br>(1st month—36th month) | monitor and report               |                       |                      |                              |
| (37th month—expiration)                           | 0.06                             |                       |                      | 0.14                         |

| <i>Parameter</i> | <i>Concentration (mg/l)</i>            |                       |                      |                              |
|------------------|--|-----------------------|----------------------|------------------------------|
|                  | <i>Average Monthly</i>                 | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Dissolved Oxygen | not less than 6 mg/l                   |                       |                      |                              |
| pH               | not less than 6.0 nor greater than 9.0 |                       |                      |                              |

The EPA waiver is in effect.

**PA 0098451.** Sewage, **The Manufacturers Water Company**, 244 Walnut Street, Johnstown, PA 15901.

This application is for renewal of an NPDES permit to discharge treated sewage from the Bethco Pines Recreation Area Sewage Treatment Plant in Conemaugh Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Quemahoning Reservoir, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Waterworks on the Conemaugh River.

*Outfall 001:* existing discharge, design flow of 0.007 mgd.

| <i>Parameter</i>        | <i>Concentration (mg/l)</i>            |                       |                      |                              |
|-------------------------|--|-----------------------|----------------------|------------------------------|
|                         | <i>Average Monthly</i>                 | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD <sub>5</sub>       | 25                                     |                       |                      | 50                           |
| Suspended Solids        | 30                                     |                       |                      | 60                           |
| Fecal Coliform          |  |                       |                      |                              |
| (5-1 to 9-30)           | 200/100 ml as a geometric mean         |                       |                      |                              |
| (10-1 to 4-30)          | 100,000/100 ml as a geometric mean     |                       |                      |                              |
| Total Residual Chlorine |  |                       |                      |                              |
| (1st month—36th month)  | monitor and report                     |                       |                      |                              |
| (37th month—expiration) | 1.4                                    |                       |                      | 3.3                          |
| pH                      | not less than 6.0 nor greater than 9.0 |                       |                      |                              |

The EPA waiver is in effect.

**PA 0204587.** Sewage, **James C. Noel**, 108 Front Street, Fallentimber, PA 16639.

This application is for renewal of an NPDES permit to discharge treated sewage from the Noel's-Zimmerman Treatment Plant in White Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Clearfield Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Pennsylvania American Water Company—Milton, on the West Branch Susquehanna River.

*Outfall 001:* existing discharge, design flow of 0.018 mgd.

| <i>Parameter</i>        | <i>Concentration (mg/l)</i>            |                       |                      |                              |
|-------------------------|--|-----------------------|----------------------|------------------------------|
|                         | <i>Average Monthly</i>                 | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD <sub>5</sub>       | 25                                     |                       |                      | 50                           |
| Suspended Solids        | 30                                     |                       |                      | 60                           |
| Fecal Coliform          |  |                       |                      |                              |
| (5-1 to 9-30)           | 200/100 ml as a geometric mean         |                       |                      |                              |
| (10-1 to 4-30)          | 2,000/100 ml as a geometric mean       |                       |                      |                              |
| Total Residual Chlorine |  |                       |                      |                              |
| (1st month—36th month)  | monitor and report                     |                       |                      |                              |
| (37th month—expiration) | 1.4                                    |                       |                      | 3.3                          |
| pH                      | not less than 6.0 nor greater than 9.0 |                       |                      |                              |

The EPA waiver is in effect.

**PA 0204927.** Sewage, **Barr Area Municipal Authority**, Box 45, Nicktown, PA 15762.

This application is for a renewal of an NPDES permit to discharge treated sewage from Norcam/Nov-Tech Industries Sewage Treatment Plant in Barr Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Hoppel Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Clearfield Municipal Authority located on the West Branch Susquehanna River.

*Outfall 001:* existing discharge, design flow of .002625 mgd.

| <i>Parameter</i>        | <i>Concentration (mg/l)</i>            |                       |                      |                              |
|-------------------------|--|-----------------------|----------------------|------------------------------|
|                         | <i>Average Monthly</i>                 | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD <sub>5</sub>       | 10                                     | 15                    |                      | 20                           |
| Suspended Solids        | 10                                     | 15                    |                      | 20                           |
| Ammonia Nitrogen        |  |                       |                      |                              |
| (5-1 to 10-31)          | 3.0                                    | 4.5                   |                      | 6.0                          |
| (11-1 to 4-30)          | 9.0                                    | 13.5                  |                      | 18.0                         |
| Fecal Coliform          |  |                       |                      |                              |
| (5-1 to 9-30)           | 200/100 ml as a geometric mean         |                       |                      |                              |
| (10-1 to 4-30)          | 2,000/100 ml as a geometric mean       |                       |                      |                              |
| Total Residual Chlorine | 1.4                                    |                       |                      | 3.3                          |
| Dissolved Oxygen        | not less than 3.0 mg/l                 |                       |                      |                              |
| pH                      | not less than 6.0 nor greater than 9.0 |                       |                      |                              |

The EPA waiver is in effect.

**PA 0218014.** Sewage, **Gary E. and Connie L. Nicewonger**, R. D. 1, Box 148, Armagh, PA 15920.

This application is for issuance of an NPDES permit to discharge treated sewage from the proposed Nicewonger Mobile Home Park STP in East Wheatfield Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Mardis Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Water Works.

*Outfall 001:* new discharge, design flow of .005 mgd.

| <i>Parameter</i>        | <i>Concentration (mg/l)</i>            |                       |                      |                              |
|-------------------------|--|-----------------------|----------------------|------------------------------|
|                         | <i>Average Monthly</i>                 | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD <sub>5</sub>       | 25                                     |                       |                      | 50                           |
| Suspended Solids        | 30                                     |                       |                      | 60                           |
| Ammonia Nitrogen        |  |                       |                      |                              |
| (5-1 to 10-31)          | 5.0                                    |                       |                      | 10.0                         |
| (11-1 to 4-30)          | 15.0                                   |                       |                      | 30.0                         |
| Fecal Coliform          |  |                       |                      |                              |
| (5-1 to 9-30)           | 200/100 ml as a geometric mean         |                       |                      |                              |
| (10-1 to 4-30)          | 2,000/100 ml as a geometric mean       |                       |                      |                              |
| Total Residual Chlorine | 1.0                                    |                       |                      | 2.0                          |
| Dissolved Oxygen        | not less than 5.0 mg/l                 |                       |                      |                              |
| pH                      | not less than 6.0 nor greater than 9.0 |                       |                      |                              |

The EPA waiver is in effect.

### **Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges**

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

| <i>NPDES No.</i> | <i>Facility Name and Address</i>                       | <i>County and Municipality</i>   | <i>Tributary Stream</i> | <i>New Permit Requirements</i> |
|------------------|--|----------------------------------|-------------------------|--------------------------------|
| PA 0061212       | Mik-Joan, Inc.<br>655 Route 61<br>Orwigsburg, PA 17961 | Schuylkill<br>North Manheim Twp. | Mahannon<br>Creek       | TRC                            |

## DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

### Applications under the Pennsylvania Clean Streams Law

#### (Part II Permits)

#### Applications received for industrial waste and sewage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

*Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707.* Persons who wish to review any of these applications, should contact Mary DiSanto at (717) 705-4732.

**A. 6798411.** Sewage, submitted by **West Manchester Township Sewer Authority**, 2501 Catherine Street, York, PA 17404 in West Manchester Township, **York County** to construct pumping station and force main was received in the Southcentral Region on November 12, 1998.

**A. 0598405.** Sewage, submitted by **Nancy R. Miller**, R. D. 1, Box 98, Manns Choice, PA 15550 in Napier Township, **Bedford County** to construct a small flow sewage treatment system to serve Rebecca's Personal Care Home was received in the Southcentral Regional Office on November 12, 1998.

### INDIVIDUAL PERMITS

#### (PAS)

#### NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the

Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**NPDES Permit PAS10-G344.** Stormwater. **Hankin Builders**, 717 Constitution Drive, P. O. Box 562, Exton, PA 19341, has applied to discharge stormwater from a construction activity located in Uwchlan Township, **Chester County**, to Shamona Creek.

**NPDES Permit PAS10-J043.** Stormwater. **YMCA of Philadelphia & Vicinity**, 2000 Market Street, Philadelphia, PA 19103-3304, has applied to discharge stormwater from a construction activity located in Middletown Township, **Delaware County**, to Rocky Run/Chester Creek.

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

*Carbon County Conservation District, District Manager, 5664 Interchange Road, Lehighton, PA 18235-5114, (610) 377-4894.*

**NPDES Permit PAS101318.** Stormwater. **Hickory Run Sports Complex**, Robert McColley, 750 Bethlehem Pike, Ambler, PA 19002, has applied to discharge stormwater from a construction activity located in Penn Forest Township, **Carbon County**, to Yellow Run.

*Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.*

**NPDES Permit PAS10Q166.** Stormwater. **King Interests**, William F. King, III, 504 Carnegie Center, Princeton, NJ 08540, has applied to discharge stormwater from a construction activity located in South Whitehall Township, **Lehigh County**, to Little Lehigh Creek.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**NPDES Permit PAS107204.** Stormwater. **Lightning Oil Company, Ltd.**, 225A Swede Road, Tidioute, PA 16351, has applied to discharge stormwater from a construction activity located in Limestone and Watson Townships, **Warren County**, to Jaybuck Run and East Branch Hickory Creek.

**NPDES Permit PAS10E068.** Stormwater. **Woodberry Village L. P.**, 429 Fourth Avenue, Suite 1002, Pittsburgh, PA 14219, has applied to discharge stormwater from a construction activity located in Buffalo Township, **Butler County**, to Little Buffalo Creek.

## SAFE DRINKING WATER

### Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**A. 0998509.** Public water supply. **North Wales Water Authority**, 200 West Walnut Street, P.O. Box 1339, North Wales, PA 19454. This proposal involves the construction of a 4.0 mg water storage tank. This project will also include the demolition of the existing 3.5 mg High Point Standpipe in New Britain Township, **Bucks County**.

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**4596505.** Public water supply. **Pennsylvania American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033, Steven J. Seidl. This proposal involves the former Fairview, NUI—Pine Hill, NUI Summit Point, and Pocono Mountain Industrial Park Water Systems. The systems will be connected with PCP and PFE Water Systems to improve reliability. Improvements will be made at individual well sites to improve reliability. It is located in the Borough of Mt. Pocono and Coolbaugh Township, **Monroe County**.

**5498510.** Public water supply. **West Penn Pines Mobile Home Park.** This proposal involves the construction of two 60 gallon permitted wells with disinfection and manganese sequestering supplying a 344 single family modular housing unit development with 4" and 8" PVC pipe. Storage will be provided by a .307 million gallon tank. It is located in West Penn Township, **Schuylkill County**.

*Engineer: George W. Rudy, Rudy Engineering.*

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

### Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person

proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Vilsmeier Auction Co.**, Montgomery Township, **Montgomery County**. Sunand Mabbula, P.G., Hardy Environmental Services, 425 Old Airport Road, New Castle, DE 19720, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX, polycyclic aromatic hydrocarbons and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

**Tower Bridge North, No. 6**, Conshohocken Borough, **Montgomery County**. Michael M. Meloy, Manko, Gold & Katcher, LLP, City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted a Notice of Intent to Remediate site soil contaminated with PCBs, lead, heavy metals, solvents, BTEX, polycyclic aromatic hydrocarbons and petroleum hydrocarbons; and groundwater contaminated with lead, heavy metals, solvents, BTEX, polycyclic aromatic hydrocarbons and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A Final Report was simultaneously submitted.

**Kathaila Residence**, Upper Southampton Township, **Bucks County**. Environmental Services, Brian R. Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Distribution Pole 26142S34603**, Lower Paxton Township, **Dauphin County**. **Pennsylvania Power & Light Company**, Two North Ninth Street, Allentown, PA 18101, has submitted a Notice of Intent to Remediate site soils contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide health standard.

A summary of the Notice of Intent to Remediate was reported to have been published in the *Patriot News* on September 11, 1998.

**Defense Distribution Depot Susquehanna PA**, Fairview Township, **York County**. Defense Logistics Agency, DDSP, 2001 Mission Drive, New Cumberland, PA 17070-5002, has submitted a Notice of Intent to Remediate site soils, groundwater and surface water contaminated with solvents. The applicant proposes to remediate the site to meet a combination of the Statewide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record* and the *Harrisburg Patriot News* on October 27, 1998.

*Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.*

**Former National Granulating Corporation, Inc. Facility**, City of Washington, **Washington County**. Timothy T. Ratvasky, WEG Engineering, 575 William Pitt Way, Pittsburgh, PA 15238, and Detroit Street Partners, L. P., 4839 Campbells Run Road, Pittsburgh, PA 15205-1386 has submitted a Notice of Intent to Remediate soil contaminated with zinc and SVOCs. The applicant proposes to remediate the site to meet the Statewide standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Observer/Reporter*, Washington, PA on October 28, 1998.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

### Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This

period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, a municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Defense Distribution Depot Susquehanna PA**, Fairview Township, **York County**. Defense Logistics Agency, DDSP, 2001 Mission Drive, New Cumberland, PA 17070-5002, has submitted a Notice of Intent to Remediate site soils, groundwater and surface water contaminated with solvents. The applicant proposes to remediate the site to meet a combination of the Statewide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record* and the *Harrisburg Patriot News* on October 27, 1998.

## SOLID AND HAZARDOUS WASTE

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.*

**Permit No. 101069. SECCRA Landfill**, 261 W. Street Road, Kennett Square, PA 19348-1615. Application was received for a permit renewal. No modifications proposed. The application was received in the Southeast Regional Office on November 10, 1998.

*Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**A. 300655. NGK Metals Landfill, NGK Metals Corporation** (150 Tuckerton Road, Reading, PA 19612-3367). Application for major modification for residual waste landfill closure plan for a site in Muhlenberg Township, **Berks County**. Application determined to be administratively complete in the Regional Office November 19, 1998.

*Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.*

**Permit No. 100691.** A permit application to renew the facility's operating permit was received from **Waste Management of Pennsylvania, Inc.** (Greater Erie Transfer Station and Recycling Center), 1159 West 16th Street, Erie, PA 16502. This application was received in the Regional Office on September 17, 1998.

## AIR QUALITY

### Plan Approval and Operating Permit Applications Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

### OPERATING PERMITS

#### Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**40-313-030C: KAMA Corp.** (699 Dietrich Avenue, Hazleton, PA 18201) for operation of polymer and extrusion operations in the City of Hazleton, **Luzerne County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3637.*

**OP-53-0005A: CNG Transmission Corp.** (445 West Main Street, Clarksburg, WV 26302) for operation of five 2,000 horsepower natural gas-fired reciprocating internal combustion engines and a natural gas-fired heater at the Harrison Compressor Station in Harrison Township, **Potter County**. The heater is subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

### Nitrogen Oxides (NO<sub>x</sub>) Allowance Program

#### Proposed revisions to Title V/State Only Operating Permits to include conditions relating to NO<sub>x</sub> Allowance Requirements in 25 Pa. Code §§ 123.101—123.120.

The Department of Environmental Protection (Department) intends to issue new or revise existing Title V/State Only Operating Permits to include provisions of 25 Pa. Code §§ 123.101—123.120 (relating to NO<sub>x</sub> allowance requirements). These regulations establish an NO<sub>x</sub> budget and an NO<sub>x</sub> allowance trading program for NO<sub>x</sub> affected sources for the purpose of achieving the health-based ozone ambient air quality standard. An NO<sub>x</sub> affected source is defined as a fossil fuel fired indirect heat exchange combustion unit with a maximum rated heat input capacity of 250 MMBtu/hour or more and all fossil fuel fired electric generating facilities rated at 15 megawatts or greater or any other source that voluntarily opts to become an NO<sub>x</sub> affected source.

The new or revised Title V/State only operating permits will require the owner or operator of each NO<sub>x</sub> affected source to hold a quantity of NO<sub>x</sub> allowances meeting the requirements of 25 Pa. Code §§ 123.110(a) by December 31, of each calendar year. One NO<sub>x</sub> Allowance is the limited authorization to emit one ton of NO<sub>x</sub> during the NO<sub>x</sub> Allowance Control Period, which begins May 1 of each year and ends September 30 of the same year. The NO<sub>x</sub> allowances held in the source's current year NO<sub>x</sub> Allowance Tracking System (NATS) account must be equal to or greater than the total NO<sub>x</sub> emitted from the source during the year's NO<sub>x</sub> allowance control period. The initial NO<sub>x</sub> allowance control period begins on May 1, 1999.

The new or revised Title V/State only operating permits will also include emission monitoring, reporting and recordkeeping requirements for each NO<sub>x</sub> affected source. NO<sub>x</sub> emissions from each NO<sub>x</sub> affected source shall be monitored in accordance with 25 Pa. Code §§ 123.108 and the procedures contained in the document titled "Guidance for Implementation of Emission Monitoring Requirements for the NO<sub>x</sub> Budget Program."

Persons wishing to file protests or comments on the proposed Title V/Operating Permits must submit the protest or comments within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed permits. Comments or protests filed at the above address must include a concise statement of the objections to the issuance of the permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation, where the facility is located, at least 30 days prior to the date of the hearing.

Copies of the proposed permits and other relevant information are available for review at the following address.

*Bureau of Air Quality: Division of Permits, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325.*

**67-2009: Solar Turbines, Inc.** (P. O. Box 856376, San Diego, CA 92138-5376) located in Springettsbury Township, York County.

#### *NOx Affected Sources*

|            |                 |               |
|------------|-----------------|---------------|
| Turbine #1 | Point ID. : 031 | Allowance: 33 |
| Turbine #2 | Point ID. : 032 | Allowance: 33 |
| Turbine #3 | Point ID. : 033 | Allowance: 33 |
| Turbine #4 | Point ID. : 034 | Allowance: 33 |
| Turbine #5 | Point ID. : 035 | Allowance: 33 |
| Turbine #6 | Point ID. : 036 | Allowance: 32 |

### PLAN APPROVALS

#### **Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**45-313-009E: Heico Chemicals, Inc.** (Route 611, P. O. Box 730, Delaware Water Gap, PA 18327) for modification of a chemical manufacturing operation in Delaware Water Gap Borough, **Monroe County**.

**48-309-105: Keystone Cement Co.** (P. O. Box A, Bath, PA 18014) for construction of a materials additive system at State Routes 329 and 987, East Allen Township, **Northampton County**.

**54-313-068A: Air Products and Chemical Co., Inc.** (P. O. Box 351, Tamaqua, PA 18252) for modification of a vapor degreaser at State Routes 1019 and 1020, Rush Township, **Schuylkill County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3637.*

**14-310-022: Glenn O. Hawbaker, Inc.** (450 East College Avenue, Bellefonte, PA 16823) for construction of a fine aggregate washing plant in Spring Township, **Centre County**.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the applica-

tion is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Coal Applications Received*

**17880129.** Permit Renewal, **K & J Coal Company, Inc.** (P. O. Box 189, Westover, PA 16692), commencement, operation and restoration of bituminous strip mine in Chest Township, **Cambria County**, affecting 244.4 acres, receiving stream unnamed tributaries of Rock Run and Rock Run. Application received November 19, 1998.

**32980114.** **Simpson Coal Company** (R. D. 1, Box 244, New Alexandria, PA 15670), commencement, operation and restoration of bituminous strip-auger mine in Young Township, **Indiana County**, affecting 67.5 acres, receiving stream unnamed tributaries of Blacklegs Creek to Blacklegs Creek to Conemaugh River. Application received November 16, 1998.

**11880201.** Permit Renewal, **Ebensburg Power Company** (20 S. Van Buren Avenue, P. O. Box 351, Barberton, OH 44203-0351), commencement, operation and restoration of a coal refuse reprocessing mine in Cambria Township, **Cambria County**, affecting 56.5 acres, receiving stream an unnamed tributary to South Branch Blacklick Creek and the South Branch of Blacklick Creek. Application received November 20, 1998.

**56980109.** **Mountaineer Mining Corporation** (1010 Garrett Shortcut Road, Berlin, PA 15530), commencement, operation and restoration of bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 29.4 acres, receiving stream Hays Run and Buffalo Creek and Unnamed Tributaries to Hays Run and Buffalo Creek. Application received November 23, 1998.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

**26980104.** **Gary Gioia Coal Company** (319 Karen Drive, Elizabeth, PA 15037). Permit application received for a bituminous surface mining operation located in Wharton Township, **Fayette County**, affecting 100.4 acres. Receiving streams: unnamed tributary to Big Sandy Creek to Cheat River and McIntire Run, and Big Sandy Creek to Cheat River. Application received: November 9, 1998.

**30940102(T).** **Shafer Brothers Construction, Inc.** (668 Lower Hildebrand Road, Morgantown, WV 26505). Application to transfer permit currently issued to Patriot Mining Company, Inc., for continuing operation and reclamation of a bituminous surface mine located in Greene Township, **Greene County**, affecting 17.0 acres. Receiving streams: unnamed tributary of Whitely Creek. Application received: November 10, 1998.

**65980105.** **Joseph Rostosky Coal Company** (R. R. 3, Box 112, Monongahela, PA 15063). Permit application received for a bituminous surface mining operation located in Rostraver Township, **Westmoreland County**, affecting 28.8 acres. Receiving streams: unnamed tributary to Monongahela River to Monongahela River. Application received: November 16, 1998.

**03960104.** **Thomas J. Smith, Inc.** (R. D. 1, Box 260-D, Shelocta, PA 15774). Application received for an incidental boundary correction and stream variances at an existing bituminous surface/auger mining site located in South Bend Township, **Armstrong County**, affecting 154.6 acres. Receiving streams: Lindsay Run and unnamed tributary to Lindsay Run. Application received: November 20, 1998.

**65980104.** **M. B. Energy, Inc.** (P. O. Box 1319, Indiana, PA 15701-1319). Application received for commencement, operation and reclamation of a bituminous surface mine located in Derry Township, **Westmoreland**

**County**, proposed to affect 340.0 acres. Receiving streams: unnamed tributaries of Miller Run and Miller Run to Loyalhanna Creek to the Conemaugh River. A social and economic justification is included with this application. Application received: November 16, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**49980101.** **High Mountain Coal Company** (307 West Main Street, Girardville, PA 17935), commencement, operation and restoration of an anthracite surface mine operation in East Cameron Township, **Northumberland County** affecting 115.0 acres, receiving stream—Mahanoy Creek. Application received November 13, 1998.

**54830207R3.** **Blaschak Coal Corp.** (P. O. Box 12, Mahanoy City, PA 17948), renewal of an existing anthracite surface mine/coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 280.0 acres, receiving stream—Mahanoy Creek. Application received November 18, 1998.

**49960201C.** **Split Vein Coal Company** (R. R. 1, Box 1027, Paxinos, PA 17360), correction to an existing anthracite surface mine/coal refuse reprocessing to include a haul road in Mt. Carmel Township, **Northumberland County**, affecting 77.5 acres, receiving stream—Locust Creek. Application received November 13, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Applications Received*

**6276SM6AC3.** **Union Quarries, Inc.** (P. O. Box 686, Carlisle, PA 17103), renewal of NPDES Permit No. PA0223310 in West Donegal Township, **Lancaster County**, receiving stream—unnamed tributary to Donegal Creek. Application received November 13, 1998.

**13930301C2.** **Haines & Kibblehouse, Inc.** (P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit No. PA0595829 in Penn Forest Township, **Carbon County**, receiving stream—Stony Creek. Application received November 23, 1998.

**5477SM1A1C2.** **Glasgow, Inc.** (P. O. Box 1089, Glenside, PA 19038-1089), depth correction to an existing quarry operation in Plymouth Township, **Montgomery County** affecting 75.19 acres, receiving stream—none. Application received November 23, 1998.

## APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.*

**E13-115.** Encroachment. **PA Department of Transportation**, District 5-0, 1713 Lehigh Street, Allentown, PA 18103. To remove the existing structure and to construct and maintain a spread box beam bridge having a span of 75.1 feet with an underclearance of 18 feet across Aquashicola Creek (TSF, MF) to replace the existing structurally inadequate bridge. The project is located at the intersection of S. R. 0248 and Aquashicola Creek (Palmerton, PA Quadrangle N: 7.8 inches; W: 15.5 inches), Lower Towamensing Township, **Carbon County** (Philadelphia District, U. S. Army Corps of Engineers).

**E35-289.** Encroachment. **William Bracey, Bill's Supermarket**, Route 435, Moscow, PA 18444. To place fill in 3.7 acres of PEM/SS wetlands and to construct and maintain a 16-foot x 3-foot concrete box culvert in a tributary to Roaring Brook (HQ-CWF). The project is part of the Bill's Shopping Center expansion project and includes the construction of a 65,000 square foot anchor store building and nine other smaller retail and service buildings totaling 92,400 square feet and associated parking facilities. The project is located immediately northwest of the intersection of S. R. 0435 and S. R. 0502 (Moscow, PA Quadrangle N: 10.8 inches; W: 2.3 inches), Covington Township, **Lackawanna County**. (Baltimore District, U. S. Army Corps of Engineers).

**E39-358.** Encroachment. **Laughlin Real Estate, Inc.**, 156 Tamarac Circle, Shillman, NJ 08558. To construct and maintain a precast concrete spread box beam bridge having a span of 45 feet with an underclearance of approximately 4.5 feet across Little Cedar Creek (HQ-CWF) and to construct and maintain two 15-inch diameter R.C.P. stormwater outfall structures in the floodway of Little Cedar Creek. The project is associated with Cedar Creek Farm, a 299 unit residential development, and is located immediately southeast of the intersection of S. R. 0022 and S. R. 0309 (Allentown West, PA Quadrangle N: 17.6 inches; W: 7.6 inches), South Whitehall Township, **Lehigh County** (Philadelphia District, U. S. Army Corps of Engineers).

**E39-359.** Encroachment. **PA Department of Transportation**, District 5-0, 1713 Lehigh Street, Allentown, PA 18103. To place fill in 1.1 acres of forested wetlands located approximately 0.1 mile west of the intersection of S. R. 0309 and S. R. 2023 (Vera Cruz Road) (Allentown West, PA Quadrangle N: 10.4 inches; W: 9.0 inches), in Upper Saucon Township, **Lehigh County**. To excavate and regrade along 775 linear feet of the channel and floodway of a tributary to Saucon Creek for the construction of a 3.65 acre wetland mitigation area and is located approximately 0.6 mile south of the intersection of S. R. 2020 and S. R. 2029 (Limeport Pike) (Allentown East, PA Quadrangle N: 0.4 inch; W: 10.3 inches), in Lower Milford

Township, **Lehigh County** (Philadelphia District U. S. Army Corps of Engineers). The project's purpose is to resolve an outstanding violation for fill in 1.1 acres of forested wetlands.

**E40-510.** Encroachment. **Blue Ridge Industries, Ltd.**, 306 Northeastern Building, 8 West Broad Street, Hazleton, PA 18201-6486. To repair and maintain the existing 6.7-foot x 6.7-foot precast concrete arch railroad culvert in a tributary to Black Creek (CWF), with work consisting of replacing the undermined, displaced culvert sections and restoring/protecting approximately 140 linear feet of downstream channel. The channel work will include placement of fill to restore the eroded area, and constructing a trapezoidal R-7 riprap-lined channel and plunge pools. The project is located approximately 250 feet west of S. R. 0081, approximately 2,000 feet south of the intersection of S. R. 0081 and S. R. 0093 (Conyngham, PA Quadrangle N: 18.4 inches; W: 4.9 inches), Hazle Township, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

**E45-363.** Encroachment. **Six Eleven Development Corporation**, 14 North Sixth Street, Stroudsburg, PA 18360-2123. To place fill in approximately 1.35 acres of PFO wetlands for the purpose of constructing a commercial/retail development and associated parking lots. The project is located between S. R. 0080 and S. R. 0611, approximately 0.5 mile east of S. R. 0033 (Saylorsburg, PA Quadrangle N: 22.3 inches; W: 2.0 inches), Stroud Township, **Monroe County** (Philadelphia District, U. S. Army Corps of Engineers).

**E54-259.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103-4724. To maintain a road crossing of a tributary to Upper Little Swatara Creek, consisting of two 48-inch CMP culverts. The road crossing was constructed under authorization of emergency permit No. EP5497402. The project is located on S. R. 3002, Segment 0170, Offset 0153, approximately 200 feet east of the intersection of S. R. 3002 in T-671 (Swatara Hill, PA Quadrangle N: 19.1 inches; W: 2.7 inches), Wayne Township, **Schuylkill County** (Baltimore District, U. S. Army Corps of Engineers).

**E54-260.** Encroachment. **Municipal Authority of the Borough of Orwigsburg**, 209 North Warren Street, P. O. Box 128, Orwigsburg, PA 17961. To place and maintain approximately 1,320 l.f. of 18-inch diameter PVC sanitary sewer line in PEM/SS/FO wetlands along the eastern streambank of Mahannon Creek and a tributary thereof and to construct and maintain a channel change having a length of approximately 80 feet in a tributary to Mahannon Creek along T693 (Ridge Road). This work is associated with the proposed Relief Sewer Trunk Line Project, beginning at S. R. 0443 (West Market Street) and continuing south to T693 (Orwigsburg, PA Quadrangle N: 4.6 inches; W: 14.6 inches), Orwigsburg Borough, **Schuylkill County** (Philadelphia District, U. S. Army Corps of Engineers).

**E54-261.** Encroachment. **Pine Grove Girls Softball Association**, R. R. 4, Box 608, Pine Grove, PA 17963. To construct and maintain two softball fields in the floodway of Swatara Creek (CWF) with work including the following: excavation and placement of the excavated material to provide a level surface, placement of 4 inches of stone and 4 inches of sand within the infield areas, construction of two dugouts and construction of a chainlink fence around one field and near the infield of the other field. The project is located on the east side of S. R. 0125 (Tulpehocken Street), approximately 0.25 mile south of

the intersection of S. R. 0125 and S. R. 3002 (Pine Grove, PA Quadrangle N: 10.5 inches; W: 2.5 inches), Pine Grove Borough, **Schuylkill County** (Baltimore District, U. S. Army Corps of Engineers).

**E66-119.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501-0111. To remove the existing structure and to construct and maintain a two-span prestressed concrete box beam-bridge, having normal spans of 73.5 feet and an underclearance of approximately 18.6 feet across Tunkhannock Creek (CWF). The project is located along S. R. 1017, Section 770, approximately 45 feet upstream from the existing bridge (Factoryville, PA Quadrangle N: 21.2 inches; W: 6.3 inches), in Nicholson Township, **Wyoming County** (Baltimore District, U. S. Army Corps of Engineers).

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E11-270.** Encroachment. **Carrolltown Borough Municipal Authority**, P. O. Box 37, Carrolltown, PA 15722. To remove the existing structures and to construct and maintain two low flow roadway crossings each consisting of three 12-inch CPP culverts and an 18-inch CPP culvert in an unnamed tributary to Chest Creek known locally as Bender Run (HQ-CWF) for the purpose of providing access to the Hoover Public Water Supply Well located just north of the Carrolltown Airport (Carrolltown, PA Quadrangle N: 18.0 inches; W: 8.0 inches) in East Carroll Township, **Cambria County**.

#### ENVIRONMENTAL ASSESSMENT

**Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.**

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**EA10-002C0.** Environmental Assessment. **Seven Fields Development Company** (2200 Garden Drive, Suite 200, Seven Fields, PA 16046). To breach and abandon a farm pond dam across a tributary to Kaufman Run (WWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 2,100 feet southwest of the intersection of S. R. 0228 and Hesperheide Road (Mars, PA Quadrangle N: 11.20 inches; W: 7.85 inches) in Adams Township, **Butler County**.

#### ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

#### Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Permit No. 4598404.** Sewerage. **Pierce and Sons**, P. O. Box 4, East Stroudsburg, PA 18301. Permit to construct a sewage treatment facility with elevated sand mound beds disposal system, located in Smithfield Township, **Monroe County**.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**WQM Permit No. 4698433.** Sewerage. **Upper Gwynedd Township**, Parkside Place, P. O. Box 1, West Point, PA 19486. This project is for the construction and operation for the replacement of the Sumneytown Pike sanitary sewer located in Upper Gwynedd Township, **Montgomery County**.

**WQM Permit No. 4698429.** Sewerage. **Limerick Township Municipal Authority**, P. O. Box 29, 529 King Road, Royersford, PA 19468. This project is for the construction and operation of a sewage pump station to serve Limerick Medical Center located in Limerick Township, **Montgomery County**.

**WQM Permit No. 4698430.** Sewerage. **Horsham Township Sewer Authority**, 617 B Horsham Road, Horsham, PA 19044. This project is for the construction and operation of a sewage pump station to serve two small subdivisions known as Bevivino Tract and the Marino/Nagel Tract located in Horsham Township, **Montgomery County**.

**NPDES Permit No. PA0056812, Amendment No. 1.** Sewerage. **YMCA of Pottstown and Upper Perkiomen Valley**, Adams and Jackson Streets is authorized to discharge from a facility located at YMCA of Pottstown and Upper Perkiomen Valley Swimming Pool located in Upper Hanover Township, **Montgomery County** to receiving waters named Macoby Creek.

**NPDES Permit No. PA0056073.** Sewage. **Dr. Russell H. and Susan H. Vreeland**, 219 Valley Green Drive, Coatesville, PA 19320 is authorized to discharge from a facility located in West Caln Township, **Chester County** to an unnamed tributary of Rock Run.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4795.*

**Permit No. 0598201.** Sewage. **South Central Counties Solid Waste Agency**, P. O. Box 136, Hopewell, PA 16650. This permit approves the construction of industrial waste treatment facilities and constructed wetlands in Broad Top Township, **Bedford County**.

**Permit No. 0694418 (98-1).** Sewage. **Borough of Kutztown**, 45 Railroad Street, Kutztown, PA 19530-1112. This amended permit approves modifications to the construction of sewage treatment facilities in Kutztown Borough, **Berks County**.

**NPDES Permit No. PA0044521, Amendment No. 1.** Sewerage. **Franklin County General Authority**, 5000 Letterkenny Road, Suite 320, Chambersburg, PA 17201-8382 is authorized to discharge from a facility located in Letterkenny Township, **Franklin County** to the receiving waters named Dennis Creek.

**NPDES Permit No. PA0024023.** Sewerage. **Bernville Borough Authority, c/o E. Thomas Sheetz**, Secretary, P. O. Box 73, Bernville, PA 19506 is authorized to discharge from a facility located in Bernville Borough, **Berks County** to the receiving waters named Northkill Creek.

**NPDES Permit No. PA0083879, Amendment No. 1.** Industrial. **WSI Hopewell Landfill, Inc.**, Lexington Office Park, 420 Bedford Street, Suite 300, Lexington, MA 02173 is authorized to discharge from a facility located in Broad Top Township, **Bedford County** to the receiving waters named Sandy Run.

*Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.*

**NPDES Permit No. PA0044547.** Sewerage. **Hills Creek State Park**, R. R. 2, Box 328, Wellsboro, PA 16901-9676. Applicant is authorized to discharge treated sewerage facility located at Charleston Township, **Tioga County**.

**NPDES Permit No. PA0209302.** Sewerage Amendment. **Richmond Township Municipal Authority**, 563 Valley Road, Mansfield, PA 16933. Proposed action is to amend the NPDES permit for the proposed Mann Creek Heights sewage treatment facility. The scope of the project has been downsized to provide maximum capacity mgds. Facility is located at Richmond Township, **Tioga County**.

**NPDES Permit No. PA209074.** Sewerage Amendment. **Hidden Valley Mobile Home Park**, R. D. 2, Box 856, Lock Haven, PA 17745. The applicant granted permission to expand their sewage treatment plant to serve an additional 19 mobile homes. The sewage treatment system will be changed to treat the additional flows. The facility is located at Woodward Township, **Lycoming County**.

**NPDES Permit No. PA0024538, Amendment.** Sewerage. **Beech Creek Borough Authority**, P. O. Box 216, Beech Creek, PA 16822. Applicant granted permission to expand the existing sewage treatment plant to serve Beech Creek Borough, **Clinton County**.

**NPDES Permit No. PA0010596.** Industrial waste. **Shamokin Township Realty Inc.**, 1100 Flushing Avenue, Brooklyn, NY 11237. Renewal granted to discharge treated industrial waste to Bennys Run in Shamokin Township, **Northumberland County**.

**NPDES Permit No. PA0208787.** Industrial waste. **Sun Company Inc. (R&M)**, 301 West Hiawatha Blvd., Syracuse, NY 13204. Renewal granted to discharge

treated wastewater to the West Branch Susquehanna River. Facility located at Armstrong Township, **Lycoming County**.

**WQM Permit No. 5996407-A1.** Sewerage. **Richmond Township Municipal Authority**, 563 Valley Road, Mansfield, PA 16933. The proposed action is to amend the Water Quality Management permit for the proposed Mann Creek Heights sewage treatment facility. Facility is located at Richmond Township, **Tioga County**.

**WQM Permit No. 4198201.** Industrial waste. **Williamsport Wire Rope Inc.**, P. O. Box 3188, Williamsport, PA 17701. Approval granted to construct a new rinse wastewater treatment system replacing the old treatment system to a facility located at Williamsport, **Lycoming County**.

## INDIVIDUAL PERMITS

### (PAS)

The following approvals for coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by an aggrieved person under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

*Southcentral Region: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PAS-10-O-075.** Industrial NPDES. **Lancaster County Solid Waste Management Authority**, 1299 Harrisburg Pike, P. O. Box 4425, Lancaster, PA 17604. To implement an erosion and sedimentation control plan for the construction of the Frey Farm Landfill Leachate Force Main and Pump Station on 9.2 acres in Manor Township, **Lancaster County**. The project is located between the Frey Farm Landfill and the Lancaster Area Sewer Authority Waste Water Treatment Plant located at Anchor Road (Safe Harbor, PA Quadrangle N: 17.1 inches; W: 10.8 inches). Drainage will be to Wissler Run, Manns Run and Witmers Run.

## INDIVIDUAL PERMITS

### (PAR)

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards,

general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specific General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

*List of NPDES and/or other  
General Permit Type*

|       |  |
|-------|--|
| PAG-1 | General Permit for Discharges from Stripper Oil Well Facilities  |
| PAG-2 | General Permit for Discharges of Stormwater From Construction Activities   |
| PAG-3 | General Permit for Discharges of Stormwater From Industrial Activities   |
| PAG-4 | General Permit for Discharges From Single Residence Sewage Treatment Plant   |
| PAG-5 | General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems  |
| PAG-6 | General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems   |
| PAG-7 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge By Land Application   |
| PAG-8 | General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contract Site or a Land Reclamation Site |
| PAG-9 | General Permit for Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site   |

*General Permit Type—PAG-2*

*Facility Location*

*County and  
Municipality*

*Permit No.*

*Applicant Name  
and Address*

*Receiving Stream  
or Body of Water*

*Contact Office and  
Telephone No.*

|  |           |   |   |  |
|--|-----------|---|---|--|
| Carbon County<br>East Penn Township    | PAR101321 | Carbon County Bridge #6<br>Road Relocation Project<br>County of Carbon<br>c/o Charles Getz<br>P. O. Box 129<br>Jim Thorpe, PA 18229 | Lehigh River                              | Carbon CD<br>(610) 377-4894  |
| Lehigh County<br>N. Whitehall Township | PAR10Q115 | Grace Beck<br>2852 Woodbine St.<br>Slatington, PA 18080   | Rockdale Creek                            | Lehigh CD<br>(610) 391-9583  |
| Crawford County<br>City of Meadville   | PAR102316 | Ladd Lingo<br>Wesbury United Methodist<br>Retirement Community<br>31 North Park Avenue<br>Meadville, PA 16335                       | Bennyhoff Creek                           | Crawford Conservation<br>District<br>1012 Water Street,<br>Suite 18<br>Meadville, PA 16335<br>(814) 724-1793                                 |
| Erie County<br>McKean Borough          | PAR10K118 | St. Francis Xavier Church<br>8880 Main Street<br>McKean, PA 16426   | Elk Creek                                 | Erie Conservation<br>District<br>12723 Route 19<br>P. O. Box 801<br>Waterford, PA 16441<br>(814) 796-4203                                    |
| Lawrence County<br>Neshannock Township | PAR103730 | Leo Golba<br>A. G. Dev. Co. Adams Grove<br>233 West Parkside Drive<br>New Castle, PA 16105  | Unnamed<br>Tributary to<br>Shenango River | Lawrence Conservation<br>District<br>Lawrence Co.<br>Government Center<br>430 Court Street<br>New Castle, PA<br>16101-3593<br>(724) 652-4512 |

## NOTICES

6111

| <i>Facility Location<br/>County and<br/>Municipality</i> | <i>Permit No.</i> | <i>Applicant Name<br/>and Address</i>  | <i>Receiving Stream<br/>or Body of Water</i>         | <i>Contact Office and<br/>Telephone No.</i>  |
|--|-------------------|--|--|--|
| Caln Township<br>Chester County                          | PAR10-G289        | P & B Developers<br>1575 Poorhouse Road<br>Downingtown, PA 19335   | Valley Run   | Chester County<br>Conservation District<br>601 Westtown Road,<br>Suite 240<br>P. O. Box 2747<br>West Chester, PA 19380 |
| Cumru Township<br>Berks County                           | PAR-10-C245       | Phila. Suburban Water<br>Company<br>Berks Division<br>17 Village Center Drive<br>Reading, PA 19607-3343      | UNT Schuylkill<br>River                              | Berks County CD<br>P. O. Box 520<br>1238 County Welfare<br>Rd.<br>Leesport, PA 19533<br>(610) 372-4657                 |
| Muhlenberg Township<br>Berks County                      | PAR-10-C246       | Clearview Heights<br>Glenn Sandritter President<br>North American Homes<br>P. O. Box 380<br>Temple, PA 19560 | Laurel Run   | Berks County CD<br>P. O. Box 520<br>1238 County Welfare<br>Rd.<br>Leesport, PA 19533<br>(610) 372-4657                 |
| South Heidelberg<br>Township<br>Berks County             | PAR-10-C248       | Int. Forino Properties LP<br>Anthony Forino<br>3000 Penn Avenue<br>West Lawn, PA 19609                       | Cacoosing Creek<br>Tributary to<br>Tulpehocken Creek | Berks County CD<br>P. O. Box 520<br>1238 County Welfare<br>Rd.<br>Leesport, PA 19533<br>(610) 372-4657                 |
| Shippensburg<br>Township<br>Cumberland County            | PAR-10-H145       | Shippensburg Township<br>Shippensburg Township<br>Park<br>P. O. Box 219<br>Shippensburg, PA 17257            | Burd Run   | Cumberland County CD<br>43 Brookwood Ave.<br>Suite 4<br>Carlisle, PA 17013<br>(717) 240-7812                           |
| Montgomery Township<br>Franklin County                   | PAR-10-M163       | Harry H. Fox, Jr.<br>Two Top Meadows Section 2<br>15 Montego Court<br>Dillsburg, PA 17019                    | UNT Licking Creek                                    | Franklin County CD<br>550 Cleveland Avenue<br>Chambersburg, PA 17201<br>(717) 264-8074                                 |
| Antrim Township<br>Franklin County                       | PAR-10-M164       | Creative Investments Assoc.<br>Nottingham Meadows<br>370 Virginia Avenue<br>Hagerstown, MD                   | Conococheague<br>Creek                               | Franklin County CD<br>550 Cleveland Avenue<br>Chambersburg, PA 17201<br>(717) 264-8074                                 |
| Lower Gwynedd<br>Township<br>Montgomery County           | PAR10-T484        | Sisters of Mercy of Merion<br>1345 Sumneytown Pike<br>Gwynedd Valley, PA 19437                               | Unnamed<br>Tributary to<br>Trewellyn Creek           | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA 19426<br>(610) 489-4506  |
| Plymouth Township<br>Montgomery County                   | PAR10-T454        | Goldenberg Development<br>Corp.<br>350 Sentry Parkway,<br>Bldg. 630<br>Suite 3<br>Blue Bell, PA 19422        | Plymouth Creek<br>tributary                          | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA 19426<br>(610) 489-4506  |
| Lower Providence<br>Township<br>Montgomery County        | PAR10-T497        | Corrado Construction<br>Company<br>1021 Egypt Road<br>Oaks, PA 19456   | Eagles Brook Creek                                   | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA 19426<br>(610) 489-4506  |
| Upper Merion<br>Township<br>Montgomery County            | PAR10-T474        | Elf Atchem N. A. Inc.<br>900 First Avenue<br>P. O. Box 61536<br>King of Prussia, PA 19406                    | Maschellmac Creek                                    | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA 19426<br>(610) 489-4506  |

| <i>Facility Location<br/>County and<br/>Municipality</i> | <i>Permit No.</i> | <i>Applicant Name<br/>and Address</i>  | <i>Receiving Stream<br/>or Body of Water</i> | <i>Contact Office and<br/>Telephone No.</i>  |
|--|-------------------|--|--|--|
| Lower Gwynedd<br>Township<br>Montgomery County           | PAR10-T479        | Philomeno & Salamone<br>450 S. Gravers Road<br>Plymouth Meeting, PA<br>19462                               | Unnamed<br>tributary to<br>Trewellyn Creek   | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA 19426<br>(610) 489-4506  |
| Upper Gwynedd<br>Township<br>Montgomery County           | PAR10-T480        | Central Engineering<br>700 Atrium Drive<br>Somerset, NJ 08873  | Dodsworth Run                                | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA 19426<br>(610) 489-4506  |
| West Whiteland<br>Township<br>Chester County             | PAR10-G293        | Fred Schubert<br>6 Maggies Lane<br>Downingtown, PA 19335   | Valley Creek                                 | Chester County<br>Conservation District<br>601 Westtown Road,<br>Suite 240<br>P. O. Box 2747<br>West Chester, PA 19380 |
| London Grove<br>Township<br>Chester County               | PAR10-G297        | London Grove Township<br>Municipal Authority<br>550 E. Baltimore Pike<br>Suite 220<br>West Grove, PA 19390 | White Clay Creek                             | Chester County<br>Conservation District<br>601 Westtown Road,<br>Suite 240<br>P. O. Box 2747<br>West Chester, PA 19380 |
| Butler County<br>Jefferson Township                      | PAR10E091         | Rodger Fleming<br>222 Airport Road<br>Butler, PA 16001   | Thorn Creek                                  | Butler Conservation<br>District<br>122 McCune Drive<br>Butler, PA 16001-65001<br>(724) 284-5270                        |
| Butler County<br>Franklin Township                       | PAR10E092         | G & P Land Corporation<br>147 Schmidt Road<br>Harmony, PA 16037  | Connoquenessing<br>Creek                     | Butler Conservation<br>District<br>122 McCune Drive<br>Butler, PA 16001-65001<br>(724) 284-5270                        |
| Butler County<br>Cranberry Township                      | PAR10E093         | Mine Safety Appliances Co.<br>P. O. Box 426<br>Pittsburgh, PA 15230  | Brush Creek                                  | Butler Conservation<br>District<br>122 McCune Drive<br>Butler, PA 16001-65001<br>(724) 284-5270                        |
| Butler County<br>Adams Township                          | PAR10E094         | Adams Township<br>75 Hutchman Road<br>Mars, PA 16046   | Breakneck Creek                              | Butler Conservation<br>District<br>122 McCune Drive<br>Butler, PA 16001-65001<br>(724) 284-5270                        |
| Butler County<br>Oakland and Summit<br>Townships         | PAR10E095         | Bureau of Abandoned Mine<br>P. O. Box 8476<br>Harrisburg, PA 17105-8476                                    | Thorn Creek                                  | Butler Conservation<br>District<br>122 McCune Drive<br>Butler, PA 16001-65001<br>(724) 284-5270                        |
| Butler County<br>Lancaster Township                      | PAR10E097         | Tim McNulty<br>135 McNulty Lane<br>Harmony, PA 16037   | Scholars Run                                 | Butler Conservation<br>District<br>122 McCune Drive<br>Butler, PA 16001-65001<br>(724) 284-5270                        |

*General Permit Type—PAG-4**Facility Location  
County and  
Municipality*York County  
East Manchester  
Township*Permit No.*  
PAG043601*Applicant Name  
and Address*  
Robert and Tammie  
Chappell  
115 Griffith Lane  
Manchester, PA 17345*Receiving Stream  
or Body of Water*  
Little Conewago  
Creek*Contact Office and  
Telephone No.*  
Southcentral Region  
909 Elmerton Avenue  
Harrisburg, PA 17110  
(717) 705-4707Columbia County  
Greenwood Township

PAG045036

Richard and Mary Sanders  
P. O. Box 496  
Millville, PA 17846UNT to  
Little Fishing  
CreekNorthcentral  
208 W. Third Street  
Williamsport, PA 17701  
(717) 327-3664Bradford County  
Herrick Township

PAG045034

Wilson Welliver  
R. R. 3, Box 263  
Wyalusing, PA 18853Unnamed tributary  
Rummerfield CreekNorthcentral  
208 W. Third Street  
Williamsport, PA 17701  
(717) 327-3664*General Permit Type—PAG-9**Facility Location  
County and  
Municipality*Clearfield County  
Cooper Township*Permit No.*  
PAG094809*Applicant Name  
and Address*  
Alan Larson  
Mountain View Center Inc.  
Kylertown, PA 16847*Receiving Stream  
or Body of Water**Contact Office and  
Telephone No.*  
Northcentral  
208 W. Third Street  
Williamsport, PA 17701  
(717) 327-3664**SEWAGE FACILITIES ACT  
PLAN APPROVAL****Plan Approval granted under the Pennsylvania  
Sewage Facilities Act (35 P. S. §§ 750.1—750.20).***Northeast Regional Office: Water Management Program  
Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790,  
(717) 826-2553.***Rush Township and Ryan Township,  
Schuylkill County**

The Department of Environmental Protection (Department) has reviewed the Rush—Ryan Joint Act 537 Plan Amendment of 1998 (Plan), dated June 1998, adopted August 1998, as compiled by the Northeastern Schuylkill Joint Municipal Authority, on behalf of Rush Township and Ryan Township. The Department has found the Plan is acceptable and planning approval is hereby granted.

The Plan proposes to consolidate the Quakake and Tamanend sewage planning area (Area 1) as proposed in Rush Township's October 1993 Sewage Plan Revision, which was approved by the Department on December 14, 1993, with the Park Crest, Hosensock, Grier City and Barnesville planning area (Area 2) as proposed in the April 1995 Joint Sewage Plan Update, which was approved by the Department on July 12, 1995. Specifically, this Plan proposes the following changes to the previously approved Plans:

1. Elimination of the construction of a 0.090 million gallons per day (mgd) treatment plant in Rush Township for Area 1.
2. Elimination of the construction of a 0.175 mgd treatment plant at the Lakewood Site for Area 2.
3. Construction of a sewage conveyance system along State Route (S. R.) 53090 and S. R. 53040, to connect Area 1 to Area 2.
4. Construction of a 0.245 mgd treatment plant near the junction of S. R. 54 and Holly Road, to serve Area 1

and Area 2, with an outfall discharging into Pine Creek downstream of Sobolewski's pond.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20(a)) (Act 537), and 25 Pa. Code Chapter 71, the Department will hold Rush Township and Ryan Township responsible for complete and timely implementation of this Plan according to the schedule contained therein.

This approval covers only the wastewater planning aspects of this project. Before construction of the proposed project may commence, one must obtain a National Pollutant Discharge Elimination System Permit (NPDES Permit) and a Part II Water Quality Management Permit from the Department.

Also, contact the Soils and Waterways Section at (717) 826-2553, to determine whether or not an encroachment permit is necessary for the potential wetlands at the treatment plant site.

**SAFE DRINKING WATER****Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).***Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**Permit No. 1598511.** Public water supply. **City of Coatesville Authority**, 114 East Lincoln Highway, Coatesville, PA 19320-5414. A permit has been issued to the City of Coatesville Authority for the installation of a corrosion control feed system at the Rock Run Water Treatment Plant in the City of Coatesville, **Chester County**.

*Type of Facility:* Public Water Supply System.*Consulting Engineer:* City of Coatesville Authority, 114 East Lincoln Highway, Coatesville, PA 19320.*Permit to Construct Issued:* November 19, 1998.

**Permit No. 0997519.** Public water supply. **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912. A permit has been issued to Buckingham Township for the construction of a public water supply system with two drilled wells, as sources of supply for the proposed Yerkes Tract and Buckingham Forest residential developments in Buckingham Township, **Bucks County**.

*Type of Facility:* Public Water Supply System.

*Consulting Engineer:* Gilmore and Associates, Inc., 331 Butler Avenue, New Britain, PA 18901.

*Permit to Construct Issued:* November 20, 1998.

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Permit No. 4098503.** Public water supply. **Evergreen Estates Mobile Home Park**, George Yatsko, R. R. 4, Box 289-A, Dallas, PA 18612. This proposal involves modification of existing PWS facilities to provide raw water disinfection and additional upgrade for both the two system wells and their associated wellhouses. It is located in Lake Township, **Luzerne County**.

*Construction Permit Issued:* October 9, 1998.

**Permit No. 4898501.** Public water supply. **Blue Spring Water Company**, Kenneth Fulford, K. L. Fulford Associates, Inc., P. O. Box 304, Allentown, PA 18105. This proposal involves changes in the method of disinfection and the addition of a sequestering agent for treatment at Blue Spring Water Company which serves drinking water to Green Briar Village.

*Construction Permit Issued:* October 7, 1998.

**Permit No. 5898501.** Bottled Water. **Silver Springs Mountain Water Company**, Sandra Kelley and Patricia Flynn, R. R. 1, Friendsville, PA 18818. It is located in Silver Lake Township, **Susquehanna County**.

*Construction Permit Issued:* October 16, 1998.

**Permit No. 5897502.** Public water supply. **Lake Walter Landowners Association**, Bud Hendershot, P. O. Box 111, Springville, PA 18844. This proposal involves modification of the system to provide metering devices, raw water disinfection and distribution flushing devices. It is located in Springville Township, **Susquehanna County**.

*Construction Permit Issued:* October 27, 1998.

**Permit No. 4090512.** Public water supply. **Cherone Trailer Court, c/o Mark Cherone**, 807 Schwab Street, Freeland, PA 18224. This proposal involves the permitting of an existing community water supply serving the Cherone Trailer Court in Freeland Borough, **Luzerne County**. This system included two wells, disinfection, iron sequestration, storage facilities and a distribution system.

*Construction Permit Issued:* October 28, 1998.

**Operations Permit No. 3540035.** **Minerville Filtration Plant**, James Cleary, Municipal Authority of the Borough of Minersville, Two East Sunbury Street, Minersville, PA 17954. It is located in Cass Township, **Schuylkill County**.

*Operations Permit Issued:* October 5, 1998.

**Operations Permit No. 2660014, 8144-T1 Minor Amendment.** **Tunkhannock Borough Municipal Authority**, 126 Warren Street, Tunkhannock, PA 18657, Roger E. Hadsall. It is located in Tunkhannock Borough, **Wyoming County**.

*Operations Permit Issued:* September 15, 1998.

**Operations Permit No. 2408001.** **Hazleton City Water Authority**, Robert Zientek, Manager, 400 East Arthur Gardner Parkway, P. O. Box B, Hazleton, PA 18201. It is located in Hazleton City, **Luzerne County**.

*Operations Permit Issued:* October 19, 1998.

**Operations Permit No. 3540038.** **Schuylkill County Municipal Authority**, 221 South Centre Street, Pottsville, PA 17901. David Holley, General Manager. Permit issued for Mount Laurel Water Treatment Plant, New Castle Township, **Schuylkill County**.

*Operations Permit Issued:* October 6, 1998.

**Operations Permit No. 2660011.** **Nicholson Borough Authority**, Pamela Harvey, Secretary/Treasurer, P. O. Box 324, Nicholson, PA 18446. It is located in Nicholson Borough, **Wyoming County**.

*Operations Permit Issued:* October 8, 1998.

**Operations Permit No. 3396420.** **Great Spring Waters of America, Inc.**, Bulk Water Hauling at Stroudsburg Municipal Authority, 405 Nestle Way, Breingsville, PA 18031, David Funk. It is located in Stroud Township, **Monroe County**.

*Operations Permit Issued:* October 19, 1998.

**Operations Permit No. 2520110.** **Lakeside Water Systems, Inc.**, Gerald G. Gawron, R. R. 2, Box 288C, Greentown, PA 18426. It is located in Palmyra Township, **Pike County**.

*Operations Permit Issued:* October 29, 1998.

*Regional Office: Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.*

**Permit No. 3198504.** Public water supply. **Warriors Mark General Authority**, Warriors Mark Township, **Huntingdon County**.

*Responsible Official:* Terry Ellenberger, Chairperson, Warriors Mark General Authority, P. O. Box 122, Warriors Mark, PA 16877.

*Type of Facility:* Development of Cox Well No. 4 and the construction of a 227,000 gallon water storage tank.

*Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.*

**Permit No. 1098504.** Public water supply. **Silver Haven Summit Personal Care Home (Balanced Care at Butler)**, 164 Schiebel Road, Saxonburg, PA 16056 has been issued a construction permit for their existing well (No. 1), addition of new water treatment equipment, disinfection facilities and distribution storage in Clearfield Township, **Butler County**.

*Type of Facility:* Community Water Supply.

*Consulting Engineer:* Michael A. Basista, P.E., Bankson Engineers, Inc., 100 Blue Run Road, P. O. Box 200, Indianola, PA 15051.

*Permit to Construct Issued:* November 19, 1998.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final report:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**The West Company**, Phoenixville Borough, **Chester County**. John P. Judge, Esq., Montgomery, McCracken, Walker & Rhoads, 123 S. Broad St., Philadelphia, PA 19109, has submitted a Final Report concerning remediation of site soil contaminated with solvents, BTEX and petroleum hydrocarbons; and groundwater contaminated with solvents. The report is intended to document remediation of the site to meet site-specific standards.

**Tower Bridge North, No. 6**, Conshohocken Borough, **Montgomery County**. Michael M. Meloy, Manko, Gold & Katcher, LLP, City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted a Final Report concerning remediation of site soil contaminated with PCBs, lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons; and groundwater contaminated with lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

*Southcentral Regional Office: Environmental Cleanup Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Distribution Pole 26142S34603**, Lower Paxton Township, **Dauphin County**. **Pennsylvania Power & Light, Inc.**, Two North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning remediation of site soils contaminated with PCBs. The report is intended to document remediation of the site to meet the Statewide health standard.

*Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.*

**Former National Granulating Corporation, Inc. Facility**, City of Washington, **Washington County**. Timothy T. Ratvasky, WEG Engineering, 575 William Pitt Way, Pittsburgh, PA 15238, and Detroit Street Partners, L. P., 4839 Campbells Run Road, Pittsburgh, PA 15205-

1386 has submitted a Final Report addressing soil contaminated with zinc and SVOCs. The report is intended to document remediation of the site to meet the Statewide standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Observer/Reporter*, Washington, PA on October 28, 1998.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 4

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.**

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the Act 2 (Land Recycling and Environmental Remediation Standards Act) remediation standards. Plans and reports required by provisions of Act 2 for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**David Lehequet Residence**, Lower Southampton Township, **Bucks County**. Brian R. Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 S. Pike Ave., Allentown, PA 18103, has submitted a Final Report concerning the remediation of site soil contaminated with

BTEX and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on November 10, 1998.

**Matthew McKenney Residence**, Lower Southampton Township, **Bucks County**. Brian R. Evans, Environmental Scientist, Hydrocon Services, Inc., 2945 S. Pike Ave., Allentown, PA 18103, has submitted a Final Report concerning the remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on November 10, 1998.

## SOLID AND HAZARDOUS WASTE

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.*

**Permit No. 101497. Great Valley Recycling, Inc.**, Sixth and Merion Streets, Bridgeport, PA 19405. Action on the pending 10-year renewal and modification application could not be taken prior to the November 9, 1998 expiration date of the current permit. As a result, the permit was renewed for a period not to exceed 6 months to provide the Department sufficient time to fully review the pending 10-year renewal and modification application at which time a final action on the pending application will be taken. Permit renewed in the Southeast Regional Office on November 9, 1998.

*Southcentral Regional Office: Regional Solid Waste Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706.*

**Permit No. 100944. Lanchester Landfill, Chester County Solid Waste Authority** (7442 Division Highway, Narvon, PA 17555). Application to modify closure and increase capacity of Area "B" landfill unit in Honey Brook and Caernarvon Township, **Lancaster** and **Chester Counties**. Permit issued in the Regional Office November 16, 1998.

**Permit No. 101606. Kline's Service, Inc.** (P. O. Box 626, Salunga, PA 17538). Application for major modification for acceptance of residual waste for processing at a site in East Hempfield Township, **Lancaster County**. Permit issued in the Regional Office November 20, 1998.

**Applications withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**A. 101582. Nutrecon Inc.**, 336 Chestnut Lane, Ambler, PA 19002. The application for increased hours of operation, additional tankage, piping and processing modifications, originally submitted on February 25, 1998, was requested to be withdrawn in its entirety by the

applicant in a letter dated October 29, 1998. Review was terminated and the application was returned by the Southeast Regional Office on November 6, 1998.

**Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428.*

**Permit No. 603350(01). Township of East Vincent**, 262 Ridge Road, Spring City, PA 19475. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Hewitt Farm located in East Vincent Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603350(2). Township of East Vincent**, 262 Ridge Road, Spring City, PA 19475. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Miller Farm located in East Vincent Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603350(03). Township of Warwick, P. O. Box 236, Elverson, PA 19520.** This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Kollie Farm located in Warwick Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603350(4). Township of West Nantmeal, R. D. 2, P. O. Box 234, Elverson, PA 19520.** This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Lemmon Farm located in West Nantmeal Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603350(05). Townships of East Nantmeal, 3383 Conestoga Road, Glenmoore, PA 19343, and West Nantmeal, R. D. 2, P. O. Box 234, Elverson, PA 19520.** The permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Weaver Farm located in East Nantmeal and West Nantmeal Townships, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603379. Township of Penn**, 150 Sunnyside Road, West Grove, PA 19390. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Lewis Farm located in Penn Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603301. Township of West Vincent**, P. O. Box 163, Birchrunville, PA 19421. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Wheeler Aman Farm located in West Vincent Township, **Chester County**. Permit has been revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603350(06). Township of Milford, P. O. Box 86, Spinnerstown, PA 18968, and Township of**

**Lower Milford**, R. D. 2, Box 499-A, Coopersburg, PA 18036. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Marwell Dairy Farm located in Milford Township and Lower Milford Township, **Bucks County** and **Lehigh County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603278. Township of East Marlborough**, 721 Unionville Road, Kennett Square, PA 19348, and **Township of West Marlborough**, R. R. 8, Box 317, Coatesville, PA 19320-5140. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Davidson Farm located in East Marlborough Township and West Marlborough Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 600785. Township of East Marlborough**, 721 Unionville Road, Kennett Square, PA 19348, and **Township of West Marlborough**, R. R. 8, Box 317, Coatesville, PA 19320-5140. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Hannum Farm located in East Marlborough Township and West Marlborough Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603346. Township of West Bradford**, 1385 Campus Drive, Downingtown, PA 19335. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the DiFrancesco Farm located in West Bradford Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603349(01). Township of Highland**, P. O. Box 322, R. D. 3, Coatesville, PA 19320. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Ar-Joy Farm located in Highland Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603349(02). Township of Highland**, P. O. Box 322, R. D. 3, Coatesville, PA 19320. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Blank Farm located in Highland Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603349(03). Township of Highland**, P. O. Box 322, R. D. 3, Coatesville, PA 19320. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Foxbrook Farm located in Highland Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603349(4). Township of Highland**, P. O. Box 322, R. D. 3, Coatesville, PA 19320. This permit has been revoked in response to the permittee's request to revoke the permit for agricultural utilization of municipal sewage sludges on the Spring Gate Farm located in Highland Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

**Permit No. 603349(05). Township of West Caln**, P. O. Box 175, Wagontown, PA 19376. This permit has been revoked in response to the permittee's request to

revoke the permit for agricultural utilization of municipal sewage sludges on the Zook Farm located in West Caln Township, **Chester County**. Permit revoked in the Southeast Regional Office on November 13, 1998.

## AIR QUALITY OPERATING PERMITS

**General Plan Approval and Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**40-33-010GP: Continental Pet Technologies, Inc.** (12 Maplewood Drive, Hazleton, PA 18201) for installation and operation of a burn-off oven in Hazle Township, **Luzerne County**.

**Operating Permits Minor Modification issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**35-327-003A: Specialty Record Corp.** (1400 East Lackawanna Avenue, Olyphant, PA 18447) for minor modification of a vapor degreasing operation in Olyphant Borough, **Lackawanna County**.

**Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**CP-46-0005: Merck & Co., Inc.** (770 Sumneytown Pike, West Point, PA 19486) amended November 25, 1998, for facility permit in Upper Gwynedd Township, **Montgomery County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**37-00059: CR/PL, L. P.** (East Cherry Street Extension, New Castle, PA 16102) in Taylor Township, **Lawrence County**. This administrative amendment incorporates a change in ownership of the facility from Universal Rundle to CR/PL, L. P.

## PLAN APPROVALS

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-23-0075: Rhone-Poulenc Surfactants & Specialty** (Blue Bell Avenue and Second Street, Marcus

Hook, PA 19061) issued November 30, 1998, for operation of a surfactants manufacturing facility in Marcus Hook Borough, **Delaware County**.

**PA-09-0040A: Piccari Press, Inc.** (315A West Street Road, Warminster, PA 18974) issued November 30, 1998, for operation of a lithographic printing press in Warminster Township, **Bucks County**.

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**39-313-042: Filmtech Corp.** (P. O. Box 2005, Easton, PA 18044) issued November 4, 1998, for construction of polyethylene extruders in the City of Allentown, **Lehigh County**.

**40-301-079: Wilkes-Barre General Hospital** (575 North River Street, Wilkes-Barre, PA 18764) issued November 4, 1998, for construction of an incinerator in the City of Wilkes-Barre, **Luzerne County**.

**48-313-081: M A Hanna Engineered Materials** (177 Mikron Road, Bethlehem, PA 18017) issued November 10, 1998, for construction of a plastics extrusion process in Bethlehem Township, **Northampton County**.

**Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-46-0011: Bethlehem Lukens Plate** (Conshohocken Road, Conshohocken, PA 19428) issued November 30, 1998, for operation of a Scale From Plate Leveling in Plymouth Township, **Montgomery County**.

**09-399-044: CMS Gilbreth Packaging Systems** (3001 State Road, Croydon, PA 19021) issued November 30, 1998, for operation of two hard chromium electroplating in Bristol Township, **Bucks County**.

**REASONABLY AVAILABLE CONTROL TECHNOLOGY (RACT)**

**Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 127.450 for Reasonable Available Control Technology.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**CP-23-0001: Sun Company, Inc. (R&M)** (Delaware Ave. and Green Street, Marcus Hook, PA 19061) amended November 25, 1998, for Facility VOCs/NOx RACT in Marcus Hook Borough, **Delaware County**.

**MINING**

**APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES**

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation

Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Coal Permits Issued*

**11950103. R.J.C. Kohl, Inc.** (P. O. Box 299, Nicktown, PA 15762), permit revision to include mining of 8.4 acres of the Upper Kittanning coal seam and additional mining on 4.6 acres of the Lower Freeport coal seam, in Susquehanna Township, **Cambria County**, affecting 75.0 acres, receiving stream unnamed tributaries to Fox Run. Application received September 23, 1998. Permit issued November 23, 1998.

**32981131. Stream Variance, Simpson Coal Company** (R. D. 1, Box 244, New Alexandria, PA 15670) for an Intent to Explore Permit to drill within the 100' stream barrier of two unnamed tributaries to Big Run in Conemaugh Township, **Indiana County**. Application received October 22, 1998. Permit issued November 23, 1998.

**56980105. Dunamis Resources, Inc.** (One Energy Place, Suite 4000, Latrobe, PA 15650), commencement, operation and restoration of a bituminous strip mine in Lincoln Township, **Somerset County**, affecting 93.0 acres, receiving stream UNTS to North Branch of Quemahoning Creek and UNTS to Horner Run. Application received August 3, 1998. Permit issued November 20, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**54803004R2C18. Harriman Coal Corporation** (978 Gap Street, Valley View, PA 17983), renewal and correction of an existing anthracite surface mine operation in Hegins and Porter Townships, **Schuylkill County** affecting 214.0 acres, receiving stream—none. Renewal/Correction issued November 24, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Permits Issued*

**64980301. Milestone Materials, Inc.** (1900 Sullivan Trail, P. O. Box 231, Easton, PA 18044-0231), commencement, operation and restoration of a quarry operation in Lake Township, **Wayne County** affecting 47.0 acres, receiving stream—none. Permit issued November 25, 1998.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Small Noncoal (Industrial Mineral) Permits Issued*

**58982801. Charles J. Shaddock** (R. R. 3, Box 30, Rushville, PA 18839), commencement, operation and restoration of a bluestone quarry operation in Middletown Township, **Susquehanna County** affecting 5.0 acres, receiving stream—none. Permit issued November 16, 1998.

**58980842. Todd G. Groover** (R. R. 2, Box 5A, Montrose, PA 18801), commencement, operation and restoration of a bluestone quarry operation in Bridgewater

Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued November 17, 1998.

**58980843. William M. Ruark** (P. O. Box 311, Meshoppen, PA 18630), commencement, operation and restoration of a bluestone quarry operation in Dimock Township, **Susquehanna County** affecting 3.0 acres, receiving stream—none. Permit issued November 18, 1998.

## ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P.S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Southeast Regional Office: Program Manager; Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E15-528.** Encroachment Permit. **Pennsylvania Department of Transportation**, 200 Radnor Chester Road, St. Davids, PA 19087-5178. To remove a concrete encased steel I-beam bridge with a clear span of 24.7 feet and approximate underclearance of 5.5 feet, to remove associated abutments and wingwalls, to construct and maintain a prestressed concrete box beam bridge with a clear span of 42.8 feet and approximate underclearance of 5.0 feet, to construct and maintain associated abutments, wingwalls and roadway fill at this location in and along Goose Creek (WWF), tributary to the East Branch of Chester Creek. This site is located approximately 1,200 feet north of the intersection of Westbourne Road (SR 2006) and Street Road (SR 0926) (West Chester USGS Quadrangle N: 10.6 inches; W: 7.6 inches) in Westtown Township, **Chester County**.

**E46-796A.** Encroachment Permit. **Abington Township**, 1176 Old York Road, Abington, PA 19001. To amend permit E46-796, which gave authorization to the Township to excavate and maintain fill within the assumed 100-year floodway of an unnamed tributary to Sandy Run (TSF) and relocate approximately 100 feet of this stream through a proposed stormwater management facility (Detention Basin 1), to place and maintain fill along an unnamed tributary to Sandy Run (TSF) and to relocate approximately 580 feet of this stream through a proposed stormwater management facility (Detention Basin 1B). Permit E46-796 also granted an environmental assessment approval for two on-stream nonjurisdictional dams to be constructed as stormwater management facilities. This permit is amended to include an additional environmental assessment approval for an on-stream nonjurisdictional dam to be constructed as an additional stormwater management facility situated approximately 3,050 feet southwest of the intersection of Susquehanna Road and Easton Road. This site is located within the Ardsley Burial Park, approximately 300 feet east of the intersection of Jackson Avenue and Spear Avenue and is associated with the Susquehanna Woods Stormwater Management Control Project (Germantown USGS Quadrangle N: 21.9 inches; W: 3.3 inches) in Abington Township, **Montgomery County**.

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.*

**E13-109.** Encroachment. **Lake Harmony Estates Property Owners Association, c/o MLA**, P. O. Box 629, Pocono Summit, PA 18346. To remove the existing structure and to construct and maintain a 60 foot long × 6 foot wide concrete and timber dock along the shoreline of Lake Harmony. The project is located at the eastern end of Lake Harmony approximately 0.1 mile south of the intersection of T523 and T525 (Blakeslee, PA Quadrangle N: 12.9 inches; W: 11.1 inches) in Kidder Township, **Carbon County**.

**E35-297.** Encroachment. **Sun Pipe Line Company**, 1801 Market Street, Ten Penn Center—26th Floor, Philadelphia, PA 19103-1699. To remove approximately 250 linear feet of 6-inch diameter pipeline in Gardner's Creek. The project is located northeast of the intersection of S. R. 3001 (Newton-Ransom Boulevard) and S. R. 3007 (Ransom, PA Quadrangle N: 6.2 inches; W: 8.5 inches) in Ransom Township, **Lackawanna County**.

**E39-342.** Encroachment. **R. J. Corman R. R. Material Sales**, 333 Linden Street, Allentown, PA 18101. To construct and maintain approximately 815 linear feet of 6-foot high, chain-link fence within the floodway of Jordan Creek. The project is located along the left bank of Jordan Creek between Linden and Gordon Streets (Allentown East, PA Quadrangle N: 19.7 inches; W: 12.3 inches) in the City of Allentown, **Lehigh County**.

**E40-502.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a road crossing of Bear Creek, consisting of a 15.0-foot × 7.0-foot precast reinforced concrete box culvert, with its invert depressed 1.5 feet below streambed elevation. The project includes excavation and/or placement of fill in a de minimis area of wetlands equal to 0.01 acre. The structure is located on S. R. 2036, Section 351, Segment 0100, Offset 0000 (Pleasant View Summit, PA Quadrangle N: 22.2 inches; W: 9.8 inches), in Bear Creek Township, **Luzerne County**.

*Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E14-329.** Encroachment. **Wayne Herr**, 574 Cinder Rd., New Providence, PA 17560-9632. To remove the existing structure and to construct and maintain a steel beam bridge with a span of 14 feet and underclearance of 6 feet across Galbraith Gap Run off Bear Meadows Road approximately 2.4 miles south of RT 322 (Centre Hall, PA Quadrangle N: 2.4 inches; W: 15.4 inches) in Harris Township, **Centre County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E41-425.** Encroachment. **Jay R. Alexander, Wayne Alexander and Joseph L. Reighard**, R. R. 2, Box 600, Montoursville, PA 17754. To construct and maintain a single span steel beam bridge with a span of 55 feet and underclearance of 8 feet across with a span of 55 feet and underclearance of 8 feet across Wallis Run off SR 1006 opposite Frymire Road (Barbours, PA Quadrangle N: 7.0 inches; W: 16.0 inches) in Cascade Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E41-429.** Encroachment. **Lewis Township Supervisors**, P. O. Box 118, Trout Run, PA 17771. Place and maintain fill in the 100-year floodplain of Lycoming Creek to protect private and public property from flood damage. The fill shall consist of concrete slabs, earth and riprap scour protection on the outside toe of slopes. The maximum length shall not exceed 500 linear feet. The project is located along the southern right-of-way of SR 0014 approximately 2 miles east of the intersection of SR 0015 and SR 0014 (Trout Run, PA Quadrangle N: 4.8 inches; W: 5.8 inches) in Lewis Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects."

**E41-434.** Encroachment. **Lycoming Creek Realty Co., Inc.**, R. R. 2, Box 330, Williamsport, PA 17701. To remove the existing culvert and to construct and maintain a 6.25 foot steel pipe and a 6 foot corrugated metal pipe joined together with a reinforced concrete endwalls in Bottle Run located adjacent to the intersection of Zuni Lane and Sechler Circle Lane (Cogan Station, PA Quadrangle N: 2.4 inches; W: 7.6 inches) in Old Lycoming Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E59-373.** Encroachment. **David and Jennifer Delosa**, R. R. 1, Box 342-23, Covington, PA 16917. To maintain an existing single family residence in the 100 year floodway of the Tioga River. The home is located on the west side of Rt. 15 at the north side of the village of Covington (Blossburg, PA Quadrangle N: 22.2 inches; W: 10.8 inches) in Putnam Township, **Tioga County**. This permit was issued under section 105.13(e) "Small Projects."

**E60-134.** Encroachment. **Pa. Dept. of Transportation**, 715 Jordan Ave., Montoursville, PA 17754. To remove the existing structure and to construct and maintain a twin-cell reinforced concrete box culvert with each cell having a span of 25 feet and effective underclearance of 5.9 feet in Limestone Run located on SR 0015 Section 103 approximately 1,000 feet north of SR 0045 (Lewisburg, PA Quadrangle N: 16.0 inches; W: 2.5 inches) in East Buffalo Township, **Union County**.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E20-460.** Encroachment. **PA Department of Transportation**, District 1-0, 1140 Liberty Street, Franklin, PA 16323. To remove the existing bridge and to construct and maintain a precast reinforced concrete box culvert having a 16-foot-wide by 6.5-foot-high waterway opening in a tributary to Pymatuning Lake (Johnson Run) on S. R. 3008, Segment 0100, Offset 0333 approximately 0.1 mile east of S. R. 3005 (Hartstown, PA Quadrangle N: 2.7 inches; W: 12.0 inches) located in South Township, **Crawford County**.

**E24-205.** Encroachment. **Superior Greentree Landfill, Inc.**, 635 Toby Road, Kersey, PA 15864. To fill two de minimis wetland areas (total of 0.017 acre) for the expansion of the existing Superior Greentree Municipal Waste Disposal Facility southeast of Toby Road approximately 1 mile east of S. R. 219 (Brandy Camp, PA Quadrangle N: 6.0 inches; W: 4.4 inches) located in Fox Township, **Elk County**.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E11-263.** Encroachment. **Cambria County Commissioners**, P. O. Box 269, Ebensburg, PA 15931. To remove the existing structure and to construct and maintain a 50-foot long, 16-foot by 7.5-foot box culvert (invert depressed 6 inches) in Brubaker Run (CWF) located on T-551 (Third Avenue) at a point just east of the intersection of Coleman Street and Third Avenue; and to place and maintain rock lining at the culvert approaches, (Hastings, PA Quadrangle N: 7.00 inches; W: 12.1 inches) in Hastings Borough, **Cambria County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E04-252.** Encroachment. **John E. and Laura A. Hall**, 104 Turkmar Drive, Aliquippa, PA 15001. To remove the existing culvert and to construct and maintain a 5-foot diameter N-12 plastic culvert (depressed 1 foot) in Shafers Run and to maintain fill in a de minimis area of wetland (PEM) for the purpose of providing access to a proposed residence. The project is located on the southside of East Shafers Run Road approximately 3,400 feet east of its intersection with Broadhead Road (SR 0051) (Beaver, PA Quadrangle N: 2.2 inches; W: 6.8 inches) in Center Township, **Beaver County**. The permittee has met wetland replacement obligations by contributing to the Wetland Replacement Project. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E63-461.** Encroachment. **Richard Phelan**, 1000 Banetown Road, Washington, PA 15301. To operate and maintain the existing bridge having a span of 71.0 feet with an underclearance of 15.3 feet across Tenmile Creek to provide access to the applicant's property. The bridge is located on the south side of S. R. 2020 (Tenmile Road), just south from the intersection of S. R. 2020 (Tenmile Road) and T-688 (Amity, PA Quadrangle N: 3.1 inches; W: 6.85 inches) in Amwell Township, **Washington County**.

**E04-256.** Encroachment. **Bradford Park Associates, Inc.**, 10521 Perry Highway, Suite 300, Wexford, PA 15090. To construct and maintain a 60' RCCP culvert in a tributary to North Fork Big Sewickley Creek (TSF) and to place and maintain fill in 0.45 acre of wetlands (PEM/PSS) for the purpose of developing a 64 lot residential development known as Whispering Pines Estates Phase 1. The project is located approximately 1,100 feet south of the end of Walnut Drive (Baden, PA Quadrangle N: 6.1 inches; W: 7.2 inches) in Economy Borough, **Beaver County**. This permit includes the Environmental Assess-

ment for three nonjurisdictional dams. The permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

**E11-265. Encroachment. Pennsylvania Department of Transportation**, 1620 North Juniata Street, Hollidaysburg, PA 16648. To remove the existing Phoebe Court/Swank Court Bridge and to construct and maintain a bridge having a normal clear span of 124 feet and an underclearance of 20.5 feet across Little Conemaugh River (WWF) located on S. R. 0271, Section 004, Segment 0250, Offset 0000. Also, to construct and maintain a temporary bridge and a temporary causeway in two phases (Johnstown, PA Quadrangle N: 14.7 inches; W: 4.4 inches) in the City of Johnstown, **Cambria County**.

**E11-266. Encroachment. Pennsylvania Department of Transportation**, 1620 North Juniata Street, Hollidaysburg, PA 16648. To remove the existing structure and to construct and maintain a bridge having a normal clear span of 124.5 feet and an underclearance of 22.35 feet across Little Conemaugh River (WWF) located on S. R. 3023, Section 001, Segment 0020, Offset 0039 (Johns Street). Also, to construct and maintain a temporary causeway consisting of three 36-inch CM pipes (Johnstown, PA Quadrangle N: 14.4 inches; W: 68 inches) in the City of Johnstown, **Cambria County**.

## WATER ALLOCATIONS

**Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.**

*Southeast Regional Office: Bureau of Water Supply Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**WA 09-775A. Water Allocation. Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976 has been granted the right to increase its withdrawal from 15,000 gallons per day to 30,000 gallons per day from the Delaware River in New Hope Borough, **Bucks County**.

*Type of Facility:* Public Water Supply System.

*Consulting Engineer:* Carroll Engineer Corporation, 949 Easton Road, Suite 100, Warrington, PA 18976.

*Permit Issued:* November 18, 1998.

[Pa.B. Doc. No. 98-2032. Filed for public inspection December 11, 1998, 9:00 a.m.]

## Air Quality Technical Advisory Committee

The Air Quality Technical Advisory Committee (AQTAC) is holding a special meeting on December 17 and 18, 1998 at the Holiday Inn Harrisburg East, I-283 and Route 441, Harrisburg, PA. The meetings will start at 9:30 a.m. and are scheduled to end at 5 p.m. The actual adjournment times may be adjusted as necessary to complete the scheduled agenda. The purpose of the meeting is to review and comment on the Department's draft regulations and other documents necessary to implement an oxides of nitrogen (NOx) emission reduction program to comply with the Environmental Protection Agency's October 27, 1998 final rule regarding ground level ozone air quality in the eastern United States. Anyone wishing to attend the meeting or who has

questions regarding the meeting should contact Terry L. Black, Bureau of Air Quality, at (717) 787-2030.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact J. Wick Havens at (717) 787-4310 or TTY/TDD: (1-800-654-5984).

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 98-2033. Filed for public inspection December 11, 1998, 9:00 a.m.]

## Availability of Technical Guidance

Technical Guidance Documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "July 1998 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1998.

### *Ordering Paper Copies of DEP Technical Guidance*

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

### *Changes to Technical Guidance Documents*

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

### *Final Technical Guidance—Substantive Revision*

DEP ID: 562-2112-503 Title: Coal Surface Mining and Blasting Near Underground Utility Lines and Pipelines Description: This guidance document clarifies the permitting procedures and safety guidelines that coal surface mine operators should follow to ensure the protection of underground utility lines and pipelines. Location: Volume 12, Tab 34 Effective Date: November 23, 1998 Contact: Nevin Strook at (717) 787-5103.

### *Final Technical Guidance*

DEP ID: 391-2000-024 Title: Field Data Collection and Evaluation Protocol for Deriving Daily and Hourly Discharge Coefficients of Variation (CV) and Other Discharge Characteristics Description: This document presents recommended data collection and analysis procedures that can be used to determine two different discharge CV's (Hourly and Daily) and the average monthly effluent concentration for each parameter of concern. The discharge CV's and the average monthly effluent concentrations derived from these data become data inputs in the Department's computer application PENTOXSD. Loca-

tion: Volume 29, Tab 12 Effective Date: October 13, 1998  
Contact: Chuck Yingling at (717) 787-9637

*Draft Technical Guidance*

DEP ID: 362-0600-003 Title: Memorandum of Understanding for the Use of Biosolids at Mined Sites Description: This Memorandum establishes coordination roles and procedures between the bureaus of Water Quality Protection, Mining and Reclamation and District Mining Operations for requirements and associated activities related to the beneficial use of biosolids at mined sites. Location: Volume 32, Tab 4A Effective Date: February 15, 1999 Contact: Jay Africa at (717) 783-2941

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 98-2034. Filed for public inspection December 11, 1998, 9:00 a.m.]

**Source Water Assessment Program Citizens and Technical Advisory Committees Joint Meeting**

The Source Water Assessment Program Citizens and Technical Advisory Committees will be holding a joint meeting on Thursday, January 7, 1999, from 9:30 a.m. to 3 p.m. in Room 105, 1st Floor Conference Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The purpose of the meeting is for public participation in the development and implementation of the Pennsylvania Source Water Assessment and Protection Plan.

Questions concerning this schedule or agenda items can be directed to Donna Green at (717) 787-0122 or e-mail at Green.Donna@a1.dep.state.pa.us. This schedule, an agenda for each meeting, and notices of meeting changes will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Donna Green directly at (717) 787-0122 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 98-2035. Filed for public inspection December 11, 1998, 9:00 a.m.]

**DEPARTMENT OF  
GENERAL SERVICES**

**Request for Bids**

The Department of General Services, State Surplus Property Division is seeking contractors to remove mixed scrap metals from various State agencies in the following counties: District 6—Bucks, Chester, Montgomery and Philadelphia counties. Contracts will be for 1 year with an option for a 2nd and 3rd year. For more information or to receive a bid packet, write to the Department of General Services, State Surplus Property Division, P. O.

Box 1365, Harrisburg, PA 17105 or call (717) 787-4085 prior to the bid opening on January 15, 1999, at 1 p.m.

GARY E. CROWELL,  
*Secretary*

[Pa.B. Doc. No. 98-2036. Filed for public inspection December 11, 1998, 9:00 a.m.]

**DEPARTMENT OF PUBLIC  
WELFARE**

**Availability of the FY 1999 Low-Income Home Energy Assistance Program State Plan**

The Department of Public Welfare is making available to the public *The 1999 Low-Income Home Energy Assistance Program State Plan*. This document describes how the Department plans to use block grant funds provided under the Low-Income Home Energy Assistance Act, Title XXVI of the Omnibus Budget Reconciliation Act of 1981, Pub. L. 97-35, 42 U.S.C.A. § 8621 et seq., as amended, during the 1998—1999 program year.

Copies of the State Plan are available for interested individuals and groups at County Assistance Offices, or upon written request to Nancy Poindexter, Acting Director, Division of Federal Programs and Program Management, DPW Building Complex No. 2, Room 224 Willow Oak Building No. 42, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users).

FEATHER O. HOUSTOUN,  
*Secretary*

[Pa.B. Doc. No. 98-2037. Filed for public inspection December 11, 1998, 9:00 a.m.]

**DEPARTMENT OF  
REVENUE**

**Cigarette Tax Notice**

Under section 227-A of the Fiscal Code (72 P. S. § 227-A) (relating to administration powers and duties), the Department hereby announces the lowest cost of the stamping agent, wholesaler, and retailer, respectively, effective upon publication of this notice, as follows:

|  | <i>Premium<br/>Brands</i>            | <i>Generic<br/>Brands</i> |
|--|--------------------------------------|---------------------------|
|  | <i>(a.k.a. Kings &amp; Regulars)</i> |                           |
| Cost of the Stamping Agent<br>(for sales to wholesalers) | \$22.54                              | \$19.84                   |
| Cost of the Wholesaler<br>(for sales to retailers)       | \$23.45                              | \$20.64                   |
| Cost of the Retailer<br>(for sales to retail customers)  | \$24.85                              | \$21.88                   |

The Department considers these costs as presumptive minimum costs. Cigarette stamping agents, wholesalers and retailers are prohibited from selling cigarettes at a price lower than their respective presumptive minimum

costs. These costs are listed on a per carton basis, ten packs of cigarettes per carton, twenty cigarettes per pack. To determine the presumptive minimum price per pack of cigarettes, one should divide the costs listed above by ten and round to the nearest hundredth of a percent. For example, the presumptive minimum price of a pack of cigarettes sold by a retailer to a consumer is \$2.49 for premium brands (\$24.85/10), \$2.19 for generic brands (\$21.88/10).

Cigarette dealers who either sell cigarettes under a different packaging setup (that is, eight packs per carton) or sell cigarettes that do not qualify as premium or generic brands (that is, sub-generic, foreign or specialty cigarettes) as described above are prohibited from selling cigarettes at a price lower than the cost of the stamping agent, cost of the wholesaler, or cost of the retailer, respectively, as further defined and explained in the Department's cigarette tax regulations, 61 Pa. Code, Article III.

Cigarette dealers wishing to prove a cost different from the Department's presumptive costs stated above must follow the procedures listed under 61 Pa. Code, Chapter 76 (relating to Unfair Sales of Cigarettes).

ROBERT A. JUDGE, Sr.,  
*Secretary*

[Pa.B. Doc. No. 98-2038. Filed for public inspection December 11, 1998, 9:00 a.m.]

**Rates of Tax on Aviation Gasoline and Jet Fuel for 1999; Oil Company Franchise Tax Rate for 1999**

**Aviation Gasoline and Jet Fuels**

Under 74 Pa.C.S. § 6121(b), the Secretary of Revenue announces that for the calendar year 1999 the rate of tax on aviation gasoline and all other liquid fuels used or sold and delivered by distributors within this Commonwealth for use as fuel in propeller-driven piston engine aircraft or aircraft engines will decrease from the current rate of 3 5/10¢ to 3 3/10¢\* per gallon or fractional part thereof.

Under 74 Pa.C.S. § 6131(b), the Secretary of Revenue announces that for the calendar year 1999 the rate of tax on jet fuels used or sold and delivered by distributors within this Commonwealth for use as fuel in turbine-propeller jet, turbojet and jet-driven aircraft and aircraft engines will decrease from the current rate of 1 7/10¢ to 1 5/10¢ per gallon or fractional part thereof.

The rate of tax on aviation gasoline is adjusted annually beginning on January 1, 1985 and each January 1 thereafter. The rate of tax on jet fuels is adjusted annually beginning on January 1, 1986 and each January 1 thereafter. Under 74 Pa.C.S. § 6121(b) and § 6131(b) the rate of each tax increases or decreases 1/10 of a cent per gallon for each 10% increase or decrease in the producer price index for jet fuel as determined by the United States Department of Labor, Bureau of Labor Statistics, for the most recent 12-month period available as of November 1, subject to a maximum rate of 6¢ per gallon for aviation gasoline and 2¢ per gallon for jet fuels. On November 1, 1998, the most recently available 12-month period was September 1997 to September 1998, as reported in Bureau of Labor Statistics, United States

\*The rate of 3 3/10¢ per gallon consists of the 1 1/2¢ per gallon tax imposed by the Liquid Fuels and Fuels Tax Act, 75 Pa.C.S. § 9004(c)(2), and the 1 8/10¢ per gallon additional tax imposed by 74 Pa.C.S. § 6121(a). As limited by 74 Pa.C.S. § 6121(b), the combined rate of these two component taxes may never exceed 6¢ per gallon or be less than 3¢ per gallon.

Department of Labor, Producer Price Indexes, September 1998, for which the percentage change was -25.7%. Accordingly, the aviation gasoline tax rate and the jet fuel tax rate both decrease by 2/10 of a cent per gallon.

**Oil Company Franchise Tax**

The Secretary of Revenue announces that for the calendar year 1999 there is no change in the current rate of the oil company franchise tax which is hereby determined to be 13.9¢ per gallon on all liquid fuels and 18.8¢ per gallon on all fuels used or sold and delivered by distributors within this Commonwealth under 75 Pa.C.S. § 9004(b) and § 9002, definition of "Cents per Gallon Equivalent Basis."

The rate of the oil company franchise tax imposed under Chapter 95 (Taxes for Highway Maintenance and Construction) of the Vehicle Code, 75 Pa.C.S. § 9502, and collected under Chapter 90 (Liquid Fuels and Fuels Tax), 75 Pa.C.S. § 9004(b), is determined annually by the Department of Revenue and announced by each December 15 for the following calendar year. The tax rate is determined on a "cents per gallon equivalent basis," which is defined by 75 Pa.C.S. § 9002 as:

The average wholesale price per gallon multiplied by the decimal equivalent of any tax imposed by section 9502 (relating to imposition of tax), the product of which is rounded to the next highest tenth of a cent per gallon. The rate of tax shall be determined by the Department of Revenue on an annual basis beginning every January 1 and shall be published as a notice in the Pennsylvania Bulletin no later than the preceding December 15. In the event of a change in the rate of tax imposed by section 9502, the Department shall redetermine the rate of tax as of the effective date of such change and give notice as soon as possible.

"Average wholesale price" as used above is defined as:

The average wholesale price per gallon of all taxable liquid fuels and fuels, excluding the federal excise tax and all liquid fuels taxes, as determined by the Department of Revenue for the 12-month period ending on the September 30 immediately prior to January 1 of the year for which the rate is to be set. In no case shall the average wholesale price be less than 90¢ nor more than \$1.25 per gallon.

For the 12-month period ending September 30, 1998 the Department has determined that the average wholesale price of liquid fuels and fuels was less than 90¢ per gallon; accordingly, an average wholesale price of 90¢ per gallon is used to determine the rate for 1999.

The oil company franchise tax imposed under 75 Pa.C.S. § 9502 in terms of mills applicable to each gallon is:

| <i>Imposition Section</i>            | <i>Liquid Fuels</i> | <i>Fuels</i> |
|--------------------------------------|---------------------|--------------|
| 75 Pa.C.S. § 9502(a)(1)              | 60.0                | 60.0         |
| 75 Pa.C.S. § 9502(a)(2)              | 55.0                | 55.0         |
| 75 Pa.C.S. § 9502(a)(3)              | 38.5                | 38.5         |
| 75 Pa.C.S. § 9502(a)(4)              | 00.0                | 55.0         |
| Total Mills per Gallon:              | 153.5               | 208.5        |
| Decimal Equivalent:                  | .1535               | .2085        |
| Multiply by Average Wholesale Price: | × 90¢               | × 90¢        |
| Product:                             | 13.815¢             | 18.765¢      |

| <i>Imposition Section</i>  | <i>Liquid Fuels</i> | <i>Fuels</i> |
|--|---------------------|--------------|
| Oil Company Franchise Tax per Gallon (Rounded Up to Next Highest Tenth): | 13.9¢               | 18.8¢        |

Act 3 of 1997 provides that the oil company franchise tax as computed above is collected at the same time as the liquid fuels and fuels tax of 12¢ per gallon; therefore, effective January 1, 1999 the combined rate of tax for liquid fuels (primarily gasoline) is 25.9¢ per gallon and for fuels (primarily diesel fuel) is 30.8¢ per gallon.

ROBERT A. JUDGE, Sr.,  
*Secretary*

[Pa.B. Doc. No. 98-2039. Filed for public inspection December 11, 1998, 9:00 a.m.]

**Zero Emission Vehicles Notice**

In accordance with 61 Pa. Code § 60.14(b)(3) (relating to zero emission vehicles), the Secretary of Revenue, under the provisions of section 204(47) and (48) of the Tax Reform Code of 1971 (72 P. S. § 7204(47) and (48)), announces that the following comparable vehicle amounts will be used from January 1, 1999 through December 31, 1999, and codified at 61 Pa. Code § 60.14(d)(6):

- (i) Passenger car \$21,033
- (ii) Passenger truck \$16,580
- (iii) Passenger van \$19,757

These comparable vehicle amounts shall remain in effect until the Department of Revenue publishes a replacement listing of amounts.

ROBERT A. JUDGE, Sr.,  
*Secretary*

[Pa.B. Doc. No. 98-2040. Filed for public inspection December 11, 1998, 9:00 a.m.]

**DEPARTMENT OF STATE**

**State Athletic Commission; Public Meetings for 1999**

The State Athletic Commission of the Department of State announces its schedule for regular bimonthly meetings to be held in 1999 under section 103 of the State Athletic Code, the act of May 13, 1992 (5 Pa.C.S. § 101 et seq.). All meetings will be held in Room 301, North Office Building, Harrisburg, PA 17120 at 11 a.m. These meetings are open to the public and are scheduled as follows:

- February 22, 1999
- April 26, 1999
- June 28, 1999
- August 30, 1999
- October 25, 1999
- December 20, 1999

Individuals having questions regarding these meetings should contact the State Athletic Commission at (717) 787-5720.

GREGORY P. SIRB,  
*Executive Director*

[Pa.B. Doc. No. 98-2041. Filed for public inspection December 11, 1998, 9:00 a.m.]

**DEPARTMENT OF TRANSPORTATION**

**Finding**

**Armstrong County**

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Department of Transportation plans to replace the Pine Furnace Bridge (County Bridge #25) in Armstrong County.

The proposed project is located in Valley Township along T-566 across the South Fork of Pine Creek. The project requires removal of the existing Pine Furnace Bridge, a National Register eligible historic resource.

A Memorandum of Understanding (MOU) has been prepared and signed by all appropriate agencies for the proposed action. The MOU included a commitment to prepare a Pennsylvania Historic Resource Form including a description and history of the bridge. The MOU also includes a commitment to submit to the Pennsylvania Historical and Museum Commission, Bureau for Historic Preservation, photographs of all exterior elevations of the bridge, a U.S.G.S. 7.5 minute quadrangle map showing the outline of the property associated with the bridge, and a site map which includes the property boundaries and the location of the bridge.

No adverse environmental effect is likely to result from the replacement of this bridge.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 98-2042. Filed for public inspection December 11, 1998, 9:00 a.m.]

**Notice to Contractors/Engineers**

The Department plans to construct a 1869.5 ft. steel truss, including approach spans over the Conrail Railroad and Lehigh River in Northampton County as part of the S. R. 33 Extension Section 001. The Department advertised on September 26, 1998 that preliminary design information could be purchased from the PennDOT District 5-0 Bridge Unit.

No requests for purchasing the preliminary design information will be accepted after December 18, 1998.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 98-2043. Filed for public inspection December 11, 1998, 9:00 a.m.]

## Notice of Intent to Promulgate Regulation and Request for Public Participation

The Department of Transportation, Bureau of Construction and Materials, pursuant to the authority contained in Sections 670-101, et seq. of the State Highway Law, 36 Pa.C.S. Section 670-101, et seq., announces its intention to amend Title 67 of Department Regulations by amending Chapter 457, Prequalification of Bidders.

The purpose of this rulemaking is to amend the existing regulations by including provisions recommended by the Department's Business Process Re-engineering team, comprised of contractors and Department employees. These provisions are related to the processing and evaluation of the financial capacity, work classifications and past performance history of contractors and subcontractors to determine their qualifications to perform highway and bridge construction work in Pennsylvania. These amendments are intended to implement changes to streamline the process of prequalifying the contractors and subcontractors, and to ensure that only quality contractors are building highways and bridges in this Commonwealth.

The Department anticipates that this rulemaking will directly affect persons who apply for or are currently prequalified to bid on and perform highway project work in this Commonwealth.

The Department requests that, within 30 days of the publication of this notice in the *Pennsylvania Bulletin*, all interested persons desiring to participate in the development of this rulemaking or having questions, suggestions, or comments on prequalification of bidders regulations, please contact Fred N. Starasinic, P.E., Contractor Evaluation Engineer, Contract Management Division, Bureau of Construction and Materials, Forum Place, 7th Floor, 555 Walnut Street, Harrisburg, PA 17101-1900; phone (717) 787-3733.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 98-2044. Filed for public inspection December 11, 1998, 9:00 a.m.]

## Retention of Engineering Firms

### Bucks and Montgomery County Project Reference No. 08430AG2270

The Department of Transportation will retain an engineering firm to perform environmental studies, preliminary engineering, final design, and construction consultation for the following projects:

1. S. R. 2095, Section 10S, Dark Hollow Road in Buckingham and Warwick Townships, Bucks County. This project involves removal of existing two (2) span truss bridge with appropriate treatments of roadway approaches. Length of reconstruction is approximately 250 meters. Limits of construction are 100 meters each side of Neshaminy Creek. The estimated project construction cost is \$350 thousand.

2. S. R. 1023, Section 10S, Swamp Creek Road in Marlborough Township, Montgomery County. This project involves widening and rehabilitation of existing bridge over Unimi Creek, including roadway approaches. Approximate construction length is 395 meters including approaches to the bridge. The estimated project construction cost is \$750 thousand.

This solicitation for letters of interest replaces and cancels the previous solicitations for letters of interest for Project Reference Nos. 2266 and 2267 which appeared in the November 28, 1998 issue of the PA Bulletin.

The selected firm will be required to provide the following engineering and design services: surveys; roadway design; pavement design; preparation of cross sections; soils and geological investigations; erosion and sedimentation control design; right-of-way investigation and plan; structure design; hydrologic and hydraulic analysis; preparation of traffic control, pavement marking, and signing plans; utility coordination and design; coordination with PennDER, Corps of Engineers, municipal officials, and the public; preparation of final plans, specifications, and estimates; shop drawing reviews; and alternate design review; and consultation during construction.

The selected firm will also be required to provide environmental services to identify and assess the following: historic and archaeological resources; regional and community growth; land use and development patterns; wildlife habitat; wetlands; floodplains; surface water and ground water; vegetation; geological resources; noise and air quality; parks and recreational facilities; emergency service, health, and educational facilities; utility locations; residential and commercial property values; hazardous waste; aquatic resources; national natural landmarks; vibration; aesthetics and visual qualities; and construction impacts.

The environmental studies will be conducted to prepare a Categorical Exclusion in accordance with accepted analysis techniques and methodologies.

The selected firm will be required to perform the following to insure that a complete environmental investigation has been performed; provide all necessary environmental services, material and equipment necessary to collect, analyze and organize data, assess impacts, conduct agency and public involvement activities, and prepare reports and mitigation plans. The reports and other written graphic material to be prepared may include, but are not limited to, early coordination and scoping correspondence; project need; preliminary alternatives analysis; meeting minutes, newsletters; mailing lists; public meetings and hearings; handouts and displays; technical basis reports; NEPA environmental documents; Section 106 documents; Section 4(f) evaluation; mitigation plans and reports; hazardous waste mitigation plans; PADER permits, Corps of Engineers 404 permits; formulating and participating in public involvement program; and coordinating the development of the study with various agencies and special interest groups.

Firms that are currently serving, or are being considered for selection, as the municipal engineer in the municipalities listed in the project description will not be considered for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for a site located along the project will likewise not be considered for this assignment. Firms should state in the letter of interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Mr. Timothy R. O'Brien, P.E., at the telephone number listed below.

Letters of Interest will be evaluated at the Engineering District 6-0 office with emphasis on the following factors:

a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

b. Specialized experience and technical competence of the firm including the firm's experience with similar type projects and their ability to provide innovative solutions to complex technical problems.

c. Experience of employees to be associated with this project. Particularly important are the key people assigned to the project including their experience and past record of performance with similar projects.

d. Company location.

e. Past performance record.

The Project Shortlisting meeting will be held in the Engineering District 6-0 office, 200 Radnor-Chester Road, St. Davids, PA on January 15, 1999 at 10:00 A.M. in Engineering District 6-0's Large Conference Room.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The District's copy of the Letter of Interest and required forms (see general requirements and information section) shall be sent to: Mr. Andrew Warren, District Administrator, Engineering District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526, or Mr. John R. Lauthner, P.E., District 6-0, at (610) 964-6539.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Philadelphia County**  
**Project Reference No. 08430AG2271**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, environmental documentation, final design and services during construction for S. R. 0095, Section CPR, Delaware Expressway, (I-95) in the City of Philadelphia from Levick Street to Bleigh Avenue, a distance of approximately 2.21 km (1.37 miles). The expressway reconstruction will include interchange improvements, roadway reconstruction and bridge widening, rehabilitation and replacement. The estimated construction costs of this project is \$70 million.

The selected firm will be required to provide the following engineering, environmental and design services: C.E.E. Level IV/Section 4(f) document preparation; surveys; roadway design; drainage design; roadside development design; preparation of cross sections; erosion and sedimentation control design; structure design; subsurface boring, sampling and testing, point of access report preparation; noise analysis and noise wall design; preparation of traffic control, pavement marking and signaling plans; traffic signal design; traffic analysis; utility coordination; coordination with public agencies, municipal officials, and the public; preparation of final plans, specifications and estimates; shop drawing reviews; alternate design review; and construction consultation.

Firms that are currently serving, or are being considered for selection, as municipal engineer in the municipality listed in the project description will not be considered

for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for a site located along the project will likewise not be considered for this assignment. Firms should state in the letter of interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Mr. Michael J. Girman, at the telephone number listed below.

Letters of Interest will be evaluated at the Engineering District 6-0 office with emphasis on the following factors:

a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

b. Specialized experience and technical competence of the firm including the firm's experience with similar type projects and their ability to provide innovative solutions to complex technical problems.

c. Experience of employees to be associated with this project. Particularly important are the key people assigned to the project including their experience and past record of performance with similar projects.

d. Company location.

e. Past performance record.

The District will announce the firms that have been shortlisted at an open public meeting scheduled for January 15, 1999 at 10:00 A.M. in Engineering District 6-0's Large Conference Room.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The District's copy of the Letter of Interest and required forms (see general requirements and information section) shall be sent to: Mr. Andrew Warren, District Administrator, District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526, or Mr. Michael J. Girman, District 6-0, at (610) 964-6530.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**General Requirements and Information**

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest and required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief  
Consultant Selection Committee  
7th Floor, Forum Place  
555 Walnut Street  
P. O. Box 3060  
Harrisburg, Pennsylvania 17105-3060

Note: The Zip Code for express Mailing is 17101-1900

The Letter of Interest and required information must be received within twenty (20) calendar days of this

Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 p.m. on January 4, 1999.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The Department requests that each Letter of Interest include the following information and that the information be packaged and presented in the order indicated below to facilitate the Department's review and evaluation.

The firm's ability and willingness to package and present the requested information in the above order to facilitate the Department's review and evaluation will be the first factor considered in the evaluation process.

1. Transmittal Letter (Maximum of two (2) 8 1/2" x 11" typed pages, one side)

2. A fact sheet that includes the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant should indicate on this fact sheet the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm. If the project advertisement indicated the Department will retain a Land Surveying firm for the project, the applicant should indicate on this fact sheet the names and Professional Land Surveyor Registration Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's land surveying activities, and whose names and seals shall be stamped on all plans, plats, and reports issued by the firm.

3. Project Organizational Chart (one page, one side, maximum size 11" x 17")

This Chart should show key staff from the prime and each subconsultant and their area of responsibility.

4. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 should be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project.

Under Item 4 of this form, Column A must specify only the number of subconsultant personnel and Column B should specify only the number of prime consultant personnel to be assigned to work on this project reference number. Do not include the total personnel for either the subconsultant or prime consultant under Item 4 unless the total personnel are necessary to provide the required work and services.

The prime and each subconsultant should not include more than one page each for Items 10 and 11.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

5. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, should accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

These Forms should be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Standard Form 255.

### 6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees should be first, followed by subconsultant employees, in the same order as shown in Item 6 of Standard Form 255.

### 7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

### 8. Overhead Rates (one page)

A single page summary should indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Accountant must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

### 9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

Letters of Interest will be rejected for the following reasons:

1. Received after the cut-off time and date specified above.
2. Failure to identify a Department Certified Disadvantaged Business Enterprise (DBE) if a DBE participation goal is identified in the advertised project.
3. Failure to include a copy of the registration to do business in the Commonwealth, if applicable.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 98-2045. Filed for public inspection December 11, 1998, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Acquisition of a Domestic Stock Casualty Insurance Corporation

Central Reserve Life Insurance Company, an Ohio life insurance company, has filed an application to purchase

all the issued and outstanding stock of Provident American Life and Health Insurance Company, a Pennsylvania domestic life insurance company. The filing was made under the requirements set forth under the Insurance Holding Company Act (40 P.S. § 991.1402 et. seq.). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Michael S. Graeff, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; email <http://www.mgraeff@ins.state.pa.us>.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 98-2046. Filed for public inspection December 11, 1998, 9:00 a.m.]

### Application for Acquisition of Stock of Penn Treaty Life Insurance Company

American Fidelity & Liberty Insurance Company has filed an application to acquire 100% of the issued and outstanding stock of Penn Treaty Life Insurance Company. The filing was made under the requirements set forth under the Insurance Holding Company Act (40 P.S. § 991.1402 et seq.). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; e-mail <http://www.cbybee@ins.state.pa.us>.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 98-2047. Filed for public inspection December 11, 1998, 9:00 a.m.]

### Application for Merger of a Domestic Stock Life Insurance Corporation With and Into a Non-Domestic Stock Life Insurance Corporation; Revision of Comment Period

First Union Life Insurance Company (First Union), a stock life insurance company organized under the laws of the State of Arizona, filed an application to merge with Princeton Life Insurance Company (Princeton Life), a domestic stock life insurance company with First Union surviving the merger. The filing was made under the requirements set forth under the Insurance Holding

Company Act (40 P. S. § 991.1402 et. seq.), and the GAA Amendments Act of 1990 (15 P. S. § 21101 et seq.) Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department (Department) within the 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Michael S. Graeff, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; email <http://www.mgraeff@ins.state.pa.us>.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 98-2048. Filed for public inspection December 11, 1998, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Donald M. Conneen; file no. 98-267-34750; Prudential Property and Casualty; doc. no. PH98-11-017; December 29, 1998, at 10 a.m.;

Appeal of Joseph Wierzbicki; file no. 98-215-34498; Allstate Insurance Company; doc. no. PH98-11-019; December 30, 1998, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a writ-

ten order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 98-2049. Filed for public inspection December 11, 1998, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies. All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Andrew Holston; file no. 98-280-33901; First Patriot Insurance Company; doc. no. PH98-11-018; December 30, 1998, at 10 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 98-2050. Filed for public inspection December 11, 1998, 9:00 a.m.]

# LIQUOR CONTROL BOARD

## Expiration of Leases

The following Liquor Control Board leases will expire:

Allegheny County, Wine & Spirits Shoppe #0255, 914 Pittsburgh Street, Springdale, PA 15144-1733.

*Lease Expiration Date:* February 29, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,000 net useable square feet of new or existing retail commercial space on Freepport Road serving Springdale and surrounding areas.

*Proposals due:* January 8, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** Bruce VanDyke, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #0296, 5249 Library Road, Bethel Park, PA 15102-2714.

*Lease Expiration Date:* February 29, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,000 to 6,000 net useable square feet of new or existing retail commercial space fronting PA Route 88 in Bethel Park between Baptist Road and Bethel Church Road.

*Proposals due:* January 8, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** Bruce VanDyke, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #9206, Kenmawr Plaza, 510 Pine Hollow Road, McKees Rocks, PA 15136-1659.

*Lease Expiration Date:* February 29, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space in a shopping center environment in the Pine Hollow Road area of Kennedy Township.

*Proposals due:* January 8, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** George Danis, (412) 565-5130

Forest County, Wine & Spirits Shoppe #2701, 121 Chestnut Street, Marienville, PA 16239-0433.

*Lease Expiration Date:* September 30, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,500 net useable square feet of new or existing retail commercial space along PA Route 66 in Marienville.

*Proposals due:* January 8, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board

**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** George Danis, (412) 565-5130

Philadelphia County, Wine & Spirits Shoppe #5140, 3000 Richmond Street, Philadelphia, PA 19134-5807.

*Lease Expiration Date:* March 31, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,500 net useable square feet of new or existing retail commercial space on Aramingo Avenue, North of Westmoreland Street and South of Adams Avenue.

*Proposals due:* January 8, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, 4501 Kelly Drive, Philadelphia, PA 19129-1794  
**Contact:** Robert Jolly, (215) 560-5310

Montgomery County, Wine & Spirits Shoppe #4625, 109 Town Center Road, King of Prussia, PA 19406-2330.

*Lease Expiration Date:* January 31, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,000 to 10,000 net useable square feet of new or existing retail commercial space on DeKalb Pike between Henderson Road and Warner Road, Upper Merion Township.

*Proposals due:* January 8, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, 4501 Kelly Drive, Philadelphia, PA 19129-1794  
**Contact:** Robert Jolly, (215) 560-5310

JOHN E. JONES, III,  
 Chairperson

[Pa.B. Doc. No. 98-2051. Filed for public inspection December 11, 1998, 9:00 a.m.]

# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Telecommunications

**A-310623F0002. Bell Atlantic-Pennsylvania, Inc. and MAW Communications, Inc.** Joint Petition of Bell Atlantic-Pennsylvania, Inc. and MAW Communications, Inc. for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and MAW Communications, Inc., by its counsel, filed on November 25, 1998, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and MAW Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 98-2052. Filed for public inspection December 11, 1998, 9:00 a.m.]

## TURNPIKE COMMISSION

### Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated for the following contract:

**Contract No. 89-024-RJ15**—Expansion of the Reading Interchange Toll Plaza in Lancaster Co., PA

*Bid Opening Date*—January 7, 1999, 11 a.m.

*Bid Surety*—5%

Plans, Specifications and Contract Documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment of \$40 per set by check or P. O. Money Order (No Cash) payable to the Pennsylvania Turnpike Commission, Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. No refund for any reason will be made for plans, specifications and contract documents.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is a necessary prerequisite for bidding on this project.

A prebid meeting conference for the project will be held November 18, 1998, at 10 a.m. The party will meet at the Valley Forge Service Plaza construction site.

Contact the Purchasing Manager for a listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 98-2053. Filed for public inspection December 11, 1998, 9:00 a.m.]

### Request for Proposals

Sealed Proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

**Contract No. 98-008-RW70**—Bituminous Overlay, ID-3, SRL-E between MP 299.30 and MP 306.38 on the Pa. Turnpike System in Berks and Chester counties, PA.

*Bid Opening Date*—January 14, 1999, 11 a.m.

*Bid Surety*—5%

Plans, Specifications and Contract Documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment

of \$25 dollars by check or P. O. Money Order (No Cash) payable to the Pennsylvania Turnpike Commission. Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. No refund for any reason will be made for plans, specifications and contract documents.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Purchasing Manager for listing of other locations where plans and specs can be inspected.

Direct any questions for this project to Kristi Dunleavy, telephone (717)939-9551, Ext. 5785, fax (717)986-9645, or electronic mail [kdunleav@paturnpike.com](mailto:kdunleav@paturnpike.com)

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 98-2054. Filed for public inspection December 11, 1998, 9:00 a.m.]

### Retention of an Engineering or Construction Management Firm

**Quality Assurance (QA) Services for the Replacement of Mainline Bridge No. B-445, Milepost 151.97, and Elimination of Overhead Bridge No. B-444, Milepost 151.83, and Bituminous Overlay, Mileposts 149.57 to 156.50 to be performed as a Design/Build Project in Bedford County, PA**

#### Reference No. 2-056

The Turnpike Commission may retain an Engineering or Construction Management firm with experience in structure and roadway design, construction management and construction/material inspection to provide a staff of approximately one full time onsite field engineer and support personnel to provide QA services on a design build project. This project consists of the replacement of a mainline bridge B-445 at milepost 151.97, the elimination of an overhead bridge B-444 at milepost 151.83, and a bituminous overlay of the Turnpike mainline between mileposts 149.57 to 156.50 in Bedford County, PA. The total estimated cost of this design build project is \$6 million. The QA Agreement is anticipated to start in February 1999 and terminate in January 2000.

The selected firm will be required to provide one full time onsite engineer/inspector with sufficient office personnel to support the field QA functions. The selected QA Manager will be required to attend the prebid meeting and preconstruction conference, progress meetings and any other site meetings including final inspections. The selected QA Manager will be required to verify that the design and construction is being performed in accordance with the contract documents and provide a weekly report of his verifications and other activities. All sampling and testing will be performed in accordance with the requirements of PADOT's Publication 19—Field Test Manual, ASTM, AASHTO and the PA Turnpike's Material Action Plan. Section 4 of the PA Turnpike's Material Action Plan indicates the frequency of the sampling and testing. Materials sent off site for testing will utilize the PA Turnpike's retained Quality Assurance Laboratory. All materials sampling and testing must be done in a timely manner. The selected QA Manager will also recommend payment to the design build firm, verify design changes as they may occur in construction, review the design build firm's Quality Control Plan during the submittal

phase and insure that the plan is being implemented during the construction phase, and perform other duties as required.

During the design phase, the selected QA Manager will verify and assure that the design is in compliance with the PA Turnpike's standard design practices and the Contract Documents for this design/build project.

The QA engineer/inspector assigned to this project must meet as a minimum one of the following requirements:

1. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with 2 years of highway and structure inspection experience acceptable to the Commission.

2. Be certified by the National Institute for Certification in Engineering Technologies (NICET) as a Transportation Engineering Technician—Construction or Materials, Level 4.

Questions and inquires concerning this Project should be directed to John S. Ozimok, P.E., at (717) 939-9551, Extension 3501, or by e-mail at [jozimok@paturnpike.com](mailto:jozimok@paturnpike.com).

#### General Requirements and Information

Firms interested in performing the above services are invited to submit Expanded Letters of Interest to Michael W. Flack, P. E., Assistant Chief Engineer for Construction, at the PA Turnpike Commission Administration Building located on Eisenhower Boulevard at the Harrisburg-East Interchange (No. 19). (FedEx address: Route 283 and Eisenhower Boulevard, Highspire, PA 17034) (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676).

The expanded letters of interest must include in the heading the project reference number indicated in the advertisement. A Standard Form 254, "Architect-Engineer and Related Services Questionnaire," not more than 1 year old as of the date of this advertisement, and Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project," must accompany each expanded letter of interest. Explanation that the firm has successfully completed similar type projects, of the same magnitude, is required. If the firm has multiple offices, the location of the office performing the work must be identified.

Firms with out-of-State headquarters or corporation not incorporated in Pennsylvania must include with each expanded letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State.

The Turnpike Commission currently limits its participation in the remuneration of principals or consultant employes performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Commission currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection/project management projects to 130% for office support and 100% for the field staff, or the consultant's actual audited overhead rate, whichever is less.

The Consultant in their submission should identify the following factors:

(A) Specialized experience and technical competence of firm. The firm must clearly demonstrate their capabilities of completing this project by identifying similar highway and structure projects that they have inspected or provided QA services, the magnitude of the project, and the client.

(B) Past record of performance with respect to cost control, work quality and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.

(C) Expanded letters of interest must include an indication of the prime consultant's and subconsultant's current workload for all Pennsylvania Department of Transportation and Pennsylvania Turnpike Commission projects.

(D) Location of consultant's office where the work will be performed.

(E) Listing of subconsultants intended. Any deviation from the subconsultants listed in the expanded letter of interest will require written approval from the Commission.

(F) An organization chart for the Project, identifying key personnel. Only resumes of key personnel should be included.

(G) Other factors, if any, specific to the project.

There is not a minimum participation level for DBE/MBE/WBEs in this Project.

Each firm should demonstrate in their expanded letter of interest their ability to perform the specific requirements indicated for this project by including a maximum three (3) page report on this project.

The expanded letter of interest and required forms must be received by 4 p.m., Tuesday, December 29, 1998. Any letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable expanded letters of interest received in response to this solicitation, one firm will be selected for this project. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Selection Committee. Technical Proposals or Requests for Proposals will not be requested prior to selection.

The Commission reserves the right to reject all expanded letters of interest, to cancel solicitation requested under this notice, and/or to re-advertise solicitation for these services.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 98-2055. Filed for public inspection December 11, 1998, 9:00 a.m.]