

NOTICES

DEPARTMENT OF AGRICULTURE

Referendum on Continuation of the Pennsylvania Peach and Nectarine Research Program

I. The Pennsylvania Peach and Nectarine Research Program (Program) was established under 3 Pa.C.S. §§ 4501—4513 (relating to Agricultural Commodities Marketing Act) (act). The act requires that the Secretary of Agriculture call a referendum of affected producers every 5 years to determine whether or not a majority of those voting still desire the program. The program was last subjected to a review referendum conducted in 1994. It is now time for another review referendum to determine whether a majority of the peach and nectarine producers desire for the program to continue.

II. *Referendum Period:* The referendum period shall be April 16, 1999, until 4 p.m. on April 30, 1999. Completed ballots shall be mailed or hand-delivered to the Pennsylvania Department of Agriculture, Bureau of Market Development, Room 311, 2301 North Cameron Street, Harrisburg, PA 17110-9408. Hand-delivered ballots must be received by 4 p.m. on April 30, 1999. Ballots that are mailed must be postmarked no later than April 30, 1999, and received no later than May 5, 1999.

III. *Notice of Referendum:* This referendum order and an official ballot shall be mailed no later than April 16, 1999, to all affected producers whose names appear on the list of Pennsylvania peach and nectarine producers maintained in the Office of the Secretary of Agriculture.

Additional copies of the same materials shall be made available at the Office of the Secretary of Agriculture.

IV. *Eligible Voters:* The rules governing the eligibility of a producer for voting are as follows: The record date for determination of whether a producer is eligible to vote is April 1, 1999. All peach and nectarine producers who grow 500 or more peach and/or nectarine trees of all ages are eligible to vote.

V. *Counting of Ballots:* The ballots will be canvassed and counted by a Teller Committee appointed by the Secretary of Agriculture. The counting of the ballots will begin at 10 a.m., Thursday, May 6, 1999, in the State Agriculture Building, Harrisburg, PA. The Secretary will announce the results of the referendum within 30 days following the completion of the referendum period. The results will be published in the *Pennsylvania Bulletin* and disseminated to the news media.

VI. *Reporting Irregularities:* Any irregularities or disputes concerning the referendum procedures must be reported in written form to the Secretary of Agriculture not later than 7 calendar days from the end of the referendum period.

VII. *Publication:* This referendum order shall be published in the *Pennsylvania Bulletin* and the *Patriot-News*.

VIII. *Effective Date:* The foregoing order shall be effective from and after the 20th day of March, 1999.

SAMUEL E. HAYES, JR.,
Secretary

[Pa.B. Doc. No. 99-505. Filed for public inspection March 26, 1999, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 16, 1999.

BANKING INSTITUTIONS

New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-4-99	Brown Brothers Harriman Trust Company of Pennsylvania Philadelphia Philadelphia County	1531 Walnut Street Philadelphia Philadelphia County	Commenced Business

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-11-98	Union Bank and Trust Company Pottsville Schuylkill County	Redner's Market Route 61 Schuylkill Haven Schuylkill County	Opened
3-15-99	Summit Bank Bethlehem Northampton County	301 West Lancaster Ave. Wayne Chester County	Opened

NOTICES

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS

No activity.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 99-506. Filed for public inspection March 26, 1999, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS
LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding, should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0057631. Sewage, **David and Marie Sayers**, 135 Stenton Avenue, Plymouth Meeting, PA 19462.

This application is for issuance of an NPDES permit to discharge treated sewage from a single residence sewage treatment plant in Whitmarsh Township, **Montgomery County**. This is a new discharge to Lorraine Run.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	20	40

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	monitor/report	
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0051918. Industrial waste, **Pepperidge Farm, Inc.**, 421 Boot Road, Downingtown, PA 19335.

This application is for renewal of an NPDES permit to discharge cooling water and stormwater from a frozen food processing plant in Downingtown Borough, **Chester County**. This is an existing discharge to Park Run.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .027 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Copper	monitor/report	monitor/report	monitor/report
(Years 1, 2 and 3)	0.063	0.126	0.158
(Years 4 and 5)			
Chromium, Hexavalent	monitor/report	monitor/report	monitor/report
(Years 1 and 2)	0.059	0.118	0.148
(Years 3, 4 and 5)			110°F
Temperature			
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 002, based on an average storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		monitor/report
COD		monitor/report
Oil and Grease		monitor/report
pH		monitor/report
Total Suspended Solids		monitor/report
Total Kjeldahl Nitrogen		monitor/report
Total Phosphorous		monitor/report
Effluent Guideline Pollutants		monitor/report
Dissolved Iron		monitor/report

Other Conditions:

Thermal Requirements
Special Test Methods for Certain Pollutants

The EPA waiver is in effect.

PA 0055760. Sewage, **Eugene Mochan Residence STP**, 51 Carter Road, Thornton, PA 19373.

This application is for renewal of an NPDES permit to discharge treated sewage from the Mochan residence STP in Thornbury Township, **Delaware County**. This is an existing discharge to the West Branch of Chester Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0085375. Industrial waste, SIC: 4941, **Newport Borough Water Authority**, 19 South Third Street, Newport, PA 17074.

This application is for a new NPDES permit for a new discharge of treated industrial waste to Little Buffalo Creek, in Oliver Township, **Perry County**.

The receiving stream is classified for cold water fish, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Dauphin Consolidated Water Company located in Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.015 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	30	60	75
pH (s.u.)		from 6.0 to 9.0 inclusive	
Total Suspended Solids	30	60	75
Total Iron	2.0	4.0	5.0
Total Manganese	1.0	2.0	2.5
Total Residual Chlorine	monitor and report	monitor and report	XXX

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0110744. Industrial waste, SIC: 4941, **City of Cumberland**, P. O. Box 1702, Cumberland, MD 21501-1702.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of Evitts Creek, in Cumberland Valley Township, **Bedford County**.

The receiving stream is classified for high quality-cold water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the City of Hancock, Mayor and Council located in Hancock, Maryland. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.4297 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XXX	XXX	XXX
pH		from 6.0—9.0 inclusive	
Total Suspended Solids	30	60	75
Total Iron	1.5	3.0	3.7
Total Aluminum	1.2	2.4	3.0
Total Manganese	1.0	2.0	2.5
Total Residual Chlorine (Interim)	monitor and report	XXX	monitor and report
(Final)	<0.1	XXX	0.2

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0087971. Industrial waste, SIC: 4941, **Bedford Borough Water Authority**, 244 West Penn Street, Bedford, PA 15522.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to an unnamed tributary of Raystown Branch Juniata River, in Bedford Township, **Bedford County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Saxton Municipal Water Plant located in Saxton Borough, Bedford County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.03 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30.0	60.0	75.0
Total Iron	2.0	4.0	5.0
Total Aluminum	4.0	8.0	10.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Manganese	1.0	2.0	2.5
Total Residual Chlorine pH (s.u.)	monitor and report	XXX from 6.0—9.0 inclusive	monitor and report

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0087998. Sewage, SIC: 6515, **Kevin W. Ernst, t/a Urban Acres Mobile Home Park**, 35 Ridge Drive, Fleetwood, PA 19522.

This application is for issuance of an NPDES permit for a new discharge of treated sewage to Bernhart Creek, in Alsace Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.015 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	50.0
Total Suspended Solids	30.0	60.0
NH ₃ -N		
(5-1 to 10-31)	9.5	19.0
(11-1 to 4-30)	20.0	40.0
Total Residual Chlorine	0.5	1.6
Dissolved Oxygen	minimum of 5.0 at all times	
pH	from 6.0—9.0 inclusive	
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	10,000/100 ml as a geometric average	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0031551. Sewage, SIC: 8211, **Chambersburg Area School District (Lurgan Elementary School)**, 511 South Sixth Street, Chambersburg, PA 17201-3405.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary to the Conodoguinet Creek, in Lurgan Township, **Franklin County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Carlisle Borough Water Plant located in Carlisle, Cumberland County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.00338 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	50.0
Total Suspended Solids	30.0	60.0
NH ₃ -N		
(5-1 to 10-31)	5.5	11.0
(11-1 to 4-30)	16.5	33.0
Total Residual Chlorine	0.4	1.3
Dissolved Oxygen	minimum of 5.0 at all times	
pH	from 6.0—9.0 inclusive	
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	5,000/100 ml as a geometric average	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager; Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3670.

PA 0113191. Sewerage, SIC: 4952, **Northern Tier Children's Home**, P. O. Box 94, Harrison Valley, PA 16927.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Cowanesque River in Harrison Township, **Potter County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is assumed to the NY/PA border.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0075 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Total Cl ₂ Residual	1.0		2.3
Fecal Coliforms (5-1 to 9-30)		200 col/100 ml as a geometric mean	
(10-1 to 4-30)		2,000 col/100 ml as a geometric mean	
pH		6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0020800. SIC: 4952, **Municipal Authority of White Deer Township**, P. O. Box 90, West Milton, PA 17886.

This proposed action is to amend the NPDES permit and make the NPDES permit consistent with the Water Quality Management Part II permit for the treatment plant rerate. The discharge of treated sewage is at the existing location on unnamed tributary of the West Branch Susquehanna River (locally known as Dog Run) in White Deer Township, **Union County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton, PA 3 miles below the discharge.

The proposed effluent limits for Outfall 001, based on the existing design flow of 0.6 mgd, are:

<i>Discharge Parameter</i>	<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instantaneous Maximum</i>
pH (std units)	within the range 6.0—9.0		
Total Cl ₂ Residual	monitor		monitor
CBOD ₅	25	40	50
TSS	30	45	60
NH ₃ -N (6-1 to 10-31)	2.5	3.8	5.0
(11-1 to 5-31)	7.5	11	15
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

Other Conditions: None

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0098132. Industrial waste, SIC: 4941, **Garrett Borough**, P. O. Box 218, Garrett, PA 15542.

This application is for renewal of an NPDES permit to discharge treated process water and stormwater from the Garrett Borough Water Facilities in Summit Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, Casselman River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Ohiopyle Borough Municipal Water Works, located at P. O. Box 83, Ohiopyle, PA 15470, 33 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0102 mgd. (Interim limits)

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Suspended Solids			30		60
Total residual chlorine	monitor and report				
Aluminum			4.0		8.0
Iron			2.0		4.0
Manganese			1.0		2.0
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge, design flow of 0.0102 mgd. (Final limits)

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Suspended Solids			30		60
Total residual chlorine			0.5		1.0
Aluminum			4.0		8.0
Iron			2.0		4.0
Manganese			1.0		2.0
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: new discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This outfall is permitted to discharge uncontaminated stormwater runoff from areas in and around the facility. There are at this time no specific effluent limitations on this outfall.					

The EPA waiver is in effect.

PA 0031691. Sewage, **Audrey Jean Lynn**, R. R. 3, Box 321, Belle Vernon, PA 15012.

This application is for renewal of an NPDES permit to discharge treated sewage from the Curt Lynn Trailer Court Sewage Treatment Plant in Rostraver Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Cedar Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland County Municipal Authority—McKeesport.

Outfall 001: existing discharge, design flow of 0.003 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	8			16
(11-1 to 4-30)	24			48
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)			1.4	3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0043834. Sewage. **Mercer County Regional Council of Governments (Chestnut Run Swimming Beach)**, 2495 Highland Road, Hermitage, PA 16148.

This application is for renewal of an NPDES permit to discharge treated sewage to Shenango River Reservoir in South Pymatuning Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Sharpsville Municipal Water Authority on the Shenango River located at Sharpsville, approximately 4 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of 0.02 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Fecal Coliform	200/100 ml as a geometric average	
Total Residual Chlorine	1.5	3.5
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permit to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the DEP's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0070009	Leisure Equities Corporation R. R. 1, Box 3026 Zion Grove, PA 17985-9801	Schuylkill North Union Township	Catawissa Creek	TRC

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue—2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0053007	Valley View MHP 215 West Church St. Suite 106 King of Prussia, PA 19406	Berks Richmond Township	UNT of Willow Creek	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the name, address and telephone number of the protester, identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each protester will be notified in writing of the time and place of any scheduled hearing or conference concerning the plan, action or application to which the protest relates. To insure consideration by the Department prior to final action on permit application and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

**Industrial waste and sewerage applications under
The Clean Streams Law (35 P. S. §§ 691.1—
691.1001).**

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

A. 4599402. Sewerage. **Pennsylvania American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033. Application to upgrade the existing Pocono Country Place wastewater treatment facility located in Coolbaugh Township, **Monroe County**. Application received in the Regional Office—March 10, 1999.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 0999403. Sewerage. **Warrington Township**, 852 Easton Road, Warrington, PA 18976. This project is for the construction and operation of a sanitary sewer, pump station and forcemain to serve Warrington Retail Center located in Warrington Township, **Bucks County**.

WQM Permit No. 1599403. Sewerage. **Kennett Square Borough**, P. O. Box 5, Kennett Square, PA 19348. This project is for the construction and operation to upgrade the Kennett Square WWTP located in Kennett Square Borough, **Chester County**.

WQM Permit No. 2399402. Sewerage. **Upper Providence Township Sewer Authority**, 935 North Providence Road, Media, PA 19063-1499. This project is for the installation of an 8" gravity sewer and low pressure forcemain located in Upper Providence Township, **Delaware County**.

WQM Permit No. 4699409. Sewerage. **Lower Moreland Township Authority**, 640 Red Lion Road,

Huntington Valley, PA 19006-6234. This project is for the construction and operation of a sewer extension and pump station to serve Inverness Glen Subdivision located in Lower Moreland Township, **Montgomery County**.

WQM Permit No. 4699408. Sewerage. **Horsham Township Water and Sewer Authority**, 617B Horsham Road, Horsham, PA. This project is for the extension of Park Creek Interceptor to Lower State Road by Horsham Township, **Montgomery County**.

WQM Permit No. 0999405. Sewerage. **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912. This project is for the construction and operation to expand Derstine spray field located in Buckingham Township, **Bucks County**.

WQM Permit No. 1599404. Sewerage. **Sadsbury Township**, P. O. Box 261, Sadsburyville, PA 19369. This project is for the construction and operation of a sewer line and an in-ground pump station to serve Sadsbury Township, **Chester County**.

Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications, should contact Mary DiSanto at (717) 705-4732.

A. 2299401. Sewage, submitted by **Derry Township Municipal Authority**, P. O. Box 447, Hershey, PA 17033-0447 in Derry Township, **Dauphin County** to construct modifications to their existing wastewater treatment plant was received in the Southcentral Region on February 26, 1999.

A. 0587402, Amendment 99-1. Sewage, submitted by **Saxton Borough Municipal Authority**, P. O. Box 173, Saxton, PA 16678 in Liberty Township, **Bedford County** to replace on quarter of existing sand drying beds with a wedge wire plastic-media modular drying bed, installation of a polymer feed system for the introduction of liquid emulsion polymer, covers over all drying beds was received in the Southcentral Region on March 4, 1999.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 0299201. Industrial waste. **Borough of Sewickley Water Authority**, P. O. Box 190, 601 Thorn Street, Sewickley, PA 15143. Application for the construction and operation of an industrial waste treatment plant to serve the Borough of Sewickley located in Osborne Borough, **Allegheny County**.

A. 2686404-A1. Sewerage. **Laurel Land Development LTD**, P. O. Box 253, Hopwood, PA 15445. Application for the expansion and operation of a sewage treatment plant to serve the Hopwood Village Mobile Home Park located in North Union Township, **Fayette County**.

A. 6599401. Sewerage. **Allegheny Township Municipal Authority**, 136 Community Bldg. Rd., Leechburg, PA 15656. Application for the construction and operation of pump stations to serve the Pleasant View Phase II located in Allegheny Township, **Westmoreland County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 6299201. Industrial waste. **Loranger Manufacturing Corporation, Starbrick Facility**, P. O. Box 948, Warren, PA 16365. This project is

for the installation and operation of a cooling tower and a cooling tower water treatment system in Conewango Township, **Warren County**.

WQM Permit No. 6299202. Industrial waste. **Loranger Manufacturing Corporation, Clark Street Facility**, P. O. Box 948, Warren, PA 16365. This project is for the installation and operation of a cooling tower and cooling tower water treatment system in the City of Warren, **Warren County**.

WQM Permit No. 4299401. Sewage. **Borough of Smethport Authority**, P. O. Box 152, Smethport, PA 16749. This project is for the expansion of the existing Smethport Wastewater Treatment Plant in the Borough of Smethport, **McKean County**.

WQM Permit No. 2599404. Sewage. **Millcreek Township Sewer Authority, Whispering Woods Estates—Phase I**, 3608 West 26th Street, Erie, PA 16506. This project is for a proposed subdivision consisting of 49 lots in Millcreek Township, **Erie County**.

WQM Permit No. 1099403. Sewage, **Albert G. Albanowski III, SRSTP**, 10 Wynne Ave., Pittsburgh, PA 15205. This project is for the construction of a single residence sewage treatment plant in Jackson Township, **Butler County**.

WQM Permit No. 4399403. Sewage, **George Zook, SRSTP**, 385 Vogan Dr., Mercer, PA 16137. This project is for the construction of a single residence sewage treatment plant in Lackawannock Township, **Mercer County**.

WQM Permit No. 4399404. Sewage, **Travis M. Young SRSTP**, 504 Seventh St., Sharpsville, PA 16150. This project is for the construction of a single residence sewage treatment plant in South Pymatuning Township, **Mercer County**.

WQM Permit No. 2099402. Sewage, **Robert E. Bayuk, SRSTP**, 15357 Sherretts Rd., Linesville, PA 16424. This project is for the construction of a single residence sewage treatment plant in Summit Township, **Crawford County**.

WQM Permit No. 4399405. Sewage, **Thomas J. George, SRSTP**, 410 Allenberry Dr., Pittsburgh, PA 15237. This project is for the construction of a single residence sewage treatment plant in Coolspring Township, **Mercer County**.

WQM Permit No. 4399406. Sewage, **Harvey and Tracy (Deems) Byler, SRSTP**, 106 Bend Rd., New Wilmington, PA 16142. This project is for the construction of a single residence sewage treatment plant in Wilmington Township, **Mercer County**.

INDIVIDUAL PERMITS

(PAS)

NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit PAS10-D025-R. Stormwater. **Swan Development Corporation**, P. O. Box 224, Solebury, PA 18963, has applied to discharge stormwater from a construction activity located in Solebury Township, **Bucks County**, to Paunacussing Creek.

Northeast Regional Office: Regional Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Lehigh County Conservation District, District Manager; Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit PAS10Q029-R. Stormwater. **Brookhaven Development Corp.**, Byron Ashbrook, 2910 Lindberg Ave., Allentown, PA 18103, has applied to discharge stormwater from a construction activity located in Salisbury Township, **Lehigh County**, to Little Lehigh Creek.

Monroe County Conservation District, District Manager; 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES Permit PAS10S056-1. Stormwater. **Connaught Laboratories**, Route 611, P. O. Box 187, Swiftwater, PA 18370, has applied to discharge stormwater from a construction activity located in Pocono Township, **Monroe County**, to Swiftwater Creek.

Southcentral Regional Office: Regional Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 657-4707.

Bedford County Conservation District, District Manager, 702 West Pitt Street, Suite 4, Bedford, PA 15009, (814) 623-6706.

NPDES Permit PAS-10-0417. Stormwater. **Columbia Gas Transmission**, 1700 MacCorkle Avenue S. E., Charleston, WV 25314, has applied to discharge stormwater from a construction activity located in Mann Township, **Bedford County**, to Piney Creek and its Tributaries.

Blair County Conservation District, District Manager, 1407 Blair Street, Hollidaysburg, PA 16648, (814) 696-0877.

NPDES Permit PAS-10-0603. Stormwater. **Northern Blair County Regional Sewer Authority**, R. R. 4, Box 236A, Tyrone, PA has applied to discharge stormwater from a construction activity located in Snyder Township, **Blair County**, to South Bald Eagle Creek and its Tributaries.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is

made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Kardon Park, Downingtown Borough, **Chester County**. Richard C. Karr, R. Karr Associates, Inc., 619-A Swedesford Road, Malvern, PA 19355, has submitted a Notice of Intent to Remediate site soil contaminated with lead and heavy metals; and groundwater contaminated with lead. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* on March 1, 1999.

Spring City Electrical Manufacturing Co., Spring City Borough, **Chester County**. Christopher Orzechowski, RT Environmental Services, Inc., 2145 W. Church Road, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site soil contaminated with solvents and polycyclic aromatic hydrocarbons; and groundwater contaminated with solvents. The applicant proposes to remediate the site to meet background and Statewide health standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Mercury* on February 22, 1999.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Bethlehem Iron Works, Inc., Salisbury Township, **Lehigh County**. David B. Farrington, P.G. and Vice-President, Walter B. Satterthwaite Associates, Inc., 720 Old Fern Road, West Chester, PA 19380 has submitted a Notice of Intent to Remediate (on behalf of his client, Harris Rebar Atlantic, Inc., 1700 Riverside Drive, Bethlehem, PA) concerning the remediation of site groundwater found to have been contaminated with solvents. The applicant proposes to remediate the site to meet the nonresidential Statewide human health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Morning Call*. A Final Report was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

909 Partners, LP Site, Susquehanna Township, **Dauphin County**. 909 Partners, LP, 3701 Perkiomen Avenue, Reading, PA 19606 has submitted a Notice of Intent to remediate site groundwater contaminated with heavy metals and solvents. The applicant proposes to remediate the site to meet the site-specific standard requirements. A

summary of the Notice of Intent to Remediate was reported to have been published in the *Patriot News* on February 10, 1999.

Buckeye/Laurel Pipe Line, Tell Township, **Huntingdon County**. Buckeye Pipe Line Co., P. O. Box 368, Emmaus, PA 18049 has submitted a Notice of Intent to remediate site groundwater and surface water contaminated with BTEX and naphthalene. The applicant proposes to remediate the site to meet the Statewide health requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Huntingdon Daily News* on February 1, 1999.

ESAB Welding & Cutting Products, Penn Township, **York County**. ESAB Welding & Cutting Products, 801 Wilson Avenue, Hanover, PA 17331 and Cogswell Realty Group, 1330 Avenue of the Americas, 25th Floor, New York, NY 10019 have submitted a Notice of Intent to remediate site soils and groundwater contaminated with solvents. The applicants propose to remediate the site to meet a combination of the site-specific and Statewide health standards requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Hanover Evening Sun* on February 15, 1999.

Penske Truck Leasing Company, LP, City of Reading, **Berks County**. Penske Truck Leasing Company, LP, Route 10, Green Hills, Reading, PA 19603 has submitted a Notice of Intent to remediate site groundwater contaminated with solvents and BTEX. The applicant proposes to remediate the site to meet the site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Reading Eagle* on February 10, 1999.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Economy Borough Site, Economy Borough, **Beaver County**. Angelo L. Masullo, Jr., P.E., Civil and Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 and Robertson-Ceco Corporation, Suite 425, 5000 Executive Parkway, San Ramon, CA 94583 and Guy Cafaralli, 925 Eighth Street, Ambridge, PA 15003 have submitted a Notice of Intent to Remediate soil and groundwater contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Beaver County Times* on February 8, 1999.

Bushy Run Research Center (BRRC), Penn Township, **Westmoreland County**. J. Michael Petrell, L. Robert Kimball and Associates, Inc., 415 Moon Clinton Road, Moon Township, PA 15108 and Carnegie Mellon University, 5000 Forbes Avenue, Pittsburgh, PA 15213 has submitted a Notice of Intent to Remediate soil contaminated with heavy metals, pesticides and PAHs. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Tribune Review* on February 2, 1999.

Former Drum Storage Area at Building 408 (Site SS-01), Moon Township, **Allegheny County**. F. Baxter Lane, Colonel, USAFR Commander, 316 Herman Avenue, Coraopolis, PA 15108 and Richard Fied, 911 AW/CEV PIAP ARS, 1100 Herman Avenue, Coraopolis, PA 15108 have submitted a Notice of Intent to Remediate soil and groundwater contaminated with PCBs, heavy metals, pesticides, BTEX and PAHs. The applicants propose to remediate the site to meet the Statewide health standard.

A summary of the Notice of Intent to Remediate was reported to have been published in the *Moon Record* on November 11, 1998.

SOLID AND HAZARDOUS WASTE HAZARDOUS WASTE, TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Northeast Regional Office: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

PAD No. 981038227. World Resources Company, 170 Walnut Lane, Pottsville, PA 17901. A hazardous waste recycling permit application for this hazardous waste recycling facility, located in Norwegian Township, **Schuylkill County**, to recycle selected metal finishing and electroplating wastewater treatment sludges to produce nonferrous and precious metal concentrates, which are sold internationally to the smelting and refining industry. The application was received in the Regional Office on December 31, 1998; and as of March 9, 1999 was determined to be administratively complete.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653.

A. PAD003043353. Merck-Cherokee Plant, Incinerator Replacement Project, Merck & Co., Inc. (P. O. Box 600, Danville, PA 17821-0600). Application for a major permit modification to an existing hazardous waste facility located in Riverside Borough, **Northumberland County**. Application received in the regional office on March 9, 1999.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (53 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (35 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northeast Regional Office: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2516.

Permit I. D. No. 100265. Grand Central Sanitary Landfill, Grand Central Sanitary Landfill, Inc., 1963 Pen Argyl Road, Pen Argyl, PA 18072. A major permit modification to construct a landfill gas-fired electric generating facility within this municipal waste landfill permit boundary limit, located in Plainfield Township, **Northampton County**. The facility will incorporate three solar landfill gas-fired combustion turbines and will generate up to 10 MW of electricity, which will be sold to the local electric utility or nearby industrial users. The facility's sanitary sewage and condensate will be pumped by a 2-inch diameter force main to the existing onsite wastewater treatment plant. This major permit modification was received in the Regional Office on March 4, 1999; and as of March 11, 1999, it was determined to be administratively complete.

Permit I. D. No. 101481. Apex Waste Services, Inc., 13 Peggy Parkway, Dunmore, PA 18512. A permit renewal

of the current permit with no changes to the existing permit for this municipal solid waste transfer and recycling recovery transfer facility, located in Dunmore Borough, **Lackawanna County**. The permit renewal application was received on March 2, 1999 in the Regional Office; and as of March 4, 1999, the application was determined to be administratively complete.

Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

A. 101668. Barner Site Transfer Station, Mifflin County Solid Waste Authority (P. O. Box 390, Lewistown, PA 17044-0390). Application for a transfer station in Derry Township, **Mifflin County**. Application determined to be administratively complete in the Regional Office March 9, 1999.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

Permit No. 100361. An application to expand the landfill, excavate and relocate existing waste from un-lined portions of the landfill, and to construct a landfill gas management system was received from **McKean County Landfill**, P. O. Box 448, Mt. Jewett, PA 16740, located in Sergeant Township, **McKean County**. Application was determined to be administratively complete in the Regional Office on March 11, 1999.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

39-313-028A: Tarkett, Inc. (1139 Lehigh Avenue, Whitehall, PA 18052) for operation of the 4M line heaters in Whitehall Township, **Lehigh County**.

45-302-058A: Pleasant Valley School District (Routes 115 and 209, Brodheadsville, PA 18322) for operation of a coal fired boiler in Chestnuthill Township, **Monroe County**.

48-309-103: Essroc Cement Corp. (3251 Bath Pike, Nazareth, PA 18064) for operation of a railcar unloading system in Nazareth Borough, **Northampton County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

38-318-015B: Aluminum Co. of America (3000 State Drive, Lebanon, PA 17042) for operation of their no. 95 aluminum foil/coil coating line controlled by a catalytic incinerator in South Lebanon Township, **Lebanon County**.

38-318-020A: Aluminum Co. of America (3000 State Drive, Lebanon, PA 17042) for operation of their no. 92 aluminum foil/coil coating line controlled by a catalytic incinerator in South Lebanon Township, **Lebanon County**.

38-318-031: Aluminum Co. of America (3000 State Drive, Lebanon, PA 17042) for operation of their no. 14 aluminum foil laminating line controlled by a catalytic incinerator in South Lebanon Township, **Lebanon County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3637.

08-302-040: Taylor Packing Co., Inc. (P. O. Box 188, Wyalusing, PA 18853) for operation of a 40.4 million BTU per hour natural gas/no. 2 fuel oil-fired boiler with a low NOx burner in Wyalusing Township, **Bradford County**. This boiler is subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

08-317-003A: Taylor By-Products, Inc. (P. O. Box 188, Wyalusing, PA 18853) for operation of a rendering cooker, associated rendering equipment and associated boiler and scrubber system in Wyalusing Township, **Bradford County**.

18-318-013A: XL Acquisition Corp. (P. O. Box 420, Avis, PA 17721) for operation of a modular home manufacturing operation previously owned and operated by Avis America in Pine Creek Township, **Clinton County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-302A: Allegheny Metalworking Corp. (17 Leonburg Road, Cranberry Township, PA 16066) for operation of a paint finishing system in Cranberry Township, **Butler County**.

20-318-006B: Lord Corp. (124 Grant Street, Cambridge Springs, PA 16403) for operation of an automatic spray line in Cambridge Springs, **Crawford County**.

PA-25-197A: Erie Bronze and Aluminum Co. (6300 West Ridge Road, P. O. Box 8099, Erie, PA 16505) for operation of two induction furnaces in Fairview Township, **Erie County**.

PA-37-302A: New Castle Battery Mfg. Co. (3601 Wilmington Road, P. O. Box 5040, New Castle, PA 16105) for operation of a battery production plant in New Castle, **Lawrence County**.

PA-37-243A: International Metals Reclamation Co. (245 Portersville Road, P. O. Box 720, Ellwood City, PA 16117) for operation of a rotary calciner thermal oxidation in Ellwood City, **Lawrence County**.

PA-42-111A: Eldred Division of Ethan Allen (Route 1, Eldred, PA 16731) for operation of a paint booth in Eldred, **McKean County**.

PA-42-179A: Keystone Thermistor Corp. (967 Windfall Road, St. Marys, PA 15857) for operation of an open top vapor degreaser in Mt. Jewett, **McKean County**.

PA-43-305A: Champion Carrier Corp. (2755 Kirila Road, Hermitage, PA 16148) for operation of a surface coating operation in Hermitage, **Mercer County**.

PA-61-185A: Heath Oil Co. (P. O. Box 1128, Oil City, PA 16301) for operation of two portable oil refineries in Barkeyville, **Venango County**.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Attn: Kanubhai L. Patel, (717) 705-4702.

31-05001: Pennsylvania Department of Corrections (P. O. Box 598, Camp Hill, PA 17001) for the Huntingdon SCI, located in Smithfield Township, **Huntingdon County**. The facility emits primarily sulfur oxides SO_x and carbon monoxide (CO).

67-05011: Tate Access Floors, Inc. (52 Springvale Road, Red Lion, PA 17356) located in Windsor Township, **York County**. The facility's major sources include an electro-deposition line and three spray adhesive lines which primarily emit volatile organic compounds (VOCs).

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Attn: Mark Wayner, (412) 442-4161.

TV-04-00471: Marathon Ashland Petroleum LLC—Midland Terminal (539 South Main Street, Findlay, OH 45840) located in Industry Boro, **Beaver County**. The facility's major sources of emissions include barge loading and unloading, truck loading and product storage tanks. Emission of VOCs/HAPs from the facility are controlled by a vapor recovery unit along with storage tank controls, and limited through an enforceable restriction on gasoline throughput.

PLAN APPROVALS

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-15-0085: Lincoln University (1570 Baltimore Pike, Lincoln University, PA 19352) for modification of boilers in Lower Oxford Township, **Chester County**.

46-318-038: Moyco Technologies, Inc. (200 Commerce Drive, Montgomery, PA 18936) for modification of a surface coating operation in Montgomery Township, **Montgomery County**.

PA-46-0186: Tri-Valley Crematory (665—667 Harleysville Pike, Franconia, PA 18924) for construction of a crematory incinerator in Franconia Township, **Montgomery County**.

PA-46-0010B: Montenay Montgomery Ltd Partnership (1155 Conshohocken Road, Conshohocken, PA 19428) for modification of a municipal solid waste combustor in Plymouth Township, **Montgomery County**.

PA-09-0003A: Superpac, Inc. (1220 Industrial Boulevard, Southampton, PA 18966) for modification of two flexographic printing presses in Upper Southampton Township, **Bucks County**.

PA-15-0019: PECO Energy Company (Township Line and Cromby Road, Phoenixville, PA 19460) for installation of a steam/electric power generating in East Pikeland Township, **Chester County**.

PA-09-0027: Fres-Co System USA, Inc. (3005 State Road, Telford, PA 18969) for modification of a graphic art facility in West Rockhill Township, **Bucks County**.

PA-15-0086: Bakery Feeds (97 Westbrook Drive, Honey Brook, PA 19344) for installation of a bakery waste recycling operation in Honeybrook Township, **Chester County**.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

13-399-006: Kovatch Mobile Equipment (One Industrial Complex, Nesquehoning, PA 18240) for construction of a sandblasting operation in Nesquehoning Borough, **Carbon County**.

45-310-003E: Hanson Aggregates Pennsylvania, Inc. (P. O. Box 231, Easton, PA 18044) for modification of a stone crushing operation in Hamilton Township, **Monroe County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

06-5065A: Glen-Gery Corp. (423 South Pottsville Pike, Shoemakersville, PA 19555) for a shuttle brick kiln controlled by a low NOx burner in Perry Township, **Berks County**.

22-03028: PAWS, Linda Corson (785 Route 22-322, Dauphin, PA 17018) for installation of an animal crematory at their location in Middle Paxton Township, **Dauphin County**.

67-2008B: York International Corp. (P. O. Box 1592, York, PA 17405) for installation of a surface coating spray booth at the Grantley Plant located in Spring Garden Township, **York County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3637.

41-322-001A: Lycoming County Resource Management Services (P. O. Box 187, Montgomery, PA 17752) for construction of a 660 horsepower diesel-fired internal combustion engine associated with a tub grinder and an 83 horsepower diesel-fired internal combustion engine associated with a trommel screen at the Lycoming County Landfill in Brady Township, **Lycoming County**.

17-302-019C: Howes Leather Corp. (50 Cooper Road, Curwensville, PA 16833) for modification of a 33.46 million BTU/hour no. 2 fuel oil-fired boiler (increase in allowable operating schedule from 3,000 hours per year to 8,760 hours per year) in Curwensville Borough, **Clearfield County**.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a

particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

11990101. R.J.C. Kohl, Inc. (P. O. Box 299, Nicktown, PA 15762), commencement, operation and restoration of bituminous strip-auger mine in Barr Township, **Cambria County**, affecting 80.0 acres, receiving stream Hoppel Run, unnamed tributaries to Hoppel Run, and West Branch Susquehanna River. Application received February 26, 1999.

32830113. Permit Renewal, **Beilchick Brothers** (P. O. Box 7, Heilwood, PA 15745-0007), commencement, operation and restoration of bituminous strip mine in Buffington Township, **Indiana County**, affecting 410.5 acres, receiving stream unnamed tributaries to Mardis Run and Mardis Run. Application received March 3, 1999.

56803089. Permit Renewal, **PBS Coals, Inc.** (P. O. Box 260, 1576 Stoystown Road, Friedens, PA 15541), commencement, operation and restoration of bituminous strip-auger and coal refuse disposal mine in Shade Township, **Somerset County**, affecting 249.0 acres, receiving

stream to Coal Run and to Little Dark Shade Creek. Application received March 8, 1999.

32990104. ABM Mining Company (R. D. 1, Box 169, Smicksburg, PA 16256), commencement, operation and restoration of bituminous strip mine in Grant Township, **Indiana County**, affecting 112.0 acres, receiving stream unnamed tributaries to Little Mahoning Creek and Little Mahoning Creek. Application received March 3, 1999.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

65920105. FRB Inc. (234 Rt. 30 West, Ligonier, PA 15658). Renewal application received for continued reclamation of a bituminous surface mine located in Unity Township, **Westmoreland County**, affecting 79.6 acres. Receiving streams: Unnamed tributaries to Crabtree Creek. Renewal application received: March 9, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33930113. R&L Coal Corp. (P. O. Box 26, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip operation in Pinecreek Township, **Jefferson County** affecting 23.9 acres. Receiving streams: Cable Run and unnamed tributaries to Cable Run to Sandy Lick Creek to Redbank Creek to Allegheny River. Application for reclamation only. Application received March 5, 1999.

33990105. S & M Mining (2 McElhoes Road, Home, PA 15747). Commencement, operation and restoration of a bituminous surface strip and auger operation in Winslow Township, **Jefferson County** affecting 226.0 acres. Receiving streams: Unnamed tributary to Sandy Lick Creek and Sandy Lick Creek to Redbank Creek to the Allegheny River. Application received March 8, 1999.

16980103. Milestone Crushed, Inc. (521 South Street, Clarion, PA 16214). Revision to an existing bituminous surface strip operation in Ashland Township, **Clarion County** affecting 48.1 acres. Receiving streams: Little East Sandy Creek and unnamed tributary to Little East Sandy Creek to Little East Sandy Creek to East Sandy Creek to the Allegheny River. Revision to include a postmining landuse change from "residential" to "forestland" on lands of Norman A. Gillingham. Application received March 11, 1999.

37940103. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous strip operation in Hickory Township, **Lawrence County**, affecting 256.0 acres. Receiving streams: Unnamed tributaries to Neshannock Creek and three unnamed tributaries to Hottenbaugh Run to Neshannock Creek to the Shenango River to the Beaver River. Application for reclamation only. Application received March 12, 1999.

37850105. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous surface, auger and tippel refuse disposal operation in Washington and Springfield Townships, **Lawrence and Mercer Counties** affecting 1,556.0 acres. Receiving streams: Unnamed tributary to Potter Run to Neshannock Creek to Shenango River to Beaver River. Three unnamed tributaries to Taylor Run to Slippery Rock Creek to Beaver River to the Ohio River. Application for reclamation only. Application received March 12, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54991301. Joliett Coal Company (837 East Grand Avenue, Tower City, PA 17980), commencement, operation

and restoration of an anthracite underground mine operation in Porter Township, **Schuylkill County** affecting 3.0 acres, receiving stream—Wiconisco Creek. Application received March 5, 1999.

54991302. Snyder Coal Company (R. R. 2, Box 93, Hegins, PA 17938), commencement, operation and restoration of an anthracite underground mine operation in Foster and Hegins Townships, **Schuylkill County** affecting 5.0 acres, receiving stream—Hans Yost Creek. Application received March 5, 1999.

54940201R. White Pine Coal Co., Inc. (P. O. Box 59, Ashland, PA 17921-0059), renewal of an existing coal refuse reprocessing operation in West Mahanoy Township, **Schuylkill County** affecting 56.3 acres, receiving stream—none. Application received March 8, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Applications Received

25990303. Waste Management Disposal Service of PA, Inc. (1121 Bordentown Road, Morrisville, PA 19067). Commencement, operation and restoration of a shale operation in Summit Township, **Erie County**, affecting 77.6 acres. Receiving streams: Unnamed tributary to Walnut Creek. Application received March 2, 1999.

302511-25990303-E-1. Waste Management Disposal Service of PA, Inc. (1121 Bordentown Road, Morrisville, PA 19067). Application for a stream encroachment to mine through and reconstruct unnamed tributaries numbers 2 and 3 to Walnut Creek. Receiving streams: Unnamed tributary to Walnut Creek. Application received March 2, 1999.

302511-25990303-E-2. Waste Management Disposal Service of PA, Inc. (1121 Bordentown Road, Morrisville, PA 19067). Application for a stream encroachment to mine through and reconstruct unnamed tributaries numbers 2 and 3 to Walnut Creek. Receiving streams: Unnamed tributary to Walnut Creek. Application received March 2, 1999.

302511-25990303-E-3. Waste Management Disposal Service of PA, Inc. (1121 Bordentown Road, Morrisville, PA 19067). Application for a stream encroachment to extend the permit boundary within the 100 foot setback limit of the stream. Receiving streams: Unnamed tributary to Walnut Creek. Application received March 2, 1999.

302551-3074SM14-E-3. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201). Application for a stream encroachment to construct erosion and sedimentation controls within the 100-foot barrier, but no closer than 25-feet of a segment of an unnamed tributary to Slippery Rock Creek. Receiving streams: Five unnamed tributaries to Slippery Rock Creek. Application received March 8, 1999.

37870301. IA Construction Corporation (P. O. Box 8, Concordville, PA 19331). Transfer of an existing limestone operation in Wayne Township, **Lawrence County**, affecting 116.2 acres. Receiving streams: Duck Run and an unnamed tributary to Duck Run and an unnamed tributary to Connoquenessing Creek. Transfer from A. Medure Sand & Gravel Co., Inc. Application received March 8, 1999.

3076SM24. H & H Materials, Inc. (190 Canon Road, Stoneboro, PA 16153). Renewal of an existing sand and gravel operation in New Vernon Township, **Mercer County** affecting 255.0 acres. Receiving streams: Three unnamed tributaries to Little Shenango River and Little

Shenango River. Renewal of NPDES Permit No. PA0212083. Application received March 8, 1999.

3175SM3. IA Construction Corporation (P. O. Box 8, Concordville, PA 19331). Transfer of an existing sand and gravel operation in Plain Grove Township, **Lawrence County** affecting 153.0 acres. Receiving streams: Unnamed tributary to Jamison Run and Jamison Run. Transfer from A. Medure Sand and Gravel Co., Inc. Application received March 11, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

52870301T. Koss, Inc. (P. O. Box 11, Greentown, PA 18426), transfer of an existing quarry operation from C. F. Steimling, Inc. and renewal of NPDES Permit No. PA0595799 in Greene Township, **Pike County** affecting 8.5 acres, receiving stream—unnamed tributary to Wallenpaupack Creek. Application received March 3, 1999.

8074SM3C5. M & M Stone Co. (2840 West Clymer Avenue, P. O. Box 189, Telford, PA 18969), renewal of NPDES Permit No. PA0118443 in Lower Salford Township, **Montgomery County**, receiving stream—East Branch Perkiomen Creek. Application received March 9, 1999.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-613. Encroachment. **East Whiteland Township**, 209 Conestoga Road, Frazer, PA 19355-1699. To perform the following activities associated with stream improvements within the East Whiteland Township Park (a.k.a.

Valley Creek Park): 1. To perform minor grading and to install and maintain streambank stabilization along the northern bank of a continuous 710 linear foot (+/-) reach of Valley Creek (EV) using a combination of bioengineering and conventional methods. Grading on the stream banks will be conducted to achieve side slopes between 20—30%. Stabilization methods include gabions, bio-logs, bio-matting and various herbaceous and woody plantings; 2. To remove an existing footbridge and associated concrete and masonry abutments; 3. To install and maintain a 10-foot wide prefabricated wooden deck footbridge, reinforced concrete abutments and minor fill and concrete paving at the approaches. The bridge will have an approximate span of 60-feet and will extend beyond the banks of both sides of Valley Creek. This project is located approximately 3,000 feet north of the intersection of Swedesford Road and Morehall Road (Malvern USGS Quadrangle N: 10.9 inches; W: 4.1 inches) in East Whiteland Township, **Chester County**.

E23-379. Encroachment. **Rosetree Media School District**, 308 North Providence Road, Media, PA 19063. To place and maintain fill within 0.05 acre of wetland (PEM) which is located along an unnamed tributary to Chrome Run (TSF-MF). The work is associated with the construction of athletic fields on the property of Penn Crest High School which is part of the Rose Tree Media School District. The site is located just east of the intersection of Barren Road and Van Leer Avenue (Media USGS Quadrangle N: 8.1 inches; W: 8.1 inches) in Middletown Township, **Delaware County**.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-5485.

E45-370. Encroachment. **Ross Township**, P. O. Box 276, Saylorburg, PA 18353. To maintain a low-flow road crossing consisting of an open-bottom, corrugated steel arch culvert in Lake Creek (HQ-CWF), having a span of 10.6 feet and an underclearance of 3.2 feet. The project was constructed using Emergency Permit No. EP4598403 and is located along Township Road T-384 (Ross Road), approximately 400 feet southwest of T-375 (Saylorburg, PA Quadrangle N: 4.5 inches; W: 12.7 inches), Ross Township, **Monroe County** (Philadelphia District, U. S. Army Corps of Engineers).

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-466. Encroachment. **Pennsylvania Trolley Museum**, 1 Museum Road, Washington, PA 15301-6133. To place and maintain fill in 0.31 acre of palustrine emergent wetlands for the purpose of extending a demonstration trolley line. The project is located in the Chartiers Creek watershed (WWF) near the intersection of S. R. 4049 and Country Club Road (S. R. 1045) (Washington East, PA Quadrangle N: 15.5 inches; W: 16.3 inches) in Chartiers Township, **Washington County**. To compensate for the wetland loss, the applicant is proposing a monetary contribution to the Pennsylvania Wetland Replacement Project.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-296. Encroachment. **City of Butler**, 140 West North Street, Butler, PA 16001. To remove the existing structure and to construct and maintain a prefabricated concrete arch structure with a span of 12 feet and a rise of 5 feet on Wick Street across a tributary to Sullivan Run (WWF) locally known as Shanks Hollow Run. The

project is located on Wick Street across a tributary to Sullivan Run approximately 2,000 feet directly north of the West End School in the City of Butler (Butler, PA Quadrangle N: 21.5 inches; W: 4.5 inches) located in the City of Butler, **Butler County**.

E61-221. Encroachment. **PA Department of Transportation**, District 1-0, 1140 Liberty Street, Franklin, PA 16323-1289. To place and maintain fill in 0.21 hectare (0.52 acre) of palustrine emergent wetland within the Little East Sandy Lick Creek watershed (CWF) for the purpose of improving highway safety by realigning a two land highway (S. R. 0322, Section 01S) beginning approximately 427 meters (1,400 feet) east of S. R. 38 (Cranberry, PA Quadrangle N: 10.2 inches; W: 0.3 inch) and extending southwest 1,440 meters (4,724 feet) (Kossuth, PA Quadrangle N: 9.2 inches; W: 16.2 inches) in Rockland Township, **Venango County**.

The applicant will contribute to the construction of a minimum of 0.21 hectare (0.52 acre) of palustrine emergent and scrub/shrub wetland at the Beaver Creek Nature Area along S. R. 208 in Clarion County for replacement of wetlands impacted by this project.

E62-340. Encroachment. **United Refining Company**, P. O. Box 780, Warren, PA 16365-0780. To place and maintain a 10-inch diameter steel noncontact cooling water outfall and rip rap outfall/stream bank protection from an oil water separator associated with the Alkylation Unit to the Allegheny River (WWF, Nominated 1-A Scenic). This project is located within the United Refining Company Oil refinery adjacent to the Allegheny River (north bank approximately 3,600 feet downstream of the SR 0006 Business bridge (Glade Bridge) across the Allegheny River (Warren, PA Quadrangle N: 14.6 inches; W: 0.7 inch) located in City of Warren, **Warren County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are

also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Permit No. 4598410. Sewerage. **Penn Estates Utilities**, 503 Hallett Road, East Stroudsburg, PA 18301. Permit to construct and operate a left station to serve the Penn Estate Development, located in Stroud Township, **Monroe County**.

NPDES Permit No. PA-0061581. Sewerage. **Sutton Springs, Inc.**, 1823 Sutton Road, Shavertown, PA 18708 is authorized to discharge from a facility located in Jackson Township, **Luzerne County**, to an unnamed tributary to Huntsville Creek.

NPDES Permit No. PA-0061786. Sewerage. **Manwalamink Sewer Company**, Fort DePuy, P. O. Box 93, Shawnee-on-Delaware, PA 18356-0093 is authorized to discharge from a facility located in Smithfield Township, **Monroe County**, to Brodhead Creek.

NPDES Permit No. PA-0020109. Industrial waste. **Interstate Energy Company**, 214 Shoemaker Road, Pottstown, PA 19464 is authorized to discharge from a facility located in Lower Mt. Bethel Township, **Northampton County**, to Delaware River.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

NPDES Permit No. PA0043818. Industrial waste. **G.R.O.W.S. Landfill, A Division of Waste Management Disposal Services of PA**, 1121 Bordentown Road, Morrisville, PA 19067, is authorized to discharge from a facility located at 1513 Bordentown Road, Falls Township, **Bucks County** into Delaware River (Zone 2).

NPDES Permit No. PA0011533. Industrial waste. **Sunoco Inc (R & M)**, 3144 Passyunk Avenue, Philadelphia, PA 19145-5299, is authorized to discharge from a facility located in the **City of Philadelphia** at Girard Point Processing Area into Schuylkill River Zone 4 of Delaware River Estuary.

NPDES Permit No. PA0050644, Amendment No. 2. Industrial waste. **Hewlett Packard Company**, 2850 Centerville Road, Wilmington, DE 19808-1610, is authorized to discharge from a facility located in New Garden Township, **Chester County** into Dry Swale to Egypt Run and Bucktoe Creek.

NPDES Permit No. PA0050644. Industrial waste. **Borough of East Greenville**, Fourth and Washington Streets, East Greenville, PA 18041, is authorized to discharge from a facility located in Upper Hanover Township, **Montgomery County**, into Perkiomen Creek.

NPDES Permit No. PA0020532. Sewage. **Upper Montgomery Joint Authority**, P. O. Box 6, Pennsburg, PA 18073, is authorized to discharge from a facility located in Upper Hanover Township, **Montgomery County** into Green Lane Reservoir.

WQM Permit No. 1598423. Sewerage. **East Vincent Municipal Authority**, 262 Ridge Road, Spring City, PA 19475. Installation of sodium metabisulfite dechlorination

system to serve the former Veterans Center WWTP located in East Vincent Township, **Chester County**.

WQM Permit No. 4698422. Sewerage. **Plymouth Township**, 700 Belvoir Road, Norristown, PA 19401. Approval to upgrade the chemical Road pump station serving the commercial development located in Plymouth Township, **Montgomery County**.

WQM Permit No. 4698444. Sewerage. **Upper Gwynedd Township**, P. O. Box 1, West Point, PA 19486. Construction and operation of an 18 inch parallel sanitary sewer along West Point Pike to serve existing and future industrial and residential developments in Worcester and Upper Gwynedd Township, **Montgomery County**.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

NPDES Permit No. PA0023604. Sewerage. **McAlisterville Area Joint Authority**, P. O. Box 61, McAlisterville, PA 17049-0061, is authorized to discharge from a facility located in Fayette Township, **Juniata County** to the receiving waters named Little Lost Creek.

NPDES Permit No. PAG043606. Single Family Sewerage Treatment Plant. **William C. and Althea Dietzel**, 2914 Hamilton Avenue, Baltimore, MD 21214, is authorized to discharge from a facility located in East Providence Township, **Bedford County** to the receiving waters named French Run.

NPDES Permit No. PA0080918. Sewerage. **Rick Long**, 101 Speedwell Forge Road, Lititz, PA 17543, is authorized to discharge from a facility located in Elizabeth Township, **Lancaster County** to the receiving waters named Kettle Run.

NPDES Permit No. PAG043608. Single Family Sewerage Treatment Plant. **James and Linda Griffith**, 2105 Church Road, Hummelstown, PA 17036-8200, is authorized to discharge from a facility located in Derry Township, **Dauphin County** to the receiving waters of an unnamed tributary to Spring Creek.

NPDES Permit No. PA0053104. Sewerage. **Pleasant Hills Mobile Home Park**, P. O. Box 278, King of Prussia, PA 19406, is authorized to discharge from a facility located in Tilden Township, **Berks County** to the receiving waters of an unnamed tributary of the Schuylkill River.

NPDES Permit No. PAG043607. Single Family Sewerage Treatment Plant. **James J. Zook**, 83 Fairview Road, New Providence, PA 17560, is authorized to discharge from a facility located in Providence Township, **Lancaster County** to the receiving waters of an unnamed tributary to Beaver Creek.

NPDES Permit No. PA0026743, Minor Amendment. Sewerage. **City of Lancaster**, 120 North Duke Street, Lancaster, PA 17603, is authorized to discharge from a facility located in Lancaster City, **Lancaster County** to the receiving waters named Conestoga River.

NPDES Permit No. PA0087912. Industrial. **Arnold Fuel Oil, Inc.**, 900 Eisenhower Boulevard, P. O. Box 2621, Harrisburg, PA 17105, is authorized to discharge from a facility located in Silver Spring Township, **Cumberland County** to the receiving waters of surface drainage to Trindle Spring Run.

NPDES Permit No. PA0011100. Industrial. **Lucent Technologies**, 2525 North 12th Street, P. O. Box 13396, Reading, PA 19612-3396, is authorized to discharge from

a facility located in Muhlenberg Township, **Berks County** to the receiving waters named Bernharts Creek.

NPDES Permit No. PA0045055. Industrial. **Quaker Alloy, Inc.**, 200 East Richland Avenue, Myerstown, PA 17067, is authorized to discharge from a facility located in Myerstown Borough, **Lebanon County** to the receiving waters named Tulpehocken Creek.

Permit No. 0598406. Sewerage. **William C. and Althea Dietzel**, 2914 Hamilton Avenue, Baltimore, MD 21214. This permit approves the construction of sewage treatment facilities in East Providence Township, **Bedford County**.

Permit No. 3698413. Sewerage. **John J. Zook**, 83 Fairview Road, New Providence, PA 17560. This permit approves construction of sewage treatment facilities in Providence Township, **Lancaster County**.

Permit No. 0599401. Sewerage. **East St. Clair Township Municipal Authority**, P. O. Box 35, Fishertown, PA 15539. This permit approves construction of a pump station in East St. Clair Township, **Bedford County**.

Permit No. 0698406. Sewerage. **Municipal Authority of the Township of Spring**, 2800 Shillington Road, Sinking Springs, PA 19608. This permit approves construction of sewers and appurtenances in Wyomissing Borough and Spring Township, **Berks County**.

Permit No. 3699401. Sewerage. **LASERDOME**, 1531 Duffland Drive, Landisville, PA 17538-1342. This permit approves construction of sewage treatment facilities and land application facilities in Rapho Township, **Lancaster County**.

Permit No. 0697403, Amendment No. 1. Sewerage. **Morgantown Properties, Ltd.**, 200 Bethlehem Drive, Morgantown, PA 19543. This amends the permit in New Morgan Borough, **Berks County**.

Permit No. 6798406, Amendment No. 1. Sewerage. **Newberry Township**, 1915 Old Trail Road, Etters, PA 17319. This permit approves modifications to the construction of sewage treatment facilities in Newberry Township, **York County**.

Permit No. 0698407. Sewerage. **Borough of Bernville**, P. O. Box 73, Bernville, PA 19506. This permit approves construction of sewage treatment facilities in Bernville Borough, **Berks County**.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

NPDES Permit No. PA0115266. Sewerage. **Gregg Township Sewer Authority**, P. O. Box 87, Spring Mills, PA 16875. Renewal granted to Gregg Township Sewer Authority to discharge treated sewage to Penns Creek. Facility located at Gregg Township, **Centre County**.

NPDES Permit No. PA0112470. Sewerage. **Upper Augusta Township**, R. R. 1, Box 313, Sunbury, PA 17801. Renewal granted for existing discharge from Marsh-Pond-Meadow Sewer Treatment Plant. Facility located at Upper Augusta Township, **Northumberland County**.

NPDES Permit No. PA0031798. Sewerage. **Bucktail Council Inc., Boy Scouts of America**, 209 First Street, DuBois, PA 15801. Renewal granted for existing discharge to Mountain Run. Facility located at Huston Township, **Clearfield County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. PA0000914. Industrial waste, **U. S. Department of Energy, Pittsburgh Naval Reactor's Office**, 814 Pittsburgh-McKeesport Boulevard, West Mifflin, PA 15122-0109, is authorized to discharge from a facility located at Bettis Atomic Power Laboratory, West Mifflin Borough, **Allegheny County** to receiving waters named North East Stream.

NPDES Permit No. PA0027715. Industrial waste, **Mill Service, Inc.**, 1815 Washington Road, Pittsburgh, PA 15241-1498, is authorized to discharge from a facility located at the Yukon Facility, South Huntingdon Township, **Westmoreland County** to receiving waters named Sewickley Creek and tributary to Sewickley Creek.

NPDES Permit No. PA0097462. Industrial waste, **Cherry Tree Borough Municipal Authority**, P. O. Box 125, Cherry Tree, PA 15724, is authorized to discharge from a facility located at Susquehanna Township, **Cambria County** to receiving waters named Peg Run.

NPDES Permit No. PAS206101. Industrial waste, **Dynamic Materials Corporation, Dunbar Mine Operations**, R. D. 2, Box 141, Dunbar, PA 15431, is authorized to discharge from a facility located at Dunbar Township, **Fayette County** to receiving waters named Dunbar Creek.

NPDES Permit No. PAS206106. Industrial waste, **Overly Manufacturing Company**, 574 West Otterman Street, P. O. Box 70, Greensburg, PA 15601, is authorized to discharge from a facility located at Greensburg, **Westmoreland County** to receiving waters named Zellers Run.

NPDES Permit No. PAS326101. Industrial waste, **Innovative, Inc.**, US Route 30, Box 185, Latrobe, PA 15650, is authorized to discharge from a facility located at Unity Township, **Westmoreland County** to receiving waters named Unnamed Tributary to Sewickley Creek.

NPDES Permit No. PA0205281. Sewage, **New Sewickley Township Municipal Authority**, P. O. Box 65, Freedom, PA 15042-0065, is authorized to discharge from a facility located at Tri-County Commerce Park Sewage Treatment Plant, New Sewickley Township, **Beaver County** to receiving waters named Swale which leads to an unnamed tributary of North Fork Big Sewickley Creek.

NPDES Permit No. PA0028525. Sewage, **Bell Acres Municipal Sewage Authority**, Municipal Building, 1151 Camp Meeting Road, Sewickley, PA 15143, is authorized to discharge from a facility located at Bell Acres Borough STP No. 1, Bell Acres Borough, **Allegheny County** to receiving waters named unnamed Tributary of Little Sewickley Creek.

NPDES Permit No. PA0030376. Sewage, **Bell Acres Municipal Sewage Authority**, Municipal Building, 1151 Camp Meeting Road, Sewickley, PA 15143, is authorized to discharge from a facility located at Bell Acres Borough STP No. 3, Bell Acres Borough, **Allegheny County** to receiving waters named unnamed Tributary of Little Sewickley Creek.

NPDES Permit No. PA0033341. Sewage, **Robert McKool**, 1115 Pine Crest Boulevard, Johnstown, PA 15905, is authorized to discharge from a facility located at Pine Crest Estates Mobile Home Park Sewage Treatment Plant, Conemaugh Township, **Somerset County** to receiving waters named a pond, tributary of Stoney Creek.

NPDES Permit No. PA0038211. Sewage, **The Hempfield Township Municipal Authority**, R. D. 6, Box 501, Greensburg, PA 15601, is authorized to dis-

charge from a facility located at West Hempfield Plaza Sewage Treatment Plant, Hempfield Township, **Westmoreland County** to receiving waters named Unnamed Tributary of Little Sewickley Creek.

NPDES Permit No. PA0041289. Sewage, **Uniontown Area School District**, 23 East Church Street, Uniontown, PA 15401, is authorized to discharge from a facility located at Franklin Elementary School STP, Franklin Township, **Fayette County** to receiving waters named Unnamed Tributary of Virgin Run Lake.

NPDES Permit No. PA0041297. Sewage, **Uniontown Area School District**, 23 East Church Street, Uniontown, PA 15401, is authorized to discharge from a facility located at Menallen Elementary School STP, Menallen Township, **Fayette County** to receiving waters named Unnamed Tributary of Jennings Run.

NPDES Permit No. PA0041301. Sewage, **Uniontown Area School District**, 23 East Church Street, Uniontown, PA 15401, is authorized to discharge from a facility located at A. J. McMullen Middle School STP, Henry Clay Township, **Fayette County** to receiving waters named Unnamed Tributary of Beaver Creek.

NPDES Permit No. PA0095435. Sewage, **Bell Acres Municipal Sewage Authority**, Municipal Building, 1151 Camp Meeting Road, Sewickley, PA 15143, is authorized to discharge from a facility located at Bell Acres Borough STP No. 2, Bell Acres Borough, **Allegheny County** to receiving waters named Unnamed Tributary of Little Sewickley Creek.

NPDES Permit No. PA0093726. Sewage, **Armstrong School District**, 410 Main Street, Ford City, PA 16226-1698, is authorized to discharge from a facility located at Kittanning Township Elementary School STP, Kittanning Township, **Armstrong County** to receiving waters named Rupp Run.

NPDES Permit No. PA0093734. Sewage, **Armstrong School District**, 410 Main Street, Ford City, PA 16226-1698, is authorized to discharge from a facility located at Shannock Valley School STP, Rural Valley Borough, **Armstrong County** to receiving waters named Unnamed Tributary of Cowanshannock Creek.

NPDES Permit No. PA0093840. Sewage, **County of Allegheny-Department of Public Works, Parks Division**, 501 County Office Building, 542 Forbes Avenue, Pittsburgh, PA 15219, is authorized to discharge from a facility located at Round Hill Park Exhibit Farm STP, Elizabeth Township, **Allegheny County** to receiving waters named Douglass Run.

NPDES Permit No. PA0096318. Sewage, **Municipal Authority of the Township of Robinson**, P. O. Box 15539, Pittsburgh, PA 15244-0539 is authorized to discharge from a facility located at Covi/Douglas Sewage Treatment Plant, Robinson Township, **Allegheny County** to receiving waters named Tributary of Moon Run.

NPDES Permit No. PA0097705. Sewage, **Glendale Yearound Sewer Company**, 110 Troxell Spring Road, Flinton, PA 16640, is authorized to discharge from a facility located at Glendale Yearound Sewage Treatment Plant, White Township, **Cambria County** to receiving waters named Kibler Run.

NPDES Permit No. PA0097713. Sewage, **Gilmary Diocesan Center Catholic Institute of Pittsburgh**, 601 Flaugherty Run Road, Coraopolis, PA 15108, is authorized to discharge from a facility located at Gilmary Diocesan Center Sewage Treatment Plant, Findlay Town-

ship, **Allegheny County** to receiving waters named Unnamed Tributary of Flaugherty Run.

NPDES Permit No. PA0205761. Sewage, **S-2 Properties**, P. O. Box 24509, Pittsburgh, PA 15234, is authorized to discharge from a facility located at Harshbarger Mobile Home Park Sewage Treatment Plant, Hanover Township, **Beaver County** to receiving waters named Unnamed Tributary of Little Traverse Creek.

NPDES Permit No. PA0218022. Sewage, **Keith Thurner**, 21 Sawmill Road, Finleyville, PA 15332, is authorized to discharge from a facility located at Thurner Single Family Residence Sewage Treatment Plant, Nottingham Township, **Washington County** to receiving waters named Tributary of Mingo Creek.

Permit No. 0298413. Sewerage, **John Patarini**, 66 Economy Grade Road, Coraopolis, PA 15108. Construction of single residence sewage treatment plant located in Findlay Township, **Allegheny County** to serve Patarini Residence.

Permit No. 0498401. Sewerage, **Big Beaver Municipal Authority**, 114 Forest Drive, Darlington, PA 16115. Construction of sanitary sewers and pump stations located in Big Beaver, Homewood, Koppel Boroughs, **Beaver County** to serve State Route 18 SS+PS.

Permit No. 0498405. Sewerage, **Jack's Independent Service, Inc.**, 1121 Wallace Run Road, Darlington, PA 16115. Construction of small flow STP to treat sewage from garage and service mart located in South Beaver Township, **Beaver County** to serve Jack's Independent Service STP.

Permit No. 0498406. Sewerage, **Beaver County**, 810 Third Street, Beaver, PA 15009. Construction of Gravity sewers, pump station, force main located in Hopewell Township/City of Aliquippa, **Beaver County** to serve New Beaver County Jail.

Permit No. 3093401-A2. Sewerage, **Commonwealth of Pennsylvania, Department of Transportation**, P. O. Box 3060, Harrisburg, PA 17105-3060. Construction of an ultraviolet disinfection (UV) system located in Whiteley Township, **Greene County** to serve PennDot Welcome Center Sewage Treatment Plant.

Permit No. 3098405. Sewerage, **Rices Landing Borough**, P. O. Box 185, 100 Water Street, Rices Landing, PA 15357. Construction of treatment plant, pump stations and sewers located in Rices Landing Borough, **Greene County** to serve the Rices Landing Borough.

Permit No. 6369405-A2. **Peters Township Sanitary Authority**, 3244 Washington Road, McMurray, PA 15317. Construction of polymer feed facilities to enhance gravity thickening and decanting performance located in Peters Township, **Washington County** to serve Donaldson Crossroads Water Pollution Control Plant.

Permit No. 6398406. Sewerage, **North Strabane Township Municipal Authority**, 1929 Route 519 South, Canonsburg, PA 15317. Construction of Waterdam Farms and Speers Run pumping stations, forcemains, gravity sewers located in North Strabane Township, **Washington County** to serve Waterdam Farms Residential Development (Phase I).

Permit No. 6398407. Sewerage, **Keith L. Thurner**, 21 Saw Mill Road, Finleyville, PA 15332. Construction of single residence sewage treatment plant located in Nottingham Township, **Washington County** to serve Thurner Single Residence Sewage Treatment Plant.

Permit No. 6598409. Sewerage, **Keith Vay**, Box 204, Lowber, PA 15660. Construction of sewage treatment plant located in Sewickley Township, **Westmoreland County** to serve K-Vays STP.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0100510. Industrial waste. **Greenville Metals, Inc.**, 99 Crestview Drive Extension, Transfer, PA 16154-9501, is authorized to discharge from a facility located in Pymatuning Township, **Mercer County** to the Shenango River.

NPDES Permit No. PA0100200. Sewage. **Reynolds Disposal Company**, 139 Crestview Drive, Greenville, PA 16125, is authorized to discharge from a facility located in Pymatuning Township, **Mercer County** to an unnamed tributary to the Shenango River.

NPDES Permit No. PA0101311. Sewage. **Church of Jesus Christ of Latter Day Saints, Buffalo NY PM Group**, P. O. Box 431, Orchard Park, NY 14127, is authorized to discharge from a facility located in Mead Township, **Warren County** to an unnamed tributary to Morrison Run.

WQM Permit No. 6298414. **North Warren Municipal Authority**, Market Street Extension, Warren State Hospital Grounds, North Warren, PA 16365. This project is for plans to modify the sludge treatment operations at an existing sewage treatment plant in Conewango Township, **Warren County**.

INDIVIDUAL PERMITS

(PAS)

The following approvals for coverage under NPDES Individual Permit for discharge of stormwater from construction activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by an aggrieved person under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PAS-10-O-074. Individual NPDES. **Lancaster County Turf Products**, 649 West South Street, P. O. Box 1037, Kennett Square, PA 19348. To implement an erosion and sedimentation control plan for a six lot residential subdivision on 9.51 acres in Little Britain Township, **Lancaster County**. The project is located on the west side of Little Britain Road South, approximately 150 feet north of Kirks Mill Road (Wakefield, PA Quadrangle N: 1.0 inch; W: 1.0 inch). Drainage will be to Reynolds Run.

PAS-10-O-076. Individual NPDES. **Williams Communications, Inc.**, 1 Williams Center, Tulsa, OK 74172. To implement an erosion and sedimentation control plan for

the construction of a 1-inch diameter fiber optic cable on 132 acres in West Sadsbury, Sadsbury, Valley, East Caln, Caln, East Brandywine, East and West Whiteland Townships and Atglen Borough in **Chester County**; Drumore, East Drumore, Eden, Bart, Sadsbury and Martic Townships and Christiana Borough in **Lancaster County**; and Peachbottom and Lower Chanceford Townships in **York County**. The project is 58 miles long and located within an existing Transco gas pipeline and road rights-of-way, beginning at the MD-PA border in York County, continuing through Lancaster and Chester County. It traverses in a northeast direction across Muddy Creek along SR 74 and SR 372 in York County. The cable will be attached to the SR 372 bridge to cross the Susquehanna River and along 372 and across Muddy Run to Liberty

Square, then south of Coopersville and Christiana in Lancaster County. It then crosses the East Branch of Brandywine Creek at Downingtown and terminates at the Amtrack tracks near Glenloch (starting point located on Delta, MD-PA Quadrangle N: 20.7 inches; W: 16.3 inches with end point located on Malvern, PA Quadrangle N: 5.5 inches; W: 12.5 inches) in Chester County. Drainage will be to the Susquehanna River, Muddy Run, Fishing Creek, Conowingo Creek, Stewart Run, Bower Run, Meetinghouse Creek, Nickel Mines Run, Valley Run, Muddy Creek and various tributaries.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream</i>
PAS10-D106	St. Martin of Tours Roman Catholic Church 111 New Street New Hope, PA 19038	New Hope Borough Bucks County	Aquetong Creek and Rabbit Run

INDIVIDUAL PERMITS

(PAR)

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or other General Permit Type

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

General Permit Type—PAG-2

Facility Location

<i>County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
West Goshen Township Chester County	PAR10-G309	Greenhill Station 7 West Gay Street West Chester, PA	Unnamed Tributary to East Branch Chester Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130

NOTICES

1643

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Chester Heights Borough Delaware County	PAR10-J138	WaWa, Inc. 260 Baltimore Pike Wawa, PA 19063	Unnamed Tributary to Chester Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Pottsgrove Township Montgomery County	PAR10-T524	Renovations by Design P. O. Box J Newtown Square, PA 19703	Sprogels Run	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Hatfield Township Montgomery County	PAR10-T501	The Allenback Family, LP 2151 Koffel Road Hatfield, PA 19440	West Branch Neshaminy Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Pottsgrove Township Montgomery County	PAR10-T523	PA Dept. of Transportation Chester Road St. Davids, PA 19087	Schuylkill River and Manatawny Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Whitpain Township Montgomery County	PAR10-T463	Blue Bell Village 1030 West Germantown Pike Fairview Village, PA 19409	Unnamed Tributary of Stony Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Lower Moreland Township Montgomery County	PAR10-T506	Arcadia Land Company 100 West Lancaster Avenue Wayne, PA	Tributary to Pennypack Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Horsham Township Montgomery County	PAR10-T518	The Cutler Group, Inc. P. O. Box 629 Horsham, PA 19044	West Park Brook	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Limerick Township Montgomery County	PAR10-T511	David Morris 196 West Ridge Pike Limerick, PA 19468	Landis Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Limerick Township Montgomery County	PAR10-T446	The Klein Company 1700 Market Street, Suite 2600 Philadelphia, PA 19103	Tributary to Mingo Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Schuylkill County Port Carbon, Mechanicsville, and Palo Alto Boroughs	PAR-105776	Greater Pottsville Area Sewer Authority Port Carbon Interceptor P. O. Box 1163 Pottsville, PA 17901	Schuylkill River	Schuylkill CD (570) 622-3742
Lycoming County Muncy Township	PAR103923	Glenwood Development 537 South Market St. Muncy, PA 17756	Unt. Susquehanna River	Lycoming County CD 2130 County Farm Rd. Suite 6 Montoursville, PA 17754 (570) 433-3003

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lycoming County City of Williamsport	PAR103924	Pa. College of Technology One College Ave. Williamsport, PA 17701	Williamsport Municipal Sewer	Lycoming County CD 2130 County Farm Rd. Suite 6 Montoursville, PA 17754 (570) 433-3003
Lycoming County Brady Township	PAR103925	Lycoming County Resource Management Services P. O. Box 187 Montgomery, PA 17752	Unt. Black Run	Lycoming County CD 2130 County Farm Rd. Suite 6 Montoursville, PA 17754 (570) 433-3003
Cumberland Township Adams County	PAR-100071	Roselawn Associates L. P. 229 Table Rock Road Gettysburg, PA 17325	Rock Creek	Adams County CD 57 N. Fifth St. Gettysburg, PA 17325 (717) 334-0636
Mt. Pleasant Township Adams County	PAR-10-0073	Donald B. Smith 450 Spangler Road New Oxford, PA 17350	South Branch Conewago Creek	Adams County CD 57 N. Fifth St. Gettysburg, PA 17325 (717) 334-0636
Gettysburg Borough Adams County	PAR-10-0076	Gettysburg College 300 West Washington Street Gettysburg, PA 17325	Stevens Run	Adams County CD 57 N. Fifth St. Gettysburg, PA 17325 (717) 334-0636
Kimmel Township Bedford County	PAR-10-0437	Brian Kinsely King Valley Golf Club Inc. 11649 William Penn Road Imler, PA 16655	Beaverdam Creek	Bedford County CD 702 West Pitt Street Suite 4 Bedford, PA 15009 (814) 623-6706
Muhlenberg Township Berks County	PAR-10-C257	David Lavipour North Ridge Plaza Investors LP 444 Park Avenue South Suite 302 New York, NY 10016	Willow Creek	Berks County CD P. O. Box 520 1238 County Welfare Rd. Leesport, PA 19533 (610) 372-4657
Ontelaunee Township Berks County	PAR-10-C264	Rick Shipe, President Wingoo Development Corp. Rd. @ Box 2000, Bldg. A-1 Reading, PA 19605	Schuylkill River	Berks County CD P. O. Box 520 1238 County Welfare Rd. Leesport, PA 19533 (610) 372-4657
West Hanover Township Dauphin County	PAR-10-I166	Dermody Properties 1200 Financial Blvd. Reno, Nevada 89501	Beaver Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Swatara Township Dauphin County	PAR-10-I187	Consolidated Rail Corp. 201 Market Street Philadelphia, PA 19101	Spring Creek West Beaver Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Londonderry Township Dauphin County	PAR-10-I180	Kimjon, Inc. 60 South Pin Oak Drive Boiling Springs, PA 19007	Susquehanna River	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lower Paxton Township Dauphin County	PAR-10-I185	The Jewish Home of Greater Harrisburg 4000 Linglestown Road Harrisburg, PA 17112	Paxton Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Lower Swatara Township Dauphin County	PAR-10-I184	PA Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106-7676	Laurel Run	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Mount Joy Township Lancaster County	PAR-10-O-345	Dale J. Berrier 2356 Ridge Road Elizabethtown, PA 17022	UNT Little Chickies Creek	Lancaster County CD 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361
Penn Township Lancaster County	PAR-10-O-346	Pleasant View Retirement Community 544 North Penryn Road Manheim, PA 17545	UNT Chickies Creek	Lancaster County CD 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361
East Earl Township Lancaster County	PAR-10-O-357	John Stoltzfus 27 Brick Church Road Leola, PA 17540	Shirks Run	Lancaster County CD 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361
Ephrata Township Lancaster County	PAR-10-O-362	Dennis Steffy 775 Durlach Road Stevens, PA 17578	Cocalico Creek	Lancaster County CD 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361
Mount Joy Borough Lancaster County	PAR-10-O-363	The Bricker Group 1525 Oregon Pike, Suite 602 Lancaster, PA 17601	Little Chickies Creek	Lancaster County CD 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361
East Hempfield Township Lancaster County	PAR-10-O-364	The Meadows Development Corp. 111 Centerville Road Lancaster, PA 17603	Millers Run	Lancaster County CD 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361
Duncannon Borough Perry County	PAR-10-5127	Harrison Heights Eric Sechrist 701 Jenna Court Mechanicsburg, PA 17055	Susquehanna River	Perry County CD P. O. Box 36 31 W. Main St. New Bloomfield, PA 17068 (717) 582-8988

General Permit Type—PAG-3

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lehigh County Whitehall Township	PAR202225	Bridesburg Foundry Co. P. O. Box 269 Whitehall, PA 18052-0269	Lehigh River	Northeast Regional Office Water Management (570) 826-2511
Luzerne County City of Wilkes-Barre	PAR122205	The Lion Brewery, Inc. 700 N. Pennsylvania Avenue Wilkes-Barre, PA 18705	N/A	Northeast Regional Office Water Management (570) 826-2511

*General Permit Type—PAG-4**Facility Location
County and
Municipality**Permit No.**Applicant Name
and Address**Receiving Stream
or Body of Water**Contact Office and
Telephone No.*

Berks County Colebrookdale Township	PAG043612	Frank Gussoni III 2825 Soni Drive Trooper, PA 19403	Ironstone Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Upper Tulpehocken Township	PAG043613	DeVon R. Henne 133 Lakeview Road Bernville, PA 19506	UNT to North Littlekill Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Clearfield County Bradford Township	PAG044827	Michael Desmett Box 80 Woodland, PA 16881	Jake's Run	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Union County Lewis Township	PAG045053	Gordon G. Fritz R. D. 1, Box 334-1 Mifflinburg, PA 17844	UNT Buffalo Creek	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Columbia County North Centre Township	PAG045050	Duane L. Powlus R. R. 5, Box 494 Bloomsburg, PA 17815	Cabin Run	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Allegheny County Findlay Township	PAG046165	John Patarini 66 Economy Grade Rd. Coraopolis, PA 15108	Boggs Run to Flaugherty Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-7**Facility Location
County and
Municipality**Permit No.**Applicant Name
and Address**Receiving Stream
or Body of Water**Contact Office and
Telephone No.*

Springettsbury Township York County	PAG-07-3503	Springettsbury Township 1501 Mt. Zion Road York, PA 17402	N/A	Southcentral Region Office 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
---	-------------	---	-----	--

*General Permit Type—PAG-8**Facility Location
County and
Municipality**Permit No.**Applicant Name
and Address**Receiving Stream
or Body of Water**Contact Office and
Telephone No.*

Upper Nazareth Township Northampton County	PAG08-2207	Henry Yeska & Son, Inc. 821 Georgetown Rd. Nazareth, PA 18064	N/A	Northeast Region Water Management 2 Public Square Wilkes-Barre, PA 18711-0790
--	------------	---	-----	---

*General Permit Type—PAG-9**Facility Location
County and
Municipality**Permit No.**Applicant Name
and Address**Receiving Stream
or Body of Water**Contact Office and
Telephone No.*

Providence Township Lancaster County	PAG-09-3518	William H. Davis & Sons 341 Snyder Hollow Road New Providence, PA 17560	N/A	Southcentral Region Office 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
---	-------------	---	-----	--

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Turbett Township Juniata County	PAG-09-3519	James B. Parson R. R. 1, Box 968 Port Royal, PA 17082	N/A	Southcentral Region Office 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Location: Indiana Borough Sewage Treatment Plant, approximately 1,200 feet south of the White Township Corporate boundary and 1,200 feet west of S. R. 119, Center Township, Indiana Borough.

Project: Approval of the official Sewage Facilities Plan Update for Indiana Borough, Indiana County. Project involves increasing capacity of the Stoney Run Interceptor, construction of a 3.2 mg retention facility on the Stoney Run Interceptor and increasing the capacity of the Indiana Borough Sewage Treatment Plant to 8.2 mgd average daily flow. This sewage treatment plant treats sewage from Indiana Borough and White Township and discharges to Stoney Run approximately 2,500 feet upstream of the confluence with Two Lick Creek. The Department's review of the Sewage Facilities Plan Update has not identified any significant environmental impacts resulting from this review.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drink- ing Water Act (35 P. S. §§ 721.1—721.17).

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 5696504. Public water supply. **Windber Area Authority**, 1700 Stockholm Avenue, Windber, PA 15963. *Type of Facility:* Lower Clear Shade wellfield—wells #95-1 and 88-2. *Permit for Operation Issued:* January 25, 1999.

Permit No. 5689502-A1. Public water supply. **Windber Area Authority**, 1700 Stockholm Avenue, Windber, PA 15963. *Type of Facility:* Control Building Tank 2. *Permit for Operation Issued:* January 25, 1999.

Permit No. 5696507. Public water supply. **Windber Area Authority**, 1700 Stockholm Avenue, Windber, PA 15963. *Type of Facility:* A 377,000 gallon water storage tank. *Permit for Operation Issued:* January 25, 1999.

Permit No. 6598505. Public water supply. **Wilkesburg-Penn Joint Water Authority**, 2200 Robinson Boulevard, Pittsburgh, PA 15221-1193. *Type of Facility:* Trafford, Murrysville and Fairmont water supply improvements. *Permit for Construction Issued:* March 5, 1999.

Permit No. 2698504. Public water supply. **Pennsylvania-American Water Company**, P. O. Box 1290, 300 Galley Road, McMurray, PA 15317. *Type of Facility:*

Improvements to the Brownsville Water Treatment Plant—Phase III. *Permit for Construction Issued:* March 5, 1999.

Permit No. 0489510-T1-A2. Public water supply. **NOVA Chemicals, Inc., Beaver Valley Site**, 400 Frankfort Road, Monaca, PA 15061-2298. *Type of Facility:* The addition of zinc orthophosphate (NALCO 7390) and appurtenances for corrosion control. *Permit for Operation Issued:* March 8, 1999.

Permit No. 0298507. Public water supply. **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Suite 200, Moon Township, PA 15108. *Type of Facility:* Well No. GP-3. *Permit for Operation Issued:* March 8, 1999.

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Permit No. 4699501. Public water supply. **PA-American Water Company**, 800 W. Hershey Park Drive, Hershey, PA 17033. The construction of a booster pump station to replace an existing booster station. The new booster pump station will serve the same customers as the existing station, plus an additional 750 customers in Bridgeport Borough, **Montgomery County**. *Type of Facility:* Public Water Supply System. *Consulting Engineer:* Douglas E. Potts, PA-American Water Company, 196 W. Johnson Highway, Norristown, PA 19401. *Permit to Construct Issued:* March 9, 1999.

Permit No. 1599502. Public water supply, **Independence Park**, 341 Freemont Road, Nottingham, PA 19362. The installation of an ion exchange unit for nitrate treatment in Nottingham Township, **Chester County**. *Type of Facility:* Public Water Supply System. *Consulting Engineer:* Denis E. Forrest, P. O. Box 1895, East Goshen, PA 19380-0069. *Permit to Construct Issued:* March 9, 1999.

Permit No. 4698507. Public water supply. **The Klein Company**, 1700 Market Street, Suite 2600, Philadelphia, PA 19103-3861. A permit has been issued to The Klein Company granting permission to construct the Chestnut Pointe booster pump station that will serve a proposed 230 Unit development in Limerick Township, **Montgomery County**. *Type of Facility:* Public Water Supply System. *Consulting Engineer:* Boucher and James, Inc., 127 South Street, Suite 300, Quakertown, PA 18951. *Permit to Construct Issued:* March 11, 1999.

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.

Permit No. 3798502. Public water supply. **PA American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033, has been issued a permit for the construction of a new 300,000 gallon elevated water storage tank to replace the existing 150,000 gallon elevated tank in Ellwood City, **Lawrence County**. *Type of Facility:* Community Water Supply. *Consulting Engineer:* William K. Corliss, Jr. *Permit to Construct Issued:* March 10, 1999.

HAZARDOUS SITES CLEANUP

Under the Act of October 18, 1988

Notice of Prompt Interim Response
under the Hazardous Sites Cleanup Act

Concept Sciences Inc.

Hanover Township, Lehigh County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1304) (HSCA), has initiated a prompt interim response at Concept Sciences Inc. Site (Site). This response has been undertaken under section 505(b) of HSCA. The Concept Sciences Inc. Site is located at 749 Roble Road in the Lehigh Valley Industrial Park III, in Hanover Township, Lehigh County, PA.

On February 19, 1999, an explosion occurred at the Site. As a result of the explosion, five people were killed and extensive property damage occurred. The Site was a chemical manufacturing facility utilizing and/or containing materials such as hydroxylamine, hydroxylamine sulfate, potassium hydroxide, potassium sulfate and others. As a result of the explosion, a release and a threat of release of hazardous substances and contaminants exists at the Site. Under section 505(b) of the HSCA, the Department determined that prompt action was required to protect public health and the environment.

Between February 19, 1999, and March 3, 1999, neither the owner nor the operator agreed to implement measures determined to be reasonable in light of the information available to the Department to address the continuing release and threat of release of hazardous substances and contaminants at the Site. Because the Site owner, Lehigh Realty Associates III, and operator, Concept Sciences Inc., did not address the immediate threat to human health and the environment posed by runoff from the Site, the Department mobilized an emergency response contractor on February 27, 1999. The contractor was tasked with collecting and transporting contaminated runoff from the Site to a disposal facility.

In addition, as of March 3, 1999, the owner and the operator had not addressed the continuing release and threat of release of hazardous substances and contaminants remaining at the Site which pose a continuing threat to public health and the environment. Accordingly, the Department initiated a Prompt Interim Response at the Site on March 4, 1999. The Department's contractor, in addition to taking over the work of the emergency response contractor, was tasked with, among other things, disposal of chemicals in tanks, drums and other containers, maintenance of security, decontamination and removal of debris, excavation and removal of contaminated soil, collection of soil and water samples and demolition of onsite building. The Department selected the Prompt Interim Response based on the information available to the Department as of March 4, 1999. The objective of the Department's prompt interim response is to eliminate the immediate threat to human health and safety and the environment posed by the hazardous substances and contaminants present at the Site.

This notice is being provided under sections 505(b) and 506(b) of HSCA. The administrative record which contains the information that forms the basis and documents the selection of this response action is available for public review and comment. The administrative record is located at the Department's Bethlehem District Office, 4530 Bath Pike (Route 512) in Hanover Township, Northampton

County and is available for review Monday through Friday from 8 a.m. and 4 p.m.

The administrative record will be open for comment from March 27, 1999, until June 28, 1999. Persons may submit written comments into the record, during this time only, by sending them to Paul Panek, Project Officer, at the Department's Bethlehem District Office at 4530 Bath Pike, Bethlehem, PA 18017-9074 or by delivering them to that office in person.

Persons may also present oral comments, for inclusion in the administrative record, at a public hearing. The Department has scheduled the public hearing for May 6, 1999, at 7 p.m. at the Hanover Township Municipal Building located at 2202 Grove Road in Hanover Township. Persons wishing to present comments must register with Paul Panek before April 29, 1999, by calling (610) 861-2070 or writing to the Bethlehem District Office.

If no person registers to present oral comments by April 29, 1999, the hearing will not be held. Persons interested in finding out if anyone has registered, and if the hearing will be held, should contact Paul Panek.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should contact Paul Panek or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate them.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Former Drum Storage Area at Building 408 (Site SS-01), Moon Township, **Allegheny County**. F. Baxter Lane, Colonel, USAFR Commander, 316 Herman Avenue, Coraopolis, PA 15108 and Richard Fied, 911 AW/CEV PIAP ARS, 1100 Herman Avenue, Coraopolis, PA 15108 have submitted a Final Report concerning remediation of site soil and groundwater contaminated with PCBs, heavy metals, pesticides, BTEX and PAHs. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Bethlehem Iron Works, Inc., Salisbury Township, **Lehigh County**. David B. Farrington, P.G. and Vice-President, Walter B. Satterthwaite Associates, Inc., 720 Old Fern Road, West Chester, PA 19380, has submitted a Final Report (on behalf of his client, Harris Rebar Atlantic, Inc., 1700 Riverside Drive, Bethlehem, PA) concerning the remediation of site groundwater found to have been contaminated with solvents. The report is intended to document remediation of the site to meet the nonresidential Statewide human health standard. A Notice of Intent to Remediate was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Chalfont Plaza Associates, L.P., New Britain Township, **Bucks County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, Suite 500, 401 City Avenue, Bala Cynwyd, PA 19404, has submitted a Combined Report consisting of a Remedial Investigation, Risk Assessment and Remedial Action Work Plan concerning the remediation of site soil contaminated with solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons; and groundwater contaminated with solvents. The Combined report was found deficient and disapproved by the Department on February 24, 1999.

Northwest Regional Office: Craig Lobins, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

Pontillo Landfill, W. 16th St. and Pittsburgh Avenue, **Erie County**, City of Erie, has submitted a Baseline report concerning the remediation of groundwater and soil. The site had been found to be contaminated with PCBs, lead, heavy metals, solvents BTEX, PHCs and PAHs. The report was disapproved and did not demonstrate attainment of the Special Industrial Area Standard and was disapproved by the Department on March 10, 1999.

SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428.

Permit No. 101581. Atlantic Coast Demolition and Recycling, Inc., 1107 South 34th Street, Philadelphia, PA 19146, was revoked, and the owner ordered to remove all waste and close the facility, in a permit revocation and order issued by the Southeast Regional Office on March 3, 1999. The subject action involves a construction and demolition waste processing and transfer facility located in the **City of Philadelphia**.

Permits terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653.

Permit No. 301111. Conover Farm, Leprino Foods Company (400 Leprino Avenue, Waverly, NY 14892-1384). Permit for solid waste land application in Ulster and Smithfield Townships, **Bradford County**, has been terminated, at the request of the applicant, in the Regional office as of March 10, 1999.

AIR QUALITY OPERATING PERMITS

General Plan Approval and Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

GPI-36-3090: Dart Container Corp. (60 East Main Street, Lancaster, PA 17602) authorized use of a general permit for a small natural gas/No. 2 fuel oil fired boiler (Cleaver Brooks) in East Lampeter Township, **Lancaster County**.

GPI-67-03062: Sieck Floral Products, Inc. (15 S. Center Street, Hanover, PA 17331) authorized use of a general permit for two small natural gas/No. 2 fuel oil fired boilers (Cleaver Brooks) in Penn Township, **York County**.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

ER-06-5035: ICI Paints North America (301 Bern Street, Reading, PA 19601) issued March 11, 1999, for 35 tons of volatile organic compounds ERCs from the shutdown of sources Reading, **Berks County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

TV-65-00837: CNG Transmission Corp (CNG Tower, 625 Liberty Avenue, Pittsburgh, PA 15222) issued March 1, 1999, for operation of natural gas transmission and distribution at Oakford Compressor Station in Salem Township, **Westmoreland County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-37-234A: Praxair Surface Technologies (3225 Honeybee Lane, New Castle, PA 16105) issued February 28, 1999, for a detonation cubicle in Wilmington Township, **Lawrence County**.

PA-43-290A: Winner Steel Services, Inc. (277 Sharpsville Avenue, P. O. Box 1628, Sharon, PA 16146) issued February 28, 1999, for a galvanizing line in Sharon, **Mercer County**.

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-15-0017A: Transcontinental Gas Pipeline Corp. (60 Bacton Hill Road, Frazer, PA 19355) issued March 8, 1999, for operation of a Facility VOC/NO_x RACT in East Whiteland Township, **Chester County**.

PA-46-00051: Merck & Co., Inc. (Sumneytown Pike, P. O. Box 1000, North Wales, PA 19454) issued March 8, 1999, for operation of a fuel combustion source in Upper Gwynedd Township, **Montgomery County**.

PA-46-0032A: SPS Technologies, Inc. (Highland Avenue, Jenkintown, PA 19046) issued March 10, 1999, for operation of a coating and mixing room in Abington Township, **Montgomery County**.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

45-318-027: Tobyhanna Army Depot (Attn AMSEL-LC-TY-RK-E, 11 Hap Arnold Boulevard, Tobyhanna, PA 18466) issued February 19, 1999, for construction of a paint spraying and drying oven system in Coolbaugh Township, **Monroe County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

06-3069: Highway Materials, Inc. (P. O. Box 1667, Blue Bell, PA 19422) issued March 10, 1999, for construction of the nonmetallic mineral crushing plant controlled by wet suppression in Alsace Township, **Berks County**. This source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

06-5010B: Crompton & Knowles Colors, Inc. (P. O. Box 341, Reading, PA 19603) for construction of the boiler house controlled by a low Nox burner and flue gas recirculation at the Gibraltar Plant in Robeson Township, **Berks County**. This source is subject to 40 CFR 60, Subpart Dc, Standards of Performance for New Stationary Sources.

06-313-004E: IFS Industries, Inc. (P. O. Box 1053, Reading, PA 19603) issued March 9, 1999, for modification of the adhesive manufacturing fabric collector at the Reading Plant in Reading, **Berks County**.

36-03070: Mark Line Industries of Pennsylvania, Inc. (502 Alexander Drive, Ephrata, PA 17522) for construction of the one paint booth and two production lines for coating and adhesive/sealant applications in Ephrata Township, **Lancaster County**.

PA-36-05086A: Donsco, Inc. (P. O. Box 2001, Wrightsville, PA 17368) issued March 9, 1999, for installation of two core making systems at the Mount Joy Foundry in Mount Joy, **Lancaster County**.

Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-09-0021: MRI Flexible Packaging (122 Penns Trail, Newtown, PA 18940) issued March 8, 1999, for operation of a flexographic printing press in Newtown Township, **Bucks County**.

PA-46-0078: BKL, Inc. (421 Feheley Drive, King of Prussia, PA 19406) issued March 9, 1999, for operation of

a two screen printing press/two coating in Upper Merion Township, **Montgomery County**.

PA-46-0005E: Merck & Co., Inc. (770 Sumneytown Pike, West Point, PA 19486) issued March 10, 1999, for operation of a waste heat incinerator in Upper Gwynedd Township, **Montgomery County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

38-301-022: Department of Veterans Affairs, Lebanon V.A. Medical Center (1700 South Lincoln Avenue, Lebanon, PA 17042) granted March 18, 1999, to authorize temporary operation for an anthracite coal fired atmospheric fluidized bed combustion system for hospital waste, covered under this Plan Approval until July 16, 1999, in South Lebanon Township, **Lebanon County**. This source is subject to 40 CFR 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-26-057A: Matt Canestrone Contracting, Inc. (P. O. Box 234, Belle Vernon, PA 15012) for installation of coal handling at LaBelle Site in Luzerne Township, **Fayette County**.

63-307-027: American Iron Oxide Co. (Foster Plaza, No. 7, 661 Andersen Drive, Pittsburgh, PA 15220) for operation of iron oxide production at Allenport Plant in Allenport Borough, **Washington County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-16-128A: County Landfill, Inc. (P. O. Box 237, Route 36, Leeper, PA 16233) issued March 31, 1999, for landfill gas to electric generation in Farmington Township, **Clarion County**.

PA-20-194B: Lord Corp. (601 South Street, P. O. Box 1050, Saegertown, PA 16433) issued January 31, 1999, for a latex plant expansion in Saegertown, **Crawford County**.

PA-24-131B: SGL Carbon Corp. (900 Theresia Street, Box 1030, St. Marys, PA 15857) issued February 28, 1999, for graphite purification furnaces in St. Marys, **Elk County**.

PA-25-267A: American Meter Co. (920 Payne Avenue, Erie, PA 16512) issued March 30, 1999, for two rubber curing ovens in Erie, **Erie County**.

PA-37-291A: Lafarge Corp. (Route 551, New Wilmington, PA 16142) issued March 30, 1999, for slag processing in Pulaski Township, **Lawrence County**.

PA-37-300A: North American Forgemasters Co. (700 Moravia Street, New Castle, PA 16101) issued March 31, 1999, for steel forging operations in New Castle, **Lawrence County**.

PA-43-290A: Winner Steel Services, Inc. (277 Sharpville Avenue, Sharon, PA 16146) issued October 31, 1998, for a galvanizing line in Sharon, **Mercer County**.

62-329-001A: United Refining Co. (Bradley and Dobson Streets, Warren, PA 16365) issued March 31, 1999, for internal combustion engines in Warren, **Warren County**.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Permits Issued

56823097. Permit Renewal for Reclamation only, **Heritage Mining Company** (P. O. Box 126, Cresson, PA 16630), for continued restoration of a bituminous strip mine in Paint Township, **Somerset County**, affecting 72.0 acres, receiving streams to Weaver Run. Application received March 2, 1999; issued March 5, 1999.

32940109. Revision, **KMP Associates** (R. D. 2, Box 194, Avonmore, PA 15618), to conduct surface coal mining, augering and blasting activities. The present 119.6 acre operation is being modified by the addition of 13.5 acres, of which 9.2 are coal acres on the Pittsburgh coal seam, to the surface mine permit for a new total of 133.1 acres. A variance has been approved to conduct support activities within 100 feet of an unnamed tributary to Whisky Run, and also, to modify and upgrade an existing pipe crossing over an unnamed tributary to Whisky Run, and to add auger mining as a type of operation to be conducted on this SMP in Young Township, **Indiana County**, receiving stream unnamed tributary to/and Whisky Run. Application received November 6, 1998; issued March 5, 1999.

32803010. Permit Renewal for Reclamation, only, **Kent Coal Mining Company** (1800 Washington Road, Pittsburgh, PA 15241-1421), continued restoration of bituminous strip mine in Blacklick Township, **Indiana County**, affecting 89.9 acres, receiving stream unnamed tributary to Aultmans Run. Application received December 23, 1998; issued March 5, 1999.

32813031. Permit Renewal for Reclamation, only, **Kent Coal Mining Company** (P. O. Box 219, Shelocta, PA 15774), for continued restoration of bituminous strip mine in Center Township, **Indiana County**, affecting 925.8 acres, receiving stream Tearing Run and unnamed tributary to Tearing Run. Application received December 15, 1998; issued March 5, 1999.

11823011. Permit Renewal, **L & J Energy Company, Inc.** (P. O. Box I, Grampian, PA 16838), continued operation and restoration of bituminous strip mine in Susquehanna Township, **Cambria County**, affecting 75.0 acres, receiving stream unnamed tributary to the West Branch Susquehanna River. Application received January 12, 1999; issued March 5, 1999.

11920205. Permit Renewal, **Senate Coal Mines, Inc.** (One Energy Place, Suite 5100, Latrobe, PA 15650),

commencement, operation and restoration of bituminous strip mine in Adams Township, **Cambria County**, affecting 17.4 acres, receiving stream Paint Creek and unnamed tributaries to Paint Creek. Application received December 30, 1998; issued March 5, 1999.

11880201. Permit Renewal, **Ebensburg Power Company** (20 S. Van Buren Avenue, P. O. Box 351, Barberton, OH 44203-0351), commencement, operation and restoration of a coal refuse reprocessing mine in Cambria Township, **Cambria County**, affecting 56.5 acres, receiving stream an unnamed tributary to South Branch Blacklick Creek and the South Branch of Blacklick Creek. Application received November 20, 1998; issued March 8, 1999.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

03960102. **Walter L. Houser Coal Company, Inc.** (R. D. 1, Box 434, Kittanning, PA 16201). Permit revised to add 22.0 acres of remaining area and approval for a road variance for TR 396 at an existing bituminous surface/auger mining site located in Sugar creek Township, **Armstrong County**, now affecting 300.8 acres. Receiving streams: unnamed tributaries of Snyder Run and Snyder Run to Allegheny River. Application received: November 9, 1998. Revision issued: March 12, 1999.

02950101. **Gary Gioia Coal Company** (319 Karen Drive, Elizabeth, PA 15037). Permit revised to add 11.9 acres of remaining area to an existing bituminous surface mining site located in Elizabeth Township, **Allegheny County**, now affecting 90.3 acres. Receiving streams: unnamed tributaries to the Youghiogheny River. Application received: October 10, 1998. Revision issued: March 12, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

16940103. **RFI Energy, Inc.** (555 Philadelphia Street, Indiana, PA 15701). Transfer of an existing bituminous strip, tippel refuse disposal and coal ash placement operation from C & K Coal Company in Perry Township, **Clarion County** affecting 764.0 acres. Receiving streams: Unnamed tributary to the Allegheny River and unnamed tributary to the Clarion River. Application received: December 22, 1998. Permit Issued: March 1, 1999.

33950101. **Dunamis Resources, Inc.** (One Energy Place, Suite 4000, Latrobe, PA 15650). Transfer of an existing bituminous strip operation from John R. Yenzi, Jr. in Winslow Township, **Jefferson County** affecting 57.0 acres. Receiving streams: Unnamed tributaries of Front Run to Trout Run. Application received: August 27, 1998. Permit Issued: February 3, 1999.

33930104. **Dunamis Resources, Inc.** (One Energy Place, Suite 4000, Latrobe, PA 15650). Transfer of an existing bituminous strip and auger operation from John R. Yenzi, Jr. in Winslow Township, **Jefferson County** affecting 336.0 acres. Receiving streams: Unnamed tributary to Trout Run and Unnamed tributary to Front Run. Application received: August 27, 1998. Permit Issued: February 9, 1999.

33930112. **Dunamis Resources, Inc.** (One Energy Place, Suite 4000, Latrobe, PA 15650). Transfer of an existing bituminous strip operation from John R. Yenzi, Jr. in Beaver Township, **Jefferson County** affecting 211.2 acres. Receiving streams: Unnamed tributaries of Reitz Run and unnamed tributaries of Ferguson Run. Application received: August 27, 1998. Permit Issued: February 9, 1999.

16940101. **Reichard Contracting, Inc.** (R. R. 3, New Bethlehem, PA 16242). Renewal of an existing bituminous strip operation in Porter Township, **Clarion County** affecting 65.5 acres. This renewal is issued for reclamation only. Receiving streams: One unnamed tributary to Leatherwood Creek and two unnamed tributaries to Long Run. Application received: January 27, 1999. Permit Issued: February 16, 1999.

33970105. **Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830). Commencement, operation and restoration of a bituminous strip operation in Washington Township, **Jefferson County** affecting 84.0 acres. Receiving streams: Unnamed tributary to Five Mile Run and Unnamed tributary to Horm Run. Application received: July 2, 1997. Permit Issued: February 17, 1999.

101400-33970105-E-1. **Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830). Application for a stream encroachment to relocate and mine through an ephemeral channel identified as unnamed tributary No. 1 to Five Mile Run in Washington Township, **Jefferson County**. Receiving streams: Unnamed tributary to Five Mile Run and Unnamed tributary to Horm Run. Application received: July 2, 1997. Permit Issued: February 17, 1999.

33980107. **Falls Creek Energy Co., Inc.** (R. D. 6, Box 231, Kittanning, PA 16201). Commencement, operation and restoration of a bituminous strip and auger operation in McCalmont Township, **Jefferson County** affecting 118.0 acres. Receiving streams: Turnip Run. Application received: August 28, 1998. Permit Issued: February 16, 1999.

10890108. **Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Commencement, operation and restoration of a bituminous strip operation in Eau Claire Borough and Allegheny Township, **Butler County** affecting 45.2 acres. Receiving streams: Unnamed tributaries to South Fork Little Scrubgrass Creek. Application received: August 10, 1998. Permit Issued: February 16, 1999.

37920105. **Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous strip operation in Perry Township, **Lawrence County** affecting 103.0 acres. Receiving streams: Two unnamed tributaries to Camp Run. Application received: January 8, 1999. Permit Issued: March 10, 1999.

16763007. **C & K Coal Company** (P. O. Box 69, Clarion, PA 16214). Renewal of an existing bituminous strip and auger operation in Madison Township, **Clarion County** affecting 582.0 acres. Receiving streams: Three unnamed tributaries to Redbank Creek. Application received: January 8, 1999. Permit Issued: March 10, 1999.

61980103. **Ben Hal Mining Company** (389 Irishtown Road, Grove City, PA 16127). Commencement, operation and restoration of a bituminous strip operation in Irwin Township, **Venango County** affecting 104.0 acres. Receiving streams: Five unnamed tributaries to Scrubgrass Creek. Application received: September 2, 1998. Permit Issued: February 19, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40880101R2. **Silverbrook Anthracite, Inc.** (1 Market Street, Laflin, PA 18702), renewal of an existing anthracite surface mine operation in Newport Township, **Luzerne County** affecting 144.2 acres, receiving stream —none. Renewal issued March 8, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.
Noncoal Permits Issued*

25940302. Bedrock Sand & Gravel, Inc. (10400 Messenger Road, Girard, PA 16417). Renewal of NPDES No. PA0212067, Girard Township, **Erie County** affecting 93.7 acres. Receiving streams: Two unnamed tributaries to Elk Creek. Application received: January 29, 1999. Permit Issued: March 10, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.
Small Noncoal (Industrial Minerals) Permits Issued*

62990801. Raymond C. Shield (2045A, Russell, PA 16345). Commencement, operation and restoration of a small noncoal sand and gravel operation in Pine Grove Township, **Warren County** affecting 4.0 acres. Receiving streams: None. Application received: January 4, 1999. Permit Issued: February 23, 1999.

*Pottsville District Office, 5 West Laurel Boulevard,
Pottsville, PA 17901-2454.*

40992801. Dotzel Trucking (1898 Slocum Road, Mountaintop, PA 18707), commencement, operation and restoration of a quarry operation in Slocum Township, **Luzerne County** affecting 9.0 acres, receiving stream—none. Permit issued March 9, 1999.

*Ebensburg District Office, 437 South Center Street, P. O.
Box 625, Ebensburg, PA 15931-0625.*

*Industrial Minerals NPDES Permit Renewal Applications
Issued*

05920301. New Enterprise Stone & Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664), renewal of NPDES Permit No. PA0212261, Snake Spring Township, **Bedford County**, receiving stream Cove Creek. NPDES Renewal application received January 15, 1999; issued March 8, 1999.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rule of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Southeast Regional Office: Program Manager, Water
Management Program, Lee Park, Suite 6010, 555 North
Lane, Conshohocken, PA 19428.*

E15-596. Encroachment Permit. **Williams Communications, Inc.**, 1 William Center RC3-T, Tulsa, OK 74172. To install and maintain a fiber optic utility line communication system across the following streams and bodies of water: 1. West Branch Brandywine Creek (TSF, MF) and adjacent wetland (Coatesville, PA USGS Quadrangle N: 22.5-inches; W: 10.25-inches) in Valley Township, Chester County. 2. East Branch Brandywine Creek (WWF, MF), (Downingtown, PA USGS Quadrangle N: 3.25-inches; W: 11.25-inches) in East Caln Township, Chester County. This application also includes the installation and maintenance of 62 utility line stream crossings and/or wetland crossings which qualify for authorization by General Permit 5, Utility Line Stream Crossings. This project is a segment of the Williams Communications, Inc. Fiber Optic Cable Communication System project which extends from Washington, DC to New York City, New York. Wetland disturbance will be temporary and minimized by directional drilling. This is a linear utility project which occurs in Atglen Borough, Caln Township, East Brandywine Township, East Caln Township, East Whiteland Township, Sadsbury Township, Valley Township, West Sadsbury Township and West Whiteland Township, **Chester County**.

E15-601. Encroachment Permit. **Great Valley School District**, 47 Church Road, Malvern, PA 19355. To install and maintain an 18-inch diameter concrete outlet pipe, which will discharge flow from a proposed detention basin to a proposed riprapped outfall channel and constructed treatment wetland. Also to install and maintain sanitary and storm sewer utility lines within the floodplain of an unnamed tributary to Valley Creek (EV), located approximately 1,900 feet north of the intersection of Church Road and Swedesford Road (Malvern Quadrangle N: 8.75 inches; W: 8.50 inches) in East Whiteland Township, **Chester County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E46-809. Encroachment Permit. **Goldenberg Development Corporation**, 350 Sentry Parkway, Building 630, Suite 300, Blue Bell, PA 19422-2316. To perform the following activities associated with the construction of the Metroplex Land Development Project: 1. To remove a bridge crossing of Gallagher Road spanning Plymouth Creek (WWF); 2. To remove a bridge crossing of Gravers Road spanning Plymouth Creek; 3. To remove approximately 540 linear feet of 10-foot by 6-foot masonry arch stream enclosure and to realign, install and maintain 630 linear feet of a 10-foot by 6-foot reinforced concrete box culvert in and along an unnamed tributary of Plymouth Creek; 4. To install and maintain approximately 1,630 linear feet of 30-foot by 11.5-foot precast concrete arch stream enclosure in and along Plymouth Creek; 5. To place and maintain fill within the 100-year floodway of Plymouth Creek associated with the widening of Chemical

Road; 6. To construct and maintain a steel and concrete bridge across Plymouth Creek having two clear normal spans of approximately 77 feet and 47 feet and an average underclearance of approximately 10.5 feet. Also, to modify approximately 400 linear feet of stream channel along Plymouth Creek associated with bridge construction; 7. To construct and maintain a steel and concrete bridge across Plymouth Creek having a single span of approximately 60 feet and an average underclearance of approximately 15 feet. Also, to modify approximately 280 linear feet of stream channel along Plymouth Creek associated with bridge construction; 8. To install and maintain one 42-inch, two 48-inch, one 60-inch and one 64-inch RCP stormwater outfalls along Plymouth Creek; 9. To install and maintain one 42-inch RCP stormwater outfall along an unnamed tributary of Plymouth Creek. The site is located between Germantown Pike and Ridge Pike along the northerly side of Chemical Road (Norristown USGS Quadrangle N: 19.0 inches, W: 5.5 inches) in Plymouth Township, **Montgomery County**.

E46-820. Encroachment Permit. **Plymouth Township**, Community Center, 2910 Jolly Road, Norristown, PA 19401-2325. To construct and maintain a timber deck bridge with concrete abutments and wing walls across an unnamed tributary to Plymouth Creek (WWF). The proposed bridge will provide access to the Harriet Wetherill Park. This 22.5 foot clear span bridge will have a 15-foot roadway width, and have 4 feet 8 inches of minimum underclearance. The work also includes placing rip-rap stone protection along abutments and wing walls. A 15-inch R.C.P. drainage culvert will be installed through the westerly approach road fill to provide adjacent wetland hydrology. The site is located approximately 1,000 feet south from the intersection of Narcissa Road and Hickory Road at the entrance to Wetherill Park off Narcissa Road (Norristown, PA Quadrangle N: 21.3 inches; W: 3.2 inches) in Plymouth Township, **Montgomery County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

PERMITS

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E40-510. Encroachment. **Blue Ridge Industries, Ltd.**, 306 Northeastern Building, 8 West Broad Street, Hazleton, PA 18201-6486. To repair and maintain the existing 6.7-foot by 6.7-foot precast concrete arch stream enclosure in a tributary to Black Creek, with work consisting of replacing the undermined, displaced culvert sections and restoring/protecting approximately 140 linear feet of downstream channel. The channel work will include placement of fill to restore the eroded area, and construction of a trapezoidal R-7 riprap-lined channel with two plunge pools. The project is located approximately 250 feet west of S. R. 0081, approximately 2,000 feet south of the intersection of S. R. 0081 and S. R. 0093 (Conyngham, PA Quadrangle N: 18.4 inches; W: 4.9 inches), in West Hazleton Borough, **Luzerne County**.

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third Street, Williamsport, PA 17701.

E49-222. Encroachment. **Bloomsburg Hospital Properties, Inc.**, 549 East Fair Street, Bloomsburg, PA 17815. To construct, operate and maintain a parking area in the floodway of an unnamed tributary to Shamokin Creek; and to construct, operate and maintain a pedestrian

bridge across an unnamed tributary to Shamokin Creek to provide access to an existing medical facility. The construction of the parking area shall consist of the removal of existing vegetation and earth and placing sub-base and crushed stone that will not exceed existing elevations and contours. The pedestrian bridge shall be constructed with a maximum width of 5-feet and a maximum span of 24-feet that is located along the eastern right-of-way of S. R. 0054 approximately 100-feet north of the intersection of West Center Street and S. R. 0045 (Shamokin, PA Quadrangle N: 20.8 inches; W: 7.3 inches) in Ralpho Township, **Northumberland County**. This permit also authorizes the construction, operation and maintenance of a stormwater outfall structure that shall be in accordance with the Department of Environmental Protection's BDWWGP-4. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E59-374. Encroachment. **Edward J. Signor**, P. O. Box 89, Arnot, PA 16911. To dredge approximately 14,500 cubic yards of sediments from an existing 10 acre pond for the purposes of improving fish habitat and recreation. Area of excavation will be 3 acres. The project site is located on the northwest edge of the Village of Arnot, directly east of S. R. 2016 (Cherry Flats, PA Quadrangle N: 7.5 inches; W: 0.75 inch) in Bloss Township, **Tioga County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E24-207. Encroachment. **Headwaters Charitable Trust**, 478 Jeffers Street, DuBois, PA 15801. To remove the existing bridge and to construct and maintain a 13.5-foot wide by 8.5-foot high C.M. pipe arch culvert in Coward Run on the Little Toby-Clarion Rails-To-Trails project approximately 500 feet upstream of the mouth of Coward Run in State Game Lands No. 44 (Carman, PA Quadrangle N: 15.4 inches; W: 10.5 inches) in Spring Creek Township, **Elk County**.

DAM SAFETY

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D46-329. Dam. **Goldenberg Development Corporation** (350 Sentry Parkway, Building 630, Suite 300, Blue Bell, PA 19422-2316). To construct, operate and maintain a stormwater detention dam, Metroplex Dam, located across Plymouth Creek in Plymouth Township, **Montgomery County**. The proposed facility is part of the stormwater management plan for the Metroplex mixed use development.

ENVIRONMENTAL ASSESSMENT

Environmental Assessment Approvals and Actions on 401 Certification

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

EA59-008CO. Environmental Assessment. **Richard Strauch** (P. O. Box 62, Wellsboro, PA 16901). To construct and maintain a nonjurisdictional dam across a tributary to East Branch Stony Fork (CWF) for the purpose of recreation located approximately 4,500 feet northeast of the intersection of S. R. 3007 and T-399 (Tiadaghton, PA Quadrangle N: 11.25 inches; W: 1.95 inches) in Delmar Township, **Tioga County**.

EA59-009CO. Environmental Assessment. **Mike Dunaway** (122 Heaps Road, Street, MD 21154). To construct and maintain a nonjurisdictional dam in the watershed of a tributary to Crance Brook (CWF) impacting approximately 0.18 acre of wetlands (PEM) for the purpose of recreation and wildlife enhancement located approximately 3,600 feet north of the intersection of Reservoir Hill Road (T-338) and T-635 (Potter Brook, PA-NY Quadrangle N: 4.1 inches; W: 7.8 inches) in Westfield Township, **Tioga County**.

EA59-010CO. Environmental Assessment. **Ronald Blye** (R. D. 5, Box 132, Wellsboro, PA 16901). To construct and maintain a nonjurisdictional dam across a tributary to Hills Creek (WWF) for the purpose of recreation located approximately 1,800 feet northwest of the intersection of S. R. 1001 and T-650 (Crooked Creek, PA Quadrangle N: 4.9 inches; W: 11.0 inches) in Charleston Township, **Tioga County**.

SPECIAL NOTICES

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

Special Action

Division of Dam Safety

Act 91

Amending Title 30 (Fish) of the Pennsylvania Consolidated Statutes Providing for the Marking of Dams

Under its responsibility under Act 91, the Department of Environmental Protection (Department), Bureau of

Waterways Engineering, Division of Dam Safety has compiled and maintains the following list of existing dams on the waters of this Commonwealth that the Department determines to be run-of-the-river type dams. The Department has notified the permittees and owners of these run-of-the-river dams and advised them of their duties and responsibilities to mark these dams under Act 91 in accordance with guidelines established by the Fish and Boat Commission.

Act 91 requires permittees and owners of run-of-the-river dams to maintain warning signs and buoys and provides for civil penalties for any permittee or owner who fails to maintain signs and buoys in accordance with Fish and Boat Commission Guidelines. The Act also provides that exclusion zones above and below these dams be established by the Fish and Boat Commission and that persons who enter an exclusion zone marked under the provisions of the Act commits a summary offense of the third degree.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Market Street State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

RUN-OF-THE-RIVER-BULLETIN

County	DEP Dam No.	Dam Name	Stream	Permittee
ADAMS	01-007	DICK'S DAM	CONEWAGO CREEK	DICK'S DAM ASSOCIATION
ADAMS	01-008	INTAKE DAM	BIRCH RUN	BOROUGH OF CHAMBERSBURG
ADAMS	01-009	MARSH CREEK DAM	MARSH CREEK	PHILIP NETH
ADAMS	01-043	SHARRER DAM	CONEWAGO CREEK	RICHARD SHARRER
ADAMS	01-045	BROWNS DAM	CONEWAGO CREEK	BROWNS DAM COTTAGE OWNERS ASSOCIATION
ADAMS	01-046	EAST BERLIN DAM	CONEWAGO CREEK	EAST BERLIN DAM ASSOCIATION
ADAMS	01-067	KITZMILLER DIVERSION DAM	SOUTH BRANCH CONEWAGO CREEK	HANOVER MUNICIPAL WATER WORKS
ADAMS	01-078	GETTYSBURG MUNICIPAL AUTHORITY DAM	MARSH CREEK	GETTYSBURG MUNICIPAL AUTHORITY
ADAMS	01-083	WERNICK DAM	CLEAR RUN	DR. ROBERT WERNICK
ARMSTRONG	03-035	DIVERSION DAM	TR CROOKED CREEK	PENNSYLVANIA ELECTRIC COMPANY
ARMSTRONG	03-042	BUFFALO CREEK INTAKE DAM	BUFFALO CREEK	MOONLIGHT MUSHROOMS, INC.
BEDFORD	05-066	CLAYCOMB DAM	POTTER CREEK	CLYDE CLAYCOMB
BEDFORD	05-077	F. PAUL REIGHARD DAM	POTTER CREEK RAYSTOWN BRANCH JUNIATA RIVER	BOROUGH OF BEDFORD

<i>County</i>	<i>DEP Dam No.</i>	<i>Dam Name</i>	<i>Stream</i>	<i>Permittee</i>
BERKS	06-036	FELIX DAM	SCHUYLKILL RIVER	DEP—BUREAU OF ABANDONED MINE RECLAMATION
BERKS	06-041	CHARMING FORGE DAM	TULPEHOCKEN CREEK	PA FISH & BOAT COMMISSION
BLAIR BUCKS	07-016 09-015	DIVERSION DAM SOLEBURY FARM	BALD EAGLE CREEK PAUNACUSSING CREEK	WESTVACO CORP ROBERT KAHN
BUCKS	09-025	LENAPE LAKE	NORTHEAST BR PERKIOMEN CREEK	SELLERSVILLE BOROUGH PARK COMMISSION
BUCKS	09-032	EICKNER DAM	TOHICKON CREEK	RICHARD STONEBECK
BUCKS	09-063	UNNAMED	SWAMP CREEK	ROBERT NORRIS
BUCKS	09-074	LAKE AFTON	BROCK CREEK	YARDLEY MILLS COMPANY
BUCKS	09-083	SPRING GARDEN DAM	NESHAMINY CREEK	DCNR—BUREAU OF STATE PARKS
BUCKS	09-090	UNNAMED DAM	UNNAMED	LINDA MILANESI
BUCKS	09-095	MOYER DAM	PLEASANT SPRING CREEK	RICHARD MOYER
BUCKS	09-128	RALPH STOVER DAM	TOHICKON CREEK	DCNR—BUREAU OF STATE PARKS
BUCKS	09-140	UNNAMED	LOWER NESHAMINY CREEK	PREIT RUBEN, INC.
BUCKS	09-159	DURHAM DAM	DURHAM CREEK	DURHAM PAPERBOARD COMPANY, INC.
BUCKS	09-167	NESHAMINY WEIR	NESHAMINY CREEK	DCNR—BUREAU OF STATE PARKS
BUCKS	09-186	UNNAMED	AQUETONG CREEK	ANTHONY C. WARREN
BUCKS	09-186	UNNAMED	AQUETONG CREEK	ANTHONY C. CANIKE
BUTLER	10-003	SUPPLY DAM	CONNOQUENESSING CREEK	ARMCO, INC.
BUTLER	10-004	UNNAMED	CONNOQUENESSING CREEK	RICHARD & MARY ANN ROMAN
BUTLER	10-016	CROLLS DAM	SLIPPERY ROCK CREEK	L. McCLURE LANNING
BUTLER	10-030	BOVARD DAM	SLIPPERY ROCK CREEK	JAMES C. BARRON
CAMBRIA	11-032	UNNAMED	CONEMAUGH RIVER	MANUFACTURERS WATER COMPANY
CAMBRIA	11-080	UNNAMED	NOELS CREEK	JAMESTOWN ROD AND GUN CLUB
CAMBRIA	11-093	PATTON DAM	CHEST CREEK	PATTON BOROUGH
CAMBRIA	11-109	SOLOMON RUN BASIN # 2	SOLOMON RUN	DEP—BUREAU OF WATERWAYS ENGINEERING
CAMBRIA	11-110	SOLOMON RUN BASIN # 3	SOLOMON RUN	DEP—BUREAU OF WATERWAYS ENGINEERING
CAMERON	12-013	PICRIC DAM	DRIFTWOOD BR SINNAMAHONING CR	EMPORIUM WATER COMPANY
CARBON	13-057	UNNAMED	TR LEHIGH RIVER	ANTHONY MARRA
CARBON	13-107	CONSTANTINI	FERNWOOD CREEK	MARK MENDELSON
CENTRE	14-017	DINGES DAM	PINE CREEK	RUSSELL D. DINGES
CENTRE	14-022	MC COY-LINN	SPRING CREEK	PA FISH & BOAT COMMISSION
CENTRE	14-023	MILL DAM	LOGAN BRANCH	BOROUGH OF BELLEFONTE
CENTRE	14-038	GAP DAM	GALBRAITH GAP RUN	PA FISH & BOAT COMMISSION
CENTRE	14-045	LOWER DAM	ELK CREEK	BOROUGH OF MILLHEIM
CENTRE	14-050	PENNS CREEK FEED MILL DAM	PENNS CREEK	JIM MARTIN
CENTRE	14-050	PENNS CREEK FEED MILL DAM	PENNS CREEK	DAVE YOUNG
CENTRE	14-110	PINE GLEN DAM	BOAKE RUN	PINE GLEN WATER ASSOCIATION
CENTRE	14-111	UNNAMED	WALLACE RUN	BOROUGH OF MILESBURG
CHESTER	15-013	BRANDWINE PARK DAM	BRANDYWINE CREEK	BRANDWINE PICNIC PARK
CHESTER	15-023	VINCENT	SCHUYLKILL RIVER	DEP—BUREAU OF ABANDONED MINE RECLAMATION
CHESTER	15-113	UNNAMED DAM	WHITE CLAY CREEK	JAMES CRAWFORD
CHESTER	15-200	PHOENIXVILLE DAM	FRENCH CREEK	PHOENIX STEEL

NOTICES

1657

<i>County</i>	<i>DEP Dam No.</i>	<i>Dam Name</i>	<i>Stream</i>	<i>Permittee</i>
CHESTER	15-276	CAMP INNABAH DAM	FRENCH CREEK	CAMP INNABAH
CLARION	16-001	REDBANK VALLEY WATER SUPPLY	RED BANK CREEK	REDBANK VALLEY MUNICIPAL AUTHORITY
CLEARFIELD	17-032	RAFTMAN'S MEMORIAL DAM	WEST BRANCH SUSQUEHANNA RIVER	BOROUGH OF CLEARFIELD
CLEARFIELD	17-098	SHAWVILLE	WEST BRANCH SUSQUEHANNA RIVER	PENNSYLVANIA ELECTRIC COMPANY
CLEARFIELD	17-115	CLEARFIELD WEIR # 3	LITTLE MUDDY RUN	CLEARFIELD COUNTY MUNI SERVICES & RECREATION
CLINTON	18-018	BALD EAGLE	BALD EAGLE CREEK	INTERNATIONAL PAPER COMPANY
CLINTON	18-019	LOCK HAVEN DAM	SUSQUEHANNA RIVER	LOCK HAVEN MUNICIPAL AUTHORITY
CLINTON	18-046	KETTLE CREEK STATE PARK	KETTLE CREEK	DCNR—BUREAU OF STATE PARKS
CLINTON	18-051	WASHBURN DAM	WASHBURN RUN	DCNR—BUREAU OF FORESTRY
COLUMBIA	19-014	BENTON DAM	FISHING CREEK	BOROUGH OF BENTON
COLUMBIA	19-016	MILL DAM	FISHING CREEK	ZERBIN KLINE
COLUMBIA	19-030	MILL DAM	FISHING CREEK	FORT RICKETSS POST, NO. 8317
CUMBERLAND	21-004	MILLERS MILL	YELLOW BREECHES CREEK	UNITED WATER PA
CUMBERLAND	21-006	BLACK DAM	CONODOGUINET CREEK	ROBERT C. TURNER
CUMBERLAND	21-007	NEW CUMBERLAND	YELLOW BREECHES CREEK	PENNSYLVANIA AMERICAN WATER COMPANY
CUMBERLAND	21-009	HEISHMAN'S MILL DAM	CONODOGUINET CREEK	WILLIAM FOSHAG
CUMBERLAND	21-021	UPPER MILL DAM	YELLOW BREECHES CREEK	CHARLES D. EWING
CUMBERLAND	21-022	MILL DAM	YELLOW BREECHES CREEK	M. E. OLMSTEAD ESTATE
CUMBERLAND	21-032	BRENNEMANS DAM (GOOD HOPE)	CONODOGUINET CREEK	ORPHAN DAM
CUMBERLAND	21-070	HOFFMAN DAM	YELLOW BREECHES CREEK	PAUL TRIMMER
CUMBERLAND	21-077	ROSEGARDEN DAM	YELLOW BREECHES CREEK	DON ADAMS
CUMBERLAND	21-100	UNNAMED	DOUBLING GAP CREEK	GLENN T., MARY, AND NANCY MIXELL
CUMBERLAND	21-152	BARNITZ MILL DAM	YELLOW BREECHES CREEK	THOMAS KLINE
CUMBERLAND	21-175	UNNAMED	TOMS RUN	DCNR—BUREAU OF FORESTRY
DAUPHIN	22-007	DOCK STREET DAM	SUSQUEHANNA RIVER	HARRISBURG CITY
DAUPHIN	22-012	LYKENS RESEVOIR DAM	RATTLING RUN	BOROUGH OF LYKENS
DAUPHIN	22-019	SPRING CREEK DAM	SPRING CREEK	HERSHEYPARK
DAUPHIN	22-020	DAM NO. 2	SWATARA CREEK	MIDDLETOWN WATER AUTHORITY
DAUPHIN	22-056	GLEN PARK DAM	RATTLING CREEK	BOROUGH OF LYKENS
DAUPHIN	22-060	UNNAMED	STONY CREEK	MR. & MRS. GENE HARLOCKER
DAUPHIN	22-067	SWATARA DAM	SWATARA CREEK	HERSHEY CHOCOLATE PLANT
DAUPHIN	22-078	SANDBEACH DIVERSION DAM	MANADA CREEK	PENNSYLVANIA AMERICAN WATER COMPANY
DELAWARE	23-004	ROCKDALE DAM	CHESTER CREEK	TOM KING
DELAWARE	23-008	UNNAMED	RIDLEY CREEK	PHILADELPHIA SUBURBAN CORPORATION
DELAWARE	23-011	UNNAMED	WEST BRANCH CHESTER CREEK	FLEXTRON INDUSTRIES
DELAWARE	23-048	UNNAMED	CRUM CREEK	PAUL WILSON INSULATION COMPANY
DELAWARE	23-061	THIRTEENTH AVE. LAKE	STONY CREEK	BOROUGH OF PROSPECT PARK
ELK	24-044	BENDIGO DAM	EAST BRANCH CLARION RIVER	DCNR—BUREAU OF STATE PARKS

<i>County</i>	<i>DEP Dam No.</i>	<i>Dam Name</i>	<i>Stream</i>	<i>Permittee</i>
ERIE	25-039	SUPPLY DAM	HARE CREEK	CORRY WATER SUPPLY COMPANY
ERIE	25-045	LAWRENCE PARK GOLF CLUB	FOUR MILE CREEK	LAWRENCE PARK GOLF CLUB
FAYETTE	26-057	UNNAMED	YOUGHIOGHENY RIVER	WESTMORELAND COUNTY COMMISSIONERS
FAYETTE	26-058	UNNAMED	LAUREL RUN	CHESTER H. WARD
FAYETTE	26-073	UNNAMED	BIG MEADOW RUN	PAUL WICK
FOREST	27-011	COOKS FOREST	TOMS RUN	DCNR—BUREAU OF STATE PARKS
FRANKLIN	28-010	SILOAM DAM	CONOCOCHIEGUE CREEK	CHAMBERSBURG BOROUGH WATERWORKS
FRANKLIN	28-043	WILLIAMSON DAM	BACK CREEK	WILLIAM K. & PHYLLIS J. SNIDER
FRANKLIN	28-044	MONTGOMERY MILLS DAM	WEST BR CONOCOCHIEGUE CREEK	NELSON RYDER
FRANKLIN	28-045	C. A. ANDERSON DAM	WEST BR CONOCOCHIEGUE CREEK	HARRY A. & JESSIE C. ANDERSON
FRANKLIN	28-088	SHIPPENSBURG BOROUGH DAM	TROUT RUN	SHIPPENSBURG BOROUGH
GREENE	30-001	PUMPING STATION DAM	DUNKARD CREEK	ACCURATE BRASS CORPORATION
GREENE	30-003	BRAVE STATION	DUNKARD CREEK	ACCURATE BRASS CORPORATION
GREENE	30-012	UNNAMED	TENMILE CREEK	EQUITRANS INC
HUNTINGDON	31-017	CREEK DAM	STANDING STONE CREEK	BOROUGH OF HUNTINGDON
HUNTINGDON	31-018	OLD FURNACE	BLACK LOG CREEK	ORBISONIA LIONS CIVIC ASSOCIATION
HUNTINGDON	31-060	STANDING STONE DAM	STANDING STONE CREEK	BOROUGH OF HUNTINGDON
HUNTINGDON	31-066	TROUGH CREEK DAM	TROUGH CREEK	DCNR—BUREAU OF STATE PARKS
INDIANA	32-016	SAVAN DAM NO 3	LITTLE MAHONING CREEK	INDIANA COUNTY COMMISSIONERS
INDIANA	32-070	PA. ELECTRIC DAM	CONEMAUGH RIVER	PENNSYLVANIA ELECTRIC COMPANY
JEFFERSON	33-007	CALLEN RUN DAM	CALLEN RUN	NATIONAL FUEL GAS SUPPLY CORP.—HEATH STATION
LACKAWANNA	35-028	LA-RUE DAM	SUMMIT LAKE CREEK	PG ENERGY, INC.
LACKAWANNA	35-032	COOLING POND	ROARING BROOK	ERIE LACKAWANNA RAILROAD
LACKAWANNA	35-034	HIGH SERVICE DAM	LEGGETTS CREEK	PENNSYLVANIA—AMERICAN WATER COMPANY
LACKAWANNA	35-157	LINDY RUN DEBRIS BASIN	LINDY CREEK	PA DEPT. OF GENERAL SERVICES
LANCASTER	36-001	UNNAMED	CONESTOGA RIVER	LANCASTER CITY WATER AUTHORITY
LANCASTER	36-015	NOLTS DAM	CONESTOGA RIVER	HARRY M. BURKHOLDER
LANCASTER	36-019	HEISTAND SAWMILL DAM	CHICKIES CREEK	MARIETTA BOROUGH
LANCASTER	36-024	WENGER MILL	CONESTOGA RIVER	PHILIP HELLBERG
LANCASTER	36-028	MILL STREET	COCALICO CREEK	GENE HALLER
LANCASTER	36-121	GROFFS MILL	MILL CREEK	A. STOLTZFUS
LANCASTER	36-138	HENRY EBY DAM	CONESTOGA RIVER	HENRY EBY
LANCASTER	36-140	LIMITED POWER DAM	CONESTOGA CREEK	NOAH ZIMMERMAN
LANCASTER	36-164	UNNAMED	COCALICO CREEK	EPHRATA AREA JOINT AUTHORITY
LANCASTER	36-180	LEXINGTON ROLLER MILL	HAMMER CREEK	GERALD SNAVELY
LANCASTER	36-184	UNNAMED	HAMMER CREEK	PA GAME COMMISSION
LANCASTER	36-194	UNNAMED	LITTLE CHICKIES CREEK	MOUNT JOY BOROUGH
LANCASTER	36-210	UNNAMED	BIG CHICKIES CREEK	BARRY KREIDER

<i>County</i>	<i>DEP Dam No.</i>	<i>Dam Name</i>	<i>Stream</i>	<i>Permittee</i>
LANCASTER	36-219	UNNAMED	GROFF CREEK	SAM WEAVER
LANCASTER	36-220	UNNAMED DAM	GROFF RUN	DAVID SMUCKER
LANCASTER	36-254	UNNAMED DAM	REIFF CREEK	MANHEIM WATER AUTHORITY
LANCASTER	36-282	CONESTOGA DAM	CONESTOGA RIVER	NORMAN & ELIZABETH HAHN AND MS. JO BENDER
LAWRENCE	37-019	MCCONNELLS MILL	SLIPPERY ROCK CREEK	DCNR—BUREAU OF STATE PARKS
LAWRENCE	37-020	KENNEDY MILL	SLIPPERY ROCK CREEK	KENNEDY MILL CORPORATION
LAWRENCE	37-022	VOLANT MILL	NESHANNOCK CREEK	VOLANT MILL
LAWRENCE	37-031	UNNAMED DAM	SLIPPERY ROCK CENTER	SALVATION ARMY, CAMP ALLEGHENY
LEBANON	38-004	UNNAMED	MILL CREEK	WOLGEMUTH, GLENN E., LOREN L., JOHN H., HENRY J. STEI
LEBANON	38-086	UNNAMED	SWATARA CREEK	CITY OF LEBANON AUTHORITY
LEHIGH	39-009	HAMILTON ST	LEHIGH RIVER	DEP—BUREAU OF WATERWAYS ENGINEERING
LEHIGH	39-017	MILL	LITTLE LEHIGH CREEK	SALISBURY TOWNSHIP AUTHORITY
LEHIGH	39-019	MILL	LITTLE LEHIGH CREEK	AMOS WEIDA
LEHIGH	39-020	MILL	LITTLE LEHIGH CREEK	WILDLANDS CONSERVANCY
LEHIGH	39-035	LITTLE LEHIGH DAM	LEHIGH RIVER	CITY OF ALLENTOWN
LEHIGH	39-038	DORNEY PARK	CEDAR CREEK	DORNEY PARK/WILDWATER KINGDOM
LEHIGH	39-043	KERNS DAM	JORDAN CREEK	TREXLER ORCHARDS
LEHIGH	39-046	WEHR'S DAM	JORDAN CREEK	SOUTH WHITEHALL TOWNSHIP
LEHIGH	39-050	UNNAMED	SCHOOL CREEK	LYNN TOWNSHIP SUPERVISORS
LEHIGH	39-060	NORTHAMPTON DAM	LEHIGH RIVER	WHITEHALL CEMENT MANUFACTURING COMPANY
LEHIGH	39-069	UNNAMED	ONTELAUNEE CREEK	NEVIN KEMMERLING
LUZERNE	40-089	UNNAMED DAM	HUNTINGTON CREEK	JON KLEINTOB
LUZERNE	40-110	HEAD GATE DAM	MILL CREEK	PG ENERGY, INC.
LUZERNE	40-177	BECKLEY DAM	PEGGY HUNTER BR HENLOCK CREEK	MS. SAMPSEL
LUZERNE	40-178	UNNAMED DAM	HUNTINGTON CREEK	JON KLEINTOB
LUZERNE	40-204	INTAKE DAM	MILL CREEK	PG ENERGY, INC.
LYCOMING	41-011	HEPBURN STREET DAM	SUSQUEHANNA RIVER	DCNR—BUREAU OF FORESTRY
LYCOMING	41-012	UNNAMED DAM	LARRYS CREEK	JERSEY SHORE WATER COMPANY
MERCER	43-005	CUNNINGHAM MEMORIAL DAM	WOLF RUN	GROVE CITY BOROUGH
MERCER	43-009	UNNAMED	WOLF RUN	GROVE CITY BOROUGH
MERCER	43-035	ORANGEVILLE	PYMATUNING CREEK	US ARMY CORPS OF ENGINEER
MIFFLIN	44-056	LICKING CREEK DAM	WEST LICKING CREEK	MOUNT UNION BOROUGH
MONROE	45-029	UNNAMED	MCMICHAEL CREEK	BOROUGH OF STOUDSBURG
MONROE	45-058	SHAEFF & PETERS DAM	POCONO CREEK	NEW GLEN BROOK EAST LP
MONROE	45-086	POCONO MANOR DAM	SWIFTWATER CREEK	POCONO MANOR, INC.
MONTGOMERY	46-001	NORRISTOWN DAM (SWEDE STREET)	SCHUYLKILL RIVER	MONTGOMERY COUNTY COMMISSIONERS
MONTGOMERY	46-010	THOMPSON DAM	WISSAHICKON CREEK	WHITPAIN TOWNSHIP MUNICIPAL IMPROVEMENT AUTH
MONTGOMERY	46-017	UNNAMED	MANATAWNY CREEK	WEST POTTS GROVE TOWNSHIP
MONTGOMERY	46-027	BLACK ROCK	SCHUYLKILL RIVER	PHILADELPHIA ELECTRIC COMPANY

<i>County</i>	<i>DEP Dam No.</i>	<i>Dam Name</i>	<i>Stream</i>	<i>Permittee</i>
MONTGOMERY	46-030	PLYMOUTH DAM	SCHUYLKILL RIVER	DEP—BUREAU OF ABANDONED MINE RECLAMATION
MONTGOMERY	46-050	WETHERILL DAM	PERKIOMEN CREEK	PHILADELPHIA SUBURBAN CORPORATION
MONTGOMERY	46-054	COLLEGEVILLE	PERKIOMEN CREEK	BOROUGH OF COLLEGEVILLE
MONTGOMERY	46-057	LEIDY DAM	SWAMP CREEK	MONTGOMERY COUNTY COMMISSIONERS
MONTGOMERY	46-104	BRANCHWOOD PARK	EAST BRANCH PERKIOMEN CREEK	FRANCONIA & SALFORD TOWNSHIP PARK
MONTGOMERY	46-149	UNNAMED	GULPH CREEK	GEORGE W. VEALE
MONTGOMERY	46-215	CLUB DAM	ZACHARIAS CREEK	DCNR—BUREAU OF STATE PARKS
MONTGOMERY	46-308	UNNAMED	TR PENNYPACK CREEK	HELEN LAPP
MONTOUR	47-001	DYERS DAM	ROARING CREEK	ZEHNER BROTHERS
MONTOUR	47-003	SERVICE WATER DAM	MAHONING CREEK	DANVILLE BOROUGH
NORTHAMPTON	48-012	EASTON	LEHIGH RIVER	DCNR—BUREAU OF STATE PARKS
NORTHAMPTON	48-013	CHAIN DAM	LEHIGH RIVER	DEP—BUREAU OF WATERWAYS ENGINEERING
NORTHAMPTON	48-021	WALTERS MILL POND	BUSHKILL CREEK	PALMER TOWNSHIP
NORTHAMPTON	48-022	WATER POWER DAM	BUSHKILL CREEK	INCUBATOR BUSINESS SERVICES
NORTHAMPTON	48-023	UPPER DAM	BUSHKILL CREEK	HARCROSS PIGMENTS, INC.
NORTHAMPTON	48-038	MILL DAM	MONOCACY CREEK	EASTLAKE MONTESSORI EDUCATION
NORTHAMPTON	48-038	MILL DAM	MONOCACY CREEK	DR. LEON A. C. & BEVERLY ISAAC
NORTHAMPTON	48-056	UNNAMED	BUSHKILL CREEK	RICHARD AND LORRAINE FIELD
NORTHUMBERLAND	49-018	NO. 1 DAM	LITTLE SHAMOKIN CREEK	MUNICIPAL AUTHORITY CITY OF SUNBURY
NORTHUMBERLAND	49-028	UNNAMED	GLADE RUN	MUNCY BOROUGH WATER DEPARTMENT
NORTHUMBERLAND	49-041	DIVERSION DAM	SUSQUEHANNA RIVER	PENNSYLVANIA POWER & LIGHT COMPANY
PERRY	50-024	UNNAMED	SHERMAN CREEK	H. R. WENTZEL SONS, INC.
PERRY	50-043	WAGGONER DAM	BIXLERS RUN	EDWARD COSTIK, JR.
PERRY	50-044	SHERMANS CREEK	SHERMAN CREEK	BOY SCOUTS OF AMERICA
PERRY	50-053	UNNAMED	SHERMAN CREEK	CARSON LONG INSTITUTE
PHILADELPHIA	51-001	FLAT ROCK	SCHUYLKILL RIVER	DEP—BUREAU OF ABANDONED MINE RECLAMATION
PHILADELPHIA	51-002	FAIRMOUNT	SCHUYLKILL RIVER	CITY OF PHILADELPHIA—FAIRMONT PARK COMMISSION
PHILADELPHIA	51-008	DEBRIS DAM	TACONY CREEK	CITY OF PHILADELPHIA
PHILADELPHIA	51-009	MARGAREE DAM	WISSAHICKON CREEK	CITY OF PHILADELPHIA—FAIRMONT PARK COMMISSION
PIKE	52-107	SNYDER DAM NO. 2	TOMS CREEK	POCONO MOUNTAIN LAKE ESTATES COMMUNITY ASS
PIKE	52-109	GUN CLUB DAM	DWARFSKILL CREEK	SEAN STRUB
POTTER	53-045	OLE BULL DAM	KETTLE CREEK	DCNR—BUREAU OF STATE PARKS
POTTER	53-058	BERGER LAKE	PINE CREEK	BOROUGH OF GALETON
SNYDER	55-002	FRANKLIN MILL DAM	MIDDLE CREEK	DANIEL L. EDELMAN
SNYDER	55-018	UNNAMED	BEAVER CREEK	WARREN DUTROW
SNYDER	55-027	UNNAMED	NORTH BRANCH MAHANTANGO CREEK	PHIL APPLE
SNYDER	55-044	SUNBURY FABRIDAM	SUSQUEHANNA RIVER	DCNR—BUREAU OF STATE PARKS
SOMERSET	56-028	BORDER INTAKE	STONY CREEK	MANUFACTURERS WATER COMPANY
SOMERSET	56-051	UNNAMED DAM	KIMBERLY RUN	JOSEPH J. POLAKOSKI

<i>County</i>	<i>DEP Dam No.</i>	<i>Dam Name</i>	<i>Stream</i>	<i>Permittee</i>
SOMERSET	56-060	WHIPKEY	LAUREL HILL CREEK	LAUREL VALLEY LAND COMPANY
SULLIVAN	57-040	SPLASH POND	MEHOOPANY CREEK	PA GAME COMMISSION
SUSQUEHANNA	58-002	FOREST CITY DAM	LACKAWANNA RIVER	PENNSYLVANIA AMERICAN WATER COMPANY
TIOGA	59-009	UNNAMED	MORRIS RUN	HILLSIDE ROD & GUN CLUB
TIOGA	59-059	COLLEGE DAM	CORRY CREEK	MANSFIELD UNIVERSITY OF PENNSYLVANIA
UNION	60-009	HOFFA DAM	BUFFALO CREEK	GROVE MILLS
UNION	60-051	UNNAMED	TR SUSQUEHANNA RIVER	PA HOUSE FURNITURE CO. CASE GOODS PLANT
UNION	60-055	BAILEY DAM	TR TURTLE CREEK	LUTHER BAILEY
UNION	60-058	PENN'S CREEK CAMPGROUND DAM	PENNS CREEK	CAROL FORCHESKIE
VENANGO	61-003	UNNAMED, PORCUPINE CRK.	LAKE CREEK	NATIONAL FUEL GAS
WARREN	62-031	TIDIOUTE WATER SUPPLY INTAKE DAM	BEN GEORGE RUN	S. W. WARREN COUNTY MUNICIPAL AUTHORITY
WASHINGTON	63-011	INTAKE DAM	TENMILE CREEK	MARIANNA BOROUGH
WASHINGTON	63-018	UNNAMED	LITTLE TENMILE CREEK	CARNEGIE GAS COMPANY
WAYNE	64-014	COLLINS POND DAM (LAKE WANOKA)	TR MIDDLE CREEK	ROY RENNINGER
WAYNE	64-045	SHAFFER POWER DAM	MIDDLE CREEK	RUTH LANGE
WAYNE	64-053	WOOLN MILL DAM	WEST BRANCH LACKAWANNA RIVER	SEELYVILLE FIRE COMPANY
WAYNE	64-061	LOWER WILCOX POND	LOWER POND OUTLET	GABRIELLE FELDMAN
WAYNE	64-067	TYLER HILL DAM	NORTH BRANCH CALKINS CREEK	JOHN AND PATRICIA CULLEN
WAYNE	64-167	DEBRIS DAM NO. 1	MIDDLE CREEK	DEP—BUREAU OF WATERWAYS ENGINEERING
WAYNE	64-168	DEBRIS DAM NO. 2	MIDDLE CREEK	DEP—BUREAU OF WATERWAYS ENGINEERING
WESTMORELAND	65-006	LOWER BRIDGEPORT	JACOBS CREEK	WESTMORELAND COUNTY COMMISSIONERS
WESTMORELAND	65-020	KINGSTON DAM	LOYALHANNA CREEK	LATROBE MUNICIPAL AUTHORITY
YORK	67-029	MYERS MILL	CODORUS CREEK	WILLIAM S. CARTER
YORK	67-029	MYERS MILL	CODORUS CREEK	JOHN FLURY
YORK	67-043	UNNAMED	SOUTH BRANCH CODORUS CREEK	ROBIN SMITH AND ANNE MUREN
YORK	67-046	DIETZ MILL DAM	KRENTZ CREEK	THOMAS J. BAIR
YORK	67-093	HYKES DAM	BIG CONEWAGO CREEK	RAY HYKES
YORK	67-136	EISENHART MILL DAM	CONEWAGO CREEK	C. W. EISENHART
YORK	67-137	ORT MILL DAM	CONEWAGO CREEK	MICHAEL F. LEHMAN
YORK	67-148	EMIGS MILL DAM (DETTERS MILL)	CONEWAGO CREEK	ORPHAN DAM
YORK	67-467	SHADY NOOK DAM	BIG CONEWAGO CREEK	BRIAN WALLACE

[Pa.B. Doc. No. 99-507. Filed for public inspection March 26, 1999, 9:00 a.m.]

Availability of Guidance

Guidance Documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "January 1999 Inventory" heading is the Governor's List of Nonregulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus

and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1999.

Ordering Paper Copies of DEP Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final

documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Notice of Intent to Rescind Technical Guidance

DEP ID: 562-3900-401 Title: Citizens' Complaints and Requests: Receiving, Tracking, Response and Filing (BMR PGM Section I, Part 04, Subpart 1); and DEP ID: 562-3900-403 Title: Citizens' Complaints: Appeal Procedures (BMR PGM Section I, Part 04, Subpart 3) Background: These documents are unnecessary as their contents have been combined and included in 562-3990-402, entitled Citizens' Requests: Receiving, Tracking, Investigating, Appealing and Filing, which became effective on November 30, 1998. Contact: John Meehan at (717) 783-9388.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-508. Filed for public inspection March 26, 1999, 9:00 a.m.]

Proposed General Plan Approval and General Operating Permit (BAQ-GPA/GP-10); Nonheatset Web Offset Lithographic Printing Press

The Department of Environmental Protection (Department) proposes to issue general plan approvals and operating permits for nonheatset web offset lithographic printing presses (hereinafter referred to as the "Nonheatset Web Press General Permit"). This general plan approval and operating permit, authorized under section 6.1(f) of the Air Pollution Control Act, applies only to plants that are not major volatile organic compound (VOC) or major hazardous air pollutant (HAP) emitting facilities.

The proposed general plan approval and general operating permit contains conditions that prescribe applicable performance standards, emission limits, monitoring, recordkeeping and reporting requirements for nonheatset web offset lithographic printing presses. The proposed general plan approval and operating permit may also be used to authorize the construction of new nonheatset web offset lithographic printing presses. Major facilities, as defined in 25 Pa. Code § 121.1 (relating to definitions), may use the general plan approval/general permit as a plan approval so long as major source permitting requirements are not triggered.

The proposed Nonheatset Web Press General Permit is the second air quality general plan approval/general permit prepared in consultation with the Graphic Arts Association and the Graphic Arts Technical Foundation. The Graphic Arts Technical Foundation has prepared guidance for the industry to determine if graphic arts facilities are subject to the permitting requirements, as

well as, recordkeeping and reporting forms for showing compliance with the Nonheatset Web Press General Permit requirements.

Prior to operating under the Nonheatset Web Press General Permit, the owner or operator of the source must notify the Department and receive prior written approval from the Department before commencing to operate the affected facility. The owner or operator of an affected facility proposing to operate under this general permit shall notify the Department on a form provided by the Department and receive prior written approval to operate under the Nonheatset Web Press General Permit. The owner or operator of nonheatset web offset lithographic printing presses operating under this general permit must comply with the terms and conditions of the general plan approval and general operating permit.

Authorization to operate under the Nonheatset Web Press General Permit will be valid for a term of 5 years. A plan approval application fee is required each time the permittee constructs nonheatset web offset lithographic printing presses in accordance with Nonheatset Web Press General Permit. The Department proposes to establish plan approval application, operating permit application and operating permit renewal fees as follows:

- a. Two hundred fifty dollars during the 1999 calendar year.
- b. Three hundred dollars during the 2000-2004 calendar years.
- c. Three hundred seventy-five dollars beginning in the 2005 calendar year.

Within 30 days of the expiration date of the authorization to operate under the general plan approval and general operating permit, the permittee must renew the authorization if the facility intends to continue to operate under the Nonheatset Web Press General Permit.

A complete copy of the proposed Nonheatset Web Press General Permit may be obtained by contacting Kimberly Maneval, Division of Permits, Bureau of Air Quality, 12th Floor Rachel Carson State Office Building, P.O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. TDD users may telephone the Department through the AT&T Relay Service, (800) 654-5984. Internet users can access a copy of the general permit at <http://www.dep.state.pa.us>.

The Department requests written comments on the proposed general plan approval and operating permit. Notice and opportunity for comment will also be provided to the United States Environmental Protection Agency and the States of Delaware, Maryland, New Jersey, New York, Ohio, Virginia and West Virginia. Interested persons may submit written comments, suggestions or objections to Douglas L. Leshner, Chief, Title V/NSR Section, Division of Permits, Bureau of Air Quality, 12th Floor Rachel Carson State Office Building, P.O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. Public comments must be submitted to the Department by May 11, 1999. Comments received by facsimile will not be accepted. The Department will also consider holding a public hearing on the proposed Nonheatset Web Press General Permit if written requests for a public hearing are received during the public comment period.

JAMES M. SEIF,
Secretary

1. *Statutory Authority and General Description*—In accordance with section 6.1(f) of the Air Pollution Control Act (35 P. S. § 4006.1), and 25 Pa. Code § 127.622 (relating to compliance with general plan approvals and gen-

eral operating permit conditions), the Department of Environmental Protection (Department) hereby issues this general plan approval and general operating permit for nonheatset web offset lithographic printing presses (hereinafter referred to as "Nonheatset Web Press General Permit").

2. *Applicability/Source Coverage Limitations*—This Nonheatset Web Press General Permit is designed to serve as either a general plan approval or as a general operating permit for printers who exclusively use nonheatset web offset lithographic printing presses or have one or more nonheatset web offset lithographic presses located in a facility. The specific use of the general permit will depend upon permit status, emission levels and location of the facility as outlined below.

Approval herein granted to operate under this Nonheatset Web Press General Permit is limited to a facility engaged in printing on nonheatset web offset lithographic printing presses as defined in Condition 16 of this permit. This Nonheatset Web Press General Permit has been established in accordance with the provisions described in 25 Pa. Code Chapter 127, Subchapter H (relating to general plan approvals and operating permits). If additional types of printing or manufacturing is conducted at the facility that can not be regulated by the requirements of this general permit, an operating permit issued in accordance with 25 Pa. Code Chapter 127, Subchapter F (relating to operating permits) will be required, or, if the facility is a Title V facility, a Title V operating permit issued in accordance with Subchapter F and Subchapter G (relating to Title V operating permits) will be required.

Operating Permit

This Nonheatset Web Press General Permit is not intended for use by a Title V facility as defined in 25 Pa. Code § 121.1. A "Title V facility" includes sources that have actual emissions or a potential to emit (PTE) equal to or greater than the maximum permitted emission levels shown in the following table for a single facility: A facility is eligible to operate under this Nonheatset Web Press General Permit if its actual emissions will remain below the maximum permitted emission levels listed below. A nonheatset web offset lithographic printing press facility is exempted from the permit requirements of § 127.402 (relating to general provisions) if it is demonstrated that the facility's actual emissions are less than the permit exemption levels in this section.

<i>Pollutant</i>	<i>Maximum Permitted Emission Levels/Facility</i>	<i>Facility Permit Exemption Levels</i>
CO	<100 TPY	<20 TPY
NOx	<100 TPY *	<10 TPY
SOx	<100 TPY	<8 TPY
VOCs	<50 TPY *	<8 TPY
PM ₁₀	<100 TPY	<3 TPY
HAP **	<10 TPY	<1 TPY
HAPs	<25 TPY	<2.5 TPY

*<25 TPY for Severe nonattainment area including Bucks, Chester, Delaware, Montgomery and Philadelphia counties.

**See Table A for a list of hazardous air pollutants.

This Nonheatset Web Press General Permit can be used for any facility engaged in nonheatset web offset printing with actual emissions less than those identified above as the maximum permitted emission levels.

Plan Approval

This Nonheatset Web Press General Permit shall also serve as a general plan approval for nonheatset web offset lithographic printing press that meet the requirements specified in Conditions 17, 18, 19 and 20 of the general permit. The installation or modification of each nonheatset web offset lithographic printing press that meets the following criteria is exempt from plan approval requirements if the press:

- a. emits volatile organic compounds (VOCs) at a rate less than 2.7 tons per year (tpy), and;
- b. emits a single hazardous air pollutant (HAP) at a rate less than 1 tpy, and;
- c. emits a combination of hazardous air pollutants (HAPs) rates less than 2.5 tons of all HAPs combined per year, or;
- d. has a cylinder width 17 inches or less.

Facilities claiming an exemption based on the emissions-based criteria (a)—(c) must provide a 15-day prior written notification to the Department indicating that VOC/HAP emission increases will not exceed the emissions-based criteria.

The modification of a nonheatset web offset lithographic printing press includes the addition of a printing unit, coating unit, or other changes that would increase the facility's emission of VOCs or HAPs above the exemption levels specified in criteria (a)—(c).

3. *Application for Use*—Any person proposing to operate, install or modify a nonheatset web offset lithographic press under this Nonheatset Web Press General Permit shall notify the Department using the Nonheatset Web Offset Lithographic Printing Press General Permit Application provided by the Department. In accordance with 25 Pa. Code § 127.621 (relating to application for use of general plan approvals and general operating permits), the applicant shall receive prior written approval from the Department prior to operating under the general permit.

4. *Compliance*—Any applicant authorized to operate a nonheatset web offset lithographic printing presses under this Nonheatset Web Press General Permit shall comply with the terms and conditions of the general permit. The nonheatset web offset lithographic printing presses shall be:

- a. Operated in such a manner as not to cause air pollution.
- b. Operated and maintained in a manner consistent with good operating and maintenance practices.
- c. Operated and maintained in accordance with the manufacturer's specifications and the applicable terms and conditions of this Nonheatset Web Press General Permit.

5. *Permit Modification, Suspension and Revocation*—This Nonheatset Web Press General Permit may be modified, suspended or revoked if the Department determines that affected nonheatset web offset lithographic printing presses cannot be regulated under this general permit. Authorization to use this Nonheatset Web Press General Permit shall be suspended or revoked if the permittee fails to comply with applicable terms and conditions of the Nonheatset Web Press General Permit.

The approval herein granted to operate the nonheatset web offset lithographic printing presses shall be sus

pended, if, at any time, the permittee causes, permits or allows any modification without Departmental approval (as defined in 25 Pa. Code § 121.1) of the nonheatset web offset lithographic printing presses covered by this general permit. Upon suspension of the general permit, the permittee may not continue to operate or use said nonheatset web offset lithographic printing presses. If warranted, the Department will require that the nonheatset web offset lithographic printing presses be permitted under the state operating permit and/or Title V operating permit program requirements in 25 Pa. Code Chapter 127, as appropriate.

6. *Notice Requirements*—The applications and notifications required by 25 Pa. Code § 127.621 shall be submitted to the appropriate Regional Office responsible for issuing general permits in the county in which the nonheatset web offset lithographic printing press is, or will be, located. As required under § 127.621(b) the application shall be either hand delivered or transmitted by certified mail return receipt requested.

The permittee shall notify the Department, in writing, within 24 hours of the discovery of any malfunction during a business day or by 5 p.m. on the first business day after a weekend or holiday of any malfunction of the nonheatset web offset lithographic printing press(es) which results in, or may result in, the emission of air contaminants in excess of the limitations specified in, or established pursuant to, any applicable rule or regulation contained in 25 Pa. Code Part I, Subpart C, Article III (relating to air resources).

7. *Sampling and Testing*—The permittee shall, upon the request of the Department, provide input material analyses, or input material samples used in any nonheatset web offset lithographic printing presses authorized to operate under this general permit.

8. *Monitoring, Recordkeeping and Reporting*—The permittee shall comply with applicable monitoring, recordkeeping and reporting requirements set forth in 25 Pa. Code Chapter 139 (relating to sampling and testing, the Air Pollution Control Act, the Clean Air Act, and the applicable regulations under the acts).

9. *Term of Permit*—The Nonheatset Web Press General Permit is issued for a fixed term of 5 years. The Department will notify each applicant, by letter, when approval to operate under this general permit is granted.

10. *Permit and Administrative Fees*—The Nonheatset Web Press General Permit establishes the following application and renewal fees payable every 5 years if no equipment changes occur:

a. Two hundred fifty dollars during the 1999 calendar year.

b. Three hundred dollars during the 2000-2004 calendar years.

c. Three hundred seventy-five dollars beginning in the 2005 calendar year.

An additional plan approval application fee as indicated above is required each time the permittee installs or modifies a nonheatset web offset lithographic printing press. The installation or modification of a nonheatset web offset lithographic printing press must be conducted according to the terms and conditions of this general permit. Two or more nonheatset web offset lithographic printing presses may be installed under a single plan approval fee.

11. *Expiration and Renewal of Permit*—The permittee's right to operate under this Nonheatset Web Press General Permit terminates on the date of expiration of this permit unless a timely and complete application for the renewal of the general permit is submitted to the Department at least 30 days prior to the permit expiration date.

Upon receipt of a complete and timely application for renewal, the nonheatset web offset lithographic printing presses may continue to operate subject to final action by the Department on the renewal application. This protection shall cease to exist if, subsequent to a completeness determination, the applicant fails to submit by the deadline specified in writing by the Department any additional information required by the Department to process the renewal application.

The Nonheatset Web Press General Permit application for renewal shall include the identity of the owner or operator, location of the nonheatset web offset lithographic printing presses, current permit number, description of source category, the appropriate renewal fee listed in Condition 10 of this permit and any other information requested by the Department. At a minimum, the permit renewal fee shall be submitted to the Department at least 30 days prior to the expiration of the Nonheatset Web Press General Permit.

12. *Applicable Laws*—Nothing in this Nonheatset Web Press General Permit relieves the permittee from its obligation to comply with all applicable Federal, State and local laws and regulations.

13. *Prohibited Use*—Any air contamination source that is subject to the requirements of 25 Pa. Code Chapter 127, Subchapter D (relating to prevention of significant deterioration), 25 Pa. Code Chapter 127, Subchapter E (relating to new source review) 25 Pa. Code Chapter 127, Subchapter G (relating to Title V operating permits), or 25 Pa. Code § 129.91 (relating to control of major sources of NO_x and VOCs), may not operate under this Nonheatset Web Press General Permit. Title V facilities may use this Nonheatset Web Press General Permit as a general plan approval when the major new source review and prevention of significant deterioration requirements are not applicable.

14. *Transfer of Ownership or Operation*—The permittee may not transfer the Nonheatset Web Press General Permit except as provided in 25 Pa. Code § 127.464 (relating to transfer of operating permits).

15. *Plan Approval*—This Nonheatset Web Press General Permit authorizes the construction and operation of nonheatset web offset lithographic printing press(es) that meet the best available technology (BAT) required under 25 Pa. Code §§ 127.1 and 127.12(a)(5). For purposes of this general permit, the emission limits specified in Conditions 17, 18, 19 and 20 of this general permit are BAT for nonheatset web offset lithographic printing presses.

16. *Definitions*—For purposes of this Nonheatset Web Press General Permit, the following definitions apply:

a. *Alcohol*—A class of compounds containing the hydroxyl group OH. The term includes any of the following compounds, when used as a fountain solution additive for offset lithographic printing: ethanol, n-propanol and isopropanol.

b. *Alcohol Substitutes*—Nonalcohol additives that contain VOCs and are used in the fountain solution. The

term includes additives used to reduce the surface tension of water or prevent piling (ink build-up).

c. *Automatic Blanket Wash System*—Equipment used to remotely clean lithographic blankets which may include, but is not limited to those utilizing a cloth and expandable bladder, brush, spray or impregnated cloth system.

d. *Batch*—A supply of fountain solution that is prepared and used without alteration until completely used or removed from the printing process. For the purposes of this general permit, this term includes solutions that are either prepared in discrete batches or solutions that are continuously blended with automix units.

e. *Cleaning Solution*—Liquid solvents or solutions used to remove ink and debris from the operating surfaces of the printing press and its parts.

f. *Dampening System*—Equipment used to deliver the fountain solution to the lithographic plate.

g. *Fountain Solution*—A mixture of water, non-volatile printing chemicals, and an additive (liquid) that reduces the surface tension of the water so that it spreads easily across the printing plate surface. The fountain solution wets the nonimage area so that the ink is maintained within the image areas. Nonvolatile additives include mineral salts and hydrophilic gums. For the purpose of this general permit, the additives may include a VOC content of 5.0% or less. Alcohol and alcohol substitutes, including isopropyl alcohol, glycol ethers, and ethylene glycol, are the most common VOC additives used to reduce the surface tension of the fountain solution.

h. *Fountain Solution Recirculating Reservoir*—The collection tank which accepts fountain solution recirculated from printing units. The tanks typically contain a coarse filter to remove contaminants from the fountain solution and in some cases, are equipped with cooling coils for refrigeration of the fountain solution.

i. *Inking System*—A series of rollers used to meter the ink onto the lithographic plate. The system can include agitators, pumps and totes and other types of ink containers.

j. *Lithography*—A planographic printing process where the image and nonimage areas are chemically differentiated; the image area is oil receptive and the nonimage area is water receptive. This method differs from other printing methods, where the image is typically printed from a raised or recessed surface.

k. *Non-heatset*—A lithographic printing process where the printing inks are set without the use of heat. Traditional nonheatset inks set and dry by absorption and/or oxidation of the ink oils. For the purposes of this general permit, ultraviolet-cured and electron beam-cured inks are considered non-heatset, although radiant energy is required to cure these inks.

l. *Offset*—A printing process that transfers the ink film from the lithographic plate to an intermediary surface (blanket), which, in turn, transfers the ink film to the substrate.

m. *Press*—For purposes of this general permit, a printing production assembly composed of one or more units used to produce a printed substrate or a web. The term includes any associated coating, spray powder application, or infra-red heating units.

n. *Unit*—The smallest complete printing component, composed of inking and dampening systems, of a printing press.

o. *VOC Composite Partial Vapor Pressure*—The sum of the partial pressure of the compounds defined as VOCs. VOC composite partial pressure is calculated as follows:

$$PP_c = \sum_{i=1}^n \frac{(W_i)(VP_i) / MW_i}{\frac{W_w}{MW_w} + \frac{W_c}{MW_c} + \sum_{i=1}^n \frac{W_i}{MW_i}}$$

Where:

W_i = Weight of the "i"th VOC compound, in grams

W_w = Weight of water, in grams

W_c = Weight of exempt compound, in grams

MW_i = Molecular weight of the "i"th VOC compound, in g/g-mole

MW_w = Molecular weight of water, in g/g-mole

MW_c = Molecular weight of exempt compound, in g/g-mole

PP_c = VOC composite partial pressure at 20°C, in mm Hg

VP_i = Vapor pressure of the "i"th VOC compound at 20°C, in mm Hg

p. *Web*—A continuous roll of paper used as the printing substrate in a printing process.

17. *Equipment Standards for Fountain Solutions*—Any nonheatset web offset lithographic printing presses subject to this Nonheatset Web Press General Permit shall meet one of the following requirements for the fountain solution used on that press:

a. Maintain the as applied VOC content of the fountain solution at or below 5.0% by weight, and;

b. The fountain solution shall contain no alcohol.

18. *Equipment Standards for Blanket and Roller Cleaning Solutions*—Any blanket and roller cleaning solution used on a nonheatset web offset lithographic printing press subject to the terms and conditions this Nonheatset Web Press General Permit shall meet one of the following requirements:

a. VOC content, as applied, is less than or equal to 30 percent by weight, or;

b. VOC composite partial vapor pressure, as used, is less than or equal to 10 mm Hg at 20°C (68°F).

c. The use of cleaning solutions not meeting Conditions 18(a) or (b) is permitted provided that the quantity used does not exceed 55 gallons over any twelve consecutive months.

19. *Equipment Standards for Solvent Containers*—Any owner/operator of a nonheatset web offset lithographic printing presses subject to this Nonheatset Web Press General Permit shall keep all solvent containers closed at all times unless filling, draining, or performing cleanup operations.

20. *Equipment Standards for Solvent Laden Shop Towels*—Any owner/operator of a nonheatset web offset lithographic printing presses subject to this Nonheatset Web Press General Permit shall keep all solvent laden shop towels in a closed container when not being used.

21. *Testing of Fountain Solutions*—Any owner/operator of a nonheatset web offset lithographic printing presses subject to this Nonheatset Web Press General Permit shall determine the VOC content of fountain solution by one of the following procedures:

a. Analysis by USEPA Method 24 of a fountain solution sample,

b. Calculation which combines USEPA Method 24 analytical VOC content data for the concentrated materials used to prepare the press ready fountain solution and

records of the proportions in which they are mixed. The calculation shall only be performed once for each press ready fountain solution and kept in the form of a batch log. See the Fountain Solution Batch VOC Content Form and Fountain Solution VOC Addition Form attached to this general permit. The analysis of the concentrated fountain solution may be performed by the suppliers of those materials.

22. *Testing of Blanket and Roller Cleaning Solutions*—Any owner/operator of a nonheatset web offset lithographic printing presses subject to this Nonheatset Web Press General Permit shall determine the VOC content or VOC composite partial vapor pressure of cleaning solutions by one of the following procedures:

a. Analysis by USEPA Method 24 of a cleaning solution sample for VOC content or by an appropriate method for composite partial vapor pressure,

b. Calculation which combines USEPA Method 24 analytical VOC content data for the concentrated materials used to prepare the press ready cleaning solution and records of the proportions in which they are mixed. The calculation shall only be performed once for each press ready cleaning solution and kept in the form of a batch log. See the Cleaning Solution Batch VOC Content Form attached to this general permit. The analysis of the concentrated cleaning solution may be performed by the suppliers of those materials,

c. Calculation for VOC composite partial vapor pressure which combines analytical VOC vapor pressure data for the concentrated materials used to prepare the press ready cleaning solution and records of the proportions in which they are mixed. The analysis and vapor pressure determinations of the concentrated materials may be performed by the suppliers of the materials.

23. *Monitoring Requirements for Automatic Blanket Wash Systems*—Any owner/operator of a nonheatset web offset lithographic printing presses subject to this Nonheatset Web Press General Permit using an automatic blanket wash system that mixes cleaning solution

at the point of application must demonstrate compliance with the VOC limitation in Condition 18(a) or (b), shall document that flow meters or fixed volume spray systems result in the VOC content of the mixed solution complies with Condition 18(a) or (b) of the general permit.

24. *Recordkeeping Requirements*—Any owner/operator of a nonheatset web offset lithographic printing presses subject to this Nonheatset Web Press General Permit shall collect and record the applicable information specified in this Condition. The information shall be maintained at the facility for a minimum of 5 years. The Department or an authorized representative of the Department shall, at reasonable times, have access to and require the production of books, papers or records, as the Department may reasonable prescribe relevant to compliance with the terms and conditions in this general permit. The information required includes the following:

a. For each nonheatset web offset lithographic ink or conventional varnish used: the monthly consumption in pounds or gallons; the percent by weight VOC and HAP content, as applied; and, an estimate of VOC and HAP emissions. Alternately, the ink with the highest VOC and HAP content may be used to represent all inks used by all nonheatset web offset lithographic printing presses.

b. For each fountain solution and additive: the monthly consumption in pounds or gallons; the percent by weight or weight to volume ratio (lbs/gal) VOC and HAP content and an estimate of VOC and HAP emissions.

c. For each blanket and roller cleaning solution used: the monthly consumption in pounds or gallons; the percent by weight or weight to volume ratio (lbs/gal) VOC and HAP content and an estimate of VOC and HAP emissions.

d. For each month of operation, the volume of all cleaning solution used which does not meet Condition 18(a) or (b).

e. For each month of operation, an estimate of VOC and HAP emissions during the latest 12 months.

Fountain Solution Batch VOC Content Form

Fountain Solution Concentrate

Name: _____

Formula Number: _____

Density(lbs/gal)*: _____

VOC Content (lbs/gal)**: _____

Fountain Solution Additive

Name: _____

Formula Number: _____

Density(lbs/gal)*: _____

VOC Content (lbs/gal)**: _____

* Density may be obtained from data on the Material Safety Data Sheet or determined by multiplying the specific gravity from the MSDS by 8.33 pounds per gallon.

** VOC content may be determined by either using the Material Safety Data Sheet, conducting USEPA Method 24, or by summing the percent composition of each individual VOC and multiplying it by the density. Do not include exempt VOCs, especially Methylene Chloride and 1,1,1-Trichloroethane.

_____ Ounces of Fountain Concentrate Added Per Gallon of Water.

_____ Ounces of Fountain Additive Added Per Gallon of Water.

Press Ready VOC Concentration:

1. Weight of VOC in Concentrate = $\frac{\text{Oz. Concentrate} \times \text{VOC Content (lbs/gal)}}{128 \text{ oz/gal}}$
2. Weight of VOC in Additive = $\frac{\text{Oz. Additive} \times \text{VOC Content (lbs/gal)}}{128 \text{ oz/gal}}$
3. Weight Percent VOC = $\frac{\text{Result of Steps 1+2}}{\text{Result of 1+2} + 8.33}$

Fountain Solution VOC Addition Form

Indicate When Any VOC Is Added To Press Ready Fountain Solution

<i>Date</i>	<i>Press or Fountain Recirculator</i>	<i>Material Added</i>	<i>Amount Added In Ounces</i>	<i>Final VOC Content Weight Percent</i>

Final Press Ready VOC Concentration:

1. Weight of VOC in Concentrate = $\frac{\text{Oz. Concen.} \times \text{VOC Content (lbs/gal)}}{128 \text{ oz/gal}}$
2. Weight of VOC in Additive = $\frac{\text{Oz. Additive} \times \text{VOC Content (lbs/gal)}}{128 \text{ oz/gal}}$
3. Weight of VOC Added = $\frac{\text{Oz. Added VOC} \times \text{VOC Content (lbs/gal)}}{128 \text{ oz/gal}}$
4. Weight Percent VOC = $\frac{\text{Result of Steps 1+2+3}}{\text{Result of 1+2+3} + 8.33}$

Cleaning Solution Batch VOC Content Form

Cleaning Solution Concentrate

Name: _____

Formula Number: _____

Density(lbs/gal)*: _____

VOC Content (lbs/gal)**: _____

Cleaning Solution Additive

Name: _____

Formula Number: _____

Density(lbs/gal)*: _____

VOC Content (lbs/gal)**: _____

* Density may be obtained from the Material Safety Data Sheet or by multiplying the specific gravity from the MSDS by 8.33 pounds per gallon.

** VOC content may either be obtained from the Material Safety Data Sheet, conducting USEPA Method 24, or determined by summing the percent composition of each individual VOC and multiplying it by the density. Do not include exempt VOCs, especially Methylene Chloride and 1,1,1-Trichloroethane.

_____ Ounces of Cleaning Solution Concentrate Added Per Gallon of Water.

_____ Ounces of Cleaning Solution Additive Added Per Gallon of Water.

Press Ready VOC Concentration:

1. Weight of VOC in Concentrate = $\frac{\text{Oz. Concentrate} \times \text{VOC Content (lbs/gal)}}{128 \text{ oz/gal}}$
2. Weight of VOC in Additive = $\frac{\text{Oz. Additive} \times \text{VOC Content (lbs/gal)}}{128 \text{ oz/gal}}$
3. Weight Percent VOC = $\frac{\text{Result of Steps 1+2}}{\text{Result of 1+2} + 8.33}$

Nonheatset Web Press General Permit Recordkeeping Format

Month: _____

Inks:

<i>Vendor</i>	<i>Color</i>	<i>Formula #</i>	<i>VOC Content¹</i>	<i>HAP</i>	<i>HAP Content²</i>	<i>Usage³</i>	<i>VOC⁷ Emissions</i>	<i>HAP⁷ Emissions</i>
ABC Inks	Black	P-45701	15%	N/A	N/A	10,000 lbs.		

Fountain Solution Concentrate:

<i>Vendor</i>	<i>Formula #</i>	<i>VOC Content⁴</i>	<i>VOC Content As Applied⁴</i>	<i>HAP</i>	<i>HAP Content⁵</i>	<i>Usage³</i>	<i>VOC⁷ Emissions</i>	<i>HAP⁷ Emissions</i>
Wet All I	WA-001	2.3	4.5%	2-Butoxy-ethanol	2.3	200 gal		

Fountain Solution Additive:

<i>Vendor</i>	<i>Formula #</i>	<i>VOC Content⁴</i>	<i>VOC Content As Applied⁴</i>	<i>HAP</i>	<i>HAP Content⁵</i>	<i>Usage³</i>	<i>VOC⁷ Emissions</i>	<i>HAP⁷ Emissions</i>
Wet All II	WA-002	6.0	4.5%	2-Butoxy-ethanol	6.0	200 gal		

Cleaning Solutions:

<i>Vendor</i>	<i>Formula #</i>	<i>VOC Content⁴</i>	<i>VOC Content As Applied⁴</i>	<i>Vapor Pressure⁶</i>	<i>HAP</i>	<i>HAP Content⁵</i>	<i>Usage³</i>	<i>VOC⁷ Emissions</i>	<i>HAP⁷ Emissions</i>
Clean All	CA-010	7.5	100%	5 mmHg	Xylene, cumene 2-Butoxyethanol	2.0	850 gal		

Coatings:

<i>Vendor</i>	<i>Formula #</i>	<i>VOC Content^{1,4}</i>	<i>VOC Content As Applied^{1,4}</i>	<i>HAP</i>	<i>HAP Content^{2,5}</i>	<i>Usage³</i>	<i>VOC⁷ Emissions</i>	<i>HAP⁷ Emissions</i>
Coatings, Inc.	P-46400	42.6%	42.6%	N/A	N/A	2,000 lbs		

¹ VOC content in weight percent

² HAP content in weight percent

³ Usage in pounds or gallons

⁴ VOC Content in pounds/gallon

⁵ HAP Content in pounds/gallon

⁶ Vapor pressure in millimeters of mercury (mm Hg)

⁷ Use appropriate emission/retention factors as identified in permit application

12-Month Totals

The U. S. Environmental Protection Agency requires the Department to track emissions on a 12-month total basis rather than on a calendar basis. This means that emission estimates should be recalculated each month totaling emissions that occurred during the last 12 months. For example, at the end of March, 1998 you would total the emissions which occurred from April, 1997 through March, 1998; at the end of April, 1998 you would total the emissions which occurred from May, 1997 through April, 1998, etc.

Sample Form

12-Month Totals for Calendar Year - - - -

<i>Month</i>	<i>VOCs</i>	<i>HAPs</i>	<i>12-Mon. Tot. VOCs</i>	<i>12-Mon. Tot. HAPs</i>
January				
February				
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				

DEPARTMENT OF HEALTH

Year 2000 State Plan of Program Operations and Administration for WIC; Public Meetings

In accordance with 7 C.F.R. 246.4(b), the Department of Health (Department) has scheduled two public meetings for the purpose of obtaining comments and recommendations for the development of the Year 2000 State Plan of Program Operations and Administration for the Special Supplemental Nutrition Program for Women, Infants and Children (WIC) in Pennsylvania.

The Department invites comments on all aspects of the program's operations. General comments on other issues pertinent to the program are also requested.

Persons wishing to give testimony at the public meeting are requested to preregister with the State WIC Program Office by calling (717) 783-1289. Persons unable to attend the meetings, but wishing to express their views, may submit comments by May 31 to the Department either in writing or by E-mail. Direct written comments to: Department of Health, Division of Women, Infants and Children (WIC), Attention: Program Operations and Evaluation Section, P. O. Box 90, Harrisburg, PA 17108. Direct E-mail comments to: BMELLOTT@health.state.pa.us.

Written comments must be postmarked no later than May 31, 1999; E-mail comments must be received by 5 p.m. May 31, 1999.

Wednesday, April 21, 1999

10 a.m.—3 p.m.

Health and Welfare Building—Room 812
Commonwealth and Forster Streets
Harrisburg, PA

Wednesday May 5, 1999

10 a.m.—3 p.m.

Allegheny County Health Department
Investment Building
239 Fourth Avenue
Pittsburgh, PA 15222

Persons with a disability who wish to provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Bonnie Mellott at (717) 783-1289; V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

GARY L. GURIAN,
Acting Secretary

[Pa.B. Doc. No. 99-510. Filed for public inspection March 26, 1999, 9:00 a.m.]

Bethlehem of 10 East Church Street, Bethlehem, PA 18018, seeks to lease highway right of way located along SR 378 in the City of Bethlehem, Lehigh County, 1.07 acres ±, adjacent to SR 378, for the purposes of a public walking trail. Interested persons are invited to submit, within thirty (30) days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Walter E. Bortree, P.E., District Engineer, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103.

Questions regarding this application or the proposed use may be directed to: Paul J. Goida, Right of Way Administrator, Engineering District 5-0, 2460 Parkwood Drive, Allentown, PA 18103, (610) 791-6011.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-511. Filed for public inspection March 26, 1999, 9:00 a.m.]

Finding

Westmoreland County Indiana County

Pursuant to the provisions of 75 P. S. Section 2002 (b), the Secretary of Transportation makes the following written finding:

The Department of Transportation is proposing a project to reconstruct existing U.S. Route 22 (S. R. 0022, Section B07) beginning approximately 304.80 meters (1,000 feet) west of S. R. 0119 in Salem Township, Westmoreland County and extending east approximately 16.09 kilometers (10 miles) to the S. R. 0022 intersection with S. R. 0217 in Burrell Township, Indiana County. The project consists of widening existing S. R. 0022 to the north and south of the existing roadway centerline to minimize the environmental impact. The Department of Transportation has received environmental clearance in the form of a Finding of No Significant Impact from the Division Administrator of the Federal Highway Administration.

No adverse environmental effect is likely to result from the reconstruction of this section of highway.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-512. Filed for public inspection March 26, 1999, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right of Way

District 5-0

The Department of Transportation, pursuant to the authority contained in Section 2002(c) of the Administrative code (71 P. S. § 512(c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right of way has been submitted to the Department by City of

Retention of Engineering Firm

Washington County

Project Reference No. 08430AG2318

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design and services during construction (shop drawing review, construction consultation and plans recordation) for S. R. 2020, Section F00, the replacement of the existing two span 98' long steel I Beam/open grid steel deck bridge over the Ten Mile Creek at Segment 0100,

Offset 1747 located in Amwell Township, Greene County, Engineering District 12-0. The estimated construction cost for this project is \$800 thousand.

The selected firm will be required to: develop and evaluate highway improvement alternatives; perform field surveys; plot topography and cross sections; prepare Design Field View Submission; prepare Categorical Exclusion Evaluation and other related documents; prepare submission for utility verification and relocations engineering; develop erosion control details and narrative; prepare right-of-way plans; hydrologic and hydraulic analysis; obtain permits; complete structure designs including type, size, and location reports; core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement; provide material for and participate in value engineering reviews; collect accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; roadway drainage; prepare construction plans, specifications, and estimates, and provide project management.

This project is a moderately complex project.

The Letter of Interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart up to 11 x 17.

The Letter of Interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a Letter of Interest at the below address is 4:30 p.m. prevailing time of the twentieth day.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.
- b. Understanding of the Department's requirements, Design Manuals, policies and specifications.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules.
- d. Location of the consultant with respect to the District. This will include ability/provisions for quick responses to District requests.
- e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, North Gallatin Avenue Extension, Uniontown, PA 15401, Attention: Mr. Ronald N. Deems.

Any technical question concerning the requirements for this project should be directed to Mr. Ronald N. Deems, District 12-0, at (724) 439-7322.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-513. Filed for public inspection March 26, 1999, 9:00 a.m.]

Retention of Engineering Firms

Statewide Project Reference No. 08430AG2313

The Department of Transportation will retain an engineering firm to provide Fabricated Structural Steel and Timber Inspection under the supervision of the Chief Structural Materials Engineer. This inspection will be performed "Statewide" and out-of-state locations as directed by the Chief Structural Materials Engineer. The Contract will include Fabricated Structural Steel and Timber inspection and other items incidental to highway construction at steel and timber fabrication shops and project sites designated by the Department. Inspection will be conducted in accordance with Department's Publication No. 135. The Contract will be for a period of twenty-four (24) months (2 years) with an option for an additional thirty-six (36) months.

It is anticipated that a maximum inspection staff of:

(a) Forty (40) Certified Welding Inspectors and ten (10) Qualified Welding Inspectors (Non-CWI) may be required at one time at various Statewide and out-of-state fabrication shops as the workload dictates.

(b) One (1) two-man team may be required to perform radiographic inspection as requested by the Chief Structural Materials Engineer.

(c) One (1) Senior Staff Engineer may be required to perform professional services at any location at the request of the Chief Structural Materials Engineer. This individual must be a Professional engineer registered in the Commonwealth of Pennsylvania.

(d) One (1) Metallurgical Engineer may be required to perform professional services at any location at the request of the Chief Structural Materials Engineer. This individual must be a Professional Engineer registered in the Commonwealth of Pennsylvania.

(e) One (1) Civil Engineer may be required to perform professional services at any location at the request of the Chief Structural Material Engineer. This individual must be a Professional Engineer registered in the Commonwealth of Pennsylvania.

(f) Two (2) Structural Steel Supervisors are required to perform supervisory duties at various Statewide and out-of-state fabrication shops and field locations as the workload dictates. These individuals must be Professional Engineers registered in the Commonwealth of Pennsylvania or a Certified Welding Inspectors (CWI) by the American Welding Society.

(g) One (1) Structural Timber Supervisor may be required to perform supervisory duties at various Statewide and out-of-state fabrication shops and field locations as the workload dictates. This individual must be a Professional Engineer registered in the Commonwealth of Pennsylvania.

(h) One (1) two-man team may be required to perform test methods for assessing the adhesion of coating films.

This work will be performed at various Statewide and out-of-state fabrication shops and field locations.

(i) Three (3) Timber Inspectors may be required to perform timber bridge fabrication inspection at various Statewide and out-of-state timber fabrication plants.

The job descriptions for these classifications can be obtained from the Chief Structural Materials Engineer, who is identified at the end of this solicitation.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating a contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposal will not be requested prior to the establishment of the ranking.

The following factors listed in order of importance will be considered by the Department during the evaluation of the firms submitting letters of interest:

(a) Review of inspector's qualifications with emphasis on fabricated structural steel and timber.

(b) Understanding of Department's requirements, policies, and specifications (including ATIC, AASHTO and AWS Specifications).

(c) Review of the firm's "Work Management Plan" for the shop inspection staff; indicating how the consultant proposes to manage the work.

(d) Number of Certified Welding Inspectors and Non-Certified Welding Inspectors available for this contract within the Continental United States.

(e) Key personnel being experienced with structural steel and timber shop fabrication practices.

(f) Firm's in-house training program to ensure training and certification of all employees.

(g) Firm's past performance of structural steel and timber inspection in fabrication shops.

(h) Branch office in Pennsylvania.

(i) Basic computer skills of inspection/supervisory personnel.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Inspection Staff</i>	<i>PennDOT Equivalent</i>	<i>Maximum Reimbursement Per Hour of Inspection</i>
CWI	TCIS	\$40.54
CWI Overtime	TCIS	\$40.54
Non-CWI	TCI	\$35.47
Non-CWI Overtime	TCI	\$35.47
Steel Supr	TCM-1	\$46.27
RT Level I	TCI	\$35.47
RT Level II	TCIS	\$40.54
Paint Corr Tech	TCIS	\$40.54
Timber Str Supr	TCM-1	\$46.27
Timber Fab Insp	TCI	\$35.47
Staff Engr	Specialist	\$88.55
Civil Engr	TCM-2	\$52.77
Metallurgical Engr.	Specialist	\$88.55
Nace Specialist	Specialist	\$88.55

The firm selected will be required to attend pre-fabrication meetings, quarterly progress review meetings and other meetings with the Department at the request of the Chief Structural Materials Engineer. Under the supervision and direction of the Department, the selected

firm will be required to keep records and documentation and submit inspection charges as outlined in Publication 135. It will also assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item. The firm must provide ASNT Level II inspectors to witness Radiographic Testing, Ultrasonic Testing, Magnetic Particle Testing and Penetrant Testing. Performing of Ultrasonic Testing, Magnetic Particle Testing and Penetrant Testing may be required by ASNT Level II inspectors.

The qualifications and experience required for the firm's inspectors will be established by the Department and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

Also, the following minimum qualifications will be taken into consideration:

1. Ability to speak, write, read and understand the English language.

2. Have basic knowledge of structural steel fabrication.

3. Prior experience in structural steel and timber shop fabrication.

4. Capable of acting as a direct representative of the Engineer.

5. Knowledge of applicable non-destructive testing as required by fabrication specifications.

6. Basic computer literacy in the use of databases, spreadsheets, word processor and Internet.

7. Demonstrate the above-mentioned qualifications to the Chief Structural Materials Engineer or his representative. Resumes, showing their technical knowledge and experience have to be submitted to the Department, before assigning inspectors to various shops.

The firm's inspection staff assigned to the Structural Materials Unit of the Bureau of Construction and Materials must comply with the following:

90% of the inspection staff must be Certified Welding Inspectors

70% of the inspection CWI staff must be ASNT Level II Inspectors

The inspection staff is under the supervision of a manager who is a Professional Engineer registered in the Commonwealth of Pennsylvania with no less than four (4) years of welding related experience.

The Inspection Supervisor is required to provide direct supervision of the inspection staff by making routine visits to assigned shops.

This project is a moderately complex project.

The letter of interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart, up to 11 x 17 size.

The letter of interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a letter of interest at the address below is 4:30 p.m. prevailing time on the twentieth day.

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. L. J. Curl, III, Chief, Material and Testing Division, Bureau of Construction and Materials, 1118 State Street, Harrisburg, PA 17120.

Any technical questions concerning the requirements for this project should be directed to: Mr. Robert D. Horwhat, P.E., Acting Chief, Structural Materials Engineer, Bureau of Construction and Materials at (717) 787-1950.

**Montgomery and Chester Counties
Project Reference No. 08430AG2314**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design, and construction consultation for the following projects:

1. S.R. 0422, Section M01 - T.R. 422

Pottstown Expressway in Montgomery County. This project involves rehabilitation of a four (4) lane expressway between Chester County Line and Park Drive. Project starts at the Schuylkill River in North Coventry Township in Chester County and continues to Park Drive in Lower Pottsgrove Township in Montgomery County. Included are repairs to six (6) structures, pavement and shoulder reconstruction, median barrier, new signage, geometric changes to several ramps, and drainage appurtenances. Total reconstruction length is 2.56 miles. The estimated project construction cost is \$3.6 million.

2. S.R. 0422, Section M02 - T.R. 422

Pottstown Expressway, U.S. 0422. Project starts at the Berks County Line in West Pottsgrove Township in Montgomery County to the second crossing of the Schuylkill River in North Coventry Township in Chester County. This project involves rehabilitation of a four (4) lane expressway. Included are repairs to six (6) structures, pavement and shoulder reconstruction, median barrier, new signage including some to be overhead, geometric changes at several ramps, median barrier and related drainage appurtenances. Total reconstruction distance is \$3.62 miles. The estimated project construction cost is \$4.6 million.

The selected firm will be required to provide the following engineering and design services: surveys; roadway design; pavement design; preparation of cross sections; erosion and sedimentation control design; right-of-way investigation and plan; structure design; preparation of traffic control, pavement marking, and signing plans; utility coordination; coordination with PUC, PADEP, municipal officials, preparation of final plans, specifications, and estimates; shop drawing reviews; alternative design review. The selected firm will also be required to provide environmental services to identify and assess the following: wetlands, floodplains and vegetation for PADEP permits.

Firms that are currently serving, or are being considered for selection, as the municipal engineer in the municipalities listed in the project description will not be considered for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for site located along the project will likewise not be considered for this assignment. Firms should state in the Letter of Interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Timothy R. O'Brien, P.E., at the telephone number listed below.

Firms expressing interest in this project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and certified by the Department of

Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation in this Agreement shall be 15% of the total contract price.

Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the Act), WBEs or combination thereof. Proposed DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal. Failure to meet the goal and to demonstrate good faith efforts may result in being barred from Department contracts in the future.

Letters of Interest will be evaluated at the Engineering District 6-0 office with emphasis on the following factors:

a. Specialized experience and technical competence of the firm including the firm's experience with similar type projects and their ability to provide innovative solutions to complex technical problems.

b. Experience of employees to be associated with this project. Particularly important are the key people assigned to the project including their experience and past record of performance with similar projects.

c. Company location from District 6-0 office.

d. Past performance record.

This project is a non-complex project.

The letter of interest will be a maximum of three (3) pages, 8 1/2 x 11, one sided, plus an organizational chart, up to 11 x 17 size.

The letter of interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a letter of interest at the address below is 4:30 p.m. prevailing time on the twentieth day.

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Andrew L. Warren, District Administrator, District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526, or Mr. John R. Laughner, P.E., District 6-0. At (610) 964-6539.

**Washington County
Project Reference No. 08430AG2315**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design and services during construction (shop drawing review, construction consultation and plans recordation) for S.R. 4049, Section C11, the replacement of the existing 64 foot long span steel thru girder bridge over Chartiers Creek at Segment 0060, Offset 0000 located in Chartiers and South Strabane Townships, Washington County, Engineering District 12-0. The estimated construction cost for this project is \$1.0 million.

The selected firm will be required to: develop and evaluate highway improvement alternatives; perform field surveys; plot topography and cross sections; prepare Design Field View Submission; prepare Categorical Exclusion Evaluation and other related documents; prepare

submission for utility verification and relocations engineering; develop erosion control details and narrative; prepare right-of-way plans; hydrologic and hydraulic analysis; obtain permits; complete structure designs including type, size, and location reports; core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement; provide material for and participate in value engineering reviews; collect accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; roadway drainage; prepare construction plans, specifications, and estimates, and provide project management.

This project is a moderately complex project.

The Letter of Interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart up to 11 x 17.

The Letter of Interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a Letter of Interest at the below address is 4:30 p.m. prevailing time of the twentieth day.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.
- b. Understanding of the Department's requirements, Design Manuals, policies and specifications.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules.
- d. Location of the consultant with respect to the District. This will include ability/provisions for quick responses to District requests.
- e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, North Gallatin Avenue Extension, Uniontown, PA 15401, Attention: Mr. Ronald N. Deems.

Any technical questions concerning the requirements for this project should be directed to: Mr. Ronald N. Deems, District 12-0, at (724) 439-7322.

**Fayette County
Project Reference No. 08430AG2316**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design and services during construction (shop drawing review, construction consultation and plans recordation) for S.R. 0381, Section X00, the replacement of the existing 154'-6" single span thru truss bridge over Indian Creek at Segment 0460, Offset 1441 located in Springfield

Township, Fayette County, Engineering District 12-0. The estimated construction cost for this project is \$4.0 million.

The selected firm will be required to: develop and evaluate highway improvement alternatives; perform field surveys; plot topography and cross sections; prepare Design Field View Submission; prepare Categorical Exclusion Evaluation and other related documents; prepare submission for utility verification and relocations engineering; develop erosion control details and narrative; prepare right-of-way plans; hydrologic and hydraulic analysis; obtain permits; complete structure designs including type, size, and location reports; core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement; provide material for and participate in value engineering reviews; collect accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; roadway drainage; prepare construction plans, specifications, and estimates, and provide project management.

This project is a moderately complex project.

The Letter of Interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart up to 11 x 17.

The Letter of Interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a Letter of Interest at the below address is 4:30 p.m. prevailing time of the twentieth day.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.
- b. Understanding of the Department's requirements, Design Manuals, policies and specifications.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules.
- d. Location of the consultant with respect to the District. This will include ability/provisions for quick responses to District requests.
- e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, North Gallatin Avenue Extension, Uniontown, PA 15401, Attention: Mr. Ronald N. Deems.

Any technical questions concerning the requirements for this project should be directed to: Mr. Ronald N. Deems, District 12-0, at (724) 439-7322.

**Greene County
Project Reference No. 08430AG2317**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design and services during construction (shop drawing review, construction consultation and plans recordation) for S.R. 0088, Section 04M, the replacement of the existing 312'-6" long span thru truss bridge over the Ten Mile Creek at Segment 0440, Offset 2021 located in Jefferson Township, Greene County, Engineering District 12-0. The estimated construction cost for this project is \$5.5 million.

The selected firm will be required to: develop and evaluate highway improvement alternatives; perform field surveys; plot topography and cross sections; prepare Design Field View Submission; prepare Categorical Exclusion Evaluation and other related documents; prepare submission for utility verification and relocations engineering; develop erosion control details and narrative; prepare right-of-way plans; hydrologic and hydraulic analysis; obtain permits; complete structure designs including type, size, and location reports; core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement; provide material for and participate in value engineering reviews; collect accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; roadway drainage; prepare construction plans, specifications, and estimates, and provide project management.

This project is a moderately complex project.

The Letter of Interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart up to 11 x 17.

The Letter of Interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a Letter of Interest at the below address is 4:30 p.m. prevailing time of the twentieth day.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.
- b. Understanding of the Department's requirements, Design Manuals, policies and specifications.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules.
- d. Location of the consultant with respect to the District. This will include ability/provisions for quick responses to District requests.
- e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, North Gallatin Avenue Extension, Uniontown, PA 15401, Attention: Mr. Ronald N. Deems.

Any technical questions concerning the requirements for this project should be directed to: Mr. Ronald N. Deems, District 12-0, at (724) 439-7322.

**Washington County
Project Reference No. 08430AG2319**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design and services during construction (shop drawing review, construction consultation and plans recordation) for S.R. 4029, Section A01, the replacement of the existing 60' long single span concrete encased plate girder bridge over the North Fork of Cross Creek at Segment 0020, Offset 2966 and S.R. 4029, Section A02, the replacement of the existing 56' long single span steel thru girder bridge over the Middle Fork of Cross Creek at Segment 0020, Offset 0000 located in Cross Creek Township, Washington County, Engineering District 12-0. Both projects will encompass one (1) Engineering Agreement. The estimated construction cost for these two (2) projects is \$1.05 million.

The selected firm will be required to: develop and evaluate highway improvement alternatives; perform field surveys; plot topography and cross sections; prepare Design Field View Submission; prepare Categorical Exclusion Evaluation and other related documents; prepare submission for utility verification and relocations engineering; develop erosion control details and narrative; prepare right-of-way plans; hydrologic and hydraulic analysis; obtain permits; complete structure designs including type, size, and location reports; core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement; provide material for and participate in value engineering reviews; collect accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; roadway drainage; prepare construction plans, specifications, and estimates, and provide project management.

This project is a moderately complex project.

The Letter of Interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart up to 11 x 17.

The Letter of Interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a Letter of Interest at the below address is 4:30 p.m. prevailing time of the twentieth day.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.
- b. Understanding of the Department's requirements, Design Manuals, policies and specifications.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules.

d. Location of the consultant with respect to the District. This will include ability/provisions for quick responses to District requests.

e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, North Gallatin Avenue Extension, Uniontown, PA 15401, Attention: Mr. Ronald N. Deems.

Any technical questions concerning the requirements for this project should be directed to: Mr. Ronald N. Deems, District 12-0, at (724) 439-7322.

**Washington County
Project Reference No. 08430AG2320**

The Department of Transportation will retain an engineering firm to perform preliminary engineering, final design and services during construction (shop drawing review, construction consultation and plans recordation) for S.R. 0917, Section K00, the replacement of the existing 19' long single span girder bridge over Saw Mill Run at Segment 0230, Offset 1187 located in Fallowfield Township, Washington County, Engineering District 12-0. The estimated construction cost for this project is \$400 thousand.

The selected firm will be required to: develop and evaluate highway improvement alternatives; perform field surveys; plot topography and cross sections; prepare Design Field View Submission; prepare Categorical Exclusion Evaluation and other related documents; prepare submission for utility verification and relocations engineering; develop erosion control details and narrative; prepare right-of-way plans; hydrologic and hydraulic analysis; obtain permits; complete structure designs including type, size, and location reports; core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement; provide material for and participate in value engineering reviews; collect accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; roadway drainage; prepare construction plans, specifications, and estimates, and provide project management.

This project is a moderately complex project.

The Letter of Interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart up to 11 x 17.

The Letter of Interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a Letter of Interest at the below address is 4:30 p.m. prevailing time of the twentieth day.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.

b. Understanding of the Department's requirements, Design Manuals, policies and specifications.

c. Past record of performance with respect to cost control, work quality, ability to meet schedules.

d. Location of the consultant with respect to the District. This will include ability/provisions for quick responses to District requests.

e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Michael H. Dufalla, P.E., District Engineer, Engineering District 12-0, North Gallatin Avenue Extension, Uniontown, PA 15401, Attention: Mr. Ronald N. Deems.

Any technical questions concerning the requirements for this project should be directed to: Mr. Ronald N. Deems, District 12-0, at (724) 439-7322.

**Lehigh County
Project Reference No. 08430AG2321**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately six (6) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S.R. 2044, Section 002, Upper Saucon Township, Lehigh County, Saucon Valley Road. This project involves the construction of approximately 5,918 feet of S.R. 2044 on new alignment, consisting of superpave asphalt mixture design; the variable widening of approximately 700 feet of existing T-835; and the variable widening of approximately 180 feet of existing S.R. 0378, including ramp construction. Includes erosion and sediment pollution control; pavement marking and signing; traffic control, including a 1.2 mile detour of T-835 and a temporary signal at the intersections of S.R.0309 and S.R. 2036; the installation of traffic signals at the intersection of S.R. 0378 and S.R. 2044, and S.R. 0378 and S.R. 2036; wetland mitigation, including the construction of two (2) detention basins, a channel change and a wetland mitigation area; within an overall length of 16,684.99 linear feet.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils,

structures, concrete, asphalt paving, drainage, superpave paving, E. & S. control, pavement markings, traffic signals and wetland mitigation. The TCI-M has to be nuclear gauge certified. One TCI has to be PennDOT CDS certified.

b. Understanding of Department's requirements, policies, and specifications.

c. Past performance.

d. Number of available inspectors in each payroll classification.

e. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	2 (1)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54
(TCI-Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License
- 1 Vehicle for the Transportation of Nuclear Gauge
- 1 Base Radio Station
- 6 Two-Way Radios
- 1 Two-Way Radio Repeater Station
- 1 Camera (type 35mm, film and developing)

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

This project is a non-complex project.

The Letter of Interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organization chart up to 11 x 17.

The Letter of Interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a Letter of Interest at the below address is 4:30 p.m. prevailing time of twentieth day.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI-M	2
TCI	3

No resumes are required for the TA Classification.

The letter of interest and required forms, (see general requirements and information section shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer, District 5-0, 2460 Parkwood Drive, Allentown, PA 18103, Attention Mr. Brian H. Graver.

Any technical questions concerning the requirements for this project should be directed to: Mr. Brian H. Graver, District 5-0, at (610) 791-6022.

**Montgomery County
Project Reference No. 08430AG2322**

The Department of Transportation will retain an engineering firm to provide Construction Management Support Services for the reconstruction and improvements to the Route 309 corridor in Montgomery County, Engineering District 6-0.

Construction Management Support Services will be utilized on eight (8) design projects, S.R. 0309, Section 100; S.R. 0309, Section 101; S.R. 0309, Section 102, S.R. 0309, Section 1FF; S.R. 0309, Section 2FF; S.R. 2018, Section 88S; S.R. 3014, Section 001; and S.R. 2054, Section 89S with an emphasis on the first three.

The services will also be utilized on ten (10) construction contracts. The construction contracts are: S.R. 0309, Section 100; S.R. 0309, Section 101; S.R. 0309, Section 102; S.R. 0309, Section 1FF; S.R. 0309, Section 2FF; S.R. 2018, Section 88S; S.R. 3014, Section 001; S.R. 0073, Section 04N; S.R. 0073, Section M04 and S.R. 2054, Section 89S. All are located in Montgomery County.

The three (3) S.R. 0309 projects will reconstruct the limited access four-lane (directional) expressway over its entire length from its beginning in Cheltenham Township at its connection with Ogontz Avenue to its termination in Lower Gwynedd Township at Bethlehem Pike near S.R. 0063, Welsh Road.

The design and construction of the expressway will encompass major highway construction items such as construction of new structures, new roadway, reconstruction of other structures, roadway and bridge demolition, drainage, sign structures, signs, lighting and landscaping all being done while maintaining vehicular traffic.

The construction of the other seven (7) projects will precede the expressway reconstruction and improve alternate routes expected to be used by motorists during the expressway work. Work on these projects includes bridge replacements, intersection improvements, signal improvements, widening and some new roadway construction. All are located in the S.R. 0309 corridor, which roughly parallels the expressway, over its entire length, between Old Bethlehem Pike and Limekiln Pike.

The Department's Construction Unit staff will be in responsible charge and the Construction Management Support Consultant will be given direction by the staff. The Construction Management Support Consultant will assist the staff by providing construction services as needed. The services will include, but not be limited to, the following:

During design—provide input on constructability issues; provide input on construction durations; evaluate proposed schedules and each project's schedule relative to other projects; monitor the design progress and its impact on construction target dates; provide input on ways to avoid construction problems encountered on past projects and advise of other potential construction problems.

During construction—Analyze contractor's CPM schedules and monitor progress during construction; facilitate at progress meetings and record and distribute minutes; review and made recommendations on design and con-

struction problems; review design changes and make recommendations; evaluate value engineering proposals; perform constructibility reviews; prepare correspondence for signature on all issues; track all submissions including shop drawings; review and prepare responses on potential claims and assist in resolving claims; furnish change order evaluations and assist in their preparation; coordinate and participate in community relations including personal contacts with community representatives and community meetings; coordinate work with other agencies and utility companies; and assist in highway construction-related problem-solving with the Department's field and office staffs as well as the consultant designer.

The selected firm will be required to establish and maintain a field office within the S.R. 0309 expressway corridor between Limekiln Pike and Old Bethlehem Pike. This field office will be fully equipped to meet the needs of the Construction Management Support Service staff, several members of the Department and FHWA construction staffs and will contain office equipment, furniture, photocopying capabilities, telephones, fax facilities, and a conference room able to accommodate twenty (20) people.

Firms providing final designs, construction inspection, or constructibility review services for any of the above projects, are not eligible for this assignment.

Firms who are performing work for contractors presently working on Department construction contracts, or firms who intend to perform work for contractors during the time period of the Construction Management Support Services agreement cannot be member of the Construction Management Support Services Team.

The active members of the Construction Management Support Services Team will vary depending on the work schedule but the following personnel will be required: One Project Manager (must be a Professional Engineer registered in Pennsylvania); Two Construction Engineers (one must be a Professional Engineer); Two Schedule Engineers; One Technician and a Secretary/Receptionist.

The following factors listed in the order of their importance will be considered by the Consultant Selection Committee during the evaluation of the firms submitting letters of interests:

a. Specific experience of the individuals listed for each position on the Construction Management Support Services team with emphasis on their background representing an owner's interest while coordinating and managing construction projects.

b. Past record of performance on similar construction management assignments for the Department or other agencies with an emphasis on the ability to be responsive to the Department's needs; the ability to understand and carry out the Department's objectives; the ability to create an atmosphere conducive to moving the projects to timely completion; the ability to perform quality work; and the ability to meet deadlines.

c. Specific external and internal communication experience and technical competence that would demonstrate the ability to effectively communicate the Department's message to the public.

d. Familiarity with PennDOT specifications and procedures.

e. Familiarity with PennDOT's commitment to achieve Baldrige-like status.

f. The capacity of firm to provide full and timely Construction Management Support Services to the Department.

g. Responsiveness to the requirements of this proposal; the firm's knowledge of highway and bridge construction methods; the firm's knowledge of the construction to take place on the projects for which the service is to be provided.

Shortlisted firms will be required to make an oral presentation regarding these factors.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project is a complex project.

The letter of interest will be a maximum of five (5) pages, 8 1/2 x 11, one sided, plus an organizational chart, up to 11 x 17 size.

The letter of interest and required information for this project must be received within twenty (20) calendar days of this Notice.

The Deadline for receipt of a letter of interest at the address below is 4:30 p.m. prevailing time on the twentieth day.

The letter of interest and required forms (see general requirements and information section) shall be sent to: Mr. Andrew L. Warren, District Administrator, District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Joseph F. Meehan, P.E., at (610) 964-6555 or Mr. Marshall S. Linton, P.E., District 6-0, at (610) 964-6684.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that requests engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-514. Filed for public inspection March 26, 1999, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Special Reports and Requests for Data

The Health Care Cost Containment Council (Council), according to its enabling legislation, is to publish a listing of all special reports and data that have been prepared during the previous calendar year. The following represents a summary of the reports and requests for data generated by the Council in calendar year 1998. Questions about these reports and procedures for obtaining access to data should be addressed to Tina Haines, Supervisor, Special Requests Unit, Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 171701, (717) 232-6787, www.PHC4.org

Listing of Data Releases

Agency for Health Care Policy & Research	The standard Statewide 1996 inpatient discharge data, including confidential data elements will be used in the Healthcare Cost and Utilization Project.
Aspen Healthcare Metrics, Inc.	The customized 1996 inpatient discharge data base will be used for consulting purposes to analyze cardiac cases originating in southwestern/western New York state that seek care outside the state of New York.
Brandeis University	The standard 1994-1995 CABG data set will be used for a research project funded by the Agency for Health Care Policy and Research.
Center for Healthcare Industry Performance Studies	The standard Statewide second, third and fourth quarter 1996 inpatient discharge data will be used in a commercial software product.
Children's Hospital of Boston	The standard Statewide 1996 inpatient discharge data for patients under the age of 18 will be used to analyze the variability in the use of procedures and outcomes for pediatric cardiac diseases.
Goldberg Enterprise Services	The custom report using 1995 Region 9 inpatient discharge data will be used in a project that will determine a population base for the calculation of capitation rates.
Good Shephard Rehab Hospital	The custom report for selected DRGs using 1995 inpatient discharge data will be used to study the market of referring and nonreferring hospitals by examining the number of rehab related DRGs at each target institution.
Good Shepherd Rehabilitation Hospital	The standard 1996 inpatient discharge data for Pocono Medical Center will be used to determine if a business relationship can be developed between the two facilities.
Haygroup	The third and fourth quarter 1996 and first and second quarter 1997 inpatient discharge data for select facilities will be used for consulting purposes to analyze clinical efficiency statistics among participating Canadian teaching hospitals using USA data as a comparison.
Health Care Choices	The customized report of mastectomy and breast conserving surgery in 1997 will be placed on the requestor's web site as a tool to inform the public.
Health Strategies & Solutions, Inc.	The customized 1996 market share report will be used for consulting purposes with Marian Community Hospital.
Health Strategies and Solutions, Inc.	The custom 1995 market share report for select zip codes will be used for consulting purposes with Marian Community Hospital.
Healthscope, Inc.	The customized 1991-1997 inpatient discharge data and 1996 ambulatory data will be used to analyze trends of a particular physician.
Highmark	The standard Statewide 1996 inpatient discharge data will be used to conduct community reporting and consulting, selective contracting, utilization review and applied health services research.
Hospital Council of W. PA	The standard Statewide 1996 ambulatory data will be used in a commercial software product.
Hospital Council of W. PA	The standard Statewide 1997 inpatient discharge data will be used in a commercial software product.
Hospital Executive Council	The customized 1996 and first and second quarter 1997 inpatient discharge data for New York residents receiving care in PA will be used to identify admission and utilization rates of New Yorkers going out of state for care.
Hospital of the University of PA	The standard 1996 ambulatory data set for the Hospital of the University of PA will be used for internal quality improvement efforts.

Institute for Health Care Policy and Research	The standard Statewide 1996 inpatient discharge data will be used for aggregate statistical analysis in studies on the effect of managed care in academic health centers.
Intellimed International Corporation	The standard Statewide second, third and fourth quarter 1996 inpatient discharge data will be used in a commercial software product.
Intellimed International Corporation	The standard Statewide 1997 inpatient discharge data will be used in a commercial software product.
Lancaster General Hospital	The third and fourth quarter 1996 and first and second quarter 1997 inpatient discharge data for Community Hospital of Lancaster will be used for market share analysis.
Lehigh Valley Business Conference on Health Care	A customized report using 1996 inpatient discharge data will be used to determine potential sites for selective contracting by the employer members of the Business Conference.
Lehigh Valley Hospital	The second, third and fourth quarter 1996 standard Statewide inpatient discharge data will be used for market share analysis.
Lehigh Valley Hospital	The standard Statewide 1997 inpatient discharge data will be used for market share analysis and internal research.
MediQual Systems, Inc.	The standard Statewide 1997 inpatient discharge data will be used in a commercial software product.
MediQual Systems, Inc.	The standard Statewide 1996 inpatient discharge data will be used in a commercial software product.
National Jewish Medical and Research Center	The customized 1996-1997 inpatient data base for Medicaid patient admissions related to asthma will be used to evaluate an internal program.
North Philadelphia Health System	The third and fourth quarter 1996 and first and second quarter 1997 inpatient discharge data for Region 9 will be used for payor analysis and DRG and length of stay research.
Oconco Health Care Consultants	The custom 1996 inpatient discharge data for a select range of zip codes will be used to investigate utilization rates and trends in patient migration in the tri-state area.
PA Office of the Attorney General	The standard Statewide third and fourth quarter 1995 and first and second quarter 1996 inpatient discharge data will be used in the analysis of facilities.
PA Department of Health	The standard Statewide 1996 inpatient discharge data will be used to prepare annual reports of injury related data, special topical monographs and respond to requests for aggregate data at the local level. The subcontractor will be the University of Pittsburgh, Center for Violence and Injury Control.
PA Department of Health	The standard Statewide 1997 inpatient discharge data will be used for research purposes.
PA Department of Health, Division of Health Statistics	The standard Statewide 1992 through 1997 inpatient discharge data will be used for a Federal research project funded by the Center for Substance Abuse and Treatment to determine the need for substance abuse treatment services in Pennsylvania.
PA Department of Health	The standard Statewide 1995 and 1996 inpatient discharge data already purchased by the Department will also be used for research on hospital discharges related to motorcycle injuries.
PA Department of Health, Legislative Affairs	The customized report of hospitalizations due to influenza or pneumonia using 1996 inpatient discharge data will be used for internal research.
PA Department of Health, Bureau of Chronic Diseases	The customized report using 1996 inpatient discharge data for inpatient and emergency room data as it relates to asthma will be used for internal research.
PA Department of Health, Division of Immunizations	The customized report using 1994, 1995, 1996 and 1997 inpatient discharge data for pneumonia hospitalizations will be used for research purposes.
PA Department of Public Welfare	The 1995-1996 Hospital Financial Report data will be used for research purposes.

PA Heart Institute	The standard 1996 inpatient discharge data for Regions 6, 7 and 8 for cardiac catheterizations will be used to estimate market demand and assess competition for these services.
PA Office of the Attorney General	The third and fourth quarter 1996 and first and second quarter 1997 inpatient discharge data will be used to investigate a hospital merger.
PACE	The 1995-1997 Statewide inpatient discharge data for PACE members will be used to evaluate the impact of drugs and hospitalizations in the elderly.
Parente, Randolph, Orland & Carey	The custom 1996 inpatient discharge data for selected counties will be used for internal informational purposes.
Parenti, Randolph, Orlando	The third and fourth quarter 1995 and first and second quarter 1996 inpatient discharge data for select facilities will be used in preparation of a financial feasibility study for use by Parente Randolph.
Pottsville Hospital and Warne Clinic	A custom report for selected DRGs and zip codes for Schuylkill County using 1995 inpatient discharge data will be used to improve health care services.
Premier, Inc.	The standard Statewide 1995 and 1996 inpatient discharge data will be used in a commercial software product.
Princeton University	The 1991 through 1993 CABG data set will be used to conduct research on the relationship between surgeon characteristics and outcomes.
Representative Dwight Evans	The customized report of gunshot wounds using 1996 inpatient discharge data will be used for internal research purposes.
Representative Merle Phillips	The customized report of motor vehicle accidents using 1996 inpatient discharge data will be used for research purposes.
Sachs Group	The standard Statewide first and second quarter 1996 inpatient discharge data will be used in a commercial software package.
Sachs Group	The standard Statewide 1997 inpatient discharge data will be used in a commercial software product.
Southern Chester County Medical Center	The standard 1996 and 1997 inpatient discharge data for Regions 5, 8 and 9 will be used for marketing purposes and to evaluate surrounding competition.
The Lewin Group	The customized 1996 inpatient discharge data base will be used for consulting purposes under contract with General Motors, Ford, Chrysler, United Auto Workers and the International Union of Electrical Workers to support community-level health assessments for Warren/Youngstown, Ohio.
The MEDSTAT Group, Inc.	The standard Statewide 1995 and 1996 inpatient discharge data will be used in a commercial software product.
The MEDSTAT Group, Inc.	The standard Statewide 1997 inpatient discharge data will be used in a commercial software product.
The Morning Call	1996 inpatient discharge data for Lehigh Valley Hospital will be used to research health related topics for daily newspaper stories.
University of Pittsburgh	Custom 1994 inpatient discharge data for trauma patients will be combined with EMS records to research how well Pennsylvania does in getting seriously injured patients to trauma centers.
US Dept of Military & Veterans Affairs	A report using Statewide 1995-1996 inpatient discharge data will be used by the CounterDrug Program to report on health and hospital issues related to drug use.
Washington County Hospital	The custom report using 1995 inpatient discharge data for selected hospitals and DRGs will be used to measure market share and out migration patterns of Maryland residents receiving care in Washington County Hospital's service area.
Wei-Der Tsai	The 1996-1995 Hospital Financial Report data will be used in a research project.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 99-515. Filed for public inspection March 26, 1999, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, March 11, 1999, and took the following actions:

Regulations Approved:

Environmental Quality Board #7-320: Control of VOCs from Gasoline Dispensing Facilities (Stage II) Standards (amends 25 Pa. Code § 129.82).

Environmental Quality Board #7-326: Equivalency Determinations and Aerospace Manufacturing and Rework—VOC Emission Limitations (amends 25 Pa. Code §§ 121.1, 129.51 and 129.73).

Commissioners Present: Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
March 11, 1999

Environmental Quality Board—Control of VOCs from Gasoline Dispensing Facilities (Stage II); Regulation No. 7-320

Order

On April 21, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board. This rulemaking amends 25 Pa. Code § 129.82. The authority for this regulation is 35 P.S. § 4005. The proposed regulation was published in the May 3, 1997 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on February 9, 1999.

This regulation implements gasoline dispensing vapor control requirements for most gasoline dispensing facilities in seven southwestern Pennsylvania counties (Allegheny, Armstrong, Beaver, Butler, Fayette, Washington and Westmoreland). The amendments are a part of the overall ozone reduction strategy required to comply with the National Ambient Air Quality Standard. Controlling Volatile Organic Compounds (VOCs) will reduce ozone because VOCs are one of the precursors to the formation of ozone in the atmosphere.

We have reviewed this regulation and find it to be in the public interest. This regulation will help move the southwestern Pennsylvania counties toward compliance with the Federally required standard for ozone.

Therefore, It Is Ordered That:

1. Regulation No. 7-320 from the Environmental Quality Board, as submitted to the Commission on February 9, 1999, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

Commissioners Present: Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
March 11, 1999

Environmental Quality Board—Equivalency Determinations and Aerospace Manufacturing and Rework—VOC Emission Limitations; Regulation No. 7-326

Order

On August 12, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking amends 25 Pa. Code §§ 121.1, 129.51 and 129.73. The authority for this regulation is sections 5(a)(1) and 5(a)(13) of the Air Pollution Control Act (35 P.S. §§ 4005(a)(1) and 4006(a)(13)). The proposed regulation was published in the August 23, 1997 *Pennsylvania Bulletin* with a 67-day public comment period. The final-form regulation was submitted to the Commission on February 9, 1999.

The regulation sets forth the volatile organic compound limitations for operations in the aerospace manufacturing and rework industry. It incorporates the requirements contained in the provisions of a Control Techniques Guidance document from the United States Environmental Protection Agency (EPA). The regulation also deletes a provision that requires all equivalencies be submitted to the EPA as revisions to the State implementation plan.

We have reviewed this regulation and find it to be in the public interest. This regulation is consistent with the operating and emission requirements for the aerospace industry in other states. It will allow Pennsylvania's industry to compete more effectively in meeting the demands of its customers including the United States Department of Defense and National Aeronautics and Space Administration. The changes to the equivalency provisions will allow industries in the Commonwealth to implement alternate compliance methods with greater expediency.

Therefore, It Is Ordered That:

1. Regulation No. 7-326 from the Environmental Quality Board, as submitted to the Commission on February 9, 1999, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 99-516. Filed for public inspection March 26, 1999, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
12-53	Department of Labor and Industry Special Funds Assessments	3/16/99
2-111	Department of Agriculture Weights, Measures, and Standards (withdrawn and resubmitted)	3/17/99

Final-Omit

16A-635	State Board of Psychology Examination Fees	3/12/99
16A-4310	State Board of Chiropractic Radiologic Procedures Examination Fees	3/12/99

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 99-517. Filed for public inspection March 26, 1999, 9:00 a.m.]

A written request for continuance of the scheduled hearing, for good cause, will be considered by the Presiding Officer. Prior to requesting a continuance, a party must contact the opposing party. All continuance requests must indicate whether the opposing party objects to a continuance.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-518. Filed for public inspection March 26, 1999, 9:00 a.m.]

INSURANCE DEPARTMENT

Herbert Bradley Reigel; Hearing

Appeal of Herbert Bradley Reigel Under The Motor Vehicle Financial Responsibility Law Catastrophic Loss Benefits Continuation Fund; Doc. No. CF99-03-008

A prehearing conference shall occur on May 11, 1999, at 9 a.m. in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. The proceedings in this matter will be governed by the Administrative Agency Law, 2 Pa.C.S. §§ 501—508, 701—704, the General Rules of Administrative Practice and Procedure, 1 Pa. Code § 31.1 et seq. and the Insurance Department's Special Rules of Administrative Practice and Procedure, 31 Pa. Code Chapter 56. The parties shall have exchanged and filed prior to May 4, 1999, a prehearing statement which shall contain (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and addresses of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Except as established at the prehearing conference, both parties shall appear at the scheduled hearing prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any must be filed on or before April 20, 1999, with the Docket Clerk, Administrative Hearings Office, Room 200, Capitol Associates Building, 901 N. Seventh Street, Harrisburg, PA 17102. Answers to petitions to intervene, if any shall be filed on or before May 4, 1999.

The hearing shall occur on June 9, 1999, at 9 a.m. in Room 200, Administrative Hearing Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Michael Cunningham; file no. 99-193-00746; TICO Insurance Company; doc. no. P99-03-013; April 15, 1999, at 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-519. Filed for public inspection March 26, 1999, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies. All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Stephen E. Loukinen; file no. 99-121-00831; Goodville Mutual Casualty Company; doc. no. P99-03-015; April 14, 1999, at 1 p.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-520. Filed for public inspection March 26, 1999, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with the termination of the insured's policy.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Nationwide Property and Casualty Co.; file no. 99-215-30249; Richard and Stephanie Ziegler; doc. no. PH99-03-014; April 13, 1999, at 10 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-521. Filed for public inspection March 26, 1999, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Monroe County, Wine and Spirits Shoppe # 4508, Route 209, Marshalls Creek, PA 18335-1378.

Lease Expiration Date: February 29, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania as a licensee distribution center. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 8,500 to 9,000 net useable square feet of new or existing retail commercial space in the vicinity of the intersection of U. S. Route 209 and Business U. S. Route 209.

Proposals due: April 16, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661

Contact: Charles D. Mooney, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 99-522. Filed for public inspection March 26, 1999, 9:00 a.m.]

MILK MARKETING BOARD

Notice of Hearing; Presubmission Schedule; and Prehearing Conference for all Milk Marketing Areas Over-Order Premium

Notice is hereby given under the Milk Marketing Law (31 P.S. §§ 700j-101 — 700k-10.1, that the Commonwealth, Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on April 6, 1999, at 1 p.m. in Meeting Room B on the second floor of the Farm Show Complex, Cameron and Maclay Streets, Harrisburg, PA. If necessary, the hearing will continue on April 7, 1999, at 10 a.m. in Room 202 of the Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

Purpose of the Hearing

The purpose of the hearing is to receive evidence concerning whether an adjustment should be made to the level of the over-order premium, which is currently 50¢ per hundredweight.

Parties

The staff of the Board is deemed to be a party to this hearing. Other persons that may be affected by the Board order pertaining to an over-order premium and who wish to present evidence at the hearing shall file with the Board by March 31, 1999, a request to be included on the Board's list of parties.

Witnesses, exhibits, presentation of evidence

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 copies of each document for the use of nonparties attending the hearing.

1. By 4 p.m. on April 1, 1999, each party shall file with the Board 7 copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By noon on April 5, 1999, each party shall file and ensure receipt as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents, or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code §§ 35.164, 35.165, 35.167 or 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests for Data from Board Staff

Requests for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on March 29, 1999.

Prehearing conference

A prehearing conference for all parties will be held at 2:30 p.m. on April 5, 1999, in Room 110 of the Agriculture Building, 2301 North Cameron Street, Harrisburg. Parties shall come prepared to address requests for the production of documents relied on in formulating their testimony and exhibits.

Board's filing address

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals who require information in an alternate format, call (717) 787-4194 or (800) 654-5984 (PA Relay Service for TDD Users).

LYNDA J. BOWMAN,
Secretary

[Pa.B. Doc. No. 99-523. Filed for public inspection March 26, 1999, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before April 19, 1999, as set forth in 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether they apply to the temporary authority application or the permanent application or both.

Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.

A-00107211, F. 3, Am-B. Rainbow Cab, Inc., t/d/b/a Rainbow Paratransit (539 South Bolmar Street, West Chester, Chester County, PA 19382), a corporation of the Commonwealth of Pennsylvania — persons in paratransit service, between points in the borough of West Chester,

the townships of East Goshen, West Goshen, Westtown, Birmingham, Pennsbury, Thornbury, East Bradford, and that portion of West Bradford Township bounded on the north by Pennsylvania Route 162, on the east by the East Bradford Township Line, on the south by Pennsylvania Highway Route 15153, and on the west by Pennsylvania Highway Route 15007, and also Embreeville State Hospital in the township of Newlin; the Pocopson Home in the township of Pocopson, and that portion of the township of Kennett located on and north of Hillendale Road and on and east of Greenwood Road, all located in Chester County; and the townships of Thornbury, Birmingham, and Concord, all located in Delaware County, and from points in said areas to points within an airline distance of 30 statute miles of the limits of said service area, and return; subject to the following conditions: That the service shall be limited to the use of sedans and station wagons with seating capacities of five passengers or less, excluding the driver; and that service will be rendered without the use of dome lights or taxi meters: *So as to permit* the transportation of persons in paratransit service, from points in the boroughs of Kennett Square, Downingtown and Malvern, and the townships of Kennett, East Marlborough, Pocopson, West Bradford, Uwchlan, East Caln, West Whiteland, East Whiteland, Willistown and Edgemont, all in Chester County, to the Philadelphia International Airport in the city and county of Philadelphia and the township of Tinicum, Delaware County, and vice versa; subject to the following conditions: That the service shall be limited to the use of sedans and station wagons with seating capacities of five passengers or less, excluding the driver; and that service will be rendered without the use of dome lights or taxi meters.

Applications of the following for approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle for the transportation of persons as described under each application.

A-00105010, Folder 2, Am-A. Anton's Travel Service, Inc. (13 South Eighth Street, Stroudsburg, Monroe County, PA 18360-1612), a corporation of the Commonwealth of Pennsylvania—discontinuance of service—persons in group and party service, between points in the county of Monroe, and from points in said county, to points in Pennsylvania, and return. *Attorney:* J. Bruce Walter, Dauphin Bank Building, 12th Floor, One South Market Street, P. O. Box 1146, Harrisburg, PA 17108-1146.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00115702. Express Transportation, Inc. (3130 Philmont Avenue, Huntingdon Valley, Montgomery County, PA 19006), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in the counties of Bucks, Montgomery and Philadelphia, and from points in said counties, to points in Pennsylvania, and return.

Application of the following for the approval of the transfer of stock as described under each application.

A-00097902, Folder 5000. B. F. Fields, Inc., t/d/b/a B. F. Fields Moving & Storage (848 East 12th Street, Erie, Erie County, PA 16503), a corporation of the Com-

monwealth of Pennsylvania—for the approval of the transfer of 50 shares of the issued and outstanding stock from D. Richard Squeglia and Lorraine K. Squeglia, his wife, 12 shares to Michael Squeglia and 38 shares to Lorraine K. Squeglia. *Attorney:* William A. Gray, 2310 Grant Building, Pittsburgh, PA 15219-2383.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-524. Filed for public inspection March 26, 1999, 9:00 a.m.]

Telecommunications

A-310770F002. Bell Atlantic-Pennsylvania, Inc. and Ax Telecommunications, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Ax Telecommunications, Inc. for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Ax Telecommunications, Inc., by its counsel, filed on March 2, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Ax Telecommunications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-525. Filed for public inspection March 26, 1999, 9:00 a.m.]

Telecommunications

A-310803. Bell Atlantic-Pennsylvania, Inc. and Omnipoint Communications Enterprises, L. P. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Omnipoint Communications Enterprises, L. P. for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Omnipoint Communications Enterprises, L. P., by its counsel, filed on March 2, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Omnipoint Communications Enterprises, L. P. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-526. Filed for public inspection March 26, 1999, 9:00 a.m.]

Telecommunications

A-310804. GTE North, Incorporated and dPi-Teleconnect, L.L.C. Joint Petition of GTE North, Incorporated and dPi-Teleconnect, L.L.C. for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

GTE North, Incorporated and dPi-Teleconnect, L.L.C., by its counsel, filed on March 8, 1999, at the Pennsylva-

nia Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the GTE North, Incorporated and dPi-Teleconnect, L.L.C. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-527. Filed for public inspection March 26, 1999, 9:00 a.m.]