

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 13, 1999.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Institution</i>	<i>Location</i>	<i>Action</i>
7-13-99	Hudson United Bancorp, Union City, New Jersey, To acquire 100% of the voting shares of JeffBanks, Inc., Philadelphia, Pennsylvania	Union City, NJ	Filed

New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-1-99	Susquehanna Trust & Investment Company Lititz Lancaster County	26 N. Cedar St. Lititz Lancaster County	Commenced Operations
7-8-99	Allegiance Bank of North America Bala Cynwyd Montgomery County	One Belmont Avenue Bala Cynwyd Montgomery County	Commenced

Conversions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-8-99	Quaint Oak Building and Loan Association Southampton Bucks County <i>To:</i> Quaint Oak Savings Bank Southampton Bucks County Application represents conversion from a State-chartered mutual savings association to a State-chartered mutual savings bank.	607 Lakeside Dr. Southampton Bucks County	Filed
7-9-99	Croydon Building and Loan Association Croydon Bucks County <i>To:</i> Croydon Savings Bank Croydon Bucks County Application represents conversion from a State-chartered mutual savings association to a State-chartered mutual savings bank.	704 State Road Croydon Bucks County	Filed
7-12-99	Metropolitan Savings & Loan Association Pittsburgh Allegheny County <i>To:</i>	4415 Butler Street Pittsburgh Allegheny County	Effective

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
	Metropolitan Savings Bank Pittsburgh Allegheny County		
	Represents conversion from a State-chartered mutual savings association to a State-chartered mutual savings bank.		

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-8-99	First Bank of Philadelphia Philadelphia, and Pennsylvania Savings Bank, Philadelphia Surviving Institution— First Bank of Philadelphia, Philadelphia	Philadelphia	Filed
7-8-99	Clearfield Bank & Trust Company, Clearfield, and CSB Bank, Curwensville Surviving Institution— Clearfield Bank & Trust Company, Clearfield, with a change in corporate title to "Penn Laurel Bank & Trust Company"	Clearfield	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-1-99	First Liberty Bank & Trust Jermyn Lackawanna County	New Bridge Center Third & Pierce Sts. Kingston Luzerne County	Opened
7-1-99	Great Valley Savings Bank Reading Berks County	The Highlands at Wyomissing 2000 Cambridge Avenue Wyomissing Berks County	Opened
7-9-99	Summit Bank Bethlehem Northampton County	473 York Road Warminster Bucks County	Approved
7-12-99	Jefferson Bank Haverford Montgomery County	11725 Bustleton Ave. Philadelphia Philadelphia County	Approved
7-12-99	Laurel Trust Company Johnstown Cambria County	509 East Main Street Somerset Somerset County	Filed

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-2-99	Southwest Bank Greensburg Westmoreland County	<i>Into:</i> 331 East Sixth Ave. Tarentum Allegheny County <i>From:</i> 1121 Brackenridge Ave. Brackenridge Allegheny County	Effective
7-2-99	Southwest Bank Greensburg Westmoreland County	<i>Into:</i> 5 Fourth Street Youngwood Westmoreland County <i>From:</i> Route 119 South Greensburg Westmoreland County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-12-99	Laurel Trust Company Johnstown Cambria County	101 Ligonier Street Latrobe Westmoreland County	Approved
7-12-99	Laurel Trust Company Johnstown Cambria County	911 Philadelphia St. Indiana Indiana County	Approved

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS

No activity.

DAVID E. ZUERN,
Secretary

[Pa.B. Doc. No. 99-1184. Filed for public inspection July 23, 1999, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations the Department of Environmental Protection (Department) proposes to issue a permit to discharge subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0051756. Sewage, **State Farm Mutual Automobile Insurance Company**, One State Farm Drive, Concordville, PA 19331.

This application is for renewal of an NPDES permit to discharge treated sewage from the State Farm Mutual Automobile Insurance Company in Concord Township, **Delaware County**. This is an existing discharge to an unnamed tributary to West Branch Chester Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .025 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	20	40
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine (3—5 years)	0.3	0.7
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 4.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	
Total Residual Chlorine (0—2 years)	monitor/report	monitor/report

Other Conditions:

The EPA waiver is in effect.

PA 0056260. Sewage, **Kathleen J. Smith**, 2815 Rickerts Road, Dublin, PA 18917.

This application is for renewal of an NPDES permit to discharge treated sewage from the Smith Residence STP in Hilltown Township, **Bucks County**. This is an existing discharge to an unnamed tributary to Morris Run.

The receiving stream is classified for the following uses: warm water fishery, trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .0005 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine	monitor/report	
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0055948. Industrial waste, **Sunoco, Inc.**, Ten Penn Center, 3rd Floor, 1801 Market Street, Philadelphia, PA 19103.

This application is for renewal of an NPDES permit to discharge treated groundwater from former Atlantic Service Station located at 411 County Line Road in Horsham Township, **Montgomery County**. This is an existing discharge to unnamed tributary to Pennypack Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 5,800 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Benzene	0.001	0.002	0.0025
Total BETX*	0.1	0.2	0.25
Ethylbenzene	monitor/report	monitor/report	
Toluene	monitor/report	monitor/report	
Total Xylenes	monitor/report	monitor/report	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Manganese	1.0	2.0	2.5
pH	within limits of 6.0—9.0 standard units at all times		

*BETX shall be measured as sum of benzene, ethylbenzene, toluene and xylenes.

Other Conditions:

The EPA waiver is in effect.

Conditions for future permit modification.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0010677. Industrial waste, SIC: 3824, **Veeder-Root Company**, P. O. Box 1673, Altoona, PA 16603-1673.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary to Spencer Run, in Allegheny Township, **Blair County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of .0048 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XXX	monitor and report	XXX
pH (s.u.)		from 6.0—9.0 inclusive	
Temperature °F	XXX	Monitor and report	XXX
Total Zinc	XXX	Monitor and report	XXX
Hexavalent Chromium	XXX	Monitor and report	XXX

The proposed effluent limits for Outfall 002 for a design flow of .043 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XXX	XXX	XXX
pH (s.u.)		from 6.0—9.0 inclusive	
Benzene	.001	.002	.0025
Toluene	1.0	2.0	2.5
1,2-Trans-Dichloroethylene	.10	.20	.25
1,1,1-Trichloroethane	.20	.40	.50
Total PCBs	.0000025	.000005	.000006

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0031062. Sewage, SIC: 4952, **Robeson-Wernersville Municipal Authority**, P. O. Box 202, Wernersville, PA 19565-0202.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Spring Creek, in Heidelberg Township, **Berks County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Western Berks Water located in Bern Township, Berks County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.4 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5- to 10-31)	6		12
(11-1 to 4-30)	18		monitor and report
Total Phosphorus	1		2

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine (Interim) (Final)	monitor and report 0.39		monitor and report 1/29
Dissolved Oxygen pH		minimum of 5.0 at all times from 6.0—9.0 inclusive	
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 3,400/100 ml as a geometric average	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0218111. Sewage, **Conemaugh Township Supervisors**, 1120 Tire Hill Road, Johnstown, PA 15905-7707.

This application is for issuance of an NPDES permit to discharge treated sewage from the Tire Hill Wastewater Treatment Plant in Conemaugh Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Stony Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Water Works on the Conemaugh River.

Outfall 001: new discharge, design flow of 0.45 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen (5-1 to 10-31)	15	22		30
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.6
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0222151—Amendment No. 1. Industrial waste. **Witco Corporation**, One American Lane, Greenwich, CT 06831.

This application is for an amendment of a Part I NPDES permit, to discharge treated groundwater to Tunungwant Creek in Bradford, **McKean County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA/NY state line on Tunungwant Creek located at Bradford, McKean County, approximately 2.7 miles below point of discharge.

The proposed discharge limits, based on a design flow of .367 mgd, are:

Outfall No. 001, Interim Limits

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
Total Iron	XX	XX	XX
Oil and Grease	15		30

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Iron			7
pH		6.0—9.0 at all times	

Outfall No. 001, Final Limits

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX	XX	XX
Total Iron	3.5	7	8.8
Oil and Grease	15		30
Dissolved Iron			7
pH		6.0—9.0 at all times	

Final technology based limitation for total iron.

The EPA waiver is in effect.

PA 0029726. Sewage. **Jamestown Municipal Authority** P. O. Box 188, Jamestown, PA 16134.

This application is to hydraulically rerate the NPDES permit to discharge treated sewage to the Shenango River in Jamestown Borough, **Mercer County**. This is a minor discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Greenville Municipal Authority intake on the Shenango River located at Greenville, approximately 7 miles below point of discharge.

The proposed effluent limits, based on a design flow of 0.15 mgd, are:

Outfall No. 001, Interim Limits

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	25	40	50
(11-1 to 4-30)	20	30	40
TSS	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	9		18
(11-1 to 4-30)	7		14
Total Phosphorus (as P)	1		2
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		34,500/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.2
pH		6.0—9.0 at all times	

The proposed effluent limits, based on a design flow of 0.26 mgd, are:

Outfall No. 001, Final Limits

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	20		40
Total Phosphorus (as P)	1		2
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		48,300/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.6
pH		6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0037991. Sewage, **Imperial Point North**, 563 Chaucer Court, Girard, PA 16417.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Lake Erie in Girard Township, **Erie County**. This is an existing discharge.

The receiving water is classified for cold water and migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, there is no existing/proposed downstream potable water supply to consider during the evaluation.

The proposed effluent limits for Outfall 001, based on average design flow of 0.080 mgd, are:

Parameter	Effluent Concentration (mg/l)	
	Average Monthly	Instantaneous Maximum
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	2.0	4.0
(11-1 to 4-30)	6.0	12
Total Residual Chlorine	0.26	
Phosphorus as P	1.0	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,300/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

NPDES No.	Facility Name and Address	County and Municipality	Tributary Stream	New Permit Requirements
PA 0041220	RMC Enterprises, Inc. P. O. Box 381 Elizabethtown, PA 17022-0381	Dauphin County Conewago Township	UNT to Conewago Creek	TRC
PA 0086495	Metal Industries Home Products, Inc. P. O. Box 305 Gratz, PA 17030-0305	Dauphin County Gratz Borough	Wiconisco Creek	TRC
PA 0086355	Howard D. and Shari M. Soule 7312 Sandy Hollow Road Harrisburg, PA 17112	Dauphin County West Hanover Township	UNT to Beaver Creek	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Industrial waste and sewerage applications under
The Clean Streams Law (35 P. S. §§ 691.1—
691.1001).**

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 1599411. Sewerage. **East Goshen Township Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380. Applicant requests approval for the construction and operation of two pump stations with force main to serve Mill Valley, a residential community located in East Goshen Township, **Chester County**.

WQM Permit No. 1599412. Sewerage. **Eugene McKenna**, 131 Germany Hollow Road, Honeybrook, PA 19320. Applicant requests approval for the construction and operation for a single residential STP located in West Brandywine Township, **Chester County**.

WQM Permit No. 4699419. Sewerage. **Whitemarsh Township**, 616 Germantown Pike, Lafayette Hill, PA 19444-1821. Applicant requests modification to reduce/eliminate chlorine residual levels at the wastewater treatment plan located in Whitemarsh Township, **Montgomery County**.

WQM Permit No. 4699201. Industrial waste. **Lonza, Inc.**, 900 River Road, Conshohocken, PA 19428. Applicant requests approval for construction and operation to expand the wastewater treatment plant located in Upper Merion Township, **Montgomery County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 3099402. Sewerage. **Consol Pennsylvania Coal Company**, 1800 Washington Road, Pittsburgh, PA 15241. Application for the construction and operation of a sewage treatment plant to serve the Crabapple Portal Facility located in Richhill Township, **Greene County**.

Southwest Regional Office: Regional Oil and Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

WQM Permit No. 3286201-T1. Industrial waste. **Franklin Brine Treatment Corporation**, RD 2, Box 403-R, U. S. Route 322 East, Franklin, PA. Application to modify an existing industrial wastewater treatment facility in Burrell Township, **Indiana County**. Application received in the Regional Office: June 21, 1999.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 6299409. Sewage. **Mary Beth Burnell and Richard L. Morrell, SRSTP**, R. R. 3, Box 39A, Sugar Grove, PA 16350. This project is for the construction of a single residence sewage treatment plant in Sugar Grove Township, **Warren County**.

INDIVIDUAL PERMITS

(PAS)

NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. The proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit PAS10-D111. Stormwater. **Katz Builders and Developers**, 541 West Germantown Pike, Plymouth Meeting, PA 19462, has applied to discharge stormwater from a construction activity located in Solebury Township, **Bucks County** to Aquetong Creek.

NPDES Permit PAS10-G370. Stormwater. **East Vincent Township**, 900 West Bridge Street, Spring City, PA, has applied to discharge stormwater from a construction activity located in East Vincent Township, **Chester County**, to Schuylkill River and Stoney Run.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit PAS10Q178. Stormwater. **Hope Community Church**, Joseph Beblavy, 2074 Hefner Road, Fogelsville, PA 18051-2320, has applied to discharge stormwater from a construction activity located in Weisenberg Township, **Lehigh County**, to Hassen Creek.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 657-4707.

Mifflin County Conservation District, District Manager, 20 Windmill Hill Rm. 4, Burnham, PA 17009, (717) 248-4695.

NPDES Permit PAS-10-4505. Stormwater. **Milroy Associates**, 269 Waring Avenue, State College, PA 16801, has applied to discharge stormwater from a construction activity located in Armagh Township, **Mifflin County**, to Tea Creek.

Franklin County Conservation District, District Manager, 550 Cleveland Avenue, Chambersburg, PA 17201, (717) 264-8074.

NPDES Permit PAS-10-M105. Stormwater. **Galen Powers Land Development**, 2341 Falling Spring Road, Chambersburg, PA 17201, has applied to discharge stormwater from a construction activity located in Guilford Township, **Franklin County**, to Falling Spring Creek.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W. Third St., Suite 101, Williamsport, PA 17701, (717) 327-3574.

Clinton County Conservation District, 36 Spring Run Rd., Rm. 104, Mill Hall, PA 17751, (570) 726-3798.

NPDES Permit PAS101916. Stormwater. **Columbia Gas Transmission** has applied to discharge stormwater from a construction activity located in Beech Creek, Noyes, Chapman, Grugan and Gallagher Townships, **Clinton County** to Big Run, W. Branch, Panther Branch,

Swamp Branch, Middle Branch, East Branch, Cleneenin Branch of Baker Run, Cranberry Run, Benjamin Run, Sled Road Hollow, Stevens Valley Run, Goodman Hollow, Johnson Run, Bear Pen Run, Rickey Run.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit PAS10A109. Stormwater. **Ron Plisco**, P. O. Box 545, Monroeville, PA 15146, has applied to discharge water from a construction activity located in North Versailles Township, **Allegheny County** to Jacks Run.

NPDES Permit PAS100244. Stormwater. **Level 3 Communications**, 14023 Denver West Parkway, Golden, Colorado 80401-3107, has applied to discharge water from a construction activity located in Ambridge Borough, Baden Borough, Beaver Falls Borough, Big Beaver Borough, Conway Borough, Darlington Township, East Rochester Borough, Freedom Borough, Harmony Township, Homewood Borough, New Brighton Borough, New Galilee Borough, Patterson Heights Borough, Rochester Borough, West Mayfield Borough, **Beaver County**; Enon Valley Borough, Little Beaver Township, New Beaver Borough, **Lawrence County**; and Avalon Borough, Bellevue Borough, Ben Avon Borough, Edgeworth Borough, Emsworth Borough, Glenfield Borough, Hayville Borough, Kilbuck Township, Leet Township, Leetsdale Borough, Osborne Borough, City of Pittsburgh, Ross Township, Sewickley Borough, **Allegheny County** to Big Sewickley Creek, UNT Ohio River, Legionville Run, Tavebau Run, Crows Run, Walnut Bottom Run, Wallace Run, UNT Beaver River, Clarks Run, Dutchman Run, Fasburg Run, LaCock Run, Beaver River, McKinley Run, Blockhouse Run, Jordan Run, UNT NF Little Beaver Creek, NF Little Beaver Creek, Spruce Run, Lowries Run, Toms Run, Kilburck Run, Jacks Run and Little Sewickley Creek.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

3999503. Public water supply. **South Whitehall Township Authority**, Daniel G. D'Imprio, Chairperson, 4444 Walbert Ave., Allentown, PA 18104. This proposal involves construction of a new booster pump station and tie-in to an existing watermain along Hamilton Boulevard. It is located in South Whitehall Township, **Lehigh County**.

Engineer: Stephen R. Henning, P.E., G. Edwin Pidcock Co.

4899504. Public water supply. **Whispering Hollow North Mobile Home Park, SPG, Inc.**, 139 Country Club Road, Northampton, PA 18067. This proposal involves the permitting of an existing system with modifications. The system consists of three well sources, disinfection treatment, pump station, tanks and distribution system. It is located in Moore Township, **Northampton County**.

Engineer: Kenneth Fulford, K. L. Fulford Associates.

5299502. Public water supply. **Saville Rustin Water Co., Pine Ridge Community**, Bettye Zareaie, General Manager, 1103 Pine Ridge Drive, Bushkill, PA 18324. This proposal involves construction and tie-in of a new

well source, installation of telemetric controls and flow control, along with treatment to control bio-fouling in one of the previously permitted wells. It is located in Lehman Township, **Pike County**.

Engineer: Charles H. Niclaus, P.E., Niclaus Engineering Corp.

6699501. Public water supply. **Stapleton Estates**, Tom Florey, Owner, 1186 Winola Road, Clarks Summit, PA 18411. This proposal involves the construction of a public water supply well, disinfection and storage system for a 20 unit mobile home park located in Clinton Township, **Wyoming County**.

Engineer: David D. Klepadlo, P.E., David D. Klepadlo & Associates.

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 1799502. The Department has received a permit application from the **Clearfield Municipal Authority**, 107 East Market Street, Clearfield, PA 16830, Pike Township, **Clearfield County**, for interconnection of well Nos. 4 and 5 that were drilled in the winter of 1998 using an emergency permit as a result of severe drought conditions.

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6899.

A. 1099503. Public water supply. **Adams Township Municipal Water Authority**, 170 Hutchman Road, Mars, PA 16046. This proposal involves the construction of a master meter pit and water distribution system along State Route 228 corridor, from the Mars-Warrendale Road to Three Degree Road in Adams Township, **Butler County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted

to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

South Whit Shopping Center Associates, City of Philadelphia, **Philadelphia County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site groundwater contaminated with heavy metals, solvents and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Inquirer* on July 1, 1999.

Mill Street Partners Property, Quakertown Borough and Richland Township, **Bucks County**. Robert C. Quick, QuickTec Environmental, P.O. Box 1432, Medford, NJ 08055, has submitted a Notice of Intent to Remediate site soil contaminated with lead. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Quakertown Free Press* on June 22, 1999.

PAEDCO Property (Former Phoenix Steel Foundry Building Site), Phoenixville Borough, **Chester County**. Gerald L. Kirkpatrick, P.G., Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482-0810, has submitted a Notice of Intent to Remediate site soil contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet Statewide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Phoenix* on June 24, 1999.

Holland Village Shopping Center-Holland Custom Cleaners, Northampton Township, **Bucks County**. Alan R. Hirschfeld, P.G., Earth Sciences Consultants, Inc., P. O. Box 1448, Skippack, PA 19474, has submitted a Notice of Intent to Remediate site groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times* on or about July 5, 1999.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

PP&L Northern Division Service Center, Dunmore Borough, **Lackawanna County**. Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440, has submitted a Notice of Intent to Remediate (on behalf of its client, Pennsylvania Power & Light, Inc., 2 North Ninth Street, Allentown, PA 18101) concerning the remediation of site soils found to have been contaminated with petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Scranton Times* on June 30, 1999. A Final Report was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Grinnell Corporation, Columbia Borough, **Lancaster County**. Grinnell Corporation, 1411 Lancaster Avenue, Columbia, PA 17512, has submitted a Notice of Intent to Remediate site groundwater contaminated with lead and heavy metals and site soils contaminated with lead, heavy metals, BTEX and PHCs. The applicant proposes to remediate the site to meet a combination of the Statewide health standard and site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lancaster Intelligencer Journal* on June 11, 1999.

Ladd Hanford Used Auto Coral, North Lebanon Township, **Lebanon County**. Frederick C. Laurenzo, Frederick Chevrolet, Cadillac, Olds, Geo, 1505 Quentin Road, Lebanon, PA 17042, has submitted an amended Notice of Intent to Remediate site soils and groundwater contaminated with solvents, BTEX and PHCs. The applicant proposes to remediate the site to meet a combination of the Statewide health standard and site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lebanon Daily News* on June 3, 1999.

Caterpillar, Inc., Springettsbury Township, **York County**. Earth Tech, Two Market Plaza Way, Mechanicsburg, PA 17055, has submitted a Notice of Intent to Remediate site soil contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record News* on June 25, 1999.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Pittsburgh Forging Company Site (Former/American Bridge Corporation Property), Borough of Coraopolis, **Allegheny County**. American Bridge Corpo-

ration, Three Gateway Center, Suite 1100, Pittsburgh, PA 15222 and AMPCO Pittsburgh Corporation/Old Forgings, Rose Hoover, 600 Grant Street, Suite 4600, Pittsburgh, PA 15219, have submitted a Notice of Intent to Remediate soil and groundwater contaminated with lead solvents BTEX and PHCs. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Coraopolis Record* on June 16, 1999.

Exxon Pittsburgh Specialty Products Plant (Former), City of Pittsburgh, **Allegheny County**. Exxon Company, U.S.A., 800 Bell Street, Houston, TX 77002 and Gloria McCleary, Integrated Science and Technology, Inc., 2595 South George Street, York, PA 17403, have submitted a Notice of Intent to Remediate soil and groundwater contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAH. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pittsburgh Post Gazette* on June 15, 1999.

SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

Permit No. 100403. An application to expand the landfill by 80 acres and to increase the average daily volume at the facility from 780 tons per day to 3,000 tons per day was received from **Seneca Landfill**, P. O. Box 1080, Mars, PA 16046, located in Jackson and Lancaster Townships, **Butler County**. Application was accepted by the Regional Office on July 2, 1999.

Permit No. 101397. An application to recirculate leachate at the Superior Greentree landfill was received from **Superior Greentree Landfill**, 635 Toby Road, Kersey, PA 15846, located in Fox Township, **Elk County**. Application was accepted by the Regional Office on July 7, 1999.

Permit No. 100361. A Phase II application for an expansion of the landfill was received from **McKean County Landfill**, P. O. Box 448, Mt. Jewett, PA 16740, located in Sergeant Township, **McKean County**. Application was accepted by the Regional Office on July 7, 1999.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an integrated plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one

time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be

published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, Attn: Michael Saffo, (570) 826-2531.

48-00021: Northampton Generating Co. (1 Horwith Drive, Northampton, PA 18067), for CFB boiler, diesel generators, fire pumps and culm and ash handling systems in Northampton Borough, **Northampton County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, Attn: Muhammad Zaman, (570) 327-3637.

07-05010: Small Tube Products Co., Inc. (P. O. Box 1674, Altoona, PA 16603), located in Allegheny Township, **Blair County**. The facility operates a cold working redraw mill in the fabrication of tubing. The major source of emissions at the facility are the degreasing operations which are primary emitters of volatile organic compounds (VOCs).

07-05029: Chicago Rivet & Machine Co. (Industrial Park, Tyrone, PA 16686), located in Tyrone Borough, **Blair County**. The facility is a manufacturer of both metal rivets and custom made rivet machines. The major source of emissions at the facility is associated with the use of a vapor degreaser which is a primary emitter of volatile organic compounds (VOCs).

Notice of Intent to Revise Operating Permits for Hospital/Medical/Infectious Waste Incinerators

Under section 111(d)/129 of the Clean Air Act, the United States Environmental Protection Agency (EPA) promulgated Emission Guidelines to control the emission of designated pollutants from existing hospital/medical/infectious waste incinerators (HMIWI) (See 62 FR 48348, September 15, 1997). These guidelines are codified at 40 CFR Part 60, Subpart Ce and incorporated by reference in 25 Pa. Code § 122.3. These Emission Guidelines apply to all existing HMIWI units which have commenced construction on or before June 20, 1996.

The Department of Environmental Protection (Department) has determined that the affected HMIWI units listed as follows are subject to the Emission Guidelines. New or revised Federally enforceable State operating permits (FESOP), Title V operating permits or plan approvals, when necessary, will be submitted to the EPA as the legally enforceable mechanism to implement the Subpart Ce requirements.

OP-32-00013: Indiana Hospital (P. O. Box 788, Hospital Road, Indiana, PA 15701), in White Township, **Indiana County**. *Primary Emissions:* Sulfur oxides (SO₂), nitrogen oxides (NO_x), carbon monoxide (CO), hazardous air pollutants (HAPs) and particulate matter. *Affected HMIWI unit:* Primary Chamber Cleanair Mark VI, Rebuilt by Penn Industrial hospital/medical/infectious waste incinerator with secondary chamber PennRam Model No. 210-500, K-15-18, 210 pounds per hour. *Other Sources:* three boilers and two emergency generators.

OP-65-00313: West Haven Nursing Home (P. O. Box 278, Apollo, PA 15613), in Washington Township, **Westmoreland County**. *Primary Emissions:* Nitrogen oxides (NO_x), carbon monoxide (CO), and particulate matter. *Affected HMIWI unit:* The hospital/medical/infectious waste incinerator is a starved air unit which employs a primary and secondary chamber and is manufactured by Kelley Co., Inc., 300 lbs/hr. This unit also

burns less than 10% hospital infectious waste and has applied for an exemption claim.

OP-65-00732: Latrobe Area Hospital (121 West 2nd Avenue, Latrobe, PA 15650), in Latrobe, **Westmoreland County**. *Primary Emissions:* Sulfur oxides (SO₂), nitrogen oxides (NO_x), carbon monoxide (CO), hazardous air pollutants (HAPs) and particulate matter. *Affected HMIWI unit:* The hospital/medical/infectious waste incinerator is manufactured by Simonds Mfg. Corp. model no. 2151B, natural gas double chamber batch type, 968 lbs/batch. *Other Sources:* two boilers and four emergency generators.

Copies of the draft permits or plan approvals and other relevant information are available for public inspection and additional information may be obtained by contacting the Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174, between the hours of 8 a.m. and 3:30 p.m., Monday through Friday, except holidays.

Interested persons may submit written comments, suggestions or objections concerning the proposed permits or plan approvals to the Regional Office noted above within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the permit number of the proposed permit. The commentator should include a concise statement of objections to the issuance of the revised permit or plan approval and the relevant facts upon which the objections are based.

A public hearing will subsequently be held for all HMIWI which will be shutting down, and have requested an extension beyond the 1 year compliance deadline specified in the draft permit or plan approval. The Department reserves the right to hold a public hearing on all other proposed actions based upon the information received during the public comment period and will provide notice of each hearing at least 30 days prior to the date of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-306-010A: Pennsylvania Power and Light Co. (Two North Ninth Street, Allentown, PA 18101), for operation of a natural gas boiler (Unit 3A auxiliary boiler) in Lower Mt. Bethel Township, **Northampton County**.

48-309-063A: ESSROC Cement Corp. (3251 Bath Pike, Nazareth, PA 18064), for operation of a cement clinker handling system at Nazareth Plant I in Nazareth Borough, **Northampton County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

36-05094: Keystone Wood Specialties, Inc. (P. O. Box 10127, Lancaster, PA 17605-0127), for operation of three spray booths in East Lampeter Township, **Lancaster County**.

36-316-031B: Conestoga Wood Specialties Corp. (245 Reading Road, East Earl, PA 17519), for modification to wood working operation—Plant No. 4 (System 4F,

including installation of a fabric collector), in East Earl Township, **Lancaster County**.

PLAN APPROVALS

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

35-322-003C: Dominion Energy, Inc. (Alliance Sanitary Landfill, Inc., P. O. Box 28, Taylor, PA 18517), for modification of the kryogenic condensate gas plant in Taylor Borough, **Lackawanna County**.

48-309-106: Keystone Cement Co. (P. O. Box A, Bath, PA 18014), for installation of silo tunnel ventilation controlled by a fabric collector in East Allen Township, **Northampton County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

05-05006A: Columbia Gas Transmission Corp. (Route 1, Box 25, Artemas, PA 17211-9741), for construction of natural gas dehydrator system at Artemas Compressor Station in Mann Township, **Bedford County**.

28-329-001A: Borough of Chambersburg (160 North Second Street, Chambersburg, PA 17201), for construction of engine-generator at the Diesel Power Plant in Chambersburg Township, **Franklin County**.

28-03026A: Gish Logging, Inc. (P. O. Box 282, Fort Loudon, PA 17224), for installation of a wood-fired boiler in Metal Township, **Franklin County**. The boiler is subject to 40 CFR Part 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

28-05022: RJC Industries, Inc. (9523 Lincoln Way West, St. Thomas, PA 17252), for construction of two spray paint booths at a new wood working facility in Letterkenney Township, **Franklin County**.

06-301-095A: Joseph D. Giles Funeral Home, Inc. (21 Chestnut Street, Mohnnton, PA 19540-1925), for construction of a gas fired crematory for human remains in Mohnnton Borough, **Berks County**.

22-03009A: Brubaker Tool Corp. (200 Front Street, Millersburg, PA 17061), for modification of an existing heat treat line in Millersburg Borough, **Dauphin County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

TV-25-00316: Ethan Allen, Inc. (77 South Main Street, Union City, PA 16438), for construction of a wood furniture robotic spray process resulting in a plantwide applicability limit (PAL) of 206 tpy of VOC and 24.0 tpy of particulate matter in Union City, **Erie County**.

PA-43-287A: Jones Performance Products, Inc. (1 Jones Way, West Middlesex, PA 16159-0808), for construction of a sheet mould compound press (300 tons) in West Middlesex, **Mercer County**. Jones performance is a Title V facility.

PA-10-062A: Slippery Rock University (Service and Kiester Road, Slippery Rock, PA 16057), for modification of two existing coal fired boilers (1 and 2) to be converted to natural gas located in Slippery Rock, **Butler County**.

PA-10-021E: Indspec Chemical Corp. (133 Main Street, P. O. Box 307, Petrolia, PA 16050), for construction of a 9,500 gallon storage vessel for resorcinol and installation of a scrubber to control the resorcinol emissions in Petrolia, **Butler County**.

42-302-009A: Allied Signal Astor Corp. Petrowax (Routes 46 and 446, Smethport, PA 16749), for minor modification to allow the bypass of the ESP when firing fuel oil only in Keating Township, **McKean County**.

42-312-017A: Allied Signal Astor Corp. Petrowax (Route 46 and 446, Smethport, PA 16749), for minor modification to allow simultaneous use of Tanks 22, 24, 28 and 29, and to reflect the tanks which were deleted in Keating Township, **McKean County**.

PA-42-151A: Werzalit of America, Inc. (40 Holley Avenue, Bradford, PA 16701), for modification of an hourly restriction in Bradford, **McKean County**.

PA-10-267A: Three Rivers Aluminum Co., Inc. (71 Progress Avenue, Cranberry Township, PA 16066), for modification of surface coating operation in Cranberry Township, **Butler County**. The modification will not cause an increase in emissions.

PA-43-310B: Duferco Farrell Corp. (15 Roemer Boulevard, Farrell, PA 16121), for construction of two package boilers (33.5 MMBtu/hr each) for the No. 7 pickle line rebuild project in Farrell, **Mercer County**.

PA-20-040A: Advanced Cast Products, Inc. (18700 Mill Street, Meadville, PA 16335), for construction of a new molding line, holding furnace, sand preparation, shakeout and baghouses to control the particulate emissions in Vernon Township, **Crawford County**.

Philadelphia Department of Public Health: Air Management Services, 321 University Avenue, Philadelphia, PA 19104, (215) 685-7572.

99079: SJA Construction (Independent Pier 2, Girard Point, Philadelphia, PA 19145), for construction and operation of a batch asphalt plant in the City of Philadelphia, **Philadelphia County**.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

Coal Applications Received

26840105R. Boyle Land & Fuel Co. (P. O. Box 576, Fredericktown, PA 15333). Renewal application received for continued operation and reclamation of a bituminous surface mine located in Wharton Township, **Fayette County**, affecting 69.6 acres. Receiving streams: unnamed tributaries to Stony Fork to Big Sandy Creek. Renewal application received: June 30, 1999.

30890105R. Boyle Land & Fuel Co. (P. O. Box 576, Fredericktown, PA 15333). Renewal application received for continued operation and reclamation of a bituminous surface mine located in Morgan Township, **Greene County**, affecting 49.9 acres. Receiving streams: unnamed tributaries of South Fork to South Fork to Monongahela River. Renewal application received: June 30, 1999.

65990103. Gary Gioia Coal Company (319 Karen Drive, Elizabeth, PA 15037). Application received for commencement, operation and reclamation of a bituminous surface mine located in Hempfield Township, **Westmoreland County**, proposed to affect 21.5 acres. Receiving streams: unnamed tributaries to Wilson Run to Wilson Run to Sewickley Creek to the Youghiogheny River. Application received: June 30, 1999.

03980101. Walter L. Houser Coal Co., Inc. (RR 9, Box 434, Kittanning, PA 16201). Application received for commencement, operation and reclamation of a bituminous surface auger mine located in Kittanning Township, **Armstrong County**, proposed to affect 207.0 acres. Receiving streams: Mill Run and unnamed tributaries to Mill Run. Application received: June 30, 1999.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17990113. Ed Hanslovan Coal Co., Inc. (R. D. 2, Box 230, Morrisdale, PA 16858), commencement, operation and restoration of a bituminous surface mine-auger-coal refuse disposal-coal preparation plant facility permit in Bell Township, **Clearfield County** affecting 535 acres. Receiving streams: Lost Run and Laurel Run. Application received June 22, 1995.

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

03871303. TJS Mining, Inc. (R. D. 1, Box 260D, Shelocta, PA 15774), to revise the permit for the Darmac No. 2 in Plumcreek Township, **Armstrong County** to add permit and subsidence control plan acres and one vent borehole, no additional discharges. Application received June 14, 1999.

32841307. Tanoma Coal Co., Inc. (R. R. 1, Box 594, Marion Center, PA 15759), to revise the permit for the Tanoma Mine in Rayne Township, **Indiana County** to install the E-11 vent borehole, no additional discharges. Application received June 14, 1999.

04991601. Quality Aggregates, Inc. (200 Neville Rd., Pittsburgh, PA 15225), to operate the Colona Dock Mine in Monaca Borough, **Beaver County**, new prep plant, tippie load out (grandfathered pre-existing to 1930s), no additional discharges. Application received June 18, 1999.

02733702. Consolidation Coal Company (200 Hidden Valley Rd., McMurray, PA 15317), to renew the permit for the Renton Mine Coal Refuse Disposal Area in Plum Borough, **Allegheny County**, no additional discharges. Application received June 29, 1999.

63981301. Consol Coal Co. (R. D. 4, Box 425, Moundsville, WV 26041), to operate the Shoemaker Deep Mine in West Finley Township, **Washington County**, new mine (437.53 underground acres), no additional discharges. Application received June 30, 1999.

32851302. Helvetia Coal Co. (P. O. Box 219, Shelocta, PA 15774), to revise the permit for the Lucerne No. 6E and 6 Mine in Blacklick Township, **Indiana County** to drill boreholes to pump discharge 6E to 6 Mine, no additional discharges. Application received July 6, 1999.

03921602. Glacial Sand & Gravel Co. (P. O. Box 1022, Kittanning, PA 16201-5022), to renew the permit for the Glacial Coal Tippie in East Franklin Township, **Armstrong County**, no additional discharges. Application received July 7, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54930102C11. Harriman Coal Corporation (978 Gap Street, Valley View, PA 17983), correction to an existing anthracite surface mine operation in Porter Township, **Schuylkill County** affecting 460.0 acres, receiving stream—none. Application received June 23, 1999.

49870201R2. Susquehanna Coal Company (P. O. Box 27, 200 East Front Street, Nanticoke, PA 18634),

renewal of an existing coal refuse reprocessing and surface mine operation in Mt. Carmel Township, **Northumberland County** affecting 206.0 acres, receiving stream—none. Application received June 25, 1999.

54850104R2. Tracy Coal Co. (116 West Avenue, Mt. Carmel, PA 17851), renewal of an existing anthracite surface mine operation in Schuylkill Township, **Schuylkill County** affecting 102.5 acres, receiving stream—unnamed tributary to East Branch Schuylkill River. Application received June 29, 1999.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

Noncoal Applications Received

65900403. Pioneer Mid-Atlantic, Inc. (400 Industrial Boulevard, New Kensington, PA 15068). Application received for a revision to add underground mining to the Whitney Quarry, located in Unity Township, **Westmoreland County**, affecting 492 acres. Receiving streams: unnamed tributaries to Ninemile Run, to Ninemile Run, to Loyalhanna Creek, to the Kiskiminetas River. Application received: June 30, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

302124-4379306-E-3. H & H Materials, Inc. (190 Canon Road, Stoneboro, PA 16153). Application for a stream encroachment to encroach within the 100 foot stream barrier of Little Shenango River in Lake Township, **Mercer County**. Receiving streams: Shenango River. Application received June 28, 1999.

4379306. H & H Materials, Inc. (190 Canon Road, Stoneboro, PA 16153). Revision to an existing sand and gravel pit operation in Lake Township, **Mercer County**, affecting 220.0 acres. Receiving streams: Shenango River. Revision to include a land use change from unmanaged natural habitat to unmanaged water impoundment on lands of H & H Materials, Inc. Application received June 28, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

774SM2A1C3. Berks Products Corporation (P. O. Box 421, Reading, PA 19603), renewal of NPDES Permit No. PA0594521 in Ontelaunee Township, **Berks County**, receiving stream—Maiden Creek and Schuylkill River. Application received July 9, 1999.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment

Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as questions to the office noted above the application.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-623. Encroachment. **Seawind Aviation**, SNA, Inc., P. O. Box 607, Kimberton, PA 19442-0607. To place and maintain fill in 1.7 acres of wetlands (PFO) located in the headwaters of Sucker Run (WWF-MF). The fill is associated with the construction of an aircraft repair and manufacturing facility located adjacent to the Chester County Airport (Carlson Airport) (Coatesville, PA Quadrangle N: 19.3 inches; W: 16.2 inches) in Valley Township, **Chester County**.

E23-384. Encroachment. **Tosco Pipeline**, 1100 Route 1, Linden, NJ 07036. To perform maintenance on an existing 8-inch and 10-inch pipeline across the following streams and bodies of water:

1. To place concrete encasement around the existing 8-inch pipe across Marcus Hook Creek (WWF), (Marcus Hook, PA-NJ-DE, USGS Quadrangle (N: 20.2 inches; W: 9.5-inches) in Aston Township, Delaware County.

2. To place concrete encasement around the existing 8-inch pipe with rip-rap apron upstream and downstream across Darby Creek (CWF-MF), (Lansdowne, PA USGS Quadrangle N: 13.00 inches; W: 11 inches) in Springfield Township, Delaware County.

3. To place concrete encasement around the existing 8-inch pipe with rip-rap apron upstream and downstream across Mylars Run (CWF-MF), Lansdowne, PA USGS Quadrangle (N: 15.8 inches; W: 6.3 inches) in Upper Darby Township, Delaware County.

4. To place concrete encasement around the existing 8-inch, 10-inch pipes across Marcus Hook Creek, (Marcus Hook, PA-NJ-DE USGS Quadrangle N: 13.5 inches; W: 8.5 inches) in Trainer Borough, Delaware County.

5. To realign approximately 80 ft. of the stream channel of Marcus Hook Creek and to place concrete encasement around the existing 8-inch and 10-inch pipes, (Marcus Hook, PA-NJ-DE USGS Quadrangle N: 18.7 inches; W: 8.5 inches) in Upper Chichester Township, Delaware County.

6. To provide an additional mid-span support to an existing 8-inch pipeline across an unnamed tributary to Darby Creek (WWF) in John Heinz National Refuge, (Bridgeport, PA USGS Quadrangle, N: 22 inches; W: 6.5 inches) in Tincum Township, **Delaware County**.

E46-845. Encroachment. **Abington Township**, 1176 Old York Road, Abington, PA 19001. To perform the following activities associated with the Baeder Run Flood Control Project:

1. To install and maintain 455 linear feet of 9-foot by 4-foot reinforced concrete box stream enclosure along Baeder Run (WWF). This structure will be installed adjacent to an existing 5.5-foot diameter reinforced concrete culvert to increase the hydraulic conveyance capacity.

2. To widen and maintain a 1,100 linear foot section of Baeder Run. The total width of the proposed channel will be about 18 feet between the downstream terminus of the aforementioned culvert and Wanamaker Road (average width increase is 7 feet).

3. To construct and maintain a reinforced modular black retaining wall along the streambank where the widening will occur.

The project is located (Germantown, PA Quadrangle N: 19.9 inches; W: 0.9 inch) in Abington Township, **Montgomery County**.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

EA54-002NE. Environmental Assessment. **Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18711-0790. To place fill in four water bodies, totaling 0.19 acre, for the purpose of reclaiming an abandoned mine site as part of Project OSM 54 (3650) 101.1, Newtown South. The project is located approximately 1,300 feet south of S. R. 0209 on the crest of Red Mountain approximately 6,000 feet south west of the village of Newtown (Minersville, PA Quadrangle N: 2.4 inches; W: 14.6 inches), in Reilly Township, **Schuylkill County** (Baltimore District, U. S. Army Corps of Engineers). Approval of an Environmental Assessment is requested in conjunction with § 105.12(a)(16), Dam Safety and Waterway Management, regarding restoration activities.

E54-268. Encroachment. **James L. McAndrew**, 100 Centre Street, Ashland, PA 17921. To construct and maintain a pedestrian bridge, having a span of approximately 16.0 feet and a minimum underclearance of 3.0 feet across Little Mahanoy Creek (CWF), for the purpose of providing access to a portion of an 89.47-acre tract. The project is located approximately 1,000 feet north of the intersection of T-962 (Malones Road) and T-964 (Turnpike Road) Ashland, PA Quadrangle N: 2.4 inches; W: 8.1 inches), Butler Township, **Schuylkill County** (Baltimore District, U. S. Army Corps of Engineers).

E64-205. Encroachment. **Donald Henderson and Louis Bellucci**, R. R. 2, Honesdale, PA 18431. To construct and maintain a road crossing of Purdy Creek (HQ-CWF) consisting of three 30-inch diameter corrugated metal culverts set 6 inches below grade. The downstream culvert outlets will be protected by 18-inches of R-4 riprap set at grade. The project is located northeast of Hamlin off S. R. 0590 and Daniels Road. Proceed 1 mile on Daniels Road to Beaver Brook Road, the site is 1,000 feet from the intersection of Daniels and Beaver Brook Road. This is the Lakeview, PA Quadrangle N: 14.2 inches; W: 4.6 inches), Paupack Township, **Wayne County** (Philadelphia District, U. S. Army Corps of Engineers).

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E36-678. Encroachment. **Penn Township**, 97 North Penryn Road, Manheim, PA 17545. To realign and maintain 1,400 feet channel reach of Santo Domingo Creek to prevent degrading of Lexington Road located about 3,000 feet southwest of Halfville Village (Lititz, PA Quadrangle N: 10.8 inches; W: 11.9 inches) in Penn Township, **Lancaster County**.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E14-352. Encroachment. **Eastern States Exploration Co.**, P. O. Box 178, Snow Shoe, PA 16874. To construct and maintain a natural gas pipeline, 6-inch in diameter, under: North Fork Beech Creek (CWF) (Flat Street and France Crossings), unnamed tributary to Beech Creek (CWF) (Pancake Crossing), unnamed tributary of Sandy Run (CWF), Beech Creek (Redbuck Road Crossing) (CWF), Rock Run (EV). The project begins at the meter house on Flatt Street in Village of Clarence, (Snow Shoe, PA Quadrangle N: 9.00 inches; W: 9.42 inches) and ends at the ESEC Compressor Station on Hall Road located approximately 1 mile south of the intersection of Hall Road and Kato-Orviston Road (Snow Shoe SE, PA Quadrangle N: 11.83 inches; W: 12.92 inches) in Snow Shoe Township, **Centre County**. The project proposes to disturb 90—100 linear feet of streams.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1278. Encroachment. **Neville Metals**, 3100 Grand Avenue, Pittsburgh, PA 15225. To expand, operate and maintain the existing barge docking facility in the channel of and along the left bank of the Ohio River for the purpose of improving and expanding the existing facility located near River Mile 7.1 (Emsworth, PA Quadrangle N: 1.5 inches; W: 14.9 inches) in Neville Township, **Allegheny County**.

E11-278. Encroachment. **East Carroll Township Supervisors**, 3350 Brick Road, Carrolltown, PA 15722. To remove the existing structure and to construct and maintain a corrugated metal box culvert having a normal span of 16.0 feet and an underclearance of 4.3 feet in Laurel Lick Run (HQ-CWF) located on T-511, approximately 1.5 miles east of U. S. Route 219 (Carrolltown, PA Quadrangle N: 12.3 inches; W: 9.3 inches) in East Carroll Township, **Cambria County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E25-590. Encroachment. **PA Fish and Boat Commission**, 450 Robinson Lane, Bellefonte, PA 16823. To construct and maintain the following improvements at the Elk Creek Access along Lake Erie at the mouth of Elk Creek (Fairview, PA Quadrangle N: 4.25 inches; W: 16.4 inches) located in Girard Township, **Erie County**.

1. A 20-foot-wide by 1,450-foot-long, 8-inch-thick gravel/roadway in the 100-year floodplain of Elk Creek.
2. An 80-foot-long by 60-foot-wide parking lot within the 100-year floodplain of Elk Creek.
3. Five 48-inch-diameter plastic pipe culverts with rock riprap armor in a lagoon on the gravel roadway.
4. A 36-foot-long by 10-foot-wide gabion basket pier with concrete cap along the shore of Lake Erie at the mouth of Elk Creek.

E33-198. Encroachment. **Jefferson County Commissioners**, 155 Main Street, Jefferson Place, Brookville, PA 15825. To remove the existing County Bridge No. JC-6 (Windfall Bridge) and to realign approximately 150 feet of the channel of Big Run extending upstream from the bridge and to construct and maintain a prestressed concrete adjacent box beam bridge having a clear span of 80 feet and an underclearance of 7 feet on a 58 degree skew across Big Run on T-528 approximately 0.1 mile

East of T-524 (Punxsutawney, PA Quadrangle N: 19.3 inches; W: 1.4 inches) located in Henderson Township, **Jefferson County**.

WATER ALLOCATIONS

Applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

WA39-706B. Water Allocation Permit. **South Whitehall Township**, Daniel G. D'Imperio, Chairperson, 4444 Walbert Ave., Allentown, PA 18104-1699. This proposal involves the purchase of 1.2 mgd, based on a 30-day average, from the City of Allentown. It is located in South Whitehall Township, **Lehigh County**.

Engineer: Stephen R. Henning, P.E., G. Edwin Pidcock Co.

WA48-1005. Water Allocation Permit. **Allen Township Authority**, Ilene Eckhart, Secretary, 4714 Indian Trail Road, Northampton, PA 18067-9492. This proposal involves the purchase of up to 400,000 gallons per day, based on an annual average, from the Bethlehem Authority/City of Bethlehem. It is located in **Northampton County**.

Engineer: James B. Birdsall, P.E., Hanover Engineering Associates, Inc.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. §§ 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Market Street State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

NPDES Permit No. PA0057011. Sewage. **River Park Office Associates**, 555 North Lane, Suite 6101, Conshohocken, PA 19428, is authorized to discharge from a facility located at River Park Office Facility, in Whitmarsh Township, **Montgomery County** into Schuylkill River.

NPDES Permit No. PA0050172. Industrial waste. **Consolidated Rail Corporation**, 1000 Howard Blvd., Suite 400, Mount Laurel, NJ 08054, is authorized to discharge from a facility located at Conrail Morrisville Railyard in Falls Township, **Bucks County** into Rock Run.

NPDES Permit No. PA0020460, Amendment No. 1. Sewage. **Pennridge Wastewater Treatment Authority**, 180 Maple Avenue, P. O. Box 31, Sellersville, PA 18960. Applicant is granted approval for an amendment to reflect revised limits for total residual chlorine based on site-specific discharge mixing characteristics from a facility located in West Rockhill Township, **Bucks County** into East Branch Perkiomen Creek.

NPDES Permit No. PA0052353. Sewage. **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912, is authorized to discharge from a facility located at Buckingham Township, **Bucks County** into Lahaska Creek.

NPDES Permit No. PA0051071. Industrial waste. **Schramm, Inc.**, 800 Lincoln Avenue, West Chester, PA 19380-4206, is authorized to discharge from a facility located at West Goshen Township, **Chester County** into Chester Creek, known as Goose Creek.

WQM Permit No. 0999413. Sewage. **Warwick Township Water and Sewer Authority**, P. O. Box 315, Jamison, PA 18929. Approval for the construction and operation of a sanitary sewer and pump station to serve Heritage Creek residential development located in Warwick Township, **Bucks County**.

WQM Permit No. 0999409. Sewerage. **McGrath Construction, Inc.**, 106 S. Bellevue Avenue, Suite 212, Langhorne, PA 19047. Approval for the construction of a pump station and force main to serve the proposed villages at Flowers Mill located in Middletown Township, **Bucks County**.

WQM Permit No. 4699413. Sewerage. **Lower Providence Township Sewer Authority**, 100 Parklane Drive, Eagleville, PA 19408. Approval for the construction and operation of a submersible pump station, force main and gravity sewer to serve Evansburg Crossing development located in Lower Providence Township, **Montgomery County**.

WQM Permit No. 5199401. Sewerage. **City of Philadelphia ARAMARK Tower**, 1101 Market Street, 4th Floor, Philadelphia, PA 19107-2994. Approval to modify the existing system at the Northeast Water Pollution Control Plant located in the **City of Philadelphia**.

WQM Permit No. 2399402. Sewage. **Upper Providence Township Sewer Authority**, 935 North Providence Road, Media, PA 19063-1499. Approval for the construction and operation of a sanitary sewer system to serve approximately 190 dwelling units. The project is

known as Southern Area Sanitary Sewer System Extension located in Upper Providence Township, **Delaware County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

NPDES Permit No. PA-0045985-A1. Sewerage. **Mountaintop Area Joint Sanitary Authority**, R. R. 4, Morio Drive, Mountaintop, PA 18707, is authorized to discharge from a facility located in Dorrance Township, **Luzerne County**, to Big Wapwallopen Creek.

NPDES Permit No. PA-0063894. Industrial waste. **Municipal Authority of the Borough of Minersville**, 2 East Sunbury Street, Minersville, PA 17954, is authorized to discharge from a facility located in Cass Township, **Schuylkill County**, to Dyer Run Reservoir.

Permit No. 5498402. Sewerage. **Municipal Authority of the Borough of Orwigsburg**, 209 North Warren Street, P. O. Box 128, Orwigsburg, PA 17961. Permit to construct two sanitary sewer extensions, located in Orwigsburg Borough, **Schuylkill County**.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

NPDES Permit No. PA0043052. Sewerage. **Municipal Authority of the Township of Spring**, 2800 Shillington Road, Cornwall Terrace, Sinking Spring, PA 19608, is authorized to discharge from a facility located in Spring Township, **Berks County** to the receiving waters named Cacoosing Creek.

NPDES Permit No. PA0025381. Sewerage. **Saxton Borough Municipal Authority**, P. O. Box 173, Saxton, PA 16678, is authorized to discharge from a facility located in Liberty Township, **Bedford County** to the receiving waters named Raystown Branch Juniata River.

NPDES Permit No. PA0088005. Sewerage. **Robert L. Boyd**, P. O. Box 43, Lurgan, PA 17232, is authorized to discharge from a facility located in Lurgan Township, **Franklin County** to the receiving waters of an unnamed tributary to the Conodoguinet Creek.

NPDES Permit No. PA0082244. Industrial waste. **Susquehanna Area Regional Airport Authority**, 135 York Drive, Suite 100, Middletown, PA 17057, is authorized to discharge from a facility located in Lower Swatara Township, **Dauphin County** to the receiving waters named Susquehanna River.

NPDES Permit No. PA0087955. Sewage. **Cassville Water & Sewer Authority**, P. O. Box 48, Cassville, PA 16623, is authorized to discharge from a facility located in Cass Township, **Huntingdon County** to the receiving waters of an unnamed tributary to Little Trough Creek.

Permit No. 2899404. Sewage. **Robert L. Boyd**, P. O. Box 43, Lurgan, PA 17232. This permit approves the construction of sewage treatment facilities in Lurgan Township, **Franklin County**.

Permit No. 6798408. Sewage. **Northeastern York County Sewer Authority**, P. O. Box 516, Mount Wolf, PA 17347-0515. This permit approves the construction of pump stations in East Manchester Township, **York County**.

Permit No. 3699403. Sewage. **Elizabethtown Borough**, 600 South Hanover Street, Elizabethtown, PA 17022. This permit approves the construction/operation of sewers and appurtenances in Elizabethtown Borough, **Lancaster County**.

Permit No. 3199401. Sewage, **Cassville Water & Sewer Authority**, P. O. Box 48, Cassville, PA 16623. This permit approves the construction/operation of sewage treatment facilities and sewers and appurtenances in Cass Township, **Huntingdon County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 1099407. Sewage. **Fairwinds Manor, Inc.**, 327 North Main Street, Punxsutawney, PA 15767. This project is for the construction and operation of a small flow treatment facility in Winfield Township, **Butler County**.

WQM Permit No. 4299402. Sewage. **Westline Inn, Inc.**, Westline Road, Westline, PA 16751. This project is for the construction and operation of a small flow treatment facility located in Lafayette Township, **McKean County**.

WQM Permit No. 2599402. Sewage. **Lake City Municipal Sewer Authority**, 2350 Main Street, Lake City, PA 16423. This project is for proposed plans to modify an existing system in Lake City Borough, **Erie County**.

WQM Permit No. 2099407. Sewerage. **Donald K. Jr. and Kelli L. Granda SRSTP**, 16571 Harmonsburg Rd., Meadville, PA 16335. Construction of Donald K. Jr. and Kelli L. Granda SRSTP located in Vernon Township, **Crawford County**.

WQM Permit No. 4399412. Sewerage, **Wade Plymire, SRSTP**, 2113 Mercer-West Middlesex Rd., Mercer, PA 16137. Construction of Wade Plymire SRSTP located in Lackawannock Township, **Mercer County**.

WQM Permit No. 4399413. Sewerage, **George L. Johnson, SRSTP**, 5345 Tamarack Dr., Sharpsville, PA 16150. Construction of George L. Johnson SRSTP located in South Pymatuning Township, **Mercer County**.

WQM Permit No. 4299403. Sewerage, **Michael A. Torrey, SRSTP**, R. R. 1, Box 239A, Barbertown Rd., Eldred, PA 16731. Construction of Michael A. Torrey SRSTP located in Ceres Township, **McKean County**.

WQM Permit No. 4399414. Sewerage, **Terry Marachier, SRSTP**, 441 E. Jamestown Rd., Greenville, PA 16125. Construction of Terry Marachier SRSTP located in West Salem Township, **Mercer County**.

INDIVIDUAL PERMITS

(PAS)

The following approvals for coverage under NPDES Individual Permit for discharge of stormwater from construction activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by an aggrieved person under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board

within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PAS-10-C001-R. Individual NPDES. **Carac Inc.**, 100 Industrial Drive, Hamburg, PA 19526. To implement an erosion and sedimentation control plan for the Tilden Industrial Park on 106.8 acres in Tilden Township, **Berks County**. The project is located along Route 61 north of Route 22 (Auburn, PA Quadrangle N: 11.3 inches; W: 0.3 inch). Drainage will be to a tributary to the Schuylkill River.

PAS-10-C013-R. Individual NPDES. **P.C.C. Builders, Inc.**, 825 Berkshire Blvd., Wyomissing, PA 19610. To implement an erosion and sedimentation control plan for a residential subdivision on 95 acres in Spring Township, **Berks County**. The project is located east of Van Reed Road between Paper Mill and State Hill Road (Reading, PA Quadrangle N: 18.2 inches; W: 16.6 inches). Drainage will be to Cacoosing Creek.

PAS-10-H083. Individual NPDES. **South Middleton Township**, 4 Forge Road, Boiling Springs, PA 17007. To implement an erosion and sedimentation control plan for the construction of a middle school and an athletic field on 62 acres in South Middleton Township, **Cumberland County**. The project is located (Carlisle, PA Quadrangle N: 4.85 inches; W: 1.4 inches). Drainage will be to the Yellow Breeches Creek.

Southeast Regional Office: Regional Waste Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

PAS-10-H084. Individual NPDES. **South Middleton Township Municipal Authority**, P. O. Box 8, Boiling Springs, PA 17007-0008. To implement an erosion and sedimentation control plan for the construction and installation of sanitary sewer lines along Sand Bank Road and Pine Street on 11.4 acres in South Middleton Township, **Cumberland County**. The project is located just west of Mt. Holly Springs Borough (Mt. Holly Springs, PA Quadrangle N: 20.75 inches; W: 11.1 inches). Drainage will be to Yellow Breeches Creek.

PAS-10-M103. Individual NPDES. **Aldine Martin**, 1111 Williamson Avenue, Greencastle, PA 17225. To implement an erosion and sedimentation control plan for a residential development called Heritage Estates on 60 acres in Greencastle Borough and Antrim Township, **Franklin County**. The project is located just west of Greencastle and about 600 feet north of PA 16 (Greencastle, PA Quadrangle N: 8.4 inches; W: 15.3 inches). Drainage will be to UNT Muddy Run.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream</i>
PAS10-G357	Wyeth Ayer Laboratories P. O. Box 861 Paoli, PA 19301-0861	East Whiteland Township Chester County	Little Valley Creek

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream</i>
PAS10-T020-R	The Cutler Group, Inc. P. O. Box 629 Horsham, PA 19044	Upper Providence Township Montgomery County	Schoolhouse Run

INDIVIDUAL PERMITS**(PAR)****Approvals to Use NPDES and Other General Permits**

The following parties have submitted (1) Notices of Intent (NOIs) for coverage under General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth; (2) NOIs for coverage under General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection has reviewed the First Land Application of Sewage Sludge for the following sites and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

The Department of Environmental Protection has acted on the following requests for coverage under the specified General Permit as follows:

*List of
General Permit Type*

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater From Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

General Permit Type—PAG-2

Facility Location

<i>County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Buckingham Township Bucks County	PAR10-D418	Cutler Group P. O. Box 629 Horsham, PA 19044	Unnamed Tributary Pine Run	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Bensalem Township Bucks County	PAR10-D367	Sam Braccia 715 Norristown Road Horsham, PA	Poquessing Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Newtown Township Bucks County	PAR10-D424	Community Associates Underwriters 1098 Washington Crossing Road West Chester, PA 19380	Core Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Northampton Township Bucks County	PAR10-D456	Christine M. Fluehr and Maryanne M. Bevan 800 Newtown Richboro Road Richboro, PA	Neshaminy Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Richland Township Bucks County	PAR10-D369	Tollgate Partnership 52 Orchard Street Hatboro, PA 19040	Morgan and Tohickon Creeks	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Richland Township Bucks County	PAR10-D436	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA	Tohickon Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Richland Township Bucks County	PAR10-D396	Quakertown Christian School Building 143 Rocky Ridge Road Quakertown, PA	Morgan Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Springfield Township Bucks County	PAR10-D434	Naceville Materials 2001 Ridge Road Sellersville, PA	Unnamed Tributary Saucon Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Makefield Township Bucks County	PAR10-D454	Toll Brothers Inc. 3103 Philmont Ave. Huntingdon Valley, PA	Jericho Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Warwick Township Bucks County	PAR10-D427	Heritage Creek LP P. O. Box 249 Huntingdon Valley, PA 19006	Little Neshaminy Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Warwick Township Bucks County	PAR10-D442	Country Club Plaza Assoc. LP 3841 Mechanicsville Rd. Doylestown, PA	Neshaminy Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Cheltenham Township Montgomery County	PAR10-T546	US Postal Service Columbia PSO Box 701 Columbia, MD 21045	Unnamed Drainageway	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Salford Township Montgomery County	PAR10-T517	Souderton Area School District 139 Harleysville Pike Souderton, PA	Unnamed Tributary to Vaughn Run	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
New Hanover Township Montgomery County	PAR10-T544	Anthony Giamo 311 West Ridge Pike Limerick, PA	Unnamed Tributary to Ministers Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Hatfield Township Montgomery County	PAR10-T540	Rosenberger's Dairies 847 Forty Foot Road Hatfield, PA	Tributary of West Neshaminy Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Whitemarsh Township Montgomery County	PAR10-T538	Preferred Real Estate Investment 555 North Lane Suite 6101	Schuylkill River	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Centre County Patton Township	PAR10F092	Colonnade at St. College State College Assoc. 20 Erford Rd., Suite 212 Lemoyne, PA 17043	Big Hollow	Centre County CD 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Butler County Fairview Township	PAR10E110	Karns City High School Athletic Field Renovation Karns City School District 1446 Kittanning Pike Karns City, PA 16041	Unnamed Tributary of South Bear Creek	Butler Conservation District 122 McCune Drive Butler, PA 16001-65001 (724) 284-5270
Littlestown Borough Adams County	PAR-10-0070	The Pelican Group, Inc. P. O. Box 160403 Mobile, AL 36616	Piney Creek	Adams County CD 57 N. Fifth St. Gettysburg, PA 17325 (717) 334-0636
Bern Township Berks County	PAR-10-C279	Appletree Corner Wingco Dev. Company R. D. 2, Box 2000, Bldg. A-1 Reading, PA 19605	Unnamed Tributary Schuylkill River	Berks County CD P. O. Box 520 1238 County Welfare Rd. Leesport, PA 19533 (610) 372-4657
Cumru Township Berks County	PAR-10-C253	East Pointe Business Centre Group One Properties Inc. Cross Roads Corp. Center 4641 Pottsville Pike, Suite E Reading, PA 19605	Schuylkill River	Berks County CD P. O. Box 520 1238 County Welfare Rd. Leesport, PA 19533 (610) 372-4657
South Heidelberg Township Berks County	PAR-10-C233-1	South Heidelberg Ind. Park South Heidelberg Ind. Assoc. 1628 North 18th Street Allentown, PA 18104	Cacoosing Creek	Berks County CD P. O. Box 520 1238 County Welfare Rd. Leesport, PA 19533 (610) 372-4657
Lemoyne Borough Cumberland County	PAR-10-H201	Bridge View Office Center Hempt Brothers, Inc. 205 Creek Road Camp Hill, PA 17011	Susquehanna River	Cumberland County CD 43 Brookwood Ave. Suite 4 Carlisle, PA 17013 (717) 240-7812
Lower Swatara Township Dauphin County	PAR-10-I202	East Shore Community Church P. O. Box 90026 Harrisburg, PA 17109	Susquehanna River	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Southampton Township Franklin County	PAR-10-M173	Links of Olde Scotland Olde Scotland Road Shippensburg, PA 17257	N/A	Franklin County CD 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
East Lampeter Township Lancaster County	PAR-10-O-388	Desmond Construction 1085 Manheim Pike Lancaster, PA 17601	Conestoga River	Lancaster County CD 1383 Arcadia Road Room 6 Lancaster, PA 17601 (717) 299-5361
East Earl Township Lancaster County	PAR-10-O-389	Marvin M. Weaver 1294 Martin Street East Earl, PA 17519	Mill Creek	Lancaster County CD 1383 Arcadia Road Room 6 Lancaster, PA 17601 (717) 299-5361
Penn Township Perry County	PAR-10-5128	Roger Barrick Whitetail Crossings 410 Sylvan Street Marysville, PA 17053	Fishing Creek	Perry County CD P. O. Box 36 (31 W. Main St.) New Bloomfield, PA 17068 (717) 582-8988

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Fairview Township York County	PAR-10-Y103-R1	Dorwart Apartment Phase II James Dorwart 1375 Old Quaker Road Etters, PA 17319	Bennetts Run	York County CD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Windsor Township York County	PAR-10-Y389	Taylor Estates Timothy F. Pasch 2215 East Market Street York, PA 17402	Kreutz Creek	York County CD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Springettsbury Township York County	PAR-10-Y393	Harley Davidson Motor Com. Harley Davidson Phase I Grading 1425 Eden Road York, PA 17402	Codorus Creek	York County CD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

General Permit Type—PAG-4

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Eldred Township McKean County	PAG048601	Mark A. and Kathleen L. Shelander 387A Canfield Hollow Rd. Eldred, PA 16731	Canfield Creek	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
Vernon Township Crawford County	PAG048600	Donald K. Jr. and Kelli L. Granda 16571 Harmonsburg Rd. Meadville, PA 16335	Unnamed Tributary to Cussewago Creek	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
S. Pymatuning Township Mercer County	PAG048604	George L. Johnson 5345 Tamarack Dr. Sharpsville, PA 16150	Unnamed Tributary of McCullough Run	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
Lackawannock Township Mercer County	PAG048602	Wade Plymire 2113 Mercer—West Middlesex Rd. Mercer, PA 16137	Tributary to Hartheig Run	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
W. Salem Township Mercer County	PAG048605	Terry Mariacher 441 E. Jamestown Rd. Greenville, PA 16125	Tributary Shenango River	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942
Ceres Township McKean County	PAG048599	Michael A. Torrey R. R. 1, Box 239A Barbertown Rd. Eldred, PA 16731	Unnamed Tributary to Osweyo Creek	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

*Facility Location
County and
Municipality*

Permit No.

*Applicant Name
and Address*

*Receiving Stream
or Body of Water*

*Contact Office and
Telephone No.*

Bruin Township
Butler County
PAG058322

Roger D. Whited
Bruin Service, Inc.
163 Main Street
Bruin, PA 15022-0054

South Branch of
Bear Creek

Northwest Region
Water Management
230 Chestnut St.
Meadville, PA
16335
(814) 332-6942

General Permit Type—PAG-8

*Facility Location
County and
Municipality*

Permit No.

*Applicant Name
and Address*

*Receiving Stream
or Body of Water*

*Contact Office and
Telephone No.*

Schuylkill County
Frailey Township
PAG08-2210

Natural Soil Products
200 E. Main St.
Good Spring, PA 17981

N/A

Northeast Regional
Office
Water Management
Program
2 Public Square
Wilkes-Barre, PA
18711-0790
(570) 826-2511

**SEWAGE FACILITIES ACT
PLAN APPROVAL**

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Monteforte Enterprises Land Development

Project is located on the west side of I-81 at the intersection of I-81 and S. R. 848, New Milford Township, Susquehanna County.

Project Description: The project is a commercial subdivision situated on approximately 31 acres and will include the construction of a mini mall, museum, motel, retail store, restaurants, maintenance garage and other undefined commercial developments.

The project proposes construction of a treatment facility with the design capacity of 60,000 gpd and will utilize a dry stream discharge to a tributary of Nine Partners Creek for ultimate sewage disposal.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

Lake Latonka, Jackson and Coolspring Townships, Mercer County

Coolspring Township Supervisors, c/o Pauline Marsh, Sec., 498 North Perry Highway, Mercer, PA 16137 and Jackson Township Supervisors, c/o Susan L. Montgomery, Sec., 51 North Foster Road, Jackson Center, PA 16133.

Project Description: This approved project proposes construction of a new gravity and low-pressure sewer system and sewage treatment plant to serve the existing and future sewage disposal needs of Lake Latonka and the I79/Route 62 Interchange. The finance, construction, ownership and operation of the system will be handled by the Coolspring-Jackson Lake Latonka Joint Authority.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Permit No. 4898503. Public water supply. **Greenwaltz Water Company**, Ted Williams, President, 2521 Delabole Rd., Bangor, PA 18013. This proposal involves developing an existing well (W-1) as a bulk water source for drinking water. It is located in Washington Township, **Northampton County**. Construction permit issued June 28, 1999.

Minor Amendment for South Whitehall Township Authority—Well No. 5. It is located in South Whitehall Township, **Lehigh County**. Construction permit issued June 30, 1999.

Minor Amendment for Freeland Municipal Authority. It is located in Freeland Borough, **Luzerne County**. Construction permit issued June 21, 1999.

Minor Amendment for Meadowbrook Mobile Home Park. It is located in Washington Township, **Northampton County**. Construction permit issued on June 25, 1999.

Operations Permit issued to **Schuylkill County Municipal Authority**, New Boston Water Line Extension, Mahanoy Township, **Schuylkill County** on June 16, 1999.

Operations Permit issued to **Easton Suburban Water Authority**, Lower Nazareth Township, **Northampton County** on June 23, 1999.

Operations Permit issued to **Bethany Village**, Bethany Borough, **Wayne County**, on June 15, 1999.

Operations Permit issued to **Whitehall Township Authority**, (Mickley Gardens System) Whitehall Township, **Lehigh County** on June 4, 1999.

Operations Permit issued to **Beaver Run Water Association** (Holiday Pocono Subdivision), Kidder Township, **Carbon County**, on June 18, 1999.

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Permit No. MA. The Department issued an operation permit to **Mahoning Township Authority**, 1101 Bloom Road, Danville, PA 17821, Mahoning Township, **Montour County** for operation of the recently constructed modification to the Montgomery Village booster pumping station. This permit amendment also includes operation of the telemetry system components that were installed at other sites in their public water system.

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.

Permit No. 2499502. Public water supply. **Ridgway Township Municipal Authority**, Ridgway Drive, Ridgway, PA 15853, has been issued a construction permit for the construction of a potable water distribution system with provisions for a fire booster pump at the proposed Boot Jack Industrial Park in Ridgway Township, **Elk County**. *Type of Facility: Community Water Supply. Consulting Engineer: Dwight D. Hoare, P.E., Allegheny Mountain Engineering, Inc., 481 Brusselles St., St. Marys, PA 15857. Permit to Construct Issued: July 6, 1999.*

HAZARDOUS SITES CLEANUP

Under the Act of October 18, 1988

Proposed Response and Opening of the Administrative Record Under the Hazardous Sites Cleanup Act

Oak Lane Site

Falls Township, Bucks County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305), has proposed an interim response at the Oak Lane Site. The site is located in the Fairless Hills area of Falls Township, Bucks County. The site involves private wells contaminated with volatile organic compounds and includes properties along Oaklane Avenue, Pennsylvania Avenue and a portion of Lincoln Highway east of Oaklane Avenue. The Department has determined that releases of hazardous substances have occurred, have impacted groundwater in the area, and the releases pose a threat to human health and safety and the environment.

To eliminate the threat posed by the release of hazardous substances at the site, the Department considered the following alternative responses:

1. No action.
2. Installation of whole-house filtration systems.
3. Installation of a municipal water supply waterline.

The Department is proposing Alternative No. 3, installation of a municipal water supply waterline. The municipal waterline will be constructed and connected to 38 addresses currently being served by private wells. The proposed waterline will be constructed on the north end of Oaklane Avenue, the entire length of Pennsylvania Avenue, and that portion of the southern side of Lincoln Highway from Oaklane Avenue east to Trenton Road.

The administrative record, which contains the information that forms the basis for and documents the selection of this response action, is available for public review and comment. A copy of the administrative record is located at

the Falls Township Municipal Building, 188 Lincoln Highway, Suite 100, Fairless Hills, PA 19030, and is available for review in the Township Managers office during normal business hours, weekdays from 8:30 a.m. to 4:30 p.m. A copy of the administrative record is also located at the Bucks County Free Library, Regional Branch, 7311 New Falls Road, Levittown, PA 19055. The administrative record is located at the reference desk and is available during normal library hours. The administrative record may also be reviewed at the Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428. Call Kevin Hess at (610) 832-6194 to make an appointment to review the administrative record at the Southeast Regional Office.

Written comments concerning the Department's proposed response and related to information contained in the administrative record will be accepted in person, if delivered, or by mail, if postmarked, on or before October 22, 1999. Written comments should be directed to the attention of Kevin Hess, PA DEP Project Officer, Suite 6010 Lee Park, 555 North Lane, Conshohocken, PA 19428.

In addition, the public will have an opportunity to present oral comments at a public hearing. The public hearing has been scheduled for September 15, 1999, at 7:30 p.m., in the Public Meeting Room at the Falls Township Falls Municipal Building, 188 Lincoln Highway, Suite 100, Fairless Hills, PA 19030. Persons wishing to present oral comments may register on or before the date of the public hearing by contacting John Gerdemann, DEP Community Relations Coordinator, at (610) 832-6228.

Persons with a disability who wish to attend the public hearing discussed previously and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Kevin Hess directly at (610) 832-6194 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

The Department is providing this notice under sections 505(b) and 506(b) of the HSCA. The date of publication of this notice in the *Pennsylvania Bulletin* initiates the minimum 90-day public comment period on the Administrative Record, as provided, under the HSCA.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and

analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

South Whit Shopping Center Associates, City of Philadelphia, **Philadelphia County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, has submitted a Final Report concerning remediation of site groundwater contaminated with heavy metals, solvents and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Keystone Distribution Center, Inc., Penn Township and Hanover Borough, **York County**. Ensafe, Inc., 24C East Roseville Road, Lancaster, PA 17601, has submitted a Final Report concerning remediation of site soils and groundwater contaminated with lead, BTEX and PHCs. The report is intended to document remediation of the site to the Statewide health standard.

EASB Welding and Cutting Products, Penn Township, **York County**. Buchart-Horn, Inc., P. O. Box 15040, York, PA 17405-7040, has submitted a combined Remedial Investigation/Final Report concerning remediation of site soils and groundwater contaminated with solvents. The report is intended to document remediation of the site to a combination of the Statewide health and site-specific standards.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

PP&L Northern Division Service Center, Dunmore Borough, **Lackawanna County**. Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440, has submitted a Final Report (on behalf of its client, Pennsylvania Power & Light, Inc., 2 North Ninth Street, Allentown, PA 18101) concerning the remediation of site soils found to have been contaminated with petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard. A Notice of Intent to Remediate was simultaneously submitted. See additional *Pennsylvania Bulletin* notice.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Ford Leasing Development Company, City of Monongahela, **Washington County**. Thomas J. Culek, Ford Leasing Development, One Parklane Boulevard, Suite 1500, East Dearborn, Michigan 48126, Petroclean

Environmental Services, P. O. Box 92, Carnegie, PA 15106 and Gregory P. Smoot, P. G., NTH Consultants, LTD, 860 Springdale Drive, Exton, PA 19341, have submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX and PHCs. The report is intended to document remediation of the site to meet the site-specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act (act). Plans and reports required by provisions of Act 2 for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a plan or report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Hilltop Laundry, Lewistown Borough, **Mifflin County**. Pat and Harry Mannino, 65 Colonial Drive, Reedsville, PA 17084, have submitted a final report

concerning the remediation of site soils contaminated with BTEX, PAHs and PHCs. The final report demonstrated attainment of the Statewide health standard, and was approved by the Department on June 23, 1999.

Royer Tract, South Middleton Township, **Cumberland County**. BL Tethys, LLC, 2407 Park Drive, 1st Floor, Harrisburg, PA 17110, has submitted a final report concerning the remediation of site groundwater contaminated with solvents. The final report demonstrated attainment of the background standard, and was approved by the Department on June 15, 1999.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Redevelopment Authority of the City of McKeesport (Fifth and Hartman Streets), City of McKeesport, **Allegheny County**. Redevelopment Authority of the City of McKeesport, 201 Lysle Boulevard, McKeesport, PA 15132 and Von E. Fisher, KU Resources, Inc., One Library Place, Duquesne, PA 15110, have submitted a Final Report concerning remediation of site soil contaminated with lead and BTEX. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on July 2, 1999.

Northwest Regional Office: Craig Lobins, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

National Forge Company, Brokenstraw Township, **Warren County**, One Front Street, Irvine, PA 16329, has submitted a Final Report concerning remediation of the site Area of Concern—7 (surface stained soils) contaminated with lead and heavy metals. The final report demonstrated attainment of the Statewide health standard and was approved by the Department on July 2, 1999.

SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.

Permit No. 603270. Star Rock Farm No. 40, Borough of Millersville, Ten Colonial Avenue, Millersville, PA 17551. This permit has been revoked at the request of the permittee for a site in East Hopewell Township, **York County**. Permit revoked in the Regional Office July 7, 1999.

PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE

INFECTIOUS OR CHEMOTHERAPEUTIC WASTE

Registration issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (52 P. S. §§ 4000.101—4000.1904); and municipal waste management regulations for a general permit for the processing of infectious or chemotherapeutic waste.

Bureau of Land Recycling and Waste Management: Central Office, Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17105-8472.

General Permit Registration No. WMGI007R001. PennState Geisinger Health System—South Central Region, 500 University Drive—H115, Hershey, PA 17033-0850. Registration to operate under General Permit WMGI007 for the processing of infectious waste using sodium hypochlorite and low pressure steam in a modular treatment unit. The registration was approved in Central Office on July 6, 1999.

AIR QUALITY

OPERATING PERMITS

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

01-03011: Dal-Tile Corp. (411 North Fourth Street, Gettysburg, PA 17325), issued July 1, 1999, for operation of five trim presses controlled by a fabric collector in Bendersville Borough, **Adams County**.

01-309-008B: Dal-Tile Corp. (411 North Fourth Street, Gettysburg, PA 17325), issued July 1, 1999, for operation of 15 hydraulic flat presses and two hydraulic trim presses controlled by a Pneumafill Company baghouse in Straban Township, **Adams County**.

36-312-002A: Mobil Oil Corp. (Eight South Main Street, Frazer, PA 19355), issued July 1, 1999, for operation of a bulk gasoline terminal consisting of a three bottom bay loading rack controlled by a vapor combustion unit located at 1360 Manheim Pike in Manheim Township, **Lancaster County**. This source is subject to 40 CFR Part 60, Subpart XX, Standards of Performance for New Stationary Sources, National Emission Standards for Bulk Gasoline Terminals.

38-318-034: Conrad Enterprises, Inc. (P. O. Box 656, Cornwall, PA 17016), issued July 1, 1999, for operation of a paint spray booth controlled by dry filters in Cornwall Borough, **Lebanon County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-20-272A: Universal Stainless & Alloy Products (121 Caldwell Street, Titusville, PA 16354), issued July 31, 1999, for a mold cleaning unit in Titusville, **Crawford County**.

PA-33-002A: Owens-Brockway Glass Container (Route 219, E & R Building, Plant 19, Brockway, PA 15824), issued June 30, 1999, for a glass melting furnace in Snyder Township, **Jefferson County**.

City of Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104, (215) 823-7584.

V95-076: Newman and Co., Inc. (6101 Tacony Street, Philadelphia, PA 19135), issued a Title V Operating Permit on July 9, 1999, for operation of a 118 MMBTU/hr boiler.

V95-090: Park Towne Place Apartments (2200 Ben Franklin Parkway, Philadelphia, PA 19130), issued a Title V Operating Permit on July 9, 1999, for operation of an apartment complex which includes two 20.8 MMBTU/hr boilers.

V96-011: Lawrence-McFadden Co. (7430 State Road, Philadelphia, PA 19136), issued a Title V Operating Permit on July 9, 1999, for manufacturing of industrial wood finish for kitchen cabinets, musical instruments, household and office furniture and wooden caskets. The facility's air emission sources include boilers, solvent storage tanks and mixers.

S95-072: M. A. Bruder & Sons, Inc. (52nd and Grays Avenue, Philadelphia, PA 19143), issued a Synthetic Minor Operating Permit on July 9, 1999, for manufacturing of paint for retail and commercial sales. The facility's air emission sources include boilers, ball mills, let-down tanks, blend tanks and mixers. The facility's air emission control devices are baghouses.

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-46-0182: Rotoflex Technology Inc. (92B County Line Road, Colmar, PA 18915), issued for operation of a chrome plating process in Hatfield Township, **Montgomery County**.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-313-082: Elementis Pigments, Inc. (1525 Wood Avenue, Easton, PA 18042), issued June 25, 1999, for construction of a pigment granular forming process in Easton, **Northampton County**.

48-313-083: Elementis Pigments, Inc. (1525 Wood Avenue, Easton, PA 18042), issued June 25, 1999, for construction of a pigment blending and milling process in Easton, **Northampton County**.

48-328-003: Pennsylvania Power & Light Co. (Two North Ninth Street, Allentown, PA 18101), issued July 8, 1999, for reactivation of four combustion turbines at the Martins Creek Facility in Lower Mt. Bethel Township, **Northampton County**.

54-313-06B: Air Products & Chemicals, Inc. (P. O. Box 351, R. R. 1, Tamaqua, PA 18252), issued June 29, 1999, for construction of 26 additional electrolytic fluorine cells in Rush Township, **Schuylkill County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

67-304-034C: R. H. Sheppard Co., Inc. (101 Philadelphia Street, Hanover, PA 17331), issued July 1, 1999, for installation of two molding lines controlled by a fabric collector at Plant 8 in Hanover Borough, **York County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-25-983A: Rupp Auto Livery (303 East 32nd Street, Erie, PA 16504), issued June 28, 1999, for construction of a crematory incinerator in Erie, **Erie County**.

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

23-313-024D: Degussa Corp. (1200 West Front Street, Chester, PA 19013), issued June 30, 1999, for operation of a fabric collector in City of Chester, **Delaware County**.

09-320-049: Fres-Co Systems USA, Inc. (3005 State Road, Telford, PA 18969), issued June 30, 1999, for operation of a flexographic press in West Rockhill Township, **Bucks County**.

46-302-214: McNeil Consumer Healthcare (7050 Camp Hill Road, Fort Washington, PA 19034), issued June 30, 1999, for operation of a 600 HP Johnston Boiler in Whitemarsh Township, **Montgomery County**.

PA-15-0015A: Sartomer Co., Inc. (610 South Bolmar Street, West Chester, PA 19382), issued June 30, 1999, for operation of an emergency generator in West Chester Borough, **Chester County**.

PA-09-0087: Solkatronic Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067), issued June 30, 1999, for operation of a surface coating operation in Falls Township, **Bucks County**.

46-327-018: Superior Tube Co. (3900 Germantown Pike, Collegeville, PA 19426), issued June 30, 1999, for operation of a new vapor degreaser in Lower Providence Township, **Montgomery County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

06-1003B: Lucent Technologies, Inc. (P. O. Box 13396, Reading, PA 13396), issued June 29, 1999, to authorize temporary operation of a photoresist stripper line covered under this Plan Approval until October 28, 1999, at the Reading Plant in Muhlenberg Township, **Berks County**.

22-03021: A. P. Green Refractories, Inc. (105 North Wood Street, Middletown, PA 17057), issued July 3, 1999, to authorize temporary operations of refractory products manufacturing controlled by five fabric collectors covered under this Plan Approval until October 30, 1999, at the Middletown Operations in Middletown Borough, **Dauphin County**.

67-304-024A: R. H. Sheppard Co., Inc. (P. O. Box 877, Hanover, PA 17331), issued May 23, 1999, to authorize temporary operation of a foundry sand handling system controlled by fabric collectors covered under this Plan Approval until September 19, 1999, at Rear 447 East Middle Street in Hanover Borough, **York County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-24-012A: Carbide/Graphite Group, Inc. (800 Theresa Street, St. Marys, PA 15857), issued May 30, 1999, for coke and graphite material handling in St. Marys, **Elk County**.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—

1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Permits Issued

32663056. Permit Renewal, **Beilchick Brothers** (P. O. Box 7, Heilwood, PA 15745-0007), commencement, operation and restoration of bituminous strip mine in Pine Township, **Indiana County**, affecting 748.0 acres, receiving stream to Little Yellow Creek and unnamed tributaries to Little Yellow Creek. Application received May 7, 1999; issued July 6, 1999.

32803053. Permit Renewal for reclamation only, **A & T Coal Company, Inc.** (c/o Vapco Engineering, P. O. Box 327, Punxsutawney, PA 15767), for continued restoration of a bituminous strip mine in Banks Township, **Indiana County**, affecting 160.0 acres, receiving stream unnamed tributary to South Branch Bear Run. Application received May 5, 1999; issued July 6, 1999.

11940102. Permit Renewal, **E. P. Bender Coal Company, Inc.** (Main and Lehmier Streets, P. O. Box 594, Carrolltown, PA 15722), commencement, operation and restoration of bituminous strip-auger-coal refuse disposal mine in Reade Township, **Cambria County**, affecting 133.0 acres, receiving stream unnamed tributaries to Powell Run; Powell Run; and unnamed tributary to Clearfield Creek. Application received April 12, 1999; issued July 2, 1999.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

65980105. **Joseph Rostosky Coal Company** (R. R. 3, Box 112, Monongahela, PA 15063). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Rostraver Township, **Westmoreland County**, affecting 28.8 acres. Receiving streams: unnamed tributary to the Monongahela River. Application received: November 16, 1998: Permit issued: July 9, 1999.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17930114. **Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830), revision to an existing bituminous surface mine permit for a change in land use from noncommercial forestland to cropland/land occasionally cut for hay. This site is located in Brady Township, **Clearfield County** and affects 86.2 acres. Receiving streams: unnamed tributary to Little Anderson Creek and Little Anderson Creek. Application received December 16, 1998. Permit issued June 29, 1999.

17823101. **Hepburnia Coal Company** (P. O. Box I, Grampian, PA 16838), transfer and renewal of an existing bituminous surface mine permit from Pentz Coal Company in Union Township, **Clearfield County** affecting 128 acres. Receiving streams: two unnamed tributaries of

Laborde Branch, to Laborde Branch, to Sandy Lick Creek, to Little Mill Creek, to Redbank Creek to Anderson Creek, and Anderson Creek to West Branch Susquehanna River to Susquehanna River. Application received August 23, 1994. Permit issued July 1, 1999.

17890103. **Thunder Coal Company** (P. O. Box 283, Grampian, PA 16838), revision to an existing bituminous surface mine permit for a change in permit acreage from 101.5 to 42.6 acres, located in Penn Township, **Clearfield County**. Receiving streams: unnamed tributaries 1, 2, 3 and 4 to Kratzer Run to Anderson Creek to West Branch Susquehanna River. Application received February 12, 1999. Permit issued June 16, 1999.

14663003. **Power Operating Co., Inc.** (P. O. Box 25, Osceola Mills, PA 16666), renewal of an existing bituminous surface mine permit in Rush Township, **Centre County** affecting 900 acres. Receiving streams: Trout Run to Moshannon Creek to West Branch Susquehanna River to Susquehanna River. Application received March 31, 1999. Permit issued June 29, 1999.

17980903. **Forcey Coal, Inc.** (P. O. Box 225, Madera, PA 16661), commencement, operation and restoration of an incidental mineral extraction permit in Gulich Township, **Clearfield County** affecting 28.3 acres. Receiving streams: unnamed tributaries of Muddy Run to Muddy Run, Muddy Run to Clearfield Creek, Clearfield Creek to West Branch Susquehanna River. Application received December 31, 1998. Permit issued July 1, 1999.

17803150. **Sky Haven Coal, Inc.** (R. R. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine-auger permit in Penn Township, **Clearfield County** affecting 434.5 acres. Receiving streams: unnamed tributary to Bell Run, unnamed tributary to Poplar Run, to Bell Run to West Branch Susquehanna River, to Susquehanna River. Application received April 26, 1999. Permit issued June 30, 1999.

17813084. **Sky Haven Coal, Inc.** (R. R. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine-auger permit in Lawrence Township, **Clearfield County** affecting 407.3 acres. Receiving streams: Wolf Run to, and an unnamed tributary to the West Branch of the Susquehanna River to the Susquehanna River. Application received March 11, 1999. Permit issued June 30, 1999.

17673057. **Power Operating Co., Inc.** (P. O. Box 25, Osceola Mills, PA 16666), renewal of an existing bituminous surface mine permit in Gulich Township, **Clearfield County** affecting 1,237.3 acres. Receiving streams: Whiteside Run and an unnamed tributary to Moshannon Creek and Moshannon Creek to West Branch Susquehanna River. Application received March 31, 1999. Permit issued June 30, 1999.

17663136. **EnerCorp, Inc.** (R. D. 2, Box 236, Morrisdale, PA 16858), renewal of an existing bituminous surface mine permit in Graham Township, **Clearfield County** affecting 202 acres. Receiving streams: Flat Run and Mons Run both to Alder Run to West Branch Susquehanna River to the Susquehanna River. Application received April 22, 1999. Permit issued June 30, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

16840104. **Ancient Sun, Inc.** (P. O. Box 129, Shippenville, PA 16254). Renewal of an existing bituminous strip and auger operation in Toby and Perry Townships, **Clarion County** affecting 116.7 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed

tributary to Black Fox Run. Application received: April 26, 1999. Permit Issued: June 23, 1999.

33940101. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767). Renewal of an existing bituminous strip and auger operation in Oliver Township, **Jefferson County** affecting 175.0 acres. This permit is issued for reclamation only. Receiving streams: Unnamed tributary to Hadden Run and Unnamed tributary to Little Sandy Creek. Application received: April 9, 1999. Permit Issued: June 23, 1999.

10980110. Fleishner Excavating (350 Lardintown Road, Sarver, PA 16055). Commencement, operation and restoration of a bituminous strip operation in Clinton Township, **Butler County** affecting 58.4 acres. Receiving streams: Lardintown Run. Application received October 5, 1998. Permit issued: June 25, 1999.

102911-10980110-E-1. Fleishner Excavating (350 Lardintown Road, Sarver, PA 16055). Application for a stream encroachment to use and maintain the existing road presently located within the 100 foot barrier of Lardintown Run in Clinton Township, **Butler County**. Receiving streams: Lardintown Run. Application received: October 5, 1998. Permit Issued: June 25, 1999.

102911-10980110-E-2. Fleishner Excavating (350 Lardintown Road, Sarver, PA 16055). Application for a stream encroachment to mine through and reconstruct unnamed tributary E to Lardintown Run in Clinton Township, **Butler County**. Receiving streams: Lardintown Run. Application received: October 5, 1998. Permit Issued: June 25, 1999.

33930112. Dunamis Resources, Inc. (One Energy Place, Suite 4000, Latrobe, PA 15650). Renewal of an existing bituminous strip operation in Beaver Township, **Jefferson County** affecting 211.2 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributaries to Reitz Run and Unnamed tributaries to Ferguson Run. Application received: May 10, 1999. Permit Issued: June 29, 1999.

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

32971301. Britt Energies, Inc. (P. O. Box 515, Indiana, PA 15701), to revise the permit for the Josephine No. 3 Mine in Center Township, **Indiana County** to add 217.7 acres underground, 249.5 acres Subsidence Control Plan, 6.1 acres surface, new T-Pond, change NPDES, Tributary to Laurel Run. Permit issued July 7, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54981302. George Manhart (R. R. 1, Box 664, Ashland, PA 17921), commencement, operation and restoration of an anthracite underground mine operation in Cass Township, **Schuylkill County** affecting 3.0 acres, receiving stream—none. Permit issued June 29, 1999.

54840105R3. Coal Contractors (1991), Inc. (Gowen Mine, Fern Glen, PA 18241), renewal of an existing anthracite surface mine operation in Cass Township, **Schuylkill County** affecting 272.2 acres, receiving stream—none. Renewal issued June 30, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232. Noncoal Permits Issued

37930302. Quality Aggregates, Inc. (200 Neville Rd., Pittsburgh, PA 15225). Revision to an existing limestone operation to approve the incidental extraction of coal in Slippery Rock Township, **Lawrence County** affecting 140.0 acres. Receiving streams: Unnamed tributary to

Slippery Rock Creek. Application received: May 11, 1999. Permit Issued: June 23, 1999.

61990301. Cooperstown Sand & Gravel (R. D. 2, Box 10, Franklin, PA 16323). Commencement, operation and restoration of a sand and gravel operation in Jackson Township, **Venango County** affecting 36.5 acres. Receiving streams: Unnamed tributary to Sugar Creek. Application received: January 20, 1999. Permit Issued: June 23, 1999.

302377-61990301-E-1. Cooperstown Sand & Gravel (R. D. 2, Box 10, Franklin, PA 16323). Application for a stream encroachment to mine through a 500 foot ephemeral segment of unnamed tributary No. 1 to Sugar Creek. Receiving streams: Unnamed tributary to Sugar Creek. Application received: January 20, 1999. Permit Issued: June 23, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

15830602C3. Allan A. Myers, Inc. d/b/a Independence Construction Materials (4042 State Street, P. O. Box 657, Devault, PA 19432), renewal of NPDES Permit No. PA0614203 in Charlestown Township, **Chester County**, receiving stream—unnamed tributary to Pickering Creek. Renewal issued June 16, 1999.

09890301C7. Naceville Materials (1371 West Street Road, P. O. Box 161, Warminster, PA 18974), renewal of NPDES Permit No. PA0594466 in West Rockhill Township, **Bucks County**, receiving stream—unnamed tributary to Ridge Valley Creek. Renewal issued July 7, 1999.

06920301C. Martin Stone Quarries, Inc. (P. O. Box 297, Bechtelsville, PA 19505), renewal of NPDES Permit No. PA0595641 in Washington Township, **Berks County**, receiving stream—Swamp Creek. Renewal issued July 7, 1999.

8175SM3A1C4. Warner Company (P. O. Box 457, Devault, PA 19432), renewal of NPDES Permit No. PA0613797 in East Whiteland and Tredyffrin Townships, **Chester County**, receiving stream—Valley Creek. Renewal issued July 7, 1999.

6875SM3C. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0612383 in Armagh Township, **Mifflin County**, receiving stream—Honey Creek. Renewal issued July 9, 1999.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Large Industrial Mineral (Noncoal) Permits Issued

4474SM14. New Enterprise Stone & Lime Co., Inc. (Box 77, Church Street, New Enterprise, PA 16664), renewal of the NPDES permit on an existing large industrial minerals permit located in Bradford Township, **Clearfield County** affecting 39 acres. Receiving streams: unnamed tributary to Moravian Run to West Branch Susquehanna River. Application received March 12, 1999. Permit issued June 29, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232. Small Noncoal (Industrial Minerals) Permits Issued

20982803. Andrew M. Kosturick (8565 State Highway 285, Conneaut Lake, PA 16316). Commencement, operation and restoration of a small noncoal sand and gravel operation in Fallowfield Township, **Crawford County** affecting 5.0 acres. Receiving streams: none. Application received: December 11, 1998. Permit Issued: June 23, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

58980822. Thomas J. Mirra (P. O. Box 664, New Milford, PA 18834-0664), commencement, operation and restoration of a bluestone quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres, receiving stream—none. Permit issued June 29, 1999.

58990805. Carl P. and Joyce A. Decker (R. R. 1, Box 318, South Gibson, PA 18842), commencement, operation and restoration of a bluestone quarry operation in Gibson Township, **Susquehanna County** affecting 3.0 acres, receiving stream—none. Permit issued June 30, 1999.

28990801. McGee Excavating (Box 127, Spring Run, PA 17262), commencement, operation and restoration of a small quarry operation in Fannett Township, **Franklin County** affecting 1.0 acre, receiving stream—none. Permit issued July 9, 1999.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Coal Applications Withdrawn

17980102. K & J Coal Company, Inc. (P. O. Box 189, Westover, PA 16692), commencement, operation and restoration of a bituminous surface mine-auger permit in Chest Township, **Clearfield County** affecting 108 acres. Receiving streams: unnamed tributary to Chest Creek and Chest Creek. Application received January 21, 1998. Application withdrawn July 2, 1999.

17970103. Ecklund Coal Co., Inc. (R. D. 1, Box 109, Irvona, PA 16656), revision to an existing bituminous surface mine permit for a change in permit acreage from 33.2 to 39.0 acres, located in Bigler Township, **Clearfield County**. Receiving streams: Alexander Run to Clearfield Creek. Application received February 8, 1999. Application withdrawn July 7, 1999.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (*Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.*)

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-605. Encroachment Permit. Borough of West Chester, 401 West Gay Street, West Chester, PA 19380-2729. To remove two dilapidated single span concrete slab bridge and associated masonry abutments which carry Nields Street and Lacy Street across Goose Creek (WWF) and to install and maintain two precast reinforced concrete box culverts, at these locations, measuring 12 feet by 4 feet and 16 feet by 3.75 feet, respectively. The Nields Street Crossing is located about 100 feet west of its intersection with Franklin Street and the Lacey Street Crossing is located approximately 600 feet northwest at the next upstream road crossing (West Chester USGS Quadrangle N: 14.7 inches; W: 13.3 inches and N: 14.9 inches; W: 13.5 inches) in West Chester Borough, **Chester County**.

E15-608. Encroachment Permit. Pennsylvania Department of Transportation, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To widen and maintain an existing two span bridge over West Valley Creek (CWF-MF) on Pottstown Pike (S. R. 0100) by extending 20 feet on each end to accommodate the addition of two travel lanes. The site is located just south of the intersection of Route 30 and Route 100 (Downingtown, PA Quadrangle N: 5.0 inches; W: 0.5 inch) in West Whiteland Township, **Chester County**.

E23-379. Encroachment Permit. Rose Tree Media School District, 308 North Providence Road, Media, PA 19063. To place and maintain fill within 0.05 acre of wetland (PEM) which is located along an unnamed tributary to Chrome Run (TSF-MF). The site is located just east of the intersection of Barren Road and Van Leer Avenue (Media USGS Quadrangle N: 8.1 inches; W: 8.1 inches) in Middletown Township, **Delaware County**. The amount of wetland impact is considered a de minimis impact of 0.05 acre and wetland mitigation is not required.

E46-814. Encroachment Permit. Upper Hanover Township, 1704 Pillsbury Road, P. O. Box 27, East Greenville, PA 18041. To remove the existing 3-span concrete T-beam bridge which spans the 100-year floodway of the Northwest Branch of the Perkiomen Creek (CWF), and to construct and maintain a concrete box beam bridge having an 80-foot span and 7.5-foot underclearance with roadway approaches impacting 0.01 acre of wetland at this location to provide a safer structure for the traveling public. The site is located approximately 100 feet north of the intersection of Papermill Road and Bowers Mill Road (East Greenville, PA Quadrangle N: 0.4 inch; W: 4.85 inches) in Upper Hanover Township, **Montgomery County**.

E51-171. Encroachment Permit. Carmen Gricco, Specialty Sales Etc., LLC, 933 Penn Street, Philadelphia, PA 19123. To maintain four existing 17-inch steel pilings, to install and maintain a new cluster of three timber pilings

and to permanently moor, operate and maintain a commercial vessel at Pier 40 North along the Delaware River (WWF-MF), which will be utilized as a restaurant facility. The project is located approximately 1,000 feet southeast of Exit 18 of Interstate 95 (Northbound) and just east of the intersection of Penn Street and Ellen Street (Philadelphia, PA USGS Quadrangle N: 15.9 inches; W: 1.3 inches) in the City and **County of Philadelphia**.

E15-592. Encroachment Permit. **Longview Development**, 922 Old Eagle School Road, Suite 905, Wayne, PA 19087. To relocate and enclose 690 linear feet of unnamed tributary to French Creek (TSF) and to place and maintain fill within 0.10 acre of wetland (PFO) and 690 linear feet of watercourse. These activities are associated with the construction of the Phoenixville Town Center Shopping Center. This project is located just north of the intersection of Nutt Road (S. R. 0023) and Kimberton Road (S. R. 0113) (Phoenixville USGS Quadrangle N: 1.25 inches; W: 4.9 inches) in the Phoenixville Borough, **Chester County**. This permit requires the construction of replacement wetlands.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E45-370. Encroachment. **Ross Township Supervisors**, P. O. Box 276, Saylorsburg, PA 18353. To maintain a low-flow road crossing consisting of an open-bottom, corrugated steel arch culvert in Lake Creek having a span of 10.6 feet and underclearance of 3.2 feet. The culvert was constructed using Emergency Permit No. EP4598403 and is located along Township Road T384 (Ross Road), approximately 400 feet southwest of T375 (Saylorsburg, PA Quadrangle N: 4.5 inches; W: 12.7 inches) in Ross Township, **Monroe County**.

E64-201. Encroachment. **Silver Quarter Corporation**, Tri-State Sports Center, R. R. 4, Route 6, Box 182, Honesdale, PA 18431. To place fill in approximately 0.19 acre of wetlands associated with the Lackawaxen River, for the construction of an accessory building and associated parking area to expand an existing retail business. The project is located on the south side of S. R. 0006, approximately 0.25 mile northwest of the intersection of S. R. 0006 and S. R. 0652 (White Mills, PA Quadrangle N: 8.8 inches; W: 12.7 inches), in Texas Township, **Wayne County**. The permittee is required to provide 0.19 acre of replacement wetlands.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E31-151. Encroachment. **Charles Swigart**, 223 Washington Street, Huntingdon, PA 16652. To remove an existing culvert crossing and to construct and maintain a single span concrete adjacent box beam bridge having a clear span of 58.5 feet and a minimum underclearance of 4.8 feet across Shaver Creek (HQ-CWF) and to place fill in 0.0012 de minimis acre of associated wetlands located on a private driveway about 5,000 feet south of SR 1008 and 0.66 mile south of its intersection with SR 0305 in the Village of Cottage (Donation, PA Quadrangle N: 21.0 inches; W: 14.2 inches) in West Township, **Huntingdon County**. This permit also includes 401 Water Quality Certification.

E36-673. Encroachment. **PA Dept. of Transportation**, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103. To remove the existing structure and its center pier and to construct and maintain a prestressed

concrete spread box beam bridge having a clear span of 73-foot on a 60 degree skew with an average underclearance of 8 foot across Indian Run (TSF) on SR 027 Reading Road (Ephrata, PA Quadrangle N: 8.0 inches; W: 7.5 inches) in Ephrata Township, **Lancaster County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northcentral Region: Water Management, Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E17-327. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 2-0, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830. To remove the existing structure and to construct and maintain a prestressed concrete spread box beam bridge with a clear span of 60 feet on a skew of 83 degrees and a minimum underclearance of 7 feet 2 inches over Moose Creek on SR 1001 (River Road) and to remove the existing roadway and to construct and maintain approximately 1,300 feet of roadway and to construct approximately 100 linear feet of temporary stream diversion (Clearfield, PA Quadrangle N: 5.1 inches; W: 8.7 inches) in Lawrence Township, **Clearfield County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E19-192. Encroachment. **PA Department of Transportation**, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. To repair, operate and maintain the existing bridge that carries SR 2005, Segment-Offset 0030/1208 across an unnamed tributary to Roaring Creek. The repair work shall consist of installing concrete bridge abutment jackets and paving of the stream bed with a maximum of 6-inches of concrete for a maximum length of 42 feet. The stream bed paving and abutment repairs are located along the eastern right-of-way of SR 0042 approximately 596 feet south of T-379 and SR 2005 intersection (Catawissa, PA Quadrangle N: 9.6 inches; W: 6.3 inches) in Locust Township, **Columbia County**. The repair work shall also include the installation of concrete baffles to ensure fish migration over the paved stream bed. Please ensure that the statement this permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-442. Encroachment. **Richard and Eric Rankinen**, 2356 Riverside Drive, South Williamsport, PA 17702-6835. To remove selected submerged old growth timber logs, not including the log cribs, from the West Branch Susquehanna River bed within a 12-mile bank-to-bank reach upstream of the Hepburn Street Dam (Williamsport, PA Quadrangle N: 19.6 inches; W: 0.9 inch) to Linden, PA Quadrangle N: 12.5 inches; W: 16.5 inches) in the City of Williamsport, Loyalsock Township, South Williamsport Borough, Duboistown Borough, Armstrong Township, Susquehanna Township, Nipponose Township, Piatt Township and Woodward Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E47-067. Encroachment. **Valley Township Municipal Authority**, P. O. Box 307, Danville, PA 17821. To place and maintain approximately 280 cubic yards of fill in the floodway fringe of Mauses Creek for the expansion of the existing wastewater treatment plant from 140,000 gpd to 210,000 gpd. This project is located next to Route 54 about 2 miles north of Route 11 (Riverside, PA Quad-

range N: 20.5 inches; W: 1.3 inches) in Valley Township, **Montour County**. This permit was issued under section 105.13(e) "Small Projects."

Permits Issued and Actions on 401 Certification

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E25-581. Encroachment. **Erie Western Pennsylvania Port Authority**, 17 West Dobbins Landing, Erie, PA 16506-1424. To place a total of approximately 500,000 cubic yards of material dredged from the bed of Presque Isle Bay and local Lake Erie waters into the Erie Harbor Confined Disposal Facility (CDF) to create an upland public recreational area located south of the entrance channel to Presque Isle Bay (Erie North, PA Quadrangle N: 4.7 inches; W: 10.3 inches) located in the City of Erie, **Erie County**.

ENVIRONMENTAL ASSESSMENT

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

EA09-006SE. Environmental Assessment. **Realen Homes, Inc.**, 725 Talamore Drive, Ambler, PA 19002. To construct, operate and maintain a nonjurisdictional dam and adjoining roadway across an unnamed tributary within the Neshaminy Creek Watershed (WWF-MF) in association with the Villages of Flowers Mill Residential Subdivision. The project is located approximately 100 feet from the intersection of Wood Lane (T-345) and Langhorne-Yardley Road (S. R. 2049) (Langhorne USGS Quadrangle N: 11.7 inches; W: 4.6 inches) in Middletown Township, **Bucks County**.

SPECIAL NOTICES

Notice of Planning Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act

The Department of Environmental Protection (Department) hereby announces the following grants to counties under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P. S. § 4000.901) section 901 and section 208 of the Waste Tire Recycling Act (Act 190 of 1996). The awards listed here are based upon applications received by the Department in 1998 and 1999.

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101, and the availability of moneys in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Sally Lohman, Planning Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

<i>Applicant</i>	<i>Project Description</i>	<i>Grant Award</i>
<i>Southeast Region</i>		
Bucks County	Household Hazardous Waste Education	\$12,336
Delaware County	Household Hazardous Waste Education	\$19,603
Montgomery County	Household Hazardous Waste Education	\$10,080
Philadelphia County	Conduct a waste composition study.	\$75,320
Philadelphia County	Household Hazardous Waste Education	\$10,080
<i>Northeast Region</i>		
Lackawanna County	Revise the County's Municipal Waste Management Plan	\$50,102
Wayne County	Revise the County's Municipal Waste Management Plan	\$21,859
<i>Southcentral Region</i>		
Adams County	Phase III work on the design for a municipal waste composting facility	\$15,000
Juniata County	Revise the County's Municipal Waste Management Plan	\$40,235
Berks County	Household Hazardous Waste Education	\$ 4,647
Lebanon County	Revise the Lebanon County Municipal Waste Management Plan	\$77,300
<i>Northcentral Region</i>		
Columbia County	Revise the Columbia County Municipal Waste Management Plan	\$35,160
<i>Northwest Region</i>		
Elk County	Provide technical assistance on pollution prevention to a small business in the form of a powdered metals study.	\$28,544

Request for Proposals for Municipal Solid Waste Capacity

The following notices are placed through the Department of Environmental Protection as required by section 502(d) of Act 101 of 1988—the Municipal Waste Planning, Recycling and Waste Reduction Act.

Pike County, through the Office of Community Planning and Human Development, is soliciting disposal/processing facilities to provide part or all of the disposal capacity required annually for Pike County municipal waste for the next 10 years. Interested parties should contact the Pike County Office of Community Planning and Human Development at (570) 296-3434 to obtain a copy of the Facility Qualification Request which will be used to qualify facilities to participate in the Pike County Municipal Waste Management Plan. Responses to the Facility Qualification Request must be submitted on or before August 13, 1999, at 3 p.m.

[Pa.B. Doc. No. 99-1185. Filed for public inspection July 23, 1999, 9:00 a.m.]

Air Quality Technical Advisory Committee Meeting; Cancellation Notice

The Air Quality Technical Advisory Committee Meeting scheduled for July 22, 1999, has been cancelled.

Questions regarding the cancellation may be directed to Terry L. Black, Chief, Regulation and Policy Section, Division of Air Resource Management, Bureau of Air Quality, at (717) 787-2030.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1186. Filed for public inspection July 23, 1999, 9:00 a.m.]

Alternative Fuels Incentive Grant Program (AFIG) Opportunity Notice

The Department of Environmental Protection (DEP), Bureau of Air Quality announces Cycle 7 of a program to promote and expand the use of alternative transportation fuels and fuel systems such as compressed natural gas (CNG), liquefied natural gas (LNG), propane (LPG), ethanol (E85), and methanol (M85) (85% alcohol and 15% gasoline mixture) and advanced electric vehicle systems in private and public sector vehicles. The DEP will provide a portion of the cost for the purchase and installation of equipment necessary to retrofit existing vehicles, the purchase of Original Equipment Manufacturer produced vehicle technologies or to build or improve refueling and recharging facilities. Applications to cover the cost of field testing and evaluating new alternative fuel vehicle technologies are also eligible for funding. Eligible applicants for incentive grants are schools and vocational school districts, municipal authorities; counties; cities; boroughs; incorporated towns; townships; county institution districts; corporations; partnerships; nonprofit entities; and Commonwealth residents. An application package, which provides more details on the program, can be obtained from the Department of Environmental Protection, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, or by contacting the office at (717) 787-9495. You may also fax your request to

(717) 772-2303, Attn: AFIG. The deadline for submitting a Cycle 7 application to the DEP is October 1, 1999.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1187. Filed for public inspection July 23, 1999, 9:00 a.m.]

Availability of Guidance

Guidance Documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "January 1999 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1999.

Ordering Paper Copies of DEP Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes To Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Guidance

DEP ID: 250-3100-001 Title: Radioactivity Monitoring at Municipal and Residual Waste Processing and Disposal Facilities Description: The purpose of this guidance is to protect the environment and public health, safety and welfare from the possible dangers of radioactive material that is wrongly delivered to municipal and residual waste processing and disposal facilities.

This guidance provides operators of municipal and residual waste processing and disposal facilities with guidance on how to monitor for radioactive materials in incoming loads of waste and what steps to take in response to an alarm triggered by the monitoring. Some facilities will soon be required by regulation to monitor and inspect for radioactive materials. Facilities that are not required to monitor will be expected to follow this guidance document. Comment Period Extended until: August 13, 1999 Anticipated Effective Date: October 1, 1999 Contact: William Kirk at (717) 787-3479.

DEP ID: 361-0300-001 Title: Manure Management for Environmental Protection Description: This guidance describes approved practices for livestock and poultry operations under which DEP approval or a permit is not required. Also, describes related requirements under the Nutrient Management Act and the Pennsylvania Strategy

for Concentrated Animal Feeding Operations. Comment Period Ends: August 23, 1999 Anticipated Effective Date: September 8, 1999 Contact: Mohammad Farooq at (717) 787-4317.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1188. Filed for public inspection July 23, 1999, 9:00 a.m.]

Revised Biological Metric Availability

The Department of Environmental Protection (Department) is making available for public comment a proposal to revise the way it interprets and applies one of the biological metrics used to evaluate the appropriateness of special water quality protection for candidate waterbodies throughout this Commonwealth.

The Department has an ongoing process to evaluate waterbodies for possible inclusion in its Special Water Quality Protection Program. This process includes the application of five biological metrics to develop a biological condition score for the candidate waterbody. These metrics are designed to evaluate the structure and function of the invertebrate community and assess the overall health of the aquatic ecosystem. The composite score of the 5 metrics for a candidate waterbody is compared to that of a reference waterbody of known excellent quality and the percent difference is used, in conjunction with applicable regulatory criteria, to determine the appropriate Special Protection category (if any) for the candidate.

One of the 5 metrics considers the dominance of a single taxon or group of aquatic invertebrates in the biological community of the waterbody in question. Generally, healthy aquatic systems are not dominated by any single type or group of organisms but, rather, are well balanced with numerous taxa present in relatively equal numbers. An invertebrate collection dominated by a single taxon is normally an indication that an outside stress has altered the system and created conditions that favor the proliferation of one group of invertebrates (usually pollution tolerant) over the more normal condition of multiple groups in balance with each other. The metric Percent Dominant Taxon detects this condition and, when compared to a healthy, balanced reference condition, results in a poor score for the candidate waterbody.

This metric, in conjunction with the remaining 4 metrics, has been successfully used to evaluate many candidate waterbodies for special water quality protection. However, natural systems are varied, and it has come to the attention of Department staff that the metric Percent Dominant Taxon, when applied literally, can yield misleading results in aquatic systems naturally dominated by one or two taxa or in systems where the biological community is temporarily dominated by one or two taxa because the reproductive cycle for those taxa has yielded large numbers of individuals over a very brief interval of time. The following change in the procedure for scoring the metric Percent Dominant Taxon is proposed to take into account naturally occurring conditions or sample collections inadvertently timed to coincide with large hatches of one or two taxa of invertebrates.

For invertebrate collections dominated by a single taxon, Department staff will consider the Hilsenhoff Index number for that group of invertebrates. This index (on a scale of 1—10) reflects the sensitivity of the

organism to pollution. Low Hilsenhoff Index numbers are assigned to invertebrates that are sensitive to pollution. If the Hilsenhoff Index for the dominant taxon in a sample is 0, 1 or 2 (indicative of a pollution sensitive organism) the maximum score of 6 will be assigned for the Percent Dominant Taxon metric in that sample. This will recognize that a sensitive biological community exists at the site even though it is dominated by a single taxon.

Persons wishing to comment on this proposed method of interpreting and scoring the invertebrate biological metric Percent Dominant Taxon may do so by submitting written comment to Edward R. Brezina, Chief, Division of Water Quality Assessment and Standards, Bureau of Watershed Conservation, P. O. Box 8555, Harrisburg, PA 17105-8555, e-mail brezina.edward@dep.state.pa.us.

Comments must be received by close of business August 24, 1999. Comments received by facsimile will not be accepted.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1189. Filed for public inspection July 23, 1999, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Frankford Hospital—Torresdale Division, Philadelphia, PA for Exception to 28 Pa. Code § 153.1(b)

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Frankford Hospital—Torresdale Division has requested an exception to the requirements of 28 Pa. Code § 153.1(b), referencing the "Guidelines for Design and Construction of Hospital and Health Care Facilities," 1996-97 Edition. The Petitioner is requesting an exception for several examination rooms which do not meet the minimum floor area of 80 square feet (Section 9.2.B1), and which do not contain the required piped medical gas system (Section 7.9.D7; 7.31.E5), in the Emergency Department fast track areas of the hospital.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from Division of Acute & Ambulatory Care, Department of Health, Room 532 Health & Welfare Building, Harrisburg, PA 17120, (717) 783-8980, Fax (717) 772-2163, E-Mail Address: LVIA@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed above.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Director, Division of Acute & Ambulatory Care at (717)783-8980, V/TT: (717)

783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1190. Filed for public inspection July 23, 1999, 9:00 a.m.]

Application of Moss Rehabilitation Hospital for Exception to 28 Pa. Code § 153.1(b)

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Moss Rehabilitation Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1(b) which require compliance with the standards contained in the following publication: Guidelines for Design and Construction of Hospital and Healthcare Facilities. Moss Rehabilitation specifically requests exemption from the following standards contained in this publication: handrails shall be provided on both sides of corridors used by patients.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, FAX: (717) 772-2163, E-Mail Address: LVIA@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed above.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1191. Filed for public inspection July 23, 1999, 9:00 a.m.]

Availability of Draft Preventive Health and Health Services Block Grant Application for Federal Fiscal Year 2000

The Department of Health (Department) is making copies available of the draft Preventive Health and Health Services Block Grant Application for FFY 2000, under 42 U.S.C.A. § 300 w-4. This application is the Commonwealth of Pennsylvania's draft request to the United States Department of Health and Human Services for block grant funding to address the Healthy People 2000/2010 Health Status Objectives.

The block grant application (Pennsylvania's funding request to HHS) describing proposed services, program goals, and objectives and activities will be available on or after August 5, 1999, and can be obtained by calling the Bureau of Chronic Diseases and Injury Prevention at (717) 787-6214. Persons with a disability who require an alternative format of the above-mentioned application (for example, large print, audio tape, braille) should also contact the Bureau of Chronic Diseases and Injury Prevention at (717) 787-6214 [TDD: (717) 783-6514].

A public hearing will be conducted by the Department for the purpose of receiving testimony on the above-mentioned application in accordance with 42 U.S.C.A. § 300 w-4. Comments and suggestions from the public should relate to the priorities and program plans included in the application.

The hearing will be held from 10 a.m. until 1 p.m., September 8, 1999, in the Conference Room 933, Health & Welfare Building, 7th and Forster Streets, Harrisburg, PA. Persons wishing to testify are requested to preregister by contacting the Bureau of Chronic Diseases and Injury Prevention at (717) 787-6214. Registration will be accepted on the day of the hearing. Persons will be allotted a maximum of 15 minutes to testify. Testifiers should provide the Department with two copies of their testimony at the time of the hearing.

Written comments will be accepted and should be sent to the Bureau of Chronic Diseases and Injury Prevention, Room 933, Health and Welfare Building, P. O. Box 90, Harrisburg, PA 17108, and should be received no later than 4 p.m., September 2, 1999.

Persons with a disability who desire to comment in alternative format (for example, large print, audio tape, braille) should notify the Bureau of Chronic Diseases and Injury Prevention at (717) 787-6214 [TDD: (717) 783-6514].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1192. Filed for public inspection July 23, 1999, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations Under the Clinical Laboratory Act

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a), and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead or erythrocyte protoporphyrin testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.4 (relating to reportable noncommunicable diseases and conditions). In addition, the Department requests laboratories to submit reports on children under 6 years of age

and pregnant women, on whom laboratory tests confirm venous blood lead concentrations of 15 micrograms per deciliter or higher. The Department's collection and review of these latter reports would be consistent with the most recent revision of the guideline titled, *Preventing Lead Poisoning in Young Children*, which was published in 1991 by the United States Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and is available from them.

Reports must be sent to the Department of Health, Division of Environmental Health, P. O. Box 90, Harrisburg, PA 17108. Report forms are available on request from the Division of Environmental Health.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

Blood lead analyses performed for occupational safety and health purposes must be conducted by a laboratory which also meets the requirements of the Occupational Safety and Health Administration of the United States Department of Labor as specified in 29 CFR 1910.1025(j)(2)(iii).

The list of approved laboratories will be reviewed semiannually and if there are changes to the list, a notice to that effect will be published in the *Pennsylvania Bulletin* at that time.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Health Care Financing Administration (HCFA). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 363-8500.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Service at (800) 654-5984 [TT].

Allegheny County Coroners Office—L
3441 Forbes Avenue Oakland
Pittsburgh, PA 15213
412-578-8072

Allegheny General Hospital—L
320 East North Avenue
Pittsburgh, PA 15212
412-359-3521

American Medical Laboratories, Inc.—LP
14225 Newbrook Drive
Chantilly, VA 20153
703-802-6900

Angeline Kirby Memorial Health Center—L
71 North Franklin Street
Wilkes-Barre, PA 18701
717-823-5450

Associated Regional & University Pathologists—LP
500 Chipeta Way
Salt Lake City, UT 84108
800-242-2787

Aurora Consolidated Labs—LP
8901 West Lincoln Avenue
West Allis, WI 53227
414-328-7945

Children's Hospital of Philadelphia—P
One Children's Center, 34th and Civic
Philadelphia, PA 19104
215-590-1000

Clarendon Laboratory—L
1125 Flatbush Avenue
Brooklyn, NY 11226
718-856-4700

East Penn Manufacturing Company, Inc.—LP
Deka Road, Keller Tech Center
Lyons Station, PA 19536
610-682-6361

Edison Medical Laboratories, Inc.—LP
1692 Oak Tree Road, Suite 1
Edison, NJ 08820
732-906-7800

Ellwood City General Hospital—LP
724 Pershing Street
Ellwood City, PA 16117
412-752-0081

Exide Corp. Indus. Hygiene Lab.—LP
6313 Rising Sun Avenue
Philadelphia, PA 19111
215-342-1414

Geisinger Medical Center—L
North Academy Road
Danville, PA 17822
717-271-6338

Great Smokies Diagnostic Laboratory—L
63 Zillicoa Street
Asheville, NC 28801
828-253-0621

Hagerstown Medical Laboratory—L
11110 Medical Campus Road, Suite 230
Hagerstown, MD 21742
301-790-8670

Health Network Laboratories—LP
2024 Lehigh Street
Allentown, PA 18103
610-402-8150

Helena Laboratories—P
P. O. Box 752
Beaumont, TX 77704
409-842-3714

LabCorp of America Holdings—LP
6370 Wilcox Road
Dublin, OH 43016
800-282-7300

LabCorp of America Holdings—LP
1447 York Court
Burlington, NC 27215
800-334-5161

LabCorp of America Holdings—LP
69 First Avenue, P. O. Box 500
Raritan, NJ 08869
201-526-2400

Laboratory Corp of America—LP
13900 Park Center Road
Herndon, VA 22071
703-742-3100

LabOne, Inc.—LP
8915 Lenexa Drive
Overland Park, KS 66214
913-888-1770

Lancaster General Hospital—L
555 North Duke Street, P. O. Box 3555
Lancaster, PA 17603
717-299-5511

LeadTech Corporation—L
One Marine Plaza
North Bergen, NJ 07047
201-868-7707

Main Line Clinical Laboratory—L
Lankenau Hospital
100 East Lancaster Avenue
Wynnewood, PA 19096
610-645-2615

Mayo Clinic—LP
200 First Street, S.W., Hilton 530
Rochester, MN 55905
507-284-8626

Mercy Health Lab-Mercy Fitzgerald Hospital—L
Lansdowne Avenue and Bailey Road
Darby, PA 19023
610-237-4175

Mercy Hosptial Lab—L
Pride and Locust Streets
Pittsburgh, PA 15219
412-232-7831

National Medical Services—LP
3701 Welsh Road
Willow Grove, PA 19090
215-657-4900

Omega Medical Laboratories, Inc.—L
2001 State Hill Road, Suite 100
Wyomissing, PA 19610
610-378-1900

Pacific Toxicology Laboratories—LP
1545 Pontius Avenue
Los Angeles, CA 90025
310-479-4911

Pennsylvania Department of Health—LP
Bureau of Laboratories
P. O. Box 500
Exton, PA 19341-0500
610-363-8500

Pocono Medical Center—L
206 East Brown Street
East Stroudsburg, PA 18301
717-476-3544

Primary Care Health Services, Inc., Laboratory—L
7227 Hamilton Avenue
Pittsburgh, PA 15208
412-244-4728

Public Health Laboratory City of Philadelphia—L
500 South Broad Street
Philadelphia, PA 19146
215-685-6811

Quest Diagnostics Incorporated—LP
One Malcolm Avenue
Teterboro, NJ 07608
201-288-0900

Quest Diagnostics of PA, Inc.—LP
875 Greentree Road
Four Parkway Center
Pittsburgh, PA 15220-3610
412-920-7600

Quest Diagnostics of PA, Inc.—LP
900 Business Center Drive
Horsham, PA 19044
215-957-9300

Quest Diagnostics, Incorporated—LP
33608 Ortega Highway
San Juan Capistrano, CA 92690
714-728-4000

Reading Hospital and Medical Center—L
6th and Spruce Streets
Reading, PA 19603
610-378-6080

SmithKline Beecham Clinical Laboratories—LP
400 Egypt Road
Norristown, PA 19403
610-631-4200

SmithKline Bioscience Laboratories—LP
7600 Tyrone Avenue
Van Nuys, CA 91405
818-376-6259

Specialty Laboratories—L
2211 Michigan Avenue
Santa Monica, CA 90404
310-828-6543

St. Joseph Quality Medical Laboratory—L
215 North 12th Street, Box 316
Reading, PA 19603
610-378-2200

Tamarac Medical—LP
7000 South Broadway, Suite 2C
Littleton, CO 80122
303-794-1083

Toxi-Con Laboratories—LP
120 Monahan Avenue, Suite 101
Dunmore, PA 18512
717-963-0722

University of Pittsburgh Medical Center—LP
200 Lothrop Street
CLSI Room 5929 MT
Pittsburgh, PA 15213-2582
412-647-7813

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1193. Filed for public inspection July 23, 1999, 9:00 a.m.]

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program)

I. Maximum Allowable Cost for WIC Food Prescription One and WIC Food Prescription Two

Under 28 Pa. Code § 1103.4(a)(6), the WIC Program hereby publishes notice of the maximum allowable cost for WIC Food Prescription One and WIC Food Prescription Two. The information contained herein is effective July 24, 1999.

The maximum allowable cost for WIC Food Prescription One is \$51.86 and the maximum allowable cost for WIC Food Prescription Two is \$98.16.

II. Contract Brand of Formula

Under 28 Pa. Code § 1103.5(c), the WIC Program hereby publishes notice of the name of the contract brand of infant formula. The WIC Program has entered into a contract with Ross Laboratories to be the primary provider of infant formula for the WIC Program. The contract brand of infant formula is Ross Products and the names of the formula are Similac with Iron and Isomil. Other brands and types of formula must be specified on the WIC check to be authorized for purchase with a WIC check. The information contained herein is effective July 24, 1999.

III. 1998-1999 WIC Food List

Under 28 Pa. Code § 1103.5(c), the WIC Program hereby publishes notice of the 1998-1999 WIC Food List which contains the required types of foods, the maximum allowable cost of certain foods and if applicable, names of allowable brands of foods. Effective July 24, 1999, the 1998-1999 WIC Food List authorizes the following as allowable foods for the purpose of the WIC Program:

Cheese

Regular, reduced fat, low fat or fat free, low cholesterol, low sodium.

In block, cubes, slices or shredded.

If from the dairy case, the cheese must be marked with weight, type and cost. Cheese must cost no more than \$5.99 per pound.

Minimum package size 8 ounces.

American (Pasteurized Process)	Cheddar
Cheddarella	Cojack
Colby (Longhorn)	Monterey Jack
Mozzarella	Muenster
Provolone	Swiss

Not Allowed: Individually wrapped; imported; deli service; cheese foods; imitation cheese; cheese products or spreads; string cheese; cheese with added ingredients.

Milk

Fluid (pasteurized; quarts costing no more than \$1, half gallons costing no more than \$2, or gallons costing no more than \$4). Any fat level allowed; acidophilus allowed.

Lactose reduced or lactose free if specified on the WIC check.

Evaporated (12 ounce cans) if specified on the WIC check.

Dry (packages) if specified on the WIC check.

Not allowed: Flavored milk, UHT milk, buttermilk, goat's milk, milk with added calcium or protein, milk in glass bottles, organic milk.

Eggs

Any size raw shell eggs costing no more than \$1.75 a dozen.

Juice

Canned Single Strength
(46 ounce can, 100% pure juice):

Apple	Seneca, Lucky Leaf or Musselman's
Apple/Grape	Lucky Leaf, Musselman's
Orange	any brand
Pineapple	any brand
100% Grape, regular or white ..	Welch's
V8 (regular, lightly tangy, picante, healthy request)	Campbell's
Juicy Juice (any flavor)	Libby

Frozen Concentrated
(11.5 to 12 ounce can, 100% pure juice):

Apple	Seneca, Shurfine, Weis, Musselman's, Old Orchard, Lucky Leaf, Foodland, Food Club
Orange	any brand
Pineapple-Orange	Dole
Pineapple-Orange-Banana	Dole
100% Grape	Seneca, Welch's with yellow pull tab
White Grape Juice Blends	Welch's with yellow pull tab

Not allowed: Juices with added sugar, alcohol or carbonation; cartons or bottled juices.

Dry Beans and Peas

Any kind in 1-pound package

Not allowed: Beans with seasonings

Cereal

Adult/Child Cereals:

Minimum package size 8 ounces.

General Mills:
Cheerios (regular, multigrain plus)
Chex (wheat, corn, rice, multi-bran)
Kix (regular only)
Total Corn Flakes
Wheaties (regular flavor)

Kellogg Co.:
Complete Bran Flakes (oat, wheat)
Corn Flakes
Mini Wheaties (strawberry, blueberry, apple cinnamon, raisin)
Product 19

Nabisco:
 Cream of Wheat (regular, quick, instant)
 Instant Cream of Wheat (original flavor packets)

Quaker Co.:
 Instant Grits (all flavors)
 Instant Quaker Oatmeal (regular flavor individual packets)
 King Vitamin
 Life (regular flavor)

Store Brand Cereal:
 Crisp(y) Rice (Food Club, Weis Quality, Pathmark, Rich Foods, Best Yet)

Not allowed: Individual serving boxes.

Peanut Butter

15 to 18 ounce container costing no more than \$3 per container.

Not allowed: Reduced fat peanut butter; peanut butter mixed with jelly, marshmallow or chocolate.

Infant Formula

Contract Brand

Milk Based: Similac w/Iron Soy Based: Isomil

Other brands and types of formula must be specified on the WIC check.

Infant Juice

Any brand 4 ounce container.

Not allowed: Organic varieties, Beechnut Juice Plus or juice with yogurt.

Infant Cereal

Any brand in 8 or 16 ounce box.

Not allowed: Organic varieties, variety pack, cereal with fruit, formula or yogurt.

Tuna and Carrots

These foods are only for breast-feeding women whose babies do not get formula from WIC.

Tuna
 (Any brand, chunk light, packed in water, 6 to 6 1/2 ounce cans)

Fresh Carrots
 (Whole, unpeeled in 1 or 2 pound cello pack)

Canned Carrots
 (Any brand sliced, 14 to 20 ounce can)

Persons who have questions, should call the WIC Program office at (717) 783-1289 or V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

(*Editor's Note:* For a regulation relating to the WIC Program, see 29 Pa.B. 3841 (July 24, 1999).)

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1194. Filed for public inspection July 23, 1999, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Public Hearing on Declining Resident Population at Mayview Mental Retardation Unit

The Department of Public Welfare (Department) will hold a public hearing on the declining resident population at Mayview Mental Retardation Unit, Allegheny County. The hearing will be held on Tuesday, August 10, 1999, from 6 p.m. to 8 p.m. at the Holiday Inn, Pittsburgh South, Allegheny County.

The Department, under authority of the act of April 28, 1999 (P. L. 24) is required to hold a public hearing on any State mental health or mental retardation facility within 30 days of a closure announcement or following a downsizing of 20% or more.

The resident population at Mayview Mental Retardation Unit has decreased because of many factors, including expansion of community living opportunities services.

Individuals or organizations wishing to testify should contact Mary Puskarich, Regional Director at (412) 565-5144 by August 3, 1999. Persons requiring special accommodations is asked to inform the Department at the time of scheduling.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 99-1195. Filed for public inspection July 23, 1999, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding

Clearfield County

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Department of Transportation plans to make improvements to portions of State Road 219 Section A03 and N06 in Sandy Township, Clearfield County. The improvements consist of replacing the existing two lane multi-span concrete and steel bridge with a new three lane single span bridge, widening approximately 1.2 km (0.75 mile) of State Route 219, and updating traffic signals and intersections to accommodate a center left turn lane.

The proposed project will have No Adverse Effect on the Wilson School property, which has been determined eligible for the National Register of Historic Places. There is no feasible and prudent alternative to the usage of the historic resource.

No adverse environmental effect is likely to result from the reconstruction of these sections of highway.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-1196. Filed for public inspection July 23, 1999, 9:00 a.m.]

Retention of Engineering Firms

**Bucks, Chester, Delaware, Montgomery and Philadelphia Counties
Project Reference No. 08430AG2372**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately one (1) inspector, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on various S.R.'s for the inspection and documentation of Roadside Development Contracts. Contract will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of resumes with emphasis on ability to perform the basic needs of the contract which are understanding and interpreting of current design criteria and do inspections of roadside development work done by contractors for brushing, herbicide applications, landscaping, mowing, revitalization, and tree and stump removal.
- b. Understanding of Department's requirements, policies and specifications.
- c. Past Performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Availability of listed staff.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item. The firm selected will be required to provide one (1) Transportation Construction Inspection Supervisor who has the ability to inspect brushing, herbicide application, landscaping, mowing operations, revitalization, and tree and stump removal. This inspector must have the ability to identify dead and dying trees and do roadside restoration inspection and help with preparation of contract specifications and documents and obtain compliance with Work Zone Traffic Control specifications. Also, this person will help supervise the Roadside Development inspectors in each County office. The inspector supervisor may be required to perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Transportable Cellular Phone
- 1 Telephone Pager

Letters of interest for this project must include a letter, signed by the individual you propose for the TCIS position, giving his or her approval to use his or her name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	2

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator
 Engineering District 6-0
 200 Radnor-Chester Road
 St. Davids, PA 19087-5178

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Stone, P.E. District 6-0, at (619) 964-6520.

**Delaware and Philadelphia County
 Project Reference No. 08430AG2373**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately twenty (20) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 0095, Section FDN, Delaware and Philadelphia Counties. This project was shown in the planned project advertisement as S. R. 0095, Section FUN, Delaware and Philadelphia Counties, Construction Inspection. This project will construct foundations for five (5) bridges. The work will include the installation of piles and the construction of footings for piers and abutments. The project will also include limited storm pipe construction and the relocation of an existing expressway on-ramp.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities. Department and District experience and supervisory experience.
- b. Specialized experience in structures, drainage, earthwork, pile driving and Maintenance and Protection of Traffic.
- c. Number of NICET and NECEPT certified inspectors in each payroll classification.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Ability to provide one (1) "CDS" operator or person capable of inputting data into a personal computer (TCIS Classification).
- f. Past performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

A minimum of two (2) individuals submitted as part of your inspection staff must have a NECEOP Bituminous Field Technician Certification.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	12 (7)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	4 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$46.27
(TCIS)	\$40.54
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards,

safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- a. One (1) 35MM camera (one per project).
- b. One (1) scanner.
- c. Safety vests-high visibility for inspectors.
- d. Four (4) cellular phones with radio capability.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten percent (10%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI	11

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew Warren, District Administrator
Engineering District 6-0
200 Radnor-Chester Road
St. Davids, PA 19087

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. George Dunheimer, District 6-0, at (610) 964-6554.

**Bucks County
Project Reference No. 08430AG2374**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately four (4) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services in Bucks County on various S. R.'s for the inspection and documentation of Highway Occupancy Permit Projects, Guide Rail Repair, and Roadside Development Contracts and other general maintenance contracts. Contract will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be estab-

lished directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of resumes with emphasis on ability to perform the basic needs of the contract which are understanding and interpreting of current design criteria and the inspection of guide rail, concrete median barriers and impact attenuator installation; assisting construction permit applicants and inspection of drainage, curb, roadway widening and utility installations on state highways; and the inspection of roadside development work done by contractors for brushing, herbicide applications, landscaping, mowing, revitalization, and tree and stump removal.
- b. Understanding of Department's requirements, policies and specifications.
- c. Past performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Availability of listed staff.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI)	4 (3)
(NICET Highway Construction Level 2 or equivalent)	

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item. The firm selected will be required to provide two (2) Transportation Construction Inspectors for permit work who have the ability to perform the following: To conduct on-site inspection including all necessary information for evaluation, which includes but is not limited to sight distance, existing drainage, road condition, shoulder condition, grade of roadway and any additional condition which may require further study by the County Permit Engineer, Traffic Engineer, or Utility Engineer; assist applicant—private citizen, Township or Municipal authority and utility company by interpreting Pennsylvania Department of Transportation regulations on the driveway access, utility openings and method of restoration; attend municipal and utility preconstruction meetings to insure compliance with the Department of Transportation Regulations and coordination of inspection; enforce compliance with the Department of Transportation Publication 203—Work Zone Traffic Control; inspect work being conducted by the permittee as well as insure restoration of occupancy area within our right-of-way; coordinate inspection efforts with the County Permit Inspector of the Maintenance Department in the County to insure permittee's compliance with regulations; maintain a diary of permits which require intensive study and follow up on violation; have sufficient physical stamina to work under adverse weather conditions and hazardous terrain and stress; appear as a witness if required by the Assistant District Attorney's office; perform the above duties and any other related work assignment that requires the same knowledge that a permit inspector has as directed or assigned by the County Maintenance Manager.

One (1) Transportation Construction Inspector must have the ability to inspect brushing, herbicide application, landscaping, mowing operations, revitalization, and tree and stump removal. This inspector must have the ability to identify dead and dying trees and do roadside restoration inspection and help with preparation of contract specifications and documents and obtain compliance with Work Zone Traffic Control specifications. One (1) Transportation Construction Inspector must be familiar with PennDOT guide rail construction specifications, and be able to prepare estimates and work orders, and obtain compliance with Work Zone Traffic Control specifications. All inspectors may be required to perform other duties as required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 2 Transportable Cellular Phones
- 4 Telephone Pagers
- 1 Polaroid Spectra II Camera
- 3 5-Power Abney Levels with Stadia

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	5

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator
Engineering District 6-0
200 Radnor-Chester Road
St. Davids, PA 19087-5178

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Stone, P.E., District 6-0, at (610) 964-6520.

**Chester County
Project Reference No. 08430AG2375**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately five (5) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services in Chester County on various S. R.'s for the inspection and documentation of Highway Occupancy Permit Projects, Guide Rail Repair, and Roadside Development Contracts and other general maintenance contracts. Contract will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of resumes with emphasis on ability to perform the basic needs of the contract which are understanding and interpreting of current design criteria and the inspection of guide rail, concrete median barriers and impact attenuator installation; assisting construction permit applicants and inspection of drainage, curb, roadway widening and utility installations on state highways; and the inspection of roadside development work done by contractors for brushing, herbicide applications, landscaping, mowing, revitalization, and tree and stump removal.
- b. Understanding of Department's requirements, policies and specifications.
- c. Past performance.

d. Number of NICET certified inspectors in each payroll classification.

e. Availability of listed staff.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	4 (3)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards,

safety and accident prevention, and equal opportunity provisions of the contract item. The firm selected will be required to provide two (2) Transportation Construction Inspectors for permit work who have the ability to perform the following: To conduct on-site inspection including all necessary information for evaluation, which includes but is not limited to sight distance, existing drainage, road condition, shoulder condition, grade of roadway and any additional condition which may require further study by the County Permit Engineer, Traffic Engineer, or Utility Engineer; assist applicant—private citizen, Township or Municipal authority and utility company by interpreting Pennsylvania Department of Transportation regulations on the driveway access, utility openings and method of restoration; attend municipal and utility preconstruction meetings to insure compliance with the Department of Transportation Regulations and coordination of inspection; enforce compliance with the Department of Transportation Publication 203—Work Zone Traffic Control; inspect work being conducted by the permittee as well as insure restoration of occupancy area within our right-of-way; coordinate inspection efforts with the County Permit Inspector of the Maintenance Department in the County to insure permittee's compliance with regulations; maintain a diary of permits which require intensive study and follow up on violation; have sufficient physical stamina to work under adverse weather conditions and hazardous terrain and stress; appear as a witness if required by the Assistant District Attorney's office; perform the above duties and any other related work assignment that requires the same knowledge that a permit inspector has as directed or assigned by the County Maintenance Manager.

One (1) Transportation Construction Inspector must have the ability to inspect brushing, herbicide application, landscaping, mowing operations, revitalization, and tree and stump removal. This inspector must have the ability to identify dead and dying trees and do roadside restoration inspection and help with preparation of contract specifications and documents and obtain compliance with Work Zone Traffic Control specifications. One (1) Transportation Construction Inspector must be familiar with PennDOT guide rail construction specifications, and be able to prepare estimates and work orders, and obtain compliance with Work Zone Traffic Control specifications. All inspectors may be required to perform other duties as required.

TA's may have to perform some work at the District 6-0 office.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Transportable Cellular Phone
- 3 Telephone Pagers
- 1 Polaroid Spectra II Camera
- 2 5-Power Abney Levels with Stadia

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	5
No resumes are required for the TA Classification	

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator
 Engineering District 6-0
 200 Radnor-Chester Road
 St. Davids, PA 19087-5178

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Stone, P.E., District 6-0, at (610) 964-6520.

**Philadelphia County
 Project Reference No. 08430AG2376**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately five (5) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services in Philadelphia County on various S. R.'s for the inspection and documentation of Highway Occupancy Permit Projects, Guide Rail Repair, and Roadside Development Contracts and other general maintenance contracts. The Contract will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of resumes with emphasis on ability to perform the basic needs of the contract which are understanding and interpreting of current design criteria and the inspection of guide rail, concrete median barriers and impact attenuator installation; assisting construction permit applicants and inspection of drainage, curb, roadway widening and utility installations on state highways; and the inspection of roadside development work done by contractors for brushing, herbicide applications, landscaping, mowing, revitalization, and tree and stump removal.
- b. Understanding of Department's requirements, policies and specifications.
- c. Past performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Availability of listed staff.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	3 (2)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item. The firm selected will be required to provide two (2) Transportation Construction Inspectors for permit work who have the ability to perform the following: To conduct on-site inspection including all necessary information for evaluation, which includes but is not limited to sight distance, existing drainage, road condition, shoulder condition, grade of roadway and any additional condition which may require further study by the County Permit Engineer, Traffic Engineer, or Utility Engineer; assist applicant—private citizen, Township or Municipal authority and utility company by interpreting Pennsylvania Department of

Transportation regulations on the driveway access, utility openings and method of restoration; attend municipal and utility preconstruction meetings to insure compliance with the Department of Transportation Regulations and coordination of inspection; enforce compliance with the Department of Transportation Publication 203—Work Zone Traffic Control; inspect work being conducted by the permittee as well as insure restoration of occupancy area within our right-of-way; coordinate inspection efforts with the County Permit Inspector of the Maintenance Department in the County to insure permittee's compliance with regulations; maintain a diary of permits which require intensive study and follow up on violation; have sufficient physical stamina to work under adverse weather conditions and hazardous terrain and stress; appear as a witness if required by the Assistant District Attorney's office; perform the above duties and any other related work assignment that requires the same knowledge that a permit inspector has as directed or assigned by the County Maintenance Manager.

One (1) Transportation Construction Inspector must have the ability to inspect brushing, herbicide application, landscaping, mowing operations, revitalization, and tree and stump removal. This inspector must have the ability to identify dead and dying trees and do roadside restoration inspection and help with preparation of contract specifications and documents and obtain compliance with Work Zone Traffic Control specifications. One (1) Transportation Construction Inspector must be familiar with PennDOT guide rail construction specifications, and be able to prepare estimates and work orders, and obtain compliance with Work Zone Traffic Control specifications. All inspectors may be required to perform other duties as required.

Two (2) Technical Assistants for inspection of graffiti removal contract and trash removal contracts and other general maintenance contracts. The need for these people may only be for part of the work year. All inspectors may be required to perform other duties as required.

TA's may have to perform some work at the District 6-0 office.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Transportable Cellular Phone
- 3 Telephone Pagers
- 1 Polaroid Spectra II Camera

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	4

No resumes are required for the TA Classification

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator
 Engineering District 6-0
 200 Radnor-Chester Road
 St. Davids, PA 19087-5178

The Letter of Interest submission for this project reference number must be received at the address listed

above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Stone, P.E., District 6-0, at (610) 964-6520.

**Montgomery County
 Project Reference No. 08430AG2377**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately seven (7) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services in Montgomery County on various S. R.'s for the inspection and documentation of Highway Occupancy Permit Projects, Guide Rail Repair, and Roadside Development Contracts and other general maintenance contracts. The Contract will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of resumes with emphasis on ability to perform the basic needs of the contract which are understanding and interpreting of current design criteria and the inspection of guide rail, concrete median barriers and impact attenuator installation; assisting construction permit applicants and inspection of drainage, curb, roadway widening and utility installations on state highways; and the inspection of roadside development work done by contractors for brushing, herbicide applications, landscaping, mowing, revitalization, and tree and stump removal.
- b. Understanding of Department's requirements, policies and specifications.
- c. Past performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Availability of listed staff.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	4 (3)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item. The firm selected will be required to provide two (2) Transportation Construction Inspectors for permit work who have the ability to perform the following: To conduct on-site inspection including all necessary information for evaluation, which includes but is not limited to sight distance, existing drainage, road condition, shoulder condition, grade of roadway and any additional condition which may require further study by the County Permit Engineer, Traffic Engineer, or Utility Engineer; assist applicant—private citizen, Township or Municipal authority and utility company by interpreting Pennsylvania Department of Transportation regulations on the driveway access, utility openings and method of restoration; attend municipal and utility preconstruction meetings to insure compliance with the Department of Transportation Regulations and coordination of inspection; enforce compliance with the Department of Transportation Publication 203—Work Zone Traffic Control; inspect work being conducted by the permittee as well as insure restoration of occupancy area within our right-of-way; coordinate inspection efforts with the County Permit Inspector of the Maintenance Department in the County to insure permittee's compliance with regulations; maintain a diary of permits which require intensive study and follow up on violation; have sufficient

physical stamina to work under adverse weather conditions and hazardous terrain and stress; appear as a witness if required by the Assistant District Attorney's office; perform the above duties and any other related work assignment that requires the same knowledge that a permit inspector has as directed or assigned by the County Maintenance Manager.

One (1) Transportation Construction Inspector must have the ability to inspect brushing, herbicide application, landscaping, mowing operations, revitalization, and tree and stump removal. This inspector must have the ability to identify dead and dying trees and do roadside restoration inspection and help with preparation of contract specifications and documents and obtain compliance with Work Zone Traffic Control specifications. One (1) Transportation Construction Inspector must be familiar with PennDOT guide rail construction specifications, and be able to prepare estimates and work orders, and obtain compliance with Work Zone Traffic Control specifications. All inspectors may be required to perform other duties as required.

TA's may have to perform some work at the District 6-0 office.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Transportable Cellular Phone
- 4 Telephone Pagers
- 1 Polaroid Spectra II Camera
- 2 5-Power Abney Levels with Stadia

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	5

No resumes are required for the TA Classification

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator
Engineering District 6-0
200 Radnor-Chester Road
St. Davids, PA 19087-5178

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Stone, P.E., District 6-0, at (610) 964-6520.

**Delaware County
Project Reference No. 08430AG2378**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately six (6) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services in Delaware County on various S. R.'s for the inspection and documentation of Highway Occupancy Permit Projects, Guide Rail Repair, and Roadside Development Contracts and other general maintenance contracts. The Contract will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of resumes with emphasis on ability to perform the basic needs of the contract which are understanding and interpreting of current design criteria and the inspection of guide rail, concrete median barriers and impact attenuator installation; assisting construction permit applicants and inspection of drainage, curb, roadway widening and utility installations on state highways; and the inspection of roadside development work done by contractors for brushing, herbicide applications, landscaping, mowing, revitalization, and tree and stump removal.
- b. Understanding of Department's requirements, policies and specifications.
- c. Past performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Availability of listed staff.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	3 (2)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item. The firm selected will be required to provide two (2) Transportation Construction Inspectors for permit work who have the ability to perform the following: To conduct on-site inspection including all necessary information for evaluation, which includes but is not limited to sight distance, existing drainage, road condition, shoulder condition, grade of roadway and any additional condition which may require further study by the County Permit Engineer, Traffic Engineer, or Utility Engineer; assist applicant—private citizen, Township or Municipal authority and utility company by interpreting Pennsylvania Department of Transportation regulations on the driveway access, utility openings and method of restoration; attend municipal and utility preconstruction meetings to insure compliance with the Department of Transportation Regulations and coordination of inspection; enforce compliance with the Department of Transportation Publication 203—Work Zone Traffic Control; inspect work being conducted by the permittee as well as insure restoration of occupancy area within our right-of-way; coordinate inspection efforts with the County Permit Inspector of the Maintenance Department in the County to insure permittee's compliance with regulations; maintain a diary of permits which require intensive study and follow up on violation; have sufficient physical stamina to work under adverse weather conditions and hazardous terrain and stress; appear as a witness if required by the Assistant District Attorney's office; perform the above duties and any other related work assignment that requires the same knowledge that a permit inspector has as directed or assigned by the County Maintenance Manager.

One (1) Transportation Construction Inspector must have the ability to inspect brushing, herbicide application, landscaping, mowing operations, revitalization, and tree and stump removal. This inspector must have the ability to identify dead and dying trees and do roadside restoration inspection and help with preparation of contract specifications and documents and obtain compliance with Work Zone Traffic Control specifications. One (1) Transportation Construction Inspector must be familiar with

PennDOT guide rail construction specifications, and be able to prepare estimates and work orders, and obtain compliance with Work Zone Traffic Control specifications. All inspectors may be required to perform other duties as required.

TA's may have to perform some work at the District 6-0 office.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 3 Transportable Cellular Phones
- 3 Telephone Pagers
- 1 Polaroid Spectra II Camera
- 2 5-Power Abney Levels with Stadia

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	4
No resumes are required for the TA Classification	

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator
Engineering District 6-0
200 Radnor-Chester Road
St. Davids, PA 19087-5178

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Stone, P.E., District 6-0, at (610) 964-6520.

**Berks County
Project Reference No. 08430AG2379**

The Department will retain an engineering firm, for a multi-phase, specific project agreement to perform environmental studies and preliminary engineering, final design and services during construction (shop drawing reviews and consultation during construction) for the betterment and upgrade of S. R. 0061, Section 15S in the Township of Ontelaunee and the Borough of Leesport in Berks County, Engineering District 5-0. The design of this project is expected to have an overall duration of twenty-one (21) months with shorter, varying schedules for individual phases. This agreement will be administered by Engineering District 5-0. The estimated construction cost is \$9.0 million.

The existing S. R. 0061 in the project area is a four (4) lane major arterial highway that extends North and South through central and northern Berks County. The project study limits will extend from 150 meters South of the interchange between S. R. 061 and S. R. 0222 (formerly known as S. R. 3055) North along S. R. 0061 to 240 meters South of the intersection of S. R. 0061 and S. R. 4017 (Belleman's Church Road). The highway traverses rolling terrain and areas of heavy residential and commercial development in the southern portion of the project area and gradually turns into areas of farmland near the northern extents of the project area.

The selected engineering firm will be required to provide a variety of engineering services as indicated below, but not limited to:

1. All studies necessary for the preparation of a Categorical Exclusion Evaluation Level 3 (or Level 4 if there are archeological findings or if the project requires additional right-of-way) and associated documents including: cultural resource surveys; wetlands delineation and evaluation; Section 106 documents; hazardous waste reports; archeological surveys, etc.

2. Preliminary engineering including, but not limited to: field surveying; traffic studies (intersection analyses, traffic counts, signal warrants, etc.); Type, Size, and Location drawings (if necessary); Step 9 Submission; roadway design; E & S plans; soils and geotechnical reconnaissance; maintenance and protection of traffic; right-of-way investigation; and coordination with utility companies.

3. Preparation of final roadway plan, structure plans (if necessary), including, but not limited to: roadway and structure borings (if necessary); final design; and preparation of plans, specifications, and estimates.

4. Consultation during construction.

All engineering services for this project will be performed in accordance with current Department Metric Design Standards.

The following factors, listed in order of importance, will be considered by the Department during evaluation of the firms submitting acceptable Letters of Interest:

- a. Specialized expertise and technical competence.
- b. Project team composition.
- c. Project team experience.
- d. Ability to expedite project and maintain schedule and budget.
- e. Past performance.
- f. Location of consultant to project and to District Office.

The District will announce the firms that have been shortlisted at an open public meeting to be held in Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103. All candidates that have submitted a Letter of Interest will be notified of the date. Specify a contact person in the letter of interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer
Engineering District 5-0
1713 Lehigh Street
Allentown, PA 18103

Attention: Mr. Stephen L. Caruano, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Stephen L. Caruano, P.E., District 5-0, at (610) 791-6062.

**Allegheny County
Project Reference No. 08430AG2380**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately fifteen (15) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following projects:

1. S. R. 4003, Section A09, Allegheny County Local Name: S. R. 4003/Nelson-Houston This project involves milling and resurfacing, paved shoulders, concrete median barriers, guiderail work, drainage, pavement markings, and Maintenance and Protection of Traffic in Ross Township, Allegheny County.

2. S. R. 4003, Section A10, Allegheny County Local Name: McKnight Road This project involves milling and resurfacing, paved shoulders, concrete median barriers, guiderail work, drainage, pavement markings, and Maintenance and Protection of traffic in Ross and McCandless Townships, Allegheny County.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, asphalt paving, drainage, milling, guiderail work, concrete median barriers and pavement markings. (References should be supplied for each inspector).

b. Understanding of Department's requirements, policies, and specifications.

c. Past Performance.

d. Number of NICET certified inspectors in each payroll classification.

e. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	7 (5)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	4 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54
(TCI—Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity

provisions of the contract item; two (2) inspectors certified in computer documentation and perform other duties as may be required.

Letters of interest for this project must include a letter, signed by the individuals you propose for TCIS positions, giving their approval to use their name in your letter of interest for this specific project. The Technical Assistants do not need to be identified in the letter of interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI—M	3
TCI	9

No resumes are required for the TA Classification

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License***
- 1 Vehicle for the Transportation of that Nuclear Gauge***
- 4 Cellular Telephones (Two-way Radios also acceptable)

*** At point of need when needed

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Raymond S. Hack, P.E., District Engineer
Engineering District 11-0
45 Thoms Run Road
Bridgeville, PA 15017
Attention: Design Liaison Unit

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Brian A. Krul, District 11-0, at (412) 429-3801.

**Jefferson County
Project Reference No. 08430AG2381**

The Department will retain an engineering firm for a multi-phase agreement to provide preliminary engineering, environmental studies, final design, and services during construction for State Route 80, Section 545 (S. R. 80/36 Interchange) in Brookville Borough, Jefferson County. The project is located at Exit 13, State Route 80/State Route 36 Interchange, and will provide for the upgrading and realignment of the four (4) existing ramps. The estimated construction cost for this project is \$4.8 million.

The selected firm will be required to provide the following engineering and design services:

Develop and evaluate interchange alternatives, perform field surveys, plot topography and cross-sections, provide environmental studies and clearances, utility coordination, prepare preliminary plans for design field view submission, prepare categorical exclusion evaluation and other related documents, develop erosion and sedimentation control details and narrative, pavement design, geotechnical evaluation, reconnaissance and geological engineer report. Provide maintenance and protection of traffic plans, provide traffic signal study and plan, study and development of interchange lighting, geotechnical exploration, final roadway plans, minor bridge rehabilitation plan, prepare preliminary and final right-of-way plan. Provide materials for and participate in value engineering reviews, document engineering study findings and activities, drainage for ramps, prepare final construction plan specification and estimates, provide for project management and CPM scheduling using WELCOM or compatible software.

Construction services will consist of shop drawing review and construction consultation.

Letters of Interest will be evaluated at the District 10-0 office with emphasis on the following factors:

- a. Demonstrate ability to meet project schedules and control costs.
- b. Understanding of the Department's requirements, design manuals, policies and specifications.
- c. Past performance and experience on similar projects.
- d. Method of controlling quality on project and submissions.
- e. Experience and competence of project manager and key personnel.
- f. Location of consultant office to perform work with respect to the District office. This will include ability/provisions for quick response to District request.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer
Engineering District 10-0
P. O. Box 429, Route 286 South
Indiana, PA 15701
Attention: Mr. Brian N. Allen, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Engineering District 10-0 will announce the firms that have been short listed at an open public meeting to be held in the District office. All firms that have submitted a Letter of Interest will be notified of the time and date. Specify two (2) contact persons in the Letter of Interest.

Any technical questions concerning the requirements for this project should be directed to: Mr. George R. Boros, District 10-0, at (724) 357-2810.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that requests engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.
3. Identify subconsultants, if any, including DBE/WBE, if required.
4. Identify key project staff.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the

Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-1197. Filed for public inspection July 23, 1999, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, July 8, 1999, and took the following action:

Regulations Approved:

Lobbying Disclosure Committee #63-6: Lobbying Disclosure (amends 51 Pa. Code, by adding Chapters 31—45).

Commissioners Present: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
July 8, 1999

Lobbying Disclosure Committee—Lobbying Disclosure; Regulation No. 63-6

Order

On January 20, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Lobbying Disclosure Committee (LDC). This rulemaking amends 51 Pa. Code by adding Chapters 31—45. The authority for this regulation is

contained in sections 1305(b)(3)(iii) and 1310(c) of the Lobbying Disclosure Act (act) (65 Pa.C.S. §§ 1305(b)(3)(iii) and 1310(c)). The proposed regulation was published in the January 30, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 26, 1999. At its June 17, 1999 public meeting, the Commission voted to disapprove the final-form regulation. On June 23, 1999, the LDC notified the Commission of its intent to revise and resubmit the regulation. On June 24, 1999, the revised final-form regulation was submitted to the Commission.

This regulation is being promulgated to implement the act. The proposed regulations, like the act, outline what constitutes lobbying, who must register, what must be reported, and auditing and enforcement procedures.

Comments in support of the revised final-form regulation were received from Senators Brightbill, Mellow and Lemmond, members of the subcommittee established by the Rules and Executive Nominations Committee to review this regulation; and Stephen C. MacNett, General Counsel for the Senate Majority Caucus.

We have reviewed the revised final-form regulation and find it to be in the public interest. The LDC made numerous revisions in its resubmittal to address the concerns raised by this Commission and the Senate. Where changes were not made, the rationale provided by the LDC supports their position and is consistent with the criteria of the Regulatory Review Act.

Therefore, It Is Ordered That:

1. Regulation No. 63-6 from the Lobbying and Disclosure Committee, as resubmitted to the Commission on June 24, 1999, is approved;

2. The Commission's bar to final publication of Regulation No. 63-6 issued under section 6(b) of the Regulatory Review Act is hereby rescinded; and

3. The Commission will transmit a copy of this order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 99-1198. Filed for public inspection July 23, 1999, 9:00 a.m.]

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Commission may issue comments within 10 days of the close of the committee comment period. The Commission comments are based upon the criteria contained in section 5a(h) and (I) of the act (75 P. S. § 745.5a(h)(I)).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulations must be submitted by the dates indicated.

<i>Reg No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
7-342	Environmental Quality Board Waste Oil 29 Pa.B. 1975 (April 10, 1999))	7/9/99	6/11/01

Environmental Quality Board Regulation No. 7-342 Waste Oil July 9, 1999

We have reviewed this proposed regulation from the Environmental Quality Board (EQB) and submit for your consideration the following objections and recommendations. Subsections 5.1(h) and 5.1(i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) specify the criteria the Commission must employ to determine whether a regulation is in the public interest. In applying these criteria, our Comments address issues that relate to consistency with existing regulations, need, economic impact, reasonableness and clarity. We recommend that these Comments be carefully considered as you prepare the final-form regulation.

1. Incorporation by Reference.—Clarity.

The majority of the proposed regulation mirrors the code of Federal Regulations (40 CFR Part 279). The rulemaking could have incorporated the CFR by reference and then added regulatory provisions where Pennsylvania's requirements differ. This would allow the reader to easily identify provisions which differ from the CFR. As published, Pennsylvania's regulations would have to be read side by side with the CFR to find any differences. This is a tedious process. We recognize that the CFR uses the term "used oil" where the proposed regulation uses "waste oil." However, the regulation could include language addressing the difference in terminology. The EQB should consider incorporating the CFR by reference, rather than duplicating the bulk of the Federal regulations in Pennsylvania's regulations. This would also be consistent with Executive Order 1996-1.

2. Section 298.1. Definitions.—Reasonableness.

Inconsistent definitions.

This section begins by stating that the terms defined in sections 245.1 (relating to storage tanks) and 260.2 (relating to hazardous waste) have the same meaning when used in this chapter. We have several concerns with this provision because some terms are defined differently in this rulemaking than they are in sections 245.1 and 260.2.

First, the terms "existing tank" and "new tank" are defined in this regulation, as well as in sections 245.1 and 260.2. Each definition contains a different effective date. Therefore, the EQB should clarify the appropriate effective date for this regulation.

Second, section 245.1 contains the definition of "aboveground storage tank." This rulemaking contains a definition of "aboveground tank." Are these two terms meant to be the same? If the terms are the same, the inconsistencies between the definitions in this rulemaking and section 245.1 must be resolved.

Third, the regulation defines "tanks" by providing that they are constructed primarily of nonearthen or nonwooden materials. In contrast, section 245.1 provides that they are constructed of nonearthen material. Clarification is necessary as to which definition will be used for this regulation.

Definition of used oil and waste oil.

The proposed regulation defines both "waste oil" and "used oil." The EQB has previously defined both terms in the residual waste regulations (section 287.1). There are minor differences in definitions between this regulation and the residual waste regulation. To avoid confusion, there needs to be consistent definitions and use of terms.

Waste oil transfer facility.

"Waste oil transfer facility" is defined as follows:

A transportation related facility including loading docks, parking areas, storage areas and other areas where shipments of waste oil are received or held, or both, during the normal course of transportation.

The definition of this term is largely consistent with the Federal definition of "used oil transfer facility." However, the Federal definition specifies that shipments of oil at a transfer facility are held for more than 24 hours and not longer than 35 days. The definition in the proposed regulation does not include minimum and maximum time frames.

In the Preamble, the EQB asserts that it is precluded by the Solid Waste Management Act (Act) from adopting the Federally specified time frames. According to the EQB, the definition of "transfer facility" in the act does not include time frames; therefore, they cannot be included in the definition of "waste oil transfer facility."

We disagree with this analysis. The act defines "transfer facility" in part as follows:

A facility which receives and processes or *temporarily* stores municipal or residual waste at a location other than the generation site, and which facilitates the transportation or transfer of municipal or residual waste to a processing or disposal facility. (Emphasis added.)

The act does not contain parameters for what period of time will be considered "temporarily." Consequently, the EQB has the discretion and authority to include minimum and maximum time frames for waste oil storage in the definition of "waste oil transfer facility." Commentators are concerned that without adopting the federal time frames, sites where transporters stop for very short periods of time could be considered transfer facilities and would be subject to the requirements of Subchapter E. The EQB should include the time frames contained in the CFR in the definition of "waste oil transfer facility." Furthermore, the EQB should consider amending the definition to more closely match the definition in the act by replacing "received or held, or both," with "received and processed or temporarily stored."

3. Section 298.10. Applicability.—Reasonableness and Economic Impact.

Characteristic hazardous waste.

Subsection (b)(2) provides that mixtures of waste oil and hazardous waste are subject to regulation as a hazardous waste. The exception to this requirement occurs if a mixture contains waste that is hazardous solely due to ignitability and the resultant mixture does not exhibit the characteristic of ignitability. This provision is more stringent than the corresponding Federal mixture rule. Under the Federal regulations, if the mixture does not qualify as a characteristically hazardous waste, it is only subject to the used oil regulations.

In the Preamble, the EQB asserts that allowing mixtures of waste oil and hazardous substances contradicts its pollution prevention efforts. The EQB is concerned

that allowing generators to mix hazardous waste with waste oil will reduce generators' incentive to use source reduction strategies to minimize the amount of hazardous waste they generate. The EQB is also concerned that the Federal mixture rule will not protect the environment or the public health, safety or welfare.

Executive Order 1996-1 requires that Pennsylvania's regulations "not exceed Federal standards unless justified by a compelling and articulable Pennsylvania interest or required by state law." The EQB has not demonstrated the unique circumstances in Pennsylvania that warrant a more restrictive mixture rule than that contained in the Federal regulations. If mixing reduces the contaminants to a level that is no longer hazardous, it is unclear how the environment or the public health, safety or welfare will be harmed. The EQB should consider adopting the Federal mixture rule or explain the unique and compelling Pennsylvania interests that justify a more stringent mixture rule.

Treatment of wastewater contaminated with waste oil.

Subsection (c)(4) provides two criteria for when wastewater will be managed under this chapter. The first criterion is that the wastewater contains at least 1% of waste oil. The other criterion is that the wastewater contains marketable quantities of waste oil. We have several concerns with this provision.

First, the EQB is creating a different standard than the Environmental Protection Agency's (EPA) regulation on used oil. The EPA standard is that the wastewater contains no visible signs of free-flowing oil. The EQB contends the "no visible waste oil test" does not apply to the reclamation of waste oil from wastewater. The EQB should explain why the proposed standard is necessary and how the EPA's standard does not provide adequate protection.

Second, if the EQB demonstrates the need to differ from the EPA, it should explain the reasonableness of the 1% standard.

Third, the criterion that the wastewater contain marketable quantities of waste oil is vague. We understand that some facilities have the technological capability of extracting very small quantities of waste oil. However, the EQB should define what it will consider "marketable quantities" of waste oil.

Finally, subsection (c)(4) is inconsistent with subsection (f). Subsection (f) uses the standard of "de minimis quantities" of waste oil in the wastewater compared to the 1% and marketable quantity standard in subsection (c)(4). The EQB should resolve this inconsistency.

4. Section 298.11. Waste oil specifications.—Reasonableness and Need.

Minimum Btu value.

Subsection (a) requires any waste oil or any oil produced by waste oil to have a minimum 8,000 Btu value in order to be burned for energy recovery. This threshold is not contained in the Federal used oil regulations. The EQB should justify the need for this provision. If the EQB demonstrates the need for a minimum Btu value, it should explain why 8,000 Btus is a reasonable minimum standard.

Halogen count.

Table 1 in section 298.11(b) lists the specifications for waste oil burned for energy recovery and fuel produced from waste oil by processing, blending or other treatment. Waste oil that falls within the specification in Table 1 is

not regulated as a waste and can be substituted for virgin fuel oil. Waste oil that exceeds the specifications in Table 1 is subject to the requirements of Chapter 298. Except for the limit for total halogens, Table 1 is identical to the corresponding table in the Federal regulations (40 CFR § 279.11).

The proposed regulation contains a 1000 parts per million (ppm) limit for halogens, while the Federal regulations contain a 4000-ppm limit for halogens. According to the Preamble, the 1000-ppm limit is designed to protect the health and property of individuals using waste oil for home heating fuel. According to the EQB, when the Federal regulations were adopted, EPA did not consider home heating applications.

As an alternative, the EQB is seeking comment on the possibility of using two limits for halogens. The two limits would be 1000 ppm for home heating applications and 4000 ppm for all other methods of energy recovery. Since the 1000-ppm limit is a direct result of the Department's concern relating to home heating applications, it is reasonable to apply this limit only to waste oil marketed for home heating fuel. The EQB should retain the Federal standard of 4000 ppm for all other methods of energy recovery.

5. Section 298.20. Applicability.—Reasonableness and Need.

Other applicable provisions.

Subsection (b)(3) creates a permit by rule for the processing of waste oil generated onsite and not sent offsite. Commentators questioned what will be considered "onsite" and whether materials generated by the same generator at several related locations and processed at a central location will be eligible for the permit by rule. The EQB should clarify these issues in the final form regulation.

Recordkeeping.

Subsection (c) requires generators to maintain certain records for 5 years. It is unclear why it is necessary to retain generator records for 5 years. The other recordkeeping requirements in the regulation require 3-year record retention. For consistency, the EQB should consider amending subsection (c) to require that generator records be maintained for 3 years.

6. Section 298.22. Waste oil storage and Section 298.45. Waste oil storage at transfer facility.—Reasonableness and Economic Impact.

Labeling requirements.

Sections 298.22(c) and 298.45(h) require aboveground storage units and pipes to be labeled "waste oil." The Federal regulations require this equipment to be labeled "used oil." Commentators have objected to the labeling requirements because they would require thousands of new labels on equipment which is already labeled to comply with the Federal requirements. We understand that Pennsylvania's definition of "used oil" differs from the Federal definition of "used oil" because the Used Oil Recycling Act was passed prior to the Federal regulations. However, it is unclear what benefit would result from requiring double labeling. The EQB should allow either a "waste oil" or "used oil" label to satisfy the labeling requirements.

If the EQB objects to allowing the use of either term, it should consider seeking a legislative amendment to the Used Oil Recycling Act to make Pennsylvania's definition of "used oil" consistent with the Federal definition.

Spill prevention program.

Subsection (e) provides that waste oil generators are subject to Chapter 265, which requires all generators to implement a spill prevention control and countermeasure program. Several commentators express concern that the EQB will require every waste oil generator to submit a spill prevention control and countermeasure plan. Commentators assert that requiring small generators to comply with these planning requirements will be financially burdensome. The EQB should consider whether it is necessary for a small generator to develop and implement a full contingency plan or if another alternative is appropriate.

7. Section 298.25. Source reduction strategy.—Reasonableness and Conflict with existing regulations.

This section requires all waste oil generators subject to this regulation to submit and prepare a source reduction strategy. However, section 287.51 of the residual waste regulations has an exemption from the source reduction strategy requirements for persons or municipalities who "generate residual waste as a result of collecting the waste, including the collecting of parts, machinery, vehicles, appliances and used oil from the repair or replacement of the parts, machinery, vehicles, appliances and used oil." Since "used oil" in the residual waste regulation would be included as waste oil in this rulemaking, there is an inconsistency between the proposed regulation and the residual waste regulation. This inconsistency should be resolved.

8. Section 298.26 Biennial report.—Reasonableness and Conflict with existing regulations.

This section requires all waste oil generators subject to this regulation to file a biennial report. However, section 287.51 of the residual waste regulations does not require a report for persons or municipalities who "generate residual waste as a result of collecting the waste, including the collecting of parts, machinery, vehicles, appliances and used oil from the repair or replacement of the parts, machinery, vehicles, appliances and used oil." Since "used oil" in the residual waste regulation would be included as waste oil in this rulemaking, there is an inconsistency between the proposed regulation and the residual waste regulation. This inconsistency should be resolved.

9. Section 298.31. Waste oil aggregation points owned by the generator.—Reasonableness and Clarity.

Subsection (b)(4) creates a permit-by-rule for waste oil aggregation points. The permit by rule will not be applicable if the operator accepts water, antifreeze or other residual or hazardous waste. If the operator accepts this other waste in accordance with the applicable regulations, why is the permit-by-rule not available?

10. Section 298.45. Waste oil storage at transfer facility.—Reasonableness and Need.

Permits.

Paragraph (b)(4) lists the conditions a waste oil transfer facility must meet to qualify for a general permit. Condition (iv) states the following:

(iv) The waste oil collected at a transfer facility is destined for a waste oil transfer or waste oil processing/refining facility located in this Commonwealth which is permitted by the same person who owns/operates the waste oil transfer facility.

Why must the oil must be sent to a transfer or processing/refining facility within Pennsylvania? If the oil is sent to a facility outside of Pennsylvania, that facility would be regulated by the appropriate state jurisdiction. Furthermore, the waste oil would no longer be in Pennsylvania. The risks associated with transportation would apply to both an in-state and out-of-state transfer. Therefore, it is unclear how Pennsylvania would be harmed by sending the waste oil to an out-of-state facility. We request the EQB explain the reasonableness of and need for general permit condition (b)(4)(iv).

Additional requirements.

Subsection (j) (which is incorrectly labeled (c) in the *Pennsylvania Bulletin*) requires a waste oil transporter to comply with the preparedness, prevention and contingency plan and emergency procedures in Subchapters C and D of Chapter 264. A transporter is also required to comply with the underground storage tank and spill prevention program in Chapter 245. These requirements apply regardless of whether the waste oil exhibits any characteristics of hazardous waste.

These provisions are incorrectly cited. Chapter 264 was repealed and replaced with Chapter 264a, and Subchapter C no longer exists. The contingency plan and emergency procedures are now contained in Chapter 264a, Subchapter D.

Furthermore, it is unclear why transporters should be subject to these chapters. The underground storage tank requirements in Chapter 245 do not appear to be relevant to transporters since transportation would not occur in underground tanks. It is also unclear why waste oil that does not exhibit any characteristics of hazardous waste should be subject to hazardous waste planning requirements in Chapter 264a, rather than the residual waste requirements. The EQB should address these issues in the final regulation.

11. References to other Chapters of Regulations.—Clarity.

The proposed regulation contains several references to other chapters of regulations that have recently changed. Specifically, incorrect citations are made to the recently revised hazardous waste regulations. The EQB should review the proposed regulation to correct outdated cross-references. In addition, the regulation is amending portions of sections 261.3, 261.5 and 261.6. These sections have recently been changed and need to be corrected to reflect the new sections.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 99-1199. Filed for public inspection July 23, 1999, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
14-421	Department of Public Welfare Eligibility Provisions for the Healthy Horizons Program for the Elderly/ Disabled; Medical Assistance Income	7/14/99

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-457	Department of State, Bureau of Professional and Occupational Affairs, State Board of Cosmetology Examination Fees	7/12/99

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 99-1200. Filed for public inspection July 23, 1999, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Conestoga Life Assurance Company

Health and Benefits Management, LLC has filed an application to acquire control of Conestoga Life Assurance Company, a Pennsylvania domiciled stock life insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. § 991.1401, et seq.). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, email to rbrackbi@ins.state.pa.us, or by fax to (717) 787-8557.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1201. Filed for public inspection July 23, 1999, 9:00 a.m.]

Application for Merger of United General Life Insurance Company (UGL) with and into Conseco Senior Health Insurance Company (Conseco Senior)

An application has been received requesting approval of the merger of UGL, a stock life insurance company organized under the laws of the State of Texas, with and into Conseco Senior Health Insurance Company (Conseco Senior), a stock limited life insurance company organized under the laws of the Commonwealth of Pennsylvania. The filing was made under the requirements set forth

under the Insurance Holding Companies Act (40 P. S. § 991.1401 et seq.), section 1957 of the Business Corporation Law (15 Pa.C.S. § 1957) and the GAA Amendments Act of 1990 (15 P. S. § 21101 et seq.). Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; email <http://www.cbybee@ins.state.pa.us>.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1202. Filed for public inspection July 23, 1999, 9:00 a.m.]

Craig Edward Schmoll; Order to Show Cause; Doc. No. SC99-04-020

A prehearing telephone conference initiated by the Administrative Hearings Office shall occur on August 18, 1999, at 1 p.m. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and, 701—704 (relating to the Administrative Agency Law), the General Rules of Administrative Practice and Procedure, 1 Pa. Code §§ 31.1 et seq. and the Insurance Department's Special Rules of Administrative Practice and Procedure, 31 Pa. Code Chapter 56.

A hearing shall occur on September 2, 1999, at 1 p.m. in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

During the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

Motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed on or before July 28, 1999, with the Docket Clerk, Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. Answers to petitions to intervene, if any, shall be filed on or before August 11, 1999.

A written request for continuance of the scheduled prehearing/settlement conference, for good cause, will be considered by the Presiding Officer. Prior to requesting a continuance, a party must contact the opposing party. All continuance requests must indicate whether the opposing party objects to a continuance.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid service or other accommodation to partici-

pate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1203. Filed for public inspection July 23, 1999, 9:00 a.m.]

Hrvinak Motor Company; Prehearing/Settlement Telephone Conference

Appeal of Hrvinak Motor Company Under the Storage Tank and Spill Prevention Act, Underground Storage Tank Indemnification Fund; Doc. No. UT99-07-006

A prehearing/settlement telephone conference shall be held on August 19, 1999, at 10 a.m. Motions preliminary to those at hearing, protest petitions to intervene or notices of intervention, if any, must be filed with the Docket Clerk, Administrative Hearings Office, Room 200, Capitol Associates Building, Harrisburg, PA 17102, on or before July 29, 1999. Answers to petitions to intervene, if any, shall be filed on or before August 12, 1999.

The date for a hearing shall be determined, if necessary, at the prehearing/settlement telephone conference.

A written request for continuance of the scheduled prehearing/settlement telephone conference, for good cause will be considered by the Presiding Officer. Prior to requesting a continuance, a party must contact the opposing party. All continuance requests must indicate whether the opposing party objects to a continuance.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1204. Filed for public inspection July 23, 1999, 9:00 a.m.]

Independence Blue Cross; Blue Cross Community Rated Group Rate Increase; Filing No. 19-P-99

Independence Blue Cross submitted a filing requesting the Insurance Department's approval for a 29.6% premium rate increase for its community rated Basic Blue Cross hospitalization program effective October 1, 1999.

The proposed rate increase would impact approximately 8,800 contracts and produce additional annual premium income of \$6.6 million.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Philadelphia and Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1205. Filed for public inspection July 23, 1999, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Edward and Annette Williams; file no. 99-265-32051; Nationwide Mutual Insurance Company; doc. no. PH99-07-001; August 4, 1999, at 10 a.m.;

Appeal of Dean P. Perronne; file no. 99-265-32091; AIU Insurance Company; doc. no. PH99-07-002; August 4, 1999, at 1 p.m.;

Appeal of Stephen Ramani; file no. 99-267-32245; Dairyland Insurance Company; doc. no. PH99-07-009; August 12, 1999, at 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1206. Filed for public inspection July 23, 1999, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

York County, Wine & Spirits Shoppe #6705, Queensgate Shopping Center, 2081 Springwood Road, York, PA 17403-4840.

Lease Expiration Date: July 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,500 to 5,000 net useable square feet of new or existing retail commercial space within 1 mile of South Queen Street (Route 74) and Springwood Road, York Township.

Proposals due: August 13, 1999 at 12 Noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Willard J. Rhodes, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 99-1207. Filed for public inspection July 23, 1999, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 1

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1301) the Milk Marketing Board will conduct a public hearing for Milk Marketing Area No. 1 on September 1, 1999, at 9 a.m. in Room 202 of the Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

Purpose and scope of the hearing

The purpose of the hearing will be to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 1. In accordance with Section G of Official General Order A-890A, as amended by Official General Order A-890A (CRO 3), evidence will be limited to the following: annualized processing, packaging, and delivery costs; updated costs for containers, ingredients, and Class II products; updated labor, utility, and insurance costs based on comparisons between costs per point for corresponding quarters of calendar years 1998 and 1999; and a reasonable rate of return to milk dealers. Evidence shall be based on the audited costs of a cross-section of milk dealers doing business in Area No. 1.

Entries of appearance

The staff of the Board is deemed to be a party to this hearing, and the attorneys representing staff are deemed to have entered their appearances. Other persons that may be affected by the Board order fixing prices in Area No. 1 may be included on the Board's list of parties by:

1. Having their counsel file with the Board, by 4 p.m. on August 2, 1999, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25, which shall identify by name and address the party on whose behalf the appearance is made. Thereafter documents and other written communications required to be served upon or furnished to that party shall be sent to the attorney of record.

2. If unrepresented by counsel and wishing to appear on their own behalf under 1 Pa. Code § 31.21, filing with the Board, by 4 p.m. on August 2, 1999, an address to which documents and other written communications required to be served upon them or furnished to them may be sent.

Witnesses, exhibits, presentation of evidence

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 copies of each document for the use of nonparties attending the hearing.

1. By 12 noon on August 18, 1999, each party shall file with the Board six copies and serve on all other parties one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on August 25, 1999, each party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

Note: A document is filed with the Board when it is received in the Board office. When more than one copy of a document is required to be filed, *all* copies must be received by the date and time indicated.

Parties that wish to offer in evidence documents on file with the Board, public documents, or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, 35.165, 35.167, or 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests for data from Board staff

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on August 13, 1999.

Board's filing address

The filing address for the Board is Pennsylvania Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons who require this information in an alternate format should call (717) 787-4194 or (800) 654-5984 (PA Relay Service for TDD users).

LINDA J. BOWMAN,
Secretary

[Pa.B. Doc. No. 99-1208. Filed for public inspection July 23, 1999, 9:00 a.m.]

PENNSYLVANIA COMMISSION FOR WOMEN

Meeting Notice

The Pennsylvania Commission for Women has scheduled the Commissioner's Meeting to be held Monday, July 19, 1999, at 9:30 a.m. until 3 p.m. The meeting will be held at the Harrisburg East—Holiday Inn at 4751 Lindle Road, Harrisburg, PA 17111. The public is invited to attend. Persons who need accommodations due to a disability and want to attend should contact Christine Anderson, Pennsylvania Commission for Women, 205 Finance Building, Harrisburg, PA 17120, at (717) 787-8128, at least 24 hours in advance so arrangements can be made.

LOIDA ESBRI,
Executive Director

[Pa.B. Doc. No. 99-1209. Filed for public inspection July 23, 1999, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before Aug. 16, 1999, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the *beginning* of the exercise of the right and privilege of operating as *common carriers* for transportation of *persons* as described under each application.

A-00116030. Louis Thomas Wilder, Jr. (8548 Williams Avenue, Philadelphia, Philadelphia County, PA 19150)—persons in limousine service, between points in the counties of Bucks and Montgomery, and the city and

county of Philadelphia, and from points in said city and counties, to points in Pennsylvania, and return.

A-00116035. DuBois E.M.S. Ambulance Service, Inc. (P. O. Box 187, DuBois, Clearfield County, PA 15801), a corporation of the Commonwealth of Pennsylvania—persons, in paratransit service, between points in the counties of Clearfield, Jefferson and Elk, and from points in said counties, to points in Pennsylvania, and vice versa. *Attorney:* Matthew B. Taladay, P. O. Box 487, DuBois, PA 15801.

Applications of the following for approval amendment of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00108503, F. 1, Am-E. Gary L. Arndt, t/d/b/a A Limousine Service (30 Prager Street, Allegheny County, PA 15215)—inter alia, to transport, by motor vehicle, persons in limousine service, between points in the counties of Fayette, Somerset and Washington, and from points in said counties, to points in the county of Allegheny, and return: *So as to permit* the transportation of persons in limousine service between points in the county of Somerset, and from points in the said county, to points in the counties of Allegheny, Bedford, Cambria, Fayette and Westmoreland, and return; which is to be a transfer of all of the limousine rights of Larry J. Wills, under the certificate issued at A-00109753, F. 2, subject to the same limitations and conditions. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

Applications of the following for approval of the right to begin to operate as a broker for the transportation of persons as described under each application by transfer of rights as described under each application.

A-00116038. Christina A. Kelly, t/d/b/a Lowee's Group Sales (4117 G. Beechwood Lane, Harrisburg, Dauphin County, PA 17112)—Arrange for the transportation of passengers and their baggage, between points in the counties of Cumberland, Dauphin, Lancaster, Perry and York, and from points in said counties, to other points in Pennsylvania, and return; which is to be a transfer of the right authorized Lois A. Anservitz, t/d/b/a Lowee's Group Sales, under the broker's license issued at A-00105502, subject to the same limitations and conditions.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1210. Filed for public inspection July 23, 1999, 9:00 a.m.]

Water Service Without Hearing

A-222250, F2000. Millheim Borough. Application of Millheim Borough for approval of the abandonment/discontinuance of water service to customers outside the limits of Millheim Borough.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before August 9, 1999, under 52 Pa. Code (relating to public utilities).

Applicant: Millheim Borough

Through: Cynthia Z. Dashem, Secretary/Treasurer, Millheim Borough Council, 225 East Main Street, P. O. Box 421, Millheim, PA 16854.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1211. Filed for public inspection July 23, 1999, 9:00 a.m.]

Water Service Without Hearing

A-212285F0066. Pennsylvania-American Water Company. Application of Pennsylvania-American Water Company for approval of (1) the transfer, by sale, of the water works property and rights of the Center Township Water System to Pennsylvania-American Water Company, and (2) the rights of Pennsylvania-American Water Company to begin to offer or furnish water service to the public in all of Center Township, Butler County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before August 9, 1999, under 52 Pa. Code (relating to public utilities).

Applicant: Pennsylvania-American Water Company

Through and By Counsel: Velma A. Redmond, Esquire, Susan D. Simms, Esquire, Corporate Counsel, Pennsylvania-American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1212. Filed for public inspection July 23, 1999, 9:00 a.m.]