

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending August 17, 1999.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-12-99	Orrstown Bank Orrstown Franklin County Purchase of assests/assumption of liabilities of one branch office of Sovereign Bank, F.S.B., Wyomissing, Located at: 1730 Lincoln Way East Chambersburg Franklin County	Orrstown	Approved
8-16-99	Main Street Bank, Reading, and Main Street Bank of New Jersey, Lambertville, New Jersey Surviving Institution— Main Street, Reading	Reading	Approved

Note: The merger is being effected to facilitate the establishment of a New Jersey interstate branch office of Main Street Bank.

Interstate Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-9-99	U.S. Trust Company of Connecticut Greenwich Connecticut	100 W. Lancaster Ave. Wayne Delaware County Pennsylvania	Opened

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-9-99	Summit Bank Bethlehem Northampton County	473 York Road Warminster Bucks County	Opened
8-11-99	Patriot Bank Pottstown Montgomery County	500 Office Center Dr. Fort Washington Montgomery County	Filed
8-11-99	Patriot Bank Pottstown Montgomery County	65 E. Elizabeth Ave. Bethlehem Northampton County	Filed
8-11-99	Patriot Bank Pottstown Montgomery County	151 Good Drive Lancaster Lancaster County	Filed
8-11-99	Harris Savings Bank Harrisburg Dauphin County	310 E. Penn Drive Enola Cumberland County	Opened

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-16-99	First County Bank Doylestown Bucks County	100 N. Buckstown Dr. Suite 204/205 Langhorne Bucks County	Approved
8-16-99	Fulton Bank Lancaster Lancaster County	Meadowlands Executive Center 3413A Concord Road Springettsbury Twp. York County	Filed
8-16-99	First County Bank Doylestown Bucks County	Three Friends Lane Newtown Bucks County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-16-99	Pittsburgh Home Savings Bank Pittsburgh Allegheny County	274 N. Craig Street Pittsburgh Allegheny County	Approved

SAVINGS ASSOCIATIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
8-11-99	The Bridesburg Savings Association, Philadelphia, and Cornerstone-Feltonville Building and Loan Association, Glenside Surviving Institution— The Bridesburg Savings Association, Philadelphia, with a change in corporate title and location to Cornerstone Savings Association, Glenside	Philadelphia	Filed

Voluntary Dissolutions

<i>Date</i>	<i>Name of Association</i>	<i>Action</i>
8-11-99	Turtle Creek Savings and Loan Association Turtle Creek Allegheny County	Certificate of Election for Voluntary Dissolution filed. Effective as of the close of business August 11, 1999.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
8-3-99	Mutual Credit Union, Philadelphia, and Philadelphia District Railway Postal Clerks Federal Credit Union, Philadelphia Surviving Institution— Philadelphia District Railway Postal Clerks Federal Credit Union, Philadelphia	Philadelphia	Filed
8-17-99	Educational Credit Union, Philadelphia, and The Freedom Federal Credit Union, Warminster Surviving Institution— Educational Credit Union, Philadelphia, with a change in corporate title to "Freedom Credit Union"	Philadelphia	Filed

DAVID E. ZUERN,
Secretary

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Communities of Opportunity Program Guidelines

The Department of Community and Economic Development is responsible for administering the Communities of Opportunity Program in accordance with the requirements of the Pennsylvania Housing and Redevelopment Assistance Law (Act 477 of 1955). The two major categories of funding assistance under this program are Community Development and Housing. New guidelines have been prepared by the Department and are available to the public. A copy of these guidelines can be obtained at the following locations:

Office of Community Development and Housing
502 Forum Building
Harrisburg, PA 17120
(717) 787-5327

Southeast Regional Office
908 State Office Building
Broad and Spring Garden Streets
Philadelphia, PA 19130
(215) 560-2256

Northeast Regional Office
201 Samters Building
101 Penn Avenue
Scranton, PA 18503
(570) 963-4571

Central Regional Office
576 Forum Building
Harrisburg, PA 17120
(717) 878-7347

Southwest Regional Office
413 State Office Building
300 Liberty Avenue
Pittsburgh, PA 15222
(412) 565-5002

Northwest Regional Office
212 Lovell Place
Erie, PA 16503
(814) 871-4241

SAMUEL A. MCCULLOUGH,
Secretary

[Pa.B. Doc. No. 99-1439. Filed for public inspection August 27, 1999, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0051420. Industrial waste, **Petron Oil Corporation**, One Ward Street, Chester, PA 19016.

This application is for renewal of an NPDES permit to discharge stormwater from Petron Oil Corporation (Chester Terminal) in the City of Chester, **Delaware County**. This is an existing discharge to Delaware River (Zone 4).

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Recoverable Petroleum Hydrocarbons		monitor/report	

Other Requirements:

1. DMR to PADEP and DRBC
2. Ownership Transfer
3. Product Contaminated Stormwater Runoff
4. Monitoring and Reporting
5. PPC Plan Requirements
6. Other Wastewaters
7. Definitions
8. TMDL/WLA Analysis

The EPA waiver is in effect.

PA 0046876. Industrial waste, **Philadelphia Gas Works**, 800 West Montgomery Avenue, Philadelphia, PA 19122.

This application is for renewal of an NPDES permit to discharge cooling water from the facility in the City of Philadelphia, **Philadelphia County**. This is an existing discharge to the Schuylkill River.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall MP101, based on an average flow of 0.0037 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Effluent Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Influent Temperature	monitor		monitor

The proposed effluent limits for stormwater discharge from Outfall 001 are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			monitor/report
COD			monitor/report
Oil and Grease			monitor/report
pH			monitor/report
Total Suspended Solids			monitor/report
Total Kjeldahl Nitrogen			monitor/report
Total Phosphorus			monitor/report
Fecal Coliform			monitor/report
Dissolved Iron			monitor/report

Other Conditions:

The EPA waiver is in effect.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.

PA 0011134. Industrial waste, SIC: 3674, **Lucent Technologies, Inc.**, 555 Union Boulevard, Allentown, PA 18103.

This proposed action is for renewal of an NPDES permit to discharge treated process wastewater, noncontact cooling water into Spring Run, a tributary to Lehigh River in the City of Allentown, **Lehigh County**.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

Outfall 001

The proposed effluent limits based on a design flow of 4.07 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Dissolved Solids (TDS)	2,200	2,750	
Oil and Grease	15		30
Total Suspended Solids	30	60	
Temperature			110°F
pH		6.0—9.0 std. units at all times	

Monitoring Point 101

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Toxic Organics (TTO)		1.37	
Total Fluoride	17.4	32.0	
pH		6.0—9.0 std. units at all times	

Monitoring Point 201

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Cyanide	monitor and report		

Outfall 002

The proposed effluent limits based on a design flow of 1.11 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH		6.0—9.0 std. units at all times	

Other Conditions: Chemical additives requirements, total toxics organic conditions.

The EPA waiver is not in effect.

PA 0063274, (Amendment No. 1). Sewerage, **Brian Guinane**, R. R. 1, P. O. Box 1531, Hallstead, PA 18822.

This proposed action is for renewal and amendment of an NPDES permit to discharge treated sewage into Rhiney Creek in Liberty Township, **Susquehanna County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the New York-Pennsylvania State Border.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0004 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	50.0
Total Suspended Solids	30.0	60.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 as a geometric mean 2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	monitor and report	

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 000892-A1. Industrial waste, SIC: 3356, **Westinghouse Electric Company LLC**, 4350 Northern Pike, Pittsburgh, PA 15146.

This application is for amendment of an NPDES permit to discharge treated water from the groundwater remediation system in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Conemaugh River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Saltsburg Water Authority, located at Saltsburg, 17 miles below the discharge point.

Outfall 301: new discharge, design flow of 0.028 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30		60
Oil and Grease			15		30
Trichloroethene			0.072		0.144
Dissolved Iron					7.0
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0028126. Industrial waste, SIC: 4941, **Pennsylvania-American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033.

This application is for renewal of an NPDES permit to discharge treated process water and untreated stormwater from Hays Mine Station in Pittsburgh, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Becks Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is West View Municipal Authority, located at Ohio River Mile 4.9, 9.0 miles below the discharge point.

Outfall 001: existing discharge, design flow of 1.3 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Aluminum			4.0	8.0	
Iron			2.0	4.0	
Manganese			1.0	2.0	
Total Suspended Solids			30.0	60.0	
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0030457. Sewage, **Forbes Trail Mobile Home Park and Thorn Run Estates**, 100 Forbes Trail Drive, Export, PA 15632-9614.

This application is for renewal of an NPDES permit to discharge treated sewage from the Forbes Trail Mobile Home Park and Thorn Run Estates Sewage Treatment Plant in Salem Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Thorn Run, which are classified as a high quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland Municipal Authority.

Outfall 001: existing discharge, design flow of 0.031 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Phosphorus	2			4
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0096091. Sewage, **Aleppo Township Authority**, P. O. Box 81, Sewickley, PA 15143-0081.

This application is for renewal of an NPDES permit to discharge treated sewage from the I-79 North Sewage Treatment Plant in Aleppo Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an Unnamed Tributary of Kilbuck Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Arco Chemical Company BV Plant.

Outfall 001: existing discharge, design flow of 0.05 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	3	4.5		6
(11-1 to 4-30)	9	13.5		18
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	0.4			0.9
Dissolved Oxygen	not less than 4 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0096938. Sewage, **Paul M. Golobic**, R. D. 1, Box 640, Greensburg, PA 15601.

This application is for renewal of an NPDES permit to discharge treated sewage from Silver Dolphin Mobile Home Park STP in Hempfield Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as tributary of Little Sewickley Creek, which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Authority.

Outfall 001: existing discharge, design flow of .01065 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.4			4.8
(11-1 to 4-30)	5.0			10.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	0.25			0.58
Dissolved Oxygen	not less than 6 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0004898. Industrial waste, SIC: 3089, **Loranger Manufacturing Corporation**, P. O. Box 948, Warren, PA 16365.

This application is for renewal of an NPDES permit, to discharge NCCW, boiler blowdown, compressor condensate, TowerClean backwash and ultrasonic wastewater to the Allegheny River in the City of Warren, **Warren County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 96 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of 0.000312 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
pH		6.0—9.0 at all times	

XX—monitor and report

The EPA waiver is in effect.

PA 0004995. Industrial waste, SIC: 3241, **Armstrong Cement and Supply Corporation.**

This application is for renewal of an NPDES permit, to discharge treated industrial waste to Rough Run in Winfield Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: HW-TSF, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the New Kensington Municipal Water Company on the Allegheny River located at Kensington, approximately 25 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.023 mgd, are:

Outfall No. 001

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
(MO) Flow (mgd)			
CBOD ₅	25		50
TSS	30		60
Fecal Coliform (5-1 to 9-30)	200/100 ml		
(10-1 to 4-30)	76,000/100 ml		
NH ₃ -N (5-1 to 10-31)	8		16
(11-1 to 4-30)	24		48
Total Residual Chlorine*	1.4		3.3
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

Outfall No. 002/003

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>

These discharges shall consist of stormwater runoff only.

The proposed discharge limits, based on a design flow of 0.171 mgd, are:

Outfall No. 004

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
(MO) Flow (mgd)	XX		
TSS	XX		
Iron (T)	XX		
Manganese (T)	XX		
Temperature (°F)			
January 1—31	63		
February 1—29	61.4		
March 1—31	XX		
April 1—30	XX		
May 1—31	XX		
June 1—15	XX		
June 16—30	82.6		
July 1—31	75.6		
August 1—31	XX		
September 1—30	XX		
October 1—15	84		
October 16—31	76.5		
November 1—15	73.6		
November 16—30	62.7		
December 1—31	57.7		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

Outfall No. 005

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
pH			6.0—9.0 at all times

This discharge shall consist of groundwater discharges only (under high water table conditions).

The proposed discharge limits, based on a design flow of 0.7582 mgd, are:

Outfall No. 010

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
Fe (T)	XX		
Manganese	XX		
TSS	XX		
pH			6.0—9.0 at all times

The proposed discharge limits, based on a design flow of 0.317 mgd, are:

Outfall No. 011

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
Fe (T)	XX		
Manganese	XX		
TSS	XX		
pH			6.0—9.0 at all times

The proposed discharge limits, based on a design flow of 0.317 mgd, are:

Outfall No. 012

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
TSS	XX		
Iron (T)	XX		
Manganese (T)	XX		
pH			6.0—9.0 at all times

The EPA waiver is in effect.

PA 0103446. Industrial waste, SIC: 4953, **Superior Greentree Landfill, Inc.**, 635 Toby Road, Kersey, PA 15846.

This application is for renewal of an NPDES permit, to discharge from a municipal waste landfill, septage nonhazardous liquid waste, truck wash, shower room wastewater and stormwater to an unnamed tributary to Bear Run and Little Toby Creek in Fox Township, **Elk County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Western PA Water Company on the Clarion River located approximately 40 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.05328 mgd, are:

Outfall No. 001

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)			
CBOD ₅	100	200	250
Total Suspended Solids	100	200	250
NH ₃ -N (5-1 to 10-31)	20	40	50
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml 22,400/100 ml		
Aluminum	0.275	0.55	0.69
Total Iron	3.5	7.0	8.8
Manganese	1.0	2.0	2.5
Cadmium	0.027	0.054	0.067

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Lead	0.18	0.36	0.45
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

Outfall No. 1, 2, 3, 7, 8, 11, P1, P2, P3, P4, P5, P6, P7, P8 and P10

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Chemical Oxygen Demand			
Oil and Grease			
pH			
Total Dissolved Solids (TDS)			
Total Organic Carbon (TOC)			
Total Barium			
Total Cadmium			
Total Chromium			
Total Lead			
Total Mercury			
Total Magnesium			
Dissolved Magnesium			
Total Selenium			
Total Silver			
Ammonia			
Total Arsenic			
Total Cyanide			
Nitrate plus Nitrite Nitrogen			
Dissolved Iron			

The EPA waiver is in effect.

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

Applications under the Pennsylvania Clean Streams Law (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the Secretary to the Board at (717) 787-3483.

TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 1599413. Sewerage. **Birmingham Township**, 1040 West Street Road, West Chester, PA 19382-8012. Applicant requests the approval for the construction and operation of a dechlorination system to serve Birmingham Township wastewater treatment plant located in Birmingham Township, **Chester County**.

WQM Permit No. 1599414. Sewerage. **Elverson Borough Municipal Authority**, P. O. Box 266, Elverson, PA 19520-0266. Applicant requests the approval for the construction and operation to expand its wastewater treatment plant from 0.082 mgd to 0.125 mgd located in Elverson Borough, **Chester County**.

WQM Permit No. 4699422. Sewerage. **Upper Montgomery Joint Authority**, P. O. Box 6, Pennsburg, PA 18703. Applicant requests approval for the construction and operation of a new primary clarifier to serve Upper Montgomery Joint Authority wastewater treatment located in Pennsburg Borough, **Montgomery County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

A. 5899401. Monteforte Enterprises, R. R. 2, Box 34A, New Milford, PA 18834. Application to construct and operate a sewage treatment plant, located in New Milford

Township, **Susquehanna County**. Application received in the Regional Office—July 15, 1999.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

A. 0299416. Sewerage. **Deer Creek Drainage Basin Authority**, Box 148, Little Deer Creek Road, Russellton, PA 15076. Application for the construction and operation of the Deer Run Pump Station located in West Deer Township, **Allegheny County**.

A. 6399406. Sewerage. **Alan Axelson**, 2575 Boyce Plaza Road, Pittsburgh, PA 15241. Application for the construction and operation of a sewage treatment plant to serve the Mansion House at Old Concord Village located in Morris Township, **Washington County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 6199402. Sewerage. **Cranberry-Venango County General Authority, Seneca Acres Trailer Park**, P. O. Box 378, Seneca, PA 16319. This project is for the construction of a wastewater pump station, forcemain and gravity sewer to service the Seneca Acres Trailer Park on Meadow Road in Cranberry Township, **Venango County**.

WQM Permit No. 4399420. Sewerage, **Mark Simons, SRSTP**, 3047 Hadley Rd., Hadley, PA 16130. This project is for the construction of a single residence sewage treatment plant in Otter Creek Township, **Mercer County**.

WQM Permit No. 2599414. Sewerage, **Mary E. McBride, SRSTP**, 3217 Pacific Ave., Erie, PA 16506. This project is for the construction of a single residence sewage treatment plant in Harborcreek Township, **Erie County**.

INDIVIDUAL PERMITS

(PAS)

NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the

relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit PAS10-G375. Stormwater. **Eastern Shore Natural Gas—1999 Expansion**, 417 Bank Lane, Dover, DE 19904, has applied to discharge stormwater from a construction activity located in Penn, New London and Londonderry Townships, **Chester County**, to Big Elk and White Clay Creeks.

NPDES Permit PAS10-G376. Stormwater. **The Vanguard Group**, P. O. Box 2600, Mail Stop A12, Valley Forge, PA 19482, has applied to discharge stormwater from a construction activity located in Tredeffrin Township, **Chester County**, to Valley Creek.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit PAS10Q180. Stormwater. **Kidspeace Corp.**, Richard Biolsi, 5300 Kidspeace Dr., Orefield, PA 18069-9101, has applied to discharge stormwater from a construction activity located in North Whitehall Township, **Lehigh County**, to an UNT to Jordan Creek.

NPDES Permit PAS10Q181. Stormwater. **Robyn Realty Company**, James Leuthe, 3906 Mountain View Dr., Danielsville, PA 18038, has applied to discharge stormwater from a construction activity located in Lowhill Township, **Lehigh County**, to an UNT to Jordan Creek.

Monroe County Conservation District, District Manager, 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES Permit PAS10S079. Stormwater. **Hahn Sub-division**, Jeffrey D. Hahn, R. R. 4, Box 4292, Stroudsburg, PA 18360-9056, has applied to discharge stormwater from a construction activity located in Hamilton Township, **Monroe County**, to Cherry Creek.

NPDES Permit PAS10S021-R. Stormwater. **Blue Mountain Lake**, Blue Mtn. Lake Assoc., L. P., One Blue Mountain Lake, E. Stroudsburg, PA 18301, has applied to discharge stormwater from a construction activity located in Stroud Township, **Monroe County**, to Sambo Creek, Blue Mountain Lake, and an UNT to Brodhead Creek.

Northampton County Conservation District, District Manager, Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

NPDES Permit PAS10U118. Stormwater. **Michael Wiczorek**, P. O. Box 307, Brodheads ville, PA 18322, has applied to discharge stormwater from a construction activity located in Moore Township, **Northampton County**, to Monocacy Creek.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W. Third St., Suite 101, Williamsport, PA 17701, (717) 327-3574.

Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, (570) 327-3574.

NPDES Permit PAS101206. Stormwater. **Mid Cameron Municipal Authority**, 421 North Broad St., Emporium, PA 15834, has applied to discharge stormwater from a construction activity located in Emporium Borough and Shippen Township, **Cameron County** to West Creek.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

1399501. Public water supply. **NIS Hollow Estates**, Brenda Oswald, 312 Lower NIS Hollow Drive, Lehighton, PA 18235. This proposal involves modification of an existing system to provide for wellhead improvements and raw water disinfection, along with installation of adequate chlorine contact volume and distribution system blowoffs. It is located in Mahoning Township, **Carbon County**. *Engineer:* Wayne E. Gross, RKR Hess Associates.

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 1499504. The Department has received a permit application from the **Orviston Water Association**, P. O. Box 639, Orviston, PA 16864, Curtain Township, **Centre County**, for construction of two stream crossings as part of the renovation of the Orviston Water Association's existing system. The two streams are Hayes Run and Beech Creek. The project will also include permitting of a new water well and an above ground water storage tank.

A. Minor Amendment. The Department has received a permit application from **East Haines Township Water Company**, P. O. Box 91, Woodward, PA 16882-0091, Haines Township, **Centre County**, for construction of two 20,000 gallon finished water storage tanks.

A. Minor Amendment. The Department has received a permit application from **East Haines Township Water Company**, P. O. Box 91, Woodward, PA 16882-0091, Haines Township, **Centre County**, to add an electric operated chlorinator that is paced from a flowmeter.

A. 263-W-011-T1. The Department has received a transfer permit application from **Woodward Water Company** to East Haines Township Water Company, P. O. Box 91, Woodward, PA 16882-0091, Haines Township, **Centre County**.

A. 5599501. The Department has received a permit application from **Riverview Mobile Home Park**, P. O. Box 339, Camp Hill, PA 17001, Union Township, **Snyder**

County for modification of existing water system to comply with community water system standards.

A. Minor Amendment. The Department has received a permit application from the **Mahoning Township Municipal Authority**, 1101 Bloom Road, Danville, PA 17821. The permit is for modifications to Ridgeview Booster Pump Station, Route.

A. Minor Amendment. The Department has received a permit application from the **Mountain Top Area Water Association**, P. O. Box 223, Snow Shoe, PA 16874, Burnside and Snow Shoe Townships, **Centre County** for construction of a finished storage tank and 7,400 feet of water line.

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6899.

A. 2099501. Public water supply. **Cambridge Springs Borough**, 26 Federal Street, Cambridge Springs, PA 16403. This proposal involves the construction of a new water filtration/treatment facility, raw water pump station, water storage clearwell and miscellaneous piping and appurtenances in Cambridge Springs, **Crawford County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of

the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Connelly Paper Mill (Former), City of Philadelphia, **Philadelphia County**. Darryl D. Borrelli, Manko, Gold & Katcher LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with lead, heavy metals, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on July 29, 1999.

Emission Control Dust Monofill, South Coatesville Borough, **Chester County**. Douglas A. Yochum, General Manager, Financial Services & Property Management, Bethlehem Steel Corp., 1170 8th Ave., Bethlehem, PA 18016, has submitted a Notice of Intent to Remediate site soil contaminated with lead and heavy metals and groundwater contaminated with heavy metals. The applicant proposes to remediate the site to meet Statewide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Inquirer* the week of August 2, 1999.

Sunoco Station 004-8751 (Former), Springfield Township, **Delaware County**. Michael Sarcinello, Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *News of Delaware County* on August 4, 1999.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Bridgeworks Industrial Site, City of Allentown, **Lehigh County**. William K. Ahlert, Lawler, Matusky & Skelly Engineers LLP, The Sovereign Building, 609 Hamilton Mall, Allentown, PA 18101, has submitted a Notice of Intent to Remediate (on behalf of his client, Allentown Economic Development Corporation, 905 Har-

rison Street, Allentown, PA 18103) concerning the characterization of site soils and groundwater found to have been contaminated with petroleum hydrocarbons, polycyclic aromatic hydrocarbons, solvents, metals and BTEX (benzene, toluene, ethylbenzene and xylenes) compounds. The applicant proposes to remediate the site to meet the Special Industrial Area standard. A summary of the Notice of Intent to Remediate was published in *The Morning Call* on July 27, 1999. A Baseline Environmental Report was also received on June 9, 1999.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Sunny Farms Site, North Codorus Township, **York County**. BL Tethys, 2407 Park Drive, 1st Floor, Harrisburg, PA 17110, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record* on June 7, 1999.

Penn Mar Oil Company, Chambersburg Borough, **Franklin County**. BL Tethys, 2407 Park Drive, 1st Floor, Harrisburg, PA 17110, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet a combination of the Statewide health standard and site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Public Opinion* on July 19, 1999.

Progress Park Lot 7, City of Lebanon, **Lebanon County**. Joanne and Barry McGee (t.d.b.a Joanne M. McGee Cleaning and Janitorial Service, Inc.), 119 Buck Run, Lebanon, PA 17042, have submitted a Notice of Intent to Remediate site soils and groundwater contaminated with lead, heavy metals, solvents, BTEX and PAHs. The applicant proposes to remediate the site as a special industrial area. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lebanon Daily News* on March 10, 1999.

Fusion Coatings, Inc., Heidelberg Township, **Berks County**. Fusion Coatings, Inc., 932 West Penn Avenue, Robesonia, PA 19551, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the site-specific requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Reading Eagle Times* on July 23, 1999.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Lieberth & Sons Dodge, Inc., Borough of Oakmont, **Allegheny County**. Lou Abrams, 200 Tech Road, Pittsburgh, PA 15205, Chrysler Realty Corporation, 800 Chrysler Drive East, CMS 482-00-51, Auburn Hills, MI 48326-2757 and Jeffrey S. Holmes, P.E., Earthtech, Inc., 103 Bradford Road, Suite 300, Wexford, PA 15090, have submitted a Notice of Intent to Remediate groundwater contaminated with BTEX, PHCs and PAHs. The applicants propose to remediate the site to meet the background standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pittsburgh Post Gazette* on July 29, 1999.

Sarah Street Properties, Pittsburgh, **Allegheny County**. URA of Pittsburgh, 200 Ross Street, Pittsburgh, PA a.m. Rodriguez Associates, 200 Railroad Avenue, Carnegie, PA and Martin C. Knuth, P.G., Civil and Environmental Consultants, 333 Baldwin Road, Pittsburgh, PA 15205, have submitted a Notice of Intent to Remediate soil contaminated with heavy metals, solvents and BTEX. The applicants propose to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pittsburgh Post Gazette* on July 30, 1999.

SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

A. 101566. Hanover Area Transfer Station (Borough of Hanover) (44 Frederick Street, Hanover, PA 17311). Application for permit renewal of a transfer station in Penn Township, **York County**. Application determined to be administratively complete in the Regional Office August 5, 1999.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an integrated plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the

Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

54-320-001A: GenCorp, Inc. (P. O. Box 429, Auburn, PA 17922), for operation of a surface coating line and mix room in West Brunswick Township, **Schuylkill County**.

54-310-019: Commonwealth Environmental Systems (P. O. Box 249, Dunmore, PA 18512), for operation of a stone crushing plant in Foster Township, **Schuylkill County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

01-310-052: Carmeuse Pennsylvania, Inc. (875 Oxford Road, Hanover, PA 17331), for operation of a silo and truck loadout controlled by a fabric filter in Oxford Township, **Adams County**.

21-2026A: Carlisle Syntec Inc. (P. O. Box 7000, Carlisle, PA 17013), for operation of a natural gas-fired IC engine/compressor set at their Ritner Highway plant in Carlisle Borough, **Cumberland County**.

22-05003: Stroehmann Bakeries, LC (3996 Paxton Street, Harrisburg, PA 17111), for operation of two baking ovens controlled by a catalytic incinerator in Swatara Township, **Dauphin County**.

22-301-062: Humane Society of Harrisburg Area, Inc. (7790 Grayson Road, Harrisburg, PA 17111), for operation of an animal crematorium at their East Shore facility in Swatara Township, **Dauphin County**.

36-03071: Humane League of Lancaster County (2195 Lincoln Highway East, Lancaster, PA 17602), for operation of two animal cremators in East Lampeter Township, **Lancaster County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

OP-41-0005A: Transcontinental Gas Pipe Line Corp. (P. O. Box 1396, Houston, TX 77251), for operation of three natural gas-fired 2,050 horsepower reciprocating internal combustion engines (No. 1, 2 and 3) equipped with low emission combustion retrofit kits at Station 520 in Mifflin Township, **Lycoming County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-047C: Mine Safety Appliances Co. (1420 Mars Evans City Road, Evans City, PA 16033), for two bonding rooms in Forward Township, **Butler County**.

PA-10-028E: Armstrong Cement & Supply Co. (100 Clearfield Road, Cabot, PA 16023), for cement storage silos in West Winfield, **Butler County**.

PA-10-300A: Magnetics Division, Spang & Co. (796 East Butler Road, P. O. Box 751, Butler, PA 16003), for a metal coil surface coating line in East Butler Borough, **Butler County**.

PA-20-194C: Lord Corp. (601 South Street, P. O. Box 1050, Saegertown, PA 16433), for a latex plant expansion in Saegertown, **Crawford County**.

20-318-009A: Andover Industries, BMPI (R. D. 2, Dunham Road, Meadville, PA 16335), for surface coating operation at Booth No. 1 in Vernon Township, **Crawford County**.

20-318-012A: Andover Industries, BMPI (R. D. 2, Dunham Road, Meadville, PA 16335), for surface coating operation at Booths No. 4, 5, 6 and 7 in Vernon Township, **Crawford County**.

PA-24-009A: Willamette Industries, Inc. (100 Center Street, Johnsonburg, PA 15845), for an air density system in Johnsonburg Borough, **Elk County**.

PA-25-095D: Lord Corp. (1635 West 12th Street, P. O. Box 10039, Erie, PA 16514), for an HCL hand spray booth in Erie, **Erie County**.

PA-25-095E: Lord Corp. (1635 West 12th Street, P. O. Box 10039, Erie, PA 16514), for two adhesive spray machine booths and oven in Erie, **Erie County**.

PA-37-234B: Praxair Surface Technologies (3225 Honeybee Lane, New Castle, PA 16105), for a coating deposition cubicle in Wilmington Township, **Lawrence County**.

37-303-013B: Lindy Paving Co. (Route 168, Eastbrook Site, Box 2A, Northgate Industrial Park, New Castle, PA 16101), for a drum mix asphalt plant in Hickory Township, **Lawrence County**.

62-312-014A: United Refining Co. (Bradley and Dobson Streets, P. O. Box 780, Warren, PA 16365), for a gasoline loading rack in Warren, **Warren County**.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Attn: Kanubhai L. Patel, (717) 705-4702.

07-05001: Appleton Papers Inc. (Spring Mill, 100 Paper Mill Road, Roaring Spring, PA 16673-1488), in Roaring Spring Borough, **Blair County**. The facility is a kraft pulp and paper mill. The operation primarily emits nitrogen oxides (NO_x), sulfur dioxides (as SO₂) and volatile organic compounds (VOCs).

36-05002: Armstrong World Industries, Inc. (P. O. Box 3001, Lancaster, PA 17606), in Lancaster, **Lancaster County**. The facility manufactures vinyl flooring products and primarily emits volatile organic compounds (VOCs) and nitrogen oxides (NO_x).

36-05026: R. R. Donnelley & Sons Co. (1375 Harrisburg Pike, Lancaster, PA 17601), in Lancaster City, **Lancaster County**. The facility is a publication printing operation that primarily emits volatile organic compounds (VOC) and nitrogen oxides (NO_x).

36-05089: Wabash Alloys, L.L.C. (Hazel and Biddle Streets, Marietta, PA 17547), in Marietta Borough, **Lancaster County**. The facility is a secondary aluminum refiner. The operation primarily emits volatile organic compounds (VOCs), particulate matter (as PM₁₀), nitrogen oxides (NO_x) and sulfur dioxides (as SO₂).

67-05008: York International Corp. (P. O. Box 1592, York, PA 17405-1592), in Spring Garden Township, **York County**. The facility manufactures refrigeration and heating equipment (SIC Code No. 3585). The operations primarily emit volatile organic compounds (VOCs) and hazardous air pollutants (HAPS).

PLAN APPROVALS

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-313-084: Elementis Pigments, Inc. (1525 Wood Avenue, Easton, PA 18042), for construction of a finishing plant milling and material handling system in Easton, **Northampton County**.

54-399-027: Goulds Pumps, Inc. (500 East Centre Street, Ashland, PA 17921), for construction of an argon oxygen decarburization unit in Ashland Borough, **Schuylkill County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

36-05086B: DONSCO, Inc. (P. O. Box 2001, Wrightsville, PA 17368), for installation of a cold-process coremaking machine at the Mount Joy foundry in Mount Joy, **Lancaster County**.

36-05033A: Rutt Custom Cabinetry, LLC (P. O. Box 129, Goodville, PA 17528), for installation of a cyclone/

baghouse to reduce particulate matter emissions from the woodworking operation in East Earl Township, **Lancaster County**.

38-318-033B: Supreme Mid-Atlantic Corp. (411 Jonestown Road, P. O. Box 779, Jonestown, PA 17038), for construction of a truck lift gate painting operation at Plant No. 1 in Union Township, **Lebanon County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

17-305-044: M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701), for construction of a coal crushing and loading operation at Black Hills No. 2 Mine in Bell Township, **Clearfield County**. This operation is subject to Subpart Y of the Federal Standards of Performance for New Stationary Sources.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-33-153A: Leatherwood, Inc., Jefferson Landfill (655 Church Street, Indiana, PA 15701), for construction and operation of a municipal waste landfill on Route 830 in Pinecreek Township, **Jefferson County**. The landfill is subject to New Source Performance Standards (NSPS), 40 CFR Part 60 Subpart WWW.

Notice of Intent to Approve

Plan Approval Application No. PA-32-055D

Under 25 Pa. Code § 127.44(a)(4), the Department of Environmental Protection (Department) intends to issue a Plan Approval to EME Homer City Generation for the installation of four 50' x 11' dia. ammonia storage tanks at the Homer City Power Plant, PA as described in its application received on July 21, 1999.

Based on the information provided by the applicant and on the Department's analysis of that information, these installations will result in ammonia emissions of approximately 5.79 tons per year.

Copies of the application, the Department's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

In order for the Department to assure compliance with all applicable standards, it proposes to place the following conditions on the Plan Approval:

Special Conditions for Plan Approval PA-32-055D

3. This Plan Approval is for the installation of an ammonia storage and transfer system at the EME Homer City Power Station located in Homer City, Indiana County.

4. EME shall keep a monthly log of all ammonia delivered to this facility. These records shall be kept onsite for a period of 2 years and be made available to the Department upon request.

5. A Risk Management Plan must be submitted to the Department prior to the use of the ammonia storage system as provided in 40 CFR 68.10.

6. This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met.

a) The Department must receive written notice from the owner/operator of the completion of construction and the operator's intent to commence operation at least 5

working days prior to the completion of construction. The notice should state when construction will be completed and when the operator expects to commence operation.

b) Operation is authorized only to facilitate the start-up and shake-down of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

c) This condition authorizes temporary operation of the sources for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the owner/operator under subpart (a), above.

d) The owner/operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance, and the reason compliance has not been established.

e) The notice submitted by the owner/operator under subpart (a), above, prior to the expiration of this Plan Approval, shall modify the plan approval expiration date. The new plan approval expiration date shall be 180 days from the date of the written notice.

Persons wishing to provide the Department with additional information which they believe should be considered prior to the issuance of the Plan Approval may submit the information to the Department at the following address. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed Plan Approval (specify the Plan Approval number).
- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in this newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines the notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Joseph Pezze, Regional Air Quality Program Manager, Department of Environmental Protection, Southwest Region—Field Operation, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

For additional information persons may contact the following individual at the same address: Thomas J. Joseph, Air Pollution Control Engineer III, Air Quality Control.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation

Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

Coal Applications Received

03990105. Seven Sisters Mining Co., Inc. (P. O. Box 300, 200 US Route 22, Delmont, PA 15626-0300). Applica-

tion received for commencement, operation and reclamation of a bituminous surface auger mine located in South Bend Township, **Armstrong County**, proposed to affect 206.2 acres. Receiving streams: unnamed tributary to Fagley Run to Fagley Run to Crooked Creek to Allegheny River. Application received: August 4, 1999.

26880106R. Theodore R. Genovese II Coal Co. (Box 360, Chalk Hill, PA 15421). Renewal application received for continued operation and reclamation of a bituminous surface auger mine located in Springhill Township, **Fayette County**, affecting 72.9 acres. Receiving streams: unnamed tributary to the Monongahela River and unnamed tributary to Georges Creek. Renewal application received: August 11, 1999.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

56980105. Permit Revision, Dunamis Resources, Inc. (One Energy Place, Suite 4000, Latrobe, PA 15650), to conduct auger mining activities on this bituminous strip mine in Lincoln Township, **Somerset County**, affecting 93.0 acres. Receiving stream UNTS to North Branch of Quemahoning Creek and UNTS to Horner Run. Application received August 9, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54940102R. Gale Coal Company, Inc. (1441 Oak Street, Pottsville, PA 17901), renewal of an existing anthracite surface mine operation in Blythe Township, **Schuylkill County** affecting 102.0 acres, receiving stream—none. Application received August 4, 1999.

54840207R3. CLS Coal Company (P. O. Box 81, Port Carbon, PA 17965), renewal of an existing coal refuse disposal operation in Reilly Township, **Schuylkill County** affecting 90.0 acres, receiving stream—West Branch Schuylkill River. Application received August 4, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33940102. Mahoning Mining, Inc. (P. O. Box 44, New Bethlehem, PA 16242). Renewal of an existing bituminous surface strip and auger operation in Knox Township, **Jefferson County** affecting 101.0 acres. Receiving streams: Two unnamed tributaries of Lick Run to Lick Run to Little Sandy Creek to Redbank Creek to the Allegheny River. Application for reclamation only. Application received August 2, 1999.

33950106. Urey Coal Company (222 Forest Ridge Road, Indiana, PA 15701). Revision to an existing bituminous strip operation to change the postmining land use from forestland and abandoned mine lands to unmanaged natural habitat in Perry Township, **Jefferson County**. Receiving streams: Unnamed tributary to Mahoning Creek, unnamed tributary to Sawmill Run, and unnamed tributary to Rose Run. Application received: August 2, 1999.

33940108. Thomas J. Smith, Inc. (R. D. 1, Box 260D, Shelocta, PA 15774). Renewal of an existing bituminous surface strip and auger operation in McCalmont Township, **Jefferson County** affecting 177.6 acres. Receiving streams: Unnamed tributaries of Camp Run to Camp Run to Sandy Lick Creek to Redbank Creek to the Allegheny River. Application for reclamation only. Application received August 4, 1999.

16840103. C & K Coal Company (P. O. Box 69, Clarion, PA 16214). Renewal of an existing bituminous surface strip and tippel refuse disposal operation in Perry

Township, **Clarion County**, affecting 3.5 acres. Receiving streams: Unnamed tributary to the Allegheny River and Dunlap Creek to the Allegheny River. Application received August 11, 1999.

33733009. P & N Coal Company, Inc. (P. O. Box 332, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip and auger operation in Gaskill Township, **Jefferson County**, affecting 336.2 acres. Receiving streams: Stoney Run; unnamed tributaries to Clover Run to East Branch Mahoning Creek. Application received August 11, 1999.

33693008. P & N Coal Company, Inc. (P. O. Box 332, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip and auger operation in Gaskill Township, **Jefferson County**, affecting 116.0 acres. Receiving streams: Unnamed tributaries to Lost Run and East Branch Lost Run to Clover Run. Application received August 12, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.
Noncoal Applications Received*

37990302. Southdown, Inc. (1200 Smith Street, Suite 2400, Houston, TX 77002). Commencement, operation and restoration of a limestone and incidental coal operation in Shenango and Wayne Townships, **Lawrence County**, affecting 803 acres. Receiving streams: Unnamed tributaries to the Beaver River, unnamed tributaries to Snake Run, Snake Run, and Beaver River. Application received August 4, 1999.

300360-37990302-E-1. Southdown, Inc. (1200 Smith Street, Suite 2400, Houston, TX 77002). Application for a stream encroachment to widen an existing equipment crossing located at the headwaters of an unnamed tributary No. 1 to the Beaver River in Shenango Township, **Lawrence County**. Receiving streams: Unnamed tributaries to the Beaver River and Beaver River. Application received August 4, 1999.

300360-37990302-E-2. Southdown, Inc. (1200 Smith Street, Suite 2400, Houston, TX 77002). Application for a stream encroachment to reconstruct a 750 foot segment of unnamed tributary No. 1 to Snake Run in Shenango and Wayne Townships, **Lawrence County**. Receiving streams: Unnamed tributaries to Snake Run, Snake Run, and Beaver River. Application received August 4, 1999.

300360-37990302-E-3. Southdown, Inc. (1200 Smith Street, Suite 2400, Houston, TX 77002). Application for a stream encroachment to mine through and reconstruct a 350 foot segment of the extreme headwaters of unnamed tributary No. 2A to Snake Run Shenango Township, **Lawrence County**. Receiving streams: Unnamed tributaries to Snake Run, Snake Run, and Beaver River. Application received August 4, 1999.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Large Industrial Minerals Applications Received

31970301. Permit Revision, **U. S. Silica Company** (R. D. 1, Box 1885, Mapleton Depot, PA 17052), for the addition of a haulroad from the south end of the quarry to connect the North Quarry with an existing haulroad further to the south; and for the addition of 16.7 acres to the permit for the haulroad extension, total permit acres goes from 290.3 to 307.0 acres in Brady Township, **Huntingdon County**, receiving stream Mill Creek, Saddler Run. Application received August 6, 1999.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

EA46-006SE. Environmental Assessment. **Neil and June Dreslin**, P. O. Box 53, Limekiln, PA 19535. To construct, operate and maintain a nonjurisdictional dam across a small intermittent unnamed tributary to the Mingo Creek (WWF). The proposed dam will provide stormwater management for the Dreslin Subdivision. The project is situated approximately 2,000 feet northwest of the intersection of Township Line Road and Ridge Lane (Phoenixville, PA Quadrangle N: 16.80 inches; W: 00.80 inch) in Limerick Township, **Montgomery County**.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E31-152. Encroachment. **PA Department of Conservation & Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105. To remove an existing bridge and to construct and maintain a single span timber beam bridge with timber deck across Detweiler Run (HQ-CWF) having a normal clear span of 25.10 feet and a minimum underclearance of 5.0 feet located on SR 1023 about 6.0 miles northeast of its intersection with SR 0026 at McAlevys Fort (McAlevys Fort, PA Quadrangle N: 12.8 inches; W: 1.2 inches) in Jackson Township, **Huntingdon County**.

E31-153. Encroachment. **PA Department of Conservation & Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105. To remove an existing bridge and to

construct and maintain a single span timber beam bridge with timber deck having a clear normal span of 25.10 feet and a minimum underclearance of 5.17 feet across Standing Stone Creek and to place fill in 0.08 acre of associated wetlands located on Seeger Road about 500 feet east of its intersection with SR 1023 (McAleveys Fort, PA Quadrangle N: 12.7 inches; W: 1.1 inches) in Jackson Township, **Huntingdon County**.

E31-154. Encroachment. **PA Department of Transportation**, Engineering District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648. To remove an existing structure and to construct and maintain a single span prestressed concrete spread box beam bridge having a normal clear span of 31.15 feet and an underclearance of 6.48 feet over an unnamed tributary to Sideling Hill Creek (HQ-CWF) located on SR 0655, Segment 0020, Offset 1607 (Saltillo, PA Quadrangle N: 2.2 inches; W: 6.0 inches) in Clay Township, **Huntingdon County**.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E17-335. Encroachment. **Eagle Environmental II, LP**, 11 New Street, Englewood Cliffs, NJ 07632. To construct, operate and maintain a residual waste landfill and its appurtenant structures in the Pine Run Watershed (Cold Water Fishery); and to construct, operate and maintain a treated leachate outfall structure in Chest Creek (Cold Water Fishery) for the operation of the Royal Residual Waste Landfill. The construction of the landfill and its appurtenant structures shall be limited to three treated stormwater outfall structures and a maximum wetland impact of 0.17 acre. The leachate outfall structure shall be constructed with a submerged 8-inch diameter high density polyethylene pipe in the channel of Chest Creek. The project impacts 0.17 acre of wetlands and 40 feet of waterway. The project is located along the eastern right-of-way of S. R. 0036 approximately 1.7 miles east of T-412 and T-409 intersection (Westover, PA Quadrangle N: 1.19 inches; W: 2.30 inches) in Chest Township, **Clearfield County**. The permittee shall mitigate the 0.17 acre of permanently impacted wetland with 0.17 acre of onsite replacement wetland.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-381. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 10-0, P. O. Box 429, Indiana, PA 15701. To construct and maintain the following structures and activities that are part of a new 4.0 kilometer-long, limited access highway known as the Kittanning Bypass (S. R. 6028, Section 015).

- A prestressed concrete I-beam bridge having four spans of 42.6 meters, 45.0 meters, 45.0 meters and 42.6 meters and an underclearance of 28.0 meters over an unnamed tributary to Garretts Run (WWF) Station 1+150 to 1+330, Latitude 40°47'34", Longitude 79°30'00".

- A reinforced concrete pipe having an inlet diameter of 1,520 mm for a distance of 281.0 meters and an outlet diameter of 1,830 mm for a distance of 156.0 meters in an unnamed tributary to Garretts Run (WWF). Station 2+245 to 2+266. Begin Latitude 40°48'08" Longitude 79°29'21"; End Latitude 40°48'00" Longitude 79°29'37".

- A reinforced concrete pipe, its invert depressed 0.3 meter, having a diameter of 1,680 mm for distance of 130 meters in an unnamed tributary to Cowanshannock Creek (WWF). Station 3+909 to 3+956, Begin Latitude 40°48'49" Longitude 79°29'29"; end Latitude 40°48'50" Longitude 79°29'25".

- A temporary stream crossing consisting of two 610 mm pipes in an unnamed tributary to Garretts Run (WWF). Latitude 40°47'40" Longitude 79°29'56".

- A 610 mm diameter outfall in an unnamed tributary to Garretts Run (WWF) Station 1+281.250.

- A 1,070 mm diameter outfall in Cowanshannock Creek (TSF) Station 4+629.045.

To place and maintain fill within 1.7 acres of palustrine emergent wetlands, 1.5 acres of palustrine scrub/shrub wetlands and 2.0 acres of palustrine forested wetlands. This project is located at the northern terminus of the Allegheny Valley Expressway (S. R. 0028) and extends to its interchanges with S. R. 0422 and S. R. 0085. Begin: Kittanning, PA Quadrangle N: 7.8 inches; W: 0.4 inch, End: Mosgrove, PA Quadrangle N: 12.3 inches; W: 16.0 inches in Cowanshannock, Manor and Rayburn Townships, **Armstrong County**. To compensate for wetland impacts, the applicant proposes creation of 6.6 acres of wetlands and enhancement of 2.2 acres of wetland in the Cowanshannock watershed.

E63-474. Encroachment. **Waterford Villas Partners**, 382 West Chestnut Place, Washington, PA 15301. To regrade, relocate and maintain an unnamed tributary to Chartiers Creek (WWF) for the purpose of constructing the Waterford Villas housing development located just northeast from the intersection of Hahn Road (T-748) and West McMurray Road (S. R. 1002) (Canonsburg, PA Quadrangle N: 4.7 inches; W: 2.4 inches) in North Strabane Township, **Washington County**.

E65-733. Encroachment. **Pennsylvania Department of Conservation and Natural Resources**, Bureau of Facility Design and Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing superstructure and to construct and maintain a new superstructure of a bridge having a clear span of 8 feet and an underclearance of 6.75 feet across Rock Run located on Linn Run Road at a point in Linn Run State Park approximately 2.75 miles south of the intersection of S. R. 381 and S. R. 2043 (Ligonier, PA Quadrangle N: 6.1 inches; W: 15.0 inches) in Cook Township, **Westmoreland County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-306. Encroachment. **Louis Birckbichler**, 1355 Chicora Road, Chicora, PA 16025. To construct and maintain a 60-foot-long, 9-foot-diameter culvert in Buffalo Creek for a private driveway approximately 160 feet north of SR 0068, 1 mile west of Chicora behind the existing Servicestar Hardware Store (East Butler, PA Quadrangle N: 13.0 inches; W: 0.8 inch) in Donegal Township, **Butler County**. This application includes a de minimis wetland impact (0.043 acre) associated with roadway fill.

E25-593. Encroachment. **PA Department of Transportation 1-0**, 1140 Liberty St., Franklin, PA 16323. To remove the two existing north-bound and south-bound lanes of I-79 and to construct and maintain two single spanned prestressed concrete composite I-beam bridges with the north-bound I-79 bridge having a span of 90.5 feet and a minimum underclearance of 14 feet, and the south-bound I-79 bridge having a span of 90.5 feet and a minimum underclearance of 12.25 feet across Walnut Creek (CWF, MF, trout stocked). The projects are located on I-79 (north-bound and south-bound lanes) approximately 2,200 feet northwest of the I-79 Kearsarge Interchange (intersection of I-79 and SR 4012) Erie South, PA

Quadrangle N: 13.2 inches; W: 14.5 inches) located in Millcreek Township, **Erie County**.

E61-226. Encroachment. **Cranberry Township**, P. O. Box 378, Seneca, PA 16346. To remove the existing structure and to construct and maintain a steel I-beam bridge having a single clear span of 30 feet and an underclearance of 8 feet 11 inches on Aires Road across Lower Two Mile Run (CWF, Trout Stocked). The project is located on Aires Road across Lower Two Mile Run approximately 500 feet south of the intersection of Deep Hollow Road (SR 3025) and Aires Road (Franklin, PA Quadrangle N: 0.4 inch; W: 1.3 inches) located in Cranberry Township, **Venango County**.

ENVIRONMENTAL ASSESSMENT

Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and request for certification under section 401 of the Federal Water Pollution Control Act.

Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, (570) 327-3574.

EA08-001NC. Environmental Assessment. **U. S. Fish & Wildlife Service**, 315 South Allen Street, Suite 322, State College, PA 16801-4850. Stream restoration. The project proposes to stabilize 500 feet of Sugar Creek for the purpose of streambank stabilization, fish habitat, grade control and sediment transport. The project contains two sites all on the Troy, PA Quadrangle, **Bradford County**: Site 1)—Located approximately 1,000 feet downstream of the T 550 bridge crossing Sugar Creek (N: 6.9 inches; W: 4.3 inches), in Troy Borough; Site 2)—Located approximately 2,400 feet downstream of the T 550 bridge crossing Sugar Creek (N: 7.1 inches; W: 3.6 inches), in Troy Township; (Baltimore District, U. S. Army Corps of Engineers). Approval of an Environmental Assessment is requested in conjunction with 25 Pa. Code § 105.12(a)(16), Dam Safety and Waterway Management, regarding restoration activities.

EA08-002NC. Environmental Assessment. **U. S. Fish & Wildlife Service**, 315 South Allen Street, Suite 322, State College, PA 16801-4850. Stream restoration. The project proposes to stabilize 1,300 feet of Bentley Creek for the purpose of streambank stabilization, fish habitat, grade control and sediment transport. The project is located approximately 0.75 mile upstream of the SR 4027 bridge crossing Bentley Creek, near the town of Bentley Creek (Bentley Creek, PA Quadrangle N: 10.9 inches; W: 11.1 inches), in Ridgebury Township, **Bradford County** (Baltimore District, U. S. Army Corps of Engineers). Approval of an Environmental Assessment is requested in conjunction with 25 Pa. Code § 105.12(a)(16), Dam Safety and Waterway Management, regarding restoration activities.

EA08-003NC. Environmental Assessment. **U. S. Fish & Wildlife Service**, 315 South Allen Street, Suite 322, State College, PA 16801-4850. Stream restoration. The project proposes to stabilize 1,900 feet of Towanda Creek and 300 feet of Mill Creek, for the purpose of streambank stabilization, fish habitat, grade control and sediment transport. The project contains four sites all on the Canton, PA Quadrangle, **Bradford County**: Site 1)—Located approximately 0.45 mile upstream of the SR 3008 bridge crossing Towanda Creek (N: 3.2 inches; W: 16.0 inches), in Canton Township; Site 2)—Located at the SR 0414 bridge crossing Mill Creek (N: 6.5 inches; W: 11.4 inches), in Canton Township; Site 3)—Located approxi-

mately 0.37 mile upstream of the SR 0154 bridge crossing Towanda Creek (N: 4.5 inches; W: 13.9 inches), in Canton Borough; Site 4)—Located at the SR 0154 bridge crossing Towanda Creek (N: 4.8 inches; W: 13.6 inches), in Canton Borough (Baltimore District, U. S. Army Corps of Engineers). Approval of an Environmental Assessment is requested in conjunction with 25 Pa. Code § 105.12(a)(16), Dam Safety and Waterway Management, regarding restoration activities.

EA18-001NC. Environmental Assessment. **Clinton County Commissioners**, Dan Vilello, Chairperson, Clinton County Courthouse, Lock Haven, PA 17745. To remove a three span concrete encased I-beam bridge with stone masonry piers and abutments. The demolition is necessary due to deterioration and will consist of removal of the superstructure and piers down to the streambed. The project is located on Township Road 551 over Young Womans Creek (HQ-CWF) approximately 0.2 mile from the intersection with SR 0120 (Renovo East, PA Quadrangle N: 18 inches; W: 10.1 inches) in Chapman Township, **Clinton County** (Baltimore District, U. S. Army Corps of Engineers). Approval of an Environmental Assessment is requested in conjunction with 25 Pa. Code § 105.12(a)(11), Dam Safety and Waterway Management, regarding restoration activities.

WATER ALLOCATIONS

Application received for a Water Allocation Permit issued under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. WA14-883. The Department has received a water allocation permit application from **East Haines Township Water Company**, P. O. Box 91, Woodward, PA 16882-0091, Haines Township, **Centre County**, for water allocation succession of water rights of WA 14-883A from Woodward Water Company to East Haines Township Water Company.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania

nia Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 2399405. Sewage. **Newtown Township**, 209 Bishop Hollow Road, Newtown Square, PA 19073. Approval for the construction and operation of a collection line, force main and pump station to serve The Carl Lindborg Subdivision located in Newtown Township, **Delaware County**.

NPDES Permit No. PA0012599. Industrial waste. **Simpson Paper Company**, 1301 Fifth Avenue, Suite 1200, Seattle, WA 98101-2613, is authorized to discharge from a facility located at Closed Sludge Impoundment at Miquon, River and Manor Roads, Miquon, PA 19452, Whitmarsh Township, **Montgomery County** to the receiving waters named Schuylkill River.

NPDES Permit No. PA0027154. Sewage. **Borough of Phoenixville**, 140 Church Street, Phoenixville, PA 19460, is authorized to discharge from a facility located at Borough of Phoenixville Wastewater Treatment Plant located in the Borough of Phoenixville, **Chester County** to the receiving waters named Schuylkill River.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

NPDES Permit No. PA-0070131. Sewerage. **Swatara Management Group, Inc.**, P. O. Box 326, Pine Grove, PA 17963, is authorized to discharge from a facility located in Pine Grove Township, **Schuylkill County**, to unnamed tributary to Swatara Creek.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

Permit No. PA 0086703, Amendment No. 1. Industrial waste. **NGK Metals Corporation**, P. O. Box 13367, Reading, PA 19612, is authorized to discharge from a facility located in Muhlenberg Township, **Berks County** to the receiving waters named Laurel Run.

Permit No. PA 0009229, Amendment 2. Industrial waste. **Norfolk Southern Railway Company (Enola Yard)**, 110 Franklin Road, SE., Roanoke, VA 24042-0013, is authorized to discharge from a facility located in East Pennsboro Township, **Cumberland County** to the receiving waters named Susquehanna River.

Permit No. PA 0053023. Industrial waste. **Stephen P. Gass**, 159 Fort Henry Road, Bethel, PA 19507, is authorized to discharge from a facility located in Bethel Township, **Berks County** to the receiving waters named Crosskill Creek.

Permit No. PA 0083747. Sewage and Industrial waste. **Weaber, Inc.**, 1231 Mount Wilson Road, Lebanon,

PA 17042, is authorized to discharge from a facility located in South Annville Township, **Lebanon County** to the receiving waters named Gingrich Run.

Permit No. PA 0010367, Amendment No. 1. Industrial waste. **Norfolk Southern Railway Company (Hollidaysburg Car Shop)**, 110 Franklin Road, SE, Roanoke, VA 24042-0013, is authorized to discharge from a facility located in Hollidaysburg Borough, **Blair County** to the receiving waters named Beaverdam Branch.

Permit No. 0698201(99-1). Industrial waste. **MGK Metals Corporation**, P. O. Box 13367, Reading, PA 19612. This permit approves the construction of industrial waste treatment facilities in Muhlenberg Township, **Berks County**.

Permit No. 2199405. Sewage. **Carlisle Suburban Authority**, 240 Clearwater Road, Carlisle, PA 17013. This permit approves the construction of a pump station in North Middleton Township, **Cumberland County**.

Permit No. 4474404-T1, Amendment No. 99-1. Sewage. **West Wayne Sewer Authority**, 72 Lucy Furnace Road, Mount Union, PA 17066. This permit approves the modifications to the construction of sewers and appurtenances and pump stations in Wayne Township, **Mifflin County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. 0110990. Industrial waste. **Central City Water Authority**, 241 Sunshine Avenue, Central City, PA 15926, is authorized to discharge from a facility located at Central City Water Treatment Plant, Shade Township, **Somerset County** to receiving waters named Dark Shade Creek.

NPDES Permit No. PA0024686. Sewage, **Mid Mon Valley Water Pollution Control Authority**, Box 197, Allenport, PA 15412, is authorized to discharge from a facility located at Mid Mon Valley Water Pollution Control Plant, Allenport Borough, **Washington County** to receiving waters named Monongahela River.

NPDES Permit No. PA0025798. Sewage, **Centerville Borough Sanitary Authority**, P. O. Box 332, Richeyville, PA 15358, is authorized to discharge from a facility located at Richeyville Sewage Treatment Plant, Centerville Borough, **Washington County** to receiving waters named Pike Run.

NPDES Permit No. PA0216445. Sewage, **Helicopter Aviation Services Corporation**, P. O. Box 1117, Mt. Pleasant, PA 15666, is authorized to discharge from a facility located at Helicopter Aviation Services Corporation Sewage Treatment Plant, Bullskin Township, **Fayette County** to receiving waters named Unnamed tributary of Jacobs Creek.

NPDES Permit No. PA0216577. Sewage, **Theodore Semak**, 5 Merriman Road, Ambridge, PA 15042, is authorized to discharge from a facility located at Semak Mobile Home Park Sewage Treatment Plant, Economy Borough, **Beaver County** to receiving waters named Big Sewickley Creek.

NPDES Permit No. PA0216631. Sewage, **Regis Kraisinger**, 139 Quarry Street, Mount Pleasant, PA 15664, is authorized to discharge from a facility located at Kraisinger Reception Hall Sewage Treatment Plant, East Huntingdon Township, **Westmoreland County** to receiving waters named Tributary of Sherrick Run.

Permit No. 0299408. Sewerage, **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237-5597. Construction of pressure sewer system and appurtenances located in McCandless Township, **Allegheny County** to serve Old Babcock Boulevard Pressure Sewer System.

Permit No. 566S053-A1. Sewerage, **Cresson Borough Municipal Authority**, 631 Second Street, Cresson, PA 16630. Construction of aerobic digester located in Cresson Township, **Cambria County** to serve Cresson Sewage Treatment Plant.

Permit No. 6594409-T1-A1. Sewerage, **Westinghouse Electric Company LLC**, 4350 Northern Pike, Pittsburgh, PA 15146. Construction of sewage treatment plant located in Derry Township, **Westmoreland County** to serve Westinghouse Electric Corporation Speciality Metals Plant Sewage Treatment Plant.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0104043. Sewerage, **Grandview Acres Mobile Home Park**, 3104 Hadley Road, Hadley, PA 16130, is authorized to discharge from a facility located in Perry Township, **Mercer County** to an unnamed tributary to Little Shenango River.

NPDES Permit No. PA0023167. Sewerage, **Kane Borough, Pine Street Wastewater Treatment Plant**, P. O. Box 79, Kane, PA 16735, is authorized to discharge from a facility located in Kane Borough, **McKean County** to West Run.

WQM Permit No. 2599413. Sewerage, **Idyll Whyte Village Mobile Home Park**, 700 Skyline Drive, McKean, PA 16426. This project is for plans to add an additional treatment unit to the existing treatment system in McKean Township, **Erie County**.

WQM Permit No. 2099408. Sewerage, **James A. Schultz**, R. D. 1, Bertram Drive, Saegertown, PA 16433. This project is for a small flow treatment facility located in Hayfield Township, **Crawford County**.

WQM Permit No. 4399415. Sewerage, **Werner Company—Greenville Division**, 93 Werner Road, Greenville, PA 16125-9499. This project is for proposed plans for enhanced sewage treatment in Sugar Grove Township, **Mercer County**.

WQM Permit No. 2599404—Amendment No 1. Sewerage, **Earl J. Koon SRSTP**, P. O. Box 458, Edinboro, PA 16412-0458. Construction of Earl J. Koon SRSTP located in Washington Township, **Erie County**.

WQM Permit No. 6299410. Sewerage, **Rodger B. Taraska SRSTP**, 869 Yankee Bush Rd., Warren, PA 16365. Construction of Rodger B. Taraska SRSTP located in Conewango Township, **Warren County**.

WQM Permit No. 6299411. Sewerage, **Christal L. Green SRSTP**, R. R. 1, Box 178-D, Sugar Grove, PA 16350. Construction of Christal L. Green SRSTP located in Sugar Grove Township, **Warren County**.

INDIVIDUAL PERMITS

(PAS)

The following NPDES Individual Permits for discharges of stormwater from construction activities have been issued.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10U091	Walgreen Eastern Co. 200 Wilmot Rd. Deerfield, IL 60015	Northampton County Hanover Township	Monocacy Creek

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PAS-10-M104. Individual NPDES, **Greencastle Market Place Associates, L. P.**, 1398 Logan Circle, Marietta, GA 30062. To implement an erosion and sedimentation control plan for the construction of a commercial establishment called Greencastle Market Place on 10.15 acres in Greencastle Borough, **Franklin County**. The project is located on the west side of US 11 about 400 feet north of its intersection with Walter Avenue (Greencastle, PA Quadrangle N: 9.0 inches; W: 14.2 inches). Drainage will be to an UNT to Muddy Run (HQ).

INDIVIDUAL PERMITS

(PAR)

Approvals to Use NPDES and Other General Permits.

The following parties have submitted (1) Notices of Intent (NOIs) for coverage under General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth; (2) NOIs for coverage under General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection has reviewed the First Land Application of Sewage Sludge for the following sites and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

The Department of Environmental Protection has acted on the following requests for coverage under the specified General Permit as follows:

List of

General Permit Type

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater From Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

General Permit Type—PAG-2

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Upper Dublin Township Montgomery County	PAR10-T543	PA Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106	Tributary to Sandy Run	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Concord Township Delaware County	PAR10-J156	Dickinson Development Co. P. O. Box 100 Chadds Ford, PA 19317	West Branch Chester Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Marple Township Delaware County	PAR10-J165	Mackey & Murphy 13 St. Albans Circle Newtown Square, PA 19073	Unnamed tributary to Crum Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Radnor Township Delaware County	PAR10-J157	Colony Hill 347 Conestoga Road Wayne, PA 19087	Darby Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Concord Township Delaware County	PAR10-J158	Grist Mill Estates 5169 West Woodmill Drive Wilmington, DE 19808	Chester Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Centre County College Township	PAR10F095	Bathgate Detention Pond Pa. State University Office of Physical Plant University Park, PA 16801	Slab Cabin Run	Centre County CD 414 Holmes Ave. Suite 4 Bellefonte, PA 16823 (814) 355-6817
Centre County Ferguson Township	PAR10F096	Lube Mart Uni Marts, Inc. 477 E. Beaver Ave. State College, PA 16801	Unt. Slab Cabin Run	Centre County CD 414 Holmes Ave. Suite 4 Bellefonte, PA 16823 (814) 355-6817

NOTICES

4587

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Mercer County Findley, Pine and Wolf Creek Townships	PAR104344	PA Dept. of Transportation P. O. Box 711 Liberty Street Franklin, PA 16323	Black Run and Wolf Creek	Mercer Conservation District RD 2, Box 2055 747 Greenville Road Mercer, PA 16137 (724) 662-2242
Allegheny County Marshall Township	PAR10A275	Gededco 8611 Northwest 80th Street Lex Jardins at Woodmont Tamarac, FL 33321	Big Sewickley Creek	Allegheny County CD (412) 241-7645
Allegheny County South Fayette Township	PAR10A348	South Fayette Township 515 Millers Run Road Morgan, PA 15064	Chartiers Creek	Allegheny County CD (412) 241-7645
Allegheny County North Fayette Township	PAR10A349	Ed Napoleone 1000 Montour West Boulevard Coraopolis, PA 15108	Robinson Run	Allegheny County CD (412) 241-7645
Allegheny County South Park Township	PAR10A350	Quality Rentals 2440 Brownsville Road Pittsburgh, PA 15210	Lick Run	Allegheny County CD (412) 241-7645
Allegheny County Crescent Township	PAR10A353	Parkwood Development Co. LLC 2500 Brooktree Road Suite 100 Wexford, PA 15089	Flaugherty Run	Allegheny County CD (412) 241-7645
Allegheny County Pine Township	PAR10A355	Pine-Richland School District 4046 Ewalt Road Gibsonia, PA 15044	Pine Creek	Allegheny County CD (412) 241-7645
Allegheny County Wilkesburg Borough Swissvale Borough Edgewood Borough Rankin Borough	PAR10A357	Port Authority of Allegheny County 2235 Beaver Avenue Pittsburgh, PA 15233	Monongahela River	Allegheny County CD (412) 241-7645
Allegheny County Pine Township	PAR10A358	Salem Development Co. Brooktree Office Complex— Suite 100 Wexford, PA 15090	UNT Pine Creek	Allegheny County CD (412) 241-7645
Allegheny County Robinson Township	PAR10A359	Ventana Inc. 914 Beaver Grade Road Coraopolis, PA 15108	Montour Run	Allegheny County CD (412) 241-7645
Allegheny County Moon Township	PAR10A365	Trueline Corporation 470 Old Frankstown Road Monroeville, PA 15146	Flaugherty Run	Allegheny County CD (412) 241-7645
Allegheny County West Deer Township	PAR10A366	Nodotti Properties 9370 McKnight Road Suite 300 Pittsburgh, PA 15237	Deer Creek	Allegheny County CD (412) 241-7645
Allegheny County Kennedy Township	PAR10A367	Howard Hanna Company 199 Gamma Drive Pittsburgh, PA 15238	Moon Run	Allegheny County CD (412) 241-7645
Allegheny County Plum Borough	PAR10A368	Trueline Corporation 470 Old Frankstown Road Monroeville, PA 15146	Bodies Run	Allegheny County CD (412) 241-7645
Allegheny County Marshall Township	PAR10A369	Precision Equities 2559 Brandt School Road Wexford, PA 15090	Big Sewickley Creek	Allegheny County CD (412) 241-7645

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Crescent Township	PAR10A370	Fourway Properties LP 1198 Mulberry Street Bridgewater, PA 15009-3098	Shouse Run	Allegheny County CD (412) 241-7645
Allegheny County Pine Township	PAR10A373	Oakview Development Corporation Wexford Prof. Bldg. Suite 1100 11676 Perry Highway Wexford, PA 15090	Pine Creek	Allegheny County CD (412) 241-7645
Allegheny County Plum Borough	PAR10A375	Rimco Construction Company 772 Pine Valley Drive Pittsburgh, PA 15239	Abers Creek	Allegheny County CD (412) 241-7645
Allegheny County Collier Township	PAR10A376	Rimco Construction Company 772 Pine Valley Drive Pittsburgh, PA 15239	Campbells Run	Allegheny County CD (412) 241-7645
Beaver County New Sewickley Township	PAR100256	Allen Randolph AER Landscaping P. O. Box 1832 Cranberry Township, PA 16060	UNT & Crows Run	Beaver County CD (724) 774-7090
Cambria County Richland Township	PAR101056	DRS Laurel Technologies Manufacturing Facility Oxford Development Company One Oxford Centre Suite 4500 Pittsburgh, PA 15219-1489	Clapboard Run	Cambria County CD (814) 472-2120
Washington County Carroll Township	PAR10W135	Pennsylvania Turnpike Commission P. O. Box 67676 Harrisburg, PA 17120	Taylor's Run	Washington County CD (724) 228-6774
Washington County Union Township	PAR10W147	Trax Farm c/o John Trax Jr. 528 Trax Road Finleyville, PA 15332-9801	UNT Peters Creek	Washington County CD (724) 228-6774
Lehigh County Upper Saucon Township	PAR10Q127	North Coopersburg Properties Robert Johnson 740 Hamilton Mall Allentown, PA 18101	Saucon Creek	Lehigh CD (610) 391-9583
Littlestown Borough Adams County	PAR-10-0086	Appler Limited Partnership, Inc. 178 Thomas Johnson Drive Suite 202L Frederick, MD 21702	Alloway Creek	Adams County CD 57 North Fifth Street Gettysburg, PA 17325 (717) 334-0636
Manheim Township Lancaster County	PAR-10-O-377	Hogan & Herr, Inc. 1525 Oregon Pike, Suite 1102 Lancaster, PA 17601	Bachman Run	Lancaster County CD 1383 Arcadia Road Rm. 6 Lancaster, PA 17601 (717) 299-5361
Clay Township Lancaster County	PAR-10-O-382	Sharp Properties, Ltd. 1755 West Main Street Ephrata, PA 17522	UNT Middle Creek	Lancaster County CD 1383 Arcadia Road Rm. 6 Lancaster, PA 17601 (717) 299-5361

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Brecknock Township Lancaster County	PAR-10-O-395	J. Roy Wise P. O. Box 125 Bowmansville, PA 17507	Little Muddy Creek	Lancaster County CD 1383 Arcadia Road Rm. 6 Lancaster, PA 17601 (717) 299-5361
Newberry Township York County	PAR-10-Y392	Cloisters Golf Enterprises Jack Short 1225 Valley Green Road Etters, PA 17319	Fishing Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Monaghan Township York County	PAR-10-Y402	Messiah College 1 College Avenue Grantham, PA 17027	Yellow Breeches Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
East Manchester Township York County	PAR-10-Y291	Brylea-Phase 2 Richard S. Bryant 3716 Starview Road Mt. Wolf, PA 17347	UNT Codorus Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Manchester Township York County	PAR-10-Y398	York P-B Truss, Inc. P-B Truss Associates LP 1575 Detwiller Drive York, PA 17404	UNT to Little Conewago Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Manchester Township York County	PAR-10-Y399	Church Road Business Park R. Todd Reynold 10 Summit Road York, PA 17403-4914	UNT to Codorus Creek	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
York City York County	PAR-10-Y390	Todd Reynold Subdivision R. Todd Reynold 10 Summitt Road York, PA 17403-4914	UNT to Lake Redman	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430

General Permit Type—PAG-3

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Delaware County West Goshen Township	PAR230070	Lyondell Chemical Worldwide, Inc. 3801 West Chester Pike Newtown Square, PA 19073	Unnamed Tributary to Crum Creek	Southeast Region Water Management 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Northampton County Danielsville City	PAR112217	Martin Sprocket & Gear, Inc. P. O. Box 267 Danielsville, PA 18038	Indian Creek	Northeast Regional Office, Water Management Program 2 Public Square Wilkes-Barre, PA 18711 (717) 826-2553
Allegheny County Neville Township	PAR236109	Martin Marietta Magnesia Specialities, Inc. 2700 Neville Road Pittsburgh, PA 15225	Ohio River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Westmoreland County City of Greensburg	PAR606127	Daniels & Miller, Inc. 242 N. Hamilton Avenue P. O. Box 848 Greensburg, PA 15601	Zellers Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-4

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Otter Creek Township Mercer County	PAG048612	Carl E. Long 504 Donation Road Greenville, PA 16125	Unnamed Tributary to Otter Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048603	Earl J. Koon P. O. Box 458 Edinboro, PA 16412-0458	Unnamed Tributary to Little Conneautee Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Conewango Township Warren County	PAG048611	Rodger B. Taraska 869 Yankee Bush Road Warren, PA 16365	Unnamed Tributary of Irvine Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Sugar Grove Township Warren County	PAG048615	Christal L. Green R. R. 1, Box 178-D Sugar Grove, PA 16350	Unnamed Tributary of Saunders Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Chadds Ford Township Delaware County	PAG050010	Sunoco, Inc. (R & M) 1801 Market Street 13/Ten Penn Center Philadelphia, PA 19103-1699	West Branch of Chester Creek	Southeast Region Water Management (610) 832-6130
New Vernon Township Mercer County	PAG058324	Edward L. McQuiston McQuiston's Truckstop 606 Georgetown Road Hadley, PA 16130	Unnamed Tributary to Little Shenango River	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-8

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Bucks County Morrisville Borough	PAG080012	The Municipal Authority of the Borough of Morrisville 35 Union Street Morrisville, PA 19067	None	Southeast Region Water Management 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Bucks County Richland Township	PAG080013	Borough of Quakertown 15-35 N. 2nd Street Quakertown, PA 18951-0727	None	Southeast Region Water Management 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Gettysburg Borough Adams County	PAG-08-3540	Gettysburg Municipal Auth. P. O. Box 3307 610 East Middle Street Gettysburg, PA 17325	N/A	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-9

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Green Township Franklin County	PAG-09-3525	Wingert Septic Service Radger A. Wingert 2946 Black Gap Road Chambersburg, PA 17201	N/A	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

**SEWAGE FACILITIES ACT
PLAN APPROVAL**

Plan approvals granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Regional Office: Water Management Program Manager, Southcentral Region, 909 Elmerton Ave., Harrisburg, PA 17110.

Location: Londonderry Township, Dauphin County, 783 South Geyer's Church Rd., Middletown, PA 17057.

Approved plan provides for redirecting Sewer District Two sewage flows from the Middletown STP system to Derry Township STP system. The Sewer District Two collection system is now planned to be municipal sewer line expansion from a developer constructed pump station and forcemain. OLDS Management will be enacted as well as elevated nitrate procedures implemented in appropriate portions of the district. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Location: Lincoln Township, Somerset County, Clark Fisher Single Residence STP. South side of Township Road 625 approximately .25 mile southeast of State Route 4015 intersection.

Approval of a revision to the Official Sewage Plan of Lincoln Township, Somerset County. The project involves the construction of a small flow STP to serve a proposed

dwelling located on T-625. Treated effluent is to be discharged to unnamed tributary to Quemahoning Creek.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Permit No. 0999506. Public water supply. **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912. A permit has been issued to Buckingham Township for the construction of a storage tank and replacement of the system service pumps in Buckingham Township, **Bucks County**.

Type of Facility: Public Water Supply System

Consulting Engineer: Castle Valley Consultant, Inc. 10 South Clinton Street, Suite 302, Doylestown, PA 18901

Permit to Construct Issued: August 2, 1999

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Permit No. 4198502. The Department issued an operation permit to **Fulmer's Personal Care Home**, RR 2, Box 146, Williamsport, PA 17701, Old Lycoming Township, **Lycoming County** for operation of the community water system.

Permit No. Minor Permit Amendment. The Department issued a construction permit to **Sandy Ridge Water Authority**, P. O. Box 200, Sandy Ridge, PA 16677, Rush Township, **Centre County**. The permit amendment

authorizes construction of corrosion control facilities to comply with the Lead and Copper Rule.

Southwest Regional Office: Regional Manager; Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 0399502. Public water supply. **South Buffalo Township Municipal Authority**, P. O. Box 266, Freeport, PA 16229-0266.

Type of Facility: Kenneth R. VanDyke Storage Tank
Permit for Construction Issued: August 6, 1999.

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.

Permit No. 3799502. Public water supply. **Pennsylvania American Water Company**, New Castle Water Treatment Plant, 300 Galley Road, McMurray, PA 15317, has been issued a permit for the replacement of the Main and High Service pumps and discharge piping; baffling modification of the west side clearwell and the addition of a meter and a meter vault on the proposed connection to the two H. S. mains crossing the Shenango River in Neshannock Township, **Mercer County**.

Type of Facility: Community Water Supply

Consulting Engineer: Steve Crell, P.E., PA American Water Co., 1025 Laurel Oak Rd., Voorhees, NJ 08043

Permit to Construct Issued: August 11, 1999

HAZARDOUS SITES CLEANUP

Under the Act of October 18, 1988

Notice of Prompt Interim Response

Bob's Service Center Site

Ridgway Township, Elk County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305) (HSCA), has conducted a response action for the Bob's Service Center Site (site). The site is located in Ridgway Township, Elk County, PA approximately 1 mile east of the Borough of Ridgway on the east side of Pennsylvania Route 120. The site is an approximately .5 acre, irregular lot with a 40 × 40 foot steel building and three bay cement block building, that was a former gasoline dispensing and service garage. At one time, six underground tanks were located at the site. At the time of the response, two underground tanks remained in place at the site.

One of the two remaining tanks was reportedly used to store waste oil, as fuel in a furnace in the service garage at the site. Hazardous substances are present in the waste oil in the tank, and have leaked into the surrounding soil.

For this prompt interim response, the Department considered two alternatives for the site: 1) no action; and 2) excavation and removal of the waste oil tank, contents and surrounding visibly contaminated soils.

Each alternative was evaluated with respect to four comparison criteria of: (1) the extent to which each alternative protects the public health and the environment; (2) the extent to which each alternative complies with or otherwise addresses applicable or relevant and appropriate requirements; (3) the extent to which each alternative is feasible, effective, implementable and permanent; and (4) the relative cost of each alternative.

Furthermore, this comparative analysis evaluated the relative performance of each alternative in relation to each specific comparison criterion. The comparative analysis identified advantages and disadvantages of each alternative, so that tradeoffs between the alternatives could be determined.

Based on the comparative analysis, the Department chose to implement Alternative 2 as the prompt interim response for the site. This alternative was proposed because it would, in the more cost-effective manner, protect the public and environmental receptors from direct contact with site-related hazardous substances, and eliminate the ongoing release and threat of release of hazardous substances into the environment.

This notice is being provided under section 506(b) of HSCA. The administrative record, which contains the information that forms the basis and documents the selection of this response, is available for public review and comment. The administrative record is located at the Department's Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, and is available for review Monday through Friday from 8 a.m. to 4 p.m. Please telephone beforehand for an appointment, (814) 332-6648.

The administrative record will be open for comment from August 28, 1999, until November 26, 1999. Persons may submit written comments into the record during this time only, by sending them to James W. Weaver, Project Manager, at the Department's Northwest Regional Office or by delivering them to the office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing. Persons wishing to present comments must register with James Weaver at the Department's Northwest Regional Office before October 1, 1999, by telephone or in writing. Persons interested in finding out if individuals have registered should contact James Weaver. If no one registers to present oral comments before October 1, 1999, the public meeting will not be held.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call James Weaver at (814) 332-6648 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final report. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors,

a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Kardon Park, Downingtown Borough, **Chester County**. Richard C. Karr, McLaren Hart, Inc., Blue Bell Executive Campus, 470 Norristown Road, Suite 300, Blue Bell, PA 19422, has submitted a Final Report concerning remediation of site soil contaminated with lead and heavy metals and groundwater contaminated with lead. The report is intended to document remediation of the site to meet site-specific standards.

Weisser Residence, Bristol Borough, **Bucks County**. Andrew C. Thomas, P.G., Brown Environmental Services Corp., 42 Sequoia Drive, Newtown, PA 18940, has submitted a Final Report concerning remediation of site soil contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Sunny Farms Site, North Codorus Township, **York County**. BL Tethys, LLC, 2407 Park Drive, 1st Floor, Harrisburg, PA 17110, has submitted a Final Report concerning remediation of site soils and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX and PAHs. The report is intended to document remediation of the site to the Statewide health standard.

Former Playskool Facility, East Lampeter Township, **Lancaster County**. SAIC, 3240 Schoolhouse Road, Middletown, PA 17057, has submitted a Final Report concerning remediation of site soils contaminated with solvents and heavy metals and groundwater contaminated with heavy metals. The report is intended to document remediation of the site to the site-specific standard.

Richfood of PA, City of Harrisburg, **Dauphin County**. Apex Environmental, 468 Southlake Boulevard, Richmond, VA 23236, has submitted within 90 days of release a Final Report concerning remediation of site soils contaminated with lead. The report is intended to document remediation of the site to the Statewide health standard.

Lancaster Dodge, formerly Stetler Auto, Manheim Township, **Lancaster County**. BL Tethys, LLC, 2407 Park Drive, 1st Floor, Harrisburg, PA 17110, has resubmitted a Final Report concerning remediation of site soils and groundwater contaminated with PHCs and BTEX. The report is intended to document remediation of the site to the Statewide health standard.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Columbia Gas Transmission/Washington Operation Center, South Strabane Township, **Washington County**. Joe P. Ferry, Columbia Gas Transmission, 1700 MacCorkle Avenue SE, Charleston, WV 25325-1273, has submitted a Final Report concerning remediation of site soil contaminated with PAHs. The report is intended to document remediation of the site to meet the Statewide health standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Heintz Corporation Property (Former), City of Philadelphia, **Philadelphia County**. Edwin J. Hicks, III, Roy F. Weston, Inc., 1515 Market Street, Philadelphia, PA 19102-1956, has submitted a Remedial Investigation, Report, Risk Assessment and Conceptual Cleanup Plan concerning remediation of site soil contaminated with solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons and groundwater contaminated with solvents, BTEX and petroleum hydrocarbons. The reports were found deficient and were disapproved by the Department on August 5, 1999.

SMK—Speedy International, Inc., City of Chester, **Delaware County**. Sean Grexa, The Tyree Organization, Ltd., 1350 S. US Highway 130, Burlington, NJ 08016, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with polycyclic aromatic hydrocarbons. The report demonstrated attainment of site-specific standards and was approved by the Department on August 6, 1999.

Elizabeth Gardner and Mary Lynn Stephen Residences, New Hope Borough, **Bucks County**. Brian R. Evans, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide health standard and was approved by the Department on August 10, 1999.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

BRW Realty, Inc. (former Blue Ridge Winkler Textile Plant), Bangor Borough, **Northampton County**. As part of the Department of Environmental Protection's Key Sites Initiative program, a Baseline Environmental Report was submitted on behalf of BRW Realty, Inc. (Stephen Skrapits, President), 700 Savage Road, Suite 7, Northampton, PA 18067, concerning the remediation of site soils found to have been contaminated with petroleum hydrocarbons and PCBs. The Baseline Environmental Report demonstrated attainment of the Special Industrial Area standard and was approved on August 9, 1999.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Keystone Distribution Center, Inc., Penn Township and Hanover Borough, **York County**. Scott Groft, Ensafe, Inc., 24C East Roseville Road, Lancaster, PA 17601, has submitted a final report concerning the remediation of site soils contaminated with lead, BTEX and PHCs. The final report demonstrated attainment of the Statewide health standard, and was approved by the Department on July 26, 1999.

GPU Met Ed Former Hamburg Coal Gas Plant, Hamburg Borough, **Berks County**. GPU Energy, 201 Penn Street, Suite 300, P. O. Box 16001, Reading, PA 19640-0002, has submitted a final report concerning the remediation of site groundwater contaminated with PAHs. The final report demonstrated attainment of the Statewide health standard, and was approved by the Department on August 10, 1999.

Progress Park Lot 7, City of Lebanon, **Lebanon County**. Earth Resource Associates, Inc., 335 South 8th Street, Suite 2, Lebanon, PA 17042-6018, has submitted a baseline environmental report concerning the remediation of site soils and groundwater contaminated with lead,

heavy metals, solvents, BTEX and PAHs. The Department disapproved the baseline environmental report for this Special Industrial Area on August 11, 1999.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5127.

The Buncher Company, City of Pittsburgh, **Allegheny County**. The Buncher Company, Joseph Jackovic, 5600 Forward Avenue, Pittsburgh, PA 15217-0930, has submitted a Baseline Environmental Report concerning remediation of site soil and groundwater. The Baseline Environmental Report was approved by the Department on August 6, 1999. The report delineates contamination existing onsite and will be the basis for any site remediation necessary under a Consent Agreement using the Special Industrial Area requirements.

Jeannette Industrial Redevelopment Project, City of Jeannette, **Westmoreland County**. Redevelopment Authority of the County of Westmoreland, 2 North Main Street, Suite 601, Greensburg, PA 15601 and Lynn E. Showalter, Westmoreland County Department of Planning and Development, 2 North Main Street, Suite 601, Greensburg, PA 15601, have submitted a Baseline Environmental Report concerning remediation of site soil contaminated with heavy metals. The Baseline Environmental Report was approved by the Department on July 23, 1999. The report delineates contamination existing onsite and will be the basis for any site remediation necessary under a Consent Agreement using the Special Industrial Area requirements.

Jeannette Industrial Redevelopment Project, City of Jeannette, **Westmoreland County**. Redevelopment Authority of the County of Westmoreland, 2 North Main Street, Suite 601, Greensburg, PA 15061 and Lynn E. Showalter, Westmoreland County Department of Planning and Development, 2 North Main Street, Suite 601, Greensburg, PA 15601, have submitted a Notice of Intent to Remediate soil contaminated with heavy metals. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Tribune Review* on April 16, 1998.

SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northeast Regional Office: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Permit I. D. No. 101628. Natural Soil Products Schuylkill Composting Facility, Natural Soil Products Company, 200 Main Street, Good Spring, PA 17981. A major permit modification authorizing the composting of paper pulp residual waste sludge and clean, uncontaminated cotton/wool textile residual waste and also authorizing the beneficial use of wood ash from approved sources as a compost additive for pH adjustment and/or nutrient value at this municipal waste composting facility located in Frailey Township, **Schuylkill County**. No other operational or construction changes are authorized

by this permit modification. The permit was issued in the Regional Office on August 2, 1999.

Permit I. D. No. 101481. Mid-Atlantic Recycling & Distribution Center, Apex Waste Services, Inc., 13 Peggy Parkway, Dunmore, PA 18512. A permit renewal allowing Apex Waste Services, Inc. to continue to operate the existing municipal waste transfer facility known as the Mid-Atlantic Recycling & Distribution Center, located in Dunmore Borough, **Lackawanna County**. The approved activities include the acceptance of municipal waste, municipal waste-like-residual waste and salvaging/recycling activities. The permit renewal was approved by the Regional Office on August 3, 1999.

Permit I. D. No. PAD 098732897. Zinc Corporation of American, 900 Delaware Avenue, Palmerton, PA 18071. A permit, authorizing the demonstration of a new or unique technology for the use of iron rich material (IRM), an iron-rich slag material resulting from the high temperature metal recovery technology utilized by Horsehead Resource Development Company, Inc., as a means of treating contaminated water associated with the cinderbank at this demonstration facility, located in Palmerton Borough, **Carbon County**. The IRM will be used in a pretreatment zone and three metal removal zones located in the vicinity of the cinderbank. The permit was issued in the Regional Office on August 5, 1999.

Permit I. D. No. 301256. Martins Creek SES Ash Basin No. 1, Pennsylvania Power and Light Company, Two North Ninth Street, Allentown, PA 18101-1179. A permit authorizing the operation of an existing local, captive, Class II residual waste disposal impoundment, located in Lower Mount Bethel Township, **Northampton County**. This unlined captive monofill (North End Area) will only receive approved residual waste, primarily bottom ash with some provisions for fly ash, and sediment from the PP&L Martins Creek Steam Electric Station river water intakes. The inactive South End Area is undergoing an experimental program to determine if natural soil formation can lead to an environmentally benign long-term condition. This permit provides for continued operation for the next 10 years in accordance with the residual waste regulations for the section of the existing Ash Basin known as the North End Area. The permit was issued in the Regional Office on August 12, 1999.

Southcentral Regional Office: Regional Solid Waste Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706.

Permit No. 101509. Conestoga Landfill, New Morgan Landfill Company, Inc. (P. O. Box 128, Morgantown, PA 19543-0128). Application for request for average daily volume increase for a site in New Morgan Borough, **Berks County**. Permit issued in the Regional Office August 4, 1999.

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.

Permit No. 602733. ALCOA Farm, City of Lebanon Authority (400 South Eighth Street, Lebanon, PA 17042). This permit has been revoked at the request of

the permittee for a site in South Lebanon Township, **Lebanon County**. Permit revoked in the Regional Office July 29, 1999.

AIR QUALITY OPERATING PERMITS

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

21-02005A: Pennsylvania Dept. of Corrections, SCI Camp Hill (P. O. Box 598, Camp Hill, PA 17001-0598), on July 16, 1999, for operation of three boilers controlled by a baghouse at 2520 Lisburn Road in Lower Allen Township, **Cumberland County**.

36-050068A: Meridian Products (Building 2, 124 Earland Drive, New Holland, PA 17557), on August 11, 1999, for operation of wood cabinet finishing equipment in East Earl Township, **Lancaster County**.

36-05092: Greiner Industries, Inc. (1650 Steel Way, Mount Joy, PA 17552), on August 11, 1999, for operation of a spray painting operation controlled by an aerovent dry filter in Mount Joy Township, **Lancaster County**.

36-318-156A: Premier Custom-Built, Inc. (110 Short Street, New Holland, PA 17557), on August 11, 1999, for operation of five Binks dry panel filter booths and associated equipment in East Earl Township, **Lancaster County**.

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

28-03004A: Bri-Mar Mfg., LLC (1080 South Main, Chambersburg, PA 17201), on August 11, 1999, for installation of two paint spray booths controlled by dry filters in Chambersburg Borough, **Franklin County**.

28-05021: Lane Construction Corp. (P. O. Box 215, Willow Hill, PA 17271), on August 11, 1999, for installation of a CMI portable drum mix asphalt plant controlled by a rotary reverse air baghouse with a built-in inertial separator and emergency generator in Fannett Township, **Franklin County**. This source is subject to 40 CFR Part 60.4, Subpart I of the Standards of Performance for New Stationary Sources.

36-03076A: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506), on August 11, 1999, for installation of a pulverizer, belt conveyer and feed bin controlled by an eastern control systems fabric collector in East Earl Township, **Lancaster County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-171A: Butler Color Press, Inc. (119 Bonnie Drive, Butler, PA 16003), issued August 11, 1999, for

installation of a new printing press line and RTO in Butler Township, **Butler County**.

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

36-05019A: Grinnell Corp. (1411 Lancaster Avenue, Lancaster, PA 17512), on July 3, 1999, to authorize temporary operation of a disomatic molding line covered under this Plan Approval until October 31, 1999, at the Columbia Plant in Columbia Borough, **Lancaster County**.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Knox District Office, P. O. Box 669, Knox, PA 16232.
Coal Permits Issued*

33920101. Strishock Coal Company (220 Hillcrest Drive, DuBois, PA 15801). Revision to an existing bituminous strip operation to add 7.3 acres in Pinecreek Township, **Jefferson County**. Total surface mining permit acreage is now 56.3 acres. Receiving streams: Four unnamed tributaries to Little Mill Creek and one unnamed tributary to Mill Creek. Application received: January 19, 1999. Permit issued: July 29, 1999.

16940104. Cookport Coal Company, Inc. (425 Market Street, Kittanning, PA 16201). Renewal of an existing bituminous strip operation in Toby Township, **Clarion County** affecting 28.4 acres. This renewal is issued for reclamation only. Receiving streams: One unnamed tributary to Cherry Run. Application received: June 22, 1999. Permit issued: July 28, 1999.

16940103. RFI Energy, Inc. (555 Philadelphia St., Indiana, PA 15767). Renewal of an existing bituminous strip, tippel refuse disposal and coal ash placement operation in Perry Township, **Clarion County** affecting 764.0 acres. Receiving streams: Unnamed tributary to the Allegheny River, unnamed tributary to the Clarion River, Dunlap Creek. Application received: May 24, 1999. Permit issued: August 5, 1999.

33890115. Fred A. Deemer, Jr. (R. D. 1, Reynoldsville, PA 15851). Renewal of an existing bituminous strip operation in Washington Township, **Jefferson County** affecting 40.0. This renewal is issued for reclamation only.

Receiving streams: Two unnamed tributaries to Sandy Lick Creek. Application received: June 14, 1999. Permit issued: August 5, 1999.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

11980103. Laurel Land Development, Inc. (P. O. Box 629, Carrolltown, PA 15722), commencement, operation and restoration of a bituminous and beneficial use of circulating fluidized bed ash strip mine in Blacklick Township, **Cambria County**, affecting 148.6 acres, receiving stream two unnamed tributaries to South Branch Blacklick Creek, and South Branch of Blacklick Creek. Application received August 5, 1998. Permit issued August 10, 1999.

56970104. Heritage Mining Company (P. O. Box 126, Cresson, PA 16630), commencement, operation and restoration of a bituminous strip mine in Shade Township, **Somerset County**, affecting 86.4 acres, receiving stream unnamed tributaries to Stonycreek River. Application received September 12, 1997. Permit issued August 11, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54773223R3. CLS Coal Company (P. O. Box 81, Port Carbon, PA 17965), renewal of an existing coal refuse reprocessing operation in Cass Township, **Schuylkill County** affecting 113.0 acres, receiving stream—none. Renewal issued August 13, 1999.

54773215R3. Jeddo-Highland Coal Company (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing coal refuse reprocessing operation in Reilly and Frailey Townships, **Schuylkill County** affecting 46.4 acres, receiving stream—none. Renewal issued August 13, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.
Noncoal Permits Issued*

10930310. Atlantic States Materials of PA, Inc. (P. O. Box 269, Mercer, PA 16137). Transfer of an existing sand and gravel operation from Cooper Bros., Inc. in Worth Township, **Butler County** affecting 134.0 acres. Receiving streams: Slippery Rock Creek and unnamed tributaries to Slippery Rock Creek. Application received: March 30, 1999. Permit issued: July 29, 1999.

3175SM13. Atlantic States Materials of PA, Inc. (P. O. Box 269, Mercer, PA 16137). Transfer of an existing sand and gravel operation from H. W. Cooper & Sons, Inc. in Scott Township, **Lawrence County** affecting 617.4 acres. Receiving streams: Taylor Run. Application received: March 30, 1999. Permit issued: July 29, 1999.

4877SM10. Lakeland Sand & Gravel, Inc. (7013 Atlantic Lake Road, Hartstown, PA 16131). Transfer of an existing sand and gravel operation from Joseph Arendash in East Fallowfield Township, **Crawford County** affecting 11.0 acres. Receiving streams: Unnamed tributary to Pymatuning Swamp. Application received: April 8, 1999. Permit issued: August 5, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

7475SM4C3. Essroc Cement Corp. (Route 248, Easton Road, Nazareth, PA 18064), renewal of NPDES Permit No. PA0121592 in Upper and Lower Nazareth Townships, **Northampton County**, receiving stream—unnamed tributary to East Branch Monocacy Creek. Renewal issued August 13, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Small Noncoal (Industrial Mineral) Permits Issued

28992803. Mills Excavating (7201 Slabtown Road, Waynesboro, PA 17268), commencement, operation and restoration of a quarry operation in Antrim Township, **Franklin County** affecting 5.0 acres, receiving stream—none. Permit issued August 11, 1999.

58990814. Fred Russell (RR 4, Box 2365, Montrose, PA 18801), commencement, operation and restoration of a bluestone quarry operation in Jessup Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued August 13, 1999.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of the written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302 and sections 5 and 402 of The Clean Streams Law (35 P.S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

EA09-007SE. Environmental Assessment. **C & M Developers, Inc.**, 2421 Bristol Road, Warrington, PA 18976. To construct and maintain a nonjurisdictional dam for stormwater management consisting of an earthen fill dam across a drainage swale, upstream from an unnamed tributary to the Little Neshaminy Creek (WWF). The project is located approximately 2,000 feet northwest of the intersection of Bristol Road and Valley Road (Hatboro, PA Quadrangle N: 21.50 inches; W: 16.50 inches) in Warwick Township, **Bucks County**.

E09-750. Encroachment. **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912. To operate and maintain two existing low flow stream crossings, both consisting of an 8-foot by 3-foot reinforced concrete box culvert, to operate and maintain two 15-inch reinforced concrete pipe outfall structures, and to maintain fill within wetlands adjacent to the Ja-del Circle Cul-de-sac in and along an unnamed tributary of Pine Run (WWF-MF). Total wetland impact from this project is approximately 0.48 acre. The site is located just east of the intersection of Church School Road and Cold Springs Creamery Road (Buckingham, PA USGS Quadrangle N: 15.60 inches; W: 15.25 inches) in Buckingham Township, **Bucks County**. This permit satisfied the wetland replacement requirements of the regulations by making a monetary contribution to the Pennsylvania Wetland Replacement Fund.

E51-176. Encroachment. **City of Philadelphia**, Capital Programs Office, 1515 Arch Street, 11th Floor, One Parkway Building, Philadelphia, PA 19102. To perform the following activities along a 2,700 linear feet (+/-) section of the Manayunk Canal (WWF) situated within the 100-year floodplain of the Schuylkill River and associated with Phase II of the Manayunk Canal Reconstruction Project:

1. To remove approximately 2,060 linear feet of deteriorated timber, stone and steel sheet piling retaining wall along the southern bank of the canal and to construct and maintain, in its place, a new steel sheet piling retaining wall.

2. To repair, reconstruct and maintain the existing Stone Wall No. 1 and associated timber railings which extend approximately 370 linear feet along the northern bank of the canal located in the vicinity of Rector Street.

3. To repair, reconstruct and maintain the existing Stone Wall No. 2 and associated timber railings which extend approximately 94 linear feet along the northern bank of the canal and to remove approximately 65 cubic yards of accumulated sediments from the canal in this area located in the vicinity of Cotton Street.

4. To repair, reconstruct and maintain the existing Stone Wall No. 3 and associated timber railings which extend approximately 208 linear feet along the northern bank of the canal located in the vicinity of Carson Street.

5. To repair, reconstruct and maintain two sections of an existing timber boardwalk and timber bulkhead which measures a total length of approximately 1,100 linear feet along the northern side of the canal located between Cotton Street and Green Lane.

6. To repair and maintain an existing concrete wall which extends approximately 270 linear feet along the southern bank of the canal located in the vicinity of the Green Lane Bridge.

7. To dredge and maintain approximately 240 cubic yards of accumulated sediment from an approximately 300-foot segment of the canal located in the vicinity of the Green Lane Bridge.

This project also includes the installation and maintenance of a temporary "Portadam" cofferdam structure. The site is located between the Green Lane (Germantown, PA USGS Quadrangle N: 4.8 inches; W: 14.4 inches) and Lock Street (Germantown, PA USGS Quadrangle N: 4.1 inches; W: 13.3 inches) in the City and **County of Philadelphia**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E13-114. Encroachment. **Jim Thorpe Area School District**, 140 West 10th Street, Jim Thorpe, PA 18229-1702. To relocate and place fill in 1,410 linear feet of channel in Tributaries to Silkmill Run and to construct and maintain (1) a 455-foot-long, 54-inch R.C.P. stream enclosure and associated energy dissipater and (2) approximately 500 linear feet of trapezoidal channel, lined with articulated concrete block, having a bottom width of 5 feet and 2H:1V side slopes; and to relocate and place fill in 345 feet of channel in a Tributary to Silkmill Run and to construct and maintain approximately 420 linear feet of parabolic R-5 riprap-lined channel, having an overall width of 15 feet and a depth of 2 feet. The project is associated with the construction of a football stadium and athletic fields at the Jim Thorpe High School, located northeast of the intersection of Center Street and Tenth Street (Christmans, PA Quadrangle N: 0.9 inch; W: 13.8 inches), in Jim Thorpe Borough, **Carbon County**.

E35-312. Encroachment. **Pennsylvania Department of Transportation**, District 4-0, P. O. Box 111, Scranton, PA 18501. To fill in a de minimis area of wetlands equal to 0.04 acre and to construct and maintain a 220 foot long, 16-foot x 8-foot precast concrete box stream enclosure and associated outlet protection. The project is associated with the S. R. 0006, Section 272 widening and S. R. 347 intersection reconstruction and is located at the intersection of S. R. 0006 and S. R. 0347 (Olyphant, PA Quadrangle N: 19.7 inches; W: 15.7 inches) in Blakely Borough, **Lackawanna County**.

E40-522. Encroachment. **Anthony and Patricia De Cinti**, 492 South Grant Street, Wilkes-Barre, PA 18702-5730. To construct and maintain a pile-supported dock and cottage in Harveys Lake. The structure extends approximately 44 feet from the shoreline, and has a width of 30 feet. The project is located at Pole No. 112 (Noxen, PA Quadrangle N: 0.6 inch; W: 4.1 inches), in Harveys Lake Borough, **Luzerne County**.

E48-269. Encroachment. **James S. Garofalo**, 177 Blue Valley Drive, Bangor, PA 18013. To place fill in 0.61 acre of wetlands and to construct and maintain the following in Greenwalk Creek for the purpose of constructing a 12,000 s. f. retail store and associated parking areas: (1) a stream enclosure consisting of 120 feet of 36-inch diameter R.C.P. and 130 feet of 48-inch diameter R.C.P.; and (2) a channel change consisting of a trapezoidal channel lined with R-3 riprap having a length of 250 feet, a bottom width of 10 feet, a depth of 4 feet and 2H:1V side slopes. The project is located on the south side of S. R. 0512 (Blue Valley Drive), approximately 0.15 mile west of Township Road T-698 (Bangor, PA Quadrangle N: 22.0 inches; W: 14.8 inches) in Washington Township, **Northampton County**. The permittee is required to provide 0.64 acre of replacement wetlands.

E64-166A. Encroachment. **Wal-Mart Stores, Inc.**, Engineering Department, 2001 SE 10th Street, Bentonville, AR 72712-6489. To amend Permit No. E64-166 to authorize 0.74 acre of wetland impacts in addition to the 1.32 acres of impact authorized by Permit No. E64-166 (as previously amended) for the purpose of constructing a commercial/retail store; and to authorize a temporary road crossing of wetlands for construction of the wetland replacement area at the Kennedy Farm in Oregon Township, Wayne County. The project is located along Old Willow Avenue (T-405) on the west side of Holbert Creek (White Mills, PA Quadrangle N: 10.4 inches; W: 14.4

inches) in Texas Township, **Wayne County**. The permittee is required to provide 1.49 acres of replacement wetlands at the Kennedy Farm site.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E21-293. Encroachment. **Kurt Williams**, 3830 Lisburn Rd., Mechanicsburg, PA 17055. To construct and maintain a 10-inch diameter by 145 feet poly vinyl chloride intake pipe and intake headwall along the left bank and floodway of the Yellow Breeches Creek (CWF) to irrigate a property at 3830 Lisburn Road, to maintain existing and future vegetative landscaping, lawns, trees, maintain formal and informal garden areas and to maintain water levels in and provide maintenance for several ponds located on the property. The intake will be located just upstream of the LR 21051 bridge (Lemoyne, PA Quadrangle N: 9.5 inches; W: 6.9 inches) in Lower Allen Township, **Cumberland County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E22-398. Encroachment. **James Foreman**, 6647 Schoolhouse Rd., Hershey, PA 17033. To construct and maintain four 71-inch x 47-inch culverts and to impact 0.29 acre of wetlands in the channel of Hoffer Creek at points 2,000, 2,600, 2,900 and 3,200 feet upstream of Colebrook Road for the purpose of accessing building lots (Elizabethtown, PA Quadrangle N: 17.5 inches; W: 15.2 inches) in Conewago Township, **Dauphin County**. The applicant is required to provide 0.29 acre of replacement wetlands. This permit also includes 401 Water Quality Certification.

E38-123. Encroachment. **South Londonderry Township**, Rosemary Kays, P. O. Box 3, Campbelltown, PA 17010. To place fill in a de minimis area of wetlands equal to 0.03 acre and to regrade 1.82 acres of the 100-year floodplain of the Conewago Creek (TSF). The purpose of the project is to construct a baseball field and community recreation area. The activities also include wetland enhancement of 0.02 acre of wetlands. The proposed 2.53 acre Lawn Community Park is located on the northeast side of Railroad Street within the Village of Lawn (Elizabethtown, PA Quadrangle N: 17.5 inches; W: 5.5 inches) in South Londonderry Township, **Lebanon County**. This permit was issued under Chapter 105 Water Obstruction and Encroachment Permit and Chapter 106 Floodplain Management. This permit also includes 401 Water Quality Certification.

E38-125. Encroachment. **South Lebanon Township**, Curtis Kulp, 1800 S. 5th Ave., Lebanon, PA 17042. To remove the existing deteriorating structure and to construct and maintain an aluminum box culvert having a clear span of 8.75 feet with an underclearance of 2.5 feet across Hammer Creek (HQ-CWF) on Obie Road (T-536) (Richland, PA Quadrangle N: 7.25 inches; W: 13.5 inches) in South Lebanon Township, **Lebanon County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E26-255. Encroachment. **Fayette County Commissioners**, Courthouse, 61 East Main Street, Uniontown, PA 15401-1030. To remove the deck and superstructure of Fayette County Bridge No. 11 and to locate, construct and maintain a new deck and superstructure across Ramcat

Run (CWF) on T-880 (Ramcat Hollow Road) at a point approximately 0.5 mile east of the intersection of T-880 and T-413 (Ohiopyle, PA Quadrangle N: 12.9 inches; W: 1.3 inches) in Henry Clay Township, **Fayette County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E26-256. Encroachment. **Fayette County Commissioners**, Courthouse, 61 East Main Street, Uniontown, PA 15401. To remove the deck on Fayette County Bridge No. 12 having a clear span of 15.1 feet and an underclearance of 3.5 feet and to construct and maintain a new deck. The structure is located across Ramcat Run (CWF), on T-880 (Ramcat Hollow Road) at a point approximately 0.9 mile east of T-413 and T-880 intersection (Ohiopyle, PA Quadrangle N: 13.45 inches; W: 0.7 inch) in Henry Clay Township, **Fayette County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E03-379. Encroachment. **Boggs Township Supervisor**, R. D. 1, Box 49A, Templeton, PA 16259. To remove the existing structure and to construct and maintain a 40-foot long, twin-cell C. M. pipe arch culvert, each pipe having a span of 9.33 feet and an underclearance of 6.25 feet (invert depressed 6 inches) in North Fork Pine Creek (HQ-CWF) located on T-910 (Baum Station Road Bridge) at a point approximately 300 feet south of S. R. 28/68. Also, to construct and maintain stream bank protection just at the culvert's approaches (Templeton, PA Quadrangle N: 0.3 inch; W: 3.00 inches) in Boggs Township, **Armstrong County**.

Permits Issued and Actions on 401 Certification

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E24-209. Encroachment. **PA Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing structure and to construct and maintain a prestressed concrete spread box beam bridge having a clear span of 11.434 meters and an underclearance of 1.8 meters on a 76 degree skew across Red Run on Red Run Road approximately 4.3 kilometers north of S. R. 2004 (Quehanna Highway) (Driftwood, PA Quadrangle N: 6.5 inches;

W: 16.4 inches) located in Benezette Township, **Elk County**.

E62-340. Encroachment. **United Refining Company**, P. O. Box 780, Warren, PA 16365-0780. To construct and maintain a 10-inch-diameter outfall pipe with rip rap outlet protection along the right bank of the Allegheny River approximately 3,600 feet downstream of the S. R. 0006 Business Bridge (Glade Bridge) to handle discharge from a noncontact cooling water oil and water separator associated with the Alkylolation Unit of the United Refining Company oil refinery (Warren, PA Quadrangle N: 14.6 inches; W: 0.7 inch in the City of Warren, **Warren County**.

DAM SAFETY

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D46-318. Dam. **RAGM Settlement Corporation** (1004 West North Street, King of Prussia, PA 19406). To operate and maintain a stormwater detention dam (Renaissance Park Dam) located across a tributary to Schuylkill River in Upper Merion Township, **Montgomery County**. The purpose of this dam is to control stormwater runoff from the Renaissance Park.

STORAGE TANKS

SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permit under the authority of the Storage Tank and Spill Prevention Act (35 P. S. §§ 6021.304, 504, 1101—1102) and 25 Pa. Code Chapter 245, Subchapter C has been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
99-02-003	County of Allegheny Dept. of Aviation P. O. Box 12370 Pittsburgh, PA 15231-0370	Allegheny County Findlay Township	AST storing Jet A Fuel 40,000 gallons

[Pa.B. Doc. No. 99-1440. Filed for public inspection August 27, 1999, 9:00 a.m.]

Environmental Justice Work Group Meeting

The Department of Environmental Protection's Environmental Justice Work Group is holding a meeting on September 12-13, 1999, at the Holiday Inn East, 4751 Lindle Road, Harrisburg, PA. On September 12, the meeting will be held 7 p.m. to 9 p.m. and 8 a.m. to 4 p.m. on September 13. The work group is assisting the agency in developing an environmental justice policy and program. Anyone wishing to attend the meeting or who has questions regarding the meeting should contact Alisa

Harris, Environmental Equity Coordinator, at (717) 787-4449.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodations to do so should contact Alisa Harris at (717) 787-4449.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1441. Filed for public inspection August 27, 1999, 9:00 a.m.]

Oil and Gas Technical Advisory Board; Special Meeting

A special meeting of the Oil and Gas Technical Advisory Board is scheduled to be held on September 9, 1999, at 10 a.m. in the 10th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the agenda can be directed to James Erb at (717) 772-2199 or E-mail at Erb.James@dep.state.pa.us. The agenda is also available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact James Erb or Joyce Williams directly at (717) 772-2199, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1442. Filed for public inspection August 27, 1999, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

State Surplus Property Program Bid Items

Under the provisions of Act 57 of 1998, the Department of General Services, State Surplus Property Program is offering for sale to counties, boroughs, incorporated towns, cities and townships the following items:

<i>Item</i>	<i>Make</i>	<i>Eq. No.</i>	<i>Location</i>
1. Articulated Loader	John Deere, 544E	226-2040	PA Dot-Mercer, PA
2. Grader w/wing snow plow	John Deere, 672-A	029-6678	PA Dot-Warren, PA
3. Grader	John Deere, 672-A	060-6678	PA Dot-Bloomsburg, PA
4. Hyd. Rubber Tire Excavator	Koehring, Bantam	021-6368	PA Dot, Warren, PA
5. Backhoe Tractor	Case, 680-H	221-6056	PA Dot, Warren, PA
6. Rubber Tire Wheel Loader	Michigan	094-8059	PA Dot, Bellefonte, PA
7. Wheel Loader	Case, W20C	311-2056	PA Dot, Towanda, PA
8. Bucket Loader	Case, W20C	261-2056	PA Dot, Milford, PA
9. Bucket Loader	Case, W20C	241-2056	PA Dot, Milford, PA
10. Grader, Model 400	Austin Western	248-4671	PA Dot, Montrose, PA
11. Grader	Clark, 300	315-3671	PA Dot, Montrose, PA
12. 10 Ton—3 Wheel Roller	Galion	698-3435	PA Dot, Montrose, PA
13. Articulated Loader	John Deere	067-2040	PA Dot, Bortondale, PA
14. Paver	Blaux-Knox	038-1958	PA Dot, Gettysburg, PA
15. Bantam Excavator	Koehring, T644	015-6368	PA Dot, Harrisburg, PA
16. All Wheel Drive Grader	Austin Western	269-2671	PA Dot, Harrisburg, PA
17. 4 Wheel Drive Wheel Loader	Case, W20C	246-2056	PA Dot, Elizabethville, PA
18. Articulated/Front End Loader	John Deere	111-1385	PA Dot, Lancaster, PA
19. Articulated/Front End Loader	John Deere	265-2056	PA Dot, Lancaster, PA
20. Backhoe/Loader Combined	Deere & Company	090-6040	PA Dot, Lebanon, PA
21. Hydraulic Tandem Excavator	Koehring, T644	004-6368	PA Dot, Hollidaysburg, PA
22. Articulated/Front End Loader	John Deere, 544A	110-1385	PA Dot, Ft. Littleton, PA
23. Excavator	Gradall, 440	069-6365	PA Dot, Ft. Littleton, PA
24. Rubber Tire Loader, 1½ cu yd	John Deere, 544C	051-2040	PA Dot, Huntingdon, PA
25. Hydraulic Tandem, Excavator	Bantam, T725-A	003-6366	PA Dot, Somerset, PA
26. Backhoe, Construction King	Case, 680G	197-6056	PA Dot, Somerset, PA

The above items will be sold to the highest responsible bidder by sealed bid sale. Those political subdivisions which are interested in procuring one or more of these items should contact the Department of General Services, State Surplus Property Division, P. O. Box 1365, Harrisburg, PA 17105, or call (717) 787-4085. Requests for bid proposals need to be made prior to the bid opening on September 14, 1999, at 1 p.m.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 99-1443. Filed for public inspection August 27, 1999, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Children's Hospital of Philadelphia for Exception to 28 Pa. Code § 101.54

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Children's Hospital of Philadelphia (CHOP) has requested an exception to the requirements of 28 Pa. Code § 101.54 which requires that a license is issued for approved existing facilities. CHOP requests this excep-

tion so that it may utilize a 25 bed unit physically located within the Children's Seashore House of the Children's Hospital of Philadelphia (CSH) and included within CSH's licensed bed complement to provide in-patient care to CHOP patients during the fall/winter (1999-2000) season of peak admissions.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Acute & Ambulatory Care, Department of Health, Room 532 Health & Welfare

Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail address: LVIA@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact the Director, Division of Acute & Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1444. Filed for public inspection August 27, 1999, 9:00 a.m.]

Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on September 8, 1999, at 10 a.m. in Room 812, Health & Welfare Building, Seventh & Forster Streets, Harrisburg, PA.

This meeting is subject to cancellation without notice.

For additional information or for persons with a disability who desire to attend the meeting and require an auxiliary aid service or other accommodation to do so, should contact Robin Bowman at (717) 783-2500, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1445. Filed for public inspection August 27, 1999, 9:00 a.m.]

Notice of Requests for Exceptions

Under 28 Pa. Code § 51.33 (relating to exceptions), the Department of Health (Department), gives notice that the following long-term care facilities have requested exceptions to specific requirements of the regulations for long-term care facilities, 28 Pa. Code § 201.1 et seq.

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.17 (relating to location):

Twining Hall
280 Middle Holland Road
Holland, PA 18966

ManorCare Health Services-Elizabethtown
320 South Market Street
Elizabethtown, PA 17022

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.18(f) (relating to management):

The Medical Center Beaver PA LTC Unit
1000 Dutch Ridge Road
Beaver, PA 15009

Mary Evans Extended Care Center
724 Pershing Street
Ellwood City, PA 16117

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Elk Haven Nursing Home
785 Johnsonburg Road
St. Marys, PA 15857

Longwood at Oakmont
500 Route 909
Verona, PA 15147

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.20(m)(1)(h)(4) (relating to patient bedrooms):

West Shore Health and Rehabilitation Center
770 Poplar Church Road
Camp Hill, PA 17011

Manchester Presbyterian Lodge
6351 West Lake Road
Erie, PA 16505

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.29(a) (relating to office):

Tel Hai Nursing Center
P. O. Box 190
Honey Brook, PA 19344

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building) and 201.17 (relating to location):

Piney Mountain Home
6375 Chambersburg Road
Fayetteville, PA 17222

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(m)(1) (relating to patient bedrooms) and 205.38(b) (relating to toilet facilities):

Woodhaven Care Center
2400 McGinley Road
Monroeville, PA 15146

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71(a)(b)(d) (relating to bed and furnishings):

Buffalo Valley Lutheran Village
211 Fairground Road
Lewisburg, PA 17837

Kramm Nursing Home, Inc.
245 E. 8th Street
Watson, PA 17777

Health Care Center at White Horse Village
535 Gradyville Road
Newtown Square, PA 19073

Heathsouth Harmarville Transitional Unit
P. O. Box 11460, Guys Run Road
Pittsburgh, PA 15238-0460

Osprey Ridge Healthcare and Rehabilitation Center
45 North Scott Street
Carbondale, PA 18407

Susque-View Home, Inc.
22 Cree Drive
Lock Haven, PA 17745-2698

Dauphin Manor
1205 South 28th Street
Harrisburg, PA 17111-1095

Brookmont Health Care Center
Box 50, Brookmont Drive
Effort, PA 18330

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services):

River's Edge Nursing and Rehabilitation Center
9501 State Road
Philadelphia, PA 19114

Rosemont Manor
35 Rosemont Avenue
Rosemont, PA 19010

Saint Luke Pavilion
1000 Stacie Drive
Hazleton, PA 18201

The St. Joseph Transitional Level of Care Center
Twelfth and Walnut Streets, P. O. Box 316
Reading, PA 19603-0316

Chandler Hall
99 Barclay Street
Newtown, PA 18940

Valley Crest Nursing Home
1551 East End Boulevard
Wilkes-Barre, PA 18711-0575

The Heritage Shadyside
5701 Phillips Avenue
Pittsburgh, PA 15217

Attleboro Nursing & Rehabilitation Center
300 East Winchester Avenue
Langhorne, PA 19047

Blair Nursing Home, Inc.
1031 Mercer Road
Beaver Falls, PA 15010

Gettysburg Lutheran Home
1075 Old Harrisburg Road
Gettysburg, PA 17325-3199

Bryn Mawr Terrace Convalescent Center
Haverford & Rugby Roads
Bryn Mawr, PA 19010

UPMC McKeesport Long Term Care Facility
1500 Fifth Avenue
McKeesport, PA 15132

Integrated Health Services at Julia Ribaud
1404 Golf Park Drive, P. O. Box 97
Lake Ariel, PA 18436

The Skilled Nursing Center at Jeannette District Memorial Hospital
600 Jefferson Avenue
Jeannette, PA 15644

Mary J. Drexel Home
238 Belmont Avenue
Bala Cynwyd, PA 19004

Tucker House
1001 Wallace Street
Philadelphia, PA 19123

Healthsouth Harmarville Transitional Unit
P. O. Box 11460, Guys Run Road
Pittsburgh, PA 15238-0460

Calvary Fellowship Homes
502 Elizabeth Drive
Lancaster, PA 17601

Cathedral Village
600 East Cathedral Road
Philadelphia, PA 19128

Shrewsbury Lutheran Retirement Village
200 Luther Road
Shrewsbury, PA 17361-1799

United Zion Retirement Community
722 Furnace Hills Pike
Lititz, PA 17543-9502

Thornwald Home
442 Walnut Bottom Road
Carlisle, PA 17013

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1446. Filed for public inspection August 27, 1999, 9:00 a.m.]

Notice of Requests for Exceptions

Under 28 Pa. Code § 51.33 (relating to exceptions), the Department of Health (Department), gives notice that the following long-term care facilities have requested exceptions to specific requirements of the regulations for long-term care facilities, 28 Pa. Code § 201.1.

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

St. Francis Nursing Center Cranberry
One St. Francis Way
Cranberry Township, PA 16066

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(b) (relating to nurses station):

Valencia Woods Nursing Center
85 Charity Place
Valencia, PA 16059

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.38(c) (relating to toilet facilities):

Lutheran Welfare Concordia Home
615 North Pike Road
Cabot, PA 16023

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71(a)(b)(d) (relating to bed and furnishings):

Sanatoga Center
225 Evergreen Road
Pottstown, PA 19464

Clara Burke Community
251 Stenton Avenue
Plymouth Meeting, PA 19462

Cumberland Crossings
1 Longsdorf Way
Carlisle, PA 17013

ManorCare Health Services—Elizabethtown
320 South Market St.
Elizabethtown, PA 17022

Hometown Nursing and Rehabilitation Center
R. R. 2, Box 118 B
Tamaqua, PA 18252

Mariner Health Care of North Hills
194 Swinderman Road
Wexford, PA 15090

Dorrance Manor
615 Wyoming Avenue
Kingston, PA 18704

Lackawanna County Health Care Center
Sturges Road
Olyphant, PA 18447-2501

Rolling Hills Manor
R. D. 1
Millmont, PA 17845

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.72(b) (relating to furniture):

St. Joseph's Manor
1616 Huntingdon Pike
Meadowbrook, PA 19046

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services):

West Haven Nursing Home
P. O. Box 278
Apollo, PA 15613-0278

Lackawanna County Health Care Center
Sturges Road
Olyphant, PA 18447-2501

Marian Manor Corporation
2695 Winchester Drive
Pittsburgh, PA 15220-4099

Sena Kean Manor
R. D. 1, Box 3307
Smethport, PA 16747

Clarview Nursing and Rehabilitation Center
R. D. 1, P. O. Box 195
Sligo, PA 16255

Mt. Hope Dunkard Brethren Church Home
3026 Mt. Hope Home Road
Manheim, PA 17545

Hickory House Nursing Home
3120 Horseshoe Pike
Honey Brook, PA 19344

Bala Nursing and Retirement Center
4001 Ford Road
Philadelphia, PA 19131

IHS of Pennsylvania at Plymouth
900 East Germantown Pike
Norristown, PA 19401

Mariner Health of West Hills
951 Brodhead Road
Coraopolis, PA 15108

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1447. Filed for public inspection August 27, 1999, 9:00 a.m.]

Notice of Requests for Exceptions

Under 28 Pa. Code § 51.33 (relating to exceptions), the Department of Health (Department), gives notice that the following long-term care facilities have requested exceptions to specific requirements of the regulations for long-term care facilities, 28 Pa. Code § 201.1 et seq.

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.18(f) (relating to management):

Monongahela Valley Hospital Skilled Care Center
Country Club Road
Monongahela, PA 15063-1095

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Elk Haven
785 Johnsonburg Road
St. Marys, PA 15857

Valley View Home
301 Valley View Boulevard
P. O. Box 1229
Altoona, PA 16603

Logan Square East
Two Franklin Town Boulevard
Philadelphia, PA 19103

Armstrong County Health Center
265 South McKean St.
Kittanning, PA 16201

St. Barnabas, Inc.
5827 Meridian Road
Gibsonia, PA 15044

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building); § 205.25(a) (relating to kitchen); § 205.26(d)(e) (relating to laundry); § 205.29(a) (relating to office); § 205.38(b) (relating to toilet facilities):

Montgomery County Geriatric and Rehabilitation Center
Court House
P. O. Box 311
Norristown, PA 19404-0311

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(i)(3) (relating to patient bedrooms):

Valley Manor Nursing and Rehabilitation Center
7650 Route 309
Coopersburg, PA 18036

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71(a)(b)(d) (relating to bed and furnishings):

LifeQuest Nursing Center
2450 John Fries Highway
Quakertown, PA 18951

Seton Manor
1000 Seton Drive
Orwigsburg, PA 17961

Mosser Nursing Home
P. O. Box 133
1175 Mosser Road
Trexlerstown, PA 18087-0133

ManorCare Health Services—Elizabethtown
320 South Market St.
Elizabethtown, PA 17022

Riverwoods
1 River Road
Lewisburg, PA 17837-9230

ManorCare Health Services—Williamsport North
300 Leader Drive
Williamsport, PA 17701

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services):

Thaeler Health Care Center
175 W. North Street
Nazareth, PA 18064

Heatherbank
745 Chiques Hill Road
Columbia, PA 17512

Saint Luke Manor
1711 East Broad Street
Hazleton, PA 18201

Colonial Manor Nursing Home
970 Colonial Avenue
York, PA 17403

Zohlman Nursing Home
108 South Main St.
P. O. Box 39
Richlandtown, PA 18955

Lutheran Home at Kane
RR# 1, Box 92AA
Kane, PA 16735-9673

Vincentian Home
Perrymont Rd.
Pittsburgh, PA 15237

Country Meadows Nursing Center of Bethlehem
4025 Green Pond Road
Bethlehem, PA 18020

Taylor Nursing and Rehabilitation Center
500 W. Hospital St.
Taylor, PA 18517

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1448. Filed for public inspection August 27, 1999, 9:00 a.m.]

Notice of Requests for Exceptions

Under 28 Pa. Code § 51.33 (relating to exceptions), the Department of Health (Department), gives notice that the following long-term care facilities have requested exceptions to specific requirements of the regulations for long-term care facilities, 28 Pa. Code § 201.1 et seq.

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Stonebridge Health and Rehabilitation Center
102 Chandra Drive
Duncannon, PA 17020

Meadville Health and Rehabilitation Center
14714 Park Avenue Extension
Meadville, PA 16335

Carpenter Care Center
30 Virginia Drive
Tunkhannock, PA 18657

St. Joseph's Manor
1616 Huntingdon Pike
Meadowbrook, PA 19046

Williamsport Home
1900 Ravine Road
Williamsport, PA 17701

Maple Farm Nursing Center
204 Oak Street
P. O. Box 136
Akron, PA 17501

Lakeview Senior Care and Living Center
15 West Willow Street
Smethport, PA 16749

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(b) (relating to patient bedrooms):

Boulevard Nursing Home
7950 Roosevelt Boulevard
Philadelphia, PA 19152

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.34 (relating to treatment rooms or examining rooms):

Transitional Care Unit of Jefferson Hospital
Coal Valley Road
P. O. Box 18119
Pittsburgh, PA 15236-0119

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71(a)(b)(d) (relating to bed and furnishings):

ManorCare Health Services, Pottsville
Pulaski & Leader Drive
Pottsville, PA 17901

Hickory House Nursing Home
3120 Horseshoe Pike
Honey Brook, PA 19344

Transitional Care Center at The Reading Hospital and Medical Center
P. O. Box 16052
Reading, PA 19612

Haverford Nursing & Rehabilitation Center
2050 Old West Chester Pike
Havertown, PA 19083

Lakeside Nursing Center
Route 4, Box 357
Dallas, PA 18612

Berks County Home-Berks Heim
P. O. Box 1495
Reading, PA 19603

Abington Manor
100 Edella Road
Clarks Summit, PA 18411

ManorCare Health Services—Williamsport North
300 Leader Drive
Williamsport, PA 17701

Orangeville Nursing and Rehabilitation Center
R. D. 2, Box A-1
Orangeville, PA 17859

Wesbury United Methodist Retirement Community
31 N. Park Avenue
Meadville, PA 16335-9430

Sweden Valley Manor
1028 East Second St.
Coudersport, PA 16915

Hickory House Nursing Home
3120 Horseshoe Pike
Honey Brook, PA 19344

ManorCare Health Services—Williamsport South
101 Leader Drive
Williamsport, PA 17701

Doylestown Manor
432 Maple Avenue
Doylestown, PA 18901

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services):

Belvedere Nursing and Convalescent Center
2507 Chestnut Street
Chester, PA 19013

UPMC Lee Transitional Care Unit
320 Main Street
Johnstown, PA 15901

Clarview Nursing and Rehabilitation Center
R. D. 1, P. O. Box 195
Sligo, PA 16255

Chatham Acres, Inc.
Box No. 1
Chatham, PA 19318

Cliveden Convalescent Center
6400 Greene Street
Philadelphia, PA 19119

ManorCare Health Services—Greentree
1848 Greentree Rd.
Pittsburgh, PA 15220

ManorCare Health Services—Lansdale
640 Bethlehem Pike
Montgomeryville, PA 18936

Carbondale Nursing Home, Inc.
10 Hart Place
Carbondale, PA 18407

Rockhill Mennonite Community
3250 State Road
Sellersville, PA 18960-1699

South Fayette Nursing Center
P. O. Box 298
Markleysburg, PA 15459

Fair Acres Geriatric Center
340 North Middletown Road
P. O. Box 496
Lima, PA 19037-0496

Rolling Meadows
R. D. 2, Box 60
Waynesburg, PA 15370

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.18(f) (relating to management):

UPMC Lee Transitional Care Unit
320 Main Street
Johnstown, PA 15901

Suburban General Skilled Nursing Unit
100 South Jackson Avenue
Pittsburgh, PA 15202-3499

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg,

PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1449. Filed for public inspection August 27, 1999, 9:00 a.m.]

Notice of Requests for Exceptions

Under 28 Pa. Code § 51.33 (relating to exceptions), the Department of Health (Department), gives notice that the following long-term care facilities have requested exceptions to specific requirements of the regulations for long-term care facilities, 28 Pa. Code § 201.1.

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.18(f) (relating to management):

Mercy Fitzgerald Hospital Skilled Nursing Facility
501 South 54th Street
Philadelphia, PA 19143

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(i)(2)(4)(6)(k) (relating to patient bedrooms):

Sugar Creek Station Skilled Nursing and Rehabilitation Complex
R. D. 3, Box 29
Franklin, PA 16323

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.33 (relating to utility room):

The Care Center at Martins Run
11 Martins Run
Media, PA 19063-1057

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.71(a)(b)(d) (relating to bed and furnishings):

Huntingdon Manor
Warm Springs Avenue
Huntingdon, PA 16652

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71 (a)(b)(d) (relating to bed and furnishings) and § 205.20(h) (relating to patient bedrooms):

Edgehill Nursing and Rehabilitation Center
146 Edgehill Road
Glenside, PA 19038

Wesbury United Methodist Community
31 N. Park Avenue
Meadville, PA 16335-9430

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services):

ManorCare Health Services-Allentown
1265 South Cedar Crest Boulevard
Allentown, PA 18103

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services) and § 205.71(a) (bed and furnishings):

Armstrong County Health Center
265 South McKean Street
Kittanning, PA 16201

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1450. Filed for public inspection August 27, 1999, 9:00 a.m.]

Notice of Requests for Exceptions

Under 28 Pa. Code § 51.33 (relating to exceptions), the Department of Health (Department), gives notice that the following long-term care facilities have requested exceptions to specific requirements of the regulations for long-term care facilities, 28 Pa. Code § 201.1 et seq.

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.17 (relating to management):

Skilled Nursing Unit of Greene County Memorial Hospital
Seventh Street & Bonar Avenue
Waynesburg, PA 15370

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.18(f) (relating to management):

Frankford Hospital Transitional Care Unit
Frankford Avenue & Wakeling Street
Philadelphia, PA 19114-1486

Christ's Home Retirement Center
1220 W. Street Road
Warminster, PA 18974

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

The Middletown Home
999 West Harrisburg Pike
Middletown, PA 17057

Frey Village
1020 North Union Street
Middletown, PA 17057-2199

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.8(a) (relating to ceiling heights):

Neshaminy Manor Home
Route 611 and Almshouse Road
Doylestown, PA 18901

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.21 (relating to special care room); and § 205.34 (relating to treatment room or examining room):

Gnaden Huetten Nursing and Convalescent Center
211 North 12th Street
Lehigh, PA 18235

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.33 (relating to utility room):

Pleasant View Retirement Community
544 North Penryn Road
Manheim, PA 17545

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.34 (relating to treatment room or examining room):

Mary Ellen Convalescent Home, Inc.
1896 Leithsville Road
Hellertown, PA 18055-2599

St. Luke's Transitional Care Unit
1021 Park Avenue, P. O. Box 9003
Quakertown, PA 18951-9003

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.17 (relating to location); § 205.24 (relating to dining room); § 205.27 (relating to lounge and recreation rooms); § 205.28 (relating to nurse's station); § 205.31 (relating to storage); § 205.32 (relating to janitor closet); § 205.33 (relating to utility room); § 205.36 (relating to bathing facilities):

Transitional Care Center at St. Clair Hospital
1000 Bower Hill Road
Mt. Lebanon, PA 15243

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.38(c) (relating to toilet facilities):

Beverly Manor of Lancaster
425 North Duke Street
Lancaster, PA 17602

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71(a)(b)(d) (relating to bed and furnishings):

Mayo Center
650 Edison Avenue
Philadelphia, PA 19116

Luther Woods Convalescent Center
313 County Line Road
Hatboro, PA 19040

Normandy Farms Estates Nursing Facility
8000 Twin Silo Drive
Blue Bell, PA 19422-4200

Laurel Manor
1170 West Main Street
Stroudsburg, PA 18360

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(f)(h)(k) (relating to patient bedrooms) and § 205.71(a)(b)(d) (relating to bed and furnishings):

Twining Hall
280 Middle Holland Road
Holland, PA 18966

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services):

ManorCare Health Services—Dallastown
100 West Queen Street
Dallastown, PA 17313

ManorCare Health Services—Kingston Court
2400 Kingston Court
York, PA 17402

Integrated Health Services of Pennsylvania at Broomall
50 N. Malin Road
Broomall, PA 19008

The Inn at Freedom Village
30 Freedom Boulevard
West Brandywine, PA 19320-1549

Masonic Home of Pennsylvania
801 Ridge Pike
Lafayette Hill, PA 19444-1799

Sanatoga Center
225 Evergreen Road
Pottstown, PA 19464

York Lutheran Home
1801 Folkemer Circle
York, PA 17404

ManorCare Health Services—Bethlehem I
2021 Westgate Drive
Bethlehem, PA 18017

Chester County Hospital Transitional Care Unit
701 E. Marshall Street
West Chester, PA 19380

Susquehanna Center
1909 North Front Street
Harrisburg, PA 17102

ManorCare Health Services—York South
200 Pauline Drive
York, PA 17402

Havencrest Nursing Center
1277 Country Club Road
Monongahela, PA 15063

Sarah A. Todd Memorial Home
1000 West South Street
Carlisle, PA 17013

Regency Hall Nursing Home, Inc.
9399 Babcock Boulevard
Allison Park, PA 15101

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1451. Filed for public inspection August 27, 1999, 9:00 a.m.]

Notice of Requests for Exceptions

Under 28 Pa. Code § 51.33 (relating to exceptions), the Department of Health (Department), gives notice that the following long-term care facilities have requested exceptions to specific requirements of the regulations for long-term care facilities, 28 Pa. Code § 201.1 et seq.

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Stenton Hall Nursing and Convalescent Center
7310 Stenton Avenue
Philadelphia, PA 19150

William Hood Dunwoody Care Center
3500 West Chester Pike
Newtown Square, PA 19073-4168

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(f)(4) (relating to patient bedrooms):

John J. Kane Regional Center—Scott Township
300 Kane Boulevard
Pittsburgh, PA 15243

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(i)(2)(3)(4)(m)(1) (relating to patient bedrooms):

Beaver Valley Geriatric Center
246 Friendship Circle
Beaver, PA 15009

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71(a)(b)(d) (relating to bed and furnishings):

Pennypack Center
8015 Lawndale Street
Philadelphia, PA 19111-1507

Community Medical Center Skilled Nursing Facility
1800 Mulberry Street
Scranton, PA 18510

Millville Health Center
P. O. Box 320, State Street
Millville, PA 17846

Granite Farms Estates
1343 W. Baltimore Pike
Wawa, PA 19063

Homestead Center
1113 N. Easton Road
Willow Grove, PA 19090

Phoenixville Convalescent Manor
833 South Main St.
Phoenixville, PA 19460

Praxis Nursing Home
500 Washington St.
Easton, PA 18042

Eldercrest Nursing Center
2600 West Run Road
Munhall, PA 15120

Saint Luke Pavilion
1000 Stacie Drive
Hazleton, PA 18201

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.72(b) (relating to furniture):

Community Medical Center Skilled Nursing Facility
1800 Mulberry Street
Scranton, PA 18510

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.2(g)(h) (relating to medical services):

Birchwood Nursing and Rehabilitation Center
395 Middle Road
Nanticoke, PA 18634

Saint Joseph Villa
110 West Wissahickon Avenue
Flourtown, PA 19031-1898

St. Mary's Home of Erie
607 East 26th St.
Erie, PA 16504-2887

Gnaden Huetten Nursing and Convalescent Center
211 North 12th St.
Lehighton, PA 18235

John J. Kane Regional Center/McKeesport
100 Ninth St.
McKeesport, PA 15132

William Hood Dunwoody Care Center
3500 West Chester Pike
Newtown Square, PA 19073-4168

Fair Winds Manor
126 Iron Bridge Road
Sarver, PA 16055

Riverside Nursing Center
100 Eighth Avenue
McKeesport, PA 15132

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.17(b) (relating to patient activities):

Graduate Skilled Nursing Facility
One Graduate Plaza
1800 Lombard St.
Philadelphia, PA 19146

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1452. Filed for public inspection August 27, 1999, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Westmoreland County

Project Reference No. 08430AG2386

The Department will retain an engineering firm to perform final design and services during construction (consultation during construction and shop drawing review) for S. R. 0022, Section B08, the reconstruction of Traffic Route 22 located in the Borough of New Alexandria and Derry Township, Westmoreland County, Engineering District 12-0. The estimated construction cost is \$25 million.

The proposed project consists of the reconstruction of Traffic Route 22 from just east of S. R. 0981 (Segment 0340/000) eastward to just west of S. R. 0982 (Segment 0410/000) in Westmoreland County, a total distance of approximately 4.0 miles.

The selected firm will be required to perform field surveys, roadway design, intersection geometry investigation, signing layout, geotechnical reports, traffic control plans, hydraulic computations, utility coordination, right-of-way plans, erosion and sedimentation control plans, signing, sign lighting and pavement marking plans, traffic signal plans, construction plans, forms, estimates and specifications, roadway borings, project partnering and public involvement.

The following factors, listed in order of importance, will be considered by the Department during evaluation of the firms submitting acceptable letters of interest:

- a. Experience in roadway design
- b. Ability to expedite this project
- c. Project team composition
- d. Past performance

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer
Engineering District 12-0
P. O. Box 459, North Gallatin Avenue Extension
Uniontown, PA 15401

Attention: Mr. P. Gregory Bednar, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. P. Gregory Bednar, P.E., District 12-0, at (412) 439-7243.

Fayette, Greene, Washington and Westmoreland Counties

Project Reference No. 08430AG2387

The Department will retain an engineering firm for an Open-End Contract to perform various engineering and/or environmental services on various projects located in Engineering District 12-0, that is Fayette, Greene, Washington and Westmoreland Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$1.0 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.
- b. Understanding of the Department's requirements, Design Manuals, policies and specifications.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience with Open-End Contracts.
- d. Location of engineering firm with respect to the District. This will include ability/provisions for quick responses to District requests.
- e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

The work and services required under this Contract may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type,) minor

capital improvement projects (bridges or roadway), railroad grade crossing projects, minor location studies, and traffic studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer
Engineering District 12-0
P. O. Box 459, North Gallatin Avenue Extension
Uniontown, PA 15401

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. William Oshnack, P.E., District 12-0, at (724) 439-7321.

Berks County

Project Reference No. 08430AG2388

The Department will retain an engineering firm for a specific project agreement to conduct a Comprehensive Transportation Needs Analysis Study for the S. R. 0061 Corridor in the Township of Muhlenberg, Berks County. This project is expected to have an overall duration of twelve (12) months. This agreement will be administered by Engineering District 5-0.

The project area extends from the interchange between S. R.0061 and S. R. 0012 (formerly S. R. 0222) north to the interchange between S. R. 0061 and S. R. 0222 (formerly S. R. 3055). S. R. 0061 in the project area is a principal urban arterial. S. R. 0061 passes through heavy commercial, industrial, and residential areas throughout the study area.

The selected engineering firm will be required to provide a variety of engineering services as indicated below, but not limited to:

- a. Gather all available traffic and safety information and perform supplemental traffic counts, origin/destination counts, and safety views as needed.
- b. Develop an Environmental Overview document, including researching of all necessary socioeconomic and environmental data.
- c. Prepare a Comprehensive Transportation Needs Analysis Report, including recommendations for corridor improvements.

All engineering services for this project will be performed in accordance with current Department Metric Design Standards.

The following factors, listed in order of importance, will be considered by the Department during evaluation of the firms submitting acceptable Letters of Interest.

- a. Specialized expertise and technical competence.
- b. Project team composition.
- c. Project team experience.
- d. Ability to expedite this project and maintain schedule and budget.
- e. Past performance.
- f. Location of consultant with respect to the project site and to the District Office.

The District will announce the firms that have been shortlisted at an open public meeting to be held in Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103. All candidates that have submitted a Letter of Interest will be notified of the date. Specify a contact person in the letter of interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and

additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer
Engineering District 5-0
1713 Lehigh Street
Allentown, PA 18103

Attention: Mr. Stephen L. Caruano, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Stephen L. Caruano, P.E., District 5-0, at (610) 791-6062.

Berks County

Project Reference No. 08430AG2389

The Department will retain an engineering firm for a specific project agreement to conduct a corridor study from the interchange between S. R. 0222 and former S. R. 3055 (now also known as S. R. 0222) to the Lehigh County Line. The project area is located in the Townships of Ontelaunee, Maiden Creek, Richmond, and Maxatawny, Berks County. This project is expected to have an overall duration of twelve (12) months. This agreement will be administered by Engineering District 5-0.

S. R. 0222 is a rural principal arterial highway that runs northeast and southwest through Berks County. In the project area, S. R. 0222 is primarily a two-lane free access roadway with a short stretch of four-lane limited access divided highway near Kutztown. The highway traverses rolling terrain, passing through small residential and commercial areas in the southwestern part of the project area, gradually turning into rural farmland near the northeastern extents.

The selected engineering firm will be required to provide a variety of engineering services as indicated below, but not limited to:

a. Gather all available traffic and safety information and perform supplemental traffic counts, origin/destination counts, and safety views as needed.

b. Develop an Environmental Overview document, including researching of all necessary socioeconomic and environmental data.

c. Prepare a Comprehensive Transportation Needs Analysis Report, including recommendations for corridor improvements.

All engineering services for this project will be performed in accordance with current Department Metric Design Standards.

The following factors, listed in order of importance, will be considered by the Department during evaluation of the firms submitting acceptable Letters of Interest.

- a. Specialized expertise and technical competence.
- b. Project team composition.
- c. Project team experience.
- d. Ability to expedite this project and maintain schedule and budget.
- e. Past performance.
- f. Location of consultant with respect to the project site and to the District Office.

The District will announce the firms that have been shortlisted at an open public meeting to be held in Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103. All candidates that have submitted a Letter of Interest will be notified of the date. Specify a contact person in the letter of interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten (10%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer
Engineering District 5-0
1713 Lehigh Street
Allentown, PA 18103

Attention: Mr. Stephen L. Caruano, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Stephen L. Caruano, P.E., District 5-0, at (610) 791-6062.

Lehigh County

Project Reference No. 08430AG2390

The Department will retain an engineering firm for a multi-phase, specific project agreement, to perform environmental studies and preliminary engineering, final design and services during construction (shop drawing reviews and consultation during construction) for the proposed bridge replacement on S. R. 4025 over Jordan Creek located in the Township of Lowhill, Lehigh County. The design of this project is expected to have an overall duration of twenty-seven (27) months with shorter, varying schedules for individual phases. This agreement will be administered by Engineering District 5-0. The estimated construction cost is \$1.5 million.

The existing structure, built in 1887, is a three (3) span, 35-meter long, stone arch spandrel structure with two 3.0-meter lanes. S. R. 4025 in the project area is a two lane minor collector highway that extends north and south through the Township of Lowhill. The project study limits will extend 150 meters from each end of the existing structure. The structure is bounded by forest and detached residences to the north and south. The structure was listed on the National Register on June 22, 1988. It is currently closed to traffic.

The selected engineering firm will be required to provide a variety of engineering services as indicated below, but not limited to:

a. All studies necessary for the preparation of Categorical Exclusion Evaluation Level 4 and associated documents including: cultural resource surveys; wetlands delineation and evaluation; Section 106 documents; hazardous waste reports; archeological surveys, etc.

b. Preliminary engineering including, but not limited to: field surveying; hydraulic and hydrologic analysis;

type, size, and location drawings; Step 9 submission; roadway design; E & S plans; soils and geotechnical reconnaissance; maintenance and protection of traffic; right-of-way investigation; and coordination with utility companies.

c. Preparation of final roadway and structure plans, including, but not limited to: roadway and structure borings; final design; and preparation of plans, specifications, and estimates.

d. Consultation during construction.

All engineering services for this project will be performed in accordance with current Department Metric Design Standards.

The following factors, listed in order of importance, will be considered by the Department during evaluation of the firms submitting acceptable Letters of Interest.

- a. Specialized expertise and technical competence.
- b. Project team composition.
- c. Project team experience.
- d. Ability to expedite this project and maintain schedule and budget.
- e. Past performance.
- f. Location of consultant with respect to the project and to the District Office.

The District will announce the firms that have been shortlisted at an open public meeting to be held in Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103. All candidates that have submitted a Letter of Interest will be notified of the date. Specify a contact person in the letter of interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer
Engineering District 5-0
1713 Lehigh Street
Allentown, PA 18103

Attention: Mr. Stephen L. Caruano, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Stephen L. Caruano, P.E., District 5-0, at (610) 791-6062.

Delaware and Philadelphia Counties

Project Reference No. 08430AG2391

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately thirty-seven (37) inspectors, under the Department's Inspector(s)-in-Charge for construction in-

spection and documentation services on S. R. 0095, Section AIR, in Delaware and Philadelphia Counties.

This project will complete the construction of substructure and superstructure elements for five (5) structures ranging from 115 feet to 1,200 feet in length. Superstructures will have composite decks atop steel plate girders and prestressed concrete beams. The work also includes eight (8) new Mechanically Stabilized Retaining walls with a total length of approximately 4000 LF.

New Plain Cement Concrete Pavement Ramps will be constructed for the northbound and southbound access to the Airport. The northbound collector distributor road will be relocated northerly. Anticipated overall length of new roadway construction is 21,600 linear feet.

Other work will include the demolition of a multi-span structure, the construction of high mast and conventional lighting, new corridor signing and sign lighting, traffic signal modifications, drainage facility modifications and guiderail modifications and improvements.

All work will be performed while maintaining full access to the Airport and with minimal disruption to current mainline I-95 traffic. The Maintenance and Protection of Traffic will be integrated with the earlier foundations contract traffic control. The work will be closely coordinated with two (2) companion projects.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities. Department and District experience and supervisory experience.
- b. Specialized experience in structures, drainage, earthwork, concrete paving, pile driving and Maintenance and Protection of Traffic.
- c. Number of NICET and NECEPT certified inspectors in each payroll classification.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Ability to provide two (2) "CDS" operators or persons capable of inputting data into a personal computer (TCIS Classification) and two (2) licensed nuclear operators (TCI-M Classification).
- f. Past performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

A minimum of four (4) individuals submitted as part of your inspection staff must have a NECEPT Bituminous Field Technician Certification.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	6 (4)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	20 (11)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	8 (10)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$46.27
(TCIS)	\$40.54
(TCI-Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the

construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- a. One (1) 35 MM camera.
- b. One (1) digital camera.
- c. Safety vests-high visibility for inspectors.
- d. Eight (8) cellular phones with radio capability.
- e. Two (2) nuclear densometer gauge/license and a means to transport the gauges on demand.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	8
TCI-M	3
TCI	24

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew Warren, District Administrator
Engineering District 6-0
200 Radnor-Chester Road
St. Davids, PA 19087

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. George Dunheimer, District 6-0, at (610) 964-6554.

Allegheny County

Project Reference No. 08430AG2392

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately twelve (12) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following projects:

1. S. R. 3026, Section A02, Allegheny County Local Name: Millers Run at Koppers This is a bridge replacement project involving minor approach work. This will be

a demonstration job using precast substructure units. The project is located in South Fayette Township, Allegheny County.

2. S. R. 0130, Section A07, Allegheny County Local Name: Tri-Boro Expressway This project involves the replacement of concrete pavement. Maintenance will be performed on structures and guiderail, with signals and signs updated. The project is located in the Boroughs of East Pittsburgh, Turtle Creek, and Wilmerding, and the Municipality of Monroeville, Allegheny County.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, structures, asphalt approach work, drainage, guiderail work, and concrete pavement replacement. (References should be supplied for each inspector).
- b. Understanding of Department's requirements, policies, and specifications.
- c. Past performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	7 (6)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; two (2) inspectors certified in computer documentation and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauges/License ****
- 1 Vehicle for the Transportation of Nuclear Gauge ****
- 5 Cellular Telephones (Two-way Radios also acceptable)
- **** At point of need when needed.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI	9

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Raymond S. Hack, P.E., District Engineer
 Engineering District 11-0
 45 Thoms Run Road
 Bridgeville, PA 15017
 Attention: Design Liaison Unit

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Brian A. Krul, District 11-0, at (412) 429-3801.

Centre County

Project Reference No. 08430AG2393

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately sixteen (16) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 6220, Section B12, Centre County, Route 220 Relocation. This project involves 1.3 miles of new mainline construction with one (1) bridge and one (1) structure rehabilitation.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Past Performance.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Number of available inspectors in each payroll classification.
- e. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the require-

ments for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	8 (5)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

* One TCI must be CDS certified, one TCI must be concrete certified, and one must be Bituminous field certified.

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$46.27
(TCIS)	\$40.54
(TCI-Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License (at point of need when needed)
- 5 Cellular Phones

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI-M	1
TCI	10

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. George M. Khoury, P.E., District Engineer
 Engineering District 2-0
 1924-30 Daisy Street, P. O. Box 342
 Clearfield, PA 16830

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Vasco A. Ordenez, P.E., District 2-0, at (814) 765-0439.

Centre County

Project Reference No. 08430AG2394

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately eighteen (18) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 6220, Section A12, Centre County, Route 220 Reconstruction. This project

involves 1.5 miles of new mainline construction with six (6) bridges and one (1) box culvert.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Past Performance.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Number of available inspectors in each payroll classification.
- e. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (2)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	9 (5)*
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

* One TCI must be CDS certified, one TCI must be concrete certified, and one must be Bituminous field certified.

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$46.27
(TCIS)	\$40.54
(TCI-Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License (at point of need when needed)
- 5 Cellular Phones

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	3
TCIS	4
TCI-M	2
TCI	11

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. George M. Khoury, P.E., District Engineer
Engineering District 2-0
1924-30 Daisy Street, P. O. Box 342
Clearfield, PA 16830

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Vasco A. Ordonez, P.E., District 2-0, at (814) 765-0439.

Allegheny, Beaver and Lawrence Counties

Project Reference No. 08430AG2395

The Department will retain an engineering firm for an Open-End Contract for various engineering and/or environmental services on various projects located in Engineering District 11-0, that is Allegheny, Beaver and Lawrence Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$2.0 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Specialized experience and technical competence of firm.
- b. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-End Contracts. The specific experience of individuals employed by the firm shall be considered.
- c. Location of Consultant in respect to the District.
- d. Available staffing for this assignment and the ability to meet the Department's needs.

The work and services required under this Contract may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type,) minor

capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Raymond S. Hack, P.E., District Engineer
Engineering District 11-0
45 Thoms Run Road
Bridgeville, PA 15017

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Jeffrey Thompson, P.E., District 11-0, at (412) 429-4929.

Centre County

Project Reference No. 08430AG2396

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately nineteen (19) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 6220, Section C12, Centre County, Route 220 Relocation. This project involves 4.5 miles of new mainline construction with seven (7) bridges.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Past Performance.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Number of available inspectors in each payroll classification.
- e. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (2)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	10 (6)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$46.27
(TCIS)	\$40.54
(TCI-Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License
(at point of need when needed)
- 5 Cellular Phones

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	3
TCIS	4
TCI-M	2
TCI	12

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. George M. Khoury, P.E., District Engineer
Engineering District 2-0
1924-30 Daisy Street, P. O. Box 342
Clearfield, PA 16830

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Vasco A. Ordonez, P.E., District 2-0, at (814) 765-0439.

Cumberland County

Project Reference No. 08430AG2397

The Department will retain an engineering firm for a multi-phase, specific project agreement to provide preliminary studies, environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; shop drawing review and consultation during construction. This project is for the reconstruction of interchanges with S. R. 0015 and S. R. 0581 and with S. R. 0015 and S. R. 2014. Design services are required for approximately 4.12 km (2.56 miles) of S. R. 0581 and 2.45 km (1.52 miles) of S. R. 0015 in Camp Hill Boro and Lower Allen, Hampden, and East Pennsboro Townships, Cumberland County. This project limits are from a point 762 m (2,500 ft) south of Zimmerman Drive to the signalized intersection at the main entrance to the Camp Hill Mall, and on S. R. 0581 from a point 762 m (2,500 ft) west of S. R. 0015 to I-83 (York split). All ramps contained within these limits are also included. The design portion of the multi-phase project is expected to have an overall duration of approximately sixty (60) months with shorter, varying schedules for individual phases. The estimated construction cost of the new roadway and structures is approximately \$40 million.

The selected firm will be required to provide a variety of services including the following: project administration; field surveys; plotting of topography and cross sections; utility investigation and coordination; geotechnical studies; core borings, foundation designs; preliminary right-of-way investigation; safety reviews; life cycle cost analysis/pavement survey report; pavement and drainage designs; value engineering; field views; environmental studies and documentation; interagency permits; preliminary line,

grade and typical section development; and preliminary type, size, and location submission; final design activities including final Step 9 and TS&L; drainage and roadway design; highway lighting design; highway signing and pavement marking plans; right-of-way plans; traffic control plans; erosion and sedimentation control plans; structural rehabilitation designs and structure designs; and preparation of a plans, specifications, and estimates package; electronic data transfer; engineering services during construction including shop drawing review and consulting services.

The design of this project will be developed using metric units.

Welcom's Open Plan software will be used, by the Department, for project management and tracking.

A project specific Quality Development Plan will be prepared for the project.

Oral presentations will be required.

The Department is seeking a large, multi-disciplined firm with environmental, geotechnical, highway design, and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence with similar projects and their ability to provide innovative solutions to complex technical problems.
- b. Experience in highway design, structure design, geotechnical design, and hydrological/hydraulic analysis and design.
- c. Past record with respect to cost control, work quality, and ability to meet schedules.
- d. The project team including subconsultants.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and a maximum of ten (10) one sided pages of additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E., District Engineer
Engineering District 8-0
2140 Herr Street
Harrisburg, PA 17103
Attention: Mr. William Greene

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. William Greene, District 8-0, at (717) 783-5148.

Statewide Open-End Contract for Management of Preliminary & Final Design Activities

Project Reference No. 08430AG2398

The Department will retain engineering firms for two (2) Open-End Contracts for the Management of Preliminary and Final Design Activities on various projects located statewide.

The Contracts will each be for a sixty (60) month period with projects assigned on an as needed basis. The maximum amount of each Open-End Contract will be \$5.0 million. The Department reserves the option to extend the time and the amount of the contracts as required to complete assignments. It is estimated that a minimum of four (4) project assignments will be made by the Department within the first three (3) months of execution of these contracts.

The Department will establish an order of ranking of a maximum of five (5) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The engineer will provide the Department with the necessary technical expertise and services to assist in the successful completion of environmental studies, preliminary and final design and related environmental activities associated with highway and other transportation projects. The engineer's personnel should include a team of highly qualified environmental, planning, engineering, public/agency involvement, and automation technologies professionals to provide all necessary services to guide and assist Department and other consultant staff through the transportation project development activities. Many of the work assignments will be within the preliminary and final design phases and relate to engineering and environmental requirements. However, a significant portion of the work assignments will involve environmental activities relating to, but not limited to, Transportation Equity Act-21 (TEA 21) compliance and implementation of the 21st Century Environment Commission Plan, Greenways Plan, the Statewide Long Range Transportation Plan and EBAT, PennDOT's Baldrige Assessment Tool. Work assignments on projects within the final design phase shall exclude final design and will relate to preliminary engineering, environmental requirements, or review of final design prepared by others.

The following factors will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. The consultant firm and the proposed project team will possess the necessary specialized experience and technical competence to insure the following:
 1. Project management of preliminary and final design, and environmental studies.
 2. Technical assistance in preparing policy and project development materials for Department use.
 3. Quality control/assurance for the preparation, review and tracking of engineering and environmental documents and plans.
 4. The Department's compliance with the provisions of the Transportation Equity Act-21 (TEA-21).

5. Consistency and compliance with the provisions of the Department's Engineering & Construction Management Systems (ECMS), 21st Century Environment Commission Plan, Greenways Plan, the statewide Long Range Transportation Plan and PennDOT's Baldrige Assessment Tool.

6. Consistency and compliance with all applicable state and federal environmental laws, regulations, and procedures.

7. Adherence to established project schedules.

8. Timely permit application during the Transportation Project Development Process.

9. Utilization of cost effective and state-of-the-art analysis and documentation methods.

10. Technical assistance to the Department for the integration of automation technologies into environmental, preliminary design, final design and mitigation activities.

11. Consistency among transportation projects and local/regional (LDD/MPO) and statewide planning goals.

12. Sensitivity to local, state, and federal environmental goals and issues.

13. Responsiveness to public and agency needs and concerns.

14. Consistency in the planning, design and implementation of transportation enhancement projects.

15. Utilization and application of the new FHWA noise model.

16. Follow through on design and mitigation commitments, to include mitigation monitoring and evaluation.

17. Facilitation of the transition from preliminary design to final design, and from final design to construction.

18. Utilization of modern business practices.

19. Timely communication such that Department management is kept well informed, and properly involved in the project development process.

c. Past record of performance with respect to; cost control, work quality, ability to meet schedules and previous experience on relevant projects. The specific experience of individuals employed by the firm will be considered.

d. Projected workload for the next two calendar years.

e. Available staffing for assignments and the ability to meet the Department's needs.

The work and services required under this Contract may encompass a wide range of environmental study efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of assignments include, but are not limited to:

1. Provide design professional services to improve the effectiveness and efficiency of the transportation project development process.

2. Assist project teams with the development of project scopes of work.

3. Assist project teams with the development of needs analysis.

4. Monitor and review needs analysis during the Planning and Prioritization/Programming Phases.

5. Participate in and report on project scoping, status meetings, document review and public and agency meetings.

6. Review project scopes of work, technical proposals, and project schedules.

7. Monitor data collection, data management, and technical analysis activities.

8. Monitor and review comprehensive land use and community planning activities relative to transportation project development.

9. Review preliminary data and analysis.

10. Monitor public and agency involvement activities.

11. Assist project teams in developing engineering plans and documents in the preliminary and final design phases.

12. Review environmental reports and related documents, including mitigation plans.

13. Monitor and review key steps in the Section 404 permit processes including pre-application, application, public notice, evaluation, and special conditions to insure adequacy, timeliness, and completeness.

14. Monitor the development and submission of permits required by state agencies including those which may be required for erosion and sedimentation control, stormwater discharge, earth disturbance, placement of fill in controlled areas, and waterway and flood plain involvement.

15. Review permit applications.

16. Brief project study teams on applicable policies and procedures.

17. Brief management on project study progress and problems.

18. Prepare briefing materials, minutes of meetings, and technical articles as required.

19. Suggest cost effective and innovative approaches related to project development, review, and coordination procedures.

20. Assist with review and analysis of proposed legislation and current statutes, rules and regulations.

21. Review project designs to ensure that adequate avoidance, minimization, and other mitigation measures are incorporated.

22. Assist in the writing of policy and procedure memoranda.

23. Identify and evaluate tools for more effectively and efficiently managing the design phases of transportation projects.

24. Initiate, chair, and document special meetings with local interest groups, agencies, and/or Department and consultant personnel.

25. Identify and evaluate important research topics and assist with review of research activities and reports.

26. Manage agency/consultant coordination and assist with environmental, design or mitigation activities during the construction phase.

27. Review and monitor construction and maintenance projects to ensure that environmental mitigation measures are carried out and that appropriate environmental practices are employed.

28. Evaluate the effectiveness of innovative mitigation measures.

29. Develop and conduct training associated with implementation of transportation project development policies and procedures.

30. Research and conduct feasibility studies of software and automation systems applications for transportation design and environmental studies.

31. Evaluate state-of-the-art and emerging automation technologies for environmental studies, preliminary design, final design, and mitigation applications.

32. Assist in the preparation of overviews and marketing plans.

33. Evaluate and recommend technologies for disseminating information to the public and other agencies on transportation design and environmental studies.

The areas of management assistance for environmental studies required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination; scoping; correspondence; meeting minutes; public meetings and hearing presentations; visualization materials; handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; preliminary engineering plans, and remote sensing/mapping innovations; and, land use.

When given an assignment under the contract, the engineer will prepare work order proposals for guiding and assisting the Department in managing the project development of projects requiring an Environmental Impact Statement (EIS), an Environmental Assessment (EA) or a Categorical Exclusion Evaluation (CEE). The Department may also assign the engineer projects or groups of projects requiring a lesser environmental clearance document to include Section 4(f) documents, and to assist with the management of environmental issues related to planning, construction or maintenance activities. The engineer and subconsultants will not be asked to provide management services on a project for which the engineer or his subconsultants are involved in the development of the environmental documents, and/or their supporting studies.

The engineer will designate a contract manager and supporting staff to be located within the Harrisburg metropolitan area. No work shall be performed under this contract until project work orders are executed. In most cases project work orders will be originated in the Engineering District Offices.

The Director of the Bureau of Environmental Quality or his designee will administer this contract, and will coordinate the provision of consultant guidance and assistance with the Engineering District Offices and Central Office Bureaus. Although overall administration and coordination will be the responsibility of the Director of the Bureau of Environmental Quality, or his designee, the project level work will be the responsibility of the District Engineer, Bureau Director, or his designee under each project work order. The Chief of the Highway Quality Assurance Division of the Bureau of Design, or his designee, will assist in coordinating the provision of

consultant guidance and assistance, particularly in the engineering and environmental clearance (NEPA and Act 120) aspects of preliminary or final design.

The Department will supply the engineer with all correspondence, directives, manuals, and other information required to perform this work.

The engineer will develop and maintain a project file for each assigned project, which will be turned over to the Department as directed.

The Department will make Department publications and other appropriate training materials available to the consultant.

All assignments under this contract will be completed under separate work orders that are individually executed subparts of the overall contract. The engineer, when assembling and identifying his team of highly qualified environmental, engineering, planning, public/agency involvement, and automation technologies professionals should demonstrate the level of commitment to this project, particularly in respect to study requirements and response time. The engineer should clearly describe the qualifications and experience of each professional.

The Department will periodically evaluate the performance of the engineer. Work order performance evaluation reports and a final overall contract performance evaluation report will be issued to and reviewed with the engineer.

Monthly status reports for each assignment will be submitted by the engineer.

Due to the importance of proper management in successfully performing the assignments under this contract, the engineer should clearly describe a specific management approach, identify key operational elements, and identify a particular management team.

It is required that the engineer include all staff and subconsultants intended for use during the life of the contract in the technical proposal.

The development of preliminary engineering concepts shall be completed to the extent that the soundness of engineering principles has been verified. The further development in final design of these identified engineering concepts shall be the work of others.

The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2 x 11, one sided, plus an organization chart.

Interested firms should submit eight (8) copies of the letter of interest to: Danielle Shellenberger, Environmental Contract Manager, Bureau of Environmental Quality, 7th Floor, Forum Place, 555 Walnut Street, Harrisburg, PA 17101-1900. The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 prevailing time on the twentieth (20th) day following the date of this notice.

Technical questions concerning the requirements for this project should be directed to Danielle Shellenberger, BEQ, at (717) 783-6503.

Northumberland County

Project Reference No. 08430AG2384

This project advertisement appeared in the August 7, 1999 issue of the *Pennsylvania Bulletin*. The advertisement was to retain an engineering firm under a multi-phase, specific project agreement to perform preliminary engineering, environmental studies, final design and construction services for a bridge and roadway project; S. R. 0061, Section 079 in Coal Township and the City of Shamokin, Northumberland County.

The due date for Letters of Interest to the Department as stated in the August 7, 1999 advertisement is extended from August 13, 1999 to September 17, 1999. Letters of Interest previously submitted are acceptable or firms have the option of resubmitting. The District will announce the firms that have been shortlisted at an open public meeting rescheduled for October 1, 1999 at 10:00 A.M. at the Engineering District 3-0 office.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that requests engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.
3. Identify subconsultants, if any, including DBE/WBE, if required.
4. Identify key project staff.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-1453. Filed for public inspection August 27, 1999, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

**James B. Tortorice and Vicky Jerenko v. DEP and
Kenneth Dale and Mary Ann Dale; Doc. No.
98-110-R**

The Commonwealth of Pennsylvania, Department of Environmental Protection (Department) and James B. Tortorice and Vicky Jerenko have agreed to a settlement of the above matter.

The parties have agreed to a settlement, the major provisions of which include James Tortorice and Vicky Jerenko applying for a small project Water Obstruction and Encroachment Permit for a crossing which will convey Lobbs Run through the Tortorice property at approximately section 5-5.1 (as referenced in Commonwealth Exhibit No. 12) at a 100 year water surface elevation no higher than those elevations published in the flood insurance study for Allegheny County dated 1979.

Copies of the full agreement are in the possession of: Charney Regenstein, Assistant Counsel, Department of Environmental Protection, Office of Chief Counsel, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4262 and at the offices of the Environmental Hearing Board, and may be reviewed by an interested person on request during normal business hours.

Any person believing himself aggrieved by the above settlement has a right to appeal to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457. Appeals must be filed within 20 days of this publication.

If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 783-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Service at (800) 654-5984.

The Environmental Hearing Board is empowered to approve this settlement if no objection is timely filed with the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 99-1454. Filed for public inspection August 27, 1999, 9:00 a.m.]

FISH AND BOAT COMMISSION

Closure of Cloe Lake, Jefferson County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 53.15 (relating to Commission lakes or access areas under special time regulations), will temporarily close Cloe Lake, Jefferson County, to all public access and use related to fishing and boating, effective immediately. The Commission is closing Cloe Lake to public use related to fishing and boating so that the Commission may draw down the lake. This draw down is needed to inspect the emergency spillway.

Cloe Lake will be closed to all public use and access related to fishing and boating until further notice.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 99-1455. Filed for public inspection August 27, 1999, 9:00 a.m.]

Designation of 1999 Class A Wild Trout Waters

The Fish and Boat Commission (Commission) is considering the republication of its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of Pennsylvania's naturally reproducing trout fisheries. The Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Abundance Class Criteria include provisions for:

(i) Wild Brook Trout Fisheries

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lb/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) Wild Brown Trout Fisheries

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lb/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) Mixed Wild Brook and Brown Trout Fisheries

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lb/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lb/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) Wild Rainbow Trout Fisheries

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

In order for a water to be removed from the Class A Wild Trout Streams designation, total trout biomass must be documented below the set criteria for two consecutive stream examinations.

The Commission intends to consider the designation of Class A Wild Trout Streams at its meeting on September 27, 1999. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, by no later than September 24, 1999. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically at "regulations @ fish.state.pa.us." A subject heading of the proposal and a return name and address must be included in each transmission. In addition, all electronic comments must be contained in the text of the transmission, not in an attachment. If an acknowledgment of

electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

A complete list of waters that the Commission is designating as Class A Wild Trout Waters is as follows:

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Adams	Antietam Creek, E. Branch	From headwaters downstream to Waynesboro Reservoir	2.5 miles
Adams	Carbaugh Run	From headwaters downstream to Carbaugh Run Reservoir	1.6 miles
Bedford	Potter Creek	From Route T-609 bridge downstream to Mouth	3.3 miles
Bedford	Yellow Creek	From Keagy Dam Breast downstream to Dam Breast at Waterside	1.4 miles
Berks	Beaver Run	From headwaters downstream to mouth	3.1 miles
Berks	Bieber Creek	From SR 2026 Bridge/Boyers Junction downstream to Dam at SR 1021 T-593 Junction	2.2 miles
Berks	Furnace Creek	From headwaters downstream to 930 meters upstream from SR 4044	2.8 miles
Berks	Hay Creek	From headwaters downstream to SR 0082 at Geigertown	6.4 miles
Berks	Perkiomen Creek, NW Branch	SR 1022 downstream to SR 2069	4.9 miles
Berks	Peters Creek	From headwaters spring downstream to the mouth	0.75 miles
Berks	Pine Creek	From headwaters downstream to mouth	6.0 miles
Berks	Six Penny Creek	From headwaters downstream to mouth at Schuylkill River	3.7 miles
Berks	Swamp Creek	From headwaters downstream to dam in Bechtelsville	2.6 miles
Berks	UNT Perkiomen Creek, NW Branch	From headwaters downstream to mouth	2.4 miles
Berks	UNT to Six Penny Creek	From headwaters downstream to mouth	1.7 miles
Berks	Wyomissing Creek	SR 222 downstream to dam pool downstream Wyomissing Blvd	2.4 miles
Berks/Lehigh	Perkiomen Creek	From headwaters downstream to SR 1010 at Hereford	5.3 miles
Blair	Clover Creek	From LR07009 bridge near Larke downstream to mouth	6.0 miles
Blair	Piney Creek	From mouth of Poverty Hollow Run downstream to mouth at Gannister	6.2 miles
Blair	Tipton Run	From headwaters downstream to upper limit of slackwater at Tipton Reservoir	2.5 miles
Blair	Tipton Run	From dam at Tipton Reservoir downstream to mouth	4.6 miles
Blair/Centre	Big Fill Run	From confluence of Big Fill Run and Wolf Run downstream to mouth	4.7 miles
Blair/Huntingdon	Fox Run	From headwaters downstream to mouth	2.4 miles
Bradford	Chilson Run	From headwaters downstream to mouth	1.6 miles
Bradford	Deep Hollow	2.87 miles upstream mouth downstream to mouth	2.9 miles
Bradford	Millstone Creek	From headwaters downstream to Deep Hollow Run	3.5 miles
Bradford	Pine Swamp Run	From headwaters downstream to mouth	2.3 miles
Bradford	Sugar Run	From headwaters downstream to mouth	3.2 miles
Bucks	Cooks Creek	From confluence with Silver Creek downstream to SR 4075 bridge	3.7 miles
Bucks	Cooks Creek	SR 4075 bridge downstream to mouth	2.2 miles
Bucks	UNT Cooks Creek (Silver Creek)	From a spring 0.5 miles upstream of mouth downstream to mouth	0.5 miles
Bucks	UNT Cooks Creek (Coon Hollow Run)	From headwaters downstream to mouth	2.5 miles
Cambria	Bens Creek	From headwaters downstream to the Portage Water Authority Bkwtr	2.7 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Cambria	Conemaugh River, Little S Fork	From headwaters downstream to Beaverdale Reservoir	2.0 miles
Cambria	Sandy Run	From headwaters downstream to mouth	2.2 miles
Cameron	Bailey Run, Little	From headwaters downstream to mouth	1.4 miles
Cameron	Black Stump Hollow	From headwaters downstream to mouth	2.2 miles
Cameron	Bronson Run	From headwaters downstream to mouth	2.3 miles
Cameron	Brooks Run	From confluence of left & right branches downstream to SF RD bridge 2.9 km upstream mouth	1.6 miles
Cameron	Canoe Run	From headwaters downstream to mouth	3.1 miles
Cameron	Colbert Hollow	From headwaters downstream to mouth	1.8 miles
Cameron	Cowley Run	From confluence of East & West Branch downstream to mouth	0.9 miles
Cameron	Finley Run	From headwaters downstream to Forest Rd Bridge 2.1 miles upstream from mouth	2.5 miles
Cameron	Grove Run	From headwaters downstream to mouth	5.8 miles
Cameron	Hunts Run	From McNuff Branch downstream to mouth	4.7 miles
Cameron	Lick Island Run	From confluence with Gravelly Run downstream to mouth	1.4 miles
Cameron	McNuff Branch	From headwaters downstream to mouth	5.1 miles
Cameron	Miller Run	From headwaters downstream to mouth	2.2 miles
Cameron	Norcross Run	From headwaters downstream to mouth	3.0 miles
Cameron	Sinn-Portage Creek	From confluence with Parker Run downstream to confluence with Cowley Run	2.5 miles
Cameron	Sinnemahoning Creek Driftwood Branch	From headwaters downstream to confluence with Elk Fork	6.8 miles
Cameron	Square Timber Run	From headwaters downstream to mouth	3.7 miles
Cameron	Whitehead Run	From headwaters downstream to mouth	2.5 miles
Carbon	Aquashicola	Bridge on T-372 downstream to Chicola Lake	2.4 miles
Carbon	Black Creek	From Weider Tract downstream to mouth	3.0 miles
Carbon	Hickory Run	From Sand Spring Run downstream to mouth	1.6 miles
Carbon	Little Bear Creek	From headwaters downstream to confluence with Big Bear Creek	1.9 miles
Centre	Benner Run	From headwaters downstream to first tributary below Pine Haven Camp	2.0 miles
Centre	Black Bear Run	From headwaters downstream to Black Bear Reservoir	3.7 miles
Centre	Bougher Run	From headwaters downstream to mouth	3.0 miles
Centre	Buffalo Run	From headwaters downstream to bridge at SR 3008	5.5 miles
Centre	Buffalo Run	From SR 3008 Bridge in Fillmore downstream to mouth	6.7 miles
Centre	Cedar Run	From headwaters downstream to mouth	2.9 miles
Centre	Elk Creek	From headwaters downstream to Stover Gap Road	1.5 miles
Centre	Elk Creek	From Stover Gap Road downstream to the spring approximately 0.8 miles west of SR 0445 and SR 874 intersection	5.8 miles
Centre	Elk Creek	From the spring 9.8 km upstream of mouth downstream to mouth	6.1 miles
Centre	Fields Run	From headwaters downstream to mouth	4.9 miles
Centre	Galbraith Gap	From headwaters downstream to mouth	3.2 miles
Centre	Laurel Run	From Whetstone Run downstream to the mouth	2.09 miles
Centre	Lick Run	From headwaters downstream to mouth	2.5 miles
Centre	Little Fishing Creek	From spring 6.8 km above T-420 downstream to 1.2 km below T-470 in Mingoville	6.5 miles
Centre	Logan Branch	From 135 m upstream T-371 bridge downstream to Axemann Spring	1.6 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Centre	Logan Branch	From Axemann Spring downstream to mouth	2.0 miles
Centre	Muddy Creek	From headwaters downstream to mouth	3.6 miles
Centre	Nittany Creek	From I-80 eastbound bridge downstream to mouth	2.9 miles
Centre	Penns Creek	From confluence with Elk Creek at Coburn downstream to .6 km downstream from confluence with Swift Run	7.0 miles
Centre	Pine Creek	From headwaters downstream to bridge on Stony Run Road	3.7 miles
Centre	Pine Creek	From SR 2018 bridge downstream to mouth	1.5 miles
Centre	Rock Run	From headwaters downstream to the confluence with Middle Branch of Rock Run	1.4 miles
Centre	Rock Run, Middle Branch	From headwaters downstream to mouth	2.7 miles
Centre	Smays Run	From headwaters downstream to mouth	1.1 miles
Centre	Spring Creek	From SR 3010 bridge downstream to Thorton Spring at SR 0026 bridge	2.0 miles
Centre	Spring Creek	From Thorton Spring downstream to 2.0 km below T-376 bridge	3.1 miles
Centre	Spring Creek	From 2.0 km below T-376 bridge downstream to upper limit of Fisherman's Paradise	5.5 miles
Centre	Spring Creek	Fisherman's Paradise	1.0 miles
Centre	Spring Creek	From downstream limit of Fisherman's Paradise downstream to RR trestle 100 yds above dam in Bellefonte	3.7 miles
Centre	Spring Creek	Lamb Street bridge in Bellefonte downstream to mouth	2.3 miles
Centre	Spruce Creek	From private road south of Rock Spring downstream to Centre/Huntingdon Co. line	2.0 miles
Centre	Thompson Run, Unit #3	From headwaters at Duck Pond downstream to mouth	0.9 miles
Centre	Tomtit Run	From headwaters downstream to 300 m upstream from mouth	3.8 miles
Centre	Trim Root Run	From headwaters downstream to mouth	2.5 miles
Centre	Wallace Run	From confluence of North Branch downstream to UNT at Gum Stump	2.0 miles
Centre/ Clearfield	Moshannon Creek	From headwaters downstream to Roup Run	5.0 miles
Chester	Little Valley Creek	From tributary upstream of SR 0202 bridge downstream to mouth	1.7 miles
Chester/ Montgomery	Valley Creek	From SR 0029 downstream to mouth	7.0 miles
Clearfield	Jack Dent Branch	From headwaters downstream to first Jack Dent Road bridge	1.8 miles
Clearfield	Simeling Run	From headwaters downstream to mouth	2.5 miles
Clinton	Amos Branch	From headwaters downstream to mouth	4.7 miles
Clinton	Barney Run	From headwaters downstream to mouth	4.7 miles
Clinton	Bear Run	From headwaters downstream to mouth	2.7 miles
Clinton	Beaver Dam Run	From confluence Left Fork and Right Fork downstream to mouth	1.6 miles
Clinton	Boggs Hollow	From headwaters downstream to mouth	5.2 miles
Clinton	Burns Run	From headwaters downstream to mouth	3.8 miles
Clinton	Calhoun Branch	From headwaters downstream to confluence with Trout Run	2.5 miles
Clinton	Camp Run	From headwaters downstream to 3.1 km upstream from mouth	1.9 miles
Clinton	Cedar Run	From headwaters downstream to mouth	5.6 miles
Clinton	Cranberry Run	From headwaters downstream to mouth	2.9 miles
Clinton	East Kammerdiner Run	From headwaters downstream to Keller Reservoir	1.7 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Clinton	Ferney Run	From headwaters downstream to mouth	4.6 miles
Clinton	Fishing Creek	From 0.3 miles above the T-350 bridge downstream to Sink Hole below SR 2007 bridge	5.3 miles
Clinton	Fishing Creek	From 200 yards above SR 0880 bridge downstream to bridge at Tylersville Fish Culture Station	3.4 miles
Clinton	Fishing Creek	From Tylersville Fish Culture Station downstream to Flemings Bridge (SR 2004)	5.2 miles
Clinton	Fishing Creek	From Flemings Bridge (SR 2004) downstream to Cedar Run	9.8 miles
Clinton	Gann Run	From headwaters downstream to mouth	1.3 miles
Clinton	Gottshall Run	From headwaters downstream to mouth	2.0 miles
Clinton	Henry Run	From headwaters downstream to mouth	3.7 miles
Clinton	Hunter Hollow	From headwaters downstream to mouth	1.5 miles
Clinton	Hynier Run, East Branch	From headwaters downstream to mouth	3.3 miles
Clinton	John Summerson Branch	From headwaters downstream to mouth	2.4 miles
Clinton	Love Run	From headwaters downstream to mouth	1.8 miles
Clinton	Mill Run	From headwaters downstream to Crabapple Hollow	2.6 miles
Clinton	Montour Run	From headwaters downstream to mouth	3.2 miles
Clinton	Rattlesnake Run	From headwaters downstream to confluence with Wildcat Hollow	3.8 miles
Clinton	Rauchtown Creek	SR 0880 upstream Gotshall Run upstream to confluence with Rockey/Krape	1.2 miles
Clinton	Ritchie Run	From headwaters downstream to mouth	3.2 miles
Clinton	Rock Run	From headwaters downstream to polluted spring approximately 630 m downstream from confluence with Wild cat Hollow	3.9 miles
Clinton	Shingle Branch	From headwaters downstream to 2.4 km upstream from mouth	3.3 miles
Clinton	Swamp Branch	From headwaters downstream to confluence with East Branch of Big Run	3.4 miles
Clinton	Trout Run	From confluence Greene & Calhoun Branch downstream to mouth	2.4 miles
Clinton	Two Mile Run	From headwaters downstream to confluence with Middle Branch of Two Mile Run Md Br	2.7 miles
Clinton	Young Womans Creek	From Beechwood Trail downstream to State Forest property line	5.5 miles
Columbia	Fisher Run	From headwaters downstream to the mouth	2.8 miles
Columbia	Furnace Run	From headwaters downstream to mouth	1.4 miles
Columbia	Klingermans Run	From headwaters downstream to mouth	2.4 miles
Columbia	Lick Run	From headwaters downstream to mouth	4.1 miles
Columbia	Little Fishing Creek	From headwaters downstream to SR 4032	4.3 miles
Columbia	Roaring Creek	From headwaters downstream to mouth of Lick Run	6.0 miles
Columbia	Tenmile Run	From headwaters downstream to T-409	3.0 miles
Crawford	Shirley Run	From SR 1032 bridge downstream to SR 0089 bridge	2.0 miles
Crawford	Sugar Creek, East Branch	From SR 0428 bridge downstream to mouth	3.5 miles
Cumberland	Big Spring Creek	From source downstream to old Thomas Dam	0.6 miles
Cumberland	Letort Spring Run	From Letort Spring downstream to southern edge of Letort Spring Park	1.7 miles
Cumberland	Letort Spring Run	From southern edge of Letort Spring Park downstream to sewage treatment plant	1.9 miles
Cumberland	Trindle Spring Run (Silver Springs)	From a spring source near Silver Spring meeting house downstream to mouth	0.9 miles
Elk	Dents Run	From headwaters downstream to mouth	10.5 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Elk	Little Dents Run	From headwaters downstream to mouth	2.0 miles
Elk	Spring Run	From confluence with Stoney Brook downstream to confluence with UNT 600 m downstream of Elk State Forest boundary	2.3 miles
Elk	Straight Creek, South Fork	Headwaters downstream to mouth	4.6 miles
Elk	Vineyard Run	From headwaters downstream to Spring Creek Horton Twp line	2.4 miles
Erie	Beaver Run	From bridge on T-778 downstream to mouth	4.7 miles
Erie	Trout Run	From Twitchell Rd downstream to mouth	2.3 miles
Fayette	Buck Run	From headwaters downstream to 2.3 km above mouth	1.7 miles
Franklin	Antietam Creek, West Branch	From headwaters downstream to SR 0997	3.4 miles
Franklin	Bear Valley Run	From headwaters downstream to mouth	3.7 miles
Franklin	Broad Run	From headwaters downstream to 4.6 km upstream of mouth at shale pit	5.3 miles
Franklin	Broad Run	From shale pit downstream 1.6 miles to Tree Farm Lane Bridge	1.6 miles
Franklin	Falling Spring Branch	From source at spring downstream to T-515 bridge	1.3 miles
Franklin	Falling Spring Branch	From T-515 bridge downstream to T-519 bridge	0.5 miles
Huntingdon	Spruce Creek	Lower body PSU exp area upstream to upper body PSU exp area	0.5 miles
Huntingdon	Standing Stone Creek, East Branch	Dam at Greenwood Furnace State Park downstream to mouth	9.2 miles
Juniata	Lost Creek	From headwaters downstream to SR 0235 bridge	3.4 miles
Juniata	Lost Creek	From SR 0235 bridge downstream to SR 0035 bridge	5.1 miles
Juniata	UNT to Willow Run	From SR 0035 bridge in Peru Mills downstream to confluence with Willow Run	1.1 miles
Juniata	Willow Run	From confluence of Willow Run and UNT downstream to T-314 bridge crossing	3.6 miles
Juniata	Willow Run	From T-314 bridge downstream to SR 0850 bridge	2.5 miles
Juniata/Mifflin	Spectacle Run	From headwaters downstream to mouth	2.9 miles
Lackawanna	Ash Creek	From SGL #135 downstream to mouth	1.9 miles
Lackawanna	Greene Run	From headwaters downstream to mouth	4.9 miles
Lackawanna	Kellum Creek	From headwaters downstream to mouth	2.5 miles
Lackawanna	Lackawanna River	From the ups Carbondale city line downstream to Gilmartin Street	6.7 miles
Lackawanna	Lackawanna River	From Gilmartin Street downstream to Depot Street	3.1 miles
Lackawanna	Lackawanna River	From Depot Street downstream to Mellow Park Foot bridge	0.7 miles
Lackawanna	Lackawanna River	From Mellow Park Foot bridge downstream to Route 347	1.1 miles
Lackawanna	Lake Run	From headwaters downstream to the mouth	1.1 miles
Lackawanna	Panther Creek	From headwaters downstream to mouth	2.8 miles
Lackawanna	Rattlesnake Creek	From lower bridge on SR 0690 downstream to mouth	2.2 miles
Lackawanna	Roaring Brook	From headwaters downstream to upper limit of Hollisterville Dam	3.2 miles
Lackawanna	Roaring Brook	Hollisterville Dam downstream to Elmhurst reservoir	3.9 miles
Lackawanna	Spring Brook	Watres Dam downstream to Nesbitt Reservoir	2.7 miles
Lancaster	Conowingo Creek	From headwaters downstream to SR 3005	5.5 miles
Lancaster	Segloch Run	From T-596 Y T-548 int downstream to SR 1026 bridge	2.2 miles
Lancaster	UNT to Conowingo Creek	From headwaters downstream to the mouth	1.6 miles
Lancaster	UNT to Trout Run	From headwaters downstream to confluence with Trout Run	1.9 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Lancaster/ Lebanon	Shearers Creek	From headwaters downstream to Powerline near County Line	1.7 miles
Lehigh	Cedar Creek	From SR 1019 bridge downstream to Lake Muhlenberg	1.1 miles
Lehigh	Lehigh Creek, Little	From T-476 downstream to the confluence with Spring Creek	1.6 miles
Lehigh	Trout Creek	From first bridge on Dixon St downstream to mouth at Little Lehigh Creek	1.6 miles
Luzerne	Arnold Creek	From headwaters downstream to SR 0118	2.3 miles
Luzerne	Arnold Creek	SR 0118 downstream to mouth	2.7 miles
Luzerne	Butternut Run	From headwaters downstream to mouth	1.5 miles
Luzerne	Fades Creek	From pipeline crossing downstream to mouth	1.7 miles
Luzerne	Huntington Creek	From headwaters downstream to 300 m upstream T-575	2.7 miles
Luzerne	Lick Branch	From headwaters downstream to the mouth	2.5 miles
Luzerne	Little Schickshinny	From T-429 downstream to mouth	2.5 miles
Luzerne	Mitchler Run	From headwaters downstream to the mouth	1.9 miles
Luzerne	Oley Creek	From headwaters downstream to SGL #187 boundary near Dennison township line	1.0 miles
Luzerne	Pikes Creek	From headwaters downstream to upper most arm of Pikes Creek Reservoir	3.7 miles
Luzerne	Shingle Run	From source downstream to confluence with Huntington Creek	1.7 miles
Luzerne	Solomon Creek	From headwaters downstream to confluence with Pine Creek	2.4 miles
Lycoming	Aughanbaugh Run	From headwaters to mouth	0.9 miles
Lycoming	Bear Run	From headwaters downstream to mouth	4.7 miles
Lycoming	Big Run	From headwaters downstream to mouth	1.6 miles
Lycoming	Callahan Run	From headwaters downstream to mouth	1.9 miles
Lycoming	Dog Run	From headwaters downstream to mouth	0.9 miles
Lycoming	Engle Run	From headwaters downstream to mouth	4.9 miles
Lycoming	Flicks Run	From headwaters downstream to mouth	3.2 miles
Lycoming	Grays Run	From T-842 downstream to mouth	2.2 miles
Lycoming	Hagerman Run	From headwaters downstream to mouth	2.4 miles
Lycoming	Hawk Run	From headwaters downstream to mouth	3.2 miles
Lycoming	McMurrin Run	From Sand Spring downstream to sink near T- 030	4.0 miles
Lycoming	Mill Run	From headwaters downstream to mouth	3.8 miles
Lycoming	Miller Run	From headwaters downstream to mouth	3.9 miles
Lycoming	Morgan Valley Run	From headwaters downstream to mouth	1.2 miles
Lycoming	Potash Hollow	From headwaters downstream to the mouth	2.9 miles
Lycoming	Ramsey Run	From headwaters downstream to mouth	2.7 miles
Lycoming	Slate Run	From confluence with Francis Branch and Cushman Branch downstream to mouth	7.1 miles
Lycoming	Trout Run	From headwaters downstream to mouth	6.9 miles
Lycoming	UNT—Fourth Gap	From headwaters downstream to mouth	3.0 miles
Lycoming	White Deer Hole Creek	From headwaters downstream to T-384 bridge	4.7 miles
Lycoming	Wolf Run Noon Branch	From headwaters downstream to mouth	2.0 miles
McKean	Lewis Run	From headwaters downstream to mouth	5.0 miles
McKean	Tunungwant Creek, East Branch	From confluence of Pigeon Run downstream to Main Street bridge in Lewis Run	3.0 miles
McKean	Tunungwant Creek, East Branch	From Main Street bridge in Lewis Run downstream to T-331 bridge in Lewis Run	1.0 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
McKean	Tunungwant Creek, East Branch	T-331 bridge at Howard downstream to SR 4002 bridge	3.5 miles
McKean/Potter	Allegheny Portage Creek	Confluence with Brown Hollow downstream to confluence with Scaffold Lick Run	1.6 miles
Mifflin	Frog Hollow (Alexander Springs Run)	From headwaters downstream to mouth	1.1 miles
Mifflin	Honey Creek	From Alexander Caverns downstream to mouth	3.8 miles
Mifflin	Kishacoquillas Creek	From Yeagertown RR bridge downstream to Mill Road bridge	2.4 miles
Mifflin	Long Hollow Run	From confluence with UNT near T-741 intersection downstream to the mouth	1.9 miles
Mifflin	Tea Creek	From spring at SR 0322 bridge downstream to mouth	1.1 miles
Mifflin/Union	Penns Creek	600 miles below the confluence with Swift Run downstream to 0.3 mi. Downstream from confluence with Cherry Run	3.6 miles
Monroe	Appenzell Creek	From SR 3018 at Neola downstream to mouth	4.0 miles
Monroe	Broadhead Creek, Middle Branch	From headwaters downstream to confluence with Broadhead Creek	3.2 miles
Monroe	Cranberry Creek	Lake outlet at Cresco downstream to T-590 bridge	3.1 miles
Monroe	Devils Hole Creek	From separated SGL #221 border downstream to SGL #221 border	1.8 miles
Monroe	Devils Hole Creek	From upper boundary of SGL #221 downstream to lower boundary of SGL #221	1.4 miles
Monroe	Devils Hole Creek	From SGL #221 downstream to mouth	1.1 miles
Monroe	Dotters Creek	From Monroe/Carbon Co. border downstream to confluence with UNT below Jonas	1.9 miles
Monroe	Dotters Creek	From confluence with UNT below Jonas downstream to bridge on T-442	2.4 miles
Monroe	Middle Creek	From 0.25 km above T-444 downstream to mouth	4.9 miles
Monroe	Mill Creek	From Headwaters downstream to SGL #221 border	1.9 miles
Monroe	Pohopoco Creek	From Bridge on SR 3016 downstream to SR 0209 Bridge in Kresgeville	8.0 miles
Monroe	Poplar Run	Delaware State Forest	2.5 miles
Monroe	Singer Run	From SGL #127 downstream to mouth	1.0 miles
Northampton	Bushkill Creek	From Dam at Binney & Smith factory downstream to Easton Heights Dam	1.7 miles
Northampton	Bushkill Creek	From SR 2019 bridge downstream to SR 2019 and SR 2036 Int	1.3 miles
Northampton	Frya Run	From spring 1 mile up from mouth downstream to mouth	1.0 miles
Northampton	Monocacy Creek	From SR 0987 bridge downstream to SR 0248 bridge	1.9 miles
Northampton	Monocacy Creek	From Gertrude Fox conservation area downstream to Illicks Mill Dam	1.9 miles
Northampton	Nancy Run	From bridge on SR 3007 downstream to mouth	1.6 miles
Northampton	Saucon Creek	From confluence Black R downstream to SR 0412	2.1 miles
Northumberland	Roaring Creek, South Branch	From SR 2024 downstream to T-335 bridge	3.0 miles
Perry	Shaeffer Run	From Couch Road Bridge at 2nd narrows downstream to Tuscarora St. Forest boundary	3.9 miles
Pike	Bushkill Creek	From Bushkill Swamp downstream to Delaware State Forest boundary	2.7 miles
Pike	Pond Eddy Creek	From 2.2 miles above mouth downstream to mouth	2.2 miles
Pike	Sawkill Creek	From confluence with Sloat Bank downstream to mouth	1.3 miles
Pike	Toms Creek	From Delaware Water Gap NRA boundary downstream to mouth	2.1 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Potter	Beech Run	From headwaters downstream to mouth	1.9 miles
Potter	Big Moores Run	From headwaters downstream to confluence with Knickerbocker Hollow	3.4 miles
Potter	Big Moores Run	From confluence with UNT at Bluecoat Trail downstream to 2.9 km above mouth	1.6 miles
Potter	Big Nelson Run, Left Branch	From headwaters downstream to mouth	4.0 miles
Potter	Birch Run	From headwaters downstream to mouth	5.3 miles
Potter	Cherry Run	From headwaters downstream to mouth	2.1 miles
Potter	Commissioner Run	From headwaters downstream to mouth	1.7 miles
Potter	Cross Fork Creek	From confluence with Rhulo Hollow downstream to 400 m downstream from T-416	5.4 miles
Potter	Dingman Run	From headwaters downstream to mouth	4.0 miles
Potter	Dry Run	From headwaters downstream to mouth	3.6 miles
Potter	Dwight Creek	From headwaters downstream to mouth	2.4 miles
Potter	Elevenmile Creek	From headwaters downstream to T-379 (Turkey Path Rd)	4.5 miles
Potter	Francis Branch	From headwaters downstream to the confluence with Kramer Hollow	4.0 miles
Potter	Freeman Run	From confluence with Postal Weight Hollow downstream to confluence with Bark Shanty Hollow	2.2 miles
Potter	Freeman Run, West Branch	Headwaters downstream to confluence with Gas Well Hollow	3.2 miles
Potter	Freeman Run, West Branch	Gas Well Hollow downstream to mouth	2.7 miles
Potter	Genesee Forks	From confluence of Baldwin & Lehman Hollow downstream to confluence with California Creek	2.6 miles
Potter	Genesee Forks	From confluence with California Creek downstream to mouth	5.1 miles
Potter	Genesee River, Mc Branch	From headwaters downstream to T-450 bridge near Gold	3.6 miles
Potter	Genesee River, West Branch	From T-410 bridge downstream to confluence with Rose Lake Run	2.4 miles
Potter	Germania Branch	From Straight Run downstream to mouth	2.2 miles
Potter	Hammersley Fork	From headwaters downstream to confluence with Bell Branch	6.9 miles
Potter	Indian Run	From headwaters downstream to mouth	2.5 miles
Potter	Johnson Brook	From headwaters downstream to SGL boundary above Thunder Run	3.5 miles
Potter	Kettle Creek	From Billings Branch downstream to confluence with Long Run	7.9 miles
Potter	Long Run	From confluence with Lechler Branch downstream to mouth	4.9 miles
Potter	Lushbaugh Run, Right Branch	From headwaters downstream to mouth	2.9 miles
Potter	Lyman Run	From headwaters downstream to confluence with Splash Dam Hollow	1.5 miles
Potter	Lyman Run	From confluence with Splash Dam Hollow downstream to Lyman Lake	3.8 miles
Potter	Mill Creek	From bridge at Coudersport County Club downstream to mouth	5.9 miles
Potter	Nelson Branch	From headwaters downstream to mouth	5.2 miles
Potter	Ninemile Run	From headwaters downstream to confluence with Commissioner Run	2.2 miles
Potter	Ninemile Run	From confluence with Commissioner Run downstream to mouth	3.9 miles
Potter	Oswayo Creek	From lower hatchery property line downstream to confluence with Clara Creek	5.5 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Potter	Phoenix Run	From confluence with Little Phoenix Run downstream to mouth	5.3 miles
Potter	Pine Creek	From headwaters downstream to confluence with Buckseller Run	3.7 miles
Potter	Pine Creek	From confluence with Buckseller Run downstream to confluence with Genesee Forks	4.8 miles
Potter	Prouty Run	From confluence with Ford Hollow downstream to mouth	2.9 miles
Potter	Reed Run	From confluence with Reed Run Rt Fk downstream to mouth	1.8 miles
Potter	Sawmill Run	From headwaters downstream to mouth	2.3 miles
Potter	Schoolhouse Run	From headwaters downstream to the mouth	1.9 miles
Potter	Sinn Creek, East Fork	From headwaters downstream to Dolliver Trail	2.5 miles
Potter	Sinn Creek, East Fork	From confluence with Wild Boy Run downstream to confluence with Camp Run	2.9 miles
Potter	Sliders Branch	From headwaters downstream to mouth	3.9 miles
Potter	Splash Dam Hollow	From headwaters downstream to mouth	2.7 miles
Potter	Stony Lick Run	From headwaters downstream to mouth	3.2 miles
Potter	Wildboy Run	From headwaters downstream to mouth	2.4 Miles
Potter	Windfall Run	From headwaters downstream to mouth	6.1 miles
Schuylkill	Bear Creek	Headwaters downstream to 500 m below Jct T-895/T- 594	3.4 miles
Schuylkill	Beaver Creek	From headwaters downstream to the bridge on the lane off of SR 1013	1.5 miles
Schuylkill	Catawissa Creek, Little	From headwaters downstream to T-431	2.1 miles
Schuylkill	Cold Run	From headwaters downstream to the conf with Beaver Creek	2.7 miles
Schuylkill	Crooked Run	From headwaters downstream to mouth	4.4 miles
Schuylkill	Crooked Run, Little	From headwaters downstream to mouth	1.7 miles
Schuylkill	Davis Run	From headwaters downstream to mouth	1.2 miles
Schuylkill	Messers Run	From Lofty Rs downstream to Blue Head Rs	2.4 miles
Schuylkill	Negro Hollow	From headwaters downstream to mouth	1.1 miles
Schuylkill	Owl Creek	From headwaters downstream Tamaqua Reservoir	0.25 miles
Schuylkill	Owl Creek	Tamaqua Reservoir downstream to mouth	1.7 miles
Schuylkill	Rattling Run	From headwaters downstream to mouth	1.8 miles
Schuylkill	Trexler Run	From headwaters downstream to mouth	3.0 miles
Schuylkill	Tumbling Run	Headwaters downstream to Silver Creek Reservoir	5.1 miles
Schuylkill/ Berks	Rattling Run	From headwaters downstream to mouth	3.9 miles
Schuylkill/ Berks	Schuylkill RL	From headwaters downstream to mouth	1.8 miles
Schuylkill/ Luzerne	Raccoon Creek	From headwaters downstream to mouth	3.2 miles
Somerset	Allwine Creek	From headwaters downstream to mouth	1.9 miles
Somerset	Beaverdam Run	From outflow of pond near Daley downstream to SR 1018 bridge downstream of SGL #228	3.2 miles
Somerset	Enos Run	From headwaters downstream to the mouth	1.2 miles
Somerset	Higgins Run	From coal tipple at RM 1.37 downstream to mouth	1.4 miles
Somerset	Laurel Run	From PA/MD state line downstream to 300 m downstream of T-331 bridge	2.9 miles
Somerset	Laurel Run	From 300 m downstream of T-331 bridge downstream to the mouth	5.5 miles
Somerset	UNT to Beaverdam Creek	From headwaters downstream to the mouth	1.8 miles
Somerset	Zehner Run	From PA/MD border downstream to mouth	1.4 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Sullivan	Deep Hollow Run	From headwaters downstream to mouth	2.4 miles
Sullivan	Fishing Creek, West Branch	From headwaters downstream to Hemlock Run	2.5 miles
Sullivan	Hoagland Branch	From headwaters downstream to SR 0154 bridge	2.2 miles
Sullivan	Swanks Run	From headwaters downstream to mouth	1.6 miles
Sullivan	Tamarack Run	From headwaters downstream to mouth	3.7 miles
Sullivan	UNT Painter Run	From headwaters downstream to mouth	1.9 miles
Tioga	Apple Tree Hollow	From headwaters to mouth	2.4 miles
Tioga	Asaph Run Rt	Confluence with Bear Wallow Br & Roberts Br downstream to confluence with Asaph Run	1.7 miles
Tioga	Baker Branch	From headwaters downstream to mouth	3.9 miles
Tioga	Baldwin Run	From headwaters downstream to mouth	4.7 miles
Tioga	Billings Branch	From headwaters downstream to mouth	2.5 miles
Tioga	Bohen Run	From headwaters downstream to mouth	1.3 miles
Tioga	Canada Run	From headwaters downstream to mouth	3.2 miles
Tioga	Cedar Run	From headwaters downstream to confluence with Buck Run	3.6 miles
Tioga	Cedar Run	From confluence of Buck Run downstream to Fahnestock Run	2.8 miles
Tioga	Cushman Branch	From headwaters downstream to confluence with Bear Run	3.7 miles
Tioga	Cushman Branch	From confluence with Bear Run downstream to mouth	0.6 miles
Tioga	Elk Run	From headwaters downstream to Thompson Hollow	1.1 miles
Tioga	Elk Run	From confluence with Thompson Hollow downstream to mouth	5.4 miles
Tioga	Fahnestock Run	From headwaters downstream to confluence with Cedar Run	4.5 miles
Tioga	Fourmile Run	From confluence with Right and Left Branch downstream to mouth	2.0 miles
Tioga	Francis Branch	From Francis Rd bridge at confluence with Kramer Hollow downstream to mouth	1.7 miles
Tioga	Jemison Run	From headwaters downstream to T-559	2.4 miles
Tioga	Mill Run	From headwaters downstream to mouth	2.7 miles
Tioga	Nickle Run	From headwaters downstream to mouth	4.1 miles
Tioga	Straight Run Rt Branch	From headwaters downstream to mouth	2.0 miles
Tioga/Lycoming	Cedar Run	From Fahnestock Run downstream to mouth	4.6 miles
Union	Buffalo Creek, North Branch	From headwaters to outflow of Mifflinburg Reservoir	7.0 miles
Union	Cherry Run	From 4.3 km above mouth downstream to mouth	2.7 miles
Union	Weikert Run	From Little Weikert Run downstream to mouth	2.9 miles
Venango	Cherry Run	From bridge at T-599 downstream to bridge in Plumer Borough	3.3 miles
Venango	Porcupine Creek	1.1 km upstream of Norway Run downstream to 1.7 km upstream from mouth	1.1 miles
Venango	Porcupine Creek	1.7 km upstream from mouth downstream to mouth	1.1 miles
Warren	Caldwell Creek, West Branch	From confluence of Three Bridge Run downstream to mouth	2.9 miles
Warren	Fourmile Run	From headwaters downstream to confluence with the North Branch	3.3 miles
Warren	Spring Creek	From 600 m downstream of SR 3001 bridge downstream to mouth	2.1 miles
Wayne	Faulkner Bk	From first unnamed lake upstream from mouth downstream to mouth	1.8 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Wayne	Sherman Creek	From 0.5 km above SR 4043 & T-673 Ints. downstream to PA/NY border	2.7 miles
Wayne	Stiles Creek	From source downstream to confluence with East Branch Dyberry Creek	2.5 miles
Westmoreland	Camp Run	From Headwater Ponds downstream to mouth	4.1 miles
Westmoreland	Furnace Run	From headwaters downstream to mouth	2.3 miles
Westmoreland	Laughlintown Run	From confluence with Furnace Run downstream to mouth	2.2 miles
Westmoreland	Powdermill Run	From headwaters downstream to confluence with Loyalhanna Creek	4.7 miles
Westmoreland	Tub Mill Creek	From headwaters downstream to Tub Mill Reservoir	4.1 miles
Wyoming	Stone Run	From headwaters downstream to mouth	2.9 miles
Wyoming	Sugar Hollow Creek	From headwaters downstream to mouth	4.5 miles
York	Cordorus Creek	From SR 3047 bridge downstream to SR 0116 bridge	3.3 miles
York	Rambo Run	From headwaters downstream to first UNT above T-557	1.9 miles
York	UNT-Rambo Run	From headwaters downstream to first UNT above T-641	3.0 miles

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 99-1456. Filed for public inspection August 27, 1999, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Dates

The Health Care Cost Containment Council has scheduled the following meetings for September: Wednesday, September 1, 1999, Data Systems Committee at 10 a.m.; Education Committee 1:30 p.m. Thursday, September 2, 1999, Council Meeting at 10 a.m. The meetings will be held in the Council's Conference Room at 225 Market Street, Suite 400, Harrisburg, PA. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meetings should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Suite 400 Harrisburg, PA 17101, or call (717) 232-6787, at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 99-1457. Filed for public inspection August 27, 1999, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commis-

sion at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
7-331	Environmental Quality Board Surface and Underground Coal Mining	8/17/99

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 99-1458. Filed for public inspection August 27, 1999, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Stanley Clark; Consent Order; Doc. No. CO98-02-003

A prehearing/settlement telephone conference initiated by the Administrative Hearings Office shall occur on September 15, 1999, at 1 p.m. A date for a hearing shall be determined, if necessary, at the prehearing/settlement telephone conference. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); General Rules of Administrative Practice and Procedure, 1 Pa. Code §§ 31.1—35.251; Special Rules of Administrative Practice and Procedure, 31 Pa. Code §§ 56.1—56.3 and other relevant procedural provisions of law.

During the prehearing/settlement telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

A written request for continuance of the scheduled hearing, for good cause will be considered by the Presiding Officer. Prior to requesting a continuance, a party must contact the opposing party. Continuance requests must indicate whether the opposing party objects to a continuance.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1459. Filed for public inspection August 27, 1999, 9:00 a.m.]

Continental Casualty Company; National Fire Insurance Company of Hartford; American Casualty Company of Reading, PA; Transportation Insurance Company; Transcontinental Insurance Company; Valley Forge Insurance Company; Workers' Compensation Rate Filing

On July 19, 1999, the Insurance Department received from the Continental Casualty Company, the National Fire Insurance Company of Hartford, the American Casualty Company of Reading, PA, the Transportation Insurance Company, the Transcontinental Insurance Company and the Valley Forge Insurance Company a filing for a rate level change for Workers' Compensation insurance. These companies request an overall 10.5% increase.

Copies of the filings are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Chuck Romberger, CPCU, Insurance Department, Office of Rate and Policy Regulation, Bureau of Property and Casualty Insurance, Actuarial Review Division, 1311 Strawberry Square, Harrisburg, PA 17120 (e-mail at cromberg@ins.state.pa.us) within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1460. Filed for public inspection August 27, 1999, 9:00 a.m.]

First Priority Health; Prospective Experience Rating; Rate Filing

On August 3, 1999, First Priority Health submitted a filing requesting approval to Prospectively Experience Rate HMO and POS group accounts with a minimum of 51 eligible contracts; Retrospectively Experience Rate group accounts with 100 or more eligible employees and a Deposit Maximum Arrangement for group accounts with 100 or more eligible employees. The proposed effective date is January 1, 2000.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg Regional Office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg,

PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1461. Filed for public inspection August 27, 1999, 9:00 a.m.]

First Priority Health; Rate Filing

On August 3, 1999, First Priority Health submitted a filing requesting a Base rate increase of 16.65% for the Community Rated HMO Program for an effective date of January 1, 2000. This filing will affect approximately 55,261 contracts and 120,231 members. The estimated additional annual revenue generated from the 16.65% rate increase is \$29,807,608.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg Regional Office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1462. Filed for public inspection August 27, 1999, 9:00 a.m.]

Pennsylvania Private Passenger Automobile Data Call (Act 6 Data Call); Rate Filing

To monitor the auto insurance marketplace in Pennsylvania and to collect data for statutory reports, the Insurance Department, on August 12, 1999, has mailed data calls to be completed by insurers who are licensed to write private passenger automobile insurance in Pennsylvania. The information is also available from the Department website. Persons who have not received the hard copy and diskette should download the instructions and Excel spreadsheets from the Department website (<http://www.insurance.state.pa.us>).

Parts 1 and 2 should be completed by all insurance companies having PA private passenger automobile direct written premium in 1998. *These parts should be submitted to the Insurance Department by December 15, 1999.*

Insurance Companies which had no PA private passenger automobile direct written premium in 1998 will only be required to complete Part 2. *This should be submitted to the Insurance Department by December 15, 1999.*

Please see the instructions for additional information regarding the completion of the individual parts. Consistent with previous years, the Department will protect the proprietary interest of all companies with regards to the handling of the data that is submitted.

Submissions and inquiries should be directed to Xiaofeng Lu, Insurance Department, Office of Rate and

Policy Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, (717) 783-0693, e-mail: xlu@ins.state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1463. Filed for public inspection August 27, 1999, 9:00 a.m.]

pate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1464. Filed for public inspection August 27, 1999, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurer has requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with the termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Donegal Mutual Insurance Co.; file no. 99-181-03666; Diana Stubbs; doc. no. P99-08-009; September 21, 1999, at 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to partici-

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Leroy C. House, Jr.; file no. 99-181-04170; Erie Insurance Company; doc. no. P99-08-012; October 6, 1999, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to partici-

pate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1465. Filed for public inspection August 27, 1999, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

York County, Wine & Spirits Shoppe #6702, 150 Newberry Commons, Etters, PA 17319-9361.

Lease Expiration Date: August 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,200 to 2,700 net useable square feet of new or existing retail commercial space within Newberry Township.

Proposals due: September 17, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110

Contact: Ronald Hancher, Jr., (717) 657-4228
JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 99-1466. Filed for public inspection August 27, 1999, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION

Drinking Water State Revolving Fund Projects; Public Hearing on Federal FY 2000 and 2001 Project Priority List and FY 2000 Intended Use Plan

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (DEP) have prepared a combined Federal fiscal year 2000 and 2001 drinking water program Project Priority List and the fiscal year 2000 Intended Use Plan (IUP) list of drinking water projects to be considered for a design and engineering or construction loan from funds Pennsylvania expects to receive from fiscal year 2000 funds approved by Congress to capitalize the Drinking Water State Revolving Fund (DWSRF) program.

The FY 2000/2001 DWSRF Project Priority List was developed in conformance with the requirements of the Safe Drinking Water Act Amendments of 1996 (Act) and Federal guidance. The Act stipulates that States must maintain a Project Priority List of drinking water projects from which to develop the annual DWSRF IUP list of projects to be funded.

The projects to be considered for a loan from the DWSRF must meet the Federal requirements for funding in accordance with Section 1452 of the Act. Accordingly, the projects included in the DWSRF IUP are expected to meet the requirements applicable to use of the DWSRF loan funds. Projects listed on the FY 2000 DWSRF IUP are expected to proceed with design and engineering or to construction in the near future. Other projects on the DWSRF Project Priority List are projects that are in development or will be developed for future loan consideration. Any project removed from an IUP is maintained on the Project Priority List unless otherwise completed.

The DWSRF will be capitalized with approximately \$24.4 million of Federal FY 2000 funds from the Environmental Protection Agency and approximately \$4.9 million of state funds. Up to \$7.6 million of available Federal funds will be set aside for program administration costs, technical assistance to small systems, operator training and certification and source water assessment and protection, as authorized under Section 1452 of the Act. The IUP also includes a narrative workplan further describing how these and previous fiscal years' set-aside funds will be used. The FY 2000 IUP has 14 drinking water projects listed with a total dollar value of approximately \$16.8 million.

A public hearing will be held, as described below. After the public hearing and assessment of the comments received, the final FY 2000 DWSRF IUP will be completed; potentially, it may include other projects from the DWSRF Project Priority List. A project must appear on the approved DWSRF IUP before it can receive a loan from the DWSRF. A project's readiness to proceed and the reasonable availability of alternative funds also have a bearing on project selection for the IUP. Consequently, the rank ordered list of projects on the Project Priority List does not dictate the order in which projects will be chosen for inclusion in the IUP, although projects are generally funded in priority order.

Federal guidance on development of the DWSRF Project Priority List, Intended Use Plan and set-aside workplan direct that they be subject to public comment and review before being submitted to EPA.

DEP has scheduled a public hearing for 10 a.m., October 14, 1999, in the Auditorium of the Rachel Carson State Office Building, located at 400 Market Street, Harrisburg, PA. The hearing is scheduled for the purpose of receiving comments from the public regarding the fiscal year 2000/2001 DWSRF Project Priority List and the FY 2000 DWSRF IUP, including set-aside activities. Interested persons are invited to express their views at the public hearing. Persons wishing to offer comments should contact the Administrative Services Section, Division of Municipal Financial Assistance, Bureau of Water Supply Management, 11th Floor, Rachel Carson State Office Building, P. O. Box 8466, Harrisburg, PA 17105-8466, (717) 787-6744, or by Internet E-Mail (Maisano.Tony@dep.state.pa.us) by 4 p.m., October 13, 1999. Where written statements are prepared and will be submitted at the hearing, speakers will be asked to restrict the oral portion of the statement to a summary of the written comments.

Speakers will be called to present their comments generally in the order of receipt of the notice of intent to appear at the hearing.

It is not necessary to appear at the public hearing to present comments. Interested persons may submit written comments to DEP at the address shown above. Written comments will be considered equivalent to oral statements presented at the hearing. To be considered by DEP and PENNVEST, the written comments must be received by the Administrative Services Section on or before the date of the hearing.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Tony Maisano at the address noted above or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how DEP may accommodate their needs.

The FY 2000/2001 DWSRF Project Priority List and FY 2000 DWSRF IUP list of projects follow this notice. Copies of these lists, as well as the narrative portion of the DWSRF Intended Use Plan, are available for public review in the offices listed at the end of this notice. In addition, based on new or additional information related to project ratings or other relevant factors, prior fiscal year IUP lists have been revised and are available by contacting these same offices.

DEP—Southeast Region:
Water Supply Manager
Lee Park, Suite 6010, 555 North Lane,
Conshohocken, PA 19428
(610) 832-6060

DEP—Northeast Region:
Water Supply Manager
2 Public Square, Wilkes-Barre, PA 18711-0790
(570) 826-2511

DEP—Southcentral Region:
Water Supply Manager
900 Elmerton Avenue, Harrisburg, PA 17110
(717) 705-4708

DEP—Northcentral Region:
Water Supply Manager
208 West 3rd Street, Williamsport, PA 17701
(717) 327-3675

DEP—Southwest Region:
Water Supply Manager
400 Waterfront Drive, Pittsburgh, PA 15222-4745
(412) 442-4217

DEP—Northwest Region:
Water Supply Manager
230 Chestnut Street, Meadville, PA 16335-3481
(814) 332-6899

DEP—Bureau of Water Supply Management, Division
of Municipal Financial Assistance, Administrative
Services Section
11th Floor, RCSOB, 400 Market Street, Harrisburg, PA
17101
(717) 787-6744

Pennsylvania Infrastructure Investment Authority
22 S. Third Street, 4th Floor, Keystone Building,
Harrisburg, PA 17101
(717) 787-8137

JAMES M. SEIF,
Secretary
Department of Environmental Protection
Vice-Chairperson
Pennsylvania Infrastructure Investment Authority

and
PAUL K. MARCHETTI,
Executive Director
Pennsylvania Infrastructure Investment Authority

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
DRINKING WATER STATE REVOLVING FUND
FY 2000-01 PROJECT PRIORITY LIST (IN PRIORITY ORDER)**

August 28, 1999

4640

PROJECT TYPE:

SRC—SOURCE
 TRANS—TRANSMISSION SYSTEM
 TREAT—WATER TREATMENT PLANT
 TREATMOD—WATER TREATMENT PLANT MODIFICATION
 WS—WATER STORAGE
 DS—DISTRIBUTION SYSTEM
 OTHER—ADMINISTRATIVE, LEGAL, FINANCIAL, ENGINEERING, PERMITS, CONTINGENCY, OR AS SPECIFIED

PENNSYLVANIA BULLETIN, VOL. 25, NO. 35, AUGUST 28, 1999

Rank	PWSID	Applicant Name	Project Type	County	Assistance	IUP Yr	Approved
1	3540041	SCHUYLKILL HAVEN BOROUGH	SRC, TRANS, TREAT	SCHUYLKILL	\$2,861,000	97	11/19/97
2	4119997	BLACKLICK VALLEY MA	TRANS, TREAT, DS	CAMBRIA	\$1,261,000	98	7/15/98
3	6200004	CAMBRIDGE SPRINGS BOROUGH	TREAT	CRAWFORD	\$1,062,500	99	11/18/98
4	7670100	YORK WATER CO, THE (RAILROAD)	TRANS, WS, DS	YORK	\$422,326	99	11/18/98
5	7670100	YORK WATER CO, THE (RAILROAD)	TRANS, WS, DS	YORK	\$377,674	98	11/18/98
6	3540038	SCHUYLKILL COUNTY MA (PV-09)	SRC, TRANS	SCHUYLKILL	\$790,000	00	7/14/99
7	2400136	SANDY RUN WATER ASSOC	WS, TREAT, TRANS	LUZERNE	\$47,550	99	11/18/98
8	4140101	BOGGS TWP WA	SRC, WS, TREAT, DS	CENTRE	\$710,000	99	3/24/99
9	5260032	MOUNTAIN WATER ASSOC	SRC, TREAT, WS, DS	FAYETTE	\$482,000	99	7/15/98
10	2520096	SAVILLE RUSTIN WATER CO	SRC, TREAT	PIKE	\$285,000	00	7/14/99
11	5630037	PA AMERICAN WATER COMPANY (INDEPENDENCE)	TREAT, DS	WASHINGTON	\$3,250,000	97	11/19/97
12	1090005	CHALFONT WATER DEPT	TREAT	BUCKS	\$259,300	99	3/24/99
13	3130009	LEHIGHTON WATER AUTH	SRC, TRANS, DS	CARBON	\$2,157,871	97	11/19/97
14	2660010	MESHOPPEN BORO WATER CO	TRANS, TREAT, WS, DS	WYOMING	\$1,349,620	97	11/19/97
15	4410180	LIMESTONE TWP (OVAL-ORIOLE)	SRC, TREAT, WS, DS	LYCOMING	\$501,650	97	11/19/97
16	4180062	CRAWFORD TWP WATER AUTH/RAUCHTOWN	SRC, TREAT, WS, DS	CLINTON	\$569,843	97	11/19/97
17	5630039	CHARLEROI BORO AUTH (02)	DS	WASHINGTON	\$1,032,500	99	3/24/99
18	3130044	JIM THORPE MA	SRC, TREAT, WS, OTHER	CARBON	\$1,822,000	97	7/16/97
19	2520046	MILFORD BOROUGH MA	DS	PIKE	\$2,334,706	99	7/15/98
20	4440010	LEWISTOWN BOROUGH MA	SRC, TRANS, TREAT, WS	MIFFLIN	\$6,875,000	97	11/19/97
21	2400016	PARDEESVILLE WATER ASSOC	SRC, TREAT, WS, DS	LUZERNE	\$220,300	97	11/13/96
22	3480080	LEHIGH TWP MA	TREAT, TRANS	NORTHAMPTON	\$250,000	00	7/14/99
23	7280033	DRY RUN WATER ASSOCIATION	TREAT, DS	FRANKLIN	\$148,281	97	11/19/97
24	5040012	BEAVER FALLS MA	SRC, TREAT	BEAVER	\$2,514,475	98	3/25/98
25	5100097	BUFFALO TWP MA	DS	BUTLER	\$283,675	98	11/18/98
26	6160001	PA AMERICAN WATER CO (STRATTANVILLE)	DS	CLARION	\$4,300,000	00	
27	5260028	PERRY TWP BOARD OF SUPERVISORS	DS	FAYETTE	\$396,510	97	7/16/97
28	3540038	SCHUYLKILL COUNTY MA (NEW BOSTON)	DS	SCHUYLKILL	\$549,800	97	3/26/97
29	6250022	EDINBORO WATER AUTH	TREAT	ERIE	\$425,000	97	3/26/97
30	4110040	CHARLEROI BORO AUTH	WS, DS	WASHINGTON	\$412,645	97	11/19/97
31	3540035	MINERSVILLE BOROUGH MA	TREAT, WS	SCHUYLKILL	\$2,448,476	99	11/18/98
32	3060059	READING AREA WATER AUTH	TREAT, WS, TRANS	BERKS	\$2,819,500	97	7/16/97

NOTICES

Rank	PWSID	Applicant Name	Project Type	County	Assistance	IUP Yr	Approved
33	5320035	WESTMORELAND COUNTY MA	TRANS, WS	INDIANA	\$568,325	98	3/25/98
34	5650069	HIGHRIDGE WA	DS	WESTMORELAND	\$1,470,100	97	11/19/97
35	5100049	MARS BOROUGH WATER WORKS	TREAT	BUTLER	\$650,000	00	7/14/99
36	5269997	NICHOLSON TWP BOARD OF SUPERVISORS	DS	FAYETTE	\$140,600	00	7/14/99
37	2590036	KNOXVILLE BOROUGH	TRANS, WS	TIOGA	\$185,000	97	11/19/97
38	2450034	STROUDSBURG MUNICIPAL AUTH (PV-01)	WS, TRANS, DS	MONROE	\$1,531,175	98	3/25/98
39	4110004	CARROLLTOWN BOROUGH MA (PART 1)	SRC, DS	CAMBRIA	\$1,422,491	97	11/19/97
40	4110004	CARROLLTOWN BOROUGH MA (PART 2)	SRC, DS	CAMBRIA	\$142,509	98	11/19/97
41	5030002	DAYTON BOROUGH	SRC, WS, DS	ARMSTRONG	\$260,332	99	3/24/99
42	2450022	DELAWARE WATER GAP	SRC, TREAT, WS, DS	MONROE	\$738,000	97	3/26/97
43	4070022	WILLIAMSBURG WATER DEPT	WS, DS	BLAIR	\$4,200,000	97	11/13/96
44	3480086	EAST ALLEN TWP MA	SRC, TRANS, DS	NORTHAMPTON	\$527,000	97	11/13/96
45	4110043	EAST TAYLOR MA	TRANS, WS, DS	CAMBRIA	\$790,000	98	3/25/98
46	5020015	EDGEWORTH BORO MA	WS, DS	ALLEGHENY	\$734,785	00	7/14/99
47	4110040	SAINT FRANCIS COLLEGE	TREAT, WS, DS	CAMBRIA	\$2,194,897	98	3/25/98
48	4560033	CONFLUENCE BORO MA (CITIZEN'S WATER CO)	SRC, TREAT, WS, TRANS, DS	SOMERSET	\$3,200,000	00	7/14/99
49	3480064	EASTON SUBURBAN WATER AUTH	WS, DS, TRANS	NORTHAMPTON	\$1,395,000	98	3/25/98
50	5650070	NEW KENSINGTON MA	DS	WESTMORELAND	\$3,798,813	99	3/24/99
51	5030006	MANOR TWP JMA (PV-02)	SRC, TRANS, WS, DS	ARMSTRONG	\$389,000	97	7/16/97
52	5260024	SOUTHWESTERN PA WA	WS, DS	GREENE	\$3,320,312	97	3/26/97
53	2459999	PA AMERICAN WATER CO (PV-01)	TRANS, TREAT, WS, DS	MONROE	\$5,600,000	97	11/13/96
54	2459999	PA AMERICAN WATER CO (PV-02)	SRC, TRANS, DS	MONROE	\$3,000,000	97	11/13/96
55	6610023	OIL CITY	WS, DS	VENANGO	\$882,500	98	3/25/98
56	2570003	DUSHORE BORO	DS	SULLIVAN	\$200,000	99	3/24/99
57	6160021	WEST FREEDOM WATER ASSOC	TREAT	CLARION	\$171,000	99	11/18/98
58	1090001	PHILADELPHIA SUBURBAN WATER CO (BRISTOL)	TREAT	BUCKS	\$5,501,660	99	3/24/99
59	2400054	FREELAND BORO MWA	DS	LUZERNE	\$650,000	00	7/14/99
60	6160025	PA AMERICAN WATER CO	DS	CLARION	\$2,200,000	97	7/16/97
61	6200008	COCHRANTON BOROUGH/FRENCH CREEK JMA	DS	CRAWFORD	\$268,000	98	3/25/98
62	7010032	FRANKLIN TWP MA	SRC, TREAT, WS, DS	ADAMS	\$545,383	99	3/24/99
63	4310025	ORBISONIA-ROCKHILL JMA	SRC, WS, TREAT, TRANS, DS	HUNTINGDON	\$1,008,574	99	7/15/98
64	5020034	WESTERN ALLEGHENY COUNTY MA	DS	ALLEGHENY	\$400,000	98	3/25/98
65	5100031	CONNOQUENESSING BOROUGH AUTH	DS	BUTLER	\$140,700	99	7/15/98
66	5100062	GULICK E J MOBILE HOME PARK	TREAT, DS	BUTLER	\$60,000	99	7/15/98
67	2350022	PA AMERICAN WATER CO (NUI)	TRANS, DIST	LACKAWANNA	\$413,516	99	3/24/99
68	7380035	FREDERICKSBURG WATER & SEWER	SRC, TRANS, DS	LEBANON	\$631,042	98	3/26/97
69	1510001	PHILADELPHIA CITY	DS	PHILADELPHIA	\$6,700,000	98	3/25/98
70	3060030	GEIGERTOWN WATER CO	DS	BERKS	\$170,997	00	7/14/99
71	5260006	PLEASANT VALLEY WA	DS	FAYETTE	\$350,000	00	
72	4050037	BEDFORD TWP MA	WS, TREAT, DS	BEDFORD	\$2,000,000	00	
73	7360112	QUARRYVILLE BORO WA	SRC	LANCASTER	\$750,000	00	
74	7010002	BENDERSVILLE WATER CO	SRC, WS, TREAT, DS	ADAMS	\$2,500,000	00	
75	4050029	FISHERTOWN BORO	SRC, TREAT	BEDFORD	\$500,000		
76	7010036	LAKE MEADE MA	SRC, TREAT	ADAMS	\$500,000		
77	4440015	MENNO WATER ASSOC	SRC, TREAT	MIFFLIN	\$500,000		
78	4310016	MT UNION BORO WATER DEPT	SRC, TREAT	HUNTINGDON	\$181,470		
79	5260027	ALBERT GALLATIN MA	TREAT	FAYETTE	\$60,000		

Rank	PWSID	Applicant Name	Project Type	County	Assistance	IUP Yr	Approved
80	None	NEW CENTERVILLE BORO	SRC, DS	SOMERSET	\$1,300,000		
81	5300017	SOUTHWESTERN PA WA (02)	DS	GREENE	\$1,000,000		
82	4560033	CITIZENS WATER CO (CONFLUENCE)	SRC, TREAT, WS, DS	SOMERSET	\$900,000		
83	5260007	FAIRCHANCE BOROUGH WATER DEPT	SRC, TREAT, WS	FAYETTE	\$616,000		
84	6240002	HORTON TOWNSHIP MA	DS	ELK	\$1,820,000		
85	6250076	MILLCREEK TWP WA	DS	ERIE	\$500,000		
86	6610028	ROUSEVILLE MUN WATERWORKS	SRC, TREAT, DS	VENANGO	\$200,000		
87	5020019	SHALER TWP	WS	ALLEGHENY	\$500,000		
88	6330012	SUMMERVILLE BORO MA	TREAT, WS	JEFFERSON	\$150,000		
89	6250065	WATERFORD MA	DS	ERIE	\$200,000		
90	6430052	SANDY LAKE BORO MWW	WS, DS	MERCER	\$500,000		
91	5630045	TRI COUNTY JMA	INTERCONNECT, DS	WASHINGTON	\$400,000		

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
DRINKING WATER STATE REVOLVING FUND
FY 2000 INTENDED USE PLAN PROJECT LIST**

August 28, 1999

PROJECT TYPE:

- SRC—SOURCE
- TRANS—TRANSMISSION SYSTEM
- TREAT—WATER TREATMENT PLANT
- WS—WATER STORAGE
- DS—DISTRIBUTION SYSTEM
- OTHER—ADMINISTRATIVE, LEGAL, FINANCIAL, ENGINEERING, ETC.

Rank	PWSID	Applicant Name	PPL Yr	Project Type	County	Region	Assistance
1	3540038	SCHUYLKILL COUNTY MA (PV-09)	00	SRC, TRANS	SCHUYLKILL	WILKES-BARRE	\$790,000
2	2520096	SAVILLE RUSTIN WATER CO	00	SRC, TREAT	PIKE	WILKES-BARRE	\$285,000
3	3480080	LEHIGH TWP MA	00	TREAT, TRANS	NORTHAMPTON	WILKES-BARRE	\$250,000
4	6160001	PA AMERICAN WATER CO (STRATTANVILLE)	00	DS	CLARION	MEADVILLE	\$4,300,000
5	5100049	MARS BOROUGH WATER WORKS	98	TREAT	BUTLER	MEADVILLE	\$650,000
6	5269997	NICHOLSON TWP BOARD OF SUPERVISORS	97	DS	FAYETTE	PITTSBURGH	\$140,600
7	5020015	EDGEWORTH BORO MA	00	WS, DS	ALLEGHENY	PITTSBURGH	\$734,785
8	4560033	CONFLUENCE BORO MA (CITIZEN'S WATER CO)	00	SRC, TREAT, WS, TRANS, DS	SOMERSET	PITTSBURGH	\$3,200,000
9	2400054	FREELAND BORO MWA	00	DS	LUZERNE	WILKES-BARRE	\$650,000
10	3060030	GEIGERTOWN WATER CO	99	DS	BERKS	HARRISBURG	\$170,997
11	5260006	PLEASANT VALLEY WA	97	DS	FAYETTE	PITTSBURGH	\$350,000
12	4050037	BEDFORD TWP MA	99	WS, TREAT, DS	BEDFORD	HARRISBURG	\$2,000,000
13	7360112	QUARRYVILLE BORO WA	98	SRC	LANCASTER	HARRISBURG	\$750,000
14	7010002	BENDERSVILLE WATER CO	99	SRC, WS, TREAT, DS	ADAMS	HARRISBURG	\$2,500,000

\$16,771,382

PENNSYLVANIA MUNICIPAL RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by the Pennsylvania Municipal Retirement Law (53 P. S. §§ 881.101—881.501), in connection with the Pennsylvania Municipal Retirement Board's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Pennsylvania Municipal Retirement Board, 1010 North 7th Street, Suite 301, Eastgate Center, Harrisburg, PA 17102.

October 25, 1999	Francisco Rivera	1:30 p.m.
November 1, 1999	John F. Mencer (Disability)	1:30 p.m.
November 8, 1999	Arthur J. Dubinsky	1:30 p.m.

Persons with a disability who wish to attend the above-listed hearing, and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Tina Eisenhart at (717) 787-2065 to discuss how the Pennsylvania Municipal Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 16 Pa. Code § 91.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code §§ 31.1—35.251 unless specific exemption is granted.

JAMES B. ALLEN,
Secretary

[Pa.B. Doc. No. 99-1468. Filed for public inspection August 27, 1999, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before September 20, 1999, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00116120. Amedeo's Limousine Service, Inc. (206 Westtown Road, West Chester, Chester County, PA 19382), a corporation of the Commonwealth of Pennsylvania—persons in limousine service, between points in the boroughs of Downingtown, West Chester and Malvern, and the townships of Uwchlan, East Caln, West Whiteland, East Whiteland, East Goshen, West Goshen, Westtown, Willistown and Tredyffrin, all located in Chester County, and the borough of Media, and the townships of Thornbury, Edgemont, Newtown, Marple, Upper Darby, Upper Providence, Springfield and Middletown, all located in Delaware County, and from points in said territory, to points in Pennsylvania, and return.

A-00116131. Alvin R. Emerson, III, t/d/b/a Executive Car Service of PA (252 East Market Street, Suite No. 377, West Chester, Chester County, PA 19382)—persons in limousine service, between points in the counties of Chester, Philadelphia, Bucks, Delaware and Montgomery, and from points in said counties, to points in Pennsylvania, and vice versa.

Application of the following for the approval of the transfer of stock as described under each application.

A-00112590. Folder 5001. Transportation Management Services, Inc., t/d/b/a Lenzner Coach Lines (R. D. 2, Nicholson Road, Sewickley, Allegheny County, PA 15143), a corporation of the Commonwealth of Pennsylvania—for approval of the transfer of 1,000 shares of issued and outstanding stock held by Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00101803. Folder 5001. Central Cab Company (155 Industry Road, Waynesburg, Greene County, PA 15370), a corporation of the Commonwealth of Pennsylvania—for approval of the transfer of 2,442 shares of issued and outstanding stock held by Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00058709. Folder 5003. Butler Motor Transit, Inc. (P. O. Box 1602, Butler, Butler County, PA 16603), a corporation of the Commonwealth of Pennsylvania—for approval of the transfer of 5,500 shares of issued and outstanding stock held by Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00112577. Folder 5001. Airport Limousine Service, Inc., t/d/b/a Checker Cab (36 South Sixth Street, Pittsburgh, Allegheny County, PA 15203), a corporation of the State of Delaware—for approval of the transfer of 100 shares of issued and outstanding stock held by Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00115892. Folder 5000. Progressive Transportation Services, Inc. (One Progressive Drive, Horsehead, NY 14845), a corporation of the State of New York—for approval of the transfer of one share of the issued and outstanding stock held by Coach USA, Inc., to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00049926. Folder 5004. The Yellow Cab Company of Pittsburgh (5931 Ellsworth Avenue, Pittsburgh, Allegheny County, PA 15206), a corporation of the Commonwealth of Pennsylvania—for the approval of the transfer of 44,457 shares of issued and outstanding stock held by

Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00108743, Folder 5001. Airlines Acquisition Co., Inc., t/d/b/a Airlines Transportation Company (110 Lenzner Court, Sewickley, Allegheny County, PA 15143), a corporation of the Commonwealth of Pennsylvania—for the approval of the transfer of 2,000 shares of issued and outstanding stock held by Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00088807, Folder 5001. Blue Bird Coach Lines, Inc. (1 Blue Bird Square, Olean, NY 14760), a corporation of the State of New York—for the approval of the transfer of 188 shares of issued and outstanding stock held by Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00112257, Folder 5002. Lenzner Transit, Inc. (R.D. 2, Nicholson Road, Sewickley, Allegheny County, PA 15143), a corporation of the Commonwealth of Pennsylvania—for the approval of the transfer of 100 shares of issued and outstanding stock held by Coach USA, Inc. to Stagecoach Holdings plc. *Attorney:* John A. Vuono, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00113748, Folder 5000. Tri-Star Enterprises, Inc., t/d/b/a Supershuttle (333 Jenkintown Commons, Jenkintown, Montgomery County, PA 19046), a corporation of the Commonwealth of Pennsylvania—for the approval of the transfer of 150 shares of issued and outstanding stock held by Barry Budilov to Brian D. Somerman. *Attorney:* John J. Gallagher, P.C., Suite 1100, 1760 Market Street, Philadelphia, PA 19103.

Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.

A-00114396, Folder 2. E.D.S Transportation Systems, Inc., t/d/b/a Bella Notte Limousine (118 Sandy Drive, No. 3, Newark, DE 19713), a corporation of the State of Delaware—additional right—persons in paratransit service, between points in Pennsylvania; subject to the following conditions: (1) that the transportation is limited to transportation to and from health care providers; and (2) that no right, power or privilege is granted to provide service to or from correctional institutions. *Attorney:* Joseph W. Cunningham, 2 Penn Center, Suite 1400, 1500 John F. Kennedy Boulevard, Philadelphia, PA 19102-1890.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1469. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

A-310478F0002. Bell Atlantic-Pennsylvania, Inc. and Advanced Telephone Systems, Inc. d/b/a HTC Communications. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Advanced Telephone Systems, Inc. d/b/a HTC Communications for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Advanced Telephone Systems, Inc. d/b/a HTC Communications, by its

counsel, filed on August 12, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Advanced Telephone Systems, Inc. d/b/a HTC Communications Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1470. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

A-310751F0002. Bell Atlantic-Pennsylvania, Inc. and Allegiance Telecom of Pennsylvania, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Allegiance Telecom of Pennsylvania, Inc. for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Allegiance Telecom of Pennsylvania, Inc., by its counsel, filed on August 12, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Allegiance Telecom of Pennsylvania, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1471. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

A-310059F0002. Bell Atlantic-Pennsylvania, Inc. and Conestoga Communications, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Conestoga Communications, Inc. for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Conestoga Communications, Inc., by its counsel, filed on August 12, 1999, at the Pennsylvania Public Utility Commission (Commis-

sion), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Conestoga Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1472. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

A-310824F0002. Bell Atlantic-Pennsylvania, Inc. and DSL NET Communications LLC d/b/a DSL.NET. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and DSL NET Communications LLC d/b/a DSL.NET for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and DSL NET Communications LLC d/b/a DSL.NET, by its counsel, filed on August 12, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and DSL NET Communications LLC d/b/a DSL.NET Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1473. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

A-310043F0002. Bell Atlantic-Pennsylvania, Inc. and NOS Communications, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and NOS Communications, Inc. for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and NOS Communications, Inc., by its counsel, filed on August 12, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and NOS Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1474. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

A-310088F0002. Bell Atlantic-Pennsylvania, Inc. and SAM Associates, Inc. d/b/a Synergistic Communications. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and SAM Associates, Inc. d/b/a Synergistic Communications for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and SAM Associates, Inc. d/b/a Synergistic Communications, by its counsel, filed on August 12, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and SAM Associates, Inc. d/b/a Synergistic Communications Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1475. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

P-00981444. Citizens Telecommunications Company of New York, Inc., d/b/a Citizens Communications Services Company. Petition of Citizens Telecommunications Company of New York, Inc., d/b/a Citizens Communications Services Company for waiver of sections 3003 and 3006 of the Public Utility Code, 66 Pa.C.S. §§ 3003 and 3006. Petitioner submits, inter alia, that (1) it is a New York corporation providing local exchange telecommunications services primarily in New York with a portion of its rural service territory crossing the state line into Susquehanna County, PA; (2) its service territory is made up of 126 exchanges in New York with 304,907 access lines over 10,299 square miles and two exchanges in Pennsylvania with 1,330 access lines over 48 square miles; (3) it does not recognize the state boundary

between New York and Pennsylvania for purposes of designing and implementing its network and any modernization thereto; (4) any and all network modernization implemented in its primary service area in New York is also automatically implemented in its Pennsylvania service area; (5) it has already achieved many of the network modernization goals set forth in 66 Pa.C.S. § 3003(b); (6) it continues to implement network modernization to satisfy the requirements of the New York Public Service Commission; (7) there is no central office located in its Pennsylvania service territory; (8) there are no public schools (including administrative offices), commercial/industrial parks, health care facilities, or County 911 centers located in its Pennsylvania service territory; and (9) it would be an administrative and financial burden to develop, file and litigate a Chapter 30 petition and plan for its Pennsylvania operations. For these reasons and others, Petitioner submits that it should not be required to file a Chapter 30 petition and plan.

Interested parties may file comments concerning the petition with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the petition are on file with the Commission and are available for public inspection. The contact person is Maryanne Reynolds Martin, Assistant Counsel, at (717) 787-4518.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1476. Filed for public inspection August 27, 1999, 9:00 a.m.]

Telecommunications

P-00981445. Hancock Telephone Company. Petition of Hancock Telephone Company for waiver of sections 3003 and 3006 of the Public Utility Code, 66 Pa.C.S. §§ 3003 and 3006. Petitioner submits, inter alia, that (1) it is a New York corporation providing local exchange telecommunications services primarily in New York with a portion of its rural service territory crossing the state line into Wayne County, PA; (2) its service territory is made up of one exchange in New York with 1,671 access lines over 25 square miles and one exchange in Pennsylvania with 125 access lines over 5 square miles; (3) it does not recognize the state boundary between New York and Pennsylvania for purposes of designing and implementing its network and any modernization thereto; (4) any and all network modernization implemented in its primary service area in New York is also automatically implemented in its Pennsylvania service area; (5) it has already achieved many of the network modernization goals set forth in 66 Pa.C.S. § 3003(b); (6) it continues to implement network modernization to satisfy the requirements of the New York Public Service Commission; (7) there is no central office located in its Pennsylvania service territory; (8) there are no public schools (including administrative offices), commercial/industrial parks, health care facilities, or County 911 centers located in its Pennsylvania service territory; and (9) it would be an administrative and financial burden to develop, file and litigate a Chapter 30 petition and plan for its Pennsylvania operations. For these reasons and others, Petitioner submits that it should not be required to file a Chapter 30 petition and plan.

Interested parties may file comments concerning the petition with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the petition are on file with the Commission and are available for public inspection. The contact person is Maryanne Reynolds Martin, Assistant Counsel, at (717) 787-4518.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1477. Filed for public inspection August 27, 1999, 9:00 a.m.]

Water Service Without Hearing

A-211360 F2000. Honey Brook Water Company. Application of Honey Brook Water Company for approval of the transfer, by sale, of all of its assets to Kline Township Municipal Water Authority, and for the approval of Honey Brook Water Company to abandon water service to the public in the Commonwealth of Pennsylvania.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before September 13, 1999, under 52 Pa. Code (relating to public utilities).

Applicant: Honey Brook Water Company

Through and By Counsel: Michael Beltrami, Esquire,
477 South Church Street, Hazleton, PA 18201.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1478. Filed for public inspection August 27, 1999, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

September 15, 1999	Joan C. Lantz (Purchase of Maternity Leave)	1 p.m.
	Judith Ciullo (Purchase of Maternity Leave)	2:30 p.m.

- September 22, 1999 Joseph A. Caputo 1 p.m.
Roy Davis
Vincent J. Gross
John E. McAuliffe
(Change of Retirement Date)
- October 6, 1999 John Gera 10:30 a.m.
(Member Refund of Retirement Disability)
- Kenneth Adams 2:30 p.m.
(Final Average Salary)
- October 20, 1999 Catherine Hawes 10 a.m.
(Purchase of Service)
- October 27, 1999 Larry Brown 1 p.m.
(Membership Eligibility)

Persons with a disability who wish to attend the above-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Arthur J. Granito, Assistant Executive Director, at (717) 783-5613 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

DALE H. EVERHART,
Secretary

[Pa.B. Doc. No. 99-1479. Filed for public inspection August 27, 1999, 9:00 a.m.]

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

**Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Steve Guy;
Doc. No. 0131-60-99; File No. 99-60-00930**

On June 4, 1999, the State Board of Vehicle Manufacturers, Dealers and Salespersons issued an Adjudication

and Order which levies a civil penalty of \$1,000 on Respondent, as a result of engaging in unlicensed vehicle dealer activities in the Commonwealth of Pennsylvania from 1996 to the present time.

Individuals may obtain a copy of the Adjudication and Order by writing to Thomas A. Blackburn, State Board of Vehicle Manufacturers, Dealers and Salespersons, 116 Pine Street, 3rd Floor, P. O. Box 2649, Harrisburg, PA 17105-2649.

ROBERT G. PICKERILL,
Chairperson

[Pa.B. Doc. No. 99-1480. Filed for public inspection August 27, 1999, 9:00 a.m.]

In the Matter of the Suspension of the License of Roger L. Rhodes (MV-127547-L) and Dusty Rhodes Motor Cars (VD-019792-L); File No. 98- 60-02293

On June 17, 1998, the State Board of Vehicle Manufacturers, Dealers and Salespersons issued a Board Disciplinary Order issuing a suspension in the above-referenced matter as a result of outstanding arrearages in the Court of Common Pleas of Butler County, PA in the case of Marie E. Rhodes vs. Roger L. Rhodes, DRS No. 15273-0.

Individuals may obtain a copy of the Board Disciplinary Order issuing a suspension by writing to Thomas A. Blackburn, State Board of Vehicle Manufacturers, Dealers and Salespersons, 116 Pine Street, 3rd Floor, P. O. Box 2649, Harrisburg, PA 17105-2649.

ROBERT G. PICKERILL,
Chairperson

[Pa.B. Doc. No. 99-1481. Filed for public inspection August 27, 1999, 9:00 a.m.]