

# NOTICES

## DELAWARE RIVER BASIN COMMISSION

### Commission Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference and public hearing on Thursday, September 30, 1999. The hearing will be part of the Commission's regular business meeting. Both the conference and business meeting are open to the public and will be held in the Goddard Conference Room of the Commission's offices at 25 State Police Drive, West Trenton, NJ.

The conference among the Commissioners and staff will begin at 9:30 a.m. and will include a presentation on New York City's Water Conservation Program; status reports on drought conditions and the codification of the existing Comprehensive Plan; discussions of fiscal year 2001 budget and health insurance issues; summaries of the Governors' Summit and the flood preparedness meeting; and a report on the Pittsburgh Joint ICWP and River Basin Commission meeting.

In addition to the subjects summarized as follows which are scheduled for public hearing at the 1 p.m. business meeting, the Commission will also address the following: Minutes of the August 18, 1999 business meeting; announcements; report on Basin hydrologic conditions; reports by the Executive Director and General Counsel; and public dialogue. The Commission will consider resolutions to: confirm the appointment of the Secretary to the Commission; make FY '99 budget adjustments; amend the cost of the barrier-free unisex bathroom facility at the headquarters building; establish a Watershed Council; and approve a cooperative agreement for the Schuylkill River Monitoring Program. The Commission will also review and possibly act on drought related emergency resolutions.

The subjects of the hearing will be as follows:

1. *Northeast Land Company D-89-10 CP Renewal.* An application for the renewal of a ground water withdrawal project to supply up to 4.96 million gallons (mg)/30 days of water to the applicant's distribution system from Well Midlake No. 1. Commission approval on April 26, 1989 was extended to 10 years. The applicant requests that the total withdrawal from the well remain limited to 4.96 mg/30 days. The project is located in Kidder Township, Carbon County, PA.

2. *Seabrook Brothers & Sons, Inc. D-98-44.* A ground water withdrawal project to supply up to 133.6 mg/30 days of water to the applicant's vegetable processing and packaging facility from existing Well Nos. 1, 2R and 4, and new Well No. 5. The project entails an increase of the existing total combined withdrawal limit from 117.5 mg/30 days to 133.6 mg/30 days. The project is located in Upper Deerfield Township, Cumberland County, NJ.

3. *Utilities, Inc. D-98-47 CP.* A project to replace the withdrawal of water from Well No. 1 which has become an unreliable source of supply, and to increase the total withdrawal from all wells from 8.25 mg/30 days to 10.65 mg/30 days. The applicant requests that the withdrawal from replacement Well No. 6 be limited to 2.4 mg/30 days. The project wells are located in Stroud Township and will continue to serve the applicant's Penn Estates residential community located in Stroud and Pocono Townships, all in Monroe County, PA.

4. *Lower Providence Township Municipal Authority D-99-21 CP.* A ground water withdrawal project to supply a combined total of up to 2.27 mg/30 days of water to the applicant's golf course irrigation system from Well Nos. 1 and 2. The project is located in Lower Providence Township, Montgomery County in the Southeastern Pennsylvania Ground Water Protected Area.

5. *Pennsylvania-American Water Company D-99-29 CP.* A project to upgrade and expand the applicant's existing 0.567 million gallons per day (mgd) secondary treatment plant to 1.256 mgd to provide advanced secondary treatment. The project will continue to serve the Pocono Country Place development in Coolbaugh Township, Monroe County, PA. Treated effluent will continue to discharge to East Branch Dresser Run, a tributary of Tobyhanna Creek in the Lehigh River watershed.

6. *Central Carbon Municipal Authority D-99-48 CP.* A project to construct a new 1.6 mgd oxidation ditch process sewage treatment plant to replace an existing failing overloaded 0.72 mgd plant. The new advanced secondary treatment plant is located approximately one-half mile downstream of the existing plant along the Lehigh River in Mahoning Township, Carbon County, PA. The new facilities will serve portions of Franklin and Mahoning Townships, and Weissport and Leighton Boroughs, all in Carbon County. The project effluent will discharge to the Lehigh River.

Documents relating to these items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Please contact Thomas L. Brand at (609) 883-9500, ext. 221 concerning docket-related questions. Persons wishing to testify at this hearing are requested to register with the Acting Secretary at (609) 883-9500, ext. 222 prior to the hearing.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who would like to attend the hearing should contact the Acting Secretary at (609) 883-9500, ext. 222 or through the New Jersey Relay Service at (800) 852-7899 (TTY) to discuss how the Commission may accommodate their needs.

ANNE M. ZAMONSKI,  
Acting Secretary

[Pa.B. Doc. No. 99-1628. Filed for public inspection September 24, 1999, 9:00 a.m.]

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No.

345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending September 14, 1999.

### BANKING INSTITUTIONS

#### Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
9-13-99	Omega Financial Corporation, State College, to acquire up to 24.9% of Clearfield Bank & Trust Company, Clearfield	State College	Filed

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-9-99	Port Richmond Savings, Philadelphia, and Gorgas Savings Association, Philadelphia Surviving Institution—Port Richmond Savings, Philadelphia	Philadelphia	Approved
9-13-99	United Bank of Philadelphia Philadelphia Philadelphia County	Philadelphia	Approved
	Purchase of assets/assumption of liabilities of four branch offices of First Union National Bank, Charlotte, North Carolina, located at: 1620 Wadsworth Avenue Philadelphia Philadelphia County 2836 West Girard Avenue Philadelphia Philadelphia County	Philadelphia  3945-49 Chestnut Street Philadelphia Philadelphia County  1501 North Broad Street Philadelphia Philadelphia County	Approved

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-27-99	The Peoples State Bank East Berlin York County	509 Greenbriar Road York York County	Opened
9-7-99	First Liberty Bank & Trust Jermyn Lackawanna County	910 Commerce Avenue Dickson City Lackawanna County	Opened
9-9-99	New Century Bank Phoenixville Chester County	3557 West Chester Pike Newtown Delaware County	Approved
9-9-99	Enterprise Bank Allison Park Allegheny County	Mobile Branch to be operated at various locations throughout Allegheny County and its contiguous counties	Approved
9-9-99	Pennsylvania Business Bank Philadelphia Philadelphia County	1401 Walnut Street Philadelphia Philadelphia County	Approved
9-9-99	Southwest Bank Greensburg Westmoreland County	Southpike Square Route 356 & Monroe Rd. Sarver Butler County	Approved
9-10-99	East Penn Bank Emmaus Lehigh County	Emmaus High School 851 North Street Emmaus Lehigh County	Approved

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-10-99	The Peoples Bank of Oxford Oxford Chester County	Jenners Pond Retirement Community, Allison Bldg. 2000 Greenbriar Lane Penn Township Chester County (Limited Service Facility)	Filed
9-14-99	First County Bank Doylestown Bucks County	Three Friends Lane Newtown Bucks County	Approved

**Branch Relocations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-7-99	Laurel Bank Johnstown Cambria County	<i>To:</i> Route 30 East Latrobe Westmoreland County  <i>From:</i> 400 Latrobe Thirty Shopping Center Latrobe Westmoreland County	Effective

**SAVINGS ASSOCIATIONS****Voluntary Dissolutions**

<i>Date</i>	<i>Name of Association</i>	<i>Action</i>
9-9-99	GMINA Building & Loan Association of Pittsburgh, PA Pittsburgh Allegheny County	Certificate of Election for voluntary dissolution filed. Effective as of the close of business September 9, 1999.

**CREDIT UNIONS****Conversions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
9-10-99	Atlantic Employees Federal Credit Union Newtown Square Delaware County <i>To:</i> Atlantic Credit Union Newtown Square Delaware County	Newtown Square	Approved

Represents conversion from a Federally-chartered credit union to a State-chartered credit union.

DAVID E. ZUERN,  
*Secretary*

[Pa.B. Doc. No. 99-1629. Filed for public inspection September 24, 1999, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Five Year Consolidated Plan for Fiscal Years 2000—2004

The Department of Community and Economic Development (DCED) proposes to adopt the Commonwealth's Five Year Consolidated Plan for Fiscal Years 2000—2004 and the Action Plan for Federal Fiscal Year (FFY) 2000 and the Program Year that starts on January 1, 2000. The new Consolidated Plan is an update of the Commonwealth's Consolidated Plan for FFY 1995-1999.

The Consolidated Plan for Federal Fiscal Years 2000—2004 (the Plan) updates the Commonwealth's Five Year Consolidated Plan for Federal Fiscal Years 1995—1999 and the subsequent Action Plans that have been previously submitted to the United States Department of Housing and Urban Development (HUD). The updated Consolidated Plan includes new goals and action steps and any changes that DCED may have implemented concerning the three programs administered by the Department. The programs administered by DCED are the Community Development Block Grant (CDBG), the Home Investment Partnerships (HOME), and the Emergency Shelter Grants (ESG) programs. The Department of Health (DOH) administers the Housing Opportunities for Persons with AIDS (HOPWA) program. The Plan also includes any changes implemented by DOH in the administration of the HOPWA Program.

This summary is designed to provide an opportunity to citizens, local governmental officials and interested organizations of the Commonwealth to comment about the Plan. Written comments should be submitted to Aldona Kartorie, Office of Community Development and Housing, Department of Community and Economic Development, Room 509 Forum Building, Harrisburg, PA 17120. Written comments must be received by 5 p.m. on October 26, 1999, to be included as testimony or by October 29, 1999, for inclusion in the Plan.

The public hearing has been scheduled as follows: October 26, 1999, Forum Building, Room 321, Walnut Street and Commonwealth Avenue, Harrisburg, PA 17120, 10 a.m. to 1 p.m.

\**Note:* The public meeting may be shortened if there is minimal response.

Individuals who want to speak must call to schedule a time to give oral testimony at the hearing. The hearing will be shortened if there is no one to testify or if there is minimal response. Please contact Aldona Kartorie at (717) 720-7409 to schedule oral testimony no later than October 25, 1999.

Individuals who have a disability and wish to attend the public meeting should contact Aldona Kartorie, Room 509 Forum Building, Harrisburg, PA 17120, (717) 720-7409, to discuss how the Department of Community and Economic Development can accommodate their needs. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the Department's number listed above.

#### *Purpose*

The Consolidated Plan for Federal Fiscal Years 2000—2004 is an update of the Commonwealth's current Consolidated Plan for Federal Fiscal Years 1995—1999. The Plan will describe how the Commonwealth plans to administer the programs over the next 5 years. HUD must approve this Plan in order for the Commonwealth and organizations within the State to receive funding under most HUD housing and community development programs. Applicants for funding from Federal Housing programs must obtain certification that their proposed use of HUD assistance will be consistent with the applicable Plan for the area. The Consolidated Plan creates a unified strategy for housing and community development programs as well as the necessary linkages for building successful neighborhoods and communities.

The Plan will have a major impact on the types, location and number of affordable housing units generated and preserved in this Commonwealth as well as the infrastructure and public facilities, services and other economic and community development initiatives that Pennsylvania communities will undertake.

#### *Content*

There are changes in the overall strategy, goals and action steps, a new section pertaining to Public Housing Authorities, and a nonhousing economic development section. There are minor changes to the HOME and Community Development Grant Block Programs.

#### *Public Review*

The Consolidated Plan will be available for public comment from October 1, 1999 through November 1, 1999 at the following locations:

1. Web Site: [www.dced.state.pa.us](http://www.dced.state.pa.us) click on "Improving Your Community," click on "Housing and Infrastructure."

2. County Offices

3. DCED Regional Offices:

Southeast Regional Office, 908 State Office Building, Broad and Spring Garden Streets, Philadelphia, PA 19130, (215) 560-2256.

Northeast Regional Office, 201 Samters Building, 101 Penn Avenue, Scranton, PA 18503, (717) 963-4571.

Northcentral and Southcentral Regional Offices, 576 Forum Building, Harrisburg, PA 17120, (717) 787-7247.

Southwest Regional Office, 413 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222, (412) 565-5002.

Northwest Regional Office, 212 Lovelle Place Apts., Erie, PA 16501, (814) 871-4241.

4. Pennsylvania's 27 District Libraries:

B. F. Jones Memorial Library, Aliquippa  
Allentown Public Library, Allentown  
Centre County Library, Bellefonte  
Bethlehem Area Public Library, Bethlehem  
Conococheague District Library, Chambersburg  
Clarion District Library, Clarion  
Bucks County Free Library, Doylestown  
Easton Area Public Library, Easton  
Erie County Library, Erie  
Dauphin County Library, Harrisburg  
Cambria County Library, Johnstown  
Lancaster County Library, Lancaster  
Delaware County Library, Brookhaven  
Monessen Public Library, Monessen  
New Castle Public Library, New Castle  
Montgomery County-Norristown Public Library,  
Norristown

Free Library of Philadelphia, Philadelphia  
Carnegie Library of Pittsburgh, Pittsburgh  
Pottsville Free Public Library, Pottsville  
Reading Public Library, Reading  
Scranton Public Library, Scranton  
Warren Public Library, Warren  
Citizen's Library, Washington  
Chester County Library, Exton  
Osterhout Free Library, Wilkes-Barre  
James V. Brown Library, Williamsport  
Martin Memorial Library, York

5. Audio Cassette copies of the Consolidated Plan can be obtained by contacting the Tri-County Branch of the Pennsylvania Association of the Blind: Patricia Summers, Coordinator, Harrisburg Area Radio Reading Services, 1800 North Second Street, Harrisburg, PA 17102, (717) 238-2531.

The Plan will be made available again at these same locations following HUD approval.

SAMUEL A. MCCULLOUGH,  
*Secretary*

[Pa.B. Doc. No. 99-1630. Filed for public inspection September 24, 1999, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

##### [National Pollution Discharge Elimination System Program (NPDES)]

##### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated the EPA, Region III, Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0053201.** Sewage, **RoyAnn Diner**, 1318 Route 309, Sellersville, PA 18960.

This application is for renewal of an NPDES permit to discharge treated sewage from the RoyAnn Diner STP in West Rockhill Township, **Bucks County**. This is an existing discharge to Threemile Run.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 4,500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
Ammonia (as N) (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Phosphorus (as P)	0.5	1.0
Total Residual Chlorine (Years 1 and 2)	monitor/report	monitor/report
(Years 3, 4 and 5)	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0021636.** Sewage, SIC: 4952, **Borough of Fleetwood**, 110 West Arch Street, Suite 104, Fleetwood, PA 19522.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Willow Creek, in Richmond Township, **Berks County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.61 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			
(5-1 to 10-31)	15	22	30
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	2.5	XXX	5.0
(11-1 to 4-30)	7.5	XXX	15
Total Zinc	0.159	XXX	0.318
Total Residual Chlorine			
(Interim)	monitor and report	XXX	XXX
(Final)	0.24	XXX	0.77
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0—9.0 inclusive	
Fecal Coliforms		200/100 ml as a geometric average	
(5-1 to 9-30)		4,100/100 ml as a geometric average	
(10-1 to 4-30)			

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0085065.** Industrial waste, SIC: 4953, **Process Recovery Corporation**, 2909 Windmill Road, Sinking Spring, PA 19608.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Schuylkill River, in Cumru Township, **Berks County**.

The receiving stream is classified for warm water fishery-migratory fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough Water Authority located in Pottstown. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.048 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	report	report	XXX
pH		6.0—9.0 s.u. at all times	
Total Iron	report	report	XXX
Total Dissolved Solids	1,000	2,000	2,500
Total Suspended Solids	100	200	250
Total Mercury	0.008	0.016	XXX
Total Aluminum	report	report	XXX
Total Boron	report	report	XXX
Total Copper	report	report	XXX
BOD <sub>5</sub>	100	200t	XXX
Color (P.C.)	XXX	100	XXX

Stormwater sampling requirements have been included for Outfall 002.

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0053091.** Industrial waste, SIC: 2033, **Giorgio Foods, Inc.**, P. O. Box 96, Temple, PA 19560.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Willow Creek, in Maiden creek Township, **Berks County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough Authority located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		XXX
pH	6.0—9.0 at all times		
Total Suspended Solids	30	60	75
Total Dissolved Solids	1,000	2,000	2,500
Total Residual Chlorine	0.53	XXX	1.73
Dissolved Oxygen	minimum of 5.0 at all times		
CBOD <sub>5</sub>	20	40	50
NH <sub>3</sub> -N			
(5-1 to 9-30)	6	12	15
(10-1 to 4-30)	18	36	40
Fecal Coliform			
(5-1 to 9-30)	200	XXX	XXX
(10-1 to 4-30)	6,300	XXX	XXX
Color (P.C.)	XXX	100	100
Temperature	as required each month		

The proposed effluent limits for Outfall 001 for a design flow of 0.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>		monitor and report	
COD		monitor and report	
Total Suspended Solids		monitor and report	
Total Phosphorus		monitor and report	
Total Kjeldahl Nitrogen		monitor and report	
Total Iron		monitor and report	
Oil and Grease		monitor and report	
pH		monitor and report	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0080195.** Industrial waste, SIC: 3321 and 3322, **Supply Sales Company**, 1411 Lancaster Avenue, Columbia, PA 17512.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of Shawnee Run, in Columbia Borough, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Lancaster Municipal Water Authority located in West Hempfield Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for design flow of 0.15 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	31	61	
NH <sub>3</sub> -N			
(5-1 to 10-31)	3	6	7.5
(11-1 to 4-30)	9	18	22.5
Temperature			
(5-1 to 10-31)		75°F daily average	
(11-1 to 4-30)		100°F daily average	
Oil and Grease	15		30
Total Cadmium	0.004	0.008	0.01
Total Copper	0.048	0.096	0.12
Total Lead	0.017	0.034	0.043
Total Nickel	0.64	1.28	1.6
Total Silver	0.019	0.038	0.048

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Zinc	0.30	0.6	0.75
pH		6.0—10.0 at all times	

The proposed effluent limits for Outfall 002 for a design flow of 0.014 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
Temperature (5-1 to 10-31)		75°F daily average
(4-1 to 4-30)		100°F daily average
pH		from 6.0—9.0 at all times

The proposed effluent limits for Outfall 003, 004, 102 and 200 for stormwater.

<i>Parameter</i>	<i>Maximum Daily (mg/l)</i>
CBOD <sub>5</sub>	monitor
Chemical Oxygen Demand	monitor
Oil and Grease	monitor
Total Suspended Solids	monitor
Phosphorus	monitor
Total Kjeldahl Nitrogen	monitor
Dissolved Iron	monitor
pH	monitor
Total Cadmium	monitor
Total Chromium	monitor
Total Copper	monitor
Total Lead	monitor
Total Nickel	monitor
Total Silver	monitor
Total Zinc	monitor
Total Cyanide	monitor

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

---

*Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.*

**PA 0060623.** Sewerage, **Silver Lake Township Municipal Authority**, P. O. Box 1975, Brackney, PA 18812.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an unnamed tributary to Little Rhiney Creek in Silver Lake Township, **Susquehanna County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is at the Pennsylvania-New York State border.

The proposed effluent limits for Outfall 001 based on a design flow of 0.042 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	50.0
Total Suspended Solids	30.0	60.0
NH <sub>3</sub> -N (5-1 to 10-31)	3.8	7.6
(11-1 to 4-30)	11.4	22.8
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	0.3	0.7

The EPA waiver is in effect.



*Northcentral Region: Environmental Program Manager, Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3666.*

**PA 0228133.** Industrial waste, SIC: 7542, **PA Department of Transportation**, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830.

This proposed action is for issuance of an NPDES permit for a new discharge of treated industrial wastewater to Driftwood Branch Sinnemahoning Creek in Lumber Township, **Cameron County**.

The receiving stream is classified for the following uses: trout stocking, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0005 mgd, are:

Parameter	Concentration (mg/l)			Mass (lbs/day)	
	Average Monthly	Daily Maximum	Instantaneous Maximum	Average Monthly	Daily Maximum
CBOD <sub>5</sub>	25		50		
TSS	30		60		
Oil and Grease	15		30		
Benzene		report			
Toluene		report			
Ethylbenzene		report			
Total Xylenes		report			
pH			6.0—9.0 at all times		

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0216461.** Sewage, **Consolidation Coal Company**, P. O. Box 100, Osage, WV 26543.

This application is for issuance of an NPDES permit to discharge treated sewage from the Dilworth Mine Bathhouse Sewage Treatment Plant in Rices Landing Borough, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri County Joint Municipal Authority.

*Outfall 001:* existing discharge, design flow of 0.02 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month)	monitor and report			
(37th month—expiration)	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0216470.** Sewage, **Consolidation Coal Company**, P. O. Box 100, Osage, WV 26543.

This application is for renewal of an NPDES permit to discharge treated sewage from the Consolidation Coal Company Dilworth Mine Airshaft No. 3 Bathhouse STP in Jefferson Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary to Pumpkin Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri County Joint Municipal Authority.

*Outfall 001:* existing discharge, design flow of 0.03 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Ammonia Nitrogen (5-1 to 10-31)	1.9			3.8
(11-1 to 4-30)	2.9			5.8
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month)	monitor and report			
(37th month—expiration)	0.018			0.042
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

**PA 0221449.** Sewage. **Municipal Authority of Buffalo Township**, 707 South Pike Road, Sarver, PA 16055.

This application is for renewal of an NPDES permit to discharge treated sewage to the Buffalo Creek in Buffalo Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Clearview Water Supply Company on the Allegheny River located at river mile 24.27 and is located 7.75 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of 0.41 mgd, are:

Parameter	Average Monthly (mg/l)	Weekly Average (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub> (5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	8.5		17
(11-1 to 4-30)	25		50
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	1,100/100 ml as a geometric average		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

**PA 0102598.** Sewage. **One Land Corporation**, P. O. Box 222, Valencia, PA 16059.

This application is for renewal of an NPDES permit to discharge treated sewage to the Unnamed Tributary of Glade Run in Middlesex Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Zelienople Municipal Water Works on Connoquenessing Creek located at Zelienople, approximately 20 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of 0.009 mgd, are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	10	20
TSS	10	20
Ammonia-Nitrogen (5-1 to 10-31)	2	4
(11-1 to 4-30)	6	12
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.4	3.3
Dissolved Oxygen	minimum of 3 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0104451.** Industrial waste, **Erie Forge and Steel, Inc.**, 1341 West 16th Street, Erie, PA 16502.

This application is for renewal of an NPDES permit to discharge noncontact cooling water to Cascade Creek in the City of Erie, **Erie County**. This is an existing discharge.

The receiving water is classified for warm water and migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Lake Erie.

The proposed effluent limits, based on an average design flow of 0.056 mgd, are:

*Outfall 001*

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	18		45
Oil and Grease	15		30
Phosphorus as P	1.0		
Copper	0.031	0.062	0.077
pH	6.0—9.0 standard units at all times		

*Outfall 003* is identified as a stormwater outfall.

The EPA waiver is in effect.

**PA 0100927.** Sewage, **R. B. Food, Drink and Lodging, Inc.**, 7860 West Ridge Road, Fairview, PA 16415.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage from a tavern and restaurant to Trout Run in Fairview Township, **Erie County**. This is an existing discharge.

The receiving water is classified for cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Lake Erie, which is approximately 3.3 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on an average design flow of 0.0015 mgd, are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
NH <sub>3</sub> -N		
(5-1 to 10-31)	1.5	3.0
(11-1 to 4-30)	4.5	9.0
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine	0.5	1.2
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	100,000/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

**PA 0222941.** Sewage. **Marlan A., Jr. and Sherry L. Jones**, 13385 Denny Road, Meadville, PA 16335.

This application is for a new NPDES permit to discharge treated sewage to the Watson Run in Hayfield Township, **Crawford County**. This is a new discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the City of Franklin and French Creek located at Franklin, approximately 40 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of .00111 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10	20
TSS	20	40
Fecal Coliform	200/100 ml as a geometric average	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	1.4	3.3
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0222755.** Industrial waste, SIC: 3691, **New Castle Battery Mfg. Co.**, 3601 Wilmington Road, New Castle, PA 16105.

This application is for a new NPDES permit, to discharge treated I.W. and Group 2 stormwater to an unnamed tributary to the Shenango River in Neshannock Township, **Lawrence County**. This is a new discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is PA American Water Co. on Shenango River located at New Castle, approximately 6 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.0039 mgd, are:

*Outfall No. 001*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
Oil and Grease	15	15	30
TSS	30	30	60
Copper	0.08	0.16	0.2
Lead	0.05	0.1	0.13
Iron	1.0	2.0	2.5
Dissolved Iron	0.3	0.6	0.75
Ammonia-Nitrogen	XX		
pH	6.0—9.0 at all times		

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 002*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
This outfall shall consist of stormwater only.			

The EPA waiver is in effect.

**PA 0005061.** Industrial waste, SIC: 4911, **Pennsylvania Power Company—New Castle Plant**, P. O. Box 891, New Castle, PA 16103.

This application is for a renewal of an NPDES permit, to discharge treated I.W., noncontact cooling water, Group 1, Group 2 stormwater to the Beaver River and McKee Run in Taylor Township, **Lawrence County**. These are existing discharges.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver Falls Municipal Authority—Eastvale Plant on Beaver River located at Eastvale, approximately 16 miles below point of discharge.

The proposed discharge limits, based on a design flow of 139.3 mgd, are:

*Outfall No. 001*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
(MO) Flow (mgd)		monitor and report	
(BAT) Total Residual Chlorine			0.2
Interim Effluent Limitations—operate existing electric load management strategy as specified in the previous NPDES permit. This strategy is spelled out in Special Condition A in Part C. Also, refer to Special Condition I in Part C, the Schedule of Compliance for duration of interim temperature limitations.			
Final Heat Rejection Rates—refer to Special Conditions B, C, I and J in Part C.			

<i>Parameter</i>	<i>Average Monthly (mg/l)</i> <i>(MBTU/day)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
January 1—31	24,548.01		
February 1—29	23,257.92		
March 1—31	30,821.90		
April 1—15	28,160.76		
April 16—30	28,160.76		
May 1—15	28,854.30		
May 16—31	37,098.38		
June 1—15	56,445.76		
June 16—30	43,419.82		
July 1—31	47,633.36		
August 1—15	35,490.09		
August 16—31	39,039.10		
September 1—15	41,946.05		
September 16—30	45,441.55		
October 1—15	26,856.81		
October 16—31	35,809.08		
November 1—15	40,103.29		
November 16—30	32,082.64		
December 1—31	26,479.18		

pH 6.0—9.0 at all times

The proposed discharge limits, based on a design flow of 0.006 are:

*Outfall No. 101*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
Total Suspended Solids	30	100	
Oil and Grease	15	20	30
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.42, are:

*Outfall No. 002*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
------------------	-------------------------------	-----------------------------	-------------------------------------

This discharge shall consist solely of intake screen backwash

The proposed discharge limits, based on a design flow of 0.26, are:

*Outfall No. 003*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	100	
Oil and Grease	15	20	30
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.97, are:

*Outfall No. 004 and 005*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	100	
Oil and Grease	15	20	30
Iron	3.5	7.0	8.75
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.048 are:

*Outfall No. 005A*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	100	
Oil and Grease	15	20	30

## NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Copper	1.0	1.0	2.5
Iron	1.0	1.0	2.5
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 006*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	100	
Oil and Grease	15	20	30
Dissolved Iron	XX		7

Any untreated overflow from facilities designed, constructed and operated to treat the ash pile runoff which results from a 10 year/24 hour rainfall event shall not be subject to the above Total Suspended Solids limitations.

pH 6.0—9.0 at all times

XX—monitor and report

The proposed discharge limits, based on a design flow of 0.71 mgd, are:

*Outfall No. 007*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	100	
Oil and Grease	15	20	30
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 008*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids			50
Mercury		monitor and report	

Any untreated overflow from facilities designed, constructed and operated to treat the coal pile runoff which results from a 10 year/24 hour rainfall event shall not be subject to the above Total Suspended Solids limitations.

pH 6.0—9.0 at all times

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 009*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	100	

Any untreated overflow from facilities designed, constructed and operated to treat the ash pile runoff which results from a 10 year/24 hour rainfall event shall not be subject to the above Total Suspended Solids limitations.

pH 6.0—9.0 at all times

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 010, 011, 012, 013*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		monitor and report	
Total Suspended Solids	30	100	

These discharges shall consist solely of stormwater runoff

Areas Contributing Stormwater Runoff:

- Outfall 010—No. 10 Building Drain
- Outfall 011—Coal Truck Parking Area
- Outfall 012—138 KV Substation Area
- Outfall 013—69 KV Substation Area

\*—Refer to Stormwater Only Outfalls, Condition H in Part C.

The following Special Conditions are included in Part C.

1. Thermal Electric Load Management Strategy
2. Method to Calculate Daily Average Heat Rejection Rates
3. Other Permits Superseded Condition
4. TRC and PCB Steam Electric Discharger Related Conditions
5. Chemical Additives Condition
6. Stormwater Only Outfalls Conditions
7. Compliance Schedule for Thermal Discharge Including Interim/Final Limitations Compliance Dates
8. Option to Conduct 316(a) Thermal Variance Condition

The EPA waiver is not in effect.

**PA 0002038.** Industrial waste, SIC: 2819 and 2869, **OMG Americas**, Two Mile Run Road, Franklin, PA 16323.

This application is for a renewal NPDES permit, to discharge noncontact cooling water, stormwater runoff and process wastewater to Race Run, Two Mile Run and the Allegheny River in Sugarcreek Borough, **Venango County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Emlenton Water Company on the Allegheny River located at Emlenton, approximately 30 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.04 mgd, are:

*Outfall No. 001*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Total Suspended Solids	no net poundage addition above levels in the intake water source		
Heat Rejection Rate	<i>Daily Avg. (MBTU/day)</i>		
January	142		
February	116		
March	233		
April 1—15	206		
April 16—30	103		
May	57		
June	33		
July	19		
August	15.5		
September	12.2		
October 1—15	13.3		
November 1—15	17.7		
November 16—30	35.5		
December	13.3		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.037 mgd, are:

*Outfall No. 102*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			
Cobalt	1.4	3.6	3.6
Total Suspended Solids	17	28	40
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.03 mgd, are:

*Outfall No. 202*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			
Total Suspended Solids	no net poundage addition above levels in the intake water source		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.075 mgd, are:

*Outfall No. 302*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Copper	0.74	2.29	2.29
Nickel	0.74	2.29	2.29
Total Suspended Solids	30	60	60
Cobalt	1.4	2.8	3.5
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.012 mgd, are:

*Outfall No. 402*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Total Suspended Solids	no net poundage addition above levels in the intake water source		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.0045 mgd, are:

*Outfall No. 502*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
TDS	monitor and report		
Total Suspended Solids	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.01 mgd, are:

*Outfall No. 602*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Iron	monitor and report		
Manganese	monitor and report		
Aluminum	monitor and report		
Total Suspended Solids	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.085 mgd, are:

*Outfall No. 702*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Total Suspended Solids	no net poundage addition above levels in the intake water source		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of 0.85 mgd, are:

*Outfall Nos. 102, 202, 302, 402, 502, 602 and 702*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 003*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		



<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Cobalt	monitor and report		
Sara Title III, Section 313— Water Priority Chemicals	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 004*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		
Cobalt	monitor and report		
Sara Title III, Section 313— Water Priority Chemicals	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 005*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		
Cobalt	monitor and report		
Sara Title III, Section 313— Water Priority Chemicals	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 006*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
------------------	-----------------------------------	---------------------------------	---

This outfall shall consist of stormwater only.

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 007*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		
Cobalt	monitor and report		
Sara Title III, Section 313— Water Priority Chemicals	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 008*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		
Cobalt	monitor and report		
Sara Title III, Section 313— Water Priority Chemicals	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 009*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		
Cobalt	monitor and report		
Sara Title III, Section 313— Water Priority Chemicals	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 010*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		
Cobalt	monitor and report		
Sara Title III, Section 313— Water Priority Chemicals	monitor and report		
pH		6.0—9.0 at all times	

The proposed discharge limits, based on a design flow of n/a mgd, are:

*Outfall No. 001*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD <sub>5</sub>	monitor and report		
Oil and Grease	monitor and report		
pH	monitor and report		
Total Suspended Solids	monitor and report		
Dissolved Iron	monitor and report		
Copper	monitor and report		
Nickel	monitor and report		
Cobalt	monitor and report		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Sara Title III, Section 313— Water Priority Chemicals pH	monitor and report		6.0—9.0 at all times
The EPA waiver is in effect.			

**Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges**

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

*Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0080837	John D. Walter Conodoguinet Mobile Estates P. O. Box 175 Newville, PA 17241	Cumberland County Lower Mifflin Township	Conodoguinet Creek	TRC
PA0087114 99-2	Manolo and Rosalie Calvo 127 Stoney Run Road Dillsburg, PA 17019	York County Carroll Township	Stoney Run Creek	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER Applications under the Pennsylvania Clean Streams Law (Part II Permits)**

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each commentator

will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**WQM Permit No. 1599416.** Sewerage. **West Whiteland Township**, 222 Pottstown Pike, Exton, PA 19341. Applicant requests the approval for the construction and operation of sewage pumping station to serve the Mill Valley subdivision located in West Whiteland Township, **Chester County**.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**WQM Permit No. 3399402.** Sewage. **Albert R. Shouey, SRSTP**, R. R. 1, Box 113-B, Worthington, PA 16262. This project is for the construction of a single residence sewage treatment plant in Barnett Township, **Jefferson County**.

**WQM Permit No. 3799405.** Sewage. **Mark Samsa, SRSTP**, R. R. 1, Box 1028, Pulaski, PA 16143. This project is for the construction of a single residence sewage treatment plant in Pulaski Township, **Lawrence County**.

**WQM Permit No. 6299413.** Sewage. **Carl E. Sliter, SRSTP**, R. R. 1, Box 168, Pittsfield, PA 16340. This project is for the construction of a single residence sewage treatment plant in Pittsfield Township, **Warren County**.

**WQM Permit No. 4399421.** Sewage. **Robert Thomas, SRSTP**, R. R. 1, Box 217, Polk, PA 16342. This project is for the construction of a single residence sewage treatment plant in City of Hermitage, **Mercer County**.

#### INDIVIDUAL PERMITS

(PAS)

---

#### NPDES Individual

---

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determina-

tion regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**NPDES Permit PAS10-G017-R.** Stormwater. **Realen Homes**, 725 Talamore Drive, Ambler, PA 19002, has applied to discharge stormwater from a construction activity located in Charlestown Township, **Chester County**, to Pickering Creek

*Northwest Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

*Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.*

**NPDES Permit PAS10Q182.** Stormwater. **J. G. Petrucci Co., Inc., d.b.a. Lehigh Valley Industrial Holdings, L. P.**, 171 Route 173, Suite 201, Asbury, NJ 08802, has applied to discharge stormwater from a construction activity located in Upper Macungie Township, **Lehigh County**, to Little Lehigh Creek.

**NPDES Permit PAS212206.** Stormwater. **Pennsylvania Perlite Corp.**, 1428 Mauch Chunk Road, Bethlehem, PA 18018, has applied to discharge stormwater from an industrial site located in the City of Bethlehem, **Northampton County**, to Monocacy Creek.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 657-4707.*

*Cumberland County Conservation District, District Manager, 43 Brookwood Avenue, Suite 4, Carlisle, PA 17013, (717) 240-7812.*

**NPDES Permit PAS-10-H085.** Stormwater. **Carlisle Evangelical Free Church**, 209 Petersburg Road, Carlisle, PA 17013, has applied to discharge stormwater from a construction activity located in South Middleton Township, **Cumberland County**, to Letort Spring Run. (EV-CWF)

### SAFE DRINKING WATER

**Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**A. 1599512.** Public water supply. **London Grove Township Municipal Authority**, 550 East Baltimore Pike, Suite 200, West Grove, PA 19390. This proposal involves the permitting of London Grove Township Municipal Authority's existing water distribution system in West Grove Township, **Chester County**.

*Southwest Regional Office: Regional Manager; Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**0284505-A2. Sewickley Borough Water Authority**, P. O. Box 190, Sewickley, PA 15143. Replacement of a cover on Reservoir No. 4 serving the Borough of Sewickley, **Allegheny County**.

**3099501. The Municipal Authority of the Borough of Carmichaels**, 104 North Pine Street, Carmichaels, PA 15320. Installation of a 560,000 water storage tank serving Cumberland Township, **Greene County**.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

**Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Easton Roundhouse Site**, City of Easton, **Northampton County**. William K. Ahlert, Lawler, Matusky & Skelly Engineers LLP, The Sovereign Building, 609 Hamilton Mall, Allentown, PA 18101, has submitted a Notice of Intent to Remediate (on behalf of his client, City of Easton, One South Third Street, Easton, PA 18042) concerning the characterization of site soils and groundwater found to have been contaminated with petroleum hydrocarbons, solvents, metals, pesticides and BTEX (benzene, toluene, ethylbenzene and xylenes) compounds. The applicant proposes to remediate the site to meet the Special Industrial Area standard. A summary of the Notice of Intent to Remediate was published in *The Express Times* on August 17, 1999. A Baseline Environmental Report was also received on April 14, 1999.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Distribution Pole 15526S31704**, Carlisle Borough, **Cumberland County**. PP&L, Inc., Two North Ninth Street, Allentown, PA 18101-1179, has submitted a Notice of Intent to Remediate site soils contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Sentinel* on August 25, 1999.

**Distribution Pole 22359S32512**, Shiremanstown Borough, **Cumberland County**. PP&L, Inc., Two North Ninth Street, Allentown, PA 18101-1179, has submitted a Notice of Intent to Remediate site soils contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Patriot News* on August 25, 1999.

**Distribution Pole 22694S35285**, East Pennsboro Township, **Cumberland County**. PP&L, Inc., Two North Ninth Street, Allentown, PA 18101-1179, has submitted a Notice of Intent to Remediate site soils contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Patriot News* on August 25, 1999.

**Lillian Leiss Residence**, City of Reading, **Berks County**. EarthRes Group, Inc., P. O. Box 468, Pipersville, PA 18947, has submitted a Notice of Intent to Remediate site soils contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was published in the *Reading Eagle/Times* on August 14, 1999.

*Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.*

**BP Amoco—Pittsburgh Terminal**, Baldwin Borough/City of Pittsburgh, **Allegheny County**. Scott C. Wonsetler, Handex of Western Pennsylvania, 106 Thomson Park Drive, Cranberry Township, PA 16066 and BP Amoco, 1 West Pennsylvania Avenue, Suite 915, Towson, MD 21204, have submitted a Notice of Intent to Remediate soil, groundwater, surface water and sediment contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pittsburgh Post Gazette* on August 16, 1999.

## SOLID AND HAZARDOUS WASTE

### PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE

#### INFECTIOUS OR CHEMOTHERAPEUTIC WASTE

**Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

*Bureau of Land Recycling and Waste Management: Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**American Waste Industries, Inc.**, 508 East Indian River Road, Norfolk, VA 23523; Robert L. Earl Jr., Executive Vice President; application received September 7, 1999.

## AIR QUALITY

### Notice of Plan Approval and Operating Permit Applications

#### Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an integrated plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request

that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

## OPERATING PERMITS

### Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**48-318-083: Elementis Pigments, Inc.** (1525 Wood Avenue, Easton, PA 18042), for operation of a pigment blending and milling process in Easton, **Northampton County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**01-310-031A: ISP Minerals, Inc.** (P. O. Box O, Blue Ridge Summit, PA 17214), for operation of coloring plant system no. 1 controlled by fabric collectors in Hamiltonban Township, **Adams County**.

**01-310-039B: ISP Minerals, Inc.** (P. O. Box O, Blue Ridge Summit, PA 17214), for operation of a stone coloring facility controlled by fabric collectors in Hamiltonban Township, **Adams County**.

**06-03069: Highway Materials, Inc.** (P. O. Box 1667, Blue Bell, PA 19422), for operation of a nonmetallic mineral crushing plant controlled by wet suppression in Alsace Township, **Berks County**. This source is subject to 40 CFR Part 60, Subpart OOO, Standards of Performance for New Stationary Sources.

**22-03024: BSC Litho, Inc.** (3000 Canby Street, Harrisburg, PA 17105), for operation of two web offset presses with dryers controlled by a catalytic incinerator in Penbrook Borough, **Dauphin County**.

**38-03019: Allied Veterinary Cremation Service** (1587 Town Hill Road, York Springs, PA 17372), for operation of an animal crematorium in South Londonderry Township, **Lebanon County**.

**67-304-018E: DONSCO, Inc.** (P. O. Box 2001, Wrightsville, PA 17368), for operation of two shotblast machines controlled by a fabric filter at the foundry in Wrightsville, **York County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**47-310-002B: Royer Limestone Co.** (c/o HRI, Inc., P. O. Box 155, State College, PA 16804-0155), for operation of a jaw crusher and associated air cleaning device (a water spray dust suppression system) in Limestone Township, **Montour County**.

**19-320-001E: Haddon Craftsmen, Inc.** (4411 Old Berwick Road, Bloomsburg, PA 17815), for operation of a heatset web offset printing press (HCM-015) and book block binding line in South Centre Township, **Columbia County**.

**OP-59-0005A: CNG Transmission Corp.** (CNG Tower, 625 Liberty Avenue, Pittsburgh, PA 15222-3199), for operation of a 3,200 horsepower natural gas-fired internal combustion engine, a natural gas-fired boiler and a natural gas-fired salt bath heater at the Boom Station in Lawrence Township, **Tioga County**.

**41-304-014B: Andritz, Inc.** (35 Sherman Street, Muncy, PA 17756-1202), for operation of casting and plate finishing operations and associated air cleaning devices (two fabric collectors) in Muncy Borough, **Lycoming County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**OP-26-00406: Christopher Resources, Inc.** (P. O. Box 197, Mt. Braddock, PA 15465), for operation of coal processing at Mt. Braddock Mines in Dunbar Township, **Fayette County**.

**OP-56-00273: Tuf's Coatings, Inc.** (P. O. Box 76, Shanksville, PA 15560), for operation of surface coating operation in Stonycreek Township, **Somerset County**.

**OP-65-00131: Johnston the Florist** (14179 Lincoln Way, North Huntingdon, PA 15642), for operation of greenhouse in Hempfield Township, **Westmoreland County**.

---

#### Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southeast Regional Office: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Attn: Edward Brown, (610) 832-6242.*

**46-00038: PECO Energy Co.** (Evergreen and Sanatoga Roads, Wayne, PA 19087), located in Limerick Township, **Montgomery County**. The facility's major emission plants include: three auxiliary boilers, eight emergency generators, two cooling towers and one spray pond which emit major levels of sulfur dioxides and particulate matter.

**23-00001: Sunoco, Inc. (R&M)** (Delaware Ave. and Green Street, Marcus Hook, PA 19061), located in Marcus Hook Borough, **Delaware County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Attn: Eric Gustafson, (814) 332-6940.*

**37-00008: Ellwood City Forge** (800 Commercial Avenue, Ellwood City, PA 16117), located in Ellwood City Borough, **Lawrence County**. The facility's major emission sources include forging presses, finishing operations and various natural gas fired furnaces. The facility is a major facility due to its potential to emit of nitrogen oxides.

**20-00040: Advanced Cast Products, Inc.** (18700 Mill Street, Meadville, PA 16335), located in Meadville, **Crawford County**. Advanced Cast's facility is primarily used for the production of malleable iron products. The facility's air emission sources include material handling equipment, melt and holding furnaces, pouring, cooling, shakeout, surface coating operations and miscellaneous natural gas fired furnaces. The facility is a major facility due to its potential to emit particulate matter less than 10 microns in diameter.

---

#### PLAN APPROVALS

---

#### Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**39-317-026: Windy Hill Pet Food Co., Inc.** (6821 Ruppsville Road, Allentown, PA 18016-9360), for construction of a biofiltration unit for two pet food manufacturing lines in Upper Macungie Township, **Lehigh County**.

**48-309-084B: Hercules Cement Co.** (501 Center Street, P. O. Box 69, Stockertown, PA 18083), for installation of a fabric collector which will replace the Nos. 1 and 3 cement kilns' fabric collector in Stockertown, **Northampton County**.

**48-313-085: Medeva Pharmaceuticals, Inc.** (P. O. Box 21170, Lehigh Valley, PA 18002-1170), for construction of an anesthetics manufacturing process at 3950 Scheldon Circle, Bethlehem, **Northampton County**.

**48-320-003F: Mack Printing Co.** (1991 Northampton Street, Easton, PA 18042), for modification of a binding operation in Wilson Borough, **Northampton County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-5035B: ICI Paints North America** (301 Bern Street, Reading, PA 19601-1252), for a paint manufacturing facility controlled by a fabric collector in Reading, **Berks County**.

**06-5078C: FR & S, Inc.** (727 Red Lane Road, Reading, PA 19508), for a municipal solid waste landfill controlled by a gas collection system, flare and gas treatment plant in Exeter Township, **Berks County**. The source is subject

to 40 CFR Part 60, Subpart WWW, Standards of Performance for New Stationary Sources.

**67-320-026D: GTY, Inc.** (2075 Loucks Road, York, PA 17404), for installation of two rotogravure printing presses in West Manchester Township, **York County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**49-318-034: Milton Steel, Inc.** (6 Canal Street, Milton, PA 17847), for Department approval of two paint dip tanks which were illegally constructed in 1985 and 1989 in Milton Borough, **Northumberland County**.

**19-304-003A: S & B Foundry Co.** (3825 New Berwick Highway, Bloomsburg, PA 17815), for construction of two iron induction furnaces and an iron inoculation station in South Centre Township, **Columbia County**.

**14-310-017K: Glenn O. Hawbaker, Inc.** (P. O. Box 135, State College, PA 16804), for construction of a stone crusher, screens, various conveyors, a railcar unloading operation and associated air cleaning devices (water spray dust suppression systems) at Central Valley Aggregates in Spring Township, **Centre County**. The crusher, screens, railcar unloading operation and some of the conveyors are subject to Subpart 000 of the Federal Standards of Performance for New Stationary Sources.

**18-313-019E: Croda, Inc.** (P. O. Box 178, Mill Hall, PA 17751-0178), for modification of a "Super Refined Oils" process facility (6.92 tons per year increase in the amount of volatile organic compound emissions allowed) as well as for the installation of an air cleaning device (an existing thermal oxidizer) on the process facility in Bald Eagle Township, **Clinton County**.

**41-303-008: Glenn O. Hawbaker, Inc.** (450 East College Avenue, Bellefonte, PA 16823), for the construction of a drum mix asphalt plant and associated air cleaning device (a fabric collector) in Loyalsock Township, **Lycoming County**. This plant will be subject to Subpart I of the Federal Standards of Performance for New Stationary Sources.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-56-258B: PBS Coals, Inc.** (P. O. Box 260, Friedens, PA 15541), for installation of limestone crushing and screening at Job 200 (Paxton Strip) in Brothersvalley Township, **Somerset County**.

**PA-26-492A: Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001), for installation of portable coal crusher at Gallentine Surface Mine in Saltlick Township, **Fayette County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-20-040B: Advanced Cast Products, Inc.** (18700 Mill Street, P. O. Box 417, Meadville, PA 16335), for construction of a new baghouse to replace existing American Air Filter Collector in Vernon Township, **Crawford County**.

**PA-42-182B: Allegheny Store Fixtures** (57 Holley Avenue, Bradford, PA 16701-2290), for operation of a paint booth (wooden office cabinets and fixtures) in Bradford, **McKean County**.

*Philadelphia Department of Public Health: Air Management Services, 321 University Ave., Philadelphia, PA 19104, (215) 685-7572.*

**99050, 99061, 99062: Metro Machine Corp. of Pennsylvania** (Philadelphia Naval Business Center, Dry Dock No. 2 and No. 3, West 3rd Street, Philadelphia, PA 19112), for repairing, overhauling and painting navy ships in the City of Philadelphia, **Philadelphia County**.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences.)

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal confer-



ence must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

*Coal Applications Received*

**03840105R. Allegheny Mineral Corporation** (P. O. Box 1022, Kittanning, PA 16201). Renewal application received for continued operation and reclamation of a bituminous surface mine located in West Franklin Township, **Armstrong County**, affecting 241.2 acres. Receiving streams: unnamed tributary to Buffalo Creek and Buffalo Creek to the Allegheny River. Renewal application received: September 2, 1999.

**03910115R. Allegheny Mineral Corporation** (P. O. Box 1022, Kittanning, PA 16201). Renewal application received for continued operation and reclamation of a bituminous surface auger mine located in West Franklin Township, **Armstrong County**, affecting 468.8 acres. Receiving streams: Buffalo Creek to the Allegheny River. Renewal application received: September 2, 1999.

**03990107. Walter L. Houser Coal Co., Inc.** (RR 9, Box 434, Kittanning, PA 16201). Application received for commencement, operation and reclamation of a bituminous surface mine located in Washington and East Franklin Townships, **Armstrong County**, proposed to affect 203.8 acres. Receiving streams: unnamed tributaries of Limestone Run to Limestone Run to the Allegheny River. Application received: September 2, 1999.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

**32840103.** Permit Renewal for reclamation only, **Beth Contracting, Inc.** (R. D. 1, Box 208C, Glen Campbell, PA 15742), for continued restoration of bituminous-auger strip mine in Cherryhill Township, **Indiana County**, affecting 156.7 acres, receiving stream receiving stream unnamed tributaries to Crooked Creek and unnamed tributaries to Two Lick Creek. Application received September 7, 1999.

**56990103. Action Mining, Inc.** (1117 Shaw Mines Road, Meyersdale, PA 15552), commencement, operation and restoration of bituminous-auger strip mine in Brothersvalley Township, **Somerset County**, affecting 222.0 acres, receiving stream receiving stream Unnamed Tributaries to Miller's Run. Application received September 1, 1999.

*McMurray District Office, 3913 Washington Road, McMurray, PA 15317.*

**03820701. GPU Generation Inc.** (1001 Broad St., Johnstown, PA 15907), to renew the permit for the Keystone Station Ash Valley in Plumcreek Township, **Armstrong County** to renew, no additional discharges. Application received July 28, 1999.

**56841304. Mountain Top Mining, Inc.** (198 Plank Rd., Hollsopple, PA 15935), to revise the permit for the Khristy No. 1 Mine in Shade Township, **Somerset County**, postmining land use change, no additional discharges. Application received August 25, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**10940101. Blackridge Associates, Inc.** (R. D. 6, Box 279J, Friendship Plaza, Kittanning, PA 16201). Transfer of an existing bituminous surface strip, auger and tippel

refuse disposal operation in Clay and Concord Townships, **Butler County** affecting 263.2 acres. Receiving streams: Unnamed tributary to South Branch Slippery Rock Creek to Slippery Rock Creek to Connoquenessing Creek to the Beaver River to the Ohio River. Transfer from BMB Management, Inc. Application received August 30, 1999.

**33990111. P & N Coal Co., Inc.** (P. O. Box 332, 240 West Mahoning Street, Punxsutawney, PA 15767). Commencement, operation and restoration of a bituminous surface strip operation in McCalmont and Young Townships, **Jefferson County** affecting 171.5 acres. Receiving streams: Unnamed tributaries to Little Elk Run and unnamed tributaries to Elk Run both to Elk Run to Mahoning Creek to the Allegheny River. Application received: August 26, 1999.

**33940107. Fred A. Deemer, Jr.** (R. D. 1, Reynoldsville, PA 15851). Renewal of an existing bituminous surface strip operation in Washington and Winslow Townships, **Jefferson County** affecting 15.5 acres. Receiving streams: Two unnamed tributaries to Sandy Lick Creek. Renewal for active mining. Application received September 2, 1999.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17970111. Beth Contracting, Inc.** (R. D. 1, Box 208-C, Glen Campbell, PA 15742), transfer of an existing bituminous surface mine-auger permit from Johnson Brothers Coal Co., Inc., located in Newburg Borough, **Clearfield County**, affecting 49.4 acres. Receiving streams: Chest Creek, Wilson Run. Application received September 8, 1999.

**17990117. P & N Coal Co., Inc.** (P. O. Box 332, 240 West Mahoning Street, Punxsutawney, PA 15767), commencement, operation and restoration of a bituminous surface mine permit in Bell Township, **Clearfield County**, affecting 65.3 acres. Receiving streams: unnamed tributary of Beech Run and Beech Run to East Branch Mahoning Creek to Mahoning Creek. Application received September 7, 1999.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

*Noncoal Applications Received*

**65930601R. Timothy M. Hoover** (R. R. 3, Box 47, Saltsburg, PA 15681). NPDES renewal application received for continued operation and reclamation of a large noncoal surface mine located in Loyalhanna Township, **Westmoreland County**, affecting 77.4 acres. Receiving streams: unnamed tributary to the Conemaugh River. NPDES renewal application received: September 10, 1999.

## APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements.

Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E23-283.** Encroachment. **The McKee Group**, 900 W. Sproul Rd., Suite 301, Springfield, PA 19064. To reissue permit E23-283 for installation and maintenance of a 3-foot by 14-foot box culvert and emergency access road across an unnamed tributary of the West Branch of Chester Creek and adjacent wetlands at the Fox Hill Farms Residential Subdivision. The site is located approximately 2,000 feet northwest of the intersection of Smith Bridge Road and Temple Road (Wilmington North, PA Quadrangle N: 20.7 inches; W: 3.4 inches) in Concord Township, **Delaware County**.

*Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E39-335.** Encroachment. **Bruce J. and Tami A. Yocum**, 1101 West Tioga Street, Allentown, PA 18103. To place fill within a de minimis area of PSS wetlands, equal to 0.03 acre; to construct and maintain a single-span bridge, having a total span of 58 feet, 3 inches, with an underclearance of approximately 8 feet across Jordan Creek (CWF). The project is located on the north side of S. R. 4007, approximately 0.3 mile southwest of the intersection of S. R. 4007 and T-593 (Slatedale, PA Quadrangle N: 2.8 inches; W: 2.0 inches), Lowhill Township, **Lehigh County** (Philadelphia District, U.S. Army Corps of Engineers).

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E06-528.** Encroachment. **Ruth Osterburg**, 5171 Route 419, Womelsdorf, PA 19567. To maintain a bridge having a span of 10 feet and an underclearance of 5 feet across the channel of Mill Creek (CWF) at a point approximately 1,500 feet upstream of Host Church Road (Strausstown, PA Quadrangle N: 8.3 inches; W: 12.0 inches) in Tulpehocken Township, **Berks County**.

**E22-405.** Encroachment. **Consolidated Scrap Resources, Inc.**, P. O. Box 1761, Harrisburg, PA 17105. To place a shredder in the floodway of Paxton Creek (WWF) at a point approximately 1,200 feet downstream of

Maclay Street (Harrisburg, PA Quadrangle N: 5.4 inches; W: 1.0 inch) in the City of Harrisburg, **Dauphin County**.

**E67-676.** Encroachment. **Kinsley Construction, Inc.**, Robert Kinsley, R. D. 1, Box 131AA, Seven Valleys, PA 17360. To widen East Berlin Road over Honey Run (TSF) by 11 feet to the south and to widen Emigs Mill Road bridge over Honey Run (TSF) by 10 feet to the east to accommodate the West Manchester Corporate Center traffic. The bridges are located 0.2 mile apart in West Manchester and Dover Townships, **York County**. (West York, PA Quadrangle N: 12.9 inches; W: 11.0 inches).

*Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.*

**E53-333.** Encroachment. **Stanley G. Corbett**, 634 North Hollow Road, Coudersport, PA 16915. To maintain a culvert, 48 inches in diameter in North Hollow Creek located off North Hollow Road approximately 2.7 miles north of Route 6 (Sweden Valley, PA Quadrangle N: 7 inches; W: 9 inches) in Sweden Township, **Potter County**. Stream classification is CWF.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1287.** Encroachment. **McMetro Partnership**, 315 Payday Drive, Elizabeth, PA 15037. To place and maintain fill in approximately 0.25 acre of wetland (PSS/PEM) for the purpose of constructing a 55 acre retail development known as McMetro Development. The development site is located on the southwest side of S.R. 60 between the Robinson Town Centre Boulevard and S. R. 22/30 interchanges with S. R. 60 (Oakdale, PA Quadrangle N: 13.6 inches; W: 6.5 inches) in North Fayette and Robinson Townships, **Allegheny County**. The applicant proposes to meet the wetland replacement requirements by paying into the wetland replacement fund.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E20-483.** Encroachment. **PA Department of Transportation**, Engineering District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. To remove the existing structure and to construct and maintain a two-span reinforced concrete adjacent box beam bridge with each span having a normal clear span of 30.6 meters and an underclearance of 8.824 meters on S. R. 1025 (Grant Street) across French Creek (WWF, Nominated 1-A Scenic). This project will also include a de minimis wetland impact (0.01 hectare) associated with bridge approach improvement. This project is located on S. R. 1025 (Grant Street) across French Creek approximately 1,800 feet west of the intersection of S. R. 0099 and S. R. 0006/0019 (Cambridge Springs, PA Quadrangle N: 10.25 inches; W: 8.34 inches) located in Cambridge Springs Borough, **Crawford County**.

**E20-485.** Encroachment. **PA Fish and Boat Commission**, Bureau of Engineering and Development, 450 Robinson Lane, Bellefonte, PA 16823. To construct and maintain an earth fill public fishing pier extending a maximum distance of approximately 225 feet from the edge of water at normal pool elevation with a maximum width of approximately 80 feet having a total volume of 2,320 cubic yards of fill occupying approximately 0.23 acre of the bed of Tamarack Lake at an existing public access area along Tamarack Road on the southwestern side of the lake approximately 0.75 mile northwest of

Freyermuth Road (Cochranton, PA Quadrangle N: 15.1 inches; W: 11.4 inches) located in East Mead Township, **Crawford County**.

**ENVIRONMENTAL ASSESSMENT**

**Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.**

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**D55-002EA.** Environmental Assessment. **Daniel L. Edelman** (207 North Wausau Road, Middleburg, PA 17842). To breach and remove the Franklin Mill Dam across Middle Creek (TSF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 2,000 feet upstream of the bridge carrying S. R. 522 and S. R. 104 across Middle Creek (Middleburg, PA Quadrangle N: 6.25 inches; W: 6.45 inches) in Middleburg Borough, **Snyder County**.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**EA16-003NW.** Environmental Assessment. **PA Department of Environmental Protection**, Bureau of Aban-

doned Mine Reclamation, Rachel Carson State Office Building, P. O. Box 8476, Harrisburg, PA 17105-8476. To eliminate a total of 2,300 linear feet of dangerous high wall, to relocate approximately 1,300 linear feet of stream channel, to construct a 0.6 acre replacement wetland, and to eliminate four separate bodies of water (total surface area approximately 1 acre) as part of a restoration/reclamation project of an abandoned strip mine located approximately 3,200 feet northwest of the intersection of S. R. 0068 and S. R. 3004 in the Village of New Athens (Rimersburg, PA Quadrangle N: 3.6 inches; W: 6.3 inches) located in Madison Township, **Clarion County**.

**STORAGE TANKS**

The following Storage Tank Site Specific Installation Permit application has been received by the Department and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Watershed Conservation, Division of Storage Tanks, P. O. Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it is based.

<i>SSIP Application No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
99017	Dosch-King Emulsions, Inc. 16 Troy Hills Rd. Whippany, NJ 07981	Schuylkill County West Penn Township	2 ASTs storing Asphalt Emulsion 20,000 gallons each 1 AST storing Asphalt Emulsion 17,000 gallons

**ACTIONS**

**FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**

[National Pollution Discharge Elimination System Program (NPDES)]

**DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER**

**(Part I Permits)**

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of

the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**NPDES Permit No. PA0055948.** Industrial waste. **Sunoco Inc.**, Ten Penn Center, 1801 Market Street, 3rd Floor, Philadelphia, PA 19103, is authorized to discharge from a facility located at Former Atlantic Service Station in Horsham Township, **Montgomery County** to an unnamed tributary to Pennypack Creek.

**NPDES Permit No. PA 0057657.** Sewage. **Kendal Corporation**, P. O. Box 100, Kennett Square, PA 19348, is authorized to discharge from a facility located at Kendall Crosslands WWTP in Kennett Township, **Chester County** to an unnamed tributary to Bennetts Run.

**WQM Permit No. 4699420.** Sewerage. **Perkiomen Township Municipal Authority**, 1 Trappe Road, Collegetown, PA 19426. Approval for the construction and operation of a sanitary sewer collection system to serve

Cranberry PRD Phase 8 residential development located in Perkiomen Township, **Montgomery County**.

**WQM Permit No. 1599408.** Sewerage. **East Goshen Township Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380. Approval for the construction and operation of a sewage pump station and force main to serve The Reserve at Spring Meadows residential community located in East Goshen Township, **Chester County**.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**Permit No. PAG043622.** Single Family Residence Sewerage. **William Knisley**, R. D. 1 Box 307, Alum Bank, PA 15521, is authorized to discharge from a facility located in West Saint Clair Township, **Bedford County** to the receiving waters named Dunning Creek.

**Permit No. PAG043623.** Single Family Residence Sewerage. **William Knisley**, R. D. 1 Box 307, Alum Bank, PA 15521, is authorized to discharge from a facility located in West Saint Clair Township, **Bedford County** to the receiving waters named Dunning Creek.

**Permit No. PAG043624.** Single Family Residence Sewerage. **William Knisley**, R. D. 1 Box 307, Alum Bank, PA 15521, is authorized to discharge from a facility located in West Saint Clair Township, **Bedford County** to the receiving waters named Dunning Creek.

**Permit No. PA0044628, Amendment 1.** Industrial waste. **Sithe Pennsylvania Holdings LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017, is authorized to discharge from a facility located in York Haven Borough, **York County** to the receiving waters named Susquehanna River.

**Permit No. PA0080845, Amendment 1.** Industrial waste. **Sithe Pennsylvania Holdings LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017, is authorized to discharge from a facility located in Catherine Township, **Blair County** to the receiving waters named Frankstown Branch.

**Permit No. PA0010782, Amendment 2.** Industrial waste. **Sithe Pennsylvania Holdings LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017, is authorized to discharge from a facility located in Cumru Township, **Berks County** to the receiving waters named Schuylkill River.

**Permit No. 0599403.** Sewerage. **William Knisley**, R. D. 1 Box 307, Alum Bank, PA 15521. This permit approves the construction of sewage treatment facilities in West Saint Clair Township, **Bedford County**.

**Permit No. 0599404.** Sewerage. **William Knisley**, R. D. 1 Box 307, Alum Bank, PA 15521. This permit approves the construction of sewage treatment facilities in West Saint Clair Township, **Bedford County**.

**Permit No. 0599405.** Sewerage. **William Knisley**, R. D. 1 Box 307, Alum Bank, PA 15521. This permit approves the construction of sewage treatment facilities in West Saint Clair Township, **Bedford County**.

**Permit No. 0782201-T1.** Industrial waste. **Sithe Pennsylvania Holdings, LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017. This permit approves the construction of industrial waste treatment facilities in Catherine Township, **Blair County**.

**Permit No. 0686402-T1, Amendment No. 89-1.** Industrial waste. **Sithe Pennsylvania Holdings, LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017. This permit approves the construction of impoundments

and liner system, industrial waste treatment facilities, groundwater monitoring wells in Cumru Township, **Berks County**.

**Permit No. 0676206-T1, Amendment No. 96-1.** Industrial waste. **Sithe Pennsylvania Holdings, LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017. This permit approves the construction of impoundments and liner system, industrial waste treatment facilities, groundwater monitoring wells in Cumru Township, **Berks County**.

**Permit No. 0676207-T1.** Industrial waste. **Sithe Pennsylvania Holdings, LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017. This permit approves the construction of industrial waste treatment facilities in Cumru Township, **Berks County**.

**Permit No. 0687201-T1.** Industrial waste. **Sithe Pennsylvania Holdings, LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017. This permit approves the construction of industrial waste treatment facilities in Cumru Township, **Berks County**.

**Permit No. 0678202-T1.** Industrial waste. **Sithe Pennsylvania Holdings, LLC**, 450 Lexington Avenue, 37th Floor, New York, NY 10017. This permit approves the construction of industrial waste treatment facilities in Cumru Township, **Berks County**.

**Permit No. PA0020508.** Sewerage. **McConnellsburg Sewerage Authority**, P. O. Box 681, McConnellsburg, PA 17233, is authorized to discharge from a facility located in Ayr Township, **Fulton County** to the receiving waters named Big Cove Creek.

**Permit No. PA0084964.** Sewerage. **Bethel Township Sewer Authority**, P. O. Box 239, Warfordsburg, PA 17267, is authorized to discharge from a facility located in Bethel Township, **Fulton County** to the receiving waters named Little Tonoloway Creek.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**NPDES Permit No. PA0034614.** Sewage, **RAS Development Corporation**, 12 Arentzen Boulevard, Charleroi, PA 15022, is authorized to discharge from a facility located at the Mountain Pine Resort STP, Saltlick Township, **Fayette County** to receiving waters named Indian Creek.

**NPDES Permit No. PA0034851.** Sewage, **Sewer Authority of Parker City**, P. O. Box 350, Parker, PA 16049, is authorized to discharge from a facility located at the Parker City STP, Parker City, **Armstrong County** to receiving waters named Allegheny River.

**NPDES Permit No. PA0045802.** Sewage, **Franklin A and Janet E Taddeo**, Pineview Manor Park, P. O. Box 297, Elizabeth, PA 15037, is authorized to discharge from a facility located at the Pineview Manor Park STP, Hempfield Township, **Westmoreland County** to receiving waters named unnamed tributary of Sewickley Creek.

**NPDES Permit No. PA0096211.** Sewage. **Hempfield Township Municipal Authority**, R. D. 6, Box 501, Greensburg, PA 15601, is authorized to discharge from a facility located at the Darragh STP, Hempfield Township, **Westmoreland County** to receiving waters named Little Sewickley Creek.

**NPDES Permit No. PA0216721.** Sewage. **George E. and Patricia N. Meerhoff, Thomas E. and Kelly G. Meerhoff**, 106 Old Route 31, Mt. Pleasant, PA 15666, are authorized to discharge from a facility located at the

Meerhoff Small Flow STP, Mt. Pleasant Township, **Westmoreland County** to receiving waters named an Unnamed Tributary of Jacobs Creek.

**NPDES Permit No. PA0218201.** Sewage. **RoxCoal, Inc.**, P. O. Box 149, Friedens, PA 15541, is authorized to discharge from a facility located at Augustus Deep Mine Portal Sewage Treatment Plant, Shade Township, **Somerset County** to receiving waters named drainage ditch tributary to Coal Run.

**Permit No. 5699402.** Sewerage. **RoxCoal, Inc.**, P. O. Box 149, Friedens, PA 15541. Construction of a sewage treatment plant located in Shade Township, **Somerset County** to serve Augustus Deep Mine Portal Sewage Treatment Plant.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0037991.** Sewage. **Imperial Point North**, 10140 Ridge Road, Girard, PA 16417, is authorized to discharge from a facility located in Girard Township, **Erie County** to an unnamed tributary to Lake Erie.

**NPDES Permit No. PA0029726.** Sewage. **Jamestown Municipal Authority**, P. O. Box 188, Jamestown, PA 16134, is authorized to discharge from a facility located in the Borough of Jamestown, **Crawford County** to the Shenango River.

**NPDES Permit No. PA0222879.** Sewage. **Hickory Creek Wilderness Ranch**, P. O. Box 93, Tidioute, PA 16351, is authorized to discharge from a facility located in Limestone Township, **Warren County** to an unnamed tributary to Camp Run.

**NPDES Permit No. PA0100978.** Sewage. **Wesleyan Church of the Nazarene**, 9580 U.S. 6N, Albion, PA 16401, is authorized to discharge from a facility located in Conneaut Township, **Erie County** to an unnamed tributary to March Run.

**NPDES Permit No. PA0221520.** Sewage. **Highland Township Municipal Authority**, P. O. Box 148, James City, PA 16734, is authorized to discharge from a facility

located in Highland Township, **Elk County** to an unnamed tributary to Wolf Run.

**WQM Permit No. 6199402.** Sewage. **Seneca Acres Pump Station, Cranberry-Venango County General Authority**, P. O. Box 378, Seneca, PA 16319. This project is for plans to provide sanitary service to Seneca Acres in Cranberry Township, **Venango County**.

**WQM Permit No. 2597405, Amendment No. 1.** Sewage. **Edinboro Conference Campgrounds**, 12940 Fry Road, Edinboro, PA 16412. This project is for modifications to the sewage treatment plant in Washington Township, **Erie County**.

**WQM Permit No. 4299401.** Sewage. **Borough of Smethport Authority**, P. O. Box 152, Smethport, PA 16749. This project is for the expansion of the wastewater treatment plant in the Borough of Smethport, **McKean County**.

**WQM Permit No. 4299418.** Sewerage, **Mary Ann Fascetti SRSTP**, 95 Thompson Road, Mercer, PA 16137. Construction of Mary Ann Fascetti SRSTP located in Findley Township, **Mercer County**.

**WQM Permit No. 2599414.** Sewerage. **Mary E. McBride SRSTP**, 3217 Pacific Avenue, Erie, PA 16506. Construction of Mary E. McBride SRSTP located in Harborcreek Township, **Erie County**.

**WQM Permit No. 4399419.** Sewerage. **Alan Warren SRSTP**, 263 Spencer Avenue, Sharon, PA 16146. Construction of Alan Warren SRSTP located in City of Hermitage, **Mercer County**.

**WQM Permit No. 4399420.** Sewerage. **Mark Simons SRSTP**, 3047 Hadley Road, Hadley, PA 16130. Construction of Mark Simons SRSTP located in Otter Creek Township, **Mercer County**.

**INDIVIDUAL PERMITS (PAS)**

The following approvals from coverage under NPDES Individual Permit for discharge of stormwater from construction activities have been issued.

*Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10F078	Eastern States Exploration Co. P. O. Box 178 Snow Shoe, PA 16874	Centre County Snow Shoe Township	North Fork of Beech Creek, Unt Beech Creek, Unt. Sandy Run, Beech Creek, Rock Run
PAS101913	PA Dept. of Transportation Engineering Dist. 2-0 1924-30 Daisy St. Clearfield, PA 16830	Clinton County Porter Township	Fishing Creek

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-G288	Four A Partners P. O. Box 310 Avondale, PA 19311	London Grove Township Chester County	Tributary to East Branch White Clay Creek
PAS10-G375	Eastern Shore Natural Gas 417 Bank Lane Dover, DE 19904	Penn, New London and Londonderry Townships Chester County	Big Elk Creek and West Branch White Clay Creek

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-T098	PennDOT-06 200 Radnor-Chester Roads St. Davids, PA 19087	Upper Merion Montgomery County Tredyffrin Township Chester County	Trout Run
<i>Southwest Regional office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.</i>			
<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10B010	Bureau of Abandoned Mine Reclamation P. O. Box 149 Ebensburg, PA 15931-0149 DT Construction, Inc. R. R. 2, Box 55A Dunbar, PA 15431	Armstrong County Valley Township and Boggs Township	Pine Creek
PAS10L020	CNG Transmission Corp. 445 West Main Street Clarksburg, WV 26302-2450	Fayette County Georges Township North Union Township South Union Township Wharton Township	Laurel Run
PAS103117	Dept. of Environmental Protection Bureau of Abandoned Mine Reclamation P. O. Box 8476 Harrisburg, PA 17105-8476	Indiana County Grant Township	UNT Mahoning Creek
PAS10W072	Eighty Four Development Corporation P. O. Box 177 Eighty Four, PA 15330	Washington County North Strabane Township	UNT Little Chartiers Creek
PAS10W074	Mel Blount Youth Home of Pennsylvania 6 Mel Blount Drive Claysville, PA 15323	Washington County Buffalo Township	UNT Buffalo Creek
PAS10W077	Woodruff Partners, LLP 2630 Liberty Avenue Pittsburgh, PA 15216	Washington County North Strabane Township	Little Chartiers Creek

**INDIVIDUAL PERMITS  
(PAR)**

**Approvals to Use NPDES and Other General  
Permits**

The following parties have submitted (1) Notices of Intent (NOIs) for coverage under General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth; (2) NOIs for coverage under General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the

respective general permit. The Department of Environmental Protection (Department) has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

The Department has acted on the following requests for coverage under the specified General Permit as follows:

*List of  
General Permit Type*

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater From Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities

*List of  
General Permit Type*

PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer System
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

*General Permit Type—PAG-2*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
City of Philadelphia Philadelphia County	PAR10-5328	Philadelphia Eagles 3501 South Broad Street Philadelphia, PA 19148-5298	FDR Park Lake and Delaware River	Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Butler County Clinton Township	PAR10E118	Victory Road Business Park Community Development Corporation 601 Hansen Avenue Butler, PA 16001	Thorn Creek	Butler Conservation District 122 McCune Drive Butler, PA 16001-65001 (724) 284-5270
Warren County, Brokenstraw, Pittsfield and Pleasant Townships	PAR107205	Brokenstraw Valley Area Authority Box 155, Rouse Avenue Youngsville, PA 16371	Allegheny River, Brokenstraw Creek and Tributaries	Warren Conservation District 609 Rouse Home Avenue Suite 203 Youngsville, PA 16371 (814) 563-3117
Centre County Spring Township	PAR10F102	Gary Wilt 921 Shady Lane Bellefonte, PA 16823	Unt. Spring Creek	Centre County Conservation 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817
Lycoming County City of Williamsport	PAR103930	High Steel Structures Plt. 3 3501 West 4th St. Williamsport, PA 17701	Reighard Run and Daugherty Run	Lycoming County CD 2130 County Farm Rd., Suite 6 Montoursville, PA 17754 (570) 433-3003
Chambersburg Borough Franklin County	PAR-10-M182	Summit Health Center 112 North Seventh Street Chambersburg, PA 17201	Falling Spring Creek	Franklin County CD 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
Huntingdon Borough Huntingdon County	PAR-10-3015	S&A Custom Built Homes 501 Rolling Ridge Drive State College, PA 16801	Muddy Run	Huntingdon County CD RR 1 Box 7C (Rte. 26S) Huntingdon, PA 16652 (814) 627-1627
Allegheny County Bethel Park Borough Upper St. Clair Township	PAR10A361	Murphy, O'Neill & Murphy 360 Southridge Drive Pittsburgh, PA 15241	Brush Run	Allegheny County CD (412) 241-7645

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Elizabeth Township	PAR10A362	Jack S. Cargnoni P. O. Box 221 Bridgeville, PA 15017	UNT Wylie Run	Allegheny County CD (412) 241-7645
Allegheny County Moon Township	PAR10A372	Forest Green Commons LP Two North Shore Center Suite 310 Pittsburgh, PA 15212	Montour Run	Allegheny County CD (412) 241-7645
Allegheny County Plum Borough	PAR10A379	Plum Borough School District 200 School Road Pittsburgh, PA 15239	Plum Creek	Allegheny County CD (412) 241-7645
Allegheny County McKees Rocks Borough	PAR10A381	Allegheny County Housing Authority Fidelity Bldg 341 Fourth Avenue Pittsburgh, PA 15222	Ohio River	Allegheny County CD (412) 241-7645
Beaver County Center Township	PAR100247-1	Michael Staenberg THF-Monaca L.P. and THF-Beaver L.P. 955 Executive Parkway Suite 210 St. Louis, MO 63141	Markey Run	Beaver County CD (724) 774-7090
Beaver County Hopewell Township	PAR100260	C. J. Betters Bet-Tech International, Inc. 1150 Brodhead Road Monaca, PA 15061	Ohio River	Beaver County CD (724) 774-7090
Washington County Cecil Township	PAR10W124	Pristinte Fields Associates 9204 Sundance Drive Bridgeville, PA 15017	Brush Run	Washington County CD (724) 228-6774
Washington County Canton Township	PAR10W138	Joseph Gulas 341 Locust Avenue Washington, PA 15301	Chartiers Creek	Washington County CD (724) 228-6774
Washington County City of Washington	PAR10W141	Washington County Redevelopment Auth Room 603 Courthouse Square Washington, PA 15301	Catfish Run	Washington County CD (724) 228-6774
Washington County Chartiers Township	PAR10W144	Chartiers Township 2 Buccaneer Drive Houston, PA 15342	Chartiers Creek	Washington County CD (724) 228-6774
Washington County North Strabane Township	PAR10W145	Waterford Villas, LLP 382 West Chestnut Place Washington, PA 15301	Chartiers Creek	Washington County CD (724) 228-6774

*General Permit Type—PAG-3*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lackawanna County City of Scranton	PAR602224	Morgan Highway Auto Parts 108 Squirrel Run Clarks Summit, PA 18411	Leggetts Creek	Northeast Office 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Luzerne County Wright Township	PAR202210	Caradon Mideast Aluminum P. O. Box 98 Mountaintop, PA 18707	Highway Drainage on Oakwood Road	Northeast Office 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511



<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Luzerne County Wright Township	PAR202211	Caradon Mideast Aluminum P. O. Box 98 Mountaintop, PA 18707	Unnamed tributaries to Big Wapwallopen Creek	Northeast Office 2 Public Square Wilkes-Barre, PA (570) 826-2511
Monroe County Stroud Township	PAR602222	Sibum's Auto Parts, Inc. RR 7, Box 7310 East Stroudsburg, PA 18301	Unnamed feeder to Brodhead Creek	Northeast Office 2 Public Square Wilkes-Barre, PA (570) 826-2511
Monroe County Tunkhannock Township	PAR602223	Pocono Auto Salvage P. O. Box 635 Blakeslee, PA 18610	Unnamed feeder to Tunkhannock Creek	Northeast Office 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
York County North Hopewell Township	PAR603538	Red Lion Auto Salvage, Inc. 5433 Rippling Run Road Red Lion, PA 17356	UNT to North Branch of Muddy Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Kutztown Borough	PAR203569	East Penn Manufacturing Company, Inc. Deka Road Lyon Station, PA 19536	Sacony Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Reading City	PAR803568	Dana Corporation Parish Division P. O. Box 13459 Robeson and Weiser Streets Reading, PA 19612	Schuylkill River	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Laureldale Borough	PAR113505	Yuasa, Inc. 2901 Montrose Avenue Laureldale, PA 19605	Bernhart Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lebanon County Annville Township	PAR603539	Carl W. Weber Weber Brothers Auto 795 North Mill Street Lebanon, PA 17046	UNT to Swatara Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Spring Township	PAR203566	Metropolitan Steel Industries, Inc. 601 Fritztown Road Sinking Spring, PA 19608	Cacoosing Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lebanon County South Londonderry Township	PAR603540	Martell F. Scheidler Scheidler's Auto Wrecking RD 2, Box 426A Palmyra, PA 17078	UNT to Quittapahilla Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Fairview Township Erie County	PAR608325	Community Auto Recycling 2540 Manchester Road Erie, PA 16506	Walnut Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-4*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Findley Township Mercer County	PAG048613	Mary Ann Fascetti 95 Thompson Road Mercer, PA 16137	Tributary to Neshannock Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Sugar Grove Township Warren County	PAG048616	James F. Thorssen R. R. 1, Box 26 Sugar Grove, PA 16350	Unnamed Tributary to Stillwater Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Otter Creek Township Mercer County	PAG048617	Mark Simons 3047 Hadley Road Hadley, PA 16130	Unnamed Tributary to Little Shenango River	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of Hermitage Mercer County	PAG048614	Alan Warren 263 Spencer Avenue Sharon, PA 16146	Tributary to Hogback Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-8*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Ayr Township Fulton County	PAG-08-3541	McConnellsburg Sewerage Authority P. O. Box 681 McConnellsburg, PA 17233	N/A	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

**SAFE DRINKING WATER****Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**Permit No. 0299506.** Public water supply. **Harrison Township Municipal Authority**, 1705 Rear Freeport Road, Natrona Heights, PA 15065.

*Type of Facility:* Liquid chemical feed system (Aqua-Mag).

*Permit for Construction Issued:* September 7, 1999.

*Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**Permit Transfer No. 1787504-T1.** The Department issued an operation permit to **Sithe Pennsylvania Holdings, LLC**, 350 Lexington Avenue-37th Floor, New York, NY 10017, previously owned and operated by Pennsylvania Electric Company at the Shawville Generating Station, Bradford Township, **Clearfield County**. This permit is for use of the source, settling, filtration, finished water storage, disinfection, pumping and distribution lines.

**HAZARDOUS SITES CLEANUP**

**Under the Act of October 18, 1988  
Notice of Prompt Interim Response under the  
Hazardous Sites Cleanup Act**

**Pa. Textile Corp., Inc. Site  
Hazle Township, Luzerne County**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305) (HSCA), has initiated a prompt interim response at the Pa. Textile Corp., Inc. Site (site). This response has been undertaken under section 505(b) of HSCA. The site is located at 400 Jaycee Drive in the Valmont Industrial Park in Hazle Township, Luzerne County, PA.

The site consists of an abandoned textile manufacturing facility with drums and totes of chemicals used in the drying and finishing of textiles. The chemicals were stored inside the building and in a trailer outside the building. The Department has identified the following hazardous substances and/or contaminants at the site: ammonia hydroxide, acetic acid, hydrogen peroxide, sulfur dioxide, dibutyl phthalate, no. 6 fuel oil, propane, liquid caustic soda, sodium hypochlorite, sodium hydrosulfite, sodium nitrate and colloidal silica. Improper storage and disposal of these materials poses an ongoing threat to public health and safety and the environment.

The objective of the prompt interim response is to remove the hazardous substances and/or contaminants

from the site and to safely dispose of them at offsite facilities that have regulatory approvals for the treatment and disposal of the hazardous substances and/or contaminants.

Given the specific circumstances at the site, the Department determined that offsite removal of the hazardous substances and/or contaminants is the only viable alternative to implement at this site. This response action is needed in a prompt manner to protect public health and safety and the environment.

On July 26, 1999, the Department mobilized at the site to conduct an emergency response to address drums stored in a trailer at the rear of the property. The response included characterizing, stabilizing, removing and disposing of the drums contained inside the trailer. During the emergency response several chemical storage areas were observed inside the building.

On August 5, 1999, the Department met with its contractor to plan the removal and disposal of the drums and totes in the storage areas in the building. This work was scheduled to begin on September 13, 1999.

This notice is being provided under sections 505(b) and 506(b) of HSCA. The administrative record, which contains the information that forms the basis and documents the selection of the response action, is available for public review and comment. The administrative record is located at the DEP Northeast Regional Office at 2 Public Square, Wilkes-Barre, Luzerne County and is available for review Monday through Friday from 8 a.m. to 4 p.m.

The administrative record will be open for comment from September 25, 1999, until December 24, 1999. Persons may submit written comments into the record during this time only, by sending them to Leonard Zelinka, DEP Project Officer, at the Northeast Regional Office at 2 Public Square, Wilkes-Barre in Luzerne County or by delivering them to this office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing. The Department has scheduled the hearing on November 12, 1999, at 10 a.m. at the Northeast Regional Office. Persons wishing to present comments must register with Leonard Zelinka before November 1, 1999, by telephone at (570) 826-5441 or in writing to Leonard Zelinka at the Northeast Regional Office.

If no person registers to present oral comments, by November 1, 1999, the hearing will not be held. Persons interested in finding out if anyone has registered, and if the hearing will be held, should contact Leonard Zelinka.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceedings, should contact Leonard Zelinka or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require

the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Former Olivetti Supplies, Inc., Solvents Coating Area, Susquehanna Township, Dauphin County.** SAIC, 3240 Schoolhouse Road, Middletown, PA 17057, has submitted a Final Report concerning remediation of site groundwater contaminated with solvents. The report is intended to document remediation of the site to the Statewide health standard.

**Lillian Leiss Residence, City of Reading, Berks County.** EarthRes Group, Inc., P. O. Box 468, Pipersville, PA 18947, has submitted a Final Report concerning remediation of site soils contaminated with BTEX and PAHs. The report is intended to document remediation of the site to the Statewide health standard.

*Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.*

**BP Amoco—Pittsburgh Terminal, Baldwin Borough/City of Pittsburgh, Allegheny County.** Scott C. Wonsetler, Handex of Western Pennsylvania, 106 Thomson Park Drive, Cranberry Township, PA 16066 and BP Amoco, 1 West Pennsylvania Avenue, Suite 915, Towson, MD 21204, have submitted a Final Report concerning remediation of site soil, groundwater, surface water and sediment contaminated with BTEX. The report is intended to document remediation of the site to meet the Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

*Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Bridgeworks Industrial Site**, City of Allentown, **Lehigh County**. As part of the Department of Environmental Protection's Key Sites Initiative program, a Baseline Environmental Report was submitted on behalf of the Allentown Economic Development Corporation, 905 Harrison Street, Allentown, PA 18103, concerning the characterization of site soils and groundwater found to have been contaminated with petroleum hydrocarbons, polycyclic aromatic hydrocarbons, solvents, metals and BTEX (benzene, toluene, ethylbenzene and xylenes) compounds. The Baseline Environmental Report demonstrated attainment of the Special Industrial Area standard and was approved on September 8, 1999.

## SOLID AND HAZARDOUS WASTE

### LICENSE TO TRANSPORT HAZARDOUS WASTE

**Licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management: Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Hazardous Technologies, Inc.**, 2744 Pomona Boulevard, Pomona, CA 91768-3222; License No. **PA-AH 0628**; license issued September 2, 1999.

**Quality Carriers, Inc.**, 3108 Central Drive, Plant City, FL 33567; License No. **PA-AH-0630**; license issued September 9, 1999.

**Solvents & Petroleum Service, Inc.**, 1405 Brewerton Road, Syracuse, NY 13208; License No. **PA-AH 0629**; license issued September 2, 1999.

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management: Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Burnham Service Company, Inc.**, 1630 Phoenix Boulevard, Atlanta, GA 30349; License No. **PA-AH S217**; renewal license issued August 31, 1999.

**Miller Environmental Group Inc.**, 538 Edwards Avenue, Calverton, NY 11933; License No. **PA-AH 0501**; renewal license issued September 1, 1999.

**Onyx Environmental Services, L.L.C.**, 1 Eden Lane, Flanders, NJ 07836; License No. **PA-AH 0500**; renewal license issued September 8, 1999.

**S & C Transport, Inc.**, 31478 Industrial Road, Suite 100, Livonia, MI 48150; License No. **PA-AH 0446**; renewal license issued August 26, 1999.

**SMP, Inc.**, 200 Fayette Street, Phillipsburg, NJ 08865; License No. **PA-AH S221**; renewal license issued August 31, 1999.

### RESIDUAL WASTE PROCESSING FACILITIES

**Permit modification issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste management regulations for a general permit to process or beneficially use residual waste other than coal ash.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101-2301.*

**General Permit No. WMGR038.** A Department initiated general permit for processing and storage of waste tires prior to beneficial use of the waste tires as fuel in boilers or other combustion units, civil engineering practices and as an ingredient in commercial products. This permit modification was issued in Central Office on August 24, 1999.

Persons interested in reviewing the permit may contact the General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

**OPERATE WASTE PROCESSING OR  
DISPOSAL AREA OR SITE**

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager; Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.*

**Permit No. 400593. American Ref-Fuel of Delaware Valley, LP**, 10 Highland Avenue, Chester, PA 19013. A permit was issued for the modification and 10-year renewal of the existing resource recovery facility located in the City of Chester, **Delaware County**. Modifications include changes to waste acceptance hours and volumes, additional residual and municipal-like residual waste streams, and additional storage volume. Permit was issued by the Southeast Regional Office on September 7, 1999. This action replaces the permit issued on September 23, 1998 in its entirety.

**PREVIOUSLY UNPERMITTED CLASS OF  
SPECIAL HANDLING WASTE**

**INFECTIOUS OR CHEMOTHERAPEUTIC WASTE**

**Amended license issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

*Bureau of Land Recycling and Waste Management; Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Bio-Haz Solutions, Inc.**, P. O. Box 152, Lehighton, PA 18235; License No. **PA-HC 0191**; amended license issued September 2, 1999.

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

*Bureau of Land Recycling and Waste Management; Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Bio-Haz Solutions, Inc.**, P. O. Box 308, White Hall, PA 18052; License No. **PA-HC 0191**; renewal license issued August 27, 1999.

**Bridgeview, Inc.**, R. R. 1, Box 364, Morgantown, PA 19543; License No. **PA-HC 0084**; renewal license issued September 1, 1999.

**Environmental Options Group, Inc.**, 18 Water Street/Tuckerton, Reading, PA 19605; License No. **PA-HC 0131**; renewal license issued September 3, 1999.

**Med-Trac, Inc.**, 715 William Pitt Way, Pittsburgh, PA 15238; License No. **PA-HC 0086**; renewal license issued August 23, 1999.

**T. J. Egan & Company Inc.**, 5 Lawrence Street, Bloomfield, NJ 07003; License No. **PA-HC 0079**; renewal license issued September 2, 1999.

**AIR QUALITY**

**OPERATING PERMITS**

**Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**22-03017: Hoover Funeral Homes & Crematory, Inc.** (6011 Linglestown Road, Harrisburg, PA 17112), on September 7, 1999, for operation of a human crematory controlled by an afterburner in Lower Paxton Township, **Dauphin County**.

**22-307-035: Chemetron Railway Products, Inc.** (5600 Stillwell, Kansas City, MO 64120-1239), for construction of rail welding unit controlled by dust collector at 2115 South Front Street, Steelton Borough, **Lancaster County**.

**36-317-195B: Wilbur Chocolate Co.** (200 Chocolate Avenue, Mount Joy, PA 17552), on September 7, 1999, for operation of cocoa nib roasting and grinding operations in Mount Joy Borough, **Lancaster County**.

**38-318-033A: Supreme Mid-Atlantic Corp.** (P. O. Box 779, Jonestown, PA 17038), on September 9, 1999, for operation of a Plant 1 truck equipment manufacturing operation at Plant 1, 411 and 401 Jonestown Road in Union Township, **Lebanon County**.

**67-320-022C: Fry Communications, Inc.** (800 West Church Road, Mechanicsburg, PA 17055), for operation of three heatset printing presses controlled by a regenerative thermal oxidizer on Connelly Road in Manchester Township, **York County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**OP-65-909: International Mill Service, Inc.** (1155 Business Center Drive, Horsham, PA 19044), on August 23, 1999, for operation of stockpiling activities at Allvac-Latrobe Facility in Derry Township, **Westmoreland County**.

**OP-04-044B: Zinc Corp. of America** (300 Frankfort Road, Monaca, PA 15061), on August 30, 1999, for operation of bulk material storage building at Monaca Zinc Smelter in Potter Township, **Beaver County**.

**Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**OP-23-0009: Boeing MACAM Sys Group—Philadelphia** (Stewart Avenue and Route 291, Eddystone, PA 19013), on August 19, 1999, for Facility VOCs/NO<sub>x</sub> RACT in Ridley Township, **Delaware County**.

**OP-46-0056: Hale Products, Inc.** (700 Spring Mill Avenue, Conshohocken, PA 19428), on August 19, 1999, for synthetic minor NO<sub>x</sub>/VOC facility in Conshohocken Borough, **Montgomery County**.

**OP-46-0048B: Rhone-Poulenc Rorer Pharmaceuticals, Inc.** (500 Arcola Road, Collegetown, PA 19426), on August 19, 1999, for Facility VOC/NO<sub>x</sub> RACT in Upper Providence Township, **Montgomery County**.

#### PLAN APPROVALS

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-15-0060B: SECCRA Landfill** (219 West Street Road, Kennett Square, PA 19348), on September 9, 1999, for operation of a landfill gas open flare in London Grove Township, **Chester County**.

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**48-309-106: Keystone Cement Co.** (P. O. Box A, Bath, PA 18014), on September 13, 1999, for installation of silo tunnel ventilation controlled by a fabric collector in East Allen Township, **Northampton County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**22-03009A: Brubaker Tool Corp.** (200 Front Street, Millersburg, PA 17061), on September 10, 1999, for installation of heat treat line no. 1 consisting of three heat treat salt baths controlled by three fabric collectors at Plant No. 1 in Millersburg Borough, **Dauphin County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-04-059A: Koppel Steel Corp.** (P. O. Box 750, Beaver Falls, PA 15010), on September 1, 1999, for installation of melt shop no. 4 in Koppel Borough, **Beaver County**.

**PA-04-468C: S. H. Bell Co.** (644 Alpha Drive, P. O. Box 11495, Ohioville, PA 15059), on August 30, 1999, for installation of loadout shed at East Liverpool Terminal in Ohioville Borough, **Beaver County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-33-145B: Huntington Foam Corp.** (11 Industrial Park Drive, Brockway, PA 15824) on September 14, 1999, for installation of a molding press in Brockway, **Jefferson County**.

**PA-25-095F: Lord Corp., Mechanical Products Division** (1635 West 12th Street, Erie, PA 16514), on August 31, 1999, for construction of a De-Smut Tank in Erie, **Erie County**.

**43-308-008A: Cobra Metals, Inc.** (3rd Street and Brentwood Avenue, Greenville, PA 16125), on August 31, 1999, for modifications to the no. 2 rotary furnace in Greenville, **Mercer County**.

**PA-43-287A: Jones Performance Products, Inc.** (No. 1 Jones Way, West Middlesex, PA 16159), on September 15, 1999, for construction of a sheet mold compound compression molding operation in West Middlesex, **Mercer County**.

**10-313-028B: Indspec Chemical Corp.** (133 Main Street, Petrolia, PA 16050), on August 31, 1999, for minor modification to the Resorcinol flaker, bagging and packaging system in Petrolia, **Butler County**.

**PA-25-464A: Klein Plating Works, Inc.** (2020 Greengarden Road, Erie, PA 16502), on September 8, 1999, for installation of scrubbers and automated plating lines in Erie, **Erie County**.

**Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-23-0032A: DELCORA** (3201 West Front Street, Chester, PA 19013), for operation of two 8 stage incinerator in City of Chester, **Delaware County**.

**46-302-207: Occidental Chemical** (Armand Hammer Boulevard, Pottstown, PA 19464), issued January 21, 1999, for operation of three 98 MMBtu/hr boilers in Lower Pottsgrove Township, **Montgomery County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**38-302-057: G & H Fortyniners, Inc.** (P. O. Box 37, Fredericksburg, PA 17026), issued September 7, 1999, to authorize temporary operation of a Johnston boiler 800 HP, covered under this Plan Approval until January 4, 2000, on Chestnut Hill Road in Bethel Township, **Lebanon County**. This source is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-65-137A: Allegheny Ludlum Corp.** (100 River Road, Brackenridge, PA 15014), on August 23, 1999, for operation of sendzimer cold rolling mill at Vandergrift Plant in Vandergrift Borough, **Westmoreland County**.

**PA-65-905A: Amerikohl Mining, Inc.** (P. O. Box 427, Acme, PA 15610), on August 23, 1999, for operation of bituminous coal handling at Ruff Surface Mine in Mt. Pleasant Township, **Westmoreland County**.

**65-307-054B: Teledyne Inc.** (100 River Road, Brackenridge, PA 15014), on August 23, 1999, for installation of EAF oxygen lance and AOD vessel at Teledyne Allvac in Derry Township, **Westmoreland County**.

**PA-56-263A: Penn Coal, Inc** (214 College Park Plaza, Johnstown, PA 15904), on August 23, 1999, for installation of coal screening at Sarah Mine in Jenner Township, **Somerset County**.

**PA-04-504A: Mitsui/ZCA Powders Company** (300 Frankfort Road, Monaca, PA 15061), on August 30, 1999, for construction of high purity zinc powder plant at ZCA Monaca in Potter Township, **Beaver County**.

**PA-65-817A: Pioneer Mid-Atlantic, Inc** (400 Industrial Blvd., New Kensington, PA 15068), on August 30, 1999, for installation of recycled asphalt pavement system at Davison Asphalt Supply in Lower Burrell City, **Westmoreland County**.

**PA-04-044: Zinc Corp. of America** (300 Frankfort Road, Monaca, PA 15061), on August 30, 1999, for

installation of zinc high grade column no. 29 at Monaca Zinc Smelter in Potter Township, **Beaver County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-42-009A: Pittsburgh Corning Corp.** (723 North Main Street, P. O. Box 39, Port Allegany, PA 16743), on September 30, 1999, for a mold release application in Port Allegany, **McKean County**.

**Minor Modification of Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**17-305-042: Commonwealth Synfuel LLC** (3280 North Frontage Road, Lehi, UT 84043), on August 27, 1999, to extend an agglomerated coal fines pellet drying oven stack test performance deadline to November 4, 1999, in Karthaus Township, **Clearfield County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### Coal Permits Issued

**56753119.** Permit Renewal, **Jenners, Inc.** (P. O. Box 171, Shelocta, PA 15774), for continued operation and restoration of a bituminous strip mine in Jenner Township, **Somerset County**, affecting 485.9 acres, receiving stream unnamed tributaries to Quemahoning Creek and unnamed tributaries to Hoffman Run. Application received July 16, 1999; issued September 7, 1999.

**56793091.** Permit Renewal, **Hardrock Coal Company** (275 Saddle Ridge Road, Berlin, PA 15530), for continued operation and restoration of bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 549.6 acres, receiving stream unnamed tributaries to/and Tubs Run; and unnamed tributary to Millers Run. Application received July 14, 1999; issued September 7, 1999.

**56703017.** Permit Renewal, **Badger Coal Company, Inc.** (415 Hancock Street, Clymer, PA 15728), for continued operation and restoration of bituminous strip mine in Paint Township, **Somerset County**, affecting 1,192.0 acres, receiving stream unnamed tributaries to Paint

Creek; to Kaufman Run; to unnamed tributaries to Kaufman Run; and to Stony Creek. Application received July 15, 1999; issued September 7, 1999.

**56703120.** Permit Renewal, **Jenners, Inc.** (P. O. Box 171, Shelocta, PA 15774), for continued operation and restoration of bituminous/coal refuse disposal strip mine in Jenner Township, **Somerset County**, affecting 580.0 acres, receiving stream unnamed tributary to Hoffman Run and to Hoffman Run; and to unnamed tributary to Quemahoning Creek and to Quemahoning Creek. Application received July 16, 1999; issued September 7, 1999.

**56713105.** Permit Renewal for reclamation, only, **Hoffman Mining, Inc.** (P. O. Box 130, Friedens, PA 15541), for continued restoration of a bituminous-auger strip mine in Shade Township, **Somerset County**, affecting 540.5 acres, receiving stream to Oven Run. Application received September 1, 1999; issued September 7, 1999.

*McMurray District Office, 3913 Washington Road, McMurray, PA 15317.*

**32753702.** **EME Homer City Generation L.P.** (18101 Von Karman Ave., Suite 1700, Irvine, CA 92612-1046), to renew the permit for the Homer City Refuse Disposal Facility in Center Township, **Indiana County**, no additional discharges. Permit issued September 2, 1999.

**03950701.** **Canterbury Coal Company** (R. D. 1, Box 119, Avonmore, PA 15618), to revise the permit for the Refuse Area No. 6 Ext. in Kiskiminetas Township, **Armstrong County** to add 28.7 permit acres, no additional discharges. Permit issued September 2, 1999.

**63733701.** **Champion Processing, Inc.** (P. O. Box 1073, Coraopolis, PA 15108), to renew the permit for the Champion Refuse Disposal Area in Robinson Township, **Washington County**, no additional discharges. Permit issued September 2, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**101887-33980104-E-1.** **Cookport Coal Co., Inc.** (425 Market Street, Kittanning, PA 16201). Application for a stream encroachment to mine through and reconstruct a portion of Unnamed tributary A to McCracken Run in Perry Township, **Jefferson County**. Receiving streams: Unnamed tributary to McCracken Run. Application received: May 12, 1999. Permit issued: August 26, 1999.

**33980104.** **Cookport Coal Co., Inc.** (425 Market Street, Kittanning, PA 16201). Revision to an existing bituminous strip operation to add 7.2 acres to the surface mining permit in Perry Township, **Jefferson County**. Total acres is now 25.6 acres. Receiving streams: Unnamed tributary to McCracken Run. Application received: May 12, 1999. Permit issued: August 26, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**13940201R.** **Rossi Excavating Company** (9 West 15th Street, Hazleton, PA 18201), renewal of an existing coal refuse reprocessing operation in Banks Township, **Carbon County** affecting 11.5 acres, receiving stream—none. Renewal issued September 8, 1999.

**40840202R3.** **Silverbrook Anthracite, Inc.** (1 Market Street, Laflin, PA 18702), renewal of an existing coal refuse reprocessing operation in Laflin Borough, **Luzerne County** affecting 30.3 acres, receiving stream—Gardner Creek. Renewal issued September 8, 1999.

**54830209R3.** **South Tamaqua Coal Pockets, Inc.** (R. R. 3 Box 14, Tamaqua, PA 18252), renewal of an existing coal refuse reprocessing operation in West Penn

Township, **Schuylkill County** affecting 37.0 acres, receiving stream—Little Schuylkill River. Renewal issued September 8, 1999.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17890115. Al Hamilton Contracting Company** (R. D. 1, Box 87, Woodland, PA 16881), major permit modification to apply biosolids (stabilized sewage sludge) to enhance vegetation on an existing bituminous surface mine permit in Boggs Township, **Clearfield County** affecting 639 acres. Receiving streams: Camp Hope Run, Sanbourn Run, unnamed tributary to Sanbourn Run, to Clearfield Creek. Application received March 29, 1999. Permit issued September 1, 1999.

**17980123. Moravian Run Reclamation Co., Inc.** (605 Sheridan Drive, Clearfield, PA 16830), commencement, operation and restoration of a bituminous surface mine permits in Knox Township, **Clearfield County** affecting 60 acres. Receiving streams: unnamed stream no. 2 to Dunlap Run and Cherry Run. Application received October 8, 1998. Permit issued September 3, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*  
*Noncoal permits issued:*

**G. L. McKnight, Inc.** (P. O. Box 773, Slippery Rock, PA 16057). Renewal of NPDES No. PA0212041, Scott and Plain Grove Townships, **Lawrence County**. Receiving streams: Unnamed tributary to Slippery Rock Creek and unnamed tributary to Taylor Run. Application received: July 2, 1999. Permit issued: August 26, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**5273SM1C. Pyramid Land Development, Inc.** (414 West Knowlton Road, Media, PA 19063), renewal of NPDES Permit No. PA0594261 in Aston Township, **Delaware County**, receiving stream—Chester Creek. Renewal issued September 8, 1999.

## ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of the written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

---

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (*Note:* Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

---

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E15-621.** Encroachment. **Vaughan and Sons, Inc.**, 347 East Conestoga Road, Wayne, PA 19037. To place fill in a de minimis 0.04 acre of wetland which is in the watershed of a tributary to Crum Creek for the purpose of enhancing a yard area for a residential dwelling. The site is located in Fitzpatrick Subdivision Lot No. 7, approximately 500 feet south of the intersection of Mill Road and Evergreen Lane (Valley Forge, PA Quadrangle N: 4.00 inches; W: 16.5 inches) in Willistown Township, **Chester County**. The amount of wetland impact is considered a de minimis impact of 0.04 acre and wetland mitigation is not required.

**E46-846.** Encroachment. **Springfield Township**, 1510 Paper Mill Road, Wyndmoor, PA 19038-7032. To modify and maintain the stream channel under an existing bridge over Sunnybrook Creek (TSF) by placing 6-inch concrete slab at the invert of the creek to prevent scour and to modify an existing stormwater outfall structure to Sunnybrook Creek. The site is located approximately 275 feet northeast of the intersection of Poplar Road and East Mill Road in Germantown, PA USGS Quadrangle N: 20.2 inches; W: 11.0 inches) Springfield Township, **Montgomery County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E51-164.** Encroachment. **Spring Spectrum, L.P.**, 700 Business Center Drive, Horsham, PA 19044. To operate and maintain the existing Sprint PCS facility situated within a 100-year floodway fringe along the eastern bank of the Schuylkill River. This facility includes a 125-foot tall steel monopole on a 7-foot diameter concrete caisson pedestal with an associated 10-foot wide by 20-foot long concrete equipment platform. This project is located at 600 Schuylkill Avenue near the South Street Bridge approximately 500 feet southwest of the intersection of the Schuylkill Avenue and South Street (Philadelphia, PA.-N.J. Quadrangle N: 12.9 inches; W: 8.6 inches) in the City of Philadelphia, **Philadelphia County**. This permit was issued under § 105.13(e) "Small Projects."

**E51-177.** Encroachment. **Tosco, Inc.**, 1100 Route 1, Linden, NJ 07036. To reconstruct and maintain two dilapidated concrete foundation supports, situated one on each side of Indian Creek, a tributary of Cobbs Creek (WWF-MF) in Morris Park, for an 8-inch diameter aerial pipe line crossing. The new concrete supports will have R-5 riprap protection on all sides. The site is located about 500 feet northeast of the intersection of Lansdowne Avenue and Haverford Avenue (Lansdowne USGS Quadrangle N: 18.00 inches; W: 1.00 inch) in the City and **County of Philadelphia**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.



*Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E40-523.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To modify and maintain an existing streambank retaining device along the right bank of Kitchen Creek, with work including: the removal of a failed portion of the existing gabion wall; placement of R-8 riprap at a slope of 1.5 H:1V along the existing wall; excavation within the 100 year floodway along the left bank to compensate for loss of cross-sectional flow area; and construction of a temporary road crossing, consisting of seven 600-mm (2.0-foot) CMP culverts covered with clean rock fill. The project will impact approximately 230 linear feet of channel and is located along S. R. 4013, Section 301, Segment 0050, Offset 0400, approximately 0.35 mile south of the intersection of S. R. 4013 and T-654 (Red Rock, PA. Quadrangle N: 2.0 inches; W: 1.0 inch) in Fairmount Township, **Luzerne County**.

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E06-506.** Encroachment. **Charles Cole, Jr.**, 3240 Buck Run, Bryn Athyn, PA 19009. To replace the deck, repair an eroded abutment and maintain an existing bridge across Pine Creek and to construct two driveway crossings of wetlands impacting 0.32 acre of wetlands adjacent to Pine Creek at a point along Pine Creek Road (Hamburg, PA Quadrangle N: 22.2 inches; W: 3.9 inches) in Albany Township, **Berks County**. The applicant proposes to construct 0.32 acre of replacement wetlands. This permit also includes 401 Water Quality Certification.

*Northcentral Region: Water Management, Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E08-348.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. To remove the existing structure, to construct and maintain a single span concrete box beam bridge with a normal span of 54 feet and an underclearance of 6.6 feet across Sugar Run on SR 2011, Section 001 and to construct and maintain stream deflectors just upstream of the bridge. This project is located approximately 0.3 mile south of SR 2010 (Colley, PA Quadrangle N: 22.5 inches; W: 8.37 inches) in Terry Township, **Bradford County**. This permit also authorizes a temporary crossing to be used to detour traffic during construction.

**E17-329.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 2-0, P. O. Box 342, Clearfield, PA 16830. To modify, operate and maintain the existing single span bridge that carries S. R. 0053, Segment-Offset 0540-2076, across Big Run to place and maintain fill in 0.145 acre of wetlands associated to Moshannon Creek for the widening of S. R. 0053 to improve highway safety. The modifications to the existing bridge shall consist of extending the bridge to a maximum length of 47 feet, a span of 12 feet and an underclearance of 4.6 feet with a reinforced concrete box culvert. The box culvert shall be depressed 2 feet. The project is located along S. R. 0053 approximately 500 feet south of S. R. 0217 and S. R. 0053 intersection (Wallaceton, PA Quadrangle N: 0.50 inch; W: 0:12 inch) in Decatur Township, **Clearfield County**. This permit also authorizes the construction, operation, maintenance and removal of a

temporary stream diversion. Upon completion of the project, the stream and stream banks shall be fully restored to original elevations, contours and geometry. The project proposes to permanently impact 0.145-acre of wetland and shall be mitigated by 0.28-acre of onsite replacement wetlands.

**E17-332.** Encroachment. **James A. Epply**, Department of Conservation and Natural Resources, Bureau of Facilities Design and Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing structure and to construct and maintain a single span prestressed concrete spread box beam bridge with a reinforced concrete roadway surface having a curb to curb width of 18 feet and a normal clear span of 21.85 feet and to construct a temporary causeway. The bridge will be constructed in Jack Dent Branch located 3.5 miles southwest on Jack Dent Road from the intersection with SR 2004 (Huntley, PA Quadrangle N: 17.49 inches; W: 2.09 inches) in Goshen Township, **Clearfield County**.

**E53-329.** Encroachment. **Jay and Jenny Bright**, 111 Avenue A, Coudersport, PA 16915. To construct and maintain a steel I beam bridge with wood decking and concrete wingwalls 15 feet wide by 16 feet long with a minimum underclearance of 4 feet over North Hollow Run for access to private residential property located approximately 1 mile north of the intersection of North Hollow Road and Route 6 (Sweden Valley, PA Quadrangle N: 6.8 inches; W: 11.4 inches) in Eulalia Township, **Potter County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E63-469.** Encroachment. **Washington Senior Care Corporation**, 155 Wilson Avenue, Washington, PA 15301-3398. To abandon the existing 18-inch diameter culvert and to construct and maintain a 36-inch diameter stream enclosure in an unnamed tributary to Chartiers Creek (WWF) for the purpose of constructing the Washington Hospital Senior Care Complex located just north from the intersection of Manifold Road and U.S. Route 19 (Washington East, PA Quadrangle N: 12.0 inches; W: 12.5 inches) in South Strabane Township, **Washington County**.

**E11-273.** Encroachment. **James J. and Patricia A. White**, 103 Royalwood Drive, Ebensburg, PA 15931. To place and maintain fill in a de minimis area of wetlands (PEM) equal to 0.02 acre for the purpose of residential development. The project is located within the Howells Run Watershed (CWF) off of Lovell Avenue, approximately 420 feet east from its intersection with PA Route 4031 (Ebensburg, PA Quadrangle N: 19.3; W: 15.15 inches) in the Borough of Ebensburg, **Cambria County**.

**E26-258.** Encroachment. **Fayette County Commissioners**, Courthouse, 61 East Main Street, Uniontown, PA 15401. To remove the existing structure (County Bridge No. 66) and to construct and maintain a 10-m long box culvert having a normal clear span of 7.00 m and an underclearance of 1.99 m (invert depressed 0.3 m) across an unnamed tributary to Dunlap Creek (WWF) located on T-509 (Lambert Footedale Road) at the intersection of T-509 and T-456 (New Salem, PA Quadrangle N: 6.7 inches; W: 12.1 inches) in German Township, **Fayette County**.

**E63-470.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. To remove the existing bridge

and to construct and maintain a new bridge having two spans of 44.75 feet and 49.5 feet with an underclearance of 10.0 feet across Pigeon Creek (WWF) and to conduct channel cleaning along the left bank of said stream for a distance of approximately 175.0 feet. The bridge is located on S. R. 2023, Section H00 (Monongahela, PA Quadrangle N: 8.6 inches; W: 12.0 inches) in Carroll Township, **Washington County**. This permit also authorizes the construction and maintenance of two temporary causeways and two 18-inch diameter outfall structures.

**E02-1248.** Encroachment. **Bear Run Apartments, L.P.**, 650 Washington Road, Pittsburgh, PA 15228. To construct and maintain a 60 inch RCP culvert depressed 1 foot, in a tributary to Bear Run for the purpose of stabilizing the left bank hillside. The project is located on the east side of Arndt Road approximately 650 feet north of its intersection with Mt. Nebo Road and Lowries Run Road (Emsworth, PA Quadrangle N: 9.3 inches; W: 11.5 inches) in Ohio Township, **Allegheny County**.

*Permits Issued and Actions on 401 Certification*

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E33-197.** Encroachment. **Winslow Township**, RR 1, Reynoldsville, PA 15851. To make the following improvements to T-475 across Schoolhouse Run (HQ-CWF) approximately 0.25 mile east of T-537 in State Game Lands 244 (Reynoldsville, PA Quadrangle N: 17.2 inches; W: 6.5 inches) in Winslow Township, **Jefferson County**:

1. Remove the remains of the existing bridge.
2. Install and maintain a 30-foot-long steel structural plate pipe arch culvert having a span of 10 feet, 11 inches and a rise of 7 feet, 1 inch in Schoolhouse Run.
3. Remove debris from the channel of Schoolhouse Run approximately 100 feet upstream of T-475.
4. Re-grade and stabilize approximately 100 feet of an existing overflow swale beginning at the right bank of Schoolhouse Run approximately 100 feet upstream of T-475 and extending east.
5. Install and maintain four 24-inch-diameter culverts and rock riprap in the overflow swale approximately 500 feet west of the T-475 culvert.

**E43-272.** Encroachment. **PA Department of Transportation**, District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. To remove the existing bridge and to construct and maintain a precast reinforced concrete box culvert having a 10-foot-wide by 6-foot-high waterway opening in a tributary to Mill Creek on S.R. 2014, Segment 0070, Offset 1344 approximately 1 mile west of I-79 (Mercer, PA Quadrangle N: 17.4 inches; W: 7.0 inches) in Findley Township, **Mercer County**.

#### DAM SAFETY

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**D02-117.** Dam. **Timberglen, LTD** (1216 Southgate Drive, Pittsburgh, PA 15241). To construct, operate and maintain a stormwater detention dam, Walden Woods Dam No. 3, located across a tributary to Montour Run in North Fayette Township, **Allegheny County**.

**D22-099.** Dam. **Richard and Cathy Yingst** (7100 Fishing Creek Valley Road, Harrisburg, PA 17112). To construct, operate and maintain a dam located across a tributary to Fishing Creek in West Hanover Township, **Dauphin County**. The purpose of this project is the construction of a dam for recreational purposes; and also as a water source for cattle, for the irrigation of crops, and for fire protection.

#### ENVIRONMENTAL ASSESSMENT

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**EA46-004SE.** Environmental Assessment. **Willowmere Homeowners Association Inc.**, c/o CAMCO, Summerset House, 120 Bethlehem Pike, Fort Washington, PA 19034. For restoration management plan for Willowmere Pond and a segment of the Rose Valley Creek (TSF) at the Willowmere property. This project is situated approximately 1,200 feet southeast of the intersection of Susquehanna Road and Willow Avenue (Amber, PA Quadrangle N: 7.5 inches; W: 12.5 inches) in Upper Dublin Township, **Montgomery County**.

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**EA-36-002.** Environmental Assessment. **U.S. Fish & Wildlife Service**, Casey Clapsaddle. To stabilize a 3,189 lineal foot section of Hammer Creek (TSF) using applied fluvial geomorphology techniques. The work activities include the placement of structures that consist of single rock vanes, cross rock vanes, "J" hook rock vanes, vortex rock weirs and root-wad/rock bank revetments. The work is intended to restore the appropriate pattern, profile and dimension in this reach and will involve channel configuration to match stable channels in this region. The site is located approximately 4 miles downstream of the Speedwell Forge Lake Dam (Lititz, PA Quadrangle N: 9.5 inches; W: 1.3 inches) in Warwick Township, **Lancaster County**. This Environmental Assessment was issued under § 105.15(3)b. 401 Water Quality Certification is issued for this Environmental Assessment.

#### SPECIAL NOTICES

##### Availability of Brownfields Inventory Grants under the Hazardous Sites Cleanup Act (HSCA)

The Department of Environmental Protection (Department) announces the availability of Brownfields Inventory Grants under the Hazardous Sites Cleanup Act (HSCA). This is the second round of grants under the Department's Brownfields Inventory Grant program. Grant applications for this round of grants must be received by the Department on or before November 1, 1999.

Under the Department's Brownfields Inventory Grant program the Department will provide grants to municipalities and economic development agencies to inventory the brownfield properties in their areas. If these brownfield properties are available for redevelopment, the

Grantee will gather information about infrastructure, suspected or confirmed environmental contamination, and other related information. The Grantee will then list the site on the Pennsylvania Brownfields Directory.

Municipalities and economic development agencies may apply to the Department for these grants by submitting an application. A copy of the application package can be obtained by calling the Department's Land Recycling and Cleanup Program (717) 783-7816 or the application package can be downloaded from the Department's internet web site at: [www.dep.state.pa.us](http://www.dep.state.pa.us).

If the grant is approved, the Grantee will be paid \$1,000 for each brownfield site that is identified and entered into the Department's Brownfields Directory. Grants are limited to \$50,000.

The Brownfields Inventory Grants will be issued under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305). The HSCA authorizes the Department to investigate and assess potential releases of hazardous substances. This includes collecting information concerning sites that are potentially contaminated with hazardous substances and that may need assessment or cleanup. Funds for the Brownfields Inventory Grants will be provided out of the Hazardous Sites Cleanup Fund.

The term "brownfields" shall mean properties that are underutilized and where redevelopment of property is impeded by liabilities associated with known or suspected environmental contamination from hazardous substances.

The term "municipality" shall include any County, City, Borough, or Township government in this Commonwealth.

The term "economic development agency" shall include:

(1) Any redevelopment authority created under the act of May 24, 1945 (P. L. 991, No. 385), known as the Urban Redevelopment Law.

(2) Any industrial development agency as that term is defined in the act of May 17, 1956 (1955 P. L. 1609, No. 537), known as the Pennsylvania Industrial Development Authority Act.

(3) Any industrial and commercial development authority created under the act of August 23, 1967 (P. L. 251, No. 102), known as the Economic Development Financing Law.

(4) Any area loan organization as that term is defined in the act of July 2, 1984 (P. L. 545, No. 109), known as the Capital Loan Fund Act.

(5) Any other Commonwealth or municipal authority which acquires title or an interest in property.

(6) Municipalities or municipal industrial development or community development departments organized by ordinance under a home rule charter which buy and sell land for community development purposes.

(7) Tourist promotion agencies or their local community-based nonprofit sponsor which engage in the acquisition of former industrial sites as part of an "Industrial Heritage" or similar program.

(8) Conservancies engaged in the renewal or reclamation of an industrial site.

[Pa.B. Doc. No. 99-1631. Filed for public inspection September 24, 1999, 9:00 a.m.]

## Availability of Technical Guidance

Technical Guidance Documents are on DEP's World Wide Web site ([www.dep.state.pa.us](http://www.dep.state.pa.us)) at the Public Participation Center. The "January 1999 Inventory" heading is the Governor's List of Nonregulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1999.

### *Ordering Paper Copies of DEP Technical Guidance*

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

### *Changes to Technical Guidance Documents*

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

### *Draft Guidance—Substantive Revision*

DEP ID: 363-2134-008 Title: Erosion and Sedimentation Pollution Control Program Description: The guidance for this program provides procedures and guidance for those engaged in earthmoving activities, regarding guidelines to minimize erosion and resulting sediment pollution to the waters of the Commonwealth. This document established standards and specifications for Best Management Practices (BMPs) used in the preparation of Erosion and Sedimentation Control and Conservation Plans. The Manual is to be used by the Department, Conservation Districts, and members of the regulated community in meeting the requirements of Chapter 102 Rules and Regulations. Anticipated Effective Date: December 1, 1999 Comment Period Ends: October 25, 1999 Contact: John Mank, P.E. at (717) 772-5963, or email at [Mank.John@dep.state.pa.us](mailto:Mank.John@dep.state.pa.us).

DEP ID: 394-0810-001 Pennsylvania's Continuous Planning Process (CPP) for Water Quality Management 1999 Update Description: Since the late 1970s, the Department has revised many of the processes described in the original CPP and its supplements, and the Pennsylvania General Assembly has enacted new and amended legislation which are now part of the water quality management program. Section 303(e)(2) of the Clean Water Act requires EPA to review a state's approved CPP from time to time to ensure its consistency with the Act. In 1997, EPA requested that DEP prepare and submit an update to the PA CPP to reflect program changes that have occurred since the previous submittals. An interim update was submitted on January 31, 1998. This expansion to the interim update has been prepared to respond to EPA comments. Anticipated Effective Date: Comment Period

Ends: October 25, 1999 Contact: Fran Koch at (717) 783-2289, or email at Koch.Fran@dep.state.pa.us.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 99-1632. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Cleanup Standards Scientific Advisory Board Meeting

The Cleanup Standards Scientific Advisory Board (CSSAB) meeting has been scheduled for October 14, 1999, at 9 a.m., 400 Market Street, RCSOB, 14th Floor conference room.

Questions concerning the next meeting can be directed to Marilyn Wooding at (717) 783-7509 or e-mail to Wooding.Marilyn@a1.dep.state.pa.us. The agenda and meeting materials will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Marilyn Wooding directly at (717) 783-7509 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 99-1633. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Mining and Reclamation Advisory Board; Meeting Change

The October 28 meeting of the Mining and Reclamation Advisory Board (MRAB) has been rescheduled for October 21, 1999. The meeting will be held at 400 Market Street, Delaware Room, 16th Floor Rachel Carson State Office Building, Harrisburg, PA, from 10 a.m. to 2 p.m.

Questions concerning this meeting can be directed to Natalie Shepherd at (717) 783-5338 or e-mail to shepherd.natalie@dep.state.pa.us. The agenda and meeting materials will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us/dep/subject/advoun/minrec/MRABhome.htm>

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Natalie Shepherd directly at (717) 783-5338 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 99-1634. Filed for public inspection September 24, 1999, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Pennsylvania Cancer Control, Prevention and Research Advisory Board

The Pennsylvania Cancer Control, Prevention and Research Advisory Board, established under the Pennsylvania Cancer Control, Prevention, and Research Act at 35 P. S. § 5633, will hold a public meeting on October 6, 1999, from 10 a.m. to 1 p.m. at the Central Pennsylvania Hematology and Medical Oncology Associates, 50 North 12th Street, Upper Level, Lemoyne, PA.

For additional information, contact Susan F. George, Program Manager, Department of Health, Cancer Control Program, 1011 Health and Welfare Building, Harrisburg, PA, at (717) 787-5251.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Susan F. George at (717) 787-5251. V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 99-1635. Filed for public inspection September 24, 1999, 9:00 a.m.]

## DEPARTMENT OF PUBLIC WELFARE

### Payments to Nursing Facilities July 1, 1999, Final Rates

The purpose of this notice is to announce final payment rates for nursing facilities beginning July 1, 1999, in accordance with section 1902(a)(13)(A) of the Social Security Act (42 U.S.C.A. § 1902(a)(13)(A)), as amended by section 4711 of the Balanced Budget Act of 1997 (Pub. L. No. 105-33). A 1999-2000 Proposed Rates Notice was published at 29 Pa.B. 4119 (July 31, 1999) and provided for a 30-day comment period. The Department did not receive any comments on the proposed July 1, 1999 rate notice that was published at 29 Pa.B. 4119. The Department did, however, receive comments from one commentator on the Peer Group Notice that was published at 29 Pa.B. 4120. The Department has considered the comments with respect to the Peer Group Notice and believes the peer group prices and medians have been established in accordance with the approved State Plan and 55 Pa. Code Chapter 1187.

#### Rates

The final July 1, 1999, rates are available through the Bulletin Board System (BBS) at (800) 833-5091, at the local County Assistance Offices throughout this Commonwealth, or by contacting Tom Jayson in the Policy Section of the Bureau of Long Term Care Programs at (717) 772-2570.

#### Methodology

The methodology that the Department used to set the final rates is contained in 55 Pa. Code Chapter 1187, Subchapter G (relating to rate setting) and the Commonwealth's approved Title XIX State Plan.

*Justification*

The justification for establishing the final rates is that the regulations at 55 Pa. Code Chapter 1187 and the Commonwealth's approved Title XIX State Plan require that rates be set on a quarterly basis.

The estimated increase in annual aggregate expenditures for Medical Assistance nursing facility services for FY 1999-2000 based on these final rates is \$114.051 million (\$52.814 million in State funds).

Interested persons are invited to submit written comments about the final rates to the Department within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Comments should be addressed to: Department of Public Welfare, Office of Medical Assistance Programs, Attention: Suzanne Love, Room 515 Health and Welfare Building, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD Users) or (800) 654-5968 (Voice Users). Persons who require another alternative should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTON,  
*Secretary*

**Fiscal Note:** 14-NOT-217. (1) General Fund; (2) Implementing Year 1999-00 is \$52.814 million; (3) 1st Succeeding Year 2000-01 is \$60.496 million; 2nd Succeeding Year 2001-02 is \$63.521 million; 3rd Succeeding Year 2002-03 is \$66.697 million; 4th Succeeding Year 2003-04 is \$70.032 million; 5th Succeeding Year 2004-05 is \$73.533 million; (4) 1998-99 Program—\$721.631 million; 1997-98 Program—\$617.252 million; 1996-97 Program—\$591.910 million; (7) Medical Assistance—Long term care; (8) recommends adoption. There are funds available in the Department's budget to cover the cost of the proposed rate change.

[Pa.B. Doc. No. 99-1636. Filed for public inspection September 24, 1999, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Addendum and Revision of the Listing of Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

#### *Addendum*

The Department of Transportation, Bureau of Motor Vehicles, under the authority of Section 3368 of the Vehicle Code (75 Pa.C.S. § 3368), published at 28 Pa.B. 6355 on December 26, 1998, a notice of approved speed-timing devices and maintenance and calibration stations for use until the next comprehensive list is published.

#### *Approval*

Under 75 Pa.C.S. § 3368(c)(3), the Department has approved, for use by any police officer, the following electronic speed-timing device (nonradar) which measures elapsed time between measured road surface points by using two sensors:

(1) Enradd EJU-91 with Non-Contact Road Switch System. Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, Pennsylvania 17404.

Comments, suggestions or questions may be directed to Barb Tomassini, Manager, Inspection Processing Section, Vehicle Inspection Division, Bureau of Motor Vehicles, Third Floor, Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104 or by telephoning (717) 787-2895.

Other approved speed-timing devices and appointment of maintenance and calibration stations appear at 28 Pa.B. 6355 (December 26, 1998), 29 Pa.B. 379 (January 16, 1999), 29 Pa.B. 1561 (March 20, 1999) and 29 Pa.B. 3131 (June 19, 1999).

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 99-1637. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Retention of Engineering Firms

#### Allegheny County

#### Project Reference No. 08430AG2406

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately thirteen (13) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services for S. R. 3160, Section A03, Allegheny County, Cargo Interchange. This project involves the construction of a new grade-separated intersection with an overpass and four (4) new ramps. The project also includes the construction of a new service road, the relocation of an existing two-lane road, mainline pavement replacement, mainline resurfacing, and replacing four (4) ramps at Flaugherty Run Interchange in Moon and Findlay Townships, Allegheny County.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, structures, soils, drainage, asphalt paving, guiderail work, and concrete pavement replacement. (References should be supplied for each inspector).

b. Understanding of Department's requirements, policies, and specifications.

c. Past Performance.

d. Number of NICET certified inspectors in each payroll classification.

e. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1) T
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	6 (3)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$46.27
(TCIS)	\$40.54
(TCI-Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the

construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one (1) inspector certified in computer documentation and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License \*\*\*\*
- 1 Vehicle for the Transportation of Nuclear Gauge \*\*\*\*
- 10 Cellular Phones (Two-way Radios also acceptable) \*\*\*\* At point of need when needed

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project. The Technical Assistants do not need to be identified in the letter of interest.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI-M	2
TCI	8

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Raymond S. Hack, P.E., District Engineer  
Engineering District 11-0  
45 Thoms Run Road  
Bridgeville, PA 15017  
Attention: Design Liaison Unit

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Brian A. Krul, District 11-0, at (412) 429-3801.

**Statewide**

**Project Reference No. 08430AG2407**

The Department will retain an engineering firm for an Open-End Contract for various engineering, environmental and management services associated with the planning, design, construction and maintenance of transporta-

tion related sound barriers, alternate noise abatement, statewide noise inventories, and policy development. The Contract will be for a sixty (60) month period with projects assigned on an as needed basis. The maximum amount of the Open-End Contract will be \$5.0 million.

The Department will establish an order of ranking of a maximum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The selected firm will be required to provide all professional services through highly qualified engineering, environmental, acoustical and public involvement specialists to guide and assist the Department through the preliminary and final design phase of projects.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Specialized experience and technical competence of the firm or project team in the following engineering areas:

1. Performing field surveys;
2. Conducting traffic counts;
3. Obtaining detailed project mapping;
4. Plotting topography and cross sections;
5. Performing subsurface investigation of roadways and structures;
6. Performing load analysis of existing structures;
7. Performing screening analysis for potential noise abatement;
8. Preparing submission for utility, drainage, and traffic verification and relocations engineering;
9. Developing and verifying right of way plans, and materials necessary for right of way acquisition;
10. Preparing all pertinent submissions and materials necessary for the Department to prepare an application to PUC and for a PUC field conference;
11. Attending and supplying any required information for all PUC meetings and hearings during the design of a project;
12. Completing structure designs including TS&L and PS&E reports;
13. Preparing core boring layouts, foundation designs and reports;
14. Developing traffic control plans with narratives;
15. Conducting soil and geo-technical investigations and preparing soil and geo-technical reports;
16. Participating in engineering reviews;
17. Consultation during construction;
18. Assess effectiveness of various noise wall designs; and
19. Any other activities necessary to complete the preliminary and final design for noise mitigation.

b. Specialized experience and technical competence of the firm and the proposed project team in the following environmental areas:

1. Performing all tasks associated with noise abatement, including but not limited to noise monitoring, noise modeling with TNM, noise mitigation analysis, and development of appropriate reports;

2. Policy Development;

3. Development of ranking system to prioritize potential Type II projects, statewide;

4. Analysis of soils and geology;

5. Preparing analyses and appropriate environmental documentation for the following resources: cultural resources (historical and archaeological); Section 4(f) and 2002 resources; hazardous and residual waste sites; wetland and floodplain identification, delineation, evaluation, and mitigation; displacements; air quality; farmland; surface and groundwater resources; terrestrial/wildlife habitat; threatened/endangered species; park and recreational facilities; public facilities and services; community cohesion; economy and employment impacts; displacement of people, businesses and farms;

6. Developing and conducting all coordination efforts with federal, state and local agencies, community homeowners-associations, other interested parties;

7. Preparing meeting minutes;

8. Experience with legislator, local public officials and general public meetings and hearing presentations;

9. Developing visualization materials, handouts, displays, cross sections;

10. Developing technical basis reports (TBRs) and/or technical files; mitigation plans and reports; and preliminary and final engineering plans; and

11. Any other environmental activities (including permit acquisition) necessary to complete noise analysis and provide successful noise abatement.

c. Available staffing for assignments and the ability to meet the Department's needs.

d. Past record of performance with respect to: cost control, work quality, ability to meet schedules and previous experience on relevant projects. The specific experience of individuals employed by the firm or team of firms will be considered.

e. Location of proposed project team with respect to the Commonwealth.

f. Projected workload for the next three (3) calendar years.

The work and services required under this Contract may encompass a wide range of scopes with the possibilities of several different types of projects with concurrent completion schedules. The anticipated types of assignments include, but are not limited to:

1. Development of a statewide noise abatement policy;
2. Development of financial/funding strategies and practices;

3. Development of public relations and public education and outreach strategies and practices including but not limited to organizing and conducting noise abatement workshops, forums, conferences, training, newsletters and brochures;

4. Development and operation, in accordance with Department policies, of a noise wall information clearinghouse including a website and monitoring/updating mechanisms;

5. Prepare noise program meeting minutes, brochures, reports, publications and maps;

6. Research state-of-the-art noise abatement program development and implementation techniques;

7. Coordination of activities such as meetings, minutes, and other support functions;

8. Conduct surveys, research and analysis related to noise abatement including economic and other benefit assessments;

9. Assessment of noise abatement effectiveness;

10. Development of a "Best Practices" noise abatement guidance document;

11. Development of a database of existing noise walls;

12. Development and implementation of a statewide methodology for screening potential noise abatement areas; and

13. Development of a ranking system to prioritize potential Type II projects, statewide.

The format and content of all documents prepared under this Contract will be consistent with the applicable State and Federal regulations, policies and guidelines.

The services identified above are the general work activities that can be expected under this Open-End Contract. A specific project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract. Work activities will be coordinated with PennDOT Engineering Districts and PennDOT Central Office.

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Wayne W. Kober, Director  
Bureau of Environmental Quality  
7th Floor, Forum Place  
555 Walnut Street  
Harrisburg, PA 17101-1900

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Mark D. Lombard, Bureau of Environmental Quality at (717) 772-2569.

#### **Bedford and Cambria Counties**

#### **Project Reference No. 08430AG2408**

The Department will retain an engineering firm to provide preliminary engineering, final design and services during construction (shop drawing reviews and consultation during construction) for the following projects:

1. S. R. 1020, Section 001, Bedford County. The proposed multi-span bridge replacement over the Raystown Branch of the Juniata River (including roadway approach realignment) and also the replacement of a single span structure over Piper's Run. The multi-span structure is located in both Broadtop and Hopewell Townships; Bedford county while the single span structure is located

entirely within Hopewell Township. The estimated construction cost for this portion of the project is \$2.2 million.

The existing multi-span structure on S. R. 1020 is a two (2) span truss, 237' in length with two (2) 11' lanes. The single span structure is a concrete T-beam bridge, 28' span, located approximately 390' west of the multi-span structure. These structures are located in a rural area with some widely scattered homes located on the western side of the river. The roadway crossing both structures is classified as a rural minor collector.

2. S. R. 1023, Section 001, Cambria County. The proposed bridge replacement over Clearfield Creed on the Reade & White Township line in Cambria County. The estimated construction cost for this portion of the project is \$530 thousand.

The existing structure on S. R. 1023 is a single span steel girder/floor beam. The structure has an 80' span with two (2) 11' lanes. The structure is located in a rural area with a few homes in the surrounding area. The roadway crossing the structure is classified as a rural minor collector.

The selected engineering firm will be required to provide a variety of engineering services as indicated below, but not limited to:

1. Preliminary engineering including, but not limited to: type, size and location drawings, and location drawings; Step 9 submission; roadway design; E & S plans; soils and geotechnical reconnaissance; maintenance and protection of traffic; right-of-way investigation; and coordination with utility companies.

2. Preparation of final roadway and structure plans, including, but not limited to: roadway and structure borings; final design; and preparation of plans, specifications, and estimates.

3. Consultation during construction.

All engineering services for this project will be performed in accordance with the current Department Metric Design Standards. English measurements will also be included on the plans.

The following factors, listed in order of importance, will be considered by the Department during evaluation of the firms submitting acceptable Letters of Interest:

- Specialized expertise and technical compliance.
- Project team composition.
- Project team experience.
- Ability to expedite project and maintain schedule and budget.
- Past performance.
- Geographic location of the consultant office in reference to the District Office.

The District will announce the shortlisted firms at an open public meeting to be held in Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648. All candidates that have submitted a Letter of Interest will be notified of the date. Specify a contact person in the Letter of Interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).



This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. Also include a copy of the confirmation letters from the Department stating the consultant's and proposed subconsultants current F.A.R. overhead rate. (These letters will not be considered as part of the five (5) pages maximum). (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Earl L. Neiderhiser, P.E., District Engineer  
 Engineering District 9-0  
 1620 North Juniata Street  
 Hollidaysburg, PA 16648  
 Attention: Mr. Terry L. Bouch

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Terry L. Bouch, District 9-0 at (814) 696-7171.

**Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties**  
**Project Reference No. 08430AG2409**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately eighteen (18) inspectors, under the Department's District Material Engineer for construction materials testing and sampling services for various projects being constructed in Engineering District 8-0, that is, Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties. This Agreement will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the

following number of inspectors who meet the requirements for the following inspection classification:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	18 (16)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for various projects. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	21

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E., District Engineer  
 Engineering District 8-0  
 2149 Herr Street  
 Harrisburg, PA 17103-1699  
 Attention: Construction Unit

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Richard K. Waddell, District 8-0, at (717) 787-5054.

**Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties**

**Project Reference No. 08430AG2410**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately twenty-five (25) inspectors, under the Department's District Permit Engineer for construction Inspection and documentation services for various Highway Occupancy Permit Projects in Engineering District 8-0, that is, Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties. This Agreement will be for a period of sixty (60) months.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classification:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) NICET Highway Construction Level 2 or equivalent)	25 (20)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for various projects. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 25 Camera (type 35mm)
- 25 Pagers

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	30

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E., District Engineer  
 Engineering District 8-0  
 2149 Herr Street  
 Harrisburg, PA 17103-1699  
 Attention: Construction Unit

*No. of  
 Inspectors*

*Classification*  
 Transportation Construction Inspector (TCI)  
 (NICET Highway Construction Level 2 or  
 equivalent)

8 (5)

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

Any technical questions concerning the requirements for this project should be directed to: Mr. Richard K. Waddell, District 8-0, at (717) 787-5054.

**Fayette County**

**Project Reference No. 08430AG2411**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately eight (8) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following four (4) projects:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

1. S.R. 0201, Section 07R, Fayette County. This project involves the re-construction of the existing roadway.
2. S.R. 4003, Section 01R, Fayette County. This project involves the re-construction of the existing roadway.
3. S. R. 4004, Section C01, Fayette County. This project involves the replacement of the existing bridge.
4. S. R. 0021, Section 01M, Fayette County. This project involves the re-construction of the existing bridge.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

The estimated construction cost is \$2.0 million for S. R. 0201, Section 07R; \$680 thousand for S. R. 4003, Section 01R; \$550 thousand for S. R. 4004, Section C01; and \$3,139,000 for S. R. 0021, Section 01M.

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the acceptable letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Past Performance.
- e. Understanding of Department's requirements, policies, and specifications.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	10

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
 Engineering District 12-0  
 N. Gallatin Avenue, Ext.  
 Uniontown, PA 15401  
 Attention: Mr. Nick Hutnick

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Thompson, P.E., District 12-0 at (724) 439-7137 or Mr. Nick Hutnick, District 12-0 at (724) 439-7385.

**Westmoreland and Greene Counties  
 Project Reference No. 08430AG2412**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately eight (8) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following four (4) projects:

1. S. R. 3077, Section E10, Westmoreland County. This project involves the rehabilitation of the existing bridge.
2. S. R. 0030, Section 16R, Westmoreland County. This project involves the rehabilitation of the existing bridge.
3. S. R. 0136, Section L01, Westmoreland County. This project involves the rehabilitation of the existing bridge.
4. S. R. 0088, Section 06R, Greene County. This project involves the rehabilitation of the existing bridge.

The estimated construction cost is \$1.0 million for S.R. 3077, Section E10; \$3.6 million for S.R. 0030, Section 16R; \$400 thousand for S.R. 0136, Section L01; and \$2.6 million for S.R. 0088, Section 06R.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the acceptable letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Past Performance.

- e. Understanding of Department's requirements, policies, and specifications.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	8 (5)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	10

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
 Engineering District 12-0  
 N. Gallatin Avenue, Ext.  
 Uniontown, PA 15401  
 Attention: Mr. Nick Hutnick

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Thompson, P.E., District 12-0 at (724) 439-7137 or Mr. Nick Hutnick, District 12-0 at (724) 439-7385.

**Fayette, Washington and Westmoreland Counties  
 Project Reference No. 08430AG2413**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately twelve (12) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following six (6) projects:

1. S. R. 1031, Section F00, Fayette County. This project involves the rehabilitation of the existing bridge.
2. S. R. 1077, Section 01M, Washington County. This project involves the rehabilitation of the existing bridge.
3. S. R. 0981, Section C01, Westmoreland County. This project involves the rehabilitation of the existing bridge.
4. S. R. 0136, Section 137, Westmoreland County. This project involves the rehabilitation of the existing bridge.
5. S. R. 0982, Section P01, Westmoreland County. This project involves the rehabilitation of the existing bridge.
6. S. R. 1026, Section H01, Westmoreland County. This project involves the rehabilitation of the existing bridge.

The estimated construction cost is \$600 thousand for S. R. 1031, Section F00 in Fayette County; \$1,850,000 for S. R. 1077, Section 01M in Washington County; and \$400 thousand for S. R. 0981, Section C01; \$260 thousand for S. R. 0136, Section 137; \$350 thousand for S. R. 0982, Section P01; and \$1.4 million for S. R. 1206, Section H01 in Westmoreland County.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in

response to this solicitation. The ranking will be established directly from the acceptable letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Experience of inspectors in each classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Past Performance.
- e. Understanding of Department's requirements, policies, and specifications.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	12 (7)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	14

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
Engineering District 12-0  
N. Gallatin Avenue, Ext.  
Uniontown, PA 15401  
Attention: Mr. Nick Hutnick

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Thompson, P.E., District 12-0 at (724) 439-7137 or Mr. Nick Hutnick, District 12-0 at (724) 439-7385.

#### **McKean County**

##### **Project Reference No. 08430AG2414**

The Department will retain an engineering firm to provide preliminary engineering, environmental studies, final design, consultation during construction and shop drawing review of the rehabilitation of S. R. 0219, Section C09, also known as the Bradford Bypass, from the southern terminus at Owens Way to the northern terminus at the New York state line. The project is located in Bradford, PA in McKean County.

S. R. 0219, Section C09 project includes the replacement of superstructures and minor substructure rehabilitation for nineteen (19) bridges. Of the nineteen (19) bridges, there are seven (7) single span bridges, seven (7) three (3) span bridges, four (4) four-span bridges and one (1) seven (7) span bridge to be designed. The roadway design work involves reconstruction of 5.3 miles of concrete pavement. An erosion and sedimentation control plan will be designed with this project. Temporary right of way will be needed for this project and will be part of the design. Traffic for S.R. 0219, Section C09 will be maintained utilizing temporary roadways and daylight

flagging operations as necessary. The estimated construction cost is \$36 million. This project will be done in metric units.

This project starts at Segment 0502/Offset 0000 northbound and Segment 0503/Offset 0000 southbound and ends at Segment 0594/Offset 2516 northbound and Segment 0595/Offset 2465 southbound.

The anticipated duration of the agreement is thirty-six (36) months.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The Department will shortlist a minimum of three (3) firms. The following criteria, listed in order of importance, will be considered by the Consultant Selection Committee during the evaluation of the firms submitting letters of interest:

- Specialized experience and technical competence of the firm.
- Specialized experience, previous experience, and technical competence of individuals who constitute the firm.
- Special requirements of this assignment.
- Past record of performance with respect to cost control, work quality, and ability to meet schedules.

The shortlisting announcement for this project will be done at the District. All firms submitting letters of interest will be notified by the District of the shortlisting announcement date.

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. George M. Khoury, P.E., District Engineer  
Engineering District 2-0  
1924-30 Daisy Street  
P. O. Box 342  
Clearfield, PA 16830

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Vasco A. Ordonez, P.E., District 2-0, at (814) 765-0439.

#### **Westmoreland County**

##### **Project Reference No. 08430AG2415**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately fourteen (14) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 0022, Section B07 in Westmoreland County. This project involves the reconstruction of the existing roadway. The estimated construction cost is \$12 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the acceptable letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Ability to provide CDS operator.
- e. Understanding of Department's requirements, policies, and specifications.
- f. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	10 (8)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	2 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License
- 1 Paint Test Kit
- 1 Vehicle for the Transportation of Nuclear Gauge
- 1 CDS Operator

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project. The Technical Assistant(s) do not need to be identified in the Letter of Interest.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI	12

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
 Engineering District 12-0  
 N. Gallatin Avenue, Ext.  
 Uniontown, PA 15401  
 Attention: Mr. Nick Hutnick

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Thompson, P.E., District 12-0, at (724) 439-7137 or Mr. Nick Hutnick, District 12-0, at (724) 439-7385.

**Washington County**

**Project Reference No. 08430AG2416**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately ten (10) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following six (6) projects:

1. S. R. 2023, Section H00, Washington County. This project involves the rehabilitation of the existing bridge.
2. S. R. 1030, Section B10, Washington County. This project involves the new roadway construction for S. R. 1030, Section B10.
3. S. R. 0519, Section L11, Washington County. This project involves the re-construction of the existing roadway.
4. S. R. 1009, Section UNK, Washington County. This project involves the re-construction of the existing roadway.
5. S. R. 2030, Section G01, Washington County. This project involves the rehabilitation of the existing bridge.
6. S. R. 2030, Section G02, Washington County. This project involves the rehabilitation of the existing bridge.

The estimated construction cost is \$3.0 million for S. R. 2023, Section H00; \$500 thousand for S.R. 1030, Section B10; \$750 thousand for S. R. 0519, Section L11; \$2.0 million for S.R. 1009, Section UNK; \$300 thousand for S. R. 2030, Section G01; and \$350 thousand for S.R. 2030, Section G02.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the acceptable letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Number of available inspectors in each payroll classification.
- b. Number of NICET certified inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of traffic, soils, structures, concrete, asphalt paving, and drainage.
- d. Past Performance.

e. Understanding of Department's requirements, policies, and specifications.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	10 (5)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCI)	\$35.47

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.



The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCI	11

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
Engineering District 12-0  
N. Gallatin Avenue, Ext.  
Uniontown, PA 15401  
Attention: Mr. Nick Hutnick

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Charles Thompson, P.E., District 12-0 at (724) 439-7137 or Mr. Nick Hutnick, District 12-0 at (724) 439-7385.

### **Statewide Open-End Contract**

#### **Project Reference No. 08430AG2417**

The Department will retain an engineering firm for an Open-end Contract to provide various traffic-engineering/safety services throughout the State. The contract will be for a period of 5 years and a maximum amount of \$4 million with projects assigned on an as-needed basis.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- Specialized experience and technical competence of the firm and any subconsultants.
- Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience.
- Available staffing for this assignment, and the specific experience and competence of project manager and other individuals.
- Relative size of firm to size of projects that may be completed under this Contract.
- Location of consultant office with respect to the Bureau of Highway Safety and Traffic Engineering.

The required services will encompass a wide range of traffic engineering functions, many of which must be performed under short completion schedules. The anticipated types of work may include but are not limited to the following:

- Develop statewide standards, specifications, and policies for traffic control devices. Review traffic control equipment and devices and applications provided by the manufacturers, and recommend the issuance of certificates of approval (COAs) for acceptable devices. Prepare and update database for COAs. Develop or implement all or portions of a statewide quality control (QC) plan, including a quality assurance (QA) program, for traffic signs, signals, pavement markings and other traffic control devices, ITS devices, and engineering and traffic studies.
- Merge the federal MUTCD and the Department's regulations into a "Pennsylvania MUTCD." Develop training materials for "Pennsylvania MUTCD."
- Perform technical report writing for various traffic and transportation engineering reports, studies, technical memorandums, analyses, etc.
- Perform safety audits during the design and construction phases of select statewide projects using Department guidelines. Analyze existing highway facilities that have significant operational problems and cause adverse impact on the safe and/or efficient flow of people. Develop traffic safety strategies to target identified safety concerns from Pennsylvania's Safety Management System (SMS).
- Review guide signs to determine their effectiveness, giving consideration to positive guidance principles and other human factor considerations. Perform reviews of consultant and/or Department-prepared traffic control plans for Plans, Specifications and Estimates (PS&Es).
- Develop and update computerized inventories of signals, markings, RPMs, emergency detour routes, etc. Develop and maintain Department web site for transportation systems, highway safety, ITS, traffic engineering studies, etc.
- Perform complex traffic engineering/safety analyses and assessments. Perform analyses of travel demand reduction (including multi-modal) and operational management strategies in non-attainment areas to reduce the number of single-occupancy vehicles.
- Perform comprehensive access management reviews of proposed major commercial developments including impacts and needed enhancements to the adjacent highway system.
- Design sophisticated traffic signal systems, complex expressway signing projects, guide rail upgrade projects, etc. Review traffic sign and signal structures and appurtenances for structural integrity.
- Develop or review intelligent transportation systems (ITS) projects and initiatives (e.g.; fiber optic cable usage; digital, 800 MHz, and other statewide radio efforts; advanced truck rollover warning systems; incident and congestion management activities; Advanced Traffic Management Systems (ATMS) efforts; and Advanced Traveler Information Systems (ATIS) efforts). Provide technical assistance to develop, review, and perform ITS operations, e.g., Statewide Operations Center (SOC), Traffic Management Centers (TMCs), etc. Help to integrate traffic control centers. Develop and/or provide software and systems integration capabilities for ITS projects and initiatives to insure compatibility and systems networking.

11. Develop or review electrical aspects of traffic signals. Develop specifications such as NTCIP, NEMA TS2, LED signals, loop detectors for motorcycles and bicycles, etc.

12. Develop policies, procedures, guidelines, brochures, or manuals for improving safety and efficiency of highways, e.g., incident management to improve the safe and efficient "clearing" of major incidents. Develop education programs for drivers, the Department, other agencies, etc., as they relate to these policies, procedures, brochures or manuals for incident management. Investigate highway crashes and incidents to determine causation factors and recommend remedial treatment. Analyze proposed changes in accident reporting systems.

13. Perform analyses of the highway system to enhance usage by pedestrians and bicycles.

14. Assist the Department in obtaining retroreflectivity readings of signs and markings, by using Department Equipment.

15. Provide guidance to task forces in the areas of traffic engineering, ITS, incident management, etc., to help establish Department policy. Provide technical assistance in developing traffic calming techniques and procedures. Assist the Department in providing expert testimony regarding engineering studies, highway occupancy permits, etc.

The traffic engineering and safety services identified above are the general work activities that can be expected under these Open-End Contracts. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under these Open-End Contracts.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2"x11", one-sided, plus an organization chart (up to 11"x17" size), required information, and additional resumes, if applicable. (See General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Thomas E. Bryer, P.E., Director  
Bureau of Highway Safety and Traffic Engineering  
555 Walnut Street, Forum Place-7th Floor  
Harrisburg, PA 17101-1900  
Attention: Mr. Arthur H. Breneman, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Arthur H. Breneman, P.E., Bureau of Highway Safety and Traffic Engineering, at (717) 787-3620.

**Bradford, Tioga, Lycoming, Sullivan, Columbia,  
Montour, Northumberland, Snyder and Union  
Counties**

**Project Reference No. 08430AG2418**

The Department will retain two (2) engineering firms, one (1) each for two (2) separate Open-End Contracts to perform various engineering and/or environmental services on various projects located in Engineering District 3-0, that is Bradford, Tioga, Lycoming, Sullivan, Columbia, Montour, Northumberland, Snyder and Union Counties. The emphasis on these Contracts will be on engineering studies and services, although environmental

assignments are also likely. Each Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount for each Open-End Contract will be \$2.0 million.

The Department will establish an order of ranking of a minimum of five (5) firms for the purpose of negotiating two (2) Open-End Contracts based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Past performance of firm with respect to quality of work, administrative and cost controls, ability to meet schedules, and previous experience on Open-End Contracts. The specific experience of individuals who constitute the firm shall be considered.

b. Project workload for the next two (2) years.

c. Available staffing for anticipated assignments.

d. Specialized experience and technical competence of firm.

e. Location of consultant in relation to the District.

f. Resumes of key personnel.

g. Relative size of firm to size of projects that may be completed under these Contracts.

h. Capability for fast response time.

The work and services required under these Contracts may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type,) minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under these Contracts include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The areas of environmental study required under these Contracts may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under these Open-End Contracts. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under these Open-End Contracts.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Paul E. Heise, P.E., District Engineer  
Engineering District 3-0  
715 Jordan Avenue  
Montoursville, PA 17754

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Gary Williams, P.E. District 3-0, at (570) 368-4391.

**Bradford, Tioga, Lycoming, Sullivan, Columbia,  
Montour, Northumberland, Snyder and Union  
Counties**

**Project Reference No. 08430AG2419**

The Department will retain an engineering firm for one (1) Open-End Contract to perform various environmental and/or engineering services on various projects located in Engineering District 3-0, that is Bradford, Tioga, Lycoming, Sullivan, Columbia, Montour, Northumberland, Snyder and Union Counties. The emphasis on this Contract is environmental, although engineering assignments are also likely. This Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount for this Open-End Contract will be \$1.0 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating one (1) Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals

will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past performance of firm with respect to quality of work, administrative and cost controls, ability to meet schedules, and previous experience on Open-End Contracts. The specific experience of individuals who constitute the firm shall be considered.
- b. Project workload for the next two (2) years.
- c. Available staffing for anticipated assignments.
- d. Specialized experience and technical competence of firm.
- e. Location of consultant in relation to the District.
- f. Resumes of key personnel.
- g. Relative size of firm to size of projects that may be completed under these Contracts.
- h. Capability for fast response time.

The work and services required under this Contract may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type,) minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The areas of environmental study required under this Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs)

and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Paul E. Heise, P.E., District Engineer  
Engineering District 3-0  
715 Jordan Avenue  
Montoursville, PA 17754

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Christopher King, District 3-0, at (570) 368-4255.

#### **General Requirements and Information**

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that requests engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.
3. Identify subconsultants, if any, including DBE/WBE, if required.
4. Identify key project staff.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 99-1638. Filed for public inspection September 24, 1999, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Temporary Changes to Fishing Regulations at the Lake at Lackawanna State Park, Lackawanna County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), is taking immediate action to temporarily modify fishing regulations at the Lake at Lackawanna State Park, Lackawanna County. Specifically, the Executive Director is closing the lake to all fishing, effective October 1, 1999. This action is being taken at the request of the Bureau of State Parks, Department of Conservation and Natural Resources. The Executive Director of the Commission finds that closing the lake at Lackawanna State Park to fishing is necessary and appropriate for the protection, preservation and management of fish and fish habitat, to conserve and preserve fishing opportunities and to provide for the health and safety of persons who fish the lake.

PETER A. COLANGELO,  
*Executive Director*

[Pa.B. Doc. No. 99-1639. Filed for public inspection September 24, 1999, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, September 9, 1999, and took the following actions:

#### *Regulations Approved:*

Environmental Quality Board #7-331: Surface and Underground Coal Mining (amends 25 Pa. Code Chapter 86).

Environmental Quality Board #7-344: Sewage Enforcement Officers Application Requirements for Certification (amends 25 Pa. Code Chapter 72).

Environmental Quality Board #7-341: Gasoline Volatility Requirements (amends 25 Pa. Code Chapters 121, 126 and 139).

Milk Marketing Board #47-6: Transactions Between Dealers and Producers—Uniform System of Accounts (amends 7 Pa. Code §§ 143.12, 143.14 and 149.24).

Department of Health #10-149B: Health Facility Licensure—Freestanding Ambulatory Surgical Facilities (amends 28 Pa. Code Chapters 551, 553, 555, 557, 559, 561, 563, 565, 567, 569, 571 and 573).

Department of Agriculture #2-107: Food Employee Certification (adds Chapter 76 to 7 Pa. Code).

*Commissioners Present:* Alvin C. Bush, Vice Chairperson, Arthur Coccodrilli, Robert J. Harbison, III, John F. Mizner

Public Meeting held  
September 9, 1999

*Environmental Quality Board—Surface and Underground Coal Mining; Regulation No. 7-331*

#### Order

On February 2, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board. This rulemaking amends 25 Pa. Code Chapter 86. The authority for this regulation is sections 4.2(a) and 4.5 of the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1366.4b(a); and 1396.4e); sections 3.2(a) and 6.1 of the Coal Refuse Disposal Control Act (52 P. S. §§ 30.53b(a), and 30.56a); sections 5 and 315(h)—(o) of The Clean Streams Law (35 P. S. §§ 691.5 and 691.315 (h)—(o)); and sections 120-A and 1930-A of The Administrative Code of 1929 (71 P. S. §§ 510-20 and 510-30). The proposed regulation was published in the February 14, 1998, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on August 17, 1999.

The proposed regulation amends the general provisions for designating areas unsuitable for mining which were found to be more stringent than federal law. Changes were made in definitions for conformity with Federal regulations and make clarity changes which include procedures and notification requirements and the addition of metric equivalent measures.

We have reviewed this regulation and find it to be in the public interest. The amendments are a result of the Regulatory Basics Initiative initiated by the Department of Environmental Protection in August of 1995 and are consistent with Federal requirements.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-331 from the Environmental Quality Board, as submitted to the Commission on August 17, 1999, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* Alvin C. Bush, Vice Chairperson, Arthur Coccodrilli, Robert J. Harbison, III, John F. Mizner

Public Meeting held  
September 9, 1999

*Environmental Quality Board—Sewage Enforcement Officers Application Requirements for Certification; Regulation No. 7-344*

#### Order

On February 9, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board. This rulemaking amends 25 Pa. Code Chapter 72. The authority for this regulation is section 9 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.9) and section 1920-A of The Administrative Code of 1929 (71 P. S. § 510.20). The proposed regulation was published in the February 20, 1999, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on August 3, 1999.

The regulation reduces the time period for Sewage Enforcement Officer (SEO) candidates to submit required documents to the State Board for Certification of SEOs prior to examination. The application and fee for the scheduled examination are now due 30 days prior to the scheduled examination. Documentation of successful completion of the precertification training course is now due no later than the commencement of the scheduled examination.

We have reviewed this regulation and find it to be in the public interest. The amendments will accommodate schedule changes necessary because of expanded training for SEOs. Candidates and their municipalities will no longer need to make separate travel arrangements for training and testing.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-344 from the Environmental Quality Board, as submitted to the Commission on August 3, 1999, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* Alvin C. Bush, Vice Chairperson, Arthur Coccodrilli, Robert J. Harbison, III, John F. Mizner

Public Meeting held  
September 9, 1999

*Environmental Quality Board—Gasoline Volatility Requirements; Regulation No. 7-341*

#### Order

On September 8, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). It amends Chapters 121, 126 and 139 of 25 Pa. Code. The authority for this regulation is section 5 of the Air Pollution Control Act (35 P. S. § 4005). The proposed rulemaking was published in the *Pennsylvania Bulletin* on September 26, 1998, with a 67-day public comment period. The final-form regulation was submitted to the Commission on August 3, 1999.

These amendments eliminate the use of Federal reformulated gasoline (RFG) as a compliant fuel in the Pittsburgh-Beaver Valley area during the ozone season (from May 1 to September 15) of each year. They respond to public concern that RFG is not a suitable alternative fuel for the Pittsburgh-Beaver Valley area because it contributes to emissions of volatile organic compounds that exceed the health-based standard for ground level ozone.

The amendments also include a technical correction in language referencing sampling procedures for fuel volatility. Finally, the final regulation reduces the on-site recordkeeping requirements for retail gasoline facilities.

We have reviewed this regulation and find it to be in the public interest. Approximately 2.8 to 3.0 million people in the affected seven counties will benefit from the sale of cleaner-burning low Reid Vapor Pressure (RVP) gasoline as the sole compliant fuel during the ozone season, starting in the year 2000. There will be no increased cost to the regulated community to produce compliant RVP gasoline because it is already widely used during the ozone season.

*Therefore, It Is Ordered That:*

1. Regulation No. 7-341 from the Environmental Quality Board, as submitted to the Commission on August 3, 1999, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* Alvin C. Bush, Vice Chairperson, Arthur Coccodrilli, Robert J. Harbison, III, John F. Mizner

Public Meeting held  
September 9, 1999

*Milk Marketing Board—Transactions Between Dealers and Producers—Uniform System of Accounts; Regulation No. 47-6*

#### Order

On August 9, 1999, the Independent Regulatory Review Commission (Commission) received this regulation from the Milk Marketing Board (Board). This rulemaking amends 7 Pa. Code §§ 143.12, 143.14 and 149.24. The authority for this regulation is contained in sections 608 and 704 of the Milk Marketing Law (31 P. S. §§ 700j-608 and 700j-704) and section 5 of the Milk Producers' Security Act (31 P. S. § 626.5). Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

The Board is amending its regulations relating to payments from milk dealers to milk producers to be consistent with United States Department of Agriculture (USDA) regulations. The amendments relate to dates by which milk dealers must make interim and final payments to producers, and the class of milk to be used as the basis of interim payments. The regulation also deletes an existing reference to a Board-published weekly payment schedule. Since no milk dealers pay on a weekly basis, the Board does not publish this payment schedule.

We have reviewed this regulation and find it to be in the public interest. The amendments will ensure that the Board's regulations are consistent with comparable USDA requirements.

*Therefore, It Is Ordered That:*

1. Regulation No. 47-6 from the Milk Marketing Board, as submitted to the Commission on August 9, 1999, is approved; and
2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* Alvin C. Bush, Vice Chairperson, Arthur Coccodrilli, Robert J. Harbison, III, John F. Mizner

Public Meeting held  
September 9, 1999

*Department of Health—Health Facility Licensure—Freestanding Ambulatory Surgical Facilities; Regulation No. 10-149B*

#### Order

On July 3, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Health (Department). This rulemaking amends 28 Pa. Code Chapters 551, 553, 555, 557, 559, 561, 563, 565, 567, 569, 571 and 573. The authority for this regulation is sections 801.1, 803 and

806 of the Health Care Facilities Act (35 P. S. §§ 448.101—448.904b). The proposed regulation was published in the July 19, 1997, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on March 30, 1999, but was withdrawn prior to Commission action. A revised final-form regulation was submitted to the Commission on April 14, 1999. The Department withdrew this revised regulation on May 3, 1999, and announced plans to hold additional meetings with interested parties. On August 4, 1999, the Department submitted the final-form regulation with additional revisions.

This regulation is a comprehensive update and revision of the provisions for licensure and operation of ambulatory surgical facilities. These facilities provide specialty or multispecialty outpatient surgical treatments. The rulemaking contains provisions relating to classification and licensure of facilities, qualifications of medical staff, surgical and anesthesia services, pediatric surgeries, quality assurance and improvement programs, medical records, laboratory and radiology services, and fire and safety services.

We have reviewed this regulation and find it to be in the public interest. This regulation represents a necessary and beneficial update of the existing licensure provisions for ambulatory surgical facilities. The provisions and standards of this regulation will help to insure that these facilities provide safe and efficient services for the care and treatment of their patients.

*Therefore, It Is Ordered That:*

1. Regulation No. 10-149B from the Department of Health, as submitted to the Commission on August 4, 1999, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

*Commissioners Present:* Alvin C. Bush, Vice Chairperson, Arthur Cocodrilli, Robert J. Harbison, III, John F. Mizner

Public Meeting held  
September 9, 1999

*Department of Agriculture—Food Employe Certification;  
Regulation No. 2-107*

### Order

On June 11, 1997, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture (Department). This rulemaking adds Chapter 76 to 7 Pa. Code. The authority for this regulation is the Food Employe Certification Act (3 Pa. C.S. § 6505). The proposed regulation was published in the June 21, 1997, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on July 20, 1999. On August 6, 1999, the Commission received a request from the Department to toll consideration of this final-form regulation to amend reinstatement provisions in § 76.15(d). On August 11, 1999, the Department submitted its revisions to the final-form regulation to the Commission.

This regulation will require most food establishments to have at least one supervisory employe who has undergone food safety training and passed a written examination evidencing food safety knowledge. Compliance is optional until July 1, 2001.

We have reviewed the revised final-form regulation and find it to be in the public interest. It implements the requirements of the Food Employe Certification Act and will serve as a safeguard of the public health.

*Therefore, It Is Ordered That:*

1. Regulation No. 2-107 from the Department of Agriculture, as revised on August 11, 1999, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 99-1640. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

#### *Final-Omit*

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
14-446	Department of Public Welfare Act 49 of 1994, Act 30 of 1995 and Act 35 of 1996; Omnibus Amendments	9/8/99
14-459	Department of Public Welfare Omnibus Revisions to Pharmaceutical Services and Restrictions to Fertility Services	9/13/99

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 99-1641. Filed for public inspection September 24, 1999, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Agency Contract Termination of Mattern-Sowers Insurance Agency under Act 143; Erie Insurance Group; Doc. No. AT99-09-007

A prereview telephone conference initiated by the Administrative Hearings Office shall be conducted on October 12, 1999, at 11 a.m. A review shall occur on October 26, 1999, at 10 a.m. in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

No prereview memoranda or other written submissions are required for the prereview/settlement conference; however, the parties are encouraged to discuss settlement and possible stipulations pending the conference.

The parties are advised that under 40 P. S. § 24 any information or documents exchanged under this order are absolutely privileged and may not be disclosed to any outside party. Failure to maintain the confidentiality of information or documents may result in enforcement action or other civil penalty.

The agency contract at issue shall remain in force and effect pending the issuance of a Decision in this matter.

Persons with a disability who wish to attend the above-referenced review, and require an auxiliary aid, service or other accommodation to participate in the review, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 99-1642. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Alleged Violation of Insurance Laws

*Donald A. Young—Donald A. Young & Associates, Inc.;  
Doc. No. SC98-09-027*

Notice is hereby given of the Order to Show Cause issued on September 7, 1999, by the Deputy Insurance Commissioner of the Commonwealth of Pennsylvania in the above-referenced matter. Violation of the following is alleged: Insurance Department Act of 1921, Act of May 17, 1921, P. L. 789, as amended, 40 P. S. §§ 234, 252 and 279, and 31 Pa. Code §§ 37.37, 37.46, 37.47 and 37.48.

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); General Rules of Administrative Practice and Procedure, 1 Pa. Code §§ 31.1—35.193, 35.225—35.251; Special Rules of Administrative Practice and Procedure, 31 Pa. Code §§ 56.1—56.3 and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed in writing with the Docket Clerk, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency ADA Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 99-1643. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

[Correction]

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the State Office Building, Room 1701, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Daylin B. Leach; file no. 99-265-32547; Erie Insurance Exchange; doc. no. PH99-08-007; October 4, 1999, at 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 99-1409. Filed for public inspection August 20, 1999, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

[Correction]

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the State Office Building, Room 1701, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Richard Edelschein; file no. 99-210-32606; Keystone Insurance Company; doc. no. PH99-08-025; October 4, 1999, at 9 a.m.

The following hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.



Appeal of Joseph Boback; file no. 99-121-04549; Nationwide Mutual Insurance Company; doc. no. P99-08-024; October 5, 1999, 1 p.m.;

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 99-1556. Filed for public inspection September 10, 1999, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

[Correction]

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the State Office Building, Room 1701, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Nicholas Bucciarelli; file no. 99-278-32693; American International Companies; doc. no. PH99-08-034; October 4, 1999, at 2:30 p.m.;

Appeal of Monique Webb; file no. 99-267-33037; Erie Insurance Exchange; doc. no. PH99-09-002; October 4, 1999, at 3:30 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses

and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 99-1602. Filed for public inspection September 17, 1999, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

[Correction]

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with the termination of the insured's policy.

The hearing will be held in the State Office Building, Room 304, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Donegal Mutual Insurance Company; file no. 99-121-04416; Terry L. and Cheryl A. Yohman; doc. no. P99-08-026; October 7, 1999, at 10 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if

any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
Insurance Commissioner

[Pa.B. Doc. No. 99-1557. Filed for public inspection September 10, 1999, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board leases will expire:

Columbia County, Wine & Spirits Shoppe #1902, 105 West Main Street, Bloomsburg, PA 17815.

*Lease Expiration Date:* September 30, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,500 to 5,000 net useable square feet of new or existing retail commercial space along U.S. Route 11 in Scott Township.

*Proposals due:* October 15, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110

**Contact:** Charles D. Mooney, (717) 657-4228

Lehigh County, Wine & Spirits Shoppe #3911, 119 Chestnut Street, Coplay, PA 18037.

*Lease Expiration Date:* September 30, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,500 to 2,200 net useable square feet of new or existing retail commercial space within the Borough of Coplay.

*Proposals due:* October 15, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110

**Contact:** Charles D. Mooney, (717) 657-4228

Lancaster County, Wine & Spirits Shoppe #3607, 727 South Broad Street, Lititz, PA 17543.

*Lease Expiration Date:* April 30, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 to 5,000 net useable square feet of new or existing retail commercial space along PA Route 501 in Warwick Township.

*Proposals due:* October 15, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110.

**Contact:** Charles D. Mooney, (717) 657-4228

Lancaster County, Wine & Spirits Shoppe #3606, 586 Centerville Road, Lancaster, PA 17601.

*Lease Expiration Date:* June 30, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,500 to 5,000 net useable square feet of new or existing retail commercial space along Centerville Road between PA Route 462 and PA Route 23 in East Hempfield Township.

*Proposals due:* October 15, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110

**Contact:** Charles D. Mooney, (717) 657-4228

Berks County, Wine & Spirits Shoppe #0602, 1202 Rockland Street, Reading, PA 19604.

*Lease Expiration Date:* February 29, 2004

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,100 net useable square feet of new or existing retail commercial space in the Northeast section of the City of Reading.

*Proposals due:* October 15, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110

**Contact:** Charles D. Mooney, (717) 657-4228

Montgomery County, Wine & Spirits Shoppe #4623, 1456 Bethlehem Pike, Flourtown, PA 19031.

*Lease Expiration Date:* March 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 9,500 net useable square feet of new or existing retail commercial space on Bethlehem Pike, within the town of Flourtown, Springfield Township.

*Proposals due:* October 15, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, 4501 Kelly Drive, Philadelphia, PA 19129-1794

**Contact:** Robert Jolly, (215) 560-5310

JOHN E. JONES, III,  
Chairperson

[Pa.B. Doc. No. 99-1644. Filed for public inspection September 24, 1999, 9:00 a.m.]

## PENNSYLVANIA MUNICIPAL RETIREMENT SYSTEM

### Request for Proposal

The Pennsylvania Municipal Retirement System has issued a Request for Proposal (RFP 1999-1) for investment consulting and performance measurement services. The RFP will cover a 5-year period beginning April 1, 2000, through March 31, 2005.

Parties interested in receiving a copy of the RFP must submit a request in writing to the Pennsylvania Municipal Retirement System (PMRS), P. O. Box 1165, Harrisburg, PA 17108-1165. Correspondence can also be faxed to (717) 783-8363. Proposals are due at the PMRS offices no later than 3 p.m. October 21, 1999.

Questions or requests for further information or clarification regarding the issuance of this RFP must be submitted in writing no later than October 4, 1999, and should be addressed to Reynold E. Witmer, Chief of Accounting Division.

JAMES B. ALLEN,  
*Secretary*

[Pa.B. Doc. No. 99-1645. Filed for public inspection September 24, 1999, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Competitive Transition Charge Reconciliation Statement; Doc. No. M-FACE9905

This notice is to inform the public that West Penn Power Company has filed a statement of its competitive transition charge revenues and to address the implementation of future competitive transition charge rates based on the latest energy sales projections.

The filing of this statement is required by sections 1307(e) and 2808(f) of the Public Utility Code, 66 Pa.C.S. §§ 1307(e) and 2808(f).

The Pennsylvania Public Utility Commission has scheduled a hearing on Tuesday, October 26, 1999 at 10 a.m. in a Commission hearing room, Ground Floor, North Office Building, Harrisburg, PA, when and where all persons in interest may appear and be heard if they so desire.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-1646. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Competitive Transition Charge Reconciliation Statement; Doc. No. M-FACE9906

This notice is to inform the public that PECO Energy Company has filed a statement of its competitive transition charge revenues and to address the implementation of future competitive transition charge rates based on the latest energy sales projections.

The filing of this statement is required by sections 1307(e) and 2808(f) the Public Utility Code, 66 Pa.C.S. §§ 1307(e) and 2808(f).

The Pennsylvania Public Utility Commission has scheduled a hearing on Wednesday, October 27, 1999 at 10 a.m. in a Commission hearing room, Ground Floor, North Office Building, Harrisburg, PA, when and where all

persons in interest may appear and be heard if they so desire.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-1647. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Petition of Pennsylvania Gas Association for Promulgation of Policy Statement Regarding Collection of Research and Development Funds by Natural Gas Distribution Companies, Doc. No. P-00991738

On August 20, 1999, the Pennsylvania Gas Association (PGA) filed a Petition for Promulgation of Policy Statement Regarding Collection of Research and Development Funds by Natural Gas Distribution Companies. By this Petition, the PGA urges the Pennsylvania Public Utility Commission (Commission) to adopt a policy statement which endorses the collection of funds by Pennsylvania natural gas utilities for the express purpose of assisting research and development projects through an automatic adjustment clause under section 1307(a) of the Public Utility Code, 66 Pa.C.S. § 1307(a). The PGA has attached a proposed policy statement to its Petition.

In support of its Petition, the PGA states that surcharges to support research and development are being phased out of interstate pipeline rates as the result of a settlement approved by the Federal Regulatory Energy Commission. Substantial benefits may be realized through continued research and development, according to the PGA. It proposed that continued research and development be funded through a volumetric surcharge imposed at the State level on noncompetitive sales and transportation customers.

Persons wishing to file answers to the PGA Petition may do so no later than 20 days after publication of notice of this filing in the *Pennsylvania Bulletin*. Replies to the answers may be filed no later than 7 days thereafter. An original and 10 copies of each answer and reply should be filed with the Office of the Secretary, P. O. Box 3265, Harrisburg, PA 17105-3265 and one copy should be served on the contact person listed at the same address. Copies of the Petition may be obtained from the Commission's Secretary's Bureau by calling Lisa Higley at (717) 787-1013.

The contact person is Assistant Counsel Lawrence F. Barth who may be reached at (717) 772-8579 or by electronic mail at barth@puc.state.pa.us.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-1648. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Railroad With Hearing

**A-00115848. Stewartstown Borough.** Application of Stewartstown Borough, for the approval of the construction of an at-grade crossing of the railroad tracks of Stewartstown Railroad Company in Stewartstown Borough, York County, PA.

An initial hearing on this matter will be held Thursday, October 28, 1999 at 10 a.m. in an available hearing room, Ground Floor, North Office Building, North Street and Commonwealth Avenue, Harrisburg, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-1649. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before October 18, 1999, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

#### **Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.**

**A-00116178. East Coast Van Service, Inc.** (8321 Mansfield Avenue, Suite 300, Philadelphia, PA 19150), a corporation of the Commonwealth of Pennsylvania—persons, in paratransit service between points in the city and county of Philadelphia, and the counties of Chester, Bucks, Delaware and Montgomery.

#### **Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.**

**A-00116172. Main Line Transit Service, Inc.** (303 East Church Road, King of Prussia, Montgomery County, PA 19406), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, (1) for Morgan's Run Corporation, from the Radnor Train Station and the Radnor P & W Train Station, in the township of Radnor, Delaware County, to the Radnor Corporate Center in said township, and vice versa; subject to the following conditions: That all service shall be provided in vehicles having a seating capacity of not less than 18 persons, excluding the driver; and that transportation shall be for the account of one party for which the charge is based upon the transportation of a group and not upon the number of persons transported and for which payment is made by a group, organization or company and not by the passengers as individuals; and (2) between points in the townships of Upper Merion, Lower Merion and the borough of Narberth, Montgomery County, and the townships of Radnor, Haverford, Marple and Newtown, Delaware County; subject to the following conditions: That service shall be provided in vehicles without the use of taxi meters or dome lights; that service is limited to the

transportation in a vehicle not limited to individual use, for which reservations are made not later than the previous calendar day; and that service may be performed in vehicles having a seating capacity of 25 passengers or less, excluding the driver; which is to be a transfer of the paratransit rights authorized Bennett Taxi Service, Inc., under the certificate issued at A-00089018, F. 4, subject to the same limitations and conditions.

#### **Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons by transfer of rights as described under each application.**

**A-00116130, F. 2. Pittsburgh Transportation Company, Inc.** (5931 Elsworth Avenue, Pittsburgh, Allegheny County, PA 152065), a corporation of the Commonwealth of Pennsylvania—additional right—persons upon call or demand, (1) in the borough of Brentwood, and the townships of Bethel, Upper St. Clair and Snowden, Allegheny County; (2) in the township of Baldwin, the borough of Whitehall, and that portion of the township of Jefferson, all in Allegheny County, bounded and described as follows: Beginning at a point common to Jefferson Township, Snowden Township and Baldwin Township, thence from said point of beginning along the line dividing Snowden Township from Jefferson Township to Highway Route 02085; thence along Highway Route 02085 in a northeasterly direction to the Mowery, Gill Hall and Cochrans Mill Road; thence along said road to Highway Route 072; thence along Highway Route 072 and the Coal Valley Road to Highway Route 51; thence in a northwesterly direction along Highway Route 51 to Highway Route 02113, thence along Highway Route 02113 to the line dividing Jefferson Township for West Mifflin Borough; thence along said township line to a point common to Jefferson Township, Baldwin Township and West Mifflin Borough; thence along the Jefferson Township-Baldwin Township line to the place of beginning; including the borough of Pleasant Hills; (3) in that portion of the borough of West Mifflin, Allegheny County, bounded and described as follows: Beginning at a point at the southwesterly corner of West Mifflin Borough, at a point common to Jefferson Borough and Baldwin Borough; thence along a line dividing West Mifflin and Baldwin Borough, to a point on a line dividing property now or formerly of Terminal Coal Company and property of Charles Davis; thence along said dividing line and along a line dividing property now or formerly of Willock Land Company from property of Carnegie Illinois Steel Corporation, in a southeasterly direction to State Highway Route 885 and Monongahela, Southern Railroad, also known as the Union Railroad; thence in a northeasterly direction along the line of the Union Railroad and along the northerly line of the Municipal Airport property, to Buttermilk Hollow Road; thence along Buttermilk Hollow Road in a southerly direction to Lebanon Church Road; thence in a southwesterly direction along Lebanon Church Road to the Jefferson Borough line, thence along the Jefferson Borough line in a northerly direction to the point at place of beginning; (4) in the borough of Castle Shannon; (5) in the borough of Finleyville, Washington County, and within a radius of 5 miles thereof; and (6) in the city of Pittsburgh, Allegheny County; which is to be a transfer of the call or demand rights of Mayflower Contract Services, Inc., authorized under the certificate issued at A-00108838, F. 1, subject to the same limitations and conditions. *Attorney:* Ray F. Middleman,

Northridge Office Plaza, 117 VIP Drive, Suite 310,  
Wexford, PA 15090.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-1650. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Sewage Service Without Hearing

**A-230054. Kebert Enterprises, Inc.** Application of Kebert Enterprises, Inc., for approval to offer, render, furnish or supply sewage service in an additional portion of Greenwood Township, Crawford County.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before October 12, 1999, under 52 Pa. Code (relating to public utilities).

*Applicant:* Kebert Enterprises, Inc.

*Through and By Counsel:* Guy P. Beneventano, Esquire, 3401 North Front Street, P. O. Box 5950, Harrisburg, PA 17110-0950.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-1651. Filed for public inspection September 24, 1999, 9:00 a.m.]

### Water Service Without Hearing

**A-212285F0067. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval of (1) the transfer, by sale, of the water works property and rights of Linde Enterprises, Inc.'s Elk Forest Subdivision Water System to Pennsylvania-American Water Company, and (2) the right of Pennsylvania-American Water Company to begin to offer or furnish water service to the public in additional portions of Clinton Township, Wayne County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before October 12, 1999, under 52 Pa. Code (relating to public utilities).

*Applicant:* Pennsylvania-American Water Company

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan D. Simms, Esquire, Corporate Counsel, Pennsylvania-American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-1652. Filed for public inspection September 24, 1999, 9:00 a.m.]

## PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

### Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

October 27, 1999	Maria Weightman (Multiple Service Credit)	2:30 p.m.
November 3, 1999	Joanne Gurmankin (Purchase of Service)	1 p.m.
	Harry R. Short (D) (Change of Guardianship)	2:30 p.m.
November 17, 1999	Mary Ann Vehar (Purchase of Service)	1 p.m.
	Libby Forman (Benefit Eligibility)	2:30 p.m.
December 8, 1999	Jacob L. Meehl (Purchase of Service Credit)	10 a.m.
	William D. McClure (Purchase of Service)	1 p.m.
	Rosemary Muller (Purchase of Service)	2:30 p.m.
December 15, 1999	Catherine Cortegerone (Purchase of Service)	1 p.m.
	Curtis E. Brown (Purchase of Service)	2:30 p.m.

Persons with a disability who wish to attend the above-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Arthur J. Granito, Assistant Executive Director, at (717) 783-5613 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

DALE H. EVERHART,  
*Secretary*

[Pa.B. Doc. No. 99-1653. Filed for public inspection September 24, 1999, 9:00 a.m.]

## STATE CONSERVATION COMMISSION

### Dirt and Gravel Roads Pollution Prevention Maintenance Program; Apportionment of Funds

As required by 25 Pa. Code § 83.604(f), the State Conservation Commission (Commission) is providing public notice of FY 99-00 apportionment of funds to participating County Conservation Districts for the Dirt and Gravel Roads Pollution Prevention Maintenance Program that is authorized under 75 Pa.C.S. § 9106.

#### A. Effective Date

These allocations are effective upon publication in the *Pennsylvania Bulletin*.

#### B. Background

The Commission approved the following allocations at their public meeting on July 20, 1999: \$3,528,000 of FY 99 funds are apportioned according to stipulations in 75 Pa.C.S. § 9106(c). Copies of the referenced Statement of Policy contained in 25 Pa. Code § 83.604, as published in 28 Pa.B. 4634 (September 12, 1998) and 75 Pa.C.S. § 9106 are available from Woodrow J. Colbert at the State Conservation Commission Office, Room 407, Agriculture Building, 2301 N. Cameron Street, Harrisburg, PA 17110-9408, (717) 787-8821.

The following allocations are being made to the County Conservation districts participating in the program. Listed alphabetically, they are:

Adams \$18,620; Allegheny \$20,299; Armstrong \$50,098; Beaver \$24,806; Bedford \$53,172; Berks \$18,958; Blair \$29,013; Bradford \$32,409; Bucks \$19,933; Butler \$22,936; Cambria \$24,601; Cameron \$54,803; Carbon \$18,193; Centre \$36,041; Chester \$29,845; Clarion \$60,383; Clearfield \$219,493; Clinton \$26,850; Columbia \$30,653; Crawford \$104,664; Cumberland \$18,180; Dauphin \$24,233; Elk \$33,900; Erie \$30,776; Fayette \$53,221; Forest \$36,381; Franklin \$23,540; Fulton \$27,697; Greene \$60,030; Huntingdon \$68,203; Indiana \$100,532; Jefferson \$54,127; Juniata \$41,630; Lackawanna \$45,722; Lancaster \$44,414; Lawrence \$25,899; Lebanon \$15,596; Lehigh \$33,377; Luzerne \$79,921; Lycoming \$37,048; McKean \$21,056; Mercer \$55,236; Mifflin \$31,855; Monroe \$24,673; Montgomery \$16,731; Montour \$15,632; Northampton \$18,639; Northumberland \$17,384; Perry \$46,500; Pike \$115,640; Potter \$436,409; Schuylkill \$35,659; Snyder \$18,213; Somerset \$26,937; Sullivan \$60,049; Susquehanna \$29,916; Tioga \$60,012; Union \$39,913; Venango \$44,223; Warren \$47,079; Washington \$67,703; Wayne \$400,596; Westmoreland \$35,463; Wyoming \$71,772; York \$40,518.

SAMUEL HAYES,  
*Chairperson*

[Pa.B. Doc. No. 99-1654. Filed for public inspection September 24, 1999, 9:00 a.m.]

## TURNPIKE COMMISSION

### Retention of an Engineering Firm

#### Modification and Expansion of the Lebanon/Lancaster Interchange Lancaster County, PA

#### Reference No. 3-120

The Turnpike Commission (Commission) will retain an engineering firm to prepare preliminary and final design plans for the modification and expansion of the Lebanon/Lancaster Interchange Toll Plaza (Milepost 266.4) to provide an expanded facility for access to and from S.R. 0072, in Rapho Township, Lancaster County, PA.

The required engineering services will include field surveys, coordination with utility companies and services, soils investigations and corresponding reports. Architectural services will include design of the toll plaza building, interior design, landscape design, toll booths, canopy and other related tasks necessary for the project. Significant building program data will be provided from previous similar projects. In addition, the necessary plans and contract documents will be required for redecking bridge EB-503, upgrading ramps, interchange signing, lighting, maintenance and protection of traffic, construction staging, contour grading, drainage and roadside development. Additional right-of-way is not anticipated as part of this project. If environmental services are needed for this project, they will be provided by others.

The following factors will be considered by the Commission during the evaluation of the firms submitting Letters of Interest for this project:

- a. Specialized experience and technical competence of prime consultant and subconsultants. The team must clearly demonstrate an ability to analyze available data to make decisions and develop plans to complete the project in a timely and cost effective manner.
- b. Past record of performance with respect to cost control, work quality ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project, and the client.
- c. The specific experience and number of individuals who constitute the firm.
- d. Location of consultant's office where the work will be performed.
- e. Workload of the prime consultant and subconsultants for all Pennsylvania Department of Transportation and Pennsylvania Turnpike Commission projects.
- f. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the letter of interest.

The Commission is committed to the inclusion of disadvantaged, minority, and woman firms in contracting opportunities. The minimum participation level for DBE/MBE/WBEs in this contract will be 10%. Responding firms shall clearly identify DBE/MBE/WBE firms, expected to participate in this contract, in their letter of interest. If the selected firm does not meet the minimum requirement for DBE/MBE/WBE participation, they will be required to demonstrate good faith efforts to achieve the required level. Proposed DBE/MBE/WBE firms must be certified by the Pennsylvania Department of Transportation at the time of the submission of the letter of

interest. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Office of Equal Opportunity Development, Pennsylvania Turnpike Commission at the previous address, or by calling (717) 939-9551, Ext. 4241.

Direct inquiries to Jeffrey C. Davis, P.E., at (717) 939-9551, Ext. 5160, or by e-mail at [jdavis@paturndpike.com](mailto:jdavis@paturndpike.com).

### General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information. The Letters of Interest must include the following:

1. One page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. If the firm has multiple offices, the location of the office performing the work must be identified.

2. Three page expression of interest in the advertised project. Each firm should demonstrate their ability to perform the specific requirements indicated for this project and provide explanation that the firm has successfully completed similar type projects of the same magnitude.

3. An organization chart for the project, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultants listed in the letter of interest will require written approval from the Commission.

4. Tabulation of workload for the prime consultant and all subconsultants for all Pennsylvania Department of Transportation and Pennsylvania Turnpike Commission projects.

5. A copy of the Annual Qualification Package submitted to the Pennsylvania Department of Transportation for the current year that is in the same District as this project or one that is best suited for this project.

The Annual Qualification Package should contain at a minimum, the following information for the prime consultant and all subconsultants which should be attached to the back of the letter of interest (subs to follow primes):

- Standard Form (SF) 254—Architect-Engineer and Related Services Questionnaire in its entirety, not more than 1 year old as of the date of the advertisement.

- Resumes of key personnel expected to be involved in the project; limit to one 8 1/2 x 11 page, one side, per person. Only resumes of key personnel should be included.

- Copy of the firm's registration to do business in this Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in Pennsylvania.

- A copy of the Department's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate letters of interest from joint venture constituents. A firm will not be permitted to submit a letter of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

Firms interested in performing the above services are invited to submit a letter of interest and required information to Barry L. Troup, P.E., Assistant Chief Engineer for Design, at the PA Turnpike Commission Administration Building located at 176 Kost Road, Carlisle, PA 17013-9779 (parcel delivery address) (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676).

The letter of interest and required information must be received by 12 noon, Friday, October 15, 1999. Letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable letters of interest received in response to this solicitation, one firm will be selected for this project. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Selection Committee. Technical Proposals or Requests for Proposals will not be requested prior to selection.

The Commission reserves the right to reject all letters of interest, to cancel solicitation requested under this notice, and/or to re-advertise solicitation for the work and services.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 99-1655. Filed for public inspection September 24, 1999, 9:00 a.m.]