

# NOTICES

## DEPARTMENT OF AGRICULTURE

### Scrapie Containment and Eradication Strategy

The Department of Agriculture (Department) hereby gives notice of its Scrapie Containment and Eradication Strategy. Scrapie—an infectious disease of sheep and goats caused by a virus-like agent—is currently present within the Commonwealth's sheep and goat populations. This notice is intended to provide sheep and goat owners an understanding of the Department's authority with respect to Scrapie and its planned approach to detecting, containing and eradicating this disease. In summary, the Department will use special quarantines and approved flock plans to work toward the elimination of this disease. A more detailed explanation of this strategy, and a glossary of terms, are set forth as follows.

#### A. *Legal Background.*

The Domestic Animal Law (3 Pa.C.S. §§ 2301—2389) gives the Department broad authority to detect, contain and eradicate "dangerous transmissible diseases" of animals. This includes authority to impose quarantines when the Department detects dangerous transmissible disease or has a reasonable suspicion of the presence of dangerous transmissible disease. The Department may also impose conditions and restrictions as part of a quarantine order.

Scrapie is a dangerous transmissible disease of animals, and is so designated in § 2321(a)(36) of the Domestic Animal Law (3 Pa.C.S. § 2321(a)(36)).

Scrapie has been present in various sheep and goat herds in this Commonwealth for several years. The Department is launching an effort to identify, contain and eradicate this disease in accordance with the duty and authority imparted it under the Domestic Animal Law.

#### B. *Scrapie Containment and Eradication Strategy.*

(1) *Common Terms.* An understanding of the words and terms associated with the Department's Scrapie Containment and Eradication Strategy is an important first step toward a clear understanding of the strategy itself. The following words and terms comprise the common vocabulary with respect to this Strategy:

*Department*—The Department of Agriculture.

*Flock*—All sheep and goats maintained on any single premises, and sheep and goats under common ownership or control on two or more geographically-separated premises with respect to which there is an interchange or movement of sheep or goats.

*Flock Plan*—A written flock management agreement designed by the owner of the flock, an accredited veterinarian and a USDA Veterinary Services representative or Department representative in which each participant agrees to undertake actions specified in the flock plan to control the spread of Scrapie from, and eradicate Scrapie in, an infected flock, a source flock or a trace flock. The flock plan shall require an epidemiologic investigation to identify high-risk animals that must be removed from the flock, and shall include other requirements found necessary by the USDA or Department representative to control Scrapie in the flock. These other requirements may include, but are not limited to, cleaning and disinfection

of flock premises, education of the owner of the flock and personnel working with the flock to recognize clinical signs of Scrapie and control the spread of Scrapie, and maintaining records of animals in the flock.

*High Risk Animal*—An animal which is:

(i) The progeny of a Scrapie-positive dam; or

(ii) Born in the same flock during the same lambing season as progeny of a Scrapie-positive dam, unless the progeny of the Scrapie-positive dam are from a different contemporary lambing group (animals in this category intended for slaughter at less than 1 year of age will not be considered to be "high risk" animals, but will be identified and monitored); or

(iii) Born in a source flock or a trace flock during the same lambing season as a Scrapie-positive ewe or ram in the same flock.

*Infected Flock*—A flock in which a USDA or Department representative has determined a sheep or goat to be a Scrapie-positive animal.

*Lambing group*—Groups of sheep or lambs that are managed as separate units and that are not commingled during lambing and for at least 60 days following the date of the last lamb born in the same lambing facility, unless the lambing facility is cleaned and disinfected between lambings by removing all organic matter and spraying the lambing facility with a 2% sodium hydroxide solution or 0.5% sodium hypochlorite solution.

*Scrapie-positive animal*—An animal with respect to which a Scrapie diagnosis has been made by the National Veterinary Services Laboratories (NVSL), USDA or another laboratory authorized to conduct Scrapie tests through histological examination of central nervous system tissue samples from the animal for microscopic lesions in the form of neuronal vacuoles or spongy degeneration, or by the use of Protease-resistant protein analysis or other confirmatory techniques used in the conjunction with histological examination.

*Source Flock*—A flock in which a USDA or Department representative has determined that at least two animals that were diagnosed as Scrapie-positive animals at an age of 54 months or less were born. In order to be a source flock, the second Scrapie-positive diagnosis must be made within 60 months of the first Scrapie-positive diagnosis.

*Trace Flock*—A flock in which a USDA or Department representative has determined that one animal was born that was diagnosed as a Scrapie-positive animal at an age of 54 months or less.

*USDA*—The United States Department of Agriculture.

*Voluntary Scrapie Flock Certification Program*—A voluntary Federal/State/Industry cooperative effort established and maintained to:

(i) Reduce the occurrence and spread of Scrapie;

(ii) Identify flocks which have been free of evidence of Scrapie over specified time periods; and

(iii) Contribute to the eventual eradication of Scrapie.

(2) *Implementation of Quarantine.* Any flock designated an infected flock, a trace flock or a source flock will be quarantined under an Order of Special Quarantine. High risk animals in other flocks will be individually quarantined.

tined under an Order of Special Quarantine and subject to the same restrictions/requirements found in paragraphs B. (3), (4) and (5).

(3) *Identification of Individual Animals.* All sheep and goats within a quarantined flock will be inventoried and individually identified.

(4) *Movement of Sheep or Goats under Quarantine.* While a flock is under quarantine, sheep or goats may not be moved from the premises unless the Department first issues a permit allowing the movement. A permit will only be issued to allow movement directly to one of the following locations:

- (a) A slaughter establishment;
- (b) A rendering establishment; or
- (c) A diagnostic laboratory for diagnostic/disposal purposes.

(5) *Prohibited Use.* Sheep or goats designated as high risk animals or suspected of having Scrapie will not be used for human or animal food.

(6) *Approved Flock Plan Required.* An approved flock plan will be developed and implemented for each quarantined flock. Upon completion of all the actions called for under the flock plan, the Order of Special Quarantine will be revoked.

C. *Contact Person.*

Questions regarding this Scrapie Containment and Eradication Strategy should be directed to Phillip DeBok, DVM, Chief, Animal Health Division, Bureau of Animal Health and Diagnostic Services, at the Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 783-5301.

SAMUEL E. HAYES, Jr.,  
*Secretary*

[Pa.B. Doc. No. 99-229. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending February 2, 1999.

### BANKING INSTITUTIONS

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-28-99	Keystone Savings Bank Bethlehem Northampton County	Cedar Crest Blvd. and Tilghman St. South Whitehall Twp. Lehigh County	Filed
2-1-99	Pittsburgh Home Savings Bank Pittsburgh Allegheny County	1000 Village Run Road Wexford Pine Township Allegheny County	Filed
2-1-99	Main Street Bank Reading Berks County	50 West Market St. West Chester Chester County	Filed
2-1-99	Main Street Bank Reading Berks County	225 West Lancaster Ave. Ardmore Montgomery County	Filed
2-1-99	Main Street Bank Reading Berks County	65 North York Road Willow Grove Montgomery County	Filed
2-1-99	Northwest Savings Bank Warren Warren County	1903 Hubbard Road North Madison Lake County, Ohio	Filed
2-1-99	Northwest Savings Bank Warren Warren County	70 Richmond Street Painesville Lake County, Ohio	Filed
2-1-99	Northwest Savings Bank Warren Warren County	30 East Main Street Geneva Ashtabula County, Ohio	Filed
2-1-99	Northwest Savings Bank Warren Warren County	325 Center Street Chardon Geauga County, Ohio	Filed

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-2-99	The Fidelity Deposit & Discount Bank Dunmore Lackawanna County	801 Wyoming Avenue West Pittstown Luzerne County	Approved

**Branch Relocations/Consolidations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-24-98	The Bryn Mawr Trust Company Bryn Mawr Montgomery County	<i>Into:</i> 330 E. Lancaster Ave. Radnor Township Delaware County  <i>From:</i> 3 Radnor Corporate Ctr. Radnor Township Delaware County	Effective

**Branch Discontinuances**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-29-99	S & T Bank Indiana Indiana County	Route 28 & Carrier St. Summerville Jefferson County	Filed

**SAVINGS ASSOCIATIONS**

No activity.

**CREDIT UNIONS****Branch Applications**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
1-27-99	First Credit Union of Scranton Scranton Lackawanna County	2800 Stafford Avenue Scranton Lackawanna County	Filed

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 99-230. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Conservation and Natural Resources Advisory Council; Meeting Notice

Notice is hereby given of a meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources on Wednesday, February 24, 1999. The meeting will be held at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Claire Guisewite directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

RANDY COOLEY,  
*Chairperson*

[Pa.B. Doc. No. 99-231. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Request for Proposal; GEAR UP (Gaining Early Awareness and Readiness for Undergraduate Programs)

The Pennsylvania Department of Education (PDE), in collaboration with the Pennsylvania Higher Education Assistance Agency (PHEAA) solicits proposals from 2 and 4-year colleges or universities to join with the PDE and PHEAA in applying for a competitive GEAR UP State Grant from the United States Department of Education. Proposals are solicited to provide college awareness activities, improved academic support, information on paying for college, and scholarships to students at selected high-poverty school districts/schools. It is the intent that PHEAA administer the GEAR UP scholarship component in coordination with PDE and the selected school districts/schools. (A listing of participating high-poverty school districts will be posted at <http://www.pde.psu.edu> by February 19th.)

*Eligible Applicants:* All 2- and 4-year institutions of higher education within the Commonwealth of Pennsylvania.

*Funding Level:* Grant funds awarded for each successful applicant shall depend upon the merit and scope of the proposed project, as well as the level of Federal

funding received by Pennsylvania from the United States Department of Education under this grant.

*Duration of Project:* If awarded by the United States Department of Education, project will be funded for a period of 5 years.

*Deadline:* Applications must be received at the Pennsylvania Department of Education no later than 3 p.m. March 19, 1999.

*Additional Information:* Additional information and guidelines may be obtained from the PDE web-site at <http://www.pde.psu.edu> (by February 19th) click on Postsecondary and Adult Education. Interested applicants may also attend a free regional workshop sponsored by the Ford Foundation to be held in Philadelphia, Pa on March 11 at the Penn Tower Hotel (all travel costs are at

attendees expense). Online registration is available between January 21 and February 22, 1999 at <http://www.gearup.org>. Registration information may also be faxed to (202) 260-4269.

Applications should be addressed to Dr. John J. Kehoe, Collegiate Approvals and Research Unit, Office of Postsecondary and Higher Education, Department of Education, 333 Market Street—12th floor, Harrisburg, Pa. 17126-0333.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 99-232. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

#### Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

---

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0043974.** Sewage, **Valley Forge Sewer Authority**, 333 Pawling Road, Phoenixville, PA 19460-2656.

This application is for renewal of an NPDES permit to discharge treated sewage from the Valley Forge Sewer Authority WWTP in Schuylkill Township, **Chester County**. This is an existing discharge to the Schuylkill River.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 9.4 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	15.0		30.0
(11-1 to 4-30)	20.0		40.0
Total Residual Chlorine			
(years 1 and 2)	monitor/report		monitor/report
(years 3, 4 and 5)	0.5		1.6
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 001, based on an average flow of 9.4 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Mercury	0.3	0.6	0.75
Total Copper	monitor/report	monitor/report	
Total Lead	monitor/report	monitor/report	
Total Zinc	monitor/report	monitor/report	
Free Cyanide	monitor/report	monitor/report	
Total Arsenic	monitor/report	monitor/report	
Total Cadmium	monitor/report	monitor/report	
Hexavalent Chromium	monitor/report	monitor/report	
Total Selenium	monitor/report	monitor/report	
Total Silver	monitor/report	monitor/report	

The EPA waiver is not in effect.

**PA 0024376.** Sewage, **Borough of Boyertown**, 100 South Washington Street, Boyertown, PA 19512.

This application is for renewal of an NPDES permit to discharge treated sewage from sewage treatment plant in Douglass Township, **Montgomery County**. This is an existing discharge to unnamed tributary to Swamp Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.75 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			
(5-1 to 10-31)	20	30 (average weekly)	40
(11-1 to 4-30)	25	40 (average weekly)	50
Suspended Solids	30	45 (average weekly)	60
Ammonia (as N)			
(5-1 to 10-31)	1.6		3.2
(11-1 to 4-30)	4.8		9.6
Phosphorus (as P)	2.0		4.0
Total Residual Chlorine			
(0—2 years)	1.0		1.5
(3—5 years)	0.034		0.11
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Copper (4—5 years)	0.0014	0.028	0.035
Lead (4—5 years)	0.0047	0.0098	0.012
Chlorodibromomethane	monitor/report	monitor/report	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Chloroform	monitor/report	monitor/report	
Dichlorobromomethane	monitor/report	monitor/report	
Copper (0—4 years)	monitor/report	monitor/report	
Lead (0—4 years)	monitor/report	monitor/report	

The EPA waiver is in effect.

**PA 0051888.** Sewage, **Howard Elliot**, 73 Valley Drive, Furlong, PA 18925.

This application is for renewal of an NPDES permit to discharge treated sewage from the Elliot residence small flow treatment plant in Doylestown Township, **Bucks County**. This is an existing discharge to an unnamed tributary to the Neshaminy Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia as N (5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

**PA 0042617.** Industrial waste, **Uniform Tubes, Inc.**, 200 W. 7th Avenue, P. O. Box 26992, Collegeville, PA 19426-0992.

This application is for renewal of an NPDES permit to discharge cooling water, treated groundwater and stormwater runoff from Uniform Tubes, Inc. in Trappe Borough, **Montgomery County**. This is an existing discharge to an unnamed tributary to the Perkiomen Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an emergency discharge of once-through noncontact cooling water at a flow of 0.144 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 002, from permit issuance through completion of air stripper modifications, based on an average flow of 0.108 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Trichloroethylene	0.010	0.020	0.025
Chromium, Hexavalent	0.009	0.018	0.023

The proposed effluent limits for Outfall 002, from the completion of air stripper modifications through the startup of Phase I GWCU, based on an average flow of 0.108 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Trichloroethylene	0.005	0.010	0.013
Chromium, Hexavalent	0.009	0.018	0.023

The proposed effluent limits for Outfall 002, from the startup of Phase I GWCU through expiration, based on an average flow of 0.108 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Trichloroethylene	0.005	0.010	0.013
Chromium, Hexavalent	0.0064	0.013	0.016

The proposed effluent limits for Outfall 003, based on an average storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>		monitor/report	
COD		monitor/report	
Oil and Grease		monitor/report	
pH		monitor/report	
Total Suspended Solids		monitor/report	
Total Kjeldahl Nitrogen		monitor/report	
Effluent Guideline Pollutants		monitor/report	
Dissolved Iron		monitor/report	
Total Phosphorous		monitor/report	

The EPA waiver is in effect.

---

*Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2553.*

**PA 0061905.** Sewerage, SIC, **Sun Company, Inc.**, 10 Penn Center, 1801 Market Street, Philadelphia, PA 19103.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Stony Creek in Penn Forest Township, **Carbon County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

Effluent requirements were evaluated at point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of .04 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
NH <sub>3</sub> -N		
(5-1 to 10-31)	4.5	9
(11-1 to 4-30)	13.5	27
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine		
(1st Month—36th Month)	monitor and report	monitor and report
(37th Month—Expiration)	.3	.7

The EPA waiver is in effect.

**PA 0060097.** Sewerage, **Pennsylvania American Water Company**, Pocono Country Place Development, 800 West Hershey Park Drive, Hershey, PA 17033.

This proposed action is for amendment of an NPDES permit to discharge treated sewage into East Branch of Dresser Run in Coolbaugh Township, **Monroe County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is City of Hazleton on the Lehigh River.

The proposed effluent limits for Outfall 001, based on a design flow of 1.25 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10	20
Total Suspended Solids	20	40
NH <sub>3</sub> -N		
(5-1 to 10-31)	2.3	4.6
(11-1 to 4-30)	7.0	14.0
NO <sub>3</sub> -N	11.0	22.0
Phosphorous as P	1.0	2.0
Dissolved Oxygen	a minimum of 7.0 mg/l at all times	

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	nondetectable	

The EPA waiver is in effect.

**PA 0041742.** Sewerage, **Nazareth Borough Municipal Authority**, 872 Tatamy Road, P. O. Box A, Nazareth, PA 18064.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Schoeneck Creek in Lower Nazareth Township, **Northampton County**.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on a design flow of 1.30 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31) (11-1 to 4-30)	15.0 25.0	22.5 37.5	30.0 50.0
Total Suspended Solids	30.0	45.0	60.0
NH <sub>3</sub> -N (5-1 to 10-31) (11-1 to 4-30)	1.5 4.5		3.0 9.0
Dissolved Oxygen	a minimum of 6.0 mg/l at all times		
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean		
pH	6.0—9.0 standard units at all times		
Total Residual Chlorine (1st Month—36th Month) (37th Month—Expiration)	monitor and report 0.30		1.0

The EPA waiver is not in effect.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0052833.** Industrial waste, SIC: 3369, **Excelsior Brass Works**, June Avenue, Blandon, PA 19510-0140.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Willow Creek, in Maiden creek Township, **Berks County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0061 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Total Suspended Solids	30	45	XXX 60
pH	6—9 at all times		

The proposed effluent limits for Outfall 002 for stormwater are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Aluminum		monitor and report	
Zinc		monitor and report	
CBOD		monitor and report	
COD		monitor and report	
Oil and Grease		monitor and report	
pH		monitor and report	
Total Suspended Solids		monitor and report	
Lead		monitor and report	
Chromium		monitor and report	



<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Copper		monitor and report	
Cadmium		monitor and report	
Arsenic		monitor and report	
Iron		monitor and report	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

*Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6510, (717) 327-3666.*

**PA 0033251.** SIC: 4952, **Riviera Sewer Company of Pennsylvania, Inc.**, Treasure Lake Mini Mall No. 4, DuBois, PA 15801-9010.

This proposed action is for renewal of an existing NPDES permit for a discharge of treated sewage to Narrows Creek in Sandy Township, **Clearfield County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purposes of modeling for fluoride and nitrate/nitrite, the nearest downstream potable water supply intake is on Redbank Creek at Hawthorn. This intake is 40 river miles downstream, therefore, no limits are necessary.

*Outfall 001:* The proposed effluent limits (until new west side STP goes on line) at 0.74 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia Nitrogen			
(5-1 to 10-31)	1.5	2.3	3.0
(11-1 to 4-30)	4.5	6.8	9.0
Total Chlorine Residual	monitor		monitor
Dissolved Oxygen		minimum of 6.0 mg/l at all times	
pH		6.0—9.0 at all times	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

The proposed effluent limits (after the new west side STP goes on line) at 0.74 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>			
(5-1 to 10-31)	15	22.5	30
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia Nitrogen			
(5-1 to 10-31)	1.5	2.3	3.0
(11-1 to 4-30)	4.5	6.8	9.0
Total Chlorine Residual	0.18		0.58
Dissolved Oxygen		minimum of 6.0 mg/l at all times	
pH		6.0—9.0 at all times	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

*Other Conditions:*

1. Total Residual Chlorine

The EPA waiver is in effect.

**PA 0060232.** SIC: 4952, **U. S. Army Corps of Engineers—Baltimore District**, R. R. 1, Box 65, Tioga, PA 16946-9733.

This proposed action is for reissuance of an NPDES permit for an existing discharge (Tompkins Recreation Area) of treated sewage to Cowanesque Lake in Lawrence Township, **Tioga County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the assumed downstream potable water supply (PWS) considered during the evaluation is the Pennsylvania/New York state line.

The proposed effluent limits for Outfall 001, based on a design flow of 0.02 mgd, are:

<i>Parameter</i>	<i>Average</i>	<i>Instantaneous</i>
	<i>Monthly (mg/l)</i>	<i>Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
Total Chlorine Residual	1.0	2.3
Ammonia Nitrogen	15	30
Total Phosphorous	2.0	4.0
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	2,000/100 ml as a geometric average	
(10-1 to 4-30)	6.0—9.0 at all times	
pH		

*Other Conditions:* none.

The EPA waiver is in effect.

**PA 0111902.** Industrial waste, SIC: 2023, **Dietrich's Milk Products LLC**, P. O. Box 102, Middlebury Center, PA 16935.

This proposed action is for renewal of an NPDES permit for an existing discharge of noncontact cooling water and treated industrial wastewater to Catlin Hollow Run in Middlebury Township, **Tioga County**.

The receiving stream is classified for the following uses: trout stocking, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is assumed to be located at PA/NY border.

*Outfall 001*

The proposed effluent limits, based on a design flow of 0.036 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lbs/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
BOD <sub>5</sub>	20	40	50		
Temperature	The discharge shall not increase the temperature of receiving stream by more than 2°F in any 1-hour period.				
pH	6.0—9.0 at all times				

*Outfall 002*

The proposed effluent limits, based on a design flow of 0.150 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lbs/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
BOD <sub>5</sub>					
(5-1 to 10-31)	50	100	125	62.6	125
(11-1 to 4-30)	110	220	275	138	275
TSS	110	220	275	138	275
Ammonia-N					
(5-1 to 10-31)	5.5	11	13	6.9	13.8
(11-1 to 4-30)	13	26	32	16.3	32.5
Total Phosphorus	10	20	25	12.5	
Fecal Coliforms					
(5-1 to 9-30)	200				
(10-1 to 4-30)	2,000				
Total Chlorine	1.0		3.3		
pH	6.0—9.0 at all times				

The EPA waiver is in effect.

**PA 0021814.** SIC: 4952, **Mansfield Municipal Authority**, 19 East Wellsboro Street, Mansfield, PA 16933.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Tioga River in Borough of Mansfield, **Tioga County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the projected downstream potable water supply (PWS) considered during the evaluation is at Lawrenceville located on the Tioga River at the PA-NY border.

The proposed effluent limits for Outfall 001, based on a design flow of 1.0 mgd, are:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instantaneous Maximum</i>
pH (std units)	within the range 6.0—9.0			
CBOD <sub>5</sub>		25	40	50
TSS		30	45	60
Total Cl <sub>2</sub> Residual*		0.5		1.6
*-limit effective 3 years after permit effective date, until then monitor and report				
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	2,000/100 ml as a geometric average			

*Other Conditions:*

- (1) Combined Sewer Overflow Control Condition

The EPA waiver is not in effect.

**PA 0021652.** Sewerage, SIC: 4952, **Kreamer Municipal Authority**, P. O. Box 220, Kreamer, PA 17833-0220.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Middle Creek in Middlecreek Township, **Snyder County**.

The receiving stream is classified for the following uses: trout stocking, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Dauphin Consolidated Water Company located at Dauphin.

The proposed effluent limits for Outfall 001, based on a design flow of 0.09 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
TSS	30	45	60
Total Cl <sub>2</sub> Residual	1.0		2.3
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PAS 806104.** Industrial waste, SIC: 4213, **Con-Way Central Express**, 736 Cooper Avenue, Johnstown, PA 15906.

This application is for issuance of an NPDES permit to discharge untreated stormwater from Johnstown Facility, West Taylor Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Wildcat Run and Laurel Run, classified as a high quality-cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Cokesburg Boro Water Department, located at Cokesburg Reservoir, 4.5 miles below the discharge point.

*Outfall 001:* existing discharge, design flow of varied mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

The discharge by this outfall shall consist of uncontaminated stormwater runoff only.

*Outfall 002:* existing discharge, design flow of varied mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

The discharge by this outfall shall consist of uncontaminated stormwater runoff only.

*Outfall 003:* existing discharge, design flow of varied mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

The discharge by this outfall shall consist of uncontaminated stormwater runoff only.

The EPA waiver is in effect.

**PA 0110302.** Sewage, **Johnstown Economic Development Corporation**, 111 Market Street, Johnstown, PA 15901.

This application is for renewal of an NPDES permit to discharge treated sewage from Quemahoning Industrial Development Park STP in Quemahoning Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Quemahoning Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Waterworks.

*Outfall 001:* existing discharge, design flow of 0.02 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	20			40
(11-1 to 4-30)	25			50
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	15,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0041441.** Sewage, **Somerset Township Municipal Authority**, P. O. Box 247, Somerset, PA 15501.

This application is for renewal of an NPDES permit to discharge treated sewage from the Wells Creek Sewage Treatment Plant in Somerset Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Wells Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Hooversville Municipal Authority.

*Outfall 001:* existing discharge, design flow of 0.8 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	4.5	6.8		9.0
(11-1 to 4-30)	13.5	20.2		27.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.3			0.9
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0042579.** Sewage, **Smith Machine, Inc.**, P. O. Box 126, Route 519, Eighty Four, PA 15330.

This application is for renewal of an NPDES permit to discharge treated sewage from Smith Machine Sewage Treatment Plant in Somerset Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as storm drain to unnamed tributary of Little Chartiers Creek, which are classified as a high quality-warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Borough Municipal Water Authority on the Ohio River.

*Outfall 001:* existing discharge, design flow of 0.0015 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0093874.** Sewage, **Blairsville—Saltsburg School District**, 102 School Lane, Blairsville, PA 15717-8715.

This application is for renewal of an NPDES permit to discharge treated sewage from the Saltsburg Elementary School STP in Loyahanna Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an Unnamed Tributary of the Kiskiminetas River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Freeport Water Company.

*Outfall 001:* existing discharge, design flow of .00465 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	9.5			19.0
(11-1 to 4-30)	28.5			57.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0216267.** Sewage, **D&E Management**, 116 East Pittsburgh Street, Greensburg, PA 15601.

This application is for renewal of an NPDES permit to discharge treated sewage from the Pines Apartments STP in Loyahanna Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Boatyard Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Waterworks.

*Outfall 001:* existing discharge, design flow of .006 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month) (37th month—expiration)	monitor and report 1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

**PA 0037397.** Sewage, **Waterford Borough Municipal Authority**, P. O. Box 49, 224 East Third Street, Waterford, PA 16441.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to LeBoeuf Creek in Waterford Township, **Erie County**. This is an existing discharge.

The receiving water is classified for trout stocking fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is the Cambridge Springs Borough water supply, located in Cambridge Springs, Crawford County.

The proposed effluent limits for Outfall 001, based on an average design flow of 0.240 mgd, are:

Parameter	Effluent Concentration (mg/l)		
	Average Monthly	Weekly Average	Instantaneous Maximum
CBOD <sub>5</sub> (5-1 to 10-31) (11-1 to 4-30)	18 25	27 40	36 50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N (5-1 to 10-31) (11-1 to 4-30)	6 18		12 36
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
Total Residual Chlorine (interim) (final)	0.74	monitor and report 2.44	
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 17,000/100 ml as a geometric average		
pH	6.0—9.0 standard units at all times		

The EPA waiver is in effect.

**PA 0222747.** Sewage, **John P. Lantzy**, 11986 East Lake Road, P. O. Box 506, North East, PA 16428-0506.

This application is for a new NPDES permit to discharge treated sanitary sewage to an unnamed tributary of Lake Erie in North East Township, **Erie County**. This is a new discharge.

The receiving water is classified for cold water and migratory fishery, aquatic life, water supply and recreation. There are no potable water supplies affected by this discharge.

The proposed effluent limits for Outfall 001, based on an average design flow of 0.00200 mgd, are:

Parameter	Effluent Concentration (mg/l)	
	Average Monthly	Instantaneous Maximum
CBOD <sub>5</sub>	10	20
Total Suspended Solids	20	40
NH <sub>3</sub> -N	6	12
Phosphorus as P	1.0	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine	1.4	3.3
Fecal Coliform	200/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

**PA 0032042.** Sewage, **Allegheny Highlands Council, Boy Scouts of America**, Elk Lick Scout Reserve, R. D. 3, Bordell Road, Smethport, PA 16749.

This application is for renewal of an NPDES permit to discharge treated sewage to unnamed Tributary to South Branch of Cole Creek in Keating Township, **McKean County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA-NY state line located at Keating Township, McKean County, approximately 15 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of .0026 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
TSS	30	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 54,300/100 ml as a geometric average	
Total Residual Chlorine	1.0	2.3
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0103811, Amendment No. 3.** Industrial waste, SIC: 4953 and 4959, **Northwest Sanitary Landfill**, 1436 West Sunbury Road, West Sunbury, PA 16061.

This is for an amendment of an NPDES permit, to discharge treated industrial waste and stormwater to Findlay Run in Cherry Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Salvation Army Camp on Slippery Rock Creek located at Slippery Rock, approximately 30 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of .0415 mgd, are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)			
CBOD <sub>5</sub>	90	180	225
TSS	100	200	250
NH <sub>3</sub> -N (5-1 to 10-31) (10-1 to 4-30)	9.5 20		23.5 50
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric mean 10,700/100 ml as a geometric mean	
Oil and Grease	15		30
Aluminum	0.3	0.6	0.75
Boron	3.0	6.0	7.5
Vanadium	0.5	1.0	1.25
Butylbenzyl phthalate	0.01	0.02	0.025
4,4'-DDT***	0.000005	0.00001	0.0000125
Tetrahydrofuran	0.025	0.05	0.0625
Acetone	0.109	0.22	0.2725
2-Hexanone	0.015	0.03	0.0375
4-Methyl 2-Pentanone	0.015	0.03	0.0375
Bis chloromethyl ether	0.015	0.03	0.0375
pH**		6.0—9.0 at all times	

1. Final water quality based effluent based limitation for 4'4-DDT and Vanadium.

The EPA waiver is in effect.

**PA0100790.** Sewage, **Raymond P. DiLoreto**, 6059 Grubb Road, Erie, PA 16506-4608.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary of Thomas Run in Millcreek Township, **Erie County**. This is an existing discharge in a high-quality watershed.

The receiving water is classified for cold water fishery, aquatic life, water supply and recreation. There are no potable water supplies affected by this discharge.

The proposed effluent limits for Outfall 001, based on an average design flow of 0.0005 mgd, are:

Parameter	Effluent Concentration (mg/l)	
	Average Monthly	Instantaneous Maximum
CBOD <sub>5</sub>	10	20
Total Suspended Solids	20	40
Total Residual Chlorine	monitor and report	
Fecal Coliform	200/100 ml as a geometric average	
pH	6.0 to 9.0 standard units at all times	

The EPA waiver is in effect.

#### NPDES Minor Renewals

*Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

NPDES No.	Facility Name and Address	County and Municipality	Tributary Stream	New Permit Requirements
PA0053708	James Gaffney Hawk Mountain Bed & Breakfast 221 Stony Run Valley Rd. Kempton, PA 19529	Berks Albany Township	Stony Run Creek	TRC
PA0031551	Chambersburg Area School District 511 S. Sixth St. Chambersburg, PA 17201-3405	Franklin Lurgan Township	UNT to Conodoguinet Creek	TRC

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### Applications under the Pennsylvania Clean Streams Law

##### (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department). Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**A. 1399401.** Sewerage. **White Haven Municipal Authority**, 50 East Woodhaven Drive, White Haven, PA 18661. Application to install gravity sewers and force mains located in Kidder Township, **Carbon County** and White Haven Borough, **Luzerne County**. Application received in the Regional Office—January 20, 1999.

*Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications, should contact Mary DiSanto at (717) 705-4732.*

**A. 2199401.** Sewage, submitted by **Monroe Township Municipal Authority**, 1220 Boiling Springs Road, Mechanicsburg, PA 17055 in Monroe Township, **Cumberland County** to replace the White Rock Acres Pump Station was received in the Southcentral Region on January 21, 1999.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**WQM Permit No. 3399401.** Sewage. **Sykesville Borough Council**, 21 East Main Street, Sykesville, PA 15865. This project is for the construction and operation of a wastewater collection and treatment facility in Sykesville Borough and Winslow Township.

**WQM Permit No. 2099401.** Sewage, **Joseph A. and Ruth E. Ruggiero, SRSTP**, 201 N. Fourth St., Titusville, PA 16354. This project is for the construction of a single residence sewage treatment plant in Rome Township, **Crawford County**.

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER FROM OIL AND GAS ACTIVITIES

*Southwest Regional Office: Regional Oil and Gas Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*



**PA 0218073.** Industrial waste, SIC: 4925, **Belden and Blake Corporation**, 22811 Titusville Road, Pleasantville, PA 16341.

This application is for issuance of an NPDES permit to discharge water produced during coalbed methane production to Jacobs Creek in East Huntingdon Township, **Westmoreland County**. This is a new discharge.

The receiving stream is classified for warm water fish and the Statewide list. For the purpose of evaluating effluent requirements for TDS, the existing downstream water supply considered during the evaluation is located in McKeesport, PA approximately 42 miles downstream of the discharge point.

The proposed discharge limits for Outfall No. 001 are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow		0.6 mgd	417 gpm
Total Iron (mg/l)	3.5		7
Oil and Grease (mg/l)	15		30
TSS (mg/l)	30		60
Acidity (mg/l)	monitor only		
Alkalinity (mg/l)	greater than acidity		
pH	6 to 9 at all times		
TDS (mg/l)	monitor only		
Chloride (mg/l)	monitor only		
Dissolved Iron (mg/l)	monitor only		

The EPA waiver is in effect.

**INDIVIDUAL PERMITS**

**(PAS)**

**NPDES Individual**

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**NPDES Permit PAS10-G355.** Stormwater. **James Mark**, P. O. Box 63, New London, PA 19360, has applied to discharge stormwater from a construction activity located in East Nottingham Township, **Chester County**, to Big Elk Creek.

**NPDES Permit PAS10-G356.** Stormwater. **Robert H. Kirk**, 596 Dampman Road, Honeybrook, PA 19344, has applied to discharge stormwater from a construction activity located in Honey Brook Township, **Chester County**, to East Branch Brandywine Creek.

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

*Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.*

**NPDES Permit PAS10Q170.** Stormwater. **Winchester Road Limited Partnership**, Donald Frederick, 1611 Pond Road, Suite 201, Allentown, PA 18104, has applied to discharge stormwater from a construction activity located in South Whitehall Township, **Lehigh County**, to Little Lehigh Creek.

*Pike County Conservation District, District Manager, HC 6, Box 6770, Hawley, PA 18428, (570) 226-8220.*

**NPDES Permit PAS10V025.** Stormwater. **Wallenpaupack Area School District**, Thomas A. Peifer, Superintendent, HC6, Box 6075, Hawley, PA 18428, has

applied to discharge stormwater from a construction activity located in Palmyra Township, **Pike County**, to Wallenpaupack Creek/Delaware River Basin.

*Carbon County Conservation District, District Manager, 5664 Interchange Road, Lehighton, PA 18235-5114, (610) 377-4894.*

**NPDES Permit PAS101317.** Stormwater. **Matthew Beers**, 1140 Summer Mountain Dr., Palmerton, PA 18071, has applied to discharge stormwater from a construction activity located in Lower Towamensing Township, **Carbon County**, to Aquashicola Creek.

*Northampton County Conservation District, District Manager, R. R. 4, Nazareth, PA 18064-9211, (610) 746-1971.*

**NPDES Permit PAS10U106.** Stormwater. **Seiple Estates**, c/o Thomas Stitt, Esq., P. O. Box 483, Easton, PA 18044-0483, has applied to discharge stormwater from a construction activity located in Forks Township, **Northampton County**, to Bushkill Creek.

**NPDES Permit PAS10U107.** Stormwater. **Stuart Schooley Recreational Concepts Development Corp.**, 4733 Hanoverville Rd., Bethlehem, PA 18020, has applied to discharge stormwater from a construction activity located in Lower Nazareth Township and Bethlehem Township, **Northampton County**, to Monocacy Creek.

## SAFE DRINKING WATER

**Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southcentral Regional Office: Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.*

**3699501.** Public water supply. **Leola Sewer Authority.** *Responsible Official:* Jimmy Dennis, Water Dept. Supt., Leola Sewer Authority, 115 Newport Rd., Leola, PA 17540. *Type of Facility:* Construction of a water treatment plant and 12-inch water main for an interconnection with the City of Lancaster. The water treatment plant will consist of booster pumps, cation exchange, pH adjustment and disinfection. *Consulting Engineer:* Cynthia Zawrotuk, Acer Engineers and Consultants, 270 Granite Run Dr., Lancaster, PA 17601.

**0199501.** Public water supply. **Franklin Township Municipal Authority.** *Responsible Official:* Robert Cullison, Chairperson, P. O. Box 4, Cashtown, PA 17310. *Type of Facility:* Construction of the Rock Top Well and Ancillary Facilities. The well is to be used at a maximum rate of 50 gpm; treatment will be limited to hypochlorite disinfection. A 60,000 gallon finished water storage tank is also proposed. *Consulting Engineer:* Margaret Miller, HRG, Inc., 32 W. Middle St., Gettysburg, PA 17325.

**3698507.** Public water supply. **Turkey Hill Dairy, Inc.** *Responsible Official:* William P. Gregory, Turkey Hill Dairy, Inc., 2601 River Rd., Conestoga, PA 17516-9630. *Type of Facility:* Begin a bottled water operation using an existing milk bottling facility and a permitted water supply source. *Consulting Engineer:* Jeffrey D. Steckbeck, P.E., Steckbeck Engineering Assoc., 43 N. Cornwall Rd., Lebanon, PA 17042.

**3698508.** Public water supply. **Christiana Borough Water Authority.** *Responsible Official:* LeVerne Rettew, Manager, P. O. Box 135, 315 Newport Ave., Christiana, PA 17509. *Type of Facility:* Installation of vacuum diatomaceous earth filtration units to enhance turbidity

removal at the existing treatment plant. *Consulting Engineer:* Scott M. Rights, HRG, Inc., 1846 Charter Lane, P. O. Box 10337, Lancaster, PA 17605.

**0699501.** Public water supply. **Borough of Shoemakersville.** *Responsible Official:* George Bracy, President, P. O. Box 190, 242 Main St., Shoemakersville, PA 19555. *Type of Facility:* Construction of water filtration plant to treat wells 4, 5 and 6 for turbidity, iron and manganese; 350,000 gallon storage tank; 4 inch transmission main; new disinfection facilities. *Consulting Engineer:* Amy Kunkel, Project Engineer, Spotts, Stevens & McCoy, Inc., 3722 Lehigh St., Suite 401, Whitehall, PA 18052.

**0699502.** Public water supply. **Cornell Corrections Inc.** *Responsible Official:* Tom Rathjen, Managing Director, 4801 Woodway, Suite 1005, Houston, TX 77056-1805. *Type of Facility:* New public water supply including a well, sodium hypochlorite disinfection, 60,000 gallon storage tank, pump house and distribution system to serve a 180 bed Juvenile Treatment Facility. *Consulting Engineer:* Wm. W. Witman, P.E., 132 N. 8th St., Reading, PA 19601.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 1

**Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Ennis Oil & Burner Site (Former)**, Chester Heights Borough, **Delaware County**. Charlene R. Drake, React Environmental Services, Inc., 6901 Kingsessing Ave., Philadelphia, PA 19142, has submitted a Notice of Intent to Remediate site soil contaminated with benzene and groundwater contaminated with lead, benzene, Dichloroethane, 1,2, and ethylene dibromide. The applicant proposes to remediate the site to meet the Statewide health standard.

**Penn Ventilation Co., Inc.**, City of Philadelphia, **Philadelphia County**. Robert H. Marion, P.G., GCI Environmental Services, Inc., 1250 E. King Street, Lancaster, PA 17602, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

**Dallas Miller Service Station**, Douglass Township, **Montgomery County**. Stavros G. Patselas, Lewis Environmental Group, P. O. Box 639, Royersford, PA 19468, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

**Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to

Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period a municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**AVO International, Inc.**, Plymouth Township, **Montgomery County**. David N. Wilcots, P.G., GA Environmental Services, Inc., 401 Baldwin Tower, 1510 Chester Pike, Eddystone, PA 19022, has submitted a Notice of Intent to Remediate site soil contaminated with petroleum hydrocarbons; and groundwater contaminated with solvents. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Montgomery County Times Herald* on January 14, 1999.

**South 71st Street Property (Alto Sign)**, City of Philadelphia, **Philadelphia County**. Michael H. Menninger, McLaren Hart, Inc., 300 Stevens Drive, Suite 200, Lester, PA 19113, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with PCBs, lead, heavy metals, BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet Statewide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Philadelphia Daily News* on December 29, 1998.

## SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.*

**A. 301328. RecOil Bedford Transfer Facility, RecOil, Inc.** (280 East Street, York, PA 17403). Application for a residual waste transfer facility for used oil for a site in Bedford Township, **Bedford County**. Application determined to be administratively complete in the Regional Office January 22, 1999.

**A. 100739. Western Berks Landfill, Western Berks Refuse Authority** (455 Poplar Neck Road, Birdsboro, PA 19508). Application for expansion subject to Governor's Executive Order and policies. WBRA proposes an expansion providing additional capacity of 2.69 years of site life

at an average daily volume of 172 tons (no increase in average or maximum daily volume is proposed). Under the provisions of the Governor's Executive Order and Money Back Guarantee Program, the host municipality, applicant and DEP have negotiated an application review timeline. The date for a final decision on the application by DEP is on or before October 29, 1999.

**Closure Plan submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate hazardous waste storage, treatment and disposal facility.**

*Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**PAD000796334. Berg Electronics, Berg Electronics Group, Inc.** (320 Busser Road, P. O. Box 248, Emigsville, PA 17318-0248). Implement closure plan which will terminate their long-term hazardous waste storage practice at the facility located in Manchester Township, **York County**. Application received in the Regional Office January 4, 1999.

## AIR QUALITY

### Notice of Plan Approval and Operating Permit Applications

#### Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable

requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

## OPERATING PERMITS

### Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirement, and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Attn: Kanubhai L. Patel, (717) 705-4702.*

**06-05025: Morgan Corp.** (One Morgan Way, Morgantown, PA 19543) for a heavy duty truck manufacturing facility in Caernarvon Township, **Berks County**.

**06-05035: ICI Paints North America d/b/a The Glidden Co.** (Third and Bern Streets, Reading, PA 19601) for a paint manufacturing facility in Reading, **Berks County**. The operation primarily emits volatile organic compounds (VOC).

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, Attn: Mohammad Zaman, (717) 327-3637.*

**TVOP-59-00008: Tennessee Gas Pipeline Co.** (P. O. Box 2511, Houston, TX 77252-2511) for their natural gas transmission Station 315 Wellsboro located in Charleston Township, **Tioga County**. In accordance with 25 Pa. Code § 127.541, this Title V Operating permit revision is to incorporate the changes to permit conditions made by the Department to address Tennessee Gas Pipeline Company's comments. Station 315 Wellsboro is used to transport natural gas to the main distribution line. The facility's main sources include natural gas fired combustion turbine, auxiliary engine, boiler and space heaters which emit major quantities of nitrogen oxides (NOx) and

carbon monoxide (CO). The facility also emits SO<sub>2</sub>, VOCs and particulate matter. As a result of the NO<sub>x</sub> and CO emissions, station 315 Wellsboro is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G. This facility is also subject to all the applicable requirements of Reasonably Available Control Technology (RACT).

---

**Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

---

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**OP-56-00204: Columbia Gas Transmission Corp.** (1700 MacCorkle Avenue, SE, Charleston, WV 25325) for operation of the Salisbury Compressor Station in Greenville Township, **Somerset County**.

**OP-32-00335: Superior Well Services, Ltd.** (P. O. Box 458, Rte. 119N, Black Lick, PA 15716) for operation of oil and gas well service at Well Services, Ltd. in Black Lick, **Indiana County**.

**PLAN APPROVALS**

---

**Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

---

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**05-05003: JLG Industries, Inc.** (1 JLG Drive, McConnellsburg, PA 17233-9533) for modification of three paint booths located at their Bedford, Weber Lane, facility located in Bedford Township, **Bedford County**.

**07-310-025A: Grannas Bros. Stone & Asphalt Co., Inc.** (P. O. Box 488, Hollidaysburg, PA 16648) for modification of the existing limestone crushing and screening plant controlled by a wet suppression in Catherine Township, **Blair County**. This proposal is subject to 40 CFR 60, Subpart 000, Standards of Performance for New Stationary Sources.

**21-310-010D: Hempt Bros., Inc.** (205 Creek Road, P. O. Box 278, Camp Hill, PA 17001) for modification of two asphalt plants in Lower Allen Township, **Cumberland County**. The modification involves removing existing fabric collector and venturi scrubber, replacing with fabric collectors.

**22-303-012A: Pennsy Supply, Inc.** (P. O. Box 3331, Harrisburg, PA) to modify an existing batch asphalt plant in the City of Harrisburg, **Dauphin County**. This proposal involves replacing an existing fabric collector and cyclone collector with a fabric collector and knockout box.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3637.*

**17-305-032B: Al Hamilton Contracting Co.** (R. D. 1, Box 87, Woodland, PA 16881) for construction of coal crusher at the Little Beth Tipple in Bradford Township, **Clearfield County**. This coal crusher is subject to Subpart Y of the Federal Standards of Performance for New Stationary Sources.

**19-317-007E: Wise Foods, Inc.** (228 Raseley Street, Berwick, PA 18603) for installation of an air cleaning device (a high efficiency oil mist eliminator) on a potato chip fryer in Berwick Borough, **Columbia County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-56-262A: Mostoller Landfill, Inc.** (420 Bedford St., Suite 300, Lexington, MA 02173) for installation of municipal waste landfill in Somerset Township, **Somerset County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-37-304A: L&N Metallurgical Products Co.** (3 Fountain Avenue, Ellwood City, PA 16117) for installation of three skiving machines and associated fabric filter in Ellwood City, **Lawrence County**.

**Pittsburgh Corning Corp.**

**McKean County**

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (Department) intends to issue a plan approval to Pittsburgh Corning Corp. (P. O. Box 39, Port Allegany, PA 16743), for their plant in Port Allegany, McKean County. The facility has a Title V Permit No. TV 42-009. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

Plan Approval No. PA 42-009A is for the installation of a wet collector. The installation of the control device will result in a 95% reduction in particulate matter emissions from the mold release application process. Plan Approval conditions will include daily visual monitoring and collector maintenance in accordance with manufacturing specifications. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at 230 Chestnut Street, Meadville, PA 16335.

Persons wishing to provide the Department with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following: name, address and telephone number of the person submitting the comments; identification of the proposed permit (Permit No. PA 42-009A); and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting

comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where the Department determines the notification is sufficient. Written comments or requests for a public hearing should be directed to Robert E. Huston, Air Pollution Control Engineer, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6940.

**REASONABLY AVAILABLE CONTROL  
TECHNOLOGY  
(RACT)**

**Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.**

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.*

**48-0027: City of Bethlehem, City of Bethlehem Landfill** (Department of Public Works, 10 East Church Street, Bethlehem, PA 18018) in Lower Saucon Township, **Northampton County**. This RACT Operating Permit will establish specific inspection, maintenance and recordkeeping requirements. This RACT Operating Permit will be submitted to the United States Environmental Protection Agency as a revision to Pennsylvania's State Implementation Plan (SIP).

**Lukens Steel Company (Operating Permit OP-15-0010)**

<i>Source</i>	<i>Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
3 Furnaces, 8 Soaking Pits 11 Boilers, 17 Heaters/ Preheaters and 1 EMS Dryer	204 NOx	Manufacturer Specifications	Implemented
Electric Arc Furnace C	53 NOx 104 VOC	Good Operating Procedure	Implemented
Electric Arc Furnace D	130 NOx 253 VOC	Good Operating Procedure	Implemented
4 Brandy BH-B&W Boilers	67 NOx	Annual Tune-Up or Adjustment	Implemented
10 Batch Heater Treating Furnaces	213 NOx	Annual Tune-Up or Adjustment	Implemented
Drever and 2 NAB Furnaces	148 NOx	Good Operating Procedure	Implemented
15 Soaking Pits	348 NOx	Annual Tune-Up or Adjustment	Implemented
EMS Boiler	20 NOx	Annual Tune-Up or Adjustment	Implemented
Zip Line Process	44 NOx	Manufacturer Specifications	Implemented
13 Emergency Generators and Pumps	500 Hours	Manufacturer Specifications	Implemented
4 EMS Preheaters	25 NOx	Manufacturer Specifications	Implemented
Caster	9 VOC	Good Operating Procedure	Implemented

**TEVA Pharmaceuticals USA (Operating Permit OP-09-0010)**

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Pony Mixer	24	Direct Compression Process	Implemented

The facility is a minor NOx source.

**Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen (NOx) and Volatile Organic Compounds (VOC); Notice of Public Hearing**

**Approval of Reasonably Available Control Technology (RACT) Plans for:**

**Lukens Steel Company (City of Coatesville, Chester County)**

**TEVA Pharmaceuticals USA (West Rockhill Township, Bucks County)**

**Knoll, Inc. (Upper Hanover Township, Montgomery County)**

The Department of Environmental Protection (Department) has made a preliminary determination to approve RACT plans as amendments to the State Implementation Plan (SIP) for the above facilities. The proposed SIP revisions do not adopt new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

These preliminary determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the United States Environmental Protection Agency (EPA) as revisions to Pennsylvania's SIP.

The following is a summary of the preliminary RACT determinations for these facilities:

**Knoll, Inc. (Operating Permit OP-46-0014)**

<i>Source</i>	<i>RACT Determination</i>	<i>Implementation Schedule</i>
Wood Finishing Operation	Compliance with 25 Pa. Code §§ 129.51 and 129.52; and EPA control technique guideline limits on wood furniture through 24-hour emission averaging	Implemented
Adhesive Operation	30 tons/year of VOC limit; Good Air Pollution Practices	Implemented
Cleanup Operations	Use solvents containing less than 8% by weight of VOC	Implemented
Plantwide	Leak detection and training plan	Implemented

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions. The hearing will be held at 2 p.m. on March 11, 1999, at the Department's Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to the Department on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to comment should send their written comments to Francine Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before March 11, 1999.

Individuals in need of accommodations as provided for in the Americans With Disabilities Act who would like to attend the hearing should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

Copies of the pertinent documents are available for review at the Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6268.

**Approval of Reasonable Available Control Technology (RACT) Plans for City of Bethlehem Landfill, Lower Saucon Township, Northampton County**

The Department of Environmental Protection (Department) has made a preliminary determination to approve the RACT plans and proposes to revise the State Implementation Plan (SIP) for City of Bethlehem Landfill, 10 East Church Street, Bethlehem, PA 18018.

The proposed SIP revisions do not adopt new regulations. They incorporate the provisions and requirements contained in the RACT approvals for this facility to comply with current regulations.

The preliminary RACT determinations, if finally approved, will be incorporated into Plan Approval/Operating Permit for the facility and will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The main source at the facility is the landfill. The following is the summary of the preliminary RACT determination for this facility:

<i>Source</i>	<i>NOx RACT Limit</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Landfill	Subpart WWW	Flare	5/31/99

This facility is not subject to NOx RACT requirements.

A public hearing will be held for the purpose of receiving comments on the proposed Plan Approval/Operating Permit and the proposed SIP revisions. The hearings will be held on March 19, 1999, at 10 a.m. at the Department of Environmental Protection, Bethlehem District Office, 4530 Bath Pike, Bethlehem, PA 18017. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Mark Carmon, Community Relations Coordinator, at (717) 826-2511 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes and two written copies of the oral testimony. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with disabilities who wish to attend the hearing and who require an auxiliary aid, service or other accommodation to participate in the proceedings, should

contact Richard Shudak of DEP at (717) 826-2060 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wish to comment, should provide written comments to Thomas A. DiLazaro, Air Quality Program Manager, Pennsylvania DEP, 2 Public Square, Wilkes-Barre, PA 18711. Comments should be submitted within 30 days of this publication in the *Pennsylvania Bulletin*.

All the pertinent documents are available for review from 8 a.m. to 4 p.m. in the Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18711. Appointments for scheduling a review may be made by calling (717) 826-2511.

**Approval of Reasonably Available Control Technology (RACT) plan for Wood-Mode, Inc. in Middlecreek Township, Snyder County**

The Department of Environmental Protection (Department) has made a preliminary determination to approve a

Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a wood cabinet manufacturing facility owned and operated by Wood-Mode, Inc. in Middlecreek Township, Snyder County.

The proposed SIP revision does not adopt new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit for the facility and will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The following is a summary of the preliminary RACT determination for this operation:

---

*Source*

- "Main line" automated cabinet finishing line
  
- "Main line" stain application stations
  
- "Alpine line" automated cabinet finishing line
  
- Building A-2 automated cabinet finishing line
  
- Hand spray booths (Alpine and Building A-2)

*RACT limitation/requirement*

- The volatile organic compound (VOC) emissions shall be captured at an efficiency of at least 75% and ducted to a thermal regenerative oxidizer having a combustion chamber temperature of at least 1400°F, a residence time of at least .5 second and a destruction efficiency of at least 95%.
- The VOC emissions shall not exceed 61.9 tons in any 12 consecutive month period following control.
- All finishing materials shall be applied with automatic reciprocators incorporating airless or air-assisted spray guns and a finishing material transfer efficiency of at least 70% shall be achieved at all times.
- The VOC content of any stain or other finishing material applied in this area shall not exceed 6.4 pounds per gallon (minus water) unless 25 Pa. Code § 129.52 sets a more stringent limit.
- The VOC emissions shall not exceed 42.5 tons in any 12 consecutive month period.
- All stains and other finishing materials applied in this area shall be applied by hand wiping or by brush.
- The VOC emissions shall be captured at an efficiency of at least 60% and ducted to a thermal regenerative oxidizer having a combustion chamber temperature of at least 1400°F, a residence time of at least .5 second and a destruction efficiency of at least 95%.
- The VOC emissions shall not exceed 66 tons in any 12 consecutive month period following control.
- All finishing materials shall be applied with automatic reciprocators incorporating HVLP, airless or air-assisted airless spray guns.
- The VOC emissions shall be captured at an efficiency of at least 80% and ducted to a thermal regenerative oxidizer having a combustion chamber temperature of at least 1400°F, a residence time of at least .5 second and a destruction efficiency of at least 95%.
- The VOC emissions shall not exceed 68 tons in any 12 consecutive month period following control.
- All finishing materials shall be applied with automatic reciprocators incorporating HVLP, airless or air-assisted spray guns.
- The VOC content of all sealers shall not exceed 1.9 pounds per pound of coating solids.
- The VOC content of all topcoats shall not exceed 1.8 pounds per pound of coating solids.
- The VOC content of all toners shall not exceed 6.8 pounds per gallon of coating (minus water).
- The only finishing materials to be applied shall be sealers, topcoats and toners.



*Source*

- Hand wipe/repair stations (Alpine and Building A-2)
- Cleanup and washoff stations
- Lumber drying operation
- Veneering operation

One public hearing will be held for the purpose of receiving comments on the proposed operating permit and the proposed SIP revision. The hearing will be held on March 15, 1999, at 1 p.m. at the Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (570) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

*RACT limitation/requirement*

- The VOC emissions from Alpine spray booths BFS-1-9 and BFS-1-10 shall not exceed 13 tons in any 12 consecutive month period.
- The VOC emissions from Alpine spray booths BFS-1-7, BFS-1-8, BFS-1-11 and BFS-1-12 shall not exceed 112.8 tons in any 12 consecutive month period.
- The VOC emissions from Building A-2 spray booth AFS-2-3 shall not exceed 36.7 tons in any 12 consecutive month period.
- All finishing materials shall be applied with HVLP, airless or air-assisted airless spray guns.
- The VOC content of any finishing material applied in this area shall not exceed 6.4 pounds per gallon (minus water) unless 25 Pa. Code § 129.52 sets a more stringent limit.
- All finishing materials shall be manually applied by brush or rag.
- The VOC emissions from the Alpine hand wipe/repair stations shall not exceed 46.6 tons in any 12 consecutive month period.
- The VOC emissions from the Building A-2 hand wipe/repair stations shall not exceed 47.4 tons in any 12 consecutive month period.
- Various material handling and work practices intended to minimize VOC emissions are to be followed.
- The VOC emissions resulting from the cleaning of equipment associated with the "Main line" finishing line shall not exceed 3.8 tons in any 12 consecutive month period.
- The total facility cleanup and washoff station VOC emissions shall not exceed 77.24 tons in any 12 consecutive month period.
- The VOC emissions shall not exceed 19.74 tons in any 12 consecutive month period.
- Adhesives shall only be applied by roll coater.
- The VOC content of any urea formaldehyde adhesives shall not exceed .08 pound per gallon of adhesive.
- The VOC content of any epoxy adhesives shall not exceed 1.03 pounds per gallon of adhesive.
- The VOC content of any polyvinyl acetate adhesives shall not exceed .014 pound per gallon of adhesive.
- The VOC emissions shall not exceed 21.3 tons in any 12 consecutive month period.

---

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (570) 327-3659 or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to David W. Aldenderfer, Air Quality Environmental Program Manager, Pennsylvania DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments must be received by March 30, 1999.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (570) 327-3693.

**Approval of Reasonably Available Control Technology (RACT) plan for Bellefonte Lime Company, Inc. in Spring Township, Centre County**

The Department of Environmental Protection (Department) has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a lime production facility (Pleasant Gap Plant) owned and operated by Bellefonte Lime Company, Inc. in Spring Township, Centre County.

*Source*

- 3 rotary lime kilns (Nos. 1, 2 and 3)
- 2 small waste oil furnaces (.3 million and .4 million BTU/hour respectively)

One public hearing will be held for the purpose of receiving comments on the proposed operating permit and the proposed SIP revision. The hearing will be held on March 15, 1999, at 1 p.m. at the Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (570) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (570) 327-3659 or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing, but wishing to comment, should provide written comments to David W. Aldenderfer, Air Quality Environmental Program Manager, Pennsylvania DEP, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments must be received by March 30, 1999.

All pertinent documents are available for review from 8 a.m. to 4 p.m. in the Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (570) 327-3693.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the appli-

The proposed SIP revision does not adopt new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit for the facility and will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The following is a summary of the preliminary RACT determination for this operation:

*Nitrogen oxides emission limit*

- 8.8 pounds per ton of lime produced
- maintain and operate in accordance with manufacturers' specifications and good air pollution control practices

cable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a

statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

*Coal Applications Received*

**03940103R. Seven Sisters Mining Co., Inc.** (200 US Rt. 22, Delmont, PA 15626). Renewal application received for continued reclamation of a bituminous surface mine located in South Bend Township, **Armstrong County**. Receiving streams: an unnamed tributary to Fagley Run and Fagley Run. Renewal application received: January 26, 1999.

**63860104. PennBalt Inc.** (P. O. Box 287, Joffre, PA 15053-0287). Revision application received to change postmining land use from prime forestland to land occasionally cut for hay on an existing bituminous surface mine located in Smith Township, **Washington County**, proposed to affect 57 acres. Receiving streams: unnamed tributary to Racoon Creek to the Ohio River. Revision application received: January 27, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**16940101. Reichard Contracting, Inc.** (R. D. 3, Box 20, New Bethlehem, PA 16242). Renewal of an existing bituminous surface strip and beneficial use of fly ash operation in Porter Township, **Clarion County** affecting 65.5 acres. Receiving streams: One unnamed tributary to Leatherwood Creek to Redbank Creek to the Allegheny River; two unnamed tributaries to Long Run and Long Run to Redbank Creek to the Allegheny River. Application for reclamation only. Application received January 27, 1999.

*McMurray District Office, 3913 Washington Road, McMurray, PA 15317.*

**30841316. Consol PA Coal Co.** (P. O. Box 174, Graysville, PA 15377), to revise the permit for the Bailey Mine in Richhill Township, **Greene County** to add 3.2 surface acres and train load out/fill/weigh station, no additional discharges. Application received December 17, 1998.

**30831303. Cyprus Cumberland Resources Corp.** (145 Elm Dr., Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Whiteley Township, **Greene County** to add surface and underground permit and subsidence control plan acres, unnamed tributary to Dyers Fork and unnamed tributary to Whiteley Creek. Application received December 21, 1998.

**32951301. Penn American Coal, L. P.** (R. D. 1, Box 119A, Avonmore, PA 15618), to revise the permit for the Burrell Mine in Burrell Township, **Indiana County**, revision to add 9.2 surface acres for new haul road, no additional discharges. Application received December 23, 1998.

**32981302. Penn American Coal, L. P.** (R. D. 1, Box 119A, Avonmore, PA 15618), to operate the Lower Burrell Mine in Burrell Township, **Indiana County**, new underground coal mine, Weirs Run to Blacklick Creek. Application received December 30, 1998.

**30841312. Consolidation Coal Co.** (P. O. Box 100, Osage, WV 26543), to revise the permit for the Blacksville No. 2 Mine in Wayne Township, **Greene County** to drill 39 degasification boreholes, add 19.5 surface acres, stream crossing and road variance, no additional discharges. Application received January 4, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Applications Received*

**01930302C2. ISP Minerals, Inc.** (1455 Old Waynesboro Road, Blue Ridge Summit, PA 17214), renewal of NPDES Permit No. PA0223239 in Hamiltonban Township, **Adams County**, receiving stream—unnamed tributary to Tom's Creek. Application received January 15, 1999.

**6476SM26T. Coldsmith Construction Company, Inc.** (1555 Coldsmith Road, Shippensburg, PA 17257), transfer of an existing quarry operation from Upland Acres Corp. in Hamilton Township, **Franklin County** affecting 4.0 acres, receiving stream—none. Application received January 15, 1999.

**7475SM2T. Dally Slate Company** (500 Railroad Avenue, P. O. Box 27, Pen Argyl, PA 18072), transfer of an existing quarry operation in Pen Argyl Borough, **Northampton County** affecting 12.0 acres, receiving stream—none. Application received January 15, 1999.

**7475SM6T. Dally Slate Company** (500 Railroad Avenue, P. O. Box 27, Pen Argyl, PA 18072), transfer of an existing quarry operation from Anthony Dally & Sons, Inc. in Pen Argyl Borough, **Northampton County** affecting 16.0 acres, receiving stream—none. Application received January 15, 1999.

**7475SM7T. Dally Slate Company** (500 Railroad Avenue, P. O. Box 27, Pen Argyl, PA 18072), transfer of an existing quarry operation from Anthony Dally & Sons, Inc. in Pen Argyl Borough, **Northampton County** affecting 45.24 acres, receiving stream—Waltz Creek. Application received January 15, 1999.

**48820501T2. Dally Slate Company** (500 Railroad Avenue, P. O. Box 27, Pen Argyl, PA 18072), transfer of an existing quarry operation from Anthony Dally & Sons, Inc. in Pen Argyl Borough, **Northampton County** affecting 77.2 acres, receiving stream—Bushkill Creek. Application received January 15, 1999.

**48900301T. Dally Slate Company** (500 Railroad Avenue, P. O. Box 27, Pen Argyl, PA 18072), transfer of an existing quarry operation from Anthony Dally & Sons, Inc. in Pen Argyl Borough, **Northampton County** affecting 8.6 acres, receiving stream—none. Application received January 15, 1999.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Industrial Minerals NPDES Permit Renewal Applications Received*

**11940301. Pheasant & Shearer** (1922 Ohio Street, Johnstown, PA 15904-1017), renewal of NPDES Permit No. PA0212873, East Taylor Township, **Cambria County**, receiving stream Hinckston Run. NPDES renewal application received January 26, 1999.

**Bureau of Deep Mine Safety**

**Request for Variance**

**RoxCoal, Inc.**

The Bureau of Deep Mine Safety has approved RoxCoal, Inc.'s request for a variance from the require-

ments of section 242(c) of the Pennsylvania Bituminous Coal Mine Act at the Longview Mine. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Trader by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

*Summary of the request:* RoxCoal, Inc. requested a variance from section 242(c) of the Pennsylvania Bituminous Coal Mine Act to allow for the common ventilation of the belt conveyor entry with other entries at the Longview Mine. The proposal accords protections to persons and property substantially equal to or greater than the requirements of section 242(c).

The basis for the Bureau's approval can be summarized in the following statements:

1. Longview's plan provides early warning fire detection by the use of carbon monoxide (CO) detectors, and audible alarm over the mine communication system.
2. Longview's plan provides a separate, isolated intake escapeway that will be maintained at a higher ventilation pressure than the belt and common entries.
3. Longview's plan provides for the belt and common entries to serve as an alternate intake escapeway.
4. There are significant health and safety benefits associated with allowing entries in common with the belt entry. Repair and maintenance work in the belt entry is afforded safer access. Improved visual safety inspections are facilitated by open crosscuts.

This approval is limited to a variance from the requirements in section 242(c) requiring that the belt entry is isolated from other entries. All other terms and requirements of section 242(c) shall remain in effect. This approval applies to all areas developed after May 20, 1998. Continued authorization for operation under the approval is contingent upon compliance with the measures described in Longview's plan.

#### **RoxCoal, Inc.**

The Bureau of Deep Mine Safety has approved RoxCoal, Inc.'s request for a variance from the requirements of section 242(c) of the Pennsylvania Bituminous Coal Mine Act for the Barbara B Mine. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Trader by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

*Summary of the request:* RoxCoal requested a variance from section 242(c) of the Pennsylvania Bituminous Coal Mine Act to allow for the common ventilation of the belt conveyor entry with other entries at the Barbara B Mine. The proposal accords protections to persons and property substantially equal to or greater than the requirements of section 242(c).

The basis for the Bureau's approval can be summarized in the following statements:

1. Barbara B's plan provides early warning fire detection by the use of carbon monoxide (CO) detectors, and audible alarm over the mine communication system.
2. Barbara B's plan provides a separate, isolated intake escapeway that will be maintained at a higher ventilation pressure than the belt and common entries.
3. Barbara B's plan provides for the belt and common entries to serve as an alternate intake escapeway.

4. There are significant health and safety benefits associated with allowing entries in common with the belt entry. Repair and maintenance work in the belt entry is afforded safer access. Improved visual safety inspections are facilitated by open crosscuts.

This approval is limited to a variance from the requirements in section 242(c) requiring that the belt entry is isolated from other entries. All other terms and requirements of section 242(c) shall remain in effect. This approval applies to all areas developed after May 20, 1998. Continued authorization for operation under the approval is contingent upon compliance with the measures described in Barbara B's plan.

#### **Genesis, Inc.**

The Bureau of Deep Mine Safety has approved Genesis, Inc.'s request for a variance from the requirements of section 242(c) of the Pennsylvania Bituminous Coal Mine Act at the Solar No. 7 Mine. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Trader by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

*Summary of the request:* Genesis, Inc. requested a variance from section 242(c) of the Pennsylvania Bituminous Coal Mine Act to allow for the common ventilation of the belt conveyor entry with other entries at the Solar No. 7 Mine. The proposal accords protections to persons and property substantially equal to or greater than the requirements of section 242(c).

The basis for the Bureau's approval can be summarized in the following statements:

1. Solar No. 7's plan provides early warning fire detection by the use of CO detectors, and audible alarm over the mine communication system.
2. Solar No. 7's plan provides a separate, isolated intake escapeway that will be maintained at a higher ventilation pressure than the belt and common entries.
3. Solar No. 7's plan provides for the belt and common entries to serve as an alternate intake escapeway.
4. There are significant health and safety benefits associated with allowing entries in common with the belt entry. Repair and maintenance work in the belt entry is afforded safer access. Improved visual safety inspections are facilitated by open crosscuts.

This approval is limited to a variance from the requirements in section 242(c) requiring that the belt entry is isolated from other entries. All other terms and requirements of section 242(c) shall remain in effect. This approval applies to all areas developed after May 20, 1998. Continued authorization for operation under the approval is contingent upon compliance with the measures described in Solar No. 7's plan and the following condition. Carbon monoxide (CO) sensors shall be set to alarm at the lowest practicable setting and be positioned in the ventilation current to provide the most effective detection.

#### **RoxCoal, Inc.**

The Bureau of Deep Mine Safety has approved RoxCoal, Inc.'s request for a variance from section 242(c) of the Pennsylvania Bituminous Coal Mine Act for the Agustus Mine. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Trader by calling

(724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

*Summary of the request:* RoxCoal requested a variance from section 242(c) of the Pennsylvania Bituminous Coal Mine Act to allow for the common ventilation of the belt conveyor entry with other entries at the Agustus Mine. The proposal accords protections to persons and property substantially equal to or greater than the requirements of section 242(c).

The basis for the Bureau's approval can be summarized in the following statements:

1. Agustus' plan provides early warning fire detection by the use of carbon monoxide (CO) detectors, and audible alarm over the mine communication system.
2. Agustus' plan provides a separate, isolated intake escapeway that will be maintained at a higher ventilation pressure than the belt and common entries.
3. Agustus' plan provides for the belt and common entries to serve as an alternate intake escapeway.
4. There are significant health and safety benefits associated with allowing entries in common with the belt entry. Repair and maintenance work in the belt entry is afforded safer access. Improved visual safety inspections are facilitated by open crosscuts.

This approval is limited to a variance from the requirements in section 242(c) requiring that the belt entry is isolated from other entries. All other terms and requirements of section 242(c) shall remain in effect. This approval applies to all areas developed after May 20, 1998. Continued authorization for operation under the approval is contingent upon compliance with the measures described in Agustus' plan.

#### **Keystone Coal Mining Corporation**

The Bureau of Deep Mine Safety has received a request for variance from Keystone Coal Mining Corporation. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Trader by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

The Department is publishing a summary of the request to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for 30 days following the publication of this notice. All comments should be addressed to: Richard E. Stickler, Director, Bureau of Deep Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401.

Section 702 of the Bituminous Coal Mine Act (52 P. S. §§ 701 and 702) (act) provides a mechanism for operators to obtain variances from specific requirements of the act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 242(c) states that where belt conveyors are installed, main stoppings and regulators shall be so arranged as to reduce the quantity of air traveling in the belt conveyor entry to a minimum for effective ventilation and to provide an intake air split as an escapeway from the face area to the main air current.

*Summary of the request:* Keystone Coal Mining Corporation requests a variance to allow for the common ventilation of belt conveyor entries with other entries at the Urling No. 1 Mine.

## **APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT**

### **ENCROACHMENTS**

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

---

#### **Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

---

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E09-781.** Encroachment. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. To construct and maintain a pumping station located along the south side of PA Route 313 and approximately 1/2 mile east of Quakertown Borough, and to construct and maintain a sewer line extending southwest from the pumping station for approximately 1.2 miles to a point adjacent to Morgan Creek (TSF). This project will impact the Morgan Creek 100 year floodplain and adjacent wetlands (Quakertown, PA Quadrangle, begin N: 11.45 inches; W: 9.2 inches and end N: 8.5 inches; W: 11.1 inches) in Richland Township, **Bucks County**.

**E09-783.** Encroachment. **Middletown Township**, 2140 Trenton Road, Levittown, PA 19056-1483. To construct and maintain approximately 300 linear feet of stream bank stabilization along the northeast bank of Chubb Run (WWF, MF). The bank stabilization will be accomplished using a gabion basket retaining wall structure ranging from 4.5 feet to 9 feet in height. The project site is located along the section of Chubb Run between Lincoln Highway and Eastbrook Avenue, approximately 700 feet east from the intersection of Lincoln Highway (Business Route 1) and Neshaminy Street (Langhorne, PA Quadrangle N: 5.5 inches; W: 7.3 inches) in Middletown Township, **Bucks County**. This application also includes notification of intent to construct and maintain stream bank stabilization in accordance with the Department's General Permit BDWM-GP-3 (Bank rehabilitation and Protection), at three locations along a tributary of Chubb Run: 1) At southern side of Highland Avenue, at the point approximately 400 feet east of the intersection with F Avenue; 2) Along the Gin Swale (a tributary to the Neshaminy Creek) at a point approximately 100 feet downstream of Playwicki Street; 3) At a point approxi-

mately 200 feet north of the U. S. Rt. 1 (Lincoln Highway) near its intersection with Pleasant Avenue.

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E05-274.** Encroachment. **Bedford County Commissioners**, 230 S. Juliana Street, Bedford, PA 15522. To rehabilitate and maintain Hewitt Covered Bridge over Town Creek on T-305 located in the Village of Hewitt (Beans Cove, PA Quadrangle N: 0.8 inch; W: 1.6 inches) in Southampton Township, **Bedford County**.

**E29-077.** Encroachment. **Fulton County Commissioners**, 201 North Street, McConnellsburg, PA 17233. To remove the existing structure and to construct and maintain a single span prestressed adjacent box beam bridge over Cove Creek on T-338 located just west with its intersection with PA 928 (Big Cove Tannery, PA Quadrangle N: 13.7 inches; W: 7.8 inches) in Ayr Township, **Fulton County**.

**E38-123.** Encroachment. **South Londonderry Township**, Rosemary Kays, P. O. Box 3, Campbelltown, PA 17010. To develop the Lawn Community Park by placing fill in a de minimis area of wetlands equal to 0.03 acre and regrading 1.8 acres for construction of a baseball field and parking lot within the 100-year floodplain of the Conewago Creek. The park is located on the northeast side of Railroad Street (Elizabethtown, PA Quadrangle N: 17.5 inches; W: 5.5 inches) in South Londonderry Township, **Lebanon County**.

**E67-602.** Encroachment. **Hempt Brothers, Inc.**, Max Hempt, 205 Creek Rd., Camp Hill, PA 17011. To place fill in a de minimis area of wetlands equal to 0.009 acre for the purpose of constructing an access drive to Lot No. 1 for the Springer Lane Project located west of Old York Road and Springer Lane intersection (Steelton, PA Quadrangle N: 15.0 inches; W: 15.0 inches) in Fairview Township, **York County**.

**E67-654.** Encroachment. **Windsor Township**, 400 Bahns Mill Road, Red Lion, PA 17356. To remove an existing structure and to construct and maintain a double 12 foot by 4 foot concrete box culvert and to place 20 linear feet of riprap at both inverts to this culvert on Riddle Road over Kreutz Creek just south of SR 0124 (Red Lion, PA Quadrangle N: 15.5 inches; W: 14.0 inches) in Windsor Township, **York County**. A de minimis area of wetlands equal to 300 square feet will be impacted as a result of this project.

**E67-655.** Encroachment. **PA Department of Transportation**, Engineering District 8-0, John Rautzahn, 2140 Herr St., Harrisburg, PA 17103. To remove an existing structure and to construct and maintain a double span concrete spread box beam bridge over the Little Conewago Creek (CH93-TSF). Each span is 78.5 feet wide with a minimum underclearance of 13.6 feet. The bridge is located on SR 1021, Section 001, Segment 0010, Offset 1735 (Locust Point Road) north of SR 0921 (York Haven, PA Quadrangle N: 11.9 inches; W: 17.0 inches) in East Manchester and Conewago Townships, **York County**.

**E67-656.** Encroachment. **Flight Systems, Inc.**, Robert Shaffner, 505 Fishing Creek Rd., Lewisberry, PA 17339. To place fill and a gabion wall along 130 linear feet of an unnamed tributary to Fishing Creek (CH93-TSF) and to construct a parking lot adjacent to Flight Systems, Incorporated South Plant located north of Fishing Creek Road

near exit 16 of I-83 (Steelton, PA Quadrangle N: 9.93 inches; W: 12.65 inches) in Fairview Township, **York County**.

*Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.*

**E41-442.** Encroachment. **Richard and Eric Rankinen**, 2356 Riverside Drive, South Williamsport, PA 17702-6835. To remove selected submerged old growth timber logs, not including the log cribs, from the West Branch Susquehanna River bed within a 12-mile bank-to-bank reach immediately upstream of the Hepburn Street Dam (Williamsport, PA Quadrangle N: 19.6 inches; W: 0.9 inch to Linden, PA Quadrangle N: 12.5 inches; W: 16.5 inches) in the City of Williamsport, Loyalsock Township, South Williamsport Borough, Duboistown Borough, Armstrong Township, Susquehanna Township, Nipponose Township, Piatt Township and Woodward Township, **Lycoming County**. This project proposes to insignificantly disturb 12 miles of streambed of the West Branch of the Susquehanna River, which is designated a warm water fishery.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1261.** Encroachment. **Public Auditorium Authority of Pittsburgh and Allegheny County**, Regional Resource Center, 425 Sixth Avenue, Suite 1410, Pittsburgh, PA 15219-1819. To construct and maintain a major league baseball stadium known as PNC Park within the flood plain of the Allegheny River (WWF) and to construct and maintain a river bulkhead wall and its associated fill for a distance of approximately 713 feet within the channel and floodway of the Allegheny River. The stadium will be located on the south side of West General Robinson Street between Stadium Drive and Federal Street near River Mile 0.5 on the right bank side of the Allegheny River (Pittsburgh West, PA Quadrangle N: 12.9 inches; W: 0.7 inch) in the City of Pittsburgh, **Allegheny County**.

**E26-252.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. To remove the existing structure (Arch Street Bridge) and to construct and maintain a concrete box culvert having a normal clear span of 4.65 M and an underclearance of 1.57 M (invert depressed 0.3 M) in Connell Run (WWF) on S. R. 1037, Section 01R at a point approximately 800 feet upstream of the confluence of said stream with the Youghiogheny River, also to construct and maintain two outfall structures in said stream. Project is located in (Connellsville, PA Quadrangle N: 2.8 inches; W: 12.7 inches) the City of Connellsville, **Fayette County**.

**E65-714.** Encroachment. **Pennsylvania Department of General Services**, Bureau of Engineering and Architecture, 18th and Herr Streets, Harrisburg, PA 17125. To construct and maintain a flood protection project consisting of approximately 3,100 linear feet of earthen levee, 3,200 linear feet of concrete floodwall and ponding areas along the north bank of Brush Creek (CWF) for the purpose of protecting public safety and property along Brush Creek (Irwin, PA Quadrangle N: 14.7 inches; W: 1.1 inches) in the City of Jeannette and Penn Borough, **Westmoreland County**.

## WATER ALLOCATIONS

**Applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.**

*Southcentral Regional Office: Field Operations, Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.*

**WA 06-1011.** Water Allocation. **Citizens Utilities of PA, Berks County.** The applicant is requesting the right to purchase 2.0 million gallons per day from the City of Reading.

*Northwest Regional Office: Regional Manager, Water Supply Management, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6899.*

**WA 25-1003.** Water Allocation. **North East Borough,** 58 East Main Street, North East, PA 16428, for the right to withdraw 3.4 mgd from Lake Erie. The proposed Lake Erie withdrawal will be in the vicinity of Freeport Beach in North East Township, **Erie County,** to meet projected water demands of the Borough. This application is contingent upon the issuance of a PWS permit for the construction of an 18-inch raw water transmission main from the withdrawal site to the Borough's existing treatment plant.

## ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should

contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**WQM Permit No. 1598422.** Sewerage. **Valley Forge Sewer Authority,** 333 Pawling Road, Phoenixville, PA 19460. Construction and operation of Perkiomen pump station adjacent to Valley Forge Sewer Authority Treatment plant located in Schuylkill Township, **Chester County.**

**WQM Permit No. 1598417.** Sewerage. **Oxford Area Sewer Authority,** P. O. Box 380, Oxford, PA 19363. Construction and operation of a sewage pump station to serve Locksley Glen subdivision located in East Nottingham Township, **Chester County.**

**WQM Permit No. 4698432.** Sewerage. **Bruce K. Entwisle,** 500 Sweedsford Road, Ambler, PA 19002. Construction and operation to serve a single family residence located in Lower Gwynedd Township, **Montgomery County.**

**WQM Permit No. 0998424.** Sewerage. **Bucks County Water and Sewer Authority,** 1275 Almshouse Road, Warrington, PA 18976. Construction and operation of a 12 inch sewer line and a pump station which will include an upgrade and reconstruction of Morgan Creek pump Station No. 3 located in Richland Township, **Bucks County.**

**WQM Permit No. 0998420.** Sewerage. **Jeanette DeMoreland,** 34 Tohickon Drive, Ottsville, PA 18942. Construction and operation of a single residential STP serving DeMoreland property at 506 Old Bethlehem Road located in Haycock Township, **Bucks County.**

**NPDES Permit No. PA0043982.** Sewage. **Utilities Inc. of PA,** 5701 West Park Drive No. 101, Charlotte, NC 28217 is authorized to discharge from a facility located at Broad Run WWTP, 1202 Sawmill Road, Downingtown, PA 19335 located in West Bradford Township, **Chester County** into East Branch of Brandywine Creek.

**NPDES Permit No. PA0057576.** Sewage. **Bruce K. Entwisle,** 500 Sweedsford Road, Lower Gwynedd, PA 19002 is authorized to discharge from a facility located in Lower Gwynedd Township, **Montgomery County** into an unnamed tributary to Wissahickon Creek.

**NPDES Permit No. PA0052761.** Sewage. **Buckingham Valley Nursing Home,** P. O. Box 447, Buckingham, PA is authorized to discharge from a facility located in Buckingham Township, **Bucks County** to an unnamed tributary to Mill Creek.

**NPDES Permit No. PA0055263.** Sewage. **Executive Center Condominium Association c/o B. C. Property Management,** 220 Farm Lane, Doylestown, PA 18901 is authorized to discharge from a facility located in Plumstead Township, **Bucks County** into an unnamed tributary to North Branch Neshaminy Creek.

**NPDES Permit No. PA0012190.** Industrial waste. **Precision Tube Company,** 287 Wissahickon Avenue, North Wales, PA 19454 is authorized to discharge from a facility located at Mueller Streamlined Company, Upper Gwynedd Township, **Montgomery County** into Wissahickon Creek.

**NPDES Permit No. PA0011746.** Industrial waste. **PA-American Water Company**, 800 West Hershey Park Drive, P. O. Box 888, Hershey, PA 17033-0888 is authorized to discharge from a facility located at Norristown Water Purification Plant in Norristown Borough, **Montgomery County** into Schuylkill River.

**NPDES Permit No. PA0052205.** Sewage. **John Murphy Jr.**, 89 Chestnut Valley Drive, Doylestown, PA 18901 is authorized to discharge from a facility located in Doylestown Township, **Bucks County** to an unnamed tributary to Cooks Run.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Permit No. 4098404.** Sewerage. **Dallas Area Municipal Authority**, 530 South Memorial Highway, Shavertown, PA 18708. Permit to construct a gravity sewer extension and pump station with force main to serve Brown Manor development, located in Kingston Township, **Luzerne County**.

**NPDES Permit No. PA-0029432.** Sewerage. **PA Department of Public Welfare**, P. O. Box 2675, Harrisburg, PA 17105-0000 is authorized to discharge from a facility located in Newton Township, **Lackawanna County**, to Falls Creek.

**NPDES Permit No. PA-0061476.** Sewerage. **Edgewood Mobile Home Park**, R. R. 1, Box 313, Carbondale, PA 18407 is authorized to discharge from a facility located in Glenburn Township, **Lackawanna County**, to an unnamed tributary of Ackerly Creek.

**NPDES Permit No. PA-0063207.** Sewerage. **Scott Township Sewer and Water Authority**, R. R. 1, Box 324, Jermyn, PA 18433 is authorized to discharge from a facility located in Scott Township, **Lackawanna County**, to South Branch Tunkhannock Creek.

**NPDES Permit No. PA-0024716.** Sewerage. **Freeland Borough Municipal Authority**, 711 Birkbeck Street, Freeland, PA 18224 is authorized to discharge from a facility located in Foster Township, **Luzerne County**, to Wet Weather Channel to Pond Creek.

**NPDES Permit No. PA-0042048.** Sewerage. **Conyngam Borough Authority**, P. O. Box 469, Conyngham, PA 18219 is authorized to discharge from a facility located in Sugarloaf Township, **Luzerne County**, to Nescopeck Creek.

**NPDES Permit No. PA-0061417.** Industrial waste. **Northeastern Power Company**, P. O. Box 7, McAdoo, PA 18237 is authorized to discharge from a facility located in Kline Township, **Schuylkill County**, to the Little Schuylkill River.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**NPDES Permit No. PA PAG043603.** Sewerage. **Denver L. and Karen F. Black**, 10725 Tim Road, Orrstown, PA 17244 is authorized to discharge from a facility located in Lurgan Township, **Franklin County** to an unnamed tributary to Paxton Run.

**NPDES Permit No. PA0084778.** Sewerage. **Granville Township**, 100 Helen Street, Lewistown, PA 17044 is authorized to discharge from a facility located in Oliver Township, **Mifflin County** to the receiving waters named Strodes Run.

**NPDES Permit No. PA0028142.** Sewerage. **Pennsylvania National Guard**, DMVA, State Armory Board

Building 0-47, Fort Indiantown Gap, Annville, PA 17003-5002 is authorized to discharge from a facility located in East Hanover Township, **Lebanon County** to the receiving waters named Swatara Creek.

**NPDES Permit No. PA0021806, Amendment No. 2.** Sewerage. **Annville Township**, P. O. Box 320, Annville, PA 17003 is authorized to discharge from a facility located in North Annville Township, **Lebanon County** to the receiving waters named Quittapahilla Creek.

**NPDES Permit No. PA0087921.** Sewerage. **Berwick Township**, 85 Municipal Road, Hanover, PA 17331 is authorized to discharge from a facility located in Berwick Township, **Adams County** to the receiving waters of an unnamed tributary of Pine Run.

**NPDES Permit No. PA0051861, Amendment No. 1.** Sewerage. **Penn Sylvan Realty Corporation**, R. R. 3, Box 3770, Mohnton, PA 19540-9231 is authorized to discharge from a facility located in Brecknock Township, **Berks County** to the receiving waters of an unnamed tributary of Rock Run.

**NPDES Permit No. PA0084255, Amendment No. 1.** Sewerage. **Swatara Mobile Home Park**, 2459 Grace Avenue, Lebanon, PA 17046 is authorized to discharge from a facility located in Swatara Township, **Lebanon County** to the receiving waters of an unnamed tributary of Swatara Creek.

**NPDES Permit No. PA0026875, Amendment No. 1.** Sewerage. **The Borough of Hanover**, 44 Frederick Street, Hanover, PA 17331 is authorized to discharge from a facility located in Conewago Township, **Adams County** to the receiving waters named South Branch Conewago Creek.

**NPDES Permit No. PA0037150, Amendment No. 2.** **Penn Township, York County Authority**, 20 Wayne Avenue, Hanover, PA 17331 is authorized to discharge from a facility located in Penn Township, **York County** to the receiving waters named Oil Creek.

**NPDES Permit No. PA0083747, Amendment No. 1.** Industrial. **Weaber, Inc.**, 1231 Mount Wilson Road, Lebanon, PA 17042 is authorized to discharge from a facility located in South Annville Township, **Lebanon County** to the receiving waters named Gingrich Run.

**NPDES Permit No. PA0085600.** Industrial. **Ono Industries, Inc.**, Route 22 West, P. O. Box 150, Ono, PA 17077 is authorized to discharge from a facility located in East Hanover Township, **Lebanon County** to the receiving waters named Reeds Creek.

**NPDES Permit No. PA0014605.** Industrial. **United Water Pennsylvania, Inc.**, 4211 East Park Circle, Harrisburg, PA 17111-0151 is authorized to discharge from a facility located in Fairview Township, **York County** to the receiving waters named Yellow Breeches Creek.

**Permit No. 3698412.** Sewage. **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603. This permit approves the construction of a pump station in West Hempfield Township, **Lancaster County**.

**Permit No. 2898404.** Sewage. **Denver L. and Karen F. Black**, 10725 Tim Road, Orrstown, PA 17244. This permit approves the construction of sewage treatment facilities in Lurgan Township, **Franklin County**.

**Permit No. 2269201, Amendment No. 1.** Industrial. **Chloe Eichelberger Textiles, Inc.**, 142 Airport Drive, Middletown, PA 17057. This permit approves the con-



struction of impoundment and liner system and industrial waste treatment facilities in Lower Swatara Township, **Dauphin County**.

**Permit No. 0683406, Amendment No. 1.** Sewage. **Penn Sylvan Realty Corporation**, R. R. 3, Box 3770, Mohnton, PA 19540-9231. This permit approves the modification to the construction of a sewage treatment plant and a spray field in Brecknock Township, **Berks County**.

*Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.*

**NPDES Permit No. PA0027049.** Sewerage. **Williamsport Sanitary Authority**, 253 West Fourth Street, Williamsport, PA 17701-6113. Applicant granted permission to renew NPDES permit to discharge from the West plant sewer treatment facility, located at the City of Williamsport, **Lycoming County**.

**NPDES Permit No. PA0113298.** Sewerage. **Elkland Borough Authority**, 105 Parkhurst Street, Elkland, PA 16920. Applicant granted permission to renew NPDES permit to discharge treated sewage to the Cowanesque River. Facility located at Elkland Borough, **Tioga County**.

**NPDES Permit No. PA0060062.** Sewerage. **United States Department of Labor**, Red Rock Job Corps Center, P. O. Box 218, Lopez, PA 18628-0218. Applicant granted permission to renew NPDES permit to discharge treated sewage to unnamed tributary to Mehoopany Creek. Facility located at Colley Township, **Sullivan County**.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0101800.** Industrial waste. **Lord Corporation**, 601 South Street, P. O. Box 1050, Saegertown, PA 16433 is authorized to discharge from a facility located in Saegertown Borough, **Crawford County** to French Creek and Woodcock Creek.

**NPDES Permit No. PA0093157.** Sewage. **Moraine Camplands Association, Inc.**, 281 Staff Road, Slippery Rock, PA 16057 is authorized to discharge from a facility located in Brady Township, **Butler County** to an unnamed tributary to Big Run.

**NPDES Permit No. PA0038482.** Sewage. **Fox Township Sewer Authority**, Gahr Road, Kersey, PA 15846 is authorized to discharge from a facility located in Fox Township, **Elk County** to an unnamed tributary to Dagusahonda Run.

**NPDES Permit No. PA0222739.** Sewage. **Blooming Valley United Methodist Church**, 24740 State Street, Meadville, PA 16335 is authorized to discharge from a facility located in Blooming Valley Borough, **Crawford County**.

**INDIVIDUAL PERMITS**

**(PAS)**

The following NPDES Individual Permits for discharges of stormwater from construction activities have been issued.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-G327	West Bradford Township 1385 Campus Drive Downingtown, PA 19335	West Bradford Township Chester County	Broad Run
PAS10-G329	East Vincent Township 262 Ridge Road Spring City, PA 19475	East Vincent Township Chester County	French Creek
PAS10-G336	Wooldridge Construction of PA 1500 Green Hill Road West Chester, PA 19380	East Goshen Township Chester County	West Branch Ridley Creek
PAS10-G341	Dominion Corporate Center Associates c/o Realen Properties, Inc. 725 Talamore Drive Ambler, PA 19002	Tredyffrin Township Chester County	Schuylkill River
PAS10-T014-R	Hough/Loew Associates, Inc. 55 Country Club Dr., Suite 200 Downingtown, PA 19335	Limerick Township Montgomery County	Unnamed Tributary to Brook Evans Creek

*Southcentral Region: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PAS-10-0416.** Individual NPDES. **Dauphin County General Authority**, 530 Harrisburg Street, Harrisburg, PA 17113. To implement an erosion and sedimentation control plan for streambanks stabilization, construction of footbridges, golf cart bridges and grading of golf course feature on 86 acres in Bedford Township, **Bedford County**. The project is located about 1 mile south of Bedford Borough (Bedford, PA Quadrangle N: 11.75 inches; W: 1.26 inches). Drainage will be to Shobers Run.

**INDIVIDUAL PERMITS  
(PAR)**

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

*List of NPDES and/or other  
General Permit Type*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

*General Permit Type—PAG-2*

*Facility Location*

<i>County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Doylestown Township Bucks County	PAR10-D415	The Cutler Group, Inc. P. O. Box 629 Horsham, PA 19044	Neshaminy Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Milford Township Bucks County	PAR10-D416	Canary Group 401 Fairview Avenue Quakertown, PA 18951	Unnamed Tributary to Neshaminy Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Northampton Township Bucks County	PAR10-D417	Paulte Homes Corporation 1210 Northbrook Dr., Suite 150 Trevose, PA 19053	Unnamed Tributary to Neshaminy Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
New Britain Township Bucks County	PAR10-D422	National Shrine of Czestochowa P. O. Box 2049 Doylestown, PA	North Branch Neshaminy Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Falls Township Bucks County	PAR10-D405	Accu-Fire 1241-R East Maple Avenue Langhorne, PA 19047	Van Sciver Lake	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Newtown Township Bucks County	PAR10-D410	Orleans Home Builders One Greenwood Plaze 333 Street Rd. Bensalem, PA	Hough's Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Hilltown Township Bucks County	PAR10-D355	Calvary Church of Souderton P. O. Box 84, Soudertown, PA	Mill Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Newtown Township Bucks County	PAR10-D357	Pitcairn Properties, Inc. 165 Township Line Rd., Suite 1500 Jenkintown, PA 19046	Tributary to Core Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Richland Township Bucks County	PAR10-D359	Americorp Development 476 West Street Road Warminster, PA 18974	Unnamed Tributary to Beaver Run	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Plumstead Township Bucks County	PAR10-D361	Heritage-Steeple Chase, LP 3326 Old York Road, Suite B Furlong, PA 18925	Pine Run Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Sadsbury Township Chester County	PAR10-D286	Cosmos Development P. O. Box 656 Sadsbury, PA 19396	Buck Run	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Bethel Township Delaware County	PAR10-J137	Chetty Builders, Inc. P. O. Box 805 Concordville, PA	Naamans Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Newtown Township Delaware County	PAR10-J140	Township of Newtown 209 Bishop Hollow Road Newtown Square, PA 19073	Foxes Run	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Limerick Township Montgomery County	PAR10-T490	Neil and June Dreslin P. O. Box 53 Limekiln, PA 19535	Unnamed Drainage way into Mingo Creek	555 North Lane, Suite 6010, Lee Park Conshohocken, PA 19428 (610) 832-6130
Luzerne County Hazle Township	PAR10R169	Louis and Elaine Beltrami c/o Thomas M. Durkin & Sons, Inc. 3030 Grant St. Philadelphia, PA 19114	Tributary to Cranberry Creek	Luzerne CD (570) 674-7991
Erie County Washington Township	PAR10K122	Hytech Tool & Design Co. 12076 Edinboro Road Edinboro, PA 16412	Free Outfall	Erie Conservation District 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Mercer County Pine Township	PAR104336	Carol Christner Christner Realty, Inc. 235 Alpha Drive Pittsburgh, PA 16148	Unnamed Tributary to Swamp Run	Mercer Conservation District R. D. 2, Box 2055 747 Greenville Road Mercer, PA 16137 (724) 662-2242
Mercer County City of Hermitage	PAR104338	John XXIII Home 2250 Shenango Valley Freeway Hermitage, PA 16148	Unnamed Tributary to Bobby Run	Mercer Conservation District R. D. 2, Box 2055 747 Greenville Road Mercer, PA 16137 (724) 662-2242
Schuylkill County Wayne Township	PAR105773	Hidden Valley Golf Course Driving Range Robert P. Jones, Mgr. Hidden Valley Golf Course 1753 Panther Valley Rd. Pine Grove, PA 17963	Upper Little Swatara Creek	Schuylkill CD (570) 622-3742

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Kennedy Township	PAR10A145-R	Golden Triangle Ent. Inc. 44 Partridge Lane Imperial, PA 15126	Chartiers Creek	Allegheny County CD (412) 241-7645
Allegheny County Bethel Park Borough	PAR10A278	Municipality of Bethel Park 5200 West Liberty Avenue Bethel Park, PA 15102	Lick Run	Allegheny County CD (412) 241-7645
Allegheny County Findlay Township Moon Township	PAR10A294	PA Dept. of Transportation 45 Thoms Run Road Bridgeville, PA 15017	McClaren Run Enlow Run	Allegheny County CD (412) 241-7645
Allegheny County South Park Township Jefferson Borough	PAR10A301	PA Dept. of Transportation P. O. Box 67676 Harrisburg, PA 17106-7676	Peters Creek Lick Run	Allegheny County CD (412) 241-7645
Allegheny County Pine Township	PAR10A310	Empire Properties, Inc. 375 Golfside Drive Wexford, PA 15090	Pine Creek	Allegheny County CD (412) 241-7645
Allegheny County Hampton Township	PAR10A311	Hampton Township 3101 McCully Road Allison Park, PA 15101	Gourhead Run	Allegheny County CD (412) 241-7645
Allegheny County South Fayette Township	PAR10A312	Municipal Authority of South Fayette Township P. O. Box 171 Morgan, PA 15064	UNT Millers Run	Allegheny County CD (412) 241-7645
Allegheny County Upper St. Clair Township	PAR10A313	National Assisted Living Limited Partnership 2150 Goodlette Road Suite 800 Naples, FL 34102	Chartiers Creek	Allegheny County CD (412) 241-7645
Allegheny County Harmar Township	PAR10A314	Pirollo Transport Company 6312 Hooker Street Pittsburgh, PA 15206	Little Deer Creek	Allegheny County CD (412) 241-7645
Allegheny County Collier Township	PAR10A319	Woodmont Corporation One Ridmar Center Suite 900 6500 W. Freeway Fort Worth, TX 76116-2190	Chartiers Creek	Allegheny County CD (412) 241-7645
Allegheny County Ohio Township	PAR10A321	Ohio Township 1719 Roosevelt Road Pittsburgh, PA 15237	UNT Kilbuck Run	Allegheny County CD (412) 241-7645
Allegheny County Pine Township	PAR10A329	Stonewood East 101 Bradford Road Wexford, PA 15090	Brush Creek	Allegheny County CD (412) 241-7645
Beaver County Beaver Falls Borough Homewood Borough Koppel Borough Big Beaver Borough	PAR100252	Big Beaver Municipal Authority 114 Forest Drive Darlington, PA 16115	Clarks Run Wallace Run Stetzman Run Beaver Run	Beaver County CD (724) 774-7090
Beaver County Industry Borough	PAR100253	PA Dept. of Transportation 45 Thoms Run Road Bridgeville, PA 15017	Six Mile Run Wolfs Run	Beaver County CD (724) 774-7090
Fayette County Redstone Township	PAR10L047	Department of Transportation BAMR P. O. Box 8476 Harrisburg, PA 17105-8476	Dunlap Creek	SW Regional Office (412) 442-4315
Indiana County White Township	PAR103143	Edward Rellick 300 N. 9th Street Indiana, PA 15701	UNT McCarthy Run	Indiana County CD (724) 463-8547

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Indiana County East Wheatfield Township Buffington Township	PAR103144	Highridge Water Authority 17 Maple Avenue Blairsville, PA 15717	Blacklick Creek	Indiana County CD (724) 463-8547
Westmoreland County South Huntingdon Township	PAR10X108	Lou Yemc 350 Arona Road New Stanton, PA 15672	Hunters Run	Westmoreland County CD (724) 837-5271
Westmoreland County Rostraver Township	PAR10X131	Casey Harper P. O. Box 748 Belle Vernon, PA 15012	Cedar Creek	Westmoreland County CD (724) 837-5271
Westmoreland County East Huntingdon Township	PAR10X145	Edge Family Limited Partnership 1220 University Drive Dunbar, PA 15431	UNT Sew Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Upper Burrell Washington Township	PAR10X147	Leeds Business Accessories 795 Pine Valley Drive Pittsburgh, PA 15239	UNT Puckety Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Murrysville	PAR10X149	Redstone Presbyterian 6 Garden Center Greensburg, PA 15601	Turtle Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Unity Township	PAR10X150	Kennametal, Inc. P. O. Box 231 Latrobe, PA 15650	Loyalhanna Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Fairfield Township	PAR10X152	Dept. of Environmental Protection Bureau of Abandoned Mine Reclamation P. O. Box 8476 Harrisburg, PA 17105-8476	UNT Hannas Run	Westmoreland County CD (724) 837-5271
Westmoreland County Rostraver Township	PAR10X153	Westmoreland County Airport-Runway 200 Pleasant Unity Road Suite 103 Latrobe, PA 15601	Long Hollow Youghiogheny River	Westmoreland County CD (724) 837-5271
Westmoreland County Unity Township	PAR10X154	Carol G. Pollock R. D. 1, P. O. Box 199 Latrobe, PA 15650	UNT Nine Mile Run	Westmoreland County CD (724) 837-5271
Westmoreland County Penn Township	PAR10X156	Lorasen Holdings, Inc. P. O. Box 241 Harrison, PA 15636	UNT Bushy Run	Westmoreland County CD (724) 837-5271
Westmoreland County Jeannette City	PAR10X157	Redevelopment Authority of Westmoreland County 601 Courthouse Square Greensburg, PA 15601	UNT Brush Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Rostraver Township	PAR10X159	PA Dept. of Transportation P. O. Box 459 Uniontown, PA 15401-0459	Speers Run	Westmoreland County CD (724) 837-5271
Westmoreland County South Huntingdon Township	PAR10X161	Eldo Bisacca 700 Atlantic Avenue McKeesport, PA 15132	Youghiogheny River	Westmoreland County CD (724) 837-5271
Westmoreland County Unity Township	PAR10X163	Huthison Excavating 129 Philadelphia Street Armagh, PA 15920	Four Mile Run	Westmoreland County CD (724) 837-5271
Westmoreland County Rostraver Township	PAR10X164	United Mobile Homes 3894 Thomas Memphis, TN 38127	UNT Cedar Creek	Westmoreland County CD (724) 837-5271

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Westmoreland County Sewickley Township	PAR10X166	Westinghouse Electric I-70 Madison Exit 25A P. O. Box 158 Madison, PA 15663	Calley's Run	Westmoreland County CD (724) 837-5271
Westmoreland County Hempfield Township	PAR10X167	Duquesne Light Company 411 Seventh Avenue Pittsburgh, PA 15230	Little Sewickley Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Rostraver Township	PAR10X168	The Mon Valley Program Eastgate Eleven Monessen, PA 15062	Long Hollow Youghioghney River	Westmoreland County CD (724) 837-5271
Westmoreland County Derry Township	PAR10X169	Dept. of Environmental Protection BAMR P. O. Box 8476 Harrisburg, PA 17105	UNT Loyalhanna Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Hempfield Township	PAR10X170	University of Pittsburgh 3400 Forbes Avenue Pittsburgh, PA 15260	Slate Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Unity Township	PAR10X171	Esther Glasser 1419 Highview Drive Greensburg, PA 15601	Line Run	Westmoreland County CD (724) 837-5271
Westmoreland County Hempfield Township	PAR10X172	Donald A. Paulone 1 Corporate Circle Suite 1000 Greensburg, PA 15601	Jacks Run	Westmoreland County CD (724) 837-5271
Westmoreland County South Greensburg Borough	PAR10X175	Westmoreland County Industrial Development Courthouse Square Suite 601 Greensburg, PA 15601	Jacks Run	Westmoreland County CD (724) 837-5271
Westmoreland County East Huntingdon Township	PAR10X176	East Huntingdon Township P. O. Box 9 Alverton, PA 15612-0009	Jacobs Creek	Westmoreland County CD (724) 837-5271
Westmoreland County Hempfield Township	PAR10X177	Cintas Corporation 27 Whitney Drive Milford, OH 45140	Wilson Run	Westmoreland County CD (724) 837-5271
Westmoreland County East Huntingdon Township Mt. Pleasant Borough	PAR10X182	THF Mt. Pleasant JT Venture 955 Executive Parkway Suite 210 St. Louis, MO 63141-6357	Jacobs Creek	Westmoreland County CD (724) 837-5271
South Heidelberg Township Berks County	PAR-10-C233	South Heidelberg Ind. Park PHA I Del C. Markward President DCM III Associates 1628 North 18th Street Allentown, PA 18104	Cacoosing Creek	Berks County CD P. O. Box 520 1238 County Welfare Rd. Leesport, PA 19533 (610) 372-4657
Lower Allen Township Cumberland County	PAR-10-H193	Crossgates Inc. Westport Business Park 3555 Washington Road McMurray, PA 15317	Cedar Run	Cumberland County CD 43 Brookwood Ave. Suite 4 Carlisle, PA 17013 (717) 240-7812
Susquehanna Township Dauphin County	PAR-10-I176	OM Real Estate Ventures 1190 Wood Street Hummelstown, PA 17036	Paxton Creek	Dauphin County CD 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lower Paxton Township Dauphin County	PAR-10-I172	Forest Hills Associates 4701 North Front Street Harrisburg, PA 17110	Paxton Creek	Dauphin County CD 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Derry Township Dauphin County	PAR-10-I169	The Pennsylvania State University P. O. Box 850 Hershey, PA 17033	Spring Creek (East)	Dauphin County CD 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Warwick Township Lancaster County	PAR-10-O-352	Warner Lambert 400 West Lincoln Avenue Lititz, PA 17543	Lititz Run	Lancaster County CD 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361
West Manheim Township York County	PAR-10-Y355	Woodridge Hunt Joseph A. Myers 150 Ram Drive Hanover, PA 17331	Unt. S. Branch Codorus Creek	York County CD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
West Manchester Township York County	PAR-10-Y296	The Greens at West Gate Phase II Shah Mathias P. O. Box 163 Red Lion, PA 17356	Willis Run	York County CD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAR-10-Y369	Southern York School District Wayne McCullough P. O. Box 128 Glen Rock, PA 17327	Unt. to S. Branch Codorus Creek	York County CD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Carroll Township York County	PAR-10-Y341	Clyde R. Strayer Trust Bob Watkinson Mellon Bank 10 South Second Street Harrisburg, PA 17108-1010	Unt. to Yellow Breeches Creek	York County CD 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
<i>General Permit Type—PAG-3</i>				
<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Lackawanna County Archbald Borough	PAR112215	Lockheed Martin Tactical Defense Systems J.F.K. Drive Archbald, PA 18403	N/A	Northeast Regional Office Water Management Program 2 Public Square Wilkes-Barre, PA 18711 (717) 826-2553
Lehigh County City of Allentown	PAR602211	Liberty Recycling, Inc. P. O. Box 1014 Allentown, PA 18105	Jordan Creek Lehigh River	Northeast Regional Office Water Management Program 2 Public Square Wilkes-Barre, PA 18711 (717) 826-2553
Luzerne County Hazleton City	PAR602212	M. H. Brenner Recycling, Inc. 282 S. Wyoming Street Hazleton, PA 18201	N/A	Northeast Regional Office Water Management Program 2 Public Square Wilkes-Barre, PA 18711 (717) 826-2553

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Luzerne County Hazle Township	PAR802236	Pitt Ohio Express, Inc. 45 26th Street Pittsburgh, PA 15222	N/A	Northeast Regional Office Water Management Program 2 Public Square Wilkes-Barre, PA 18711 (717) 826-2553
Luzerne County Hanover Township	PAR112223	Koehler-Bright Star, Inc. 380 Stewart Road Wilkes-Barre, PA 18760	Sugar Notch Run (Solomon Creek)	Northeast Regional Office Water Management Program 2 Public Square Wilkes-Barre, PA 18711 (717) 826-2553
Columbia County South Centre Township	PAR144807	Haddon Craftsmen Inc. R. R. Donnelley & Sons Co. 4411 Old Berwick Rd. Bloomsburg, PA 17815	Cambells Creek	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664

### SEWAGE FACILITIES ACT

#### PLAN APPROVAL

#### Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

*Regional Office: Water Management Program Manager, Southcentral Region, 909 Elmerton Ave., Harrisburg, PA 17110.*

*Location: Strasburg Borough, Lancaster County, 140 Precision Ave., Strasburg, PA 17579.*

The approved plan examines capacity requirements over the next 20 years and three alternates to achieve that capacity; building its own STP, building an STP in conjunction with Strasburg Township, and purchasing additional capacity from suburban Lancaster Sewer Authority (SLASA). The selected alternative is purchase of an additional 100,000 gpd of capacity from SLASA. Ultimately, two pump stations will have to be expanded. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Responsible Office: Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

*Location: Zelienople Borough, Harmony Borough, Jackson Township, Lancaster Township, Butler County.*

Western Butler County Authority  
607 Market Street  
Zelienople, PA 16063

*Project Description:* This approved project proposes expansion of the design capacity of the sewage treatment plant from 1.5 to 2.2 mgd. It also provides for additional wet weather flow capacity to eliminate a hydraulic overload.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safety Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**Permit No. 0998509.** Public water supply. **North Wales Water Authority**, 200 West Walnut Street, P. O. Box 1339, North Wales, PA 19454. A permit has been issued to the North Wales Water Authority for the construction of a 4.0 mg high point elevated storage tank and the connecting mains. Also, this project will include the demolition of the existing 3.5 mg high point standpipe in New Britain Township, **Bucks County**.

*Type of Facility:* Public Water Supply System

*Consulting Engineer:* Gannette Fleming, Inc., P. O. Box 67100, Harrisburg, PA 17106

*Permit to Construct Issued:* January 19, 1999

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Permit No. 4598503.** Public water supply. **Pennsylvania American Water Company**, 800 West Hershey Drive, Hershey, PA 17033. This proposal involves the installation of corrosion inhibitor feed facilities at the PAWC properties of Pine Hill and Summit Point. PAWC properties changing the AquaMag polyphosphate feed at the Pocono Mountain Industrial Park Well to a zinc orthophosphate. It is located in Coolbaugh Township, **Monroe County**.

*Construction permit issued:* December 22, 1998.

**Permit No. 4598504.** Public water supply. **Mushroom Farms Development**, 7 Sherman Road, Tobyhanna, PA 18466. This proposal involves the installation of equipment for pH adjustment and to apply a corrosion inhibiting chemical. It is located in Tobyhanna Township, **Monroe County**.



*Construction permit issued:* December 31, 1998.

**Permit No. 4598505.** Public water supply. **Estates at Stone Row**, Rob Sedwin, President, Property Owners Association, 16 Image Drive, Scotrun, PA 18355. This proposal involves an application for permit for two existing 15 to 20 gpm wells with chlorine disinfection serving the Estates at Stone Row. These two wells serve six cluster units, each containing four dwelling units for a total buildout of 24 housing units. It is located in Pocono Township, **Monroe County**.

*Construction permit issued:* December 23, 1998.

**Permit No. 4898502.** Public water supply. **Walnutport Water Authority**, Michael Newhard, 415 Lincoln Avenue, Walnutport, PA 18088. This proposal involves the addition of oxidation and a 175 gpm filtration plant to remove iron and manganese from the source water of Well No. 5. It is located in Walnutport Borough, **Northampton County**.

*Construction permit issued:* December 31, 1998.

**Minor Amendment for Permit No. 3994501.** Public water supply. **Whitehall Township Authority**, Mickley Gardens System, for modification to booster pump at Mickley Gardens Air Stripper. It is located in Whitehall Township, **Luzerne County**.

Operations Permit issued on December 8, 1998, to **Silver Springs Mountain Water Company**, Silver Lake Township, **Susquehanna County**.

Operations Permit issued on December 15, 1998, to **Hollister Heights Mobile Home Park**, Salem Township, **Wayne County**.

Operations Permit issued on December 30, 1998, to **Campbell's Ledge Water Storage Tank**, Duryea Borough, **Luzerne County**.

Operations Permit issued on December 18, 1998, to **Nicholson Borough Authority**, Nicholson Borough, **Wyoming County**.

Operations Permit issued on December 29, 1998, to **Chestnut Ridge Mobile Home Park**, Well No. 2 pump station, Lower Towamensing Township, **Carbon County**.

**Permit No. 4598506.** Public water supply. **Stroudsburg Municipal Authority**, 410 Stokes Avenue, P. O. Box 237, East Stroudsburg, PA 18301. This proposal involves the use of duplex submersible, in line, booster pumps with associated controls and small hydropneumatic tanks. It is located in Stroud Township, **Monroe County**.

*Construction permit issued:* January 26, 1999.

**Permit No. 4598508.** Public water supply. **Community Association of Pocono Farms**, Donald Weaver, General Manager, 7000 Lake Road, Tobyhanna, PA 18466. This proposal involves the construction of corrosion control treatment facilities at Well Nos. 1, 2 and 4. The treatment proposed passivation by pH/alkalinity adjustment by the addition of caustic soda.

*Construction permit issued:* February 3, 1999.

**Permit No. 5498510.** Public water supply. **West Penn Pines Mobile Home Park**. This proposal involves the construction of two 60 gallon permitted wells with disinfection and manganese sequestering supplying a 344 single family modular housing unit development with 4" and 8" PVC pipe. Storage will be provided by a .307 million gallon tank. It is located in West Penn Township, **Schuylkill County**.

*Construction permit issued:* January 25, 1999.

**Permit No. 5498504.** Public water supply. **Blue Mountain Elementary School**, Red Dale Road, Orwigsburg, PA 17961. This proposal involves the addition of a contact tank cartridge filter, and sequestering to augment existing treatment for iron removal. The amended system becomes: pH adjustment, chlorination contact time, cartridge filtration, sequestering and finished water storage. It is located in Wayne Township, **Schuylkill County**.

*Construction permit issued:* January 19, 1999.

**Special Permit by Rule. 3486466. Glacier Water Services, Inc.**, 2261 Cosmos Court, Carlsbad, CA 92009, Ebbie Hoitt. Glacier Water Services will operate nine NAMA approved vending machines.

*Permit issued:* January 25, 1999.

Operations Permit issued on January 5, 1999, to **Jim Thorpe Borough (West Side Filtration Plant)** Jim Thorpe Borough, **Carbon County**.

Operations Permit issued on January 25, 1999, to **Tamaqua Area Water Authority**, Tamaqua Borough, **Schuylkill County**.

Operations Permit issued on January 4, 1999, to **Sisters of Mercy of Dallas, PA**, Mercy Center Well No. 1, Dallas Township, **Luzerne County**.

*Regional Office: Northcentral Field Operations, Environmental Program Manager; 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**Permit No. 4198501.** The Department issued a construction permit application to **Melvin G. Rummings** (Country Squire Courts Mobile Home Park, P. O. Box 402, Salladsburg, PA 17740, Woodward Township, **Lycoming County**) for construction of a filtration plant, raw water intake structure, finished water storage, raw water, filter water, system pressure pumps, wastewater settling tanks and various transmission lines.

## LAND AND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 3

**The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of

receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports.

*Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Wilkes-Barre General Hospital Ancillary Construction Site**, City of Wilkes-Barre, **Luzerne County**. Scott Ressler, Environmental Toxicologist, Cocciardi & Associates, Inc., 4 Kacey Court, Mechanicsburg, PA 17055 has submitted a Final Report (on behalf of his client, Wilkes-Barre General Hospital, Auburn and North Streets, Wilkes-Barre, PA 18764) concerning the remediation of site soils and groundwater found to have been contaminated with petroleum hydrocarbons. The report was submitted to document remediation of the site to meet the Statewide human health standard.

**Bendzlowicz Property** (6374 Willow Street, Jacksonville, PA), East Allen Township, **Northampton County**. Douglas H. Sammak, President, American Analytical & Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 has submitted a Final Report (on behalf of his clients, Kevin and Sandra Bendzlowicz, 6 Short Lane Road, Northampton, PA 18067) concerning the remediation of site soils found to have been contaminated with BTEX (benzene, toluene, ethylbenzene and xylene) compounds, petroleum hydrocarbons and polycyclic aromatic hydrocarbons (PAHs). The report was submitted to document remediation of the site to meet the Statewide human health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 4

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.**

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the Act 2 (Land Recycling and Environmental Remediations Standards Act) remediation standards. Plans and reports required by provisions of Act 2 for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site

investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Offices listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Vilsmeier Auction Company**, Horsham Township, **Montgomery County**. Sunand Mabbula, P.G., Hardy Environmental Services, 425 Old Airport Road, New Castle, DE 19720, has submitted a Final Report concerning the remediation of site soil contaminated with BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on January 22, 1999.

## SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Solid Waste Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Southcentral Regional Office: Regional Solid Waste Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706.*

**Permit No. 400618. The Milton S. Hershey Medical Center** (500 University Drive, Hershey, PA 17033-0850). Application for permit renewal for a pathological and infectious waste incinerator for a site in Derry Township, **Dauphin County**. Permit issued in the Regional Office January 4, 1999.

This was incorrectly published in the January 23, 1999 *Pennsylvania Bulletin*.

*Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.*

**Permit No. 100691.** Permit application to renew facility's operating permit for the term April 25, 1999 through April 25, 2009, was received from **Water Management of Pennsylvania, Inc.** (Greater Erie Transfer Station and Recycling Center), 1159 West 16th Street, Erie, PA 16502. Permit was issued in the Regional Office on January 25, 1999.

**Permit No. 101646.** Permit to accept municipal waste-like residual wastes (Form S) was received from **World**

**Resource Recovery Systems, Inc.**, 1631 East Avenue, Erie, PA 16503, located in the City of Erie, **Erie County**. Permit was issued in the Regional Office on January 29, 1999.

**Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Southcentral Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.*

**Permit No. 603428. Bollinger Farm, BFI** (Conestoga Landfill, Mineview Drive, P. O. Box 128, Morgantown, PA 19543. This permit has been revoked at the request of the permittee for a site in East Hempfield Township, **Lancaster County**. Permit revoked in the Regional Office January 14, 1999.

**Permit No. 603427. Knight Farm, BFI** (Conestoga Landfill, Mineview Drive, P. O. Box 128, Morgantown, PA 19543. This permit has been revoked at the request of the permittee for a site in Lower Chanceford Township, **York County**. Permit revoked in the Regional Office January 12, 1999.

## AIR QUALITY OPERATING PERMITS

**Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3637.*

**TVOP-18-00003: PP&L, Inc., Lock Haven Combustion Turbine Site** (Two North Ninth Street, Allentown, PA 18101) issued January 29, 1999, revised Title V operating permit to include all applicable NO<sub>x</sub> allowance requirements including source compliance, emissions, monitoring, recordkeeping and reporting for each of the facility's affected sources.

**TVOP-41-00003: PP&L, Inc., Williamsport Combustion Turbine Site** (Two North Ninth Street, Allentown, PA 18101) issued January 29, 1999, revised Title V operating permit to include all applicable NO<sub>x</sub> allowance requirements including source compliance, emissions, monitoring, recordkeeping and reporting for each of the facility's affected sources.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-20-232A: Meadville Plating Co.** (10775 Franklin Pike, Meadville, PA 16335) issued November 30, 1998, for operation of six chrome plating tanks in West Mead Township, **Crawford County**.

**PA-25-952A: Bush Industries of PA, Inc.** (2455 Robison Road West, Erie, PA 16509) issued December 31, 1998, for operation of wood product uv surface coating in Summit Township, **Erie County**.

**PA-61-012A: OMG Americas** (P. O. Box 111, Franklin, PA 16323) issued January 31, 1999, for operation of batch chemical reactors in Sugar creek Borough, **Venango County**.

**General Plan Approval and Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**46-310-049G: ADC Recycling Corporation, Inc.** (1060 Conshohocken Road, Conshohocken, PA 19428) issued for a mineral processing plant in Plymouth Township, **Montgomery County**.

**Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**CP-09-0005: 3M Co.** (2201 Green Lane, Bristol, PA 19007) amended January 27, 1999, for Facility VOCs/Nox RACT in Bristol Township, **Bucks County**.

**Operating Permits Minor Modification issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**46-313-056: McNeil Pharmaceutical** (Welsh and McKean Roads, Spring House, PA 19477) modified January 27, 1999, for three organic acid reactors in Lower Gwynedd Township, **Montgomery County**.

## PLAN APPROVALS

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-15-0014A: Norwood Industries, Inc.** (57 Morehall Road, Frazer, PA 19355) issued January 27, 1999, for operation of a process tank area and solvent unit in East Whiteland Township, **Chester County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-1069B: East Penn Mfg. Co., Inc.** (P. O. Box 147, Lyon Station, PA 19536) issued January 28, 1999, for construction of a grid casting (A-3) battery assembly (industrial) controlled by a fabric collector at their Battery Assembly Plant in Richmond Township, **Berks County**. This source is subject to 40 CFR 60, Subpart KK, Standards of Performance for New Stationary Sources.

**06-5086A: Terradyne Ceramics of PA, LLC** (405 N. Providence Road, Media, PA 19063) issued January 29, 1999, for construction of the tile manufacturing facility at the Morgantown Plant in New Morgan Borough, **Berks County**.

**21-03001A: Ahlstrom Filtration, Inc.** (P. O. Box A, Mount Holly Springs, PA 17065) issued January 27, 1999, for installation of a No. 1 Dual-Fuel Johnston Boiler in Mount Holly Springs, **Cumberland County**. This source is subject to 40 CFR 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Stream Generating Units.

**21-310-008A: Pennsy Supply, Inc.** (P. O. Box 3331, Harrisburg, PA 17105) issued January 28, 1999, for modification of a crushing and screening operation at the Silver Spring Quarry in Silver Spring Township, **Cumberland County**. This source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

**36-05092: Greiner Industries, Inc.** (1650 Steel Way, Mount Joy, PA 17552) issued January 28, 1999, for operation of a spray painting operation controlled by an aeroveny dry filter in Mount Joy Township, **Lancaster County**.

**36-310-027F: Martin Limestone, Inc.** (P. O. Box 550, Blue Ball, PA 17506) issued February 1, 1999, for installation of a stone crushing and screening plant controlled by wet suppression and an aeropulse fabric filter in East Cocalico Township, **Lancaster County**.

**Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**23-313-041A: Sun Co., Inc. (R&M)** (Delaware Avenue and Green Street, Marcus Hook, PA 19061) issued January 28, 1999, for operation of an organic chemical production in Marcus Hook Borough, **Delaware County**.

**23-312-198A: Sun Co., Inc. (R&M)** (Delaware Avenue and Green Street, Marcus Hook, PA 19061) issued January 28, 1999, for operation of 23 storage tanks in Marcus Hook Borough, **Delaware County**.

**23-318-001E: Congoleum Corp.** (Ridge Road and Yates Avenue, Marcus Hook, PA 19061) issued January 29, 1999, for operation of a surface coating operation in Trainer Borough, **Delaware County**.

**46-313-116C: Lonza, Inc.** (900 River Road, Conshohocken, PA 19428) issued January 31, 1999, for operation of process equipment in Upper Merion Township, **Montgomery County**.

**PA-15-0002B: Quebecor Printing Atglen, Inc.** (Route 372, Lower Valley Road, Atglen, PA 19310) issued January 31, 1999, for operation of a publication rotogravure press in West Sadsbury Township, **Chester County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**01-329-001A: Department of the Army, Commander Alternative Joint Communications Center** (1500 Porter Street, Fort Detrick, MD 21701) granted January 26, 1999, to authorize temporary operation for six No. 2 oil fired diesel engine generator sets, covered by this Plan Approval until May 23, 1999, at Site R, in Liberty Township, **Adams County**.

**28-309-003: Tarco Roofing Materials, Inc.** (8650 Molly Pitcher Highway North, Antrim, PA 17225) granted November 15, 1998, to authorize temporary operation for an asphalt saturated felt facility controlled by a high

efficiency air filter and thermal oxidizer, covered by this Plan Approval until March 15, 1999, in Antrim Township, **Franklin County**. The saturator and the asphalt storage tank are subject to 40 CFR 60, Subpart UU, Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture.

**67-310-035B: Global Stone PenRoc, Inc.** (P. O. Box 1967, York, PA 17405-1967) granted January 29, 1999, to authorize temporary operation for a roofing plant, covered by this Plan Approval until May 28, 1999, in West Manchester Township, **York County**. This source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**65-304-039: Derry Construction Co., Inc.** (R. D. 5, Box 34, Latrobe, PA 15650) for operation of sand removal and screening at Latrobe Plant in Latrobe Borough, **Westmoreland County**.

**26-310-018: Mid-Atlantic, Inc.** (400 Industrial Blvd., New Kensington, PA 15068) for installation of limestone crushing at Connellsville II Quarry in Bullsken Township, **Fayette County**.

**26-305-034: Matt Canestrone Contracting, Inc.** (P. O. Box 234, Belle Vernon, PA 15012) for installation of loading/unloading/stockpiling at LaBelle Site in Luzerne Township, **Fayette County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### Coal Applications Issued

**56930109.** Permit Revision, **Mountaineer Mining Corporation** (1010 Garrett Shortcut Road, Berlin, PA 15530), to change the land use of woodland and cropland to unmanaged natural habitat in Jenner Township, **Somerset County**, affecting 57.0 acres, receiving stream Flat Run and Roaring Run to Quemahoning Creek to Stonycreek. Application received November 25, 1998. Permit issued January 25, 1999.

**32930106.** Permit Renewal for reclamation, only, **M. B. Energy, Inc.** (P. O. Box 1319, Indiana, PA 15701, for continued restoration of a bituminous strip mine in Center Township, **Indiana County**, affecting 102.5 acres, receiving stream Tearing Run. Application received January 22, 1999. Permit issued January 25, 1999.

**11900201. NPDES No. PA0599051.** Permit Renewal, **Maple Coal Company** (2591 Wexford-Bayne Road, Suite 204, Sewickley, PA 15143-8610) continued operation and restoration of a coal refuse reprocessing mine in Barr and Blacklick Townships, **Cambria County**, affecting 134.2 acres, receiving stream Elk Creek. Application received December 4, 1998. Issued January 25, 1999.

**56753048.** Permit Renewal, **Gray Mining Company, Inc.** (1134 Stoystown Road, Friedens, PA 15541), commencement, operation and restoration of bituminous strip mine in Quemahoning and Stonycreek Townships, **Somerset County**, affecting 296.0 acres, receiving stream to Stony Creek. Application received November 6, 1998. Permit issued January 25, 1999.

**32880107.** Permit Renewal, **Urey Coal Company** (222 Forest Ridge Road, Indiana, PA 15701), continued operation and restoration of bituminous strip in Banks Township, **Indiana County**, affecting 133.3 acres, receiving stream unnamed tributary to Cush Creek; unnamed tributary to South Branch Bear Run. Application received December 4, 1998. Issued January 27, 1999.

**32980108. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001), commencement, operation and restoration of a bituminous strip mine with coal refuse ash under the general permit and a beneficial use approval in Young Township, **Indiana County**, affecting 149.8 acres, receiving stream unnamed tributaries to Reeds Run and Coal Run to Aultmans Run to Conemaugh River. Application received August 5, 1998. Permit issued January 27, 1999.

*McMurray District Office, 3913 Washington Road, McMurray, PA 15317.*

**11841301. BethEnergy Mines, Inc.** (P. O. Box 29, Ebensburg, PA 15931), to renew the permit for the Mine No. 33—Cambria Slope in Cambria Township, **Cambria County** to renew existing permit and the related NPDES permit, no additional discharges. Permit issued January 7, 1999.

**03841302. Canterbury Coal Co.** (R. D. 1, Box 119, Avonmore, PA 15618), to renew the permit for the DiAnne/David Mine in Kiskiminetas Township, **Armstrong County**, no additional discharges. Permit issued January 13, 1999.

**63831701. Eastern Associated Coal Corp.** (P. O. Box 1233, Charleston, WV 25324), to renew the permit for the Delmont IW in South Huntingdon Township, **Westmoreland County**, no additional discharges. Permit issued January 20, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**54980101. Reilly Minerals Resources, Inc.** (P. O. Box 989, Pottsville, PA 17901), commencement, operation and restoration of an anthracite surface mine operation in Walker Township, **Schuylkill County** affecting 817.0 acres, receiving stream—Wabash Creek. Permit issued January 29, 1999.

*Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.*

#### *Coal Applications Returned*

**65990101. Purco Coal Inc.** (22 VanVoorhis Lane, Monongahela, PA 15063). Application received for commencement, operation and reclamation of a bituminous surface mine located in South Huntingdon Township, **Westmoreland County**, proposed to affect 14 acres.

Receiving streams: unnamed tributary to Youghiogheny River. Application received: January 25, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

#### *Noncoal Permits Issued*

**40980302. Small Mountain Quarry, Inc.** (125 North Warren Street, West Hazleton, PA 18201), commencement, operation and restoration of a quarry operation in Salem Township, **Luzerne County** affecting 49.6 acres, receiving stream—none. Permit issued January 27, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

#### *Small Noncoal (Industrial Mineral) Permits Issued*

**58980851. Rick Whitney** (R. R. 1, Box 76, Montrose, PA 18801), commencement, operation and restoration of a bluestone quarry operation in Springville Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued January 29, 1999.

### **ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS**

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of the written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (*Note:* Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E09-775.** Encroachment Permit. **Byron Keeble**, 482 Harris Road, Unit 1, Grand Junction, CO 81501. To construct and maintain approximately 230 linear feet of sanitary sewer line across Beaver Run (EV), adjacent wetland (EV) and the associated 100-year floodplain. The

utility line will provide connection to an existing septic system. The proposed 2-inch PVC force main will be encased in concrete and a 4-inch sleeve at the stream crossing. Temporary impact to adjacent wetlands is 0.08 acre (PFO). The site is located at a point approximately 500 feet south of the intersection of Rock Ridge Road and Strocks Grove Road (Riegelsville, PA-NJ Quadrangle N: 3.0 inches; W: 2.0 inches) in Nockamixon Township, **Bucks County**.

**E46-800.** Encroachment Permit. **Montgomery Square Partnership**, 585 Skippack Pike, Suite 200, Blue Bell, PA 19422. To perform and maintain the following activities in and along the 100-year floodway of an unnamed tributary to the Little Neshaminy Creek for the proposed Montgomery Square Commercial Development: A. Install a 120 feet long, 5 foot high by 10 foot wide roadway bottomless box culvert, and utility lines beneath Knapp Road; B. Install a 137 feet long, 4 foot high by 12 foot wide roadway bottomless box culvert, and utility lines beneath Knapp Road; C. Relocate approximately 25 linear feet of the stream channel to direct an unnamed tributary to the Little Neshaminy Creek into the proposed 4 foot high by 12 foot wide box culvert for Knapp Road; D. Install retaining wall system along Knapp Road, a portion of which will be located within the assumed 100 year floodway and wetland adjacent to the aforementioned tributary; E. Install three, outfall structures in wetlands; F. Install 155 linear feet of 24-inch stream enclosure piping in and along a second unnamed tributary to the Little Neshaminy Creek for the proposed Witchwood Road crossing, plus utility lines in Witchwood Road; G. Excavate approximately 310 l. f. of an unnamed intermittent watercourse for the construction of Detention Basin "K." This project will impact approximately 0.39 acre of wetland. The site is located in an area south of the intersection of Bethlehem Pike (SR 309) and Dekalb Pike (US Route 202) and extends south to Stump Road (Ambler, PA Quadrangle N: 18.75-inches; W: 15.5 inches) in Montgomery Township, **Montgomery County**. The applicant will construct 0.79 acre of wetland replacement.

*Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E08-341.** Encroachment. **Kevin L. Bozman**, R. D. 4, Box 248, Towanda, PA 18848-8929. To construct and maintain a 200 feet by 12 feet (2,400 square feet or 0.06 acre) driveway across a forested wetland to access a residential building site. The project is located east of SR 1029 and approximately 2,000 feet south of the south end of Lake Wesauking (Towanda, PA Quadrangle N: 8.9 inches; W: 3.5 inches) in Wysox Township, **Bradford County**.

**E41-424.** Encroachment. **Alex Bobotas**, RR 4, Box 412, South Williamsport, PA 17701. To construct and maintain 1) a 97-foot by 16-foot clean fill boat ramp in the right floodway of the West Branch Susquehanna River, 2) a 1,128-square foot floating wooden boat dock system in the West Branch Susquehanna River located 1.8 miles east on Sylvan Dell Road from the railroad crossing in South Williamsport (Montoursville South, PA Quadrangle N: 21.5 inches; W: 11.0 inches) in Armstrong Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E41-438.** Encroachment. **Kremser Brothers Construction**, 1301 Jordan Avenue, Montoursville, PA 17754. To place fill approximately 500 feet by 35 feet by 8 feet deep in the floodway of an unnamed tributary to the West

Branch Susquehanna River located at the northeast corner of the Fairview Drive and Brushy Ridge Road intersection (Montoursville North, PA Quadrangle N: 1.1 inches; W: 3.7 inches) in the Borough of Montoursville, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects."

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E05-216-R.** Encroachment. **Monroe Township**, Ron May, P. O. Box 38, Clearville, PA 15535. To reissue and extend the time limit on Permit No. E05-216 which authorized the realignment and maintenance of 90 feet of channel reach of an unnamed tributary to Elk Lick Creek located upstream of T-352 culvert and about 0.4 mile from its intersection with T-351 to redirect the flow into the culvert (Clearville, PA Quadrangle N: 3.5 inches; W: 11.05 inches) in Monroe Township, **Bedford County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E04-261.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. To remove the existing bridge and to construct and maintain a new bridge having a normal span of 30.6 feet with an underclearance of 6.2 feet across Little Traverse Creek (WWF). The bridge is located on S. R. 0030, Section B05, STA 575 + 44, approximately 300 feet southeast of the intersection of S. R. 0030 and S. R. 3023 (Aliquippa, PA Quadrangle N: 3.0 inches; W: 16.0 inches) in Independence Township, **Beaver County**.

**E30-187.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. To remove the existing structure and to construct and maintain a three-span bridge having normal clear spans of 90.6 feet, 90.4 feet, and 72 feet and a minimum underclearance of 29.4 feet across Dunkard Creek (WWF) located on S. R. 0088, Section 06R at its intersection with S. R. 2010. Also, to construct and maintain three outfall structures in said stream. The project includes construction and maintenance of a temporary causeway and cofferdam during construction (Masontown, PA Quadrangle N: 2.6 inches; W: 8.9 inches) in Monongahela and Dunkard Townships, **Greene County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Northwest Regional Office: Soils and Waterways Sections, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E10-290.** Encroachment. **Butler County Commissioners**, P. O. Box 1208, Butler, PA 16003-1208. To remove the existing County Bridge No. 63 (Studebaker) and to construct and maintain a steel beam bridge having a clear, normal span of 23 feet and an underclearance of 5 feet across Black Run on T-344 (Dickey Run) approximately 500 feet east of T-890 (West Park Road) (Slippery Rock, PA Quadrangle N: 2.9 inches; W: 15.4 inches) in Worth Township, **Butler County**.

### DAM SAFETY

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**D09-238. Dam. Bucks Country Gardens, LTD.** (1057 North Easton Road, Doylestown, PA 18901). To modify, operate and maintain an existing dam across a tributary to the North Branch Neshaminy Creek for the purpose of stormwater management. This dam is located adjacent to Easton Road as part of the Bucks Country Gardens renovation in Plumstead Township, **Bucks County**.

### WATER ALLOCATIONS

**Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.**

*Southeast Regional Office: Bureau of Water Supply Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Mary Denney	110 West Lancaster Avenue Wayne, PA 19087	Testing
Donald Ferguson	115 Raven Drive Greensburg, PA 15601	Testing
John Kerrigan RHIS, Inc.	269 Delaplaine Avenue Newark, DE 19711	Testing
Jeffrey Koleny	89 Taylor Drive Fallsington, PA 19054	Testing
Alan Skursky	804 Green Ridge Road New Oxford, PA 17350	Testing
Wayne Stevens	140 Sumner Avenue Clarks Summit, PA 18411	Testing Mitigation
Todd Giddings & Assoc., Inc.	3049 Enterprise Drive State College, PA 16801	Mitigation

[Pa.B. Doc. No. 99-233. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Availability of Technical Guidance

Guidance Documents are on DEP's World Wide Web site (<http://www.dep.state.pa.us>) at the Public Participation Center. The "January 1999 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

**WA 09-1002. Water Allocation. Doylestown Township Municipal Authority**, 425 Wells Road, Doylestown, PA 18901 has been granted the right to purchase 25,000 gallons per day, based on a 30-day average, from North Wales Water Authority in New Britain Township, **Bucks County**.

*Type of Facility:* Public Water Supply

*Consulting Engineer:* Alfred S. Ciottoni, P.E., SC Engineers, Inc., P. O. Box 407, Fort Washington, PA 19034

*Permit Issued:* January 21, 1999

### SPECIAL NOTICES

#### Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of January 1999, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

DEP will continue to revise its documents, as necessary, throughout 1999.

#### Ordering Paper Copies Of DEP Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

*Changes To Guidance Documents*

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

*Draft Guidance*

DEP ID: 362-2192-001 Title: Biosolids Program Implementation Guidance Description: The purpose of this guidance is to establish a rational and reasonable basis for staff decisions which will promote quality, timely and consistent service to the public and the regulated community. Anticipated Effective Date: March 19, 1999 Comment by: March 13, 1999 Contact: Jay Africa at (717) 783-2941

DEP ID: 563-2000-001 Title: Government-Financed Construction Contracts Description: This guidance is prepared to define the procedures for the authorization of incidental and necessary coal extraction and for the utilization of excess spoil from an active mine for reclamation of abandoned mine lands under a government-financed construction contract. Anticipated Effective Date: April 13, 1999 Comment by: March 13, 1999 Contact: Nevin Strook at (717)783-8845

*Final Guidance*

DEP ID: 273-5401-001 Title: Compliance Strategy for Mushroom Composting Operations Description: This guidance is prepared to clarify the exemption of commercial production, processing or storage of compost as pertaining to the Air Pollution Control Act and Solid Waste Management Act. Effective Date: February 13, 1999 Contact: Bob Kulp (Air Quality) at (717) 787-1663 or Steve Socash (Waste Management) at (717) 787-7381

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 99-234. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Notice of Requests for Exceptions

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.71(a), (b) and (d) (relating to bed and furnishings):

Stenton Hall Nursing Convalescent Center  
7310 Stenton Avenue  
Philadelphia, PA 19150

Beaver Valley Geriatric Center  
246 Friendship Circle  
Beaver, PA 15009

Blough Health Care Center, Inc.  
316 East Market Street  
Bethlehem, PA 18018

Chapel Manor Nursing and Convalescent Center  
1104 Welsh Road  
Philadelphia, PA 19115-3794

Grove Manor  
435 North Broad Street  
Grove City, PA 16127

Lutheran Home for the Aged  
149 West 22nd Street  
Erie, PA 16502-2899

ManorCare Health Services-Bethlehem  
2021 Westgate Drive  
Bethlehem, PA 18017

Spring House Estates  
728 Norristown Road  
Lower Gwynedd, PA 19002

Towne Manor West  
205 East Johnson Highway  
Norristown, PA 19401

Northwood Nursing and Convalescent Center  
4621 Castor Avenue  
Philadelphia, PA 19124

York Terrace Nursing Center  
2401 West Market Street  
Pottsville, PA 17901-1833

Countryside Convalescent Home Limited Partnership  
8221 Lamor Road  
Mercer, PA 16137

Millville Health Center  
PO Box 320  
State Street  
Millville, PA 17846

Kirkland Village  
One Kirkland Village Circle  
Bethlehem, PA 18017-3846

Bryn Mawr Terrace Convalescent Center  
Haverford & Rugby Roads  
Bryn Mawr, PA 19010

Mansion Nursing and Convalescent Home  
1040 Market Street  
Sunbury, PA 17801

John J. Kane Regional Center-Ross Township  
110 McIntyre Road  
Pittsburgh, PA 15237

The Middletown Home  
999 West Harrisburg Pike  
Middletown, PA 17057

Kinkora Pythian Home  
25 Cove Road  
Duncannon, PA 17020

Broad Mountain Nursing and Rehabilitation Center  
500 West Laurel Street  
Frackville, PA 17930

Pennsburg Manor  
530 Macoby Street  
Pennsburg, PA 18073

Mulberry Square  
407½ West Mahoning Street  
Punxsutawney, PA 15767



Claremont Nursing and Rehabilitation Center  
375 Claremont Drive  
Carlisle, PA 17013

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.34 (relating to treatment room or examining room):

Transitional Care Center at Pittsburgh Ohio Valley  
General Hospital  
25 Heckel Road  
McKees Rocks, PA 15136

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.34 (relating to treatment room or examining room) and 28 Pa. Code § 205.31(c) (relating to storage):

Transitional Level of Care Unit  
201 Reeceville Road  
Coatesville, PA 19320-0953

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of the building):

Berks County Home-Berks Heim  
PO Box 1495  
Reading, PA 19603

Beverly Healthcare-Meadville  
14714 Park Avenue Extension  
Meadville, PA 16335

Beverly Healthcare-Western Reserve  
1521 West 54th Street  
Erie, PA 16509

HarmarVillage Care Center  
715 Freeport Road  
Cheswick, PA 15024

Quincy United Methodist Home  
PO Box 217  
Quincy, PA 17247-0217

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.2(g) and (h) (relating to medical services):

The Ball Pavilion  
5416 East Lake Road  
Erie, PA 16511

Rose View Center  
1201 Rural Avenue  
Williamsport, PA 17701

The Western Pennsylvania Hospital Skilled  
Nursing Facility  
4800 Friendship Avenue  
Pittsburgh, PA 15224

Homestead Center  
1113 North Easton Road  
Willow Grove, PA 19090

Brookmont Health Care Center, Inc.  
Box 50 Brookmont Drive  
Effort, PA 18330

The Lutheran Home Hollidaysburg  
916 Hickory Street  
Hollidaysburg, PA 16648

Rest Haven-York  
1050 South George Street  
York, PA 17403

Southwestern Nursing Center  
500 Lewis Run Road  
Pittsburgh, PA 15236

Pennypack Center  
8015 Lawndale Street  
Philadelphia, PA 19111-1507

Wesbury United Methodist Community  
31 North Park Avenue Extension  
Meadville, PA 16335

Allegheny Valley Hospital Skilled Nursing Facility  
1301 Carlisle Street  
Natrona Heights, PA 15065

Ridge Crest Nursing and Rehabilitation Center  
1730 Buck Road, North  
Feasterville, PA 19053

Chapel Manor Nursing and Convalescent Center  
1104 Welsh Road  
Philadelphia, PA 19115-3794

Forestview  
2301 Edinboro Road  
Erie, PA 16509

Dresher Hill Health and Rehabilitation Center  
1390 Camp Hill Road  
Dresher, PA 19034

Transitional Care Unit  
112 North Seventh Street  
PO Box 6005  
Chambersburg, PA 17201-6005

Gwynedd Square Center for Nursing and  
Convalescent Care  
773 Sumneytown Pike  
Lansdale, PA 19556-5370

Sky Vue Terrace  
2170 Rhine Street  
Pittsburgh, PA 15221

Marwood Rest Home, Inc.  
1020 Oak Lane Avenue  
Philadelphia, PA 19126

Pennsylvania Memorial Home  
51 Euclid Avenue  
Brookville, PA 15825

Rathfon Convalescent Home  
308 South Market Street  
Selinsgrove, PA 17870

IHS of Chestnut Hill  
8833 Stenton Avenue  
Glenside, PA 19038

Lawson Nursing Home, Inc.  
540 Coal Valley Road  
Clairton, PA 15025

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.17 (relating to location):

Meadowood  
3205 Skippack Pike  
PO Box 670  
Worcester, PA 19490-0670

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.27(a) (relating to lounge and recreation rooms):

StoneRidge Village  
450 East Lincoln Avenue  
Myerstown, PA 17067-2213

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.17 (relating to location), 28 Pa. Code § 205.20(m) and (l) (relating to patient bedrooms), 28 Pa. Code § 205.72(b) (relating to furniture), 28 Pa. Code § 205.33(a) (relating to utility room), and 28 Pa. Code § 205.36(k) (relating to bathing facilities):

Albert Einstein Health Network-Germantown Hospital  
Proposed Skilled Nursing Facility  
1735 Market Street, 53rd Floor  
Philadelphia, PA 19103-2921

The requests are on file with the Department. A person may receive a copy of a request for exception by requesting a copy from:

Division of Nursing Care Facilities  
Room 526, Health and Welfare Building  
Harrisburg, PA 17120  
(717) 787-1816  
Fax: (717) 772-2163

E-Mail Address: PAEXCEPT@HEALTH.STATE.PA.US

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail, or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove a request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 99-235. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Organ and Tissue Donation Advisory Committee Meeting

The Organ and Tissue Donation Advisory Committee is scheduled to hold a meeting on March 3, 1999, from 10 a.m. to 1 p.m. in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA.

For additional information or persons with a disability who desire to attend the meeting and require an auxiliary aide service or other accommodation to do so, should contact William J. Neil, Health Education and Information Program, Bureau of Chronic Diseases and Injury Prevention at (717) 787-5900. V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

This meeting is subject to cancellation without notice.

GARY L. GURIAN,  
*Acting Secretary*

[Pa.B. Doc. No. 99-236. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Pennsylvania Cancer Control Prevention and Research Advisory Board Meeting

The Pennsylvania Cancer Control, Prevention and Research Advisory Board is scheduled to hold a meeting on March 10, 1999, from 10 a.m. to 1 p.m. at the Pennsylvania Medical Society, 777 East Park Drive, Harrisburg, PA.

Persons wishing to attend the meeting or who have questions regarding the meeting should contact Susan F. George, Program Manager, Department of Health, Cancer Control Program, 1011 Health and Welfare Building, Harrisburg, PA at (717) 787-5251.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Susan F. George at (717) 787-5251. V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

GARY L. GURIAN,  
*Acting Secretary*

[Pa.B. Doc. No. 99-237. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Preventive Health and Health Services (PHHS) Block Grant Advisory Committee Meeting

The Preventive Health and Health Services (PHHS) Block Grant Advisory Committee is scheduled to hold a meeting on February 18, 1999, from 10 a.m. to 3 p.m. in conference room 812 of the Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA.

For additional information or persons with a disability who desire to attend the meeting and require an auxiliary aide service or other accommodation to do so, should contact Emilie M. Tierney, Director, or Terry L. Walker, Administrative Officer, Bureau of Chronic Diseases and Injury Prevention, at (717) 787-6214.

This meeting is subject to cancellation without notice. V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

GARY L. GURIAN,  
*Acting Secretary*

[Pa.B. Doc. No. 99-238. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Request for Application for Planning Grants; Abstinence Education and Related Services for Fiscal Year 1999

The Department of Health will distribute a Request for Application (RFA) for Planning Grants to implement three to four new community-based projects in Fiscal year

1998-99. Applicants will have the opportunity to request funding to support the planning and implementation of abstinence-only programs and services. The primary populations to be served are youth between 9-14 years of age with a focus on those groups that are most likely to bear children out of wedlock. A maximum grant of up to \$25,000 is available for the 6-month planning period which begins April 1, 1999 and ends September 30, 1999. At the completion of the planning period and based on the results of project performance reviews, projects will be eligible for an amount of up to \$75,000 annually for up to 3 years of Implementation Funding for the period October 1, 1999 to September 30, 2002.

All questions regarding the RFA should be directed to Phyllis Welborn, Department of Health at (717) 783-8451, or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at 1-800-654-5984 [TT].

GARY L. GURIAN,  
*Acting Secretary*

[Pa.B. Doc. No. 99-239. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Local Area Designations under the Workforce Investment Act

The Department of Labor and Industry on behalf of the Governor is publishing the Workforce Investment Act Local Area Designation plan for Pennsylvania. Under the Workforce Investment Act of 1998, Governors are required to designate local workforce investment areas within the state through consultation with the State Board, after consultation with chief elected officials and after consideration of comments received through a public comment process.

The Governor solicited comments from local elected officials throughout the State and received designation requests covering every County within the State. At its January 28, 1999 meeting, the Team Pennsylvania Human Resources Investment Council (HRIC), Pennsylvania's State Workforce Investment Board, recommended a multi-phase local workforce investment area designation process and recommended 11 local areas to be included in Phase 1 of the designation process.

The multi-phase designation process will enable local areas to be designated, authorize chief elected officials to appoint local Workforce Investment Boards, and to commence planning so that the local area will be able to implement the Workforce Investment Act on July 1, 1999. Subsequent Phases will identify local areas in the remaining areas of the state not included within the areas identified in Phase 1. The HRIC authorized its Chartering Committee to review and recommend to the Governor on their behalf additional local areas ready for designation prior to the Council's next meeting in March 1999. This will enable the remaining local areas to proceed with local workforce investment board appointments and systems development.

The following local areas have been identified by the Governor based on the recommendation of the Team

Pennsylvania Human Resources Investment Council for inclusion in the Phase 1 designation:

- Philadelphia
- Delaware County
- Chester County
- Montgomery County
- Bucks County
- Lancaster County
- Berks County
- Lehigh Valley—consisting of Lehigh and Northampton Counties
- Northern Tier—consisting of Tioga, Bradford, Susquehanna, Sullivan and Wyoming Counties
- Southern Alleghenies—consisting of Cambria, Blair, Huntingdon, Somerset, Bedford and Fulton Counties
- Northcentral—consisting of McKean, Potter, Elk, Cameron, Jefferson and Clearfield Counties

Any interested party wishing to comment on the multi-phase designation process or on the local areas indicated for inclusion in Phase 1, must do so in writing by the close of business February 26, 1999. Comments should be forwarded to: Timothy Bittle, Executive Assistant to the Deputy Secretary of Workforce Development and Safety, Department of Labor & Industry, 17th Floor Labor & Industry Building, Seventh and Forster Streets, Harrisburg, PA 17120.

JOHNNY J. BUTLER,  
*Secretary*

[Pa.B. Doc. No. 99-240. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Crazy 8's Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Crazy 8's.
2. *Price:* The price of a Pennsylvania Crazy 8's instant lottery game ticket is \$1.00.
3. *Play Symbols:* Each Pennsylvania Crazy 8's instant lottery game ticket will contain four play areas known as "Game 1," "Game 2," "Game 3" and "Game 4." Each "Game" is played separately. The play symbols and their captions located in the four play areas are: 1 (ONE), 2 (TWO), 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT) and 9 (NIN).
4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Prize" area are: \$1.<sup>00</sup> (ONE DOL), \$2.<sup>00</sup> (TWO DOL), \$4.<sup>00</sup> (FOR DOL), \$8.<sup>00</sup> (EGT DOL), \$16.<sup>00</sup> (SIXTN), \$88\$ (ETY EGT), \$188\$ (HNETYEGT) and \$8,888 (ETHEHEYET).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$8, \$16, \$88, \$188 and \$8,888. The player can win up to four times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 8,160,000 tickets will be printed for the Pennsylvania Crazy 8's instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$8,888 (ETHEHEYET) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$8,888.

(b) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$188\$ (HNETYEGT) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$188.

(c) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$88\$ (ETY EGT) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$88.

(d) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$16.<sup>00</sup> (SIXTN) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$16.

(e) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$8.<sup>00</sup> (EGT DOL) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$8.

(f) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$4.<sup>00</sup> (FOR DOL) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$4.

(g) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$2.<sup>00</sup> (TWO DOL) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$2.

(h) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$1.<sup>00</sup> (ONE DOL) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 8,160,000 Tickets</i>
\$1	\$1	1:10	816,000
\$1 x 2	\$2	1:21.43	380,800
\$2	\$2	1:42.86	190,400
\$1 x 4	\$4	1:150	54,400
\$4 x 2	\$8	1:75	108,800
\$8	\$8	1:100	81,600
\$8 x 2	\$16	1:300	27,200
\$16	\$16	1:300	27,200
\$16 x 2	\$32	1:4,800	1,700
\$16 x 4	\$64	1:7,059	1,156
\$88	\$88	1:13,333	612
\$888	\$188	1:30,000	272
\$8,888	\$8,888	1:453,333	18

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Crazy 8's instant lottery game tickets. The

conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Crazy 8's, prize money from winning Pennsylvania Crazy 8's instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Crazy 8's instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Crazy 8's or through normal communications methods.

ROBERT A. JUDGE, Sr.,  
*Secretary*

[Pa.B. Doc. No. 99-241. Filed for public inspection February 12, 1999, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Retention of Engineering Firms

**Greene, Washington, Allegheny, Butler,  
Lawrence, Mercer, Crawford and Erie Counties  
Project Reference No. 08430AG2294**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately eighteen (18) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following projects:

1. S. R. 0079, Section A22, Allegheny, Lawrence, Greene, Washington, Butler, Mercer, Crawford and Erie Counties Local Name: I-79 ITS from West Virginia to Erie

This project involves variable message signs, highway advisory radio, weather monitoring systems, pavement sensors, closed circuit television cameras, detection systems, informational kiosks and communication systems at various locations.

2. S. R. 0376, Section A21, Allegheny County Local Name: I-376 ITS from the Squirrel Hill Tunnel to Rodi Road.

This project involves the installation of additional ITS components as part of a freeway surveillance expansion.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be estab-

lished directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, concrete, ITS (Intelligent Transportation systems) elements and electrical systems.
- c. Understanding of Department's requirements, policies, and specifications.
- d. Past Performance.
- e. Number of NICET certified inspectors in each payroll classification.
- f. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	12 (8)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	4 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one (1) inspector certified in computer documentation and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

14 Two-Way Radios

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI	15

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms, (see general requirements and information section shall be sent to: Mr. Raymond S. Hack, P.E., District Engineer, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Any technical questions concerning the requirements for this project should be directed to: Mr. Bob Collins, P.E., District 11-0 at (412) 429-4928.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Bucks and Montgomery Counties  
Project Reference No. 08430AG2295**

The Department of Transportation will retain an engineering firm to perform final design and construction consultation for the following projects:

1. S.R. 0611, Section 04S, involving three (3) structures at the following locations: Easton Road over Deep Run; Easton Road over Tincum Creek; and Easton Road over Creamery Road, in Bedminster Township, Bedminster and Tincum Townships, and Tincum township respectively in Bucks County. The estimated construction cost is \$600 thousand.

2. S. R. 3020, Section 98S, involving two (2) structures, Dannehower Bridge over Schuylkill River and a bridge over Conrail and Parkway at Bridgeport and Norristown respectively, in Upper Merion Township in Montgomery County. The estimated construction cost is \$1.2 million.

These projects involve bridge deck rehabilitation including latex modified testing and overlay, parapet safety shape retrofit, replacement of expansion joints, substructure spall repairs, bearing repairs, and scour protection of four (4) bridges. The S. R. 0611 project length is approximately 4.5 kilometers (2.8 miles) and S. R. 3020 project length is 1.4 kilometers (4612 feet).

The selected firm will be required to provide the following engineering and design services: surveys; roadway design; drainage design; pavement design; preparation of cross-sections; guide rail system; erosion and sediment control design; right-of-way investigation and plan; structure design; sampling and testing; preparation of traffic control, pavement marking, and signing plans; traffic signal design; utility coordination; coordination with public agencies, municipal officials, and the public; preparation of final plans, specifications, and estimates; shop drawing reviews; alternate design review; and construction consultation.

Firms that are currently serving, or are being considered for selection, as municipal engineer in the municipality listed in the project description will not be considered for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for a site located along the project will likewise not be considered for this assignment. Firms should state in the letter of interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Ms. Elaine Elbich, at the telephone number listed below.

Letters of Interest will be evaluated at the Engineering District 6-0 office with emphasis on the following factors:

- a. Ability to package and present the Letter of Interest in accordance with the General Requirements and Information section.
- b. Specialized experience and technical competence of the firm including the firm's experience with similar type projects and their ability to provide innovative solutions to complex technical problems.
- c. Experience of employees to be associated with this project. Particularly important are the key people assigned to the project including their experience and past record of performance with similar projects.
- d. Company location from District 6-0 office.
- e. Past performance record.

The District will announce the firms that have been shortlisted at an open public meeting scheduled for March 5, 1999 at 10 a.m. in Engineering District's 6-0's small conference room.

The District's copy of the letter of interest and required forms (see general requirements and information section)

shall be sent to: Mr. Andrew L. Warren, District Administrator, District 6-0, 200 Radnor-Chester Road, St. Davids, PA 19087.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy R. O'Brien, P.E., District 6-0, at (610) 964-6526, or Ms. Elaine Elbich, District 6-0, at (610) 964-6529.

Any questions concerning the submittal of the Letter of Interest can be directed to the Consultant Agreement Division at (717) 783-9309.

#### General Requirements and Information

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief  
 Consultant Selection Committee  
 7th Floor, Forum Place  
 555 Walnut Street  
 P. O. box 3060  
 Harrisburg, Pennsylvania 17105-3060

Note: The Zip Code for express Mailing is 17101-1900.

The Letter of Interest and required information must be received within twenty (20) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 p.m. prevailing time of the twentieth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442,

Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The Department requests that each Letter of Interest include the following information and that the information be packaged and presented in the order indicated below to facilitate the Department's review and evaluation.

The firm's ability and willingness to package and present the requested information in the above order to facilitate the Department's review and evaluation will be the first factor considered in the evaluation process.

1. Transmittal Letter (Maximum of two (2) 8 1/2 x 11" typed pages, one side)

2. A fact sheet that includes the project reference number for each project which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant should indicate on this fact sheet the names and Professional Engineer License Number of Individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm. If the project advertisement indicated the Department will retain an Land Surveying firm for the project, the applicant should indicate on this fact sheet the names and Professional Land Surveyor Registration Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's land surveying activities, and whose names and seals shall be stamped on all plans, plats, and reports issued by the firm.

3. Project Organizational Chart (one page, one side, maximum size 11" x 17")

This Chart should show key staff from the prime and each subconsultant and their area of responsibility.

4. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 should be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work and service they will perform on the project.

Under Item 4 of this form, Column A must specify only the number of subconsultant personnel and Column B should specify only the number of prime consultant personnel to be assigned to work on this project reference number. Do not include the total personnel for either the

subconsultant or prime consultant under Item 4 unless the total personnel are necessary to provide the required work and services.

The prime and each subconsultant should not include more than one page each for Items 10 and 11.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

5. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, should accompany each Letter of Interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

These Forms should be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Standard Form 255.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees should be first, followed by subconsultant employees, in the same order as shown in Item 6 of Standard Form 255.

7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

A single page summary should indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Accountant must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate developed in accordance with FAR would be available.

Audited overhead rate information for the prime consultant and each subconsultant is not required for construction inspection services.

### 9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2 x 11" pages or five (5) double sided 8 1/2 x 11" pages may be included at the discretion of the submitting firm.

Letters of Interest will be rejected for the following reasons:

1. Received after the cut-off time and date specified above.
2. Failure to identify a Disadvantaged Business Enterprise (DBE) if a DBE participation goal is identified in the advertised project.
3. Failure to include a copy of the registration to do business in the Commonwealth.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 99-242. Filed for public inspection February 12, 1999, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

#### Final-Form

Reg. No.	Agency/Title	Received
16A-577	State Board of Veterinary Medicine Fees	1/28/99

JOHN R. MCGINLEY, JR.,  
*Chairperson*

[Pa.B. Doc. No. 99-243. Filed for public inspection February 12, 1999, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for a Certificate of Authority

UPMC Health Benefits, Incorporated has applied for a Certificate of Authority to operate as a stock casualty insurance company in this Commonwealth. The initial

filing was received on January 14, 1999, and was made under the requirements set forth under the Business Corporation Law of 1988 (15 Pa.C.S. § 1 et seq.). Persons wishing to comment on the grounds of public or private interest to the issuance of the Department's order approving this Certificate of Authority are invited to submit a written statement to the Insurance Department within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Cressinda E. Bybee, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 99-244. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Application for Merger of Two Domestic Stock Casualty Insurance Corporations

Aegis Indemnity Insurance Company (Aegis Indemnity), a stock casualty insurance company organized under the laws of the Commonwealth of Pennsylvania, has filed an application to merge with American Sentinel Insurance Company (American Sentinel), also a domestic stock casualty insurance company, with American Sentinel surviving the merger. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. § 991.1401 et seq.) section 1957 of the Business Corporation Law, 15 Pa.C.S. § 1957, and the GAA Amendments Act of 1990 (15 P. S. § 21101 et seq.). Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department (Department) within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; email <http://www.rbrackbi@ins.state.pa.us>.

Under 15 P. S. § 21207(c) (Section 207(c) of the GAA Amendments Act of 1990), the Department will hold a public informational meeting regarding the proposed Plan of Merger submitted by Aegis Indemnity. All policyholders and interested persons are invited to attend and participate.

1. *Date and Time:* March 12, 1999, beginning at 9 a.m.
2. *Location:* Ben Franklin Conference Room, 13th Floor, Strawberry Square, Harrisburg, PA

3. *Format of Meeting:* The Department and Aegis Indemnity will provide information about the review process and the proposed Plan of Merger. Following the presentations by the Department and Aegis Indemnity, policyholders and interested persons will be invited to make comments about the proposed Plan of Merger.



However, policyholders and interested persons in attendance will not be required to make comments. Attendance or non-attendance at the meeting will have no effect on the terms of the policyholders' insurance policies. The meeting will be recorded by a court reporter, and a transcript may be purchased directly from the court reporter.

4. *Legal Authority.* The public informational meeting will be held under the provisions of the GAA Amendments Act of 1990 (15 P. S. § 21101 et seq.)

5. *Questions Regarding the Specifics of the Plan of Merger.* Questions about the Plan of Merger or questions about an insurance policy should be directed to Ronald Thomas, Aegis Security, Inc. (717) 657-9671.

6. *Written Comments.* Persons who are unable to attend the public informational meeting or would prefer to submit written comments about Aegis Indemnity's proposed Plan of Merger, should do so by mailing or delivering a copy of the comments to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, or by e-mail at rbrackbi@ins.state.pa.us. Please be advised that all comments received will be part of the public files regarding this proposal, and will be shared with Aegis Indemnity for a response where appropriate.

7. *ADA Notice.* If a person, due to a disability, requires the assistance of an auxiliary aid or services to participate in or attend this public informational meeting, call Tracey Pontius, Director of the Bureau of Administration, (717) 787-4298. If hearing impaired, call the Department's TDD phone number (717) 783-3898.

M. DIANE KOKEN,  
Insurance Commissioner

[Pa.B. Doc. No. 99-245. Filed for public inspection February 12, 1999, 9:00 a.m.]

### **Erie Insurance Exchange; Homeowners Rules and Rate Revision; Rate Filing**

On February 1, 1999 the Insurance Department received from Erie Insurance Exchange a filing for a rate level change for homeowners insurance.

The company requests an overall 1.2% increase amounting to \$1,705,000 annually, to be effective August 1, 1999.

Unless formal administrative action is taken prior to April 2, 1999 the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (e-mail at mburkett@ins.state.pa.us) within 30

days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
Insurance Commissioner

[Pa.B. Doc. No. 99-246. Filed for public inspection February 12, 1999, 9:00 a.m.]

### **Hartford Insurance Company of the Midwest; Homeowners Rate Filing**

On February 1, 1999, the Insurance Department received from Hartford Insurance Company of the Midwest a filing for a proposed rate level changes for homeowners insurance.

The company requests an overall 0.8% decrease amounting to \$113,774 annually, to be effective June 1, 1999.

Unless formal administrative action is taken prior to April 2, 1999, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Nabila Audi, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, (E-mail: naudi@ins.state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
Insurance Commissioner

[Pa.B. Doc. No. 99-247. Filed for public inspection February 12, 1999, 9:00 a.m.]

### **Review Procedure Hearings; Cancellation or Refusal of Insurance**

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of John M. Spang; file no. 98-181-08864; Erie Insurance Exchange; doc. no. P99-01-027; March 2, 1999, at 9 a.m.;

Appeal of Jizhong He; file no. 98-121-08640; State Farm Fire and Casualty Company; doc. no. P99-01-029; March 2, 1999, at 11 a.m.;

Appeal of Brian E. and Mary E. Todhunter; file no. 99-188-00161; State Farm Mutual Automobile Insurance Company; doc. no. P99-01-031; March 2, 1999, at 1 p.m.;

Appeal of Jodi A. and Leonard J. Romanczuk; file no. 99-181-00048; Nationwide Mutual Insurance Company; doc. no. P99-01-032; March 3, 1999, at 2 p.m.;

Appeal of Pamela Mitchell; file no. 99-121-00157, Reliance National Indemnity Co.; doc. no. P99-02-001; March 9, 1999, at 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
Insurance Commissioner

[Pa.B. Doc. No. 99-248. Filed for public inspection February 12, 1999, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board leases will expire:

Berks County, Wine & Spirits Shoppe #0608, 3026 Penn Avenue, West Lawn, PA 19609-1421.

*Lease Expiration Date:* August 31, 1999

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,200 net useable square feet of new or existing retail commercial space on Route 422, within approximately 1 mile of the intersection of Krick Lane, South Heidelberg Township.

*Proposals due:* March 5, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board

**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661

**Contact:** Willard J. Rhodes, (717) 657-4228

Lackawanna County, Wine & Spirits Shoppe #3516, 931 South State Street, Clarks Summit, PA 18411-1755.

*Lease Expiration Date:* February 29, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 9,000 to 12,000 net useable square feet of new or existing retail commercial space within Clarks Summit, Clarks Green or South Abington Township.

*Proposals due:* March 1, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board

**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661

**Contact:** Charles D. Mooney, (717) 657-4228

Lackawanna County, Wine & Spirits Shoppe #3503, 635 Luzerne Street, Scranton, PA 18504-2626.

*Lease Expiration Date:* January 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 to 4,200 net useable square feet of new or existing retail commercial space within 1.5 miles of the intersection of Main Street and Luzerne Street, West Scranton or the Eastern section of Taylor Borough.

*Proposals due:* March 5, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board

**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661.

**Contact:** Charles D. Mooney, (717) 657-4228

Lancaster County, Wine & Spirits Shoppe #3602, 252 North Queen Street, Lancaster, PA 17603-3512.

*Lease Expiration Date:* January 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,700 to 4,600 net useable square feet of new or existing retail commercial space north of King Street, south of Walnut Street, east of Prince Street and west of Queen Street.

*Proposals due:* March 5, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board

**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661

**Contact:** Charles D. Mooney, (717) 657-4228

Lancaster County, Wine & Spirits Shoppe #3617, East Hempfield Township.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 to 4,000 net useable square feet of new or existing retail commercial space within the eastern section of East Hempfield Township along Rohrerstown Road or West Lincoln Highway.

*Proposals due:* March 5, 1999 at 12 noon

**Department:** Pennsylvania Liquor Control Board

**Location:** Real Estate Division, Brandywine Plaza, 2223

Paxton Church Road, Harrisburg, PA 17110-9661

**Contact:** Charles D. Mooney, (717) 657-4228

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 99-249. Filed for public inspection February 12, 1999, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

Certificate of Public Convenience  
Without Hearing

**A-121850F0011. National Fuel Gas Distribution Corporation.** Application of National Fuel Gas Distribution Corporation, for a Certificate of Public Convenience evidencing the Commission's Approval of the Acquisition of an Office Building and Later Transfer by Sale of an Office Building and Associated Land or, in the alternative, an order that no approval is required.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 1, 1999, under 52 Pa. Code (relating to public utilities).

*Applicant:* National Fuel Gas Distribution Corporation

*Through and By Counsel:* Michael W. Gang, John H. Isom, Morgan, Lewis & Bockius LLP, 417 Walnut Street, Harrisburg, Pa. 17101-1904

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-250. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before March 8, 1999, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.**

**A-00115576. Melvin Ragland, t/d/b/a Ragland E-Z Tours** (1721 North 55th Street, Philadelphia, Philadelphia County, PA 19131)—persons in paratransit service,

from points in the city and county of Philadelphia, to points in the counties of Bucks, Delaware and Montgomery, and return.

**A-00115575. Rescue Hose and Ladder Company** (408-410 Filbert Street, Curwensville, Clearfield County, PA 16833), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in Clearfield County, and from points in said county, to points in Pennsylvania, and return.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.**

**A-00115578. Pessognelli, Inc., t/d/b/a Club Limo** (3665 Stone Ridge Road, York, York County, PA 17402), a corporation of the Commonwealth of Pennsylvania—persons in limousine service, between points in the counties of Cumberland and Dauphin, the boroughs of Dillsburg and Franklinton, and the townships of Franklin, Carroll, Monaghan and Fairview, York County, and from points in said area, to points in Pennsylvania, and return; subject to the following condition: that no right, power or privilege is granted to provide service to or from the Harrisburg International Airport in the township of Lower Swatara, Dauphin County; which is to be a transfer of all of the rights authorized under the certificate issued at A-00110948 to Designated Driver, Inc., subject to the same limitations and conditions. *Attorney:* Craig A. Doll, 214 State Street, Harrisburg, PA 17101.

**A-00115577 Gold Cross Ambulance Service of PA, Inc. t/d/b/a Rural Metro Ambulance** (19 Spring Street, Struthers, Ohio 44471), a corporation of the state of Ohio—persons in paratransit service, between points in Mercer County, and from points in said county, to points in Pennsylvania, and return; which is to be a transfer of all of the rights authorized under the certificate issued at A-00107205, F. 2 to Gold Cross Limousine of Pa., Inc., subject to the same limitations and conditions. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

**Applications of the following for approval amendment of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.**

**A-00086452, Folder 2, Am-I. The Snyder Brothers Moving, Inc., t/d/b/a George Transportation Company** (729 West New Castle Street, Zelienople, Butler County, PA 16063), a corporation of the Commonwealth of Pennsylvania—inter alia—household goods in use, between points in the county of Butler: *so as to permit* the transportation of household goods in use: (1) between points in the city of Monongahela, Washington County, and within 5 miles by the usually traveled highways of said city; (2) between points in the borough of Donora, Washington County, and within 3 miles of the limits of said borough; (3) from points in the borough of Donora, Washington County, and within 15 miles by the usually traveled highways of the limits of said borough, to other points in Pennsylvania, and vice versa; and (4) from points in the city of Monongahela, Washington County, and within an airline distance of 5 miles of the limits of the city hall in the city of Monongahela, to points within an airline distance of 25 miles of the city hall in the city

of Monongahela, and vice versa; which is to be a transfer of part of the rights authorized under the certificate issued at A-00101130, F. 1, Am-B to Tara Trucking, Inc., a corporation of the Commonwealth of Pennsylvania, subject to the same limitations and conditions. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

**Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.**

**A-00114508, Folder 1 Am-B. Fancee Limousine Service, Inc.** (3955 Drybrook Road, Falconer, Chautauqua County, New York 14733), a corporation of the state of New York—persons in limousine service between points in the counties of Warren and Erie, and from points in said counties, to points in Pennsylvania, and return: *so as to permit* the transportation of persons in limousine service, between points in McKean County, and from points in said county, to points in Pennsylvania, and return.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-251. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Telecommunications

**A-310785. Bell Atlantic-Pennsylvania, Inc. and Globaline Telecommunications, Inc.** Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Globaline Telecommunications, Inc., for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Globaline Telecommunications, Inc., by its counsel, filed on January 26, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 20 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Globaline Telecommunications, Inc., Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-252. Filed for public inspection February 12, 1999, 9:00 a.m.]

### Water Service Without Hearing

**A-120007F0004 and A-210850F2000. Nido's Ltd., Inc.** Application of Nido's Ltd., Inc., for (1) approval of the transfer of all the property and rights of Emlenton Water Company to Nido's Ltd., Inc., docketed at A-120007F0004; and (2) for the approval of the abandonment of water service to the public in the Commonwealth of Pennsylvania by Emlenton Water Company, docketed at A-210850F2000.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 1, 1999, under 52 Pa. Code (relating to public utilities).

*Applicants:* Nido's Ltd., Inc. and Emlenton Water Company

*Through and By Counsel:* Bruno A. Muscatello, Esquire and John M. Biondi, Esquire, Stepanian & Muscatello, 228 South Main Street, Butler, PA 16001.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 99-253. Filed for public inspection February 12, 1999, 9:00 a.m.]

## STATE POLICE

### Meeting Notice

The State Police will be hosting a Discovery Day at the Sheraton Inn Harrisburg, 800 East Park Drive, Harrisburg, PA on February 26, 1999, from 9 a.m. to 4 p.m. The purpose of Discovery Day is to introduce the Criminal Investigative Traffic Safety Incident Information Management System (IIMS) project to the vendor community. The State Police will present the scope of the project, provide a forum for open discussion regarding the project and present the revolutionary approach that will be used to procure IIMS. Those vendors wishing to attend must RSVP by February 19, 1999, by registering on the State Police IIMS web site at <http://www.psp.state.pa.us> or by calling Ron Wilt, IIMS Project Manager, at (717) 783-5611. Attendance will be limited to two representatives per company.

PAUL J. EVANKO,  
*Commissioner*

[Pa.B. Doc. No. 99-254. Filed for public inspection February 12, 1999, 9:00 a.m.]

# TURNPIKE COMMISSION

## Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated for the following contract:

**Contract No. 98-013-RU83**—Rock cut slope remediation between M. P. 31.60 and 31.81 WB and between M. P. 33.91 and 34.13 WB and EB on the PA Turnpike System in Allegheny County, PA

*Bid Opening Date*—March 4, 1999, 11 a.m.

*Bid Surety*—5%

Plans, specifications and contract documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment of \$25 per set by check or P. O. Money Order (No Cash) payable to the Pennsylvania Turnpike Commission, Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. No refund for any reason will be made for plans, specifications and contract documents.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is a necessary prerequisite for bidding on this project.

Direct all questions on this project to Kristi Dunleavy, (717) 939-9551, Ext. 5785, fax (717) 986-9645 or e-mail kdunleav@paturnpike.com.

Contact the Purchasing Manager for a listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 99-255. Filed for public inspection February 12, 1999, 9:00 a.m.]

## Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated for the following contract:

**Contract No. 97-021-RM41**—Rehabilitation and bridge deck replacement for the Pennsylvania Deck Truss Spans of the Delaware River Bridge, M. P. 359.00

*Bid Opening Date*—March 17, 1999, 11 a.m.

*Bid Surety*—5%

Plans, specifications and contract documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment of \$35 per set by check or P. O. Money Order (No Cash)

payable to the Pennsylvania Turnpike Commission, Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. No refund for any reason will be made for plans, specifications and contract documents.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is a necessary prerequisite for bidding on this project.

A nonmandatory prebid meeting for the project under the direction of the engineer is scheduled for February 24, 1999, at 10 a.m., at the Turnpike Commission's Eastern Regional Office, (610) 279-1645. This office is located at 251 Flint Hill Road, King of Prussia, PA 19406-2637.

Direct questions for this project to Brian M. Ranck, P.E., (717) 939-9551, Ext. 3630, fax (717) 986-8742 or e-mail at branck@paturnpike.com.

Contact the Purchasing Manager for a listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 99-256. Filed for public inspection February 12, 1999, 9:00 a.m.]

## Request for Proposals; Retention of a Consultant

### Reference No. 146-013

The Turnpike Commission (Commission) will consider entering into a consulting agreement with a firm qualified to develop a long-range plan for the Commission's service plaza operations. The selected firm will be expected to perform customer and market research and conduct traffic studies with respect to service plaza operations. The firm will also be required to investigate real estate development opportunities as they may relate to service plazas. The Commission will expect the selected firm to make recommendations regarding the future location and conceptual nature of service plazas and how the Commission can best serve the needs of its customers in the coming years. The Commission will consider proposals from all qualified firms for the preparation of the long-range plan.

All interested parties will attend a mandatory meeting scheduled for 11 a.m., March 19, 1999, at the Turnpike Commission offices in the Days Inn, located at Exit 19 of the Turnpike and Rt. 283 and Eisenhower Boulevard in Highspire, PA. Proposals will not be accepted or considered from parties who fail to attend this meeting.

Firms interested in receiving a copy of the Request for Proposals (RFP) should call the bid clerk at (717) 939-9551, Ext. 2830, or send written requests to Jeffrey Hess, Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 99-257. Filed for public inspection February 12, 1999, 9:00 a.m.]