

# NOTICES

## ALLEGHENY COUNTY

### Expiration—Second Class County Charter Law

Please be advised that the first Chief Executive of Allegheny County and 15 members of County Council were sworn into office on Monday, January 3, 2000 as described at 16 P. S. § 6113-C.

TERRENCE F. MCVERRY,  
*County Solicitor*

[Pa.B. Doc. No. 00-425. Filed for public inspection March 10, 2000, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Temporary Order Designating West Nile Encephalitis a Dangerous Transmissible Disease

The Department of Agriculture (Department) hereby designates West Nile Encephalitis a "dangerous transmissible disease," under authority of the Agriculture Code (3 Pa.C.S.A. § 2321(d)) (code). This designation will facilitate the Department's efforts to detect and contain West Nile Encephalitis and to assist the Department of Health and other public health agencies in any monitoring and treatment efforts.

West Nile Encephalitis is a disease of public health significance. It also poses a threat to domestic animal health and to the economic well-being of domestic animal industries. Section 2321(c) of the code requires this Department proceed with the agreement of the Department of Health when it adds a disease of public health significance to the list of designated dangerous transmissible diseases. Both this Department and the Department of Health agree on adding West Nile Encephalitis to the list of dangerous transmissible diseases.

West Nile Encephalitis is an infection of the brain caused by the West Nile Virus. Although West Nile Virus has, in the past, been found most typically in Africa,

Eastern Europe and West Asia, it was detected in the New York City area and in parts of New Jersey in 1999. In mild cases, the disease causes fever, headache and body aches, skin rash and swollen lymph glands. In more severe cases, it causes headache, high fever, neck stiffness, stupor, disorientation, coma, tremors, paralysis and occasional convulsions.

Humans and animals can acquire West Nile Virus through a bite from a mosquito that has bitten an infected animal. Since birds are among the animals known to carry West Nile Virus, it is possible infected birds might bring the virus to this Commonwealth from the New York City/New Jersey area, and that mosquitoes that bite these birds might be capable of transmitting the disease to humans and animals they subsequently bite.

The Department has authority under the Domestic Animal Law provisions of the Agriculture Code (3 Pa.C.S.A. §§ 2301—2389) to regularly monitor the domestic animal population of this Commonwealth to determine the prevalence, incidence and location of transmissible diseases. The designation of West Nile Encephalitis as a "dangerous transmissible disease" will facilitate this Department's surveillance of birds and other animals for the presence of the West Nile Virus or West Nile Encephalitis.

This order is a temporary order, as required under § 2321(d) of the code. This order shall take effect as of March 11, 2000, and shall remain in effect until no later than March 11, 2001. This Department may: (1) Reissue this temporary order to extend the designation beyond March 11, 2001; (2) Allow this temporary order to expire March 11, 2001; (3) Supplant this temporary order with a formal regulation designating West Nile Encephalitis a "dangerous transmissible disease"; or (4) Modify this temporary order.

Questions regarding this temporary order may be directed to John Enck, DVM, Director, Bureau of Animal Health and Diagnostic Services, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 783-6677.

SAMUEL E. HAYES, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-426. Filed for public inspection March 10, 2000, 9:00 a.m.]

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending February 29, 2000.

## BANKING INSTITUTIONS

## Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
2-17-00	NBT Bancorp, Inc., Norwich, New York, to acquire 100% of the voting shares of Lake Ariel Bancorp, Inc., Lake Ariel, PA, and thereby indirectly acquire LA Bank, National Association, Lake Ariel, PA	Norwich, NY	Effective
2-29-00	NBT Bancorp, Inc., Norwich, New York, to acquire 100% of the voting shares of Pioneer American Holding Company Corp., Carbondale, PA	Norwich, NY	Filed

## Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-24-00	Harleysville Savings Bank, Harleysville, and Harleysville Interim Savings Bank, Harleysville Surviving Institution— Harleysville Savings Bank, Harleysville	Harleysville	Effective

Merger is being effected to facilitate the acquisition of Harleysville Savings Bank by Harleysville Savings Financial Corporation, Harleysville, a new bank holding company.

## Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-18-00	Keystone Savings Bank Bethlehem Northampton County	3100 Tilghman St. South Whitehall Twp. Lehigh County	Opened
2-28-00	Greenville Savings Bank Greenville Mercer County	550 N. Hermitage Rd. Hermitage Mercer County	Filed
2-29-00	Summit Bank Bethlehem Northampton County	Pathmark Supermarket 5005 Edgemont Ave. Brookhaven Delaware County	Approved
2-29-00	Summit Bank Bethlehem Northampton County	Pathmark Supermarket 4160 Monument Road Philadelphia Philadelphia County	Approved
2-29-00	Summit Bank Bethlehem Northampton County	Pathmark Supermarket 840 Cottman Avenue Philadelphia Philadelphia County	Approved
2-29-00	Summit Bank Bethlehem Northampton County	Pathmark Supermarket 8700 Frankford Ave. Philadelphia Philadelphia County	Approved
2-29-00	Mercer County State Bank Sandy Lake Mercer County	Meadville Mall 16881 Conneaut Lake Rd. Meadville Crawford County	Approved

**Branch Relocations/Consolidations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-23-00	Somerset Trust Company Somerset Somerset County	<i>To:</i> 1416 Scalp Avenue Richland Township Cambria County  <i>From:</i> 3220 Elton Road Richland Township Cambria County	Approved
2-23-00	Parkvale Savings Bank Monroeville Allegheny County	<i>To:</i> 2719 Brodhead Road Aliquippa Beaver County  <i>From:</i> 913 23rd Street Aliquippa Beaver County	Effective
2-29-00	Summit Bank Bethlehem Northampton County	<i>To:</i> 737 Bethlehem Pike Montgomery Township Montgomery County  <i>From:</i> 521 Stump Road Montgomery Township Montgomery County	Approved
2-29-00	Summit Bank Bethlehem Northampton County	<i>Into:</i> 723 Street Road Southampton Bucks County  <i>From:</i> 735 Davisville Road Southampton Bucks County	Approved

**Branch Discontinuances**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-28-00	Lafayette Ambassador Bank Easton Northampton County	1605 W. Broad St. Bethlehem Lehigh County	Filed

**SAVINGS INSTITUTIONS****Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
2-29-00	East Stroudsburg Savings Association Stroudsburg Monroe County  Purchase of assets/assumption of liabilities of one branch office of Pioneer American Bank, N.A., Carbondale, located at: Mr. Z's Supermarket Route 611 Stroudsburg Monroe County	Stroudsburg	Approved

**CREDIT UNIONS**

No activity.

DAVID E. ZUERN,  
*Secretary*

[Pa.B. Doc. No. 00-427. Filed for public inspection March 10, 2000, 9:00 a.m.]

# DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

## Conservation and Natural Resources Advisory Council; Meeting Notice

Notice is hereby given of a meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources on Wednesday, March 22, 2000. The meeting will be held at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Claire Guisewite directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

DENNIS DEMARA,  
*Chairperson*

[Pa.B. Doc. No. 00-428. Filed for public inspection March 10, 2000, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standard and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision to 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

---

**Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.**


---

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0021172. Amendment No. 1.** Sewage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This application is for an amendment of an NPDES permit to discharge treated sewage from Harvey Avenue in Doylestown Borough, **Bucks County**. This is an existing discharge to Cooks Run a tributary to Neshaminy Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Copper at Outfall 001, based on a dissolved water effect ratio of 5.7 and an average flow of 0.9 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Copper	0.12	0.24	0.30

*Other Conditions:*

The EPA waiver is not in effect.

---

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0081647.** SIC: 4952, Sewage, **White Run Regional Municipal Authority**, 2001 Baltimore Pike, Gettysburg, PA 17325-7068.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to White Run, in Mount Joy Township, **Adams County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the City of Frederick intake located in Maryland. The discharge is not expected to impact any potable water supply.

*Interim*

These limits shall apply during construction to expand the plant's capacity from 0.165 mgd to 0.33 mgd:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N				
(5-1 to 10-31)	4.0	XXX	XXX	8.0
(11-1 to 4-30)	12	XXX	XXX	24
Total Phosphorus	2.0	XXX	XXX	4.0
Total Residual Chlorine	0.42	XXX	monitor and report	1.3
Dissolved Oxygen			minimum of 5.0 at all times	
pH			from 6.0 to 9.0 inclusive	
Fecal Coliforms				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		8,300/100 ml as a geometric average		

*Final*

These limits shall apply following completion of construction:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>				
(5-1 to 10-31)	20	30	XXX	40
(11-1 to 4-30)	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N				
(5-1 to 10-31)	2.5	XXX	XXX	5.0
(11-1 to 4-30)	7.5	XXX	XXX	15
Total Phosphorus	2.0	XXX	XXX	4.0
Total Aluminum	XXX	XXX	monitor and report	XXX
Dissolved Oxygen			minimum of 5.0 at all times	
pH			from 6.0 to 9.0 inclusive	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 4,400/100 ml as a geometric average		

Persons may make an appointment to review the Department's files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0024139.** SIC: 4952, Sewage, **Cumberland Township Authority**, 1270B Fairfield Road, Gettysburg, PA 17325.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Rock Creek, in Cumberland Township, **Adams County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the City of Frederick intake located in Maryland. The discharge is not expected to impact any potable water supply.

Interim, Final A and Final B limits will be imposed. Interim limits will apply during construction of the plant expansion. Final A limits will go into effect following construction. Final B limits will be enforceable 3 years from the issuance of the final permit, and include Preliminary Water Quality Based Effluent Limits (PWQBEL) for toxic constituents.

The proposed Interim effluent limits for Outfall 001 for a design flow of 0.167 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31) (11-1 to 4-30)	15 25	22 40	XXX XXX	30 50
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N (5-1 to 10-31) (11-1 to 4-30)	2.5 7.5	XXX XXX	XXX XXX	5.0 15
Total Phosphorus	3.0	XXX	XXX	6.0
Total Residual Chlorine	0.4	XXX	XXX	0.9
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0 to 9.0 inclusive		
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 2,000/100 ml as a geometric average		
Total Mercury	monitor and report	XXX	XXX	XXX
Total Copper	monitor and report	XXX	XXX	XXX
Total Zinc	monitor and report	XXX	XXX	XXX
Total Silver	monitor and report	XXX	XXX	XXX

The proposed Final A effluent limits for Outfall 001 for a design flow of 0.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31) (11-1 to 4-30)	10 20	15 30	XXX XXX	20 40
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N (5-1 to 10-31) (11-1 to 4-30)	2.5 7.5	XXX XXX	XXX XXX	5.0 15
Total Phosphorus	1.0	XXX	XXX	2.0
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0 to 9.0 inclusive		
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 2,000/100 ml as a geometric average		
Total Mercury	monitor and report	XXX	XXX	XXX
Total Copper	monitor and report	XXX	XXX	XXX
Total Zinc	monitor and report	XXX	XXX	XXX
Total Silver	monitor and report	XXX	XXX	XXX
Total Aluminum	XXX	XXX	monitor and report	XXX

The proposed Final B effluent limits for Outfall 001 for a design flow of 0.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>				
(5-1 to 10-31)	10	15	XXX	20
(11-1 to 4-30)	20	30	XXX	40
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N				
(5-1 to 10-31)	2.5	XXX	XXX	5.0
(11-1 to 4-30)	7.5	XXX	XXX	15
Total Phosphorus	1.0	XXX	XXX	2.0
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0 to 9.0 inclusive		
Fecal Coliforms				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		2,000/100 ml as a geometric average		
Total Mercury	0.00002	XXX	XXX	XXX
Total Copper	0.03	XXX	XXX	XXX
Total Zinc	0.188	XXX	XXX	XXX
Total Silver	0.01	XXX	XXX	XXX
Total Aluminum	XXX	XXX	monitor and report	XXX

Part C requirements for toxics are briefly listed as:

1. Water quality based effluent goals for total copper, total zinc, total mercury and total silver.
2. Requirements to submit the first phase of a toxics reduction evaluation.
3. Conditions for future permit modifications.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

Persons may make an appointment to review the Department's files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0024708.** SIC: 4952, Sewage, **Municipal Authority of the Township of Union**, P. O. Box 5625, Belleville, PA 17004-9701.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Kishacoquillas Creek, in Union Township, **Mifflin County**.

The receiving stream is classified for cold water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the United Water Company intake located on the Susquehanna River in Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.49 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
NH <sub>3</sub> -N				
(5-1 to 10-31)	5.0	XXX	XXX	10
(11-1 to 4-30)	15	XXX	XXX	30
Total Phosphorus	monitor and report	XXX	XXX	XXX
Total Residual Chlorine	0.7	XXX	monitor and report	2.3
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0 to 9.0 inclusive		
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		9,300/100 ml as a geometric average		

Persons may make an appointment to review the Department's files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

*Northcentral Region: Environmental Program Manager, Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-3670.*

**PA 0033910.** Sewerage, SIC: 4952, **Northeast Bradford School District**, R. R. 1, Box 211B, Rome, PA 18837-9505.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Johnson Creek in Orwell Township, **Bradford County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Company located approximately 140 river miles downstream.

The proposed effluent limits for Outfall 001 based on a design flow of 0.01 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25		50
TSS	30		60
Ammonia-N (6-1 to 10-31)	6		12
(11-1 to 5-31)	18		
Total Cl <sub>2</sub> Residual 1st month—36th month	report		
37th month—permit expiration date	0.43		1.4
Fecal Coliforms: (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2000 col/100 ml as a geometric mean		
pH	6.0 to 9.0 at all times		

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0218260.** Stormwater. SIC: 7941. **The Public Auditorium Authority of Pittsburgh and Allegheny County**, 425 Sixth Avenue, Suite 1850, Pittsburgh, PA 15219.

This application is for issuance of an NPDES permit to discharge stormwater from construction of Steelers Football Stadium in Pittsburgh, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny and Ohio Rivers, classified as warm water fisheries with existing and/or potential uses for aquatic life, water supply and recreation. The first existing proposed downstream potable water supply (PWS) is West View Water Authority, located at West View, 5 miles below the discharge point.

*Outfalls 001 and 002: new discharges.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
TSS			30		60
Oil and Grease			15		30
Dissolved Iron			monitor and report		7.0
Benzene				not detectable	
Barium				monitor and report	
Aluminum				monitor and report	
Lead				monitor and report	
Mercury				monitor and report	
Vanadium				monitor and report	
Beryllium				monitor and report	
Copper				monitor and report	
Nickel				monitor and report	
Zinc				monitor and report	
Cyanide (free)				monitor and report	
Hexavalent Chromium				monitor and report	
Ethylbenzene				monitor and report	



Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Xylenes					monitor and report
Naphthalene					monitor and report
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

**PA 0110981.** Sewage. **John J. and Rosalyn M. Keslar**, P. O. Box 63, Rector, PA 15677.

This application is for renewal of an NPDES permit to discharge treated sewage from Jioio's Restaurant STP in Conemaugh Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Bens Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Waterworks on the Conemaugh River.

Outfall 001: existing discharge, design flow of 0.0018 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
Total Residual Chlorine	monitor and report			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

**PA 0032760.** Sewage. **Pennsylvania Department of Transportation**, Safety Rest Area Site No. 17, I-79 Northbound, Bureau of Design, P. O. Box 3060, Harrisburg, PA 17105-3060.

This application is for renewal of an NPDES Permit, to discharge treated waste to an unnamed tributary to Black Run in Deer Creek Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at river mile 90.0, approximately 48 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.0087 mgd are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
Flow	monitor and report	
CBOD <sub>5</sub>	25	50
TSS	30	60
Ammonia as Nitrogen	25	50
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2000/100 ml as a geometric average	
Total Residual Chlorine	0.6	1.4
pH	6.0 to 9.0 at all times	

The EPA waiver is in effect.

**PA 0032751.** Sewage. **Pennsylvania Department of Transportation**, Safety Rest Area Site No. 18, I-79 Southbound, Bureau of Design, P. O. Box 3060, Harrisburg, PA 17105-3060.

This application is for renewal of an NPDES Permit, to discharge treated waste to an unnamed tributary to Black Run in Deer Creek Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at river mile 90.0, approximately 48 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.0087 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report	
CBOD <sub>5</sub>	25	50
TSS	30	60
Ammonia as Nitrogen		
(5-1 to 10-31)	8.5	17
(11-1 to 4-30)	25.5	51.0
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2000/100 ml as a geometric average	
Total Residual Chlorine	1	2.3
pH	6.0 to 9.0 at all times	

The EPA waiver is in effect.

**PA 0005983.** Industrial waste, SIC: 3321. **Cooper-Bessemer Reciprocating**, 150 Lincoln Avenue, Grove City, PA 16127-1836.

This application is for renewal of an NPDES Permit to discharge stormwater to Wolf Creek and McMillan Run in Grove City, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Slippery Rock Creek and Camp Allegheny on 11 [stream] located at Wayne Township, Lawrence County, approximately 24 miles below point of discharge.

The proposed discharge limits for Outfall Nos. 001, 002, 003, 005, 007 and 008 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	XX		
Oil and Grease	XX		
Kjeldah Nitrogen	XX		
Nitrite-Nitrate, Nitrogen	XX		
Total Iron	XX		
pH	XX		

The EPA waiver is in effect.

### **Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges**

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

*Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0083909	Conestoga Wood Specialties Corp. P. O. Box 158 East Earl, PA 17519-0158	Lancaster County East Earl Township	Conestoga River	TRC
PA0080446	Valley View Manor Mobile Home Park 15485 Park Drive State Line, PA 17263	Franklin County Antrim Township	Dry Stream Discharge	TRC
PA0028983	McVeytown Borough Authority P. O. Box 321 McVeytown, PA 17051	Mifflin County McVeytown Borough	Juniata River	TRC

### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### Applications under the Pennsylvania Clean Streams Law

##### (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the name, address and telephone number of the protester, identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each protester will be notified in writing of the time and place of any scheduled hearing or conference concerning the plan or action or application to which the protest relates. To insure consideration by the Department prior to final action on permit application and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

#### Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**A. 1300403. Carbon Dack Associates, L.L.C.**, 650 Naamans Road, Suite 315, P. O. Box 470, Brandywine Corporate Center, Claymont, DE 19703. Application to upgrade existing treatment plant located in Mahoning Township, **Carbon County**. Application received in the Regional Office February 16, 2000.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**WQM Permit No. 4600407.** Sewerage. **Candlewyck Estate Homeowners' Association**, 5022 Fernwood Av-

enue, Egg Harbor Township, NJ 08234. Applicant is requesting approval for the construction and operation of a wastewater treatment plant to serve 14 single residences known as Candlewyck Estates located in Marlborough Township, **Montgomery County**.

**WQM Permit No. 4600408.** Sewerage. **Naval Air Station Joint Reserve Base Willow Grove**, US Naval Air Station Willow Grove, Department of the Navy Joint Reserve Base Box 21, Willow Grove, PA 19090-5021. Applicant is requesting approval to replace the existing chlorine disinfection system with an ultraviolet disinfection system to serve the Naval Air Station wastewater treatment plant located in Horsham Township, **Montgomery County**.

**WQM Permit No. 1500202.** Industrial Waste. **Sunoco, Inc.**, 4041 Market Street, P. O. Box 2060, Aston, PA 19014. Applicant is requesting approval to clean groundwater at Sunoco Station No. 0363-1025, the groundwater will be cleaned using a granular activated carbon unit located in East Whiteland Township, **Chester County**.

*Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.*

**A. 3800401.** Submitted by the **Borough of Palmyra, Palmyra Municipal Center**, 325 S. Railroad Street, Palmyra, PA 17078 in Palmyra Borough, **Lebanon County**, to construct an equalization basin was received in the Southcentral Region on January 18, 2000.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**A. 6500403.** Sewerage. **Franklin Township Municipal Authority**, 3001 Meadowbrook Road, Murrysville, PA 15668-1698. Application for the construction and operation of a pump station and sewers and appurtenances to serve the Walton Estates Plan located in Penn Township, **Westmoreland County**.

#### INDIVIDUAL PERMITS

##### (PAS)

#### NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and

regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharge.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day permit will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department's Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

*Northampton County Conservation District, District Manager, Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.*

**NPDES Permit PAS10U126.** Stormwater. **Liberty Property Limited Partnership**, 1510 Valley Center Parkway, No. 240, Bethlehem, PA 18017, has applied to discharge stormwater from a construction activity located in Hanover Township, **Northampton County**, to Monocacy Creek.

**NPDES Permit PAS10U127.** Stormwater. **J. G. Petrucci Co., Inc.**, 171 Rt. 173, Suite 201, Asbury, NJ 08802, has applied to discharge stormwater from a construction activity located in Forks Township, **Northampton County**, to Bushkill Creek.

**NPDES Permit PAS10U128.** Stormwater. **CMC Development Corp.**, 4511 Falmer Rd., Bethlehem, PA 18017, has applied to discharge stormwater from a construction activity located in Forks Township, **Northampton County**, to Bushkill Creek.

*Northcentral Regional Office: Regional Water Management Program Manager, 208 W. 3rd St., Suite 101, Williamsport, PA 17701, (717) 327-3574.*

*Centre County Conservation District, 414 Holmes Ave., Suite 5, Bellefonte, PA 16823, (814) 355-6817.*

**NPDES Permit PAS10F085.** Stormwater. **Fern Smith Estates**, Richard L. Fortney, S & A Custom Built Homes, 501 Rolling Ridge Dr., State College, PA 16801 has applied to discharge stormwater from a construction activity located in Patton Township, **Centre County** to Buffalo Run.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**NPDES Permit PAS10E071.** Stormwater. **Denny Subdivision Plan (Mercedes Bend)**, Mark Denny, 110 Dingle Road, West Sunbury, PA 16061, has applied to discharge stormwater from a construction activity located in Clay Township, **Butler County**, to unnamed tributary to Muddy Creek.

## SAFE DRINKING WATER

### Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**A. 1500501.** Public water supply. **Philadelphia Suburban Water Company**, 762 Lancaster Avenue, Bryn Mawr, PA 19101-3489. This proposal involves the construction of a water standpipe in West Bradford Township, **Chester County**.

*Southcentral Regional Office: Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.*

**Permit No. 3600501.** Public water supply. **Christiana Borough Authority**, Sadsbury Township, **Lancaster County**. *Responsible Official:* LaVerne D. Rettew, Manager, P. O. Box 135, Christiana, PA 17509. *Type of Facility:* Installation of a vacuum diatomaceous earth filtration system to treat the spring water to comply with the surface water treatment rule. *Consulting Engineer:* Scott M. Rights, P.E., Herbert, Rowland & Grubic, Inc., 1846 Charter Lane, P. O. Box 10337, Lancaster, PA 17605-0337. Application received February 10, 2000.

*Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. 1700501.** The Department has received a permit application from **Croft Water Association**, R. D. 2, Box 208A, Clearfield, PA 16830, Goshen Township, **Clearfield County**. The application is for construction and operation of a new groundwater source (Well No. 002), provide adequate treatment for iron and manganese removal as well as disinfection, and construct and operate a new distribution system, including metering for the village of Croft.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 1

---

#### Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

---

Sections 302—304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Heating Oil Partners, L.P.—Gill Brothers Oil Company**, Northampton Township, **Bucks County**. Sean Grexa, The Tyree Organization Ltd., 1350 S. US Highway 130, Burlington, NJ 08016, has submitted a Notice of Intent to Remediate site soil contaminated with petroleum hydrocarbons and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* on January 20, 2000.

**VICAM Corp.**, Upper Providence Township, **Montgomery County**. Grover H. Emrich, Emrich & Associates, 1488 Hancock Lane, Wayne, PA 19087, has submitted a Notice of Intent to Remediate site soil contaminated with lead and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Times Herald* on February 9, 2000.

**VIZ Manufacturing Co.**, City of Philadelphia, **Philadelphia County**. Jeffrey E. Goudsward, Penn E&R, Inc., 2755 Berge Road, Hatfield, PA 19440, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with solvents. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Daily News* on February 14, 2000.

*Southcentral Regional Office: Environmental Cleanup Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Adele M. Keech Estate**, Berwick Township, **Adams County**. James Richenderfer, President, Richenderfer & Assoc., Inc., P. O. Box 1199, Carlisle has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with BTEX and PHCs. The applicant proposes to remediate the site to meet a combination of the Statewide health and site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Gettysburg Times*.

**Nello Tire**, Springettsbury Township, **York County**. Environmental Resources Management, 2666 Riva Road, Suite 200, Annapolis, MD 21401 has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with BTEX and PHCs. The applicant proposes to remediate the site to meet the requirements of the Statewide health and site specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record* on February 10, 2000.

**Distribution Pole 24811S33777**, City of Harrisburg, **Dauphin County**. PP&L, Inc., System Facility Center, One Scotchpine Drive, Hazleton, PA 18201-9760 has submitted a Notice of Intent to Remediate site soils contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Patriot News* on February 16, 2000.

**Charles and Cindy Stoudt Residence**, Swatara Township, **Lebanon County**. Charles and Cindy Stoudt, 407 South Lancaster Street, Lebanon, PA 17046 have submitted a Notice of Intent to Remediate site soils

contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lebanon Daily News* on January 29, 2000.

**SOLID AND HAZARDOUS WASTE  
REQUEST FOR PROPOSALS FOR MUNICIPAL  
SOLID WASTE CAPACITY**

**The following notices are placed through the Department of Environmental Protection as required by section 502(d) of the Municipal Waste Planning, Recycling and Waste Reduction Act (35 P. S. §§ 4000.101—4000.1904).**

**Request for Proposals for Municipal Solid Waste Capacity**

**Cambria County**, through the **Cambria County Solid Waste Management Authority**, is soliciting disposal/processing facilities to provide all or part of the disposal capacity required annually for Cambria County municipal waste for the next 10 years. Interested parties should contact the Cambria County Solid Waste Management Authority at (814) 472-2109 to obtain a copy of the Facility Qualification Request, which will be used to qualify facilities to participate in the Cambria County Municipal Waste Management Plan. Responses to the Facility Qualification Requests must be submitted on or before April 28, 2000 at 3 p.m.

**Wayne County**, through its **Solid Waste Department**, is issuing a Facilities Qualification Request (FQR) for processing/disposal of municipal solid waste (MSW) generated in Wayne County, PA. The annual tonnage of MSW for which processing/disposal services are being requested is approximately 35,000 tons per year. Submittals may be for part or all of the annual tonnage. The term of the Processing/Disposal Agreement is 5 years, with annual renewal periods of 5 years for a total of 10 years. Responses to the FQR must be received by March 31, 2000 at 3 p.m. Eastern Standard Time at the office of Randy S. Heller, Solid Waste Director, Wayne County Recycling Center, R. R. 4, Box 524, Honesdale, PA 18431, (570) 253-9727.

The FQR will be available for distribution on or about March 1, 2000. To request a copy of the FQR, contact Randy Heller as noted previously. Wayne County, through its Solid Waste Department, reserves the right to modify the schedule and to reject any or all proposals.

**AIR QUALITY**

**Notice of Plan Approval and Operating Permit Applications**

**Nonmajor Sources and Modifications**

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being

installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

**OPERATING PERMITS**

**Notice of Intent to Issue Title V Operating Permits**

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least thirty days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**TV-04-00108: Armstrong World Industries, Inc.** (1018 11th Street, Beaver Falls, PA 15010) for their ceiling tile manufacturing facility in Beaver Falls, **Beaver County**. As a result of the potential levels of VOC emissions, it is a major stationary source as defined in Title 1, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

**Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**OP-15-0089A: West Goshen Sewage Treatment Plant** (848 South Concord Road, West Chester, PA 19382) on February 9, 2000, for approval of Facility VOC/NOx RACT in West Goshen Township, **Chester County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**08-301-017: Northern Bradford Crematory** (52 McArdle Road, Sayre, PA 18840-9414) for operation of a crematory incinerator in South Waverly Borough, **Bradford County**.

**SMOP-59-00017: ACP Manufacturing Co., LLC** (P. O. Box 9, Blossburg, PA 16912) for their ductile iron foundry facility in Lawrence Township, **Tioga County**. The main sources are electric induction melting furnaces, core making machines and sand handling equipment. Emissions from these sources include CO, NO<sub>x</sub>, SO<sub>2</sub>, VOCs and particulate matter.

**SMOP-55-00016: Conestoga Wood Specialties Corp.** (441 West Market Street, Beavertown, PA 17813) for their kitchen cabinetry and millwork facility in Beavertown Boro, **Snyder County**. The main sources are two No. 4 fuel-oil fired boilers. Emissions from these sources include CO, NO<sub>x</sub>, SO<sub>2</sub>, VOCs and particulate matter.

**SMOP-19-00020: Kawneer Co., Inc.** (500 East 12th Street, Bloomsburg, PA 17815) for their metal door, sash, frames and molding facility in Bloomsburg, **Columbia County**. The main sources are two paint booths and natural gas fired furnaces and heaters. Emissions from these sources include CO, NO<sub>x</sub>, SO<sub>2</sub>, VOCs and particulate matter.

**NMOP-14-00026: Sonoco Products Co.** (P. O. Box 258, Milesburg, PA 16853) for their plastic film manufacturing facility in Boggs Township, **Centre County**. The main sources are pillar corona treater machines and flexographic printing presses. Emissions from these sources include CO, NO<sub>x</sub>, SO<sub>2</sub>, VOCs and particulate matter.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**OP-03-00216: T.J.S. Mining, Inc.** (R. D. 1, Box 260D, Shelocta, PA 15774) for operation of coal screening at Damac No. 3 Mine in Plumcreek Township, **Armstrong County**.

**OP-03-00194: Glacial Sand & Gravel Co.** (P. O. Box 1022, Kittanning, PA 16201) for operation of barge loading and unloading at Tarrtown Barge Facility in East Franklin Township, **Armstrong County**.

**OP-03-00189: Glacial Sand & Gravel Co.** (P. O. Box 1022, Kittanning, PA 16201) for operation of sand and gravel processing at Bridgeburg River Plant in East Franklin Township, **Armstrong County**.

**OP-04-00519: Columbia Gas Transmission Corp.** (1700 MacCorkle Avenue, S. E., Charleston, WV 25325) for operation of compressor station at Blackhawk Compressor Station in South Beaver Township, **Beaver County**.

**OP-04-00400: Columbia Gas Transmission Corp.** (1700 MacCorkle Avenue, S. E., Charleston, WV 25325) for operation of compressor station at Ellwood City Compressor Station in Ellwood City Borough, **Beaver County**.

**OP-04-00515: Vesuvius McDanel Co.** (510 9th Avenue, P. O. Box 560, Beaver Falls, PA 15010) for operation of Beaver Falls Plant in Beaver Falls, **Beaver County**.

**OP-04-00467: J&L Structural, Inc.** (111 Station Street, Aliquippa, PA 15001) for operation of steel works and rolling mills at Aliquippa Plant in Aliquippa, **Beaver County**.

**OP-04-00500: J&L Structural, Inc.** (401 14th Street, Ambridge, PA 15003) for operation of surface coating at Ambridge Division in Ambridge Borough, **Beaver County**.

**OP-11-00497: Gautier Steel, Ltd.** (80 Clinton Street, Johnstown, PA 15901) for operation of steel manufacturing at Johnstown Plant in Johnstown, **Cambria County**.

**OP-26-00448: Gerome Manufacturing Co., Inc.** (P. O. Box 1089 Oliver Road, Uniontown, PA 15401) for operation of surface coating at Uniontown Plant in North Union Township, **Fayette County**.

**OP-26-00057: Matt Canestrone Contracting, Inc.** (P. O. Box 234, Belle Vernon, PA 15012) for operation of coal loading/unloading/stockpiling at LaBelle Site in Luzerne Township, **Fayette County**.

**OP-32-00297: Creps United Publications** (1163 Water Street, P. O. Box 746, Indiana, PA 15701) for operation of lithographic printing at Christ Park Drive Facility in White Township, **Indiana County**.

**OP-56-00265: Bender Shoe Co.** (841 South Center Avenue, Somerset, PA 15501) for operation of boot and shoe manufacturing at Somerset New Plant in Somerset Borough, **Somerset County**.

**OP-63-00414: Avella Area School District** (1000 Avella Road, Avella, PA 15312) for operation of boilers at Avella Elementary and High School in Cross Creek Township, **Washington County**.

**OP-63-00159: Stone and Co.** (R. D. 12, Box 613, Roseytown Road, Greensburg, PA 15601) for operation of stone handling and storage at Charleroi Plant in Charleroi, **Washington County**.

**OP-63-00651: Pennsylvania Railcrane** (120 Braemont, McKeesport, PA 15135) for operation of pebble lime loading/unloading at Donora Site in Carroll Township, **Washington County**.

**OP-65-00599: St. Vincent Archabbey and College** (300 Fraser Purchase Road, Latrobe, PA 15650) for operation of boilers at St. Vincent College in Unity Township, **Westmoreland County**.

**OP-65-00881: Innovative Carbide, Inc.** (11040 Parker Drive, WCIDC 4, Irwin, PA 15642) for operation of metal powder mixing and drying in North Huntingdon, **Westmoreland County**.

**OP-65-00378: BP Exploration & Oil, Inc.** (4850 East 49th Street, CC-11, Cleveland, OH 44125) for operation of petro terminal and bulk station at Greensburg Terminal in Hempfield Township, **Westmoreland County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**42-302-009B: Honeywell International, Inc., Farmers Valley** (R. D. 3, Box 56A, Smethport, PA 16749) for operation of steam boilers in Farmers Valley, **McKean County**.

**42-312-017B: Honeywell International, Inc., Farmers Valley** (R. D. 3, Box 56A, Smethport, PA 16749) for operation of VOC storage tanks in Farmers Valley, **McKean County**.

**PA-42-176C: Temple Inland Forest Products Corp., Mt. Jewett** (R. D. 1, Box 268, Hutchins Road, Mt. Jewett, PA 16740) for operation of a sander dust system in Sargeant Township, **McKean County**.

*City of Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104, (215) 685-7584.*

**V95-019: Exxon Co., USA, Philadelphia Marketing Terminal** (6850 Essington Avenue, Philadelphia, PA 19153) for a Title V Operating Permit for operation of a gasoline loading terminal in the City of Philadelphia, **Philadelphia County**. The facility's emission sources include 10 internal floating roof storage tanks and a loading rack with a carbon absorption vapor recovery unit.

**V95-023: Kurz-Hastings, Inc.** (10901 Dutton Road, Philadelphia, PA 19154) for a Title V Operating Permit for operation of rotogravure printing (non-publication) operations for lamination-type materials referred to as hot stamping foils in the City of Philadelphia, **Philadelphia County**. These products decorate surfaces such as wood furniture or television sets. The facility's air emission sources include eight rotogravure printing presses, eight significant combustion units each less than 4 MMBTU/hr., an emergency generator, mixing and cleaning operations, remediation system and six cold solvent wash tanks. The facility's air emissions control devices include three recuperative oxidizers and one regenerative oxidizer.

**V95-042: Philadelphia Gas Works, Richmond Plant** (3100 East Venango Street, Philadelphia, PA 19134) for a Title V Operating Permit for operation of a natural gas utility in the City of Philadelphia, **Philadelphia County**. Activities include liquefied natural gas (LNG) storage and distribution of natural gas to the City of Philadelphia. The facility's air emission sources include two 4.2 MMBTU/hr boilers, four LNG 2,350 HP process compressors, two LNG 2,350 HP stand-by process compressors, two 800 HP LNG boiloff compressors, six vaporization heaters each approximately 100 MMBTU/hr, six heaters each <10MMBTU/hr, three 295 HP engines, three turbines each <15 MMBTU/hr and two emergency generators.

**V95-025: Sea Gull Lighting Products, Inc.** (25th and Wharton Streets, Philadelphia, PA 19145) for a Title V Operating Permit for operation of a lighting fixtures manufacturing facility in the City of Philadelphia, **Philadelphia County**. The facility's emission sources include a vapor degreaser, three paint booths, a bake oven, three  $\leq 2.8$  MMBTU/hr boilers and a polishing dust collector. This is a Title V facility.

**S95-059: E. I. DuPont de Nemours, Marshall Laboratory** (3401 Grays Ferry Avenue, Philadelphia, PA 19146) for a Synthetic Minor Operating Permit for operation of a research and development facility in the DuPont high performance coatings business, specializing in the development of refinish automotive coatings in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two boilers, 24 air handling units, one firewater pump, and research and development sources consisting of 21 spray booths, five dust collectors, one sand parts prep station, resin production including six reactors and four kettles, eight dispersion semiworks mix tanks and one high speed disperser.

**S95-041: Philadelphia Gas Works, Passyunk Plant** (3100 Passyunk Avenue, Philadelphia, PA 19145) for a Synthetic Minor Operating Permit for operation of a natural gas utility in the City of Philadelphia, **Philadelphia County**. Activities include liquefied natural gas (LNG) storage and distribution of natural gas to the City of Philadelphia. The facility's air emission sources include three heaters each <10 MMBTU/hr, two emergency generators, three 58.8 MMBTU/hr boilers with low NOx burners, four 8.25 MMBTU/hr turbines and a firewater pump.

**N97-005: Cramco, Inc.** (2200 East Ann Street, Philadelphia, PA 19134) for a Natural Minor Operating Permit for operation of a casual dining furniture manufacturing plant in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include a 2.5 MMBTU/hr curing oven, a 6.1 MMBTU/hr wood-burning boiler with multicyclone, a 10.043 MMBTU/hr No. 2 oil-fired boiler, a 350,000 BTU/hr paint strip oven with afterburner, a manual powder spray booth, two electrostatic powder spray booths and two baghouses.

**N96-014: Transmontaigne Terminaling Inc., Philadelphia Terminal** (58th Street and Schuylkill River, Philadelphia, PA 19142) for a Natural Minor Operating Permit for operation of a bulk petroleum storage facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include a 300 HP distillate fuel-burning boiler, a 1.228 MMBTU/hr distillate fuel-burning boiler and loading of petroleum products including a truck loading rack and barge loading. All tanks contain Kerosene/Distillate or lower vapor pressure petroleum product.

**N97-004: Baptist Home of Philadelphia** (8301 Roosevelt Boulevard, Philadelphia, PA 19152) for a Natural Minor Operating Permit for operation of a residential care and nursing home which includes seven boilers rated at 5.5 MMBTU/hr or less and two emergency generators in the City of Philadelphia, City of Philadelphia, **Philadelphia County**. The operating permit issued October 14, 1999, has been modified to allow emergency testing for each generator to be limited to 30 minutes per week.

**N96-020: Fox Chase Cancer Center** (7701 Burholme Avenue, Philadelphia, PA 19111) for a Natural Minor Operating Permit for operation of a comprehensive cancer center including hospital and research facility which includes three 5.5 MMBTU/hr boilers and eight emergency generators in the City of Philadelphia, **Philadelphia County**. The operating permit issued October 14, 1999, has been modified to allow emergency testing for each generator to be limited to 2 hours per month and recordkeeping requirements for the three boilers to be recorded as a combined fuel usage.



### PLAN APPROVALS

#### Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-23-0024A: Hanson Aggregates PA, Inc.** (523 West Forge Road, Glen Mills, PA 19342) for an aeropulse baghouse in Middletown Township, **Delaware County**.

**PA-09-0112A: Superior Woodcraft, Inc.** (160 North Hamilton Street, Doylestown, PA 18901) for modification of floor type spray booths in Doylestown Borough, **Bucks County**.

**PA-15-0085A: Lincoln University** (1570 Baltimore Pike, Lincoln University, PA 19352) for construction of two boilers in Lower Oxford Township, **Chester County**.

**PA-09-0121: Conte Luna Foods** (40 Jacksonville Road, Warminster, PA 18974) for modification of a bag filter dust collector in Warminster Township, **Bucks County**.

**PA-09-0015A: Rohm & Haas Co.** (Route 413 and State Road, Bristol, PA 19007) for construction of a 1.7 mw-hr emergency generator in Bristol Township, **Bucks County**.

**09-312-032GP: Van Waters & Rogers, Inc.** (200 Dean Sievers Place, Morrisville, PA 19067) for construction of Storage Tank S15 in Falls Township, **Bucks County**.

**09-312-031GP: Van Waters & Rogers, Inc.** (200 Dean Sievers Place, Morrisville, PA 19067) for construction of Storage Tank S14 in Falls Township, **Bucks County**.

**09-312-030GP: Van Waters & Rogers, Inc.** (200 Dean Sievers Place, Morrisville, PA 19067) for construction of Storage Tank S6 in Falls Township, **Bucks County**.

**09-312-029GP: Van Waters & Rogers, Inc.** (200 Dean Sievers Place, Morrisville, PA 19067) for construction of Storage Tank S12 in Falls Township, **Bucks County**.

**09-312-028GP: Van Waters & Rogers, Inc.** (200 Dean Sievers Place, Morrisville, PA 19067) for construction of Storage Tank S11 in Falls Township, **Bucks County**.

**09-312-027GP: Van Waters & Rogers, Inc.** (200 Dean Sievers Place, Morrisville, PA 19067) for construction of Storage Tank S7 in Falls Township, **Bucks County**.

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**48-328-005: Sithe Portland LLC** (Sithe Energies, Inc., River Road, P. O. Box 238, Portland, PA 18351) for construction of a 920 megawatt combine cycle turbine in a Prevention of Significant Deterioration Application (PSD) at the Portland Generating Station in Upper Mount Bethel Township, **Northampton County**.

**54-313-073C: Air Products & Chemicals, Inc.** (P. O. Box 351, R. R. 1, Tamaqua, PA 18252) for modification of a nitrogen trifluoride manufacturing operation at the Hometown Plant in Rush Township, **Schukylkill County**.

**40-318-051: Cornell Iron Works, Inc.** (Crestwood Industrial Park, Oak Hill Road, Mountaintop, PA 18707) for construction of a paint spray booth in Wright Township, **Luzerne County**.

**35-302-098A: Community Central Energy Corp.** (1220 North Washington Avenue, Scranton, PA 18509) for

relocation of a utility boiler to Dix and Lee Courts in the City of Scranton, **Lackawanna County**.

**35-317-002A: Preferred Meal Systems, Inc.** (4135 Birney Avenue, Moosic, PA 18507) for installation of an air cleaning device in Moosic Borough, **Lackawanna County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**01-05017A: Quebecor Printing, Inc.** (100 North Miller Street, Fairfield, PA 17320) for construction of two lithographic printing presses (Web Presses No. 8 and 9) at the Fairfield Plant in Fairfield Borough, **Adams County**.

**06-01007H: Lucent Technologies, Inc.** (P. O. Box 133396, Reading, PA 19612-3396) for photocenter and photolithography controlled by a catalytic oxidizer in Muhlenberg Township, **Berks County**.

**06-01069I: East Penn Mfg. Co., Inc.** (P. O. Box 147, Lyon Station, PA 19536-0147) for a battery formation operation controlled by a wet scrubber in Richmond Township, **Berks County**.

**36-03105: Binkley & Ober, Inc.** (P. O. Box 7, East Petersburg, PA 17520) for installation of a gyratory crusher and vibratory screen controlled by wet suppression in East Hempfield Township, **Lancaster County**. This source is subject to 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

**67-317-033D: Starbucks Coffee Co.** (P. O. Box 34067, Seattle, WA 98124-1067) for installation of two coffee roasters (3A and 3B) with their associated support systems at their York Roasting Plant (3000 Espresso Way, York, PA 17402) in East Manchester Township, **York County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-63-015B: Flexsys America LP** (829 Route 481, Monongahela, PA 15063) for installation of air cleaning device at Monongahela Plant in Carroll Township, **Washington County**.

**PA-65-919A: Angelo Iafate Construction Co.** (P. O. Box 259, New Stanton, PA 15673) for installation of a crusher at Carpenterstown Asphalt Plant in Mt. Pleasant Township, **Westmoreland County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-25-984A: Harrison Machine Co.** (3118 Station Road, Erie, PA 16510) for construction of a paint spray and dip coating operation (211,000 iron castings per year) in Wesleyville, **Erie County**.

**24-313-086A: The Carbide Graphite Group, Inc.** (800 Theresia Street, St. Marys, PA 15857) for installation of a wet limestone slurry scrubber for SO<sub>2</sub> removal from 10 existing carbottom kilns in St. Marys, **Elk County**. This facility is a Title V facility.

**PA-42-011A: Honeywell Specialty Wax & Additives, Inc.** (Routes 46 and 446, R. D. 3, Box 56A, Smethport, PA 16749) for a Plant-Wide Applicability Limit (PAL) for air emissions of criteria pollutants for the Farmers Valley Plant in Keating Township, **McKean County**. This is a Title V Facility.

*Philadelphia Department of Public Health: Air Management Services, 321 University Avenue, Philadelphia, PA 19104, (215) 685-7584.*

**99124: Woodcraft Products** (241 West Wyoming Avenue, Philadelphia, PA 19104) for operation of a wood furniture finishing facility in the City of Philadelphia, **Philadelphia County**.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a

statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*McMurray District Office, 3913 Washington Road, McMurray, PA 15317.*

#### *Coal Mining Applications Received*

**56971301. GM & S Coal Corp.**, (P. O. Box 233, Jennerstown, PA 15547), to revise the permit for the Geronimo Mine in Jenner Township, **Somerset County** to add 567.6 acres to subsidence control plan and 538.5 acres to underground mine permit, no additional discharges. Application received February 1, 2000.

**56921601. Conemaugh Dev. Corp.**, (R. D. 3, Furnace Lane, New Florence, PA 15944), to transfer the permit for the Sugar Run Coal Yard in St. Clair Township, **Westmoreland County** to transfer for reclamation only, no additional discharges. Application received February 11, 2000.

**56961301. RoxCoal, Inc.**, (1576 Stoystown Rd., P. O. Box 149, Friedens, PA 15541), to transfer the permit for the Sarah Mine in Jenner Township, **Somerset County** to transfer from Penn Coal, Inc., no additional discharges. Application received February 16, 2000.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**37840102. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous surface strip auger and tippel refuse disposal operation in Shenango and Wayne Townships, **Lawrence County** affecting 487.0 acres. This renewal is for reclamation only. Receiving streams: Unnamed tributaries to Snake Run; Snake Run to Beaver; Two unnamed tributaries to Beaver Run. Application received February 2, 2000.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17000101. River Hill Coal Co., Inc.** (P. O. Box 141, Kylertown, PA 16847), commencement, operation and restoration of a bituminous surface mine permit in Bigler Township, **Clearfield County** affecting 78.2 acres. Receiving streams: unnamed tributary to Upper Morgan Run, unnamed tributary to Clearfield Creek and unnamed tributary to Alexander Run. Application received February 14, 2000.

**17960122. Forcey Coal, Inc.** (P. O. Box 225, Madera, PA 16661), transfer of an existing bituminous surface mine-auger permit from E. P. Bender Coal Co., Inc., located in Bigler Township, **Clearfield County** affecting 118 acres. Receiving streams: Banion Run and Muddy Run. Application received February 11, 2000.

**17880123. Forcey Coal, Inc.** (P. O. Box 225, Madera, PA 16661), transfer of an existing bituminous surface mine-auger permit from E. P. Bender Coal Co., Inc., located in Bigler and Beccaria Townships, **Clearfield County** affecting 166 acres. Receiving streams: unnamed tributary to Muddy Run and Muddy Run to Clearfield Creek. Application received February 11, 2000.

**17940101. Forcey Coal, Inc.** (P. O. Box 225, Madera, PA 16661), transfer of an existing bituminous surface mine permit from E. P. Bender Coal Co., Inc., located in Beccaria Township, **Clearfield County** affecting 53

acres. Receiving streams: unnamed tributary to Muddy Run. Application received February 11, 2000.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

**26000101. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Application received for commencement, operation and reclamation of a bituminous surface mine located in Saltlick Township, **Fayette County**, proposed to affect 136.5 acres. Receiving streams: unnamed tributaries to Newmyer Run to Poplar Run to Indian Creek and unnamed tributaries to Little Champion Creek to Champion Creek to Indian Creek to the Youghiogheny River. Application received February 23, 2000.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

**32733067.** Permit Renewal for reclamation only. **M. B. Energy, Inc.** (175 McKnight Road, Blairsville, PA 15757-7960), for continued restoration of a bituminous surface mine in Grant Township, **Indiana County**, affecting 383.6 acres, receiving stream Barrett Run; to unnamed tributaries of Little Mahoning Creek; and to Little Mahoning Creek, application received February 18, 2000.

**32900105.** Permit Renewal for reclamation only. **M. B. Energy, Inc.** (175 McKnight Road, Blairsville, PA 15717-7960), for continued restoration of a bituminous auger mine in Buffington Township, **Indiana County**, affecting 59.5 acres, receiving stream unnamed tributary to Mardis Run and Mardis Run, application received February 18, 2000.

**56000102.** Action Mining, Inc. (1117 Shaw Mines Road, Meyersdale, PA 15552), commencement, operation and restoration of bituminous auger mine in Brothersvalley Township, **Somerset County**, affecting 197.6 acres, receiving stream Piney Run and tributaries to Piney Run, also tributaries to Buffalo Creek, application received February 14, 2000.

**11803044.** Permit Renewal for reclamation only. **Raymond Westrick** (1078 Sunset Road, Patton, PA 16668) for continued restoration of a bituminous surface mine in East and West Carroll Townships, **Cambria County**, affecting 131.4 acres, receiving stream to unnamed tributaries of Fox Run, application received February 22, 2000.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

*Noncoal Applications Received*

**03980401. Allegheny Mineral Corporation** (P. O. Box 1022, Kittanning, PA 16201). Application received for commencement, operation and reclamation of a large industrial mineral (limestone, shale, sandstone, clay and bituminous coal) surface mine located in Manor Township, **Armstrong County**, proposed to affect 100.3 acres. Receiving streams: unnamed tributaries to Rupp Road and unnamed tributaries to Garretts Run to the Allegheny River. Application received February 11, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**09920302C. Delaware Valley Landscape Stone, Inc.,** (P. O. Box 778, New Hope, PA 18938), renewal of NPDES Permit PA0595497 in Middletown Township, **Bucks County**, receiving stream—Neshaminy Creek. Application received February 16, 2000.

**40960301C. Cremard Brothers,** (71 South Foote Avenue, Duryea, PA 18642), correction to an existing quarry

operation in Duryea Borough, **Luzerne County** affecting 11.4 acres, receiving stream—none. Application received February 16, 2000.

**54000301. Middleport Materials, Inc.** (P. O. Box 189, Telford, PA 18969), commencement, operation and restoration of a quarry operation in Schuylkill and Walker Townships, **Schuylkill County** affecting 60.0 acres, receiving stream—unnamed tributary. Application received February 17, 2000.

## APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the state to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant state requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E51-183.** Encroachment. **Dockside Assoc. Pier 30 LP,** 1750 Walton Rd., Blue Bell, PA 19422-0465. To renovate, operate and maintain the existing pier No. 30 structure which includes improving decking and piles, and to construct and maintain a 16 story project (3 stories of parking and 13 stories of apartments) to be supported by the existing foot print of Pier No. 30 situated along the Delaware River. Also used to support the proposed building will be 50-capped piling structures. This site is located approximately 5,750 foot south of Ben Franklin Bridge and along Christopher Columbus Blvd. (AKA Delaware Avenue) (Philadelphia, PA-NJ Quadrangle N: 11.8 inches; W: 2.3 inches) in the **City and County of Philadelphia.**

*Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E40-540.** Encroachment. **Gerald Ryan, City Engineer,** City of Wilkes-Barre, 40 East Market Street,

Wilkes-Barre, PA 18711. To maintain an existing temporary road crossing consisting of nine-48 inch diameter CPP in Mill Creek (CWF). The purpose of the project is to provide access to the Northampton Fuel Supply Company Mine Restoration Site. The project is located approximately 300 feet of the intersection of S. R. 0309 and North Washington Street (Pittston, PA Quadrangle N: 1.9 inches; W: 14.8 inches), City of Wilkes-Barre, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

*Southcentral Region: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E05-281.** Encroachment. **Columbia Gas**, 1700 MacCorkle Ave., SE, Charleston, WV 25325. To maintain utility line crossing at three unnamed tributaries to Piney Creek, Blackberry Lick Run and its three unnamed tributaries, Johnson Branch and its unnamed tributary and Crooked Run and its three unnamed tributaries. These crossings are 24-inch diameter natural gas pipeline and an adjacent 1-inch diameter methanol pipeline. These pipeline crossings start at a point about 1 mile southeast of Millers Corner Village immediately downstream of PA Route 26 (Chaneyville, PA Quadrangle N: 10.5 inches; W: 6.0 inches), thence south at a point about 1.6 miles southeast of Artemas Village (Artemas, MD-PA Quadrangle N: 18.45 inches; W: 6.75 inches) in Mann Township, **Bedford County**.

**E06-536.** Encroachment. **Neill Dekker, PA Department of Transportation, Engineering District 5-0**, 1713 Lehigh Street, Allentown, PA 18103. To remove existing structures and to construct and maintain (1) a 10 foot × 6 foot box culvert in the channel of Klines Creek (CWF) at a point at SR 0222, Station 216+00; (2) a 12 foot × 9 foot box culvert in the channel of Klines Creek (CWF) at a point SR 0222, Station 230+00; (3) a 12 foot × 9 foot box culvert in the channel of Klines Creek (CWF) at a point at Grings Hill Road; (4) a 16 foot × 6 foot box culvert in the channel of a tributary to Klines Creek (CWF) at a point at Old Lancaster Pike; (5) to relocate the channel of a tributary to Wyomissing Creek (CWF) into a stormwater system consisting of culverts and detention basins at a point downstream of Hain Road; and (6) impact 1.35 acre of wetlands for the purpose of reconstructing and realigning existing Route 222 (Sinking Spring PA Quadrangle N: 7.5 inches; W: 1.4 inch—N: 7.8 inches; W: 1.0 inch—N: 7.8 inches; W: 1.4 inch—N: 7.8 inches; W: 1.4 inch—N: 8.5 inches; W: 0.1 inch and N: 8.5 inches; W: 0.1 inch respectively) in Cumru Township, **Berks County**.

**E67-682.** Encroachment. **York County Commissioners**, One West Marketway, 4th Fl, York, PA 17401. To remove an existing structure (Bridge No. 193) and to construct and maintain a 90-foot single clear span concrete bridge with a minimum underclearance of 12 feet on Bowers Road (T-940) over the Little Conewago Creek (TSF) approximately 100 yards upstream of the confluence with the West Conewago Creek for roadway improvements (York Haven, PA Quadrangle N: 15.9 inches; W: 14.3 inches) in Conewago and East Manchester Townships, **York County**.

*Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.*

**E08-354.** Encroachment. **David Lubin, Raven Holding Co., LLC**, 225 Colonial Dr., Horseheads, NY 14845. To construct and maintain 1) an 18-inch 60-foot long

HDPE pipe culvert in an unnamed intermittent stream, 2) a 30-inch 40-foot long HDPE pipe culvert in an unnamed perennial stream, both of which are to be located on an access road to the Valley Business Park South water tank (Sayre, PA Quadrangle N: 20.44 inches; W: 10.91 inches and N: 20.50 inches; W: 11.16 inches, respectively) in Athens Township, **Bradford County**. The streams drain to a wetland that is in the drainage basin of a warm water fishery.

**E14-369.** Encroachment. **Andrew Zangrilli**, 936 East College Ave., State College, PA 16801. To maintain a 34 foot long structural bottomless arch culvert pipe 6 feet 11 inches high and 22 feet wide attached to concrete strip footers on either side of the stream. The project is located at 936 East College Ave (SR 26) directly across from Damon's Restaurant (State College, PA Quadrangle, N: 10.2 inches; W: 12.6 inches) in College Township, **Centre County**. This project proposes to impact 40 linear feet of Thompson Run which is designated Cold Water Fishery and will not impact any wetlands.

**E17-343.** Encroachment. **Andrew S. Haversack**, R. R. 3, Box 83A, Clearfield, PA 16830. To maintain a channel realignment for a distance of 75 feet in an unnamed tributary to Little Clearfield Creek located .25 mile up Lewis Road from the intersection with SR2023 (Glen Richey, PA Quadrangle, N: 14 inches, W: 14 inches) in Lawrence Township, **Clearfield County**. This project proposes to impact 75 linear feet of an unnamed tributary to Little Clearfield Creek that is designated High Quality—Cold Water Fishery and will not impact any wetlands.

**E41-459.** Encroachment. **Transcontinental Gas Pipe Line Corporation**, 2800 Post Oak Boulevard, Level 10, Houston, TX 77056. To repair, operate and maintain an existing 24-inch diameter gas pipeline beneath Sugar Run (Cold Water Fishery) for the transmission of natural gas. The repair work shall consist of paving the streambed over an existing pipeline with a grout mat that will not exceed 30-foot wide × 20-foot long. The streambed paving work shall be done in dry work conditions diverting flow through the use of a dam and pump or flume. The grouting area will be flushed until a pH of 9 is reached; all flush water shall be discharged to an upland area to preclude any reentry into any regulated waterway or wetland. The project will not impact wetlands while impacting 20-feet of waterway. The project is located along the western right-of-way of SR 2061 approximately 2000-feet north of Huddy Hill Road and SR 2061 intersection (Picture Rocks, PA Quadrangle N: 3.2 inches; W: 4.25 inches) in Penn Township, **Lycoming County**.

**E41-460.** Encroachment. **Transcontinental Gas Pipe Line Corporation**, 2800 Post Oak Boulevard, Level 10, Houston, TX 77056. To repair, operate and maintain an existing 24-inch diameter gas pipeline beneath Larry's Creek (High Quality—Cold Water Fishery) for the transmission of natural gas. The repair work shall consist of paving the streambed over an existing pipeline with a grout mat that will not exceed 75-foot wide × 90-foot long. The streambed paving work shall be done in dry work conditions by diverting flow through a dam and pump or flume. The grouting area will be flushed until a pH of 9 is reached; all flush water shall be discharged to an upland area to preclude any reentry into any regulated waterway or wetland. The project will not impact wetlands while impacting 90-feet of waterway. The project is located along the western right-of-way of SR 0287 approximately 500-feet south of Zinck Road and SR 0287 intersection (Salladasburg, PA Quadrangle N: 1.7 inches; W: 5.5 inches) in Mifflin Township, **Lycoming County**.

**E41-462.** Encroachment. **John D. Lynch, Sr., Montgomery Borough**, P. O. Box 125, Montgomery, PA 17752-0125. To remove the existing structure and to construct and maintain an adjacent box beam bridge with a 66 foot clear span on a skew of 90 degrees with an underclearance of 10.5 feet. To remove the abandoned easterly downstream railroad abutment and to remove three small areas of stream gravel and debris measuring 16' x 32', 8' x 15' and 7' x 22'. The project is located in Black Hole Creek adjacent to the intersection of Main Street and Bower Street (Montoursville South, PA Quadrangle N: 7.9 inches; W: 0.2 inch) in Montgomery Borough, **Lycoming County**. The project will not impact wetlands while impacting approximately 160 feet of waterway. Black Hole Creek is a trout stocked fisheries stream.

**E53-340.** Encroachment. **Matthew Love, Chairman, Coudersport Municipal Authority**, P. O. Box 820, Coudersport, PA 16915. To construct and maintain 8-inch and 10-inch gravity sewer extensions and a 24 inch PVC outfall from the Coudersport area sewage treatment plant. The sewer extensions will require crossing of Trout Run, Lyman Creek, Mill Creek, several intermittent streams and emergent wetlands. The project also includes sewage treatment plant expansion with construction of new clarifiers, oxidation ditch, mechanical and administration buildings and appurtenances in the floodplain of the Allegheny River. The centroid of the proposed sewer construction is located approximately 300 feet south of Route 6 and 4500 feet east of the Coudersport Borough/Sweden Township boundary line (Sweden Valley, PA Quadrangle N: 2.0 inches; W: 12.1 inches) in Sweden Township, **Potter County**. The project will temporarily impact wetlands while impacting approximately 290 feet of waterway. Lyman Creek and Mill Creek are Cold Water Fisheries Streams. Trout Run is a High Quality—Cold Water Fisheries Stream. The Allegheny River is a cold water fisheries stream.

**E55-161.** Encroachment. **Narin Srivastava**, 8 North Stonebridge Dr., Selinsgrove, PA 17870. To construct and maintain a channel realignment for a distance of 125 feet and install a 5 foot wide by 13 feet high steel plate pipe arch located .7 mile north on Park Road from the intersection with SR 11/15 (Sunbury, PA Quadrangle, N: 16.8 inches, W: 13.2 inches) in Monroe Township, **Snyder County**. This project proposes to impact 150 linear feet of Rolling Green Run that is designated Warm Water Fishery and will not impact any wetlands.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E26-267.** Encroachment. **Allegheny Energy Supply Company, LLC**, 800 Cabin Hill Drive, Greensburg, PA 15601-1689. To construct and maintain eight fish enhancement structures each consisting of a cone shaped rock pile having a base diameter of 10.0 feet and a height of 4.0 feet in the Cheat River (WWF) located directly downstream from Lake Lynn Power Station (Lake Lynn, PA—WV Quadrangle N: 17.6 inches; W: 15.2 inches) in Springhill Township, **Fayette County**.

**E02-658-A1.** Encroachment. **L. W. Molnar and Associates**, P. O. Box 11067, Pittsburgh, PA 15237. To place and maintain fill in a de minimis area of wetlands (PEM) and to construct and maintain eight outfall structures along the left bank of an unnamed tributary to Piney Fork (TSF), and to construct and maintain a sanitary sewer line under the bed and across the channel of said stream for the purpose of constructing the Kings School Village phase 3 located just west from the intersection of

Kings School Road, Red Barn Road and Allandale (Bridgeville, PA Quadrangle N: 9.5 inches; W: 5.9 inches) in the Municipality of Bethel Park, **Allegheny County**.

**E02-1299.** Encroachment. **The Pittsburgh Water and Sewer Authority**, 441 Smithfield Street, Pittsburgh, PA 15222. To construct and maintain a 60 inch submerged stormwater outfall on the left bank of the Allegheny River (WWF) near River Mile 1.1 (Pittsburgh East, PA Quadrangle N: 13.3 inches; W: 16.5 inches) in the City of Pittsburgh, **Allegheny County**.

**E65-754.** Encroachment. **Latrobe Country Club**, P. O. Box 52, Youngstown, PA 15696-0052. To construct a bridge having a clean span of 30 feet and an underclearance of 9.68 feet across Ninemile Run (WWF) for the purpose of golf cart and service vehicle crossings located in the Latrobe Country Club approximately 1.1 mile south of the intersection of S. R. 30 and S. R. 982 (Derry, PA Quadrangle N: 4.35 inches; W: 16.8 inches) in Unity Township, **Westmoreland County**.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E43-277.** Encroachment. **Borough of Greenville, Greenville Area Leisure Services Assoc.**, 125 Main Street, Greenville, PA 16125. To place fill in a total of 0.73 acre of two separate wetland areas (PEM/PSS) for the development of the Greenville Area Leisure Services Association Sports Park Complex approximately 1,000 feet northwest of the intersection of SR 58 and SR 400 (Porter Road). This project will include creation of a 0.77-acre wetland replacement area adjacent to the Sports Park (Greenville West, PA Quadrangle N: 9.6 inches; W: 2.7 inches) located in West Salem Township, **Mercer County**.

**E43-278.** Encroachment. **Northeast Industrial Manufacturing Inc.**, 640 Keystone Road, Greenville, PA 16125. To place fill in a 0.09 acre wetland area for the construction of a Northeast Industrial Manufacturing Facility on Lot 15C within the Greenville-Reynolds Development. This project will include the construction of a 0.10 acre replacement wetland on Lot 15C. Lot 15C is within the Greenville-Reynolds Development directly northwest of the intersection of Kidds Mill Road (SR 4012) and Keystone Road (Sharpsville, PA Quadrangle N: 20.1 inches; 0.7 inch) located in Delaware and Hempfield Townships, **Mercer County**.

## ENVIRONMENTAL ASSESSMENT

**Request for Environmental Assessment approval under 25 Pa. Code § 105.15 and request for certification under section 401 of the Federal Water Pollution Control Act.**

*Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, (570) 327-3574.*

**EA14-002NC.** Environmental Assessment. **George Steiner, Bureau of Abandoned Mine and Reclamation**, P. O. Box 8476, Harrisburg, PA 17105-8476. To restore an abandoned mine site identified under Contract No. OSM 14(6817)101.1 that eliminates approximately

8,000 linear feet of highwalls. To restore the site approximately 0.34 acre of PEM wetlands within mine pits will be backfilled and 0.82 acre of wetlands will be replaced. Approximately 1.3 million cubic yards will be graded and 152 acres will be seeded. The project is located along an access road off SR 0144 approximately 2.9 miles North of the SR 0053 and SR 0144 intersection (Karthaus PA Quadrangle N: 12.2 inches; W: 0 inches) in Burnside Township, **Centre County** (Baltimore District, U. S. Army Corps of Engineers). Approval of an Environmental Assessment is requested in conjunction with § 105.12(a)(16), Dam Safety and Waterway Management, regarding restoration activities.

### WATER QUALITY CERTIFICATION

#### Initial Notice of Request for Certification under Section 401 of the Federal Pollution Control Act

The following requests have been made to the Department of Environmental Protection (Department) under section 401(a) of the Federal Clean Water Act (33 U.S.C.A. § 1341(a)), for certification that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of that act, and that the construction will not violate applicable Federal and State water quality standards.

Prior to final approval of the proposed certification, consideration will be given to any comments/suggestions/objections, which are submitted in writing within 30 days of the date of this notice. Comments should be submitted to the Department at the address indicated above for each request for certification. Comments should contain the name, address and telephone number of the person commenting; identification of the certification request to which the comments are addressed; and a concise statement of comments/suggestions/objections in sufficient detail to inform the Department of the exact basis of the proposal and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given comments, if deemed necessary to resolve conflicts. Each individual will be notified in writing of the time and place of any scheduled hearing or conference concerning the certification request to which the protest relates. Maps, drawings, and other data pertinent to the certification request are available for inspection and review at the address indicated between the hours of 8 a.m. and 4 p.m. on each working day.

Final or proposed action on certain other certification requests for projects which require both a Water Obstruction and Encroachment Permit and either a United States Army Corps of Engineers individual permit or a nationwide permit 14, 18 or 26 will be published with the Actions of Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27).

*Regional Office: Regional Manager, Water Management Program Northwest Region, 230 Chestnut Street, Meadville, PA 16335.*

*Certification Request Initiated by: **Erie Western Pennsylvania Port Authority**, Raymond P. Schreckengost, Executive Director, 17 West Dobbins Landing, Erie, PA 16507-1424.*

*Project Description:* The Erie-Western Pennsylvania Port Authority has requested a State certification under section 401(a) of the Federal Clean Water Act (33 U.S.C.A. § 1341(a)) that the dredging of the East Avenue Launch Ramp basin and the discharge of this dredged material into the Lake Erie Harbor Confined Disposal Facility (CDF) will comply with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act.

This request was necessitated by conditions imposed by the Department's Water Obstruction and Encroachment Permits E25-404A and E25-581 issued to the Erie-Western Pennsylvania Port Authority requiring Federal Water Act Section 401 certification for the disposal of dredged material in the CDF prior to each dredging and disposal event. The Erie-Western Pennsylvania Port Authority has sampled and tested the sediments in accordance with Attachment A "Sample Collection and Testing Protocol" of both Water Obstruction and Encroachments Permits E25-404A and E25-581. Laboratory testing was conducted in accordance with the United States Army Corps of Engineer's Inland Testing Manual and the document "Ecological Evaluation of Proposed Discharge of Dredged or Fill Material in Navigable Waters." Based upon this sampling and laboratory testing, the Erie-Western Pennsylvania Port Authority indicates that the dredging of this approximately 1175 cubic yards of basin sediments from the East Avenue Launch Ramp basin (Erie North, PA Quadrangle N: 3.6 inches; W: 8.9 inches) and the discharge of this dredged material into the Lake Erie Harbor Confined Disposal Facility (Erie North, PA N: 4.7 inches; W: 10.3 inches) will not degrade the water quality of Lake Erie or Presque Isle Bay. The Erie-Western Port Authority has also requested because of reported aggravated accumulation of basin sediments the past 2 years, this Section 401 Water Quality Certification allow for subsequent dredging of the East Avenue Launch Ramp and discharge of that material into the CDF for 1 year after final certification without additional sampling and testing. Any subsequent use of the CDF for the discharge of dredged materials from the East Avenue Launch Ramp past this 1 year certification period will require a separate 401 Water Quality Certification.

### STORAGE TANKS

#### SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permit application has been received by the Department and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Watershed Conservation, Division of Storage Tanks, P. O. Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it is based.

<i>SSIP Application Number</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
00002	Charles Kurtz American Port Services 90 Moonachie Avenue Teterboro, NJ 07608	Allegheny County Moon Township	4 ASTs storing Jet A Fuel at 40,000 gallons each 1 AST storing Aviation Gasoline at 12,000 gallons 1 AST storing Motor Gasoline at 2,000 gallons 1 AST storing Diesel Fuel at 2,000 gallons 1 AST storing Waste at 550 gallons

## ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### [National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

#### **Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Permit No. 3999404.** Sewerage. **Lynn Township Sewer Authority**, P. O. Box 208, New Tripoli, PA 18066. Permit to modify sewage treatment plant, located in Lynn Township, **Lehigh County**.

**Permit No. 4099201.** Industrial waste. **Pennsylvania-American Water Company**, 20 East Union Street,

Wilkes-Barre, PA 18711. Permit to construct two wastewater lagoons on the site of the new Huntsville Water Treatment Plant, located in Dallas Township, **Luzerne County**.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**Permit No. PA0080756.** Sewerage. **Hershey Farms, Inc.**, P. O. Box 159, Strasburg, PA 17579 is authorized to discharge from a facility located in Strasburg Township, **Lancaster County** to the receiving waters named Pequea Creek.

**Permit No. PA0086461.** Sewerage. **Pinch Pond Campground, Inc.**, 3075 Pinch Road, Manheim, PA 17545 is authorized to discharge from a facility located in Rapho Township, **Lancaster County** to the receiving waters named Chickies Creek.

**Permit No. PA 0082635.** Sewerage. **Sun Valley Campground**, P. O. Box 708, Bowmansville, PA 17507 is authorized to discharge from a facility located in Brecknock Township, **Lancaster County** to the receiving waters named unnamed tributary to Rock Run.

**Permit No. PAG043629.** Sewerage, single family residence. **Timothy J. and Pamela L. Boronow**, 25 Railroad Street, Denver, PA 17517 is authorized to discharge from a facility located in West Cocalico Township, **Lancaster County** to the receiving waters named Little Cocalico Creek.

**Permit No. 0500401.** Sewage. **East Providence Township Municipal Authority**, P. O. Box 83, Breezewood, PA 15533. This permit approves the construction of sewers and appurtenances and pump station in East Providence Township, **Bedford County**.

**Permit No. 2199406.** Sewage. **Monroe Township Municipal Authority**, 1220 Boiling Springs Road, Mechanicsburg, PA 17055. This permit approves the construction of sewers and appurtenances and pump station in Monroe Township, **Cumberland County**.

**Permit No. 0700401.** Sewage. **Frankstown Township**, Box 19, Sylvan Drive, Hollidaysburg, PA 16648. This permit approves the construction of sewers and appurtenances in Frankstown Township, **Blair County**.

**Permit No. 3699408.** Sewage. **Timothy J. and Pamela L. Boronow**, 25 Railroad Street, Denver, PA 17517. This permit approves the construction of sewage treatment facility in West Cocalico Township, **Lancaster County**.

*Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.*

**WQM Permit No. 6000401.** Sewerage. **Mifflinburg Municipal Authority**, 333 Chestnut St., Mifflinburg, PA 17844. Permission granted to install an ultraviolet disinfection system to replace existing chlorination system. Facility located at Mifflinburg Borough, **Union County**.

**WQM Permit No. 1400402.** Sewerage. **Mountaintop Area Municipal Authority**, P. O. Box 275, Snow Shoe, PA 16875. Permission granted to modify the chlorine addition. The new chlorine system will use effluent to make a chlorine solution. The facility is located at Snow Shoe Township, **Centre County**.

**WQM Permit No. 4786201-T1.** Transfer Industrial Waste. **Hines Color**, 233 PP&L Road, Danville, PA 17821. Applicant request for transfer has been granted. This is the only permit for the facility which is located at Derry Township, **Montour County**.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**NPDES Permit No. PA0006131.** Industrial. **LTV Steel Company, Inc.**, 200 Public Square, Cleveland, OH 44114-2308 is authorized to discharge from a facility located at Pittsburgh Works, Pittsburgh, **Allegheny County** to receiving waters named Monongahela River.

**NPDES Permit No. PA0218219.** Industrial Waste. **C & C Marine Maintenance Company**, P. O. Box 520, Point Pleasant, WV 25550 is authorized to discharge from a facility located at the Georgetown Landing, Georgetown Borough, **Beaver County** to receiving waters named Ohio River.

**NPDES Permit No. PA0110663. Amendment No. 1.** Sewerage. **Municipal Authority of the Borough of Cresson**, P. O. Box 75, Cresson, PA 16630-0075 is authorized to discharge from a facility located at Cresson Sewage Treatment Plant, Cresson Township, **Cambria County** to receiving waters named Unnamed Tributary of the Little

Conemaugh River (locally known as Laurel Run).

**NPDES Permit No. PA0216186.** Sewerage. **Greene Arc, Inc.**, P. O. Box 431, Waynesburg, PA 15370 is authorized to discharge from a facility located at Association for Retarded Citizens STP, Washington Township, **Greene County** to receiving waters named Ruff Creek.

**Permit No. 3274211-A1.** Industrial Waste. **Sithe Northeast Management Company**, 1001 Broad Street, Johnstown, PA 15907. Construction of Clarifier Sludge Dewatering Pond located in West Wheatfield Township, **Indiana County** to serve Conemaugh Generating Station.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0221384.** Industrial Waste. **GTE Operations Support, Inc.**, 1225 Corporate Drive, Irving, TX 75038 is authorized to discharge from a facility located in Oil Creek Township, **Venango County** to an unnamed tributary to Pine Creek.

**WQM Permit No. 4399431.** Sewerage, **Gale L. Klingler, SRSTP**, 523 Orangeville Road, Greenville, PA 16125. Construction of Gale L. Klingler SRSTP located in West Salem Township, **Mercer County**.

**WQM Permit No. 2000402.** Sewerage, **Edward E. and Charlotte J. Sternby, SRSTP**, 16963 Park Avenue Extension, Saegertown, PA 16433. Construction of Edward E. and Charlotte J. Sternby SRSTP located in East Fairfield Township, **Crawford County**.

**WQM Permit No. 2499404.** Sewerage, **Rodney J. Dinsmore, SRSTP**, 710 Theresa Street, St. Marys, PA 15857. Construction of Rodney J. Dinsmore SRSTP located in City of St. Marys, **Elk County**.

**WQM Permit No. 6200403.** Sewerage, **J. Thomas Deet, SRSTP**, 2688 East Overlook Road, Cleveland, OH 44106-2843. Construction of J. Thomas Deet SRSTP located in Conewango Township, **Warren County**.

## INDIVIDUAL PERMITS

(PAS)

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant's Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream or Body of Water</i>
PAS10-5309	PA Department of Transportation 200 Radnor-Chester Road St. Davids, PA 19087	City of Philadelphia Philadelphia County	Open Ditch in Tinicum Township

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

<i>NPDES Permit No.</i>	<i>Applicant's Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream or Body of Water</i>
PAS10Q066-R	Fieldstone Associates, L.P. 906 A Cross Keys Drive Doylestown, PA 18901	Lehigh County Upper Macungie Township	Little Lehigh Creek
PAS10U122	H.M.B. Management, Inc. 2375 Woodland Drive Allentown, PA 18103	Northampton County Palmer Township	Bushkill Creek



Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant's Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream or Body of Water</i>
PAS10F084	Richard Graham and Richard Rider 1900 Halfmoon Valley Rd. 124 Autumn Circle Port Matilda, PA 16870	Centre County Halfmoon Township	Halfmoon Creek

**INDIVIDUAL PERMITS**

**(PAR)**

---

**Approvals to Use NPDES and/or Other General Permits**

---

The following parties have submitted (1) Notices of Intent (NOIs) for Coverage under General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth; (2) NOIs for coverage under General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

*List of General Permit Types*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-10	General Permit For Discharges Resulting from Hydrostatic Testing of Tanks and Pipelines

*General Permit Type—PAG-2*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lackawanna County Taylor Borough	PAR10N100	Thomas Hill Sr. 1001 N. Keyser Ave. Scranton, PA 18504	Tributary to Lackawanna River	Lackawanna CD (570) 281-9495
Northampton County Washington Township	PAR10U127	Leo Nagle TDJ Enterprises 1405 Blue Valley Dr. Pen Argyl, PA 18072	Martins Creek	Northampton CD (610) 746-1971

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Schuylkill County Reilly Township	PAR105798	DEP/Bur. of Abandoned Mine Reclamation Two Public Square, 5th Fl. Wilkes-Barre, PA 18711	Swatara Creek	Schuylkill CD (570) 622-3742
Butler County Lancaster Township	PAR10E123	Timber Ridge Kenneth C. and Patricia L. Brennan 120 Brennan Lane Evans City, PA 16033	Connoquenessing Creek	Lawrence Conservation District Lawrence Co. Government Center 430 Court Street New Castle, PA 16101-3593 (724) 652-4512
Erie County City of Erie	PAR10K153	Lake Erie College of Osteopathic Medicine 1858 West Grandview Blvd. Erie, PA 16509	Lake Erie	Erie Conservation District 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Bradford County Standing Stone Township	PAR100821	Martin Subdivision R. R. 1, Box 2652 Towanda, PA 18848	Unt. Susquehanna River	Bradford County Cons. Dist. R. R. 5, Box 5030C Stoll Natural Resource Cent. Towanda, PA 18848 (570) 265-5539
Centre County Ferguson Township	PAR10F061-1	Tanglewood Manor Sunrise Homes Barry Beqoumian 467 East Beaver Ave. State College, PA 16801	Big Hollow Run	Centre County Const. Dist. 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817
Hamburg Borough Berks County	PAR-10-C304	Hamburg Area High School Charles L. Miller Windsor Street Hamburg, PA 19526	Schuylkill River	Berks County CD P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Robeson Township Berks County	PAR-10-C311	Formica Property Anthony S. Formica 226 West Church Street Downingtown, PA 19335	Seidel Creek	Berks County CD P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Union Township Mifflin County	PAR-10-4504	Grand View Heights Subdiv. Samuel P. Hostetter 5596 SR 655 Belleville, PA 17004	West Branch Upper Kishacoquillas Creek	Mifflin County CD 20 Windmill Hill Rm. 4 Burnham, PA 17009 (717) 248-4695
Bensalem Township Bucks County	PAR10-D455	CW Schrenk/Holland Enterprise 130 Buck Road, Suite 201 Holland, PA	Unnamed Tributary of Neshaminy Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Buckingham Township Bucks County	PAR10-D506	The Rosen Organization, I Corp. 3625 Welsh Road Willow Grove, PA	Tributary to Pine Run Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130

## NOTICES

1407

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lower Makefield Township	PAR10-D496	M & S Limited Partnership 301 Oxford Valley Rd. Suite 501 Yardley, PA	Brock Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Northampton Township Bucks County	PAR10-D495	George Leck and Son, Inc. P. O. Box 8507 Newtown, PA 18940	Neshaminy Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
West Fallowfield Township Chester County	PAR10-G365	EIM Associates 650 West Uwchlan Avenue Exton, PA	Unnamed Tributary to Octoraro Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Eddystone Borough Delaware County	PAR10-J170	Columbia Electric Corporation 13880 Dulles Corner Lane Denudn, VA 20171-4600	Crum Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Lower Providence Township Montgomery County	PAR10-T585	Gambone Brothers Development Co. 1030 West Germantown Pike Fairview Village, PA 19409	Rock Run	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Plymouth Township Montgomery County	PAR10-T550	Conicelli, Inc. 1200 Ridge Pike Conshohocken, PA	Plymouth Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Merion Township Montgomery County	PAR10-T601	Lockheed Martin Corporation P. O. Box 8048, Philadelphia, PA 19101	Tributary to Trout Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130
New Hanover Township Montgomery County	PAR10-T578	New Hanover Township 2943 North Charlotte Street, Gilbertsville, PA	West Branch of Swamp Creek	Department of Environmental Protection Suite 6010, Lee Park, 555 North Lane Conshohocken, PA 19428 (610) 832-6130

*General Permit Type—PAG-3*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lancaster County New Holland Borough	PAR123509	Zausner Food Corporation 400 South Custer Avenue New Holland, PA 17557	UNT to Mill Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Penn Township	PAR113538	FCI USA, Inc. 504 Fame Avenue Hanover, PA 17331	Oil Creek Basin	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Manchester Township	PAR113536	FCI USA, Inc. 25 Grumbacher Road York, PA 17402	Conewago Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County East Lampeter Township	PAR203574	High Steel Structures, Inc. P. O. Box 10008 Lancaster, PA 17605-0008	UNT to Conestoga River	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Schuylkill Co. North Manheim Twp. Cresson, Borough	PAR212221	Schuylkill Products, Inc. 121 River Street Cressona, PA 17929	West Branch of Schuylkill Panther Creek	Northeast Office 2 Public Sq. Wilkes-Barre, PA 18711-0790 (570) 826-2511

*General Permit Type—PAG-4*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Tioga County Delmar Township	PAG045083	Philip L. Sweet R. R. 5, Box 330A Wellsboro, PA 16901	UNT to Kelsey Creek	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
City of St. Marys Elk County	PAG048650	Rodney J. Dinsmore 710 Theresa Street St. Marys, PA 15857	Unnamed Tributary to Hell Fire Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
East Fairfield Township Crawford County	PAG048655	Edward E. and Charlotte J. Sternby 16963 Park Avenue Extension Saegertown, PA 16433	Unnamed Tributary to French Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Columbus Township Warren County	PAG048320	Steven J. Brudage R. R. 1 Center Road Columbus, PA 16405	Unnamed Tributary to Coffee Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Sugar Grove Township Warren County	PAG048653	Gary W. Hodges P. O. Box 363 Jones Hill Road Sugar Grove, PA 16350-0363	Unnamed Tributary to Stillwater Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Connoquenessing Township Butler County	PAG048654	Richard C. Franke 208 South 6th Street Butler, PA 16001	Semiconon Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Conewango Township Warren County	PAG048656	J. Thomas Deet 2688 Overlook Road Cleveland, OH 44106-2843	Scott Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
West Salem Township Mercer County	PAG048649	Gale L. Klingler 523 Orangeville Road Greenville, PA 16125	Tributary to Big Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Sugar Grove Borough Warren County	PAG048330	Weston W. Wilcox R. R. 2, Box 72 Sugar Grove, PA 16350	Unnamed Tributary to Stillwater Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

### SEWAGE FACILITIES ACT PLAN APPROVAL

#### **Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

*Northeast Regional Office: Water Management Program  
Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790,  
(570) 826-2511.*

#### **Borough of Weissport, Carbon County.**

The Department has reviewed the Official Sewage Facilities Plan Update Revision (Plan Update Revision) dated July 1998 and revised January 2000 (received by the Department on January 20, 2000), as submitted by Spotts, Stevens & McCoy, Inc., on behalf of the Borough of Weissport (Borough).

The Department's review has found that the Plan Update Revision is acceptable and hereby grants planning approval. This review has also not identified any significant environmental impacts resulting from this proposal.

The Plan Update Revision calls for replacement of the Borough's entire existing wastewater collection system. The selected wastewater disposal alternative is described in the Plan Update Revision as "Gravity Sewerage Alternative No. 1." The alternative also proposes a limited rehabilitation of the Weissport Borough Municipal Authority's (Authority) existing main pumping station.

Replacement of the Borough's entire wastewater collection system was found to be the only cost-effective alternative which would successfully eliminate excessive amounts of infiltration/inflow (I/I) from the Borough's wastewater collection system. Elimination of the excessive amounts of I/I is required to eliminate the existing hydraulic overload at the existing Lehighon Sewerage Authority's Wastewater Treatment Facility. Wastewater from the proposed, replacement collection system will be

discharged to the existing Lehighon Sewerage Authority's Wastewater Treatment Facility for treatment and discharge. Upon completion of the proposed Central Carbon Municipal Authority's (CCMA) Wastewater Treatment Facility, wastewater from the Borough's wastewater collection system will be conveyed to and treated at the CCMA facility.

Financing of the proposed wastewater construction improvements is to be provided by the United States Department of Agriculture's Rural Utilities Service. The Borough plans also to apply to the Pennsylvania Infrastructure Investment Authority (PENNVEST) for financing of the system as a secondary or backup financing source.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20(a)) (Act 537), and Chapter 71 of the Department's regulations (25 Pa. Code Chapter 71), the Department will hold the Borough of Weissport and the Weissport Borough Municipal Authority responsible for the complete and timely implementation of the Plan Update Revision's selected wastewater disposal alternative, as listed in the Plan Update Revision, and its corresponding Schedule of Implementation.

Please be advised that any additional wastewater-related improvements, additions, deletions or changes outside of those explicitly described in the Plan Update Revision and its correspondence, must be in compliance with the Department's regulations and be submitted to and approved by the Department in writing.

This approval correspondence covers only the wastewater planning aspects of the selected wastewater disposal alternative as it relates to the Borough's Official Sewage Facilities Plan. Implementation of the selected wastewater disposal alternative will require a Water Management Part II Permit for the construction and operation of the

proposed sewage facilities. The permit application must be submitted in the name of the Borough or Authority, as appropriate. Issuance of a Part II Permit will be based upon a technical evaluation of the permit application and supporting documentation. Starting construction prior to obtaining a Part II Permit is a violation of The Clean Streams Law. Please include a copy of this approval correspondence with the Water Management Part II Permit Application when it is submitted to this office.

Other Departmental permits may be required for construction if encroachment to streams or wetlands will result. Information regarding the requirements for such permits or approvals can be obtained from the Northeast Regional Office's Soils and Waterways Section at the letterhead address or by telephoning (570) 826-2511.

*Regional Office: Water Management Program Manager, Southcentral Region, 909 Elmerton Ave., Harrisburg, PA 17110.*

*Location:* Leesport Borough, Berks County, Box T, Leesport, PA 19533. The approved plan provides for expansion and upgrade of an existing sewage treatment plant to a new capacity of 0.5 mgd. Discharge will be to the Schuylkill River. A new service area will extend into Ontelaunee Township. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Location:* South Heidelberg Township, Berks County, 68-A North Galen Hall Road, Wernersville, PA 17565. The approved plan provides for extension of existing public sewers to serve the Fritztown Road area in the vicinity of its intersection with Galen Hall Road. Portions of Preston Road and Keener Road will also be served. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Regional Office: Water Management Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

*Location:* Carolyn Schofield Subdivision, Southampton Township, **Bedford County**.

*Project Description:* Approval of a revision to the Official Plan of Southampton Township, Bedford County. Project involved construction of a small flow facility to serve an existing residential dwelling with sewage flows of 400 gpd. Located on the west side of Route 36, 3.5 miles south of Chaneyville. Treated effluent is to be discharged into Town Creek, a tributary of the Potomac River. The Department's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

## SAFE DRINKING WATER

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**Permit No. 1799502.** The Department issued a construction permit to Clearfield Municipal Authority, 107 East Market Street, Clearfield, PA 16830, Clearfield

Borough, **Clearfield County** for construction of wells 4 and 5 to be used as permanent public water supply sources to replace Wells 2 and 3. The water will be pumped to the Montgomery Creek Filter Plant for treatment.

**Permit No. 4496031-A8.** The Department issued a construction permit to Tulpehocken Spring Water Company, Inc., R. R. 1, Box 157, Sunbury, PA 17801-9746, Point Township, **Northumberland County**. This permit authorizes construction of the Oak Park Bottling Plant.

## HAZARDOUS SITES CLEANUP

**Under the Act of October 18, 1988**

**Notice of Proposed Interim Response**

**Marino Brothers Scrap Yard**

**Borough of Rochester, Beaver County**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1304) (HSCA) is proposing a response action for the Marino Brothers Scrap Yard. The Marino Brothers Scrap Yard (site) is located between Railroad Street and the Ohio River in the Borough of Rochester, **Beaver County**, PA. The facility encompasses approximately 3 acres and is occupied by several buildings that date back to the early 1900s including a building/scale house, an associated truck scale, a 3-story garage building and a storage building. Formerly on the site were also a hydraulic metal crusher with its associated building and hydraulic shears. The property is located in an industrial area and is bordered on the north by Railroad Street, on the South by the Ohio River, on the east by a concrete supplier, and on the west by commercial properties. The property is partially fenced and is easily accessed by trespassers.

Hazardous substances were released into the environment and are present in site soils and groundwater in excess of Statewide health standards. Surface contamination includes polychlorinated biphenols (PCBs), antimony, arsenic, cadmium, chromium, lead, mercury, thallium and zinc with concentrations exceeding direct contact and/or soil to groundwater Statewide health standards under the Land Recycling and Environmental Remediation Standards Act (Act 2). Surface media collected from the site and analyzed for Toxicity Characteristic Leaching Procedure (TCLP) metals exceeded the hazardous waste criteria for lead and cadmium. Light non-aqueous phase liquids (LNAPLs) were found in one monitoring well installed on the site. This floating product contained elevated concentrations of PCBs. Department sampling of Ohio River sediments indicate elevated concentrations of metals and PCBs. These conditions, along with easy access to the site by trespassers and the site's location along the Ohio River within its 100-year floodplain, present a threat to human health through direct contact, inhalation, and ingestion as well as a threat to the environment including the Ohio River.

The Department proposes to conduct an investigation of the site to determine the contaminants of concern and the extent of combination at the site. This investigation will determine the depth and lateral extent of the soil contamination, evaluate and characterize the groundwater, and qualify any threats to human health and the environment posed by the site. The Department will use the information from the investigation to determine the appropriate remediation for the site.

A. The following alternatives were considered to address the current conditions at this site:

*Alternative 1.* No action. This alternative would involve no response by the Department to address the threats associated with this site. The contamination would remain onsite and the associated threats would not be mitigated. There would be no additional investigation and the extent of contamination and its impacts would remain unknown. This alternative would not comply with the Applicable Rules and Regulations (ARARs) identified for this site. Specifically HSCA Section 501(a) requires the Department to investigate if there is a release or threat of release of a hazardous substance. Although no direct costs are associated with this alternative, indirect costs associated cannot be quantified and would include ongoing degradation of groundwater, surface water and the Ohio River as well as loss of tax base and revenue.

*Alternative 2.* Further investigation to fully characterize the site. Threats posed by this site would be qualified by determining the concentrations, depth and lateral extent of contamination in the soils and the groundwater. The site soils will be characterized by soil borings or other appropriate means and adequately sampled to determine the extent of contamination. Monitoring wells will be installed to supplement those already on the site and sampled to provide analytical results and other data to adequately define groundwater at the site and the presence of groundwater contamination. This alternative would comply with all the ARARs identified for this site and will meet the requirements if HSCA section 501(a) that requires the Department to investigate the release of hazardous substances. The Department estimates that an investigation conducted at this site will cost approximately \$500,000. This investigation would gather information necessary, using the most cost-effective methods available, for the Department to determine if additional remediation efforts are necessary at the site to protect human health and the environment.

The Department has determined that alternative 2 is the most appropriate response. This alternative is more protective of human health and the environment than alternative 1 and would be cost-effective. An investigation to fully characterize the site will determine the extent of soil contamination and characterize the groundwater aquifers associated with the site. This investigation will provide the Department with sufficient information to determine if additional remediation is necessary for this site and will enable the Department to determine the most appropriate and efficient methods to remediate the site.

This notice is being provided under Section 506(b) of HSCA. The administrative record, which contains the information that forms the basis and documents the selection of this response action, is available for public review and comment. The administrative record is located at Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, and is available for review Monday through Friday from 8 a.m. to 4 p.m.

The administrative record will be open for comments from February 23 until June 12. Persons may submit written comments into the record during this time only, by sending them to Terry Goodwald at 400 Waterfront Drive or by delivering them to this office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing. The Department has scheduled the hearing on March 28 at 7 p.m. at the Rochester Municipal Building, 300 West Park, Rochester. Persons wishing to present oral comments must register with Betsy Mallison before

March 24 by telephone at (412) 442-4182 or in writing at 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should contact Betsy Mallison at (412) 442-4184 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

### **Notice of Further Investigation**

#### **Mays Hickman Road Site**

#### **Robinson Township, Allegheny County**

The Department of Environmental Protection (Department) under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1304) (HSCA), is proposing a further investigation response action at the Mays Hickman Road Site (site).

The site is located in Robinson Township, Allegheny County at the end of Hickman Road. The property consists of approximately 38 acres, however the area of concern for this response is approximately 8 acres. The site was used from the 1950s until the 1960s as a disposal site for carbon sweepings and other industrial wastes. A large pile of contaminated carbon wastes and leaking 55 gallon drums are located along the bank of Montour Run. Samples taken from the carbon pile and site soils have detected the following contaminants: phenanthrene, flouranthene, pyrene, benzo-a-anthracene, benzo-a-pyrene, chrysene, benzo-b-flouranthene, benzo-k-flouranthene, indeno(1,2,3-cd)pyrene, carbon disulfide, acetone, 2-butanone, lead and zinc.

The Department proposes to conduct an investigation at the site to determine the type and volume of waste present at the site and the extent of contamination. This investigation will determine the depths and lateral extent of contaminated soils, location and volume of buried waste and the condition of the groundwater aquifers. The investigation will also access any threats posed by the site. The Department will use the information from the investigation to determine the appropriate remediation for the site.

The Department has considered the following alternatives for the investigation of this site: 1) No Action, 2) Further Investigation.

Alternative 2 is being proposed by the Department because this alternative would identify risks posed by the site, provide information on the volume, type and nature of the waste and characterize the effects on the groundwater and sediment. Upon completion of the investigation, the Department should have sufficient information to determine if additional remediation is needed and the most appropriate methods to complete the remediation of this site.

This notice is being provided under section 506(b) of HSCA. The administrative record which contains the information that forms the basis and documents the selection of this response action is available for public review and comment. The administrative record is located at the Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745 and is available for review from 8 a.m. to 4 p.m.

The administrative record will be open for comment from February 27 to June 12. Persons may submit written comments into the record during this time only, by sending the comments to Terry E. Goodwald at 400 Waterfront Drive, Pittsburgh, PA 15222-4745 or by delivering the comments to the Department's Southwest Regional Office at the address listed previously.

In addition, persons may present oral comments at a public hearing for inclusion in the administrative record. The Department has scheduled the hearing on March 29 at 7 p.m. at the Robinson Township Municipal Building, 1000 Churchhill Road, Pittsburgh, PA 15202, (412) 788-8120. Persons wishing to present oral comments must register with Betsy Mallison before March 24 at (412) 442-4182 or in writing to Terry Goodwald, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should contact Betsy Mallison at (412) 442-4182 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 2

**The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final report:

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Charles and Cindy Stoudt Residence**, Swatara Township, **Lebanon County**. Charles and Cindy Stoudt, 407 South Lancaster Street, Lebanon, PA 17046 have submitted a Final Report concerning remediation of site

soils contaminated with BTEX and PAHs. The report is intended to document remediation of the site to the Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediations Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.**

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediations Standards Act (act). Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Thomas Saylor Property**, Horsham Township, **Montgomery County**. Philip F. Gray, Jr., Storb Environmental, Inc., 410 North Easton Road, Willow Grove, PA 19090, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and petroleum hydrocarbons. The report demonstrated attainment of the Statewide health standard and was approved by the Department on January 19, 2000.



**Harvey Knechel Residence**, New Britain Township, **Bucks County**. Philip F. Gray, Jr., Storb Environmental, Inc., 410 North Easton Road, Willow Grove, PA 19090, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and petroleum hydrocarbons. The report demonstrated attainment of the Statewide health standard and was approved by the Department on February 9, 2000.

**The Former Heintz Corp.**, Property, Parcel A., City of Philadelphia, **Philadelphia County**. Edwin Hicks, Roy F. Weston, Inc., 1515 Market St., Suite 151, Philadelphia, PA 19102-1956, has submitted a Final Report concerning remediation of site soil contaminated with lead, heavy metals, solvents, BTEX and polycyclic aromatic hydrocarbons and groundwater contaminated with solvents and BTEX. The report demonstrated attainment of Statewide health site-specific standards and was approved by the Department on February 14, 2000.

## SOLID AND HAZARDOUS WASTE

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits issued under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.**

*Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653.*

**Permit No. 101243. Bradford County Landfill, Northern Tier Solid Waste Authority** (P. O. Box 10, Burlington, PA 18814-0010). Renewal of permit for a municipal waste landfill located in West Burlington Township, **Bradford County**, issued in the regional office on February 24, 2000.

**Permits revoked under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Responsible Office: Southcentral Regional Office, Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.*

**Permit No. 603426. Stair Farm, White Run Regional Municipal Authority**, (2001 Baltimore Pike, Gettysburg, PA 17325). This permit has been revoked at the request of the permittee for a site in Mt. Joy Township, **Adams County**. Permit revoked in the Southcentral Regional Office February 15, 2000.

## AIR QUALITY

### OPERATING PERMITS

**Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**OP-09-0025: Delbar Products, Inc.** (7th and Spruce Streets, Perkasio, PA 18944) for replacement of an afterburner to reduce volatile organic compound emissions from an existing pyrolysis cleaning furnace in Perkasio, **Bucks County**. This replacement will result in the

reduction of VOC emissions. The afterburner is to be operated at 1200°F. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**59-304-008B: ACP Manufacturing Co., LLC** (P. O. Box 9, Blossburg, PA 16912-0068) on February 18, 2000, to incorporate requirements established in Plan Approval 59-304-008D for a core-making machine and associated air cleaning device (a packed bed scrubber) in Lawrence Township, **Tioga County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**TVOP-25-00924: Erie Forge & Steel, Inc.** (1341 West 16th Street, Erie, PA 16502) on February 18, 2000, to incorporate into their Title V Operating Permit, the newly applicable requirements contained in the facility's Reasonably Available Control Technology (RACT) permit in Erie, **Erie County**. No other changes to the permit were made.

**Operating Permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**TVOP-09-00012: Klearfold, Inc.** (364 Valley Forge Road, Warrington, PA 18976) on February 3, 2000, for operation of a Facility Title V Operating Permit in Warrington Township, **Bucks County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-03072A: Animal Rescue League of Berks** (P. O. Box 69, Mohnton, PA 19540) on February 22, 2000, for operation of an animal crematorium secondary chamber at the Berks County Chapter in Cumru Township, **Berks County**.

**22-305-001B: Kimmel's Coal and Packaging** (P. O. Box 1, Machamer Avenue, Wiconisco, PA 17097) on February 18, 2000, for coal handling operations controlled by six fabric collectors in Wiconisco Township, **Dauphin County**. This source is subject to 40 CFR Part 60, Subpart Y—Standards of Performance for Coal Preparation Plants.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**62-329-001A: United Refining Co.** (Bradley and Dobson Streets, P. O. Box 780, Warren, PA 16365) on September 30, 1999, for operation of catalytic convertors on two internal combustion engines in Warren, **Warren County**.

---

**PLAN APPROVALS**


---

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-23-0009A: Boeing MACAM Systems Group, Philadelphia** (Stewart Avenue and Route 291, Ridley, PA 19078) on February 24, 2000, for operation of four gas turbine generators in Ridley Township, **Delaware County**.

**PA-46-0037B: Cabot Performance Materials** (County Line Road, Boyertown, PA 19512) on February 18, 2000, for operation of a dust collector on the KTaF Tray in Douglass Township, **Montgomery County**.

**PA-23-0077: County of Delaware** (340 North Middletown Road, Lima, PA 19037) on February 23, 2000, for operation of a natural gas-fired generator in Middletown Township, **Delaware County**.

**PA-09-0115: Draper—DBS** (1803 North Fifth Street, Perkasio, PA 18944), on February 23, 2000, for operation of paint spray booths in East Rockhill Township, **Bucks County**.

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**66-315-035: The Procter & Gamble Paper Products Co.** (P. O. Box 32, Route 87 South, Mehoopany, PA 18629) on February 25, 2000, for construction of two paper machines and modification of the boiler plant in Washington Township, **Wyoming County**. This is a Prevention of Significant Deterioration (PSD) Plan Approval.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**01-05027A: McDermitt, Inc.** (P. O. Box 3219, Gettysburg, PA 17325-0219) on February 25, 2000, for construction and installation of a drum mix asphalt plant controlled by a fabric collector at 1850 Carlisle Road (Rt. 94) in Oxford Township, **Adams County**. This source is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants, and Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (including Petroleum Liquid Storage Vessels).

**06-01002F: Lucent Technologies, Inc.** (P. O. Box 13396, Reading, PA 19612-3396) on February 23, 2000, for construction of a 900 KW generator at the Reading Facility in Muhlenberg Township, **Berks County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-25-124A: Mayer Brothers Construction Co.** (1227 West 18th Street, Erie, PA 16502) on February 16, 2000, for operation of a baghouse on an existing continuous batch asphalt plant in Erie, **Erie County**.

**PA-25-069C: Engelhard Corp.** (1729 East Avenue, Erie, PA 16503) on February 15, 2000, for construction of a new sphere plant pneumatic conveying system in Erie, **Erie County**.

**PA-25-971A: Erie Plating Co.** (656 West 12th Street, Erie, PA 16512) on February 9, 2000, for operation of an existing chromic acid anodizing tank in Erie, **Erie County**.

**PA-25-971B: Erie Plating Co.** (656 West 12th Street, Erie, PA 16512) on February 9, 2000, for operation of an existing decorative chrome plating operation scrubber in Erie, **Erie County**.

**PA-25-971C: Erie Plating Co.** (656 West 12th Street, Erie, PA 16512) on February 9, 2000, for operation of a wet scrubber on an existing plating tank system in Erie, **Erie County**.

**10-307-041A: Bear Metallurgical Co.** (679 East Butler Road, Butler, PA 16002) on March 3, 2000, for modification of Plan Approval 10-307-041 (baghouse on the existing molybdenum and Ferro-Vanadium reduction process) in Summit Township, **Butler County**.

**PA-37-051D: Reactive Metals & Alloys Corp.** (Route 168, West Pittsburgh, PA 16160) on February 29, 2000, for modification of Plan Approval PA-37-051B (SMS Grinding System) in Taylor Township, **Lawrence County**.

---

**Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-46-0154: Eye Designs LLC** (245 West Fifth Avenue, Trappe, PA 19426) on February 18, 2000, for operation of two spray booths in Trappe Borough, **Montgomery County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-318-064B: Can Corp. of America, Inc.** (P. O. Box 170, Blandon, PA 19510) on February 17, 2000, to authorize temporary operation of two sheet coating lines with thermal oxidizers, covered under this Plan Approval until June 16, 2000, at the Blandon Plant in Maiden Creek Township, **Berks County**.

**67-310-001E: York Building Products Co., Inc.** (P. O. Box 1708, York, PA 17405) on February 10, 2000, to authorize temporary operation of an aggregate processing plant, covered under this Plan Approval until June 8, 2000, in West Manchester Township, **York County**. This source is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**10-313-028B: Indspec Chemical Corp.** (133 Main Street, P. O. Box 307, Petrolia, PA 16050) on February 29, 2000, for a scrubber in Petrolia, **Butler County**.

**PA-25-974A: Hi-Tech Plating Co.** (1015 West 18th Street, Erie, PA 16502) on February 29, 2000, for a chrome plating operation in Erie, **Erie County**.

**37-309-046: Essroc Cement Corp.** (2nd Street, P. O. Box 779, Bessemer, PA 16112) on February 29, 2000, for tire-derived fuel systems in Bessemer Borough, **Lawrence County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### Coal Applications Issued

**32950901.** Permit Renewal for reclamation only, **Simpson Coal Company** (R. D. 1, Box 244, New Alexandria, PA 15670), for continued restoration of a bituminous surface mine in Young Township, **Indiana County**, affecting 10.9 acres, receiving stream unnamed tributary to Harpers Run and an unnamed tributary to Blacklegs Creek to the Kiskiminetas River, application received February 15, 2000, issued February 22, 2000.

**32980110.** Permit Revision, **Opal Industries, Inc.** (P. O. Box 980, Latrobe, PA 15650), to add 4.0 acres to the existing 293.0 acre permit for a haul road access, only, with surface drainage to an additional watershed area; this 297.0 acre bituminous surface mine is in Conemaugh Township, **Indiana County**, and the receiving streams are unnamed tributaries to/and Sulphur Run, unnamed tributaries to/and Blackleg's Creek, and unnamed tributaries to/and Kiskiminetas River, application received November 5, 1999, issued February 22, 2000.

**32840109.** Permit Renewal for reclamation only, **Black Oak Development Corporation** (P. O. Box 176, Glen Campbell, PA 15742), for continued restoration of a bituminous surface mine in Banks Township, Glen Campbell Borough, **Indiana County**, affecting 151.3 acres, receiving stream Brady Run, unnamed tributary to Cush Creek and Cush Creek to West Branch Susquehanna River, application received February 7, 2000, issued February 15, 2000.

**32940108.** Permit Renewal for reclamation only, **R & L Coal Corporation** (P. O. Box 26, Punxsutawney, PA 15767), for continued restoration of bituminous surface mine in Canoe Township, **Indiana County**, affecting 22.4 acres, receiving stream Canoe Creek, application received February 8, 2000, issued February 15, 2000.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

#### Coal Permits Issued

**17980126. K & J Coal Company, Inc.** (P. O. Box 189, Westover, PA 16692), commencement, operation and restoration of a bituminous surface mine-auger permit in Chest Township, **Clearfield County** affecting 146 acres. Receiving streams: Kings Run and/or Chest Creek to the

West Branch of the Susquehanna River. Application received November 30, 1998. Permit issued February 16, 2000.

**17980101. M. B. Energy, Inc.** (175 McKnight Road, Blairsville, PA 15717-7960), commencement, operation and restoration of a bituminous surface mine-auger permit in Bell Township, **Clearfield County** affecting 214.2 acres. Receiving streams: unnamed tributary of Curry Run to Curry Run; Curry Run to West Branch Susquehanna River. Application received March 16, 1999. Permit issued February 9, 2000.

**17940116. Moravian Run Reclamation Company, Inc.** (605 Sheridan Drive, Clearfield, PA 16830), renewal of an existing bituminous surface mine permit in Penn Township, **Clearfield County** affecting 247 acres. Receiving streams: Poplar Run. Application received October 20, 1999. Permit issued February 9, 2000.

**17930124. Al Hamilton Contracting Company** (R. R. 1, Box 87, Woodland, PA 16881), renewal of an existing bituminous surface mine-auger permit in Woodward and Decatur Townships, **Clearfield County** affecting 346 acres. Receiving streams: North Branch to Upper Morgan Run, Upper Morgan Run to Clearfield Creek, Clearfield Creek to West Branch Susquehanna River; and Little Beaver Run to Beaver Run, Beaver Run to Moshannon Creek, Moshannon Creek to West Branch Susquehanna River. Application received September 27, 1999. Permit issued February 10, 2000.

**17910109. Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), revision to an existing bituminous surface mine-auger permit for a change in permit acreage from 67.2 to 83.6 acres, located in Bell Township, **Clearfield County**. Receiving streams: unnamed tributaries of Whiskey Run. Application received September 22, 1999. Permit issued February 14, 2000.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**61990103. Ancient Sun, Inc.** (P. O. Box 129, Main Street, Shippenville, PA 16254) Commencement, operation and restoration of a bituminous strip operation in Clinton Township, **Venango County** affecting 18.5 acres. Receiving streams: Unnamed tributary to Bullion Run. Application received April 16, 1999. Permit issued February 23, 2000.

**61990102. Ben Hal Mining Company** (389 Irishtown Road, Grove City, PA 16127) Commencement, operation and restoration of a bituminous strip operation in Clinton and Venango Townships, **Venango and Butler Counties** affecting 40.7 acres. Receiving streams: Unnamed tributary to Scrubgrass Creek. Application received April 14, 1999. Permit issued February 23, 2000.

*McMurray District Office, 3913 Washington Road, McMurray, PA 15317.*

#### Coal Mining Permits Issued

**63831302. Eighty Four Mining Company** (P. O. Box 284, Eighty Four, PA 15330), to revise the permit for the Mine No. 84 in South Strabane Township, **Washington County** to add 30 acres to the surface permit area for a new ventilation shaft, unnamed tributary to Little Chartiers Creek. Permit issued February 14, 2000.

**56911302. Rox Coal, Inc.** (1576 Stoystown Road, P. O. Box 149, Friedens, PA 15541), to revise the permit for the Long T Permit—Longview Mine in Shade Township, **Somerset County** to add five ventilation boreholes and associated surface acreage to the Longview Mine, no additional discharges. Permit issued February 14, 2000.

**32753702. EME Homer City Generation L.P.** (18101 Von Karman Ave., Suite 1700, Irvine, CA 92612-1046), to transfer the permit for the Homer City Refuse Disposal Facility in Centre Township, **Indiana County** from Pennsylvania Electric Company, no additional discharges. Permit issued February 23, 2000.

**30841316. Consol Pennsylvania Coal Company** (P. O. Box 174, Graysville, PA 15337), to revise the permit for the Bailey Mine in Richhill Township, **Greene County** to add 11,200 acres to the underground permit area and 4,126 acres to the planned subsidence control plant area to the south of the Bailey Mine, no additional discharges. Permit issued February 24, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Small Noncoal (Industrial Mineral) Permits Issued*

**58990843. Burts Bros. Logging** (R. R. 2, Box 114, Montrose, PA 18801), commencement, operation and restoration of a bluestone quarry operation in Forest Lake Township, **Susquehanna County** affecting 2.0 acres, receiving stream—none. Permit issued February 25, 2000.

**66990807. Victor Choplosky** (R. R. 1, Box 1594, Nicholson, PA 18446), commencement, operation and restoration of a bluestone quarry operation in Nicholson Township, **Wyoming County** affecting 2.0 acres, receiving stream—none. Permit issued February 25, 2000.

## **ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT**

### **ENCROACHMENTS**

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board (Board) within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rule of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Permits Issued and Actions on 401 Certifications*

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E51-180.** Encroachment Permit. **Pennsylvania Department of Transportation**, 7000 Geerdes Boulevard, King of Prussia, PA 19406. To place fill and other structures in 0.39 acre of wetlands (PEM/OW and PEM/SS) and to temporarily disturb 0.29 acre of wetland (PEM/OW and PEM/SS) associated with the construction of roadway access ramps from Interstate 95 to the Philadelphia International Airport, as part of the Terminal Development and Roadway Access Improvement Project. The applicant proposes to restore all temporary impacts and compensate 0.48 acre of permanent wetland impact by constructing replacement wetlands in accordance with a plan made part of application E23-386. The project is located approximately 3,000 feet east of the intersection of S. R. 0291 and Bartram Avenue (Bridgeport, NJ-PA Quadrangle N: 2.65 inches and W: 0.50 inch) in Tinicum Township, **Delaware County** and the **City and County of Philadelphia**.

*Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third Street, Williamsport, PA 17701.*

**E41-454.** Encroachment. **Pennsylvania Department of Transportation, District 3-0**, 715 Jordan Avenue, P. O. Box 218, Montoursville, PA 17754-0218. To remove the existing structure and to construct and maintain a concrete culvert with a span of 91 inches and underclearance of 58 inches in Sugar Run located on S. R. 2061, Segment 0240, approximately 0.7 mile south of S. R. 2073 (Picture Rocks, PA Quadrangle N: 3.7 inches; W: 4.2 inches) in Penn Township, **Lycoming County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E53-324.** Encroachment. **Adelphia Communications Corporation**, Main at Water Street, Coudersport, PA 16915. To construct and maintain a single span pedestrian foot bridge with a span of 82 feet and a underclearance of 14 feet. The bridge will be constructed over the Allegheny River located 1 block west on Water Street from the intersection with Main Street (Coudersport, PA Quadrangle N: 4 inches; W: 3 inches) Coudersport Borough, **Potter County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E55-160.** Encroachment. **Big Daddy's Ice Cream Parlor and Restaurant**, 127 South Main Street, Middleburg, PA 17842. To construct and maintain two decks, 50 feet by 20 feet and 12 feet by 15 feet next to the restaurant building and to pave the adjacent parking lot in the floodway of Middle Creek located just downstream of the Route 522 bridge (Middleburg, PA Quadrangle N: 7.0 inches; W: 6.1 inches) in the Borough of

Middleburg, **Snyder County**. This permit was issued under section 105.13(e) "Small Projects."

**E59-388.** Encroachment. **Donald S. Miller**, 67 American Street, Wellsboro, PA 16901. To 1) stabilize 90.4 linear feet of a swale like section of Boynton Creek, which has a 5-foot top width, a 2-foot depth and 30° side slopes, with grass and wildflowers at the rear of 67 American Street, 2) stabilize 89.9 linear feet of an irregular shaped channel section of Boynton Creek, which has a 3-foot width and a 2-foot depth, with R-4 riprap and Siberian Dogwood on the right bank and grass on the sloped left bank located at the rear of 69 American Street (Antrim, PA Quadrangle N: 21.2 inches; W: 9.2 inches) in Wellsboro Borough, **Tioga County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E59-392.** Encroachment. **TE Products Pipeline Co.**, 71—73 Denison Parkway, Corning, NY 14830-0099. To operate and maintain a petroleum gas pipeline across Pine Creek to a minimum depth of 36 inches. All maintenance work shall be conducted in the dry and have Departmental approval prior to commencement. This permit also authorizes the maintenance of a wing deflector located on the north bank, 200 feet upstream of the existing pipeline right-of-way. Located .25 mile west on T-451 from the intersection with SR 3001 just south of Watrous (Marshland, PA Quadrangle N: 5.88 inches, W: 3.38 inches) in Gaines Township, **Tioga County**. This permit was issued under Section 105.13(e) "Small Projects."

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E26-263.** Encroachment. **Pennsylvania Department of Transportation, Engineering District 12-0**, P. O. Box 459, Uniontown, PA 15401. To remove the existing Everson Bridge and to construct and maintain a two-span reinforced concrete bridge having normal clear spans of 59.4 feet each and an underclearance of 9.0 feet across Jacobs Creek (WWF). Also to construct and maintain two 18-inch diameter concrete pipe outfalls in Jacobs Creek (WWF) and a temporary causeway for pier and beam erection. The project is located on S. R. 1031 (Section F00) between Scottdale and Everson (Connellsville, PA Quadrangle N: 16.7 inches; W: 13.0 inches) in Scottdale Borough, **Westmoreland County** and Upper Tyrone Township, **Fayette County**.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E16-113.** Encroachment. **Limestone Township**, R. D. 2, Box 313A, Summerville, PA 15864-9027. To remove the existing structure and to construct and maintain a composite steel I-beam bridge having a clear span of 12.335

meters and a minimum underclearance of 2.464 meters on a 50 degree skew across Little Piney Creek on T-539 (McGregor Road) approximately 0.15 mile west of S. R. 0066 (Strattanville, PA Quadrangle N: 2.9 inches; W: 10.4 inches) in Limestone Township, **Clarion County**.

#### ENVIRONMENTAL ASSESSMENT

*Environmental Assessment Approval and Actions on 401 Certification*

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**EA 10-005CO.** Environmental Assessment. **Pheasant Ridge, Inc.** (6065 Rittman Road, Gibsonia, PA 15044). To construct a nonjurisdictional dam across a tributary to Bull Creek (TSF) for irrigation at the Pheasant Ridge Golf Course expansion impacting 0.29 acre of wetlands and approximately 360 linear feet of stream channel. The proposed dam will be located approximately 1,800 feet east of the intersection of Deer Creek Road and Kyle Road (Valencia, PA Quadrangle, N: 9.25 inches; W: 1.00 inch) in Middlesex Township, **Butler County**.

**D24-031EA.** Environmental Assessment. **North Central Pennsylvania Regional Planning and Development Commission** (651 Montmorenci Avenue, Ridgway, PA 15853). To breach and remove a dam across the Clarion River (CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 3,800 feet upstream from the confluence of the Clarion River and Elk Creek (Ridgway, PA Quadrangle N: 10.4 inches; W: 15.3 inches) in Ridgway Borough, **Elk County**.

**EA 46-031CO.** Environmental Assessment. **Gambone Brothers Development Company** (1030 West Germantown Pike, Fairview Village, PA 19409). To construct and maintain a non-jurisdictional dam across a tributary to Wissahickon Creek (TSF) for the purpose of stormwater management at the proposed Renner Tract subdivision located approximately 1,300 feet southeast of the intersection of Swedesford Road and School House Lane (Lansdale, PA Quadrangle N: 12.85 inches; W: 1.80 inches) in Lower Gwynedd Township, **Montgomery County**.

## STORAGE TANKS

### SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permits under the authority of the Storage Tank and Spill Prevention Act (35 P. S. §§ 6020.101—6020.2105) and 25 Pa. Code Chapter 245, Subchapter C have been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

*SSIP  
Permit No.*

00-54-001

*Applicant Name  
and Address*

Brian King  
Dosch-King Emulsions, Inc.  
16 Troy Hills Rd.  
Whippany, NJ 07981

*County and  
Municipality*

Schuylkill County  
West Penn Township

*Tank Type  
and Capacity*

2 ASTs Storing  
Asphalt Emulsion  
20,000 gallons each  
1 AST storing  
Asphalt Emulsion  
17,000 gallon

**SPECIAL NOTICES**

**Notice of Planning Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101**

The Department of Environmental Protection (Department) announces the following grants to counties under the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and section 901 and section 208 of the Waste Tire Recycling Act (Act 190 of 1996). The awards listed here are based upon applications received by the Department in 1999 and 2000.

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, re-

search and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by Sections 701 and 702 of Act 101, and the availability of monies in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Sally Lohman, Planning Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

<i>Applicant</i>	<i>Project Description</i>	<i>Grant Award</i>
<i>Southeast Region</i>		
Chester County	HHW Education	\$23,450
<i>Northeast Region</i>		
Pike County	Revision of the Pike County Municipal Waste Management Plan	\$28,106
<i>Northcentral Region</i>		
Centre County	Studies conducted in support of the county's 1996 plant revision for which no grant application was submitted	\$65,736
<i>Northwest Region</i>		
Venango County	Revision of the Venango County Municipal Waste Management Plan	\$31,453

**STORMWATER MANAGEMENT**

**Action on plans submitted under the Storm Water Management Act (32 P. S. § 680.9).**

*Bureau of Watershed Conservation: P. O. Box 8555, Harrisburg, PA 17105-8555.*

**Plan No. SWMP 159:39, Little Lehigh Creek Stormwater Management Plan Update**, as submitted by **Lehigh County**, was disapproved on February 10, 2000.

[Pa.B. Doc. No. 00-429. Filed for public inspection March 10, 2000, 9:00 a.m.]

tact J. Wick Havens at (717) 787-4310 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-430. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Air Quality Technical Advisory Committee; Change of Meeting Time and Location**

The Air Quality Technical Advisory Committee (AQTAC) has changed the time and the meeting location for its March 21, 2000 meeting. The March 21, 2000, meeting will be held at the Three Rivers Rowing Club, 300 Waterfront Drive, Pittsburgh, PA 15222 and will begin at 8:30 a.m.

The contact for the meeting is Terry L. Black, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4310, E-mail black.terry@dep.state.pa.us.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should con-

**Mining and Reclamation Advisory Board; Regulation, Legislation and Technical Committee**

The Mining and Reclamation Advisory Board (MRAB) Regulation, Legislation and Technical Committee will meet on Friday, March 17, 2000, 10 a.m., at the Best Western University Inn, Indiana, PA. The purpose of the meeting is to further discuss the Department of Environmental Protection's (Department) conventional full cost bonding proposal.

Questions concerning the agenda can be directed to Robert Dolence at (717) 783-5338 or e-mail to dolence.robert@dep.state.pa.us. The agenda for this meeting will be available through the Public Participation Center on the Department's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should

contact Robert Dolence directly at (717) 783-5338 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-431. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Safe Fill Policy and Related Documents

The Department of Environmental Protection (Department) has developed a draft safe fill policy and related documents to address the safe movement and use of soil as fill or construction material. The draft fill policy included in the proposal applies to uncontaminated soil and dredge material. The package also includes proposed amendments to the residual waste regulations to provide flexibility for movement of contaminated soil under a permit-by-rule, a general permit for beneficial use of contaminated soil and a permit waiver for the movement of waste materials onsite as part of a remediation under the Land Recycling Program (Act 2).

#### A. Background

The Department first published revisions to its guidance on the management of fill in the August 30, 1997, *Pennsylvania Bulletin*. Based upon comments received and the increased interest from the public on the movement of soil materials, the policy has been substantially redrafted and is being re-proposed for further public comment.

#### B. Summary of the Fill package

1) *Fill Policy*. The fill policy identifies levels of constituents in soils and dredge material that are acceptable for unrestricted movement and safe use as fill. This draft fill policy revises the current fill policy, titled "Policy and Procedures Establishing Criteria for Use of Uncontaminated Soil, Rock, Stone, Unused Brick and Block, Concrete and Used Asphalt as Clean Fill," Document Number 258-2182-773, published February 29, 1996.

2) *General Permit No. WMGR058*. A Department-initiated general permit proposed under the Solid Waste Management Act and the residual waste regulations for

the beneficial use of soil affected by regulated substances. The proposed general permit regulates the use of contaminated soil by establishing acceptable levels of organic and inorganic substances for specific uses identified in the permit.

3) *Permit-by-rule*. Draft changes to 25 Pa. Code § 287.102 (relating to permit-by-rule) to allow the use of materials as fill to bring an area to grade as a construction material, for control of fire and subsidence events or in reclamation at abandoned mines. The following categories of contaminated soil are included under permit-by-rule: soils contaminated as a result of mixing with slag, fly ash and incinerator ash commonly used as fill prior to September 7, 1980; soil contaminated by air-borne pollution or sediment and that cannot be attributed to a specific point source; agricultural soil contaminated by authorized use of lead and arsenic pesticides applied to crops in accordance with the law; soils contaminated by a known spill or release that are being removed from a site undergoing remediation; and soils that exceed the numeric levels for contaminants under the fill policy. These proposed changes will be incorporated into the final residual waste rulemaking that is currently pending as proposed rulemaking.

4) *Waiver language*. Draft changes to 25 Pa. Code § 287.101 (relating to general requirements for permit) to allow the movement of waste encountered when performing a site remediation under the land recycling program. This waiver allows the onsite movement and placement of waste in accordance with a Department approved remediation investigation report. The permit waiver is available to persons conducting a cleanup using the site-specific standards under Act 2. These proposed changes will be incorporated into the final residual waste rulemaking that is currently pending as proposed rulemaking.

#### C. Public Meetings and Hearings

The Department will hold three public information meetings/hearings for the purpose of discussing the proposal, answering questions and receiving testimony. The first hour and a half will be for presentation of the package and questions and answers; the second hour will provide an opportunity to present testimony. The meetings will be held from 6:30 p.m. to 9 p.m. on the following dates and locations:

April 27, 2000

Southwest Region  
Monongahela Room  
400 Waterfront Drive  
Pittsburgh, PA 15222

May 2, 2000

Southcentral Region  
Codorus Room  
909 Elmerton Avenue  
Harrisburg, PA 17110

May 4, 2000

Southeast Region  
Main Conference Room  
Suite 6010, Lee Park  
555 North Lane  
Conshohocken, PA 19428

Persons wishing to present testimony at the hearings must contact Millie Smith at the Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472 or by telephone at (717) 787-7564, at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to 10 minutes for each witness and three written copies of the oral testimony are requested to be submitted at the

hearing. Each organization is requested to designate one witness to present testimony on its behalf.

Persons with a disability who wish to attend the hearings and require an auxiliary aid, service or other accommodation to participate should contact Millie Smith at (717) 787-7564 or through the Pennsylvania AT&T relay service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

*D. Contact Persons*

Persons interested in obtaining more information or a copy of any of this proposed package may contact Millie Smith in the Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472 or by calling (717) 787-7564. The draft fill package is also available electronically through the Department website (<http://www.dep.state.pa.us>), directLINK "safe fill policy."

Written comments on the fill package or components of the fill package must be submitted to Khatija Swaroop, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472, within 60 days of this notice. Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). Comments may also be transmitted electronically to [Swaroop.Khatija@dep.state.pa.us](mailto:Swaroop.Khatija@dep.state.pa.us). If the sender does not receive an acknowledgment of electronic comments within 2 working days, the comment should be resubmitted to ensure receipt. Comments must be received by May 10, 2000. A subject heading of the proposal and a return name and address must be included in each letter of transmission. Comments will not be accepted by facsimile or voicemail.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-432. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Sewage Advisory Committee Meeting Cancellation**

Due to lack of agenda items, the March 15, 2000, meeting of the Sewage Advisory Committee has been cancelled. The Committee's next scheduled meeting will be held on November 1, 2000, at 10 a.m. in Room 105 of the Rachel Carson State Office Building, located in Harrisburg, PA.

For further information, contact Jay Africa at (717) 787-8184.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-433. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Stream Redesignation Evaluation; Water Quality Standards Review**

Under 25 Pa. Code § 93.4d (relating to public notice of receipt of evaluation or assessment of waters for High Quality or Exceptional Value Waters redesignation) the Department of Environmental Protection (Department) hereby gives notice that an evaluation of all or a portion of the stream listed is being conducted. Persons who have technical data concerning the water quality, instream habitat or biological condition of this stream are encouraged to make it available to the Department for consideration in the assessment. This assessment may lead to a recommendation to the Environmental Quality Board for redesignation.

Data should be submitted to Robert F. Frey, Division of Water Quality Assessment and Standards, Bureau of

Watershed Conservation, P. O. Box 8555, Harrisburg, PA 17105-8555, E-mail [frey.robert@dep.state.pa.us](mailto:frey.robert@dep.state.pa.us). Data should be submitted no later than April 11, 2000. Questions concerning this evaluation can be directed to Robert Frey at (717) 787-9637.

<i>Stream Name</i>	<i>County</i>	<i>Tributary To</i>
Rambo Run	York	North Branch Muddy Creek

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Robert Frey directly at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-434. Filed for public inspection March 10, 2000, 9:00 a.m.]

**DEPARTMENT OF  
GENERAL SERVICES****Design Professional Selections**

The Selections Committee for the Department of General Services (Department) will meet to consider selections of Design Professionals for the following projects:

**Project No. DGS 992-17**—Installation of Fire Protection Systems, Anthracite Heritage Museum, Scranton, Lackawanna County, PA. Construction Cost: \$150,000. The scope of work includes, but is not limited to, installation of a pre-action, dry-pipe water suppression system in the Museum and a water suppression system in the Maintenance Building. Note: The fee to be paid to the design professional and the terms of the contract will be negotiated.

**Project No. DGS 992-18**—Installation of Fire Protection Systems, Eckley Miners' Village, Weatherly, Luzerne County, PA. Construction Cost: \$250,000. The scope of work includes, but is not limited to, installation of a pre-action, dry-pipe water suppression system in the Visitor Center and other selected historic buildings. Project also includes fire-fighting stations throughout the Village. Note: The fee to be paid to the design professional and the terms of the contract will be negotiated.

**Requirements and Information**

*Note—Project Program*

A Project Program, prepared by the Using Agency, is available for the following projects: DGS 992-17 and DGS 992-18. Copies of the Project Programs may be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, (717) 783-8468.

*Instructions for Filing Application*

Professionals will not be considered by the Committee until all of the following requirements are met.

(a) Signed Form 150-ASP must be filed with the Department. The signature on Form 150-ASP must be an original signature. Consultants listed on the requesting professional firm's application, Form 150-ASP shall be deemed to be designated Key Consultants. Form 150-ASP, Application for Specific Project, may be obtained upon



request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, (717) 783-8468. The Form 150-ASP can be downloaded from the Department's Internet Home Page at <http://www.dgs.state.pa.us>. In addition, the Form 150-ASP can be obtained by E-mail by addressing a request to: [pbianchi@exec.gsinc.state.pa.us](mailto:pbianchi@exec.gsinc.state.pa.us).

(b) The requesting professional firm shall obtain from each consultant listed in Question 9, page 4 of the requesting professional firm's application (Form 150-ASP) a signed letter of certification on the consultant's letterhead, attesting to the firm's consent to participate in the requesting professional firm's application (Form 150-ASP) for the specific project. Signed letters of certification from consultants are required and constitute a part of the requesting professional firm's application (Form 150-ASP) for the specific project. The signature on the letter of certification must be an original signature.

(c) The requesting professional firm must submit six copies of Form 150-ASP, Application for Specific Project, for each project herein advertised in which the firm is interested and qualified to perform. At least one of the six copies submitted must contain all original signatures. For architectural projects and, when appropriate, for engineering projects, the Professional shall supply photographs showing a maximum of two different views of each of the three relevant projects described in Question 12, Pages 7 through 9 of the application (Form 150-ASP). The requesting professional firm or joint venture firm must be the Professional of Record for the projects described in Question 12, Pages 7 through 9 of the application (Form 150-ASP). It is not acceptable to list work performed by Key Consultants. The identification and appropriate supportive information concerning each photograph shall include the name, project title, location and the name of the Professional of Record. Color photo copies are acceptable, however, renderings and brochures will not be accepted in lieu of photographs. The photographs shall be attached to each copy of the application, (Form 150-ASP). The pages of each copy of Form 150-ASP must be stapled with photographs and consultant's letters of certification followed by the resumes of Key Personnel (listed in Question 10 and/or 11 on Pages 5 and/or 6) included as the last section of the application. Do not bind the application (Form 150-ASP) in any way to any other documentation. Do not bind the application (Form 150-ASP) in a binder of any type.

(d) A complete project submission, which consists of documents described in previous paragraphs (a), (b) and (c), must be received on or before the close of business (5 p.m.) Friday, March 24, 2000, and addressed to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125. Fax applications are not acceptable.

Project submissions must be made on the Form 150-ASP. Applications submitted on any other form are unacceptable and will not be considered by the Committee.

(e) The Selections Committee may at its discretion establish interviews with any or all of the Professionals who have requested consideration for appointment as designer for the above projects. If an interview is required, the Professional will be notified by the Committee as to the date, time and location.

(f) Additional information, in writing, may be requested by the Committee as required.

### *Additional Services—Indoor Air Quality Assessment Program and Hazardous Materials*

The Professional firm selected to design a project will be expected to perform and administer, when required by the Department as Additional Services, an Indoor Air Quality Assessment Program during Building or Renovation Commissioning and the sampling, testing, inspection and monitoring for removal of any asbestos, other hazardous waste or contaminants encountered during project design or construction, unless otherwise stated in the Scope.

The Selections Committee encourages responses from small firms, minority firms, women-owned firms and firms who have not previously performed state work and will consider joint ventures, which will enable them to participate in this program.

All applications submitted are subject to review by the Selections Committee. The Selections Committee disclaims any liability whatsoever as to its review of the applications submitted and in formulating its recommendations for selection. All recommendations for selection made by the Committee shall be final under Act 57 of May 15, 1998.

GARY E. CROWELL,  
*Secretary*

[Pa.B. Doc. No. 00-435. Filed for public inspection March 10, 2000, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### **Application of Bon Secours-Holy Family Regional Health System for Exception to 28 Pa. Code § 571.1**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Bon Secours-Holy Family Regional Health System has requested an exception to the requirements of 28 Pa. Code § 571.1 which require compliance with minimum standards contained in the following publication: Guidelines for Design and Construction of Hospital and Healthcare Facilities. Specifically, Bon Secours-Holy Family Regional Health System requests an exception from Section 7.14.B.14, which requires that an environmental service closet shall be provided adjacent to and for the exclusive use of the Renal Dialysis Unit and 7.14.C3, which requires that a waiting room, toilet room with handwashing facilities, drinking fountain, public telephone and seating accommodation for waiting periods shall be available or accessible to the dialysis unit.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, E-Mail: [lvia@state.pa.us](mailto:lvia@state.pa.us).

Those persons who wish to comment on this exception request may do so by sending a letter by mail, E-mail or facsimile to the Division and address listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-436. Filed for public inspection March 10, 2000, 9:00 a.m.]

### **Application of Community Medical Center for Exception to 28 Pa. Code § 571.1**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Community Medical Center has requested an exception to the requirements of 28 Pa. Code § 571.1 which require compliance with minimum standards contained in the following publication: Guidelines for Design and Construction of Hospital and Healthcare Facilities. Specifically, Community Medical Center requests an exception from Section 7.6.D. which requires that the seclusion room be located for direct nursing staff supervision.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, Fax: (717) 772-2163, E-Mail: lvia@state.pa.us.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, E-mail or facsimile to the Division and address listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-437. Filed for public inspection March 10, 2000, 9:00 a.m.]

### **Application of Girard Medical Center for Exception to 28 Pa. Code § 571.1**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Girard Medical Center has requested an exception to the requirements of 28 Pa. Code § 571.1 which require compliance with minimum standards contained in the following publication: Guidelines for Design and Construction of Hospital and

Healthcare Facilities. Specifically, Girard Medical Center requests an exception from Section A7.9.E3. which requires a minimum of 100 square feet of clear floor space in any observation station.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, Fax: (717) 772-2163, E-Mail: lvia@state.pa.us.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, E-mail or facsimile to the Division and address listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-438. Filed for public inspection March 10, 2000, 9:00 a.m.]

### **Application of Grandview Surgery and Laser Center for Exception to 28 Pa. Code § 551.22(3)(ii)**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Grandview Surgery and Laser Center has requested an exception to the requirements of 28 Pa. Code § 551.22(3)(ii) which requires the practitioner performing surgery on persons older than 6 months and younger than 18 years of age shall be either board certified by or have obtained preboard certification status with the American Board of Medical Specialties, the American Osteopathic Board of Surgery, the American Board of Podiatric Surgery or the American Board of Oral and Maxillofacial Surgery.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, Fax: (717) 772-2163, E-Mail: lvia@state.pa.us.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, E-mail or facsimile to the Division and address listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154

for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-439. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Application of Jeanes Hospital for Exception to 28 Pa. Code § 107.62

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Jeanes Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62 which relates to physicians giving oral orders and the specific personnel who may accept them.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, Fax: (717) 772-2163, E-Mail: lvia@state.pa.us.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, E-mail or facsimile to the Division and address listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-440. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Application of the Hospital of the University of Pennsylvania for Exception to 28 Pa. Code § 571.1

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that the Hospital of the University of Pennsylvania (HUP) has requested an exception to the requirements of 28 Pa. Code § 571.1 which require compliance with minimum standards contained in the following publication: Guidelines for Design and Construction of Hospital and Healthcare Facilities. Specifically, HUP requests an exception from Section 7.16.A2. which requires one vacuum outlet per autopsy room workstation and one medical air outlet per autopsy room workstation.

The request is on file with the Department. Persons may receive a copy of the request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, Fax: (717) 772-2163, E-Mail: lvia@state.pa.us.

Those persons who wish to comment on this exception request may do so by sending a letter by mail, E-mail or facsimile to the Division and address listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-441. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health under sections 301 and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Wednesday, March 15, 2000.

The meeting will be held at the Sheraton Inn Harrisburg East, 800 East Park Avenue, Harrisburg, PA 17111, from 10 a.m. to 4 p.m.

For additional information please contact Thomas M. DeMelfi, Department of Health, Bureau of HIV/AIDS, P. O. Box 90, Room 912, Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0574.

Persons with a disability who desire to attend the meeting, and require an auxiliary aid service or other accommodation to do so, should also contact Thomas DeMelfi at the above number or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-442. Filed for public inspection March 10, 2000, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Retention of Engineering Firms

#### Butler County Project Reference No. 08430AG2514

The Department will retain an engineering firm under a multi-phase agreement to provide preliminary engineering, environmental studies, final design and services during construction for S.R. 0422, Section 291 (Route 68 interchange) in Summit and Butler Townships, Butler County. The project is located at the interchange of S.R. 0422, SR 68 and S.R. 0038. It will consist of redesign of

the interchange and adjacent intersecting roads. The estimated construction cost is \$12 million.

The selected firm will be required to provide the following engineering and design services: field survey; traffic studies; public involvement; safety review meeting; design field view; environmental studies; erosion and sedimentation control plan; type, size and location report; foundation report; highway lighting plan; utility and right-of-way plans; traffic control plans; design exception report; Step 9 submission; final construction plans; two signal plans; signing plans; H&H Report; NPDES Permit; final structure plans for one widened bridge, one rehabilitated concrete arch bridge and one widened or replaced bridge; value engineering; CPM and project management. Services during construction will include consultation and shop drawing review.

Letters of Interest will be evaluated at the District 10-0 office with emphasis of the following factors:

- a) Demonstrated ability to meet project schedules and control costs.
- b) Experience and competence of project manager and key personnel.
- c) Past performance and experience on similar projects.
- d) Method of controlling quality on project and submissions.
- e) Understanding of the Department's requirements, Design Manuals, policies and specifications.
- f) Location of office to perform work.
- g) Understanding of the specific project requirements.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8.5" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable (see the General Requirements and Information Section).

The letter of Interest submission shall be sent to:

Richard H. Hogg, P.E., District Engineer  
Engineering District 10-0  
P. O. Box 429, Route 286 South  
Indiana, PA 15701  
Attn: Mark S. Rozich

The letter of Interest submission for this project reference number must be received at the above listed address by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this notice.

Engineering District 10-0 will announce the firms that have been shortlisted at an open public meeting to be held in the District Office. All firms that have submitted a letter of interest will be notified of the date and time. Specify two (2) contact persons in the letter of interest.

Any technical questions concerning the requirements for this project should be directed to Mark Rozich, P.E., District 10-0, at (724) 357-2852.

**Erie County  
Project Reference No. 08430AG2515**

The Department will retain an engineering firm to provide final design services and services during construc-

tion for S.R. 9900, Section 000, the realignment of West 38th Street in the City of Erie, Erie County, Pennsylvania. The project involves the realignment of approximately 1433m (4701 ft.) of West 38th Street and 420m (1378 ft.) of S.R. 0505. In addition to the roadway design, traffic signal designs will need to be prepared for four intersections and structure designs will be required for two retaining walls and two structures to span Mill Creek. A small portion of the Mill Creek Channel will require relocation.

The selected firm will be required to provide the following services or perform the following tasks (note: this list may be expanded or reduced as project requirements dictate): field surveys; utility coordination; foundation reports; final structure designs; final traffic signal designs; final erosion and sedimentation control plans; final roadway design and construction drawings; completion of all applicable forms, specifications and estimates; preparation of CPM schedules; public and agency coordination; and, project management and administration. Services during construction activities will include construction consultation, alternative review and shop drawing reviews.

The environmental clearance document for this project is currently under review. The project is being advanced through the completion of the preliminary design submission and field view and type, size & location report(s). These tasks are being completed by others along with a right-of-way plan. The selected firm must build upon the work that has been performed to date with minimal redundancy.

Firms that are under contract, or are being considered, to provide engineering services to a land developer for a site that is located along the project corridor will not be considered for this assignment. Firms are to state within their letter-of-interest that they are not under contract nor are being considered for a contract with interests in the project area.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of firms submitting letters-of-interest:

- a) Proven ability to meet project schedules and control costs.
- b) Experience and competence of project manager and key personnel.
- c) Cooperation, innovations and flexibility in thinking, particularly with respect to the needs of the local community.
- d) Past record of performance on similar projects.
- e) Past performance record of listed subconsultants.
- f) Availability of listed staff.

Engineering District 1-0 will announce the firms that have been shortlisted at an open, public meeting to be held in the District Office. All firms that have submitted letters-of-interest will be notified of the time and date of this announcement. Specify two (2) contact persons in the letter-of-interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning the DBE participation in this agreement is contained in the General Requirements and Information section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum

of five (5) pages, 8-1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The letter-of-interest submission shall be sent to:

Mr. John L. Baker, P.E., District Engineer  
Engineering District 1-0  
255 Elm Street  
Oil City, PA 16301

Attention: Mr. Michael L. McMullen, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Michael L. McMullen, P.E., District 1-0, at (814) 678-7077.

**Mercer County  
Project Reference No. 08430AG2516**

The Department will retain an engineering firm to provide the preparation of an Environmental Assessment, Alternative Investigations and Preliminary Engineering for S.R. 0208, Section A00 in Springfield Township, Mercer County, Engineering District 1-0. The primary purpose is to relieve traffic congestion and to improve the level of service at the S.R. 0208/I-79 interchange. The secondary purpose is to improve the intersection with S.R. 0208 and S.R. 0258 west of the interchange.

The selected firm will be required to prepare an Environmental Assessment, perform field surveys, prepare a location study with a preferred alternative, prepare for the chosen alternative the preliminary roadway design, cross sections, topography, soils and geological investigation, erosion and sedimentation control plan, preliminary right-of-way submission, preliminary utility investigation, preliminary traffic investigation, and prepare structure design in detail to submit a type, size and location submission with all associated permits. The attendance at various public involvement meetings is a must. The consultant will be required to provide material for and attend a safety review meeting, attend various field views to be held on the site, and provide efficient project management.

The Department will reserve the option to add final design activities and services during construction to the scope of this Agreement. Final design activities will include the preparation of a final right-of-way plan, final utility coordination, final roadway design, final structure design, construction plans and PS&E (plans, specifications and estimates submission). Services during construction will include construction consultation and shop drawing review.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting acceptable letters of interest:

- a. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms will be considered.
- b. Understanding of the Department's requirements, Design Manuals, policies and specifications.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules.
- d. Project management skills and public involvement experience. The specific experience of individuals who constitute the firms will be considered.

e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants, etc.

f. Location of consultant with respect to the District. This will include ability/provisions for quick responses to District requests.

The goal for Disadvantage Business Enterprise (DBE) participation in this agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

This project is a complex project. The Letter of Interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" in size), and additional resumes, if applicable (See General Requirements and Information Section).

The letter of interest submission shall be sent to:

Mr. John L. Baker, P.E., District Engineer  
Engineering District 1-0  
255 Elm Street  
Oil City, PA 16301

Attention: Mr. Michael L. McMullen, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the tenth (10) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael L. McMullen, P.E., District 1-0, at (814) 678-7077 or Ms. E. Mariah Hanson, District 1-0, at (814) 678-7078.

**Fayette, Greene, Washington and Westmoreland  
Counties  
Project Reference No. 08430AG2517**

The Department will retain an engineering firm for an Open-End Contract to provide supplementary construction inspection staff under the Department's Inspector(s)-in-Charge to perform construction inspection services on various projects in Engineering District 12-0, that is in Fayette, Greene, Washington and Westmoreland Counties. The Contract will include roadway and bridge construction projects, and material plant inspection. The Contract will be for a period of sixty (60) months, with a maximum cost of \$2 Million dollars.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of available inspectors in each class.
- b. Previous District 12 experience.
- c. Past performance ratings for District 12.
- d. Number of NICET/NECEPT certified inspectors.
- e. Ability to provide CDS operator.
- f. Understanding of District's and Department's policies Requirements, and specifications

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (3)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	12 (8)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	4 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$47.65
(TCIS)	\$41.75
(TCI)	\$36.53
(TA)	\$25.12

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the

construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected may be required to supply the following equipment at no direct cost to the Department:

- 2 Nuclear Densometer Gauges/License at point of need when needed
- 1 Paint Test Kit
- 10 Cellular Phones (for Engineer's employees only)

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI	15
TA	0

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Michael Dufalla, P.E., District Engineer  
 Engineering District 12-0  
 North Gallatin Ave Ext.  
 Uniontown, PA 15401  
 Attn: Charles Thompson P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day (20th) following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Charles Thompson, District 12-0, at (724) 439-7137.

**General Requirements and Information**

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that request engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania. A firm not conforming to this requirement may submit a letter of interest as a part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.
3. Identify subconsultants, if any, including DBE/WBE, if required.
4. Identify key project staff.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm

fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 00-443. Filed for public inspection March 10, 2000, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Michael Matthews, Country Estates MIIP v. DEP;  
EHB Doc. No. 2000-025-R**

Michael Matthews Country Estates MIIP has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Clinton Township, Venango County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 00-444. Filed for public inspection March 10, 2000, 9:00 a.m.]

# FISH AND BOAT COMMISSION

## Additional Restrictions on Fish and Boat Commission Property

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 53.18 (relating to additional restrictions), has established the following additional restrictions for Commission property. These additional restrictions shall be posted at the sites and shall be effective each year during the time periods set forth herein.

<i>County</i>	<i>Area</i>	<i>Additional Restrictions</i>
Beaver	Hereford Manor Lakes	During the period April 1 through May 31, the use or possession of beer and alcoholic beverages is prohibited and open fires are prohibited.
Washington	Dutch Fork Lake	During the period April 1 through May 31, the use or possession of beer and alcoholic beverages is prohibited and open fires are prohibited.
Washington	Canonsburg Lake	During the period April 1 through May 31, the use or possession of beer and alcoholic beverages is prohibited and open fires are prohibited.

PETER A. COLANGELO,  
*Executive Director*

[Pa.B. Doc. No. 00-445. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Designation of Wilderness Trout Waters

The Fish and Boat Commission (Commission) is considering the republication of its list of Wilderness Trout Streams. Under 58 Pa. Code § 57.4 (relating to wilderness trout streams), it is the Commission's policy to manage the wilderness trout streams program where the stream remoteness and populations of naturally reproducing trout combine to offer a sport fishing opportunity for the recreation of anglers in a wilderness setting away from roads or vehicular access. It is the Commission's intent to advocate proper watershed management to maintain the wilderness setting and to advance and seek the highest water quality standards through the Department of Environmental Protection.

The Commission intends to consider the designation of Wilderness Trout Streams at its spring meeting on April 7 and 8, 2000. Persons with comments, objections or sug-

gestions concerning the designations are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000 no later than 4 p.m on April 6, 2000. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically at "regulations@fish.state.pa.us." A subject heading of the proposal and a return name and address must be included in each transmission. In addition, all electronic comments must be contained in the text of the transmission, not in an attachment. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

A complete list of waters that the Commission is designating as Wilderness Trout Waters is as follows:

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Adams	Carbaugh Run	From headwaters downstream to Carbaugh Run Reservoir Pool	1.6 miles
Adams	Carbaugh Run	From Carbaugh Run Reservoir downstream to Forestry Rd	2.2 miles
Cambria	Conemaugh River, Little South Fork	From headwaters downstream to Beavertale Reservoir	2.1 miles
Cambria/Clearfield	Rogues Harbor Run	From headwaters downstream to mouth	3.3 miles
Cameron	Clear Creek	From headwaters downstream to confluence with Mud Run	6.1 miles
Cameron	Cooks Run	From confluence of Left and Right Branches downstream to mouth	4.0 miles
Cameron	Elk Fork	From headwaters downstream to confluence of Nichols Run	3.6 miles
Cameron	Hicks Run, West Branch	From headwaters downstream to confluence with Middle Branch Hicks Run	3.6 miles
Cameron	Lushbaugh Run	From headwaters downstream to mouth	4.3 miles



<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Carbon	Bear Creek, Little	From headwaters downstream to confluence with Big Bear Creek	1.9 miles
Carbon	Deep Run	From headwaters downstream to mouth	2.1 miles
Carbon	First Hollow Creek	Headwaters downstream to mouth (sink near Nesquehoning)	1.5 miles
Carbon	Hell Creek	From headwaters downstream to mouth	3.5 miles
Carbon	Jeans Run	From headwaters downstream to lower SGL boundary	2.5 miles
Carbon	Stony Creek	From Yellow Run downstream to mouth	2.7 miles
Centre	Benner Run	From headwaters downstream to 1st tributary below Pine Haven Camp	2.0 miles
Centre	Hayes Run	From headwaters downstream to mouth	3.6 miles
Centre	Panther Run	From headwaters downstream to 1st tributary upstream of mouth	4.0 miles
Centre	Roaring Run	From headwaters downstream to 2 km upstream of Laurel Run	4.2 miles
Centre	Rock Run	From headwaters downstream to Middle Branch Rock Run	1.4 miles
Centre	Two Rock Run	From headwaters downstream to mouth	3.0 miles
Centre	Wallace Run	From headwaters downstream to confluence of North Branch Wallace Run	4.3 miles
Centre	Yost Run	From headwaters downstream to mouth	4.2 miles
Clarion	Blyson Run	From headwaters downstream to mouth	2.1 miles
Clarion	McCanna Run	From headwaters downstream to mouth	2.2 miles
Clearfield	Cole Run	From headwaters downstream to mouth	6.1 miles
Clearfield	Twelvemile Run	From headwaters downstream to mouth	5.1 miles
Clinton	Barney Run	From headwaters downstream to mouth	4.7 miles
Clinton	Big Run, E Br	From headwaters downstream to 7.2 km upstream of mouth	4.6 miles
Clinton	Big Run, M Br	From headwaters downstream to mouth	3.7 miles
Clinton	Boggs Hw Run	From headwaters downstream to mouth	5.2 miles
Clinton	Burns Run	From headwaters downstream to mouth	3.8 miles
Clinton	Cherry Run	From headwaters downstream to mouth	7.9 miles
Clinton	John Summerson Branch	From headwaters downstream to mouth	2.4 miles
Clinton	Fish Dam Run	From headwaters downstream to mouth	4.2 miles
Clinton	Lick Run	From headwaters downstream to SR 1001	16.7 miles
Clinton/Centre	Big Run, W Br	From headwaters downstream to mouth	6.1 miles
Columbia/Sullivan	Elk Run	From headwaters downstream to mouth	4.9 miles
Elk	Mix Run	From headwaters downstream to confluence with English Draft Run	3.7 miles
Elk	Vineyard Run	From headwaters downstream to Spring Creek/Horton Twp line	2.5 miles
Fayette	Quebec Run	From headwaters downstream to mouth of Mill Run	2.5 miles
Forest	Fourmile Run	From headwaters downstream to mouth	2.3 miles
Franklin	Trout Run	From headwaters downstream to mouth	7.6 miles
Jefferson	Craft Run	From headwaters downstream to mouth	2.7 miles
Jefferson	North Fork Red Bank Ck, S Br	From headwaters downstream to mouth	7.0 miles
Jefferson	Shippen Run	From headwaters downstream to mouth	2.5 miles
Lawrence	Hell Run	From T-395 bridge downstream to mouth	1.9 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Lycoming	Engle Run	From headwaters downstream to mouth at King Run	4.9 miles
Lycoming	Mill Run	From headwaters downstream to mouth	3.8 miles
Lycoming	Wolf Run, Noon Branch	From headwaters downstream to mouth	2.0 miles
McKean	Kinzua Creek, South Branch	From headwaters downstream to confluence with Hubert Run	7.1 miles
McKean/Elk	Crane Run	From headwaters downstream to mouth	3.6 miles
Monroe	Cross Keyes Run	From headwaters downstream to mouth	2.5 miles
Monroe	Devils Hole Creek	From headwaters downstream to upper boundary of SGL #221	0.4 miles
Monroe	Devils Hole Creek	From separated SGL #221 border downstream to SGL #221 border	1.8 miles
Monroe	Devils Hole Creek	From upper boundary of SGL #221 downstream to lower boundary of SGL#221	1.4 miles
Monroe	Frame Cabin Run	From headwaters downstream to mouth	3.7 miles
Monroe	Poplar Run (Laurel Run)	From headwaters downstream to mouth	3.7 miles
Monroe	Mill Creek	From headwaters downstream to SGL #221 border	1.9 miles
Monroe	Rattlesnake Creek	From headwaters downstream to end of T-594	3.1 miles
Monroe	Sand Spring Run	From outlet of Sand Spring Lake downstream to confluence with Pocono Creek	1.7 miles
Monroe	Wolf Swamp Run	From outlet of Wolf Lake downstream to confluence of Pocono Creek	2.1 miles
Perry	Laurel Run, North Branch	From headwaters downstream to confluence with South Branch Laurel Run	6.5 miles
Potter	Bailey Run	From headwaters downstream to 120 miles upstream to confluence with Little Bailey Run	6.5 miles
Potter	Big Nelson Run, Left Branch	From headwaters downstream to mouth	4.0 miles
Potter	Birch Run	From headwaters downstream to mouth	5.3 miles
Potter	Hammersley Fork	From headwaters downstream to confluence with Bell Branch	6.9 miles
Potter	Hammersley Fork	Confluence with Bell Branch downstream to Ford	1.8 miles
Potter	Johnson Brook	From headwaters downstream to SGL boundary above Thunder Run	3.5 miles
Potter	Sinnemahoning Creek, East Fork	From headwaters downstream to Dolliver Trail	2.5 miles
Potter	Stony Lick Run	From headwaters downstream to mouth	3.2 miles
Somerset	Iser's Run	From Rockwell Reservoir Dam outflow downstream to mouth	5.6 miles
Somerset	Laurel Run	From PA/MD state line downstream to 300 miles downstream of T-331	2.9 miles
Somerset	Piney Run	From headwaters downstream to T-816	2.4 miles
Somerset	Roaring Run	From headwaters downstream to Boswell Reservoir	1.0 miles
Sullivan	Elklick Run	From headwaters downstream to mouth	2.7 miles
Sullivan	Kethum Run	From headwaters downstream to mouth	2.9 miles
Sullivan	Kettle Creek	From headwaters downstream to confluence with Ogdonia Creek	7.3 miles
Sullivan	The Outlet (Lewis Creek)	From Eagles Mere Lake downstream to confluence with Big Run	5.2 miles

<i>County</i>	<i>Stream</i>	<i>Limits</i>	<i>Length</i>
Sullivan	Shanerburg Run	From headwaters downstream to 1.5 miles above mouth	2.0 miles
Sullivan	Shingle Mill Run	From headwaters downstream to mouth	2.4 miles
Tioga	Cushman Branch	From headwaters downstream to confluence with Bear Run	3.7 miles
Tioga	Long Run	From headwaters downstream to confluence with Custard Run	4.6 miles
Tioga	Nickel Run	From headwaters downstream to mouth	4.1 miles
Tioga	Pine Island Run	From headwaters downstream to mouth	2.5 miles
Union	Buffalo Creek, North Branch	From headwaters downstream to outflow of Mifflinburg Reservoir	7.0 miles
Union	Cherry Run	From headwaters downstream to 4.3 km upstream of mouth (Stone Camp)	2.6 miles
Union	Panther Run	From headwaters downstream to mouth	3.0 miles
Venango	Dennison Run	From headwaters downstream to mouth	2.5 miles
Warren	Arnot Run	From headwaters downstream to mouth	6.6 miles
Warren	Hickory Creek, East	From headwaters downstream to confluence of Middle Hickory Creek	5.2 miles
Warren	Wildcat Run	From headwaters downstream to mouth	5.2 miles
Westmoreland	Baldwin Creek	From headwater downstream to SGL #42 boundary	3.2 miles
Westmoreland	Mill Creek, Left Middle Fork	From headwaters downstream to mouth	2.1 miles
Westmoreland	Mill Creek, Right Middle Fork	From headwaters downstream to mouth	2.6 miles
Westmoreland	Mill Creek, South Fork	From headwaters downstream to Ligonier Twp Reservoir	3.2 miles
Westmoreland	Powdermill Run	From headwaters downstream to mouth	3.2 miles
Westmoreland	Roaring Run	From headwaters downstream to 1 mile upstream T332 Bridge	3.5 miles
Westmoreland	Shannon Run	From headwaters downstream to lower SGL boundary	1.7 miles
Wyoming	Cider Run	From headwaters downstream to mouth	2.4 miles
Wyoming	Sorber Run	From headwaters downstream to mouth	3.0 miles

PETER A. COLANGELO,  
*Executive Director*

[Pa.B. Doc. No. 00-446. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Temporary Changes to Miscellaneous Special Regulations**

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), is taking immediate action to modify temporarily the miscellaneous special regulations at § 65.24 as follows:

<i>County</i>	<i>Name of Water</i>	<i>Special Regulations</i>
Huntingdon	Raystown Lake (includes Raystown Branch from the Raystown Dam downstream to confluence with Juniata River).	Trout (all species)—no closed season. Creel limits: regular inland season—[ <b>8</b> ] <b>5</b> . Day after Labor Day to opening day of next regular inland season—3 (combined species). * * *
Somerset, Fayette, Westmoreland and Allegheny	Youghiogheny River from reservoir downstream to confluence with Casselman River	Closed season on trout—April 1 until 8 a.m. first Saturday after April 11. Daily limit—opening day of trout season to Labor Day—[ <b>eight</b> ] <b>five</b> trout per day; day after Labor Day to midnight March 31 of the following year—three trout per day. Inland regulations apply to warmwater/coolwater species.

When the Commission amended its Statewide trout regulations last year to reduce the creel limit from eight to five, these miscellaneous regulations should have been amended as well. The Commission's Executive Director finds that temporarily modifying these miscellaneous special regulations to make them consistent with Statewide trout regulations is necessary and appropriate for the protection, preservation and management of fish and fish habitat and to conserve and preserve fishing opportunities. The Commission will take appropriate rulemaking action to amend the miscellaneous special regulations at its upcoming meeting on April 8, 2000.

PETER A. COLANGELO,  
*Executive Director*

[Pa.B. Doc. No. 00-447. Filed for public inspection March 10, 2000, 9:00 a.m.]

**INDEPENDENT  
REGULATORY REVIEW  
COMMISSION**

**Notice of Filing of Final Rulemakings**

The Independent Regulatory Review Commission (Commission) received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-465	State Board of Dentistry Expanded Function Dental Assistants	2/29/00
11-193	Insurance Department Medicare Supplement Insurance Minimum Standards	3/1/00
16A-576	State Board of Veterinary Medicine Professional Conduct; Advertising	3/1/00

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 00-448. Filed for public inspection March 10, 2000, 9:00 a.m.]

**INSURANCE DEPARTMENT**

**Delta Dental of Pennsylvania, Delta Premier and Delta Preferred; UCR Fee Level Increase**

Delta Dental of Pennsylvania has filed for approval of an update to its usual, customary and reasonable fee levels for its premier and preferred programs to be effective April 1, 2000.

The fee level increase for the UCRs is 4.0%. The proposed updates will have an immediate impact of 4.9% in Delta's liability.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 00-449. Filed for public inspection March 10, 2000, 9:00 a.m.]

# LIQUOR CONTROL BOARD

## Expiration of Leases

The following Liquor Control Board lease will expire:

Chester County, Wine & Spirits Shoppe #1510, 41 North Bailey Road, Thorndale, PA 19372-1077.

*Lease Expiration Date:* August 31, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 5,000 net useable square feet of new or existing retail commercial space within a 1 mile radius of North Bailey Road, Thorndale.

*Proposals due:* March 31, 2000 at 12 noon

**Department:** Liquor Control Board  
**Location:** Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113  
**Contact:** James M. Bradley, (215) 482-9670

Philadelphia County, Wine & Spirits Shoppe #5165, 7322 Castor Avenue, Philadelphia, PA 19152-4205.

*Lease Expiration Date:* March 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 5,000 to 9,000 net useable square feet of new or existing retail commercial space within a 1/2 mile radius of Cottman Avenue and Castor Avenue, Philadelphia.

*Proposals due:* March 31, 2000 at 12 noon

**Department:** Liquor Control Board  
**Location:** Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113  
**Contact:** Robert J. Jolly, (215) 482-9670

Allegheny County, Wine & Spirits Shoppe #0244, 739 Monongahela Avenue, Glassport, PA 15045-1425.

*Lease Expiration Date:* March 31, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 2,500 net useable square feet of new or existing retail commercial space in the Glassport Central Business District.

*Proposals due:* March 31, 2000 at 12 noon

**Department:** Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** George Danis, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #0247, 5430 Center Avenue, Pittsburgh, PA 15232-1622.

*Lease Expiration Date:* March 31, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 4,000 to 6,000 net useable square feet of new or existing retail commercial space located within the area bounded by Walnut Street, Baum Boulevard, South Negly Avenue and Cyprus Street, Pittsburgh.

*Proposals due:* March 31, 2000 at 12 noon

**Department:** Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** Joseph J. Molhoek, (412) 565-5130

Westmoreland County, Wine & Spirits Shoppe #6521, 4610 William Penn Highway, Murrysville, PA 15668-2004.

*Lease Expiration Date:* March 31, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space in a shopping center environment along Route 22 in Murrysville.

*Proposals due:* March 31, 2000 at 12 noon

**Department:** Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** George Danis, (412) 565-5130

JOHN E. JONES, III,  
*Secretary*

[Pa.B. Doc. No. 00-450. Filed for public inspection March 10, 2000, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Acquire Water System Assets Without Hearing

**A-212370F0057. Philadelphia Suburban Water Company.** Application of Philadelphia Suburban Water Company for approval to acquire the water system assets of Fulmor Heights Homeownership Association located in the certificated service territory of Philadelphia Suburban Water Company in Hatboro Borough, Montgomery County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 27, 2000, under 52 Pa. Code (relating to public utilities).

*Applicant:* Philadelphia Suburban Water Company

*Through and By Counsel:* Mark J. Kropilak, Vice President and General Counsel, Philadelphia Suburban Water Company, 762 Lancaster Avenue, Bryn Mawr, PA 19010.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-451. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth

have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before April 3, 2000, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.**

**A-00116616. A Kings Limo, Inc.** (1051 Herbert Boulevard, Williamstown, NJ 08094), a corporation of the Commonwealth of Pennsylvania—(1) persons in limousine service between points in the county of Chester and the townships of Birmingham, Concord and Thornbury, Delaware County, and from said county and townships to points in Pennsylvania within and airline distance of 50 statute miles of the limits of the county of Chester and the townships of Birmingham, Concord and Thornbury, Delaware County, and return; right 1 subject to the following condition: that no right, power or privilege is granted to originate transportation in Lancaster County, and (2) persons in limousine service between points in the counties of Berks, Chester and Montgomery, and from points in said counties, to points in Pennsylvania, and return; right 2 subject to the following conditions: that no right, power or privilege is granted to provide service to or from hotels and motels in Montgomery County or to or from the following points in Chester County: Guest Quarters, Alcoa Standard and Chesterbrook Shopping Center in Chesterbrook or MAI Sorbus in Great Valley; that no right, power or privilege is granted to provide service to or from Berks County, except for the city of Reading, the boroughs of Robesonia, West Reading, Bally, Bechtelsville, Birdsboro, Boyertown, Fleetwood, Lyons, Hamburg, Leesport and Mount Penn, and the townships of Bern, Douglass, Amity, Exeter, Union, Oley, Earl Coalbrookdale, Alsace, Robeson and Washington; that no right, power or privilege is granted to provide service to or from Delaware County, except Tinicum Township; which is to be a transfer of all of the rights authorized Fashion Limousine, Inc., under the certificate issued at A-00115113, subject to the limitations and conditions. *Attorney:* John J. Gallagher, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

**Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.**

**A-00086705, F. 2, AM-A. Posten Taxi, Incorporated** (777 South Franklin Street, Wilkes-Barre, Luzerne County, PA 18702), a corporation of the Commonwealth of Pennsylvania—persons, upon call or demand, in the city of Wilkes-Barre, Luzerne County, and within 10 miles by the usually traveled highways of the limits of said city, all call to be accepted in the city of Wilkes-Barre: *So as to permit* the transportation of persons, upon call or demand, in the city of Scranton, Lackawanna County, and

within an airline distance of 10 statute miles of the limits of said city. *Attorney:* James D. Campbell, Jr., 3631 North Front Street, Harrisburg, PA 17110.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-452. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Telecommunications**

**A-310838F0002. Bell Atlantic-Pennsylvania, Inc. and Cavalier Telephone Mid-Atlantic, LLC.** Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Cavalier Telephone Mid-Atlantic, LLC, d/b/a Cavalier Telephone for approval of an interconnection agreement under section 252(e) of The Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Cavalier Telephone Mid-Atlantic, LLC, d/b/a Cavalier Telephone, by its counsel, filed on February 25, 2000, at the Pennsylvania Public Utility Commission, a Joint Petition for approval of an Interconnection Agreement under Sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Cavalier Telephone Mid-Atlantic, LLC, d/b/a Cavalier Telephone Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-453. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Telecommunications**

**A-310718. Bell Atlantic-Pennsylvania, Inc. and Eagle Communications, Inc.** Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Eagle Communications, Inc. d/b/a Eagle Telco, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Eagle Communications, Inc. d/b/a Eagle Telco, Inc., by its counsel, filed on February 25, 2000, at the Pennsylvania Public Utility Commission (Commission) a Joint Petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the

Bell Atlantic-Pennsylvania, Inc. and Eagle Communications, Inc. d/b/a Eagle Telco, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-454. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Telecommunications

**A-310510. United Telephone Company of Pennsylvania d/b/a Sprint and CTSI, Inc.** Joint Application of the United Telephone Company of Pennsylvania d/b/a Sprint and CTSI, Inc. for approval of an interconnection and resale agreement under section 252(a)(1) and (e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania d/b/a Sprint and CTSI, Inc., by its counsel, filed on February 23, 2000, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and CTSI, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-455. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Telecommunications

**A-310863. United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc.** Joint Application of United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc. for approval of a resale agreement under section 252(a)(1) and (e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc., by its counsel, filed on February 22, 2000, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-456. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Transfer and Abandonment Without Hearing

**A-210009 F2000. Waterflow Pike, Inc.** Application of Waterflow Pike, Inc., for approval of the transfer and abandonment of the system serving Woodland Hills Development, Paupack Township, Wayne County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 27, 2000, under 52 Pa. Code (relating to public utilities).

*Applicant:* Waterflow Pike, Inc.

*Through and By Counsel:* Richard B. Henry, Bugaj and Henry, Maple Leaf Gardens, 308 Ninth Street, Honesdale, PA 18431.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-457. Filed for public inspection March 10, 2000, 9:00 a.m.]

### Transfer by Merger Without Hearing

**A-110650 F0006. Pike County Light and Power Company.** Application of Pike County Light and Power Company for approval of the transfer by merger from Consolidated Edison, Inc., to a newly-formed holding company also named Consolidated Edison, Inc., the Title to, or the possession or use of, all property of Pike County Light and Power Company, used or useful in the public service.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 27, 2000, under 52 Pa. Code (relating to public utilities).

*Applicant:* Pike County Light and Power Company

*Through and By Counsel:* Michael W. Hassell, Morgan, Lewis and Bockius, LLP, 417 Walnut Street, Harrisburg, PA 17101-1904.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-458. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Transfer by Sale  
Without Hearing**

**A-210105F2000 and A-210089. Fannie Beiler, t/a Acorn Water Company.** Application of Fannie Beiler, t/a Acorn Water Company for approval of the transfer by sale of all the property and rights of the Acorn Water Company business of the former to a limited liability company to be formed by Greg T. and Melissa M. Hurst anticipated to be called Acorn Water Company, LLC, and for the approval of Fannie Beiler, t/a Acorn Water Company to abandon or discontinue providing water service.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 27, 2000, under 52 Pa. Code (relating to public utilities).

*Applicant:* Fannie Beiler, t/a Acorn Water Company, Greg T. and Melissa M. Hurst

*Through and By Counsel:* Linda Kling, Esquire, Wentz, Weaver and Kling, 132 West Main Street, New Holland, PA 17557. (Attorney for Fannie Beiler, t/a Acorn Water)

Joshua D. Cohen, Esquire, Hartman Underhill & Brubaker, LLP, 221 East Chestnut Street, Lancaster, PA 17602. (Attorney for Greg T. and Melissa M. Hurst)

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-459. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Water Service  
Without Hearing**

**A-211070. F0008. Citizens Utilities Water Company of PA.** Application of Citizens Utilities Water Company of Pa for approval to begin to offer, render, furnish or supply water service to the public in additional territory in a portion of Schuylkill Township, Chester County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 27, 2000, under 52 Pa. Code (relating to public utilities).

*Applicant:* Citizens Utilities Water Company of PA

*Through and By Counsel:* John H. Isom, Morgan, Lewis and Bockius, LLP, One Commerce Square, 417 Walnut Street, Harrisburg, PA 17101-1904.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-460. Filed for public inspection March 10, 2000, 9:00 a.m.]

**Water Service  
Without Hearing**

**A-212285F0070. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval of the right to offer, render, furnish

or supply water service to the public in an additional portion of Perkiomen Township, Montgomery County, Pennsylvania.

This Application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 27, 2000, under 52 Pa. Code (relating to public utilities).

*Applicant:* Pennsylvania-American Water Company

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan D. Simms, Esquire, 800 West Hersheypark Drive, Hershey, Pa. 17033.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-461. Filed for public inspection March 10, 2000, 9:00 a.m.]

## PHILADELPHIA REGIONAL PORT AUTHORITY

### Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept proposals until 2 p.m. on Thursday, March 23, 2000 for Project No. 00-059-001 (Purchase of commercial grade, aluminum, double hung, tilt windows with half screens—installation is not required).

The bid documents can be obtained from the Director of Procurement, 210 W. Washington Sq., 13th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available March 14, 2000. The PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 00-462. Filed for public inspection March 10, 2000, 9:00 a.m.]

## STATE BOARD OF VOCATIONAL REHABILITATION

### Public Meeting

The State Board of Vocational Rehabilitation will hold its next public meeting in York, PA.

*Location:* Holiday Inn—Holidome and Conference Center  
2000 Loucks Road  
York, PA 17404

*Date:* March 14, 2000

*Time:* 10:30 a.m.—12 noon (Executive Session)—closed to the public  
1 p.m.—3 p.m. (Public Session)



Persons who require special arrangements (including a sign language interpreter or alternate format), should call Nancy Dutchko at (717) 787-1112 or (800) 442-6351.

JOHNNY J. BUTLER,  
*Secretary*

[Pa.B. Doc. No. 00-463. Filed for public inspection March 10, 2000, 9:00 a.m.]

---