

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 11, 2000.

#### BANKING INSTITUTIONS

##### New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-20-00	First CornerStone Bank King of Prussia Montgomery County	1004 W. Ninth St. King of Prussia Montgomery County	Commenced Operations
4-5-00	The Legacy Trust Company Harrisburg Dauphin County  <i>Correspondent:</i> Joseph L. Paese 1416 Farmhouse Lane Middletown, PA 17057	2600 Commerce Dr. Harrisburg Dauphin County	Filed

##### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-10-00	First Liberty Bank & Trust Jermyn Lackawanna County  Purchase of assets/assumption of liabilities of two branch offices of Mellon Bank, N.A., Pittsburgh, located at: 101 Old Lackawanna Trail Clarks Summit Lackawanna County	Jermyn      400 Spruce Street Scranton Lackawanna County	Filed

##### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-3-00	Bank of Hanover Hanover York County	57 N. Main Street Red Lion Windsor Township York County (Temporary Branch)	Opened
4-5-00	Orrstown Bank Orrstown Franklin County	3 Baden Powell Lane Suite 1 Mechanicsburg Silver Spring Twp. Cumberland County	Approved
4-5-00	Northwest Savings Bank Warren Warren County	121 Main Street Ridgway Elk County (Drive-Up Facility)	Filed
4-5-00	S & T Bank Indiana Indiana County	4251 Old William Penn Highway Murrysville Westmoreland County	Filed
4-6-00	Greenville Savings Bank Greenville Mercer County	550 N. Heritage Rd. Hermitage Mercer County	Approved

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-6-00	Sun Bank Selinsgrove Snyder County	814 Westminster Dr. Williamsport Lycoming County	Approved
4-7-00	Parkvale Savings Bank Monroeville Allegheny County	600 Wal-Mart Drive Gibsonia Allegheny County	Filed

**Branch Relocations/Consolidations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-31-00	Summit Bank Bethlehem Northampton County	<i>Into:</i> 723 Street Road Southampton Bucks County  <i>From:</i> 735 Davisville Road Southampton Bucks County	Effective
4-6-00	Northwest Savings Bank Warren Warren County	<i>To:</i> Intersection of South Pike Rd. & Monroe Rd. Buffalo Township Butler County  <i>From:</i> 737 South Pike Road Sarver Butler County	Filed

**SAVINGS INSTITUTIONS****CONVERSIONS**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
4-3-00	County Savings Association Essington Delaware County  <i>To</i> County Savings Bank Essington Delaware County	412 Wanamaker Ave. Essington Delaware County	Effective

Represents conversion from a State-chartered mutual savings Association to a Federally-chartered mutual savings bank.

**CREDIT UNIONS**

No activity.

DAVID E. ZUERN,  
*Secretary*

[Pa.B. Doc. No. 00-665. Filed for public inspection April 21, 2000, 9:00 a.m.]

**Maximum Lawful Rate of Interest for Residential Mortgages for the Month of April 2000**

The Department of Banking (Department) under the authority contained in section 301 of the Act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of April 2000, is 9%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on an individual who finances the sale or exchange of residential real

property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in Pennsylvania. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 6.52 to which was added 2.50 percentage points for a total of 9.02 that by law is rounded off to the nearest quarter at 9%.

DAVID E. ZUERN,  
*Secretary*

[Pa.B. Doc. No. 00-666. Filed for public inspection April 21, 2000, 9:00 a.m.]

# DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

## Conservation and Natural Resources Advisory Council

A meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources will be held on Wednesday, May 3, 2000. The meeting will begin at 10:45 a.m. in Fairmount Park's Horticultural Center, Montgomery Avenue and Belmont Mansion Drive, W. Fairmount Park, Philadelphia.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Claire Guisewite directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PAULETTE JOHNSON,  
*Chairperson*

[Pa.B. Doc. No. 00-667. Filed for public inspection April 21, 2000, 9:00 a.m.]

### Notice of Proposed Exchange of Lands

The Department of Conservation and Natural Resources (Department), acting through the Bureau of For-

estry, and Seneca Resources Corporation are proposing to negotiate an exchange of lands in Potter, Elk and Cameron Counties.

The Bureau of Forestry is proposing to acquire from Seneca Resources a 993.59 acre tract of land almost completely interior to the Susquehannock State Forest in Potter County, Wharton Township, as well as a vehicular easement to access Elk State Forest lands from the Gray Hill Road in Elk County, Jay Township.

In return, the Bureau of Forestry proposes to convey to Seneca Resources an isolated Elk State Forest tract of 999.26 acres, together with the right of way of Bobby Run Road, both in Cameron County, Shippen Township.

An environmental assessment has been conducted on the subject properties, with no significant concerns or hazards having been identified.

As is the policy of the Department, the public is hereby notified of this exchange. A 30-day period for public inquiry or comment, or both, will be in effect commencing April 24, 2000, and ending May 23, 2000. Oral or written comments or questions concerning this proposed exchange may be addressed to: Dr. James R. Grace, State Forester, Pennsylvania Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552; (717) 787-2703. These oral or written comments will become part of the official document used in the final decision process.

If, in the duration of the 30-day comment period, a significant amount of public concern develops, the Secretary of the Department may schedule a public informational meeting.

JOHN C. OLIVER,  
*Secretary*

[Pa.B. Doc. No. 00-668. Filed for public inspection April 21, 2000, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standard and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision to 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Applications for National Pollutant Discharge Elimination System (NPDES) Permit to discharge to State waters.**

---

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0055689.** Sewage, **Danny R. Hawkins**, 485 Camp Rockhill Road, Quakertown, PA 18951.

This application is for renewal of an NPDES permit to discharge treated sewage from a single family home in Richland Township, **Bucks County**. This is an existing discharge to an unnamed tributary to Butter Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

**PA 0057916.** Sewage, **Schlumberger Resource—Management Services, Inc.**, 225 Schlumberger Drive, Sugar Land, TX 77478.

This application is for issuance of an NPDES permit to discharge treated groundwater from North Penn Avenue Area 12 Superfund Site in Worcester Township, **Montgomery County**. This is a new discharge to unnamed tributary of Stony Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 50,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
1,1,1-Trichloroethane	0.002	0.004	0.005
1,1-Dichloroethane	0.0004	0.0008	0.0010
1,1-Dichloroethylene	0.0004	0.0008	0.0010
Chloroform	0.0002	0.0004	0.0005
Tetrachloroethylene	0.002	0.004	0.005
Trichloroethylene	0.005	0.010	0.012
Benzene	0.001	0.002	0.0025
Total BTEX	0.1	0.2	0.25
pH	within limits of 6.0—9.0 standard units at all times		

*Other Conditions:*

The EPA waiver is in effect.

Conditions for future permit modification.

Special Test Methods for certain pollutants.

**PA 0024058. Amendment No. 2.** Sewage, **Borough of Kennett Square**, North Broad and East Linden Streets, Kennett Square, PA 19348.

This application is for an amendment of an NPDES permit to relax effluent limitations for total residual chlorine to discharge treated sewage from a sewage treatment plant serving industrial and residential establishments in Kennett Township, **Chester County**. This is an existing discharge to West Branch Red Clay Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for total residual chlorine at Outfall 001, based on an average flow of 1.1 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	1.3	—	2.5

The EPA waiver is not in effect.

Installation of UV disinfection system by May 2001.

**PA 0050504.** Sewage, **East Goshen Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380.

This application is for reissuance of an NPDES permit to discharge treated sewage from a sewage treatment plant in East Goshen Township, **Chester County**. This is an existing discharge to Ridley Creek with plant expansion for 0.4 mgd to 0.75 mgd.

The receiving stream is classified for high quality trout stocking fishery.

The proposed effluent limits for Outfall 001, based on an average annual flow of 0.4 mgd from issuance through completion of plant expansion are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	10	15	20
(11-1 to 4-30)	20	30	40
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	4.0		8.0
(11-1 to 4-30)	12.0		24.0
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 001, based on an average annual flow of 0.75 mgd from completion of plant expansion through permit expiration are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	10	15	20
(11-1 to 4-30)	15	23	30
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Phosphorus as P	1.0		2.0

The proposed effluent limits for Outfall 002, based on an average annual flow of 135,000 gallons per day from completion of plant expansion through expiration are as follows. The treated sewage will be diverted to 2 miles upstream of the existing Outfall 001 into a pond for golf course irrigation.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	10	15	20
(11-1 to 4-30)	15	23	30
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Phosphorus as P	1.0		2.0

The EPA waiver is in effect.

---

*Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2553.*

**PA 0060071.** Industrial Waste, SIC: 2836, **Aventis Pasteur, Inc.**, Discovery Drive, Swiftwater, PA 18370-0187.

This proposed action is for amendment of an NPDES permit to discharge treated process wastewater, cooling water and sewage into Swiftwater Creek in Pocono Township, **Monroe County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

Effluent requirements were evaluated at the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.45 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD <sub>5</sub>	55.2	—	—
NH <sub>3</sub> -N			
(5-1 to 10-31)	3.0	—	6.0
(11-1 to 4-30)	9.0	—	18.0
Total Suspended Solids	30	60	75
Total Dissolved Solids	1800	2700	—
COD	138	825	—
pH	6.0—9.0 s.u. at all times		
Fecal Coliform	200/100 ml as a geometric mean		
(5-1 to 9-30)	2000/100 ml as a geometric mean		
(10-1 to 4-30)			
Mercury	0.001	0.002	0.00251
Total Cyanide	4.345	15.48	
Acetone	.092	.231	
Acetonitrile	4.700	11.566	
n-Amyl acetate	0.231	.601	
Amyl alcohol	1.895	4.622	
Benzene	.009	.023	
N-Butyl acetate	.23	.601	
Chlorobenzene	.028	.069	
Chloroform	.006	.009	
o-Dichlorobenzene	.028	.069	
1,2-Dichloroethane	.014	.028	.035
Diethyl Amine	47.147	115.556	
Dimethyl Sulfoxide	17.330	42.293	
Ethanol	1.895	4.622	
Ethylacetate	.231	.601	
n-Heptane	.009	.023	
n-Hexane	.009	.014	
Isobutyraldehyde	.23	.555	
Isopropanol	.740	1.803	
Isopropyl Acetate	.231	.601	
Isopropyl ether	1.202	3.883	
Methanol	1.895	4.622	
Methycellosolve	18.766	46.222	
Methylene Chloride	.139	.416	
Methyl Formate	.231	.601	
MIBK	.092	.231	
Phenol	.009	.023	
Tetrahydrofuran	1.202	3.883	
Toluene	.009	.028	
Triethylamine	47.147	115.556	
Xylenes	.005	.014	

A Special Condition for controlling chemical additives usage rate is included in the permit.

A General Condition stating that the discharge may not change the temperature of receiving stream by more than 2°F in any 1 hour period. (No Monitoring Required)

Outfalls 002—022—uncontaminated stormwater only.

The EPA waiver is in effect.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0088285. Kreider Farms**, 1461 Lancaster Road, Manheim, PA 17545.

Kreider Farms has submitted an application for an individual NPDES permit for an existing concentrated animal feeding operation (CAFO) known as the Kreider Dairy Farm, located on Indian Village Road in Penn Township, **Lancaster County**. The CAFO is situated near an unnamed tributary to Chickies Creek, which is classified as a Warm Water Fishery. The CAFO is designed to maintain 6,242 animal equivalent units (AEUs) consisting of 1,615 milk cows, 250 dry cows, 1,275 replacement heifers and 900,000 layers.

No new facilities are proposed as part of this application. Manure generated at the CAFO is collected and pumped to a separator room where solids are separated from liquid manure. Solid manure is composted on the farm and either sold or spread on neighboring farms. Liquid manure is managed through a three-stage storage system consisting of one reinforced concrete storage tank (900,000 gallons) and two earthen impoundments with a combined capacity of approximately 9.5 million gallons. There will be no release or discharge to waters of the Commonwealth under normal operating conditions. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations including the Final CAFO Strategy, the Department has made a tentative determination to issue an individual NPDES permit (Document # 3620-PM-WQ00514) for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The Environmental Protection Agency (EPA) permit review waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit. The Administrator of EPA Region III may review or object to any proposed NPDES permit actions.

Persons wishing to comment on the proposed permit are invited to submit written comments to the above address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

*Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3666.*

**PA 0209201. SIC: 4952. Leo H. Keiffer**, R. R. 1 Box 44A, Sugar Run, PA 18846.

This proposed action is for renewal of an NPDES permit to discharge of treated sewage to Wyalusing Creek in Wyalusing Township, **Bradford County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Danville Water Authority located at Danville.

The proposed effluent limits for Outfall 001 based on a design flow of 0.01 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
Total Chlorine Residual	1.0	2.3
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2000/100 ml as a geometric average	
pH	6.0—9.0 su at all times	

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0032395.** Sewage, **Richard T. Patik**, P. O. Box 511, Rumbaugh Avenue, Mt. Pleasant, PA 15666.

This application is for renewal of an NPDES permit to discharge treated sewage from the Lakeview Mobile Home Park STP located in Perry Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Virgin Run, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Authority.

*Outfall 001:* existing discharge, design flow of .005 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0091201.** Sewage, **Indiana Medical Condominiums**, 1177 South Sixth Street, Indiana, PA 15701.

This application is for renewal of an NPDES permit to discharge treated sewage from Indiana Medical Condominiums STP in White Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary to Two Lick Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Penelec Homer City Station on Two Lick Creek.

*Outfall 001:* existing discharge, design flow of 0.0036 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	5.5			11.0
(11-1 to 4-30)	16.5			33.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	4000/100 ml as a geometric mean			
Total Residual Chlorine	0.8			1.8
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0091413.** Sewage, **North Strabane Township Municipal Authority**, 1929B Route 519 South, Canonsburg, PA 15317.

This application is for renewal of an NPDES permit to discharge treated sewage from the 84 Industrial Park STP in North Strabane Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Little Chartiers Creek, which are classified as a high quality warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Pennsylvania American Water Company.



*Outfall 001*: new discharge, design flow of .035 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10	15		20
Suspended Solids	15	23		30
Ammonia Nitrogen				
(5-1 to 10-31)	2	3		4
(11-1 to 4-30)	6	9		12
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2000/100 ml as a geometric mean			
Total Residual Chlorine	.3			.6
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0093785.** Sewage, **American Pad and Paper Company of Delaware, Inc.**, 1 Wedding Lane, Scottdale, PA 15683.

This application is for renewal of an NPDES permit to discharge treated sewage from the Williamhouse Regency STP in Upper Tyrone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an Unnamed Tributary of Jacobs Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Authority.

*Outfall 001*: existing discharge, design flow of 0.014 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3.5			7.0
(11-1 to 4-30)	10.5			21
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	3500/100 ml as a geometric mean			
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0204498.** Sewage, **Rayne Township Elementary School**, 200 Route 119, Home, PA 15747.

This application is for renewal of an NPDES permit to discharge treated sewage from the Rayne Township Elementary School Sewage Treatment Plant in Rayne Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Crooked Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Fox Chapel Water Authority.

*Outfall 001*: existing discharge, design flow of 0.00676 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	3.5			7.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2000/100 ml as a geometric mean			

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0217247.** Sewage, **Marion Center Area School District**, Box 156, Route 403, Marion Center, PA 15759.

This application is for renewal of an NPDES permit to discharge treated sewage from the Creekside Washington Elementary School STP in Washington Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an Unnamed Tributary of South Branch Plum Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Cadogen Municipal Water Works.

Outfall 001: new discharge, design flow of .0019 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	23			46
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

---

*Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**PA 0035017.** Sewage, **RK Campground**, 6601 Sterrettania Road, Fairview, PA 16415.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Elk Creek in McKean Township, **Erie County**. This is an existing discharge.

The receiving water is classified for cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, there are no potable water supplies (PWS) at or near the point of discharge, nor until Elk Creek reaches Lake Erie.

The proposed effluent limits for Outfall 001 based on average design flow of 0.0125 mgd, are:

Parameter	Effluent Concentration (mg/l)	
	Average Monthly	Instantaneous Maximum
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
NH <sub>3</sub> -N (5-1 to 10-31)	1.5	3.0
(11-1 to 4-30)	4.5	9.0
Phosphorus as "P"	1.0	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine	1.4	3.3
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0 to 9.0 standard units at all times	

The EPA waiver is in effect.

---

**Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges**

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their

current permit effluent limitations, and monitoring and reporting requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

---

*Southeast Regional Office: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0056413	Lower Salford Twp. Authority 57 Main Street P. O. Box 243 Harleysville, PA 19438	Montgomery County Lower Salford Twp.	Skippack Creek	

---

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA-0062294	Coolbaugh Township 5550 Memorial Blvd. Tobyhanna, PA 18466	Monroe County Coolbaugh Township	Tobyhanna Creek	

---

*Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0084328	JE Baker Co. P. O. Box 1189 York, PA 17405	York County W. Manchester Twp.	Honey Run Creek	TRC
PA0033995	County of Berks Welfare Tract 6th & Court St. 14th Floor Reading, PA 19601	Berks County Bern Twp.	Plum Creek	TRC
PA0081191	Outdoor World Cup c/o Resorts USA Inc. P. O. Box 447 Bushkill, PA 18324-0447	Lebanon County West Cornwall Township	Chickies Creek	TRC
PA0083399	Outdoor World Cup c/o Resorts USA Inc. P. O. Box 447 Bushkill, PA 18324-0447	York County Dover Township	Conewago Creek	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL  
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean  
Streams Law**

**(Part II Permits)**

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department). Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit application and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Industrial waste and sewerage applications under  
The Clean Streams Law (35 P. S. §§ 691.1—  
691.1001).**

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**WQM Permit No. 0900404.** Sewerage. **Borough of Dublin**, 119 Maple Avenue, P. O. Box 52, Dublin, PA 18917. Applicant is requesting approval for the construction and operation to modify the Borough of Dublin wastewater treatment facility dechlorination system located in Bedminster Township, **Bucks County**.

**WQM Permit No. 2300406.** Sewerage. **Wolfson-Verichia Group Inc.** (1250 Germantown Pike, Plymouth Meeting, PA 19462. Applicant is requesting approval for the construction and operation of a sewage pump station to serve Eddystone Crossing located in Eddystone Borough, **Delaware County**.

*Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.*

**A. 5000402.** Sewage, submitted by **Eric Nehrt**, 6210 Whitehill Drive, Mechanicsburg, PA 17055 in Carroll Township, **York County** to construct a small flow treatment system with spray irrigation to serve three lots along Nehrt Drive was received in the Southcentral Region on April 5, 2000.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**A. 0200203.** Industrial Waste. **West Homestead Engineering and Machine Company**, P. O. Box 438, West Seventh Avenue, Homestead, PA 15120. Application for the construction and operation of a Wastewater Treatment Facility to serve the West Homestead Plant located in West Homestead Borough, **Allegheny County**.

**A. 0400404.** Sewerage. **Hopewell Township**, 1700 Clark Boulevard, Aliquippa, PA 15001. Application for the construction and operation of a Sewage Treatment Plant to serve Wickham Village located in Hopewell Township, **Beaver County**.

**A. 6300401.** Sewerage. **Larry Day**, P. O. Box 5, Prosperity, PA 15329. Application for the construction and operation of a small flow sewage treatment plant to serve the Day Residence located in Amwell Township, **Washington County**.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**WQM Permit No. 6100403.** Sewage. **Barkeyville Industrial Park**, Venango Economic Development Corporation, National Transit Building, Fourth Floor, 206 Seneca Street, Oil City, PA 16301-0128. This project is for the construction of gravity sewers, pump station and forcemain for the Barkeyville Industrial Park in Barkeyville Borough, **Venango County**.

**WQM Permit No. 1600401.** Sewage, **Richard A. Baumcratz**, R. R. 1, Box 272, Lucinda, PA 16235. This project is for the construction of a Single Residence Sewage Treatment Plant in Knox Township, **Clarion County**.

**INDIVIDUAL PERMITS**

**(PAS)**

**NPDES Individual**

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. The proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day permit will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**NPDES Permit PAS10-J048.** Stormwater. **Papermill Holding Company, Ltd.**, 110 Gallagher Road, Wayne, PA 19087, has applied to discharge stormwater from a construction activity located in Newtown Township, **Delaware County**, to Hunters Run/Crum Creek (HQ).

## SAFE DRINKING WATER

**Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**6300501. Pennsylvania-American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033. Construction of a 1 million gallon finished water storage tank in the Atlasburg Area of Smith Township which replaces an existing .1 million gallon elevated tank in the Langeloth Area, **Washington County**.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

**Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Sections 302—304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the

proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(l)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate should contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Dick Residence**, North Coventry Township, **Chester County**. Brian R. Evans, Hydrocon Services, Inc., 2945 S. Pike Avenue, Allentown, PA 18103, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *Pottstown Mercury* on February 28, 2000.

**Horsleys Automotive Service Center (Former)**, Lower Merion Township, **Montgomery County**. Richard Trimpi, Trimpi Associates, Inc., 889 Seminary Street, Pennsburg, PA 18073, has submitted a Notice of Intent to Remediate site soil contaminated with lead, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *Philadelphia Inquirer* on March 10, 2000.

**Spring Mill Development, Inc.**, Plymouth Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted an amended Notice of

Intent to Remediate site soil contaminated with lead, heavy metals, pesticides, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet State-wide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Norristown Times Herald* on March 27, 2000.

*Northwest Regional Office: Craig Lobins, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.*

**BP Facility No. 07215**, 1896 East Lake Road, Erie, PA 16501, City of Erie, **County of Erie**, has submitted a Notice of Intent to Remediate groundwater and soil. The site has been found to be contaminated with lead, BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide health and site specific standard. The Notice of Intent to Remediate was published in the *Erie Times News* on October 20, 1999.

**Caparo Steel Company (Perox Plant Former Impoundment Area AOC-8)**, 15 Roemer Blvd., Farrell, PA 16121, City of Farrell, **County of Mercer**, has submitted a Notice of Intent to Remediate groundwater and soil. The site has been found to be contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in the *Herald* on March 24, 2000.

**Shenango Valley Manufacturing Company**, South of Ohio Street, City of Hermitage, **County of Mercer**, has submitted a Notice of Intent to Remediate groundwater and soil. The site has been found to be contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the site specific standard. The Notice of Intent to Remediate was published in the *Sharon Herald* on March 29, 2000.

## **SOLID AND HAZARDOUS WASTE**

### **REQUEST FOR PROPOSALS FOR MUNICIPAL SOLID WASTE CAPACITY**

#### **Request for Proposals for Municipal Solid Waste Capacity**

The following notice is placed through the Department of Environmental Protection (Department) as required by section 502(d) of the Municipal Waste Planning, Recycling and Waste Reduction Act.

#### **Cameron County Commissioners Emporium, PA**

#### **Request for Proposals for Municipal Solid Waste Disposal Services**

In accordance with section 272 of the Pennsylvania Solid Waste Rules and Regulations (as amended), the County of Cameron has determined that waste disposal capacity for municipal solid waste (MSW) including construction/demolition (C/D) waste and sewage sludge generated within the County is required for a minimum of 5 years and a maximum of 10 years. The County is hereby soliciting proposals for disposal of County generated MSW, to begin on April 17, 2001.

Sealed proposals will be received by the Cameron County Commissioners at the Cameron County Courthouse, East Fifth Street, Emporium, PA 15834 until 3:30 p.m., Prevailing Time on May 16, 2000. The Cameron County Commissioners will publicly open all proposals at 3:30 p.m. on May 16, 2000 at the County Courthouse.

Copies of the RFP may be purchased on or after April 17, 2000, only from the Cameron County Commissioners, East Fifth Street, County Courthouse, Emporium, PA 15834, (814) 486-2315 by prepayment of a nonrefundable amount of \$50 per proposal. Make checks payable to the County of Cameron.

Envelopes containing the proposals must be sealed and clearly labeled to show the name and address of the proposer, the statement "Proposal for Municipal Solid Waste Disposal Services" and be addressed to Cameron County Commissioners, Cameron County Courthouse, East Fifth Street, Emporium, PA 15834, Attention: Dee Navarra, Recycling Coordinator.

Cameron County reserves the right to reject any or all proposals, to waive any irregularities and/or informalities in any proposal and to make an award in any manner, consistent with applicable laws, which is deemed to be in the best interest of the County.

## **AIR QUALITY**

### **Notice of Plan Approval and Operating Permit Applications**

#### **Nonmajor Sources and Modifications**

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the act.

### OPERATING PERMITS

#### Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4000—4015).

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**21-05025: Department of the Army** (HQ Carlisle Barracks, Carlisle, PA 17013) for a Synthetic Minor Operating Permit for combustion units, emergency generators, space heaters and hot water heaters at the Carlisle Barracks in Carlisle Borough, **Cumberland County**.

**22-05036: Millersburg Area School District** (Millersburg Secondary Complex, 799 Center Street, Millersburg, PA 17061) for a Synthetic Minor Operating Permit for two anthracite coal fired boilers at their secondary complex (high school) in Millersburg Borough, **Dauphin County**.

**36-03070: Mark Line Industries of Pennsylvania, Inc.** (502 Alexander Drive, Ephrata, PA 17522) for operation of two mobile office production lines and one small parts paint booth in Ephrata Township, **Lancaster County**.

**36-05004A: M&M/Mars, Inc.** (295 Brown Street, PA 17022) for chocolate and cocoa products operations at the Elizabethtown Plant in Elizabethtown Borough, **Lancaster County**.

**67-317-033B: Starbucks Coffee Co.** (3000 Espresso Way, York, PA 17402) for coffee roasting operations at the York Roasting Plant in East Manchester Township, **York County**.

#### Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**23-00030: Swarthmore College** (500 College Avenue, Swarthmore, PA 19081-1397) located in Swarthmore Borough, **Delaware County**. The facility's major emission points include 14 boilers and 10 emergency generators which emit major levels of Nitrogen Oxides (NOx).

**09-00037: CMS Gilbreth** (3001 State Road, Croydon, PA 19021) located in Bristol Township, **Bucks County**. The facility's major emission points include flexographic and rotogravure printing presses, electroplating operations and air pollution control devices which emit major levels of volatile organic compounds (VOCs).

**46-00036: Ford Electronics and Refrigeration LLC** (2750 Morris Road, Lansdale, PA 19446) located in Worcester Township, **Montgomery County**. The facility's major emission points include six wave Soldering machines, five Selective Soldering machines, a Coil Soldering-Servo and an In-line Package machine which emit major levels of volatile organic compounds (VOCs) and Nitrogen Oxides (NOx).

**46-00041: Jefferson Smurfit Corp.** (U.S.) (1035 Longford Road, Phoenixville, PA 19460) located in Upper Providence Township, **Montgomery County**. The facility's major emission points include six sheetfed, non-heatset, offset lithographic presses, two boilers, an emergency generator and a finishing department which emit major levels of VOCs.

**46-00089: SPRA-FIN, Inc.** (177 Wissahickon Avenue, North Wales Borough) located in Upper Gwynedd Township, **Montgomery County**. The facility's major emission points include three Spray Booths which emit major levels of volatile organic compounds (VOCs).

**46-00010: Montenay Montgomery, L. P.** (1155 Conshohocken Road, Conshohocken, PA 19428) located in Plymouth Township, **Montgomery County**. The facility's major emission points include municipal waste combustors, which emit major levels of Nitrogen Oxides (NOx) and Carbon Monoxide (CO).

**23-00017: PECO Energy Co.** (One Industrial Highway, Eddystone, PA 19022-1585) located in Eddystone Borough, **Delaware County**. The facility's major emission points include fossil fuel fired boilers, and auxiliary electrical generating equipment, which emit major levels of Nitrogen Oxides (NOx), carbon monoxide (CO), Particulate matter (PM) and Sulfur oxides (SOx).

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**54-00042: The Commodore Corp.** (Manorwood Homes, Route 443, P. O. Box 169, Pine Grove, PA 17963) for mobile homes manufacturing processes in Pine Grove Borough, **Schuylkill County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**62-00087: Osram Sylvania Products, Inc.** (816 Lexington Avenue, Warren, PA 16365) located in Warren, **Warren County**. Osram's facility is primarily used for the production of fabricated metal products. The facility's air emission sources include four natural gas fired boilers, metals recovery area, a halogenated solvent vapor degreaser and a halogenated solvent cold cleaning machine. The facility is a major facility due to its potential to emit Volatile Organic Compounds and Trichloroethylene.

### PLAN APPROVALS

#### Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-23-0021: Congoleum Corp.** (4401 Ridge Road, Trainer, PA 19061) for construction of Building 127—Plastisols Mix in Trainer Borough, **Delaware County**.

**PA-15-0004C: Reynolds Metals Co.** (520 Lincoln Avenue, Downingtown, PA 19335) for installation of a new rotogravure printing press in Downingtown Borough, **Chester County**.

**PA-15-0004B: Reynolds Metals Co.** (520 Lincoln Avenue, Downingtown, PA 19335) for installation of a graphic arts rotogravure press in Downingtown Borough, **Chester County**.

**PA-46-0185: Fairhill Fabricators, Inc.** (831 West Fifth Street, Lansdale, PA 19446) for construction of a paint spray booth in Lansdale Borough, **Montgomery County**.

**PA-15-0102: Columbia Transmission Communications** (55 Pottstown Pike, Chester Springs, PA 19425) for installation of a 1,850-hp Diesel Fired Generator in West Vincent Township, **Chester County**.

**PA-15-0103: Christiana Cabinetry** (504 Rosemont Avenue, Atglen, PA 19310) for installation of three spray booths in Atglen Borough, **Chester County**.

**PA-46-0077D: Harvard Industries, Inc.** (400 Old Reading Pike, Stowe, PA 19464) for installation of a natural gas propane fired furnace in West Pottsgrove Township, **Montgomery County**.

**PA-46-0020B: Superior Tube Co.** (3900 Germantown Pike, Collegeville, PA 19426) for modification of spray lubrications booths in Lower Providence Township, **Montgomery County**.

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**39-313-044: Lucent Technologies, Inc.** (555 Union Boulevard, Allentown, PA 18103) for consolidation and modification of existing operations into a PAL Permit in Allentown, **Lehigh County**.

**40-320-011: SLC Graphics, LP** (50 Rock Street, Hughestown, PA 18640) for construction of a printing operation and installation of an air cleaning device in Hughestown Borough, **Luzerne County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-01003I: Lucent Technologies, Inc.** (P. O. Box 13396, Reading, PA 19612-3396) for photocenter and photolithographic operations controlled by a catalytic oxidizer in Muhlenberg Township, **Berks County**.

**06-01069J: East Penn Manufacturing Co., Inc.** (P. O. Box 147, Lyon Station, PA 19536-0147) for lead grid casting machines in Richmond Township, **Berks County**. These sources are subject to 40 CFR Part 60, Subpart KK—Standards of Performance for New Stationary Sources.

**06-05078C: F. R. & S., Inc.** (727 Red Lane Road, Birdsboro, PA 19508) for modification of a municipal solid waste landfill controlled by a gas collection system,

temporary flares, a permanent flare and a gas processing plant in Exeter Township, **Berks County**. The source is subject to 40 CFR Part 60, Subpart WWW, Standards of Performance for New Stationary Sources.

**36-320-023B: R. R. Donnelley & Sons, Co.** (391 Steelway, P. O. Box 3780, Lancaster, PA 17604-3133) for installation of two web heatset offset printing presses at the Lancaster Steelway Facility in Lancaster City, **Lancaster County**.

**36-05110: Morgan Corp.** (1675 Roherstown Road, Lancaster, PA 17601) for installation of a paint booth in East Hempfield Township, **Lancaster County**.

**67-329-001B: Republic Services Group of PA IV, LLC** (4400 Mt. Pisgah Road, York, PA 17402) for modification of emission factors associated with three internal combustion engines at Modern Landfill, Lower Windsor and Windsor Townships, **York County**. This source is subject to 40 CFR Part 63, Subpart WWW, New Source Performance Standards for Municipal Solid Waste Landfills.

**67-03087: David Edward Ltd.** (252 North Franklin Street, Red Lion, PA 17353) for installation of a wood-fired boiler controlled by a multiclone in Red Lion Borough, **York County**.

**67-05016B: R. H. Sheppard Co., Inc.** (P. O. Box 877, Hanover, PA 17331-0877) for construction of three core center machines and one sand silo controlled by a packaged bed scrubber and bin vent collector, respectively, at Plant No. 7 in Hanover Borough, **York County**.

**67-05026C: DONSCO, Inc.** (P. O. Box 2001, Wrightsville, PA 17368) for installation of a shotblast machine controlled by an existing fabric filter at the Wrightsville Foundry in Wrightsville Borough, **York County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**TVOP-49-00006A: Viking Energy of Northumberland** (R. R. 2, Box 482D, Northumberland, PA 17857) for modification of a wood waste-fired boiler and associated air cleaning device (an electrostatic precipitator) in Point Township, **Northumberland County**. The modification is the use of tire-derived fuel, creosote wood waste and a plastic/paper pellet waste as fuel in the respective boiler. The boiler is subject to Subpart Db of the Federal Standards of Performance for New Stationary Sources.

**12-399-016: Micron Research Corp.** (P. O. Box 269, Emporium, PA 15834-0269) for construction of carbon graphite manufacturing operations in Shippen Township, **Cameron County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**PA-03-218A: DLR Mining, Inc.** (3065 Airport Road, Indiana, PA 15701) for operation of caterpillar generator at Triple K No. 1 Deep Mine in Burrell Township, **Armstrong County**.

**PA-26-516A: Amerikohl Mining, Inc.** (P. O. Box 427, Acme, PA 15601) for operation of portable coal crusher at Nicholson II Surface Mine in Springfield Township, **Fayette County**.

### MINING

#### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the



Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to these applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for an aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by a person or an officer or head of a Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

#### *Coal Applications Received*

**10980105. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Revision to an existing bituminous

surface strip operation in Cherry Valley and Eau Claire Borough, **Butler County** affecting 81.0 acres. Receiving streams: Two unnamed tributaries of South Fork Little Scrubgrass Creek. Revision to include a post mining landuse change from forestland to land occasionally cut for hay on lands of Arthur E. Wagner and J. Maxwell Cumberland. Application received April 5, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**35763202R3. Northampton Fuel Supply Co., Inc.** (7500 Old Georgetown Road, 13th Floor, Bethesda, MD 20814-6161), renewal of an existing coal refuse reprocessing operation Carbondale Township, **Lackawanna County** affecting 45.0 acres, receiving stream—none. Application received April 3, 2000.

**40763204R3. Northampton Fuel Supply Co. Inc.** (7500 Old Georgetown Road, 13th Floor, Bethesda, MD 20814-6161), renewal of an existing coal refuse reprocessing operation Newport Township, **Luzerne County** affecting 61.2 acres, receiving stream—none. Application received April 3, 2000.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

**11950101.** Permit Renewal for reclamation only, **L & J Energy Company, Inc.** (P. O. Box I, Gramplan, PA 16838), for continued restoration of a bituminous surface and auger mine in Susquehanna Township, **Cambria County**, affecting 9.0 acres, receiving stream unnamed tributaries to Moss Creek, application received April 3, 2000.

**32970109.** Permit Revision, **P & N Coal Company, Inc.** (P. O. Box 332, Punxsutawney, PA 15767), the revision will involve the restoration of unmanaged natural habitat rather than forestland on the lands of Jim Peron, Jerry Kane, Alta Watson and Jeanne Ploucha in Banks Township, **Indiana County**, affecting 62.3 acres, receiving stream UNTs to Brady Run and UNTs to Horton Run to Cush Creek, application received April 4, 2000.

**56950102.** Permit Renewal for reclamation only, **Dunamis Resources, Inc.** (One Energy Place, Suite 4000, Latrobe, PA 15650), for continued restoration of a bituminous surface and auger mine in Lincoln and Jenner Townships, **Somerset County**, affecting 278.1 acres, receiving stream two unnamed tributaries to Quemahoning Creek and Quemahoning Creek, application received April 5, 2000.

**32823066.** Permit renewal, **T.L.H. Coal Company** (R. D. 1, Box 170, Rochester Mills, PA 15771) for continued operation of a bituminous surface mine in East Mahoning and Rayne Townships, **Indiana County**, affecting 256.1 acres, receiving stream to Rayne Run and to Dixon Run, application received April 5, 2000.

**32970102.** Permit Revision, **M. B. Energy, Inc.** (175 McKnight Road, Blairsville, PA 15717-7960) to modify the post-mining land usage from forestland to agricultural land in Blacklick Township, **Indiana County**, affecting 167.7 acres, receiving stream unnamed tributaries to Muddy Run; unnamed tributaries to Blacklick Creek, application received April 5, 2000.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17000102. Johnson Brothers Coal Company** (R. D. 1, Box 580, Mahaffey, PA 15757), commencement, operation and restoration of a bituminous surface mine-auger permit in Bell Township, **Clearfield County** affecting

175.6 acres. Receiving streams: unnamed tributaries to Whisky Run to Whisky Run and unnamed tributaries of South Branch Bear Run to South Branch Bear Run, both to West Branch Susquehanna River. Application received March 28, 2000.

**17000103. Moravian Run Reclamation Co., Inc.** (605 Sheridan Drive, Clearfield, PA 16830), commencement, operation and restoration of a bituminous surface mine permit in Jordan Township, **Clearfield County**, affecting 78.2 acres. Receiving streams: Potts Run and an unnamed tributary to Potts Run. Application received March 31, 2000.

**14663010. R. S. Carlin, Inc.** (P. O. Box 395, Snow Shoe, PA 16874), revision to an existing bituminous surface mine permit to apply stabilized sewage sludge to enhance vegetation, located in Snow Shoe Township, **Centre County** affecting 114 acres. Application received March 28, 2000.

**17950106. Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830), renewal of an existing bituminous surface mine-auger permit in Greenwood Township, **Clearfield County** affecting 100.2 acres. Receiving streams: unnamed stream, tributary to Watts Creek, Watts Creek to Little Clearfield Creek to Clearfield Creek to West Branch of the Susquehanna River. Application received March 13, 2000.

**17940122. Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830), renewal of an existing bituminous surface mine-auger permit in Greenwood Township, **Clearfield County** affecting 120.2 acres. Receiving streams: unnamed stream, tributary to Watts Creek, Watts Creek to Little Clearfield Creek to Clearfield Creek to West Branch of the Susquehanna River. Application received March 13, 2000.

**17930117. Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), transfer of an existing bituminous surface mine permit from Al Hamilton Contracting Company located in Goshen Township, **Clearfield County** affecting 329.8 acres. Receiving streams: unnamed tributaries to Surveyor Run and Surveyor Run. Application received April 6, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Applications Received*

**0179301A1C2. Wilson C. Clapsaddle** (1790 Baltimore Pike, Gettysburg, PA 17325), renewal of NPDES Permit PA0122297 in Mt. Joy Township, **Adams County**, receiving stream—unnamed tributary to Rock Creek. Application received March 31, 2000.

**47950301T2. Hanson Aggregates Pennsylvania, Inc.** (P. O. Box 231, Easton, PA 18044-0231), transfer of an existing quarry operation from Royer Limestone Company in Limestone Township, **Montour County** affecting 30.4 acres, receiving stream—none. Application received March 31, 2000.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**37940305. Troy Sand & Gravel, Inc.** (R. R. 2, Box 226B, Golf Course Road, Volant, PA 16156). Transfer of an existing sand and gravel permit operation in Plain Grove Township, **Lawrence County** affecting 35.5 acres. Receiving streams: One unnamed tributary to Taylor Run. Transfer from Donald Temple. Application received March 14, 2000.

## APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E46-865. Encroachment. PA DOT**, 7000 Geerdes Blvd., King of Prussia, PA 19406. To construct, improve, modify, and maintain U. S. Route 202 (S. R. 0202), Section 400, (Phase 3, Section 405). The limit of this work will begin south of the intersection of I-76 and Route 202 (Valley Forge, PA Quadrangle; N: 14.95 inches; W: 0.6 inches) and will end west of the intersection of I-76 and Croton Road (Valley Forge, PA Quadrangle; N: 14.25 inches; W: 0.6 inches) in Upper Merion Township, **Montgomery County**.

Work will consist of improvements to the I-76 and U. S. Route 202 interchange, replacing the existing railroad bridge over I-76 and construction of additional collector distributor ramps. The proposed work will include the following:

1. To install and maintain a single span 25 feet wide by 8 feet high; spread box beam with u-shaped case in place reinforced concrete culvert substructure in and along Crow Creek (WWF) (a.k.a. Abrams Run), beneath the proposed Ramps D and H at station 17+50. The culvert is located approximately 38 feet downstream from the existing I-76 bridge over Crow Creek. Work will also include placing concrete retaining walls between the existing bridge and proposed culvert (Valley Forge, PA Quadrangle N: 14.75 inches; W: 2.2 inches).

2. To remove an existing 125 linear foot section of arch bridge over Crow Creek, under the existing railroad, and replace with a 70 linear foot single span 25 foot wide by 8 foot high, spread box beam with u-shaped cast in place

reinforced concrete culvert substructure in and along Crow Creek (WWF) (a.k.a. Abrams Run) beneath the proposed Ramp L at Station 557+00. The culvert is located approximately 95 feet upstream from the existing I-76 bridge over Crow Creek (Valley Forge, PA Quadrangle N: 14.50 inches; W: 2.2 inches). Work also includes the temporary impact to Crow Creek and adjacent wetlands for temporary access.

3. To construct and maintain a nonjurisdictional dam across an unnamed tributary to Crow Creek (WWF) to facilitate a stormwater management basin. This site is located north of I-76, left of station 17+75 to station 19+50. (Valley Forge, PA Quadrangle N: 14.25 inches; W: 0.7 inches).

**E23-241.** Encroachment. **Riverfront Inc.**, P.O. Box 547, Drexel Hill, PA 19026. To reissue Permit No. E23-241 for the following activities associated with the construction of the Riverfront Marina Project (Bridgeport, NJ-PA Quadrangle N: 19.9 inches; W: 6.7 inches) in Tinticum Township, **Delaware County**.

1. To construct two fixed timber mooring piers in a "U" shaped configuration to create 54 boat slips into the Delaware River (WWF, MF). The base of the pier will consist of a 12 foot by 120 foot pier which forms the base of the "U", two 6 foot by 160 foot piers will extend from the ends to the base pier and span the intertidal mud flat, a 5 foot by 240 foot mooring pier will be constructed at the terminus of each extension pier extending beyond the low water line, seven 4 foot by 40 foot and eight 4 foot by 30 foot finger piers will be arranged perpendicular to each mooring pier. Also, to repair and maintain an existing 12 foot by 40 foot long timber walkway to access the "U" shaped pier from uplands, and to modify and maintain an existing 15 foot by 25 foot roofed pier adjacent to the walkway as a concession stand.

2. To construct and maintain a 15-inch RCP stormwater outfall in and along the intertidal flats of the Delaware River and place and maintain fill and rip-rap bank protection in 0.02 acre of wetland (PEM), a de minimis amount, associated with the construction of a parking area which will serve the marina. The applicant proposes to mitigate the impact to wetlands by removing an existing fill from an intertidal area which will restore approximately 0.09 acre of wetlands (PEM).

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E06-534.** Encroachment. **FRS d/b/a Pioneer Crossing Landfill**, Ryan Inch, 727 Red Lane Road, Birdsboro, PA 19058. To impact 0.51 acre of wetlands adjacent to a tributary to the Schuylkill River (WWF) at a point upstream of Route 82 at the Pioneer Crossing Landfill for the purpose of creating a borrow area (Birdsboro, PA Quadrangle N: 4.2 inches; W: 8.5 inches) in Exeter Township, **Berks County**. The permittee agrees to provide 0.84 acre of replacement wetlands.

**E29-079.** Encroachment. **Donald Clevenger**, HCR 75 Box 5, McConnellsburg, PA 17233. To construct and maintain rock riprap protection at the right bank of Big Cove Creek located upstream of the driveway culvert and at the left and right banks downstream of same and to remove some of the unpermitted fill along the floodway of Cove Creek to minimize back water effects (McConnellsburg, PA Quadrangle N: 12.0 inches; W: 17.0 inches) in Todd Township, **Fulton County**.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E03-378.** Encroachment. **Independence Pipeline Company**, 500 Renaissance Center, Detroit, MI 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through two watercourses across **Armstrong County**. This installation will require temporary equipment crossings to be installed across each watercourse. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Lawrence (E37-127), Butler (E10-300), Clarion (E16-109), Jefferson (E33-195), Forest (E27-059), Elk (E24-208), McKean (E42-263), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters Armstrong County at the Armstrong-Butler County line in Perry Township, Armstrong County (Parker, PA Quadrangle N: 02.15 inches; W: 09.00 inches) and progresses eastward for 4.26 miles to the Armstrong-Clarion County line at the edge of the Allegheny River in Perry Township, Armstrong County (Rimersburg, PA Quadrangle N: 06.20 inches; W: 16.80 inches). This pipeline traverses Perry Township in Armstrong County.

Watersheds encountered east to west include Pine Run (WWF), Cove Run (WWF) and the Allegheny River (WWF).

Both watercourses will be crossed by the wet open cut method. A total of 100 lineal feet of watercourse will be temporarily impacted. There are no wetlands that will be impacted by this project in Armstrong County. Approximately 2.1 miles (50%) of the alignment in Armstrong County follows established right-of-ways.

**E10-300.** Encroachment. **Independence Pipeline Company**, 500 Renaissance Center, Detroit, MI 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through 58 watercourses and 48 wetlands across **Butler County**. This installation will require temporary equipment crossings to be installed across each watercourse and wetland. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Lawrence (E37-127), Armstrong (E03-378), Clarion (E16-109), Jefferson (E33-195), Forest (E27-059), Elk (E24-208), McKean (E42-263), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters Butler County at the Butler-Lawrence County line in Muddy Creek Township, Butler County (Portersville, PA Quadrangle N: 05.20 inches; W: 04.95 inches) and progresses eastward for 29.32 miles to the Butler-Armstrong County line in Fairview Township, Butler County (Parker, PA Quadrangle N: 02.20

inches; W: 09.00 inches). This pipeline traverses Muddy Creek, Franklin, Clay, Concord and Fairview Townships in Butler County.

Watersheds encountered east to west include Camp Run (WWF), Little Yellow Creek (CWF), Yellow Creek (CWF), Crab Run (CWF), Big Run (HW-CWF), Shannon Run (HQ-CWF), Swamp Run (HQ-CWF), Muddy Creek (HQ-CWF), Stony Run (WWF), Pine Run (WWF), Connoquenessing Creek (HQ-CWF, Trout Stocked Fishery), Bear Creek (CWF, Trout Stocked Fishery), South Branch Bear Creek (WWF).

Watercourse crossing methods consist of 35 wet open cuts and 23 flume pipes. A total of 2,900 lineal feet of watercourse will be temporarily impacted. Of the 48 wetland impacts, four are to exceptional value wetlands. Each wetland crossing will be by the wet open cut method resulting in a total temporary impact of 11.54 acres. Of the 48 wetland impacts, one is a 2,000 foot long exceptional value wetland impact and two are 1,000 foot long impacts to nonexceptional value wetlands. Approximately 17.5 miles (59.7%) of the alignment in Butler County follows established right-of-ways.

This project crosses Moraine State Park resulting in the minor expansion of an existing right-of-way. Projected impacted areas within Moraine State Park include the Frank Preston Conservation Area. Within Moraine State Park, a total of 14 watercourses and 19 wetlands are to be impacted. Of the 19 wetland impacts within the park, four are to exceptional value wetlands within the Swamp Run area. The cumulative exceptional value wetland impact is 3,000 feet lineal feet. These wetlands are classified exceptional value because they are known habitat of the Pennsylvania Threatened *Cistothorus platensis* (Sedge Wren) and the Pennsylvania Endangered *Rallus elegans* (King Rail).

**E16-109. Encroachment. Independence Pipeline Company**, 500 Renaissance Center, Detroit, MI 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through 52 watercourses and 25 wetlands across **Clarion County**. This installation will require temporary equipment crossings to be installed across each watercourse and wetland. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Lawrence (E37-127), Butler (E10-300), Armstrong (E03-378), Jefferson (E33-195), Forest (E27-059), Elk (E24-208), McKean (E42-263), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters Clarion County at the Clarion-Armstrong County line in Toby Township, Clarion County (Rimersburg, PA Quadrangle N: 06.20 inches; W: 16.80 inches), crossing the Allegheny River and progressing eastward for 18.74 miles. The project then turns north-east near the village of Truittsburg in Redbank Township and continues for 11.05 miles to the Clarion-Jefferson County line in Clarion Township, Clarion County (Corsica, PA Quadrangle N: 02.20 inches; W: 09.00 inches).

This pipeline traverses Toby, Porter, Redbank, Limestone and Clarion Townships in Clarion County.

A compressor station is expected to occupy approximately 20 acres near Independence mile marker 286 in Porter Township. The station will not impact any watercourse, floodway, water bodies or wetlands.

Watersheds encountered east to west include Allegheny River (WWF), Black Fox Run (WWF), Catfish Run (WWF), Cherry Run (CWF), Wildcat Run (CWF), East Fork Wildcat Run (CWF), Fiddlers Run (CWF), West Fork Leatherwood Creek (CWF, Trout Stocked Fishery), Leatherwood Creek (CWF, Trout Stocked Fishery), Jack Run (CWF, Trout Stocked Fishery), Leisure Run (CWF), Town Run (CWF), Poe Run (CWF, Trout Stocked Fishery), Piney Creek (CWF, Trout Stocked Fishery), Little Piney Creek (CWF, Trout Stocked Fishery), Little Mill Creek (CWF, Trout Stocked Fishery).

Watercourse crossing methods consist of a directional drilling under the Allegheny River, 46 wet open cuts and five flume pipes. A total of 2,600 lineal feet of watercourse will be temporarily impacted. All 25 nonexceptional value wetland crossings will be wet open cut method resulting in a total wetland temporary impact of 2.05 acres. Of the 25 wetland impacts, three of the crossings are over 100 feet long.

The Allegheny River is a Pennsylvania Nominated Priority 1-A Scenic River and habitat of two Federally Listed Mussel Species, Clubshell (*Pleurobema clava*) and Northern Riffleshell (*Epioblasma torulosa rangiana*).

Approximately 14.2 miles (47.5%) of the construction alignment in Clarion County follows established right-of-ways.

Prior to construction of the 36-inch pipeline, Independence will remove or abandon-in-place an existing 12-inch-diameter National Fuel Gas Supply Corporation gas pipeline identified as "K-Line" along the construction right-of-way in Clarion County. "K-Line" work will take place from Independence milepost 296.8 to 303.1 along existing, maintained right-of-ways through Limestone Township and Clarion Township.

Initially, all "K-Line" watercourse and wetland crossings will be abandoned-in-place but temporary stream and wetland crossings will be constructed and remain in place for up to 60 days until installation of the new 36-inch-pipeline. At the time of installation, all "K-Line" watercourse crossings under 10 feet in width and all wetland crossings will be removed and the new 36-inch pipeline will then be immediately installed into the same trench. All "K-Line" watercourse crossings 10 feet or greater in width will remain in place. All abandoned-in-place crossings not in direct alignment with the new 36-inch pipeline will remain abandoned-in-place.

"K-Line" work will impact 14 watercourses and seven nonexceptional value wetlands within three watersheds. The watersheds traversed include Piney Creek (CWF, TSF), Little Piney Creek (CWF, TSF), and Little Mill Creek (CWF, TSF). Of the 11 "K-Line" watercourse crossing removals, eight will be by wet open cut method and three by flume pipe method. A total of three "K-Line" watercourse crossings will remain abandoned-in-place. All seven nonexceptional value wetland "K-Line" crossings will be removed by the wet open cut method. This "K-Line" project will not involve the Allegheny River.

**E24-208. Encroachment. Independence Pipeline Company**, 500 Renaissance Center, Detroit, MI 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through 68 watercourses and 63 wetlands across **Elk County**. This installation will require temporary equipment crossings to be in-

stalled across each watercourse and wetland. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Lawrence (E37-127), Butler (E10-300), Armstrong (E03-378), Clarion (E16-109), Forest (E27-059), Jefferson (E33-195), McKean (E42-263), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters Elk County at the Elk-Jefferson County line at the Clarion River in Millstone Township, Elk County (Sigel, PA Quadrangle N: 18.85 inches; W: 10.10 inches), and progresses northeastward for 8.2 miles to the Elk-Forest County line in Millstone Township, Elk County (Hallton, PA Quadrangle N: 13.25 inches; W: 13.95 inches).

The project passes through a portion of Forest County and reenters Elk County at the Elk-Forest County line in Highland Township (Hallton, PA Quadrangle N: 15.65 inches; W: 11.55 inches) and continues northeastward for 21.37 miles to the Elk-McKean County line in Jones Township, McKean County (Mt. Jewett, PA Quadrangle N: 00.40 inch; W: 03.30 inches).

The project passes through a portion of McKean County and reenters Elk County at the Elk-McKean County line in Jones Township, Elk County (Haxel Hurst, PA Quadrangle N: 00.75 inch; W: 05.70 inches) and continues eastward for 3.21 miles to the Elk-McKean County line in Jones Township, Elk County (Wildwood Fire Tower, PA Quadrangle N: 21.80 inches; W: 14.85 inches) and exits Elk County for the final time.

This pipeline traverses Millstone, Highland and Jones Townships in Elk County.

Watersheds encountered east to west include Millstone Creek (HQ-CWF, TSF), Gregg Run (HQ-CWF, TSF), Sugarcamp Run (HQ-CWF, TSF), Wyncoop Run (HQ-CWF), Jakes Run (HQ-CWF, TSF), Steck Run (HQ-CWF, TSF), McClelland Run (HQ-CWF, TSF), Pigeon Run (HQ-CWF, TSF), Red Lick Run (HQ-CWF, TSF, Wild Trout Fishery), Twin Lick Run (HQ-CWF, TSF, Wild Trout Fishery), Threemile Run (HQ-CWF, Trout Stocked Fishery, Wild Trout Fishery), Maple Run (HQ, TSF, WTF), Pigeon Run (HQ-CWF, TSF, Wild Trout Fishery), East Branch Spring Creek (HQ-CWF, TSF, Wild Trout Fishery), Ellithorpe Run (HQ, CWF, Wild Trout Fishery), Cherry Run (HQ-CWF, TSF, Wild Trout Fishery), Big Mill Creek (HQ-CWF, TSF, Wild Trout Fishery), Wolf Run (HQ-CWF, TSF, Wild Trout Fishery), Wilson Run (CWF, TSF, Wild Trout Fishery), Nearing Run (CWF, TSF, Wild Trout Fishery), West Branch Clarion River (CWF, TSF, Wild Trout Fishery), Rocky Run (CWF, TSF, Wild Trout Fishery), East Branch Clarion River (HQ-CWF, TSF, Wild Trout Fishery), County Line Run (HQ-CWF, TSF, Wild Trout Fishery), Luke Run (HQ-CWF, Wild Trout Fishery), Wellendorf Branch (HQ-CWF, Wild Trout Fishery).

Watercourse crossing methods consist of 53 wet open cuts and 15 flume pipes. The West Branch Clarion River crossing is proposed as a 50-foot wet open cut method. The East Branch Clarion River is proposed as a 35-foot wet open cut method. A total of 3,500 lineal feet of watercourse in Elk County will be temporarily impacted.

Of the 63 wetland crossings, 34 are considered exceptional value wetlands. Two exceptional value wetland

crossings are 700 feet long each. The longest nonexceptional wetland crossing is 1,800 feet long. All wetland crossings will be by wet open cut method resulting in a total temporary impact of 16.08 acres of exceptional value and nonexceptional wetland.

Approximately 25.4 miles (77.2%) of the alignment in Elk County follows established right-of-ways. A majority of this project traverses the Allegheny National Forest. The Allegheny National Forest is identified as high or moderate quality *Myotis sodalis* (Indiana Bat) summer habitat. This project will create a new right-of-way across a portion of Elk State Forest.

Prior to construction of the 36-inch pipeline, Independence will abandon-in-place or remove various National Fuel Gas Supply Corporation gas pipelines along the construction right-of-way in Elk County. This process will occur in two sections from Independence milepost 316.2 to 324.5 through Forest County and starting again in Elk County at Independence milepost 325.8 to 336.1, along existing, maintained right-of-ways through Millstone Township and Highland Township.

Initially, all watercourse and wetland pipeline crossings will be abandoned in-place but temporary stream and wetland crossings will be constructed and remain in place for up to 60 days until installation of the new 36-inch pipeline. All abandoned-in-place watercourse and wetland crossings not in direct alignment with the new 36-inch pipeline will remain abandoned-in-place and not be removed. At the time of installation, all watercourse crossings under 10 feet in width and all wetland crossings in direct alignment of the new 36-inch pipeline will be removed and the new 36-inch pipeline will then be immediately installed into this same trench. All abandoned-in-place watercourse crossings 10 feet or greater in width will remain in place.

The first section, from Independence milepost 316.2 to 318.5, will be associated with the existing National Fuel Gas Supply Corporation "C-Line" and "K-197 Line", each are 12-inches in diameter. The watersheds traversed include Millstone Creek (HQ-CWF, TSF) and Gregg Run (HQ-CWF, TSF). A total of three watercourses will be impacted. A total of two watercourse pipeline crossings will be removed (one by wet open cut method and one by flume pipe method) and four watercourse pipeline crossings will remain abandoned-in-place. A total of two nonexceptional wetlands will be impacted. A total of two wetland crossings will be removed by wet open cut method and two will remain abandoned-in-place.

The second section starts at Independence milepost 318.5 to the Elk-Forest County Line Independence milepost 324.5, continues through Forest County, then continues in Elk County at Independence milepost 325.8 to Independence milepost 336.1. This section is associated with the removal or abandonment-in-place of existing National Fuel Gas Supply Corporation 22-inch diameter "K-197 Line" and 12-inch diameter "C-Line".

The watersheds traversed include Sugarcamp Run (HQ-CWF, TSF), Wyncoop Run (HQ-CWF), Jakes Run (HQ-CWF, TSF), Steck Run (HQ-CWF, TSF), McClelland Run (HQ-CWF, TSF), Pigeon Run (HQ-CWF, TSF), Red Lick Run (HQ-CWF, TSF, Wild Trout Fishery), Twin Lick Run (HQ-CWF, TSF, Wild Trout Fishery), Threemile Run (HQ-CWF, TSF, Wild Trout Fishery), Maple Run (HQ-CWF, TSF, Wild Trout Fishery), Pigeon Run (HQ-CWF, TSF, Wild Trout Fishery), East Branch Spring Creek (HQ-CWF, TSF, Wild Trout Fishery) and Ellithorpe Run (HQ-CWF, TSF, Wild Trout Fishery).

A total of 37 watercourses will be impacted. A total of 28 watercourse pipeline crossings will be removed, 24 by wet open cut method and four by flume pipe method. A total of 35 of the watercourse pipeline crossings will remain abandoned-in-place. A total of 37 wetlands will be impacted with 10 of these wetlands being exceptional value. A total of 35 wetland pipeline crossings will be removed by wet open cut method, with eight of these wet open cut method removals being in exceptional value wetlands. The longest exceptional value wetland impact is 260 feet long. The longest nonexceptional wetland impact is 1,800 feet long. A total of 24 wetland pipeline crossings will remain abandoned-in-place with 10 of these being in exceptional value wetlands.

**E25-606. Encroachment. Presque Isle Condominium Association**, 558 West 6th Street, Erie, PA 16507. To construct and maintain an 80-foot-long, 9-foot-diameter corrugated metal pipe culvert and associated fill in a tributary to Presque Isle Bay, Lake Erie (Scott Run) for the stabilization of the ravine slope at the existing Presque Isle Condominiums approximately 1,800 feet north of West 6th Street east of Peninsula Drive (Swanville, PA Quadrangle N: 20.0 inches; W: 3.75 inches) in Millcreek Township, **Erie County**.

**E27-059. Encroachment. Independence Pipeline Company**, 500 Renaissance Center, Detroit, MI 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through 4 watercourses and four wetlands across **Forest County**. This installation will require temporary equipment crossings to be installed across each watercourse and wetland. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Lawrence (E37-127), Butler (E10-300), Armstrong (E03-378), Clarion (E16-109), Elk (E24-208), Jefferson (E33-195), McKean (E42-263), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters Forest County at the Forest-Elk County line in Jenks Township, Forest County (Hallton, PA Quadrangle N: 13.25 inches; W: 13.95 inches) and progresses northeastward for 1.3 miles to the Forest-Elk County line in Jenks Township and exits Forest County.

Watersheds encountered east to west include Spring Creek (HQ-CWF, TSF) and Hill Run (HQ-CWF, TSF). Watercourse crossings consist of four wet open cut methods. A total of 200 lineal feet of watercourse in Forest County will be temporarily impacted through road and pipeline construction.

Of the four nonexceptional value wetland crossings, the longest wetland crossing is 250 feet long. All wetland crossings will be by wet open cut method and associated temporary road construction, resulting in a total temporary impact of 0.56 acre.

A majority of this project traverses the Allegheny National Forest. The Allegheny National Forest is identified as high or moderate quality *Myotis sodalis* (Indiana Bat) summer habitat. Approximately 1.3 miles (100%) of the alignment in Forest County follows established right-of-ways.

Prior to construction of the 36-inch pipeline, Independence will abandon-in-place or remove two National Forest

Gas Supply Corporation gas pipelines (12-inch-diameter "C-Line" and 22-inch-diameter "K-197 Line") along the construction right-of-way in Forest County. This process will occur from Independence milepost 324.5 to 325.8 through Jenks Township.

Initially, all watercourse and wetland pipeline crossings will be abandoned-in-place but temporary stream and wetland crossings will be constructed and remain in place for up to 60 days until installation of the new 36-inch pipeline. All abandoned-in-place watercourse and wetland crossings not in direct alignment with the new 36-inch pipeline will remain abandoned-in-place and not be removed. At the time of installation, all watercourse crossings under 10 feet in width and all wetland crossings in direct alignment of the new 36-inch pipeline will be removed and the new 36-inch pipeline will then be immediately installed into this same trench. All abandoned-in-place watercourse crossings 10 feet or greater in width will remain in place.

The watersheds traversed include Spring Creek (HQ-CWF, TSF), and Hill Run (HQ-CWF, TSF). A total of four watercourses will be impacted. A total of three watercourse pipeline crossings will be removed by the wet open cut method. A total of five watercourse pipeline crossings will remain abandoned-in-place. A total of four nonexceptional value wetlands will be impacted. A total of four wetland pipeline crossings will be removed by the wet open cut method. The longest wetland wet open cut method removal is 260 feet long. A total of four wetland pipeline crossings will remain abandoned-in-place.

**E33-195. Encroachment. Independence Pipeline Company**, 500 Renaissance Center, Detroit, MI 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through 37 watercourses and six wetlands across **Jefferson County**. This installation will require temporary equipment crossings to be installed across each watercourse and wetland. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Lawrence (E37-127), Butler (E10-300), Armstrong (E03-378), Clarion (E16-109), Forest (E27-059), Elk (E24-208), McKean (E42-263), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters Jefferson County at the Jefferson-Clarion County line in Union Township, Jefferson County (Corsica, PA Quadrangle N: 02.20 inches; W: 09.00 inches), and progresses north-eastward for 13.2 miles across the Clarion River to the Jefferson-Elk County line in Heath Township, Jefferson County (Sigel, PA Quadrangle N: 18.85 inches; W: 10.10 inches). This pipeline traverses Union, Eldred, Barnett and Heath Townships in Jefferson County.

Watersheds encountered east to west include Little Mill Creek (CWF-TSF), Mill Creek (HQ-CWF, TSF, Wild Trout Fishery), Seaton Run (HQ-CWF, TSF, Wild Trout Fishery), Black Run (HQ-CWF, TSF, Wild Trout Fishery), Cathers Run (HQ-CWF, TSF, Wild Trout Fishery), Truby Run (HQ-CWF, TSF, Wild Trout Fishery), Clear Creek (HQ-CWF, TSF, Wild Trout Fishery), Clarion River (CWF).

Watercourse crossings methods consist of 29 wet open cuts, seven flume pipes and one boring. The Clarion River crossing is proposed as a 277-foot-long wet open cut method. The Clear Creek crossing is proposed as a conventional boring under the bed of the watercourse. A total of 2,000 lineal feet of watercourse in Jefferson County will be temporarily impacted. Of the six wetland crossings, three are exceptional value wetland crossings with one of these exceptional value wetland crossings being 200 feet long. All wetland crossings will be by wet open cut method resulting in a total temporary impact of 0.8 acre.

The Clarion River is Federally Eligible Wild and Scenic River and a Pennsylvania Nominated Priority 1-A Scenic River. Additionally, this project traverses Clear Creek State Park.

Approximately 12.9 miles (100%) of the construction alignment in Jefferson County follows established right-of-ways.

Prior to construction of the 36-inch pipeline, Independence will abandon-in-place or remove various 12-inch-diameter National Fuel Supply Corporation gas pipelines along the construction right-of-way in Jefferson County. This process will occur in two sections from Independence milepost 303.1 to 316.2, along existing, maintained right-of-ways through Union Township, Eldred Township, Barnett Township and Heath Township.

Initially, all watercourse and wetland pipeline crossings will be abandoned-in-place but temporary stream and wetland crossings will be constructed and remain in place for up to 60 days until installation of the new 36-inch pipeline. All abandoned-in-place watercourse and wetland crossings not in direct alignment with the new 36-inch pipeline will remain abandoned-in-place and not be removed. At the time of installation, all watercourse crossings under 10 feet in width and all wetland crossings in direct alignment of the new 36-inch pipeline will be removed and the new 36-inch pipeline will then be immediately installed into this same trench. All abandoned-in-place watercourse crossings 10 feet or greater in width will remain in place.

The first section, from Independence milepost 303.1 to 310.1, will be associated with the existing 12-inch National Fuel Gas Supply Corporation "K-Line". The watersheds traversed include Little Mill Creek (CWF, TSF), Mill Creek (HQ-CWF, TSF, WTF) and Seaton Run (HQ-CWF, TSF, WTF). A total of 19 watercourses will be impacted. A total of nine watercourse pipeline crossings will be removed by the flume pipe method. A total of eight "K-Line" watercourse crossings will remain abandoned-in-place. One nonexceptional wetland will be impacted by the "K-Line" removal in this section. This wetland crossing will be removed by the wet open cut method.

The second section, from Independence milepost 310.1 to 316.2, will be associated with the existing National Fuel Gas Supply Corporation "C-Line" and "K-197 Line", each are 12 inches in diameter. The watersheds traversed include Black Run (HQ-CWF, TSF, WTF), Cathers Run (HQ-CWF, TSF, WTF), Truby Run (HQ-CWF, TSF, WTF), Clear Creek (HQ-CWF, TSF, WTF), and Clarion River (CWF). A total of 18 watercourses will be impacted. A total of seven watercourse pipeline crossings will be removed by wet open cut method and two will be by the flume pipe method. The remaining 27 crossings will remain abandoned-in-place. This abandonment-in-place includes the two Clarion River pipeline crossings and the two Clear Creek pipeline crossings. A total of five

wetlands will be impacted, three of these being exceptional value wetlands. A total of five wetland pipeline crossings will be removed by the wet open cut method, three of these through exceptional value wetlands. A total of five wetland pipeline crossings will remain abandoned-in-place, three of these through exceptional value. The first section, from Independence milepost 303.1 to 310.1, will be associated with the existing 12-inch National Fuel Gas Supply Corporation "K-Line". The watersheds traversed include Little Mill Creek (CWF, TSF), Mill Creek (HQ-CWF, TSF, WTF) and Seaton Run (HQ-CWF, TSF, WTF).

A total of 19 watercourses will be impacted. A total of nine watercourse pipeline crossings will be removed by the wet open cut method and two will remain wetlands.

**E37-127. Encroachment. Independence Pipeline Company**, 500 Renaissance Center, Detroit, MI 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through 34 watercourses and 41 wetlands across **Lawrence County**. This installation will require temporary equipment crossings to be installed across each watercourse and wetland. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Butler (E10-300), Armstrong (E03-378), Clarion (E16-109), Jefferson (E33-195), Forest (E27-059), Elk (E24-208), McKean (E42-263), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters Lawrence County at the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County (New Middletown, OH-PA Quadrangle N: 01.70 inches; W: 02.65 inches) and progresses eastward 20.69 miles to the Lawrence-Butler County line in Perry Township, Lawrence County (Portersville, PA Quadrangle N: 05.20 inches; W: 04.95 inches). This pipeline traverses Little Beaver, Big Beaver, Wayne and Perry Townships in Lawrence County.

Watersheds encountered east to west include North Fork Little Beaver Creek (HQ-CWF, TSF), Honey Creek (HQ-CWF, TSF), Beaverdam Run (HQ-CWF), Eckles Run (WWF), Beaver River (WWF), Snake Run (WWF), Unnamed Tributary Beaver River, locally known as Vinegar Valley Run (WWF), Duck Run (WWF), Squaw Run (WWF), Slippery Rock Creek (CWF, TSF) and Camp Run (WWF).

Watercourse crossing methods consist of 31 wet open cuts including the Beaver River a 100-foot-long wet open cut, two flume pipes and one directional drill under the bed of Slippery Rock Creek. A total of 1,700 lineal feet of watercourse will be temporarily impacted. Of the 41 wetlands impacted, two are exceptional value wetlands. All wetland crossings will be by wet open cut method, a total temporary wetland impact of 6.4 acres. Of the 41 wetland crossing impacts, one is 900 feet long and 12 are over 100 feet long. Additionally, this project will cross the southern portion of McConnell's Mill State Park-Slippery Rock Gorge, a designated National Natural Landmark. This park crossing will call for the minor expansion of an existing established right-of-way. Resources impacted within the park include Slippery Rock Creek and two

exceptional value wetlands. Approximately 4.2 miles (20.3%) of the alignment in Lawrence County follows established right-of-ways.

**E42-263. Encroachment Independence Pipeline Company**, 500 Renaissance Center, Detroit, Michigan 48243-1902. To construct and maintain a 36-inch-diameter high-pressure natural gas pipeline through 17 watercourses and 20 wetlands across **McKean County**. This installation will require temporary equipment crossings to be installed across each watercourse and wetland. The objective of this project is to supply natural gas to the eastern United States. This application is being reviewed concurrently with similar encroachment applications for Lawrence (E37-127), Butler (E10-300), Armstrong (E03-378), Clarion (E16-109), Forest (E27-059), Jefferson (E33-195), Elk (E24-208), Cameron (E12-118), Potter (E53-337) and Clinton (E18-288) Counties as a single and complete project. The Pennsylvania portion of the project from the State of Ohio and Commonwealth of Pennsylvania boundary in Little Beaver Township, Lawrence County to Leidy Township, Clinton County spans 178.4 miles. The entire pipeline from Defiance, Ohio to Leidy, Clinton County, PA spans 397.4 miles.

The project enters McKean County at the McKean-Elk County line in Sergeant Township, McKean County (Mt. Jewett, PA Quadrangle N: 00.40 inch, W: 03.30 inches) and progresses eastward for 5.79 miles to the McKean-Elk County line in Sergeant Township, Elk County (Hazel Hurst, PA Quadrangle N: 00.75 inches; W: 05.70 inches). The pipeline passes through a portion of Elk County and re-enters McKean County at the McKean-Elk County line in Sergeant Township, Elk County (Wildwood Fire Tower, PA Quadrangle N: 21.80 inches; W: 14.85 inches) at the East Branch Clarion River and proceeds eastward for 3.98 miles to McKean-Cameron County line in Norwich Township (Wildwood Fire Tower, PA Quadrangle N: 21.25 inches; W: 05.10 inches) and exits McKean County for the final time.

This pipeline traverses Sergeant and Norwich Townships in McKean County.

Watersheds encountered east to west include Rocky Run (CWF, Wild Trout Fishery), Sevenmile Run (HQ-CWF, TSF, Wild Trout Fishery), Fivemile Run (HQ-CWF, Wild Trout Fishery), East Branch Clarion River (HQ-CWF, TSF, Wild Trout Fishery), North Fork Straight Creek (HQ-CWF, Wild Trout Fishery), South Fork West Branch Potato Creek (HQ-CWF, TSF, Wild Trout Fishery), Elk Fork Sinnemahoning Creek (EV-CWF, Wild Trout Fishery).

Watercourse crossing methods consist of 13 wet open cuts, three flume pipes and one dam and pump crossing. A total of 850 lineal feet of watercourse in Elk County will be temporarily impacted.

Of the 20 wetland crossings, all the wetlands considered exceptional value. The longest exceptional value wetland crossing is 600 feet long. All wetland crossings will be by wet open cut method resulting in a total temporary impact of 3.35 acres. Approximately 1.7 miles (18.1%) of the alignment in McKean County follows established right-of-ways.

This project will create a new right-of-way across Elk State Park and Elk State Forest. The Elk State Forest is identified as potentially high or moderate quality *Myotis sodalis* (Indiana Bat) summer habitat.

**E61-233. Encroachment. Sugarcreek Borough**, 212 Fox Street, Franklin, PA 16323. To remove the existing Pump Station No. 4 and to fill an area measuring

approximately 60 feet long by 65 feet wide having 2:1 side slopes within the 100-year floodplain of French Creek for construction of a new pump station and appurtenant works adjacent to an existing abandoned railroad embankment directly northeast of the City of Franklin Waterworks (Franklin, PA Quadrangle N: 4.15 inches; W: 14.5 inches) in the City of Franklin, **Venango County**.

#### DAM SAFETY

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

*Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**D02-125. Dam Pittsburgh Field Club** (121 Field Club Road, Pittsburgh, PA 15238). To construct, operate and maintain Hole No. 16—Lower Dam across a tributary to Squaw Run (HQ-WWF; Delete PWS), impacting 125 feet of stream, for the purpose of recreation and aesthetics at a Golf Club. (Glenshaw, PA Quadrangle N: 2.85 inches; W: 1.5 inches) in Fox Chapel Borough, **Allegheny County**.

**D02-126. Dam. Pittsburgh Field Club** (121 Field Club Road, Pittsburgh, PA 15238). To construct, operate and maintain Hole No. 16—Upper Dam across a tributary to Squaw Run (HQ-WWF; Delete PWS), impacting 125 feet of stream, for the purpose of recreation and aesthetics at a Golf Club. (Glenshaw, PA Quadrangle N: 2.9 inches; W: 2.4 inches) in Fox Chapel Borough, **Allegheny County**.

#### ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal



form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions under The Clean Streams Law Act (35 P. S. §§ 691.1—691.1001).**

*Permits Issued*

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**NPDES Permit No. PA0050938. Amendment No. 1.** Sewage. **Allegro Micro Systems W. G., Inc.**, 3900 Welsh Road, Willow Grove, PA 19090, is authorized to discharge from a facility located in Upper Moreland Township, **Montgomery County** to an unnamed tributary to Penypack Creek.

**WQM Permit No. 0999425.** Sewerage. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. Applicant is granted approval for the construction and operation of a sewage pump station, forcemain and gravity sewer line to serve North Pointe subdivision located in Solebury Township, **Bucks County**.

**WQM Permit No. 1500408.** Sewerage. **Brandywine Hospital and Trauma Center**, 201 Reeceville Road, Coatesville, PA 19320. Applicant is granted approval for the construction and operation of a pump station and forcemain to serve Brandywine Hospital and Trauma Center (Hospital) located in Caln Township, **Chester County**.

**WQM Permit No. 4600409.** Sewerage. **Lower Moreland Township Authority**, 640 Red Lion Road, Huntingdon Valley, PA 19006. Applicant is granted approval for the construction and operation of Ultraviolet (UV) Disinfection System at Chapel Hill Wastewater Treatment plant located in Lower Moreland Township, **Montgomery County**.

**WQM Permit No. 2300403.** Sewerage. **State Farm Mutual Automobile Insurance Company**, One State Farm Drive, Concordville, PA 19339. Applicant is granted approval for the construction and operation of a dechlorination facility to serve its wastewater treatment plant located in Concord Township, **Delaware County**.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**PA-0026000.** Sewerage. **City of Allentown**, 112 Union Street, Allentown, PA 18102 is authorized to discharge from a facility located in City of Allentown, **Lehigh County**, to Lehigh River.

**PA-0063983.** Industrial Waste. **Essroc Cement Corporation**, Egypt Plant, Route 248 & Easton Road, Nazareth, PA 18064 is authorized to discharge from a facility located in Whitehall Township, **Lehigh County**, to Ranger Lake to Coplay Creek.

**PA-0063363.** Industrial Waste. **S & L Plastics, Inc.**, 2860 Bath Pike, Nazareth, PA 18064 is authorized to discharge from a facility located in Upper Nazareth Township, **Northampton County**, to Monocacy Creek.

**PA-0061981.** Industrial Waste. **Troutman Bros., Inc.**, P. O. Box 73, Klingerstown, PA 17941 is authorized to

discharge from a facility located in Upper Mahantango Township, **Schuylkill County**, to an unnamed Tributary to Pine Creek.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0021229.** Sewerage. **Littlestown Borough Authority**, (Littlestown Wastewater Treatment Plant), 46 East King Street, Littlestown, PA 17340 is authorized to discharge from a facility located in Union Township, **Adams County** to the receiving waters named Alloway Creek.

**PAG053532.** General Permit, Groundwater Cleanup, **Sun Company, Inc.**, 1750 Oregon Pike, Manheim, PA 17545 is authorized to discharge from a facility located in Manheim Township, **Lancaster County** to the receiving waters named unnamed tributary to Conestoga River.

**PA 0088315.** Sewerage. **James and Debra Halbleib**, 2512 River Road, Bainbridge, PA 17502 is authorized to discharge from a facility located in Conoy Township, **Lancaster County** to the receiving waters named unnamed tributary to the Susquehanna River.

**PA 0082643.** Sewerage. **Flatbush Golf Course Inc.**, 940 Littlestown Road, Littlestown, PA 17340 is authorized to discharge from a facility located in Union Township, **Adams County** to the receiving waters named South Branch Conewago Creek.

**0183401. Amendment 97-1.** Sewage. **Littlestown Borough Authority**, (Littlestown Wastewater Treatment Plant), 46 East King Street, Littlestown, PA 17340. This permit approves the modification to construction/operation of Sewage Treatment Facility in Union Township, **Adams County**.

**3600401.** Sewage. **James and Debra Halbleib**, 2512 River Road, Bainbridge, PA 17502. This permit approves the construction of Sewage Treatment Facilities in Conoy Township, **Lancaster County**.

**0500403.** Sewage. **Bedford Borough Municipal Authority**, 244 W. Penn Street, Bedford, PA 15522. This permit approves the construction of Sewers and Appurtenances and Inverted Siphon Stream Crossing in Bedford Borough, **Bedford County**.

**3800402.** Sewage. **Northern Lebanon County Authority**, P. O. Box 434, Jonestown, PA 17038. This permit approves the construction of Pump Station in Swatara Township, **Lebanon County**.

*Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.*

**NPDES Permit PA0028100.** Sewerage. **Turbotville Borough**, P. O. Box 264, Turbotville, PA 17772-0264. Renewal granted to discharge from existing sewage treatment plant, facility located at Turbotville Borough, **Northumberland County**.

**NPDES Permit PA0111821.** Industrial Waste. **ACF Industries**, P. O. Box 109, Milton, PA 17847. Renewal granted to discharge noncontact cooling and treated wastewater. From facility located at Milton Borough, **Northumberland County**.

**NPDES Permit PA0228192.** Sewerage. **Wallacetown Boggs Township Municipal Authority**, P. O. Box 97, West Decatur, PA 16878. Permission to construct an aeration package wastewater treatment plant to serve Wallacetown Borough and Boggs Township. Treatment plant located at **Village of West Decatur**.

**NPDES Permit PA0009725.** Industrial Waste. **Jersey Shore Steel Company Inc.**, P. O. Box 5055, Jersey Shore, PA 17740. Renewal granted for existing discharge of industrial contact and noncontact cooling water to drainage ditch. The facility is located at Pine Creek Township, **Clinton County**.

**WQM Permit No. 5900401.** Sewerage. **Kelly Boyce**, R. R. 6, Box 338, Wellsboro, PA 16901. Permission granted to construct and maintain a small flow sewer treatment system. Facility located at Delaware Township, **Tioga County**.

**WQM Permit No. 1799402.** Sewerage. **Borough of Turbotville**, P. O. Box 264, Turbotville, PA 16662-0264. Permission granted for a hydraulic and organic rerate of the sewage treatment plant. Facility located at Turbotville Borough, **Northumberland County**.

**WQM Permit No. 1799404.** Sewerage. **Wallaceton Boggs Municipal Authority**, P. O. Box 97, West Decatur, PA 16878. Permission granted to construct and maintain a wastewater collection and treatment system to serve Wallaceton Borough. Facility located at Boggs Township, **Clearfield County**.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**Permit No. 0200401.** Sewerage. **George Kraynik, Jr.**, 1599 Warrendale-Bayne Road, Baden, PA 15005. Construction of a single residence sewage treatment plant located in Marshall Township, **Allegheny County** to serve Kraynik Residence.

**Permit No. 0400401.** Sewerage. **Eugene DeMarco**, 155 Scott Street, New Brighton, PA 15066. Construction of a single residence sewage treatment plant located in Daugherty Township, **Beaver County** to serve Eugene DeMarco Single Residence STP.

**Permit No. 6500401.** Sewerage. **Outside-In School of**

**Experimental Education**, R. D. 1, Box 253, Bolivar, PA 15923. Construction of sewage treatment plant located in Fairfield Township, **Westmoreland County** to serve Outside-In School.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0101036, Best Western Presque Isle Country Inn**, 6467 Sterrettania Road, Fairview, PA 16415 is authorized to discharge from a facility located in McKean Township, **Erie County** to an unnamed tributary to Elk Creek.

**NPDES Permit No. PA0221601. Sherman Enterprises, Inc., Allegheny Valley Development, Hunter's Station**, P. O. Box 138, Tionesta, PA 16353 is authorized to discharge from a facility located in Tionesta Township, **Forest County** to the Allegheny River.

**NPDES Permit No. PA0102610. Kennihan Development Company, Villa Vista Estates**, 133 Terra Drive, Valencia, PA 16059 is authorized to discharge from a facility located in Middlesex Township, **Butler County** to an unnamed tributary to Glade Run.

**WQM Permit No. 2500403.** Sewerage. **Carolyn L. Bosco, SRSTP**, 11488 East Scotland Avenue, North East, PA 16428. Construction of Carolyn L. Bosco SRSTP located in North East Township, **Erie County**.

#### INDIVIDUAL PERMITS

##### (PAS)

The following NPDES Individual Permits for discharges of stormwater from construction activities have been issued.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream or Body of Water</i>
PAS10-G233	Column Properties, Inc. 601 Clover Mill Road Exton, PA 19341-0800	West Nantmeal Township Chester County	Brandywine Creek (HQ)
PAS10-D111	Katz Builders and Developers, Inc. 541 West Germantown Pike Plymouth Meeting, PA 19462	Solebury Township Bucks County	Aquetong Creek (HQ/CWF)

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10R034	Land View Properties, Inc. P. O. Box 118 Marshalls Creek, PA 18335	Luzerne County Bear Creek Township	Bear Creek HQ-CWF

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PAS-10-0021.** Individual NPDES. **RBL Development Corporation**, R. D. 1, Box 1721, Stewartstown, PA 17363. To Implement an Erosion and Sedimentation Control Plan for construction of Eagle View Mobile Home Park on 99 acres in Berwick Township, **Adams County**. The project is located south of Green Springs Road approximately 0.6 mile east of Municipal Road (S. R. 2033) (Hanover, PA Quadrangle N: 18.1 inches; W: 16.5 inches). Drainage will be to a tributary to South Branch Conewago Creek (WWF).

**INDIVIDUAL PERMITS  
(PAR)**

**Approvals to Use NPDES and/or Other General Permits**

The following parties have submitted (1) Notices of Intent (NOIs) for coverage under General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth; (2) NOIs for coverage under General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

*List of  
General Permit Types*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-10	General Permit For Discharges Resulting from Hydrostatic Testing of Tanks and Pipelines.

*General Permit Type—PAG-2*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Nether Providence Township Delaware County	PAR10-J179	Nether Providence Athletic Association P. O. Box 468 Wallingford, PA 19086	Beatty Run (TSF)	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Skippack Township Montgomery County	PAR10-T583	Fieldstone Associates 906 A Cross Keys Drive Doylestown, PA	Perkiomen Creek (TSF)	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Merion Township Montgomery County	PAR10-T602	Stoudt's Ferry Preparation Company P. O. Box 279, St. Clair, PA	Crow Creek (WWF)	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Merion Township Montgomery County	PAR10-T618	PA Turnpike Commission P. O. Box 67676, Harrisburg, PA	Tributary to Trout Creek (WWF)	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Moreland Township Montgomery County	PAR10-T626	Dominic LaRosa 415 Davisville Road Willow Grove, PA	Pennypack Creek (TSF)	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Upper Frederick Township Montgomery County	PAR10-T576	Panos Papantoniou 210 Bassett Court Limerick, PA	Scioto Creek	Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Lehigh County Washington Township	PAR10Q138	Paul J. Kovalchik 7780 Saegersville Rd. Slatington, PA 18080	Trout Creek	Lehigh CD (610) 391-9583
Schuylkill County Porter Township	PAR105799	Kalmia Farms II Ronald and Jonathan Hand 6 W. Winding Hills Rd. Mechanicsburg, PA 17055	Wiconisco Creek	Schuylkill CD (570) 622-3742
Lackawanna County Clarks Summit Borough	PAR10N104	Michael R. Noto P. O. Box 176 Waverly, PA 18473	Tributary to Ackerly Creek	Lackawanna CD (570) 281-9495
Luzerne County Dupont Borough	PAR10R203	Marvin Slomowitz 313 Sylbert Drive Kingston, PA 18704	Susquehanna River	Luzerne CD (570) 674-7991
Colebrookdale Township Berks County	PAR-10-C267	Spring Meadows Robert W. Gresh 42 Birch Lane Boyertown, PA 19512	Swamp Creek	Berks County CD P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Muhlenberg Township Berks County	PAR-10-C308	Holy Guardian Angels Elem. Sch. Rev. Dennis T. Hartoen Holy Guardian Angels Church 3121 Kutztown Road Reading, PA 19605	Laurel Run	Berks County CD P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Bethel Township Berks County	PAR-10-C320	SR78-07M (Angelo Iafrate Waste Area Fred Bowman 101 Edwardel Road Needham, MA 02492	Crosskill Creek	Berks County CD P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Allegheny Township Blair County	PAR-10-0683	Convention Center Blair County Con. & Sports Fac. Auth. Logan Valley Mall Rt. 220 and Goods Lane, Altoona, PA 16602	Brush Run & UNT	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Blair Township Blair County	PAR-10-0691	Ridgeview Subdivision Mark Metz 1052 Edgewood Drive Duncansville, PA 16635	UNT. Beaverdam Branch Juniata River	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Allegheny Township Blair County	PAR-10-0695	New Hope Baptist Church Pastor Herb Rice RR 3, Box 582 Hollidaysburg, PA 16648	Gillians Run	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Hampden Township Cumberland County	PAR-10-H216	GH Property Development Fallow Fields Commerce Park 20 Erford Road Lemoyne, PA 17043	Pine Run	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 (717) 240-7812

## NOTICES

2057

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Upper Frankford Township Cumberland County	PAR-10-H218	Lany Neidlinger Creekview Mobile Home Park 595 Greason Road Carlisle, PA 17013	Conodoguinet Creek	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 (717) 240-7812
Carlisle Borough Cumberland County	PAR-10-H224	Vanguard Homes, Inc. Dickinson Green 413 Johnson Street Suite 210 Jenkintown, PA 19046	Conodoguinet Creek	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 (717) 240-7812
Dickinson Township Cumberland County	PAR-10-H225	Enola Construction Company, Inc. P. O. Box 121 Carlisle, PA 17013	Conodoguinet Creek	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 (717) 240-7812
Lower Swatara Township Dauphin County	PAR-10-1228	Housing Development Corp. 308 East King Street Lancaster, PA 17602	Susquehanna River	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Middle Paxton Township Dauphin County	PAR-10-1229	Richard Yingst 7100 Fishing Creek Valley Road Harrisburg, PA 17112	Fishing Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Swatara Township Dauphin County	PAR-10-1222	Triple Crown Corp. 5351 Jaycee Avenue Harrisburg, PA 17112	Laurel Run	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Butler County Cranberry Township	PAR10E125	Cranberry Business Park Pennsylvania Power Company 1 E. Washington Street P. O. Box 891 New Castle, PA 16103-0891	Unnamed Tributary to Brush Creek	Butler Conservation Dist. 122 McCune Drive Butler, PA 16001-6501 (724) 284-5270
Erie County Summit Township	PAR10K157	CN Development Co. L.L.C. 8251 Hamot Road Erie, PA 16509	Unnamed Tributary to Walnut Creek	Erie Conservation Dist. 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Erie County Millcreek Township	PAR10K158	Five Star International, Inc. 6100 Wattsburg Road Erie, PA 16509	Unnamed Tributary to Mill Creek	Erie Conservation Dist. 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Erie County Fairview Township	PAR10K160	Investors LTD 100 Gulfwood Drive Hermitage, PA 16148	Trout Run (CWF, MF)	Erie Conservation Dist. 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Erie County Millcreek Township	PAR10K161	Maleno Developers, Inc. 2236 West 38th Street Erie, PA 16506	Unnamed Tributary to Walnut Creek	Erie Conservation Dist. 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Erie County Millcreek Township	PAR10K162	Paul Pastore 2315 West Grandview Blvd. Erie, PA 16506	Unnamed Tributary to Walnut Creek	Erie Conservation Dist. 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Union County Kelly Township	PAR106838	Evangelical Community Hospital 1 Hospital Dr. Lewisburg, PA 17837	Unt. Susquehanna River	Union County Cons. Dist. 60 Bull Run Crossing Lewisburg, PA 17837 (717) 523-8782

*General Permit Type—PAG-3*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Carbon County Banks Township	PAR602230	Hazleton Oil Salvage, Inc. P. O. Box 2339 Hazleton, PA 18201-1034	Catawissa Creek	Northeast Office 2 Public Sq. Wilkes-Barre, PA 18711-0790 (570) 826-2511
Lancaster County Mount Joy Township	PAR213540	Union Quarries, Inc. Rheems Concrete Plant P. O. Box 686 Carlisle, PA 17013-0686	UNT to Donegal Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cumberland County Lower Allen Township	PAR203519	American Steel Foundries Keystone Railway Equipment Company P. O. Box 456 Camp Hill, PA 17011	Cedar Run Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Earl and East Earl Townships	PAR213525	Martin Limestone, Inc. New Holland Concrete P. O. Box 550 Blue Ball, PA 17506	Mill Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
City of St. Marys Elk County	PAR808369	St. Marys Area Airport Authority P. O. Box 89 St. Marys, PA 15857	Hellfire Run, A Tributary to Trout Run, of the Susquehanna River System	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Sugarcreek Borough Venango County	PAR608328	Lowry Auto Wrecking, Inc. R. R. 3, Lambertson Road P. O. Box 1105 Franklin, PA 16323	Unnamed Feeder to Sugar Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-4*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Bedford County Broad Top Township	PAG043640	Broad Top Township 187 Municipal Road P. O. Box 87 Defiance, PA 16633-0057	Sandy Run	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Penn Township	PAG043515	Royal C. Stout 144 Plum Creek Road Bernville, PA 19506	Plum Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Tioga County Delmar Township	PAG045089	Kelly Boyce R. R. 6, Box 338 Wellsboro, PA 16901	UNT to Stony Fork Creek	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Beaver County Daugherty Township	PAG046199	Eugene DeMarco 155 Scott Street New Brighton, PA 15066	Tributary to Blockhouse Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Allegheny County Marshall Township	PAG046200	George Kraynik, Jr. 1599 Warrendale-Bayne Rd. Baden, PA 15005	UNT to Big Sewickley Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Wilmington Township Mercer County	PAG048346	George Junior Republic Route 58 P. O. Box 471 Grove City, PA 16127	Unnamed Tributary of Little Neshannock	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
North East Township Erie County	PAG048658	Carolyn L. Bosco 11488 East Scotland Avenue North East, PA 16428	Lake Erie	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-8*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Catherine Township Blair County	PAG-08-3545	Williamsburg Borough Wastewater Treatment Plant 305 East Second Street Williamsburg, PA 16693-1041	N/A	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Mount Joy Township Adams County	PAG-08-3537	White Run Municipal Authority 2001 Baltimore Pike Gettysburg, PA 17325	Henry Schaefer Farm Mount Joy Township Adams County	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

*General Permit Type—PAG-10*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Tinicum Township Delaware County	PAG100001	Sun Pipe Line Company Ten Penn Center 1801 Market Street Philadelphia, PA 19103	Delaware River	Southeast Region Water Management 555 North Lane Conshohocken, PA 19428 (610) 832-6130

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
City of Philadelphia Philadelphia County	PAG100002	Amerada Hess Corporation 1 Hess Plaza Woodbridge, NJ 07095	Schuylkill River	Southeast Region Water Management 555 North Lane Conshohocken, PA 19428 (610) 832-6130

## SAFE DRINKING WATER

### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southeast Regional Office, Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**Permit No. 4600504.** Public Water Supply. **North Penn Water Authority**, 300 Forty Foot Road, Lansdale, PA 19446. A permit has been issued to North Penn Water Authority for the construction of a booster pumping station in Hatfield Township, **Montgomery County**. *Type of Facility:* Public Water Supply System. *Consulting Engineer:* North Penn Water Authority, 300 Forty Foot Road, Lansdale, PA 19446. *Permit to Construct Issued:* April 4, 2000.

*Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**Minor Construction Permit.** The Department issued a construction permit to **Hughesville Borough Water System**, 147 South Fifth Street, Hughesville, PA 17737-0020, Hughesville Borough, **Lycoming County**. This permit authorizes replacement of the pumps in Wells 101 and 102, installation of 80 feet of 12-inch chlorine contact piping, and a soft-start motor system for Well 102.

*Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**Permit No. 0299504.** Public water supply. **Edgeworth Borough Municipal Authority**, 313 Beaver Road, Edgeworth, PA 15143. *Type of Facility:* Bell Acres interconnect and pump station, Ambridge Pump Station, new Camp Meeting Road Storage Tank. *Permit issued for Construction:* March 30, 2000.

**Permit No. 0499501.** Public water supply. **Municipal Authority of the Borough of Conway**, 1208 Third Avenue, Conway, PA 15027. *Type of Facility:* Conway—Ambridge interconnect. *Permit issued for Construction:* March 30, 2000.

**Permit No. 0499502.** Public water supply. **Municipal Authority of the Borough of Conway**, 1208 Third Avenue, Conway, PA 15027. *Type of Facility:* Conway System. *Permit issued for Operation:* March 30, 2000.

**Permit No. 5689501-T1.** Public water supply. **Lincoln Township Municipal Authority**, P. O. Box 162, Sipesville, PA 15561. *Type of Facility:* Slow sand filtration and chlorine gas disinfection. *Permit issued for Operation:* April 3, 2000.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

### The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Horsleys Automotive Service Center (Former)**, Lower Merion Township, **Montgomery County**. Richard Trimpi, Trimpi Associates, Inc., 889 Seminary Street, Pennsburg, PA 18073, has submitted a Final Report concerning remediation of site soil contaminated with lead, BTEX, petroleum hydrocarbons, and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

**Sunoco Station 004-8751 (Former)**, Springfield Township, **Delaware County**. Michael Sarcinello, Groundwater and Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, has submitted a Remedial Investigation/Final Report concerning remediation of site soil and groundwater contaminated



with BTEX and petroleum hydrocarbons. The report is intended to document remediation of the site to meet site-specific standards.

**South 71st St. Property (Alto Sign)**, City of Philadelphia, **Philadelphia County**. Michael H. Menninger, McLaren Hart, Inc., 321 1/2 Fitzwater Street, Philadelphia, PA 19147, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with PCBs, lead, heavy metals, BTEX and petroleum hydrocarbons. The report is intended to document remediation of the site to meet Statewide health and site-specific standards.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Sunoco Quentin Terminal**, West Cornwall Township, **Lebanon County**. Groundwater and Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, has submitted a combined Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with BTEX, PHCs and PAHs. The report is intended to document remediation of the site to the site-specific standard.

**Mifflin County Subaru**, Armagh Township, **Mifflin County**. Peter G. Robelen, PG, President GeoServices, Ltd., 1525 Cedar Cliff Drive, Camp Hill, PA 17011 has submitted a combined Remedial Investigation/Final Report concerning remediation of site soils and groundwater contaminated with BTEX, PHCs, PAHs and lead. The report is intended to document remediation of the site to a combination of the Statewide health and site-specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediations Act (35 P. S. §§ 6026.101—6027.908) and Chapter 250 Administration of Land Recycling Program.**

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediations Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects cause by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documenta-

tion supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Sun Pipe Line Co.**, Upper Uwchlan Township, **Chester County**. Jennifer L. Stafford, P.G., Groundwater and Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and petroleum hydrocarbons. The report demonstrated attainment of the Statewide health standard and was approved by the Department on March 27, 2000.

**Mill Street Partners Property**, Quakertown Borough and Richland Township, **Bucks County**. Robert C. Quick, QuickTec Environmental, P. O. Box 1432, Medford, NJ 08055, has submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated with lead. The Remedial Investigation Report and Cleanup Plan were disapproved by the Department on March 31, 2000.

*Northeast Regional Field Office: Joseph A. Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**PPL Electric Utilities Corporation—Former Honesdale Manufactured Gas Plant**, Honesdale Borough, **Wayne County**. PPL, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101-1179 submitted a Remedial Investigation Report concerning the characterization of site soils and groundwater found or suspected to have been contaminated with polycyclic aromatic hydrocarbons and BTEX (benzene, toluene, ethylbenzene and xylene) compounds. The report was submitted in partial fulfillment of demonstrating attainment of the site-specific standard, and was approved on January 5, 2000.

**Hart Metals**, Borough of Tamaqua, **Schuylkill County**. Peter D. Beyer, P.G., Project Manager, Environmental Resources Management, 855 Springdale Drive, Exton, PA 19341 submitted a Final Report (on behalf of his client, Reade Manufacturing Company, 100 Ridgeway Boulevard, Lakehurst, NJ 08733) concerning the remediation of site soils, groundwater and surface water found or suspected to have been contaminated with volatile organic compounds, polycyclic aromatic hydrocarbons, and/or metals. The report demonstrated attainment of the Statewide health standard and was approved on April 6, 2000.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Former Fruehauf Trailer Corporation Drive-A-Way Terminal**, Lower Swatara Township, **Dauphin County**. Jeffrey J. Painter, PG, Earth Tech, Two Market Plaza Way, Mechanicsburg, PA 17055 has submitted a baseline environmental report concerning the remediation of site soils contaminated with PCBs, lead, heavy metals, pesticides, solvents and PAHs, and groundwater contaminated with pesticides and solvents. The site is being remediated as a Special Industrial Area. The baseline environmental report was approved by the Department on March 30, 2000.

*Northcentral Regional Office: Michael C. Welch, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 321-6525.*

**GROW**, Delmar Township, **Tioga County**. Growth Resources of Wellsboro Foundation, P. O. Box 502, Wellsboro, PA 16901 has submitted a Final Report concerning the remediation of site soil contaminated with benzene, toluene, ethylbenzene, isopropylbenzene (cumene), naphthalene, fluorene, and phenanthrene. The Final Report did demonstrate attainment of the State-wide health standard and was approved by the Department on March 14, 2000.

**Penn Fuel Gas—Lewisburg**, Lewisburg Borough, **Union County**. Key Environmental, Inc., on behalf of their client Penn Fuel Gas, Inc., 55 South Third Street, Oxford, PA 19363, has submitted a Final Report concerning the remediation of site soil, groundwater and sediment contaminated with lead, heavy metals, BTEX, PAHs, phenolics and cyanide. The Final Report did demonstrate attainment of the site-specific standard and was approved by the Department on March 2, 2000.

*Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.*

**North Shore Property**, City of Pittsburgh, **Allegheny County**. Frank M. Berchin, SE Technologies, Inc., 98 Vanadium Road, Bridgeville, PA 15017 and Urban Redevelopment Authority of Pittsburgh, 200 Ross Street, Pittsburgh, PA 15219 has submitted a Baseline Environmental Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, solvents, PHCs and PAHs. The Baseline Environmental Report was approved by the Department on March 29, 2000. The report delineates contamination existing onsite and will be the basis for any site remediation necessary under a Consent Agreement using the special industrial area requirements.

## SOLID AND HAZARDOUS WASTE

### LICENSE TO TRANSPORT HAZARDOUS WASTE

**License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management: Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Dalmatian, Inc.**, P. O. Box 1147, Hebron, OH 43025; **License No. PA-AH 0653**; license issued March 20, 2000.

**J and D Trucking, Inc.**, 3526 Northwest Boulevard, Vineland, NJ 08360; **License No. PA-AH 0652**; license issued March 20, 2000.

**Kuhnle Brothers, Inc.**, P. O. Box 375, Newbury, OH 44065; **License No. PA-AH 0655**; license issued March 29, 2000.

**M. S. Carriers, Inc.**, 3171 Directors Row, Memphis, TN 38131; **License No. PA-AH 0656**; license issued April 3, 2000.

**Smith Systems Transportation, Inc.**, P. O. Box 2455, Scottsbluff, NE 69363-2455; **License No. PA-AH 0654**; license issued March 29, 2000.

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management: Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Delvecchio Transport and Materials Handling, Inc.**, P. O. Box 480, Dunmore, PA 18512-0480; **License No. PA-AH 0333**; renewal license issued March 27, 2000.

**Duquesne Light Company**, 2601 Preble Avenue, Pittsburgh, PA 15233; **License No. PA-AH 0462**; renewal license issued March 28, 2000.

**Hub City Environmental, Inc.**, P. O. Box 817, Pearland, TX 77581; **License No. PA-AH 0530**; renewal license issued March 24, 2000.

**South Jersey Pollution Control, Inc.**, 209 Harmony Road, Mickleton, NJ 08056; **License No. PA-AH 0145**; renewal license issued April 4, 2000.

**United Industrial Services, Division of United Oil Recovery, Inc.**, 14—16 West Main Street, Meriden, CT 06451; **License No. PA-AH 0378**; renewal license issued March 24, 2000.

**Hazardous waste transporter license voluntarily terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport hazardous waste.**

*Bureau of Land Recycling and Waste Management: Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**ETTS, Inc.**, 199 Clyde Street, Ellwood City, PA 16117; **License No. PA-AH 0318**; license terminated March 20, 2000.

## AIR QUALITY

### OPERATING PERMITS

**General Plan Approval and Operating Permit usage authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**09-302-081GP: Hines Color** (6071 Durham Road, Pipersville, PA 18947) on March 29, 2000, for a hot water boiler in Plumstead Township, **Bucks County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**GP7-36-03111: R. R. Donnelly & Sons, Co.** (1375 Harrisburg Pike, Lancaster, PA 17601) authorized use of a general permit for installation/operation of two sheetfed offset lithographic printing presses at the Steelway Facility in Lancaster City, **Lancaster County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**GP3-41-01C: Glenn O. Hawbaker, Inc.** (450 East College Avenue, Bellefonte, PA 16823) on March 6, 2000, was authorized to construct and operate an aggregate classifying system and associated air cleaning device (a fabric collector) and to operate a portable aggregate crushing plant and associated air cleaning devices (a water spray dust suppression system and a fabric collector) under the General Plan Approval and General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP3) in Armstrong Township, **Lycoming County**. Most of the equipment is subject to Subpart OOO of the Federal Standards of Performance for New Stationary Sources.

---

**Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

---

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**OP-46-0012: Philadelphia Newspaper, Inc.** (800 River Road, Conshohocken, PA 19428) on March 15, 2000, for operation of a backup generator and fuel pump in Upper Merion Township, **Montgomery County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**08-399-038B: OSRAM SYLVANIA Products, Inc.** (Hawes Street, Towanda, PA 18848-0504) on March 6, 2000, for operation of 18 tungsten and molybdenum alloy annealing ovens and associated air cleaning devices (a fabric collector and a HEPA filter) in Building 20 in North Towanda Township, **Bradford County**. Some of the ovens process thorium, a radioactive element.

**08-399-023E: OSRAM SYLVANIA Products, Inc.** (Hawes Street, Towanda, PA 18848-0504) on March 6, 2000, for operation of a spray dryer and various other pieces of metal powder processing equipment and associated air cleaning devices (a cyclone, three fabric collectors and two absolute filters) in Building 28A in North Towanda Township, **Bradford County**. This equipment processes metal powders containing cobalt, nickel and chromium, all of which have been designated as hazardous air pollutants by the EPA.

**49-302-061: Merck & Co., Inc.** (P. O. Box 600, Danville, PA 17821-0600) on March 20, 2000, for operation of three 138,100,000 BTU/hour natural gas/No. 2 fuel oil-fired boilers, a 1,340 horsepower emergency diesel generator and a 500,000 gallon/No. 2 fuel oil storage tank in Riverside Borough, **Northumberland County**. The boilers are subject to Subpart Db, and the oil storage tank to Subpart Kb, of the Federal Standards of Performance for New Stationary Sources.

**41-302-049A; Wheeland Lumber Co., Inc.** (3558 Williamson Trail, Liberty, PA 16930-9540) on March 23, 2000, for operation of a 6.2 million BTU/hour wood-fired boiler

and associated air cleaning device (a multicloner collector) in Jackson Township, **Lycoming County**.

---

**Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

---

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**OP-46-0015: Occidental Chemical** (Armand Hammer Boulevard, Pottstown, PA 19464) on March 29, 2000, for Facility VOCs/NOx in Lower Pottsgrove Township, **Montgomery County**.

**OP-09-0022: Cleveland Steel Container Corp.** (350 Mill Street, Quakertown, PA 18951) on March 31, 2000, for fountain solution in Quakertown Borough, **Bucks County**.

**OP-09-0022: Cleveland Steel Container Corp.** (350 Mill Street, Quakertown, PA 18951) on March 24, 2000, for fountain solution in Quakertown Borough, **Bucks County**.

**OP-46-0035: SmithKline Beecham Pharmaceuticals** (709 Swedeland Road, King of Prussia, PA 19406) on March 24, 2000 for two emergency generators in Upper Merion Township, **Montgomery County**.

**OP-46-0050: Rohm & Haas DVI** (727 Norristown Road, Spring House, PA 19477) on February 23, 2000, for Synthetic Minor NOx Facility in Lower Gwynedd Township, **Montgomery County**.

---

**PLAN APPROVALS**

---

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

---

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-15-0055: Highway Materials, Inc.** (850 Quarry Road, Downingtown, PA 19335) on March 6, 2000, for operation of a baghouse in East Caln Township, **Chester County**.

**PA-09-0063A: New Hope Crushed Stone Co.** (6970 Phillips Mill Road, New Hope, PA 18938) on March 10, 2000, for operation of a stone crushing plant in Solebury Township, **Bucks County**.

**PA-23-0001N: Sunoco, Inc.** (R&M) (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on March 15, 2000, for operation of Boiler 9 in Marcus Hook Borough, **Delaware County**.

**PA-23-0006C: Foamex L.P.** (1500 East Second Street, Eddystone, PA 19022) on March 15, 2000, for operation of a thermal reticulation unit in Eddystone Borough, **Delaware County**.

**PA-46-0081B: Markel Corp.** (416 School Lane, Norristown, PA 19404) on March 15, 2000, for operation of two horizontal extruders in Plymouth Township, **Montgomery County**.

**PA-46-0041: Jefferson Smurfit Corp.** (US) (1035 Longford Road, Phoenixville, PA 19460) on March 15, 2000, for operation of a Non-heatset Lithographic Press in Upper Providence Township, **Montgomery County**.

**PA-15-0101: Kendal-Crosslands Communities** (4109 East Baltimore Pike, Kennett Square, PA 19348) on March 15, 2000, for operation of a diesel generator in Kennett Township, **Chester County**.

**PA-15-0100: Kendal-Crosslands Communities** (1600 East Street Road, Kennett Square, PA 19348) on March 15, 2000, for operation of a diesel generator in Pennsbury Township, **Chester County**.

**PA-46-0015A: Occidental Chemical Corp.** (375 Armand Hammer Boulevard, Pottstown, PA 19464) on March 29, 2000, for operation of Process Line No. 6 in Lower Pottsgrove Township, **Montgomery County**.

**PA-09-0087A: Air Products & Chemicals, Inc.** (351 Philadelphia Avenue, Morrisville, PA 19067) on March 29, 2000, for operation of an ammonia scrubber in Falls Township, **Bucks County**.

**PA-46-0123: Wesco Industrial Products, Inc.** (1250 Welsh Road, Lansdale, PA 19446) on March 29, 2000, for operation of spray paint booths in Montgomery Township, **Montgomery County**.

**PA-23-0001L: Sunoco, Inc.** (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on April 5, 2000, for operation of two racing fuel storage tanks in Marcus Hook Borough, **Delaware County**.

**PA-23-0001M: Sunoco, Inc.** (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on April 7, 2000, for operation of a CO Boiler in Marcus Hook Borough, **Delaware County**.

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**40-328-003: UGI Development Co.** (P. O. Box 224, Hunlock Creek, PA 18621) on April 5, 2000, for construction of a simple cycle turbine at the Hunlock Creek Station, Hunlock Township, **Luzerne County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**01-03021: Agway, Inc. d.b.a. Andgrow Fertilizer** (3150 Stoney Point Road, East Berlin, PA 17316) on March 27, 2000, for installation of a fertilizer mixing plant controlled by an EV Air Systems fabric collector in Latimore Township, **Adams County**.

**06-03080: F. M. Brown's Sons, Inc.** (P. O. Box 153, Fleetwood, PA 19522) on March 30, 2000, for modification of a flour mill controlled by a fabric collector at the Fleetwood Mill in Fleetwood Borough, **Berks County**.

**07-05003A: Norfolk Southern Railway Co.** (200 North 4th Avenue, Altoona, PA 16601) on April 6, 2000, for construction of a traction motor overhaul dust collection unit controlled by a cartridge collector and a locomotive truck paint booth controlled by dry media at the Juniata Locomotive Shop in Logan Township, **Blair County**.

**07-05004A: Eldorado Properties Corp.** (P. O. Box 2621, Harrisburg, PA 17105) on March 31, 2000, for construction of a storage tank for gasoline/distillate oil on Burns Avenue in Allegheny Township, **Blair County**. This source is subject to 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels.

**44-05014: Glenn O. Hawbaker, Inc.** (711 East College Avenue, Bellefonte, PA 16823) on March 27, 2000, for installation of a drum mix asphalt plant controlled by a fabric collector and a portable asphalt cement tank in

Armagh Township, **Mifflin County**. The portable asphalt cement tank is subject to 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels. The drum mix asphalt plant is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

**67-03055: Vulcan Construction Materials, LP** (322 North Baker Road, York, PA 17404) on March 30, 2000, for construction of a batch asphalt plant controlled by a fabric filter, recycled asphalt pavement crusher, screen and conveyers, and liquid asphalt cement storage tanks in West Manchester Township, **York County**. The batch mix asphalt plant is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities. The recycled asphalt pavement crusher, screen and associated conveyors are subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The asphalt cement tanks are subject to 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels.

**67-317-033C: Starbucks Coffee Co.** (3000 Espresso Way, York, PA 17402) on March 30, 2000, for installation of a coffee roaster controlled by a cyclone and catalytic afterburner in East Manchester Township, **York County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**17-305-045: King Coal Sales, Inc.** (P. O. Box 712, Philipsburg, PA 16866) on March 6, 2000, for construction of a rotary coal breaker and diesel engine in Morris Township, **Clearfield County**. The rotary coal breaker is subject to Subpart Y of the Federal Standards of Performance for New Stationary Sources.

**17-309-016C: TYK America, Inc.** (301 Brickyard Road, Clairton, PA 15025) on March 6, 2000, for modification and installation of air cleaning devices on a refractory products dryer in Irvona Borough, **Clearfield County**. The modification is the use of the dryer to cure magnesia graphite phenolic resin bonded refractories. The air cleaning devices are an existing refractory kiln and an existing thermal afterburner operating in series.

**14-399-009I: Murata Electronics North America, Inc.** (1900 West College Avenue, State College, PA 16801-2799) on March 23, 2000, for construction of five ceramic chip capacitor binder removal ovens and associated air cleaning devices [five electrically-heated thermal afterburners] in Ferguson Township, **Centre County**.

**17-399-013A: Burke Parsons Bowlby Corp.** (R. R. 3, Box 275, DuBois, PA 15801) on March 28, 2000, for construction of five process/storage tanks to be controlled by an existing air cleaning device (a venturi jet scrubber) in Sandy Township, **Clearfield County**.

---

**Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

---

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**PA-46-0020: Superior Tube Co.** (3900 Germantown Pike, Collegeville, PA 19426) on March 7, 2000, for operation of three fabric filters and one rotoclove in Lower Providence Township, **Montgomery County**.

**46-327-018: Superior Tube Co.** (3900 Germantown Pike, Collegeville, PA 19426) on March 7, 2000, for

operation of a new vapor degreaser in Lower Providence Township, **Montgomery County**.

**PA-46-0176: A. Talone, Inc.** (318 West Lancaster Avenue, Ardmore, PA 19003) on March 10, 2000, for operation of a solvent recovery dryer in Lower Merion Township, **Montgomery County**.

**PA-23-0067: Alloy Surfaces Co., Inc.** (121 North Commerce Drive, Aston, PA 19014) on March 10, 2000, for operation of a caustic metal treatment process in Chester Township, **Delaware County**.

**PA-09-0024A: Waste Management of PA, Inc.** (200 Bordentown Road, Tullytown, PA 19007) on March 10, 2000, for operation of a permitted landfill in Tullytown Borough, **Bucks County**.

**09-313-074B: Air Products & Chemicals, Inc.** (351 Philadelphia Ave., Morrisville, PA 19067) on March 15, 2000, for operation of a specialty gas plant in Falls Township, **Bucks County**.

**PA-15-0015A: Sartomer Co., Inc.** (610 South Bolmar Street, West Chester, PA 19382) on March 16, 2000, for operation of an emergency generator in West Chester Borough, **Chester County**.

**09-399-032: Liquid Transporters, Inc.** (2910 River Road, Croydon, PA 19021) on March 17, 2000, for operation of a cargo tank washing process in Bristol Township, **Bucks County**.

**PA-09-0057: Ametek Inc., U.S. Gauge Division** (900 Clymer Avenue, Sellersville, PA 18960) on March 21, 2000, for operation of a degreaser in Sellersville Borough, **Bucks County**.

**PA-09-0019: Miller & Son Paving** (887 Mill Creek Road, Rushland, PA 18956) on March 21, 2000, for operation of a batch asphalt plant in Wrightstown Township, **Bucks County**.

**PA-09-0046A: RJM Manufacturing, Inc.** (250 Canal Road, Fairless Hills, PA 19030) on March 23, 2000, for operation of a Surface Coater Line 3 in Falls Township, **Bucks County**.

**PA-09-0046: RJM Manufacturing, Inc.** (250 Canal Road, Fairless Hills, PA 19030) on March 27, 2000, for operation of a rotogravure and flexographic operations in Falls Township, **Bucks County**.

**PA-15-0016B: Worthington Steel Co.** (45 North Morehall Road, Malvern, PA 19355) on March 31, 2000, for operation of a coil coating line in East Whiteland Township, **Chester County**.

**23-312-172C: Epsilon Products Co.** (Post Road and Blueball Avenue, Marcus Hook, PA 19061) on April 5, 2000, for operation of storage bin vents in Marcus Hook Borough, **Delaware County**.

**PA-15-0021: Glasgow, Inc.** (660 Morehall Road, Frazer, PA 19335) on April 5, 2000, for operation of an asphalt plant and quarry in East Whiteland Township, **Chester County**.

**PA-46-0043: Glasgow, Inc.** (Conshohocken Road, Conshohocken, PA 19428) on April 5, 2000, for operation of an asphalt plant and quarry in Plymouth Township, **Montgomery County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**21-05021A: Arnold Fuel Oil, Inc.** (P. O. Box 2621, Harrisburg, PA 17105) on March 30, 2000, to authorize temporary operation of three gasoline storage tanks,

covered under this Plan Approval until July 27, 2000, at the Star Mechanicsburg Terminal, 127 Texaco Road in Silver Spring Township, **Cumberland County**.

**36-05019A: Supply Sales Co.** (1411 Lancaster Avenue, Lancaster, PA 17512) on February 29, 2000, to authorize temporary operation of a disamatic molding line, covered under this Plan Approval until June 28, 2000, at the Columbia Plant in Columbia Borough, **Lancaster County**.

**36-304-092: Donsco, Inc.** (P. O. Box 2001, Wrightsville, PA 17368-0400) on March 30, 2000, to authorize temporary operation of molding, shakeout and finishing operations, covered under this Plan Approval until July 28, 2000 at the Mount Joy Foundry in Mount Joy Borough, **Lancaster County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**08-313-049C: OSRAM SYLVANIA Products, Inc.** (Hawes Street, Towanda, PA 18848) on March 24, 2000, to extend authorization to operate a bulk acid storage and railcar unloading scrubber system on a temporary basis until July 22, 2000 in Towanda Borough, **Bradford County**.

**OP-41-0007B: Coastal Aluminum Rolling Mills, Inc.** (2475 Trenton Avenue, Williamsport, PA 17701) on April 4, 2000, to extend authorization to operate a coil coating application station, curing oven and associated air cleaning device (a catalytic oxidizer) on a temporary basis until August 2, 2000 in the City of Williamsport, **Lycoming County**.

**Minor Modification of Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**OP-53-0009D: National Fuel Gas Supply Corp.** (P. O. Box 2081, Erie, PA 16512) on March 29, 2000, to extend the deadline for the performance of stack testing on Engine 1A to June 30, 2000 at the Ellisburg Compressor Station in Allegany Township, **Potter County**.

**17-305-042A: DTE River Hill, L.L.C.** (425 South Main Street, Suite 201, Ann Arbor, MI 48107), owner, and Covol Technologies, Inc. (3280 North Frontage Road, Lehi, UT 84043), operator, on April 4, 2000, to amend a condition requiring the insulation of a fabric collector associated with an agglomerated coal fines pellet drying oven to defer the insulation of the ductwork between the oven and fabric collector in Karthaus Township, **Clearfield County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on

each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

#### *Coal Permits Issued*

**54991302. Snyder Coal Co.,** (R. R. 2 Box 93, Hegins, PA 17938), commencement, operation and restoration of an underground mine operation in Foster and Hegins Townships, **Schuylkill County** affecting 5.0 acres, receiving stream—Hans Yost Creek. Permit issued April 7, 2000.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

**11950101.** Permit Renewal for reclamation only, **L & J Energy Company, Inc.** (P. O. Box I, Grampian, PA 16838), for continued restoration of a bituminous surface and auger mine in Susquehanna Township, **Cambria County**, affecting 9.0 acres, receiving stream unnamed tributaries to Moss Creek, application received April 3, 2000, issued April 5, 2000.

**32990111. Mears Enterprises, Inc.** (P. O. Box 157, Clymer, PA 15728), commencement, operation and restoration of a bituminous surface mine in Cherryhill Township, **Indiana County**, affecting 71.5 acres, receiving stream Two Lick Creek, application received October 4, 1999, issued April 6, 2000.

**56950102.** Permit Renewal for reclamation, only, **Dunamis Resources, Inc.** (One Energy Place, Suite 4000, Latrobe, PA 15650), for continued restoration of a bituminous surface and auger mine in Lincoln and Jenner Townships, **Somerset County**, affecting 278.1 acres, receiving stream two unnamed tributaries to Quemahoning Creek and Quemahoning Creek, application received April 5, 2000, issued April 6, 2000.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

**04723003R. Darlington Brick & Clay Products Co.** (P. O. Box 346, Darlington, PA 16115-0346). Renewal issued for continued operation and reclamation of a bituminous surface mine located in South Beaver Township, **Beaver County**, affecting 213.1 acres. Receiving streams: unnamed tributaries to Brush Run to North Fork Little Beaver to Little Beaver Creek. Application received: October 13, 1999. Renewal issued: April 3, 2000.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17940120. Larry D. Baumgardner Coal Co., Inc.** (P. O. Box 186, Lanser, PA 16849), revision to an existing bituminous surface mine permit for a change in land use from premining use of forestland to postmining use of pastureland. The permit is located in Cooper Township, **Clearfield County** and affects 44.4 acres. Receiving streams: unnamed tributary to Sulphur Run, Sulphur Run. Application received February 11, 2000. Permit issued April 3, 2000.

**17970107. Al Hamilton Contracting Company** (R. D. 1, Box 87, Woodland, PA 16681), major permit modification to apply biosolids (stabilized sewage sludge) to enhance vegetation on an existing bituminous surface

mine permit. The permit is located in Boggs Township, **Clearfield County** and affects 458 acres. Receiving streams: unnamed tributaries to Morgan Run, Morgan Run, unnamed tributaries to Camp Hope Run, Camp Hope Run, and Clearfield Creek. Application received November 15, 1999. Permit issued March 28, 2000.

**17990114. Bell Resources** (R. R. 2, Box 281, Curwensville, PA 16833), commencement, operation and restoration of a bituminous surface mine permit in Penn and Pike Townships, **Clearfield County** affecting 31 acres. Receiving streams: Porter Run to Curwensville Lake to West Branch of the Susquehanna River. Application received July 22, 1999. Permit issued March 29, 2000.

**17990121. Larson Enterprises, Inc.** (P. O. Box 96, Kylertown, PA 16847), commencement, operation and restoration of a bituminous surface mine permit in Cooper Township, **Clearfield County** affecting 23.9 acres. Receiving streams: tributary to Sulphur Run to Moshannon Creek to the West Branch of the Susquehanna River. Application received October 15, 1999. Permit issued April 4, 2000.

**17980105. Johnson Brothers Coal Company** (R. D. 1, Box 580, Mahaffey, PA 15757), transfer of an existing bituminous surface mine permit from Jer-Dem, Inc., located in Knox Township, **Clearfield County** affecting 85 acres. Receiving streams: unnamed tributary to Clearfield Creek. Application received February 3, 2000. Permit issued April 5, 2000.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**24743008. Fairview Coal Company** (P. O. Box R, Ridgway, PA 15853) Renewal of an existing bituminous strip and auger operation in Fox Township, **Elk County** affecting 66.0 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributary to Benninger Creek and Benninger Creek. Application received January 31, 2000. Permit Issued: March 28, 2000.

**33920103. Strishock Coal Company** (220 Hillcrest Drive, DuBois, PA 15801) Revision to an existing bituminous strip operation to add 12.8 acres in Pine Creek Township, **Jefferson County**. Total Surface Mining Permit acreage is now 156.3 acres. Receiving streams: Unnamed tributary to O'Donnell Run and three unnamed tributaries to Five Mill Run. Application received: September 17, 1999. Permit Issued: March 29, 2000.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### *Small Industrial Minerals Applications Issued*

**32992801. John P. Shawley** (R. D. 1, Box 93A, Saltsburg, PA 15681), in Conemaugh Township, **Indiana County**, affecting 5.0 acres, receiving stream Blacklegs Creek, application received May 24, 1999, issued April 4, 2000.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**59000801. Wesley J. Cole** (R. R. 2, Box 328, Middlebury Center, PA 16935), commencement, operation and restoration of a Small Industrial Minerals (Topsoil/Gravel) permit in Middlebury Township, **Tioga County** affecting 1 acre. Receiving stream: Crooked Creek, tributary to North Ives Run. Application received January 27, 2000. Permit issued March 23, 2000.

**14992801. B & K Excavating & Landscaping, Inc.** (966 Ulrich Road, Julian, PA 16844), commencement, operation and restoration of a Small Industrial Minerals

(Shale/Topsoil) permit in Huston Township, **Centre County** affecting 1 acre. Receiving streams: unnamed tributary to unnamed tributary to Bald Eagle Creek. Application received October 19, 1999. Permit issued April 5, 2000.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

*Large Industrial Minerals Permits Issued*

**08860301. Terry Wayne Selleck** (R. R. 1, Box 241, New Albany, PA 18833), transfer of an existing Large Industrial Minerals (Gravel) permit from Clifford Cross, Jr., located in Albany Township, **Bradford County** affecting 6.1 acres. Receiving streams: Towanda Creek. Application received September 20, 1999. Permit issued April 5, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Small Noncoal (Industrial Mineral) Permits Issued*

**58990815. PA Quarried Bluestone Co.** (P. O. Box 4, South Gibson, PA 18842), commencement, operation and restoration of a bluestone quarry operation in Franklin Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued April 4, 2000.

**58992808. Douglas G. Kilmer** (R. R. 1 Box 85K, Uniondale, PA 18470), commencement, operation and restoration of quarry operation in Forest Lake Township, **Susquehanna County** affecting 3.0 acres, receiving stream—none. Permit issued April 4, 2000.

**58990823. Robert A. Stankiewicz** (R. R. 2 Box 147, Kingsley, PA 18826), commencement, operation and restoration of a bluestone quarry operation in Bridgewater Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued April 5, 2000.

**58990833. Clifford Johnson** (P. O. Box 198, Clifford, PA 18413), commencement, operation and restoration of a bluestone quarry operation in Oakland Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued April 7, 2000.

**58990844. Douglas G. Kilmer** (R. R. 1 Box 85K, Uniondale, PA 18470), commencement, operation and restoration of a bluestone quarry operation in Choconut Township, **Susquehanna County** affecting 3.0 acres, receiving stream—none. Permit issued April 7, 2000.

**58992809. Douglas G. Kilmer** (R. R. 1, Box 85K, Uniondale, PA 18470), commencement, operation and restoration of a quarry operation in New Milford Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued April 7, 2000.

**28000801. C. Yohn Excavating & Hauling** (P. O. Box 34, Spring Run, PA 17262), commencement, operation and restoration of a quarry operation in Fannett Township, **Franklin County** affecting 2.0 acres, receiving stream—none. Permit issued April 7, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Permits Issued*

**8274SM5A1C4. D. M. Stoltzfus & Son, Inc.**, (P. O. Box 84, Talmage, PA 17580), renewal of NPDES Permit PA0123480 in Fulton Township, **Lancaster County**, receiving stream—Octoraro Creek. Renewal issued April 4, 2000.

**09920302C. Delaware Valley Landscape Stone, Inc.**, (P. O. Box 778, 6603 Route 202, New Hope, PA

18938), renewal of NPDES Permit PA0595497 in Middletown Township, **Bucks County**, receiving stream—unnamed tributary to Neshaminy Creek. Renewal issued April 6, 2000.

## ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of the written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (Note: Permits issued for Small Projects to not include 401 Certification, unless specifically stated in the description.)

*Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E66-120.** Encroachment. **Edward McClain**, R. R. 2, Box 91-C, Meshoppen, PA 18630. To construct and maintain a floating boat dock having a surface area of approximately 1,152 S. F. in the Susquehanna River for the purpose of providing public access to the moored Jennie Wade Riverboat Eatery. The project is located at the confluence of Tunkhannock Creek and the Susquehanna River, immediately downstream of S. R. 0029 (Tunkhannock, PA Quadrangle N: 6.5 inches; W: 10.0 inches) in Tunkhannock Borough, **Wyoming County**.

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E05-278.** Encroachment. **East St. Clair Township**, 1445 Quaker Valley Rd., New Paris, PA 15554. To (1) remove an existing bridge; (2) construct and maintain a single span prestressed concrete plank beam bridge having a clear span of 28.54 feet with a minimum underclearance of 4.15 feet across Adams Creek (WWF);

(3) armor the channel below the bridge with R-7 riprap revetment; (4) place fill in 0.03 de minimis acre of associated wetlands; and, (5) construct a temporary diversion device in the stream channel to facilitate construction of the bridge as the result of safety improvements on Township Road (T-518) located on T-518 at Station 10+077.463 (Bedford, PA Quadrangle N: 18.63 inches; W: 12.0 inches) in East St. Clair Township, **Bedford County**. This permit also includes 401 Water Quality Certification.

**E06-531.** Encroachment. **PennDOT, PA Department of Transportation**, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103. To remove an existing structure and to construct and maintain a 16-foot x 4-foot precast concrete box culvert in the channel of a tributary to Willow Creek (CWF) at a point at SR 1011 (Fleetwood, PA Quadrangle N: 15.5 inches; W: 13.1 inches) in Maiden Creek Township, **Berks County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E22-409.** Encroachment. **Robert Fried**, 2323 Patton Road, Harrisburg, PA 17112. To place fill within a 0.046 acre wetland area which drains to a tributary to Manada Creek (WWF) and is located at the intersection of Route 39 and Old Jonestown Road (Hershey, PA Quadrangle N: 8.4 inches; W: 2.5 inches) for the purpose of construction of a commercial development in West Hanover Township, **Dauphin County**. The amount of wetland impact is considered de minimis and wetland mitigation is not required. This permit also includes 401 Water Quality Certification.

**E28-271.** Encroachment. **Trent Gadberry**, 510 W. Loudon St., Chambersburg, PA 17201. To place and maintain a fill material within the right bank's 100-year floodway and provide a 24-inch revetment of an unnamed tributary to Conococheague Creek (CWF) in order to construct additional rental storage building located downstream of the Loudon Street Culvert (Chambersburg, PA Quadrangle N: 11.0 inches; W: 6.0 inches) in Chambersburg Borough, **Franklin County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E67-673.** Encroachment. **James Hogg**, 258 Kirstaln, Dallastown, PA 17313. To construct and maintain an outfall along the right downstream bank of a tributary channel to the East Branch Codorus Creek (HQ-CWF) from an off-stream farm pond overflow spillway. The pond is located west of White Oak Road between Sawmill and Hara Roads (Glen Rock, PA Quadrangle N: 11.25 inches; W: 4.75 inches) in Shrewsbury Township, **York County**. Issuance of this permit constitutes approval of the Environmental Assessment for the nonjurisdictional pond at project site.

**E67-681.** Encroachment. **Kinsley Equities, Richard Kinsley**, R. D. 1, Box 131AA, Seven Valleys, PA 17360. To place fill in a de minimis area of wetlands equal to 0.04 acre adjacent to an unnamed tributary to the Little Conewago Creek (TSF) for the purpose of constructing proposed manufacturing/warehouse facility on Lot 96 of the Orchard Business Park located west of Espresso Way (York Haven, PA Quadrangle N: 9.5 inches; W: 17.0 inches) in East Manchester Township, **York County**. This permit also includes 401 Water Quality Certification.

*Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E08-350.** Encroachment. **Paul E. Heise, District Engineer, PA Department of Transportation**, P. O. Box 218, Montoursville, PA 17754. To remove and maintain sediment deposition for a distance of 434 feet to include 250 feet upstream of the structure, the 34 feet under the structure, and 150 feet downstream of the structure. A low-flow channel shall be constructed to maintain the streams pattern, profile and cross-section during low flow conditions throughout the work area. This permit also authorizes the installation of R-6 riprap along the stream banks to protect the stream from future bank erosion. The riprap will be constructed in a saw tooth pattern to maintain the low flow channel and to provide fish habitat (Troy, PA Quadrangle N: 4.76 inches, W: 5.69 inches) in Troy Borough, **Bradford County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E17-336.** Denied; Encroachment. **J. Richard Fullington, Jr. and Loretta P. Fullington**, 929 South Sixth Street, Clearfield, PA 16830. This application was to place and maintain fill in 0.3 acre of palustrine emergent wetland in order to expand an automobile dealership and provide parking for a school bus fleet. The project site is located on private property on the northwest side of S. R. 879, approximately 2,500 feet southwest of Exit 19 on I-80 (Clearfield, PA Quadrangle N: 6.3 inches; W: 4.1 inches) in Lawrence Township, **Clearfield County**. The application was denied.

**E53-338.** Encroachment. **Hyperion Telecommunications, Inc.**, d.b.a. Adelphia Business Solutions Operations, Inc., Main at Water Street, Coudersport, PA 16915-1141. To construct and maintain a 3-story, 250 car parking garage just north of the intersection of Niles Hill Road along Main Street partially in the floodway and below the 100-year flood elevation (8 2-square feet columns) of the Allegheny River (Coudersport, PA Quadrangle N: 5.65 inches; W: 2.75 inches) in Coudersport Borough, **Potter County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E53-339.** Encroachment. **Kelly W. Crosby**, 11 Quimby Road, Coudersport, PA 16915. To construct and maintain a 48-inch corrugated culvert pipe crossing and associated fill across South Hollow Stream located 2 miles south on SR 872 from the intersection with SR 6 (Sweden Valley, PA Quadrangle, N: 1 inch, W: 15 inches) in Eulalia Township, **Potter County**. This project proposes to impact 50 linear feet of South Hollow Stream which is designated a Cold Water Fishery and does not propose to impact any wetlands.

**E59-390.** Encroachment. **Le-Ma-Re Farms**, R. R. 7, Box 106, Wellsboro, PA 16901. To remove gravel deposits from a reach of stream approximately 250 feet in length by 17 feet in width and construct and maintain one agricultural crossing and stream bank fencing. The project is located in and adjacent to an unnamed tributary to Wilson Creek in Coolidge Hollow beginning at the intersection of T-403 and Route 287 (Antrim, PA Quadrangle N: 12.2 inches; W: 5.3 inches) in Delmar Township, **Tioga County**.

**E60-140.** Encroachment. **Pennsylvania Department of Transportation, Engineering District 3-0**, P. O. Box 218, Montoursville, PA 17754-0218. To remove gravel deposition from in and along White Deer Hold Creek to improve the hydraulic capacity of the existing S.R. 1012, Segment-Offset 0100/0355 bridge. The removal of the gravel deposition upstream of the S. R. 1012 bridge shall be limited to three areas that shall not exceed 150-feet



upstream of the bridge centerline. The removal of the gravel deposition downstream of the S. R. 1012 bridge shall be limited to two areas that shall not exceed 200-feet downstream of the bridge centerline. The gravel deposition shall be removed to a point to within 6 inches of the water level at the time removal operations are commenced. The project is located along the western right-of-way of S. R. 0015 approximately 400-feet south of S. R. 2002 and S. R. 1012 intersection (Allenwood, PA Quadrangle N: 20.3 inches; W: 7.1 inches) in Gregg Township, **Union County**. This permit does not authorize any permanent or temporary impacts to jurisdictional wetlands associated to White Deer Hole Creek. This permit solely authorizes the one time removal of gravel deposition beyond the limits specified in the Department's "Standards for Channel Cleaning at Bridges and Culverts." This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E32-401.** Encroachment. **Steven A. White**, 1793½ Getty Avenue, Indiana, PA 15701. To construct and maintain a low flow crossing consisting of three, 30-inch diameter smooth interior polyethylene pipes, depressed 6 inches into the bed of Cheese Run (CWF) for the purpose of providing access to a proposed residential dwelling. The project is located on the southwest side of T-412, approximately 800 feet west of Trim Tree Road (T-430) (Ernest, PA Quadrangle N: 4.25 inches; W: 14.0 inches) in Armstrong Township, **Indiana County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E65-741.** Encroachment. **J. J. Gumberg Company**, 1051 Brinton Road, Pittsburgh, PA 15221-4599. To construct and maintain the following structures for the purpose of development of North Huntingdon Square shopping complex: 1) Extension of an existing concrete arch pipe under S. R. 30 in Tinkers Run Tributary No. 1 with a 76-foot long structural steel plate arch having a span of 12.8 feet and an underclearance of 8 feet; 2) A 13-foot high, 922-foot long retaining wall on the right bank of Tinkers Run Tributary No. 1 starting just downstream of the culvert extension; 3) An outfall structure from detention basin No. 2 and associated rip rap in wetlands; 4) The aforementioned activities in combination will affect approximately 0.48 acre of wetlands (PEM). To compensate for wetland impacts, the permittee shall construct 0.48 acre of replacement wetlands (PEM). The project is located in North Huntingdon Square Shopping Center along S. R. 30, approximately 0.75 mile northwest of Turnpike Interchange No. 7 (Irwin, PA Quadrangle N: 12.45 inches; W: 8.25 inches) in North Huntingdon Township, **Westmoreland County**.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E16-114.** Encroachment. **Carl E. and Dorothy McCall**, 104 King Street, New Bethlehem, PA 16242. To

operate and maintain a low flow roadway crossing installed without a permit consisting of 12 12-inch diameter metal pipe culverts covered by a concrete capped roadway across West Fork Leatherwood Creek for a private driveway extending east from T-478 approximately 0.3 mile north of S. R. 854 (Sligo, PA Quadrangle N: 9.25 inches; W: 1.5 inches) in Porter Township, **Clarion County**.

## WATER ALLOCATIONS

**Actions taken on applications filed under the Act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.**

*Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**WA04-315E.** Water Allocation. **Ambridge Borough Water Authority**, Beaver County, PA. This permit grants the right to withdraw, for public water supply purposes, 4.8 million gallons per day (mgd) of water, based on an annual average, with a one day maximum of 6.6 mgd, from the Service Creek Reservoir, located in Raccoon and Independence Townships, **Beaver County**. Permit issued on March 30, 2000.

**WA04-1004.** Water Allocation. **Conway Borough Municipal Authority**, Beaver County, PA. This permit grants the right to purchase 250,000 gallons per day (gpd), as a monthly average, and 350,000 gpd, as a one day peak, from the Borough of Ambridge Water Authority. Permit issued on March 30, 2000.

**WA02-944C.** Water Allocation. **Edgeworth Borough Municipal Authority**, Allegheny County, PA. This permit grants the right to purchase 1 million gallons per day (gpd), as a monthly average, and 1.5 mgd, as a one day peak, from the Borough of Ambridge Water Authority; and the right to purchase 500,000 gallons per day (gpd), on an emergency basis only, from the Sewickley Water Authority. Permit issued on March 30, 2000.

## SPECIAL NOTICES

### Certification to Perform Radon-Related Activities in Pennsylvania

In the month of March 2000 the Department of Environmental Protection (Department) under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

NAME	ADDRESS	TYPE OF CERTIFICATION
Terry Amsley	74 Derbyshire Drive Carlisle, PA 17013	Testing
Thomas Berardelli	312 Blakely Street Dunmore, PA 18512	Testing

<i>NAME</i>	<i>ADDRESS</i>	<i>TYPE OF CERTIFICATION</i>
Fran Buechele	1401 Sentry Lane Jeffersonville, PA 19403	Testing Mitigation
Danielle Ferguson	214 Showers Road Clarion, PA 16214	Testing
C. Joseph Giel	1130 Locust Avenue Washington, PA 15301	Testing
Vilas Godbole	307 Dogwood Lane Wallingford, PA 19086	Mitigation
Philip Godshall	1317 Gwynedale Way Lansdale, PA 19446	Testing
Benjamin Gromicko	501 Eland Village Phoenixville, PA 19460	Testing
Robert Hannabery	1041 North Quebec Street Allentown, PA 18103	Testing
James Lamonaca	109 Oakridge Drive Johnstown, PA 15904	Testing
David Morgan	44 Crestview Road Phoenixville, PA 19460	Testing
Fred Peters	127 B Lane Harrisburg, PA 17111	Testing
Walter Rees	20 Camelia Lane Holtwood, PA 17532	Testing
Herbert Scott	7398 Tohickon Hill Road Point Pleasant, PA 18950	Testing
Michael Stabinski	721 South State Street Clarks Summit, PA 18411	Testing
Richard Stump, II Suburban Water Testing Labs, Inc.	4600 Kutztown Road Temple, PA 19560	Testing
John Sykes	88 Cherry Lane Doylestown, PA 18901	Mitigation
Calvin Tilley	18 West Third Street Williamsport, PA 17701	Testing
Robert Vail, Jr.	1335 Chapman Lake Road Jermyn, PA 18433	Mitigation
Stanley Watras S. J. Watras, Inc.	32 Indian Lane Boyertown, PA 19512	Testing Mitigation
John Wilson	107 Lockerbie Lane West Chester, PA 19382	Testing
David Wotring	R. D. 1, Box 491 Scotrun, PA 18355	Testing

[Pa.B. Doc. No. 00-669. Filed for public inspection April 21, 2000, 9:00 a.m.]

### Notice of Availability of One Permit Application for Beginning New or Expanding Existing Aquaculture Production Facilities

The Aquacultural Development Law, 3 Pa.C.S. § 4213(c) (relating to requirements for discharge of water), among other things, requires the Department of Environmental Protection (Department) to develop a consolidated permitting process for aquacultural facilities. By this notice, the Department announces the availability of the One Permit Application for use by prospective applicants. This application is modularized and consists of the application form (with several modules) and related instructions for completing the application. The One Permit

Application is a consolidation of all existing separate permit applications currently in use that would have been required to be completed individually. The applicant is advised to complete and submit only the applicable modules. To understand what may be required of applicants, a preapplication conference is recommended.

The One Permit Application is available for immediate use and is accessible on the Department's web site at: <http://www.dep.state.pa.us/dep/deputate/watermgt/watermgt.htm>.

It is also available by contacting one of the Department regional offices or from the Division of Wastewater Management, Bureau of Water Quality Protection at: Bureau

of Water Quality Protection, Division of Wastewater Management, Rachel Carson State Office Building, P. O. Box 8774, 11th Floor, Harrisburg, PA 17105-8774, (717) 787-8184.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-670. Filed for public inspection April 21, 2000, 9:00 a.m.]

**Stream Redesignation Evaluations; Water Quality Standards Review**

Under 25 Pa. Code § 93.4d (relating to public notice of receipt of evaluation or assessment of waters for High Quality (HQ) or Exceptional Value (EV) Waters redesigna-

tion) the Department of Environmental Protection (Department) hereby gives notice that evaluations of all or portions of the streams listed below are being conducted. Stream evaluations for designated uses other than HQ or EV are also listed. Persons who have technical data concerning the water quality, instream habitat or biological condition of these waters are encouraged to make it available to the Department for consideration in the assessments. These assessments may lead to recommendations to the Environmental Quality Board for redesignation.

Data should be submitted to Robert F. Frey, Division of Water Quality Assessment and Standards, Bureau of Watershed Conservation, P. O. Box 8555, Harrisburg, PA 17105-8555, E-mail [frey.robert@dep.state.pa.us](mailto:frey.robert@dep.state.pa.us). Data should be submitted no later than May 22, 2000. Questions concerning these evaluations can be directed to Robert Frey at (717) 787-9637.

<i>Stream Name</i>	<i>County</i>	<i>Tributary To</i>	<i>HQ/EV</i>
Beaver Creek	Chester	E. Br. Brandywine Creek	
Black Creek	Carbon	Lehigh River	
Brushy Meadow Run	Northampton	Martins Creek	
Crum Creek	Chester/Delaware	Delaware River	X
Dreck Creek	Carbon	Black Creek	X
Dunbar Creek	Fayette	Youghiogheny River	X
Green Lick Run	Fayette	Jacobs Creek	X
Hay Creek	Berks	Schuylkill River	X
Little Juniata River	Huntingdon	Juniata River	
Lost Creek	Juniata	Juniata River	X
Messenger Run	Warren	Tionesta Creek	X
Newtown Creek	Bucks	Neshaminy Creek	
South Fork Beech Creek	Centre	Beech Creek	
Spring Creek	Dauphin	Susquehanna River	
Swatara Creek	Schuylkill/Lebanon	Susquehanna River	
Tohickon Creek	Bucks	Delaware River	X
Waltz Creek	Northampton	Martins Creek	

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Robert Frey directly at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-671. Filed for public inspection April 21, 2000, 9:00 a.m.]

ner, Division of Waterways, Wetlands and Erosion Control at (717) 772-5970.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-672. Filed for public inspection April 21, 2000, 9:00 a.m.]

**Wetlands Protection Advisory Committee Meeting**

The May 2 Wetlands Protection Advisory Committee meeting will be primarily a field trip. The discussion portion will be held at the Comfort Inn, South of I-80, Exit 19, in Clearfield, from 1:30 p.m. to 3 p.m. Questions regarding the meeting should be directed to Kelly Hef-

**DEPARTMENT OF GENERAL SERVICES**

**Design Professional Selections**

The Selections Committee for the Department of General Services (Department) will meet to consider selections of Design Professionals for the following projects:

**Project No. DGS 132-1 Phase 4**—Visitor Center and Sewage Lift Equipment, Development of Recreational

Facilities, Nescopeck State Park, Luzerne County, PA. Estimated Construction Cost: \$1.5 million. The scope of work includes, but is not limited to, an approximately 4,500 sq. ft. Office/Visitor Center to include administrative area, public display area, classroom/meeting room and restrooms. This project also includes the mechanical/electrical equipment for two sewage lift stations.

**Project No. DGS 163-33**—Rehabilitation of Presque Isle Marina, Presque Isle State Park, Erie County, PA. Construction Cost: \$801,670. The scope of work includes, but is not limited to, new marina restroom/bathroom; rehabilitation of marina office; replace service docks and dredge marina at liftwell and gas dock; convert overhead electric service to underground; replace lighting; regrade parking lot; install new pump-out/porta-head cleanout, boat cleaning and self-pay fuel dispensing pumps.

**Project No. DGS 553-33**—Replace Electrical Feeder Cables, Selinsgrove Center, Selinsgrove, Snyder County, PA. Construction Cost: \$1.4 million. The scope of work includes, but is not limited to, replacement of Feeder Nos. 1, 6 and 8 to all appropriate buildings, including connectors, terminations, fire proofing, repair/replace conduit, manholes, cable racks and other accessories as required.

**Project No. DGS 700-38**—Construction of a Sample Receiving Room, Veterinary Diagnostic Laboratory, Harrisburg, Dauphin County, PA. Construction Cost: \$500,000. The scope of work includes, but is not limited to, an addition to the Pennsylvania Veterinary Laboratory for receiving and storage of samples. Facility must provide laboratory space, floor drains/sinks, office/toilet facilities and area for off-duty and night drop off of samples.

**Project No. DGS 963-14**—Construction of a New Armory and Land Acquisition, PA National Guard Readiness Center, Connellsville, Fayette County, PA. Total Construction Cost: \$2,373,600. The scope of work includes, but is not limited to, construction of an approximately 23,000 sq. ft., 100-person center including: assembly hall, classrooms, library, learning center, storage, kitchen/break and vending areas, latrines, fitness area, Abrams Full-Crew Interactive Simulation Training room, utility/equipment room, locker room and vehicle parking area.

**Project No. DGS 970-5**—Installation of Fire Protection Systems, Drake Well Museum, Titusville, Venango County, PA. Construction Cost: \$250,000. The scope of work includes, but is not limited to, installation of a fire suppression system in the Museum and several selected buildings. Subsequent to a study of the needs of the site, the type of system and a priority list of buildings/areas will be developed. *Note:* The fee to be paid to the design professional and the terms of the contract will be negotiated.

**Project No. DGS 975-9**—Installation of Fire Protection Systems, Cornwall Iron Furnace, Cornwall, Lebanon County, PA. Construction Cost: \$150,000. The scope of work includes, but is not limited to, installation of a fire suppression system in the Visitor Center (Charcoal House) and several selected buildings. Subsequent to a study of the needs of the site, the type of system and a priority list of buildings/areas will be developed. *Note:* The fee to be paid to the design professional and the terms of the contract will be negotiated.

**Project No. DGS 986-3**—Installation of Fire Protection Systems, Pennsylvania Lumber Museum, Galeton, Potter County, PA. Construction Cost: \$250,000. The scope of work includes, but is not limited to, installation of a fire suppression system in the Visitor Center and

several selected buildings. Subsequent to a study of the needs of the site, the type of system and a priority list of buildings/areas will be developed. *Note:* The fee to be paid to the design professional and the terms of the contract will be negotiated.

**Project No. DGS 1570-8**—Construction of a Level Three Medium Security Housing Unit, State Correctional Institution, Greensburg, Westmoreland County, PA. Total Construction Cost: \$5.397 million. The scope of work includes, but is not limited to, an approximately 39,000 sq. ft. medium security housing unit consisting of a minimum of 128 cells, dayrooms, multipurpose rooms, offices and control room.

**Project No. DGS 1572-9**—Expansion of Kitchen/dining, Administration and Program Facilities, State Regional Correctional Facility, Mercer, Mercer County, PA. Total Construction Cost: \$5 million. The scope of work includes, but is not limited to, renovation/expansion of the existing kitchen/dining room. Also included are expansion of the visiting room, central control and the staff/visitor entrance.

**Project No. DGS 1572-10**—Construction of Housing Unit and Renovation of Support Structures, State Regional Correctional Facility, Mercer, Mercer County, PA. Total Construction Cost: \$9.158 million. The scope of work includes, but is not limited to, an approximately 39,000 sq. ft. level 3 housing unit consisting of a minimum of 128 cells, dayrooms, offices, multipurpose rooms, and the like. Project also includes additional support space for medical/infirmary areas, a second perimeter fence, perimeter lighting and intrusion detection system.

**Project No. DGS 1574-5**—Construction of a Level Three Medium Security Housing Unit, State Correctional Institution, Cresson, Cambria County, PA. Total Construction Cost: \$5.397 million. The scope of work includes, but is not limited to, an approximately 39,000 sq. ft. medium security housing unit with a minimum of 128 cells, dayrooms, multipurpose rooms, offices and control room.

#### Requirements and Information

##### *Note—Project Program*

A Project Program, prepared by the Using Agency, is available for the following projects: DGS 132-1 Phase 4, DGS 163-33, DGS 553-33, DGS 700-38, DGS 963-14, DGS 970-5, DGS 975-9, DGS 986-3, DGS 1570-8, DGS 1572-9, DGS 1572-10 and DGS 1574-5. Copies of the Project Programs may be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, (717) 783-8468.

##### *Instructions for Filing Application*

Professionals will not be considered by the Committee until all of the following requirements are met.

(a) Signed Form 150-ASP must be filed with the Department. The signature on Form 150-ASP must be an original signature. Consultants listed on the requesting professional firm's application, Form 150-ASP shall be deemed to be designated Key Consultants. Form 150-ASP, Application for Specific Project, may be obtained upon request to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125, (717) 783-8468. The Form 150-ASP can be downloaded from the Professional Selections Web Site of the Department's Internet Home Page at <http://www.dgs.state.pa.us>. In addition, the Form 150-ASP can be obtained by E-mail by addressing a request to: [pbianchi@state.pa.us](mailto:pbianchi@state.pa.us).

(b) The requesting professional firm shall obtain from each consultant listed in Question 9, page 4 of the requesting professional firm's application (Form 150-ASP) a signed letter of certification on the consultant's letterhead, attesting to the firm's consent to participate in the requesting professional firm's application (Form 150-ASP) for the specific project. Signed letters of certification from consultants are required and constitute a part of the requesting professional firm's application (Form 150-ASP) for the specific project. The signature on the letter of certification must be an original signature.

(c) The requesting professional firm must submit six copies of Form 150-ASP, Application for Specific Project, for each project herein advertised in which the firm is interested and qualified to perform. At least one of the six copies submitted must contain all original signatures. For architectural projects and, when appropriate, for engineering projects, the Professional shall supply photographs showing a maximum of two different views of each of the three relevant projects described in Question 12, Pages 7 through 9 of the application (Form 150-ASP). The requesting professional firm or joint venture firm must be the professional of record for the projects described in Question 12, Pages 7 through 9 of the application (Form 150-ASP). It is not acceptable to list work performed by key consultants. The identification and appropriate supportive information concerning each photograph shall include the name, project title, location and the name of the professional of record. Color photo copies are acceptable, however, renderings and brochures will not be accepted in lieu of photographs. The photographs shall be attached to each copy of the application. (Form 150-ASP). The pages of each copy of Form 150-ASP must be stapled with photographs and consultant's letters of certification followed by the resumes of key personnel (listed in Question 10 and/or 11 on Pages 5 and/or 6) included as the last section of the application. Do not bind the application (Form 150-ASP) in any way to any other documentation. Do not bind the application (Form 150-ASP) in a binder of any type.

(d) A complete project submission, which consists of documents described in paragraphs (a), (b) and (c), must be received on or before the close of business (5 p.m.) Monday, May 8, 2000, and addressed to the Selections Committee, Department of General Services, Room 104, 18th and Herr Streets, Harrisburg, PA 17125. Fax applications are not acceptable.

Project submissions must be made on the Form 150-ASP. Applications submitted on any other form are unacceptable and will not be considered by the Committee.

(e) The Selections Committee may at its discretion establish interviews with any or all of the professionals who have requested consideration for appointment as designer for the listed projects. If an interview is required, the professional will be notified by the Committee as to the date, time and location.

(f) Additional information, in writing, may be requested by the Committee as required.

#### **Additional Services—Indoor Air Quality Assessment Program and Hazardous Materials**

The professional firm selected to design a project will be expected to perform and administer, when required by the Department as Additional Services, an Indoor Air Quality Assessment Program during building or renovation commissioning and the sampling, testing, inspection and monitoring for removal of any asbestos, other hazard-

ous waste or contaminants encountered during project design or construction, unless otherwise stated in the scope.

The Selections Committee encourages responses from small firms, minority firms, women-owned firms and firms who have not previously performed State work, and will consider joint ventures, which will enable them to participate in this program.

Applications submitted are subject to review by the Selections Committee. The Selections Committee disclaims any liability whatsoever as to its review of the applications submitted and in formulating its recommendations for selection. Recommendations for selection made by the Committee shall be final under the act of May 15, 1998 (P. L. 358, No. 57).

GARY E. CROWELL,  
*Secretary*

[Pa.B. Doc. No. 00-673. Filed for public inspection April 21, 2000, 9:00 a.m.]

## **DEPARTMENT OF PUBLIC WELFARE**

### **Comment Period for the Reprocurement of the Draft Southeast Physical Health Managed Care Request for Proposal**

The Department of Public Welfare (Department) is announcing the opportunity for the public to comment on the plan to reprocure the services of physical health managed care plans for the HealthChoices Program in Southeast Pennsylvania. HealthChoices is the Department's mandatory managed care program for Medical Assistance consumers.

The Department currently contracts for managed care services with four health plans in the Southeast Zone, which includes Bucks, Chester, Delaware, Montgomery and Philadelphia counties.

The Department intends to release a draft of the Request for Proposal (RFP) for public comment on or about April 22, 2000. Persons interested in requesting copies of the draft RFP, may do so by writing to DPW/OMAP, Division of Development and Support, P. O. Box 2675, Harrisburg, PA 17105-2675.

E-mail requests also will be accepted at the following address: [draftRFP@dpw.state.pa.us](mailto:draftRFP@dpw.state.pa.us).

Written comments may be sent to the above-mentioned address or e-mail address, and comments will be accepted until May 22, 2000.

The physical health plans awarded contracts with the Department will provide all physical health services such as primary care, dental care, pharmacy services and laboratory services. The plans will also ensure that members receive quality care and timely access to all appropriate health services whether the services are delivered on an inpatient or outpatient basis.

The formal RFP to reprocure the Southeast Zone will be released during September 2000, and the physical health contracts will become effective January 2002. Additional information regarding the Southeast Zone

HealthChoices procurement will be provided in the *Pennsylvania Bulletin* at a later date.

FEATHER O. HOUSTOUN,  
Secretary

[Pa.B. Doc. No. 00-674. Filed for public inspection April 21, 2000, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Millionaire Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Millionaire.

2. *Price:* The price of a Pennsylvania Millionaire instant lottery game ticket is \$5.00.

3. *Play Symbols:* Each Pennsylvania Millionaire instant lottery game ticket will contain one play area featuring one "Winning Numbers" area and one "Your Numbers" area. The play symbols and their captions located in the "Winning Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENTY), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT) and 29 (TWYNIN). The play symbols and their captions located in the "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENTY), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and a Money Bag Symbol (\$\$BAG).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the 15 "Prize" areas are: \$2.<sup>00</sup> (TWO DOL), \$5.<sup>00</sup> (FIV DOL), \$8.<sup>00</sup> (EGT DOL), \$10.<sup>00</sup> (TEN DOL), \$12\$ (TWLV), \$20\$ (TWENTY), \$24\$ (TWY FOR), \$30\$ (THIRTY), \$75\$ (SVY FIV), \$100 (ONE HUN), \$300 (THR HUN), \$1,000 (ONE THO), \$25,000 (TWYFIVTHO) and MILLION (\$1 MILL).

5. *Prizes:* The prizes that can be won in this game are \$2, \$5, \$8, \$10, \$12, \$20, \$24, \$30, \$75, \$100, \$300, \$1,000, \$25,000 and \$1,000,000. The player can win up to 15 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 2,400,000 tickets will be printed for the Pennsylvania Millionaire instant lottery game.

#### 7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of MILLION (\$1 MILL) appears in the "Prize" area under

the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000.

(b) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$25,000 (TWYFIVTHO) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(c) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$300 (THR HUN) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(e) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$100 (ONE HUN) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$75\$ (SVY FIV) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$75.

(h) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$75\$ (SVY FIV) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$75.

(i) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$30\$ (THIRTY) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$30.

(j) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$30\$ (THIRTY) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(k) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$24\$ (TWY FOR) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$24.

(l) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$24\$

(TWY FOR) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$24.

(m) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$20\$ (TWENTY) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$20\$ (TWENTY) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$12\$ (TWLV) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$12.

(p) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$12\$ (TWLV) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$12.

(q) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$10<sup>00</sup> (TEN DOL) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$10<sup>00</sup> (TEN DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$8<sup>00</sup> (EGT DOL) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$8.

(t) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$8<sup>00</sup> (EGT DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$8.

(u) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Money Bag Symbol (\$\$BAG) and a prize play symbol of \$5<sup>00</sup> (FIV DOL) appears in the "Prize" area under the Money Bag Symbol (\$\$BAG) play symbol, on a single ticket, shall be entitled to a prize of \$5.

(v) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$5<sup>00</sup> (FIV DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(w) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning

Numbers" play symbols and a prize play symbol of \$2<sup>00</sup> (TWO DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of Your Numbers To Any Of The Winning Numbers With Prize(s) Of:</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 2,400,000 Tickets</i>
\$5	\$5	1:24	100,000
\$5 AUTO	\$5	1:9.23	260,000
\$2 x 4	\$8	1:300	8,000
\$8	\$8	1:600	4,000
\$8 AUTO	\$8	1:120	20,000
\$2 x 5	\$10	1:60	40,000
\$5 x 2	\$10	1:120	20,000
\$10	\$10	1:120	20,000
\$10 AUTO	\$10	1:46.15	52,000
\$2 x 6	\$12	1:300	8,000
\$5 x 2 + \$2	\$12	1:300	8,000
\$10 + \$2	\$12	1:300	8,000
\$12	\$12	1:600	4,000
\$12 AUTO	\$12	1:200	12,000
\$2 x 10	\$20	1:300	8,000
\$5 x 4	\$20	1:300	8,000
\$5 x 2 + \$10	\$20	1:300	8,000
\$10 x 2	\$20	1:600	4,000
\$20	\$20	1:600	4,000
\$20 AUTO	\$20	1:300	8,000
\$2 x 12	\$24	1:600	4,000
\$5 x 4 + \$2 x 2	\$24	1:600	4,000
\$10 x 2 + \$2 x 2	\$24	1:300	8,000
\$12 x 2	\$24	1:600	4,000
\$24	\$24	1:600	4,000
\$24 AUTO	\$24	1:200	12,000
\$2 x 15	\$30	1:1,333	1,800
\$5 x 6	\$30	1:4,000	600
\$5 x 4 + \$10	\$30	1:10,000	240
\$20 + \$5 x 2	\$30	1:10,000	240
\$30	\$30	1:20,000	120
\$30 AUTO	\$30	1:1,200	2,000
\$5 x 15	\$75	1:4,000	600
\$5 x 11 + \$20	\$75	1:8,000	300
\$10 x 7 + \$5	\$75	1:24,000	100
\$20 x 3 + \$5 x 3	\$75	1:24,000	100
\$75	\$75	1:24,000	100
\$75 AUTO	\$75	1:3,000	800
\$10 x 10	\$100	1:12,000	200
\$20 x 5	\$100	1:20,000	120
\$75 + \$20 + \$5	\$100	1:20,000	120
\$100	\$100	1:60,000	40
\$100 AUTO	\$100	1:7,500	320
\$20 x 15	\$300	1:120,000	20
\$30 x 10	\$300	1:120,000	20
\$100 x 3	\$300	1:120,000	20
\$300	\$300	1:120,000	20
\$100 x 10	\$1,000	1:1,200,000	2

Match Any Of Your Numbers To Any Of The Winning Numbers With Prize(s) Of:

Win	Approximate Odds	Approximate No. of Winners Per 2,400,000 Tickets
\$1,000	1:800,000	3
\$25,000	1:800,000	3
MILLION	1:1,200,000	2

AUTO = Wins Automatically

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Millionaire instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Millionaire, prize money from winning Pennsylvania Millionaire instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Millionaire instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Millionaire or through normal communications methods.

ROBERT A. JUDGE, Sr.,  
Secretary

[Pa.B. Doc. No. 00-675. Filed for public inspection April 21, 2000, 9:00 a.m.]

**Pennsylvania Money Money Money Instant Lottery Game**

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Money Money Money.

2. *Price:* The price of a Pennsylvania Money Money instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Money Money instant lottery game ticket will contain one play area. The play symbols and their captions located in the play area are: \$1.<sup>00</sup> (ONE DOL), \$2.<sup>00</sup> (TWO DOL), \$3.<sup>00</sup> (THR DOL), \$5.<sup>00</sup> (FIV DOL), \$8.<sup>00</sup> (EGT DOL), \$15\$ (FIFTN), \$25\$ (TWY FIV), \$40\$ (FORTY), \$100 (ONE HUN), \$500 (FIV HUN), and \$5,000 (FIV THO).

4. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$5, \$8, \$15, \$25, \$40, \$100, \$500 and \$5,000.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 8,400,000 tickets will be printed for the Pennsylvania Money Money Money instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols of \$5,000 (FIV THO) in the play area on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with three matching play symbols of \$500 (FIV HUN) in the play area on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets with three matching play symbols of \$100 (ONE HUN) in the play area on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with three matching play symbols of \$40\$ (FORTY) in the play area on a single ticket, shall be entitled to a prize of \$40.

(e) Holders of tickets with three matching play symbols of \$25\$ (TWY FIV) in the play area on a single ticket, shall be entitled to a prize of \$25.

(f) Holders of tickets with three matching play symbols of \$15\$ (FIFTN) in the play area on a single ticket, shall be entitled to a prize of \$15.

(g) Holders of tickets with three matching play symbols of \$8.<sup>00</sup> (EGT DOL) in the play area on a single ticket, shall be entitled to a prize of \$8.

(h) Holders of tickets with three matching play symbols of \$5.<sup>00</sup> (FIV DOL) in the play area on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets with three matching play symbols of \$3.<sup>00</sup> (THR DOL) in the play area on a single ticket, shall be entitled to a prize of \$3.

(j) Holders of tickets with three matching play symbols of \$2.<sup>00</sup> (TWO DOL) in the play area on a single ticket, shall be entitled to a prize of \$2.

(k) Holders of tickets with three matching play symbols of \$1.<sup>00</sup> (ONE DOL) in the play area on a single ticket, shall be entitled to a prize of \$1.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Match 3 Like Amounts With Prize(s) Of:	Win	Approximate Odds	Approximate No. of Winners Per 8,400,000 Tickets
\$1	\$1	1:9.68	868,000
\$2	\$2	1:13.64	616,000
\$3	\$3	1:42.86	196,000
\$5	\$5	1:150	56,000
\$8	\$8	1:300	28,000
\$15	\$15	1:150	56,000
\$25	\$25	1:300	28,000
\$40	\$40	1:2,000	4,200
\$100	\$100	1:16,000	525
\$500	\$500	1:60,000	140
\$5,000	\$5,000	1:700,000	12

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Money Money Money instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).



9. *Unclaimed Prize Money.* For a period of 1 year from the announced close of Pennsylvania Money Money Money, prize money from winning Pennsylvania Money Money Money instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Money Money Money instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law.* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game.* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Money Money Money or through normal communications methods.

ROBERT A. JUDGE, Sr.,  
*Secretary*

[Pa.B. Doc. No. 00-676. Filed for public inspection April 21, 2000, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Decentralized Certificate of Salvage Services

The purpose of this notice is to solicit letters of interest from salvage auctions who are authorized as messenger services by the Department of Transportation (Department) to participate in an expansion of the pilot program for decentralized certificate of salvage services.

The Department is soliciting expressions of interest from salvage auctions currently authorized as Department messenger services for applications to provide decentralized certificate of salvage services to Department customers. This solicitation will expand an existing Department pilot program implemented under section 25 of Act 115 of 1996, P. L. 660, (Act 115). Act 115 directs the Department to initiate pilot programs for private sector, decentralized services for motor vehicle and driver license transactions.

For the certificate of salvage program, the Department will select up to five new sites for online messenger salvage auctions to provide certificates of salvage to customers by their connection to the Department's mainframe computer. The selected vendors will provide face-to-face services to customers at Department-approved locations. To be eligible for consideration, applicants must be authorized messenger services at the time of application and shall not have been sanctioned by either the Department or the State Police since March 31, 1997.

The term of the contract resulting from this procurement will be 5 years, from August 1, 2000, to August 1, 2005. Interested messenger services may obtain a copy of the application procedures and program requirements by contacting Sue Wilson, 1101 South Front Street, 1st Floor, Riverfront Office Center, Harrisburg, PA 17104, (717) 787-4291.

Prospective applicants must submit questions in writing to Sue Wilson by 4 p.m. on May 15, 2000. The Department will address all questions from prospective applicants at a meeting at 10 a.m. on May 24, 2000, on the 4th Floor of the Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104. The Department must receive the completed applications by June 24, 2000. Mail applications to: Bureau of Motor Vehicles, Attn.: Sue Wilson, 1101 South Front Street, 1st Floor, Riverfront Office Center, Harrisburg, PA 17104.

The Department will not consider applications received after June 24th.

BRADLEY MALLORY,  
*Secretary*

[Pa.B. Doc. No. 00-677. Filed for public inspection April 21, 2000, 9:00 a.m.]

### Retention of Engineering Firms

#### Lycoming County Project Reference No. 08430AG2530

The Department of Transportation will retain an engineering firm under a multi-phase, specific project agreement to perform preliminary engineering, environmental studies, final design and engineering services during construction on S. R. 0220, Section 077, Lycoming County, Susquehanna Beltway.

This project involves studies to relocate or upgrade to interstate standards an eight-mile portion of S. R. 0220 between Jersey Shore and Williamsport. The eastern 6.5 miles of this section of S. R. 220 has substandard horizontal and vertical geometry and no access control. The western 1.5 miles of this section of S. R. 220 is constructed on limited access right-of-way, but contains one at-grade intersection on the northbound lanes. Also included is upgrade of the existing interchange of State Route 2014 (West Fourth Street) and S. R. 220 at the eastern limit of the project from a partial interchange to a full interchange. Estimated total project construction cost is \$125 million. It is anticipated that the required level of environmental clearance for the project is an Environmental Impact Statement.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.
- b) Available staffing for this assignment and the ability to meet the Department's needs.
- c) Specialized experience and technical competence of firm.
- d) Location of Consultant in respect to the District.

The firm selected may be required to perform a variety of engineering services as indicated below (but not limited to):

#### Part I

Phase 1—Initial Studies: This phase will consist of preliminary studies to develop the Project Needs Analysis. Interchange requirements will also be developed in this

phase. Tasks may include, but are not limited to: field survey, evaluation of existing roadway features, traffic studies, access control studies, public involvement, 3D visualization, initial development of interchange concepts, issuance of Notice of Intent to Enter, and development of the Project Purpose and Need Document. This phase represents Steps 1 through 3 in the Department's Ten-Step Process for development of an EIS.

Phase 2—Phase 1 Alternatives Analysis and Environmental Constraints development: This phase will consist of preliminary studies to develop relocation, upgrade, and TSM alternatives for SR 220 within the project limits which will be carried through into the next phase. Phase I alternative alignments with Interchange concepts and environmental features constraint mapping will be developed in this phase. This phase extends through development of the Phase I Alternatives Analysis. Tasks may include, but are not limited to: public involvement, 3D visualization, development of preliminary alignments, preliminary cost estimates, development of environmental constraints mapping via GIS database, and development of the Phase I Alternatives Analysis document. This phase represents Step 4 in the Department's Ten-Step Process for development of an EIS.

Phase 3—Phase II Alternatives Analysis and Preparation of the Draft EIS: This phase will advance the alternatives recommended in the Phase I Analysis to a detailed level of preliminary engineering and environmental study. Environmental constraints will be refined in the Phase II alignment corridors and the Phase II alternatives will be sensitized to these constraints. This phase extends through development of the detailed Phase II Alternatives Analysis and preparation/publication of the Draft EIS document and comment/public hearing period. Tasks may include, but are not limited to: development of preliminary line, grade, and typical sections, preliminary hydrologic and hydraulic studies, preliminary structure geometry, preliminary maintenance and protection of traffic, development of detailed cost estimates, detailed field surveys, PUC coordination, public involvement, 3D visualization, value engineering coordination, farmland evaluations, hazardous waste evaluations, cultural resource studies, other environmental studies to support the EIS, preparation of the Draft EIS, and preparation for the public hearing. This phase represents Steps 5 through 7 in the Department's Ten-Step Process for development of an EIS.

Phase 4—Preparation of the Final EIS and Mitigation Report and development of project plans up to the Design Field View submission: This phase will consist of advancing the environmental studies for the project to completion of the Final EIS, Record of Decision, and Mitigation Report. Preliminary engineering will be completed up to the Design Field View submission. Environmental tasks may include, but are not limited to: development of responses to comments received on the Draft and Final EIS, refinement of alternatives, public involvement, preparation of the Final EIS, preparation of responses to comments received on the Final EIS, development of a draft Record of Decision, and preparation of the Mitigation Report. Preliminary engineering studies may include but are not limited to: refinement of line, grade, and typical sections, design exception submission, alternate interchange schematics, traffic control plans, preliminary signing plans, TS&L, preliminary erosion and sedimentation control plan, pavement design, and preliminary

right-of-way plans. This phase represents Steps 8 through 10 in the Department's Ten-Step Process for development of an EIS and development of the Design Field View Submission.

#### Part II

Phase 1—Preparation of the right-of-way plans and final roadway/structure plans, including but not limited to final design, and preparation of plans, specifications and estimates.

#### Part III

Phase 1—Consultation during construction.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Paul E. Heise, P.E., District Engineer  
Engineering District 3-0  
715 Jordan Avenue  
P. O. Box 218  
Montoursville, PA 17754  
Attn: Mr. Eric E. High, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Eric High, P.E., phone number (570) 368-4258, fax number (570) 368-4311.

**Bedford, Blair, Cambria, Fulton, Huntingdon and Somerset Counties**  
**Project Reference No. 08430AG2531**

The Department will retain an engineering firm for an Open-End Contract for engineering services to designate and locate utilities on various projects located in Engineering District 9-0, that is Bedford, Blair, Cambria, Fulton, Huntingdon, and Somerset Counties. This contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of this Open-End Contract will be \$500 thousand.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific

experience of individuals employed by the firm shall be considered.

b. Available staffing for this assignment and the ability to meet the Department's needs.

c. Specialized experience, availability of appropriate equipment, and technical competence of firm in performing subsurface utility engineering for highway projects.

d. Location of Consultant in respect to the District.

The selected firm will be required to provide all professional designating and locating services to designate, with electronic equipment, existing subsurface utility facilities, including detection and mapping of underground storage tanks, drums, and similar type facilities in progressive phases; to locate, either by test holes or by nondestructive methods, existing subsurface utility facilities which may be affected by our highway projects; to provide valuation problem identification and solutions in the field; to provide utility facility identification by survey; to provide other related services as required.

For the purpose of this advertisement, "designate" means to indicate, by marking, the presence and approximate horizontal location of a subsurface utility using geophysical prospecting techniques, and "locate" means to obtain the accurate horizontal and vertical location of a subsurface utility by digging a test hole.

The engineering services identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and no more than three (3) additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Earl L. Neiderhiser, P.E., District Engineer  
Engineering District 9-0  
1620 N. Juniata Street  
Hollidaysburg, PA 16648  
Attn: David L. Sherman, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to David L. Sherman, P.E., phone number (814)696-7172, fax number (814)696-7173.

**Bucks, Chester, Delaware, Montgomery and Philadelphia Counties  
Project Reference No. 08430AG2532**

The Department will retain two (2) engineering firms for Open-End Contracts for various engineering services on various projects located in Engineering District 6—0, that is Bucks, Chester, Delaware, Montgomery and Philadelphia Counties. Each Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of each Open-End Contract will be \$1.5 million.

The Department will establish an order of ranking of a minimum of five (5) firms for the purpose of negotiating

two (2) Open-End Contracts based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.

b. Available staffing for this assignment and the ability to meet the Department's needs.

c. Record of experience with District 6-0 policies and procedures on similar contracts.

d. Specialized experience and technical competence of firm.

e. Location of Consultant in respect to the District.

The work and services required under these Contracts may encompass a wide range of engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, roadway betterments (3R type,) minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under these Contracts include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The engineering services identified above are the general work activities that can be expected under these Open-End Contracts. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under these Open-End Contracts.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator  
Engineering District 6-0  
7000 Geerdes Boulevard  
King of Prussia, PA 19406  
Attn: Timothy R. O'Brien

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Timothy O'Brien, P.E., phone number (610) 205-6850, fax number (610) 205-6903.

**Fayette, Greene, Washington and Westmoreland  
Counties  
Project Reference No. 08430AG2533**

The Department will retain an engineering firm to provide a minimum of two (2) survey corps for preliminary, final and construction surveys on various projects in Engineering District 12-0, Fayette, Greene, Washington and Westmoreland Counties.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting Letters of Interest:

- a. Review of employee's resumes with emphasis on surveying capabilities and specialized experience in Highway/Route Surveying.
- b. Geographical location of firm in relation to the Engineering District.
- c. Understanding of the Department's requirements, policies, and specifications.
- d. Ability to provide survey crew on short (3-day minimum) notice.
- e. Past performance.
- f. GPS capability.

The qualifications and experience required of the firm's personnel must meet or exceed the requirements of the Department's surveyor class specifications. The descriptions for these classifications can be obtained from the District contact person identified at the end of this solicitation. The survey personnel and supporting resume information must be submitted with the letter of interest.

1. All field survey work shall be under the supervision of a Professional Land Surveyor licensed in the Commonwealth of Pennsylvania.

2. Each survey crew shall consist of a minimum of one (1) party chief, one (1) instrument person and one (1) rod/prism/chain personnel to complete the crew.

3. Electronic equipment and procedures must be utilized in completion of surveys, unless otherwise directed by the Department.

4. The party chief must have a minimum of three (3) years experience as a party chief in highway related

work. In the absence of the party chief, the corps will cease operations. Operations will commence when the corps are properly staffed and capable of executing the assignment.

5. Provisions will be included for railroad insurance, rental of arrow boards, ladders, and/or boats when and if needed.

If a survey firm is submitting a letter of interest, it must indicate in the body of its transmittal letter the names and Professional Land Surveyor License Numbers of individuals who are directing activities, and whose names and seals shall be stamped on plans, specifications, plans and reports issued by the firm.

The firm selected may be required to adequately staff a minimum of two (2) survey crews. The firm will be required to furnish each survey crew with all required material, equipment, liability insurance, safety equipment and procedures necessary for the efficient, timely and professional completion of highway route surveying including preliminary, construction, final, property, site development surveys as directed by the Department. In addition, the firm will be required to provide property records research, property plat compilation, and plat plan development. Preliminary surveys shall be performed using (3D) electronic survey procedures, unless otherwise directed by the Department. To ensure that all survey data is collected in a format that is compatible with the Department's Microstation Software, the Department will provide Department developed Electronic Survey Collection Software, and User's Manual to the selected firm. The software will be restricted to use on Department projects. The selected firm will be responsible for providing the hardware configuration necessary to complete surveys using the Department's software.

The hardware requirements for the Intergraph System are Husky (Husky Inc.) handheld data collectors (1 Meg Memory), laptop computers, 3 1/2" Discs and electronic total stations surveying instruments with serial cables to communicate with handheld computers. The total stations shall be better than a five (5) second instrument.

Software requirements are TDS Survey pro loaded on data collectors, and survey link loaded on laptop computers for editing purposes.

The proposed contract necessitates a requirement of the selected firm to have the capability to update and perform its electronic data collection to a global positioning system (RTK). This project reference assignment is considered non-complex.

The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
Engineering District 12-0  
North Gallatin Avenue Extension  
Uniontown, Pennsylvania 15401  
Attention: Donald P. Boord, P.L.S.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Donald P. Boord, phone number 724-439-7338 fax number 724-439-7356.

**Fayette and Greene Counties  
Project Reference No. 08430AG2534**

The Department will retain an engineering firm to provide preliminary engineering and environmental studies, final design and services during construction on S. R. 0021, Section A10, Fayette and Greene Counties, Masontown Bridge.

This project involves replacing the existing eleven (11) span bridge (spans 1 through 4 and 9 through 11 are riveted built-up through-girders, spans 5 through 8 are through-trusses) with an overall length of 1437 feet, with a new multi-span, four lane bridge structure. The project includes reconstructing approach roadways on new and/or existing alignment to approximately the Masontown Interchange in Fayette County and to the Paisley Intersection in Greene County.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting Letters of Interest:

- a. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience. The specific experience of individuals employed by the firm shall be considered.
- b. Available staffing for this assignment and the ability to meet the Department's needs.
- c. Specialized experience and technical competence of firm.
- d. Location of Consultant in respect to the District.

The firm selected will be required to develop and evaluate roadway and structure improvement alternatives; perform field surveys; plot topography and cross sections; prepare Step 9 Submission; perform a Categorical Exclusion Evaluation, including coordination, preparation and submitting all related documents; preparation of the NEPA Document; prepare submission for utility verification and relocations engineering; develop erosion control details and narrative; perform field views; perform safety reviews; prepare line, grade and typical sections; prepare right-of-way plans; perform hydrologic and hydraulic analysis and obtain all necessary permits; perform bridge replacement studies; complete structure designs, including Type, Size & Location Report, conduct soils investigations, prepare Reconnaissance Report and develop a core boring layout, prepare a Foundation Report and foundation design; develop traffic control plans and narratives; investigate utility involvement; provide materials for and participate in value engineering reviews; collect accident data and other traffic flow data; document engineering study findings and activities; perform alternative analysis to assess impacts and mitigation; investigate and design roadway drainage; prepare Construction Plans, Specifications and Estimate Submission; provide project management, project scheduling, coordinate and conduct public involvement activities, and provide any other services required to complete the preliminary engineering and environmental studies, final design and services during construction for this project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project.

This project reference assignment is considered complex. The Letter of Interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an

organizational chart (up to 11" x 17" size), and additional resumes, if applicable (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
Engineering District 12-0  
North Gallatin Avenue Extension  
Uniontown, PA 15401

Attention: Lloyd J. French

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Lloyd J. French, phone number (724) 439-7157, fax number (724) 430-4401.

**Statewide  
Project Reference No. 08430AG2535**

The Department will retain an engineering firm to provide fabrication inspection of prestressed/precast concrete products under the supervision of the Chief Structural Materials Engineer. This inspection will be performed Statewide and at out-of-state locations as directed by the Chief Structural Materials Engineer. The Contract will include reinforced concrete pipe and other items incidental to highway construction designated by the Department. Inspection will be conducted in accordance with the Department's Publication No. 145. The Contract will be for a period of sixty (60) months, commencing January 1, 2001.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

1. Review of the inspector's qualifications with emphasis on prestressed/precast concrete fabrication inspection experience.
2. Understanding of Department requirements, policies and specifications including the ACI, ASTM and AASHTO references.
3. Review of the firm's supervision plan for the plant inspection staff, indicating how the inspectors will be supervised and evaluated and how their documentation will be reviewed and submitted.
4. Number of qualified prestressed/precast concrete fabrication inspectors available for this agreement.
5. Key personnel experienced with precast and prestressed concrete plant fabrication inspection and practices.
6. Firm's past performance of prestressed/precast inspection in fabrication plants.
7. Firm's in-house training program to ensure training and certification of all employees.
8. Location of office to perform work with respect to Harrisburg.

9. Basic computer skills of inspection/supervisory personnel.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

The qualifications and experience required for ninety (90) percent of the inspectors, at contract inception on January 01, 2001, are as follows:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) as a technician, level II or higher in Construction Materials Testing/Concrete, Transportation/Highway Construction, or Transportation/Highway Materials OR

2. Be certified by the American Concrete Institute (ACI) as Concrete Field Testing Technician-Grade I, OR

3. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required concrete fabrication experience for the specified Inspection Classification acceptable to the Department, OR

4. Be certified as an Engineer-In-Training by the Commonwealth of Pennsylvania with the required concrete fabrication experience for the specified Inspection Classification acceptable to the Department, OR

5. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science in Civil Engineering Technology with the required concrete fabrication experience for the specified Inspection Classification acceptable to the Department, OR

6. Hold an Associate Degree in Civil Engineering Technology with the required concrete fabrication experience for the specified Inspection Classification acceptable to the Department.

Additionally, the following requirements will apply during the contract period.

7. Prior to December 31 of each calendar year, the following minimum percentages of the engineers staff must be certified by the American Concrete Institute (ACI) as a Concrete Field Testing Technician-Grade I.

2001—60%
2002—70%
2003—80%
2004—90%
2005—100%

The staff assigned to prestressed concrete fabrication inspection must be high school graduates with no less than three (3) years in concrete construction of which one (1) year is in the prestressed concrete fabrication field.

The staff assigned to precast box culvert fabrication inspection must be high school graduates with no less than three (3) years in concrete construction of which one (1) year is in the prestressed concrete fabrication field or the precast concrete box culvert fabrication field.

The staff assigned to precast concrete inspection must be high school graduates with no less than three (3) years in construction of which one year is in the concrete fabrication field.

The Staff Engineer (Manager) of the inspection personnel must be a Professional Engineer registered in Pennsylvania with a minimum of three (3) years of prestressed/precast fabrication related experience. One (1) year must be directly related to prestressed concrete plant fabrication.

An Inspection Supervisor is required to be a Professional Engineer registered in the Commonwealth of Pennsylvania or meet the requirements of a prestressed concrete inspector. The inspection supervisor is required to provide direct supervision of the inspection staff by making routine visits to assigned plants.

Also, the following minimum qualifications will be taken into consideration:

—Ability to speak, write, read and understand the English language

—Have basic knowledge of prestressed/precast concrete fabrication

—Prior experience in prestressed/precast concrete plant fabrication inspection

—Basic computer literacy in the use of databases, spreadsheets, word processor program and Internet.

—Capable of acting as a direct representative of the Engineer

The selected firm will be required to furnish approximately fifteen (15) to thirty (30) qualified inspectors at various statewide and out-of-state fabrication shops as the workload dictates. Occasional field inspection at projects sites is required. Attendance may be required at pre-fabrication meetings with Department engineers and fabrication personnel. The selected firm will be required to furnish two (2) inspection supervisors (one in the eastern region, one in the western region) to provide direct daily supervision of the inspection activities.

Under the direction of the Department, the selected firm will be required to keep records and document the fabrication process either manually, electronically or both; provide quality assurance inspection and perform acceptance tests; submit weekly progress reports; exercise control over materials and workmanship to ensure conformance to specifications; provide a detailed final report and a tabulated list of prestressed/ precast concrete quantities shipped to Department projects.

The selected firm must provide all necessary test equipment listed in Publication 145 including a slump cone, air meter, all specification references and the following specific computer/software equipment, at each assigned plant, unless otherwise specified, at no direct cost to the Department.

—Laptop computer having the following minimum features:

- 233 MHz pentium II processor speed, minimum
- 64 Mb RAM, minimum
- 56k v.90 modem
- installed software
  - Microsoft Office 2000
  - WinZip
  - internet service provider to electronically transmit data

—Color Printer

—Digital cameras (two only, one for each supervisor)

- 1000 x 750 dpi capable, minimum

The project manager may be required to perform professional services as a Staff Engineer, including but not limited to plant approval, quality control plan and mix design review, at the direction of the Department.

The selected firm must also provide the services of a Specifications Engineer and a Forensics Engineer when required. The Specifications Engineer will be required to work in conjunction with Department staff to coordinate and review specification changes from the clearance transmittal process through final implementation. In addition, the selected firm will be asked to participate in the forensic analysis of concrete items by providing the services of a specialized concrete engineer, well versed in the concrete technology field, if directed by the Department.

The job descriptions for all classifications may be obtained from the Structural Materials Engineer who is identified at the end of this solicitation.

The maximum straight time reimbursement per hour for each Department payroll classification for calendar year 2001 will be as follows:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour, 2001</i>
Prestressed Concrete—Box Culvert Inspector—PS/BC-I* (TCIS Dept. classification)	\$43.01
Precast Concrete—Reinforced Concrete Pipe Inspector—PC/RCP-I (TCI-M Dept. classification)	\$38.77
Inspection Supervisor, * (TCM2 Dept. classification)	\$55.97
Staff Engineer, *	\$55.00+profit and overhead
Specifications Engineer, *	\$55.00+profit and overhead
Forensics Engineer, *	\$55.00+profit and overhead

Letters of interest for this project must include a letter, signed by the individual(s) you propose for the classifications marked with an asterisk (\*) above giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
Staff Engr.	1
Forensics Engr.	1
Specifications Engr.	1
Inspection supervisors	2
PS/BC-I inspectors	10

No resumes shall be submitted for the Precast Concrete-Reinforced Concrete Pipe Inspector—PC/RCP-I (TCI-M Dept. classification).

The letter of interest shall be limited to a maximum of six (6) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable (see general requirements and information section).

A letter of interest submission shall be sent to:

Director, Bureau of Construction and Materials  
 1118 State Street, Harrisburg, PA 17120  
 Mailing Address: P. O. Box 2926, Harrisburg, PA 17105  
 Attention Mr. Robert Horwhat

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Robert Horwhat, P.E., Acting Chief Structural Materials Engineer, Bureau of Construction & Materials at (717) 787-1950, fax number (717) 705-5750.

**Chester County  
 Project Reference No. 08430AG2536**

The Department will retain an engineering firm to provide preliminary engineering, environmental documentation, final design and services during construction on the following projects:

1. S. R. 3049, Section 47M, Chester County  
 Local Name: Brandywine Creek Road over a branch of Brandywine Creek in Newlin Township

This project involves the replacement of the existing structure with a box culvert and minor approach roadway work, drainage improvements and guiderail update. The structure is located within the Green Valley Historic District.

2. S. R. 4012, Section 42M, Chester County  
 Local Name: Supplee Road over west branch of Brandywine Creek in Honeybrook Township

This project involves the replacement of the existing structure and minor approach roadway work, drainage improvements and guiderail update.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience. The specific experience of individuals employed by the firm shall be considered.
- b. Available staffing for this assignment and the ability to meet the Department's needs.
- c. Specialized experience and technical competence of firm.
- d. Location of Consultant with respect to the District Office.

The firm selected may be required to provide the following engineering, environmental and design services: C.E.E. document preparation; surveys; roadway design; drainage design; preparation of cross sections; erosion and sedimentation control design; preparation of roadside development plans; right of way investigation and plan preparation, structure design; subsurface boring, sampling and testing; preparation of traffic control plans, pavement marking and signing plans; utility coordination; coordination with PUC, PennDEP, US Army Corps of Engineers, public agencies, municipal officials, and the public; preparation of final plans, specifications and estimates; shop drawing reviews; alternate design review; construction consultation; and other services necessary to complete the project.

The firm selected may be required to provide environmental services to identify and assess historic and archaeological resources, and wetlands.

The firm selected may be required to perform the following to ensure that a complete environmental investigation has been performed: provide all necessary environmental services, materials and equipment necessary to collect, analyze, and organize data, assess impacts, conduct agency and public involvement activities, and prepare reports and mitigation plans. The reports and other written graphic material to be prepared may include, but

are not limited to Section 106 documents; Section 4(f) Evaluation, Mitigation Plans and Reports; and coordinating the development of the study with various agencies and special interest groups.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator  
Engineering District 6-0  
7000 Geerdes Boulevard  
King of Prussia, PA 19406

Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Timothy R. O'Brien, P.E., District 6-0, phone number (610) 205-6850, fax number (610) 205-6903 or Ms. Madeleine C. Fausto, District 6-0, at (610) 205-6848, fax number (610) 205-6903.

**Delaware and Montgomery Counties  
Project Reference No. 08430AG2537**

The Department will retain an engineering firm to provide preliminary engineering, environmental documentation, final design and services during construction on the following projects:

1. S. R. 0100, Section 67S, Delaware County  
Local Name: Creek Road over Harvey's Creek in Birmingham Township

This project involves the replacement of the existing structure and minor approach roadway work, drainage improvements and guiderail update. The structure is located within the Brandywine Battlefield National Historic Landmark.

2. S. R. 1015, Section 01B, Montgomery County  
Local Name: Quarry Road over west branch of Skippack Creek in Lower Salford Township

This project involves the replacement of the existing structure and approach roadway work, drainage improvements and guiderail update. The western side of the structure is located within the Jacob Reiff Township Park.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience. The specific experience of individuals employed by the firm shall be considered.
- b. Available staffing for this assignment and the ability to meet the Department's needs.
- c. Specialized experience and technical competence of firm.

d. Location of Consultant with respect to the District Office.

The firm selected may be required to provide the following engineering, environmental and design services: C.E.E. document preparation; surveys; roadway design; drainage design; preparation of cross sections; erosion and sedimentation control design; Preparation of Roadside development plans; right of way investigation and plan preparation, structure design; subsurface boring, sampling and testing; preparation of traffic control plans, pavement marking and signing plans; utility coordination; coordination with PUC, PennDEP, US Army Corps of Engineers, public agencies, municipal officials, and the public; preparation of final plans, specifications and estimates; shop drawing reviews; alternate design review; construction consultation; and other services necessary to complete the project.

The firm selected may be required to provide environmental services to identify and assess historic and archaeological resources, and wetlands.

The firm selected may be required to perform the following to ensure that a complete environmental investigation has been performed: provided all necessary environmental services, materials and equipment necessary to collect, analyze, and organize data, assess impacts, conduct agency and public involvement activities, and prepare reports and mitigation plans. The reports and other written graphic material to be prepared may include, but are not limited to Section 106 documents; Section 4(f) Evaluation, Mitigation Plans and Reports; and coordinating the development of the study with various agencies and special interest groups.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator  
Engineering District 6-0  
7000 Geerdes Boulevard  
King of Prussia, PA 19406

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Timothy R. O'Brien, P.E., District 6-0, phone number (610) 205-6850, fax number (610) 205-6903 or Ms. Madeleine C. Fausto, District 6-0, at (610) 205-6848, fax number (610) 205-6903.

**Mercer County  
Project Reference No. 08430AG2538**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately nine (9) inspectors, under the Department's Inspector-in-Charge for construction inspection



and documentation services on S. R. 0018, Section A01, Mercer County, North Hermitage Road.

This project involves the widening, resurfacing, signal upgrade, drainage updates, guide rail updates, and shoulder upgrades from north of the intersection with the Shenango Valley Freeway, (S. R. 0062) for approximately 2.5 miles to the existing four lane cloverleaf.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Understanding of Department's requirements, policies, and specifications.
- c. Past Performance.
- d. Ability to provide CPM scheduling.
- e. Number of available inspectors in each payroll classification.
- f. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	5 (3)*
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

\* At least one TCI to be a nuclear gage operator.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$47.65
(TCIS)	\$41.75
(TCI)	\$36.53
(TA)	\$25.12

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License at point of need when needed
- 2 Cellular Phones (for Engineer's employees only)
- 1 Camera—Digital with date and time
- 1 Smart Level
- 1 Laptop with the minimum requirements:
  - Pentium II central processing unit
  - 350 MHz MMX CPU Speed
  - 64 MB EDO or SDRAM Random Access Memory
  - 3.0 GB Hard Drive
  - 24X Internal CD-ROM Drive
  - 1.44 MB 3.5" Internal Disk Drive
  - External ZIP Drive (100MB) Parallel Port Interface
  - External Serial or BUS Mouse
  - Internal Pointing Device
  - 1/1 Serial/Parallel Ports
  - 2 Type II PCMCIA Slots
  - 56K V.90 Data/Fax Internal PCMCIA Modem

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total Agreement price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project.

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	3
TCI	6
TA	0

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. John L. Baker, P.E. District Engineer  
 Engineering District 1-0  
 255 Elm Street  
 P. O. Box 398  
 Oil City, Pa. 16301-0398

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Terry J. Nye, P.E., Assistant District Engineer Construction, District 1-0, phone number (814)678-7120, fax number (814)618-7020.

**Mercer County  
 Project Reference No. 08430AG2539**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately nine (9) inspectors, under the Department's Inspector-in-Charge for construction inspection and documentation services on S. R. 0018, Section A01, Mercer County, North Hermitage Road.

This project involves the widening, resurfacing, signal upgrade, drainage updates, guide rail updates, and shoulder upgrades from north of the intersection with the Shenango Valley Freeway, (S. R. 0062) for approximately 2.5 miles to the existing four lane cloverleaf.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Understanding of Department's requirements, policies, and specifications.
- c. Past Performance.
- d. Ability to provide CPM scheduling.
- e. Number of available inspectors in each payroll classification.
- f. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	5 (3)*
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

\* At least one TCI to be a nuclear gage operator.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$47.65
(TCIS)	\$41.75
(TCI)	\$36.53
(TA)	\$25.12

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 3 Nuclear Densometer Gauges/License at point of need when needed
- 4 Cellular Phones (for Engineer's employees only)
  - 1 Camera—Digital with date and time
  - 2 Smart Level
- 2 Laptop with the minimum requirements:
  - Pentium II central processing unit
  - 350 MHz MMX CPU Speed
  - 64 MB EDO or SDRAM Random Access Memory
  - 3.0 GB Hard Drive
  - 24X Internal CD-RROM Drive
  - 2.44 MB 3.5" Internal Disk Drive
  - External ZIP Drive (100MB) Parallel Port Interface
  - External Serial or BUS Mouse
  - Internal Pointing Device
  - 1/1 Serial/Parallel Ports
  - 2 Type II PCMCIA Slots
  - 56K V.90 Data/Fax Internal PCMCIA Modem

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total Agreement price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project.

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	3
TCI	6
TA	0

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a

maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. John L. Baker, P.E. District Engineer  
 Engineering District 1-0  
 255 Elm Street  
 P. O. Box 398  
 Oil City, Pa. 16301-0398

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Terry J. Nye, P.E., Assistant District Engineer Construction, District 1-0, phone number (814) 678-7120, fax number (814) 618-7020.

**Mercer County  
 Project Reference No. 08430AG2540**

The Department will retain an engineering firm to provide preliminary design, environmental studies, final design, and consultation during construction on S. R. 0518, Section A00, Mercer County, PA 518.

This project involves the reconstruction/relocation of the existing SR 518-A00 in the City of Hermitage, Mercer County from Lamor Road to Pine Hollow Road. The primary need of this project is to replace the deficient roadway and culvert, realign or reconstruct to improve sight distances, and increase traffic safety.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Proven ability to meet project schedules and control costs.
- b. Experience and competence of project manager and key personnel.
- c. Innovations and flexibility in thinking, particularly with respect to the needs of the local community.
- d. Past performance record on similar projects.
- e. Past performance record of listed sub-consultants.
- f. Availability of listed staff.

The firm selected may be required to provide the following engineering and design services: field surveys; environmental clearance; utility clearance; traffic studies; alternative analysis; value engineering; Preliminary Design Field View submission (Step 9); T S & L report; foundation report; construction plans; the plans, specifications, and estimate package; and consultation services during construction.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. John L. Baker, P.E., District Engineer  
Engineering District 1-0  
255 Elm Street  
Oil City, PA 16301  
Attn: Mr. Michael L. McMullen, PE

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Ms. Jeanette Uhl, phone number (814) 678-7084, fax number (814) 678-7030.

**Jefferson, Clarion and Butler Counties  
Project Reference No. 08430AG2541**

The Department will retain an engineering firm to provide a feasibility study for the widening of forty-four (44) bridge structures on Interstate 80 in Jefferson, Clarion and Butler Counties.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Experience in structure analysis and design including truss widening.
- b. Ability to expedite the project and maintain schedule and budget.
- c. Project team composition and experience.
- d. Past performance on Department projects.

The firm selected may be required to determine which structures require widening to provide for the passage of a 16 foot wide vehicle during future rehabilitation or redecking while maintaining 1 lane of traffic in each direction. The consultant will be required to provide for each of the forty-four (44) structures a typical cross-section showing potential phasing scenarios during reconstruction. For each of the structures determined to require widening, the consultant will also show widening strategies and will address, in narrative form, geotechnical considerations, fabrication and erection constraints and an evaluation of potential environmental impacts. A structural analysis of three (3) continuous deck truss/girder structures, two (2) continuous welded plate girder structures and (2) continuous deck girder/adjacent box beam structures with their associated widening schemes will also be provided by the consultant. No structure inspection is required. Field work will be limited to site visits. A cost estimate will be prepared for each structure widening. The study will be performed using English units of measure.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer  
Engineering District 1-0  
P. O. Box 429 Rte. 286 South  
Indiana, Pennsylvania 15701  
Attention: Ms. Melanie S. Percha, Project Manager

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Ms. Melanie S. Percha, Project Manager, phone number (724) 357-4804, fax number (724) 357-1905.

**Erie County  
Project Reference No. 08430AG2542**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately seven (7) inspectors, under the Department's Inspector-in-Charge for construction inspection and documentation services on S. R. 4034, Section A51, East Side Access Highway, Erie County.

This project involves the construction of a new 2,500 linear foot, four lane controlled access highway between S. R. 4018 (East 6th Street) and S. R. 0005 (East 12th Street), with new signalized intersections at East 6th Street, East 8th Street, East 10th Street, and East 12th Street. Also, S. R. 0005 will be reconfigured between East Avenue and Wayne Street. The existing railroad structure over S. R. 0005 will be removed and replaced with a roadway structure over the railroad. Due to the change of grade of S. R. 0005, five (5) retaining walls along with the construction of a single span structure will be incorporated onto the project. Also included with this project is the relocation of the Garrison Run culvert south of S.R 0005.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Understanding of Department's requirements, policies, and specifications.
- c. Past Performance.
- d. Ability to provide CPM scheduling.
- e. Number of available inspectors in each payroll classification.
- f. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	3 (3)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$47.65
(TCIS)	\$41.75
(TCI-Materials)	\$37.65
(TCI)	\$36.53
(TA)	\$25.12

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the super-

vision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License at point of need when needed
- 1 Vehicle for the Transportation of Nuclear Gauge
- 2 Cellular Phones (for Engineer's employees only)
- 4 Two-Way Radios
- 1 Camera—Digital with date and time
- 1 Smart Level
- 1 Survey Equipment (rod, level, tapes, etc.)

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total Agreement price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project.

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	2
TCI-M	2
TCI	4
TA	0

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. John L. Baker, P.E. District Engineer  
Engineering District 1-0  
255 Elm Street  
P. O. Box 398  
Oil City, Pa. 16301-0398

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the 20th day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Terry J. Nye, P.E., Assistant District Engineer Construction, District 1-0, phone number (814) 678-7120, fax number (814) 618-7020.

**Butler County  
Project Reference No. 08430AG2543**

The Department will retain an engineering firm to provide supplementary construction inspection staff of

approximately six (6) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 0228, Section 241, Butler County, I-79 Bridge.

This project involves the completion of the 228 Bridge construction work in preparation for the Cranberry Interchange/Turnpike Connector project. The project is located in Cranberry and Marshall Townships at the border of Allegheny and Butler Counties.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Number of available inspectors in each payroll classification.
- c. Number of NICET certified inspectors in each payroll classification.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Ability to provide CPM scheduling.
- f. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	4 (3)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$41.75
(TCI)	\$36.53

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, equal opportunity provisions of the contract item; provide certified CDS Operator and Nuclear Densometer Gage Licensed Operator; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License at point of need when needed

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total Agreement price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI	5

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer  
Engineering District 10-0  
Route 286 South, P. O. Box 429  
Indiana, PA 15701

Attention Mr. Paul F. Koza, Jr.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Paul F. Koza, Jr., phone number 724/357-3205, fax number 724/357-5951.

**Allegheny, Beaver and Lawrence Counties  
Project Reference No. 08430AG2544**

The Department will retain two (2) surveying and/or engineering firms to provide on-call surveying services on various projects located in Engineering District 11-0, that is Allegheny, Beaver and Lawrence Counties. The contracts will be for a thirty-six (36) month period with projects being assigned on an as-needed basis. The Department however, reserves the right to extend the completion time of the contracts as required to meet design and construction schedules or monitoring requirements. It is estimated that approximately one thousand one hundred twenty (1,120) field crew days must be provided by each firm plus an additional three thousand one hundred (3,100) man-hours for right-of-way research and development. Each firm must be able to provide a minimum of two (2) four-person surveying crews capable of being in the field within five (5) days of notification.

The Department will establish an order of ranking of a minimum of five (5) firms for the purpose of negotiating two (2) on-call survey contracts based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience. The specific experience of individuals employed by the firm shall be considered.
- b. Available staffing for this assignment and the ability to meet the Department's needs.
- c. Specialized experience and technical competence of firm.
- d. Location of Consultant with respect to the District Office.

The work and services required under this Contract may encompass projects with a wide range of environmental studies and engineering efforts, including the possibility of several different types of projects having short completion schedules being assigned concurrently. The anticipated types of projects include, but are not limited to: bridge replacements or bridge rehabilitation with approach work, environmental studies, roadway betterments (3R type,) capital improvement projects (bridges or roadway), railroad grade crossing projects, location studies, etc. Survey work may include, but not be limited to: preliminary, construction, final, re-tracing of

right-of-way, establishing of right-of-way, GPS, photogrammetry and property surveys.

Firms will be required to adequately staff a minimum of two four-person survey crews, CADD operator, document research technician and a Professional Licensed Surveyor experienced in route surveying and design. Firms will be required to furnish each survey crew with all required material, equipment, liability insurance, safety equipment and procedures necessary for the efficient, timely and professional completion of work. Development of plans showing the existing rights-of-way of existing roads will be required in accordance with Design Manual III.

Preliminary highway surveys must be performed using three-dimensional (3D) electronic survey procedures, unless otherwise directed by the Department. To ensure that all survey data is collected in a format that is compatible with the Department's existing Electronic Theodolite Interface, (ETI) software, the Department will provide Electronic Survey Collection (ESC) Software and Users' Manual to the selected firms. The software is restricted to use on Department projects. The selected firm will be responsible for providing the hardware configuration necessary to complete surveys using the Department's software and having the capability to edit and view graphically all electronic survey files before submitting data by 3-1/2" diskette to the District.

The hardware and data collection equipment must be compatible to the District's format. The Total Station will be equal to or better than a five-second instrument (5").

The qualifications and experience required of the firm's personnel must meet or exceed the requirements of the Department's surveyor class specification. The descriptions for these classifications can be obtained from the District contact person identified at the end of this solicitation.

The survey personnel and supporting resume must be submitted with the letter of interest or in the annual qualifications package. There shall be no substitution or addition of personnel without first submitting resumes and receiving written approval by the Department.

All field survey work must be done under the supervision of a Professional Land Surveyor licensed in the state of Pennsylvania and experienced in route surveying and design.

Each survey crew must, at a minimum, consist of one (1) party chief, one instrument person and rod/prism/chain personnel to complete the crew, whether it is three, four or five people.

Electronic survey procedures, as described above, must be utilized in completion of surveys, unless otherwise directed by the Department.

The party chief must have a minimum of five (5) years experience as a party chief in highway-related work. When an approved party chief is unavailable, the crew will only work when the Professional Land Surveyor is present on-site and in charge of the survey crew unless other arrangements have been made with the Department.

Provisions will be included for railroad insurance, rental of arrow boards, ladders and/or boats as needed.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and

additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Raymond S. Hack, P.E., District Engineer  
Engineering District 11-0  
45 Thoms Run Road  
Bridgeville, PA 15017  
Attention: Joel C. Bowman, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. William J. Somplatsky, PLS, phone number (412) 429-4916, fax number (412) 429-5069.

### General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that request engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania. A firm not conforming to this requirement may submit a letter of interest as a part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.
3. Identify subconsultants, if any, including DBE/WBE, if required.
4. Identify key project staff.

5. Include full disclosure of any potential conflict of interest by the prime or any subconsultant based on Engineering Involvement Restrictions Guidelines as established in Strike-off Letter No. 433-00-02 published March 27, 2000. If there are no potential conflicts you shall include the following statement: I have reviewed Strike-off Letter No. 433-00-02 and determine that there are no potential conflicts of interest for anyone on this project team.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
Secretary

[Pa.B. Doc. No. 00-678. Filed for public inspection April 21, 2000, 9:00 a.m.]



# HOUSING FINANCE AGENCY

## Homeownership Choice Demonstration Program; Request for Proposals

The Housing Finance Agency (Agency) announces a request for proposals (RFP) to provide funds for the development of single family homes, for purchase, in urban communities.

### *Background*

After several decades of booming suburban development, there has been a recent increase in the amount of interest surrounding land-use decisions and growth. A number of constituencies have espoused the position that "suburban sprawl," if unaddressed, could have negative environmental, economic and societal consequences. These groups argue that unless alternatives are identified, unchecked growth could cost the Commonwealth millions in public infrastructure dollars; continue to concentrate poor and minority families in urban areas with limited access to jobs or schools that provide quality education; and continue to weaken the sense of community across this Commonwealth.

In July of 1997, Governor Tom Ridge responded to increasing concern about current municipal land-use patterns with the establishment of the 21st Century Environmental Commission (Commission). The Commission's mandate was to develop and help implement environmental strategies designed to provide a better environment for future generations without inhibiting their ability to prosper. Further, the Commission was charged with helping government to assert its role as an efficient capable steward of the environment, establish policies and practices that effectively support the goals of environmental quality, personal and community well-being, and economic prosperity.

The Commission issued a final report in September 1998 which detailed a number of key strategies sustaining this Commonwealth as a desirable place to live, work and raise a family. One of these recommendations was the revitalization of this Commonwealth's older urban communities to combat suburban and exurban sprawl. The report strongly states that to counteract suburban sprawl, urban places must be economically and environmentally healthy and desirable places to live.

An important component of Agency's mission is to make this Commonwealth a better place to live while fostering community and economic development. To achieve this mission, the Agency recognizes that affordable homeownership is a vehicle for both increasing a geographic area's economic diversity and marketability. The presence of long-term investors (that is, homebuyers) builds optimism and hope in a community and signals that urban neighborhoods hold promise for becoming healthier, more attractive places in which to raise families, shop and work.

The challenge is to craft strategies that encourage older urban communities to become competitive with suburban and rural areas. While increasing urban homeownership opportunities is a step in the right direction, significant hurdles remain before urban neighborhoods become attractive alternatives for homebuyers. The field of community development, including comprehensive community revitalization initiatives, offers an opportunity to strengthen and complement urban homeownership ef-

forts. An urban homeownership choice demonstration program would be consistent with and complement the Ridge administration's effort to reconfigure the dynamics of economic growth through the Keystone Opportunity Enterprise Zones.

### *The Homeownership Choice Demonstration Program (HCDP)*

For urban areas to become more attractive, it is clear that a significant undertaking is required. This effort should seek to both attract additional homeowners to urban areas, while simultaneously addressing structural obstacles that make the urban development marketplace less than attractive. To this end the Agency's Board has set aside \$5 million to sponsor a demonstration program that will encourage market-sensitive and innovative land use planning concepts in urban areas, as well as work in concert with community revitalization efforts. The focus of the program is the development of new homeownership opportunities and the transformation of distressed urban neighborhoods into attractive places to live.

*The Guiding Principles for the HCDP include the following:*

*Link to comprehensive approaches.* Although homeownership is an important part of any neighborhood revitalization agenda, it is not sufficient by itself to transform distressed urban areas. To achieve measurable impact, projects need to be conceived within the context of overall strategic plans, designed to produce significant scale. Recognizing that the resources that could reasonably be brought to bear through this demonstration would be insufficient to transform entire neighborhoods, the Agency intends to maximize potential impact by coordinating the demonstration with efforts that seek to address some other factors that contribute to negative urban environments (that is, unemployment, crime, lack of green or open space, and the like). The HCDP provides an opportunity for the Agency to work collaboratively, comprehensively and efficiently with public and private sector partners undertaking comprehensive neighborhood revitalization projects.

*Transfer cost-effective homebuilding skills to urban areas.* For-profit homebuilders operate primarily in the suburbs. However, the skills and knowledge that these homebuilders often possess are much needed in urban areas. The HCDP seeks to make urban homebuilding sufficiently attractive to transfer to urban areas the efficiencies and techniques which enable builders to produce low-cost, high-quality suburban homes. To ensure the transfer of skills beyond the program, for-profit developers should work in partnership with local non-profit developers or Community Development Corporations (CDCs). These nonprofits should already be engaged in the types of comprehensive revitalization activities that are needed to complement a homeownership initiative. To encourage partnership and learning at the municipal level, applications for funding through the program should be a joint effort between a for-profit builder, a nonprofit and the local government. To ensure that local resources are better focused on the demonstration program in that area, municipalities are limited to one application.

*Increase homeownership opportunities and choices in urban areas.* Currently, there exists a homeownership gap that divides the suburbs from the cities. Approximately 73.7% of suburban families own their homes, compared with just 50.5% of families in central cities. A central focus of the program is the development of homeowner-

ship opportunities in urban areas. Further, these opportunities must be structured so as to be viewed as attractive choices and potential alternatives to homeownership opportunities in the suburbs. To increase the overall number of homeowners, use of program funding is to be directed to producing homes and homeownership opportunities.

*Encourage diversity of homeownership.* An important element of strengthening urban neighborhoods is reducing economic and social isolation. While 73.5% of white families in America are homeowners, only 45.5% of Latino families and 47% of African American families own their homes. Applications must include an Affirmative Fair Housing Marketing Plan.

*Build mixed-income communities.* While the program will pursue the development of affordable housing opportunities for first time home buyers, these projects should be largely indistinguishable from neighboring market-rate properties. In this manner, the properties should attract home buyers with a wide range of incomes. In the event that local matching support has certain restrictions on its use, the HCDP funds may be designated to target low-, moderate- and middle-income families.

*Develop at scale.* To have an impact on an urban area's economic and social viability, it will be necessary to produce a demonstrable critical mass of revitalization within small, select neighborhoods. By "critical mass" is meant the achievement of a scale of development sufficient to generate spontaneous reinvestment in a community. Therefore, the HCDP will consider efforts that would achieve the development of no less than 50 homeownership units in municipalities with a population of 50,000 or more and no less than 25 homeownership units in those municipalities with a population of 50,000 or less.

*Focus on new construction.* New homes transform neighborhoods by attracting the residents, businesses and jobs that urban areas need to reverse decades of decline. An emphasis is placed on the construction of new homes.

*Focus on strategic locations.* The HCDP proposals should target those areas within municipalities of a sizable population which have experienced significant depopulation while their surrounding suburban communities have experienced significant growth.

*Leverage Agency funds.* To extend the impact of the Agency's funding, support through the program must be matched on a 1:1 basis by local applicants. Of this amount, a minimum of 50% of the funding should be contributed by local government. The Agency intends to provide its funding as a loan, with flexible repayment and deferred interest provisions. Applicants are encouraged to devise innovative methods to secure and repay agency funds.

*Insure long term affordability.* The energy efficiency of the housing developed is an important factor in maintaining affordable operating costs. Applicants must include a description of the energy efficiency standards and specifications which they will meet. Applicants are encouraged to be innovative in the use of renewable energy technologies, or such other energy efficiencies as will facilitate long term affordability.

*Increase net investment.* This demonstration is intended to in a small, yet ambitious, manner counteract some market inefficiencies and is not intended to address the viability of public housing and HUD's efforts to shift the costs for the operation of such public housing units. Thus projects which are a part of, or result from, public housing restructuring or mixed finance applications will

not be considered for participation in this demonstration. An outcome of the program should be a net increase in local affordable housing investment.

#### *Requirements*

##### *The HCDP Development*

The design of the proposed housing development must address the *Guiding Principles* of the HCDP.

1. The HCDP proposal must detail plans for the development of no less than 50 homeownership units in municipalities with a population of 50,000 or more and no less than 25 homeownership units in those municipalities with a population of 50,000 or less.

2. Developments need to be conceived within the context of comprehensive municipal strategic plan, designed to produce significant scale.

3. The comprehensive municipal strategic plan should specify plans for economic development and include other physical or public safety improvements proposed or in place, such as sidewalks, street lights and the proximity to or availability of other community services and amenities such as transportation, schools, shopping areas and parks, and the like.

4. The HCDP development homeownership opportunities must be structured so as to be viewed as attractive choices and potential alternatives to homeownership opportunities in the suburbs.

5. An emphasis is to be placed on the construction of new single family homes, including development of duplex and townhouse as well as detached units. The product mix is to be based upon the overall needs of the community.

6. The HCDP development must show coordination with efforts that seek to address some other factors that contribute to negative urban environments (that is, unemployment, crime, lack of green or open space, and the like).

7. The use of HCDP funds is intended to target low-, moderate- and middle-income families. However, only those purchasers with incomes at or below 115% of area median income are eligible for the Agency's single family mortgage loan programs.

Note: In striving to build mixed income communities, the Agency may consider the entire area and not simply the new HCDP development in its evaluation.

8. The proposal must show a time-line for the proposed development, including, but not limited to, budgets, access to matching or leveraging funds, site control, construction schedule and overall time to completion and occupancy.

9. The outcome of the HCDP development should be a net increase in local affordable housing investment.

10. Proposals which are a part of, or result from, public housing restructuring or mixed finance applications will not be considered for participation in this demonstration.

##### *The Proposal*

1. Proposals for funding through the program should be a joint effort between a for-profit builder, a nonprofit and the local government. Proposals coming from first class cities must be generated through and submitted by the municipal government.

2. For-profit homebuilders/developers should work in partnership with local nonprofit developers or CDCs.

3. The HCDP proposals should target those areas within municipalities of a sizable population which have experienced significant depopulation while their surrounding suburban communities have experienced significant growth.

4. Applicants are limited to one proposal per municipality.

5. The Agency's funding must be matched on a 1 : 1 basis by local applicants.

6. A minimum of 50% of the match funding should be contributed by local government.

Examples of sources for local government matching funds may include, but are not limited to, funds made available through, CDBG, HOME and the Department of Community and Economic Development's Community of Opportunities Program.

7. Applicants should address all the key features of the proposed development and include specific outcomes to be achieved, including how the HCDP funds will make urban homeownership more attractive and affordable.

8. It is preferable that HCDP homeownership opportunities, especially those specifically intended for first time home buyers, be offered in conjunction with the creation of a viable homeownership association, possibly through a partnership with a community based nonprofit organization.

*A proposal must include:*

1. The amount of HCDP funds requested and proposed use of funds.

Note: HCDP funds may be used for housing development and housing related expenditures only, for example: land acquisition, infrastructure, mortgage write-downs for qualifying buyers (those at or below 115% of area median income) to ensure affordability.

2. An outline indicating how the HCDP funds will be secured and how repayment will be achieved over the life of the Program.

3. A description of the proposed HCDP development, its scope, marketing plan and a comprehensive description of the need for and the expected effect of the HCDP development and funding.

4. Detailed plans and drawings of the neighborhood and proposed site, including any proposed municipal improvements not part of the HCDP proposal.

5. A definitive market study showing the HCDP development as complementing or part of a comprehensive municipal plan that would include other physical improvements either existing or proposed for the neighborhood.

6. A narrative on the effect of the proposed HCDP development on the current residents and any relocation of residents that may be necessary with plans to do so.

7. An Affirmative Fair Housing Marketing Plan.

8. A description of the energy efficiency standards and specifications which the proposed HCDP development will meet.

9. A detailed plan to leverage resources for the project, a list of the sources of matching and/or leveraging funds and a time-line for fund availability.

10. A detailed breakdown of percentage of funding support and degree of municipal participation.

11. A description of all other efforts that will be offered or undertaken by the appropriate governmental entities in support of the applicant and the proposed HCDP development, including evidence of appropriate zoning.

12. A list of community linkages and partnerships in support of the HCDP development.

13. A list of contacts for each of the partners in the HCDP proposed development, for example, municipality, developer, contractor, CDC, nonprofit, and the like, to include: name, full address, telephone number, fax number and E-mail address.

14. A brief description of any previous experiences in the community, with the developer, the nonprofits and the CDC, and the like.

- The Agency encourages applicants to provide additional information, ideas and proposed linkages beyond what is required.

- Applicants are also encouraged to provide statistical analyses and data to support the concept.

*The Process*

The process is designed to include 2 phases. The first is the application phase. Proposals must be received by the Agency no later than 5 p.m. on Friday, June 30, 2000.

The second is the evaluation phase. The Agency will evaluate all proposals and inform applicants of a decision by Thursday, August 31, 2000.

The Agency monitoring and municipal reporting requirements will be based upon the use of HCDP funds.

- Although the Agency will have mortgage funding available for those purchasers who qualify for the Agency's single family loan programs, mortgage funding through the Agency is not a requirement.

Note: One qualifying factor is that the purchaser be a first time home buyer, unless the municipality is in a designated target county—then the purchaser need not be a first time home buyer to qualify for the Agency funding.

*Decision factors*

Funding decisions will be based upon the *Guiding Principles* enumerated in the program description and the criteria set forth in the *Development* and *Proposal Requirement* sections of this RFP.

Although all criteria must be addressed and all will be evaluated, priority will be given to those proposals demonstrating a high degree of municipal participation, support and leveraging of funds. Proposals that demonstrate a substantial positive overall effect on the neighborhood/community, build upon the existing network of community organizations, programs and services, build mixed-income communities and/or are evaluated to be a vital part of a comprehensive economic development plan will also be considered more favorably.

Another significant factor is site control. Those projects exhibiting the greatest degree of site control, all else being equal, will be viewed as being most ready to proceed and therefore receive favorable consideration in the competitive evaluation.

Additionally, consideration will be given to the experience and previous success of the partners' prior developments. The Agency recognizes that in some areas of the Commonwealth, due to the lack of experienced nonprofits, home builders may have to partner with less experienced nonprofit partners.

Proposal/application material will become the property of the Agency. The Agency reserves the right to amend or modify this demonstration program at any time and may determine to discontinue this program at any time. Costs associated with this proposal/application will be the responsibility of the applicant.

Submit proposals to Robert F. Bobincheck, Associate Director—Office of Strategic Planning and Policy, Pennsylvania Housing Finance Agency, 2101 North Front Street, P. O. Box 8029, Harrisburg, PA 17105-8029.

Please submit questions regarding the Program to Robert Bobincheck in writing. Persons may also submit questions by fax—(717) 780-1833, or by E-mail at bbobincheck@phfa.org.

Responses to questions will be posted on the web site [www.phfa.org](http://www.phfa.org).

[Pa.B. Doc. No. 00-679. Filed for public inspection April 21, 2000, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (IRRC) may issue comments within 10 days of the close of the committee comment period. The Commission comments are based upon the criteria contained in section 5a(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulations must be submitted by the dates indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
16A-568	State Real Estate Commission Agency	4/6/00	3/6/02
2-124	Department of Agriculture Agricultural Land Conservation Assistance Grant Program	4/6/00	3/6/02

### State Real Estate Commission Regulation No. 16A-568

**Agency  
April 6, 2000**

We submit for your consideration the following objections and recommendations regarding this regulation. Section 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) list the criteria IRRC must use to determine if the regulation is in the public interest. The State Real Estate Commission (Commission) must respond to these Comments when it submits the final regulation. If the final regulation is not delivered by March 6, 2002, the regulation will be deemed withdrawn.

### 1. Section 35.201. Definitions—Consistency with the statute.

This section proposes to amend an existing definition and add ten new definitions of terms, which are also defined in The Real Estate Licensing Act (act) (63 P. S. § 455.201). Only the definition of “consumer” is identical to the definition in the act; the remainder are not.

We object to the definitions in the regulation which differ from the definitions in the act. The Commission should reference the statutory definitions in section 455.201 of the act. If the Commission does not reference the statutory definitions of these terms in the final regulation, it should justify the changes to the following definitions.

#### *Agency relationship*

This definition refers to a “broker of record or licensees employed by a broker of record.” The act refers to the “broker or licensees in the employ of the broker.” The term in the proposed regulation also refers to a “consumer who becomes a principal.” The act refers to a “consumer of real estate services.”

#### *Buyer agent*

This definition refers to a “licensee who enters into an agency relationship with a buyer/tenant.” The act refers to a “consumer buyer of real estate” instead of a “buyer/tenant.”

#### *Designated agent*

This term refers to one or more licensees designated by the “broker of record,” while the act refers to an “employing broker.” The term in the proposed regulation also refers to licensees “employed by the broker of record,” while the act refers to licensees “within the broker’s employ.”

#### *Dual agent*

This term is defined as “a licensee who acts as an agent for the buyer/tenant and seller/landlord in the same transaction.” The act defines the term as “a licensee who acts as an agent for the buyer and seller, or lessee and landlord, in the same transaction.”

#### *Listing broker*

This term is defined as “a broker of record who has entered into a written agreement with a seller/landlord to market property as a seller’s agent, dual agent or transaction licensee.” The act defines the term as “a broker engaged as a seller’s agent, dual agent or transaction licensee to market the property of a seller/landlord for sale or lease pursuant to a written agreement with the seller/landlord.”

#### *Principal*

This term is defined as “a consumer who has entered into an agency relationship with a broker of record or another licensee employed by the broker of record.” The act defines the term as “a consumer of real estate services who has entered into an agency relationship with a broker.”

#### *Salesperson*

Subsection (vii) states that a salesperson may “assist a broker in managing [or appraising] property.” The existing definition is being amended by the deletion of the phrase “or appraising.” However, the remainder of subparagraph (vii) is inconsistent with the definition of “salesperson” as defined in the act, because the definition does not include the phrase “managing of property.”

*Seller's agent*

This term is defined as "a licensee who enters into an agency relationship with a seller/landlord." The act defines the term "seller agent" as "any licensee who has entered into an agency relationship with a seller of real estate."

*Subagent*

This term is defined as "a licensee, not in the employ of the listing broker, who acts or cooperates with the listing broker in selling property as a seller's/landlord's agent." The act defines the term as "a broker, not in the employ of the listing broker, who is engaged to act for, or cooperate with, the listing broker in selling property as an agent of the seller. A subagent is deemed to have an agency relationship with the seller."

*Transaction licensee*

The term is defined as "a licensee who, without entering into an agency relationship with the consumer, provides communications or document preparation services or performs other acts listed in the definition of 'broker' or 'salesperson'." The act defines the term as "a licensed broker or salesperson who provides communication or document preparation services or performs acts described under the definition of "broker" or "salesperson" for which a license is required, without being an agent or advocate of the consumer."

**2. Section 35.281. Putting contracts, commitments and agreements in writing—Clarity.***Subsection (a) Valuable Consideration*

This subsection states, "and a principal or consumer who is required to pay a fee, commission or other valuable consideration. . . ." What qualifies as "valuable consideration," other than monetary consideration? For clarity, the Commission should define the term "valuable consideration," or list examples in subsection (a).

*Subsection (b)(1) Open Listing*

This subsection contains the term "open listing." For clarity, the Commission should consider defining the term in either this section or § 35.201 (relating to definitions).

*Subsection (b)(3) Disclosure Statement*

Subsection (b)(3) applies to licensees who provide services to the buyer/tenant, but are paid by the seller/landlord. These licensees are required to provide, and have signed, "a written disclosure statement describing the nature of the services and the fees to be paid." Section 35.331 (relating to written agreements generally) contains much more detailed language. These additions provide a more accurate description of the required materials. For greater clarity, the Commission should add a cross-reference to § 35.331 of the proposed regulation in subsection (b)(3).

**3. Section 35.283. Conflict of interest—Consistency with the statute; Clarity.***Subsection (f) Conflict of Interest*

Subsection (f) requires a licensee to disclose to a principal any conflict of interest in a "reasonably practicable period of time." Although the act (63 P. S. § 455.608.1(7)) requires a licensee to "timely disclose" any conflicts of interest to a consumer, the Commission should clarify what it considers timely disclosure. It is in the consumer's best interest to be notified immediately of any conflict of interest. Therefore, we recommend that the Commission provide a definitive standard in the final regulation for what would be considered timely.

**4. Section 35.284. Preagreement disclosures to consumers—Clarity.***Subsection (a) Licensee Duties*

This subsection requires licensees to provide a disclosure summary to "all consumers." Subsection (b) requires a licensee to provide the entire disclosure to "the consumer." Does disclosure need to go to all consumers, or just those interested in conducting business with the licensee? For clarity, the Commission should use either "all consumers" or "the consumer" consistently in this section.

Additionally, there appears to be a typographical error in subsection (a)(4). The cross reference to "§ 33.336 (relating to disclosure summary)" is incorrect. The section in the proposed regulation that relates to disclosure summary is § 35.336. This should be corrected in the final regulation.

**5. Section 35.311. Generally—Consistency with the statute; Clarity.***Subsection (d) Confidential Information*

This subsection provides that "a licensee in an agency relationship may not knowingly, during or following, reveal or use confidential information . . ." For improved clarity and consistency with section 606.1(g) of the act (63 P. S. § 455.606a(g)), the Commission should add the phrase "the termination of an agency relationship" after "during or following."

**6. Section 35.314. Dual agency—Consistency with the statute; Clarity.***Subsection (b)(2) Licensee Duties*

This subsection requires the licensee to make a good faith effort to find a buyer for the property and a property for the buyer, "unless otherwise agreed." (Emphasis added.) However, the language in section 606.4(b)(2) of the act (63 P. S. § 455.606d(b)(2)) is more specific. The act requires the agreement to be in writing. Additionally, the act states, ". . . except that a dual agent is not obligated to seek additional offers to purchase the property while it is subject to an existing contract for sale." For improved clarity and consistency with the act, the Commission should add the language contained in section 606.4(b)(2) of the act.

**7. Section 35.315. Designated agency—Consistency with the statute; Statutory authority.***Subsection (b) Designation*

This subsection states, "Designation should take place at the time that the parties enter into a written agreement." (Emphasis added.) Subsections (b)(1) and (2) list circumstances where it is permissible to designate an agent after the initial designation or after the written agreement is signed.

"Should" is nonregulatory language which implies that a provision is optional. Optional provisions should be placed in policy statements or guidance documents. Regulations contain mandates which have the full force and effect of law. The Commission should replace "should" with "shall," or delete this provision.

Additionally, a commentator and the House Professional Licensure Committee expressed concerns that this subsection could be interpreted as a general consent to a designated agency relationship. For clarity, the Commission should specify that the consumer must consent to the designation of an agent as well as the specific agent designated.

*Subsection (b)(2) Renunciation of Prior Agency Relationship*

This subsection requires the principal to renounce any previous agency relationship with other licensees employed by the broker of record "to the exclusion of other designated agents." The meaning of this phrase is unclear. We request that the Commission explain the intent of this phrase.

*Subsection (d) Agency Relationships*

This subsection states, "The licensees employed by the broker of record who are not designated may not have an agency relationship with either party in the transaction." This provision appears to be inconsistent with section 606 of the act (63 P. S. § 455.606). The act provides that licensees employed by a broker have the same relationship to the consumer as the broker, except when the broker is a dual agent and designates a licensee to act exclusively on behalf of one party. We request that the Commission explain how subsection (d) is consistent with the act.

*Subsection (e) Company Policy on Designation*

This subsection refers to designated agents of the "consumer." Since a consumer who enters into an agency relationship is a "principal," should the term "consumer" be replaced with "principal?"

In addition, the Commission should clarify the meaning of "affiliated licensees" in this subsection.

**8. Section 35.331. Written agreements generally—Consistency with the statute; Clarity.**

*Subsection (a) Written Agreements*

This subsection states that a written agreement "... may contain the following information printed conspicuously." (Emphasis added.) "May" is nonregulatory language that implies that a provision is optional. Further, the use of the word "may" appears to be inconsistent with section 608.1 of the act (63 P. S. § 455.608a), which uses the word "shall." Therefore, the Commission should replace "may" with "shall" in subsection (a).

*Subsection (a)(6) Description*

This subsection requires the written agreement to provide "a description of the licensee's conflicts of interest and a method whereby the licensee will disclose future conflicts." This requirement is not clear. What is intended when the Commission requires a licensee to describe "a method whereby the licensee will disclose future conflicts"? Section 608.1(7) of the act (63 P. S. § 455.608a(7)) requires a licensee to include a statement which notifies consumers of the "licensee's continuing duty to timely disclose any conflicts of interest." The Commission should revise this subsection so that it is consistent with the act.

**9. Section 35.332. Exclusive listing agreements—Clarity.**

The Preamble states that subsection (d) is being deleted. However, the regulation does not show this deletion. The Commission should reconcile this inconsistency in the final regulation.

**10. Section 35.333. Agreements of sale—Clarity.**

*Subsection (a) Conspicuously*

Subsection (a) requires each agreement of sale to contain "conspicuously . . ." a specific statement. The use of the term "conspicuously" is vague. If the Commission intends by the use of the term "conspicuously" that the statement should appear in bold, large type and on the

front page of each agreement of sale then the Commission should specifically describe its requirement in the final regulation.

*Subsection (a) Agreement of Terms*

Subsection (a) refers to "an agreement of sale, other than for a cemetery lot, mausoleum or cremation space or opening . . ." However, subsection (d) refers to "an agreement of sale for a cemetery lot or plot or a mausoleum space or opening." Does the Commission intend subsections (a) and (d) to apply to the same subjects? If so, the Commission should revise both subsections to ensure that the language is consistent in the final regulation.

**11. Section 35.337. Comparative market analysis—Reasonableness.**

Subsection (b) exempts a licensee who is also licensed as an appraiser under the Real Estate Appraisers Certification Act (63 P. S. §§ 457.1—457.19) from placing a disclosure on the comparative market analysis. The intent of the disclosure is to alert a consumer that a comparative market analysis is not an appraisal. Regardless of who prepares a comparative market analysis, a consumer should be informed that the analysis is not the same as an appraisal. Consequently, the disclosure requirement should apply to all market analyses and subsection (b) should be deleted.

**12. Miscellaneous Clarity Issues.**

*Section 25.283. Conflict of interest*

There appears to be a typographical error in subsection (d). The last word in this subsection, "service," should be "services."

*Section 35.313. Buyer's agency*

The title of this section is inconsistent with the format used in § 35.312, and in the act. For consistency the title should be changed to "Buyer's agent."

*Section 35.314. Dual agency*

The title of this section should be changed to "Dual agent."

Subsection (b)(2) contains a typographical error. The first word should be changed from "Maing" to "Making."

*Section 35.315. Designated agency*

The title of this section should be changed to "Designated agent."

Subsections (f)(1), (f)(2), (f)(4) and (f)(5) are numbered incorrectly. These subsections should be renumbered (f)(1), (f)(2), (f)(3) and (f)(4).

*Section 35.331. Written agreements generally*

Subsections (a)(5), (a)(6), (a)(7) and (a)(8) are numbered incorrectly. They should be renumbered subsections (a)(4), (a)(5), (a)(6) and (a)(7) respectively.

Subsection (b) incorrectly refers to subsection (b) instead of subsection (a). This should be corrected in the final regulation.

**Department of Agriculture Regulation No. 2-124**

**Agricultural Land Conservation  
Assistance Grant Program**

**April 6, 2000**

We submit for your consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which has not been met. The Depart-

ment of Agriculture (Department) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by March 6, 2002, the regulation will be deemed withdrawn.

**Section 138h.5. Eligibility criteria—Fiscal Impact; Reasonableness; Need**

We question why the Department is deleting the criterion in existing subsection (b)(2) which requires evaluation of the “availability of funding for a project from a source other than the Commonwealth.”

If alternate funding is or becomes available to an applicant, continuing the subsection (b)(2) requirement would give the Department the flexibility of commensurately reducing the amount of funding to the applicant under the Agricultural Land Conservation Assistance Grant Program (Program). That, in turn, would make more funds available for other Program projects.

Three other proposed rulemakings implementing Farm Safety and Occupational Health programs (Regulations #2-119, #2-122 and #2-123) contain requirements that other sources of funding be evaluated. The Department should likewise continue this requirement in this regulation, or justify its deletion.

JOHN MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 00-680. Filed for public inspection April 21, 2000, 9:00 a.m.]

**Notice of Filing of Final Rulemakings**

The Independent Regulatory Review Commission (Commission) received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

*Final-Form*

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-566	State Real Estate Commission Application Fees	4/6/00
16A-633	State Board of Psychology Sexual Intimacies	4/6/00
16A-5112	State Board of Nursing Fees	4/7/00
16A-673	State Board of Occupational Therapy, Education & Licensure Oral Orders	4/7/00
4-67	Department of Community and Economic Development Commercial Motion Pictures Sales; Tax Exemption Certificate	4/11/00
15-400	Department of Revenue Commercial Motion Pictures, Sales and Use Tax	4/12/00

*Final-Omit*

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-5710	State Board of Veterinary Medicine Examinations, Licensure, Fees	4/7/00

JOHN MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 00-681. Filed for public inspection April 21, 2000, 9:00 a.m.]

**INSURANCE DEPARTMENT**

**Review Procedure Hearings under the Unfair Insurance Practices Act**

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with the termination of the insured's residential or personal property policy. Administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Capitol Associates Building, 991 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of State Farm Fire and Casualty Company; file no. 00-181-01046; Lee T. and Maria Anna Rumford; doc. no. P00-04-005; May 17, 2000, at 1 p.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 00-682. Filed for public inspection April 21, 2000, 9:00 a.m.]

**The Travelers Indemnity Company; The Phoenix Insurance Company; The Automobile Insurance Company of Hartford, CT; Homeowners and High Value Homeowners Program Rules and Rates**

On April 10, 2000, the Insurance Department (Department) received from The Travelers Indemnity Company, The Phoenix Insurance Company and The Automobile Insurance Company of Hartford, CT a filing for a rate level change for homeowners insurance.

The companies request an overall 7.3% increase amounting to \$5,394,018 annually, to be effective June 17, 2000.

Unless formal administrative action is taken prior to May 10, 2000, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (E-mail at mburkett@ins.state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 00-683. Filed for public inspection April 21, 2000, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board lease will expire:

Allegheny County, Wine & Spirits Shoppe # 0282, Route 30 Plaza, 1901 Lincoln Highway, North Versailles, PA 15137-2736.

*Lease Expiration Date:* May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space in a shopping center environment located within 3.0 miles of the intersections of Route 30 and PA Route 48 in North Versailles Township.

*Proposals due:* May 12, 2000 at noon

**Department:** Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** Bruce VanDyke, (412) 565-5130

JOHN E. JONES, III  
*Chairperson*

[Pa.B. Doc. No. 00-684. Filed for public inspection April 21, 2000, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before May 15, 2000, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.**

**A-00115605, Folder 3. Perry J. Camerlengo, Jr.** (P. O. Box 778, Broomall, Delaware County, PA 19008)—temporary authority—persons in limousine service, using vehicles seating no more than 15 passengers including the driver, between points in the counties of Delaware, Chester, Montgomery and Bucks, and the city and county of Philadelphia, and from points in said territory, to points in Pennsylvania and vice versa. By the instant application, applicant is seeking waiver of the Commission's regulations at 52 Pa. Code § 29.333(a), vehicle and equipment requirements. Application for permanent authority appeared in the *Pennsylvania Bulletin*, Volume 30, No. 15, April 8, 2000.

**A-00116758. Diamond Coach, Inc.** (169 North Main Street, New Hope, Bucks County, PA 18938), a corporation of the Commonwealth of Pennsylvania—persons upon call or demand in the townships of Tinicum, Plumstead, Solebury, Buckingham, Wrightstown and Upper Makefield, and the borough of New Hope, all located in Bucks County. *Attorney:* John J. Gallagher, Suite 1100, 1760 Market Street, Philadelphia, PA 19103.

**Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for the transportation of household goods as described under each application.**

**A-00097902, Folder 1, Am-D. B. F. Fields, Inc., t/d/b/a B. F. Fields Moving & Storage** (848 East 12th Street, Erie, Erie County, PA 16503), a corporation of the Commonwealth of Pennsylvania, inter alia—household goods and office furniture in use, between points in the county of Crawford, and from points in said county, to points in Pennsylvania, and vice versa: *So as to permit* the transportation of household goods in use between points in the county of Warren, and from points in said county, to points in Pennsylvania, and vice versa. *Attorney:* William A. Gray, 2310 Grant Building, Pittsburgh, PA 15219.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-685. Filed for public inspection April 21, 2000, 9:00 a.m.]



## Telecommunications

**Petition of ALLTEL Pennsylvania, Inc., for Action Under sections 251(f)(2) and 253(b) of the Telecommunications Act of 1996; Doc. No. P-00971177.**

By order entered October 19, 1999, at Docket No. P-00971177, the Pennsylvania Public Utility Commission (Commission) considered ALLTEL Pennsylvania's request for a 2-year suspension of the obligations imposed by section 251(b) and (c) of the Telecommunications Act of 1996 (47 U.S.C.A. § 101 et seq.), and ultimately granted ALLTEL the opportunity to request two additional 1-year extensions of that suspension.

On March 2, 2000, ALLTEL Pennsylvania filed a petition requesting an extension of the suspension, which expires in July 2000. The Commission has determined that publication and comment on this petition is appropriate. Interested parties must submit comments on the ALLTEL Pennsylvania petition within 7 days of publication in the *Pennsylvania Bulletin*. Reply Comments must be submitted within 14 days of publication in the *Pennsylvania Bulletin*.

Copies of the petition may be obtained from the Commission, Office of the Secretary, upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,  
Secretary

[Pa.B. Doc. No. 00-686. Filed for public inspection April 21, 2000, 9:00 a.m.]

## Telecommunications

**Petition of Citizens Telephone Company of Kecksburg (Citizens of Kecksburg), for Action Under sections 251(f)(2) and 253(b) of the Telecommunications Act of 1996; Doc. No. P-00971229.**

By order entered April 28, 1999, at Docket No. P-00971229, the Pennsylvania Public Utility Commission (Commission) granted Citizens of Kecksburg's request for a 2-year suspension of the obligations imposed by section 251(b) and (c) of the Telecommunications Act of 1996 (47 U.S.C.A. § 101 et seq.), with the opportunity to request two additional 1-year extensions of that suspension.

On January 10, 2000, Citizens of Kecksburg filed a petition requesting an extension of the suspension, which expires in July 2000. The Commission has determined that publication and comment on this petition is appropriate. Interested parties must submit comments on Citizens of Kecksburg's petition within 7 days of publication in the *Pennsylvania Bulletin*. Reply Comments must be submitted within 14 days of publication in the *Pennsylvania Bulletin*.

Copies of the petition may be obtained from the Commission, Office of the Secretary, upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,  
Secretary

[Pa.B. Doc. No. 00-687. Filed for public inspection April 21, 2000, 9:00 a.m.]

## Telecommunications

**Petition of Rural Incumbent Local Exchange Carriers (Yukon Waltz, et al.), for Action Under section 251(f)(2) and 253(b) of the Telecommunications Act of 1996; Doc. No. P-00971177.**

By order entered July 10, 1997, at Docket No. P-00971177, the Pennsylvania Public Utility Commission (Commission) granted the request of 16 rural incumbent local exchange carriers for a 2-year suspension of the obligations imposed by section 251(b) and (c) of the Telecommunications Act of 1996 (47 U.S.C.A. §§ 101 et seq.), with the opportunity to request three additional 1-year extensions of that suspension. The companies granted relief included: Yukon Waltz Telephone Company; Venus Telephone Company; South Canaan Telephone Company; Pymatuning Independent Telephone Company; Pennsylvania Telephone Company; Palmerton Telephone Company; North Pittsburgh Telephone Company; North Penn Telephone Company; North-Eastern Pennsylvania Telephone Company; Marianna & Scenery Hill Telephone Company; Lackawaxen Telephone Company; Ironton Telephone Company; Hickory Telephone Company; Denver and Ephrata Telephone Company, d/b/a D&E Telephone Company; Armstrong Telephone Company-Pennsylvania; Armstrong Telephone Company-North (Yukon Waltz, et al.).

By order entered June 25, 1999, at Docket No. P-00971177, the aforesaid companies and Laurel Highland Telephone Company (Yukon Waltz, et al.), were granted a 1-year extension of the original suspension, which expires in July 2000. The Commission has determined that publication and comment on this petition is appropriate. Interested parties must submit comments on the Yukon Waltz, et al., petition within 7 days of publication in the *Pennsylvania Bulletin*. Reply Comments must be submitted within 14 days of publication in the *Pennsylvania Bulletin*.

Copies of the petition may be obtained from the Commission, Office of the Secretary, upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,  
Secretary

[Pa.B. Doc. No. 00-688. Filed for public inspection April 21, 2000, 9:00 a.m.]

## Telecommunications

**P-00001792 and P-00001793. Joint Petition of TDS Telecom/Mahanoy and Mahantango Telephone Company and TDS Telecom/Sugar Valley Telephone Company for Commission Action under section 251(f)(2) and 253(b) of the Telecommunications Act of 1996**

On July 10, 1997 at Docket No. P-00971177, the Pennsylvania Public Utility Commission (Commission) entered a final opinion and order which granted 16 rural local exchange carriers a 2-year suspension of the obligations imposed by section 251(b) and (c) of the Telecommunications Act of 1996 (47 U.S.C.A. § 101, et seq.), with the opportunity to request three 1-year extensions of that suspension. Subsequently that same relief was granted TDS Telecom/Mahanoy and Mahantango Telephone Company (M&M) and TDS Telecom/Sugar Valley Telephone

Company (SV), by Order entered January 29, 1998 at Docket Nos. P-00961115 and P-00961116.

On February 8, 2000, M&M and SV filed a joint petition requesting an extension of the original suspension, which expired on July 10, 1999. The Commission has determined that publication and comment on this joint petition is appropriate. Interested parties must submit comments on the M&M and SV petition within 7 days of publication in the *Pennsylvania Bulletin*. Reply Comments must be submitted within 14 days of publication in the *Pennsylvania Bulletin*.

Copies of the petition may be obtained from the Commission, Office of the Secretary, upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-689. Filed for public inspection April 21, 2000, 9:00 a.m.]