

NOTICES

COMMISSION ON CRIME AND DELINQUENCY DEPUTY SHERIFFS' EDUCATION AND TRAINING BOARD

Basic Training and Continuing Education

Effective July 8, 2000, the Deputy Sheriffs' Education and Training Board (Board) gives notice that a basic training program of not less than 160 hours has been developed and implemented under section 5 of the Deputy Sheriffs' Education and Training Act (71 P. S. § 2105).

Effective July 8, 2000, the Board is triggering the effectiveness of the amending language of section 6 of the Deputy Sheriffs' Education and Training Act (71 P. S. § 2106) which allows the Board to set the hours of continuing education at not less than 20 hours.

The Board reserves the right to increase the hours of continuing education beyond the current level of 16-20 hours, but is not at this time doing so.

(Editor's Note: For a statement of policy adopted by the Board regarding these guidelines, see 30 Pa. 3472 (July 8, 2000).)

THOMAS W. CORBETT, Jr.,
*Chairperson
Commission on Crime
and Delinquency*

CARMEN C. DELUCA,
*Chairperson,
Deputy Sheriffs'
Education and Training Board*

[Pa.B. Doc. No. 00-1169. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF AGING

Public Hearings

The Department of Aging (Department) is making available for public review and comment the 2000-2004 State Plan on Aging. Comments on this document will be used to formulate the Department's final plan submitted to the Federal Administration on Aging for this Commonwealth to receive Federal funds under the Older Americans Act of 1965, as amended.

The Department of Aging periodically develops a State Plan on Aging; the plan being proposed will guide the Department during the Federal fiscal years October 1, 2000, through September 30, 2004. The purpose of the State Plan is to structure the Department's priorities and to set an aging agenda for this Commonwealth.

Citizens, local government officials and interested organizations in the Commonwealth are invited to submit

comments on the Plan. Persons wishing to submit written comments on the Plan must do so by July 28, 2000. Comments should be addressed to Robert J. McNamara, Department of Aging, Planning and Research Division, 555 Walnut Street, 5th Floor, Harrisburg, PA 17101-1919. Comments may also be submitted through the Department's web site at www.aging.state.pa.us.

The Department will hold the following public hearings on the 1996-1999 State Plan of Aging:

<i>Date</i>	<i>Location</i>	<i>Time</i>
July 19, 2000	Philadelphia Center in the Park 5818 Germantown Avenue Philadelphia, PA	1 p.m.— 3 p.m.
July 25, 2000	Cranberry Senior Center at the Municipal Building 2526 Rochester Road Cranberry Township, PA	9 a.m.— 11 a.m.
July 28, 2000	Department of Aging Conferences Rooms 5B & C 555 Walnut Street, 5th Floor Harrisburg, PA	1 p.m.— 3 p.m.

Persons who wish to speak must call to schedule a time to give oral testimony at the hearings. Testimony is limited to 10 minutes per person. To schedule oral testimony at any of the hearings, contact Kim McNoldy at (717) 783-6207. The listed facilities are accessible by people with disabilities. People with a hearing impairment who wish to attend one of the public hearings should notify Carol Lyons at (717) 783-6207 in advance so accommodations can be made. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Anyone with a visual impairment who would like an audiocassette of the State Plan should contact Carol Lyons.

Copies of the plan are available upon request from the Department of Aging, Division of Planning and Research, 555 Walnut Street, 5th Floor, Harrisburg, PA 17101-1919, (717) 783-6207. Copies of the Plan are also available at the Area Agencies on Aging and the following District Libraries.

Pennsylvania's District Library Centers

B.F. Jones Memorial Library, 663 Franklin Avenue, Aliquippa
Allentown Public Library, 1210 Hamilton Street, Allentown
Altoona Area Public Library, 1600 Fifth Avenue, Altoona
Bethlehem Area Public Library, 11 West Church Street, Bethlehem
Bucks County Free Library, 150 South Pine Street, Doylestown
Centre County Library, 203 North Allegheny Street, Bellefonte
Chambersburg District Library, Coyle Free Library Building, 102 N. Main Street, Chambersburg
Chester County Library, 450 Exton Square Parkway, Exton
Easton Area Public Library, 515 Church Street, Easton
Erie County Library, Blasco Memorial Library, 160 E. Front Street, Erie
Dauphin County Library, 101 Walnut Street, Harrisburg
Delaware County Library System, 340 North Middletown Road, Fair Acres, Building 19, Media

Lancaster Area Library, 125 North Duke Street, Lancaster
 Monessen Public Library, 326 Donner Avenue, Monessen
 New Castle Public Library, 107 East North Street, New Castle
 Montgomery County, Norristown Public Library, 1001 Powell Street, Norristown
 Oil Creek District Library Center, 2 Central Avenue, Oil City
 Philadelphia, Free Library of Philadelphia, 1901 Vine Street, Philadelphia
 Pittsburgh, Carnegie Library of Pittsburgh, 4400 Forbes Avenue, Pittsburgh
 Neighborhood and Outreach Services, 5 Allegheny Square, Suite 200, Pittsburgh
 Pottsville Free Public Library, 215 W. Market Street, Pottsville
 Reading Public Library, 100 South 5th Street, Reading

Scranton Public Library, Albright Memorial Building, 500 Vine Street, Scranton
 Warren Library Association, 205 Market Street, Warren
 Washington, Citizens Library, 55 South College Street, Washington
 Wilkes-Barre, Osterhout Free Library, 71 South Franklin Street, Wilkes-Barre
 Williamsport, James V. Brown Library, 19 E. 4th Street, Williamsport
 York, Martin Memorial Library, 159 East Market Street, York

RICHARD BROWDIE,
Secretary

[Pa.B. Doc. No. 00-1170. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 27, 2000.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-26-00	Fulton Bank, Lancaster, and Great Valley Savings Bank, Reading, Surviving Institution— Fulton Bank, Lancaster	Lancaster	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-26-00	Bank of Hanover and Trust Company Hanover York County	223 East Main St. Westminster Carroll County Maryland	Approved
6-26-00	U. S. Bank Johnstown Cambria County	724 S. Atherton St. State College Centre County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-26-00	Pittsburgh Savings Bank Pittsburgh Allegheny County	<i>To:</i> 441 Smithfield St. Pittsburgh Allegheny County <i>From:</i> 438 Wood Street Pittsburgh Allegheny County	Approved
6-26-00	Summit Bank Bethlehem Northampton County	<i>To:</i> 1242 Knapp Road Montgomery Township Montgomery County <i>From:</i> 737 Bethlehem Pike Montgomery Township Montgomery County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-26-00	Wilmington Trust of Pennsylvania West Chester Chester County 1522 McDaniel Drive West Chester Chester County 102 East Market Street West Chester Chester County	Discontinuance of four branch offices at the following locations: 50 East Uwchlan Avenue Lionville Chester County 119 West State Street Media Delaware County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

DAVID E. ZUERN,
Secretary

[Pa.B. Doc. No. 00-1171. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Land Use Planning and Technical Assistance Program

The Department of Community and Economic Development gives notice of the establishment of the Land Use Planning and Technical Assistance Program. The program provides financial assistance to promote cooperative efforts between municipalities for the purpose of strengthening community planning and management capabilities consistent with Executive Order 1999-1. Eligible applicants are generally two or more municipalities or a body authorized to act on behalf of two or more municipalities.

Local governments or other interested parties who wish to apply for funds can receive a copy of the application materials and program guidelines by contacting the Governor's Center for Local Government Services.

Department of Community and Economic Development
Governor's Center for Local Government Services
325 Forum Building
Harrisburg, PA 17120
Telephone: (888) 223-6837
E-mail: DCED@state.pa.us

Program Guidelines are also available for downloading on the Governor's Center for Local Government Services' web site at www.dced.state.pa.us

SAMUEL A. MCCULLOUGH,
Secretary

[Pa.B. Doc. No. 00-1172. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Approved Courses of Study under New Economy Technology Scholarship Act; Public Comment Period

The New Economy Technology Scholarship Act (24 P. S. §§ 5199.1—5199.9) established an incentive scholarship program for Pennsylvania students to pursue higher education and training in science and technology fields to create a sustained pool of highly trained technology workers to improve the Commonwealth's ability to attract and retain business. The act defines an approved course of study as "A program or curriculum offered by a postsecondary educational institution that provides instruction in science, technology and related fields and has been approved by the Department of Education (Department) in consultation with the Pennsylvania Workforce Investment Board."

The current list of approved courses of study is published on the New Economy Technology Scholarship Program Application. The application may be obtained by calling PHEAA at (800) 692-7435, or by visiting their web site, www.pheaa.org.

As part of the review process of the approved courses of study, the Department will accept written public comments from institutions, groups or individuals between the date of publication of this notice and October 1, 2000. Comments should address whether courses of study currently on the approved list for scholarships should continue to be approved, and/or whether the addition or deletion of specific courses of study would affect the purposes of the act.

All written comments shall be filed with Dr. Warren D. Evans, Chartering/Governance/Accreditation Specialist, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-7572; Fax: (717) 783-0583, or by e-mail addressed to wevans@state.pa.us, on or before 4 p.m. on October 1, 2000.

All public comments will be considered as part of the review. Any recommendations regarding the addition or deletion of a program will be coordinated with Commonwealth workforce needs as identified in the targeted

industry clusters and meetings with industry representatives. The list of approved courses of study, including any revisions as a result of the review, will appear on the New Economy Technology Scholarship Application for the 2001-2002 academic year.

EUGENE W. HICKOK,
Secretary

[Pa.B. Doc. No. 00-1173. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated the EPA, Region III, Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0036978 Amendment No. 1. Sewage, **Telford Borough Authority**, 122 Penn Avenue, P. O. Box 209, Telford, PA 18969-0209.

This application is for an amendment of the NPDES permit to discharge treated sewage from Telford Borough Authority sewage treatment plant. This amendment is for a plant expansion from 0.95 mgd to 1.1 mgd. The plant is located in Franconia Township, **Montgomery County**. This is an existing discharge to Indian Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average annual flow of 1.1 at completion of plant expansion are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	15	23	30
(11-1 to 4-30)	20	30	40
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	3.0		6.0
Phosphorus (as P) (4-1 to 10-31)	1.7		3.4
Total Residual Chlorine	0.01		0.03
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
		<i>Maximum Daily</i>	
Total Copper	0.021	0.042	0.053
Dissolved Copper	monitor	monitor	monitor
Total Lead	0.0077	0.015	0.019
Dissolved Lead	monitor	monitor	monitor
Hardness as CaCO ₃	monitor	monitor	monitor

The EPA waiver is not in effect.

Requirement to submit a toxics reduction evaluation.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.

PA 0034398. Sewerage, **Woodloch Pines, Inc.**, R. R. 1, Box 80, Hawley, PA 18428.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Lake Teedyuskung in Lackawaxen Township, **Pike County**.

The receiving stream is classified for the following uses: high quality, cold water, aquatic life, water supply and recreation. Effluent requirements were evaluated at the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of .05 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	30	60
NH ₃ -N (5-1 to 10-31)	2	4
(11-1 to 4-30)	6	12
Phosphorus as "P"	.5	1
Total Residual Chlorine	1	2
Dissolved Oxygen	a minimum of 7 mg/l at all times	
Fecal Coliform	200/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	

The EPA waiver is in effect.

PA 0061131. Sewerage, **Dalton Sewer Authority**, P. O. Box 538, Dalton, PA 18414.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Ackerly Creek in La Plume Township, **Lackawanna County**.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the proposed downstream potable water supply (PWS) considered during the evaluation is Danville water supply on the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of 0.140 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31)	7.5	11.3	15
Dissolved Oxygen	a minimum of 5 mg/l at all times		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean		

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times		
Total Residual Chlorine (1st month—24th month) (25th month—expiration)	monitor and report 1		monitor and report 2

The EPA waiver is in effect.

PA 0044024. Industrial waste, SIC: 0921, **Pennsylvania Fish and Boat Commission**, P. O. Box 3, Mount Pleasant, PA 18453-0003.

This proposed action is for renewal of an NPDES permit to discharge treated wastewater into West Branch of Lackawaxen River in Mount Pleasant Township, **Wayne County**.

The receiving stream is classified for the following uses: high quality cold water, fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Stroudsburg/East Stroudsburg intake on the Delaware River.

The proposed effluent limits for Outfall 001 based on a design flow of 1.3 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Oxygen		minimum 7.0 at all times	
pH		6.9 s.u. at all times	

The EPA waiver is in effect.

PA 0061247. Sewerage, **Carbon Dack Assoc., L.L.C.**, 650 Naamans Road, Suite 315, P. O. Box 470, Brandywind Corporate Center, Claymont, DE 19703.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an unnamed tributary of Mahoning Creek in Mahoning Township, **Carbon County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is Northampton Water Supply on Lehigh River.

The proposed effluent limits for Outfall 001 based on a design flow of .021 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N (5-1 to 10-31)	5.5	11
(11-1 to 4-30)	16.5	33
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine (1st Month—36th Month)	monitor and report	monitor and report
(37 Month—Expir. Date)	.35	.82

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0024708. SIC Code 4952, Sewage, **Municipal Authority of Union Township**, P. O. Box 5625, Belleville, PA 17004-9701.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to the Kishacoquillas Creek in Union Township, **Mifflin County**.

The receiving stream is classified for cold water fishery, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the United Water Company intake located on the Susquehanna River in Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.49 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	35	52.5	XXX	70
Total Suspended Solids	58	87	XXX	116
NH ₃ -N				
(5-1 to 10-31)	5.0	XXX	XXX	10
(11-1 to 4-30)	12.5	XXX	XXX	25
Total Residual Chlorine			monitor and report	
	0.7	XXX		2.3
Total Phosphorus	monitor and report	XXX	XXX	XXX
pH			from 6.0 to 9.0 inclusive	
Dissolved Oxygen			minimum of 5.0 at all times	
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric means		
(10-1 to 4-30)		9,300/100 ml as a geometric mean		

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0088137. SIC Code 4951, Stormwater, **Reading Area Water Authority**, 815 Washington Street, Reading, PA 19601.

This application is for issuance of an NPDES permit for a new discharge of treated stormwater to Lake Ontelaunee/Maiden Creek, In Maiden creek Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the City of Reading located on Lake Ontelaunee. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a stormwater discharge are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		monitor and report	
Total Suspended Solids		monitor and report	
Total Dissolved Solids		monitor and report	
Total Aluminum		monitor and report	
Total Iron		monitor and report	
Total Manganese		monitor and report	
Total Phenolics		monitor and report	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0026735. SIC Code 4952, Sewage, **Swatara Township Authority**, 8675 Paxton Street, Hummelstown, PA 17036-8601.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Swatara Creek, in Swatara Township, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Middletown Borough Water located in Middletown Borough, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 6.3 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.5	—	—	1.6
Total Suspended Solids	30	45	—	60
CBOD ₅	25	40	—	50
NH ₃ -N				
(5-1 to 10-31)	6	—	—	12
(11-1 to 4-30)	18	—	—	36
Total Phosphorus	2	—	—	4
Total Nitrogen	—	—	monitor and report	—
Dissolved Oxygen			minimum of 5.0 at all times	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH				
Fecal Coliform				
(5-1 to 9-30)				
(10-1 to 4-30)				

from 6.0 to 9.0 inclusive
 200/100 ml as a geometric average
 9,000/100 ml as a geometric average

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Northcentral Region: Environmental Program Manager, Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 327-3666.

PA 0114065. Industrial waste, SIC: 55, **Sun Company Inc.**, 5733 Butler Street, Pittsburgh, PA 15201.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial wastewater to Spring Creek in Bellefonte Borough, **Centre County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.144 mgd are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Mass (lb/day)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
BTEX	0.100	0.200	0.250		
Benzene	0.010	0.020	0.025		
Toulene	report	report			
Ethylbenzene	report	report			
Xylene	report	report			
pH	6.0—9.0 at all times				

The EPA waiver is in effect.

PA 0209210. Sewerage, SIC: 4952, **Laurel Run Reclamation Company, Inc.**, P. O. Box 372, Bigler, PA 16825-0372.

This proposed action is for renewal of an NPDES permit for a new discharge of treated sewage to Stony Run in Union Township, **Clearfield County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, for an existing downstream potable water supply (PWS) considered during the evaluation is located at Red Bank Creek at Hawthorne.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0012 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Fecal Coliforms		
(5-1 to 9-30)		
(10-1 to 4-30)		
pH		
Total Chlorine Residual	2.0	4.6

The EPA waiver is in effect.

PA 0024104. Sewerage, SIC: 4952, **Spring Township Municipal Authority**, P. O. Box 133, Beaver Springs, PA 17812-0133.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Beaver Creek in Spring Township, **Snyder County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Dauphin Consolidated Water Company located at Dauphin.

The proposed effluent limits for Outfall 001 based on a design flow of 0.1475 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-N (5-1 to 10-31)	9	13.5	18
Total Cl ₂ Residual*	0.79*		2.58*
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0 to 9.0 at all times		

* The permittee shall comply with this effluent limit within 3 years of the permit effective date.

The EPA waiver is in effect.

PA 0008915. SIC: 3229, **Osram Sylvania, Inc.**, 1 Jackson Street, Wellsboro, PA 16901.

This proposed action is for renewal of an NPDES permit for discharge of treated industrial wastewater to Charleston Creek in Wellsboro Borough, **Tioga County**.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Jersey Shore Water Authority.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0275 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	25.0	50.0	75.0
Oil and Grease	15.0		30.0
Copper	monitor		
Zinc	monitor		
pH	6.0—9.0 standard units at all times		
Heat	BTU/day x 10 ⁶	Tr (°F)	
1/1-1/31	108	35	
2/1-2/29	118	35	
3/1-3/31	283	40	
4/1-4/15	125	50	
4/16-4/30	501	50	
5/1-5/15	137	60	
5/16-5/31	412	60	
6/1-6/15	222	69	
6/16-6/30	303	69	
7/1-7/31	137	75	
8/1-8/31	122	74	
9/1-9/15	118	68	
9/16-9/30	74	68	
10-1-10/15	121	57	
10/16-10/31	72	57	
11/1-11/15	140	45	
11/16-11/30	54	45	
12/1-12/31	81	37	

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0215899. Industrial waste, SIC: 3089, **Veka, Inc.**, 100 Veka Drive, Fombell, PA 16123.

This application is for issuance of an NPDES permit to discharge cooling water and stormwater from plastics manufacturing operations in Marion Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Connoquenessing Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Beaver Falls Municipal Water Authority, located at Eastvale Borough, 19.9 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.00576 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor/report				
BOD ₅		1.25		26	
Oil and Grease		1.4		29	
TSS		1.0		19	
TRC			0.5		1.25
Zinc			monitor/report		
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0218367. Industrial waste, SIC: 4941, **Saint Francis College**, P. O. Box 600, Loretto, PA 15940-0600.

This application is for issuance of an NPDES permit to discharge treated process water from Saint Francis Water Treatment Plant in Loretto Borough, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Unnamed Tributary to Chest Creek, classified as a high quality-cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Patton Borough Water System, located at Chest Creek, 10 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.003 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Total Suspended Solids			30		60
Iron			2		4
Aluminum			4		8
Manganese			1		2
Total Residual Chlorine (1st month—35th month)			monitor and report		
(36th month—Expiration)			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA 0027715-A1. Sewage. **Mill Service, Inc.**, 1815 Washington Road, Pittsburgh, PA 15241-1498.

This application is for amendment of an NPDES permit to discharge treated sewage from a small flow activated sludge plant in South Huntingdon Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Sewickley Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland County Municipal Authority—McKeesport Plant.

Outfall 007: new discharge, design flow of 0.0014 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor/report			
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA 0028177. Sewage. **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237-5597.

This application is for renewal of an NPDES permit to discharge treated sewage from A & B Sewage Treatment Plant in McCandless Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Pine Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Borough Municipal Water Authority on the Ohio River.

Outfall 001: existing discharge, design flow of 0.04 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅ (5-1 to 10-31)	20	30		40
(11-1 to 4-30)	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen (3-1 to 11-30)	1.5	2.3		3.0
(12-1 to 2-29)	3.0	4.5		6.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.22			0.72
Dissolved Oxygen	not less than 6 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0096369. Sewage. **Valley High Mobile Home Park**, 79 Valley High MHP, Ruffsedale, PA 15679.

This application is for renewal of an NPDES permit to discharge treated sewage from the Valley High MHP STP in East Huntingdon Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Buffalo Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Authority.

Outfall 001: existing discharge, design flow of 0.005 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	3.5			7.0
(11-1 to 4-30)	10.5			21.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine (1st month—36th month)	monitor and report			
(37th month—expiration)	.57			1.35
Dissolved Oxygen	not less than 3 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0216925. Sewage. **Consolidation Coal Company**, P. O. Box 100, Osage, WV 26543.

This application is for renewal of an NPDES permit to discharge treated sewage from Kuhntown Portal Wastewater Treatment Plant in Wayne Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Hoovers Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Dunkard Valley Joint Municipal Authority.

Outfall 001: existing discharge, design flow of 0.014 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	3.5			7.0

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			0.11
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.05			
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0218545. Sewage, **Quecreek Mining, Inc.**, 1576 Stoystown Road, Friedens, PA 15541.

This application is for issuance of an NPDES permit to discharge treated sewage from Quecreek No. 1 Mine Portal Sewage Treatment Plant in Lincoln Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Quemahoning Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Quemahoning Reservoir.

Outfall 001: new discharge, design flow of 0.005 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			3.3
(10-1 to 4-30)	40,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			
pH	not less than 6.0 nor greater than 9.0			

Other Conditions:

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0221813. Sewage. **John H. Sechriest and James L. Whitmire**, 50 Wright Road (309 Egypt Road), Warren, PA 16345.

This application is for a renewal of an NPDES Permit, to discharge treated sewage to an Unnamed Tributary in Glade Township, **Warren County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at river mile 90.0, approximately 93.7 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.000800 mgd are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
Flow	XX	
CBOD ₅	10	20
TSS	20	40
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.5	3.5
pH	6.0 to 9.0 at all times	

XX—monitor and report on monthly DMRs.

The EPA waiver is in effect.

PA 0092185. Sewage, SIC: 4952. **Peter Rabbit Campground Inc.**, 551 Mahood Road, Butler, PA 16001.

This application is for renewal of an NPDES Permit, to discharge treated waste to Big Run in Brady Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Salvation Army Camp Allegheny on Slippery Rock Creek located at river mile 3.2, approximately 27.4 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.05 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX	
CBOD ₅	25	50
TSS	30	60
Ammonia as Nitrogen		
Summer (5-1 to 10-31)	4	8
Winter (11-1 to 4-30)	12.0	24
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	4,200/100 ml as a geometric average	
Dissolved Oxygen	minimum of 4 mg/l at all times	
Total Residual Chlorine		
Interim	XX	XX
Final	0.4	0.9
pH	6.0 to 9.0 at all times	

XX—monitor and report on monthly DMRs.

The EPA waiver is in effect.

PA 0101320. Sewage. **Colonial Estates MHP**, 423 Candle Avenue, Sebastion, FL 32958.

This application is for a renewal of an NPDES Permit to discharge treated sewage to the Unnamed Tributary to Pine Creek in Oil Creek Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located in Emlenton Township, approximately 60 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.0175 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.4	3.3
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southeast Regional Office: Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0050423	Villa Maria House of Studies 1140 King Road Immaculata, PA 19345	Chester County Immaculata Borough	UNT to Ridley Creek	
PA 0056600	Mark T. Besette 114 Ming Road Schwenksville, PA 19473	Montgomery County Lower Frederick Township	Mile Run	
PA 0051716	Jeffrey & Lori Scott 800 North Tower Road Quakertown, PA 18951	Bucks County West Rockhill Township	UNT to Butler Creek	

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0082627	CBM Ministries Inc. Camp Joy-El 3741 Joy-El Dr. Greencastle, PA 17225	Franklin County St. Thomas Township	Back Creek (13H)	TRC
PA 0028720	Reading Regional Airport 250 Bernville Rd. Reading, PA 19605	Berks County Bern Township	Schuylkill River	TRC

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

Applications under the Pennsylvania Clean Streams Law

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department). Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should

contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 4600418. Sewerage. **Robert and Edith Trockels**, 2109 Jacobs Sawmill Road, East Greenville, PA 19331. Applicant is requesting approval for the construction and operation of a small flow sewage treatment plant located in Upper Hanover Township, **Montgomery County**.

WQM Permit No. 4600419. Sewerage. **East Norriton Plymouth Whippain Joint Sewer Authority**, 200 Ross Street, Plymouth Meeting, PA 19426. Applicant is requesting approval for the construction and operation to replace a 21" and 24" interceptor and manholes located in Plymouth Township, **Montgomery County**.

WQM Permit No. 0900407. Sewerage. **Lon Moyer**, 717 E. Broad Street, Quakertown, PA 18951. Applicant is requesting approval for the construction and operation of a single-family residence treatment facility with stream discharge located in Haycock Township, **Bucks County**.

Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.

A. 3600405. Sewage, submitted by **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603 in East Hempfield Township, **Lancaster County** to replace portions of an existing 8-inch diameter sanitary sewer interception with a new 10-inch diameter PVC pipe and manholes was received in the Southcentral Region on June 9, 2000.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 0200409. Sewerage, **Lincoln Borough**, 45 Abe's Way, Elizabeth, PA 15037. Application for the construction and operation of a Sanitary Sewage Collection System and Sewage Pump Station to serve the Virginia Drive/Taylor Plant Area located in Lincoln Borough, **Allegheny County**.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

A. 0400407. Sewerage, **Michael Weekley**, 135 Sandy Drive, Clinton, PA 15026. Application for the construction and operation of a sewage treatment plant to serve the Weekley Residence located in Hanover Township, **Beaver County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 6100404. Sewage. **Cornplanter Township**, R. R. 1, Box 98A, Oil City, PA 16301. This project is for construction and operation of a pumpstation/sewer system to replace a system in the Colonial Village area in Cornplanter Township, **Venango County**.

WQM Permit No. 1090402. Sewage. **Concordia Lutheran Ministries**, 615 North Pike Road, Cabot, PA 16023-2299. This project is for proposed plans to add redundancy to their existing system to ease maintenance in Jefferson Township, **Butler County**.

WQM Permit No. 2500408. Sewage, **Roy C. Rodgers**, 11292 Firethorn Road, Wattsburg, PA 16442. This project is for construction of a Single Residence Sewage Treatment Plant in Washington Township, **Erie County**.

WQM Permit No. 6200409. Sewage, **Thomas C. and Karen S. Byler**, R. R. 2, Box 59, Pittsfield, PA 16340. This project is for the construction of a Single Residence Sewage Treatment Plant in Pine Grove Township, **Warren County**.

WQM Permit No. 2400401. Sewage, **Phillip Wingard**, 353 Benzinger Road, St. Marys, PA 15857. This project is for the construction of a Single Residence Sewage Treatment Plant in City of St. Marys, **Elk County**.

INDIVIDUAL PERMITS (PAS)

Stormwater Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection

(Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. The proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharge.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office indicated as the responsible office within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit PAS10Q204. Stormwater. **GSP Management Co.**, Frank T. Perano, P. O. Box 278, King of Prussia, PA 19406, has applied to discharge stormwater from a construction activity located in Lower Macungie Township, **Lehigh County**, to Little Lehigh Creek, HQ-CWF.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

A. 1500507. Public water supply. **Nottingham Towers Apartments**, 10 Harbour Court, Nottingham, PA 19362. This proposal involves the permitting and upgrades of Nottingham Towers Apartments existing water supply system. The project includes installation of a 12,500

gallon storage tank, chemical feed systems for pH adjustment and disinfection, service pumps and additional hydropneumatic tanks in East Nottingham Township, **Chester County**.

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

4099507. Public water supply. **Pardeesville Water Association**, Village of Pardeesville, Scott Keeley, President, R. R. 2, P4-4, Hazleton, PA 18201. This proposal involves completing construction on two additional wells to be incorporated into the system, construction of chemical treatment facilities to be associated with new wells, construction of a booster pump station and construction of a new main to expand the service area. It is located in Hazle Township, **Luzerne County**. *Engineer: Joseph Durkin, PE, Reilly Associates.*

4500503. Public water supply. **Pocono Plateau Mobile Home Park**, Tom Shimp, 1779 East Sawmill Road, Quakertown, PA 18951-4124. This proposal involves a request for design change to allow for an above grade chlorine contact tank instead of the previously approved buried tank. In addition, a transfer of ownership is requested. This notice will supersede the notice in the *Pennsylvania Bulletin*, May 20, 2000. It is located in Tunkhannock Twp., **Monroe County**. *Engineer: James P. Connor, EIT, Quad Three Group, Inc.*

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. Minor Amendment. The Department has received a permit application from **Westfield Borough**, 429 East Main Street, Westfield, PA 16950, Westfield Borough, **Tioga County**, to replace 8 inch water main crossing of Cowanesque River.

A. Minor Amendment. The Department has received a permit application from **Boggs Township Water System**, 1270 Runville Road, Bellefonte, PA 16823, Boggs Township, **Centre County**, for conversion of existing gas disinfection system to a liquid (sodium hypochlorite) disinfection system at existing well facility.

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

3097501-A1. **Southwestern Pennsylvania Water Authority**, Greene and Washington Streets, P. O. Box 187, Jefferson, PA 15344. Construction of chlorine booster facilities at the existing Kirby Pump Station located in Franklin Township, **Greene County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice

of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

A. T. Chadwick Company c/o Wallingford Apartments, City of Philadelphia, **Philadelphia County**. Daniel F. Yonker, P. G., Phoenix Consulting, L.L.C., P. O. Box 229, Phoenixville, PA 19460, has submitted a Notice of Intent to Remediate site soil contaminated with petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The North East Times* on March 22, 2000.

Former Schuylkill Valley Oil Company Property, Pottstown Borough, **Montgomery County**. John G. Cannon, React Environmental Services, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, has submitted a

Notice of Intent to Remediate site soil contaminated with Naphthalene and groundwater contaminated with Naphthalene, BTEX, Ethylene dibromide and MTBE. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Mercury* on April 7, 2000.

Abington Shopping Center, Abington Township, **Montgomery County**. Dennis Fisher, NTH Consultants, Ltd., 860 Springdale Drive, Exton, PA 19341 has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with solvents. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Times Chronicle* on April 26, 2000.

Former Cedar Hollow Quarry, East Whiteland and Tredyffrin Townships, **Chester County**. Darryl D. Borelli, Manko, Gold & Katcher, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted a Notice of Intent to Remediate site soil contaminated with PCBs, lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health and background standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Local News* on May 9, 2000.

Former Metro Container Corp., Inc., Trainer Borough, **Delaware County**. Carl J. Bones, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with PCBs, lead, heavy metals, solvents, BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet Statewide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Delaware County Daily Times* on May 10, 2000.

Hale Products, Inc., Conshohocken Borough and Whitemarsh Township, **Montgomery County**. Frank C. Keirse, Hale Products, Inc., 700 Spring Mill Avenue, Conshohocken, PA 19428, has submitted a Notice of Intent to Remediate site soil contaminated with lead and heavy metals and groundwater contaminated with heavy metals. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Norristown Times Herald* on May 15, 2000.

Cognis Corp. Ball Field Property, Lower Gwynedd Township, **Montgomery County**. James F. Mattern, HydroScience, Inc., 607 Washington Street, Reading, PA 19601, has submitted a Notice of Intent to Remediate site soil contaminated with heavy metals, solvents, BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Ambler Gazette* on May 17, 2000.

Millennium—The Center for Internet Excellence, Conshohocken Borough, **Montgomery County**. Richard P. Almquist, Jr., Oxford Engineers & Consultants, Inc., 2621 Van Buren Avenue, Suite 500, Norristown, PA 19401, has submitted a Notice of Intent to Remediate site soil contaminated with lead, heavy metals, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons and groundwater contaminated with BTEX petroleum

hydrocarbons and polycyclic aromatic hydrocarbons. The site is located in a special industrial area. The applicant's proposed remediation will address any immediate, direct or imminent threat to the public health and the environment and will be based on the results of the Baseline Remedial Investigation Report. A summary of the Notice of Intent to Remediate was reported to have been published in *The Times Herald* on May 24, 2000.

SOLID AND HAZARDOUS WASTE BENEFICIAL USE DETERMINATIONS

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and the residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Bureau of Land Recycling and Waste Management, Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101-2301.

General Permit Application No. WMGR068. Northampton Generating, L. P., 1 Horwith Drive, Northampton, PA 18067. For the beneficial use of ash generated by the burning of waste coal and other carbonaceous wastes (petroleum coke, wood chips and other paper and wood industry wastes comprised primarily of wood fibers), for use in mine land reclamation and other uses of coal ash authorized under 25 Pa. Code §§ 287.661—287.665. Comments on the general permit application may be submitted to Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in examining the application may make arrangements by calling the Division of Municipal and Residual Waste at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Arrangements can also be made for persons with disabilities who wish to inspect the application. Public comments must be submitted to the Department within 60 days of the date of this notice and may recommend conditions upon, revisions to, and approval or denial of the application.

RESIDUAL WASTE PROCESSING FACILITIES

Determination of applicability under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and the residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101-2301.

Determination of applicability under **General Permit No. WMGR029D02. Ernie's Waste Oil**, 155-C Swiontek Road, R. D. 3, Aliquippa, PA 15001. General Permit Number WMGR029 for the operation of a transfer facility prior to beneficial use of waste oil, spent antifreeze, and waste oil/water mixtures. The Department determined that General Permit No. WMGR029 was applicable on June 27, 2000.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.

Southcentral Regional Office: Regional Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.

Permit No. 101584. Edward Armstrong and Sons, Inc. (205 Greenfield Road, Lancaster, PA 17601). Application for permit renewal for a facility in East Lampeter Township, **Lancaster County**. Application determined to be administratively complete in the Regional Office on June 22, 2000.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653.

A. 100955. Wayne Township Landfill, Clinton County Solid Waste Authority (P. O. Box 209, McElhattan, PA 17748). Application for renewal of municipal waste landfill permit located in Wayne Township, **Clinton County**. Application accepted in the regional office on June 9, 2000.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 101674. McCutcheon Enterprises, Inc., 250 Park Road, Apollo, PA 15613. An application for a municipal waste processing facility in Allegheny Township, **Westmoreland County**, was received in the Regional Office on June 8, 2000.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request

that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

35-302-110: PEI Power Corp. (170 Power Boulevard, P. O. Box 157, Archbald, PA 18403) for operation of an auxiliary boiler in Archbald Borough, **Lackawanna County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

01-03021: Agway Inc. dba Andgrow Fertilizer (3150 Stoney Point Road, East Berlin, PA 17316) for a Natural Minor Operating Permit for their fertilizer mixing operation in Latimore Township, **Adams County**.

06-03104: Bean Funeral Homes and Cremation Services, Inc. (129 East Lancaster Avenue, Shillington, PA 19607) for a Natural Minor Operating Permit for their cremation facility controlled by a secondary chamber in Sinking Spring Borough, **Berks County**.

28-03004: Bri-Mar Manufacturing, Inc. (1080 South Main Street, Chambersburg, PA 17201) for a Synthetic Minor Operating Permit for three spray booths at their dump trailer manufacturing facility in Chambersburg Borough, **Franklin County**.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the refer-

ence number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

TV-65-00788: Sony Electronics, Inc. (1001 Technology Drive, Mt. Pleasant, PA 15666) in East Huntingdon Township, **Westmoreland County**. The facility's major sources of emissions include several steam boilers, two aperture grille manufacturing line, four wave solder machines, six process ovens, forced-air heater and other miscellaneous sources.

TV-63-00550: USA South Hills Landfill, Inc. (a subsidiary of USA Waste Services, Inc.) (3100 Hill Road, Library, PA 15129) for operation of a municipal solid waste landfill in Union Township, **Washington County** and South Park Township, **Allegheny County**. The landfill borders both counties but the flaire is situated in the Washington County part of the landfill. The design capacity of this landfill makes it subject to the operating permit requirements of Title V of the Federal Clean Air Act, and 25 Pa. Code Chapter 127, Subchapter G (relating to Title V operating permit requirements). The Department also intends to incorporate the applicable requirements of Plan Approval 63-550A into the Title V Operating Permit. Plan Approval 63-550A is for the 36 acre expansion, including six cells, Pads 4-9 at this landfill site. This notice shall also serve as notice of public availability of Plan Approval 63-550A.

TV-56-00181: Southern Alleghenies Disposal Service, Inc. (USA Waste Northern Region, 310 Leger Road, North Huntingdon, PA) for their Southern Alleghenies Landfill located in Conemaugh Township, **Somerset County**. As a result of the potential levels of VOC emitted from this facility it is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

Notice of Intent to Amend a Title V Operating Permit

In accordance with 25 Pa. Code §§ 127.424(b) and 127.521, the Department of Environmental Protection (Department) intends to incorporate a plan approval into the existing Title V permit issued to Ford Electronics and Refrigeration LLC, for their facility located in Worcester Township, Montgomery County. The facility currently has a Title V operating permit No. TVOP-46-00036.

Plan Approval No. PA-46-0036 was issued for the construction of Selective Soldering Machine No. 6. Emissions from this source are 0.00035 tons per year of Lead and 2.37 tons per year of volatile organic compounds. The Operating Permit will contain requirements to keep the facility operating within all applicable air quality requirements for this source.

Copies of the application, the Department's analysis, inspection report and other documents used in the evalu-

ation of the application are available for public review during normal business hours at Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Persons wishing to provide the Department with additional information that they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed Permit No. TVOP-46-00036; A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines notification is sufficient. Written comments or requests for a public hearing should be directed to Francine Carlini, Regional Manager, Air Quality, Department of Environmental Protection, Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PLAN APPROVALS

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

06-05025A: Morgan Corp. (P. O. Box 588, Morgantown, PA 19543) for construction of a repair paint booth controlled by a portable particulate collector in Caernarvon Township, **Berks County**.

06-05101: Terradyne Ceramics of PA, LLC (101 Chelsley Drive, Suite 202, Media, PA 19063) for construction of a tile manufacturing plant controlled by various fabric collectors in New Morgan Borough, **Berks County**.

36-03008C: Tyson Foods, Inc. (P. O. Box 1156, New Holland, PA 17557-0901) for replacement of a dust collector used to control dust emissions from their Live Receiving Room in New Holland Borough/Earl Township, **Lancaster County**.

67-05070B: Graham Packaging Co., L.P. (2401 Pleasant Valley Road, York, PA 17401) for installation of a plastic bottle coating line controlled by a thermal oxidizer in Manchester Township, **York County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

OP-47-0001D: PPL Electric Utilities Corp. (2 North Ninth Street, Allentown, PA 18101-1179) for installation of two air cleaning devices (a replacement electrostatic precipitator and a selective catalytic reduction system) on a 750 megawatt rated capacity bituminous coal-fired electric utility boiler (Unit No. 1) at the Montour SES in Derry Township, **Montour County**. The resultant particulate matter emissions will be no greater than .1 pounds per million BTU of heat input and may be less. The selected catalytic reduction system, when operating, will reduce the nitrogen oxide emissions from Unit No. 1

by up to 90% from the level which currently exists to a level which will possibly be as low as .04 pounds per million BTU of heat input.

59-301-019: TLC Services (621 Smith Road, Mansfield, PA 16933) for construction of a crematory incinerator in Tioga Township, **Tioga County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-63-147B: International Paper Co. (P. O. Box 285, Washington, PA 15301) for operation of starch silo at Washington Container Plant in North Strabane Township, **Washington County**.

PA-26-479A: Pioneer Mid-Atlantic, Inc. (400 Industrial Blvd., New Kensington, PA 15068) for operation of Connellsville II Quarry in Bullsken Township, **Fayette County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-25-00090A: Zurn Industries, Inc., Cast Metal Operation (1301 Raspberry Street, Erie, PA 16502) for installation of a baghouse to replace two existing rota clone wet collectors in the City of Erie, **Erie County**.

24-315-007A: Willamette Industries, Inc., Johnsonburg Mill (100 Center Street, Johnsonburg, PA 15845) for modification of Air Quality Permit No. 24-315-007, Lime Kiln, to relax kiln SO₂ limit to 66.0 lbs/hour during periods when low volume high concentration (LVHC), gasses are ducted to the kiln in Johnsonburg, **Elk County**. Willamette Industries, Inc., Johnsonburg, is a Title V facility.

10-307-050A: AK Steel, Butler Works (210 Pittsburgh Road, Butler, PA 16003) for modification of Air Quality Permit No. 10-307-050, No. 22 Pickle Line, to convert to a sulfuric/hydrofluoric/hydrogen peroxide pickling operation in Butler, **Butler County**. AK Steel, Butler Works is a Title V facility.

CNG Transmission Corporation (625 Liberty Avenue, Pittsburgh, PA 15222) has submitted an application to the Department of Environmental Protection (Department) for approval to construct four internal combustion compressor engines, a pipeline heater, an emergency generator and a boiler at their Greenlick Compressor Station in Stewardson Township, **Potter County**. The information provided by the applicant and the Department's own analysis indicates that the subject air contamination sources may potentially emit up to 39.75 tons per year of nitrogen oxides, 46.24 tons per year of carbon monoxide, 10.74 tons per year of volatile organic compounds and 3.57 tons per year of a combination of hazardous air pollutants (of which up to 2.30 tons per year will be formaldehyde). These air contamination sources will also emit negligible amounts of sulfur oxides and particulate matter. A preliminary review of the information submitted by the applicant indicates that the proposed construction will meet all applicable air quality requirements, including the New Source Review requirements specified in 25 Pa. Code §§ 127.201–127.217. Based on this finding, the Department proposes to approve the application and issue a plan approval to construct four 3,200 horsepower, natural gas-fired White Superior model No. 2416 internal combustion compressor engines equipped with Clean Burn III control systems and model 30"-M51S "Special" Maxim converter/silencers as well as to construct a 12.8 million Btu per hour

natural gas-fired Gas Tech pipeline heater, a 536 horsepower natural gas-fired emergency generator and a 3.0 million Btu per hour natural gas-fired boiler.

To ensure compliance with all applicable standards, the Department proposes to place the following requirements in the respective plan approval.

1. The four internal combustion compressor engines, the pipeline heater, the emergency generator and the heater are to be constructed in accordance with the plans submitted with the application (as approved herein).

2. This plan approval is issued for the construction of four 3,200 horsepower, natural gas-fired White Superior model No. 2416 internal combustion compressor engines equipped with Clean Burn III control systems and model 30"-M51S "Special" Maxim converter/silencers as well as for the construction of a 12.8 million Btu per hour natural gas-fired Gas Tech pipeline heater, a 536 horsepower natural gas-fired emergency generator and a 3.0 million Btu per hour natural gas-fired boiler, as further described in the application and supplemental materials submitted for plan approval. The company shall submit the operating, design and air contaminant emission specifications of the emergency generator and the boiler within 15 days of finalizing the vendor selection for these sources to verify that the respective sources are equivalent to those described in the application and supplemental materials submitted for plan approval. If the Department determines that any of these sources are not equivalent, this plan approval is automatically null and void with respect to that source.

3. The emission of nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compounds from each of the four White Superior engines shall not exceed 6.35 pounds per hour, 5.64 pounds per hour and 1.69 pounds per hour, respectively. Additionally, the total combined emission of nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compounds from the four engines shall not exceed 33.97 tons, 30.17 tons and 9.04 tons, respectively, in any 12 consecutive month period.

4. The total combined operation of the four White Superior engines shall not exceed 10,700 hours in any 12 consecutive month period.

5. The formaldehyde emissions from each of the four White Superior engines shall not exceed 0.43 pounds per hour. Additionally, the total combined emission of formaldehyde from the four engines shall not exceed 2.30 tons in any 12 consecutive month period and the total combined emission of all hazardous air pollutants from the four engines shall not exceed 3.57 tons in any 12 consecutive month period.

6. The 12.8 million Btu per hour Gas Tech pipeline heater shall be equipped with a low NO_x burner and flue gas recirculation.

7. The concentration of nitrogen oxides (expressed as NO₂) and carbon monoxide contained in the exhaust from the 12.8 million Btu per hour pipeline heater shall not exceed 30 ppm_{dv} at 3% O₂ and 400 ppm_{dv} at 3% O₂, respectively, and the volatile organic compound emissions from the pipeline heater shall not exceed 0.14 pounds per hour. Additionally, the total emission of nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compounds from the pipeline heater shall not exceed 2.28 tons, 15.75 tons and 0.61 tons, respectively, in any 12 consecutive month period.

8. The 536 horsepower emergency generator shall not be operated more than 1,000 hours in any 12 consecutive month period.

9. The emission of nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compounds from the 536 horsepower emergency generator shall not exceed 4.38 pounds per hour, 3.70 pounds per hour and 1.48 pounds per hour respectively. Additionally, the total emission of nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compounds from the emergency generator shall not exceed 2.19 tons, 1.85 tons and 0.75 ton respectively in any 12 consecutive month period.

10. The emission of nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compounds from the 3.0 million Btu per hour boiler shall not exceed 0.30 pound per hour, 0.11 pound per hour and 0.08 pound per hour respectively. Additionally, the total emission of nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compounds from the boiler shall not exceed 1.31 tons, 0.48 ton and 0.35 ton respectively in any 12 consecutive month period.

11. All of the sources identified in condition 2 herein shall be fired only on pipeline quality natural gas.

12. The permittee shall be in possession of 58.27 tons of Department-approved volatile organic compound emission reduction credits prior to commencing operation of any of the air contaminant sources identified in condition 2 herein.

13. The natural gas-fired 6.5 million Btu per hour model No. 89-1160 NATCO pipeline heater currently existing at the Greenlick Compressor Station shall be shut down within 180 days of the start of operation of any source identified in condition 2 herein.

14. Within 120 days of startup of the White Superior engines, the permittee shall perform nitrogen oxides (expressed as NO₂), carbon monoxide, volatile organic compound and formaldehyde testing upon each of the engines to determine the mass emission rate (expressed in pounds per hour) of the respective air contaminants. This testing shall be performed while the engines are operating at maximum capacity using test methods and procedures deemed acceptable by the Department.

15. Within 120 days of startup of the 12.8 million Btu per hour natural gas-fired Gas Tech pipeline heater, the permittee shall perform nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compound testing upon the heater to determine the mass emission rate (expressed in pounds per hour, NO₂ and CO shall also be expressed in ppmv at 3% O₂) of the respective air contaminants. This testing shall be performed while the heater is operating at maximum capacity using test methods and procedures deemed acceptable by the Department.

16. Within 120 days of startup of the 536 horsepower natural gas-fired emergency generator, the permittee shall perform nitrogen oxides (expressed as NO₂), carbon monoxide and volatile organic compound testing upon the emergency generator to determine the mass emission rate (expressed in pounds per hour) of the respective air contaminants. This testing shall be performed while the emergency generator is operating at maximum capacity using test methods and procedures deemed acceptable by the Department.

17. At least 60 days prior to the performance of any testing required by conditions 14, 15 and 16 herein, the

permittee shall submit three copies of a pretest protocol to the Department for review.

18. At least 10 days prior to the performance of any testing required by conditions 14, 15 and 16 herein, the permittee shall notify the Department of the actual dates and times that testing will occur so that Department personnel can arrange to be present during the testing.

19. Within 60 days following the performance of any testing required by conditions 14, 15 and 16 herein, three copies of a test report shall be submitted to the Department.

20. The company shall maintain accurate and comprehensive records of the following:

- The number of hours that each of the White Superior engines is operated each month.
- The number of hours that the emergency generator is operated each month.

These records shall be retained for at least 5 years and be made available to the Department upon request.

21. Issuance of an operating permit for the aforementioned sources is contingent upon the sources being constructed, maintained and operated as described in the application and supplemental materials submitted for plan approval, as well as in accordance with all conditions contained herein, and upon satisfactory demonstration that any air contaminants emitted from the sources are in compliance with the requirements specified in all conditions contained herein and the applicable requirements specified in 25 Pa. Code §§ 123.1, 123.11, 123.13 and 123.41 as well as in compliance with the requirements specified in, or established under any other applicable rule or regulation contained in Article III.

22. The 12.8 million Btu per hour pipeline heater is subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.40c through 60.48c. The permittee shall comply with all applicable requirements of this Subpart as well as any other applicable Subpart of the Standards of Performance, including any recordkeeping and reporting requirements. Under 40 CFR 60.4 of the Standards of Performance, the submission of all requests, reports, applications, submittals and other communications required by the Standards of Performance must be made to both the Department and the Environmental Protection Agency.

23. The permittee shall immediately notify the Department of any malfunction of the sources or associated air cleaning devices which results in, or may possibly be resulting in, the emission of air contaminants in excess of the limitations specified in, or established under, any applicable rule or regulation contained in Article III of the Rules and Regulations of the Department or in excess of the limitations specified in any condition contained herein or which otherwise results in, or may possibly be resulting in, noncompliance with the requirements specified in any condition contained herein.

24. This plan approval authorizes temporary operation of the sources covered by this plan approval for a period of up to 180 days from the date upon which operation commences.

25. Any notification required as a result of any condition herein should be directed to: Joseph J. Dwyer.

In accordance with 25 Pa. Code § 127.45 the conditions listed in this plan approval do one or more of the following:

1. Identify the sources and location.
2. Establish allowable emission rates.
3. Establish monitoring, recordkeeping, testing and reporting requirements.
4. Ensure proper operation and adequate maintenance.

Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public inspection during normal business hours at the address listed.

Persons wishing to protest the issuance of plan approval or provide the Department with additional information which he/she believes should be considered prior to the issuance of the plan approval may submit the protest or information to the Department at the address listed. A 30-day comment period, from the last date of publication, will exist for the submission of protests or comments. Each written protest or comment shall include the following: name, address and telephone number of the person submitting the comments; identification of the proposed Plan Approval No. OP-53-0003D; and a concise statement regarding the relevancy of the information or any objections to issuance of the plan approval.

A public hearing may be held, if the Department in their discretion, decides that such a hearing is warranted based on the information received. All persons protesting the issuance of plan approval, submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper of general circulation in the county in which the source is to be located or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines notification by telephone is sufficient. All protests, comments and requests must be received by the Department no later than 30 days after final publication of this notice.

Written protests, comments or requests for a public hearing should be directed to David W. Aldenderfer, Regional Air Quality Program Manager, Department of Environmental Protection, Northcentral Region, Field Operations, 208 West Third Street, Suite 101, Williamsport, PA 17701-6510, (570) 327-3648.

For additional information regarding the Department's analysis of the application, contact Joseph J. Dwyer, Air Pollution Control Engineer, Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6510, (570) 327-3642.

Notice of Intent to Issue a Plan Approval and Amend a Title V Operating Permit

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection (Department) intends to issue a plan approval to **National Fuel Gas Supply Corp.** (P. O. Box 2081, Erie, PA 16512) for their plant in Sheffield Township, **Warren County**. The facility currently has a Title V permit No. 62-00141. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

Plan approval No. 62-00141 is for the modification of units 1 through 8. The units will have their rated brake horsepower (BHP) increased by minor mechanical engine and ignition modifications and subsequent engine tuning. The manufacturer emissions rate guarantees will not increase. The #/hr and TPY emissions will increase slightly but will not trigger NSR or PSD review. The revised permit will include the emission limits for NO_x,

CO and NMHC. The facility will be required to continue performing NO_x emission tests on the engines on a semiannual basis using a Department approved portable analyzer. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at 230 Chestnut Street, Meadville, PA 16335.

Persons wishing to provide the Department with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. The Department will consider any written comments received within 30 days of the publication of this notice. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit [No. 62-00141].

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where the Department determines notification is sufficient. Written comments or requests for a public hearing should be directed to Matthew Williams, Air Pollution Control Engineer, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6940.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by contacting Matthew Williams, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

If a plan approval has not undergone the above public notice process the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421—127.431 for State only operating permits or §§ 127.521—127.524 for Title V operating permits.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Envi-

ronmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for information conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. These NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

Coal Applications Received

03840106. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Revision received requesting a land use change on the property of Theodore Hooks, Jr. from cropland or pastureland/land occasionally cut for hay to unnamed wildlife habitat and request for a permanent stream crossing on an existing bituminous surface auger mine located in East Franklin Township, **Armstrong County**, affecting 583.4 acres. Receiving streams: unnamed tributary to the Allegheny River. Revision request received: June 22, 2000.

65000102. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Application received for commencement, operation, and reclamation of a bituminous surface mine located in Derry Township, **Westmoreland County**, proposed to affect 80.6 acres. Receiving

streams: unnamed tributaries to McGee Run to McGee Run to Conemaugh River. Application received: June 21, 2000.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17663037. Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), transfer of an existing bituminous surface mine permit from Al Hamilton Contracting Company, located in Decatur and Woodward Townships, **Clearfield County** affecting 400.5 acres. Receiving streams: unnamed tributaries to Little Beaver Run and Beaver Run, and unnamed tributaries to Goss Run and Goss Run. Application received June 12, 2000.

17930124. Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), transfer of an existing bituminous surface mine-auger permit from Al Hamilton Contracting Company, located in Woodward and Decatur Townships, **Clearfield County** affecting 346 acres. Receiving streams: unnamed tributary to Little Beaver Run and North Branch of Morgan Run. Application received June 12, 2000.

17960114. Larry D. Baumgardner Coal Co., Inc. (P. O. Box 186, Lanse, PA 16849), revision to an existing bituminous surface mine-auger permit for a Change in Permit Acres from 80.9 to 97.9 acres. The permit is located in Brady Township, **Clearfield County**. Receiving streams: unnamed tributary to Luthersburg Branch, Laborde Branch. Application received June 20, 2000.

41940101. Fisher Mining Company (40 Choate Circle, Montoursville, PA 17753), major permit revision to an existing bituminous surface mine permit to apply biosolids (stabilized sewage sludge) to enhance vegetation. The permit is located in Pine and McHenry Township, **Lycoming County** and affects 616 acres. Receiving streams: Buckeye Run, Otter Run, Little Pine Creek, Pine Creek, West Branch Susquehanna River, Chesapeake Bay. Application received June 16, 2000.

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

03871302. DLR Mining, Inc. (3065 Airport Rd., Indiana, PA 15701), to revise the permit for the Triple K No. 1 in Burrell Township, **Armstrong County** to add 712 acres to the underground permit area and 638 acres to the subsidence control plan boundary, no additional discharges. Application received May 18, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40940203C. Hudson Anthracite, Inc. (202 Main Street, Laflin, PA 18702), correction to an existing coal refuse reprocessing operation to include refuse disposal in Jenkins Township, **Luzerne County** affecting 149.9 acres, receiving stream—none. Application received June 19, 2000.

49773204R3. Gilberton Coal Company (P. O. Box 423, Gilberton, PA 17934), renewal of an existing coal refuse reprocessing operation in Mt. Carmel and Conyngham Townships, **Northumberland and Columbia Counties** affecting 958.0 acres, receiving stream—none. Application received June 19, 2000.

54850202R3. B-D Mining Co. (P. O. Box 423, Gilberton, PA 17934), renewal of an existing coal refuse reprocessing/disposal operation in Mahanoy Township, Shenandoah and Gilberton Boroughs, **Schuylkill County** affecting 1,590.0 acres, receiving stream—none. Application received June 19, 2000.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

32000102. Britt Energies, Inc. (2450 Philadelphia Street, Indiana, PA 15701), commencement, operation and restoration of bituminous surface-auger mine in White Township, **Indiana County**, affecting 135.6 acres, receiving stream unnamed tributary of Yellow Creek and Yellow Creek to Two Lick Creek to the Conemaugh River, application received June 14, 2000.

32000103. S & M Mining (15 Rayne Run Road, Marion Center, PA 15759), commencement, operation and restoration of bituminous surface-auger mine in Cheryhill Township, **Indiana County**, affecting 64.0 acres, receiving stream unnamed tributary of Allen Run and unnamed tributary of Penn Run, both contributory to Two Lick Creek to the Conemaugh River, application received June 15, 2000.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

Small Noncoal (Industrial Minerals) Applications Returned

02000801. Duncan Excavating (3037 Brownsville Road Extension, Library, PA 15219). Application returned for commencement, operation and restoration of a small industrial mineral surface mine located in Crafton Borough, **Allegheny County**, proposed to affect 8.9 acres. Receiving streams: Chartiers Creek to Ohio River. Application received: March 16, 2000. Application returned: June 16, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

Noncoal Applications Received

03930301. Allegheny Energy Supply Company, LLC (800 Cabin Hill Drive, Greensburg, PA 15601-1689). Renewal application received for continued operation and reclamation of noncoal surface mine located in Washington Township, **Armstrong County**, affecting 19.8 acres. Receiving streams: unnamed tributary to the Allegheny River. Renewal application received: June 15, 2000.

65900304. Carbon Fuel Resources, Inc. (P. O. Box 275, West Leisenring, PA 15489). Revision application received to reconfigure the permit area for additional screening and removal of coke ash and by-products at a large noncoal surface mining operation located in Unity Township, **Westmoreland County**, affecting 40.4 acres. Receiving streams: unnamed tributary to Sewickley Creek to Sewickley Creek to the Youghiogheny River. Application received: June 21, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

10000305. G. L. McKnight, Inc. (P. O. Box 773, Slippery Rock, PA 16057-8316). Commencement, operation, and restoration of a sand and gravel operation in Worth Township, **Butler County** affecting 111.0 acres. Receiving streams: Black Run and unnamed tributaries to Black Run. Application to include a landuse change from forestland to pastureland/occasionally cut for hay. Application received June 15, 2000.

10000305. G. L. McKnight, Inc. (P. O. Box 773, Slippery Rock, PA 16057-8316). Application for a stream encroachment to conduct mining activities within 100 feet of unnamed tributary to Black Run in Worth Township, **Butler County**. Receiving streams: Black Run and unnamed tributaries to Black Run. Application received June 15, 2000.

16000303. Milestone Crushed, Inc. (521 South Street, Clarion, PA 16214). Commencement, operation and restoration of a limestone operation in Perry Township, **Clarion County**, affecting 31.0 acres. Receiving streams: Unnamed tributaries to Allegheny River. Application received June 16, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

5878SM3C2. Haines & Kibblehouse, Inc. (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit PA0595691 in Penn Forest Township, **Carbon County**, receiving stream—Stony Creek. Application received June 14, 2000.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Large Industrial Minerals Received

32000301. Penn Run Quarry (456 Weston Road, Penn Run, PA 15765), commencement, operation and restoration of a shale, sandstone and topsoil surface and crushing and screening mine in Cherryhill Township, **Indiana County**, affecting 42.0 acres, receiving stream unnamed tributary to Penn Run to Two Lick Creek to the Conemaugh River, application received June 13, 2000.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E35-330. Encroachment. South Abington Township, 104 Shady Lane Road, Chinchilla, PA 18410. To remove the existing structure and to construct and maintain a 12-foot by 12-foot concrete box culvert, depressed 1 foot below streambed elevation, in Summit Lake Creek (TSF). The project, known as Leach Street culvert replacement

project, is located 0.5 mile west of the intersection of Shady Lane Road and S. R. 0006 (Scranton, PA Quadrangle N: 17.5 inches; W: 9.2 inches), South Abington Township, **Lackawanna County** (Baltimore District, U. S. Army Corps of Engineers).

E35-331. Encroachment. **Pennsylvania Department of Transportation, District 4-0**, P. O. Box 111, Scranton, PA 18501. To remove the existing structures and to construct and maintain a 13-foot by 7-foot concrete box culvert, 1 foot below streambed elevation, with alternating 6-inch high concrete baffles in Lucky Run Creek (CWF). The project is associated with the Keyser Avenue rehabilitation project and is located on S. R. 3011, Section 204, Segment 0120, Offset 0259 (Scranton, PA Quadrangle N: 6.9 inches; W: 11.1 inches), Taylor Borough, City of Scranton, **Lackawanna County** (Baltimore District, U. S. Army Corps of Engineers).

E35-332. Encroachment. **Pennsylvania Department of Transportation, District 4-0**, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a 13-foot by 6-foot concrete box culvert, depressed 1 foot below streambed elevation, in Keyser Creek (CWF). The project is associated with the Keyser Avenue rehabilitation project and is located on S. R. 3011, Section 204, Segment 0150, Offset 000 (Scranton, PA Quadrangle N: 9.9 inches; W: 9.2 inches), Taylor Borough, City of Scranton, **Lackawanna County** (Baltimore District, U. S. Army Corps of Engineers).

E39-387. Encroachment. **Borough of Catasauqua**, 118 Bridge Street, Catasauqua, PA 18032-2598. To maintain the existing twin 72 inch diameter RCP culverts in Catasauqua Creek (CWF) with work consisting of the construction of a trash rack on the upstream end of the structure. The project is located at the intersection of Walnut Street and St. John Street (Catasauqua, PA Quadrangle N: 6.3 inches; W: 12.9 inches), Borough of Catasauqua, **Lehigh County** (Philadelphia District, U. S. Army Corps of Engineers).

E40-554. Encroachment. **Luzerne County Courthouse**, 200 North River Street, Wilkes-Barre, PA 18711. To remove the existing structure and to construct and maintain a road crossing consisting of three 29-inch by 42-inch C.M.P. arch culverts in Browns Creek (CWF). The project is located along Township Road T609 (Hardisky Road), approximately 0.4 mile north T712 (Gates Road) (Kingston, PA Quadrangle N: 6.6 inches; W: 13.5 inches), Jackson Township, **Luzerne County** (Baltimore District, U. S. Army Corps of Engineers).

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E31-163. Encroachment. **PA Department of Transportation, Engineering District 9-0**, 1620 Juniata Street, Hollidaysburg, PA 16648. To remove an existing structure and to construct and maintain a single span prestressed reinforced concrete adjacent box beam bridge having a normal clean span of 51.68 feet and an underclearance of 5.62 feet across North Spring Branch (CWF) and construct a temporary cofferdam in the channel of North Spring Branch to facilitate construction of the bridge and a temporary roadway consisting of three 7.0-foot by 5.08-foot corrugated metal culverts with R-3 and R-7 rock fill for traffic control during construction located on SR 0094, Section 004, Segment 0480, Offset 2965 (Orbisonia, PA Quadrangle N: 12.5 inches; W: 15.3 inches) in Three Springs Borough, **Huntingdon County**.

E36-693. Encroachment. **PECO Energy**, 1848 Lay Rd., Delta, PA 17314. To perform maintenance dredging to remove accumulated sediment deposits from the north and south cooling water intake bays and the screenwell structure approach apron at the PECO Energy Company Peach Bottom Atomic Power Station located along the right bank in the Conowingo Reservoir on the Susquehanna River (WWF) (Holtwood, PA Quadrangle N: 3.6 inches; W: 4.5 inches) in Drumore Township, **Lancaster County**.

E38-130. Encroachment. **Trout Unlimited Doc-Fritscheg Chapter 2266**, Frank Payer, 124 Fort Hunter Road, Harrisburg, PA 17110. To construct and maintain an 8-inch PVC intake pipe to divert water to a second 6-foot diameter concrete pipe to be filled with limestone to serve as a diversion well being placed adjacent to an existing well. The project purpose is to treat high flows of acidic water in Rausch Creek (TSF). The site is located on the upstream side of the Stony Creek rail/trail bridge over Rausch Creek (Indiantown Gap, PA Quadrangle N: 22.3 inches; W: 13.5 inches) in Cold Spring Township, **Lebanon County**.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E12-119. Encroachment. **Gary Brown**, R. R. 2, Box 238D, Emporium, PA 15834. To restore 1,000 feet of Clear Creek (High Quality-Cold Water Fishery); construct, operate and maintain a water intake structure along Clear Creek for water supply to a 2-acre pond. The stream bank restoration work shall consist of regrading the eroded stream banks to side slopes of 4-feet horizontal to 1-foot vertical and applying vegetative stabilization. The water intake structure shall be constructed with a channel that shall have a maximum length of 10-feet, maximum bottom width of 5-feet, maximum depth of 7-feet and minimum side slopes of 2-feet horizontal to 1-foot vertical. The project will not impact wetlands while impacting 1,050 feet of waterway. The project is located along the western right-of-way of SR 0046 approximately 2,200 feet west of SR 4004 and SR 0046 intersection (Ridge Valley, PA Quadrangle N: 5.0 inches; W: 7.0 inches) in Shippen Township, **Cameron County**.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1313. Encroachment. **Rohrich Automotive Group**, 2020 West Liberty Avenue, Pittsburgh, PA 15226. To remove the existing structures and to place and maintain fill in approximately 0.1 acre of wetlands (PEM) adjacent to an unnamed tributary to Brush Creek for the purpose of constructing a car dealership located on the south side of S. R. 0019, just south from the intersection of S. R. 0019 and Shenot Road (Mars, PA Quadrangle N: 4.3 inches; W: 10.8 inches) in Marshall Township, **Allegheny County**. The applicant proposes to pay into the Wetland Replacement Fund.

E56-296. Encroachment. **New Enterprise Stone & Lime Company, Inc.**, P. O. Box 77, New Enterprise, PA 16664. To place and maintain fill in approximately 2.64 acres of wetland for the purpose of constructing a concrete mix plant. The project site is located near the headwaters of Kimberly Run, adjacent to Township Road T-546, near where this road crosses the Pennsylvania Turnpike in (Murdock, PA Quadrangle N: 20 inches; W: 3 inches) Somerset Township, **Somerset County**.

E63-491. Encroachment. **Donna Lee Weber, Tom E. and Lisa D. Robinson, Flagler Center**, Suite 502, 501 South Flagler Drive, West Palm Beach, FL 33401. To rehabilitate and maintain the left bank of Maple Creek for the purpose of eliminating stream bank erosion on applicant property located on the south side of Lincoln Avenue, approximately 110 feet east from the intersection of Twilight Hollow Road and Lincoln Avenue (Monongahela, PA Quadrangle N: 1.2 inches; W: 2.8 inches) in Charleroi Borough, **Washington County**.

E65-759. Encroachment. **Pennsylvania Department of Transportation, Engineering District 12-0**, P. O. Box 459, Uniontown, PA 15401. To remove the existing structure and to construct and maintain a 36-inch concrete pipe culvert in an unnamed tributary to Laurel Run (CWF) located on S. R. 2006, Segment 0020, Offset 0000 (Mammoth, PA Quadrangle N: 5.2 inches; W: 13.9 inches) in Mount Pleasant Township, **Westmoreland County**.

E26-268. Encroachment. **Blaney Farms, Inc.**, P. O. Box 640, Perryopolis, PA 15473. To place and maintain approximately 950 LF of fill along the left bank of an unnamed tributary to Crabapple Run (WWF) for the purpose of expanding an existing parking facility at Blaney Farms business located off of S. R. 51 North, approximately 1 mile south of the intersection of S. R. 51 and S. R. 201 (Fayette City, PA Quadrangle N: 6.3 inches; W: 2.8 inches) in Franklin Township, **Fayette County**. This application was filed as a result of the Department's Notice of Violation dated April 27, 1999 issued to Blaney Farm, Inc.

E32-419. Encroachment. **Green Township**, 1429 Rt. 240 Highway, Commodore, PA 15729. To remove the existing pipe culvert and to construct and maintain a 50-foot long, 5-foot diameter pipe culvert (invert depressed 6 inches) in Whitaker Run (HQ-CWF) located on Barr Road approximately .25 mile south of the intersection of S. R. 1014 and Barr Road. Also, to construct and maintain bank protection at the culverts approaches (Commodore, PA Quadrangle N: 6.6 inches; W: 7.9 inches) in Green Township, **Indiana County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E43-287. Encroachment. **Mercer County Commissioners**, 503 Mercer County Courthouse, Mercer, PA 16137. To remove the existing superstructure, reconstruct the top portion of the abutments and to construct and maintain a prestressed concrete adjacent box beam bridge having a clear, normal span of 29.88 feet and an underclearance of 7.25 feet across Butchery Run on T-647 (Triple Link Road) approximately 1,000 feet northeast of S. R. 2021 (Hendersonville Road) (Sandy Lake, PA Quadrangle N: 16.2 inches; W: 9.5 inches) in Sandy Lake Township, **Mercer County**.

E43-288. Encroachment. **Mercer County Commissioners**, 503 Mercer County Courthouse, Mercer, PA 16137. To replace the steel beam super structure and to maintain County Bridge No. 2310 having a clear, normal span of 20 feet and an underclearance of 5 feet across Golden Run on T-446 (Robertson Road) approximately 0.5 mile north of S. R. 3020 (Lamor Road) (Sharpsville, PA Quadrangle N: 2.1 inches; W: 6.5 inches) in Sandy Lake Township, **Mercer County**.

ENVIRONMENTAL ASSESSMENT

The following Environmental Assessment and request for Water Quality Certification is being processed under §§ 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D39-010EA. Environmental Assessment. **Chris Kocher, Rivers Program Director** (Wildlands Conservancy, 3701 Orchid Place, Emmaus, PA 18049-1637). To breach and remove an unnamed dam across Little Lehigh Creek for the purpose of restoring the stream to a free flowing condition. The dam is located on the grounds of the Pool Wildlife Sanctuary in Lower Macungie Township, **Lehigh County**.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (32 P. S. §§ 631—640) relating to the acquisition of rights to divert waters of the Commonwealth.

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

WA26-539A. Water Allocation. **Borough of Masontown**, 2 Court Street, Masontown, PA 15461. The applicant is requesting the right to withdraw 1,000,000 gallons per day (peak day) from the Monongahela River.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Market Street State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secre-

tary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

Permits Issued

WQM Permit No. 2300407. Sewerage. **Knights Bridge Corporation**, 122 Chesley Drive, Suite 200, Media, PA 19063-1762. Applicant is granted approval to amend their existing permit to expand the STP serving Villages at Painters Crossing Shopping Center located in Chadds Ford Township, **Delaware County**.

WQM Permit No. 4698425. Sewerage. **McNeil Consumer Healthcare**, 7050 Camp Hill Road, Fort Washington, PA 19034. Applicant is granted approval for the construction and operation of pump station and forcemain to serve sanitary wastewater generated at the McNeil Consumer Products located in Whitemarsh Township, **Montgomery County**.

NPDES Permit No. PA0011231. Industrial waste. **Tosco Refining and Buckeye Pipe Line Company, L.P.**, P. O. Box 368, Emmaus, PA 18049-0368, is authorized to discharge from a facility located at Chelsea Pipe Line Station and Tank Farm, Upper Chichester Township, **Delaware County** into Boozers Run.

NPDES Permit No. PA0055514. Sewage. **John C. Lynam**, 148 Concord Meeting Road, Glen Mills, PA 19342, is authorized to discharge from a facility located in Concord Township, **Delaware County** into an unnamed tributary to West Branch of Chester Creek.

NPDES Permit No. PA0026131. Amendment No. 2. Sewage. **Upper Merion Municipal Utility Authority**, 900 Mancill Road, King of Prussia, PA 19406, is authorized to discharge from a facility located in Upper Merion Township, **Montgomery County** into Trout Creek/Schuylkill River.

NPDES Permit No. PA0024376. Sewage. **Borough of Boyertown**, 100 South Washington Street, Boyertown, PA 19512, is authorized to discharge from a facility located in Douglass Township, **Montgomery County**, to an unnamed tributary to Swamp Creek.

NPDES Permit No. PA043974. Amendment No. 1. Sewerage. **Valley Forge Sewer Authority**, 333 Pawling Road, Phoenixville, PA 19460-2656, is authorized to increase the flow to 9.4 mgd and discharge from a facility located in Schuylkill Township, **Chester County** to Schuylkill River.

WQM Permit No. 2398407. Amendment No. 1 Sewerage. **Claude deBotton**, 1604 Walnut Street, Philadelphia, PA 19103. Applicant is granted approval to amend permit for the Edgmont Country Fair WWTP located in Edgmont Township, **Delaware County**.

WQM Permit No. 1599422. Sewerage. **Valley Forge Sewer Authority**, 333 Pawlings Road, R. D. 1, Phoenixville, PA 19406. Applicant is granted approval for the re-rate of the sewer authority's wastewater treatment plant located in Schuylkill Township, **Chester County**.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

Permit No. PA0087921. Sewerage. **Berwick Township**, 85 Municipal Road, Hanover, PA 17331, is authorized to discharge from a facility located in Berwick Township, **Adams County** to the receiving waters named tributary of Pine Run.

Permit No. PA0083917. Industrial waste. **Polytek Pennsylvania, Inc.**, 811 Progress Avenue, Chambersburg, PA 17201, is authorized to discharge from a facility located in Chambersburg Borough, **Franklin County** to the receiving waters named Conococheague Creek.

Permit No. PA0009733. Amendment No. 3. Industrial waste. **PECO Energy Company**, Peach Bottom Atomic Power Station, 965 Chesterbrooke Boulevard 62 A-2, Wayne, PA 19087, is authorized to discharge from a facility located in Peach Bottom Township, **York County** to the receiving waters named Susquehanna River.

Permit No. PA0028894. Sewerage. **Fairfield Area School District**, 4840 Fairfield Road, Fairfield, PA 17320, is authorized to discharge from a facility located in Hamiltonban Township, **Adams County** to the receiving waters named UNT to Spring Run.

Permit No. PA0033774. Sewerage. **Regent Acres Mobile Home Park**, 4775 North Sherman Street Ext., Box 1, Mount Wolf, PA 17347, is authorized to discharge from a facility located in Newberry Township, **York County** to the receiving waters named Fishing Creek.

Permit No. PAG043515. Sewerage, Single Family Residence. **Royal C. Stout**, 144 Plum Creek Road, Bernville, PA 19506, is authorized to discharge from a facility located in Penn Township, **Berks County** to the receiving waters named Plum Creek.

Permit No. 0100401. Sewage. **Berwick Township**, 85 Municipal Road, Hanover, PA 17331. This permit approves the construction of Sewage Treatment Facilities/Sewers and Appurtenances in Berwick Township, **Adams County**.

Permit No. 3683415-99-1. Sewage. **William Horst**, City of Lancaster, 120 N. Duke St., P. O. Box 1599, Lancaster, PA 17608. This permit amendment approves the construction/modification of Sewage Treatment Facilities and Pump Station in Lancaster City, **Lancaster County**.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

NPDES Permit PA0228184. Sewerage. **Curt A. Jones, J & D Service and Campground**, 973 Southern Drive, Catawissa, PA 17820. Permission granted to construct and maintain a sewerage treatment facility. Facility located at Franklin Township, **Columbia County**.

NPDES Permit PA0033910. Sewerage. **Thomas Neilson, Northeast Bradford School District**, R. R. 1, Box 211B, Rome, PA 18837-9505. Renewal granted to applicant to treat sewage from facility located at Orwell Township, **Bradford County**.

NPDES Permit No. PA0112330. Sewerage. **Melvin Rummings**, R. R. 3, Box 200, Jersey Shore, PA 17744. Renewal granted to continue the existing discharge of treated and chlorinated sewage from facility located at Woodward Township, **Lycoming County**.

NPDES Permit No. PA0035777. Industrial waste, Amendment. **Hoeganaes Corporation**, 1001 Taylors Lane, Cinnaminson, NJ 08077-2017. The amendment is for a new production line that requires de-mineralized

water. The discharge will be reverse osmosis backwash. Facility located at Delaware Township, **Northumberland County**.

WQM Permit No. 0899404. Sewerage. **Bradford County**, P. O. Box 10, Towanda, PA 18848. Permission granted to construct, operate and maintain a new sewage treatment plant to replace the existing worn-out plant. The facility is located at West Burlington Township, **Bradford County**.

WQM Permit No. 5500401. Sewerage. **Middleburg Municipal Authority**, 13 North Main Street, Middleburg, PA 17842-0415. Permission granted to construct and maintain sewer system to serve the village of Kissimmee. The sewage system will be a collection and extended air sewage plant.

WQM Permit No. 5700401. Sewerage. **David E. Engle**, R. R. 4 Box 4285, Dushore, PA 18614. Permission granted to construct and maintain a small flow sewer system for facility located at Cherry Township, **Sullivan County**.

WQM Permit No. 6000402. Sewerage. **DCNR Bureau of State Parks**, P. O. Box 8551, Harrisburg, PA 17105-8551. Permission to construct and maintain a sewage treatment plant and collection system to serve the eastern area of R B Winter State Park. The facility is located at Hartley Township, **Union County**.

WQM Permit No. 1800401. Sewerage. **East Nittany Valley Joint Municipal Authority**, P. O. Box 314, Lamar, PA 16848. The Department approved the new sewer extension to serve Porter, Lamar and Walker Townships. Facility located at Lamar Township, **Clinton County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. PA0091898. Sewage. **United Mobile Home, Inc.**, 125 Wyckoff Road, P. O. Box 335, Eatontown, NJ 07724, is authorized to discharge from a facility located at Edgewood Estates Mobile Home Park Sewage Treatment Plant, Kiskiminetas Township, **Armstrong County** to receiving waters named Unnamed Tributary of Rattling Run.

NPDES Permit No. PA0218421. Sewage. **The Group at Spring Church**, 2867 Washington Road, McMurray,

PA 15314, is authorized to discharge from a facility located at the Links at Spring Church Golf Course STP, Kiskiminetas Township, **Armstrong County** to receiving waters named Unnamed Tributary of Roaring Run.

Permit No. 0273494-A1. Sewerage. **Municipal Authority of the Township of Robinson**, P. O. Box 15539, Pittsburgh, PA 15244. Construction of Pump Station located in Robinson Township, **Allegheny County** to serve Magnus Lane Pump Station.

Permit No. 0488402-A2. Sewerage. **Marion Township**, 485 Hartzell School Road, Fombell, PA 16123. Construction of Sewage Treatment Plant Expansion located in Marion Township, **Beaver County** to serve Vekaplast.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0223051. Sewage. **Connoquenessing Borough**, 228 Constitution Avenue, P. O. Box 471, Connoquenessing, PA 16027-0471, is authorized to discharge from a facility located in Connoquenessing Borough, **Butler County** to an unnamed tributary to Connoquenessing Creek.

NPDES Permit No. PA0221481. Industrial waste. **Norfolk Southern Railway Company**, 425 Holliday Drive, Pittsburgh, PA 15220, is authorized to discharge from a facility located in the City of Meadville, **Crawford County** to French Creek.

NPDES Permit No. PA0041645. Sewage. **Pennsylvania Department of Transportation, Safety Rest Area Site L**, P. O. Box 3060, Harrisburg, PA 17105-3060, is authorized to discharge from a facility located in Springfield Township, **Erie County** to an unnamed tributary to Turkey Creek.

NPDES Permit No. PA0222861. Industrial waste. **Temple Inland Forest Products Corp.**, R. R. 1, Box 268, Hutchins Road, Kane, PA 16735-9305, is authorized to discharge from a facility located in Sergeant Township, **McKean County**, to Seven Mile Creek.

WQM Permit No. 2000406. Sewerage. **Adam H. and Rebecca W. Detweiler**, SRSTP, 2761 Leach Road, Atlantic, PA 16111. Construction of Adam H. and Rebecca W. Detweiler SRSTP located in East Fallowfield Township, **Crawford County**.

INDIVIDUAL PERMITS

(PAS)

The following NPDES Individual Permits for discharges of stormwater from construction activities have been issued.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10N025	William G. Bracey c/o Bill's Super Market Route 435 Moscow, PA 18444	Lackawanna County Covington Township	Roaring Brook HQ-CWF
PAS10S028-R	Calvary Baptist Church of Stroudsburg West, Inc. Route 41, Box 4189 Stroudsburg, PA 18360	Monroe County Hamilton Township	McMichaels Creek HQ-CWF

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS101918	East Nittany Valley Joint Muni. Auth. P. O. Box 314 Lamar, PA 16848	Lamar and Porter Clinton County Walker Township Centre County	Fishing Creek

INDIVIDUAL PERMITS

(PAR)

Approvals to Use NPDES and/or Other General Permits

The following parties have submitted (1) Notices of Intent (NOIs) for Coverage under General NPDES Permits to discharge wastewater into the surface waters of the Commonwealth; (2) NOIs for Coverage under General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection (Department) has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

*List of
General Permit Types*

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-10	General Permit for Discharges Resulting From Hydrostatic Testing of Tanks and Pipelines

General Permit Type—PAG-2

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lehigh County Hanover Township	PAR10Q141	Lehigh Northampton Airport Authority 3311 Airport Rd. Allentown, PA 18103	Catasauqua Creek CWF	Lehigh CD (610) 391-9583
Straban Township Adams County	PAR-10-0106	Adams County Economic Dev. Corp. 261 South Franklin Street Gettysburg, PA 17325	Rock Creek	Adams County CD 57 North Fifth Street Gettysburg, PA 17325 (717) 334-0636

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Derry Township Dauphin County	PAR-10-I235	Hershey Entertainment and Resorts Company 300 Park Boulevard Hershey, PA 17033	Swatara Creek Spring Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Williamsport Lycoming County	PAR804834	United Parcel Service, Inc. 3300 Wahoo Dr. Williamsport, PA 17701	Storm Drain Dougherty Run	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Potter Township Centre County	PAR604815	H R Bierly Auto Service 585 N. Pennsylvania Ave. Centre Hall, PA 16828	Unnamed tributary of Gap Run	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Decatur Township Clearfield County	PAR604821	Roy Conklin Box 100 West Decatur, PA 16878	Swale to Little Laurel Run	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Coal Township Centre County	PAR804805	Waste Management of Penn. Inc. R. R. 3, Box 4 Ranshaw, PA 17866	Shamokin Creek	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Piatt Township Lycoming County	PAR604814	Aikey's Body Shop 1678 Devils Elbow Rd. Jersey Shore, PA 17740	Seely Run	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
College Township Centre County	PAR604817	Stewart Auto Parts 150 Shiloh Rd. State College, PA 16801	Unnamed tributary to Spring Creek	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664

General Permit Type—PAG-3

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Blair County Snyder Township	PAR603560	William Loner Loners Auto Salvage (Yard 1) R. D. 3 Tyrone, PA 16686	Bald Eagle Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County Harrisburg City	PAR603506	Consolidated Scrap Resources, Inc. P. O. Box 1761 Harrisburg, PA 17105	Paxton Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Washington Township	PAR113503	Richard F. Nester Nester's Auto Sales-Service 1626 A Route 100 Bally, PA 19503	Perkiomen Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-4

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Bedford County Broad Top Township	PAG043653	Broad Top Township (Scott and Karen Morningstar) 187 Municipal Road P. O. Box 57 Defiance, PA 16633-0057	Sherman Valley Road	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cherry Township Sullivan County	PAG045094	David Engle R. R. 4, Box 4285 Dushore, PA 18614	Unnamed tributary to Marsh Run	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Westmoreland County Mt. Pleasant Township	PAG046208	Evelyn Waugaman R. D. 1, Box 58B Acme, PA 15610	Jacobs Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-5

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Greene Township Erie County	PAG058326	Margaret L. Runser Franklin's General Store 9861 Wattsburg Road Erie, PA 16509	Unnamed Tributary to Four Mile Creek	Northwest Region Water Management 230 Chestnut St. Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-10

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Blair County Allegheny Township	PAG103505	Sun Pipe Line Company 1801 Market Street—15/10 PC Philadelphia, PA 19103-1699	Brush Run Creek	Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
South Williamsport Lycoming County	PAG104801	Coastal Oil New York Inc. 2344 Sylvan Dale Rd. South Williamsport, PA 17702	Susquehanna River	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664

SAFE DRINKING WATER**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Permit No. 4600503. Public water supply. **PA-American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033. A permit has been issued to PA-American Water Company granting permission to construct a relay station with two 1,250 gpm pumps in Norristown Borough, **Montgomery County**. *Type of Facility:* Public Water Supply System. *Consulting*

Engineer: BCM Engineers, Inc. 920 Germantown Pike, Suite 200, Plymouth Meeting, PA 19462. *Permit to Construct Issued:* May 19, 2000.

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Permit No. 4099503. Public water supply. **Glen Summit Spring Water**, Kevin Duffy, P. O. Box 129, Mountaintop, PA 18707. This proposal involves the construction of a borehole adjacent to its existing springs to supplement the springs during times of reduced ground-water recharge. It is located in Wright Township, **Luzerne County**. Permit issued on June 1, 2000.

Permit No. 4099506. Public water supply. **Hex Acres Water Company**, Barbara Tambur, P. O. Box 746, Pittston, PA 18640. This proposal involves the addition of Well No. 3 and disinfection facilities to supplement the existing source of supply (Well No. 1) during periods of high demand. It is located in Exeter Township, **Luzerne County**. Permit issued on May 24, 2000.

Permit No. 3997501. Public water supply. **Mark Terrace Water Company, Inc., d/b/a Lynn Water Company**, Joseph E. Iudicello, 6500 Chapman's Road, Allentown, PA 18106. This proposal involves abandonment of the existing permitted well source and the permitting of two currently unapproved well supplies. It is located in Lynn Township, **Lehigh County**. Permit issued on June 15, 2000.

Permit No. 5290503. Public water supply. **Crescent Lake North Community Association, Inc.**, c/o Fred Schoenagel, R. D. 2, Box 15, Greentown, PA 18426. This proposal involves an application to permit a public water supply system serving 26 single family residential dwellings. The water supply system consists of a well with disinfection. It is located in Dingman Township, **Pike County**. Permit issued on June 14, 2000.

3999506. Public water supply. **Whitehall Township Authority**, Douglas K. Bowen, Manager, 1901 Shadt Ave., Whitehall, PA 18052. This proposal involves the permitting of a new well, a pump station/treatment building with emergency generator and other necessary appurtenances. It is located in Whitehall Township, **Lehigh County**. Permit issued on June 16, 2000.

4090512. Public water supply. **Cherone Trailer Court, Mark Cherone**, 807 Schwab Street, Freeland, PA 18224. This proposal involves the permitting of an existing community water supply serving the Cherone Trailer Court in Freeland Borough, **Luzerne County**. This system included two wells, disinfection, iron sequestration, storage facilities and a distribution system. This is a re-issued permit. Permit issued on June 15, 2000.

Minor Amendment for Skytop Lodge, Inc., Edward Mayotte, General Manager, One Skytop, Skytop, PA 18357. It is located in Barrett Township, **Monroe County**. Permit issued on June 8, 2000.

Minor Amendment for PAWC. Steven Seidl, VP, 800 West Hershey Drive, Hershey, PA 17033, for Flat Road Regulator Station. It is located in Plymouth Township, **Luzerne County**. Permit issued on June 6, 2000.

Minor Amendment for Summit Hill Water Authority. Michael Leonzi, Chairman, 114 West Ludlow Street, Summit Hill, PA 18250. It is located in Summit Hill Borough, **Carbon County**. Permit issued on June 14, 2000.

Operations Permit PWS 3486466 issued on June 6, 2000, to **Glacier Water Services, Inc.**, Special Permit by Rule on June 6, 2000, for a vending machine addition.

Operations Permit PWS 2400054 issued on June 14, 2000, to **Freeland Municipal Authority**, located in Freeland Borough, **Luzerne County**.

Operations Permit PWS 3540002 issued on June 6, 2000, to **Country Hill Apartments**, located in West Brunswick Township, **Schuylkill County**.

Operations Permit PWS 3130027 issued on June 5, 2000, to Creekside Manor Mobile Home Park, located in Franklin Township, **Carbon County**.

Operations Permit PWS 2580009 on June 1, 2000, to **Village Green Development Corp.**, (Stillwater Village MHP) located in Uniondale, **Susquehanna County**.

Operations Permit PWS 2450136 on June 16, 2000, to **Sullivan Trail Village** located in Pocono Township, **Monroe County**.

Operations Permit PWS 3540047 on June 15, 2000 to **Hegins Township Authority Water System**, New Source Well No. 5, located in Hegins Township, **Schuylkill County**.

Southwest Regional Office: Regional Manager; Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 5656490. Public water supply. **Global Beverage Systems, Inc.**, 11 Lloyd Avenue Place, Latrobe, PA 15650-0391. *Type of Facility:* New bottled water plant using water from Latrobe Municipal Authority. *Permit issued for Construction:* June 13, 2000.

Permit No. 2600504. Public water supply. **Pennsylvania American Water Company**, P. O. Box 1290, 300 Galley Road, PA 15317. *Type of Facility:* Brownsville-Menallen Pump Station. *Permit issued for Construction:* June 13, 2000.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final report:

Northwest Regional Office: Craig Lobins, Environmental Cleanup Program Manager; 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

Caparo Steel Company (Perox Plant former Impoundment Area AOC-8), 15 Roemer Blvd., Farrell, PA 16121, City of Farrell, **County of Mercer**, Paul Wojciak, Environmental Management Associates Consultants, 10925 Perry Highway, Wexford, PA 15090, has submitted a final report concerning remediation of site soils and

groundwater contaminated with Lead and Heavy Metals. The applicant proposes to remediate the site to meet the Statewide health standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report, and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a plan or report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Mark R. Nabuda, Borough of Trafford, **Westmoreland County**. Mark R. Nabuda, c/o Law Offices of Harry Klondowski, 330 Grant Street, Suite 3321, Pittsburgh, PA 15219 and Von E. Fisher, KU Resources, Inc., One Library Place, Suite 207, Duquesne, PA 15110 have submitted a final report concerning remediation of site soil contaminated with BTEX and PHCs. The final report

demonstrated attainment of the Statewide health standard and was approved by the Department on June 9, 2000.

Neville Island Industrial Park (Lot B-RPS Facility), Neville Township, **Allegheny County**. Shenango Group, Inc., 200 Neville Road, Pittsburgh, PA 15225, Neville Island Associates, Gregg Brown, 733 Washington Avenue, Carnegie, PA 15106 and Stephen G. McGuire, Fluor Daniel GTI, 637 Braddock Avenue, East Pittsburgh, PA 15112 have submitted a final report concerning remediation of site soil and groundwater contaminated with BTEX, PHCs and PAHs. The final report demonstrated attainment of the site-specific standard and was approved by the Department on April 12, 2000.

Pittsburgh Forging Company (former American Bridge Corporation), Borough of Coraopolis, Allegheny County. American Bridge Corporation, Three Gateway Center, Suite 1100, Pittsburgh, PA 15222 and AMPCO Pittsburgh Corporation/Old Forgings Company, Rose Hoover, 600 Grant Street, Suite 4600, Pittsburgh, PA 15219 have submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, solvents, BTEX and PHCs. The Final Report did not demonstrate attainment of the site-specific standard and was disapproved by the Department on June 2, 2000.

Northwest Regional Office: Craig Lobins, Environmental Cleanup Program Manager; 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

Baker Auto Service, City of New Castle, **Lawrence County**, has submitted a Baseline Remedial Investigation Work Plan concerning remediation of groundwater and site soils. The site is being remediated in a Special Industrial Area. The Work Plan was approved by the Department on June 12, 2000.

Agway Petroleum, Inc., City of New Castle, **Lawrence County**, has submitted a Baseline Remedial Work Plan concerning remediation of groundwater and site soils. The site is being remediated in a Special Industrial Area. The Work Plan was approved by the Department on June 12, 2000.

DuFerco Farrell, 15 Roemer Boulevard, Farrell, PA, City of Farrell, **Mercer County**, has submitted a Baseline Environmental Assessment Work Plan concerning remediation of groundwater and site soils. The site has been found to be contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAHs. The work plan was approved by the Department on May 21, 1999.

DuFerco Farrell, 15 Roemer Boulevard, Farrell, PA, City of Farrell, **Mercer County**, has submitted a Baseline Environmental Report concerning remediation of groundwater and site soils. The site has been found to be contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAHs. The site is being remediated in a Special Industrial Area. The Baseline Environmental Report was approved by the Department on April 28, 2000.

Chicago Pneumatic Tool, Howard Street, Franklin, PA, **Venango County**, Franklin Township, has submitted a Baseline Environmental Assessment Work Plan concerning the remediation of site soils contaminated with lead, heavy metals and solvents. The Work Plan was approved by the Department on January 18, 2000.

Crawford County Properties, Inc., 345 Rogers Ferry Road, Meadville, PA 16335, former Spaulding's Property, **Crawford County**, City of Meadville, has submitted a Baseline Environmental Report concerning the remediation of groundwater and site soils in a Special Industrial Area. The report was approved by the Department on May 15, 2000.

AIR QUALITY OPERATING PERMITS

General Plan Approval and Operating Permit usage authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

GP10-36-03114: NCR Corp. (1160 East Main Street, Mount Joy, PA 17552) authorized use of a general permit for construction/operation of a nonheatset web offset lithographic printing press and operation of 13 existing nonheatset web offset lithographic printing presses in Mount Joy Borough, **Lancaster County**.

Operating Permits Minor Modification issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

49-399-019A: Hoeganaes Corp. (1001 Taylors Lane, Cinnaminson, NJ 08077) on June 21, 2000, to allow use of 2,000 pound activated carbon units instead of Calgon Ventsorb carbon canisters for the control of methylene chloride emissions from powdered metal coating operations in Delaware Township, **Northumberland County**.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

TV-11-00034: Johnstown Corp. (545 Central Avenue, Johnstown, PA 15902) for their Johnstown Foundry in Johnstown, **Cambria County**. The facility's major sources of emissions include one tri-fuel boiler, various electric furnaces, mold making operations and sand reclamation processes which emit major quantities of volatile organic compounds (VOCs).

TV-04-00108: Armstrong World Industries, Inc. (1018 11th Street, Beaver Falls, PA 15010) for their ceiling tile manufacturing facility in Beaver Falls, **Beaver County**. As a result of the potential levels of VOC emitted from this facility it is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

TV-65-00053: Dura Bond Steel Corp. (P. O. Box 518, Export, PA 15632) for their specialty steel pipe fabrication and coating facility in Export, **Westmoreland County**. As a result of the potential levels of VOC emitted from this facility it is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

TV-03-00197: Nature's Blend Wood Products, Inc. (P. O. Box 392, Ford City, PA 16226-0392) for their wood kitchen cabinet manufacturing and finishing facility in Ford City, **Armstrong County**. As a result of the potential levels of VOC and HAPs emitted from this facility it is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

TV-56-00100: Highland Tank & Manufacturing Co. (One Highland Road, Stoystown, PA 15563) for their tank manufacturing and coating facility in Stoystown, **Somerset County**. As a result of the potential levels of HAPs emitted from this facility it is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

PLAN APPROVALS

Minor Modification of Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

OP-53-0009D: National Fuel Gas Supply Corp. (P. O. Box 2081, Erie, PA 16512) on June 22, 2000, to extend the deadline for the performance of stack testing on Engine 1A to September 28, 2000, at the Ellisburg Compressor Station in Allegany Township, **Potter County**.

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-307-059: Lehigh Heavy Forge Corp. (1275 Daly Avenue, Bethlehem, PA 18015) on June 19, 2000, for reactivation of Furnace 6 and 14 at Forge 2 in Bethlehem, **Northampton County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

67-304-034E: R. H. Sheppard Co., Inc. (P. O. Box 877, Hanover, PA 17331-0877) on June 22, 2000, for installation of a fabric collector at Plant 9 in Hanover Borough, **York County**.

Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

22-310-005D: Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105) granted June 26, 2000, to authorize temporary operation of a stone crushing plant controlled by two fabric filters and a wet suppression system, covered under this Plan Approval until October 23, 2000, at the Hummelstown Quarry in South Hanover Township, **Dauphin County**. This source is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to these applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

Coal Mining Permits Issued

02733702. Consolidation Coal Company (200 Hidden Valley Rd., McMurray, PA 15317), to renew the permit for the Renton Mine Coal Refuse Disposal Area in Plum Borough, **Allegheny County** to renew permit, no additional discharges. Permit issued June 13, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40900201R2. Hudson Anthracite, Inc. (202 Main Street, Laflin, PA 18702), renewal of an existing coal refuse reprocessing operation in Jenkins Township, **Luzerne County**, affecting 15.42 acres, receiving stream—none. Renewal issued June 21, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

65840117. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7960). Renewal issued for continued reclamation only of a bituminous surface mine located in Salem Township, **Westmoreland County**, affecting 134.45 acres. Receiving streams: unnamed tributary to Beaver Run. Application received: March 15, 2000. Reclamation only renewal issued: June 21, 2000.

65880113. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7960). Renewal issued for continued operation and reclamation of a bituminous surface/auger mine located in Derry Township, **Westmoreland**

County, affecting 133.3 acres. Receiving streams: unnamed tributaries of Conemaugh River and unnamed tributaries of McGee Run. Application received: March 13, 2000. Renewal issued: June 21, 2000.

04723003. Darlington Brick & Clay Products Co. (P. O. Box 346, Darlington, PA 16115-0346). Renewal issued for continued operation and reclamation of a bituminous surface mine located in South Beaver Township, **Beaver County**, affecting 213.1 acres. Receiving streams: unnamed tributaries to Brush Run to North Fork Little Beaver to Little Beaver Creek. Application received: October 13, 1999. Renewal issued: June 21, 2000.

02950102. Robinson Coal Company (200 Neville Road, Neville Island, PA 15225). Renewal issued for continued reclamation only of a bituminous surface mine located in North Fayette Township, **Allegheny County**, affecting 100.7 acres. Receiving streams: one unnamed tributary to North Branch Robinson Run. Application received: March 10, 2000. Reclamation only renewal issued: June 21, 2000.

02890106. Robinson Coal Company (200 Neville Road, Neville Island, PA 15225). Renewal issued for continued reclamation only of a bituminous surface mine located in Robinson and North Fayette Townships, **Washington and Allegheny Counties**, affecting 104.0 acres. Receiving streams: North Branch of Robinson Run, to Robinson Run, to Chartiers Run. Application received: March 10, 2000. Reclamation only renewal issued: June 21, 2000.

02743004. Deep Valley Coal & Disposal, Inc. (7111 Steubenville Pike, Oakdale, PA 15071). Renewal issued for continued operation and reclamation of a bituminous surface mine located in North Fayette Township, **Allegheny County**, affecting 35.0 acres. Receiving streams: Pinkerton Run to Robinson Run to Charles Creek. Application received: March 21, 2000. Renewal issued: June 21, 2000.

03950107. Rosebud Mining Company (R. R. 9, Box 379A, Kittanning, PA 16201). Renewal issued for continued reclamation of a bituminous surface auger mine located in South Bend and Burrell Townships, **Armstrong County**, affecting 248.0 acres. Receiving streams: unnamed tributaries to Crooked Creek, Crooked Creek to the Allegheny River. Renewal application received: May 17, 2000. Renewal permit issued: June 23, 2000.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

11783035. Permit Renewal, C & K Coal Company (P. O. Box 69, Mayfield Road, Clarion, PA 16214), for continued operation of a bituminous-surface/coal refuse disposal/auger surface mine in Reade Township, **Cambria County**, affecting 1,256.0 acres, receiving stream to Bear Loop Run; to unnamed trib to Bells Gap Run; and to Powell Run; application received December 31, 1999, application issued June 12, 2000.

56990103. Action Mining, Inc. (1117 Shaw Mines Road, Meyersdale, PA 15552), for commencement, operation and restoration of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 222.0 acres, receiving stream Miller's Run; unnamed tribs to Miller's Run, application received September 1, 1999, application issued June 16, 2000.

56900105. Permit Renewal, Cooney Brothers Coal Company (P. O. Box 246, Cresson, PA 16630), for contin-

ued operation of a bituminous surface and auger mine in Paint Township, **Somerset County**, affecting 295.0 acres, receiving stream unnamed tributaries to/and Shade Creek, application received April 25, 2000, application issued June 19, 2000.

56813104. Permit Revision, **Finzel Coal** (12152 National Pike, Grantsville, MD 21536), for the premining land use of forestland to be restored to pastureland post-mining on a portion of the Jean C. Shaffer property in Brothersvalley Township, **Somerset County**, affecting 344.7 acres, receiving stream to unnamed tributaries to Tubs Run and to Tubs Run, application received April 21, 2000, application issued June 19, 2000.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Small Industrial Minerals Issued

05880801. Permit Revision, **Rickie L. Wright** (R. D. 1, Box 301, Imler, PA 16655), for a change in reclamation to equipment and hay storage in Kimmel Township, **Bedford County**, affecting 1.5 acres, receiving stream Mud Run, application received April 20, 2000, application issued June 19, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Small Noncoal (Industrial Mineral) Permits Issued

34000801. **Jeffrey D. Pontius** (R. R. 2, Box 2075, Port Royal, PA 17082), commencement, operation and restoration of a small quarry operation in Turbett Township, **Juniata County** affecting 1.0 acre, receiving stream—none. Permit issued June 21, 2000.

58002801. **Power's Stone, Inc.** (R. R. 1, Box 124, Montrose, PA 18801), commencement, operation and restoration of a bluestone quarry operation in Forest Lake Township, **Susquehanna County**, affecting 5.0 acres, receiving stream—none. Permit issued June 21, 2000.

52000801. **Wayne D. Holbert** (237 Mast Hope Plank Road, Lackawaxen, PA 18435), commencement, operation and restoration of a quarry operation in Shohola Township, **Pike County**, affecting 3.0 acres, receiving stream—none. Permit issued June 22, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

7474SM1A1C4. **Eastern Industries, Inc.** (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit PA0119253 in Lower Nazareth Township, **Northampton County**, receiving stream—unnamed tributary to Schoeneck Creek. Renewal issued June 19, 2000.

6774SM1C4. **National Limestone Quarry, Inc.** (P. O. Box 397, Middleburg, PA 17847), renewal of NPDES Permit PA0594695 in Perry Township, **Snyder County**, receiving stream—North Branch Mahantongo Creek. Renewal issued June 19, 2000.

40960301C. **Bedrock Quarries, Inc.** (71 South Foote Avenue, Duryea, PA 18642), correction to an existing quarry operation in Duryea Borough, **Luzerne County**, affecting 11.4 acres, receiving stream—none. Correction issued June 21, 2000.

40940301T. **No. 1 Contracting Corporation** (49 South Main Street, Ashley, PA 18705), transfer of an existing quarry operation in Hazle Township, **Luzerne County**, affecting 236.0 acres, receiving stream—none. Transfer issued June 22, 2000.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of the written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E35-289. Encroachment. **William G. Bracey, c/o Bill's Supermarket**, Route 435, Moscow, PA 18444. To construct and maintain a 16-foot x 3-foot concrete box culvert in a tributary to Roaring Brook, including the placement of fill in 0.96 acre of wetlands and the placement of 70-linear feet of 18-inch diameter C.P.E. stormwater pipe in wetlands for the construction of a secondary access road to the existing retail complex. The project is part of Bill's Shopping Center expansion project. The project is located immediately northwest of the intersection of S. R. 0435 and S. R. 0502 (Moscow, PA Quadrangle N: 10.8 inches; W: 2.3 inches) in Covington Township, **Lackawanna County**. The permittee is required to provide 0.96 acre of replacement wetlands.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E06-474-R. Encroachment. **Berks County**, 633 Court Street, Reading, PA 19601. To remove an existing structure and to construct and maintain a bridge having an underclearance of 6.5 feet and a clear span of 47.7 feet across the channel of Allegheny Creek (CWF) at a point at Hartz Store Road (T-322) (Morgantown, PA Quadrangle N: 20.0 inches; W: 8.2 inches) in Brecknock Township,

Berks County. The permittee is required to provide 0.12 acre of replacement wetlands. This permit also includes 401 Water Quality Certification.

Northcentral Region: Water Management, Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E12-115. Encroachment. **Jeff Kochel, Allegheny Partners LP**, 312 Main Street, Smethport, PA 16749. To construct and maintain a 35 foot long portable steel bridge with an underclearance of 6.19 feet in Bobby Run located .75 mile west on Bobby Run Road from the intersection with Rich Valley Road (Rich Valley, PA Quadrangle, N: 6 inches, W: 13 inches) in Shippen Township, **Cameron County**.

E14-372. Encroachment. **Ray and Carol Fisher**, 160 East Fifth Avenue, Bellefonte, PA 16823-2651. To maintain a steel grate bank-to-bank bridge across Wallace Run with a 47-foot clear span, a 5-foot underclearance and concrete abutments buried in the approach roads 3-feet back from the top of the stream bank located 0.5 mile west of Gum Stump (Bellefonte, PA Quadrangle, N: 18.91 inches; W: 15.09 inches) in Union Township, **Centre County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E53-340. Encroachment. **Matthew Lowe, Chairman, Coudersport Municipal Authority**, P. O. Box 820, Coudersport, PA 16915. To construct and maintain 8-inch and 10-inch gravity sewer extensions and a 24 inch PVC outfall from the Coudersport area sewage treatment plant. The sewer extensions will require crossings of Trout Run, Lyman Creek, Mill Creek, several intermittent streams and emergent wetlands. The project also includes sewage treatment plant expansion with construction of new clarifiers, oxidation ditch, mechanical and administration buildings and appurtenances in the floodplain of the Allegheny River. The centroid of the proposed sewer construction is located approximately 300 feet south of Route 6 and 4,500 feet east of the Coudersport Borough/Sweden Township boundary line (Sweden Valley, PA Quadrangle N: 2.0 inches; W: 12.1 inches) in Sweden Township, **Potter County**. The project will temporarily impact wetlands while impacting approximately 290 feet of waterway. Lyman Creek and Mill Creek are Cold Water Fisheries Streams.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Permits Issued

E63-490. Encroachment. **Cecil Township**, 3655 Millers Run Road, Cecil, PA 15321. To construct and maintain a 64.0 foot long x 32.0 foot wide addition to the existing four bay metal garage along the left bank of Millers Run (WWF) for the purpose of expanding the existing facility and to operate and maintain the existing four bay metal garage and the existing five bay metal garage on the left bank of said stream located approximately 320 feet south from the intersection of S. R. 50 and Glass Hill Road (T. R. 662) (Canonsburg, PA Quadrangle N: 12.2 inches; W: 13.6 inches) in Cecil Township, **Washington County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E63-339. Encroachment. **David Wylie**, 228 King Richard Drive, McMurray, PA 15317-2535. To amend permit E63-339 which authorized the construction and maintenance of two bridges both having a span of 60 feet and underclearance of 8 feet across Little Chartiers Creek

(HQ-WWF) to provide pedestrian and golf cart crossing to an existing golf course located 0.4 mile north of the intersection of Linden Road and Walker Road. The permit will be amended to include two new bridges, both having a span of 60 feet and an underclearance of 8 feet across Little Chartiers Creek at two locations to provide pedestrian and golf cart crossings in the existing golf course and perform bank rehabilitation on both sides of the stream channel located between the two proposed bridges for a distance of 570 feet (Washington East Quadrangle N: 21.5 inches; W: 1.9 inches) in North Strabane Township, **Washington County**.

E63-486. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. To remove the existing Valley Church Road Bridge and to construct and maintain a prestressed concrete box beam bridge having a normal span of 32.0 feet and an underclearance of 7.5 feet over Enlow Fork (TSF). Also, to conduct channel cleaning within 50 feet upstream of the bridge, to construct and maintain a temporary stream crossing and to construct and maintain an 18-inch diameter outfall in Enlow Fork (TSF). This project is located on Valley Church Road (S. R. 4013, Section A10) approximately 500 feet southeast of its intersection with S. R. 3026 (Wind Ridge, PA Quadrangle N: 18.7 inches; W: 3.0 inches) in Morris Township, Green County and East Finley Township, **Washington County**.

SPECIAL NOTICES

Availability of Grants for the Remediation of Waste Tire Piles in Pennsylvania

The Department of Environmental Protection (Department) hereby announces the availability of grants for fiscal year 2000/2001 for the remediation of ten waste tire piles in Pennsylvania. Only the following waste tire piles listed are eligible under this grant offering.

To be considered for a grant, an applicant: (1) must propose to remediate any of the following waste tire piles: Gemstar, Springfield Township, Bucks County; Calabrette, Haycock Township, Bucks County; Huston Junkyard, Falls Township, Bucks County; John Hook Property, Fairview Township, Erie County; Robert Parknow, Conneaut Township, Erie County; Wesley Cooper, Larksville Borough, Luzerne County; Recreation Realty, Inc., Bear Creek Township, Luzerne County; Eggleston/Matusavage, Northmoreland Township, Wyoming County; Kenneth Gacek, Exeter Township, Wyoming County; and Minor Burgess, Tunkhannock Township, Wyoming County; (2) must not have contributed, in any manner, to the creation of a noncompliant waste tire pile; and (3) must have an identifiable end-use for the waste tires to be remediated.

Grant funds are to be used for activities directly related to the remediation of priority waste tire sites (such as employee wages, operation of equipment, transportation, processing costs and the like). Grants may not be used for the purchase of equipment and grant recipients shall use funds only for those activities approved by the Department.

All applicants must complete and submit an official two-part application for each proposed tire pile remediation. The Waste Tire Remediation Grant Application Parts A and B include all the materials and instructions necessary for applying for a grant. Copies of these documents are available by contacting the Division of Municipal and Residual Waste at (717) 787-7381 or may

be obtained electronically from the Department Internet site on the world wide web at: <http://www.dep.state.pa.us> (type "tires" in directLINK). Six copies of the application containing both Parts A and B must be completed and submitted by 4 p.m. on August 18, 2000, to Department of Environmental Protection, Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8472, Harrisburg, PA 17105-8472. Applications that are incomplete or arrive after the deadline will not be considered.

At a minimum, all applications must contain: (1) a description of the applicant's experience in waste tire remediation; (2) markets or end-uses for the remediated tires; (3) a schedule for the remediation of tires at the site; (4) proposed cost of the waste tire pile remediation; and (5) any additional information the Department deems necessary. Please follow the instructions in the Part A and B Grant Application to assure all of the necessary information is submitted in the correct format.

Persons who have any questions about this grant program should contact the Division of Municipal and Residual Waste (717) 787-7381.

Availability of Grants for the Remediation of Waste Tire Piles in Pennsylvania Under the Waste Tire Remediation Grant Program for Municipalities for Fiscal Year 2000/2001

The Department of Environmental Protection (Department) announces the availability of grants through the Waste Tire Recycling Act of 1996 (Act 190) for fiscal year 2000/2001 for the remediation of waste tire piles in Pennsylvania. The Waste Tire Remediation Grant Program for Municipalities provides a grant program, which is funded through the general fund. The grants are limited to only those municipalities having a waste tire pile containing 5,000 or more waste tires.

Only municipalities are eligible to participate and receive funding. To be considered for a grant, a municipality: (1) must propose to remediate a waste tire pile on the Department's list of priority waste tire piles or piles containing 5,000 or greater waste tires; (2) must not have contributed, in any manner, to the creation of a noncompliant waste tire pile; and (3) must have an identifiable end-use for the remediated waste tires.

Grant funds are intended for activities directly related to the remediation of waste tire piles (such as employee wages, operation of equipment, transportation, processing costs and the like). Grants may not be used for the purchase of equipment and grant recipients shall use the funds only for those activities approved by the Department.

All applicants must complete and submit an official two-part application for each proposed tire pile remediation. The Waste Tire Remediation Grant Application Parts A and B includes all the materials and instructions necessary for applying for a grant. Copies of these documents are available by contacting the Division of Municipal and Residual Waste at (717) 787-7381 or may be obtained electronically from the Department's Internet site on the world wide web at: <http://www.dep.state.pa.us> (type "tires" in directLINK). Six copies of the application containing both Parts A and B must be completed and submitted by 4 p.m. on September 15, 2000, to Department of Environmental Protection, Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8472, Harrisburg, PA 17105-8472. Applications that are incomplete or arrive after the deadline will not be considered.

At a minimum, all applications must contain: (1) a description of the applicant's or their contractor's experience in waste tire remediation; (2) markets or end-uses for the remediated tires; (3) a schedule for the remediation of tires at the site; (4) proposed cost of the waste tire pile remediation; and (5) any additional information the Department deems necessary. Please follow the instructions in the Part A and B Grant Application to assure all of the necessary information is submitted in the correct format.

Persons who have any questions about this grant program should contact the Division of Municipal and Residual Waste at (717) 787-7381.

[Pa.B. Doc. No. 00-1174. Filed for public inspection July 7, 2000, 9:00 a.m.]

Mining and Reclamation Advisory Board

The Mining and Reclamation Advisory Board will hold their quarterly meeting on Friday, July 7, 2000, at 8 a.m. in the Laurel Room, Ramada Inn, Somerset.

Questions concerning the agenda can be directed to Elaine Holland at (717) 783-5338 or e-mail to holland.elaine@dep.state.pa.us. The agenda for this meeting will be available through the Public Participation Center on the Department's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Elaine Holland directly at (717) 783-5338 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-1175. Filed for public inspection July 7, 2000, 9:00 a.m.]

Proposed Recommendations to Designate Areas under the Clean Air Act

Ground-level ozone concentrations above the Federal health-based standard are a serious human health threat. Ozone can also cause damage to crops, forests and wildlife. In July 1997, the United States Environmental Protection Agency (EPA) established a new health-based ozone standard. Federal law requires the EPA to designate those areas of the country that do not meet that standard. The new ozone standard was challenged in Federal court and on May 14, 1999, was remanded to the EPA. However, the EPA is planning to designate areas for this new ozone standard by early 2001.

Governors may submit recommendations for designations based on air quality monitoring data over the last 3 years and other criteria. If, upon the outcome of the litigation, the standard and designations become legally enforceable, states must then develop state implementation plans that describe how the areas will attain clean air.

This Commonwealth is proposing to recommend that (1) boundaries for the designated areas follow metropolitan area and county boundaries, similar to the methodol-

ogy used for designating areas under the existing ozone standard; and (2) the EPA clearly identify areas that will most likely meet the air quality standard once interstate transport measures are in place.

This proposal is available on the Department Website at <http://www.dep.state.pa.us> (choose Information by Subject/Air Quality/State Implementation Plans), or through the following contact person.

Written comments should be sent to Wick Havens, Chief, Air Resource Management Division, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468 or by e-mail to havens.wick@dep.state.pa.us no later than close of business on August 11, 2000. Please make sure all comments, including e-mails, include name, organization name, postal address and telephone number.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-1176. Filed for public inspection July 7, 2000, 9:00 a.m.]

Small Water Systems Technical Assistance Center Advisory Board Special Committee Meeting

The Capability Enhancement Committee will hold a special meeting on Tuesday, July 11, 2000, from 9:30 a.m. to 11 a.m. in the 11th Floor Conference Room of the Rachel Carson State Office Building, Harrisburg, PA. The purpose of the meeting will be to review the draft package describing Pennsylvania's Capability Enhancement Program before it is finalized for submittal to EPA.

Questions concerning this schedule or agenda items can be directed to Donna Green at (717) 787-0122 or e-mail at Green.Donna@dep.state.pa.us. This schedule, an agenda for the meeting, and notices of meeting changes will be available through the Public Participation Center on Department's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Donna Green directly at (717) 787-0122 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-1177. Filed for public inspection July 7, 2000, 9:00 a.m.]

Water Resources Advisory Committee Cancellation of Meeting

Because of a lack of agenda items, the Water Resources Advisory Committee's July 13, 2000, meeting has been

cancelled. The Committee's next meeting will be held on September 13, 2000, at 9 a.m. in the Green Room, Ground Floor, Forum Building in Harrisburg.

For further information, contact Carol Young at (717) 787-9637.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-1178. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Construction Manager; Request for Proposal

The Department of General Services is seeking interested firms to submit sealed proposals for consideration for the following project:

DGS 377-1.OA—Construction Management, Construction of a State Correctional Institution, Jenks Township, Forest County, PA. A brief description of the project is as follows: Construction Management for Pre-Construction and Construction Services for design and construction of a new 1,236 cell State Correctional Institution, as well as all ancillary buildings containing equipment to operate the facility. Construction Manager is not acting as contractor. Construction allocation is \$105 million for the entire project on a 30 month schedule.

RFP Price—\$50 (Includes 6% PA Sales Tax) per RFP. Checks must be made payable to the Commonwealth of Pennsylvania. This price is nonrefundable. Requests for the RFP should be mailed to the Department of General Services, Bureau of Professional Selections and Administrative Services, Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Contact Bidders Services at (717) 787-3923 or www.dgs.state.pa.us for the names of those who have secured the RFP.

A Preproposal Conference is not scheduled for this contract.

All questions regarding the RFP or to clarify matters concerning the construction manager's responsibilities must be submitted in writing to the issuing office by no later than 5 p.m., Tuesday, July 18, 2000. Only firms requesting the RFP will receive a copy of all submitted questions and answers.

All proposals are due Tuesday, August 1, 2000, no later than 2 p.m., in Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Responses received after this due date and time will be returned unopened.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 00-1179. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health under sections 301 and 317 of the Public Health Service Act, as amended, 42 U.S.C.A. §§ 241(a) and 247(b), will hold public meetings on Wednesday, July 19 and Thursday, July 20, 2000.

The meeting will be held at the Sheraton Inn Harrisburg East, 800 East Park Avenue, Harrisburg, PA 17111, from 9 a.m. to 3 p.m.

For additional information contact Thomas M. DeMelfi, Department of Health, Bureau of HIV/AIDS, P. O. Box 90, Room 912, Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0574.

Persons with a disability who desire to attend the meeting and require an auxiliary aid service or other accommodation to do so, should contact Thomas DeMelfi at (717) 783-0574 or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 00-1180. Filed for public inspection July 7, 2000, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502, (relating to hunting or furtaking under the influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside the Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated

laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Health Care Financing Administration (HCFA). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464, Ext. 3229.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

Abington Memorial Hospital-S
1200 Old York Road
Abington PA 19001
215-576-2350

Albert Einstein Medical Center-Northern Division-S
5501 Old York Road
Philadelphia PA 19141
215-456-6100

Allegheny County Coroner's Office-SB
Division of Laboratories
10 County Office Building
Pittsburgh PA 15219
412-350-6873

Allegheny General Hospital-Dept. Lab. Medicine-S
320 East North Avenue
Pittsburgh PA 15212
412-359-3521

Allegheny Valley Hospital Laboratory-SB
1300 Carlisle Street
Natrona Heights PA 15065
724-224-5100

Altoona Hospital-SB
620 Howard Avenue
Altoona PA 16601
814-946-2340

American Medical Laboratories, Inc.-SB
14225 Newbrook Drive
Chantilly VA 20153
703-802-6900

Analytic Bio-Chemistries, Inc.-SB
1680-D Loretta Avenue
Feasterville PA 19053
215-322-9210

Armstrong County Memorial Hospital-S
1 Nolte Drive
Kittanning PA 16201
724-543-8122

Associated Clinical Laboratories-SB
1526 Peach Street
Erie PA 16501
814-461-2400

Associated Regional and University Pathologists-S
500 Chipeta Way
Salt Lake City UT 84108
800-242-2787

AUH-Forbes Regional-SB
2570 Haymaker Road
Monroeville PA 15146
412-858-2560

Ayer Clinical Laboratory-Penn Hospital-S
8th & Spruce Streets
Philadelphia PA 19107
215-829-3541

Barnes-Kasson County Hospital-S
400 Turnpike Street
Susquehanna PA 18847
570-853-3135

Bon Secours-Holy Family Regional Health-SB
2500 Seventh Avenue
Altoona PA 16602
814-949-4495

Braddock Medical Center-S
412 Holland Avenue
Braddock PA 15104
412-636-5000

Bradford Hospital Laboratory-SB
116-156 Interstate Parkway
Bradford PA 16701
814-834-8282

Brandywine Hospital and Trauma Center-S
Route 30 Bypass
Coatesville PA 19320
610-383-8000

Brownsville General Hospital Laboratory-S
125 Simpson Road
Brownsville PA 15417
724-785-7200

Butler Memorial Hospital-S
911 East Brady Street
Butler PA 16001
724-284-4510

Canonsburg General Hospital-SB
R. D.# 1, Box 147, Route 519
Canonsburg PA 15317
724-745-6100

Carlisle Hospital-S
245 Parker Street
Carlisle PA 17013
717-249-1212

Centre Community Hospital-B
1800 East Park Avenue
State College PA 16803
814-234-6117

Chambersburg Hospital-S
112 North Seventh Street
Chambersburg PA 17201
717-267-7152

Charles Cole Memorial Hospital-S
R. D. # 1, Box 205
Coudersport PA 16915
814-274-9300

Chester County Hospital-S
701 East Marshall Street
West Chester PA 19380
610-431-5182

Chestnut Hill Hospital-S
8835 Germantown Avenue
Philadelphia PA 19118
215-248-8630

Childrens Hospital of Philadelphia-S
One Children's Center, 34th and Civic Center Blvd.
Philadelphia PA 19104
215-590-1000

Citizens General Hospital-S
651 Fourth Avenue
New Kensington PA 15068
724-337-5031

City Avenue Hospital-S
4150 City Avenue
Philadelphia PA 19131
215-871-1000

Clarion Hospital-SB
One Hospital Drive
Clarion PA 16214
814-226-9500

Clearfield Hospital Laboratory-S
809 Turnpike Avenue, P. O. Box 992
Clearfield PA 16830
814-765-5341

Clinical Laboratories, Inc.-SB
901 Keystone Industrial Park
Throop PA 18512
570-346-1759

Community Hospital-B
North Fraley Street
Kane PA 16735
570-837-4575

Community Hospital of Lancaster-S
1100 East Orange Street
Lancaster PA 17602
717-397-3711

Community Medical Center-S
1822 Mulberry Street
Scranton PA 18510
570-969-8000

Conemaugh Valley Memorial Hospital-SB
1086 Franklin Street
Johnstown PA 15905
814-534-9000

Corry Memorial Hospital-S
612 West Smith Street
Corry PA 16407
814-664-4641

Crozer-Chester Medical Center-Springfield-S
190 West Sproul Road
Springfield PA 19064
610-328-9200

Crozer Chester Medical Center-S
1 Med Ctr. Blvd.
Upland PA 19013
610-447-2000

Delaware County Memorial Hospital-S
501 N. Lansdowne Avenue
Drexel Hill PA 19026
610-284-8100

Department of Pathology & Lab Med-HUP-SB
3400 Spruce Street
Philadelphia PA 19104
215-662-6880

Doylestown Hospital-S
595 West State Street
Doylestown PA 18901
215-345-2250

DrugScan, Inc.-SB
1119 Mearns Road, P. O. Box 2969
Warminster PA 18974
215-674-9310

DuBois Regional Medical Center-West Unit-S
100 Hospital Avenue
DuBois PA 15801
814-371-2200

Easton Hospital-SB
250 South 21st Street
Easton PA 18042
610-250-4140

Elkins Park Hospital-S
60 East Township Line Road
Elkins Park PA 19027
215-663-6102

Ellwood City General Hospital-S
724 Pershing Street
Ellwood City PA 16117
724-752-0081

Ephrata Community Hospital-S
169 Martin Avenue, P. O. Box 1002
Ephrata PA 17522
717-733-0311

Episcopal Hospital Laboratory-S
100 East Lehigh Avenue
Philadelphia PA 19125
215-427-7333

Evangelical Community Hospital-SB
1 Hospital Drive
Lewisburg PA 17837
570-522-2510

Frankford Hospital Bucks County Campus-S
380 North Oxford Valley Road
Langhorne PA 19047
215-934-5227

Frankford Hospital-Frankford Division-S
Frankford Avenue and Wakeling Street
Philadelphia PA 19124
215-831-2068

Frankford Hospital-Torresdale Division-S
Red Lion and Knights Road
Philadelphia PA 19114
215-612-4000

Frick Hospital-S
508 South Church Street
Mount Pleasant PA 15666
412-547-1500

Fulton County Medical Center-S
216 South First Street
McConnellsburg PA 17233
717-485-3155

Geisinger Medical Center-SB
North Academy Road
Danville PA 17822
570-271-6338

George Tolstoi Laboratory-Uniontown Hospital-S
500 West Berkeley Street
Uniontown PA 15401
724-430-5143

Gettysburg Hospital-SB
147 Gettys Street
Gettysburg PA 17325
717-334-2121

Gnaden Huetten Memorial Hospital-SB
Eleventh and Hamilton Streets
Lehigh PA 18235
610-377-1300

Good Samaritan Hospital-SB
Fourth and Walnut Streets, P. O. Box 1281
Lebanon PA 17042
717-270-7500

Good Samaritan Regional Medical Center-B
700 East Norwegian Street
Pottsville PA 17901
570-621-4032

Graduate Hospital-S
1800 Lombard Street
Philadelphia PA 19146
215-893-2240

Grand View Hospital-S
700 Lawn Avenue
Sellersville PA 18960
215-257-3611

Greene County Memorial Hospital-S
Bonar Avenue
Waynesburg PA 15370
724-627-2608

Guthrie Clinic Pathology Laboratory-S
Guthrie Square
Sayre PA 18840
570-888-5858

Hahnemann University Hospital-S
Broad and Vine Streets, MS 113
Philadelphia PA 19102
215-762-1783

Hamot Medical Center-S
201 State Street
Erie PA 16550
814-877-6000

Hanover General Hospital-SB
300 Highland Avenue
Hanover PA 17331
717-637-3711

Harrisburg Hospital-SB
South Front Street
Harrisburg PA 17101
717-782-2832

Hazleton General Hospital-SB
East Broad Street
Hazleton PA 18201
717-450-4156

Health Network Laboratories-SB
2024 Lehigh Street
Allentown PA 18103
610-402-8150

Health Network Laboratories-S
2545 Schoenersville Road
Bethlehem PA 18017
610-861-2261

Highlands Hospital-S
401 East Murphy Avenue
Connellsville PA 15425
724-628-1500

Holy Spirit Hospital-SB
503 North 21st Street
Camp Hill PA 17011
717-763-2206

Horizon Hospital System-Greenville Campus-SB
110 North Main Street
Greenville PA 16125
724-588-2100

Horizon Hospital System-Shenango Campus-SB
2200 Memorial Drive
Farrell PA 16121
724-981-3500

Indiana Hospital-Department of Lab Medicine-S
Hospital Road, P. O. Box 788
Indiana PA 15701
724-357-7167

Jameson Memorial Hospital-S
1211 Wilmington Avenue
New Castle PA 16105
724-656-4080

J. C. Blair Memorial Hospital-S
Warm Springs Avenue
Huntingdon PA 16652
814-643-8645

Jeanes Hospital-S
7600 Central Avenue
Philadelphia PA 19111
215-728-2347

Jeannette District Memorial Hospital-S
Jefferson Avenue
Jeanette PA 15644
724-527-3551

Jefferson Regional Health Services, Inc.-Brookville Div.-S
100 Hospital Road
Brookville PA 15825
814-849-2312

John F. Kennedy Memorial Hospital-S
Cheltenham Avenue and Langdon Street
Philadelphia PA 19124
215-831-7203

Kensington Hospital-S
136 West Diamond Street
Philadelphia PA 19122
215-426-8100

LabOne, Inc.-SB
10101 Renner Boulevard
Lenexa KS 66219
913-888-1770

Lab Corp Occupational Testing Services, Inc.-SB
4022 Willow Lake Blvd
Memphis TN 38118
901-795-1515

Lab Corp. of America Holdings-SB
69 First Avenue, P. O. Box 500
Raritan NJ 08869
201-526-2400

Lab Corp. of America Holdings-SB
6370 Wilcox Road
Dublin OH 43016
800-282-7300

Laboratory Specialists, Inc.-B
1111 Newton Street
Gretna Louisiana 70053
504-361-8989

Lancaster General Hospital-S
555 North Duke Street, P. O. Box 3555
Lancaster PA 17603
717-299-5511

Lancaster General Hospital-Susquehanna Division-S
306 North Seventh Street
Columbia PA 17512
717-684-2841

Latrobe Area Hospital-S
121 West Second Avenue
Latrobe PA 15650
724-537-1550

Lewistown Hospital-SB
Highland Avenue
Lewistown PA 17044
717-248-5411

Lock Haven Hospital Laboratory-B
24 Cree Drive
Lock Haven PA 17745
570-893-5000

Main Line Clinical Laboratories-Bryn Mawr-CP-S
130 Bryn Mawr Avenue
Bryn Mawr PA 19010
610-526-3554

Main Line Clinical Laboratories-Lankenau-CP-S
100 East Lancaster Avenue
Wynnewood PA 19096
610-645-2615

Main Line Clinical Laboratories-Paoli Memorial-CP-S
255 W. Lancaster Avenue
Paoli PA 19301
610-648-1000

Marian Community Hospital-S
100 Lincoln Avenue
Carbondale PA 18407
570-281-1042

McKeesport Hospital Laboratory-S
1500 Fifth Avenue
McKeesport PA 15132
412-664-2233

Meadville Medical Center-Liberty Street-S
751 Liberty Street
Meadville PA 16335
814-336-3121

The Medical Center, Beaver, PA, Inc.-SB
1000 Dutch Ridge Road
Beaver PA 15009
724-728-7000

Medical College of Pennsylvania Hospital-S
3300 Henry Avenue
Philadelphia PA 19129
215-842-6615

MedTox Laboratories, Inc.-SB
402 West County Road D
St. Paul Minnesota 55112
612-636-7466

Memorial Hospital-SB
325 South Belmont Street, P. O. Box 15118
York PA 17403
717-843-8623

Memorial Hospital Lab-SB
1 Hospital Drive
Towanda PA 18848
570-265-2191

Mercy Health Laboratory/Mercy Fitzgerald Hospital-S
Lansdowne Avenue and Bailey Road
Darby PA 19023
610-237-4175

Mercy Health Laboratory/Mercy Hospital of
Philadelphia-S
5301 Cedar Avenue
Philadelphia PA 19143
215-748-9170

Mercy Health Laboratory/Mercy Community Hospital-S
2000 Old West Chester Pike
Havertown PA 19083
610-645-3600

Mercy Health Laboratory/Mercy Suburban Hospital-S
2701 DeKalb Pike
Norristown PA 19404
610-278-2075

Mercy Health Partners-S
746 Jefferson Avenue
Scranton PA 18510
570-348-7100

Mercy Hospital-S
Pride and Locust Streets
Pittsburgh PA 15219
412-232-7831

Mercy Hospital-S
25 Church Street
Wilkes-Barre PA 18765
570-826-3100

Mercy Hospital-Nanticoke-S
128 West Washington Street
Nanticoke PA 18634
570-735-5000

Mercy Providence Hospital Laboratory-S
1004 Arch Street
Pittsburgh PA 15212
412-323-5783

Methodist Hospital Division/TJUH, Inc.-S
2301 South Broad Street
Philadelphia PA 19148
215-952-9059

Meyersdale Community Hospital-S
200 Hospital Drive
Meyersdale PA 15552
814-634-5911

MidValley Hospital-S
1400 Main Street
Peckville PA 18452
570-489-7546

Miners Hospital-S
290 Haida Avenue
Hastings PA 16646
814-948-7171

Monongahela Valley Hospital, Inc.-S
Country Club Road, Route 88
Monongahela PA 15063
724-258-1000

Monsour Medical Center-S
70 Lincoln Way East
Jeannette PA 15644
724-527-1511

Montgomery Hospital Laboratory-S
Powell and Fornance Streets
Norristown PA 19401
610-270-2173

Moses Taylor Hospital-S
700 Quincy Avenue
Scranton PA 18510
570-963-2100

Muncy Valley Hospital-S
215 East Water Street
Muncy PA 17756
570-546-8282

Nason Hospital-B
Nason Drive
Roaring Spring PA 16673
814-224-6215

National Medical Services, Inc.-Laboratory-SB
3701 Welsh Road
Willow Grove PA 19090
215-657-4900

Nazareth Hospital-S
2601 Holme Avenue
Philadelphia PA 19152
215-335-6245

North Penn Hospital-S
100 Medical Campus Drive
Lansdale PA 19446
215-368-2100

Northwest Medical Center-Franklin-SB
1 Spruce Street
Franklin PA 16323
814-437-7000

Ohio Valley General Hospital-S
Heckel Road
McKees Rocks PA 15136
412-777-6244

Omega Medical Laboratories, Inc.-SB
2001 State Hill Road, Suite 100
Wyomissing PA 19610
610-378-1900

PA Department of Health, Bureau of Laboratories-SB
110 Pickering Way
Lionville PA 19353
610-280-3464

PA State Police Lab-Bethlehem-SB
2932 Airport Road
Bethlehem PA 18017
610-861-2103

PA State Police Lab-Erie-SB
4310 Iroquois Avenue
Erie, PA 16511
814-899-8447

PA State Police Lab-Greensburg-SB
P. O. Box P, PA State Police
Greensburg PA 15601
724-832-3299

PA State Police Lab-Harrisburg-SB
1800 Elmerton Avenue
Harrisburg PA 17110
717-783-5548

PA State Police Lab-Lima-SB
350 N. Middletown Road
Media PA 19063
610-566-9066

PA State Police Lab-Wyoming-SB
479 Wyoming Avenue
Wyoming PA 18644
570-826-2230

Palmerton Hospital-S
135 Lafayette Avenue
Palmerton PA 18071
610-826-3141

Parkview Hospital-S
1331 East Wyoming Avenue
Philadelphia PA 19124
215-537-7430

Penn State-Geisinger WVMC-S
1000 East Mountain Drive
Wilkes-Barre PA 18711
570-826-7830

Philipsburg Area Hospital-SB
210 Lock Lomond Road
Philipsburg PA 16866
814-342-7112

Phoenixville Hospital Laboratory-S
140 Nutt Road, Department of Pathology
Phoenixville PA 19460
610-983-1612

Pinnacle Health/Community General Osteopathic
Hospital-S
4300 Londonderry Road, P. O. Box 3000
Harrisburg PA 17109
717-657-7214

Pittsburgh Criminalistics-SB
1320 Fifth Avenue
Pittsburgh PA 15219
412-391-6118

Pocono Medical Center Laboratory-SB
206 East Brown Street
East Stroudsburg PA 18301
570-476-3544

Polyclinic Hospital-S
2601 North Third Avenue
Harrisburg PA 17110
717-782-4141

Pottstown Memorial Medical Center-S
1600 East High Street
Pottstown PA 19464
610-327-7111

Pottsville Hospital and Warne Clinic-SB
420 South Jackson Streets
Pottsville PA 17901
570-621-5262

Presbyterian Medical Center of Phila.-S
3400 Spruce Street, Dept. of Pathology
Philadelphia, PA 19104
215-662-3435

Quest Diagnostics Clinical Laboratories, Inc.-SB
400 Egypt Road
Norristown PA 19403
610-631-4200

Quest Diagnostics of PA, Inc.-S
900 Business Center Drive
Horsham PA 19044
215-957-9300

Quest Diagnostics of PA, Inc.-SB
875 Greentree Road
4 Parkway Center
Pittsburgh PA 15220
412-920-7600

Quest Diagnostics Incorporated-SB
One Malcolm Avenue
Teterboro NJ 07608
201-393-5602

Reading Hospital and Medical Center-S
Sixth and Spruce Streets
Reading PA 19611
610-988-8080

Riddle Memorial Hospital-S
Baltimore Pike Highway 1
Media PA 19063
610-566-9400

Ridgway Health Center-S
94 Hospital Street
Ridgway PA 15853
814-788-5530

Roxborough Memorial Hospital-S
5800 Ridge Avenue
Philadelphia PA 19128
215-483-9900

Sacred Heart Hospital-S
Fourth and Chew Streets
Allentown PA 18102
610-776-4727

Saint Agnes Medical Center-S
1900 South Broad Street
Philadelphia PA 19145
215-339-4360

Saint Clair Memorial Hospital-S
1000 Bower Hill Road
Pittsburgh PA 15243
412-561-4900

Saint Francis Hospital-S
1000 South Mercer Street
New Castle PA 16101
724-658-3511

Saint Joseph Hospital-S
250 College Avenue, P. O. Box 3509
Lancaster PA 17604
717-291-8022

Saint Lukes Hospital-S
801 Ostrum Street
Bethlehem PA 18015
610-691-4141

Saint Mary Medical Center-S
Langhorne-Newtown Road
Langhorne PA 19047
215-750-2162

Saint Marys Health Center-B
763 Johnsonburg Road
Saint Marys PA 15857
814-788-8179

Saint Vincent Health Center-S
232 West 25th Street
Erie PA 16544
814-452-5383

Sewickley Valley Hospital Laboratory-S
Blackburn Road and Fitch Drive
Sewickley PA 15143
412-741-6600

Shadyside Hospital-S
5230 Centre Avenue
Pittsburgh PA 15232
412-622-2315

Sharon Regional Health System-SB
740 East State Street
Sharon PA 16146
724-983-3911

Soldiers & Sailors Memorial Hospital-S
Central Avenue
Wellsboro PA 16901
570-724-1631

Somerset Hospital Laboratory-B
225 South Center Avenue
Somerset PA 15501
814-443-2626

South Hills Health System-Jefferson-S
575 Coal Valley Road
Pittsburgh PA 15236
412-469-5723

Southern Chester County Medical Center-S
1015 West Baltimore Pike
West Grove PA 19390
610-869-1080

Specialty Laboratories-SB
2211 Michigan Avenue
Santa Monica CA 90404
310-828-6543

St. Francis Central Hospital-S
1200 Centre Avenue
Pittsburgh PA 15219
412-562-3060

St. Francis Hospital-Cranberry-S
One St. Francis Way
Cranberry Township PA 16066
724-772-5300

St. Francis Medical Center-S
400-45th Street
Pittsburgh PA 15201
412-622-4838

St. Joseph Quality Medical Laboratory-SB
215 North 12th Street, Box 316
Reading PA 19603
610-378-2200

St. Joseph's Hospital-Div. of NPHS-S
16th Street and Girard Avenue
Philadelphia PA 19130
215-787-9000

St. Lukes Hospital-Allentown Campus-S
1736 Hamilton Street
Allentown PA 18104
610-439-4000

St. Lukes Quakertown Hospital-S
Eleventh Street & Park Avenue, P. O. Box 9003
Quakertown PA 18951
215-538-4681

Suburban General Hospital-S
100 South Jackson Avenue
Bellevue PA 15202
412-734-6000

Taylor Hospital Division of CCMC-S
175 East Chester Pike
Ridley Park PA 19078
610-595-6450

Temple East, Inc., NE-S
2301 East Allegheny Avenue
Philadelphia PA 19134
215-291-3671

Temple East, Inc.-NMC-S
1741 Frankford Avenue
Philadelphia PA 19125
215-291-2118

Temple Lower Bucks Hospital Lab-S
501 Bath Road
Bristol PA 19007
215-785-9200

Temple University Hospital-S
3401 N. Broad Street
Philadelphia PA 19140
215-707-4353

Thomas Jefferson University Hospital-S
125 South 11th Street, 204 Pavillion
Philadelphia PA 19107
215-955-6374

Titusville Area Hospital-S
406 West Oak Street
Titusville PA 16354
814-827-1851

Toxi-Con-SB
201 Smallcombe Drive
Scranton PA 18508
570-963-0722

Tyler Memorial Hospital-S
880 SR6W
Tunkhannock PA 18657
570-836-2161

Tyrone Hospital-SB
Clay Avenue Extension
Tyrone PA 16686
814-684-0484

United Community Hospital-S
631 North Broad Street Ext.
Grove City, PA 16127
724-458-5442

University Hospital-M.S. Hershey Medical Center-S
500 University Avenue
Hershey PA 17033
717-531-8353

University of Pittsburgh Medical Center/Beaver Valley-SB
2500 Hospital Drive-Pathology Dept.
Aliquippa PA 15001
724-857-1238

University of Pittsburgh Medical Center-CLSI-S
200 Lothrop Street, CLSI Room 5929 MT
Pittsburgh PA 15213
724-647-7813

UPMC Bedford Memorial-SB
10455 Lincoln Highway
Everett PA 15537
814-623-3506

UPMC Lee Regional Hospital-SB
320 Main Street
Johnstown PA 15901
814-533-0130

UPMC Passavant-S
9100 Babcock Boulevard
Pittsburgh PA 15237
412-367-6700

UPMC Saint Margaret Hospital-S
815 Freeport Road
Pittsburgh PA 15215
412-784-4000

Warminster Hospital-S
225 Newtown Road
Warminster PA 18974
215-441-6700

Warren General Hospital-SB
212 Crescent Park West
Warren PA 16365
814-723-3300

Washington Hospital-S
155 Wilson Avenue
Washington PA 15301
724-223-3136

Wayne Memorial Hospital-S
601 Park Street
Honesdale PA 18431
570-253-1300

Waynesboro Hospital-SB
501 East Main Street
Waynesboro PA 17268
501-765-3403

West Virginia University Hospital-S
Clinical Laboratories
1 Medical Center Drive, P. O. Box 8009
Morgantown WV 26506
304-598-4241

Western Pennsylvania Hospital-S
4800 Friendship Avenue
Pittsburgh PA 15224
412-578-5779

Western Reserve Care System-SB
500 Gypsy Lane
Youngstown OH 44504
216-740-3794

Westmoreland Hospital-S
532 W. Pittsburgh Street
Greensburg PA 15601
724-832-4365

Williamsport Hospital and Medical Center-SB
777 Rural Avenue
Williamsport PA 17701
570-321-2300

Windber Medical Center-B
600 Somerset Avenue
Windber PA 15963
814-467-6611

WVHCS Hospital, General Campus-SB
Corner North River and Auburn Streets
Wilkes-Barre PA 18764
570-829-8111

York Hospital-SB
1001 South George Street
York PA 17405
717-771-2696

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 00-1181. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Inpatient Hospitals Qualifying for Medical Assistance (MA) Disproportionate Share Payments for the Period July 1, 1999 through June 30, 2000

On July 1, 1988, the Department of Public Welfare (Department) implemented a disproportionate share payment system. Under Pennsylvania regulations, the Department is required to annually publish the names of each inpatient acute care general hospital, rehabilitation hospital and private psychiatric hospital qualifying for a disproportionate share payment and their respective disproportionate share payment percentage.

A. Disproportionate Share for Acute Care General Hospitals, Rehabilitation Hospitals and Private Psychiatric Hospitals.

The following lists identify the inpatient acute care general hospitals, psychiatric units and rehabilitation units of acute care general hospitals, rehabilitation hospitals and private psychiatric hospitals eligible for disproportionate share payment for the period July 1, 1999 through June 30, 2000 and their respective payment percentages. For all inpatient facilities, disproportionate share payments are calculated as a percentage of projected MA inpatient income.

Payment period July 1, 1999 to June 30, 2000, disproportionate share payment percentages:

Acute Care General Hospitals

AEHN-GERMANTOWN HOSP	4.245%
ALBERT EINSTEIN	6.564%
ARMSTRONG COUNTY MEMORIAL	3.591%
A. I. DU PONT	8.124%
BARNES KASSON	4.065%
CHARLES COLE MEMORIAL	4.476%
CHILDRENS HOSPITAL-PGH	8.857%
CHILDRENS HOSPITAL-PHIL	11.904%
CLARION HOSPITAL	7.135%
CLEARFIELD	2.648%
CROZER CHESTER	3.819%
DUBOIS REGIONAL MED CTR	10.000%
EPISCOPAL	10.035%
HIGHLAND HEALTH CENTER	5.510%
HOSP UNIV OF PENNA	4.349%
INDIANA HOSPITAL	1.000%
J C BLAIR	6.390%
J F KENNEDY MEMORIAL	2.362%
JAMESON MEMORIAL	1.010%
KENSINGTON	5.573%
LGH - SUSQUEHANNA DIV.	3.154%
LOCK HAVEN	6.297%
MAGEE WOMENS	6.463%
MEADVILLE	6.449%

BRYN MAWR
 BUCKTAIL MEDICAL CENTER
 BUTLER COUNTY MEMORIAL
 CARLISLE HOSPITAL
 CENTRE COMMUNITY
 CHAMBERSBURG HOSPITAL
 CHARLES COLE MEMORIAL
 CHESTER COUNTY
 CHESTNUT HILL
 CHILDRENS HOSPITAL-PGH
 CHILDRENS HOSPITAL-PHIL
 CITIZENS GENERAL
 CLARION HOSPITAL
 CLEARFIELD
 COMMUNITY HOSP OF LANCASTER
 COMMUNITY HOSPITAL-KANE
 COMMUNITY MEDICAL CENTER
 CONEMAUGH VALLEY
 CORRY MEMORIAL
 CROZER CHESTER
 DELAWARE COUNTY
 DELAWARE VALLEY
 DIVINE PROVIDENCE-WMSPT
 DOYLESTOWN
 DUBOIS REGIONAL MED CTR
 EASTON HOSPITAL
 ELK COUNTY GENERAL
 ELLWOOD CITY
 EPHRATA COMMUNITY
 EPISCOPAL
 EVANGELICAL COMMUNITY
 FORBES METRO HEALTH CNTR
 FORBES REG. HEALTH CNTR
 FRANKFORD
 FRICK COMMUNITY HLTH CNTR
 FULTON COUNTY MEDICAL CENTER
 GEISINGER MEDICAL CENTER
 GEISINGER WYOMING VALLEY
 GETTYSBURG HOSPITAL
 GNADEN HUETTEN
 GOOD SAMARITAN-LEBANON
 GOOD SAMARITAN-POTTSVILLE
 GRANDVIEW
 GREENE COUNTY MEMORIAL
 HAMOT MEDICAL CENTER
 HANOVER GENERAL
 HAZLETON GENERAL HOSPITAL
 HIGHLAND HEALTH CENTER
 HOLY REDEEMER
 HOLY SPIRIT
 HORIZON HOSPITAL SYS, INC
 HOSP UNIV OF PENNA
 INDIANA HOSPITAL
 J C BLAIR
 J F KENNEDY MEMORIAL
 JAMESON MEMORIAL
 JEANES
 JEANNETTE DIST MEMORIAL
 JEFFERSON HEALTH SERV
 JERSEY SHORE HOSPITAL
 KENSINGTON
 LANCASTER GENERAL
 LANKENAU
 LATROBE AREA
 LEHIGH VALLEY
 LEWISTOWN
 LGH—SUSQUEHANNA DIV.
 LOCK HAVEN
 MAGEE WOMENS
 MARIAN COMMUNITY HOSPITAL

MCKEESPORT
 MEADVILLE
 MED CTR, BEAVER PA, INC.
 MEMORIAL—YORK
 MEMORIAL HOSPITAL-TOWANDA
 MEMORIAL OF BEDFORD
 MERCY CATHOLIC-FITZGERALD
 MERCY CATHOLIC-MISERICORDIA
 MERCY HAVERFORD
 MERCY HOSP OF NANTICOKE
 MERCY HOSPITAL-PGH
 MERCY HOSPITAL-SCRANTON
 MERCY HOSPITAL-WILKES-BAR
 MERCY PROVIDENCE-PGH
 METRO HEALTH CENTER
 MEYERSDALE
 MID VALLEY
 MILLCREEK COMMUNITY
 MILTON S. HERSHEY MED CTR
 MINERS HOSPITAL
 MINERS MEMORIAL MED CTR
 MONONGAHELA VALLEY
 MONSOUR
 MONTGOMERY
 MOSES TAYLOR
 MUHLENBERG
 MUNCY VALLEY
 NASON HOSPITAL
 NAZARETH
 NORTH PENN
 NORTHWEST MEDICAL CENTER
 NPHS—GIRARD
 NPHS—ST. JOSEPHS
 OHIO VALLEY
 PALMERTON
 PAOLI MEMORIAL
 PHILIPSBURG AREA
 PINNACLE HEALTH SYSTEM
 POCONO HOSPITAL
 PODIATRY HOSPITAL
 POTTSTOWN MEMORIAL
 POTTSVILLE HOSPITAL
 PRESBYT MED CTR OF UPHS
 PRESBYT UNIV HOSPITAL—PGH
 PUNXSUTAWNEY
 READING HOSPITAL
 RIDDLE MEMORIAL
 ROBERT PACKER
 ROXBOROUGH MEMORIAL
 SACRED HEART-ALLENTOWN
 SEWICKLEY VALLEY HOSPITAL
 SHADYSIDE
 SHAMOKIN AREA COMM HOSP
 SHARON
 SOLDIERS AND SAILORS
 SOMERSET COMMUNITY
 SOUTHERN CHESTER
 ST. AGNES
 ST. CLAIR MEMORIAL
 ST. FRANCIS CENTRAL
 ST. FRANCIS-NEW CASTLE
 ST. FRANCIS-PITTSBURGH
 ST. JOSEPH MED CTR—HAZLETON
 ST. JOSEPH MED CTR READING
 ST. JOSEPH-LANCASTER
 ST. LUKES—QUAKERTOWN
 ST. LUKES BETHLEHEM
 ST. MARY-LANGHORNE
 ST. MARYS MEDICAL CENTER
 ST. VINCENT

SUBURBAN GENERAL-NORRISTO
 SUBURBAN GENERAL-PGH
 SUNBURY COMMUNITY
 TEMPLE
 TEMPLE EAST, INC.
 TEMPLE UNIV. CHILDREN'S MED CTR
 TEMPLE-LOWER BUCKS
 THOMAS JEFFERSON
 THS-CITY AVENUE HOSPITAL
 THS-ELKINS PARK
 THS-GRADUATE HOSPITAL
 THS-HAHNEMANN HOSPITAL
 THS-MED COLL OF PA HOSP
 THS-PARKVIEW HOSPITAL
 THS-ST. CHRISTOPHERS
 THS-WARMINSTER
 TITUSVILLE
 TROY COMMUNITY
 TYLER MEMORIAL
 TYRONE HOSP
 UNION CITY
 UNIONTOWN
 UNITED COMMUNITY
 UPHS—PENNSYLVANIA HOSPITAL
 UPHS—PHOENIXVILLE HOSPITAL
 UPMC—BEAVER VALLEY
 UPMC—BRADDOCK MED CTR
 UPMC—LEE HOSPITAL
 UPMC—PASSAVANT HOSPITAL
 UPMC—SOUTHSIDE
 UPMC—ST. MARGARET—PGH
 VALLEY FORGE
 WARREN GENERAL
 WASHINGTON
 WAYNE COUNTY MEMORIAL
 WAYNESBORO
 WEST VIRGINIA
 WESTERN PENN
 WESTMORELAND
 WILLIAMSPORT
 WILLS EYE HOSPITAL
 WINDBER
 WYOMING VALLEY HEALTH CARE SYSTEM
 YORK HOSPITAL

Freestanding Drug and Alcohol Hospitals
 EAGLEVILLE

Freestanding Rehab Hospitals

ALLIED SERVICES
 BRYN MAWR REHAB HOSPITAL
 CHESTNUT HILL /SPRINGFIELD
 CHILDREN'S HOME-PITTSBURGH
 CHILDRENS SEASHORE HOUSE
 D. T.WATSON
 GOOD SHEPHERD
 H/S HARMARVILLE
 H/S LAKE ERIE INSTIT
 H/S NITTANY VALLEY REHAB
 H/S OF MECHANICSBURG REHAB
 H/S REHAB OF ALTOONA
 H/S REHAB OF GREATER PGH
 H/S REHAB OF YORK
 JOHN HEINZ REHAB HOSP
 MAGEE MEMORIAL
 H/S READING REHAB HOSPITAL
 REHAB INSTITUTE OF PGH

Freestanding Psychiatric Hospitals

BELMONT CENTER
 CHARTER FAIRMONT
 CLARION PSYCH

DELAWARE VALLEY MH
 EDGEWATER
 EUGENIA HOSPITAL
 FIRST HOSP. WYOMING VALLEY
 FRIENDS HOSPITAL
 HORSHAM
 KIRKBRIDE CENTER
 MEADOWS
 MONTGOMERY EMER SRVCS
 NAT HOSP FOR KIDS IN CRISIS
 NORTHWESTERN
 PHILA CHILD GUIDANCE
 PHILHAVEN
 SOUTHWOOD PSYCH CENTER

Drug and Alcohol Units of Acute Care Hospitals

BUTLER COUNTY MEMORIAL
 HAMOT MEDICAL CENTER
 HORIZON-SHENANGO VALLEY
 LANCASTER GEN HOSP-SUSQUEHANNA DIV
 MEADVILLE MED CNTR
 NPHS-ST JOSEPHS HOSP
 PRESBY MED CTR OF UNIV OF PA HLTH SYST
 ST FRANCIS-PITTSBURGH
 VALLEY FORGE
 WESTMORELAND

Medical Rehab Units of Acute Care Hospitals

ABINGTON MEMORIAL HOSP
 ALBERT EINSTEIN
 BON SECOURS HOLY FAMILY REG HLTH SYS
 CHAMBERSBURG HOSPITAL
 COMMUNITY HOSP-LANCASTER
 CONEMAUGH VALLEY HOSP
 CROZER-CHESTER MED CNTR
 DELAWARE CNTY MEM HOSP
 DIVINE PROV-WILLIAMSPORT
 DOYLESTOWN HOSPITAL
 DUBOIS REG MED CNTR
 EASTON HOSPITAL
 FORBES METRO HOSP
 FRANKFORD
 GEISINGER-WYOMING VALLEY
 GOOD SAMARITAN HOSPITAL-LEBANON
 HORIZON HOSP SYS, INC.
 HOSP OF THE UNIV OF PA
 JAMESON MEMORIAL
 JEANNETTE DIST MEM HOSP
 JEFFERSON HEALTH SERVICES
 LANCASTER GENERAL HOSP
 MERCY CATHOLIC-FITZGERALD
 MERCY HOSPITAL-PITTSBURGH
 MERCY PROVIDENCE-PGH
 MILTON S. HERSHEY MED CTR
 MONONGAHELA VALLEY HOSP
 NAZARETH
 NORTHWEST MED CTR FRANKLIN
 PINNACLE HEALTH HOSPITALS
 POTTSVILLE HOSPITAL
 PRESBYTERIAN UNIV-PGH
 SEWICKLEY VALLEY HOSPITAL
 ST AGNES MEDICAL CNTR
 ST FRANCIS CENTRAL
 ST FRANCIS HOSP-NEW CASTLE
 ST FRANCIS MED CNTR-PITTS
 ST JOSEPH HOSP-LANCASTER
 ST MARY HOSP-LANGHORNE
 ST VINCENT HEALTH CNTR
 SUBURBAN GENERAL HOSPITAL-PGH
 THS-ELKINS PARK
 THS-WARMINSTER HOSPITAL

TEMPLE UNIVERSITY HOSP
 THOMAS JEFFERSON UNIV HOSP
 UNIV OF PITTS MED CTR-LEE HOSP
 UNIV OF PITTS MED CTR-MCKEESPORT
 UNIV OF PITTS MED CTR-SOUTHSIDE
 UNIV OF PITTS MED CTR-ST MARGARET
 WESTMORELAND HOSPITAL
 WILLIAMSPORT HOSPITAL

Psychiatric Units of Acute Care Hospitals

AUH-ALLEGHENY GENERAL
 AUH-ALLEGHENY VALLEY
 ABINGTON MEMORIAL
 ALBERT EINSTEIN
 ALTOONA
 ARMSTRONG COUNTY MEMORIAL
 BLOOMSBURG HOSP
 BON SECOURS HOLY FAM REG HLTH SYS
 BRADFORD
 BRANDYWINE HOSPITAL
 BROWNSVILLE
 BRYN MAWR HOSP
 BUTLER COUNTY MEMORIAL
 CARLISLE HOSPITAL
 CENTRE COMMUNITY
 CHAMBERSBURG HOSPITAL
 COMMUNITY HOSP OF LANCASTER
 COMMUNITY MEDICAL CENTER
 CONEMAUGH VALLEY
 CORRY MEMORIAL
 CROZER CHESTER
 DELAWARE VALLEY
 DIVINE PROVIDENCE-WMSPT
 DOYLESTOWN
 DUBOIS REGIONAL MED CNTR
 ELK COUNTY GENERAL
 EPHRATA COMMUNITY
 FORBES METRO GEROPSYCH
 FORBES REG HOSP
 GEISINGER MEDICAL CENTER
 GNADEN HUETTEN
 GRANDVIEW
 GREENE COUNTY MEMORIAL
 HAMOT MEDICAL CENTER
 HANOVER GENERAL
 HAZELTON GEN HOSP
 HIGHLAND HOSPITAL
 HOLY SPIRIT
 HOSP-UNIVERSITY OF PA
 J C BLAIR
 JEFFERSON HEALTH SERV
 LANCASTER GENERAL
 LANKENAU
 LATROBE AREA
 LEHIGH VALLEY HOSPITAL
 LEWISTOWN
 MARIAN COMMUNITY HOSPITAL
 MEADVILLE MED CNTR
 MEDICAL CENTER, BEAVER PA, THE
 MEMORIAL HOSP-YORK
 MERCY CATHOLIC-FITZGERALD
 MERCY CATHOLIC-MISERICORD
 MERCY HOSPITAL-PGH
 MERCY HOSPITAL-WILKES-BARRE
 MERCY HOSP OF NANTICOKE
 MERCY PROVIDENCE HOSP-PGH
 MILTON S. HERSHEY MEDICAL CENTER
 MONONGAHELA VALLEY
 MONSOUR MED CNTR
 MONTGOMERY
 MOSES TAYLOR GEROPSYCH UNIT

MUHLENBERG
 NAZARETH
 NPHS-GIRARD
 NORTHWEST MED CTR OIL CITY
 PAOLI MEMORIAL
 PENNSYLVANIA HOSPITAL/UPHS
 PINNACLE HEALTH HOSPITALS
 POCONO HOSPITAL
 POTTSTOWN MEMORIAL MED CTR
 POTTSVILLE HOSPITAL
 PRESBYTERIAN MED CNTR OF UPHS
 PRESBYTERIAN UNIV HOSP-PGH
 READING HOSPITAL
 ROBERT PACKER
 SEWICKLEY VALLEY HOSP
 SHARON REGIONAL HLTH SYST
 SOLDIERS AND SAILORS
 SOMERSET HOSP CNTR FOR HEALTH
 ST CLAIR MEMORIAL
 ST FRANCIS-NEW CASTLE
 ST FRANCIS-PITTSBURGH
 ST JOSEPH-LANCASTER
 ST JOSEPH MED CTR-READING
 ST LUKES-QUAKERTOWN
 ST LUKES OF BETHLEHEM
 ST VINCENT
 THS-CITY AVENUE HOSPITAL
 THS-HAHNEMANN UNIV HOSP
 THS-MEDICAL COL OF PA HOSP (EPPI)
 THS-PARKVIEW HOSPITAL
 THS-WARMINSTER HOSPITAL
 TEMPLE EAST HOSPITAL
 TEMPLE-LOWER BUCKS
 TEMPLE UNIVERSITY HOSPITAL
 THOMAS JEFFERSON
 UNIV OF PITT MED CTR-BEAVER VALLEY
 UNIV OF PITT MED CTR-BRADDOCK
 UNIV OF PITT MED CTR-MCKEESPORT
 UNIV OF PITT MED CTR-SOUTHSIDE PSY
 WARREN GENERAL
 WASHINGTON
 WESTERN PENN
 WESTMORELAND
 WYOMING VALLEY HLTH CARE SYSTEM
 WILLIAMSPORT
 WILLS EYE
 YORK HOSPITAL

C. Additional Class of Disproportionate Share Payments.

Effective March 1, 1998, the Department established a new class of disproportionate share payments to hospitals which render uncompensated care and which the Department has determined are experiencing significant revenue loss as a result of Medical Assistance program revisions under Act No. 1996-35.

The following hospitals qualify for this new class of disproportionate share payments:

Albert Einstein
 Allegheny General
 Barnes Kasson
 Braddock Medical Center
 Charles Cole Memorial
 Clarion Osteopathic
 Clearfield
 Crozer Chester Medical Center
 Dubois Regional Medical Center
 Eagleville
 Episcopal
 Fulton County Medical Center

THS-Graduate Hospital
 Indiana Hospital
 JC Blair
 Jameson Memorial
 Lehigh Valley
 Lockhaven
 Meadville Medical Center
 Memorial Hospital Bedford
 Memorial Hospital Towanda
 Mercy Catholic-Fitzgerald
 Mercy Catholic-Misericordia
 Mercy Hospital-Pittsburgh
 North Philadelphia Health System
 Pennsylvania Hospital
 Presbyterian Medical Center of Philadelphia
 Punxsutawney
 Soldiers and Sailors
 St. Francis—New Castle
 St. Francis Pittsburgh
 Titusville
 Valley Forge
 Wayne County Memorial

Effective January 15, 1999, the Department revised its previously established new class of disproportionate share payments to include a Charity Care component of the Community Access Fund. A disproportionate share payment will be made to qualifying hospitals based on each hospital's percentage of charity care cost to the total charity care cost of all qualifying hospitals. The Department also established a disproportionate share payment for those hospitals that experience a high volume of MA births.

The following hospitals qualify for this payment:

Abington Memorial
 A. I. Dupont
 Albert Einstein
 Allegheny General
 Altoona
 Childrens Hospital of Philadelphia
 THS-City Avenue Hospital
 Crozer Chester Medical Center
 Doylestown
 Easton Hospital
 Episcopal
 Evangelical Community
 Frankford
 Geisinger Medical Center
 THS-Hahnemann Hospital
 Hamot Medical Center
 Hazelton General Hospital
 Hospital of the University of PA
 Indiana Hospital
 Jeannette Dist Memorial
 Lankenau
 Lehigh Valley
 Magee Womens
 THS-Medical College Hospital-Main
 Mercy Catholic-Misericordia
 Milton S. Hershey Medical Center
 North Philadelphia Health System
 NPHS-Girard
 THS-Parkview Hospital
 UPHS-Pennsylvania Hospital
 Presbyterian Med Ctr of UPHS
 Presbyterian University Hospital-Pgh
 Reading Hospital
 Shadyside

St. Agnes
 St. Francis-Pittsburgh
 St. Lukes of Bethlehem
 Temple University Hospital
 Thomas Jefferson
 UPMC-Beaver Valley
 Western Penn
 West Virginia
 York Hospital

Contact Person

A copy of this notice is available for review at local county assistance offices. Interested persons are invited to submit written comments within 30 days of publication of this notice to the *Pennsylvania Bulletin*. Comments should be addressed to Department of Public Welfare, Office of Medical Assistance Programs, Attention: Suzanne Love, Room 515 Health and Welfare Building, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (voice users). Persons who require another alternative should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-251; (1) General Fund; (2) Implementing Year 1999-00 is \$39.938 Million; (3) 1st Succeeding Year 2000-01 is \$6.459 Million; 2nd Succeeding Year 2001-02 is \$NA; 3rd Succeeding Year 2002-03 is \$NA; 4th Succeeding Year 2003-04 is \$NA; 5th Succeeding Year 2004-05 is \$NA; (4) 1998-99 Program—\$453.594 Million; 1997-98 Program—\$428.079 Million; 1996-97 Program—\$436.941 Million; (7) Medical Assistance—Inpatient; (8) recommends adoption. Funds are available to make the payments as described in this notice.

[Pa.B. Doc. No. 00-1182. Filed for public inspection July 7, 2000, 9:00 a.m.]

**Public Hearing on Declining Resident Population
 at Selinsgrove Center**

The Department of Public Welfare (Department) will hold a public hearing on the declining resident population at Selinsgrove Center. The hearing will be held on Tuesday, August 8, 2000, at 7 p.m. at the Degenstein Campus Center, Susquehanna University, University Avenue, Selinsgrove.

State law requires the Department to hold a public hearing on any State mental health or mental retardation facility within 30 days of a closure announcement or following a downsizing of 20% or more in patient population since December 31, 1997.

The decrease in resident population at Selinsgrove Center is a result of numerous factors, primarily successful community placement of individuals with mental retardation into small community homes, which provide alternatives to State center treatments and living arrangement. The hearing is not driven by a closure announcement.

Individuals or organizations wishing to testify should contact Paul Hindman, Regional Program Manager at (717) 772-6507 by July 31, 2000. Persons requiring special accommodations should inform the Department at the time of scheduling.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 00-1183. Filed for public inspection July 7, 2000, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Lehigh County

Project Reference No. 08430AG2570

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately seven (7) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following projects:

1. S. R. 0145, Section 07B, Lehigh County
Local Name: Jordan Creek Bridge
This project involves the replacement of the State Route 0145 (MacArthur Road) structure over Jordan Creek in Whitehall Township.
2. S. R. 0145, Section 05S, Lehigh County
Local Name: MacArthur Road
This safety project involves the reconstruction and widening of State Route 0145 (MacArthur Road) in Whitehall Township south of State Route 0022 to the Allentown City limit line.

Department policy requires firms providing construction inspection services to have a Federal Acquisition Regulation (FAR) field overhead rate established. The Department's current policy (SOL-430-91-34) requires a firm to submit their proposed field and office cost allocation approach, before the beginning of the fiscal year where the separate overhead rates would apply. This approach must comply with the provisions set forth in Part 31 of the Federal Acquisition Regulations (48 CFR Chapter 1) which governs the determination of the eligibility of costs making up the firm's Direct and Indirect Costs.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities, certifications (NICET, NECEPT, PennDOT CDS, ACI and nuclear gage), and specialized experience in Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, drain-

age, traffic signals, pavement markings, guide rail, signing, and erosion and sedimentation control.

b. Understanding of Department's requirements, policies, and specifications (Pub 408, R.C.'s, B.C.'s, D.M.'s Pub. 203, P. O.M.).

c. Past Performance

d. Number of NICET certified inspectors in each payroll classification.

e. Understanding of the specifics of this construction inspection project.

f. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (2)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	2 (2)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum hourly payroll rate for each Department Payroll Classification for calendar year 2000 shall be as shown:

<i>Payroll Classification</i>	<i>Maximum Straight Time Hourly Payroll Rate (Year 2000)</i>
(TCM-1)	\$23.22
(TCIS)	\$20.34
(TCI-Materials)	\$17.55
(TCI)	\$17.05
(TA)	\$11.72

If applicable, the maximum straight time hourly payroll rate for subsequent calendar years will be established at the scope of work meeting.

The maximum hourly payroll rate is the maximum hourly rate paid to an employee in a specific Department Payroll classification. The Department reserves the right to negotiate hourly payroll rates of compensation of individuals based on knowledge, experience and education up to the payroll classification maximum hourly payroll rate.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item, and perform other duties as may be required.

The firm selected will be required to supply the following equipment:

<i>Quantity</i>	<i>Item</i>
1	Nuclear Densometer Gauges/License
1	Vehicle for Transporting Nuclear Gauge
6	Two-Way Radios
1	Base Radio Station
3	Cellular Phones (for Engineer's employees only)

The Department will directly reimburse the selected engineering firm for the above equipment, for use by the consultant inspection staff at their actual cost not to exceed the maximum direct reimbursement shown below. The engineering firm is required to include their billing rates for each type of equipment in the letter of interest.

- Nuclear Densometer Gauge @ \$660.00 each *Maximum/month*
- Vehicle for Gauge @ \$650.00 each *Maximum/month*
- Two-way Radio @ \$ 25.00 each *Maximum/month*
- Radio Base Station @ \$ 35.00 each *Maximum/month*
- Cell Phone Usage* As per invoice

If the equipment is self-owned, reimbursement will be based on actual cost of ownership not to exceed the maximum allowable. If equipment is from an outside supplier, the engineer must secure a minimum of three written quotes. The Department reserves the right to request additional quotes.

*Cost of phone and activation fees are not eligible for direct reimbursement

The Department will reimburse for actual miles driven on the project as directed by the Department, and a maximum of \$32.50/day for either mileage to and from the work site or lodging. An inspector will not be reimbursed for a combination of the two during the same day. Mileage will be reimbursed for the most direct route

from the inspector's residence or the Consultant's office, whichever is less, to the project site and return at the lesser of the maximum mileage rate established by the Commonwealth or the firm's current policy. The first 15 miles each day of an inspector's commute from and to his/her residence or the consultant's office to the work location is considered normal commuting travel and will not be eligible for mileage reimbursement. Lodging will be reimbursed at a maximum rate of \$32.50/day, in lieu of mileage, but receipts for all costs must be provided to the Department with the Engineer's invoice. Lodging will only be reimbursed for employees whose home or headquarters is more than 65 miles from the project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	3
TCI-M	2
TCI	3
TA	2

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided (any pages beyond 3 will not be reviewed by the Department), plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer
Engineering District 5-0
2460 Parkwood Drive
Allentown, PA. 18103
Attn: Mr. Brian H. Graver

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Brian H. Graver, phone number (610) 791-6022, fax number (610) 791-6032.

Indiana and Westmoreland Counties Project Reference No. 08430AG2571

The Department will retain an engineering firm to provide final design and services during construction (shop drawing review and construction consultation) on the S.R. 0259, Section 450, Indiana and Westmoreland Counties, Bolivar Bridge Replacement.

This project involves the replacement of the existing structure that carries S.R. 0259 over the Conemaugh River on a new alignment. The river is the dividing line between Indiana and Westmoreland Counties. The project begins in the Borough of Bolivar, Fairview Township

(Westmoreland County) and goes north across the river into the Borough of Robinson (Indiana County). The estimated construction cost for this project is \$5 million.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting Letters of Interest:

- a) Specialized experience and technical competence of firm. The specific experience of individuals employed by the firm shall be considered.
- b) Past record of performance with respect to cost control, work quality and ability to meet schedules.
- c) Previous experience on similar types of projects.
- d) Available staffing for this assignment, including projected workload for the firms.
- e) Location of Consultant in respect to the District.

The firm selected may be required to provide the following services or perform the following tasks: Utility verification and relocation; PUC involvement and coordination; field surveys; roadway cross sections; drainage design; final right-of-way plans; traffic control plans; final roadway plans; core borings; waterway permit submission; final Type, Size and Location submission; geotechnical report; foundation approval; final structure plans; erosion and sedimentation control plans; value engineering and safety review submissions; construction CPM schedule; project review meetings; public/special interest group meetings; completion of all applicable forms; PS&E package submission; project administration, and other unforeseen activities that are required to complete the design of his project. Services during construction activities will include construction consultation, alternate design review and shop drawing reviews.

The project will be designed in metric units.

The project is being advanced, by others, through the completion of the preliminary design submission and field view, preliminary type, size and location, and preliminary right-of-way plans. The selected firm must build upon the work that has been performed to date with minimal redundancy.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised projects.

This project reference assignment is considered complex. The Letter of Interest shall be limited to a maximum of five pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable (see the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer
Engineering District 10-0
2550 Oakland Avenue
Indiana, PA 15701-0429

Attention: James R. Andrews, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to James R. Andrews, P.E., phone number 724-357-2080, FAX number 724-357-1905.

**Statewide
Project Reference No. 08430AG2572**

The Department will retain an engineering firm for an Open-End Contract to perform statewide periodic NBIS bridge safety inspections for designated bridges and structures on the Local System throughout the Commonwealth. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$2.0 million.

The selected firm will be required to provide all necessary professional and non-professional services, work, material and equipment necessary to inspect/re-inspect and evaluate the condition of locally owned bridges and structures at various locations. The firm will provide updated inspection reports including a bridge load capacity rating/re-rating and/or posting recommendation as warranted. Structure inventory and appraisal data, and completed Bridge Management System coding sheets are also to be furnished. Inventory and operating ratings based on existing conditions for AASHTO and PDT loadings using the Department's computer programs and/or other programs with prior approval when the Department's program is not applicable, may be required.

Firms responding to this solicitation should provide, at a minimum, the following information in their letter of interest:

1. Indicate the lead person or sub-consultant on each of the required work tasks identified above and indicate the qualifications and experience of the lead person or sub-consultant specifically related to each work task. List NBIS certification credentials and PA Bridge Safety Inspection courses taken by staff.
2. Indicate how the firm will provide "on demand" response for urgent problems. In the recent past, 200-500 bridges have been inspected per year under similar contracts. Due to variability of inspection schedules and emergencies, this work is not anticipated to be evenly distributed throughout a year or duration of contract.
3. Indicate internal procedures for timeliness of report submission, cost containment and quality assurances.
4. Indicate computer capabilities including PDT programs and other software.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Specialized technical expertise and experience of the individuals committed to this project.
- b. Capabilities of the qualified proposed team to address the bridge inspection, load rating evaluations and recommendations, and related aspects identified in the advertisement.
- c. Prior technical successes and timeliness in performing work with the Department, especially on bridge inspection related work.
- d. Available staffing and "on demand" response capabilities in the event of emergencies.

e. Location, cost containment and quality assurance program.

The engineering services identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

R. Scott Christie, P.E.
Chief Bridge Engineer
Bureau of Design
P. O. Box 3560
Harrisburg, PA 17105-3560

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Project management will be by the Bridge Quality Assurance Division, Bureau of Design. Engineering inspections will be directed by the respective District Office.

Any technical questions concerning the requirements for this project should be directed to Mr. Suresh Dadhania, P.E., at (717) 787-3590, FAX No. (717) 787-2882.

**Beaver and Lawrence Counties
Project Reference No. 08430AG2573**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately twenty-six (26) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following projects:

1. S.R. 0051, Section B17, Beaver County Local Name: PA 51 from Franklin Avenue to the West Aliquippa Bridge This project includes reconstruction with concrete pavement, installing concrete media barrier, guide rail and drainage update, wall repair, safety parapet, curb and sidewalk replacement and relocation of the waterline. Located in the City of Aliquippa, it extends from 1200' north of the bridge over Franklin Avenue to 600' north of West Aliquippa Bridge, 6718 feet, 1.27 miles.

2. S.R. 0018, Section L17, Lawrence County Local Name: TR 18 from Wallace Avenue to Maitland Lane This project consists of milling 2" and resurfacing 2" of superpave, curb removal and replacement, some sidewalk replacement and drainage improvements from the start of work at Craig St. to the New Castle city limits. Also, consists of 1 1/2" superpaving, type 7 and 6-I shoulders, guiderail replacement and drainage work from the New Castle city limits to the end of work at Maitland Lane. Traffic signal updates will be provided. This project is located in the Township of Neshannock.

3. S.R. 0351, Section 005, Lawrence County
Local Name: Conrail RR Bridge
This project is the replacement of a bridge over Conrail RR in Little Beaver Township. It involves a 3-span continuous, composite curved steel multi-girder bridge and approach work. From a point

approximately 300 feet west of SR 3011 to a point approximately 200 feet east of Haggerty Road (Twp. Rd T-301).

4. S.R. 1021, Section B01, Beaver County
Local Name: Pine Run Bridge
This project entails the removal and replacement of the existing bridge in Marion Township, with a low profile metal arch culvert (35 foot span) and includes minor approach work.

Department policy requires firms providing construction inspection services to have a Federal Acquisition Regulation (FAR) field overhead rate established. The Department's current policy (SOL-430-91-34) requires a firm to submit their proposed field and office cost allocation approach, before the beginning of the fiscal year where the separate overhead rates would apply. This approach must comply with the provisions set forth in Part 31 of the Federal Acquisition Regulations (48 CFR Chapter 1) which governs the determination of the eligibility of costs making up the firm's Direct and Indirect Costs.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in structures, drainage, concrete pavement, curb and sidewalk replacement, shoulders, and maintenance and protection of traffic. (References for each inspector should be made available upon request.)

b. Understanding of the Department's requirements, policies, and specifications.

c. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

d. Past Performance.

e. Number of NICET certified inspectors in each payroll classification.

f. Number of available inspectors in each payroll classification.

g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	4 (4)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	15 (11)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	6 (6)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum hourly payroll rate for each Department Payroll Classification for calendar year 2000 shall be as shown:

<i>Payroll Classification</i>	<i>Maximum Straight Time Hourly Payroll Rate (Year 2000)</i>
(TCM-1)	\$23.22
(TCIS)	\$20.34
(TCI)	\$17.05
(TA)	\$11.72

If applicable, the maximum straight time hourly payroll rate for subsequent calendar years will be established at the scope of work meeting.

The maximum hourly payroll rate is the maximum hourly rate paid to an employee in a specific Department Payroll classification. The Department reserves the right to negotiate hourly payroll rates of compensation of individuals based on knowledge, experience and education up to the payroll classification maximum hourly payroll rate.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity

provisions of the contract item; firms must also provide two inspectors certified in computer documentation; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment:

<i>Quantity</i>	<i>Item</i>
20	Cellular Phones (for Engineer's employees only)
4	Digital Cameras (3 Gigs)

The Department will directly reimburse the selected engineering firm for the above equipment, for use by the consultant inspection staff at their actual cost not to exceed the maximum direct reimbursement shown below. The engineering firm is required to include their billing rates for each type of equipment in the letter of interest.

- Cell Phone Usage* As per invoice
- Camera {[type]} As per invoice

If the equipment is self-owned, reimbursement will be based on actual cost of ownership not to exceed the maximum allowable. If equipment is from an outside supplier, the engineer must secure a minimum of three written quotes. The Department reserves the right to request additional quotes.

*Cost of phone and activation fees are not eligible for direct reimbursement

The Department will reimburse for actual miles driven on the project as directed by the Department, and a maximum of \$32.50/day for either mileage to and from the work site or lodging. An inspector will not be reimbursed for a combination of the two during the same day. Mileage will be reimbursed for the most direct route from the inspector's residence or the Consultant's office, whichever is less, to the project site and return at the lesser of the maximum mileage rate established by the Commonwealth or the firm's current policy. The first 15 miles each day of an inspector's commute from and to his/her residence or the consultant's office to the work location is considered normal commuting travel and will not be eligible for mileage reimbursement. Lodging will be reimbursed at a maximum rate of \$32.50/day, in lieu of mileage, but receipts for all costs must be provided to the Department with the Engineer's invoice. Lodging will only be reimbursed for employees whose home or headquarters is more than 65 miles from the project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	1
TCIS	4
TCI	18

This project reference assignment is considered non-complex. The letter of interest shall be limited to a

maximum of three (3) pages, 8 1/2" x 11", one sided (any pages beyond 3 will not be reviewed by the Department), plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Raymond S. Hack, P.E., District Engineer
Engineering District 11-0
45 Thoms Run Road, Bridgeville, PA 15017
Attention: Design Development Unit

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Brian A. Krul, District 11-0, Design Development Unit at 412-429-3801.

**Allegheny County
Project Reference No. 08430AG2574**

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately twenty-four (24) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on the following projects:

1. S.R. 0019, Section A21, Allegheny County
Local Name: Railroad Opening
This project involves construction of two structures to provide an opening in the railroad embankment supporting the Norfolk Southern Railroad in the City of Pittsburgh. This project will also provide traffic mitigation for the Fort Pitt Bridge Project.
2. S.R. 0065, Section A24, Allegheny County
Local Name: Ohio River Boulevard
This project consists of milling and resurfacing, concrete pavement patching, bituminous overlay, shoulders, drainage restoration, concrete median barrier and guide rail upgrades. The project is located in the Boroughs of Edgeworth and Leetsdale.
3. S.R. 0022, Section A08, Allegheny County
Local Name: RT 22/30 Expressway Rehab
The project includes a reconstructed roadway, which will consist of two 12' wide lanes with 10' wide shoulders (outside), and 6' wide left (median) shoulders in both the westbound and eastbound directions. By shifting the existing lanes 3 feet into the median, the existing 20 foot wide median will be reduced to 14 feet. This will enable the construction of the roadway pavement and shoulders (both concrete) without any major impacts to the existing cut and fill slopes. Located in North Fayette Township, this project is the continuation of the SR 0022, Section A07 and Section A11 projects, which were the eastbound and westbound projects just west of the subject project.

Department policy requires firms providing construction inspection services to have a Federal Acquisition Regulation (FAR) field overhead rate established. The Department's current policy (SOL-430-91-34) requires a firm to submit their proposed field and office cost allocation approach, before the beginning of the fiscal year where the separate overhead rates would apply. This approach must comply with the provisions set forth in Part 31 of the Federal Acquisition Regulations (48 CFR Chapter 1) which governs the determination of the eligibility of costs making up the firm's Direct and Indirect Costs.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in structures, paved shoulders, bituminous overlay, concrete pavement, milling and resurfacing, drainage, and maintenance and protection of traffic. (References for each inspector should be made available upon request).

b. Understanding of the Department's requirements, policies and specifications.

c. Ability to package and present the Letter of Interest in accordance with the "General Requirements and Information" section.

d. Past Performance.

e. Number of NICET certified inspectors in each payroll classification.

f. Number of available inspectors in each payroll classification.

g. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	5 (5)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	12 (9)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	6 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum hourly payroll rate for each Department Payroll Classification for calendar year 2000 shall be as shown:

<i>Payroll Classification</i>	<i>Maximum Straight Time Hourly Payroll Rate (Year 2000)</i>
(TCM-1)	\$23.22
(TCIS)	\$20.34
(TCI)	\$17.05
(TA)	\$11.72

If applicable, the maximum straight time hourly payroll rate for subsequent calendar years will be established at the scope of work meeting.

The maximum hourly payroll rate is the maximum hourly rate paid to an employee in a specific Department Payroll classification. The Department reserves the right to negotiate hourly payroll rates of compensation of individuals based on knowledge, experience and education up to the payroll classification maximum hourly payroll rate.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; firms must also provide two inspectors certified in computer documentation; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment:

<i>Quantity</i>	<i>Item</i>
18	Cellular Phones (for Engineer's employees only)
3	Digital Cameras (3 Gigs)

The Department will directly reimburse the selected engineering firm for the above equipment, for use by the consultant inspection staff at their actual cost not to exceed the maximum direct reimbursement shown below. The engineering firm is required to include their billing rates for each type of equipment in the letter of interest.

- Cell Phone Usage* As per invoice
- Camera {[type]} As per invoice

If the equipment is self-owned, reimbursement will be based on actual cost of ownership not to exceed the maximum allowable. If equipment is from an outside supplier, the engineer must secure a minimum of three written quotes. The Department reserves the right to request additional quotes.

*Cost of phone and activation fees are not eligible for direct reimbursement

The Department will reimburse for actual miles driven on the project as directed by the Department, and a maximum of \$32.50/day for either mileage to and from the work site or lodging. An inspector will not be reimbursed for a combination of the two during the same day. Mileage will be reimbursed for the most direct route from the inspector's residence or the Consultant's office, whichever is less, to the project site and return at the lesser of the maximum mileage rate established by the Commonwealth or the firm's current policy. The first 15 miles each day of an inspector's commute from and to his/her residence or consultant's office to the work location is considered normal commuting travel and will not be eligible for mileage reimbursement. Lodging will be reimbursed at a maximum rate of \$32.50/day, in lieu of mileage, but receipts for all costs must be provided to the Department with the Engineer's invoice. Lodging will only be reimbursed for employees whose home or headquarters is more than 65 miles from the project.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	1
TCIS	6
TCI	14
TA	0

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided (any pages beyond 3 will not be reviewed by the Department), plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Raymond S. Hack, P.E., District Engineer
Engineering District 11-0
45 Thoms Run Road, Bridgeville, PA 15017
Attention: Design Development Unit

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Brian A. Krul, District 11-0, Design Development Unit at 412-429-3801.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

For District projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

By submitting a letter of interest for the projects that request engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania. A firm not conforming to this requirement may submit a letter of interest as a part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

The letter of interest must include full disclosure of any potential conflict of interest by the prime or any subconsultant based on Engineering Involvement Restrictions Guidelines as established in Strike-off Letter No. 433-00-02 published March 27, 2000. If there are no potential conflicts you shall include the following statement: "I have reviewed Strike-off Letter No. 433-00-02 and determine that there are no potential conflicts of interest for anyone on this project team."

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposed DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Letters of Interest for will be considered non-responsive and eliminated from further consideration for any of the following reasons:

1. Letters of Interest not received on time.
2. Project of interest is not identified.
3. An Annual Qualification Package for the prime consultant and all subconsultants is not on file with the organization receiving the Letter of Interest.
4. Conflict of Interest evaluation statement is not included.
5. A Disadvantaged Business Enterprise (DBE) participation goal is established for the Project Reference Number but no DBE/WBE is identified and no good faith effort is included.
6. Firm submitted a Letter of Interest on more than one (1) Joint Venture or a firm submitted a Letter of Interest as a prime and was also included as a subconsultant, to another firm. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm, or firms, involved.

In addition to the above reasons, a Letter of Interest for Construction Inspection Services will be considered non-responsive for any of the following reasons:

1. Prime consultant or any subconsultant does not have a Federal Acquisition Regulation (FAR) Audit Field Overhead Rate on file with the Department.
2. Using an individual's resume without including a letter granting the individual's approval for TCIS and higher positions.
3. Exceeding the maximum number of resumes in a payroll classification.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 00-1184. Filed for public inspection July 7, 2000, 9:00 a.m.]

FISH AND BOAT COMMISSION

Temporary Changes to Fishing Regulations and Proposed Designations of Waters Subject to Special Fishing Regulations

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), has taken immediate action to temporarily modify fishing regulations at the Beaverdam Run Reservoir, Cambria County. Specifically, the Executive Director has designated Beaverdam Run Reservoir as a water to be regulated and managed under 58 Pa. Code §§ 65.9 and 65.11 (relating to big bass special regulations and panfish enhancement special regulation) for sunfish, yellow perch and crappie.

The Commission has approved guidelines with regard to encouraging public participation on possible changes to the designation of stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on July 23 and 24, 2000, the Commission will consider designating Beaverdam Run Reservoir, Cambria County, as a water subject to big bass special regulations under 58 Pa. Code § 65.9 and the panfish enhancement special regulation under 58 Pa. Code § 65.11 for sunfish, yellow perch and crappie. If approved, these designations will go into effect upon publication of a notice in the *Pennsylvania Bulletin*.

At this time, the Commission is soliciting public input concerning the above designations. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000 by no later than 4 p.m., July 21, 2000. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically at "regulations@fish.state.pa.us." A subject heading of the proposal and a return name and address must be included in each transmission. In addition, all electronic comments must be contained in the text of the transmission, not in an attachment. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 00-1185. Filed for public inspection July 7, 2000, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The following meetings of the Health Care Cost Containment Council (Council) have been scheduled: Wednesday, July 12, 2000, Data Systems Committee—9 a.m.; Education Committee—11 a.m.; Mandated Benefits Review Committee—1:30 p.m. Thursday, July 13, 2000, Council Meeting—9 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meetings, should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, or call (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 00-1186. Filed for public inspection July 7, 2000, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, June 22, 2000, and took the following actions:

Regulations Approved:

Department of Revenue #15-402: Payments for Employee Welfare Benefit Plans and Cafeteria Plans (amends 61 Pa. Code §§ 101.1, 101.6, 101.6(a), 101.7 and 125.21—125.33)

Department of Revenue #15-408: Sales and Use Tax; Vending Machines (amends 61 Pa. Code § 31.28)

Department of Revenue #15-407: Sales and Use Tax; Lawn Care Services (amends 61 Pa. Code §§ 55.6 and 60.2)

State Board of Dentistry #16A-464: Continuing Dental Education and Biennial Renewals (amends 49 Pa. Code Chapter 33)

State Board of Nursing #16A-5110: Sexual Misconduct (amends 49 Pa. Code Chapter 21)

Pennsylvania Higher Education Assistance Agency #58-23: State Grant Program; Early Childhood Education Professional Loan Forgiveness Program (amends 22 Pa. Code Chapter 121)

Department of Education #6-262: Nurse Aide Applicant Criminal History Record Information (adds Chapter 701 to 22 Pa. Code)

Pennsylvania Emergency Management Agency #30-51: Public Safety Emergency Telephone Program (amends 4 Pa. Code Chapter 120b)

Pennsylvania Emergency Management Agency #30-52: Training and Certification Standards for 9-1-1 Emergency Communications Personnel (amends 4 Pa. Code Chapter 120c)

Pennsylvania Emergency Management Agency #30-53: 9-1-1 Performance Review and Quality Assurance Standards (amends 4 Pa. Code Chapter 120d)

Regulations Disapproved:

Pennsylvania State Police #17-60: Uniform Firearms Act; Licensed Retail Dealers; Firearm Record Forms (amends 37 Pa. Code Chapters 31 and 33)

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Department of Revenue—Payments for Employee Welfare Benefit Plans and Cafeteria Plans; Regulation No. 15-402

On April 15, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Revenue. This rulemaking amends 61 Pa. Code §§ 101.1, 101.6, 101.6a, 101.7 and 125.21—125.33. The proposed regulation was published in the April 25, 1998 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 19, 2000.

The regulation addresses how employee welfare benefit programs, such as self-insured medical reimbursement accounts and cafeteria plans, will be taxed. The regulation also addresses how compensation in the form of employer-provided services or property will be taxed.

We have determined this regulation is consistent with the statutory authority of the Department of Revenue (72 P. S. § 7354) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Department of Revenue—Sales and Use Tax; Vending Machines; Regulation No. 15-408

On June 30, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Revenue. This rulemaking amends 61 Pa. Code § 31.28. The proposed regulation was published in the July 17, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 25, 2000.

This rulemaking is required by the act of April 23, 1998 (P. L. 239, No. 45) (act). The act amended the requirements for collecting sales tax from vending machines. The final regulation defines “juice beverage,” “meal,” “operator,” “selected food and beverage items,” “soft drink” and “vending machine.” The rulemaking also describes: regis-

tration and operating requirements for operators who sell taxable tangible personal property through vending machines; requirements for operator information to be displayed on vending machines; the scope of taxation for vending machine sales; and taxation requirements for vending machines on church or school premises.

We have determined this regulation is consistent with the statutory authority of the Department of Revenue (72 P. S. § 7270) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Department of Revenue—Sales and Use Tax; Lawn Care Services; Regulation No. 15-407

On June 30, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Revenue (Department). This rulemaking amends 61 Pa. Code §§ 55.6 and 60.2. The proposed regulation was published in the July 17, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 25, 2000.

The Department is adding regulations to interpret the act of August 4, 1991 (P. L. 97, No. 22) which made “lawn care service” a taxable service. The Department is also deleting its Statement of Policy on lawn care services.

We have determined this regulation is consistent with the statutory authority of the Department (72 P. S. § 7270) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

State Board of Dentistry—Continuing Dental Education and Biennial Renewals; Regulation No. 16A-464

On July 1, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Dentistry (Board). This rulemaking amends 49 Pa. Code Chapter 33. The proposed regulation was published in the July 11, 1998 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 23, 2000.

The Board is amending its regulations to implement Act 113 of 1996. The regulation requires cardiopulmonary resuscitation certification and continuing education cred-

its for biennial renewal of licenses or certificates. Continuing education requirements were added to restore expired licenses.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. §§ 122(j), 122(j.1), 122(j.2), 122(o) and 122.1) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

State Board of Nursing—Sexual Misconduct; Regulation No. 16A-5110

On May 28, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Nursing. This rulemaking amends 49 Pa. Code Chapter 21. The proposed regulation was published in the June 13, 1998 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 23, 2000.

This regulation establishes standards for determining when Registered Nurses and Licensed Practical Nurses have engaged in sexual misconduct.

We have determined this regulation is consistent with the statutory authority of the State Board of Nursing (63 P. S. §§ 212.1(k) and 667.6) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Pennsylvania Higher Education Assistance Agency—State Grant Program; Early Childhood Professional Loan Forgiveness Program; Regulation No. 58-23

On March 16, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Higher Education Assistance Agency (Agency). This rulemaking amends 22 Pa. Code Chapter 121. The proposed regulation was published in the March 28, 1998 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 27, 2000. On May 10, 2000, the Commission received a request from the Agency to toll consideration of this final-form regulation to make technical corrections. On June 5, 2000, the Agency submitted its revisions to the final-form regulation to the Commission.

The Agency is updating and adding requirements for participation in the State Grant Program and the Early Childhood Education Professional Loan Forgiveness Pro-

gram. It also adds a section for wage garnishment procedures for Federal loans.

We have determined this regulation is consistent with the statutory authority of the Agency (24 P. S. §§ 5104, 5151, 5181—5189, 5191—5197, and 5198.1—5198.7) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Department of Education—Nurse Aide Applicant Criminal History Record Information; Regulation No. 6-262

On July 7, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Education. This rulemaking adds Chapter 701 to 22 Pa. Code. The proposed regulation was published in the July 18, 1998 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 23, 2000.

This regulation implements the Nurse Aide Resident Abuse Prevention Training Act (63 P. S. §§ 671—680). It establishes the procedures and rules for applicants to use in filing their Criminal History Record Information reports before enrolling in State-approved nurse aide training programs.

We have determined this regulation is consistent with the statutory authority of the Department of Education (63 P. S. § 676) and the intention of the General Assembly. Having considered all the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Pennsylvania Emergency Management Agency—Public Safety Emergency Telephone Program; Regulation No. 30-51

On March 19, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Emergency Management Agency. This rulemaking amends 4 Pa. Code Chapter 120b. The proposed regulation was published in the April 3, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 24, 2000.

This final rulemaking is one of three rulemakings designed to implement Act 17 of 1998 (Act 17) which amended the Public Safety Emergency Telephone Act. One facet of Act 17 was the authorization to develop and maintain master street address guides by "911" centers.

Act 17 also expanded the costs that a county may be reimbursed for operating its "911" center. This regulation includes the new reimbursable costs for the expenditure of county "911" funds, and provides the accuracy standards for the master street address guides.

We have determined this regulation is consistent with the statutory authority of the Pennsylvania Emergency Management Agency (35 P. S. §§ 7011—7021) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Pennsylvania Emergency Management Agency—Training and Certification Standards for 911 Emergency Communications Personnel; Regulation No. 30-52

On March 19, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Emergency Management Agency. This rulemaking amends 4 Pa. Code Chapter 120c. The proposed regulation was published in the April 3, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 24, 2000.

This regulation implements a portion of Act 17 of 1998 (Act 17) which amended the Public Safety Emergency Telephone Act. This rulemaking establishes minimum standards for the certification and training of emergency dispatchers, call takers and supervisors, as required by Act 17.

We have determined this regulation is consistent with the statutory authority of the Pennsylvania Emergency Management Agency (35 P. S. §§ 7011—7021) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Pennsylvania Emergency Management Agency—9-1-1 Performance Review and Quality Assurance Standards; Regulation No. 30-53

On March 19, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Emergency Management Agency. This rulemaking amends 4 Pa. Code Chapter 120d. The proposed regulation was published in the April 3, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 24, 2000.

This regulation implements a portion of Act 17 of 1998 (Act 17) which amended the Public Safety Emergency

Telephone Act. The rulemaking establishes the standards and procedures for how quality assurance reviews will be conducted for "911" emergency communications centers.

We have determined this regulation is consistent with the statutory authority of the Pennsylvania Emergency Management Agency (35 P. S. §§ 7011—7021) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson—by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
June 22, 2000

Pennsylvania State Police—Uniform Firearms Act; Licensed Retail Dealers; Firearm Record Forms; Regulation No. 17-60

On April 15, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania State Police (State Police). This rulemaking amends 37 Pa. Code Chapters 31 and 33. The proposed regulation was published in the May 2, 1998 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on June 1, 2000.

This regulation implements the Pennsylvania Uniform Firearms Act of 1995 (act) including firearms storage requirements for dealers, the Pennsylvania Instant Check System, confidentiality requirements, license revocation procedures and forms to carry out these requirements.

The State Police made amendments in response to many of our comments, or explained why amendments were not made. However, there continue to be four areas where the final regulation does not meet our criteria.

First, the use of the term "firearm" in sections 33.114 and 33.115 of this regulation creates a clarity problem (71 P. S. § 745.5a(i)(3)(ii)). The act contains two distinct definitions of this term in sections 6102 and in 6111.2. To remove any potential confusion, the term "firearm" in sections 33.114 and 33.115 should be replaced with the term "firearm as defined in section 6102 of the act."

Second, section 31.104 lacks clarity (71 P. S. § 745.5a(i)(3)(ii)). We commented that the phrases "entrance cannot easily be gained" and "constructed to require an excessive amount of force to gain illegal entry" in section 31.104 (formerly section 31.105) are vague. Although the Preamble states the regulation was amended in response to our comments, this section is unaltered from the proposed version, except for the deletion of the term "steel mesh." Therefore, further clarification is needed.

Third, the recordkeeping requirements in sections 33.112 and 33.113 still raise questions as to the economic impact of and need for these requirements (71 P. S. § 745.5a(i)(1)(iii) and (3)(iii)). We questioned the need to retain record forms required in sections 33.112 and 33.113 for 20 years. In response, the State Police deleted the 20-year record retention requirement. However, subsection (c) in both of these sections still requires the transfer of records when a licensed business is discontinued. Subsection (c) in sections 33.112 and 33.113 is no longer necessary and should be deleted.

Finally, subsections 33.120(a) and (b) are also inconsistent with the statutory requirements and lack clarity (71 P. S. § 745.5a(i)(3)(i) and (ii)). These subsections require examining physicians to report "when they determine a lack of severe mental disability following the initial examination under section 302(b) of the Mental Health Procedures Act . . ." The Pennsylvania Psychiatric Society commented that subsections 33.120(a) and (b) are inconsistent with section 6105(c)(4) of the act as amended by Act 70 of 1998. It is our understanding that the State Police agree that reporting a lack of mental disability is not necessary. The State Police should delete this reporting requirement in subsections 33.120(a) and (b).

We have determined this regulation is consistent with the statutory authority of the State Police (18 Pa.C.S. §§ 6101 to 6126) and the intention of the General Assembly. However, after considering all of the other criteria of the Regulatory Review Act discussed above, we find promulgation of this regulation is not in the public interest.

By Order of the Commission:

This regulation is disapproved.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 00-1187. Filed for public inspection July 7, 2000, 9:00 a.m.]

INSURANCE DEPARTMENT

Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield; Access Care II Community Rated Group Rate Increase; Filing No. 464-ACII-CR-10/1/2000

Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield submitted a filing requesting the Insurance Department's (Department) approval to increase rates for the Community Rated Group Access Care II program to be effective October 1, 2000. The requested rate increases for the fourth quarter, 2000 are 9.4% (Hospital Portion), 41.5% (Drug Rider) and 41.8% (Medical/Surgical Portion). The other quarterly rate increases will vary based on quarterly indexes. The rate increase will affect approximately 4,100 policyholders and will produce additional annual income of \$5.1 million. To adequately keep pace with the emerging medical care cost trends, which are significantly higher than those projected in last year's approved filing, Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield are also requesting the Department's approval of revised rates for September 1, 2000 groups with 2-50 eligible contracts. The new proposed September 1, 2000 rates were developed by indexing backward one quarter from the proposed October 1, 2000 rates using the quarterly trend factors identified in the rate filing.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Of-

ice of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-1188. Filed for public inspection July 7, 2000, 9:00 a.m.]

Capital Blue Cross; Security 65, Plans A, B, C and H Rate Increase; Filing No. 00-M

By Filing No. 00-M, Capital Blue Cross proposes to increase the rates for the Security 65 Plans A, B, C and H. The proposed rate increases are 9.36% for Plan A, 12.95% for Plan B, 5.18% for Plan C, and 10.89% for Plan H. This rate change will produce an estimated additional annual income of \$6.12 million and will impact approximately 89,700 subscribers. An effective date of January 1, 2001 is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-1189. Filed for public inspection July 7, 2000, 9:00 a.m.]

Keystone Health Plan West; Group Size Rating Factor for Association Pool Rating Methodology; Rating Factor for Association Group Size One; Filing No. 2-SGR-00-KHPW

Keystone Health Plan West submitted filing number 2-SGR-00-KHPW for Insurance Department approval. This filing requests approval for a rating factor based on the size of a group to be used in conjunction with the approved association rating methodology.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-1190. Filed for public inspection July 7, 2000, 9:00 a.m.]

Pennsylvania 1999 Private Passenger Automobile Data Call (Act 6 Data Call)

To monitor the auto insurance marketplace in this Commonwealth and to collect data for statutory reports, the Insurance Department (Department), on July 3, 2000, has mailed data calls to be completed by insurers who are licensed to write private passenger automobile insurance in this Commonwealth. The information is also available from the Department website. Persons who have not received the hard copy and diskette should download the letter, instructions and Excel spreadsheets from the Department website (<http://www.insurance.state.pa.us>).

Parts 1 and 2 should be completed by all insurance companies having Pennsylvania private passenger automobile direct written premium in 1999. For these companies, there must be a single part 1 and a single part 2 for each company. Data for more than one insurance company may not be combined into a single part 1 and a single part 2. These parts should be submitted to the Department by October 15, 2000.

Insurance Companies which had no Pennsylvania private passenger automobile direct written premium in 1999 will only be required to complete Part 2. This should be submitted to the Department by October 15, 2000.

Please see the instructions for additional information regarding the completion of the individual parts. Consistent with previous years, the Department will protect the proprietary interest of all companies with regards to the handling of the data that is submitted.

Submissions and inquires should be directed to Clinton Wright, Insurance Department, Office of Rate and Policy Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120 (E-mail: cwright@ins.state.pa.us or telephone: (717) 783-0651).

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-1191. Filed for public inspection July 7, 2000, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in the Insurance Department's Office in Philadelphia, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of James G. Rabatin; file no. 00-280-01835; State Farm Mutual Automobile Insurance Co.; doc. no. PH00-06-033; September 29, 2000, at 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring

documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-1192. Filed for public inspection July 7, 2000, 9:00 a.m.]

United American Insurance Company Requesting Authority to Increase Rates for Individual Standardized Medicare Supplement Plans A, B, C and D; Policy Form Numbers MSA, MSB, MSC and MSD

United American Insurance Company has filed for approval increased rates for its individual Medicare supplement plans. The filing requests an average increase of 28.5%, varying by benefit plan. The rate increase will impact about 10,885 policyholders, and produce additional annual Pennsylvania premium income of approximately \$4 million.

The proposed rate increase percentages by plan are as follows:

<i>Form #</i>	<i>Plan</i>	<i>Increase %</i>
MSA	A	13.7%
MSB	B	16.0%
MSC	C	17.0%
MSD	D	44.7%

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of the publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-1193. Filed for public inspection July 7, 2000, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Fayette County, Wine & Spirits Shoppe #2610, 619 Pittsburgh Road, Uniontown, PA 15401-2200.

Lease Expiration Date: October 31, 2005

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,300 net useable square feet of new or existing retail commercial space in a shopping center environment fronting PA Route 51 North of Uniontown.

Proposals due: July 28, 2000 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Washington County, Wine & Spirits Shoppe #6306, 245 W. Main Street, Monongahela, PA 15063-2442.

Lease Expiration Date: July 31, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,200 net useable square feet of new or existing retail commercial space serving Monongahela. Location must have access for rear truck delivery. Free, off-street parking preferred.

Proposals due: July 28, 2000 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Westmoreland County, Wine & Spirits Shoppe #6522, 111 Westmore Avenue, New Stanton, PA 15672-0234.

Lease Expiration Date: May 31, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,500 to 3,000 net useable square feet of new or existing retail commercial space serving the New Stanton area. Off-street parking and good loading facilities preferred.

Proposals due: July 28, 2000 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Tom Deal, (412) 565-5130

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 00-1194. Filed for public inspection July 7, 2000, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Fuel Surcharge Order

Commissioners Present: John M. Quain, Chairperson; Robert K. Bloom, Vice-Chairperson; Nora Mead Brownell; Aaron Wilson, Jr.; Terrance J. Fitzpatrick
Public Meeting
June 22, 2000

Fuel Surcharge Extension; S. P. 28204

Order

By the Commission:

The Pennsylvania Public Utility Commission (Commission) by its Fuel Surcharge Order at Special Permission Number 28204, ratified March 30, 2000, authorized call or demand, paratransit and airport transfer carriers under the jurisdiction of this Commission to adjust rates and fares to offset unanticipated fuel expenditures.

All call or demand, paratransit and airport transfer carriers were authorized a fuel surcharge of 25¢ per paying passenger. The fuel surcharge is to be in addition to officially filed tariff rates. The Fuel Surcharge became effective on April 1, 2000, and is scheduled to terminate on June 30, 2000.

After due consideration, we have determined that fuel costs have not stabilized and are continuing to increase. Based upon the evidence available, we are of the opinion that the passenger motor carrier industry continues to have a need for the fuel surcharge to permit the recovery of unanticipated fuel expenditures; *Therefore,*

It Is Ordered That:

1. The Fuel Surcharge established at Special Permission 28204 be and is hereby extended until September 30, 2000.
2. The Fuel Surcharge at Special Permission 28204 shall terminate September 30, 2000, without further Commission action. No further extensions of the Fuel Surcharge will be considered.
3. Motor Carriers who can demonstrate financial justification for an increase in currently filed rates and charges, based upon their overall operating costs, may recover increased fuel costs through the regular rate increase procedure.
4. The Secretary shall duly certify this order and deposit same with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-1195. Filed for public inspection July 7, 2000, 9:00 a.m.]

Petition of TCG Pittsburgh, Inc., d/b/a AT&T, for designation as an Eligible Telecommunications Carrier under Section 214(e) of the Telecommunications Act of 1996 and CFR 54.101, 2301-207; Doc. No. P-00001797

On March 27, 2000, TCG Pittsburgh, Inc., d/b/a/ AT&T (AT&T) filed a petition requesting designation as an Eligible Telecommunications Carrier (ETC) for applicable State and Federal universal service funding. The petition seeks ETC approval for the entire area of metropolitan Pittsburgh covered by TCG Pittsburgh, Inc.'s recently approved tariff. The Commission has determined that publication and comment on this petition is appropriate. Interested parties must submit comments on the AT&T petition within 7 days of publication in the *Pennsylvania Bulletin*. Reply Comments must be submitted within 14 days of publication in the *Pennsylvania Bulletin*.

Copies of the petition may be obtained from the Commission, Office of the Secretary, upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-1196. Filed for public inspection July 7, 2000, 9:00 a.m.]

**Railroad
With Hearing**

A-00113538. Department of Transportation. Application of Department of Transportation for the approval of (1) a proposed new crossing where S. R. 6522 crosses, at grade, a single track of East Broad Top Railroad and Coal Company in Shirley Township, Huntingdon County; and (2) a proposed new crossing where S.R. 6522 will pass under two tracks of Consolidated Rail Corporation in Mount Union, Huntingdon County; and the allocation of costs and expenses incident thereto.

An initial hearing on this matter will be held Tuesday, August 29, 2000, at 10 a.m. in an available hearing room, Ground Floor, North Office Building, North Street and Commonwealth Avenue, Harrisburg, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-1197. Filed for public inspection July 7, 2000, 9:00 a.m.]

**Railroad
With Hearing**

A-00116721. Penn Eastern Lines, Inc. (AAR 591 577 P)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Ridge Road, S.R. 1045, East Cocalico Township, West Cocalico Township, Lancaster County, District 8-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of obsolete automatic crossing protection, including lights, posts and

electrical equipment. Prior to the removal of said equipment, the applicant requests approval to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

A-00116745. Penn Eastern Lines, Inc. (AAR 591 556 W)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Mountain Home Road, S. R. 3012, Sinking Springs Borough, Berks County, District 5-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of obsolete automatic crossing protection, including lights, posts and electrical equipment. Prior to the removal of said equipment, the applicant requests approval to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

A-00116746. Penn Eastern Lines, Inc. (AAR 591 570 S)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Fritztown Road, S. R. 3016, South Heidelberg Township, Berks County, District 5-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of obsolete automatic crossing protection, including lights, posts and electrical equipment. Prior to the removal of said equipment, the applicant requests to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

A-00116747. Penn Eastern Lines, Inc. (AAR 591 559 S)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Fritztown Road, S. R. 3016, Spring Township, Berks County, District 5-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of obsolete automatic crossing protection, including lights, posts and electrical equipment. Prior to the removal of said equipment, the applicant requests approval to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

A-00116748. Penn Eastern Lines, Inc. (AAR 591 574 U)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Galen Hall Road, S. R. 1055, West Cocalico Township, Lancaster County, District 8-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of obsolete automatic crossing protection, including lights, posts and electrical equipment. Prior to the removal of said equipment, the applicant requests approval to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

A-00116749. Penn Eastern Lines, Inc. (AAR 591 580 X)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Locust Street Denver Borough, Lancaster County, District 8-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of

obsolete automatic crossing protection, including lights, posts and electrical equipment. Prior to the removal of said equipment, the applicant requests approval to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

A-00116750. Penn Eastern Lines, Inc. (AAR 591 585 G)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Stevens Road, S. R. 1030, East Cocalico Township, Lancaster County, District 8-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of obsolete automatic crossing protection, including lights, posts and electrical equipment. Prior to the removal of said equipment, the applicant requests approval to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

A-00116751. Penn Eastern Lines, Inc. (AAR 591 582 L)—Application of Penn Eastern Lines, Inc. (PRL) for approval of the alteration of the crossings where Main Street, S. R. 1051, Denver Borough, Lancaster County, District 8-0, crosses at grade, the tracks of Penn Eastern Railroad Lines. The purpose of this alteration is the removal of obsolete automatic crossing protection, including lights, posts and electrical equipment. Prior to the removal of said equipment, the applicant requests approval to erect two reflective crossbucks as crossing identification devices and two reflective, PennDOT-type stop signs as traffic control method. The cost for these alterations shall be the sole responsibility of the applicant.

An initial hearing on these matters will be held Wednesday, August 16, 2000, at 10 a.m. in an available hearing room, Ground Floor, North Office Building, North Street and Commonwealth Avenue, Harrisburg, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-1198. Filed for public inspection July 7, 2000, 9:00 a.m.]

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00117018. Bart Ganster and Fernando Delos Santos, Copartners (901 Butter Lane, Reading, Berks County, PA 19606)—persons, on schedule, between the borough of West Reading, Berks County and the Berks County Prison, located in the township of Bern, Berks County, over the following route: Beginning on East Wyomissing Boulevard, to Pershing Boulevard, to Old Wyomissing Boulevard, to Parkside Drive, to Playground Drive, to Linden Lane becoming Second Avenue, to Penn Avenue, across Penn Street Bridge to Third Street, to Washington Street, to Front Street, to West Greenwich Street, to Schuylkill Avenue (Rt. 183), to Avenue A, to Avenue C, to Avenue B, to Route 183, past the Reading Airport, to West Leesport Road, to County Welfare Road, to Prison Road, and return by the same route. *Attorney:* David R. Dautrich, 526 Court Street, Reading, PA 19601.

Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.

A-00115549, Folder 1, Am-A. EMT Transport, Inc. (1430 Beaver Road, Southampton, Bucks County, PA 18966), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, to or from medical facilities, to include but not limited to, doctor's offices, hospitals, clinics, treatment centers, nursing facilities, and personal care facilities, in the city and county of Philadelphia; subject to the following condition: That the service herein authorized is limited to the transportation of injured persons involved in civil litigation and worker's compensation cases to and from medical facilities for treatment and to and from independent medical examinations: *So as to permit* the transportation of persons in paratransit service, to and from medical facilities, to include but not limited to, doctor's offices, hospitals, clinics, treatment centers, nursing facilities, and personal care facilities, between points in the counties of Bucks, Montgomery, Berks and Delaware. *Attorney:* Christopher P. Gerber, Ludwigs Corner Professional Center, 961 Pottstown Pike, P. O. Box 630, Exton, PA 19341.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-1199. Filed for public inspection July 7, 2000, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before July 31, 2000, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Transfer of Assets Without Hearing

A-230435 F2000. Shangri-La Sewer Company. Application of Shangri-La Sewer Company for the transfer of its assets to the New Garden Township Sewer Authority, and for the abandonment of sewer service by Shangri-La Sewer Company.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before July 24, 2000, under 52 Pa. Code (relating to public utilities).

Applicant: Shangri-La Sewer Company

Through and By Counsel: Craig A. Doll, Esquire, 25 North Front Street, Second Floor, Harrisburg, PA 17101-1606

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-1200. Filed for public inspection July 7, 2000, 9:00 a.m.]

The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1, (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

DALE H. EVERHART,
Secretary

[Pa.B. Doc. No. 00-1201. Filed for public inspection July 7, 2000, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

July 27, 2000	Geneva McKee (Membership Eligibility) Phylliss A. Breininger (Membership Eligibility)	10:30 a.m. 1 p.m.
August 09, 2000	Marie E. Labar (Change of Option)	10:30 a.m.
August 16, 2000	Carolyn R. Bischoff (Membership Eligibility)	1 p.m.
August 23, 2000	Peggy L. Balla (Membership Eligibility)	10:30 a.m.

Persons with a disability who wish to attend the above-listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant Executive Director, at (717) 720-4700 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective

STATE TAX EQUALIZATION BOARD

Common Level Ratios

The State Tax Equalization Board (Board) has established a Common Level Ratio for each county in the Commonwealth for the calendar year 1999. The ratios were mandated by Act 267-1982.

The law requires the Board to use statistically acceptable techniques, to make the methodology for computing ratios public and to certify, prior to July 1, the ratio to the Chief Assessor of each county each year.

The statistical technique which the Board used for the 1999 Common Level Ratio is to determine the arithmetic mean of the individual sales ratios for every valid sale received from the county for the calendar year 1999.

The methodology used is to include every valid sale with a ratio from 1% to 100% and compute a mean. Using this mean as a base, the Board has defined high and low limits by multiplying and dividing this computed mean by four. Using these computed limits, the Board has utilized the valid sales, rejecting those sales, which exceed the limits. The resulting arithmetic mean ratio is the ratio which the Board is certifying as the Common Level Ratio for each county for 1999.

There is one exception to this procedure. The original mean ratio for those counties which have a predetermined assessment ratio for 1999 of 100% will utilize valid sales from 1% to 200%.

MARTHA BELL SCHOENINGER,
Chairperson

1999 COMMON LEVEL RATIOS

<i>County</i>	<i>Ratio</i>	<i>County</i>	<i>Ratio</i>	<i>County</i>	<i>Ratio</i>
ADAMS	38.4	ELK	19.1	*MONTGOMERY	93.6
ALLEGHENY	19.1	ERIE	8.4	MONTOUR	9.6
ARMSTRONG	44.7	FAYETTE	10.3	NORTHAMPTON	48.5
BEAVER	35.4	FOREST	28.0	NORTHUMBERLAND	6.9
BEDFORD	9.1	FRANKLIN	7.0	PERRY	13.6
*BERKS	96.1	FULTON	15.5	PHILADELPHIA	29.2
BLAIR	10.7	GREENE	28.1	PIKE	30.7
BRADFORD	47.0	HUNTINGDON	19.5	POTTER	11.1
BUCKS	4.4	INDIANA	15.2	SCHUYLKILL	45.7

NOTICES

<i>County</i>	<i>Ratio</i>	<i>County</i>	<i>Ratio</i>	<i>County</i>	<i>Ratio</i>
BUTLER	12.4	JEFFERSON	20.1	SNYDER	18.8
CAMBRIA	17.3	JUNIATA	14.3	SOMERSET	45.3
CAMERON	37.2	*LACKAWANNA	20.3	SULLIVAN	27.5
CARBON	8.9	*LANCASTER	93.3	SUSQUEHANNA	47.8
CENTRE	43.4	LAWRENCE	18.1	TIOGA	33.2
*CHESTER	89.8	LEBANON	9.2	UNION	18.2
CLARION	23.8	LEHIGH	48.6	VENANGO	18.2
CLEARFIELD	21.4	LUZERNE	7.6	WARREN	39.0
CLINTON	29.5	LYCOMING	67.7	WASHINGTON	18.6
COLUMBIA	36.5	MCKEAN	23.8	WAYNE	8.6
CRAWFORD	38.0	MERCER	10.1	*WESTMORELAND	23.7
CUMBERLAND	6.4	MIFFLIN	53.4	WYOMING	29.5
*DAUPHIN	53.6	MONROE	23.4	*YORK	94.0
*DELAWARE	3.2				

*Counties with a predetermined assessment ratio of 100%.

[Pa.B. Doc. No. 00-1202. Filed for public inspection July 7, 2000, 9:00 a.m.]