

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, no. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 18, 2000.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-13-00	Northwest Savings Bank Warren Warren County	45 Williamson Road Greenville Mercer County	Approved
1-13-00	Northwest Savings Bank Warren Warren County	30 Trinity Point Dr. Washington Washington County	Approved
1-13-00	Harris Savings Bank Harrisburg Dauphin County	Northeast Corner of Industry Drive and Columbia Avenue Lancaster Lancaster County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-13-00	The Drovers & Mechanics Bank York York County	<i>To:</i> 185 Memory Lane York York County <i>From:</i> 200 Memory Lane York York County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-13-00	First Commonwealth Bank Indiana Indiana County	Festival Foods 1275 York Road Gettysburg Adams County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

DAVID E. ZUERN,
Secretary

[Pa.B. Doc. No. 00-172. Filed for public inspection January 28, 2000, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Approved Courses of Study under New Economy Technology Scholarship Act

The New Economy Technology Scholarship Act (June 23, 1999 (P. L. 159, No. 22)) (act) established an incentive scholarship program for Pennsylvania students to pursue higher education and training in science and technology fields to create a sustained pool of highly trained technology workers to improve the Commonwealth's ability to

attract and retain business. The act defines an approved course of study as "A program or curriculum offered by a postsecondary educational institution that provides instruction in science, technology and related fields and has been approved by the Department of Education (Department) in consultation with the Pennsylvania Human Resources Investment Council."

The current list of approved courses of study is published on the New Economy Technology Scholarship Program Application. The application may be obtained by calling PHEAA at (800) 692-7435, or by visiting PHEAA's web site, www.pheaa.org.

The list of approved courses of study will be reviewed biennially by the Secretary of Education or his designees, the Secretary of Community and Economic Development or his designees, and the Chief Operating Officer of the Human Resources Investment Council or his designees. Written public comments by individuals, groups or institutions will be accepted by the Department during the public comment period preceding the biennial review. The timeframe and instructions for the public comment period will be published in the *Pennsylvania Bulletin*.

EUGENE W. HICKOK,
Secretary

[Pa.B. Doc. No. 00-173. Filed for public inspection January 28, 2000, 9:00 a.m.]

Professional Standards and Practices Commission; Application of Lindalee J. Slegelmilch for Reinstatement of Teaching Certificate; Doc. No. RE-99-02

Notice of Opportunity for Hearing and Invitation to Protest

Under the Teacher Certification Law (24 P. S. §§ 2070.1—2070.18) (Law), the Professional Standards and Practices Commission (Commission) will consider the application of Lindalee Slegelmilch for reinstatement of her teaching certificate.

Lindalee Slegelmilch filed an application for reinstatement of her teaching certificate as stated under section 16

of the Teacher Certification Law (24 P. S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to the General Rules of Administrative Practice and Procedure) and 22 Pa. Code § 233.14 (relating to reinstatements). Under section 16 of the Law, the Department of Education (Department) on December 30, 1999, opposed Lindalee Slegelmilch's reinstatement.

In accordance with the Law, the General Rules of Administrative Practice and Procedure and 22 Pa. Code § 233.14(d) (relating to waiver of hearing), the Commission will act upon the application without hearing, unless within 30 days after the publication of this notice a written request for public hearing is filed with the Commission, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing shall be filed with Carolyn Angelo, Executive Director of the Professional Standards and Practices Commission, 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact Suzanne B. Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

CAROLYN ANGELO,
Executive Director

[Pa.B. Doc. No. 00-174. Filed for public inspection January 28, 2000, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated the EPA, Region III, Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the field office indicated above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.

PA 0008524. Industrial waste, SIC: 3674, **Intersil Corporation, Inc.**, 125 Crestwood Road, Mountaintop, PA 18707.

This proposed action is for renewal of an NPDES permit to discharge treated noncontact cooling water into Bow Creek in Wright Township, **Luzerne County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluations is the Danville Borough Water Company located on the North branch of the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of 0.20 mgd are:

<i>Parameter</i>	<i>Monthly Average °F</i>	<i>Instantaneous Maximum (mg/l)</i>
<i>Temperature</i>		
January	53	
February	53	
March	66	
April	68	
May	68	
June	77	
July	79	
August	78	
September	71	
October	63	
November	59	
December	58	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine	0.30 (mg/l)	0.60

The EPA waiver is in effect.

PA 0063363. Industrial waste, SIC: 3083, **S. L. Plastics, Inc.**, 2860 Bath Pike, Upper Nazareth, PA.

This proposed action is for renewal issuance amendment of an NPDES permit to discharge treated cooling water and sewage into Monocacy Creek in Upper Nazareth Township, **Northampton County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

Effluent requirements were evaluated at the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 007 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		22	
NH ₃ N			
(5-1 to 10-31)	1.5		3
(11-1 to 4-30)	4.5		9
Total Suspended Solids		18	
Oil and Grease		29	
Dissolved Oxygen	minimum of 5 at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
Total Residual Chlorine	1		2
pH	6 to 9 standard units at all times		

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0023183 A1, Sewage, SIC: 4952, **Borough of Mount Holly Springs**, 200 Harman Street, Mount Holly Springs, PA 17065.

This application is for amendment of an NPDES permit for an existing discharge of treated sewage to Mountain Creek, in Mount Holly Springs Borough, **Cumberland County**.

The receiving stream is classified for trout stocking fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Fairview Township, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.60 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅				
(5-1 to 10-31)	20	30	—	40
(11-1 to 4-30)	25	40	—	50
Total Suspended Solids	30	45	—	60
NH ₃ -N				
(5-1 to 10-31)	2.5	—	—	5
(11-1 to 4-30)	7.5	—	—	15
Total Phosphorus	2	—	—	4
Interim Total Residual Chlorine	0.5	—	—	1.6
Final Total Residual Chlorine	—	—	—	—
Total Nitrogen	—	—	monitor and report	—
Dissolved Oxygen			minimum of 5.0 at all times	
pH			From 6.0 to 9.0 inclusive	
Fecal Coliforms				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		26,000/100 ml as a geometric average		

To make an appointment to review the DEP files on this case, call Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0070271. Sewage, SIC: 4952, **Maidencreek Township Authority**, P. O. Box 529, Blandon, PA 19510-0529.

This application is for amendment of an NPDES permit for an existing discharge of treated sewage to Willow Creek, in Ontelaunee Township, **Berks County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed interim effluent limits for Outfall 001 for a design flow of 0.45 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 9-30)	20	30	40
(10-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	6.0	—	12
(11-1 to 4-30)	18	—	36
Total Residual Chlorine	monitor and report	—	XXX
Total Copper	monitor and report	XXX	XXX
Dissolved Oxygen			minimum of 6.0 at all times
pH			from 6.0 to 9.0 inclusive
Fecal Coliforms			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

The proposed final effluent limits for Outfall 001 for a design flow of 0.80 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 9-30)	7	10	14
(10-1 to 4-30)	14	20	28
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Total Residual Chlorine	0.17		0.55
Total Copper	0.021		0.042
Dissolved Oxygen		minimum of 6.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliforms			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

To make an appointment to review the DEP files on this case, call Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management Program, 208 West Third Street—Suite 101, Williamsport, PA 17701-6448, (570) 327-3666.

PA 0113221. SIC: 4952, **Youth Challenge International Bible Institute**, R. D. 2 Box 33, Sunbury, PA 17801.

This proposed action is for the renewal of an NPDES permit for an existing discharge of treated sewage to Shamokin Creek in Upper Augusta Township, **Northumberland County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Dauphin Consolidated Water Company located 65 miles below the discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.019 mgd are:

<i>Discharge Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
C-BOD ₅	25	50
Suspended Solids	30	60
Fecal Coliform		
(5-1 to 9-30)		200/100 ml as a geometric average
(10-1 to 4-30)		2,000/100 ml as a geometric average
pH		6.0—9.0 at all times
Free Chlorine Residual		monitor and report
Other Considerations:		none

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0098469. Sewage, **Community Bank, Pioneer Office**, 100 North Market Street, Carmichaels, PA 15320.

This application is for renewal of an NPDES permit to discharge treated sewage from the Community Bank Sewage Treatment Plant in Center Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as South Fork Tenmile Creek, which are classified as a high quality-warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri County Joint Municipal Authority on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.0001 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Ammonia Nitrogen (5-1 to 10-31)	4			8
(11-1 to 4-30)	12			24
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	10,000/100 ml as a geometric mean			
Total Residual Chlorine	monitor and report			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0218316. Sewage, **Dunbar Township Municipal Authority**, P. O. Box 815, Connellsville, PA 15425.

This application is for issuance of an NPDES permit to discharge treated sewage from Dunbar Township Municipal Authority STP in Dunbar Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Youghiogheny River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Westmoreland County Water Company.

Outfall 001: existing discharge, design flow of 0.3 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager; Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0223018. Sewage. **Farmington Township**, R. D. 2, Box 2265, Russell, PA 16345.

This application is for a new permit and a new discharge treated sewage. This is a minor discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA/NY State Line approximately 4.5 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of .02 mgd are:

Parameter	Average	Weekly	Instantaneous
	Monthly (mg/l)	Average (mg/l)	Maximum (mg/l)
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	4.5		9
(11-1 to 4-30)	13.5		27
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	4,600/100 ml as a geometric average		
Total Residual Chlorine	.5		1.2
pH	6.0—9.0 at all times		

The EPA waiver is not in effect.

PA 0221708. Sewage. **Chicora Borough Sewer Authority**, Chicora Municipal Building, 112 Main Street, P. O. Box 35, Chicora, PA 16025-0035.

This application is for renewal of an NPDES Permit to discharge treated sewage to Buffalo Creek in Chicora Borough, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: high quality-cold water fish, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the discharge point to Buffalo Creek.

The proposed effluent limits, based on a design flow of 0.201 mgd, are:

Outfall No. 001 (after ultraviolet disinfection)

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	15	20
Total Suspended Solids	30	45	60
Ammonia Nitrogen (5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Dissolved Oxygen	minimum of 7.0 mg/l at all times		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,900/100 ml as a geometric average		
Total Phosphorus (as P) (4-1 to 10-31)	2		4
Nitrite plus Nitrate Nitrogen	15		30
pH	within limits of 6.0 to 9.0 standard units at all times		

The EPA waiver is in effect.

PA 0100102. Sewage. **Proshort Stamping Services, Inc.**, P. O. Box 407, Falls Creek, PA 15840.

This application is for renewal of an NPDES Permit, to discharge treated waste to Unnamed Tributary to Wolf Run in Washington Township, **Jefferson County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fish, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Hawthorn Water Authority on Redbank Creek located at river mile 28.0 and is located 56.9 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.000175 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
TSS	20	40
Fecal Coliform	200/100 ml as a geometric average	
Total Residual Chlorine	1.4	3.3
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0102482. Sewage. **Green Acres Mobile Home Court**, 797 Pittsburgh Road, Butler, PA 16002.

This application is for renewal of an NPDES Permit to discharge treated sewage to the Unnamed Tributary to Glade Run in Penn Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Zelienople Municipal Water Works intake on Connoquenessing Creek located at Zelienople, approximately 18 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.006 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
TSS	30	60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Ammonia-Nitrogen (5-1 to 10-31)	2.5	5
(11-1 to 4-30)	7.5	15
Total Phosphorus (as P) (4-1 to 10-31)	2	4
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	3,100/100 ml as a geometric average	
Total Residual Chlorine	0.17	0.39
Dissolved Oxygen	minimum of 4.0 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0029491. Sewage. **Clarion Area Authority**, 14 North Fifth Avenue, Clarion, PA 16214.

This application is for renewal of an NPDES Permit to discharge treated sewage to the Trout Run in Monroe Township, **Clarion County**. This is a major discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Parker City intake on the Allegheny River located at Parker City, approximately 30 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 1.75 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	75,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.6
pH	6.0—9.0 at all times		

The EPA waiver is not in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0028894	Fairfield Area School District 4840 Fairfield Road Fairfield, PA 17320	Adams County Hamiltonban Township	UNT to Spring Run	TRC
PA 0081051	Round Top Campground LP 180 Knight Rd. Gettysburg, PA 17325-8767	Adams County Cumberland Township	Plum Creek	TRC

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

Applications under the Pennsylvania Clean Streams Law

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the name, address and telephone number of the protester, identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each protester will be notified in writing of the time and place of any scheduled hearing or conference concerning the plan or action or application to which the protest relates. To insure consideration by the Department prior to final action on permit application and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

Applications received for industrial waste and sewage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. To review any of these applications, contact Mary DiSanto at (717) 705-4732.

A. 0500401. Sewage, submitted by **East Providence Township Municipal Authority**, P. O. Box 83, Municipal Lane, Breezewood, PA 15533, East Providence Township, **Bedford County** to construct gravity sewers and pump station to serve Graceville Road and South Breezewood was received in the Southcentral Region on January 12, 2000.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 6500401. Sewerage, **Outside-In School of Experimental Education**, R. D. 1 Box 293, Bolivar, PA 15923. Application for the construction and operation of a sewage treatment plant to serve the Outside-In School of Experimental Education located in Fairfield Township, **Westmoreland County**.

A. 6570407-A4. Sewerage, **Rostraver Township Sewage Authority**, 202 Port Royal Road, Belle Vernon, PA 15012. Application for the modification and operation of a sewage treatment plant to serve the Sweeney-Fellsburg WWTP located in Rostraver Township, **Westmoreland County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 6200401. Sewage, **Youngsville Borough**, 40 Railroad Street, Youngsville, PA 16371. This project is for the construction of reed drying sludge beds at an already existing sewage treatment plant in Youngsville Borough, **Warren County**.

WQM Permit No. 6100401. Sewage, **Mark C. Chalmers**, R. R. 1 Box 246, Kennerdell, PA 16374. This project is for the construction of a Single Residence Sewage Treatment Plant in Scrubgrass Township, **Venango County**.

WQM Permit No. 2500401. Sewage, **James J. and Norma J. Fialkowski**, 7831 Clemens Road, Union City, PA 16438. This project is for the construction of a Single Residence Sewage Treatment Plant in Union Township, **Erie County**.

INDIVIDUAL PERMITS (PAS)

NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. The proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day permit will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and who require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northeast Regional Office: Regional Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Lehigh County Conservation District, District Manager; Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit PAS10Q084-R. Stormwater. **Allan Goodman**, P. O. Box 1467, Bethlehem, PA 18016, has applied to discharge stormwater from a construction activity located in Lower Milford Township, **Lehigh County**, to Unami Creek.

Northwest Regional Office: Regional Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

NPDES Permit PAS104104. Stormwater. **National Fuel Gas Supply Corp.**, 1100 State Street, Erie, PA 16501, has applied to discharge stormwater from a construction activity located in Jones and Highland Townships, **Elk County**, Wetmore and Hamilton Townships, **McKean County** and Sheffield Township, **Warren County**, to Twomile Run and Tributaries, East Branch Tionesta Creek and Tributaries, West Creek and Tributaries to Bloody Run, West Run and Wolf Run.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

A. 0999513. Public water supply. **Grey Nuns of Sacred Heart**, 1750 Quarry Road, Yardley, PA 19067. This proposal involves the installation of a corrosion control treatment and replacement of the gas chlorination system with a hypochlorite solution feed system in Lower Makefield Township, **Bucks County**.

Southcentral Regional Office: Sanitarian Regional Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.

Permit No. 3699511. Public water supply. **West Earl Water Authority**, West Earl Township, **Lancaster County**. *Responsible Official:* Robert Buckwalter, Superintendent of Operations, 157 West Metzler Road, Brownstown, PA 17508. *Type of Facility:* Replacement of the existing anion exchange facility at the Nolt Spring Treatment Plant. The existing nitrate treatment units will be removed and new equipment installed. *Consulting Engineer:* Joseph Gradischer, Hyder Consulting Inc., 270 Granite Run Drive, Lancaster, PA 17601. Application received November 9, 1999.

Regional Office: Northcentral Field Operations, Environmental Program Manager; 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 5500502. The Department has received a permit application from **Adams Township Municipal Authority**, P. O. Box 1, Troxelville, PA 17882, Adams Township, **Snyder County** to construct a water storage tank, the interconnection piping for the well, spring and distribution system, and the replacement of most of the existing distribution system.

A. 5500501. The Department has received a permit application from **Shamokin Dam Borough**, 144 West Eighth Avenue, P. O. Box 273, Shamokin Dam, PA 17876, Shamokin Dam Borough, **Snyder County**, to construct a 250,000 gallon elevated water storage tank and demolition of an existing 75,000 gallon elevated welded steel water storage tank.

Southwest Regional Office: Regional Manager; Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

1188507-A1. The Municipal Authority of the Borough of Portage, 606 Cambria Street, Portage, PA 16602. Improvements to the Benscreek water system which include transmission mains, replacement/upgrade of water lines and a 500,000 gallon water storage tank serving Portage Township, Portage and Cassandra Boroughs, **Cambria County**.

1100501. Jackson Township Water Authority, 2949 William Penn Avenue, Johnstown, PA 15909. Improvements to the water system include construction of two water storage tanks, one along Mile Hill Road and one in the Village of Vinco; construction of water mains and upgrading of a booster pump station serving Jackson Township, **Cambria County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a

release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(l)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified below proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified below, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Harvey Knechel Residence, New Britain Township, **Bucks County**. Philip F. Gray, Jr., Storb Environmental, Inc., 410 North Easton Road, Willow Grove, PA 19090, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Intelligencer* on October 25, 1999.

Moreland Business Park, Lower Moreland Township, **Montgomery County**. Robert M. Byer, Jr., P.G., ATC Associates, Inc., 920 Germantown Pike, Suite 200, Plymouth Meeting, PA 19461, has submitted a Notice of Intent to Remediate site soil contaminated with heavy metals. The applicant proposes to remediate the site to

meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Intelligencer* on December 20, 1999.

Sears Paint & Hardware Store, East Marlborough Township, **Chester County**. Scott R. Mundell, P.G., Evans Mill Environmental, Inc., P. O. Box 735, 101 Fellowship Road, Uwchland, PA 19480-0735, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Local News* on December 23, 1999.

Merit Metals, Warrington Township, **Bucks County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site soil contaminated with PCBs, lead, heavy metals, pesticides and solvents. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Record* on December 29, 1999.

Ashland, Inc.—Aston Chemical Distribution Facility, Chester Township, **Delaware County**. Daniel P. Black, P.G., Ashland, Inc., P. O. Box 1063, Columbus, OH 43216, has submitted a Notice of Intent to Remediate site soil contaminated with solvents and BTEX. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Times* on January 8, 2000.

Northcentral Regional Office: Michael C. Welch, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 321-6525.

TRW, Inc., Valve Division, Danville Plant, Danville Borough, **Montour County**. Joseph T. McNally, P.G., on behalf of his client TRW, Inc., 601 East Market Street, Danville, PA 17821, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with PCBs, solvents, BTEX, PHCs and PAHs. The applicant proposes to remediate the site to meet the Site-specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Danville News* approximately on December 17, 1999.

SOLID AND HAZARDOUS WASTE

RESIDUAL WASTE PROCESSING FACILITIES

Applications received under the Solid Waste Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 301307. US Liquids, R. J. Casey Industrial Park, Columbus and Adams Ave., Pittsburgh, PA 15233. An application for a permit re-issuance in the City of Pittsburgh, **Allegheny County**, was received in the Regional Office on January 13, 2000.

HAZARDOUS WASTE, TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Regional Office: Regional Solid Waste Manager, 555 North Lane, Suite 6010, Lee Park, Conshohocken, PA 19428.

A. PAD980550594. Sunoco Inc. (R&M), Marcus Hook Refinery, P. O. Box 426, Marcus Hook, PA 19061-0426. This Part B renewal application was submitted for storage of hazardous wastes in containers. Facility located in Marcus Hook Borough, **Delaware County**. Application was received in the Southeast Regional Office on January 6, 2000.

A. PAD002312791. Sunoco Inc., Frankford Plant, Margaret and Bermuda Streets, Philadelphia, PA 19137-1193. This Part B RCRA hazardous waste renewal application was submitted to re-authorize the management and storage of hazardous wastes in a container storage area and two aboveground storage tanks at the Plant. Facility located in the **City of Philadelphia**. Application was received in the Southeast Regional Office on December 30, 1999.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

Permit No. 101187. An application to renew the land-fill permit under 25 Pa. Code § 271.223 was received from **County Landfill**, P. O. Box 237, State Route 36, Leeper, PA 16233, located in Farmington Township, **Clarion County**. Application was accepted by the Regional Office on January 7, 2000.

Permit No. 300818. An application to transfer solid waste from Duquesne Light Company to Orion Power MidWest, LLC, was received from **Orion Power MidWest, LLC**, P. O. Box 87, Pittsburgh, PA 15219-0087, located in Taylor Township, **Lawrence County**. Application was accepted by the Regional Office on January 11, 2000.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one

time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that the Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

21-317-013C: Purina Mills, Inc. (475 St. John's Church Road, Camp Hill, PA 17011) for operation of six mineral storage bins controlled by fabric collectors in Hampden Township, **Cumberland County**.

21-317-005B: Purina Mills, Inc. (475 St. John's Church Road, Camp Hill, PA 17011) for operation of a truck dump unloading area controlled by a fabric collector in Hampden Township, **Cumberland County**.

36-03096: Carvell & Rick, Inc. (4437 Oregon Pike, Route 272 South, Ephrata, PA 17522-9584) for operation of a paint shop primer building in West Earl Township, **Lancaster County**.

36-05019A: Supply Sales Co. (1411 Lancaster Avenue, Columbia, PA 17512) for operation of a molding line controlled by a fabric collector at the Columbia Plant in Columbia Borough, **Lancaster County**.

36-05019B: Supply Sales Co. (1411 Lancaster Avenue, Columbia, PA 17512) for operation of a sprue crusher controlled by a fabric collector at the Columbia Plant in Columbia Borough, **Lancaster County**.

36-05019C: Supply Sales Co. (1411 Lancaster Avenue, Columbia, PA 17512) for operation of the South Melt Deck controlled by a fabric collector at the Columbia Plant in Columbia Borough, **Lancaster County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

08-399-038B: Osram Sylvania Products, Inc. (Hawes Street, Towanda, PA 18848) for operation of 18 tungsten and molybdenum alloy annealing ovens and associated air cleaning devices (a fabric collector and HEPA filter) in Departments 012 and 090, Building 20 in North Towanda Township, **Bradford County**.

08-399-023E: Osram Sylvania Products, Inc. (Hawes Street, Towanda, PA 18848) for operation of metal powder handling equipment and a spray dryer and associated air cleaning devices (a cyclone, three fabric collectors and two absolute filters) in Building 28A in North Towanda Township, **Bradford County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-079A: BNZ Materials, Inc. (191 Front Street, Zelienople, PA 16063) for operation of an insulating fire brick process kiln in Zelienople, **Butler County**.

PA-25-070B: Gunite EMI Corp. (603 West 12th Street, Erie, PA 16501) for operation of Plant #1 spray paint booth in Erie, **Erie County**.

PA-25-464A: Klein Plating Works, Inc. (2020 Greengarden Road, Erie, PA 16502) for operation of automated plating and stripping lines in Erie, **Erie County**.

PA-37-008A: Ellwood City Forge (800 Commercial Avenue, Ellwood City, PA 16117) for operation of natural gas fired forge furnaces in Ellwood City, **Lawrence County**.

PA-43-287A: Jones Performance Products, Inc. (No. 1 Jones Way, P. O. Box 563, West Middlesex, PA 16159) for operation of a sheet mold compound compression molding operation in West Middlesex, **Mercer County**.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted below. For additional information, contact the regional office noted below.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the informa-

tion received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, Attn: Michael Safko, (570) 826-2531.

40-00006: Allsteel, Inc. (425 Jaycee Drive, Valmont Industrial Park, West Hazleton, PA 18201) in Hazle Township, **Luzerne County**. The facility's major source of emissions include the office furniture manufacturing area which primarily emit Volatile Organic Compounds (VOCs).

39-00040: Carpenter Co. (P. O. Box 129, 57 Olin Way, Fogelsville, PA 18051) in Upper Macungie Township, **Lehigh County**. The facility's major source of emissions include the Plastic Material and Resins manufacturing area which primarily emit Volatile Organic Compounds (VOCs).

39-00004: Mack Trucks, Inc. (Box M, 2100 Mack Boulevard, Allentown, PA 18105-5000) for manufacturing of motor vehicles in Lower Macungie Township, **Lehigh County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Attn: Mark Wayner, (412) 442-4161.

TV-03-00197: Nature's Blend Wood Products, Inc. (P. O. Box 392, Ford City, PA 16226-0392) for their wood kitchen cabinet manufacturing and finishing facility in Ford City, **Armstrong County**. As a result of the potential levels of VOC and HAPs emitted from this facility is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

PLAN APPROVALS

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-09-0057A: Ametek, Inc., U. S. Gauge Division (900 Clymer Avenue, Sellersville, PA 18960) for a degreaser in Sellersville Borough, **Bucks County**.

PA-46-0036B: Ford Electronics & Refrigeration, LLC (2750 Morris Road, Lansdale, PA 19446) for installation of a selective soldering machine in Worcester Township, **Montgomery County**.

PA-15-0067A: Herr Foods, Inc. (273 Old Baltimore Pike, Nottingham, PA 19362) for construction of a natural gas fueled boiler and fryer in West Nottingham Township, **Chester County**.

PA-09-0125A: Naceville Materials (5031 Pt. Pleasant Pike, Doylestown, PA 18901) for modification of a crushing plant in Plumstead Township, **Bucks County**.

OP-46-0012: Philadelphia Newspaper, Inc. (800 River Road, Conshohocken, PA 19428) for a minor operating permit modification of a backup generator and fuel pump in Upper Merion Township, **Montgomery County**.

46-399-091: Fluid Energy Processing and Equipment Co (4th and State Streets, East Greenville, PA

18041) for a minor operating permit modification on a 14" gas fired dryer in East Greenville Borough, **Montgomery County**.

OP-09-0027: Fres-Co System USA, Inc. (3005 State Road, Telford, PA 18969) for a minor operating permit modification of Press Station 203 in West Rockhill Township, **Bucks County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

17-309-016C: TYK America, Inc. (301 Brickyard Road, Clairton, PA 15025-3650) for modification of and installation of air cleaning devices (a refractory tunnel kiln and a thermal after burner) on a refractory products dryer in Irvona Borough, **Clearfield County**.

17-305-045: King Coal Sales, Inc. (P. O. Box 712, Philipsburg, PA 16866) for construction of a rotary coal breaker and diesel engine in Morris Township, **Clearfield County**. The rotary breaker is subject to Subpart Y of the Federal Standards of Performance for New Stationary Sources.

59-304-008E: ACP Manufacturing Co. LLC (P. O. Box 68, Blossburg, PA 16912-0068) for construction of three downdraft benches in Lawrence Township, **Tioga County**.

08-399-047A: Osrsm Sylvania Products, Inc. (Hawes Street, Towanda, PA 18848) for construction of three CVD phosphor coaters to be controlled by an existing air cleaning device (a catalytic oxidizer) in Department 210, Building 1 in North Towanda Township, **Bradford County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-37-051D: Reactive Metals & Alloys Corp. (Rt. 168, West Pittsburg, PA 16160) for installation of a packed tower wet collector at the existing SMS Grinding Process in West Pittsburg, **Lawrence County**.

10-307-041A: Bear Metallurgical Co. (679 East Butler Road, Butler, PA 16002) for construction of a thermite reaction, ferromolybdenum/ferrovanadium production line (2200 and 4800 lb/batch) in Summit Township, **Butler County**.

PA-61-198A: Handsome Lake Energy, L.L.C. (Township Route 406, Kenerdell PA 16374) for construction of a peaking electric generating facility, simple cycle combustion turbine facility using five Pratt & Whitney FT-8 Twin Pac combustion turbines with a total generating capacity of 250 Mega Watts, in Kennerdell, Rockland Township, **Venango County**. This construction is subject to Federal NSPS Standard 40 CFR Part 60, Subpart GG, and acid rain regulations defined in 40 CFR Parts 72, 73 and 75.

PA-16-130A: Eden, Inc. (Route 338, Knox, PA 16232) for construction of two dry filter paint booths for staining and painting wood moldings and doors in Knox, **Clarion County**.

PA-37-279A: Lindy Paving Co. (R. D. 1, Route 168, New Castle, PA 16105) for construction of a batch asphalt plant (400 tons/hour) with baghouse control in East Brook, Hickory Township, **Lawrence County**. This construction is subject to Federal NSPS 40 CFR Part 60, Subpart I.

Public Hearing

Occidental Chemical Corporation

Plan Approval Application Nos. PA-46-0015 and PA-46-0033 and Waste Management Disposal Services of PA, Inc. Waste Permit Application No. 100549

The Department of Environmental Protection (Department) will hold a joint public hearing on the above applications concerning Occidental Chemical Corp. boilers located at Armand Hammer Blvd., in Lower Pottsgrove Township, Montgomery County, and the Gas Management Plan Update for Waste Management Disposal Services of PA, Inc.'s Pottstown Landfill, in West Pottsgrove Township, Montgomery County. The public hearing will be held on March 15, 2000, at 7 p.m. at the Pottstown High School Auditorium.

Copies of the above application are available for public review at the Department's Southeast Regional Office and the Pottstown Public Library. Individuals wishing to review the complete public file on the application at the Department's Southeast Regional Office should call (610) 832-6268 to schedule an appointment.

The Department will also take comments on the related applications filed by Waste Management Disposal Services of PA (Pottstown Landfill). Air Quality Plan Approval PA-46-0033 and Solid Waste Management Application No. 100549 revises the landfill's gas disposal method. The Pottstown Landfill Gas Management Plan Update proposes an alternative method for the landfill to manage landfill gas that is generated onsite.

Under the Waste Management Disposal Services proposal, landfill gas will be provided to Toro Energy. Toro Energy proposes to process the gas under General Permit WMGM001, and provide the processed gas as a low to medium BTU fuel for offsite use, such as in Occidental Chemical's boilers.

Based on the information provided by the applicant and the Department's own analysis, the Department would place the following conditions in the proposed Air Quality Plan Approval to assure compliance with the applicable standards:

General Requirements:

1. This Plan Approval is issued to the Occidental Chemical Corporation to allow the burning in its boilers of landfill gas from Pottstown Landfill located at 1425 Sell Road, West Pottsgrove Township, Montgomery County.

2. This Plan Approval authorizes temporary operation using landfill gas for the sources covered by this Plan Approval provided the following conditions are met:

a. The Department must receive written notice from the owner/operator of intent to commence firing landfill gas at least 5 working days prior to the first firing of landfill gas. The notice shall state when operator expects to commence firing landfill gas.

b. Operation is authorized only to facilitate the start-up and shake-down of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

c. This condition authorizes temporary operation of the sources for a period of 180 days from the date of

commencement of operation, provided the Department receives notice from the owner/operator under subpart (a), above.

d. The owner/operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance, and the reasons compliance has not been established.

e. The notice submitted by the owner/operator under subpart (a), above, prior to the expiration of this Plan Approval, shall modify the Plan Approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of commencement of operation.

3. The company shall comply with all of the existing requirements of Plan Approval No. 46-302-207, unless specifically revised by this Plan Approval. The provisions in this Plan Approval shall be construed to supersede any contrary provisions in Plan Approval No. 46-302-207.

Operating Requirements:

1. The landfill gas stream shall be introduced into the boiler flame zone.

2. The nonmethane organic compounds (NMOC) in the landfill gas shall be reduced by 98% by weight or the boiler outlet NMOC concentration shall not exceed 20 parts per million by volume, dry basis as hexane at 3% O₂.

3. The boilers shall be operated within the temperature ranges, which shall be established during the stack test required.

Emission Limits:

The burning of the landfill gas shall not result in an impact on ambient air quality greater than the following:

<i>Contaminant</i>	<i>Ambient Concentration (ug/m³)</i>
PCDD and PCDF expressed as 2, 3, 7, 8 TCDD Equivalents	0.30 × 10 ⁻⁷
Arsenic and Compounds	0.23 × 10 ⁻³
Beryllium and Compounds	0.42 × 10 ⁻³
Cadium and Compounds	0.56 × 10 ⁻³
Nickel and Compounds	0.33 × 10 ⁻²
Hexavalent Chromium and Compounds	0.83 × 10 ⁻⁴
Lead and Compounds	0.09
Mercury and Compounds	0.24 × 10 ⁻¹
Hydrogen Chloride	7.0

The owner shall demonstrate compliance with the above levels using the actual stack emission rates, the exhaust parameters determined from stack testing and the Department's approved modeling techniques.

Test Requirements:

a. Within 60 days after achieving the maximum production rate, but no later than 180 days after the initial landfill gas is fired, the owner/operator shall conduct performance tests in accordance with Chapter 139 of the Rules and Regulations of the Department to determine the NMOC reduction efficiency, the NMOC exhaust concentration (parts per million by volume in the concentration of the metals and dioxins listed above), and the combustion temperature ranges. The tests shall be con-

ducted while the boilers are operating at their maximum rated capacity as stated in the application.

b. At least 60 days prior to the test, the company shall submit to the Department for approval the procedures for the test and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples.

c. At least 30 days prior to the test, the Regional Manager shall be informed of the date and time of the test.

d. Within 30 days after the source tests, two copies of the complete test report, including all operating conditions, shall be submitted to the Regional Manager for approval.

Monitoring Requirements:

1. The owner/operator shall calibrate, maintain and operate in accordance with the manufacturer's specifications the following equipment:

a. A combustion temperature monitoring device equipped with a continuous recorder and having a minimum accuracy of ±1% of the temperature being measured expressed in degree Celsius or ±5°C, whichever is greater.

b. A landfill gas flow measuring device which records the flow to each of the boilers at least every 15 minutes.

2. Phase I Department approval must be obtained for the temperature and gas flow rate monitors required above prior to initial firing of landfill gas in the source. Phase III Department approval must be obtained within 60 days of achieving the maximum production rate at which the source will be operated, but not later than 180 days after initial startup of the source. Department review time for the Phase III report (time between postmark of company's Phase III report and the postmark of the Department's response letter) will not be charged against the source in determining compliance with this condition. Information on obtaining Department approval is included in the Department's Continuous Source Monitoring Manual.

Recordkeeping and Reporting Requirements:

1. The owner/operator shall keep records for boiler combustion temperature and the landfill gas flow rate.

2. Records required under this Plan Approval shall be kept for a period of 5 years and shall be made available to the Department upon request.

The Department will consider testimony relevant to the requirements of the Solid Waste Management Act and the Air Pollution Control Act. Interested persons may testify during the hearing within the time provided. Individuals who want to present testimony at this hearing should contact Lynda Rebarchak at (610) 832-6219 at least 1 week prior to the hearing to reserve a time slot. Oral testimony is limited to no more than 5 minutes for each witness, no more than 10 minutes for those testifying on behalf of a group. Witnesses are requested to submit a copy of their testimony at the time of the hearing.

Parties may also submit written comments during the 30-day post-hearing comment period to: John J. Kennedy, Assistant Regional Director, DEP Southeast Region, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

After the hearing, the Department will prepare a summary of the relevant written and oral testimony submitted at the hearing and the Department's responses

to that testimony. Copies of this summary will be provided to all who submitted comments and to others, as requested.

Individuals in need of accommodations as provided for in the Americans with Disabilities Act who would like to attend the hearing should contact Lynda Rebarchak at (610) 832-6219 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Coal Applications Received

54813040R3. Sunray Coal, Inc., (P. O. Box 226, Gilberton, PA 17934), renewal of an existing anthracite surface mine operation in Butler Township, **Schuylkill County** affecting 440.0 acres, receiving stream—Mahanoy Creek. Application received January 6, 2000.

40940203R. Hudson Anthracite, Inc., (202 Main Street, Laflin, PA 18702), renewal of an existing coal refuse reprocessing operation in Jenkins Township, **Luzerne County** affecting 149.9 acres, receiving stream—none. Application received January 10, 2000.

54850101R3. Schuylkill Reclamation Corporation, (P. O. Box 434, Gilberton, PA 17934), renewal of an existing anthracite surface mine operation in Mahanoy Township, **Schuylkill County** affecting 61.0 acres, receiving stream—North Mahanoy Creek. Application received January 10, 2000.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

11960101. Permit Revision, **Cloe Mining Company, Inc.** (P. O. Box I, Grampian, PA 16838), to add augering on the Upper and Middle Kittanning seams in Reade Township, **Cambria County**, affecting 107.9 acres, receiving stream unnamed tributaries to Muddy Run and Muddy Run, application received January 6, 2000.

56950101. Permit Renewal, **Action Mining, Inc.** (1117 Shaw Mines Road, Meyersdale, PA 15552-7288), for continued operation of a bituminous-auger surface mine in Brothersvalley Township, **Somerset County**, affecting 82.2 acres, receiving stream Piney Run, application received January 10, 2000.

32950103. Permit Renewal for reclamation only, **Marquise Mining Corporation** (3889 Menoher Blvd., Johnstown, PA 15905), for continued restoration of a bituminous surface mine in Center Township, **Indiana County**, affecting 50.0 acres, receiving stream unnamed tributary to Tearing Run, application received January 10, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

16000101. Milestone Crushed, Inc. (521 South Street, Clarion, PA 16214). Commencement, operation and restoration of a bituminous surface strip operation in Licking and Richland Townships, **Clarion County** affecting 83.6 acres. Receiving streams: Unnamed tributaries to the Clarion River. Application received January 5, 2000.

33773143. C & K Coal Company (P. O. Box 69, Clarion, PA 16214). Renewal of an existing bituminous and tipple refuse disposal operation in Union Township, **Jefferson County**, affecting 279.5 acres. Receiving streams: Unnamed tributaries to Welch Run, unnamed tributaries to Cedar Run; Simpson Run. Application received January 14, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Applications Received

7973SM5C3. Eureka Stone Quarry, Inc., (Pickertown and Lower State Roads, Chalfont, PA 18914), renewal of NPDES Permit PA022352 in Wrightstown Township, **Bucks County**, receiving stream—Neshaminy Creek. Application received January 10, 2000.

5074SM3A2C3. Valley Quarries, Inc., (P. O. Box J, Chambersburg, PA 17201), renewal of NPDES Permit PA0121126 in Greene Township, **Franklin County**, receiving stream—Conocheague Creek. Application received January 10, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

43910308. Hall's Excavating, Inc. (2416 McCartney Road, Cochranon, PA 16214). Transfer of an existing sand and gravel operation in French Creek Township, **Mercer County**, affecting 26.9 acres. Receiving streams: Powder Mill Run. Transfer from Hall's Excavating. Application received January 10, 2000.

10930310. Atlantic States Materials of PA, Inc. (P. O. Box 269, Mercer, PA 16137). Renewal of an existing sand, gravel and topsoil operation in Worth Township, **Butler County**, affecting 134.0 acres. Receiving streams: Slippery Rock Creek and Unnamed tributaries to Slippery Rock Creek. Renewal of NPDES Permit No. PA0211826. Application received January 12, 2000.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Application received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-634. Encroachment. SBA Towers, Inc., 3070 Bristol Pike, Building 2, Suite 230, Bensalem, PA 19020. To construct and maintain a telecommunications tower and equipment shelter facility within the floodplain of the East Branch of Brandywine Creek located approximately 600 feet southeast of the intersection of Manor Avenue (PA Route 322) and Lancaster Avenue (Business Route 30) at the Downingtown Municipal Center (Downingtown, PA Quadrangle N: 0.85 inch; W: 11.05 inches) in Downingtown Borough, **Chester County**.

E51-182. Encroachment. Bridesburg Outboard Club, P. O. Box 5991, Philadelphia, PA 19137-0991. To construct and maintain a fishing and docking facility in and along the western bank and 100-year floodplain of the Delaware River (WWF-MF). Work will include a boat ramp, steel walkway, gangway, floating landing dock, several floating fishing docks and several mooring buoys associated with the relocation of the Bridesburg Outboard Club. The site is located approximately 1,000 feet south of the intersection of Richmond Street and Buckius Street, at 3101 Buckius Street (Camden NJ-PA Quadrangle N: 21.5 inches; W: 9 inches) in the **City and County of Philadelphia**.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E35-235A. Encroachment. David M. Epstein, P. O. Box 431, Chinchilla, PA 18410. To amend DEP Permit No. E35-235, which authorized the construction and maintenance of 65-foot x 130-foot, three-story office building in and along the floodway of Willow Creek (CWF) (Lackawanna Trail Tributary), to authorize the maintenance of 50-foot x 130-foot, single story office building in the floodway of Willow Creek. The project is located on S. R. 0006, approximately 0.4 mile south of its intersection with S. R. 4021 (Scranton, PA Quadrangle N: 18.5 inches; W: 8.25 inches), South Township, **Lackawanna County** (Baltimore District, U. S. Army Corps of Engineers).

E39-378. Encroachment. County of Lehigh, 17 South Seventh Street, Allentown, PA 18101-2400. To maintain the existing bridge having three spans (43-feet, 43-feet, 46-feet) with an average underclearance of 8-feet, 6-inches across Little Lehigh Creek (HQ-CWF). The project, known as the Kecks Bridge repairs, includes the repair of the bearing seats, repointing of stone masonry joints and installation of rock scour protection. The project is located approximately 1.3 miles southeast of S. R. 0309 and S. R. 0029 (Allentown West, PA Quadrangle N: 9.6 inches; W: 0.3 inch), Allentown City, **Lehigh County** (Philadelphia District, U. S. Army Corps of Engineers).

E45-382. Encroachment. Pinecrest Development Corporation, P. O. Box 760, Pocono Pines, PA 18350. To construct and maintain 11 road crossings and four utility line crossings of PFO wetlands associated with the proposed Wild Pines Golf Club planned residential development. The total permanent wetland impact is 0.53 acre. The project is located on the south side of S. R. 4004, approximately 1 mile southeast of the intersection of S. R. 04004 and S. R. 0940 (Pocono Pines, PA Quadrangle N: 17.3 inches; W: 7.5 inches), Tobyhanna Township, **Monroe County** (Philadelphia District, U. S. Army Corps of Engineers).

E45-387. Encroachment. Stroud Township, 1211 North 5th Street, Stroudsburg, PA 18630-2646. To remove the existing structure and to construct and maintain a

single span bridge having a normal span of 20.0 feet and an underclearance of approximately 5.2 feet across a tributary to Cherry Creek (HQ-CWF). The project is located along Township Road T385 (Middle Road), between S. R. 0191 and T410 (Stroudsburg, PA-NJ Quadrangle N: 15.2 inches; W: 10.2 inches), Stroud Township, **Monroe County** (Philadelphia District, U. S. Army Corps of Engineers).

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E06-530. Encroachment. **PA Department of Transportation**, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103. To remove an existing structure and to construct and maintain a twin-cell reinforced concrete box culvert with each cell being 16 feet x 9 feet in the channel of Willow Creek (CWF) at a point at S. R. 1011 (Fleetwood, PA Quadrangle N: 14.0 inches; W: 13.1 inches) in Richmond Township, **Berks County**.

E06-531. Encroachment. **PennDot**, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103. To remove an existing structure and to construct and maintain a 16-foot x 4-foot precast concrete box culvert in the channel of Willow Creek (CWF) at a point at S. R. 1011 (Fleetwood, PA Quadrangle N: 15.5 inches; W: 13.1 inches) in Maiden Creek Township, **Berks County**.

E50-199. Encroachment. **Henry Holman**, 3E Suzanna Drive, Duncannon, PA 17020. To construct and maintain a 6-foot x 8-foot box culvert in the channel of Cove Creek (CWF) at a point approximately 8,000 feet upstream of its mouth for the purpose of constructing a driveway (Wertzville, PA Quadrangle N: 19.9 inches; W: 6.25 inches) in Penn Township, **Perry County**.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E53-341. Encroachment. **Timothy Rigas, VP**, Adelphia Communication, Main at Water Street, Coudersport, PA 16915-1141. To construct and maintain an 18 inch storm water sewer outfall to the Allegheny River approximately 240 feet northeast of the intersection of West Street with Oak Street (Coudersport, PA Quadrangle N: 39 inches; W: 2.95 inches) in Coudersport Borough, **Potter County**. The project will not impact on wetlands, while impacting 10 feet of waterway. The Allegheny River is a cold water fisheries stream.

Southwest Regional Office: Soils & Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1296. Encroachment. **Urban Redevelopment Authority of Pittsburgh**, 200 Ross Street, Pittsburgh, PA 15219.

To reline, operate and maintain the existing 96 inch diameter outfall structure with a 48 inch diameter pipe as part of a street reconstruction project located on the left bank of the Monongahela River (WWF) located approximately 2,300 feet upstream from the 10th Street Bridge (Pittsburgh East PA Quadrangle N: 10.4 inches; W: 14.8 inches) in the City of Pittsburgh, **Allegheny County**.

E65-747. Encroachment. **Girl Scout Council of Westmoreland, Inc.**, 545 South Main Street, Greensburg, PA 15601. To enlarge and reconfigure existing Lake Janet Ruth, to relocate and maintain approximately 740 feet of Loyalhanna Creek (HQ-CWF) and to construct and maintain two earthen dikes along the right bank of the

relocated portion of the Loyalhanna Creek having a combined length of approximately 275 feet. This project also includes the construction and maintenance of a single span bridge having a normal span of 47.0 feet and an underclearance of 5.0 feet across the relocated portion of Loyalhanna Creek (HQ-CWF), a temporary roadway crossing consisting of three 18 inch pipe culverts in Loyalhanna Creek (HQ-CWF) and a boat launch and dock along and within the reconstructed lake. The project is located at the Laurel Mountain Camp off of Route 381 South, approximately 7 miles south of its intersection with Route 30 (Stahlstown, PA Quadrangle N: 11.0 inches; W: 0.2 inch) in Cook Township, **Westmoreland County**.

E02-1297. Encroachment. **Redland Brick, Incorporated**, 375 Rich Hill Road, R. D. 3, Cheswick, PA 15024. To place and maintain fill for a distance of approximately 640 feet within the floodway of Little Deer Creek (TSF), to place and maintain rip rap erosion protection adjacent to and behind an existing tunnel on the upstream side next to the right side wingwall along the same stream and to place and maintain fill in 0.21 acre of wetlands (PEM/PSS) for the purpose of constructing a new state of the art brick making facility to replace the current facility (New Kensington West PA Quadrangle N: 10.3; W: 12.0 inches) in Harmar Township, **Allegheny County**. To meet the wetland replacement requirements the applicant proposes to pay into the wetland replacement fund.

E65-748. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. To construct and maintain a 158.0 foot long, 8.0 foot x 6.0 foot reinforced concrete arch culvert in an unnamed tributary to Beaver Run (HQ-CWF) by placing a 1.0 foot depressed concrete floor in the existing arch and connecting a 206.0 foot long, 8.0 foot x 7.0 foot reinforced concrete box culvert (invert depressed 1.0 foot), to construct and maintain a 24 inch diameter concrete pipe outfall and to place and maintain fill in 0.09 acre of palustrine emergent wetlands for the purpose of widening S. R. 0022. The project is located on S. R. 0022 approximately 2,000 feet west of the interchange with S. R. 0066, (Slickville, PA Quadrangle N: 4.4 inches; W: 11.2 inches) in Salem Township, **Westmoreland County** 0.09 acre of replacement wetlands have been constructed approximately 1,500 feet east of the project and were authorized by DEP Permit E65-700.

E56-292. Encroachment, **Mark A. Cirucci, Steve A. Cirucci**, 2162 Ramsey Road, Monroeville, PA 15146.

To construct and maintain a low flow culvert crossing consisting of four 12-inch diameter pipes in Whites Creek (HQ-CWF) for the purpose of providing access to a camp and facilitating a planned timber harvesting project. The project is located off of PA Route 523 (Confluence, PA Quadrangle N: 2.56 inches; W: 9.55 inches) in Addison Township, **Somerset County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E42-267. Encroachment. **Anundson Forest Enterprises, Inc.**, Three Oaks, P. O. Box 295, Sheffield, PA 16347. To construct and maintain a ford across Kendall Creek (WWF) for private access to property owned by Anundson Forest Enterprises, Inc. by cars, light trucks

and SUV's. This project is located across Kendall Creek approximately 2,300 feet northwest of the intersection of SR 24 and SR 46 at Corwins Corners (Derrick City, PA-NY, Quadrangle N: 11.3 inches; W: 11.9 inches) located in Foster Township, **McKean County**.

E61-228. Encroachment. **Sugarcreek Borough**, 212 Fox Street, Franklin, PA 16323. To construct and maintain a single span pony truss pedestrian bridge with a clear span of approximately 100 feet and a minimum underclearance of approximately 20 feet across Brannon Run (CWF). The project is located on Brannon Run 200 feet north of SR 8 approximately 2.25 miles east of the intersection of SR 8 and Two Mile Run Road (SR 4001) (Franklin, PA Quadrangle N: 6.8 inches; W: 0.9 inch) located in Sugarcreek Borough, **Venango County**.

E61-230. Encroachment. **PA Electric Company, d/b/a GPU Energy**, P. O. Box 16001, Reading, PA 19640-0001. To install and maintain an aerial fiber optic line and to maintain existing aerial electric lines and support structures across Allegheny River (WWF, nominated 1-A Scenic) adjacent to the Oil City Sewage Disposal Facility approximately 9,600 feet downstream from the SR 62 bridge across Allegheny River (Oil City, PA Quadrangle N: 6.75 inches; W: 4.7 inches) located in Oil City, **Venango County**.

ENVIRONMENTAL ASSESSMENT

Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-855, (717) 787-8568.

D45-134. Environmental Assessment. **Lake Swiftwater Club** (R. R. 1, Box 62, Henryville, PA 18332). To remove approximately 10,000 cubic yards of accumulated silts and sediments from Swiftwater Lake. The dam impounding the lake is located across Swiftwater Creek approximately 500 feet southwest of the intersection of Swiftwater Road (S. R. 314) and Hulbert Hill Road (Mount Pocono, PA Quadrangle, N: 17.65 inches; W: 4.00 inches) in Paradise Township, **Monroe County**.

EA39-008CO. Environmental Assessment. **Frank Rauscher** (7985 Saw Mill Road, New Tripoli, PA 18066-4630). To construct a nonjurisdictional dam adjacent to a tributary to Ontelaunee Creek (CWF) impacting approximately 0.2 acre of wetland (PEM) for a farm pond. The site is located approximately 900 feet west of the intersection of T719 and T847 (New Tripoli, PA Quadrangle, N: 10.9 inches; W: 10.2 inches) in Lynn Township, **Lehigh County**.

D67-043EA. Environmental Assessment. **Ann Muren and Robin Smith** (296 R. D. 2, Seven Valleys, PA 17360). To breach and remove the Seitzville Mill Dam across the South Branch Codorus Creek (WWF) for the purpose of restoring the stream to a free flowing condition. The dam is located 100 feet upstream of the Seitzville Road bridge crossing the stream (Seven Valleys, PA Quadrangle N: 14.40 inches; W: 1.65 inches) in Codorus and Springfield Townships, **York County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 4699424. Sewerage. **Frederick Mennonite Community**, P. O. Box 498, Frederick, PA 19435-0498. Applicant is granted approval for the construction and operation of a sewage treatment plant, which will upgrade an existing treatment plant at Frederick Mennonite Community, located in Upper Frederick Township, **Montgomery County**.

WQM Permit No. 4699430. Sewerage. **Methacton School District**, 1001 Kriebel Mill Road, Norristown, PA 19408-2011. Applicant is granted approval to modify the existing WWTP, which will include the addition of dechlorination facilities located in Worcester Township, **Montgomery County**.

WQM Permit No. 2399201. Industrial waste. **Springfield Township**, 50 Powell Road, Springfield, PA 19064. Applicant is granted approval for the construction and operation of treatment wetland to treat leachate of Springfield Township landfill located in Springfield Township, **Delaware County**.

WQM Permit No. 2399413. Sewerage. **Concord Township Sewer Authority**, P. O. Box 171, Concordville, PA 19331. Applicant is granted approval for the construction and operation of a new pump station and

conveyance system to serve Brinton Lake Corporate Center located in Concord Township, **Delaware County**.

WQM Permit No. 2399414. Sewerage. **Thornbury Township**, 6 Township Drive, Cheyney, PA 19319. Applicant is granted approval for the construction and operation of sewage collection system; pump station and forcemain to serve Locksley Crossing subdivision located in Thornbury Township, **Delaware County**.

NPDES Permit No. PA0010855. Industrial waste. **E. I. DuPont DeNemours and Company, Inc.**, 3401 Grays Ferry Avenue, Philadelphia, PA 19146. Is authorized to discharge from a facility located in the **City of Philadelphia** to receiving waters named Schuylkill River.

NPDES Permit No. PA0052191. Sewerage. **Frank H. Duke**, 1085 Wood Lane, West Chester, PA 19382. Is authorized to discharge from a facility located in Westtown Township, **Chester County** to receiving waters named Chester Creek. (Locally known as Goose Creek).

NPDES Permit No. PA0055140. Industrial waste. **Equivest Management Inc.**, 215 South Broad Street, Philadelphia, PA 19107. Is authorized to discharge from a facility located in Norristown Borough, **Montgomery County** to receiving waters named Schuylkill River.

NPDES Permit No. PA0012238. Industrial waste. **ABB Automation, Inc. ABB Instrumentation Division**, 125 East County Line Road, Warminster, PA 18974. Is authorized to discharge from a facility located in Warminster Township, **Bucks County** to an unnamed Tributary to Pennypack Creek.

NPDES Permit No. PA0050521. Sewage. **Green Lane-Marlborough Joint Authority**, P. O. Box 45, Green Lane, PA 18054. Is authorized to discharge from a facility located in Green Lane Borough, **Montgomery County** into Perkiomen Creek.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Permit No. 3599404. **Lackawanna River Basin Sewer Authority**, P. O. Box 9068, Dickson City, PA 18519. Permit to construct an interceptor line, located in Old Forge Borough and Moosic Borough, **Lackawanna County**.

NPDES Permit PA-0061107. Sewerage. **Stillwater Sewer Corporation**, c/o NEPA Management Associates, 304 Park Avenue, Stroudsburg, PA 18360-1524 is authorized to discharge from a facility located in Coolbaugh Township, **Monroe County**, to an unnamed tributary to Stillwater Lake.

NPDES Permit PA-0063142. Industrial waste. **Chrin Brothers, Inc.**, 635 Industrial Drive, Easton, PA 18042 is authorized to discharge from a facility located in Williams Township, **Northampton County**, to the Lehigh River.

NPDES Permit PA-0020915. Sewerage. **Borough of Pine Grove**, One Snyder Avenue, Pine Grove, PA 17963 is authorized to discharge from a facility located in Pine Grove Township, **Schuylkill County**, to Swatara Creek.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

Permit No. PA0009253. Industrial waste. **United Defense, LP**, Ground Systems Division, 100 Bairs Road, York, PA 17404 is authorized to discharge from a facility located in West Manchester Township, **York County** to the receiving waters named Codorus Creek.

Permit No. PAG043627. Sewerage—Single Family Residence. **Broad Top Township**, 187 Municipal Road, P. O. Box 87, Defiance, PA 16633 is authorized to discharge from a facility located in Broad Top Township, **Bedford County** to the receiving waters named Sandy Run.

Permit No. PA0009920. Industrial waste. **AmerGen Energy Company, LLC** (Three Mile Island Nuclear Station), 965 Chesterbrook Blvd., Wayne, PA 19087 is authorized to discharge from a facility located in Londonderry Township, **Dauphin County** to the receiving waters named Susquehanna River.

Permit No. PA0035301. Termination. Sewerage. **Upper Dauphin Area School District**, 5668 SR 209, Lykens, PA 17048 located in Washington Township, **Dauphin County**.

Permit No. PAG043626. Sewerage—Single Family Residence. **Daniel Finnegan**, R. D. 1 Box A-517, East Freedom, PA 16637 is authorized to discharge from a facility located in Kimmel Township, **Bedford County** to the receiving waters named unnamed tributary to Boiling Spring Run.

Permit No. PA0080799. Sewerage. **Newburg—Hopewell Joint Authority**, P. O. Box 128, Newburg, PA 17120 is authorized to discharge from a facility located in Hopewell Township, **Cumberland County** to the receiving waters named Newburg Run.

Permit No. PAG043560 T1. Sewage—Single Family Residence. **Steven and Karen Parinisi**, 9165 Mountain Road, Grantville, PA 17028 is authorized to discharge from a facility located in East Hanover Township, **Dauphin County** to the receiving waters named unnamed tributary to Manada Creek.

Permit No. PA0082422. Sewerage. **Waynesboro Area School District** (Mowrey Elementary School), P. O. Box 72, Waynesboro, PA 17201 is authorized to discharge from a facility located in Quincy Township, **Franklin County** to the receiving waters named West Branch Antietam Creek.

Permit No. 2271411. Termination. Sewage. **Upper Dauphin Area School District**, 5668 SR 209, Lykens, PA 17048 in Washington Township, **Dauphin County**.

Permit No. 3699407. Sewage. **Terre Hill Borough**, 300 Broad Street, P. O. Box 250, Terre Hill, PA 17581. This permit approves the construction of Septage receiving station in Terre Hill Borough, **Lancaster County**.

Permit No. 2299407. Sewage. **Lower Paxton Township**, 75 S. Houcks Road, Harrisburg, PA 17109. This permit approves the construction of Pump Station in Lower Paxton Township, **Dauphin County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. PA 0030350. Sewage. **Borough of Indian Lake**, 1301 Causeway Drive, Central City, PA 15926 is authorized to discharge from a facility located at Lakewood STP, Indian Lake Borough, **Somerset County** to receiving waters named Indian Lake.

NPDES Permit No. PA0094137. Sewage. **RJ&L Limited Partnership**, Suite 401, 1301 York Road, Lutherville, MD 21093 is authorized to discharge from a facility located at Suburban Terrace Mobile Home Park

Sewage Treatment Plant, Hopewell Township, **Beaver County** to receiving waters named unnamed tributary of Bogs Run.

NPDES Permit No. PA0098388. Sewage. **Patusan Trading Company, Inc.**, 5490 Route 217 Highway North, Blairsville, PA 15717 is authorized to discharge from a facility located at Patusan Trading Company Sewage Treatment Plant, Blacklick Township, **Indiana County** to receiving waters named Greys Run.

NPDES Permit No. PA0205982. Sewage. **Wise's Mobile Terrace**, R. D. 3, Box 104A, Ebensburg, PA 15931 is authorized to discharge from a facility located at Wise's Mobile Terrace STP, Cambria Township, **Cambria County** to receiving waters named Unnamed Tributary of Howells Run.

NPDES Permit No. PA0218308. Sewage. **Outside-In School of Experiential Education**, R. D. 1, Box 293, Bolivar, PA 15923 is authorized to discharge from a facility located at Outside-In School STP, Fairfield Township, **Westmoreland County** to receiving waters named Unnamed Tributary of Hannas Run.

Permit No. 0299203. Industrial. **Municipal Authority of the Township of Robinson**, P. O. Box 15539, Pittsburgh, PA 15244. Construction of a municipal water treatment plant located in Robinson Township, **Allegheny County** to serve filter backwash wastewater treatment facilities.

Permit Amendment No. 6387201-T1-A1. Industrial waste. **Ametek, Inc.**, Route 519, Eighty Four, PA 15330. Construction of wastewater treatment equipment located in North Strabane Township, **Washington County** to serve Ametek Specialty Metal Products Division Plant.

Permit No. 4291-A2. Sewage. **Kiski Area School District**, 299 Poplar Street, Vandergrift, PA 15690-1491. Construction of Sewage Treatment Plant located in Bell Township, **Westmoreland County** to serve Bell Elementary School STP.

Permit No. 0299412. Sewage. **Charles E. Kelly Support Facility**, Department of Army, 551 Lt. Will Way, Oakdale, PA 15071-5508. Construction of a sewage treatment plant located in South Fayette Township, **Allegheny County** to serve Charles E. Kelly Support Facility.

Permit No. 0499404. Sewerage. **Partnership of Robert Gearhart, Deborah Bomberger and Anthony Tommasone**, 617 Portersville Road, Ellwood City, PA

16117. Construction and operation of a sewage treatment plant located in Industry Borough, **Beaver County** to serve the Lock No. 6 Landing STP.

Permit No. 6584433, Amendment 2. Sewage. **Antiochian Orthodox Christian Archdiocese of North America**, Route 711 North, P. O. Box 638, Ligonier, PA 15658. Construction of dechlorination and post aeration facilities located in Fairfield Township, **Westmoreland County** to serve Antiochian Village Church Camp Sewage Treatment Plant.

Permit No. 6599409. Sewage. **Daniel R. Smith**, P. O. Box 88, Tarrs, PA 15688. Construction of Single Residence Sewage Treatment Plant located in East Huntingdon Township, **Westmoreland County** to serve Smith Property.

Permit No. 6599417. Sewerage. **Estate of Thomas V. Burnside**, Executrix, Judith E. Ferrarini, 721 Warren Street, Greensburg, PA 15601. Construction of Single Residence Sewage Treatment Facility located in Salem Township, **Westmoreland County** to serve Burnside Estate Small Flow Treatment Facility.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0210218. Industrial waste. **Beazer East, Inc.**, One Oxford Centre, Suite 3000, Pittsburgh, PA 15219-1822 is authorized to discharge from a facility located in Petrolia Borough, **Butler County** to the South Branch of Bear Creek.

WQM Permit No. 2599410. Sewage. **Edinboro University of Pennsylvania**, Eardley Hall, Edinboro, PA 16448. This project is for the installation of replacement sanitary sewers and manholes, removal of two sewage pump stations, construction of a new main pump station, and the demolition and renovation of the existing main station in Edinboro Borough, **Erie County**.

WQM Permit No. 2099415. Sewage. **Marlan A. Jr., and Sherry L. Jones**, 13385 Denny Road, Meadville, PA 16335. This project is for the construction and operation of a small flow treatment facility located in Hayfield Township, **Crawford County**.

WQM Permit No. 2099411. Sewage. **West Fallowfield Township**, P. O. Box 55, Adamsville, PA 16110. This project is for the construction and operation of a wastewater treatment facility located in West Fallowfield Township, **Crawford County**.

INDIVIDUAL PERMITS

(PAS)

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant's Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream or Body of Water</i>
PAS10-D112	Bucks County Airport Authority 3879 Old Easton Road P. O. Box 1185 Doylestown, PA 18901	Milford Township Bucks County	Unnamed Tributary to Unami Creek

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

<i>NPDES Permit No.</i>	<i>Applicant's Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream or Body of Water</i>
PAS10Q186	The Perrier Group of America 405 Nestle Way Breinigsville, PA 18031	Lehigh County Upper Macungie Township	Iron Run
PAS10S084	The Oaks Senior Community, L.P., of The Shepherds in Monroe County P. O. Box 302 Cresco, PA 18326	Monroe County Barrett Township	Cranberry Circle
PAS10S075	Somewhere In The World, Inc. 360 Vireo Dr. Buck Hill Falls, PA 18353	Monroe County Paradise and Barrett Townships	Cranberry Circle
PAS10U108	Ashley Development Corp. 559 Main St. Bethlehem, PA 18018	Northampton County Williams Township	Frya Run

Northcentral Region, Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant's Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream or Body of Water</i>
PAS10F073	Thomas Songer Fillmore Associates LP 100 North Patterson St. State College, PA 16801	Centre County Benner Township	Buffalo Run

INDIVIDUAL PERMITS

(PAR)

APPROVALS TO USE NPDES AND OTHER GENERAL PERMITS

The following parties have submitted (1) Notices of Intent (NOIs) for coverage under General NPDES Permits to discharge wastewater into the surface waters of the Commonwealth; (2) NOIs for coverage under General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection (Department) has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

The Department has acted on the following requests for coverage under the specified General Permit as follows:

List of

General Permit Type

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater from Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application

*List of
General Permit Type*

- PAG-8 General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
- PAG-9 General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site
- PAG-10 General Permit for Discharges Resulting From Hydrostatic Testing of Tanks and Pipelines

General Permit Type—PAG-2

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Plumstead Township Bucks County	PAR10-D408	Custom Builder, Inc. 6005 L. Mountain Road New Hope, PA	Neshaminy Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Warrington Township Bucks County	PAR10-D459	Crestland LP 2421 Bristol Rd. Warrington, PA	Mill Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Falls and Middletown Townships Bucks County	PAR10-D463	PA Department of Transportation 200 Radnor-Chester Rd. St. Davids, PA	Unnamed Tributary of Queen Ann Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Northampton Township Bucks County	PAR10-D468	Site Development, Inc. 17000 Horizon Way Mt. Laurel, NJ	Iron Works Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Haycock Township Bucks County	PAR10-D469	Robert Godown and Kevin Carney 329 Keewayden St. Coopersburg, PA	Unnamed Tributary to Lake Nockamixon	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Lower Makefield Township Bucks County	PAR10-D473	Pulte Home Corporation/Delaware Valley 1210 Northbrook Drive Trevose, PA	Bucks Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Richland Township Bucks County	PAR10-D474	Gormon Brothers PA, LLC 7700 Keewayden St. Coopersburg, PA	Tohickon Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Plumstead Township Bucks County	PAR10-D486	Plumstead Township Box 387 Plumsteadville, PA	Deep Run Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Hilltown Township Bucks County	PAR10-D487	Elliot Building Group 406 Glen Eagles Dr. New Hope, PA	East Branch Perkiomen Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Bensalem Township Bucks County	PAR10-D494	Northbrook Properties, LP 1101 DeKalb Pike, 2nd Fl. Wayne, PA	Unnamed Tributary to Neshaminy Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
New Garden Township Chester County	PAR10-D343	Kennett Consolidated School District 300 East South St. Kennett Square, PA	Unnamed Tributary to White Clay Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Concord Township Delaware County	PAR10-J171	Arthur and Marcia Laver 265 Matson Road Boothwyn, PA 19061	Green Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Limerick Township Montgomery County	PAR10-T577	Anthony Giamo/Leroy Wensel 311 West Ridge Pike Limerick, PA	Landis Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Hanover and Pennsbury Montgomery County	PAR10-T563	Robert Christman 2011 Farmington Ave. Pottstown, PA	Mocoby Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Upper Frederick Township Montgomery County	PAR10-T581	Frederick Mennonite Community 2849 Big Rd., P O. Box 498 Frederick, PA	Scioto Creek and Tributary to Swamp Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Monroe County Smithfield Township	PAR10S027	Dr. Mahesh D. Chhabria K C Neurology Associates R. R. 5 E. Stroudsburg, PA 18301	UNT Sambo Circle	Monroe CD (570) 629-3060

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Northampton County Lower Saucon Township	PAR10U128	David Spirk 8052 William Penn Hwy. Easton, PA 18045	Saucon Circle	Northampton CD (610) 746-1971
Warren County Glade Township	PAR107206	Glade Township Municipal Authority 99 Cobham Park Road Warren, PA 16365	Allegheny River	Warren Conservation District 609 Rouse Home Avenue Suite 203 Youngsville, PA 16371 (814) 563-3117
Tioga County Richmond and Tioga Townships Mansfield Borough	PAR106634	PA Dept. of Transportation 715 Jordan Ave. Montoursville, PA 17754	Tioga River	Tioga County CD 29 East Ave. Wellsboro, PA 16901 (570) 724-1801

General Permit Type—PAG-3

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Luzerne County West Hazleton Borough	PAR232240	Greif Brothers Corporation 425 Winter Road Delaware, OH 43015	Black Creek	Northeast Office 2 Public Sq. Wilkes-Barre, PA 18711-0790 (570) 826-2511
Berks County Amity Township	PAR803503	John Pfrommer, Inc. 1320 Ben Franklin Highway East Douglassville, PA 19518-1899	Schuylkill River	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Adams County Straban Township	PAR803501	Helicopter Applicators, Inc. 1670 York Road Gettysburg, PA 17325	UNT to Rock Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Mead Township Warren County	PAR118333	The Lane Construction Corporation—Seneca Upper Reservoir 965 East Main Street Meriden, CT 06450-6004	Allegheny River— Allegheny Reservoir	DEP Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Westmoreland County East Huntingdon Township	PAG046192	Daniel R. Smith P. O. Box 88 Tarrs, PA 15688	Unnamed Tributary of Jacobs Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Westmoreland County Salem Township	PAG046197	Estate of Thomas V. Burnside Executrix Judith E. Ferrarini 721 Warren Street Greensburg, PA 15601	Whitehorn Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-7

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Milwaukee, Wisconsin	PAG079903	Thomas J. Crawford Milwaukee Metropolitan Sewerage District (MMSD) P. O. Box 3049 Milwaukee, Wisconsin 53201-3049		Bureau of Water Quality Protection (717) 787-8184

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

*Regional Office: Water Management Program Manager,
Southcentral Region, 909 Elmerton Avenue, Harrisburg,
PA 17110.*

*Location: Taylor Township, Fulton County, P. O.
Box 627, Hustontown, PA 17229.*

The approved plan provides for construction of a sewage collection system and a .04 mgd sewage treatment plant discharging to in ground trenches. The system will serve the village of Hustontown. An onlot disposal system management program will address the remainder of the Township. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 327-0530.

Location: City of Sunbury, Northumberland County.

Project Description: DEP has approved an update revision to the City of Sunbury's Act 537 Official Sewage Facilities Plan which calls for the construction of \$22.3 million worth of improvement to the City's existing wastewater treatment facility and its combined sewage collection system. Phase 1 of the project will expand the organic and hydraulic treatment capacity of the existing sewage treatment facility to 8,300 pounds per day and 4.2 million gallons per day, respectively. The wet weather treatment capacity will also be expanded to allow more of the storm event flows from the City's combined sewage collection system to be processed through the sewage treatment facility. Phase 2 of the project will provide

treatment, equalization and disinfection facilities to allow the city to capture and treat still more of its collection system's wet weather flows.

The Department's review of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal.

SAFE DRINKING WATER

Permit issued for construction permit under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Permit No. 5999503. The Department issued a construction permit to **Bakecrest Home for the Elderly**, R. D. 2, Box 195, Millerton, PA 16936, Rutland Township, **Tioga County** for approval of an existing water system and construction of a new well.

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 6598501. Public water supply. **Easy Living Estates of Ligonier**, R. D. 4, Box 107, Ligonier, PA 15658-8807. *Type of Facility:* Easy Living Estates of Ligonier water supply improvements. *Permit issued for Operation:* January 4, 2000.

Permit No. 0486503-T2. Public water supply. **Stonewood Family Limited Partnership**, 116 East Pittsburgh Street, Greensburg, PA 15601. *Type of Facility:* Independence Park formerly known as Pittsburgh Airport Park. *Permit issued for Operation:* January 5, 2000.

Permit No. 6599502. Public water supply. **Department of Conservation and Natural Resources**, Bureau of State Parks, P. O. Box 50, Rector, PA 15677. *Type of Facility:* Laurel Mountain State Park Water System. *Permit issued for Operation:* January 7, 2000.

Permit No. 5669504-A1. Public water supply. **Seven Springs Municipal Authority**, R. D. 1, Helen Road,

Champion, PA 15622. *Type of Facility:* Trout Run Spring Chlorination Modification. *Permit issued for Construction:* January 7, 2000.

Permit No. 5670501-A1. Public water supply. **Seven Springs Municipal Authority**, R. D. 1, Helen Road, Champion, PA 15622. *Type of Facility:* Hemlock Lodge Spring Chlorination Modification. *Permit issued for Construction:* January 7, 2000.

Permit No. 5692502-A1. Public water supply. **Seven Springs Municipal Authority**, R. D. 1, Helen Road, Champion, PA 15622. *Type of Facility:* Gosling Well Chlorination Modification. *Permit issued for Construction:* January 7, 2000.

Permit No. 5677501-A1. Public water supply. **Seven Springs Municipal Authority**, R. D. 1, Helen Road, Champion, PA 15622. *Type of Facility:* Trout Run Spring Chlorination Modification. *Permit issued for Construction:* January 7, 2000.

Permit No. 0289598-A1. Public water supply. **Borough of Brackenridge**, 1000 Brackenridge Avenue, Brackenridge, PA 15014. *Type of Facility:* Brackenridge water improvements. *Permit issued for Operation:* January 7, 2000.

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.

Permit No. 3799503. Public water supply. **Mahoning Township**, Route 224, Box 99, Hillsville, PA 16132 has been issued a construction permit for the interconnection of Mahoning Township to Consumers Water Company and for the installation of transmission and distribution lines along Route 224, Genarro Drive, and West Main Street in Mahoning Township, **Lawrence County**. *Type of Facility:* Community Water Supply. *Consulting Engineer:* Patrick J. Copple, Copple-Rizzo & Associates, 1135 Butler Avenue, New Castle, PA 16101. *Permit to Construct Issued:* January 13, 2000.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative

form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Harvey Knechel Residence, New Britain Township, **Bucks County**. Philip F. Gray, Jr., Storb Environmental Inc., 410 North Easton Road, Willow Grove, PA 19090, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standards.

Moreland Business Park, Lower Moreland Township, **Montgomery County**. Robert M. Byer, Jr., P.G., ATC Associates Inc., 920 Germantown Pike, Suite 200, Plymouth Meeting, PA 19461, has submitted a Final Report concerning remediation of site soil contaminated with heavy metals. The report is intended to document remediation of the site to meet the Statewide health standard.

Lenape Manufacturing Co., East Rockhill Township, **Bucks County**. Thomas R. Severino, Environmental Science & Remediation Technologies, Inc., 105 East Evans Street, West Chester, PA 19380, has submitted an Addendum; Remedial Investigation/Cleanup Plan/Final Report concerning remediation of site soil contaminated with PCBs, heavy metals, solvents and petroleum hydrocarbons and groundwater contaminated with solvents and petroleum hydrocarbons. The report is intended to document remediation of the site to meet Statewide health and site-specific standards.

Domino Salvage, Inc., Plymouth Township, **Montgomery County**. Eric B. Rosina, Storb Environmental, Inc., 410 North Easton Road, Willow Grove, PA 19090, has submitted a Final Report concerning remediation of site groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet background standards.

L. B. Smith Property, Plymouth Township, **Montgomery County**. J. Curtis Hatfield, P.E., Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104, has submitted a Remedial Investigation/Final Report concerning remediation of site soil/fill and groundwater contaminated with asbestos. The report is intended to document remediation of the site to meet a combination of Statewide health and site-specific standards.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Mobil Oil Corporation. Terminal 37-003, McKees Rocks Borough, **Allegheny County**. Charles Kominas, Mobil Business Resource Corporation, Pennsylvania Remediation Field Office, 93 Old York Road, Suite 1-518, Jenkintown, PA 19046 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, PHCs and PAHs. The report is intended to document remediation of the site to meet the Site Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediations Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediations Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of the plans or report appears. If information concerning a plan or report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Northeast Regional Field Office: Joseph A. Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Pennsylvania Power & Light Company (PP&L)—Distribution Pole # 74348N39283 (Old Bushkill Road), Porter Township, **Pike County**. PP&L Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found to be contaminated with PCBs (polychlorinated biphenyls). The final report demonstrated attainment of the Statewide health standard and was approved on January 14, 2000.

Pennsylvania Power & Light Company (PP&L)—Distribution Pole # 57578N25353 (Harrity Road), Borough of Weissport, **Carbon County**. PP&L Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found to be contaminated with PCBs (polychlorinated biphenyls). The final report demonstrated attainment of the Statewide health standard, and was approved on January 14, 2000.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Mobil Oil Corporation, Terminal 38-003, McKees Rocks Borough, **Allegheny County**. Charles Kominas, Mobil Business Resource Corporation, Pennsylvania Remediation Field Office, 93 Old York Road, Suite 1-518, Jenkintown, PA 19046 has submitted a final report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, PHCs and PAHs. The final report did not demonstrate attainment of the Site Specific Standard and was disapproved by the Department on January 7, 2000.

Exxon Pittsburgh Specialty Products Plant (former), City of Pittsburgh, **Allentown County**. Exxon Company, USA, 800 Bell Street, Houston, TX 77002 and Gloria McCleary, Integrated Science and Technology, Inc., 2595 South George Street, York, PA 17403 have submitted a Final Report concerning remediation of site soil and groundwater contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAHs. The Final Report demonstrated attainment of the Site Specific standard and was approved by the Department on December 30, 1999.

SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

A. 100346. Pioneer Crossing Landfill, F. R. & S, Inc., 727 Red Lane Road, Birdsboro, PA 19508. Application for minor modification for change of operating hours for a site in Exeter Township, **Berks County**. Application denied in the Regional Office January 7, 2000.

AIR QUALITY

OPERATING PERMITS

General Plan Approval and Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

GP2-06-5064: Sunoco, Inc. (R&M) (1801 Market St.-15/10PC, Philadelphia, PA 19103-1699) for construction/operation of storage tanks for volatile organic compounds in Spring Township, **Berks County**.

GP7-67-03082: York Graphic Services, Inc. (3600 West Market Street, York, PA 17404) for construction/operation of sheetfed offset lithographic printing presses in West Manchester Township, **York County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

GP-43-271: Great Lakes Energy Partners LLC (Route 173 and County Line Road, Carlton, PA 16311) on December 29, 1999, for change of ownership and operation of a natural gas production facility in French Creek Township, **Mercer County**.

GP-62-159: Great Lakes Energy Partners LLC, Spring Creek Station (Collins Road and Gleason Hollow Road, Warren, PA 16365) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Springcreek Township, **Warren County**.

GP-25-079: Owens Brockway (316 West 16th Street, Erie, PA 16502) on January 4, 2000, for operation of a burn off oven in Erie, **Erie County**.

GP-25-893: Norse Pipeline LLC, Waterford Station (Stone Quarry Road, Union City, PA 16438) on December 23, 1999, for operation of a natural gas production facility in LeBeouf Township, **Erie County**.

GP-20-277: Great Lakes Energy Partners LLC, Anderson Station (State Route 1018, Centerville, PA 16404) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Athens Township, **Crawford County**.

GP-20-254: Great Lakes Energy Partners LLC, Hasbrouck Station (Bethel Road, State Route 1032, Centerville, PA 16404) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Rome Township, **Crawford County**.

GP-61-195: Great Lakes Energy Partners LLC, Haslet Station (Bethel Church Road, State Route 4009, Franklin, PA 16323) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Jackson Township, **Venango County**.

GP-20-273: Great Lakes Energy Partners LLC, Izbicki Station (State Route 1024, Centerville, PA 16404) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Bloomfield Township, **Crawford County**.

GP-20-278: Great Lakes Energy Partners LLC, Springboro Station (State Route 18, Springboro, PA 16435) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Spring Township, **Crawford County**.

GP-20-257: Great Lakes Energy Partners LLC, Lippert Station (Pettis Road, Cochranon, PA 16314) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Fairfield Township, **Crawford County**.

GP-42-158: Temple Inland Forest Products Corp., Mount Jewett (Hutchins Road, Kane, PA 16735) on January 4, 2000, for construction and operation of six storage tanks in Sergeant Township, **McKean County**.

GP-61-194: Great Lakes Energy Partners LLC, Toonerville Station (Petroleum Center Road, Titusville, PA 16354) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Cherrytree Township, **Venango County**.

GP-20-253: Great Lakes Energy Partners LLC, Miller Station (State Route 120, Centerville, PA 16404) on December 29, 1999, for change of ownership and operation of a natural gas production facility in Rome Township, **Crawford County**.

Operating Permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

15-316-001: Premier Wood Craft L.T.D. (131 Birch Street, Coatesville, PA 19320) on January 7, 2000, for operation of a wood coating operation in South Coatesville Borough, **Chester County**.

OP-09-0103: W. A. Schmidt, Inc. (775 Jacksonville Road, Warminster, PA 18974) on January 7, 2000, for operation of two spray paint booths in Warminster Township, **Bucks County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

05-323-007: JLG Industries, Inc. (One JLG Drive, McConnellsburg, PA 17233) on January 12, 2000, for operation of a rotoblast unit controlled by a cartridge collector at the Sunnyside Facility in Bedford Township, **Bedford County**.

22-03022: Wenger's Feed Mill, Inc. (P. O. Box 26, Rheems, PA 17570-0026) on January 12, 2000, for operation of a feed mill on Route 25 in Lykens Township, **Dauphin County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

TV-04-00471: Marathon Ashland Petroleum LLC (P. O. Box 308, Midland, PA 15059) on November 19, 1999, issued a Title V Operating Permit for operation of a bulk gasoline terminal and storage facility at Midland Terminal in Industry Borough, **Beaver County**.

PLAN APPROVALS

Minor Modification of Plan Approvals issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

17-305-042: DTE River Hill, LLC (425 South Main Street, Suite 201, Ann Arbor, MI 48107), owner, and **Covol Technologies, Inc.** (3280 North Frontage Road, Lehi, UT 84043), operator, on January 12, 2000, to extend the deadline for the performance of stack testing on a coal fines pellet dryer until March 31, 2000, in Karthaus Township, **Clearfield County**.

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-46-0134: Hill School, The (717 East High School, Pottstown, PA 19464) on January 10, 2000, for operation of two boilers in Pottstown Borough, **Montgomery County**.

PA-46-0115: Knoll, Inc. (1235 Water Street, East Greenville, PA 18041) on January 12, 2000, for operation of a tornado dust collector to exhaust in East Greenville Borough, **Montgomery County**.

PA-46-0024: McNeil Consumer Healthcare (7050 Camp Hill Road, Fort Washington, PA 19034) on January 12, 2000, for operation of a dust collection system in Whitmarsh Township, **Montgomery County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-30-072C: Consol Pennsylvania Coal Co. (1800 Washington Road, Pittsburgh, PA 15241) on January 4, 2000, for modification of the wash plant to increase the plant capacity of raw coal at the coal preparation facility at Bailey Prep Plant in Richhill Township, **Greene County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-062A: Slippery Rock University of Pennsylvania (Slippery Rock, PA 16057-1326) on January 11, 2000, for modification of Boilers No. 1 and 2 in Slippery Rock, **Butler County**.

PA-25-952B: Bush Industries of PA, Inc. (2455 Robinson Road West, Erie, PA 16509) on January 7, 2000, for installation of a baghouse on Woodworking System No. 5 in Erie, **Erie County**.

PA-37-051C: Reactive Metals & Alloys Corp. (Route 168, West Pittsburg, PA 16160) on January 18, 2000, for modification to Plan Approval 37-399-011 in West Pittsburg, **Lawrence County**.

PA-10-270A: International Specialty Alloys (Route 551, Edinburg, PA 16116) on January 14, 2000, for operation of an existing thermite and aluminothermic reduction process in North Beaver Township, **Lawrence County**.

PA-43-316A: Atlantic States Materials of PA, Inc. (State Route 19, Mercer, PA 16137) on January 25, 2000, for operation of an existing aggregate processing facility in East Lackawannock Township, **Mercer County**.

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-46-0018: Brown Printing Co. (668 Gravel Pike, East Greenville, PA 18041) on January 10, 2000, for

operation of a web offset, heat set printing press in Upper Hanover Township, **Montgomery County**.

PA-09-0063: New Hope Crushed Stone (6970 Phillips Mill Road, New Hope, PA 18938) on January 10, 2000, for operation of two new diesel electric generators in Solebury Township, **Bucks County**.

PA-46-0182: Rotoflex Technology Inc. (92B County Line Road, Colmar, PA 18915) on January 10, 2000, for operation of a chrome plating process in Hatfield Township, **Montgomery County**.

46-322-007: Waste Management Disposal Services of PA (1425 Sell Road, Pottstown, PA 19464) on January 10, 2000, for operation of a municipal solid waste landfill in West Pottsgrove Township, **Montgomery County**.

PA-15-0026: American Inks & Coatings Corp. (Pawlings Road, Schuylkill, PA 19460) on January 11, 2000, for operation of a specialty clear coat manufacturing in Schuylkill Township, **Chester County**.

46-302-207: Occidental Chemical (Armand Hammer Boulevard, Pottstown, PA 19464) on January 11, 2000, for operation of three 98 MMBtu/hr boilers in Lower Pottsgrove Township, **Montgomery County**.

46-313-115: SmithKline Beecham Pharmaceuticals (709 Swedeland Road, King of Prussia, PA 19406) on January 11, 2000, for operation of a Centrifuge and Reactor Exhausts in Upper Merion Township, **Montgomery County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

14-313-038: Rutgers Organics Corp. (201 Struble Road, State College, PA 16801) on January 4, 2000, for operation of a chemical process facility (Product 514) on a temporary basis until May 3, 2000, for construction of a "spill over" vessel (T0130), to authorize the use of a lower minimum concentration caustic soda solution (14% versus 20%) in scrubber S0401, to authorize the replacement of the scrubbing solution in scrubber S0401 every other production batch instead of every batch, to regulate the scrubbing solution in scrubber S0107 on a pH basis instead of a reagent concentration basis, to authorize the use of a lower minimum scrubbing solution recirculation rate in scrubber S0107 (10 gpm versus 15 gpm), to regulate the scrubbing solution in scrubber S0106A on a pH and oxidation/reduction potential basis instead of a reagent concentration basis, to authorize the use of a lower minimum scrubbing solution recirculation rate in scrubber S0106A (80 gpm versus 90 gpm), to require the use of a second reagent, sodium hydrosulfide, in the scrubbing solution used in scrubber S0106B, to regulate the scrubbing solution in scrubber S0106B on a pH and oxidation/reduction potential basis instead of a reagent concentration basis and to authorize the use of a lower minimum scrubbing solution recirculation rate in scrubber S0106B (40 gpm versus 50 gpm) in College Township, **Centre County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-171A: Butler Color Press (119 Bonnie Drive, P. O. Box 31, Butler, PA 16003) on January 31, 2000, for a web offset heatset printing press in Butler and Summit Townships, **Butler County**.

PA-16-132A: Temple-Inland Forest Products Corp. (1 Fiberboard Avenue, Shippenville, PA 16254) on January 31, 2000, for a regenerative thermal oxidizer in Paint Township, **Clarion County**.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 410 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Coal Permits Issued

54931601T. Sherman Coal Company, Inc. (P. O. Box 93, Elysburg, PA 17824), transfer of an existing coal preparation plant in Frailey Township, **Schuylkill County** affecting 9.9 acres, receiving stream—none. Transfer issued January 13, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

16950101. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous strip operation in Clarion and Limestone Townships, **Clarion County** affecting 43.3 acres. This renewal is issued for reclamation only. Receiving streams: Two unnamed tributaries of Piney Creek. Application received: November 17, 1999. Permit Issued: January 11, 2000.

33850118. Alvin Gearhart (307 Treasure Lake, DuBois, PA 15801) Renewal of an existing bituminous strip operation in Winslow Township, **Jefferson County** affecting 220.0 acres. Receiving streams: Three unnamed tributaries of Soldier Run. Application received: July 9, 1999. Permit Issued: January 11, 2000.

24813008. Tamburlin Bros. Coal Co., Inc. (P. O. Box 1419, Clearfield, PA 16830) Renewal of an existing bituminous strip, auger and clay removal operation in Horton and Snyder Townships, **Elk and Jefferson Counties** affecting 458.0 acres. This renewal is issued for reclamation only. Receiving streams: Coal Hollow Run, Mead Run and Little Toby Creek. Application received: November 5, 1999. Permit Issued: January 11, 2000.

24990101. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824) Commencement, operation and restoration of a bituminous strip and auger operation in Horton Township, **Elk County** affecting 588.0 acres. Receiving streams: Unnamed tributary to Mead Run and Mead Run; Unnamed tributary to Little Toby Creek. Application received: May 14, 1999. Permit Issued: January 13, 2000.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

32840111. Permit Renewal for reclamation only, **M. B. Energy, Inc.** (175 McKnight Road, Blairsville, PA 15717-7960), for continued restoration of a bituminous surface-auger mine in West Wheatfield Township, **Indiana County**, affecting 203.1 acres, receiving stream unnamed tributaries of Ramsey Run and Ramsey Run, application received December 27, 1999, issued January 14, 2000.

05803009. Permit Renewal for reclamation only, **Dash Coal Company, Inc.** (R. D. 2, Box 55A, Dunbar, PA 15431), for continued restoration of a bituminous surface mine in Broadtop Township, **Bedford County**, affecting 494.3 acres, receiving stream to unnamed tributary of Great Trough Creek and to Great Trough Creek, application received January 6, 2000, issued January 14, 2000.

32950103. Permit Renewal for reclamation only, **Marquise Mining Corporation** (3889 Menoher Blvd., Johnstown, PA 15905), for continued restoration of a bituminous surface mine in Center Township, **Indiana County**, affecting 50.0 acres, receiving stream unnamed tributary to Tearing Run, application received January 10, 2000, issued January 14, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

63940102T. Mulligan Mining, Inc. (5945 Pudding Stone Lane, Bethel Park, PA 15102). Permit transferred from Bologna Coal Company for continued operation and reclamation of a bituminous surface mine located in Smith Township, **Washington County**, affecting 108.5 acres. Receiving streams: ephemeral drainage to Burgetts Fork to Raccoon Creek and unnamed tributary to Raccoon Creek to Ohio River. Application received: August 26, 1999. Permit transfer issued: January 12, 2000.

26980101. Marquise Mining Corp. (3889 Menoher Blvd., Johnstown, PA 15905). Permit issued for commencement, operation and reclamation of a bituminous surface/auger mine located in Franklin Township, **Fayette County**, affecting 170 acres. Receiving streams: unnamed tributary to Bolden Run to Redstone Creek to Monongahela River. Application received: July 1, 1998. Permit issued: January 14, 2000.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17990903. G & S Timber, Inc. (P. O. Box 207, Curwensville, PA 16833), commencement, operation and restoration of an Incidental Coal Extraction permit in Bigler Township, **Clearfield County** affecting 7.3 acres. Receiving streams: unnamed tributary to Upper Morgan Run. Application received August 9, 1999. Permit issued January 6, 2000.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Small Noncoal (Industrial Mineral) Permits Issued

53990804. Kelly W. Crosby (11 Quimby Road, Coudersport, PA 16915), commencement, operation and restoration of a Small Industrial Minerals (Bluestone) permit in Eulalia Township, **Potter County** affecting 1.0 acre. Receiving streams: South Hollow to Mill Creek. Application received October 25, 1999. Permit issued January 6, 2000.

41990802. Thomas J. Woodhead (170 Fink Drive, Montoursville, PA 17754), commencement, operation and restoration of a Small Industrial Minerals (Shale) permit in Eldred Township, **Lycoming County** affecting 2 acres. Receiving streams: unnamed tributary to Mill Creek. Application received September 24, 1999. Permit issued January 6, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Permits Issued

62990303. Allegheny Aggregate, Inc. (R. D. 2, Box 227, Pittsfield, PA 16340). Commencement, operation and restoration of a sand and gravel operation in Pittsfield Township, **Warren County** affecting 108.6 acres. Receiving streams: None. Application received: May 14, 1999. Permit Issued: January 11, 2000.

37980305. Slippery Rock Materials, Inc. (R. D. 2, Box 228, Golf Course Road, Volant, PA 16156). Commencement, operation and restoration of a topsoil and sand and gravel operation in Plain Grove Township, **Lawrence County** affecting 96.5 acres. Receiving streams: Unnamed tributary to Taylor Run and Taylor Run. Application received: December 17, 1998. Permit Issued: January 10, 2000.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Large Noncoal (Industrial Mineral) Permits Issued

59910301. Clifford Cross, Jr. (P. O. Box 240, Mainesburg, PA 16932), renewal of NPDES permit number PA 0206580 on an existing Large Industrial Minerals (Sand and Gravel) permit in Delmar Township, **Tioga County** affecting 16 acres. Application received September 9, 1999. Permit issued January 6, 2000.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 697.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(s)). (Note: Permits issued for Small Projects do not include 401 certification, unless specifically stated in the description.)

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permits Issued

Permit No. E65-740. Encroachment. **Albert Abels**, 5185 Mamont Road, Murrysville, PA 15668. To operate and maintain a 30-foot long, 5-foot diameter aluminized steel pipe (invert depressed 6 inches) in Haymakers Run (HQ-CWF) located on a driveway off of Mamont Road at a point approximately 1 mile east of the intersection of Mamont Road and Sardis Road. The project includes construction of approximately 16 L.F. of riprap bank protection (Murrysville, PA Quadrangle N: 16.00 inches; W: 3.5 inches) in Murrysville Borough, **Westmoreland County**. The structure was constructed under Emergency Permit No. EP6599204 issued on September 7, 1999. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E02-1294. Encroachment. **The Public Auditorium Authority of Pittsburgh and Allegheny County**, Regional Resource Center Suite 1410, 425 Sixth Avenue, Pittsburgh, PA 15219. To construct and maintain the North Shore Infrastructure Project within the flood plain of the Allegheny and Ohio Rivers (WWF). The project consists of roadway improvements associated with access to PNC Park and the Steeler Stadium, along with the demolition of the existing Three Rivers Stadium. The project area is bounded by the Allegheny and Ohio Rivers to the south and west, the elevated S. R. 0065 expressway to the north and Federal Street to the east (Pittsburgh West PA Quadrangle N: 13.0 inches; W: 1.5 inches) in the City of Pittsburgh, **Allegheny County**.

E32-410. Encroachment. **Indiana County Commissioners**, 825 Philadelphia Street, Indiana, PA 15701-3942. To remove the existing structure known as Kelly Bridge No. 29B and to construct and maintain a bridge having a clear span of 19.41 meters and an underclearance of 3.00 meters across South Branch Plum Creek (CWF) located on T-359 at a point approximately 0.16 km south of its intersection with S. R. 4009. The project includes construction and maintenance of temporary cofferdams and rip rap in the channel for an approximate length of 25 meters (Ernest, PA Quadrangle N: 17.4 inches; W: 16.25 inches) in Washington Township, **Indiana County**.

E03-381 A1. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 10-0, P. O. Box 429, Indiana, PA 15701. To amend permit E03-381 and to construct and maintain stream bank stabilization and fish habitat improvements to nineteen locations along Cowanshannock Creek (TSF) for the purpose of mitigation for aquatic habitat loss associated with the Kittanning Bypass highway project. This stream work is located within 1 mile downstream from the Sunnyside Bridge (S. R. 0085); (Begin: Mosgrove, PA Quadrangle N: 11.9 inches; W: 13.2 inches; End: Mosgrove, PA

Quadrangle N: 12.3 inches; W: 15.2 inches) in Rayburn Township, **Armstrong County**.

E04-212. Encroachment. **C & C Marine Maintenance Company, Inc.**, Box 118, Georgetown, PA 15043. To amend Permit No. E04-212 to construct an additional 1,170.0 foot long by 230.0 foot wide barge mooring facility (as measured from the normal pool elevation) in the channel of and along the right bank of the Ohio River (WWF) located between River Miles 38 and 39 (Midland, PA Quadrangle N: 3.9 inches; W: 15.1 inches) in Ohioville Borough, **Beaver County**.

E65-744. Encroachment. **Robert W. Carlson**, 5175 Mamont Road, Murrysville, PA 15668. To operate and maintain a 6-inch depressed 60-inch corrugated metal pipe culvert in Haymakers Run (HQ-CWF) authorized for construction under Emergency Permit No. EP6599206 for the purpose of providing access to a residence. The project is located off of Mamont Road (Murrysville, PA Quadrangle N: 16.0 inches; W: 3.7 inches) in the Municipality of Murrysville, **Westmoreland County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E02-1290. Encroachment. **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237. To construct and maintain a 160 foot long pipe arch culvert having a span of 10.25 feet with underclearance of 6.75 feet (depressed 1.0 foot) in an unnamed tributary to Pine Creek (CWF), to relocate and maintain approximately 45 feet of an unnamed tributary to Pine Creek, and to place and maintain fill in approximately 0.28 acre of wetlands (PEM/PSS) for the purpose of constructing a management and maintenance facility located approximately 1,600 feet northwest from the intersection of McKnight Road and Arcadia Drive (Emsworth, PA Quadrangle N: 14.4 inches; W: 4.3 inches) in McCandless Township, **Allegheny County**. This permit also authorizes the construction and maintenance of two outfall structures, one temporary stream crossing, and two utility line stream crossings.

E02-1289. Encroachment. **Duquesne Light Company**, 411 Seventh Avenue, Pittsburgh, PA 15230-1930. To construct and maintain an aerial distribution line across the channel of the Ohio River (WWF) located at the northwest downstream end of Brunot Island near River Mile 2.85 for the purpose of providing power to ALCOSAN (Pittsburgh West, PA Quadrangle N: 17.5 inches; W: 6.6 inches) in the City of Pittsburgh, **Allegheny County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E63-476. Encroachment. **Washington County Commissioners**, Courthouse Square, 100 West Beau Street, Washington, PA 15301. To rehabilitate and maintain the existing Wheeling Bridge No. 19 (Longdon Bridge) having a total span of 50.0 feet with a minimum underclearance of 6.0 feet across Templeton Fork of Wheeling Creek (TSF) located on T-414, approximately 1,000 feet upstream from the confluence of said stream and Enlow Fork (Wind Ridge, PA Quadrangle N: 18.8 inches; W: 10.0 inches) in West Finley Township, **Washington County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-306. Encroachment. **Louis Birckbichler**, 1355 Chicora Road, Chicora, PA 16025. To construct and maintain a 60-foot-long, 10-foot-diameter culvert in Buffalo Creek for a private driveway approximately 160 feet

north of S. R. 68 west of Chicora behind the existing Servistar Hardware Store (East Butler, PA Quadrangle N: 13.0 inches; W: 0.8 inch) located in Donegal Township, **Butler County**. This application includes a de minimus wetland impact (0.043 acre) associated with roadway fill.

E24-210. Encroachment. **City of St. Marys**, P. O. Box 1994, St. Marys, PA 15857. To remove the existing 4th Street bridge and to excavate sediment from a total reach of approximately 300 feet of the channel of Elk Creek beginning 50 feet upstream and extending 200 feet downstream of the bridge, to remove an existing abandoned railroad bridge and to construct and maintain a concrete box culvert having a 24-foot-wide by 5-foot-high waterway opening in Elk Creek on 4th Street and to replace and maintain a 12 or 15-inch-diameter sanitary sewer line cast into the bottom of the box culvert (St. Marys, PA Quadrangle N: 7.6 inches; W: 10.0 inches) located in City of St. Marys, **Elk County**.

ENVIRONMENTAL ASSESSMENT

ENVIRONMENTAL ASSESSMENT APPROVAL AND ACTIONS ON 401 CERTIFICATION

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D55-002EA. Environmental Assessment. **Daniel Edelman** (207 North Wausau Road, Middleburg, PA 17842). To breach and remove the Franklin Mill Dam across Middle Creek (TSF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 2000 feet upstream of the bridge carrying S. R. 522 and S. R. 104 across Middle Creek (Middleburg, PA Quadrangle N: 6.25 inches; W: 6.45 inches) in Middleburg Borough, **Snyder County**.

WATER QUALITY CERTIFICATION

Final Actions under Section 401 of the Federal Water Pollution Control Act

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

These actions of the Department may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Environmental Hearing Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Responsible Office: Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

Certification Request Initiated By: Department of the Army, Philadelphia District, Corps of Engineers, Wanamaker Building, 100 Penn Square East, Philadelphia, PA 19107-3390.

Project Description/Location: This activity involves the Schuylkill River Maintenance Dredging project. Dredging would take place within Fairmount Park, at three locations between Strawberry Bridge downstream to Fairmount Dam, in the City of Philadelphia. The first location is a shallow shoal area on the downstream side of Peter's Island, which is a section of a scull boat race-course. The second site is the raw water intake for the City of Philadelphia, located on the west shore of the Schuylkill River. The third site is around and under small, floating wooden docks in front of Boathouse Row. A total of approximately 32,000 cubic yards of material will be removed by a small hydraulic cutter-head dredge. The material will be transported through metal piping to Fairmount Dam, where it will be pumped into barges on the downstream side of the dam, in the tidal portion of the Schuylkill River. The barges will transport the sediment downstream to the Fort Mifflin confined disposal facility, near the mouth of the Schuylkill River and the Delaware Estuary—Zone 4, for unloading.

Final Action on Request: Certification Granted.

[Pa.B. Doc. No. 00-175. Filed for public inspection January 28, 2000, 9:00 a.m.]

Applications for the County Water Supply Planning Grant Program

The Department of Environmental Protection (Department) announces the opening of the application period for funding of the County Water Supply Planning Grant Program. This grant program is available to any county to develop a comprehensive county water supply plan.

The goal of this incentive grant program is to protect the public from the hazards of unsafe drinking water and assure safe and reliable water service to the citizens of the Commonwealth. County water supply planning can insure development of water supply systems in an efficient, cost-effective manner and promote early recognition of viability concerns by reaching developers, local officials and other key participants at an early stage of water system development.

This incentive grant program is funded from a State budget line item and grants are made under the authority of the Pennsylvania Safe Drinking Water Act (35 P. S. 721.1—721.17) and section 1905-A(a) of The Administrative Code of 1929. This grant program will provide money to eligible applicants for the preparation of a county water supply plan, or updating an existing plan.

Grant awards are limited to 80% of all Department approved project costs or \$100,000, whichever is less. The grantee must provide local share in the form of matching funds or in-kind services at a minimum of 20% of the total project costs.

The application period is from February 1, 2000, to February 29, 2000. Grants will be awarded on a competitive basis based on complete applications which best meet the criteria contained in the grant guidelines established by the Department.

For more information or to obtain the grant guidelines and application, contact the Department of Environmental Protection, Bureau of Water Supply Management, Division of Technical Assistance and Outreach, Small Water Systems Technical Assistance Center, P. O. Box

8467, Harrisburg, PA 17105-8467 or call Donna L. Green at (717) 787-0125 or E-mail Green.Donna@dep.state.pa.us.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-176. Filed for public inspection January 28, 2000, 9:00 a.m.]

Availability of Draft Section 303(d) List of Impaired Waters

The Department of Environmental Protection (Department) is making available for public comment a draft list for the Year 2000 of waterbodies in the Commonwealth with impaired water quality. The list is required by section 303(d) of the Federal Clean Water Act.

The Department has an ongoing program to assess the water quality of waters in the Commonwealth. Streams and other bodies of water that do not meet water quality standards are identified as impaired along with the reason for impairment—point sources, such as industrial or wastewater discharges or nonpoint sources, such as abandoned mine drainage or agricultural runoff.

Section 303(d) of the Federal Clean Water Act and 40 CFR Part 130 require states to determine waters which would still be impaired, even after the appropriate technology has been applied to point sources and required best management practices are in place for nonpoint sources. Waterbodies that do not meet water quality standards after this evaluation are required to be put on the section 303(d) list of impaired waters.

For each waterbody on the section 303(d) list, the state or the United States Environmental Protection Agency (EPA) must develop total maximum daily load (TMDL) allocations. If a TMDL has already been approved for a waterbody, that waterbody is not listed.

A TMDL is a calculation of the assimilative capacity of a waterbody to handle point and nonpoint pollutant loads without violating water quality standards. TMDLs also describe the conditions necessary to improve water quality. TMDLs are used to set limits in NPDES water quality permits and identify where best management practices for nonpoint sources are necessary to improve and protect water quality.

Waterbody assessments and the listing on the section 303(d) list is an ongoing process. The Department will continue to verify the quality of data on waterbodies on the list and, as needed, will publish supplements to the list for public review and comment.

The Department will consider all public comments regarding the validity of the data and the appropriateness of placing waterbodies on the draft list. The final list will be submitted to EPA for approval.

The draft section 303(d) list for the Year 2000 was developed using information from stream and lake surveys and other sources, including the Department's Unassessed Waters Program, the Water Quality Assessment Process, the Nonpoint Source Program, and existing and readily available data submitted by external groups and agencies.

The draft section 303(d) list is available on the Department Web Site at www.dep.state.pa.us by selecting Subjects/Water Quality Assessment and Standards. Cop-

ies of the draft 303(d) list may be obtained from Mary Houghton, Division of Water Quality Assessment and Standards, Bureau of Watershed Conservation, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-9637 or by E-mail to houghton.mary@dep.state.pa.us.

Persons wishing to comment on the draft list may do so in writing to the Bureau of Watershed Conservation or by E-mail to the noted address no later than March 14, 2000. Comments received by facsimile will not be accepted.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Mary Houghton directly at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TTD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-177. Filed for public inspection January 28, 2000, 9:00 a.m.]

Availability of Technical Guidance

Technical Guidance Documents are on DEP's World Wide Web site (www.dep.state.pa.us) at the Public Participation Center. The "1999 Inventory" heading is the Governor's List of Nonregulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 2000.

Ordering Paper Copies of DEP Technical Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Final Guidance

DEP ID: 013-2000-001 Title: Policy for the DEP Money-Back Guarantee Permit Review Program Description: In 1995, this policy was prepared in response to Executive Order (1995-5) which established processing times for certain DEP permits. In short, this policy states that if the Department fails to meet the processing time published, the Department will refund the permit processing fee. The recent changes to the Money-Back Guar-

antee Review Program clarify the reading of the information and of the overall (existing) process involved. Section I, C, Updates to Website is a newly added section. Effective Date: January 14, 2000 Contact: Kim Nelson at (717) 783-8552 or by fax (717) 783-8926, or Email at Hoke.Wanita@dep.state.pa.us.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-178. Filed for public inspection January 28, 2000, 9:00 a.m.]

Corrections to General Plan Approval and General Operating Permit for Portable Nonmetallic Mineral Processing Plants; BAQ-PGPA/GP-3

The Department of Environmental Protection (Department) has corrected Condition 2 (relating to applicability/source coverage limitations) of General Plan Approval and General Operating Permit for portable nonmetallic mineral processing plants (BAQ-PGPA/GP-3). The corrected version of Condition 2, shown as follows, reflects the proposed revisions published at 28 Pa.B. 3997-3998 (August 15, 1998).

* * * * *

2. *Applicability/Source Coverage Limitations*—Approval herein granted under this Portable Nonmetallic Mineral Processing General Permit is limited to the erection, operation, and modification of portable nonmetallic mineral processing plants: a) which are temporarily (no longer than 24 months) located at construction sites; or, b) which are located at sites for which the applicant is in possession of a valid mining permit or an air quality permit exists for the operation of a nonmetallic mineral processing plant; and, which will be located at these previously permitted sites for periods less than 5 years. Nonmetallic mineral processing plants, as defined in 40 CFR 60.671, means any combination of equipment that is used to crush or grind any nonmetallic mineral. Nonmetallic mineral processing plants are designed to process nonmetallic minerals, and consist of affected units like crushers, grinders, screening operations, belt conveyors, bucket elevators, storage bins, bagging operations, and enclosed truck and rail car loading stations. Nonmetallic mineral processing plants also include any engines required to operate this equipment.

* * * * *

Copies of the corrected version of BAQ-PGPA/GP-3 and an application form may be obtained by contacting Kimberly Maneval, Bureau of Air Quality, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325.

The documents have also been placed on the Department's Web site and can be accessed at <http://www.dep.state.pa.us>, select Subject, Air Quality, General Permits and Applications.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-179. Filed for public inspection January 28, 2000, 9:00 a.m.]

Plan Approval and Operating Permit Exemptions

Under 25 Pa. Code § 127.14, the Department of Environmental Protection (Department) may determine sources or classes of sources to be exempt from the plan approval and permitting requirements of 25 Pa. Code Chapter 127. A listing of these exemptions was last published in the *Pennsylvania Bulletin* at 29 Pa.B. 2078, April 17, 1999. Notice is hereby given that, in accordance with § 127.14(d), the listing of these determinations is being revised and is available for public comment. After a 30-day comment period, the revised plan approval and operating permit exemption listings will be published in final form in the *Pennsylvania Bulletin*. Comments received by facsimile will not be accepted. Comments may be submitted electronically by e-mail to lesher.douglas@dep.state.pa.us.

The following addition is proposed for the Plan Approval Exemption List as published in the *Pennsylvania Bulletin* on (April 17, 1999):

Mobile equipment repair and refinishing facilities

Final-form regulations for mobile equipment repair and refinishing facilities became effective at 29 Pa.B. 6003 (November 27, 1999). These regulations establish limitations for VOC content of finishes, along with equipment specifications and work practice recommendations. The final rulemaking deleted the proposed permitting requirement because it was determined not to be a cost-effective way to implement the program. Alternatively, these regulations will be implemented through an educational outreach campaign and traditional enforcement measures.

Revisions to Exemption Criteria for Operating Permits

Proposed revisions to the plan approval and operating permit exemption listings provide an exemption from the operating permit requirement for residential wood stoves, asbestos demolition/renovation sites, mobile equipment repair and refinishing facilities, and retail gasoline stations. Revisions shown in the following italicize proposed additions and bracket text proposed for deletion.

Exemption Criteria for Operating Permits

A Title V operating permit is needed by all facilities which have the potential to emit (PTE) exceeding the levels described in the definition of "Title V facility." A state-only operating permit is needed for facilities which do not have a PTE which exceeds the Title V facility thresholds, but which has actual emissions equal to or exceeding the facility levels summarized below. An existing facility which does not have a PTE exceeding the Title V facility thresholds and which does not have actual emissions exceeding the levels shown, is exempt from the requirement to obtain an operating permit.

State-Only Operating Permit Facility Exemptions

<i>Pollutant</i>	<i>PTE<</i>	<i>Actual Emission Rate<</i>
CO	100 TPY	20 TPY
NO _x	100 TPY*	10 TPY
SO _x	100 TPY	8 TPY
PM ₁₀	100 TPY	3 TPY
VOCs	50 TPY*	8 TPY
Single HAP	10 TPY	1 TPY
Multiple HAPs	25 TPY	2.5 TPY

*25 TPY for Severe Ozone NA areas including Bucks, Chester, Delaware, Montgomery and Philadelphia counties.

Sources listed in the plan approval exemption list should be included in an operating permit application unless it is also included in the trivial activities list.

[At present there are only two permanently exempted source categories. These categories include residential wood stoves and asbestos demolition/renovation sites. [Ref. Section 127.504(d)].]

Exempted Facility and Source Categories for Operating Permits

Unless preclude by the Clean Air Act, or the regulations thereunder, the following facilities and source categories are exempted from the operating permit requirements of 25 Pa. Code § 127.402.

1. Residential wood stoves.
2. Asbestos demolition/renovation sites.
3. Mobile equipment repair and refinishing facilities.
4. Retail gasoline stations.

* * * * *

In addition, revisions to the exemption listings extend the deferral date for area sources subject to the National Emission Standards for Hazardous Air Pollutants until December 9, 2004. This deferral date is consistent with the extension granted by the U. S. Environmental Protection Agency on December 14, 1999. (See 64 FR 69637)

Copies of the proposed revisions to the Plan Approval and Operating Permit Exemptions List may be obtained by contacting Kimberly Maneval, Division of Permits, Bureau of Air Quality, 12th Floor Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. TDD users may telephone the Department through the AT&T Relay Service, (800) 654-5984. Internet users can access a copy of the general permit at <http://www.dep.state.pa.us>. Choose Public Participation, Proposals Open for Comment, Draft—Other Proposals, Plan Approval and Operating Permit Exemptions.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-180. Filed for public inspection January 28, 2000, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Policy Board Meetings

The Health Policy Board has set its calendar for the year 2000. The meeting dates are scheduled as follows:

- March 8, 2000
- June 14, 2000
- September 13, 2000
- December 13, 2000

All meetings will begin at 10 a.m. in Room 812, Health and Welfare Building, 7th & Forster Streets, Harrisburg, PA.

These meetings are subject to cancellation without notice.

For additional information or for persons with a disability who desire to attend the meeting and require an auxiliary aid service or other accommodation to do so, contact Robin Bowman at (717) 783-2500, V/TT (717)

783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 00-181. Filed for public inspection January 28, 2000, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department of Health. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to hunting or furtaking under the influence of alcohol or controlled substance), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 363-8500.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

Abington Memorial Hospital-S
1200 Old York Road
Abington, PA 19001
215-576-2350

ACT Lab Services, Inc.-SC
270 Commerce Drive Fort
Washington, PA 19034
215-283-6370

Albert Einstein Medical Center North-SC
5501 Old York Road
Philadelphia, PA 19141
215-456-6100

Allegheny County Division of Labs., Toxicology Section-S
10 County Office Building
Pittsburgh, PA 15219
412-350-6873

Allegheny General Hospital Dept. Lab. Med.-S
320 East North Avenue
Pittsburgh, PA 15212
412-359-3521

Altoona Hospital-S
620 Howard Avenue
Altoona, PA 16601
814-946-2340

American Medical Laboratories-SC
14225 Newbrook Drive
Chantilly, VA 20153
703-802-6900

Ammon Analytical Laboratory-SC
600 Bloy Street
Hillside, NJ 07205
908-624-0004

Analytic Biochemistries, Inc.-SC
1680-D Loretta Avenue
Feasterville, PA 19053
215-322-9210

Associated Clinical Laboratories-SC
1526 Peach Street
Erie, PA 16501
814-461-2400

AUH-Forbes Regional Health Center-S
2570 Haymaker Road
Monroeville, PA 15146
412-858-2560

Ayer Clinical Lab-Penn Hospital-S
Eighth and Spruce Streets
Philadelphia, PA 19107
215-829-3541

Barnes Kasson County Hospital-S
400 Turnpike Street
Susquehanna, PA 18847
570-853-3135

Bendiner & Schlesinger, Inc.-SC
47 Third Avenue
New York, NY 10003
212-254-2300

Bio Reference Laboratories, Inc.-SC
481 Edward H. Ross Drive
Elmwood Park, NJ 07407
201-791-3600

Bon Secours-Holy Family Reg. Health-S
2500 Seventh Avenue
Altoona, PA 16602
814-949-4495

Braddock Medical Center-S
412 Holland Avenue
Braddock, PA 15104
412-636-5000

Bradford Hospital-S
116-156 Interstate Parkway
Bradford, PA 16701
814-834-8282

Brandywine Hospital and Trauma Center-S
Route 30 Bypass
Coatesville, PA 19320
610-383-8000

Brownsville General Hospital-S
125 Simpson Road
Brownsville, PA 15417
724-785-7200

Canonsburg General Hospital-S
R. D. 1, Box 147, Route 519
Canonsburg, PA 15317
724-745-6100

Carlisle Hospital-S
245 Parker Street
Carlisle, PA 17013
717-249-1212

Cedar Crest Emergicenter-S
1101 South Cedar Crest Blvd.
Allentown, PA 18103
610-433-4260

Centre Community Hospital-S
1800 East Park Avenue
State College, PA 16803
814-234-6117

Chambersburg Hospital-S
112 North Seventh Street
Chambersburg, PA 17201
717-267-7152

Charles Cole Memorial Hospital-S
R. D. 1, Box 205
Coudersport, PA 16915
814-274-9300

Chester County Hospital-S
701 East Marshall Street
West Chester, PA 19380
610-431-5182

Chestnut Hill Hospital-S
8835 Germantown Avenue
Philadelphia, PA 19118
215-248-8630

Children's Hospital of Philadelphia-S
One Children's Center, 34th & Civic Center Blvd.
Philadelphia, PA 19104
215-590-1000

City Avenue Hospital-S
4150 City Avenue, Dept. of Pathology
Philadelphia, PA 19131
215-871-1000

Clarion Hospital-S
1 Hospital Drive
Clarion, PA 16214
814-226-9500

Clinical Laboratories, Inc.-SC
901 Keystone Industrial Park
Throop, PA 18512
570-346-1759

Clinical Science Laboratory, Inc.-S
51 Francis Avenue
Mansfield, MA 02048
508-339-6106

Community Hospital of Lancaster-S
1100 East Orange Street
Lancaster, PA 17602
717-397-3711

Community Medical Center-S
1822 Mulberry Street
Scranton, PA 18510
570-969-8000

Conemaugh Valley Memorial Hospital-S
1086 Franklin Street
Johnstown, PA 15905
814-534-9000

Corporate Health Services-S
1914 Mercer Avenue
Farrell, PA 16121
724-346-6425

Corry Memorial Hospital-S
612 West Smith Street
Corry, PA 16407
814-664-4641

Crozer-Chester Medical Center-S
1 Medical Center Blvd.
Upland, PA 19013
610-447-2000

De John Med Laboratory, Inc.-S
1570 Garrett Road
Upper Darby, PA 19082
610-626-2112

Delaware County Memorial Hospital-S
501 North Lansdowne Avenue
Drexel Hill, PA 19026
610-284-8100

Department of Pathology & Lab Med-HUP-SC
3400 Spruce Street
Philadelphia, PA 19104
215-662-6880

Doylestown Hospital-S
595 West State Street
Doylestown, PA 18901
215-345-2250

DrugScan, Inc.-SC
1119 Mearns Road, P. O. Box 2969
Warminster, PA 18974
215-674-9310

DrugScan, Inc.-Limerick Division-S
Sanatoga & Evergreen Roads
Sanatoga, PA 19464
610-327-1200

DrugScan, Inc.-Peach Bottom Division-S
1848 Lay Road (Atom Road)
Delta, PA 17314
717-456-3026

Easton Hospital-S
250 South 21st Street
Easton, PA 18042
610-250-4140

Elk Regional Health Center, Inc.-S
94 Hospital Street
Ridgway, PA 15853
814-788-5530

Elk Regional Health Center, Inc.-S
763 Johnsonburg Road
Saint Marys, PA 15857
814-788-8179

Episcopal Hospital-S
100 East Lehigh Avenue
Philadelphia, PA 19125
215-427-7333

Evangelical Community Hospital-S
1 Hospital Drive
Lewisburg, PA 17837
570-522-2510

Fitness for Duty Center-S
Pennsylvania Power and Light Company
P. O. Box 467
Berwick, PA 18603
570-542-3336

Frankford Hospital-Bucks County Campus-S
380 North Oxford Valley Road
Langhorne, PA 19047
215-934-5227

Frankford Hospital-Frankford Division-S
Frankford Avenue and Wakeling Street
Philadelphia, PA 19124
215-831-2068

Frankford Hospital-Torresdale Division-S
Knights and Red Lion Roads
Philadelphia, PA 19114
215-612-4000

Frick Hospital and Community Health Center-S
508 S. Church Street
Mount Pleasant, PA 15666
724-547-1500

Friends Hospital-S
4641 Roosevelt Blvd.
Philadelphia, PA 19124
215-831-4771

Friends Medical Lab, Inc.-SC
5820 Southwestern Blvd.
Baltimore, MD 21227
412-247-4417

Garcia Laboratory-S
2195 Spring Arbor Road
Jackson, MI 49203
517-787-9600

Geisinger Medical Center-SC
North Academy Road
Danville, PA 17822
570-271-6338

Gnaden Huetten Memorial Hospital-S
11th and Hamilton Streets
Lehighton, PA 18235
610-377-1300

Good Samaritan Hospital-S
4th and Walnut Streets, PO Box 1281
Lebanon, PA 17042
717-270-7500

Good Samaritan Regional Medical Center-S
700 East Norwegian Street
Pottsville, PA 17901
570-621-4032

GPU Nuclear Corp., TMI Med. Dept.-S
P. O. Box 480
Middletown, PA 17057
717-948-8189

Graduate Hospital-S
1800 Lombard Street
Philadelphia, PA 19146
215-893-2240

Guthrie Clinic Path Lab-S
Guthrie Square
Sayre, PA 18840
570-888-5858

Graham-Massey Analytical Labs-SC
60 Todd Road
Shelton, CT 06484
203-926-1100

Hahnemann University Hospital-S
Broad and Vine Streets, MS 113
Philadelphia, PA 19102
215-762-1783

Harrisburg Hospital-S
South Front Street
Harrisburg, PA 17101
717-782-3131

Hazleton General Hospital-S
East Broad Street
Hazleton, PA 18201
570-450-4156

Health Network Laboratories-SC
2024 Lehigh Street
Allentown, PA 18103
610-402-8150

Health Quest Medical Laboratories, Inc.-S
2089 East High Street
Pottstown, PA 19464
610-327-2520

Holy Redeemer Hospital-S
1648 Huntingdon Pike
Meadowbrook, PA 19046
215-947-3000

Holy Spirit Hospital-SC
503 North 21st Street
Camp Hill, PA 17011
717-763-2206

Horizon Hospital System-Greenville Campus-S
110 North Main Street
Greenville, PA 16125
724-588-2100

Horizon Hospital System-Shenango Campus-S
2200 Memorial Drive
Farrell, PA 16121
724-981-3500

Indiana Hospital Dept. Lab. Med.-S
P. O. Box 788
Indiana, PA 15701
724-357-7167

J.C. Blair Memorial Hospital-S
Warm Springs Avenue
Huntingdon, PA 16652
814-643-8645

Jeanes Hospital-S
7600 Central Avenue
Philadelphia, PA 19111
215-728-2347

Jersey Shore Hospital-S
1020 Thompson Street
Jersey Shore, PA 17740
570-398-0100

John F. Kennedy Memorial Hospital-S
Cheltenham and Langdon Streets
Philadelphia, PA 19124
215-831-7203

Kensington Hospital-S
136 West Diamond Street
Philadelphia, PA 19122
215-426-8100

Lab Corp Occupational Testing Services-SC
4022 Willow Lake Blvd
Memphis, TN 38118
901-795-1515

Lab Corp Occupational Testing Services-SC
1904 Alexander Drive
Research Triangle Park, NC 27709
919-549-8263

Lab Corp of America Holdings-SC
69 First Avenue - P. O. Box 500
Raritan, NJ 08869
201-526-2400

LabOne, Inc.-SC
10101 Renner Boulevard
Lenexa, KS 66219
913-888-1770

Laboratory Specialists, Inc.-SC
1111 Newton Street
Gretna, LA 70053
504-361-8989

Lancaster General Hospital-Susquehanna Division-S
306 North Seventh Street
Columbia, PA 17512
717-684-2841

Lancaster General Hospital-S
555 North Duke Street- PO Box 3555
Lancaster, PA 17603
717-299-5511

Latrobe Area Hospital-S
West Second Avenue
Latrobe, PA 15650
724-537-1550

Lewistown Hospital-S
Highland Avenue
Lewistown, PA 17044
717-248-5411

Lock Haven Hospital-S
24 Cree Drive
Lock Haven, PA 17745
570-893-5000

Magee Women's Hospital-S
Forbes Avenue and Halket Street
Pittsburgh, PA 15213
412-647-4651

Main Line Clinical Laboratories-Bryn Mawr CP-S
130 Bryn Mawr Avenue
Bryn Mawr, PA 19010
610-526-3554

Main Line Clinical Laboratories-Lankenau CP-S
100 East Lancaster Avenue
Wynnewood, PA 19096
610-645-2615

Main Line Clinical Laboratories-Paoli Memorial CP-S
255 West Lancaster Avenue
Paoli, PA 19301
610-648-1000

Meadville Medical Center-Liberty Street-S
751 Liberty Street
Meadville, PA 16335
814-336-3121

Medical College of Pennsylvania Hospital-S
3300 Henry Avenue
Philadelphia, PA 19129
215-842-6615

MedTox Laboratories, Inc.-SC
402 West County Road D
New Brighton, MN 55112
612-636-7466

Memorial Hospital Lab-S
1 Hospital Drive
Towanda, PA 18848
570-265-2191

Mercy Health Lab-Mercy Fitzgerald Hospital-S
Lansdowne Avenue and Bailey Road
Darby, PA 19023
610-237-4175

Mercy Health Lab-Mercy Hospital/Phila.-S
5301 Cedar Avenue
Philadelphia, PA 19143
215-748-9170

Mercy Health Partners-S
746 Jefferson Avenue
Scranton, PA 18510
570-348-7100

Mercy Hospital-S
25 Church Street
Wilkes-Barre, PA 18765
570-826-3100

Mercy Hospital Laboratory-S
Pride and Locust Streets
Pittsburgh, PA 15219
412-232-7831

Mercy Suburban Hospital-S
2701 Dekalb Pike
Norristown, PA 19404
610-278-2075

Methodist Hospital Div./TJUH, Inc.-S
2301 South Broad Street
Philadelphia, PA 19148
215-952-9059

Miner's Hospital-S
290 Haida Avenue
Hastings, PA 16646
814-948-7171

Monongahela Valley Hospital, Inc.-S
Country Club Road, Route 88
Monongahela, PA 15063
724-258-1000

Montgomery Hospital-S
Powell and Fornance Streets
Norristown, PA 19401
610-270-2173

Muncy Valley Hospital-S
215 East Water Street
Muncy, PA 17756
570-546-8282

Nason Hospital-S
Nason Drive
Roaring Spring, PA 16673
814-224-6215

National Med. Services STAT Tox Lab-SC
2300 Stratford Avenue
Willow Grove, PA 19090
215-748-1600

National Medical Services, Inc.-SC
3701 Welsh Road
Willow Grove, PA 19090
215-657-4900

Nazareth Hospital-S
2601 Holme Avenue
Philadelphia, PA 19152
215-335-6245

North Penn Hospital-S
100 Med Campus Drive
Lansdale, PA 19446
215-368-2100

Northwest Medical Center-Oil City Campus-S
174 E. Bissell Avenue
Oil City, PA 16301
814-677-1711

Omega Medical Laboratories, Inc.-SC
2001 State Hill Road, Suite 100
Wyomissing, PA 19610
610-378-1900

Parkview Hospital-Parkview-S
1331 East Wyoming Avenue
Philadelphia, PA 19124
215-537-7430

Parkway Clinical Laboratory-S
3494 Progress Drive, Suite A
Bensalem, PA 19020
215-676-2296

Penn State Geisinger WVMC-S
1000 E. Mountain Drive
Wilkes-Barre, PA 18711
570-826-7830

Penna. Dept. of Health, Bureau of Labs.-SC
P. O. Box 500
Exton, PA 19341-0500
610-363-8500

Pharmchem Laboratories, Inc.-SC
1505-A O'Brien Drive
Menlo Park, CA 94025
650-617-9226

Phoenixville Hospital-Dept. of Pathology-S
140 Nutt Road
Phoenixville, PA 19460
610-983-1612

Pinnacle Health/Community General Osteopathic
Hospital-S
4300 Londonderry Road, P. O. Box 3000
Harrisburg, PA 17109
717-657-7214

Pittsburgh Criminalistics-SC
1320 5th Avenue
Pittsburgh, PA 15219
412-391-6118

Pocono Medical Center Lab.-S
206 East Brown Street
East Stroudsburg, PA 18301
570-476-3544

Polyclinic Hospital-S
2601 North Third Avenue
Harrisburg, PA 17110
717-782-4141

Pottstown Memorial Medical Center-S
1600 East High Street
Pottstown, PA 19464
610-327-7111

Pottsville Hospital and Warne Clinic-S
420 South Jackson Street
Pottsville, PA 17901
570-621-5262

Presbyterian Medical Center of Phila.-S
3400 Spruce Street, Dept. of Pathology
Philadelphia, PA 19104
215-662-3435

Princeton Biomedical Laboratories, Inc.-S
2000-B Hartel Complex
Levittown, PA 19057
215-943-0700

Psychemedics Corporation-SC
5832 Uplander Way
Culver City, CA 90230
800-522-7424

Punxsutawney Area Hospital-S
81 Hillcrest Drive
Punxsutawney, PA 15767
814-938-4500

Quest Diagnostics-SC
7470-A Mission Valley Road
San Diego, CA 92108
800-446-4728

Quest Diagnostics Clinical Laboratories, Inc.-SC
400 Egypt Road
Norristown, PA 19403
610-631-4200

Quest Diagnostics Clinical Laboratories, Inc.-SC
7600 Tyrone Avenue
Van Nuys, CA 91405
818-376-6195

Quest Diagnostics, Inc.-SC
One Malcolm Avenue
Teterboro, NJ 07608
201-393-5602

Quest Diagnostics, Inc.-S
1901 Sulphur Spring Road
Baltimore, MD 21227
301-247-9100

Quest Diagnostics, Inc.-SC
4444 Giddings Road
Auburn Hills, MI 48326
800-444-0106

Quest Diagnostics of PA, Inc.-S
900 Business Center Drive
Horsham, PA 19044
215-957-9300

Quest Diagnostics of PA, Inc.-SC
875 Greentree Road, 4 Parkway Center
Pittsburgh, PA 15220
412-920-7600

Quintiles Laboratories, Ltd.-SC
5500 Highlands Parkway, Suite 600
Smyrna, GA 30082
770-434-8492

Reading Hospital & Medical Center-S
6th and Spruce Streets
Reading, PA 19603
610-988-8080

Redwood Toxicology Laboratory-SC
3573 Westwind Boulevard
Santa Rosa, CA 95403
707-577-7958

Roxborough Memorial Hospital-S
5800 Ridge Avenue
Philadelphia, PA 19128
215-483-9900

Sacred Heart Hospital-S
Fourth and Chew Streets
Allentown, PA 18102
610-776-4727

Saint Clair Memorial Hospital-S
1000 Bower Hill Road
Pittsburgh, PA 15243
412-561-4900

Saint Francis Hospital-S
1000 South Mercer Street
New Castle, PA 16101
724-658-3511

Saint Joseph Hospital-S
250 College Avenue, P. O. Box 3509
Lancaster, PA 17604
717-291-8022

Saint Mary Medical Center-S
Langhorne-Newtown Road
Langhorne, PA 19047
215-750-2162

Scientific Testing Labs, Inc.-SC
463 Southlake Boulevard
Richmond, VA 23236
804-378-9130

Serenity Hall, Inc.-S
414 West Fifth Street
Erie, PA 16057
814-459-4775

Sewickley Valley Hospital-S
Blackburn Road and Fitch Drive
Sewickley, PA 15143
412-741-6600

Shadyside Hospital-S
5230 Centre Avenue
Pittsburgh, PA 15232
412-622-2315

Sharon Regional Health System-S
740 East State Street
Sharon, PA 16146
724-983-3911

Sierra Analytical Laboratories-SC
625 East Drinker Street
Dunmore, PA 18512
570-341-2224

Skippack Medical Laboratory-S
3887 Skippack Pike
Skippack, PA 19474
610-584-1669

Soldiers and Sailors Memorial Hospital-S
Central Avenue
Wellsboro, PA 16901
570-724-1631

Somerset Hospital-S
225 South Center Avenue
Somerset, PA 15501
814-443-2626

South Hills Health System—Jefferson-S
575 Coal Valley Road
Pittsburgh, PA 15236
412-469-5723

Southern Chester County Medical Center-S
1015 West Baltimore Pike
West Grove, PA 19390
610-869-1080

Specialty Laboratories-S
2211 Michigan Avenue
Santa Monica, CA 90404
310-828-6543

St. Francis Central Hospital-S
1200 Centre Avenue
Pittsburgh, PA 15219
412-562-3060

St. Francis Medical Center-S
400-45th Street
Pittsburgh, PA 15201
412-622-4838

St. Joseph Quality Medical Laboratory-SC
215 North 12th Street, Box 316
Reading, PA 19603
610-378-2200

St. Joseph's Hospital-Div. NPHS-S
16th Street and Girard Avenue
Philadelphia, PA 19130
215-787-9000

Suburban General Hospital-S
100 South Jackson Avenue
Bellevue, PA 15202
412-734-6000

Sunbury Community Hospital-S
350 North 11th Street
Sunbury, PA 17801
570-286-3333

Taylor Hospital, Div. of CCMC-S
175 E. Chester Pike
Ridley Park, PA 19078
610-595-6450

TechNow-S
31 Industrial Highway-S
Essington, PA 19029
610-362-0610

Temple Lower Bucks Hospital-S
501 Bath Road
Bristol, PA 19007
215-785-9200

Temple University Hospital-S
3401 North Broad Street
Philadelphia, PA 19140
215-707-4353

The Medical Center-Beaver, PA, Inc.-S
1000 Dutch Ridge Road
Beaver, PA 15009
724-728-7000

Thomas Jefferson University Hospital-S
125 South 11th Street-204 Pavilion
Philadelphia, PA 19107
215-955-6374

Titusville Area Hospital-S
406 West Oak Street
Titusville, PA 16354
814-827-1851

Toxi-Con-SC
120 Monahan Avenue-Suite 101
Dunmore, PA 18512
570-963-0722

United Community Hospital-S
631 North Broad Street Ext.
Grove City, PA 16127
724-458-5442

University of Pittsburgh Medical Center/Beaver Valley-S
2500 Hospital Drive-Pathology Department
Aliquippa, PA 15001
724-857-1238

University Hospital-Milton S. Hershey Medical Center-S
500 University Avenue
Hershey, PA 17033
717-531-8353

University of Pittsburgh Medical Center-CLSI-SC
Room 5929 Main Tower/CLSI
200 Lothrop Street
Pittsburgh, PA 15213
412-647-7813

UPMC Bedford Memorial Hospital-S
10455 Lincoln Highway
Everett, PA 15537
814-623-3506

UPMC Lee Regional Hospital-S
320 Main Street
Johnstown, PA 15901
814-533-0130

UPMC Saint Margaret Hospital-S
815 Freeport Road
Pittsburgh, PA 15215
412-784-4000

Valley Forge Medical Center and Hospital-S
1033 W. Germantown Pike
Norristown, PA 19403
610-539-8500

Warminster Hospital-S
225 Newtown Road
Warminster, PA 18974
215-441-6700

Waynesboro Hospital-S
East Main Street
Waynesboro, PA 17268
717-765-3403

The Western Pennsylvania Hospital-S
4800 Friendship Avenue
Pittsburgh, PA 15224
412-578-5779

Western Reserve Care System-SC
North Side Medical Center-500 Gypsy Lane
Youngstown, OH 44504
216-740-3794

Westmoreland Hospital-S
532 W. Pittsburgh Street
Greensburg, PA 15601
724-832-4365

Williamsport Hospital and Medical Center-S
777 Rural Avenue
Williamsport, PA 17701
570-321-2300

WVHCS Hospital-General Campus-SC
Corner North River and Auburn Streets
Wilkes-Barre, PA 18764
570-829-8111

York Hospital-S
1001 South George Street
York, PA 17405
717-771-2696

ROBERT S. ZIMMERMAN,
Secretary

[Pa.B. Doc. No. 00-182. Filed for public inspection January 28, 2000, 9:00 a.m.]

Public Meeting for Parties Interested in the Maternal and Child Health Services Block Grant Application (with Needs Assessment) for Federal Fiscal Year 2001

The Department of Health (Department), Bureau of Family Health, Division of MCH, will hold a public meeting on February 7, 2000. The purpose of the meeting is to permit interested parties to provide input to the Department prior to its development of the Maternal and Child Health Services Block Grant 2001 Application which will contain a statewide needs assessment under 42 U.S.C.A § 705(a)(1).

The meeting will be held in the Rachel Carson State Office Building, Auditorium, 2nd Floor, 400 Market Street, Harrisburg, PA at 10 a.m.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, services or other accommodation to do so, should contact the Bureau of Family Health at (717) 787-7192, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN,
Secretary

[Pa.B. Doc. No. 00-183. Filed for public inspection January 28, 2000, 9:00 a.m.]

**DEPARTMENT OF
REVENUE**

Cigarette Tax Notice

Under section 227-A of the Fiscal Code (72 P. S. § 227-A) (relating to administration powers and duties), the Department of Revenue (Department) hereby announces the lowest cost of the stamping agent, wholesaler and

retailer, respectively, effective upon publication of this notice, as follows:

	<i>Premium Brands</i>	<i>Generic Brands</i>
(a.k.a. Kings & Regulars)		
Cost of the Stamping Agent (for sales to wholesalers)	\$25.64	\$22.94
Cost of the Wholesaler (for sales to retailers)	\$26.67	\$23.86
Cost of the Retailer (for sales to retail customers)	\$28.27	\$25.29

The Department considers these costs as presumptive minimum costs. Cigarette stamping agents, wholesalers and retailers are prohibited from selling cigarettes at a price lower than their respective presumptive minimum costs. These costs are listed on a per carton basis, 10 packs of cigarettes per carton, 20 cigarettes per pack. To determine the presumptive minimum price per pack of cigarettes, one should divide the costs listed by ten and round to the nearest hundredth of a percent. For example, the presumptive minimum price of a pack of cigarettes sold by a retailer to a consumer is \$2.83 for premium brands (\$28.27/10), \$2.53 for generic brands (\$25.29/10).

Cigarette dealers who either sell cigarettes under a different packaging setup (that is, eight packs per carton) or sell cigarettes that do not qualify as premium or generic brands (that is, subgeneric, foreign or specialty cigarettes) as described are prohibited from selling cigarettes at a price lower than the cost of the stamping agent, cost of the wholesaler or cost of the retailer, respectively, as further defined and explained in the Department's cigarette tax regulations, 61 Pa. Code, Article III.

Cigarette dealers wishing to prove a cost different from the Department's presumptive costs stated must follow the procedures listed under 61 Pa. Code, Chapter 76 (relating to unfair sales of cigarettes).

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 00-184. Filed for public inspection January 28, 2000, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Addendum and Revision of the Listing of Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

Addendum

The Department of Transportation, Bureau of Motor Vehicles, under the authority of Section 3368 of the Vehicle Code (75 Pa.C.S. § 3368), published at 29 Pa.B. 6534 on December 25, 1999, a notice of approved speed-timing devices and maintenance and calibration stations for use until the next comprehensive list is published.

Change of Ownership and Change of Name

As an addendum to the listing of approved Official Electronic Device Testing Stations for radar devices which may only be used by members of the State Police, the

Department hereby gives notice of the change of ownership and the change of name for the following station:

Siemens Westinghouse Technical Services, Inc. a Siemens Company, 1002 McKee Road, Oakdale, Allegheny County, Pa 15071, is now known as: Wisco Calibration Service Inc. 1002 Mckee Road, Oakdale, Allegheny County, PA 15071 (Appointed: 07/14/99, Station R10).

Comments, suggestions or questions may be directed to Barb Tomassini, Manager, Inspection Processing Section, Vehicle Inspection Division, Bureau of Motor Vehicles, Third Floor, Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104 or by telephoning (717) 787-2895.

Other approved speed-timing devices and appointment of maintenance and calibration stations appear at 29 Pa.B. 6534 December 25, 1999.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 00-185. Filed for public inspection January 28, 2000, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the committee comment period. The Commission comments are based upon the criteria contained in section 5a(h) and (i) of the act (75 P. S. § 745.5a(h)(i)).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulations must be submitted by the dates indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
10-154	Department of Health Drug and Alcohol Facilities and Services (29 Pa.B. 5835 (November 13, 1999))	1/14/00	12/13/01

Department of Health Regulation No. 10-154 Drug and Alcohol Facilities and Services January 14, 2000

We have reviewed this proposed regulation from Department of Health (Health) and submit for consideration the following objections and recommendations. Subsections 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) specify the criteria the Commission must employ to determine whether a regulation is in the public interest. In applying these criteria, our Comments address issues that relate to reasonableness, need, eco-

conomic impact, health and safety and clarity. We recommend that these Comments be carefully considered as you prepare the final-form regulation.

1. Consistency with regulations of other Commonwealth Departments.—Consistency with the Statute; Economic Impact; Reasonableness; Need.

Section 921 of the Public Welfare Code (62 P.S. § 921(c)) requires Health to “establish standards for the safe and adequate care of individuals, not inconsistent with the laws of this Commonwealth and the rules and regulations of the various departments of the Commonwealth . . .” Act 45 of 1999 (Act 45) repealed portions of the Fire and Panic Act (35 P.S. §§ 1221—1235) and directs the Department of Labor and Industry (L&I) to promulgate regulations to implement Act 45 within 180 days. Consequently, L&I is in the process of writing regulations which will replace the existing fire and panic regulations. In the development of the final regulation, Health should take into consideration Act 45 and, to the extent possible, the resulting L&I regulations.

Furthermore, some of the fire safety provisions in the proposed regulation are more stringent than the existing L&I requirements in 34 Pa. Code Chapters 55, 56 and 58. Although more stringent requirements may be appropriate for the population served by these facilities, Health should consider the fiscal impact and reasonableness of its regulation on new and existing facilities. Where Health’s final regulation exceeds the requirements of other departments, Health should justify the need for more stringent regulations.

2. Chapter 705. Physical plant standards.—Clarity.

The subtitles of Chapter 705 are dissimilar. The index lists the subtitle “Physical plant standards for nonresidential services.” The body of the regulation uses the subtitle “Nonresidential services.” The subtitles also use the word “services” rather than “facility.” We suggest using the defined terms “Residential facility” and “Non-residential facility” for subtitles to clearly establish the appropriate physical plant requirements for a facility.

3. Section 705.1. General requirements for inpatient nonhospital facilities (residential treatment and rehabilitation). and Section 705.21. General requirements for nonresidential treatment facilities.—Clarity.

Licensure

The Preamble and Section 705.1(c) discuss licensure of facilities. However, licensure is not included in the general requirements. Section 705.21 also provides general requirements without specific reference to licensure. For clarity, Health should amend sections 705.1 and 705.21 to include a cross-reference to existing requirements for licensure found in 28 Pa. Code §§ 709.11—709.18.

4. Sections 705.2. and 705.22. Building exterior and grounds.—Need; Clarity.

Subsections (2)

These subsections require the grounds of the facility to be in “good condition.” The phrase “good condition” is unclear. How would the regulated community know whether their facility complies? Health should either add specific requirements for the grounds or delete the requirement that the grounds be in good condition.

Subsections (4)

Subsections (4) require removal of garbage “on a regular basis, at least once a week.” The phrase “on a regular basis” is unnecessary and should be deleted.

5. Section 705.3. Living rooms and lounges.—Clarity.

Subsection (1)

This subsection is vague. What is necessary to meet the criteria “appropriately furnished” and “which creates a relaxed and comfortable atmosphere”? Health should delete these phrases, or use standards that can be clearly understood and enforced.

6. Section 705.4. Counseling areas and office space. and Section 705.23. Counseling or activity areas and office space.—Clarity.

Subsections (1)

The phrase “adequate space” is unclear. Health should either delete the term “adequate” or use a standard that can be clearly understood and enforced.

Subsections (2)

These subsections are vague. What is necessary to meet the criteria “comfortable furnishings” and “which are appropriate for the intended purpose”? Health should delete these phrases, or use standards that can be clearly understood and enforced.

7. Section 705.5. Sleeping accommodations.—Reasonableness; Need; Economic Impact.

Subsection (a)

Subsection (a) has several vague requirements. Paragraph (1) requires bed frames to be of “solid construction” and “sized appropriately to the needs of the resident.” Paragraphs (2) and (3) use the term “comfortable.” Health should delete these phrases, or use standards that can be clearly understood and enforced.

Subsection (b)

Subsection (b) requires facilities to provide a minimum of 60 square feet of bedroom space per bed (including space occupied by furniture) for each resident sharing a room and a minimum of 80 square feet for single bedrooms. Representative O’Brien, Chairperson of the House Health and Human Services Committee, commented that the square footage requirement is unreasonable. Senator Dent and Representative Mann urged Health to reconsider the impact of this provision. Several facilities commented that this requirement could cause facilities to eliminate beds and lose significant income.

Health states in the Preamble that existing facilities would be exempted from certain requirements which might impose costs too great for them to absorb and continue to function effectively. Health should explain:

- The need for this requirement and why the square footage requirements are not included with the “grandfather” exemptions in section 705.1(c).
- How many currently licensed facilities would not meet the requirement in subsection (b) based on their current population.
- How many beds would be lost to existing facilities and how much income would these facilities lose as a result of the proposed square footage requirements.

Subsection (j)

Subsection (j) should more directly state its requirements, such as “Bedrooms located in a basement shall meet the following requirements: . . .”

Paragraph (1) uses the vague term “appropriate.” Health should delete this term.

Paragraph (3) requires two basement exits “each located reasonably remote from the other in a manner to reduce the possibility that both will be blocked in an emergency situation.” It is unclear how a facility would comply with this phrase. Health should amend this language to more clearly state its intent.

8. Sections 705.6. and 705.24. Bathrooms.—Clarity.

Water supply

Subsection 705.6(3) requires an “adequate” supply of hot and cold running water “to meet the needs of the residents.” What standard is established by the term “adequate” and the phrase “to meet the needs of the residents”? Health should delete this term and phrase, or provide a more definitive standard.

Location of bathrooms (nonresidential facilities)

Subsection 705.24(1) requires bathrooms to be “conveniently located throughout the facility.” It is unclear what the phrase “conveniently located throughout the facility” means. Is the intent to require a minimum number of bathrooms depending on the capacity of the facility? Health should amend this language to state a more definitive standard.

Consistent use of the term “bathroom”

Subsection 705.24(1) uses the term “lavatories.” Subsections 705.6(5) and 705.24(3) use the phrase “toilet and wash rooms.” For consistency, Health should use the term “bathrooms” in these subsections.

9. Sections 705.7. and 705.25. Kitchens.—Clarity.

Cabinet space

Subsections (1) require kitchens to have “adequate cabinet space for storage needs.” The term “adequate” is vague and should be deleted. If the intent of this provision is to ensure that nonperishable food items and kitchen utensils are stored in cabinets, the regulation should be revised to reflect this intent.

Storage temperatures for food items

Subsections (5) require all prepared food items to be “properly” refrigerated or stored. The term “properly” is vague and would be difficult for facilities to comply with. Similar requirements in the Department of Public Welfare’s (DPW) child residential and day treatment facilities regulations (55 Pa. Code § 3800.104(e)) specify that cold food must be stored at or below 40° F, hot food at or above 140° F, and frozen foods at or below 0° F. Health should consider including specific temperature storage requirements in the final regulation.

10. Sections 705.8. and 705.26. Heating and cooling.—Economic Impact; Need.

As written, subsections (1) would require all facilities to have air conditioning to maintain an indoor temperature no more than 90 degrees. We have two concerns. First, do all existing facilities have air conditioning? Second, why is the use of fans excluded? Health should allow fans or explain the need for this requirement, and the economic impact on a facility that does not have air conditioning.

11. Sections 705.9. and 705.27. General safety and emergency procedures.—Clarity.

Subsections (4)

These subsections require each facility to “provide written procedures for staff and residents to follow in case of an internal or external emergency or disaster.” The difference between an “emergency” and a “disaster” is unclear. Furthermore, subsections (4)(ii) refer to “emer-

gencies,” and subsections (5) refer to a “fire, other disaster or situation.” If there is a distinction between an “emergency” and a “disaster,” Health should define these terms in section 701.1. If there is no distinction, Health should use a single term consistently.

Subsections (4)(i) require the written procedures to be developed with assistance from “qualified fire and safety personnel.” To improve clarity, Health should specify the credentials necessary to be considered “qualified fire and safety personnel.”

Furthermore, Health should clarify who reviews the procedures and when the review is conducted.

Subsections (4)(ii) require:

Procedures shall also include provisions for the transfer of residents and staff to a safe location within the residential facility for the evacuation of residents and staff when necessary, and for assignments of staff during emergencies.

This sentence is lengthy and unclear. It appears the “procedures” must address transfer of residents and staff; evacuation of residents and staff; and staff assignments during emergencies. These subsections would be clearer if these requirements were listed separately. Also, the transfer and evacuation procedures should address situations where the residents are impaired by drugs or alcohol.

12. Sections 705.10. and 705.28. Fire safety.—Reasonableness; Health and Safety; Clarity.

Subsections (a)

Subsections (a)(1)(ii) require facilities to maintain two exits on every floor. Each exit is to be “remote enough from the other to reasonably ensure that both will not be blocked in an emergency situation.” If the intent of subsections (a)(1)(ii) is to prevent everyone from crowding one exit in an emergency, then Health could specify the number of exits required in relation to the number of occupants per floor. Health could also specify the minimum distance required between exits. Finally, the phrase “reasonably ensure” is vague and should be deleted.

In sections 705.10(a)(1)(iii) and 705.28(a)(1)(iv), the term “guards” is vague. Health should define this term or use another term that more clearly indicates what is required on stairs, ramps, balconies and landings.

Subsections (b)

Subsections (b) require the facility to “maintain” smoke detectors and fire alarms, but do not state how quickly a malfunctioning alarm must be repaired. Section 3800.130(g) of DPW’s regulations require repairs to be made within 48 hours of when the smoke detector or fire alarm is discovered to be inoperable. Subsections (b) should specify that if the smoke detectors or fire alarms are inoperable, repairs must be completed within a specific timeframe.

Subsections (c)

These subsections should specify that if the fire extinguisher is inoperable, repairs must be completed within a specific timeframe.

Subsections (c)(4) require facilities to instruct all staff and residents in the use of fire extinguishers. A commentator noted that the primary responsibility of a resident in the case of a fire is to sound the alarm and then to get out. Instructing a resident in the use of a fire extinguisher implicitly requires a resident to use a fire extinguisher and may place the resident at risk. Health should

reconsider the requirement for residents to be instructed in the use of fire extinguishers.

Subsections (d)

Subsections (d)(1) require a fire drill to be conducted every 60 days. Since the duration of treatment for some residents and clients of nonresidential facilities may be less than 60 days, Health should consider more frequent fire drills. Alternatively, Health could require individual fire drill instruction for new residents. Health should also define "special incidents."

Also, section 705.10(d)(2) requires fire drills to be conducted at different times of the day and night. However, the regulation does not specifically require any drills to be conducted during sleeping hours. Health should consider periodically requiring a fire drill during sleeping hours.

Subsections (d)(3) require that personnel on all shifts be "trained to perform assigned tasks during emergencies." Health should clarify what is included in the training and when the training must occur.

13. Sections 705.11. and 705.29. Child care.— Reasonableness; Clarity.

Subsections (1)

Subsections (1)(ii) require access to "suitable recreational equipment." The term "suitable" is vague and should be deleted or replaced with more specific requirements.

Subsections (2)

Subsections (2)(ii) require safety screens for all windows. This requirement appears to be unnecessary for windows that do not open. Health should revise this requirement to apply to all operable windows.

Subsections (2)(iii) require protective caps for each electrical outlet within reach of small children. How is "small" defined? Basically, a child can reach all outlets. Because of the ambiguity of the language, Health should delete the phrase "within reach of small children" from these subsections.

Subsections (2)(iv) require facilities to secure storage areas where "potentially dangerous" substances are kept. Health should delete the phrase "potentially dangerous" or define it so that it can be clearly understood and enforced.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 00-186. Filed for public inspection January 28, 2000, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
15-353	Department of Revenue Sales and Use Tax; Books, Publications and Advertising Materials	1/19/00
7-339	Environmental Quality Board Surface Coating Processes	1/19/00
7-343	Environmental Quality Board Nitrogen Oxides Allowance	1/19/00

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-4911	State Board of Medicine Requirements of the Health Care Services Malpractice Act	1/18/00

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 00-187. Filed for public inspection January 28, 2000, 9:00 a.m.]

INSURANCE DEPARTMENT

Allstate Indemnity Company; Private Passenger Automobile Insurance Program; Rate Filing

On January 18, 2000, the Insurance Department (Department) received from Allstate Indemnity Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 6.3% increase amounting to \$11.8 million annually, to be effective May 15, 2000.

Unless formal administrative action is taken prior to March 18, 2000, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 or E-mail at mburkett@ins.state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-188. Filed for public inspection January 28, 2000, 9:00 a.m.]

Application for Approval to Redomesticate

EastGUARD Insurance Company, a Maine stock casualty insurance company, has submitted a Plan of Redomestication, whereby it proposes to redomesticate from the State of Maine to the Commonwealth of Pennsylvania. The filing was made under the requirements set forth under 15 Pa.C.S. §§ 1101—1997, relating to the Business Corporation Law of 1988. Persons wishing to comment on the redomestication are invited to submit a

written statement to the Insurance Department within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, by fax to (717) 787-8557, or by E-mail rbrackbi@ins.state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-189. Filed for public inspection January 28, 2000, 9:00 a.m.]

Application for Approval to Redomesticate

SAFECO Insurance Company of Pennsylvania, a domestic stock casualty insurance company, has filed for approval a plan of redomestication whereby the state of domicile would change from the Commonwealth of Pennsylvania to Tennessee. The initial filing was made under the requirements set forth under 15 Pa.C.S. §§ 1101—1997, relating to the Business Corporation Law of 1988. Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, by fax to (717) 787-8557, or by E-mail rbrackbi@ins.state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-190. Filed for public inspection January 28, 2000, 9:00 a.m.]

Application for Merger

An application has been received requesting approval of the merger of Chester County Mutual Insurance Company, a mutual fire insurance company organized under the laws of the Commonwealth of Pennsylvania, with and into Cumberland Mutual Fire Insurance Company, a mutual insurance company organized under the laws of the State of New Jersey. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. § 991.1401 et seq.), Section 1957 of the Business Corporation Law, 15 Pa.C.S. § 1957, and the GAA Amendments Act of 1990 (15 P. S. § 21101 et seq.). Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party,

identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; E-mail cbybee@ins.state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-191. Filed for public inspection January 28, 2000, 9:00 a.m.]

Application for Voluntary Surrender of its Certificate of Authority

General Title Insurance Corporation of America, a domestic title insurance company, has submitted an application for approval to surrender its Pennsylvania Insurance Department Certificate of Authority. Persons wishing to comment on the grounds of public or private interest concerning the surrender, are invited to submit a written statement to the Insurance Department within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the writer, identification of the application to which the comment is addressed, and a concise statement with sufficient detail to inform the Insurance Department of the exact basis of the comment and the relevant facts upon which it is based. Written statements should be directed to Robert Brackbill, Company Licensing Division, Room 1311 Strawberry Square, Harrisburg, PA 17120, by fax to (717) 787-8557, or by e-mail to rbrackbi@ins.state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-192. Filed for public inspection January 28, 2000, 9:00 a.m.]

Department Addresses and Hours of Operation; Notice 2000-01

The addresses and hours of operation for the Insurance Department are as follows. Unless otherwise indicated, all mail may be addressed to the Department at 13th Floor Strawberry Square, Harrisburg, PA 17120.

(a) The room numbers for the Offices and Bureaus of the Department are as follows:

(1) Office of the Commissioner—Room 1326

(a) Office of Chief Counsel—Room 1341

(b) Children's Health Insurance Program (CHIP)—333 Market Street, Lobby Level, Harrisburg PA 17101. Mail is sent to CHIP, 13th Floor, Harrisburg, PA 17120

(2) Office of Policy, Enforcement and Administration

(a) Bureau of Enforcement—Room 1326

(b) Bureau of Administration—Room 1326

(c) Bureau of Information Technology—Room 1344

(d) Communications Office—Room 1326

(e) Office of Special Projects—Room 1326

- (f) Legislative Affairs Office—Room 1326
- (g) Policy Office—Room 1326
- (3) Office of Regulation of Companies—Room 1345
- (a) Bureau of Licensing and Financial Analysis—Room 1345
- (b) Bureau of Examinations—Room 1345
- (3) Office of Consumer and Producer Services—Room 1321
- (a) Bureau of Producer Licensing—Room 1300
- (b) Bureau of Consumer Services—Room 1321
- (i) Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130
- (ii) Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222
- (iii) Erie Regional Office, P. O. Box 6142, 808 Renaissance Center, Erie, PA 16512
- (4) Office of Rate and Policy Regulation—Room 1311
- (a) Accident and Health Bureau—Room 1311
- (b) Life Bureau—Room 1311
- (c) Property and Casualty Bureau—Room 1311
- (5) Office of Liquidations, Rehabilitations and Special Funds, Capitol Associates Building, 901 N. 7th Street, Harrisburg, PA 17102
- (a) Project Office
- (b) Bureau of Liquidations Administration
- (c) Bureau of Liquidation Claims
- (d) Bureau of Special Funds
- (b) Filings with the Department's Administrative Hearings Office may be addressed to Capitol Associates Building, 901 N. 7th Street, Harrisburg, PA 17102
- (c) Business Hours

The Department's business hours are 8 a.m. to 4:30 p.m.

The Department shall publish this list as necessary or annually if there are no changes. Questions or comments regarding this notice may be directed to Peter J. Salvatore, Regulatory Coordinator, Office of Special Projects, 1326 Strawberry Square, Harrisburg, PA 17120, phone (717) 787-4429. Questions or comments may also be sent by E-mail to psalvato@ins.state.pa.us or by fax to (717) 772-1969.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-193. Filed for public inspection January 28, 2000, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78)(40 P. S. § 1008.9(a)) in connection with his company's termination of the insured's automobile policies. All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by

the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Donna M. Lauck; file no. 99-181-07332; Colonial Penn Insurance Company; doc. no. P00-01-001; February 17, 2000, at 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure).

After the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-194. Filed for public inspection January 28, 2000, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before February 22, 2000, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00116496. Temple of Faith Community Church (1407 Church Street, Philadelphia, Philadelphia County, PA 19124), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, from points in the city and county of Philadelphia, to all state correctional facilities located in this Commonwealth, and return.

A-00116501. Joseph Ralph Judy, t/d/b/a Judy's Airport Shuttle (1201 North Juniata Street, Apartment I, Hollidaysburg, Blair County, PA 16648)—persons in airport transfer service, from points in the borough of Hollidaysburg, Blair County, and within an airline distance of 50 statute miles of the limits thereof, to the Pittsburgh International Airport in the county of Allegheny, the Harrisburg International Airport in the county of Dauphin, University Park Airport in the county of Centre and the Altoona-Blair County Airport in the county of Blair.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00116074, F. 2. Audrey Cab, Inc., t/d/b/a County Cab Co., (306 East Baltimore Pike, Suite A, Media, Delaware County, PA 19063), a corporation of the Commonwealth of Pennsylvania—persons upon call or demand, (1) in that portion of the township of Upper Darby, Delaware County, east of and including Lansdowne Avenue, and north of and including Marshall Road; and (2) from the 69th Street Terminal and from points on West Chester Pike between 69th Street and Garrett Road in Upper Darby Township, Delaware County; which is to be a transfer of the right granted to County Cab Co., Inc., under the certificate issued at A-00109271, subject to the limitations and conditions. *Attorney:* John J. Gallagher, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

A-00116498. Shawn Cab, Inc., t/d/b/a Delaware County Cab Company (306 East Baltimore Pike, Suite A, Media, Delaware County, PA 19063), a corporation of the Commonwealth of Pennsylvania—persons, upon call or demand, in the townships of Upper Providence, Springfield, Ridley, Nether Providence, Middletown, Edgemont, and Aston, and the boroughs of Chester Heights, Brook Haven, Media, Morton, Ridley Park, Rose Valley, Swarthmore, Rutledge and Glenolden, all in the county of Delaware; which is to be a transfer of all of the right authorized under the certificate issued at A-00111132 to Delaware County Cab Company, subject to the same limitations and conditions. *Attorney:* John J. Gallagher, P.C., Suite 1100, 1760 Market Street, Philadelphia, PA 19103.

A-00116499. Dee Dee Cab, Inc., t/d/b/a Penn-Del Cab (306 East Baltimore Pike, Suite A, Media, Delaware County, PA 19063), a corporation of the Commonwealth of Pennsylvania—persons upon call or demand, (1) between points in the borough of Lansdowne, Delaware County; (2) in that portion of the township of Upper Darby, Delaware County, west of and including Lansdowne Avenue; (3) at the 69th Street Terminal in the township of Upper Darby, Delaware County; and (4) within that area of the city of Philadelphia bounded on the north by Lancaster Avenue, on the east by 56th Street, on the south by Grays Avenue (Grays Ferry Avenue), and on the west by the city limits; which is to be a transfer of the right granted to Penn-Del Cab Company, Inc., under the certificate issued at A-00108167, subject to the limitations

and conditions. *Attorney:* John J. Gallagher, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

A-00116500. Ronald Cab, Inc., t/d/b/a Community Cab (306 East Baltimore Pike, Suite A, Media, Delaware County, PA 19063), a corporation of the Commonwealth of Pennsylvania—persons upon call or demand: (1) at the 69th Street terminal located in the township of Upper Darby, Delaware County; (2) at the SEPTA terminal at 9th and Main Streets, in the borough of Darby, Delaware County; and (3) in the boroughs of East Lansdowne and Yeadon, and that portion of Upper Darby Township south of and including Marshall Road and east of Union Avenue and Wycombe Avenue, north of the Eden Borough line and west of Cobbs Creek Parkway, Delaware County; which is to be a transfer of all the rights authorized under the certificate issued at A-00109270 to Community Cab Co., Inc., subject to the same limitations and conditions. *Attorney:* John J. Gallagher, P.C., Suite 1100, 1760 Market Street, Philadelphia, PA 19103.

A-00116495. West Shore Regional Transportation, Inc., t/d/b/a West Shore Taxi (50 Market Street, Lemoyne, Cumberland County, PA 17043), a corporation of the Commonwealth of Pennsylvania—persons upon call or demand in the city of Harrisburg, the townships of Susquehanna, Lower Paxton, Swatara and Lower Swatara, and the boroughs of Penbrook, Paxtang and Middletown, all in Dauphin County; subject to the following condition: That no right, power or privilege is granted to provide service originating in Swatara Township to points in the township of Lower Swatara and the boroughs of Highspire and Middletown, Dauphin County; and two persons upon call or demand between points in the boroughs of Carlisle, Mt. Holly Springs and Newville, and the townships of Dickinson, Lower Frankford, Middlesex, North Middleton, North Newton, Penn, South Middleton, South Newton, Upper Frankford and West Pennsboro, Cumberland County; which is to be a transfer of all of the rights authorized under the certificate issued at A-00095171, F. 1, Am-B and F. 1, Am-C to West Shore Taxi Company, subject to the same limitations and conditions. *Attorney:* J. Bruce Walter, Dauphin Bank Building, 12th Floor, 1 South Market Square, P. O. Box 1146, Harrisburg, PA 17108-1146.

A-00116495, Folder 2. West Shore Regional Transportation, Inc., t/d/b/a West Shore Taxi (50 Market Street, Lemoyne, Cumberland County, PA 17043), a corporation of the Commonwealth of Pennsylvania—persons and their baggage, on schedule, in limousine service, from Nationwide Inn located in the city of Harrisburg, Dauphin County, to airport facilities located in Lower Swatara Township, Dauphin County, south of Highway Route 230, and vice versa; subject to the following conditions: (a) that no right, power or privilege is granted to transport persons and their baggage in vehicles having a seating capacity in excess of nine persons including the driver; and (b) that all service rendered under the authority herein granted shall be on regularly published schedule; and no call or demand service shall be rendered; and two persons and their baggage, on schedule, in limousine service, from the Camp Hill Shopping Center located in the borough of Camp Hill, the West Shore Plaza located in the borough of Lemoyne and the Penn-Harris Motor Inn located in the township of East Pennsboro, all in Cumberland County, and the Hotel Governor, the Penn-Harris Hotel, the Holiday Inn Town, the Nationwide Inn and the North Office Building, all located in the city of Harrisburg, Dauphin County, to airport facilities located in Lower Swatara Township, Dauphin County, and vice versa; subject to the following conditions: (a) that

no right, power or privilege is granted to transport persons and their baggage in vehicles having a seating capacity in excess of 12 persons including the driver; and (b) that all service rendered under the authority granted herein shall be on regularly scheduled service, and no call or demand service shall be rendered; which is to be a transfer of all of the rights authorized under the certificate issued at A-00095171, F. 3, Am-A and F. 3, Am-B to West Shore Taxi Company, subject to the same limitations and conditions. *Attorney:* J. Bruce Walter, Dauphin Bank Building, 12th Floor, 1 South Market Square, P. O. Box 1146, Harrisburg, PA 17108-1146.

A-00116495, Folder 3. West Shore Regional Transportation, Inc., t/d/b/a West Shore Taxi (50 Market Street, Lemoyne, Cumberland County, PA 17043), a corporation of the Commonwealth of Pennsylvania—persons, in paratransit service, between points in the county of Cumberland, and from said county, to points within an airline distance of 10 statute miles of the limits of said county, and return; subject to the following conditions: (a) that the service herein authorized is limited to transportation in vehicles having a seating capacity of not more than 15 persons including the driver; without the use of dome lights or taximeters; which is to be a transfer of all the right authorized under the certificate issued at A-00095171, F. 5 to West Shore Taxi Company, subject to the same limitations and conditions. *Attorney:* J. Bruce Walter, Dauphin Bank Building, 12th Floor, 1 South Market Square, P. O. Box 1146, Harrisburg, PA 17108-1146.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.

A-00116497. Gary C. Walk, Jr., t/d/b/a Walks Moving (5812 Avondale Avenue, Altoona, Blair County, PA 16601)—household goods in use, between points in the city of Altoona, Blair County, and within an airline distance of 30 statute miles of the limits of the city. *Attorney:* John F. Siford, 2006 Sixth Avenue, Altoona, PA 16602.

Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.

A-00113208, F. 2. Nocella Property Service, Inc. (Formerly Charles Nocella. t/d/b/a Nocella Property Maintenance (2200 Rutgers Drive, Broomall, Delaware County, PA 19008), a corporation of the Commonwealth of Pennsylvania—additional right—household goods in use between points in Pennsylvania; subject to the following condition: That all service shall be limited to service performed under eviction and foreclosure services. *Attorney:* Louis J. Carter, 7300 City Line Avenue, Philadelphia, PA 19151-2291.

Application of the following for the approval of the transfer of stock as described under each application.

A-00091409, F. 5000. Hammer's Moving & Storage, Inc. (810 West Main Street, Lansdale, Montgomery County, PA 19446), a corporation of the Commonwealth of Pennsylvania—stock transfer—approval of the transfer of

all issued and outstanding stock (100 shares) held by Ana Maria Diaz to Rosendo Diaz III. *Attorney:* James H. Freeman, 1767 Sentry Parkway, Blue Bell, PA 19422.

[Pa.B. Doc. No. 00-195. Filed for public inspection January 28, 2000, 9:00 a.m.]

Telecommunications

A-310510. Bell Atlantic-Pennsylvania, Inc. and CTSI, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and CTSI, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and CTSI, Inc., by its counsel, filed on January 10, 2000, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and CTSI, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-196. Filed for public inspection January 28, 2000, 9:00 a.m.]

Telecommunications

A-310868F0002. Bell Atlantic-Pennsylvania, Inc. and Cooperative Communications, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Cooperative Communications, Inc. for approval of a resale agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Cooperative Communications, Inc., by its counsel, filed on January 10, 2000, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Cooperative Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-197. Filed for public inspection January 28, 2000, 9:00 a.m.]

Telecommunications

A-310855F0002. Bell Atlantic-Pennsylvania, Inc. and Nustar Telephone Co., Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Nustar Telephone Co., Inc. for approval of a resale agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Nustar Telephone Co., Inc., by its counsel, filed on January 10, 2000, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Nustar Telephone Co., Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-198. Filed for public inspection January 28, 2000, 9:00 a.m.]

Telecommunications

A-310862F0002. Blue Star Communications, Inc. Adoption by Blue Star Communications, Inc. of an interconnection agreement between GTE North Incorporated and AT&T Communications under section 252(i) of the Telecommunications Act of 1996.

GTE North Incorporated and BlueStar Communications, Inc., by its counsel, filed on January 7, 2000, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the GTE North Incorporated and BlueStar Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-199. Filed for public inspection January 28, 2000, 9:00 a.m.]

Telecommunications

A-310696F0002. United Telephone Company of Pennsylvania d/b/a Sprint and Dieca Communications, Inc. d/b/a Covad Communications Company. Joint Application of United Telephone Company of Pennsylvania d/b/a Sprint and Dieca Communications, Inc. d/b/a Covad Communications Company for approval of an interconnection and resale agreement under section 252(a)(I) and (e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania d/b/a Sprint and Dieca Communications, Inc. d/b/a Covad Communications Company by its counsel, filed on January 7, 2000, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and Dieca Communications, Inc. d/b/a Covad Communications Company Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-200. Filed for public inspection January 28, 2000, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 9915.4, Repair of Container Crane Shore Power Stations, Packer Avenue Marine Terminal, until 2 p.m. on Thursday, February 10, 2000. The bid documents can be obtained from the Director of Procurement, PRPA, 210 W. Washington Square, 13th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available January 25, 2000. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held Thursday, February 3, 2000, 10 a.m. at the job site, Delaware Ave. and South Gate at Pumphouse No. 1, Philadelphia, PA 19148.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 00-201. Filed for public inspection January 28, 2000, 9:00 a.m.]