

NOTICES

DEPARTMENT OF EDUCATION

Amendments to Eligibility Grant Application; Cancellation of Public Comment Period

The Department of Education published notice of its invitation at 30 Pa.B. 6139 (November 25, 2000), to seek public comment regarding proposed amendments to its Eligibility Grant Application under the Individuals with Disabilities Education Act-Part B (IDEA-B), Section 611 Assistance for Education for all Children and Section 619 Preschool.

The Department has determined that it wants to make further revisions in its application before seeking public comment. Therefore, the scheduled comment period and public hearings are cancelled.

Inquiries should be directed to: John J. Tommasini, Assistant Director, Bureau of Special Education, Department of Education, 333 Market Street, Harrisburg, PA 17126-0333, (717) 783-6134.

EUGENE W. HICKOK,
Secretary

[Pa.B. Doc. No. 01-8. Filed for public inspection January 5, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision to 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0024180 Amendment No. 2. Sewage, **Berks-Montgomery Municipal Authority**, P. O. Box 370, 136 Municipal Drive, Gilbertsville, PA 19525-0370.

This application is for amendment of an NPDES permit to discharge treated sewage from Swamp Creek sewage treatment plant in Douglass Township, **Montgomery County**. This is an existing discharge to Swamp Creek.

The receiving stream is classified for the following uses: warm water fishery, trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average annual flow of 2.3 mgd upon completion of plant expansion/upgrade are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	15	23	30
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	1.8		3.6
(11-1 to 4-30)	5.4		10.8
Phosphorus (as P) (4-1 to 10-31)	2.0		4.0
Total Residual Chlorine	0.07		0.21
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		
Total Aluminum	monitor		monitor
Total Copper	monitor		monitor

The EPA waiver is not in effect.

Implementation of industrial pre-treatment program requirements.

PA 0053678. Industrial Waste, SIC: 5541, **Earl Lambert**, 47 West Lancaster Avenue, Downingtown, PA 19355.

This application is for renewal of an NPDES permit to discharge treated groundwater from a Mobil Service station in Downingtown Borough, **Chester County**. This is an existing discharge to East Branch Brandywine Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 14,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	within limits of 6.0—9.0 standard units at all times		
Benzene	0.001	0.002	0.0025
Total BTEX	0.1	0.2	0.25
Ethylbenzene	monitor only	monitor only	
Toluene	monitor only	monitor only	
Total Xylenes	monitor only	monitor only	
Tetrachloroethylene	monitor only	monitor only	
Trichloroethylene	monitor only	monitor only	

The EPA waiver is in effect.

PA 0058238. Sewage, **Warren Manger**, 130 Beaumont Drive, Newtown, PA 18940.

This application is for issuance of an NPDES permit to discharge treated sewage from Manger property in Upper Makefield Township, **Bucks County**. This is a new discharge to unnamed tributary to Jericho Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 700 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

Other Conditions:

The EPA waiver is in effect.

Effective disinfection.

PA 0013081. Industrial Waste, **Kimberly-Clark Tissue Company, Inc.**, Front and Avenue of the States, Chester, PA 19103.

This application is for renewal of an NPDES permit to discharge industrial wastewater and stormwater from the Kimberly-Clark facility, in the City of Chester, **Delaware County**. These are existing discharges to Chester Creek and the Delaware Estuary, Zone 4.

The receiving streams are classified for the following uses: migratory fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on an average flow of 1.06 mgd are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids (Raw Intake Water (Effluent)		monitor/report monitor/report	
Free Available Chlorine		0.2	0.5
Total Residual Oxidant		monitor/report	monitor/report
Temperature			110°F
pH (standard units)	6.0		9.0

The proposed effluent limits for Outfall 005, based on an average flow of 0.28 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Total Dissolved Solids	1,000	2,000	2,500
Oil and Grease	15		30
pH (standard units)	6.0 (I-Min)		9.0

The proposed effluent limits for Outfall 006, based on an average flow of 0.095 mgd are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Free Available Chlorine		0.2	0.5
Total Residual Oxidant		monitor/report	monitor/report
Temperature			110°F
pH (standard units)	6.0 (I-Min)		9.0

The proposed effluent limits for Outfalls: 008, 009, 012, 013, 017, 018, 019, 020, 021, 027, 028, 029, 030, and 031, based on an average storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		monitor/report
COD		monitor/report
Oil and Grease		monitor/report
pH		monitor/report
Total Suspended Solids		monitor/report
Total Kjeldahl Nitrogen		monitor/report
Total Phosphorus (as P)		monitor/report
Dissolved Iron		monitor/report

The EPA waiver is in effect.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.

PA 0060321. Sewerage, **Century Enterprises**, Route 202, Box 502, Montgomeryville, PA 18936.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an unnamed tributary to the South Branch of Tunkhannock Creek in Overfield Township, **Wyoming County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

Effluent limits were evaluated at the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of .02 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10.0	20.0
Total Suspended Solids	30.0	60.0
NH ₃ -N		
(5-1 to 10-31)	2.50	5.0
(11-1 to 4-30)	7.50	15.0
Total Residual Chlorine	.04	.09
Dissolved Oxygen	a minimum of 6.0 mg/l at all times	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0088625. SIC Code 4952, Sewage, **Carlisle Suburban Authority (Satellite Plant)**, 240 Clearwater Drive, Carlisle, PA 17013-1185.

This application is for issuance of an NPDES permit for a new discharge of treated sewage to Conodoguinet Creek in Watershed 7-B (Conodoguinet Creek), in North Middleton Township, **Cumberland County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Carlisle Borough located in North Middleton Township, Cumberland County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.25 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
Phosphorus				
(4-1 to 10-31)	1.0	XXX	XXX	2.0
(11-1 to 3-31)	2.0	XXX	XXX	4.0
Total Nitrogen	XXX	XXX	monitor and report	XXX
Dissolved Oxygen			minimum of 5.0 at all times	
pH			from 6.0 to 9.0 inclusive	
Fecal Coliform				
(5-1 to 9-30)			200/100 ml as a geometric average	
(10-1 to 4-30)			10,000/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0026875. SIC Code 4952, Sewage, **Borough of Hanover (Borough of Hanover Regional WWTP)** 44 Frederick Street, Hanover, PA 17331.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to South Branch Conewago Creek in Watershed 7-F (Conewago Creek), in Conewago Township, **Adams County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the New Oxford Municipal Authority intake in Oxford Township, **Adams County**. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 4.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅				
(5-1 to 10-31)	15	22	XXX	40
(11-1 to 4-30)	20	30	XXX	54
Total Suspended Solids	30	45	XXX	81
NH ₃ -N				
(5-1 to 10-31)	1.5	XXX	XXX	4.0
(11-1 to 4-30)	3.0	XXX	XXX	8.1
Total Phosphorus	2.0	XXX	XXX	4.0
Total Residual Chlorine	0.17	XXX	XXX	0.57
Nitrate-Nitrogen (Interim)	monitor and report	XXX	XXX	XXX
Nitrate-Nitrogen (Final)				
(5-1 to 10-31)	15	XXX	XXX	30
(11-1 to 4-30)	monitor and report	XXX	XXX	XXX
Total Copper	0.011	XXX	0.022	0.027
Total Lead	XXX	XXX	monitor and report	XXX
Dissolved Oxygen			minimum of 5.0 at all times	
pH			from 6.0 to 9.0 inclusive	
Fecal Coliform				
(5-1 to 9-30)			200/100 ml as a geometric average	
(10-1 to 4-30)			2,400/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

PA 0084328. SIC Code 4952, Sewage, **J. E. Baker Company**, P. O. Box 1189, York, PA 17405.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary to Honey Run in Watershed 7-F, in West Manchester Township, **York County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Wrightsville Water Supply Company located in Wrightsville Borough, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.003 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Total Residual Chlorine	1.5	2.5
Dissolved Oxygen	minimum of 5.0 at all times	
pH	from 6.0 to 9.0 inclusive	
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	2,000/100 ml as a geometric average	
(10-1 to 4-30)		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0008265. SIC Code 1518, Industrial Waste, **Appleton Papers (Spring Mill)**, 100 Paper Mill Road, Roaring Spring, PA 16673-1488.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Frankstown Branch Juniata River in Watershed 11-A, in Blair Township, **Blair County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 4.84 mgd are:

<i>Parameter</i>	<i>Average Monthly (lbs/day)</i>	<i>Maximum Daily (lbs/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	—	—	from 6.0 to 9.0 inclusive		
Dissolved Oxygen	—	—	minimum of 5.0 at all times		
CBOD ₅	1,009	2,018	25	50	62
Total Suspended Solids	4,036	8,073	100	200	250
NH ₃ -N	60	121	1.9	3.8	4.8
Color PCU					
(5-1 to 10-31)	—	—	197	394	493
(11-1 to 4-30)	—	—	221	442	553
AOX	306	467	—	—	—
COD	—	—	monitor and report		
Temperature	—	—	monitor and report		
Chloroform	—	—	.060	.120	.150
Chromium/Hexavalent	—	—	monitor and report		
Lead	—	—	monitor and report		
Selenium	—	—	monitor and report		
Aluminum	—	—	monitor and report		
Pentachlorophenol	—	—	monitor and report		
Trichlorophenol	—	—	monitor and report		

The proposed limits for internal monitoring point MP 101-First, Second, and Third Stage Bleach Plant Filtrate Effluent.

<i>Parameter</i>	<i>Average Monthly (lbs/day)</i>	<i>Maximum Daily (lbs/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Kappa Number	—	—	20 annual avg.	monitor	—
Color (PCU)	—	—	monitor and report		
Chloroform	2.03	3.4	monitor and report		

<i>Parameter</i>	<i>Average Monthly (lbs/day)</i>	<i>Maximum Daily (lbs/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
2,3,7,8-TCDD	—	—	—	10 pg/l	—
2,3,7,8-TCDF	—	—	—	31.9 pg/l	—
Trichlorosyringol	—	—	—	<2.5 µg/l	—
3,4,5-trichlorocatechol	—	—	—	<5.0 µg/l	—
3,4,6-trichlorocatechol	—	—	—	<5.0 µg/l	—
Tetrachlorocatechol	—	—	—	<5.0 µg/l	—
3,4,5-trichloroguaiacol	—	—	—	<2.5 µg/l	—
3,4,6-trichloroguaiacol	—	—	—	<2.5 µg/l	—
4,5,6-trichloroguaiacol	—	—	—	<2.5 µg/l	—
Tetrachloroguaiacol	—	—	—	<5.0 µg/l	—
2,4,5-trichlorophenol	—	—	—	<2.5 µg/l	—
2,4,6-trichlorophenol	—	—	—	<2.5 µg/l	—
2,3,4,6-trichlorophenol	—	—	—	<2.5 µg/l	—
Pentachlorophenol	—	—	—	<5.0 µg/l	—

Outfalls 002 through 005, and 009 through 018 are identified as stormwater outfalls receiving runoff from areas with industrial activity. Monitoring is required for CBOD₅, Chemical Oxygen Demand, Oil and Grease, pH, Total Suspended Solids, Total Phosphorus, Total Kjeldahl Nitrogen and Dissolved Iron for Outfalls 002 through 005, and 009 through 018.

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 321-6574.

PA 0027324. SIC: 4952, **Shamokin-Coal Township Joint Sewer Authority**, R. D. 2 Box 35, Shamokin, PA 17872.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Shamokin Creek in Ralpho Township, **Northumberland County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the Dauphin Consolidated Water Company located at Dauphin.

The proposed effluent limits for Outfall 001 based on a design flow of 7.0 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
Total Chlorine Residual	0.5		1.6
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
pH	6.0—9.0 SU at all times		

Other Conditions:

- (1) Combined Sewer Overflow (CSO) monitoring.
- (2) Pretreatment requirements.

The EPA waiver is not in effect.

PA 0228320. Sewerage, SIC: 4952, **Davidson Township Municipal Authority**, Box 7112, Sonestown, PA 17758.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Muncy Creek in Davidson Township, **Sullivan County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.02 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Total Cl ₂ Residual	1.0		2.3

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0 to 9.0 at all times		

The EPA waiver is in effect.

PA 0209228. Sewerage, SIC: 4952, **Lycoming County Water and Sewer Authority**, 216 Old Cement Road, Montoursville, PA 17754.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to the West Branch Susquehanna River in Fairfield Township, **Lycoming County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton approximately 20 river miles downstream.

The proposed effluent limits for Outfall 001 based on a design flow of 1.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Total Cl ₂ Residual	0.50		1.6
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0 to 9.0 at all times		

The EPA waiver is not in effect.

PA 0032514. Sewerage, SIC: 4952, **DCNR Bureau of State Parks**, Denton Hill State Park, 454 Lyman Run Road, Galeton, PA 16922.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Elm Hollow in Ulysses Township, **Potter County**.

The receiving stream is classified for the following uses: high quality cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Jersey Shore Water Authority located at Jersey Shore.

The proposed effluent limits for Outfall 001 based on a design flow of 0.013 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Ammonia-N (6-1 to 10-31)	8.5		17
(11-1 to 5-31)	25		50
Total Cl ₂ Residual	De-Chlorinate		0.05
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0 to 9.0 at all times		

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0218685. Sewage, **GM&S Coal Corporation**, P. O. Box 233, Jennerstown, PA 15547.

This application is for issuance of an NPDES permit to discharge treated sewage from Geronimo Mine STP in Jenner Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Quemahoning Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Manufacturer's Water Company.

Outfall 001: new discharge, design flow of 0.00161 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	8.0			16.0
(11-1 to 4-30)	24.0			48.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	monitor and report			
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0218715. Sewage, **Garda's Restaurant**, Martin J. Garda, R. D. 3, Box 382, Ford City, PA 16226.

This application is for issuance of an NPDES permit to discharge treated sewage from Garda's Restaurant STP in Manor Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Crooked Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority-Freeport.

Outfall 001: new discharge, design flow of 0.0015 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

PA 0223085. Sewage, **Beeman Mobile Home Park**, Mr. and Mrs. Ebert G. Beeman (owner), P. O. Box 601, Waterford, PA 16441.

This application is for a new NPDES permit to discharge treated sewage from a mobile home park located approximately 1.2 miles west of the intersection of East Third Street and Route 19 and 1,000 ft. east of the intersection of Trask and Old State Roads, to an unnamed tributary to Lake LeBoeuf in Waterford Township, **Erie County**. This is a new discharge.

The receiving water is classified for cold water and migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDs, NO₂-NO₃, fluoride and phenolics, there is no public water supply (PWS) to consider, as the stream discharges into Lake LeBoeuf.

The proposed effluent limits for Outfall 001 based on average design flow of 0.020 mgd are:

Parameter	Effluent Concentration (mg/l)	
	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	15	30
Dissolved Oxygen	minimum of 3.0 mg/l at all times	

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	1.4	3.3
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 2,000/100 ml as a geometric average	
pH	6.0 to 9.0 standard units at all times	

The EPA waiver is in effect.

PA 0033821. Sewage. **Pymatuning Laboratory of Ecology**, University of Pittsburgh, Facilities Management Division, 3400 Forbes Avenue, Pittsburgh, PA 15260.

This application is for renewal of an NPDES Permit to discharge treated sewage to the Pymatuning Reservoir (Shenango River) in North Shenango Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Pymatuning State Park Tuttle Point on the Shenango River located at River Mile 80.5 and is located 2.8 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flows of Interim Limits of 0.003 mgd and Final Limits at 0.00855 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		monitor and report	
CBOD ₅	25		50
Total Suspended Solids	30		60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 2,000 ml as a geometric average	
Total Residual Chlorine	1.4		3.3
pH		6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0002666. Industrial Waste, SIC: 2999 and 2843. **Crompton Corporation**, 100 Sonneborn Lane, Petrolia, PA 16050.

This application is for renewal NPDES Permit, to discharge treated industrial waste, treated stormwater and untreated stormwater to South Branch Bear Creek in Fairview Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Pennsylvania-American Water Company-Butler District, on the Allegheny River located at East Brady, approximately 20.4 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	XX		
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

The proposed discharge limits for Outfall No. 002 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	XX		
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Zinc	XX		
pH	XX		

The proposed discharge limits for Outfall No. 003 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	15		30
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

The proposed discharge limits for Outfall No. 007 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	15		30
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

The proposed discharge limits for Outfall No. 010 based on a design flow of 0.4772 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅			
(5-1 to 10-31)	11.4	23	28.5
(11-1 to 4-30)	22.8	46	57
TSS	50	150	150
Ammonia as Nitrogen			
(5-1 to 10-31)	1.1	2.2	2.75
(11-1 to 4-30)	3.3	6.6	8.25
Fecal Coliform			
(5-1 to 9-30)		200/100 ml	
(10-1 to 4-30)		2,000/100 ml	
Dissolved Oxygen		shall be greater than 6.7 mg/l at all times	
Oil and Grease	15		30
Aluminum	0.41	0.82	1.03
(T) Iron	1.3	2.6	3.2
Manganese	1.0	1.6	2.5
Copper	0.03	0.03	0.08
Zinc	0.17	0.34	0.43
Phenol	0.014	0.024	0.035
Barium (Interim)	3.9	7.8	9.75
Barium (*) (Final)	1.3	2.6	3.3
Selenium (Interim)	0.06	0.12	0.15
Selenium (*) (Final)	0.0067	0.013	0.017
Dissolved Iron (Interim)	1.2	2.4	3.0
Dissolved Iron (*) (Final)	0.38	0.76	0.95
Chem-Treat 2150	0.049	0.1	0.12
Chem-Treat Department 2403	0.046	0.09	0.12
Chem P-835E	0.016	0.03	0.04
Temperature (**)	XX		
January 1-31			40°F
February 1-29			41°F
March 1-31			55°F
April 1-15			56°F
April 16-30			76°F

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
May 1-15			67°F
May 16-31			81°F
June 1-15			80°F
June 16-30			84°F
July 1-31			82°F
August 1-31			80°F
September 1-15			74°F
September 16-30			72°F
October 1-15			63°F
October 16-31			61°F
November 1-15			52°F
November 16-30			48°F
December 1-31			41°F
pH		6.0 to 9.0 at all times	

The proposed discharge limits for Outfall No. 012 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	XX		
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

The proposed discharge limits for Outfall No. 021 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	15		30
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

The proposed discharge limits for Outfall No. 022 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	15		30
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
pH	XX		

The proposed discharge limits for Outfall No. 023 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	XX		
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

NOTICES

The proposed discharge limits for Outfall No. 024 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	XX		
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

The proposed discharge limits for Outfall No. 025 based on a design flow of n/a mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	XX		
TSS	XX		
Oil and Grease	XX		
(T) Iron	XX		
Dissolved Iron	XX		
Manganese	XX		
Zinc	XX		
pH	XX		

XX—Monitor and report on monthly DMRs

*—See Special Condition 1 in Part C of the permit.

**—See Special Condition 3 in Part C of the permit.

1. Final water quality based effluent based limitation for barium, selenium and dissolved iron.
2. Requirement to submit a toxic reduction evaluation within 18 months of permit issuance date.
3. Conditions for future permit modification.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

The EPA waiver is not in effect.

PA 0223107. Sewage. **Big Run Area Municipal Authority**, P. O. Box 437, Big Run, PA 15767.

This application is for a new NPDES Permit to discharge treated sewage to the Mahoning Creek in Henderson Township, **Jefferson County**. This is a new discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Western Pennsylvania Water Company on the Allegheny River located at Kittanning, approximately 63 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of .11 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	30	50
TSS	30	45	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 85,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.6
Dissolved Oxygen	minimum of 3 mg/l at all times		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0223123. Sewage, **Bowser and McBride**, 12474 and 12484 East Lake Road, North East, PA 16428.

This application is for a new NPDES permit to discharge treated sanitary sewage from two single-family residences in North East Township, **Erie County**. This is a new discharge.

The receiving water is classified for cold water and migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, there is no existing/proposed potable water supply (PWS) to consider during the evaluation.

The proposed effluent limits for Outfall 001 based on average design flow of 0.0008 mgd are:

Parameter	Effluent Concentration (mg/l)	
	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	10	20
Total Suspended Solids	20	40
Total Residual Chlorine	1.4	3.3
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	2,000/100 ml as a geometric average	
(10-1 to 4-30)	6.0 to 9.0 standard units at all times	
pH		

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements. The updates will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southeast Regional Office: Water Management Program, Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

NPDES No.	Facility Name and Address	County and Municipality	Tributary Stream	New Permit Requirements
PA 0050148	Warwick Twp. Water & Sewer Authority 1733 Township Greene P. O. Box 315 Jamison, PA 18929	Bucks County Warwick Township	Fish Creek	

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

NPDES No.	Facility Name and Address	County and Municipality	Tributary Stream	New Permit Requirements
PA 0081752	Philhaven Hospital P. O. Box 550 283 South Butler Road Mt. Gretna, PA 17042	Lebanon County West Cornwall Township	Backman Run	TRC
PA 0030171	Llewellyn's Mobile Home Court Inc. 4550 Bull Road Dover, PA 17315	York County Dover Township	UNT Little Conewago Creek	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department). Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Services at (800) 654-5984.

**Industrial waste and sewerage applications under
The Clean Streams Law (35 P. S. §§ 691.1—
691.100).**

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 1589411. Sewerage. **Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. Applicant is requesting approval to upgrade the Byers Road Pump Station located in West Pikeland Township, **Chester County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

A. 5800403. Sewerage. **Thompson Borough**, P. O. Box 89, Thompson, PA 18465-0089. Application for construction of a wastewater treatment system to serve the Borough of Thompson, **Susquehanna County**. Application received in the Regional Office December 1, 2000.

Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Individuals who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.

Permit No. 3471402 (amendment 00-1). Submitted by **McAllisterville Area Joint Authority**, P. O. Box 61, McAllisterville, PA 17049 in Fayette Township, **Juniata County** to construct organic loading improvements at

their treatment plant was received in the Southcentral Region on December 7, 2000.

Permit No. 6700416. Submitted by **Shrewsbury Borough Municipal Authority**, 35 West Railroad Avenue, Shrewsbury, PA 17361 in Shrewsbury Borough, **York County** to construct the North End Pump Station and Sewer Extension was received in the Southcentral Region on December 6, 2000.

Permit No. 3687408 (amendment 00-1). Submitted by **Clay Manor Homeowner's Association**, 11 E. Manor Drive, Lititz, PA 17543 in Elizabeth Township, **Lancaster County** to replace their onlot sewage system with a community onlot sewage disposal system (OLDS) for treatment and disposal of wastewater treatment system was received in the Southcentral Region on December 11, 2000.

Permit No. 3696408 (amendment 00-1). Submitted by **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603-4087 in Manor Township, **Lancaster County** to replace an existing headworks facility with a new headworks that will contain equipment that surpasses the level of screening and grit removal of the existing system was received in the Southcentral Region on December 11, 2000.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 3700407. Sewerage. **Shenango Township**, 1000 Willowbrook Road, New Castle, PA 16101. This project is for the construction and operation of a pump station and gravity sewers to serve a residential subdivision, Orchardale Estates, consisting of 39 lots, in Shenango Township, **Lawrence County**.

WQM Permit No. 1600408. Sewerage. **Farmington Township**, P. O. Box 148, Leper, PA 16233. This project is for the construction and operation of a wastewater treatment facility to serve the areas of Leeper and Tylersburg in Farmington Township, **Clarion County**.

WQM Permit No. 2500421. Sewerage. **City of Erie**, 626 State Street, Room 400, Erie, PA 16501. This project is for the construction of the Ash and Parade Street Relief Sewer in the City of Erie, **Erie County**.

WQM Permit No. 2500420. Sewerage. **Roxbury Realty Company**, Holly Acres Mobile Home Park, 4652 State Street, Erie, PA 16509. This project is for the construction and operation of a pump station to serve a mobile home park expansion in Summit Township, **Erie County**.

INDIVIDUAL PERMITS

(PAS)

NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northeast Regional Office: Regional Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Northampton County Conservation District, District Manager; Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

NPDES Permit PAS10U138. Stormwater. **Liberty Property Limited Partnership**, 1510 Valley Center Parkway, Suite 240, Bethlehem, PA 18017, has applied to discharge stormwater from a construction activity located in Hanover Township, **Northampton County**, to Monocacy Creek, HQ-CWF.

Southcentral Regional Office: Regional Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 657-4707.

Mifflin County Conservation District, District Manager; Mifflin County CD, 20 Windmill Hill Rm 4, Burnham, PA 17009, (717) 248-4695.

NPDES Permit PAS-10-4509. Stormwater. **Mount Union Area School District**, 28 W. Market Street, Mount Union, PA 17066 has applied to discharge stormwater from a construction activity located in Kistler Borough, **Mifflin County**, to UNT to the Juniata River. (HQ-CWF)

Mifflin County Conservation District, District Manager; Mifflin County CD, 20 Windmill Hill Rm 4, Burnham, PA 17009, (717) 248-4695.

NPDES Permit PAS-10-4510. Stormwater. **Bratton Township Supervisors**, 460 Mountain Lane, McVeytown, PA 17051 has applied to discharge

stormwater from a construction activity located in Bratton Township, **Mifflin County**, to Carlisle Run (HQ-CWF) and the Juniata River (WWF).

Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

NPDES Permit PAS-10-8100. Stormwater. **Norfolk Southern Railway Company**, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308 has applied to discharge stormwater from a construction activity located in various municipalities, in **Cumberland, Mifflin, Juniata, Huntingdon, Blair, Perry, York and Franklin Counties**, to Unnamed Tributaries, Tributaries and Various Waterways of the Commonwealth of Pennsylvania.

Berks County Conservation District, District Manager; Berks County CD, P. O. Box 520, 1238 County Welfare Road, Leesport, PA 19533, (610) 372-4657.

NPDES Permit PAS-10-C044. Stormwater. **Byron Whitman c/o Berkshire Greens, Inc.**, 16 Village Drive, Reading, PA 19607 has applied to discharge stormwater from a construction activity located in Robeson Township, **Berks County**, to Hay Creek.

Northwest Regional Office: Regional Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

NPDES Permit PAS103711. Stormwater. **George Epps**, Norfolk Southern Railway Company, 600 West Peachtree, Suite 1840, Atlanta, GA 30308, has applied to discharge stormwater from a construction activity located in Mahoning Township, New Beaver Borough, City of New Castle, North Beaver Township, Wampum Borough and Wayne Township, **Lawrence County**, to Connoquenessing Creek (WWF), Tributary to Beaver River (WWF), Beaver River (WWF, N; ADD TON), Wampum Run (WWF), Eckles Run (WWF), Jenkins Run (WWF), Edwards Run (WWF), Mahoning River/Shenango River Confluence (WWF, N; ADD TON), Mahoning River (WWF) and Tributary to Mahoning River (WWF).

Individual CAFO NPDES Permit

Southcentral Regional Office: Regional Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0088404. Phillip Kulp (Kulp Family Dairy LLC), R. D. 2, Box 142B, Martinsburg, PA 16662.

Phillip Kulp has submitted an application for an NPDES permit for an existing and expanding concentrated animal feeding operation (CAFO) known as Kulp Family Dairy LLC, located on Millerstown Road in North Woodbury Township, **Blair County**. The CAFO is situated near Clover Creek, which is classified as High Quality Waters-Cold Water Fishes (HQ-CWF). The CAFO is designed to maintain an animal population of 1,988.25 animal equivalent units (AEUs) consisting of 1,410 cows and 135 large heifers and 375 small heifers.

Manure generated at the older dairy facility is scraped and transported to an existing earthen structure containing an approximate storage capacity of 675,919 gallons and an earthen picket dam storage for solid manure. Manure storage at the new dairy operation consists of a gravity flow facility to two new earthen structures containing approximately 3,174,565 gallons and 2,885,502 gallons. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations including the Final CAFO Strategy, the Department has made a tentative determination to issue an individual NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The Environmental Protection Agency (EPA) permit review waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Persons wishing to comment on the proposed permit are invited to submit written comments to the above address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer, and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and

approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Rose Tree Elementary School, Upper Providence Township, **Delaware County**. Daniel B. Lewis, P.G., Spotts, Stevens & McCoy, Inc., 345 N. Wyomissing Blvd., P. O. Box 6307, Reading, PA 19610-0307, has submitted a Notice of Intent to Remediate site groundwater contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Delaware County Daily Times* on November 22, 2000.

Binder Residence, Lower Moreland Township, **Montgomery County**. Jennifer Moyer, Brinkerhoff Environmental Services, Inc., 133 Jackson Road, Suite D, Medford, NJ 08055, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *Montgomery County Record* in November, 2000.

Sun Pipe Line Co., East Goshen Township, **Chester County**. Jennifer L. Stafford, P.G., Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, has submitted a revised Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *Daily Local News* on November 22, 2000.

Norris Square Civic Association Proposed Childcare Center Site (former Carter Donleavy Warehouse) City of Philadelphia, **Philadelphia County**. Patricia DeCarlo, Norris Square Civic Association, 149 W. Norris Street, Philadelphia, PA 19122, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Al Dia* on November 9, 2000.

Kee Corp., City of Philadelphia, **Philadelphia County**. Daniel P. Claycomb, P.G., Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482-0810, has submitted a Notice of Intent to Remediate site soil contaminated with lead, BTEX, polycyclic aromatic hydrocarbons, cumene and MTBE. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *Philadelphia Daily News* on November 30, 2000.

Northeast Regional Field Office: Joseph A. Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

PPL—Distribution Pole # 64123S48054 (off Airport Road, in shopping plaza), City of Allentown, **Lehigh County**. PPL Generation, LLC, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Notice of Intent to Remediate concerning the remediation of site soils found or suspected to be contaminated with PCBs (polychlorinated biphenyls). The notice indicates that the site will be remediated to meet the Statewide human health standard.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Fourway Properties—Breezewood Development, Moon Township, **Allegheny County**. John P. Englert, Kirkpatrick and Lockhart LLP, Henry W. Oliver Building, 535 Smithfield Street, Pittsburgh, PA 15222-2312 and Fourway Properties LP, 1198 Mulberry Street, Bridgewater, PA 15009 has submitted a Notice of Intent to Remediate soil contaminated with solvents. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Allegheny County Times* on December 12, 2000.

SOLID AND HAZARDOUS WASTE

BENEFICIAL USE DETERMINATIONS

Determination of applicability requested under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904), and the residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101-2301.

Determination of applicability requested under **General Permit No. WMGR014. Highway Materials, Inc.**,

1750 Walton Road, Blue Bell, PA 19422. General Permit Number WMGR014 for the beneficial use of residual waste. The Department accepted the application as administratively complete on December 20, 2000.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17104-8472. Persons interested in obtaining more information about the general permit and this request for a determination of applicability may contact the Division at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

PREVIOUSLY UNPERMITTED CLASS OF SPECIAL HANDLING WASTE

INFECTIOUS OR CHEMOTHERAPEUTIC WASTE

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1001), The Administrative Code of 1929 (71 P. S. §§ 510-5, 520-17 and 510-20), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904), and the municipal waste regulations for a general permit for infectious or chemotherapeutic waste processing facilities.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101-2301.

General Permit No. WMGM008. Moyer Packing Company, P. O. Box 395, Souderton, PA 18964-0395. General Permit Number WMGM008 for the use of animal fat/vegetable oil as an alternative fuel at its facility located in Franconia Township, **Montgomery County**. The Department determined the application to be administratively complete on December 20, 2000.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in obtaining more information about the general permit application may contact the Division at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the Department Regional Office within 30 days of the date of this notice, and must file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified below. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Applications Received and Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

66-315-037: The Procter & Gamble Paper Products Co. (P. O. Box 32, Mehoopany, PA 18629) for operation of a diaper production area air handling system and associated air cleaning device in Building No. 6 along Route 87 in Washington Township, **Wyoming County**.

66-315-038: The Procter & Gamble Paper Products Co. (P. O. Box 32, Mehoopany, PA 18629) for operation of four diaper raw material delivery systems and associated air cleaning devices along Route 87 in Washington Township, **Wyoming County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

01-05006: Reliant Energy Mid-Atlantic Power Holdings, LLC (1001 Broad Street, Johnstown, PA

19907) for a Title V Synthetic Minor Operating Permit for an electrical generating station in Highland Township, **Adams County**.

22-03009: Brubaker Tool Corp. (200 Front Street, Millersburg, PA 17061) for a Natural Minor Operating Permit for their machining and heat treat operations in Millersburg Borough, **Dauphin County**.

67-03019: The Pfaltzgraff Co. (P. O. Box 244, Bowman Road, Thomasville, PA 17364) for a Natural Minor Operating Permit for the ceramic dishware manufacturing facility in Jackson Township, **York County**.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521 and § 127.424, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management using the appropriate regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified below. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

46-00018: Brown Printing Co. (668 Gravel Pike, East Greenville, PA 18041) in Upper Hanover Township, **Montgomery County**. This facility uses numerous ink jet and lithographic printers to perform commercial printing. These printers and their support equipment create major emissions of volatile organic compounds, nitrogen oxides and hazardous air pollutants.

23-00002: Stoney Creek Technologies, LLC (3300 West 4th Street, Trainer, PA 19061) in Trainer Borough, **Delaware County**. The facility's major emission points include two boilers, 45 sulfonic acid and sulfonate manufacturing vessels, 12 SACI production vessels, 8 solids handling vessels and 59 controlled storage tanks which has the potential to emit major levels of volatile organic

compounds (VOCs), nitrogen oxides (NO_x), sulfur compounds (SO_x) and hazardous air pollutants (HAPs).

46-00025: Lonza, Inc. (900 River Road, Conshohocken, PA 19428) in Upper Merion Township, **Montgomery County**. The facility's major emission points include two boilers, a hazardous waste incinerator, dust collectors, raw material tanks, a methylene chloride tank, waste storage tanks, wastewater treatment, manufacturing processes, No. 2 fuel oil storage tank, and two internal combustion engines, which emit major levels of volatile organic compounds (VOCs) and Nitrogen Oxides (NO_x).

46-00031: SmithKline Beecham Research Co. (1250 South Collegeville Road, P. O. Box 500, Collegeville, PA 19426-0900) in Upper Providence Township, **Montgomery County**. The facility's major emission points include four boilers, six diesel generators, one reactor and one research facility which emit major levels of volatile organic compounds (VOCs), sulfur compounds (SO_x), carbon monoxide (CO) and nitrogen oxides (NO_x).

23-00001: Sunoco, Inc. (R & M) (Delaware Ave. and Green Street, Marcus Hook, PA 19061) in Marcus Hook Borough, **Delaware County**. The facility's major emission points include Fluid Catalytic Cracking Unit (FCCU), various boilers and petroleum heaters, various petroleum storage tanks, and numerous process equipment associated with petroleum (Petrochemical) refining which emit major levels of sulfur oxides (SO_x), particulate matter (PM-10), nitrogen oxides (NO_x), volatile organic compounds (VOCs), hazardous air pollutants (HAPs), and carbon monoxide (CO).

PLAN APPROVALS

Applications Received and Intent to Issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

21-05038: Holy Spirit Hospital (North 21st Street, Camp Hill, PA 17011) for installation of a scrubber for a Hospital Waste Incinerator in East Pennsboro Township, **Cumberland County**. The installation is intended to reduce the emissions of particulate matter, acid gases and heavy metals in accordance with 40 CFR Part 60, Subpart Ce, Emissions Guidelines and Compliance Times for Hospital/Medical/Infectious Waste Incinerators. The plan approval will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

31-05011B: U. S. Silica Co. (P. O. Box 187, Berkeley Springs WV 25411-0187) for modification of the dust collectors that control the bulk railroad sandblasting and new screen tower located at the Mapleton Depot Plant in Brady Township, **Huntingdon County**. The sources are subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

36-05067G: C & D Technologies, Inc. (82 East Main Street, Leola, PA 17540), for modification of the existing

lead-acid battery manufacturing facility in Upper Leacock Township, **Lancaster County**. Several sources are subject to 40 CFR Part 60, Subpart KK—Standards of Performance for Lead-Acid Battery Manufacturing Plants.

67-03041: County Line Quarry, Inc. (740 South Front Street, Wrightsville, PA 17368) for construction of a crusher and screening plant in Hellam Township, **York County**. The crusher and screening plant are subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

12-399-014C: GKN Sinter Metals, Inc. (R. R. 2, Box 47, Emporium, PA 15834) for construction of a powdered metal parts oil impregnation system and associated air cleaning device (an electrostatic precipitator) at the Airport Road Plant (Plant 6) in Emporium Borough, **Cameron County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

65-657A: Tresco Paving Corp. (P. O. Box 14004, Pittsburgh, PA 15239) for operation of a Drum Mix Asphalt Plant at the Asphalt Plant in Salem Township, **Westmoreland County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

24-106A: Allegheny Color Corp. (Gillis Avenue, Ridgway, PA 15853) for Post-construction of a ball mill and two cartridge-type dust collectors (3,000 scfm) in Ridgway, **Elk County**.

10-218B: II-VI, Inc. (375 Saxonburg Blvd., Saxonburg, PA 16056-9499) for construction of two reactors with controls in Clinton Township, **Butler County**.

16-132B: Temple-Inland Forest Products Corp. (One Fiberboard Avenue, Shippenville, PA 16254) for minor modification of existing plan approval for minor revisions to 16-132A at the Clarion MDF Plant in Paint Township, **Clarion County**. The facility is a Title V Facility.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401

water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

Coal Mining Applications Received:

30001301. Dana Mining Co. of PA, Inc. (P. O. Box 1209, Morgantown, WV 26507), to operate the Crawdad Portal B Mine in Dunkard and Perry Townships, **Greene County** to operate a new deep mine, no additional discharges. Application received November 17, 2000.

03950701. Canterbury Coal Co. (R. D. 1, Box 119, Avonmore, PA 15618), to renew the permit for the Refuse Area No. 6 in Kiskiminetas Township, **Armstrong County** to renew the existing refuse and NPDES permit, no additional discharges. Application received December 4, 2000.

03871302. DLR Mining, Inc. (3065 Airport Rd., Indiana, PA 15701), to revise the permit for the Triple K No. 1 Deep Mine in Burrell Township, **Armstrong County** to revise the existing permit to add 8 acres of underground area and 8 acres to the subsidence control boundary, no additional discharges. Application received December 11, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33950102. Leonard Yenzi (P. O. Box 62, Anita, PA 15711). Renewal of an existing bituminous surface strip and auger operation in Knox Township, **Jefferson County** affecting 68.0 acres. Receiving streams: Sandy Lick Creek. Application received December 18, 2000.

33940110. D. J. & W. Mining, Inc. (P. O. Box 425, Indiana, PA 15701). Renewal of an existing bituminous surface strip operation in Oliver Township, **Jefferson County** affecting 16.5 acres. Receiving streams: Unnamed tributary to Big Run to Big Run. Application for reclamation only. Application received December 18, 2000.

10803018. Western Hickory Coal Co., Inc. (R. R. 2, Box 2139, Wampum, PA 16157). Renewal of an existing bituminous surface strip and auger operation in Venango Township, **Butler County** affecting 509.9 acres. Receiving streams: Three unnamed tributaries of Seaton Creek. Application for reclamation only. Application received December 21, 2000.

24950102. Fairview Coal Company (P. O. Box R, Ridgway, PA 15853). Renewal of an existing bituminous surface strip and beneficial use operation in Ridgway Township, **Elk County** affecting 105.0 acres. Receiving streams: Unnamed tributary of Little Mill Creek and Little Millcreek. Application received December 22, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

Noncoal Applications Received

65900402. Pioneer Mid-Atlantic, Inc. (400 Industrial Boulevard, New Kensington, PA 15068). NPDES Renewal Application received for continued operation and reclamation of a large noncoal (limestone quarry) surface mining operation located in Derry Township, **Westmoreland County**, affecting 754 acres. Receiving streams: unnamed tributaries to both and including Harbridge Run and Tannery Hollow. Application received December 14, 2000.

Bureau of Deep Mine Safety

The Bureau of Deep Mine Safety has received a request for variance from Quecreek Mining, Inc. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Gaida by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

The Department is publishing a summary of the request in order to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for thirty days following the publication of this notice. All comments should be addressed to Richard E. Stickler, Director, Bureau of Deep Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401.

Section 702 of the Bituminous Coal Mine Act (act) (52 P. S. §§ 701 and 702) provides a mechanism for operators to obtain variances from specific requirements of the act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 242(c) states that where belt conveyors are installed, main stoppings and regulators shall be so arranged as to reduce the quantity of air traveling in the belt conveyor entry to a minimum for effective ventilation

and to provide an intake air split as an escapeway from the face area to the main air current.

Summary of the request: Quecreek Mining, Inc. requests a variance to use a LTPA 98 Point Carbon Monoxide Monitor System and entries in common with the belt conveyor at the Quecreek No. 1 Mine.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager; Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428

E09-814. Encroachment. **Mill Lake, Inc.**, 1 Mill Creek Road, Morrisville, PA 19067. To place and maintain approximately 28,520 cubic yards of fill within a 1.12 acre

portion of an existing body of water (WWF) measuring approximately 35 acres in size, which is situated in the floodplain of Martins Creek (WWF). This work is proposed for the reported purpose of reducing drowning liability, creating a picnic area, providing safe access to water and to reclaim land that was quarried. The site is located just north of the intersection of Bristol Pike (S. R. 2055) and Mill Creek Road (Trenton West, PA USGS Quadrangle N: 5.9 inches; W: 7.5 inches) in Falls Township, **Bucks County**.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E41-475. Encroachment. **Paul E. Heise**, District Manager, Department of Transportation, P. O. Box 218, Montoursville, PA 17754-0218. To remove the existing masonry arch bridge with a normal clear span of 18.0 feet, a curb-to-curb width of 16.8 feet, a design underclearance of 6.5 feet, on a 90 degree skew; and to construct and maintain a pre-cast reinforced concrete box culvert 34.0 feet long with a curb-to-curb width of 24.0 feet, depressed 1.0 feet below the streambed with an effective waterway opening of 20.0 feet by 7.0 feet, on a 90 degree skew; and to construct and maintain a temporary rock lined channel or piped around the project site in Murray's Run on SR 1004 approximately 3.5 miles east of the intersection of SR 1004 with Rt. 14. The project will impact 0.03 acre of wetland while impacting approximately 60 feet of waterway. Murray's Run is a High Quality-Cold Water fisheries stream.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-584. Encroachment. **Pioneer Mid-Atlantic, Inc.**, 400 Industrial Boulevard, New Kensington, PA 15068. To perform commercial sand and gravel dredging in select areas of the Allegheny River (WWF) within Pools 2, 3, 4, 5, 7 and 8 and in the Ohio River (WWF) within the Dashield, Montgomery and New Cumberland Pools, subject to review of mussel surveys and prescribed set backs (starting at East Brady, PA Quadrangle N: 147 inches; W: 6.8 inches and ending at East Liverpool North, OH-PA-WV Quadrangle N: 2.3 inches; W: 2.3 inches) in **Allegheny, Armstrong, Beaver and Westmoreland Counties**. For a site-specific location of the dredging locations refer to attachments 1 (Allegheny County), 2 (Beaver County), and 3 (Armstrong County). Note this permit incorporates DEP Permits E03-202 and E04-103.

Attachment No. 1. Approved Dredging Areas Based on Mussel Survey Reviews.

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Amendment Date</i>	
Allegheny	Ohio	Dashields	7.0 to 7.7	Emsworth Borough		
			8.8 to 9.5	Neville Township		
				Kilbuck Township		
				Glenfield Borough		
			11.9 to 12.5	Neville Township		
				Edgeworth Borough		
				Sewickley Borough		
			13.8 to 15.38	Montgomery	Moon Township	
					Leetsdale Borough	
					Crescent Township	
Oakmont Borough						
O'Hara Township						
11.4 to 12.27	Allegheny	2	11.85	Oakmont Borough		
			12.27 to 12.6	Oakmont Borough		
			12.6	Harmar Township		

NOTICES

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Amendment Date</i>
		3	15.0 to 17.0	Cheswick Borough Springdale Borough Plum Borough	
			17.7 to 20.0	Plum Borough Springdale Township East Deer Township City of New Kensington (Westmoreland County) City of Arnold (Westmoreland County)	
			20.9 to 21.5	East Deer Township Tarentum Borough City of Arnold (Westmoreland County)	
		4	25.0 to 28.5	Harrison Township City of Lower Burrell (Westmoreland County) Allegheny Township (Westmoreland County)	

Attachment No. 2. Approved Dredging Areas Based on Mussel Survey Reviews.

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Amendment Date</i>
Beaver	Ohio	Montgomery	21.6 to 23.52	Monaca Borough Freedom Borough Conway Borough Center Township	
			26.2 to 27.1	Beaver Borough Potter Township Center Township	
			29.3 to 30.4	Industry Borough Potter Township	
			30.8 to 31.4	Industry Borough Potter Township	
		New Cumberland	32.0 to 33.1	Shippingport Borough Industry Borough Raccoon Township	
			33.75 to 34.3	Industry Borough Shippingport Borough	
			37.9 to 38.9	Ohioville Borough Georgetown Borough Greene Township	

Attachment No. 3. Approved Dredging Areas Based on Mussel Survey Reviews.

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/Restrictions</i>	<i>Amendment Date</i>
Armstrong	Allegheny	5	31.5 to 32.3	Gilpin Township South Buffalo Township		
			1000 feet upstream of the most upstream point of Murphy's Island to 33.0	Gilpin Township South Buffalo Township		
			33.3 to 35.15	Gilpin Township South Buffalo Township		
		7	46.0 to 46.8	Kittanning Borough East Franklin Township		

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/Restrictions</i>	<i>Amendment Date</i>
			47.0 to 49.0	Kittanning Borough Rayburn Township	Avoid right descending bank at River Mile 47.1 and 47.4, avoid left descending bank at River Mile 47.7 and 48.4.	
			49.7 to 52.4	East Franklin Township Rayburn Township Boggs Township Washington Township		
		8	53.3 to 54.6	Washington Township Boggs Township Pine Township		
			55.2 to 55.5	Washington Township Pine Township		
			56.4 to 58.0	Washington Township Madison Township		
			58.1 to 58.6	Madison Township Washington Township	Avoid right descending bank throughout.	

Note: "Avoid" as used in this description is defined as conducting no dredging in the rectangular area formed by the shore, near side of navigation channel and lines drawn 100 feet above and below the miles points specified in the comments/restrictions column intersecting the shore and near side of the navigation channel.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1328. Encroachment. **Port Authority of Allegheny County**, One Gateway Center, 13 West, Pittsburgh, PA 15222. To reconstruct the southern segment (3.0 km) of an out of service trolley line to modern light rail transit (LRT) standards, from Glenbury to Willow Avenue. This consists of the following: removal of existing structures, to construct and maintain 1,855 m (3,510 f) stream bank protection; to construct and maintain retaining wall with rock slopes 530 m (1,739 f) to construct and maintain a station platform with retaining walls, rock slopes and catenary poles 175 m (574 f), to construct and maintain pedestrian bridge with a 10.5 m (34.5 f) span and 2.5 m (8.2 f) underclearance, to construct and maintain rail track for 620 m (2,024 f) within the flood plain, to construct and maintain pavement for 10 m (32.8 f) within the flood plain and to construct and maintain a 48 inch outfall to Saw Mill Run (WWF) and to replace the existing structure a Linden Grove structure with a 915 mm (3 f) wide by 3850 mm (8.2 f) underclearance in a tributary to Saw Mill Run (WWF) (the project starts at Pittsburgh East, PA Quadrangle N: 1.1 inches; W: 17.2 inches and the project ends at Bridgeville, PA Quadrangle N: 20.6 inches; W: 3.8 inches) in the City of Pittsburgh, Baldwin Township and Castle Shannon Borough in **Allegheny County**.

E56-301. Encroachment. **Pennsylvania Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676. To widen and maintain an existing reinforced concrete deck, slab structure 14.1 feet upstream, increase and maintain the underclearance at 5.4 feet and maintain the normal span at 22.3 feet over an unnamed tributary to Glades Creek (CWF). Also, to place and maintain fill within the 100 year floodplain of the unnamed tributary to Glades Creek (CWF), to permanently place and maintain fill in 0.28 acre of PEM wetlands and temporarily place and maintain fill in 0.02 acre of PEM wetlands. The project is located on Township Road 513 where it crosses the Pennsylvania Turnpike at milepost 117.7, (Berlin, PA Quadrangle N: 19.5 inches; W: 10.3 inches) in Stonycreek Township, **Somerset County**. The wetland impacts have been replaced at the Louie-Beach Wetland Bank in Somerset Township, Somerset County.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E02-919. Encroachment. **Tri-State River Products, Inc.**, P. O. Box 218, Beaver, PA 15009-0218. To perform commercial sand and gravel dredging in select areas of the Ohio River (WWF) within the Dashield, Montgomery and New Cumberland Pools, subject to review of mussel surveys and prescribed set backs (starting at Pittsburgh West, PA Quadrangle N: 7.8 inches; W: 9.4 inches ending at East Liverpool North OH-PA-WV Quadrangle N: 2.3 inches; W: 2.6 inches) in **Allegheny and Beaver Counties**. For a site-specific location of the dredging locations refer to Attachments 1 (Allegheny County) and 2 (Beaver County). Note this permit incorporates DEP Permit No. E04-184.

Attachment No. 1. Approved Dredging Areas Based on Mussel Survey Reviews.

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Amendment Date</i>
Allegheny	Ohio	Dashields	7.0 to 7.7	Emsworth Borough Neville Township Kilbuck Township Glenfield Borough	
			8.8 to 9.5	Neville Township Edgeworth Borough Sewickley Borough Moon Township	
		Montgomery	11.9 to 12.5		
			13.8 to 15.38	Leestdale Borough Crescent Township	

Attachment No. 2. Approved Dredging Areas Based on Mussel Survey Reviews.

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Amendment Date</i>
Beaver	Ohio	Montgomery	21.6 to 23.52	Monaca Borough Freedom Borough Conway Borough Center Township Beaver Borough Potter Township Center Township	
			26.2 to 27.1	Industry Borough Potter Township Industry Borough Potter Township	
		New	29.3 to 30.4	Shippingport Borough	
		Cumberland	30.8 to 31.4	Industry Borough Raccoon Township Industry Borough Shippingport Borough Ohioville Borough Georgetown Borough Greene Township	
			32.0 to 33.1		
			33.75 to 34.3		
			37.9 to 38.9		

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1326. Encroachment. **Glacial Sand and Gravel Company**, P. O. Box 1022, Kittanning, PA 16201-1022. To perform commercial sand and gravel dredging in select areas of the Allegheny River (WWF) within Pools 2, 3, 4, 5, 7 and 8 (River Mile Post 0 to 28.5), subject to review of mussel surveys and prescribed set backs (starting at Pittsburgh West, PA Quadrangle N: 7.8 inches; W: 9.4 inches, ending at East Brady, PA Quadrangle N: 14.7 inches; W: 6.8 inches) in **Allegheny, Armstrong and Westmoreland Counties**. For a site-specific location of the dredging locations refer to attachments 1 (Allegheny County) and 2 (Armstrong County). Note this permit incorporates DEP Permit No. E03-322.

Attachment No. 1. Approved Dredging Areas Based on Mussel Survey Reviews.

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Amendment Date</i>
Allegheny	Allegheny	2	11.4 to 11.85	Oakmont Borough O'Hara Township Oakmont Borough	
			12.27 to 12.6	Harmar Township Cheswick Borough Springdale Borough Plum Borough Plum Borough Springdale Township East Deer Township City of New Kensington (Westmoreland County) City of Arnold (Westmoreland County)	
		3	15.0 to 17.0		
			17.7 to 20.0		

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Amendment Date</i>
			20.9 to 21.5	East Deer Township Tarentum Borough City of Arnold (Westmoreland County)	
		4	25.0 to 28.5	Harrison Township City of Lower Burrell (Westmoreland County) Allegheny Township (Westmoreland County)	

Attachment No. 2. Approved Dredging Areas Based on Mussel Survey Reviews.

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/Restrictions</i>	<i>Amendment Date</i>
Armstrong	Allegheny	5	31.5 to 32.3	Gilpin Township South Buffalo Township Gilpin Township South Buffalo Township		
			1000 feet upstream of the most upstream point of Murphy's Island to 33.0			
		7	33.3 to 35.15	Gilpin Township South Buffalo Township		
			46.0 to 46.8	Kittanning Borough East Franklin Township		
			47.0 to 49.0	Kittanning Borough Rayburn Township	Avoid right descending bank at River Mile 47.1 and 47.4, avoid left descending bank at River Mile 47.7 and 48.4.	
			49.7 to 52.4	East Franklin Township Rayburn Township Boggs Township Washington Township		
		8	53.3 to 54.6	Washington Township Boggs Township Pine Township		
			55.2 to 55.5	Washington Township Pine Township		
			56.4 to 58.0	Washington Township Madison Township		
			58.1 to 58.6	Madison Township Washington Township	Avoid right descending bank throughout.	

Note: "Avoid" as used in this description is defined as conducting no dredging in the rectangular area formed by the shore, near side of navigation channel and lines drawn 100 feet above and below the miles points specified in the comments/restrictions column intersecting the shore and near side of the navigation channel.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1113-A1. Encroachment. **Allegheny County Sanitary Authority**, 3300 Preble Avenue, Pittsburgh, PA 15233. To amend permit No. E02-1113 to include the construction and maintenance of approximately 290 linear feet of a gabion basket wall in the channel of and along the right bank of Sawmill Run for the purpose of restoring the existing stream bank and to prevent further erosion. The project is located on the west side of S. R. 51, approximately 1,000 feet north from the intersection of S. R. 51 and Maytide Street (Pittsburgh East, PA Quadrangle N: 2.1 inches; W: 16.9 inches) in the City of Pittsburgh, **Allegheny County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E20-492. Encroachment. **Meadville Real Estate, L.P.**, 2400 Ardmore Boulevard, Suite 800, Pittsburgh, PA 15221. To fill a total of 1.0 acre of wetland for construction of Vernon Township Square commercial development at the northwest corner of the intersection of S. R. 322 and S. R. 98 (Geneva, PA Quadrangle N: 22.3 inches; W: 10.9 inches) located in Vernon Township, **Crawford County**. This project proposes construction of 1.0 acre of replacement wetland on site.

E25-625. Encroachment. **PA Department of Transportation, District 1-0**, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. To place concrete stream bed paving 1.0 foot below the existing stream bed and maintain the reinforced concrete slab bridge having a span of 13.5 feet and an underclearance of 6.4 feet in a tributary to Hubbel Run on S. R. 0089, Section 00B, Segment 0250, Offset 0281 approximately 2.6 miles south of S. R. 8 (Union City, PA Quadrangle N: 17.7 inches; W: 3.3 inches) located in Amity Township, **Erie County**.

DAM SAFETY

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D06-500. Dam. **Forino Company, L.P.** (555 Mountain Home Road, Sinking Spring, PA 19608). To modify, operate and maintain the Detention Road 1 Dam across a tributary to Antietam Creek (CWF), directly impacting 0.1 acre of wetlands (PEM) and 100 feet of stream and indirectly impacting 1.3 acres of wetland and 530 feet of stream by temporary flooding within the basin, and providing 0.1 acre of wetland mitigation, for the purpose of stormwater detention (Birdsboro, PA Quadrangle N: 11.25 inches; W: 14.0 inches) in Exeter Township, **Berks County**

ENVIRONMENTAL ASSESSMENT

The following Environmental Assessment and request for Water Quality Certification is being processed under section 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.

Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

D54-016EA. Environmental Assessment. To breach and remove the Kehly Run Reservoir #2 Dam across Kehly Run (CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 2,400 feet southeast of the intersection of S. R. 924 and T788 (Shenandoah, PA Quadrangle N: 1460 inches; W: 9.65 inches). West Mahanoy Township, **Schuylkill County**.

D39-039EA. Environmental Assessment. To breach and remove the Cedar Creek Dam No. 1 across Cedar Creek (HQ-CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located at the Dorney Park and Wildwater Kingdom approximately 1,700 feet north of the intersection of S. R. 309 and S. R. 0222 (Allentown West, PA Quadrangle N: 13.95 inches; W: 5.45 inches). South Whitehall Township, **Lehigh County**.

D54-017EA. Dam. Environmental Assessment. To breach and remove the Kehly Run Reservoir #3 Dam across Kehly Run (CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 2,200 feet southeast of the intersection of S. R. 924 and T788 (Shenandoah, PA Quadrangle N: 14.70 inches; W: 9.65 inches). West Mahanoy Township, **Schuylkill County**.

D54-018EA. Environmental Assessment. To breach and remove the Kehly Run Reservoir #4 Dam across Kehly Run (CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 400 feet southwest of the intersection of S. R. 924 and T788 (Shenandoah, PA Quadrangle N: 15.75 inches; W: 10.20 inches). West Mahanoy Township, **Schuylkill County**.

D54-019EA. Environmental Assessment. To breach and remove the Kehly Run Reservoir #5 Dam across Kehly Run (CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 700 feet northwest of the intersection of S. R. 924 and T788 (Shenandoah, PA Quadrangle N: 15.90 inches; W: 10.35 inches). West Mahanoy Township, **Schuylkill County**.

D54-020CO. Environmental Assessment. To breach and remove the Kehly Run Reservoir #6 Dam across Kehly Run (CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 1,200 feet northwest of the intersection of S. R. 924 and T788 (Shenandoah, PA Quadrangle N: 16.20 inches; W: 10.45 inches). West Mahanoy and Union Townships, **Schuylkill County**.

D39-038EA. Environmental Assessment. To breach and remove the Dorney Park Dam across Cedar Creek (HQ-CWF) for the purpose of restoring the stream to a free flowing condition. The dam is located at the Dorney Park and Wildwater Kingdom approximately 2,700 feet northeast of the intersection of S. R. 309 and S. R. 0222 (Allentown West, PA Quadrangle N: 14.35 inches; W: 4.95 inches). South Whitehall Township, **Lehigh County**.

Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

EA25-003NW. Environmental Assessment. **Philip A. DeDionisio**, 903 Aurora Avenue, Girard, PA 16417. Restoration plan provided under Section 105.12(a)(16) for the filling of an approximately 0.5 acre human made pond located at 6122 Station Road, Harborcreek, PA 16510, southeast of the interchange between I-90 and Station

Road (Hammett, PA Quadrangle N: 21.6 inches; W: 19.6 inches) located in Harborcreek Township, **Erie County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 2300410. Sewage. **Bethel Township, Delaware County Sewer Authority**, 1082 Bethel Road, Boothwyn, PA 19061. Applicant is granted approval for the construction and operation of a collection system, pump station and force main to serve North Ridge subdivision located in Bethel Township, **Delaware County**.

WQM Permit No. 1500432. Sewage. **West Pikeland Township**, P. O. Box 6, 1208 East Route 113, Chester Springs, PA 19425. Applicant is granted approval for the construction and operation to install a force main from the Byers Road pump station located in West Pikeland Township, **Chester County**.

WQM Permit No. 1500428. Sewage. **East Whiteland Township**, 209 Conestoga Road, Frazer, PA 19335. Applicant is granted approval for the construction and operation of a new pump station to serve Hillbrook Circle located in East Whiteland Township, **Chester County**.

NPDES Permit No. PA0050482, Sewage. **Freedom's Foundation at Valley Forge**, 1601 Valley Forge Road,

Valley Forge, PA 19482-0706. Is authorized to discharge from a facility located in Schuylkill Township, **Chester County** into Jug Hollow Run.

NPDES Permit No. PA0053546. Sewage. **Frank T. Dzedzy**, 412 Lincoln Road, Phoenixville, PA 19460. Is authorized to discharge from a facility located in East Pikeland Township, **Chester County** to a UNT to Pickering Creek.

NPDES Permit No. PA0042129. Sewage. **U. S. Army Reserves 99th Regional Support Command**, 5 Lobaugh Street, Oakdale, PA 15071-5001. Is authorized to discharge from a facility located at North Penn USAR Center in Worcester Township, **Montgomery County** into a Dry swale to Stoney Creek.

NPDES Permit No. PA0052256. Industrial Waste. **The Fredericks Company**, 2400 Philmont Avenue, Huntingdon Valley, PA 19006-0067. Is authorized to discharge from a facility located in Lower Moreland Township, **Montgomery County** into Huntingdon Valley Creek (Pennypack Watershed-3J).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

NPDES Permit No. PA-0008664. Industrial Waste. **UGI Development Company (Hunlock Power Station)** is authorized to discharge from a facility located in Hunlock Creek Township, **Luzerne County** to North Branch Susquehanna.

NPDES Permit No. PA-0060801. Sewerage, **Montrose Municipal Authority**, P. O. Box 306, Montrose, PA 18801 is authorized to discharge from a facility located in Bridgewater Township, **Susquehanna County** to Pettis Creek.

NPDES Permit No. PA-0060631. Sewerage. **Stroud Township Board of Supervisors**, 1211 North Fifth Street, Stroudsburg, PA 18360, is authorized to discharge from a facility located in Stroud Township, **Monroe County** to Pocono Creek.

NPDES Permit No. PA-0064017. Industrial Waste, **Essroc Cement Corporation**, Nazareth Plant #3, Route 248 and Easton Road, Nazareth, PA 18064, is authorized to discharge from a facility located in Nazareth Borough, **Northampton County** to unnamed tributary to Schoeneck Creek.

NPDES Permit No. PA-0060071. Industrial Waste. **Aventis Pasteur, Inc.**, Discovery Drive is authorized to discharge from a facility located in Pocono Township, **Monroe County** to Swiftwater Creek.

NPDES Permit No. PA-0062201. Sewerage. **Schuylkill County Municipal Authority**, 221 South Centre Street, Pottsville, PA 17901, is authorized to discharge from a facility located in Borough of Gordon, **Schuylkill County** to Mahanoy Creek.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

Permit No. PA0014621. Sewerage. **United Water Pennsylvania**, (Sixth Street Plant), 4211 East Park Drive, P. O. Box 4151, Harrisburg, PA 17111-0151 is authorized to discharge from a facility located in Susquehanna Township, **Dauphin County** to the receiving waters named Susquehanna River in Watershed 7-C (Clark—Paxton Creeks).

Permit No. PA0014648. Sewerage. **United Water Pennsylvania**, (Hummelstown Plant), 4211 East Park

Drive, P. O. Box 4151, Harrisburg, PA 17111-0151 is authorized to discharge from a facility located in Middletown Borough, **Dauphin County** to the receiving waters named Swatara Creek in Watershed 7-D (Swatara Creek).

Permit No. PA0033995. Sewerage. **County of Berks**, (County STP), Sixth and Court Streets, 14th Floor, Reading, PA 19601 is authorized to discharge from a facility located in Bern Township, **Berks County** to the receiving waters named Plum Creek in Watershed 3-C.

Permit No. PA0008281 Transfer No. 1. Sewerage. **PPL Brunner Island, LLC**, (Brunner Island Steam and Electric Station), Two North Ninth Street, Allentown, PA 18101 is authorized to discharge from a facility located in East Manchester Township, **York County** to the receiving waters named Susquehanna River and Black Gut Run in Watershed 7-F (Conewago Creek).

Permit No. PA0081248 Transfer No. 1 Sewerage. **PPL Holtwood, LLC**, (Otter Creek Recreation Area), Two North Ninth Street, Allentown, PA 18101-1179 is authorized to discharge from a facility located in Lower Chanceford Township, **York County** to the receiving waters named Susquehanna River in Watershed 7-I (Kreutz—Muddy Creeks).

Permit No. PA0038598 Transfer No. 1 Sewerage. **PPL Brunner Island, LLC**, (Brunner Island Aquaculture Facility), Two North Ninth Street, Allentown, PA 18101 is authorized to discharge from a facility located in East Manchester Township, **York County** to the receiving waters named Susquehanna River in Watershed 7-F (Conewago Creek).

Permit No. PA0083984. Sewerage. **Ranch House Restaurant**, (Ranch House Restaurant STP), R. D. 4, Box 4876, Duncannon, PA 17020-9438 is authorized to discharge from a facility located in Watts Township, **Perry County** to the receiving waters named Susquehanna River in Watershed 6-C (Mahantango—Wiconisco Creeks).

Permit No. PA0086941. Sewerage. **Stardust Motel**, R. D. 4, Box 4960, Duncannon, PA 17020 is authorized to discharge from a facility located in Watts Township,

Perry County to the receiving waters named Susquehanna River in Watershed 6-C (Mahantango—Wiconisco Creeks).

Permit No. PA0080314. Sewerage. **Hampden Township**, (Roth Lane Treatment Plant), 230 South Sporting Hill Road, 230 Hampden, PA 17055-3097 is authorized to discharge from a facility located in Hampden Township, **Cumberland County** to the receiving waters named Conodoguinet Creek in Watershed 7-B (Conodoguinet Creek).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 6370414-A1. Sewerage. **Municipal Authority of the City of Monongahela**, 521 West Main Street, Monongahela, PA 15063. Modification and operation of a sewage treatment plant located in the City of Monongahela, **Washington County** to serve the City of Monongahela Sewage Treatment Plant.

INDIVIDUAL PERMITS

(PAR)

Notice of Intent (NOI) for Coverage under NPDES and/or Other General Permits

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permits to discharge wastewater into the surface of this Commonwealth; (2) NOIs for coverage under General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

*List of NPDES
and/or other
General Permit Type
PAG-1*

PAG-2	General Permit for Discharges of Stormwater From Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-10	General Permit for Discharge Resulting From Hydrostatic Testing of Tanks and Pipelines
PAG-11	(TO BE ANNOUNCED)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lackawanna County Archbald Borough	PAR10N118	Carlo Celli 437 Keystone Ave. Peckville, PA 18452	Lackawanna River CWF	Lackawanna CD (570) 281-9495
Lehigh County Hanover Township	PAR10Q152	US Foodservice John Kowalski PO Box 25006 Lehigh Valley, PA 18002-5006	Lehigh River TSF	Lehigh CD (610) 391-9583
Northampton County Northampton Borough	PAR10U148	Tim Livengood 4661 Lehigh Drive Walnutport, PA 18088	Lehigh River TSF	Northampton CD (610) 746-1971
Penn Township Huntingdon County	PAR-10-3017	Barry Felson/John Moloy R. D. 1 Hesston, PA 16647	Hawns Run WWF	Huntingdon County CD R. R. 1, Box 7C (Rte. 26S) Huntingdon, PA 16652 (814) 627-1627
Butler County Cranberry Township	PAR10E131	The Preserve Plan of Lots Bronmerkel LBHB Joint Venture 215 Executive Drive Cranberry Township, PA 16066	Unknown Tributary to Brush Creek (WWF)	Butler Conservation District 122 McCune Drive Butler, PA 16001-6501 (724) 284-5270
Clarion County Highland Township	PAR101529	Bureau of Abandoned Mine Reclamation P. O. Box 8476 Harrisburg, PA 17105-8476	Clarion River and Toby Creek (CWF)	Clarion County Conservation District 265 Holiday Inn Road Ste. 2 Clarion, PA 16214

General Permit Type—PAG-3

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
White Deer Township Union County	PAR204827	The New Columbia Joist Company P. O. Box 31, Old Hwy. 15 New Columbia, PA 17856	UNT (Dog Run) to the W. Branch Susquehanna River	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Lancaster County Mount Joy Borough	PAR123533	Wenger's Feed Mill, Inc. 101 West Harrisburg Avenue Rheems, PA 17570	UNT to Chickies Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
City of St. Marys Elk County	PAR118334	SGL Carbon, LLC P. O. Box 1030 St. Marys, PA 15857-1030	Elk Creek	DEP Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Rose Township Jefferson County	PAR118335	Miller Welding and Machine Company— Miller Welding Dev. Malevale Plant P. O. Box G Brookville, PA 15825	Clement Run	DEP Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Blair County Frankstown Township	PAG043658	Christi Owen R. R. 3, Box 499 Hollidaysburg, PA 16648	UNT to Oldstown Run	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Greenwood Township Clearfield County	PAG044890	Donald and Linda Kline R. D. 2, Box 320K Curwensville, PA 16833	UNT to Susquehanna River	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
Burlington Borough Bradford County	PAG044848	David and Louise Ross P. O. Box 71 Burlington, PA 18817	Tomjack Creek	Northcentral 208 W. Third St. Williamsport, PA 17701 (717) 327-3664
	PAG045106	Charles and Barbara Carpenter R. R. 1, Box 959 Paxinos, PA 17860	Bennys Run	Northcentral 208 W. Third Street Williamsport, PA 17701 (717) 327-3664
Keating Township McKean County	PAG048309	Eugene and JoAnn Cunningham R. R. 1, Box 191B Smethport, PA 16749	Tributary to Blacksmith Run	DEP Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Fairfield Township Crawford County	PAG048306	Wallace G. II and Sherry M. Mason 4024 East Church Street Cochranton, PA 16314	French Creek	DEP Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Bucks County Hilltown Township	PAG050016	Sunoco Inc. 4041 Market Street P. O. Box 19014	Neshaminy Creek	Southeast Region Water Management (610) 832-6130
Muncy Creek Township Gasoline Spill Site I-180 near Muncy, PA 17756 Muncy Creek Township, Lycoming County	PAG054816	Sel-Lo Oil, Inc. 3200 South 10th Avenue P. O. Box 1231 Altoona, PA 16603	Unnamed tributary to the West Branch of the Susquehanna River	Northcentral Regional Office Environmental Cleanup 208 W. Third St., Ste. 101 Williamsport, PA 17701-6448 (570) 321-6550

General Permit Type—PAG-8

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Oley Township Berks County	PAG-08-0004	Mobile Dredging and Pumping Company 3100 Bethel Road Chester, PA 19013	Russel Bountz Oley Township Berks County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Hereford Township Berks County	PAG-08-0014	Upper Montgomery Joint Authority 1100 Mensch Road Pennsburg, PA 18073	Harry Crossley Hereford Township Berks County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Conneaut Township Erie County	PAG088307	Albion Borough Municipal Authority 15 Smock Avenue Albion, PA 16401	Albion Borough STP Best Avenue Albion, PA 16401	DEP Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-9

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Rapho Township Lancaster County	PAG-09-3533	Ridgewood Manor MHP 101 Ridgewood Manor Manheim, PA 17545	N/A	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

BIOSOLIDS INDIVIDUAL PERMITS (PABIG and PABIS)

The Department of Environmental Protection (Department) has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. The paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Contact Office: Bureau of Water Quality Protection, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105, (717) 787-8184.

PABIG 9901. Edward J. Patten Water Reclamation Facility, Middlesex County Utilities Authority, P. O. Box 159, Main Street Extension, Sayreville, NJ is approved to use their biosolids for beneficial use by land application.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

*Location: **Summerville Borough, Jefferson County.** Summerville Borough Council, P. O. Box 277, Summerville, PA 15846.*

Project Description: This approved project proposes a change to the location of the sewage treatment plant and associated conveyances. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 2689504-A3. Public Water Supply. **North Fayette County Municipal Authority,** University Drive, Ranch Road, Box 368, Dunbar, PA 15431. *Type of Facility:* Two finished water storage tanks, rebuild of the Leith Pump Station. *Permit issued for Operation:* December 11, 2000.

Permit No. 5600505. Public Water Supply. **Seven Springs Municipal Authority,** R. D. 1, Helen Road, Champion, PA 15622. *Type of Facility:* Sunset Reservoir. *Permit issued for Operation:* December 15, 2000.

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Permit No. 5500501. The Department issued a construction permit to **Borough of Laporte,** P. O. Box 125, Main Street, Laporte, PA 18626-0125, Laporte Borough, **Sullivan County.** This permit authorizes construction of

a water transmission main, a portion of a water distribution main, replacement of the submersible pump in the Lake Mokoma well and relocation of disinfection and corrosion control treatment facilities.

HAZARDOUS SITES CLEAN-UP

Under the Act of October 18, 1988

Prompt Interim Response

Industrial Recycling Services

Stowe Township, Allegheny County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1304) (HSCA), initiated a prompt interim response at the Industrial Recycling Services Site (Site). This response was undertaken under section 505(b) of HSCA (35 P. S. § 6020.505(b)).

The Industrial Recycling Services Site is located along McKee Street in Stowe Township, Allegheny County. The Site consisted of an abandoned trailer containing numerous drums of hazardous waste. The trailer was located adjacent to the former Industrial Recycling Services building. The conditions existing at the Industrial Recycling Services site threatened the public health and the environment. There was a direct contact threat to the hazardous substances contained in the trailer. The trailer was not secure and the drums were not sealed. There was a threat of soil/groundwater contamination as the trailer was not sealed and had openings in the roof.

The Department considered several alternatives at the Site, including: no action; securing of the site; and disposal/recycling of the waste in the trailer. The Department determined that disposal/recycling of the waste in the trailer was the appropriate course of action. This alternative was selected because it complied with all applicable laws and regulations and was determined to be the most environmentally sound procedure for this site.

The Department conducted a prompt interim response to remove the waste contained in the trailer from September 5, 2000, to October 26, 2000. All waste in the trailer was removed and properly disposed or recycled. The abandoned trailer was also removed and disposed. A final report for the response is being prepared. The Department, following the public hearing and comment period, will complete a Statement of Decision.

This notice is being provided under sections 505(b) and 506(b) of HSCA. The administrative record which contains the information that forms the basis and documents the selection of this response action is available for public review and comment. The administrative record is located at the Department's Southwest Regional Office in Pittsburgh and is available for review Monday through Friday from 8 a.m. to 4 p.m.

The administrative record will be open for comment from January 6 until April 6. Persons may submit written comments into the record during this time only, by sending them to Kevin Halloran, Environmental Cleanup Program, 400 Waterfront Drive, Pittsburgh, PA 15222, or by delivering them to the Southwest Regional Office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing. The Department has scheduled the hearing on February 12 at the Sto-Rox High School at 7 p.m. Persons wishing to present comments must register with Betsy

Mallison before February 8 by telephone at (412) 442-4182 or in writing at 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Betsy Mallison at (412) 442-4000 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Proposed Investigation

Mays/Messner HSCA Site

North Fayette Township, Allegheny County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1304) (HSCA), is proposing a response action for the Mays/Messner HSCA site (site). The site is located along State Routes 22 and 978 in North Fayette Township in Allegheny County, Pennsylvania. The site comprises approximately 2 acres and was used as a transfer station for residual and hazardous waste materials by Mays Corporation. The area of concern is the property leased by Mays Corporation and adjoining parcels where, the Department suspects, waste materials were illegally buried.

The Department performed an earlier HSCA interim response at the site to remove and dispose of four roll-off boxes and one tank of waste containing hazardous substances, as well as to remove and dispose of contaminated surface soils. During the interim response, the Department uncovered large pieces of visible white crystalline waste and smaller areas of black granular crystalline waste. Analysis of the waste indicated that it contains naphthalene, benzoic acid and phthalic anhydride. These conditions pose direct contact and ingestion threats to human health and to the environment.

The purpose of the Department's proposed response at this site is to determine: the volume and nature of buried waste; the nature and extent of soil contamination; the nature and extent of groundwater contamination; the potential risk posed to residential wells; the risks to human health and the environment; and the need for remedial action.

The Department has considered the following options: (1) no action; (2) restricted access; and (3) further investigation.

Options 1 and 2 would allow illegally buried waste containing hazardous substances to remain onsite and possibly impact groundwater, creating direct contact and ingestion threats to human health and the environment. The contaminants present, as well as the vertical and horizontal extent of impacted media, would remain unknown. Option 2 is not practical since, without determining the area impacted by contamination, an overly conservative approach might be used in applying institutional controls such as fences and deed restrictions. The costs of the Department action might be unduly inflated.

Option 3, further investigation, would characterize to a fair degree of certainty the nature and vertical and horizontal extent of contamination, as well as any impacts to groundwater that the contamination might be having. Information obtained during the investigation would be used to analyze threats to human health and the environment and to analyze the available remedial alternatives appropriate for the site.

The Department has selected Option 3 since that option will quantify the threats posed by the site, be as protective as possible of human health and the environment, and provide the information needed to determine the best final solution for the site.

This notice is being provided under section 506(b) of HSCA. The administrative record which contains the information that forms the basis and documents the selection of this response is available for public review and comment. The administrative record is located at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 and is available for review from 9 a.m. to 4 p.m.

The administrative record will be open for comment from Jan. 6 until April 6, 2001. Persons may submit written comments into the record during this time only and may do so by sending them to Gary Mechtly, Environmental Chemist, PA DEP, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 or by delivering them to this office in person.

In addition, persons may, at a public hearing, present oral comment for inclusion in the administrative record. The Department has scheduled the hearing on Feb. 13, 2001 at 7 p.m. at the Pittsburgh Technical Institute, 1111 McKee Road, Oakmont, PA 15071. Persons wishing to present oral comments must register with Betsy Mallison before Feb. 9, 2001, by telephone at (412) 442-4182, or in writing at PA DEP, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings should call Betsy Mallison at (412) 442-4182 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form,

contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Sun Pipe Line Co., East Goshen Township, **Chester County**. Jennifer L. Stafford, P.G., Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX and petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Regional Field Office: Joseph A. Brogna, Regional Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

PPL—Distribution Pole #63294S47170 (Turner Street), City of Allentown, **Lehigh County**. PPL Generation, LLC, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found or suspected to have been contaminated with polychlorinated biphenyls (PCBs). The report was submitted to document remediation of the site to meet the Statewide health standard.

PPL—Distribution Pole #55399N44380 (Smull Street), Borough of Old Forge, **Lackawanna County**. PPL Generation, LLC, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found or suspected to have been contaminated with polychlorinated biphenyls (PCBs). The report was submitted to document remediation of the site to meet the Statewide health standard.

PPL—Distribution Pole #60337N50512 (Madison Street), Jermyn Borough, **Lackawanna County**. PPL Generation, LLC, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found or suspected to have been contaminated with polychlorinated biphenyls (PCBs). The report was submitted to document remediation of the site to meet the Statewide health standard.

PPL—Distribution Pole #53582N43190 (between Elm and Ann Streets), West Pittston Borough, **Luzerne County**. PPL Generation, LLC, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found or suspected to have been contaminated with polychlorinated biphenyls (PCBs). The report was submitted to document remediation of the site to meet the Statewide health standard.

PPL—Distribution Pole #50404N39448 (Division Street), City of Wilkes-Barre, **Luzerne County**. PPL Generation, LLC, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning the remediation of site soils found or suspected to have been contaminated with polychlorinated biphenyls (PCBs). The report was submitted to document remediation of the site to meet the Statewide health standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a plan or report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

PPL—Distribution Pole #57424N46306 (Roche Street), City of Scranton, **Lackawanna County**. PPL Electric Utilities Corporation, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found or suspected to have been contaminated with polychlorinated biphenyls (PCBs). The report documented attainment of the Statewide health standard and was approved on December 18, 2000.

Scranton Army Ammunition Plant (a.k.a. Chamberlain Manufacturing Corporation), City of

Scranton, **Lackawanna County**. David Everitt III, Environmental Scientist, MEA, Inc., 201 Center Street, Stockertown, PA 18083 submitted a Final Report (on behalf of his clients, the Department of the Army and Chamberlain Manufacturing Corporation) concerning the remediation of site soils and groundwater found or suspected to have been contaminated with petroleum products and metals. The report documented attainment of the Statewide health standard and was approved on December 13, 2000.

SOLID AND HAZARDOUS WASTE

HAZARDOUS WASTE, TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate hazardous waste treatment, storage or disposal facility.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

Permit No. PAD087561015. A draft permit was prepared for a Class 3 major permit modification application submitted by **The International Metals Reclamation Company, Inc.**, 245 Portersville Road, Ellwood City, PA 16117. The permit modification will expand the facility's storage capacities with a second containment building, two 300 ton flue dust silos, an 8,000 gallon bulk liquid storage container, modifications to two container storage areas, with revisions to the facility's waste analysis plan. The facility was located in Ellwood City Borough, **Lawrence County**. The draft permit was transmitted by the Regional Office on December 18, 2000.

AIR QUALITY

OPERATING PERMITS

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

46-320-035: Alcom Printing Group, Inc. (140 Christopher Lane, Harleysville, PA 19438) on November 28, 2000, for a Miller six color sheetfed press in Lower Salford Township, **Montgomery County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

22-03043: The Middletown Home (999 West Harrisburg Pike, Middletown, PA 17057) for construction/operation of a Natural Gas/No. 2 oil fired boiler in Swatara Township, **Dauphin County**.

Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F and/or G (relating to operating permit requirements).

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

09-0115: Draper—DBS (1803 North Fifth Street, Perkaspie, PA 18944) on December 19, 2000, for operation of five spray booths in East Rockhill Township, **Bucks County**.

15-0100: Kendal-Crosslands Communities (1660 East Street Road, Kennett Square, PA 19348) on December 19, 2000, for operation of an emergency diesel generator in Pennsbury Township, **Chester County**.

15-0101: Kendal-Crosslands Communities (4109 East Baltimore Pike, Kennett Square, PA 19348) on December 19, 2000, for operation of an emergency diesel generator in Kennett Township, **Chester County**.

46-0207: BKL, Inc. (421 Feheley Drive, King of Prussia, PA 19406) on December 20, 2000, for operation of two printing presses in Upper Merion Township, **Montgomery County**.

Administrative Operating Permit Amendments Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450 (relating to administrative operating permit amendments).

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

23-0032: DELCORA (3201 West Front Street, Chester, PA 19016) on December 13, 2000, for Facility VOC/NO_x RACT in City of Chester, **Delaware County**.

09-0046: RJM Manufacturing, Inc. (250 Canal Road, Fairless Hills, PA 19030) on December 20, 2000, for Flexographic Press in Falls Township, **Bucks County**.

15-0041: Eastern Shore Natural Gas Co. (604 Street Road, Cochranville, PA 19330) on December 19, 2000, for operation of a Facility VOC/NO_x RACT in Londonberry Township, **Chester County**.

46-00173: New Hanover Incineration, Inc. (3645 Church Road, Perkiomenville, PA 18074) on December 15, 2000, for Natural Minor Operating Permit in New Hanover Township, **Montgomery County**.

PLAN APPROVALS

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

23-0012: C3 Polymers, LLC (Post Road and Blueball Avenue, Marcus Hook, PA 19061) on December 6, 2000, for operation of Plant 2 and thermal oxidizer in Marcus Hook Borough, **Delaware County**.

46-0067: MM SKB Energy LLC (709 Swedeland Road, Building 32, Swedeland, PA 19406) on December 8, 2000, for operation of diesel engines in Upper Merion Township, **Montgomery County**.

23-0001K: Sunoco, Inc. (Delaware Avenue and Green Streets, Marcus Hook, PA 19061) on December 8, 2000, for operation of a coiler in Marcus Hook Borough, **Delaware County**.

46-0011C: Bethlehem Lukens Plate (Conshohocken Road, Conshohocken, PA 19428) on December 14, 2000, for operation of a Reheat Furnace #1 in Plymouth Township, **Montgomery County**.

09-0039A: Atlas Roofing Corp. (60 Pacific Drive, Quakertown, PA 18951) on December 14, 2000, for operation of three process cessels in Quakertown Borough, **Bucks County**.

46-0115B: Knoll, Inc. (1235 Water Street, East Greenville, PA 18041) on December 15, 2000, for opera-

tion of a 500 Kw Standby Emergency Generator in Upper Hanover Township, **Montgomery County**.

46-0037C: Cabot Performance Materials (County Line Road, Boyertown, PA 19512) on December 20, 2000, for operation of a Tantalum Scrap Digestion in Douglass Township, **Montgomery County**.

15-0015B: Sartomer Co., Inc. (610 South Bolmar Street, West Chester, PA 19382) on December 20, 2000, for operation of an emergency generator in West Chester Borough, **Chester County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

22-03001A: Scranton-Altoona Terminals Corp. (P. O. Box 2621, Harrisburg, PA 17105) on December 18, 2000, for construction of three storage tanks for gasoline/distillate at 911 South Eisenhower Boulevard in Lower Swatara Township, **Dauphin County**. This source is subject to 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (including Petroleum Liquid Storage Vessels) for which construction, reconstruction or modification commenced after July 23, 1984.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

03-225A: Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) on December 18, 2000, for operation of a portable coal crusher at Jud Surface Mine in Valley Township, **Armstrong County**.

03-223A: Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) on December 18, 2000, for operation of a portable coal crusher at Cherry Run #1 Surface Mine in Plumcreek Township, **Armstrong County**.

03-224A: McVile Mining Co. (R. D. 9, Box 379A, Kittanning, PA 16201) on December 19, 2000, for operation of coal processing at Clementine #1 Mine in South Buffalo Township, **Armstrong County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

10-021D: INDPSEC Chemical Corp. (133 Main Street, Petrolia, PA 16050) on December 12, 2000, for modifications to the Copeland Unit in Petrolia, **Butler County**.

10-021H: INDPSEC Chemical Corp. (133 Main Street, Petrolia, PA 16050) on December 12, 2000, for modifications to Plan Approval PA-10-021G (Resin Hold Tank) in Petrolia, **Butler County**.

Plan Approvals Extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.13 (relating to extensions).

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

09-0106: Van Waters & Rogers, Inc. (Steel Road, Morrisville, PA 19067) on December 14, 2000, for operation of a chemical distribution facility in Falls Township, **Bucks County**.

46-313-147: Cabot Corp. (County Line Road, Boyertown, PA 19512) on December 14, 2000, for operation of a refrigerated condenser in Douglass Township, **Montgomery County**.

46-313-057E: Republic Environmental Systems, Inc. (2869 Sandstone Drive, Hatfield, PA 19440) on December 20, 2000, for operation of a Hazardous Waste TSD in Hatfield Township, **Montgomery County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

05-05006A: Columbia Gas Transmission Corp.—Artemas Compressor Station (1700 MacCorkle Avenue, S. E., P. O. Box 1273, Charleston, WV 25325-1273) on October 28, 2000, to authorize temporary operation of a natural gas dehydration system, covered under this Plan Approval until February 24, 2001, at Route 1, Box 25, in Mann Township, **Bedford County**.

44-05014: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) on December 10, 2000, to authorize temporary operation of a drum mix asphalt plant controlled by a fabric collector, covered under this Plan Approval until April 9, 2001, in Armagh Township, **Mifflin County**. This source is subject to 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for which Construction, Reconstruction or Modification Commenced after July 23, 1984.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions or applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Knox District Office, P. O. Box 669, Knox, PA 16232.

Small Noncoal (Industrial Minerals) Permits Issued

37002801. William H. Mayberry (R. D. 1, Box 155, New Castle, PA 16101) Commencement, operation and restoration of a small noncoal sand and gravel operation in North Beaver Township, **Lawrence County** affecting 16.6 acres. Receiving streams: None. Application received: July 31, 2000. Permit Issued: December 19, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Permits Issued

43950302. Atlantic States Materials of PA, Inc. (P. O. Box 269, Mercer, PA 16137) Renewal of NPDES No. PA0227030, East Lackawannock Township, **Mercer County**. Receiving streams: Unnamed tributary to Beaver Run. Application Received: December 4, 2000. Permit Issued: December 20, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

Noncoal (Industrial Minerals) Permits Issued

3474SM46. Collier Stone Company (80 Noblestown Road, Pittsburgh, PA 15106). NPDES renewal issued for a large noncoal surface mining site located in Collier Township, **Allegheny County**, affecting 34.5 acres. Receiving streams: Scotts Run and Robinson Run. Application received: July 26, 2000. NPDES Renewal issued: December 18, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Coal Permits Issued

43793003. Rusnak Coal Company (R. D. 1, Box 44, Grove City, PA 16127) Revision to an existing bituminous strip and auger to change the post-mining land use from cropland to developed water resources on a portion of the Marie K. Rusnak property in Wolf Creek Township, **Mercer County**. Receiving streams: Unnamed tributary to Black Run. Application received: September 13, 2000. Permit Issued: December 18, 2000.

McMurray District Office, 3913 Washington Road, McMurray, PA 15317.

03871302. DLR Mining, Inc., (3065 Airport Rd., Indiana, PA 15701), to revise the permit for the Triple K No. 1 in Burrell Township, **Armstrong County** to revise the existing permit to add 712 acres to the underground permit area and 638 acres to the subsidence control plan boundary, no additional discharges. Permit issued December 15, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

02-00-01. MGS General Contracting, Inc. (330 Little Summit Road, Dunbar, PA 15431). No Cost Government Financed Construction Contract issued for the removal and reclamation of an entire abandoned coal refuse deposit located in Munhall Borough, **Allegheny County**, affecting 2.1 acres. Receiving streams: West Run to Monongahela River. Application received: August 16, 2000. Contract issued: December 20, 2000.

65960101R. Amerikohl Mining, Inc. (Central PA Division, P. O. Box 427, Top of 3 Mile Hill, Acme, PA 15610). Renewal issued for continued reclamation only of a bituminous surface mine located in Derry Township, **Westmoreland County**, affecting 11.5 acres. Receiving streams: Union Run. Application received: October 18, 2000. Reclamation only renewal issued: December 20, 2000.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17960125. Moravian Run Reclamation Co., Inc. (605 Sheridan Drive, Clearfield, PA 16830), revision to an existing bituminous surface mine permit for a Change in Land Use from forestland to wildlife habitat. The permit is located in Beccaria Township, **Clearfield County** and affects 110 acres. Receiving streams: unnamed tributaries to Muddy Run and Muddy Run. Application received October 27, 2000. Permit issued December 18, 2000.

17940101. Forcey Coal, Inc. (P. O. Box 225, Madera, PA 16661), transfer of an existing bituminous surface mine permit from E. P. Bender Coal Co., Inc., located in Beccaria Township, **Clearfield County** affecting 53 acres. Receiving streams: unnamed tributary to Muddy Run, Muddy Run, Clearfield Creek, West Branch Susquehanna River. Application received February 11, 2000. Permit issued December 13, 2000.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P.S. §§ 691.5 and 691.402) and notice of final action for certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: (Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-874. Encroachment Permit. **Whitemarsh Township Authority**, 616 Germantown Pike, Lafayette Hill, PA 19444-1821. To perform the following activities in Whitemarsh Township, **Montgomery County**:

1. To expand and maintain an existing Sewage Pumping Station within the 100-year flood plain of the Schuylkill River, (WWF-MF) located 500 feet southwest of the intersection of Center Street and Cedar Grove Road. (Norristown, PA USGS Quadrangle N: 13.5 inches; W: 4.6 inches).

2. To operate and maintain an existing Sewage Pumping Station within the 100-year flood plain of the Spring Mill Creek, (WWF) located 100 feet south of the intersection of Wells Street and Cedar Grove Road. (Norristown, PA USGS Quadrangle N: 15.3 inches; W: 4.8 inches).

E09-809. Encroachment Permit. **Pennsylvania Department of Transportation**, 7000 Geerdes Boulevard, King of Prussia, PA 19406. To operate, rehabilitate, and maintain an existing six span masonry arch bridge on Forest Grove Road (S.R. 2097, Section 01S) over Mill Creek (WWF). The proposed rehabilitation will tempo-

rarily impact 0.03 acre of wetland for construction equipment access and 32 linear feet of watercourse associated with placement of scour protection. This site is located approximately 300 feet west of the junction of Mill Creek Road, Township Line Road, and Forest Grove Road (Buckingham, PA Quadrangle N: 5.8 inches; W: 2.9 inches) in Buckingham Township, **Bucks County**.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E13-124. Encroachment. **Chestnut Ridge Railway Company**, 900 Delaware Avenue, Palmerton, PA 18071-2008. To modify and maintain the existing railroad bridge across Aquashicola Creek, with work consisting of replacing the superstructure. The bridge has six spans (14.0 feet, 20.0 feet, 20.2 feet, 19.9 feet, 19.6 feet and 19.9 feet) and an average underclearance of approximately 6 feet, and is located approximately 0.6 mile east of the intersection of S.R. 2001 and S.R. 2002 (Palmerton, PA Quadrangle N: 11.2 inches; W: 10.9 inches), in Lower Towamensing Township and Palmerton Borough, **Carbon County**.

E39-378. Encroachment. **County of Lehigh**, 17 South Seventh Street, Allentown, PA 18101-2400. To maintain the existing bridge, having three spans of approximately 47 feet each, with a minimum underclearance of approximately 5.8 feet, across Little Lehigh Creek. The project, known as the Kecks Bridge Repairs, includes the repair of bearing seats, repointing of stone masonry joints and installation of rock scour protection. The project is located along Keystone Avenue, approximately 1.3 miles southeast of S.R. 0309 and S.R. 0029 (Allentown West PA Quadrangle N: 9.6 inches; W: 0.3 inch), in the City of Allentown, **Lehigh County**.

E48-292. Encroachment. **City of Bethlehem**, 10 East Church Street, Bethlehem, PA 18018. To remove deteriorated sections of an existing retaining wall and to construct and maintain a 110-foot long reinforced concrete retaining wall having a maximum height of 7 feet along the western streambank of Monocacy Creek and a 70-foot long reinforced concrete retaining wall having a maximum height of 10 feet along the eastern streambank of Monocacy Creek. The project is located in Johnston Park, between West Broad Street and West Union Boulevard (Allentown East, PA Quadrangle N: 22.4 inches; W: 1.2 inches) in the City of Bethlehem, **Lehigh and Northampton Counties**.

E52-165. Encroachment. **The Forest Lake Club**, R. R. 1, Box 333, Hawley, PA 18428-9718. To remove two existing boathouses and to construct and maintain two boathouses, each having dimensions of 60 feet (along the shoreline) by 25 feet (lakeward) in Wolf Lake. Each boathouse will be supported on a 60-foot by 6-foot concrete pad poured along the shore, and pressure-treated piers set on the lake bottom. The project is located approximately 0.5 mile northwest of the intersection of S.R. 4003 and T-441 (Narrowsburg, NY-PA Quadrangle N: 5.8 inches; W: 13.5 inches), in Lackawaxen Township, **Pike County**.

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E14-381. Encroachment. **Morse Reese**, 1740 Mudlick Rd., Julian, PA 16844. To 1) remove an existing 36-inch diameter 30-foot long rusted-out CMP, 2) construct and maintain a 48-inch diameter 60-foot long ADS N-12 polyethylene pipe with the associated 30-foot wide by

1-foot deep emergency overflow swale in the clean approach fill of the left bank, 3) realign and armor with riprap less than 50 feet of stream channel at the inlet and outlet of the culvert that is in an unnamed tributary to Laurel Run located 0.75 mi up Straw Jack Road from its intersection with Julian Pike (Bear Knob, PA Quadrangle, N: 0.85 inch; W: 14.0 inches) in Houston Township, **Centre County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E18-301. Encroachment. **Pennsylvania Department of Conservation and Natural Resources**, Bureau of Facility, Design and Construction, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8451, Harrisburg, PA 17105-8451. To construct a temporary precast concrete barrier and sandbag dikes and to remove the existing steel I-beam timber deck bridge with a clear span of 23.33 feet and a curb to curb width of 11 feet 0 inches and a vertical underclearance of 4.95 feet and to construct and maintain a single span prestressed concrete spread box beam bridge with a total clear span of 32.97 feet on a skew of 90 degrees and an average inlet underclearance of 5.95 feet across Lick Run on Carrier Road approximately 3 miles northwest of the intersection of SR 044 and SR 0644 (Glen Union, PA Quadrangle N: 12.2 inches; W: 2.0 inches) in Gallagher Township, **Clinton County**.

E59-405. Encroachment. **David L. and Jean L. Brooks**, R. R. 7, Box 141, Wellsboro, PA 16901. To construct, operate and maintain a single span private access bridge over Morris Branch. The bridge is authorized to have a span of 39.67 feet and an underclearance of 8 feet. This project is located .15 mile north on SR 287 from Lake Nessmuk (Antrim, PA Quadrangle N: 20.7 inches, W: 6.1 inches) in Wellsboro Borough, **Tioga County**. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1320. Encroachment. **USHSS CDC NIOSH Pittsburgh Research Laboratory**, P. O. Box 18070, Cochran Mill Road, Pittsburgh, PA 15236-0070. To rehabilitate, operate and maintain the existing Lick Run Bridge having a span of 29.0 feet with a minimum underclearance of 6.0 feet across Lick Run (TSF) located on Main Entry Drive, approximately 200 feet west from the intersection of Main Entry Drive and Cochran Mill Road (Glassport, PA Quadrangle N: 9.9 inches; W: 13.9 inches) in South Park Township, **Allegheny County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E11-285. Encroachment. **Lower Yoder Township**, 128 J Street, Johnstown, PA 15906. To remove the existing failed gabion baskets and to construct and maintain cable concrete mats in and along 175 feet of St. Clair Run (CWF) for the purpose of stabilizing the stream banks and invert. The project is located approximately 185 feet downstream of Falcon Drive (Johnstown, PA Quadrangle N: 15.45 inches; W: 12.9 inches) in Lower Yoder Township, **Cambria County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

STORAGE TANKS

SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permits under the authority of the Storage Tank and Spill Prevention Act, (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and 25 Pa. Code Chapter 245, Subchapter C have been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
00-22-002	John M. Arnold Scranton-Altoona Terminals Corp. 900 Eisenhower Boulevard Harrisburg, PA 17105	Dauphin County Lower Swatara Township	2 ASTs storing Unleaded Gasoline Tank 3,172,600 gallons each 1 AST storing Unleaded Gasoline Tank 3,839,100 gallons

SPECIAL NOTICES

STORMWATER MANAGEMENT

Actions on plans submitted under the Storm Water Management Act (32 P. S. § 680.9).

Bureau of Watershed Conservation, P. O. Box 8555, Harrisburg, PA 17105-8555.

Plan No. SWMP 025:40, Bowmans Creek as submitted by Luzerne County, was approved on November 17, 2000.

[Pa.B. Doc. No. 01-9. Filed for public inspection January 5, 2001, 9:00 a.m.]

Applications for Watershed Restoration and Protection Grants Through the Growing Greener Program

As part of the third year of the Department of Environmental Protection's (DEP's) Growing Greener Program, applications are now being accepted for watershed protection and restoration grants.

For year three, DEP has more than \$50 million to invest in a variety of watershed projects, including: organizing a watershed group; watershed assessments and development of watershed restoration and protection plans; implementation of watershed restoration or protection projects; demonstration; education/outreach programs; reclaiming abandoned mines and oil and gas wells; and addressing acid mine drainage polluted streams.

Applications are now being accepted online at www.dep.state.pa.us/ Direct LINK "Round 3 App." The deadline for submitting applications to the DEP Grants Center is March 9, 2001. Applications must be post-marked (if mailed), or received (if hand delivered) by 4:30 p.m. on March 9. Faxed copies will not be accepted.

To provide personalized assistance in the application process, DEP is sponsoring a series of grant workshops throughout the state. The workshops feature grant writing tips, what makes a good project, and mini-sessions on how to apply for specific project types. DEP will offer two workshops on each of the following six dates. The afternoon workshop will begin at 1 p.m.; the evening workshop will begin at 6 p.m. The dates and locations of the workshops are as follows:

- Tuesday, January 9, 2001*
Grantville Holiday Inn
Grantville, Dauphin County
- Thursday, January 11, 2001*
Holiday Inn King of Prussia
King of Prussia, Montgomery County
Greensburg, Westmoreland County
- Thursday, January 18, 2001*
Community Center of Crawford County
Meadville, Crawford County
- Wednesday, January 10, 2001*
Ramada Plaza Hotel
Wilkes-Barre, Luzerne County
- Wednesday, January 17, 2001*
Greensburg Four Points
Greensburg, Westmoreland County
- Tuesday, January 23, 2001*
Radisson Hotel Williamsport
Williamsport, Lycoming County

To request an application, or obtain more information concerning the Growing Greener Program, visit the Growing Greener website at www.GrowingGreener.org, send e-mail to GrowingGreener@dep.state.pa.us, or contact the DEP Grants Center at 877-PAGREEN or (717) 705-5400. Written correspondence should be addressed to: DEP Grants Center, 15th Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8776, Harrisburg, PA 17105-8776.

JAMES SEIF,
Secretary

[Pa.B. Doc. No. 01-10. Filed for public inspection January 5, 2001, 9:00 a.m.]

2001 Sunset Review Schedule

This schedule lists the Department of Environmental Protection's regulations (25 Pa. Code), by chapter, that are anticipated to be reviewed in 2001. The sunset schedule is published annually and includes chapters that the Department plans to review. Review includes determining whether the regulations effectively fulfill the goals for which they were intended and whether they remain consistent with the following principles contained in Executive Order 1996-1 (Regulatory Review and Promulgation):

1. Regulations shall address a compelling public interest.

2. Costs of regulations shall not outweigh their benefits.

3. Regulations shall be written in clear, concise and, when possible, nontechnical language.

4. Regulations shall address definable public health, safety or environmental risks.

5. Where Federal regulations exist, Pennsylvania's regulations shall not exceed Federal standards unless justified by a compelling and articulable Pennsylvania interest or required by state law.

6. Compliance shall be the goal of all regulations.

7. Where viable nonregulatory alternatives exist, they shall be preferred over regulations.

8. Regulations shall be drafted and promulgated with early and meaningful input from the regulated community.

9. Regulations shall not hamper Pennsylvania's ability to compete effectively with other states.

10. All agency heads shall be held directly accountable for regulations promulgated by their respective agencies.

The chapters listed are anticipated to be reviewed by the Department in 2001. If regulatory amendments are proposed, those amendments will be reviewed by the appropriate advisory committees as outlined in the Department's Regulatory Agenda which is published semiannually in February and July.

Both the sunset review schedule and the regulatory agenda are available on the Department's web site at <http://www.dep.state.pa.us> (choose the Participate! tab).

TITLE 25, PENNSYLVANIA CODE ENVIRONMENTAL PROTECTION

PART I—DEPARTMENT OF ENVIRONMENTAL PROTECTION

Subpart C. Protection of Natural Resources

Article I. Land Resources

Chapter 78. Oil and Gas Wells

Chapter 88. Anthracite Coal

Chapter 90. Coal Refuse Disposal

Article II. Water Resources

Chapter 93. Water Quality Standards

Chapter 105. Dam Safety and Waterway Management

Chapter 106. Flood Plain Management

Chapter 109. Safe Drinking Water

Article III. Air Resources

Chapter 121. General Provisions

Chapter 123. Standards for Contaminants

Chapter 126. Standards for Motor Fuels

Chapter 127. Construction, Modification, Reactivation and Operation of Sources

Chapter 129. Standards for Sources

Subpart D. Environmental Health and Safety

Article II. Institutions and Housing

Chapter 171. Schools

Article IV. Occupational Health and Safety

Chapter 207. Noncoal Mines

- Chapter 210. Use of Explosives
- Chapter 211. Storage, Handling and Use of Explosives
- Article V. Radiological Health
 - Chapter 215. General Provisions
 - Chapter 217. Licensing of Radioactive Material
 - Chapter 218. Fees
 - Chapter 219. Standards for Protection Against Radiation
 - Chapter 220. Notices, Instructions and Reports to Workers; Inspections
 - Chapter 224. Medical Use of Radioactive Materials
 - Chapter 225. Radiation Safety Requirements for Industrial Radiographic Operations
 - Chapter 226. Radiation Safety Requirements for Wireline Service Operations and Subservice Tracer Studies
 - Chapter 227. Radiation Safety Requirements for Analytical X-Ray Equipment, X-Ray Gauging Equipment and Electron Microscopes
 - Chapter 228. Radiation Safety Requirements for Particle Accelerators
 - Chapter 230. Packaging and Transportation of Radioactive Material
 - Chapter 240. Radon Certification
- Article VI. General Health and Safety
 - Chapter 245. Administration of the Storage Tank and Spill Prevention Program
 - Chapter 250. Administration of the Land Recycling Program
- Article VII. Hazardous Waste Management
 - Chapter 260a. Hazardous Waste Management System: General
 - Chapter 261a. Identification and Listing of Hazardous Waste
 - Chapter 266a. Management of Specific Hazardous Wastes and Specific Types of Hazardous Waste Management Facilities
 - Chapter 269a. Siting
 - Chapter 270a. Hazardous Waste Permit Program
- Article VIII. Municipal Waste
 - Chapter 271. Municipal Waste Management - General Provisions
 - Chapter 272. Municipal Waste Planning, Recycling and Waste Reduction
- Article IX. Residual Waste Management
 - Chapter 287. Residual Waste Management - General Provisions
- PART II. STATE BOARD FOR CERTIFICATION OF SEWAGE TREATMENT PLANT AND WATERWORKS OPERATORS
 - Chapter 301. General Provisions
 - Chapter 303. Certification of Operators
 - Chapter 305. Plant Requirements

For additional information, contact Sharon Trostle, DEP Regulatory Coordinator, P. O. Box 2063, Harrisburg, PA 17105-2063; (717) 783-1303; or e-mail Trostle.Sharon@dep.state.pa.us.

JAMES SEIF,
Secretary

[Pa.B. Doc. No. 01-11. Filed for public inspection January 5, 2001, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Diabetes Outpatient Self-Management Training and Education

The purpose of this notice is to provide prior public notice of the Department of Public Welfare's (Department) intent to cover diabetes outpatient self-management training and education if prescribed by a health care professional legally authorized to prescribe such services. These services must be provided by licensed health care professionals with expertise in diabetes whose programs have received recognition by the Pennsylvania Department of Health (DOH) or the American Diabetes Association (ADA).

Current legislation (Act 98 of 1998) requires certain insurers, including Managed Care Organizations under contract with the Department to provide coverage of diabetes outpatient self-management training and education including medical nutrition therapy for the treatment of insulin-dependent diabetes, insulin-using diabetes, gestational diabetes and noninsulin-using diabetes if prescribed by a health care professional authorized to prescribe such services under law. The Department also has elected to provide for payment of these services for Medical Assistance (MA) eligible recipients through its Fee-for-Service Program.

An MA Bulletin will be issued to all providers enrolled in the MA Program and all Managed Care Organizations under contract with the Department. This Bulletin will address the requirements relating to the provision of and compensation for these services to MA eligible recipients.

Fiscal Impact

Funding for the provision of diabetes outpatient self-management training and education has been addressed as part of the Medical Assistance Fee Schedule Revisions Public Notice.

Contact Person

A copy of this notice is available for review at local County Assistance Offices. Interested persons are invited to submit written comments to this notice within 30 days of this publication. These comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, Attention: Suzanne Love, Room 515 Health and Welfare Building, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (Voice Users). Persons who require an alternate format should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTON,
Secretary

Fiscal Note: 14-NOT-269. No fiscal impact; (8) recommends adoption. The costs associated with this notice were included in the increased costs shown for 14-NOT-265, Medical Assistance Program Fee Schedule Revision, and are therefore not shown as costs with this notice.

[Pa.B. Doc. No. 01-12. Filed for public inspection January 5, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Kevin J. Brogan; Order to Show Cause; Doc. No. SC00-011-009

A prehearing conference is scheduled for February 14, 2001, at 1 p.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. A hearing shall occur on February 28, 2001, at 1 p.m. in the Administrative Hearing Office at the Harrisburg address. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) and the Insurance Department's Special Rules of Administrative Practice and Procedure, 31 Pa. Code Chapter 56.

At the prehearing conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter. On or before January 31, 2001, each party shall file with the administrative hearings a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office. Except as established at the prehearing conference, both parties shall appear at the scheduled hearing prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents for photographs into evidence shall bring enough copies for the record and for each opposing party. Motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed on or before January 31, 2001, with the Docket Clerk, Administrative Hearings Office, Capitol Associates Buildings, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before February 7, 2001.

Persons with a disability who wish to attend the administrative hearing, and require an auxiliary aid,

service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-13. Filed for public inspection January 5, 2001, 9:00 a.m.]

Liberty Mutual Fire Insurance Company; Private Passenger Auto Insurance Rate Revision

On December 19, 2000, the Insurance Department received from Liberty Mutual Fire Insurance Company a filing for a proposed rate level change for Private Passenger Auto insurance.

The company requests an overall 6.6% increase amounting to \$5,541,000 annually to be effective March 19, 2001.

Unless formal administrative action is taken prior to February 17, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh, and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, (E-mail: xlu@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-14. Filed for public inspection January 5, 2001, 9:00 a.m.]

Progressive Northern Insurance Company; Private Passenger Automobile Rate Revision

On December 21, 2000, the Insurance Department received from Progressive Northern Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 1.3% increase amounting to \$2,724,000 annually, to be effective March 19, 2001 for new business and May 16, 2001, for renewal business.

Unless formal administrative action is taken prior to February 19, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg,

PA 17120 (e-mail at mburkett@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-15. Filed for public inspection January 5, 2001, 9:00 a.m.]

United Services Automobile Association; USAA Casualty Insurance Company; Private Passenger Automobile Rate Revisions

On December 19, 2000 the Insurance Department received from United Services Automobile Association and USAA Casualty Insurance Company a filing for a rate level change for private passenger automobile insurance.

United Services Automobile Association requests an overall 5.2% increase amounting to \$3,327,000 annually. USAA Casualty Insurance Company requests an overall 1.5% increase amounting to \$578,000 annually. The proposed effective date is May 1, 2001 for each filing.

Unless formal administrative action is taken prior to February 17, 2001 the subject filings may be deemed approved by operation of law.

Copies of the filings will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (e-mail at mburkett@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-16. Filed for public inspection January 5, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Invitation for Bids

Procurement Description

The Pennsylvania Public Utility Commission (Commission) hereby requests bids to serve as the Commonwealth's telecommunications third-party administrator (Administrator) of the Pennsylvania Universal Service Fund (USF). The initial contract will run from March 1, 2001 until December 31, 2003. The Administrator is responsible for collecting pro rata contributions based on telecommunications service providers' intrastate end-user telecommunications retail revenues, at a rate set by the Commission, and depositing these revenues into the USF. The Administrator will also distribute money from the USF. The role of the Administrator is described under our regulations at 52 Pa. Code § 63.167, as follows:

(1) maintain a database to track contributing telecommunications providers,

(2) develop Commission-approved forms to be used by all telecommunications service providers to report monthly contributions,

(3) review the completed forms to ensure completeness and accuracy of reported revenue and Fund assessments and contact providers whose accounts contain unexplained variances in reported revenues or USF assessments,

(4) assess late-payment charges of 1.5% per month pro rata per diem on contributions that are 30 days past due.

(5) send initial notices of delinquency to all delinquent contributors when a payment is 30 days past due and follow up with at least one subsequent written notice and/or phone call to the contributor to pursue collection of USF payments that are 60 days past due.

(6) maintain logs of notices of delinquent contributors and refer to the Commission for further enforcement, on a monthly basis, all accounts more than 90-days past due,

(7) immediately inform the Commission if the Administrator has reason to believe that any telecommunications provider has submitted false information to the administrator with the intent of obtaining fraudulent funding, under-reporting end-user revenue or if any other irregularity occurs in the operation or administration of the Fund,

(8) invest Fund moneys in interest-bearing instruments designed to minimize risk of loss while providing maximum liquidity; permitted investments shall include:

(i) marketable obligations directly and fully guaranteed by the United States government;

(ii) Federally-insured checking, money market accounts, or certificates of deposit;

(iii) other accounts as expressly approved by the Commission.

(9) promptly advise the Commission if the administrator's data analysis projects a potential fund shortfall or if USF disbursements exceed receipts in a given month,

(10) in January of each year, mail reporting forms to each telecommunications service provider to acquire appropriate data to compute the individual provider's aggregate intrastate end-user telecommunications retail revenue and to compute year-end access line growth percentages for development of the following year's USF amount.

(11) Cooperate with the independent auditor selected by the Commission, and provide data and information reasonably required to support audit activities.

(12) promptly respond to Commission requests for information pertaining to Fund administration,

(13) maintain adequate principal liability insurance coverage, criminal liability coverage, and a sufficient umbrella liability policy,

(14) prepare reports of fund activity for the Commission on a monthly basis detailing carrier assessments, delinquent payers, late-payment charges (if applicable), fund disbursements, interest earned, and cumulative results,

(15) maintain records by contributor and by recipient,

(16) provide any additional reports as requested by the Commission,

(17) maintain a statement of financial condition (balance sheet) and income statement for the total fund, and a sources and uses of funds statement, which will tie to the total fund income statement.

(18) deliver the balance sheet, income statement, and sources and uses of funds statement to the FUND auditor by May 1 of each year so that the auditor may prepare its report.

(19) maintain a system of internal controls.

(20) consider the auditor's report in preparing the annual report for submission to the Commission and include any undercollections or overcollections identified by the audit report in developing a proposed budget for the upcoming fiscal year.

(21) submit the administrator's annual report by September 1 or 60 days following receipt of the audit report, whichever is later.

(22) with prior Commission approval, borrow monies to cover the short-term liabilities of the Fund caused by undercollections

(23) if short-term borrowing is necessary, the administrator shall provide formal notice on a timely basis to the Commission which identifies the amount, the proposed lending source, and the terms and conditions of the loan,

(24) comply with procedures and guidelines established by the Commission, but may request the Commission amend, modify or delete procedures or guidelines, (the administrator will not have the authority to develop or interpret the Commission's procedures or guidelines with respect to the Fund, and any dispute between the administrator and any contributing telecommunications provider shall be submitted to the Commission for resolution).

(25) have access to the books of account of all telecommunications service providers to the limited extent necessary to verify their intrastate end-user telecommunications retail revenues and other information used by the administrator in determining assessments and disbursements for the USF.

(26) treat any competitive and financial information received as confidential and proprietary, and only release said information upon order of the Commission,

(27) operate on a fiscal year which shall be the same as the calendar year.

Purpose of Fund

At this time, the USF is currently intended to reduce and restructure access charges and intraLATA toll rates, and to encourage greater toll competition while enabling carriers to continue to preserve the affordability of local service rates. *Rulemaking Re Establishing Universal Service Fund Regulations* at 52 Pa. Code §§ 63.161—63.172, Final Rulemaking Order at L-00000148 (November 29, 2000).

Universal Service Fund and the Administrator

Commission regulations allow for an assessment which is computed annually under 52 Pa. Code § 63.165 (relating to collection of universal service fund contributions) at a rate calculated by dividing the contributing telecommunications provider's associated total intrastate end-user telecommunications retail revenues by associated State-wide total intrastate end-user telecommunications revenues. End-user revenues expressly do not include revenues received from access, resale (toll or local) of unbundled network elements, or other services provided

which are essentially wholesale in nature. Total end-user revenues shall include all revenues received from subscribers who actually consume the final service unadjusted for any expense or any other purpose.

Nearly 500 companies will contribute monthly to the USF. These include approximately 32 incumbent local exchange carriers (ILECs). The remainder of participants are companies selling intrastate toll services (IXCs), and competitive local exchange carriers (CLECs) who are either offering local exchange services or are planning to do so in the near future. Wireless telecommunications carriers do not participate in the USF. Carriers are not allowed to pass through as a charge to their customers any contributions made to the USF.

The Administrator functions as the "financial hub" of this system. The Administrator collects the contributions from the individual companies, manages the Fund's cash flow, and disburses payments to 30 small rural companies and Sprint/United, Fund recipients under the regulations. The USF assessment rate is set annually by the Public Utility Commission based on data submitted in annual reports by the Administrator. The Administrator also works with the Fund Auditor.

The Administrator may be an individual or an organization. An organizational bidder may have sufficient resources on staff. An individual bidder probably would need to develop formal or informal relationships with other organizations, such as banks. For example, an individual bidder would probably want to develop a "lock box" system at a bank to collect receipts and use a bank's commercial or trust operations for making short-term investments.

Administrator Criteria

Under 52 Pa. Code § 63.166, the Administrator shall meet the following criteria:

(a) The Administrator shall be neutral, impartial and independent from telecommunications service providers operating in the Commonwealth of Pennsylvania;

(b) The Administrator shall not advocate specific positions before the Commission in non-universal service administrative proceedings related to common carrier issues;

(c) The Administrator shall not be an affiliate of any provider of telecommunications services; and

(d) If the Administrator has a board of directors that includes members with direct financial interests in entities that contribute to or receive support from the Fund, no more than a third of the board members may represent any one category (for example, local exchange carriers or interexchange carriers) of contributing carriers or support recipients, and the Board's composition must reflect the broad base of contributors to and recipients of Fund assets. For purposes of this restriction, a direct financial interest exists where the Administrator or Board member:

(1) is an employee of a telecommunications carrier,

(2) owns equity interests in bonds or equity instruments issued by any telecommunications carrier, or

(3) owns mutual funds that invest more than 50% of its assets in telecommunications securities.

Contract for Services

The successful bidder will negotiate with the Commission a detailed contract that is generally consistent with the standard Commonwealth of Pennsylvania contract for

personal services. The contract will be for a term beginning on March 1, 2001, or as soon thereafter as can be arranged, and ending December 31, 2003. Once selected, the Administrator will be terminated during this term only for good cause.

The contract:

1. will cover all 3 years during the period, rather than a single year;
2. may need to be amended later if the Pennsylvania legislature ever authorizes changes; and
3. may elaborate further on the Administrator's duties, including:
 - (a) clarifying reporting requirements for the Administrator, and in particular concerning compliance with Generally Accepted Government Auditing Standards;
 - (b) periodic financial reporting and revenue estimating requirements; and
 - (c) cooperating with a new Administrator following termination of the contract so that there will be a smooth transition to the new administration of the USF.

To the extent that any changes as a result of contract negotiations affect the cost of performing the contract, adjustments from compensation described in the bid will be negotiated with the winning bidder.

Bid Submissions

Bids should be submitted to James J. McNulty, Commission Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Bids should be received not later than 5 p.m., January 31, 2001.

The first part of each bid should include a general discussion of the approach the bidder will take and explain how the bidder will meet each requirement. In addition, this part of the bid should identify all individuals who will work on significant tasks, and should explain the qualifications of each. A single individual should be identified to serve as Fund Administrator, and that individual's resume should be attached. Resumes for other identified persons with significant responsibility should also be attached.

If the bidder desires to associate with another organization to provide the required services, such as a bank, the bid should include a separate statement from that organization describing its anticipated role.

The second part of the bid document should be a price quotation. The price quotation should cover the period from March 1, 2001 through December 31, 2003. A cost data sheet should be sent in a separate sealed envelope. Bidders are free to structure their price offerings in any way they choose. However, this part of the bid should specifically describe:

1. One-time startup costs, presumably to be paid in the first year.
2. Fixed annual costs for each of the 3 years. This should cover most anticipated expenses, such as personnel, office costs and overhead, and may include an allowance for travel. The amount may vary for each year based upon expected inflation.
3. Any contingency costs. This might include functions like defense of lawsuits.
4. If the winning bidder actually begins work after March 1, 2001, how compensation will be proportionally adjusted.

No pre-bidding conference will be held. However, potential bidders may seek answers to questions by telephone from Elizabeth Barnes, Assistant Counsel, Pennsylvania Public Utility Commission, (717) 772-5408. If questions of general interest are presented, the Commission may communicate the question and its answer in writing to persons who have expressed an interest in receiving such material. Please contact the Public Utility Commission, at the same number if you wish to receive such material.

Bid Review

A bid review will be performed by the Pennsylvania Public Utility Commission. The Commission will review bids according to three major criteria:

1. Price will be a principal consideration. Since bids may include one or more segments that are being bid at an hourly or otherwise variable price, bids may not be directly comparable in terms of a single dollar amount. However, the Commission will consider all of the fixed and variable prices contained in the bid in evaluating it. All compensation paid to the Administrator will be paid from the Universal Service Fund and the Pennsylvania Public Utility Commission will pay no compensation.

2. The bidder's expected quality of performance will be the second principal consideration. Within this category, the Commission will consider the bidder's understanding of the duties of the Administrator, the bidder's probable success in discharging the duties of Administrator, the bidder's prior experience with finances, and the bidder's knowledge of the telecommunications industry.

3. Independence from affiliated relationships with any telecommunications carriers is preferred. The Commission is seeking a neutral, independent third-party because part of the Administrator's duties includes verifying the accuracy of companies' contributions and withdrawals from the fund. If the Administrator will be using a bank, or other similar institution to hold the funds, independence and neutrality of that bank with any telecommunications carrier is preferred.

Finalists may be interviewed. The Commission will disqualify any bidder whom it believes cannot be expected to perform reliably as Administrator.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-17. Filed for public inspection January 5, 2001, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before January 29, 2001, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00117407. Yellow Breeches EMS, Inc. (P. O. Box 106, Mt Holly Springs, Cumberland County, PA 17065), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in the borough of Mt. Holly Springs, the townships of Cooke, Dickinson, Monroe, Penn and South Middleton, all in Cumberland County, and from points in said borough and townships, to points in Pennsylvania, and return.

Complaint

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Mike Fox, Inc.; Doc. No. A-00105887C0001

Complaint

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate public utilities within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows that:

1. Mike Fox, Inc., respondent, maintains its principal place of business at 123 Bryan Drive, Sarver, Pennsylvania 16055.

2. Respondent was issued a certificate of public convenience by this Commission on April 2, 1985, at Docket No. A-00105887.

3. On September 28, 1999, respondent was sent an initial 1999-2000 assessment of \$151. Respondent failed to pay this assessment; therefore, a balance was due in the amount of \$151.

4. Respondent has an outstanding assessment of \$151.

5. Respondent failed to file objections to the assessment, pursuant to 66 Pa.C.S.A. § 510(c).

6. Respondent, by failing to pay the assessment, is in violation of the Public Utility Code at 66 Pa.C.S.A. § 510(c).

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission cancel the certificate of public convenience issued to respondent, direct the Pennsylvania Department of Transportation to revoke the motor vehicle registration(s) issued to respondent, notify the Pennsylvania Department of Revenue that respondent's certificate of public convenience has been revoked and notify respondent's insurance carrier that respondent's certificate of public convenience has been revoked.

Respectfully submitted,
George T. Mahan, Director
Bureau of Transportation and
Safety P. O. Box 3265 Harrisburg,
PA 17105-3265

Notice

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the publication date of this issue of the *Pennsylvania*

Bulletin, 52 Pa. Code § 1.56(a). The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to file an answer within twenty (20) days, the Bureau of Transportation and Safety will request that the Commission impose the penalty set forth in the complaint.

C. You may elect not to contest this complaint by paying your outstanding assessment within twenty (20) days. Your certified check or money order for the assessment should be payable to the Commonwealth of Pennsylvania and should be forwarded to:

Bureau of Administrative Services,
Attention: Steve Reed
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission impose the penalty set forth in the complaint.

E. If you file an answer which contests the complaint, the matter will be assigned to an administrative law judge for hearing and decision. The judge is not bound by the penalty set forth in this complaint.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Bureau of Administrative Services at (717) 783-6190.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-18. Filed for public inspection January 5, 2001, 9:00 a.m.]

Telecommunications

A-310518. ALLTEL Communications Services Corporation and AT&T Wireless Services Inc. Joint Petition of ALLTEL Communications Services Corporation and AT&T Wireless Services Inc. for Approval of a Commercial Mobile Radio Service Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

ALLTEL Communications Services Corporation and AT&T Wireless Services Inc., by its counsel, filed on December 15, 2000, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the ALLTEL Communications Services Corporation and AT&T Wireless Services Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-19. Filed for public inspection January 5, 2001, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

January 17, 2001 David H. Larkins 1 p.m.
(Service rendered as a Corrections Officer to be credited as Age 50 instead of Age 60)

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.01, (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code, Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOHN BROSIUS,
Secretary

[Pa.B. Doc. No. 01-20. Filed for public inspection January 5, 2001, 9:00 a.m.]