

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending May 8, 2001.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
5-2-01	Promistar Financial Corporation, Johnstown, to acquire 100% of the voting shares of FNH Corporation, Irwin	Johnstown	Filed
5-3-01	Community Bank System, Inc., DeWitt, New York, and First Liberty Bank Corp., Jermyn	DeWitt, NY	Approved
5-4-01	Franklin Financial Services Corporation, Chambersburg, to acquire up to 15.8% of common stock and warrants of American Home Bank, National Association, Lancaster	Chambersburg	Filed

New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-1-01	Sterlingworth Trust Company Lancaster Lancaster County <i>Correspondent:</i> Timothy P. Brown, Esq. 583 N. School Lane Lancaster, PA 17603	160 N. Pointe Blvd. Lancaster Lancaster County	Filed

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-30-01	Mercer County State Bank Sandy Lake Mercer County Purchase of assets/assumption of liabilities of one branch office of Mellon Bank, N.A., Pittsburgh, located at: 144 Venango Avenue Cambridge Springs Crawford County	Sandy Lake	Effective
5-2-01	Promistar Bank, Johnstown, and First National Bank of Herminie, Herminie Surviving Institution— Promistar Bank, Johnstown	Johnstown	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-7-01	The Legacy Bank of Harrisburg Harrisburg Dauphin County	One S. Church St. Hazleton Luzerne County	Opened
5-7-01	Keystone Savings Bank Bethlehem Northampton County	3015 W. Emmaus Ave. Allentown Lehigh County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-4-01	Commonwealth Bank Norristown Montgomery County	<i>To:</i> 70 Commerce Drive Wyomissing Berks County <i>From:</i> 320 Abington Drive Wyomissing Berks County	Filed
5-7-01	Farmers First Bank Lititz Lancaster County	<i>To:</i> 338 Park City Center Lancaster Lancaster County <i>From:</i> 735 Park City Center Lancaster Lancaster County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-27-01	Investors Trust Company Wyomissing Berks County	The Atrium 234 Mall Blvd. King of Prussia Montgomery County	Effective
5-2-01	Main Street Bank Reading Berks County	1430 Jacobsburg Rd. Wind Gap Northampton County	Filed Approved 5-4-01

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
5-7-01	U. S. Bank Johnstown Cambria County	Amendment to Article 1 provides for a change in corporate title to AmeriServ Financial Bank	Approved and Effective
5-7-01	USBANCORP Trust and Financial Services Company Johnstown Cambria County	Amendment to Article 1 provides for a change in corporate title to AmeriServe Trust and Financial Services Company	Approved and Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Articles of Amendment**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
5-7-01	Utilities Employees Credit Union Sinking Spring Berks County	Amendment to Article 8 reflects a change in the field of membership.	Approved and Effective
5-7-01	Philadelphia Telco Credit Union Trevose Bucks County	Amendment to Article 8 reflects a change in the field of membership	Approved and Effective

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-861. Filed for public inspection May 18, 2001, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Availability of Adult Education Act Section 231 Funds for Workforce Development Services for 2001—2004

Title II of The Workforce Investment Act of 1998, The Adult Education and Family Literacy Act, provides funds to local eligible provider agencies through the Department of Education (Department) for the establishment of adult education and family literacy programs that will:

1. Assist adults to become literate and obtain the knowledge and skills necessary for employment and self-sufficiency;
2. Assist adults who are parents to obtain the educational skills necessary to become full partners in the educational development of their children; and
3. Assist adults in the completion of a secondary school education.

Eligible applicants include local education agencies and public or private nonprofit agencies, organizations and institutions. A for-profit agency is eligible to participate in the program only if it is part of a consortium with a local education agency, or other eligible sponsor, with the nonprofit agency acting as fiscal agent. A for-profit organization must also have the capability and capacity to augment significantly the adult education services of such a consortium.

Consistent with the purpose of Title II, the Adult Education and Family Literacy Act for Program Year 2001-2002, the Department will give primary consideration to programs for the educationally disadvantaged.

The Federal share of a grant will be 75% of the total cost of the program. The applicant must provide 25% match of the total cost of the program. The local match may be in kind. Other Federal funds may not be used for the local match. The Department has made available a maximum of \$515,000 for the 2001-2002 grant year, subject to the availability of funds.

The application due date is June 1, 2001. Application procedures and program guidelines will be mailed to interested applicants as requested after May 1, 2001. The application packet is available from the Chief, Special Programs Division, Bureau of Adult Basic and Literacy Education, Department of Education, 333 Market Street, 12th Floor, Harrisburg, PA 17126-0333.

Purpose: This Commonwealth has replicated and adapted for use the Virginia Workforce Investment Network program, currently administered by James Madison University through a grant from the Virginia Education Department that meets employee development needs in the Commonwealth of Virginia. The Pennsylvania Workforce Improvement Network (PA WIN) project is designed to enable the incumbent workforce of this Commonwealth to be more effective, productive, competitive and self reliant through the development of onsite basic skills educational programs in workplaces across the State or through small business consortia. PA WIN will assist adult education providers in developing expertise to build a private sector enterprise that provides high quality basic skills programs as an employer/worker service. PA WIN shall establish and support a centralized system for workplace education services providing quality

basic skills training as a service to employers and workers. In order to achieve that purpose, PA WIN will:

1. Provide trained program developers and brokers to assist employers in identifying workers' basic skills needs, link employers to adult education basic skills providers and assist both employers and providers in designing high quality basic skills programs to meet the identified needs;
2. Inform business, industry and government of the essential skills (basic skills) education services available, the impact of basic skills to the productivity of the workforce and the need for basic skills of the workers;
3. Provide professional development opportunities to adult educators to enhance their ability to work effectively with employers and workers in planning and providing customized basic skills programs that meet employer and worker needs; and
4. Link PA WIN programs with this Commonwealth's system of workforce development, including links with Team Pennsylvania regions, Team Pennsylvania/CareerLink, local Workforce Investment Boards and other basic skill programs for incumbent workers to integrate basic skills services with the continuum of workforce development services.

Background: The Department of Education, Bureau of Adult Basic and Literacy Education (Bureau), has supported the educational needs of incumbent workers and employers through grants to local education providers for over 12 years. The education programs offered have not kept up with the demand, due to funding limitations. Basic skills educational programs sponsored by the Bureau provide workers in this Commonwealth with the skills necessary to enable them to compete in an ever widening and demanding global economy. However, there is increased awareness in the business community of a widening gap between workers' skills and skills needed for today's workforce. Workers also realize the need to upgrade their skills in order to retain employment and to move along a career ladder. Employers and workers have continued to request site-specific, educational programs; however, local agencies have not been able to keep up with the demand. This project will continue the approach funded in a grant for 1999-2001 to support a systematic Statewide approach meeting employer and worker needs for workplace basic skill training.

Project Goals: The goals of the PA WIN project are to establish innovative services that address the literacy and basic skills needs of employers and workers in the workforce through:

1. *Marketing:* This effort will address multiple audiences to include business, industry and government, practitioners (administrators and instructors) and workers. The marketing effort will address the advantage of workplace basic skills programs and the services available. It will coordinate with and financially support the marketing plan as planned and developed by a marketing workgroup established through the project and serve this entire Commonwealth.
2. *Training:* In consultation with the Bureau Professional Development System, providing workforce development skills and training to the adult education system, assessing the training needs of the adult education providers (administrators and instructors), using and adapting current resource materials to develop and implement professional development training for adult education providers, evaluating and reviewing training activities.

3. *Brokering*: Support a broker system that links businesses interested in starting a workplace education program with the local adult education providers. As a result of this brokering in the 3 years of operation 2001-2004, a minimum of 11,720 workers will be served in workplace education programs by 75 affiliates identified through the project. The programs should be geographically diverse within the designated Team Pennsylvania/CareerLink regions.

4. *Curriculum Development*: Provide training and support systems that enable adult education practitioners to customize workplace services to meet the unique needs of each workplace and worker.

5. *Service Linkage*: Develop program linkages along the continuum of workforce development initiatives through the Team Pennsylvania/CareerLink system.

Objectives: The Bureau will fund a lead agency to provide the centralized support system for worker development services. The lead agency will:

1. Develop, implement and maintain the model for a market driven learning network developed in the 1999-2001 PA WIN project for incumbent workers, employers and workplace education providers;

2. Maintain a minimum of 40 workplace program brokers in the Team Pennsylvania regions already identified in years 1 and 2 of the project. Identify and certify additional workplace program brokers from among adult education workplace providers and other workforce development professionals in all Team Pennsylvania regions ensuring that all Team Pennsylvania regions are represented for a minimum of 75 affiliates by June 30, 2004;

3. Train the brokers to match adult education and literacy providers with employers needing incumbent worker basic and literacy education services in those regions and serve a minimum of 11,720 students by June 30, 2004;

4. Assist employers in analyzing basic skill needs of their workers;

5. Support employers and education providers in program design;

6. Train adult education and literacy administrators and instructors and other workforce development professionals to respond to individual employer and worker needs;

7. Provide curriculum development support to enable adult educators to customize teaching and learning that responds to worker and employer needs;

8. Establish links within the Team Pennsylvania regions and CareerLink system in order to integrate basic skill instruction into the continuum of workforce development services such as linking with apprenticeship programs, community colleges and other State initiatives;

9. Continue the identification and training of adult education provider agencies not currently providing workplace education programs in the components of the workplace education system begun in years 1 and 2 of PA WIN in order to expand the PA WIN system into all geographic areas of this Commonwealth; and

10. Continue activities begun in the Program Years 1999-2001 so that PA WIN capabilities exist in all Team Pennsylvania/CareerLink regions to include the identification and training of at least 35 additional adult educa-

tion providers as affiliates and to have provided services to at least 11,720 students in all regions by June 30, 2004.

CHARLES B. ZOGBY,
Acting Secretary

[Pa.B. Doc. No. 01-862. Filed for public inspection May 18, 2001, 9:00 a.m.]

Availability of Workforce Investment Act, Title II, Section 223 Funds for State Leadership Activities

These services are designed to strengthen the adult literacy and basic education programs operated by the Department of Education (Department), Bureau of Adult Basic and Literacy Education (Bureau) by providing Statewide support for leadership activities in Title II of the Workforce Investment Act described in the Unified State Plan 1999-2005.

I. Authorization

A. Title II of The Workforce Investment Act of 1998, The Adult Education and Family Literacy Act, provides funds to local eligible provider agencies through the Department for the establishment of adult education and family literacy programs that will:

1. Assist adults to become literate and obtain the knowledge and skills necessary for employment and self-sufficiency;

2. Assist adults who are parents to obtain the educational skills necessary to become full partners in the educational development of their children; and

3. Assist adults in the completion of a secondary school education.

B. Eligible applicants include local education agencies (LEA) and public or private nonprofit agencies, organizations and institutions. A for-profit agency is eligible to participate in the program only if it is part of a consortium with an LEA or other eligible sponsor, with the nonprofit agency acting as fiscal agent. A for-profit organization must also have the capability and capacity to augment significantly the adult education services of such a consortium.

Consistent with the purpose of the Adult Education and Family Literacy Act for Program Year 2001-2002, the Department will give primary consideration to programs for the educationally disadvantaged.

The Federal share of a grant will be 75% of the total cost of the program. The applicant must provide 25% match of the total cost of the program. The local match may be in kind. Other Federal funds may not be used for the local match unless specifically identified as eligible for use as matching funds.

C. Restrictions placed upon the Department by the United States Department of Education on the administration of the grant include:

1. Not more than 12.5% of the State's allotment shall be used for State Leadership activities.

2. Not more than 5% of a local applicant's grant may be used for administrative costs, unless a higher percent is approved in advance by the Bureau.

Letter of Intent due: June 1, 2001

Application due: June 22, 2001

Note: The Bureau reserves the right to consider proposals received after the deadlines, and if appropriate, to approve them if and when funds become available.

II. *Application Procedures and Program Guidelines*

A Letter of Intent is due at the Bureau by June 1, 2001. The Letter of Intent should state the priority number and a one-sentence description of the proposed project. Applications for State Leadership funds must be completed online and submitted via the e-grant website at <http://www.e-grants.ed.state.pa.us> to the Bureau. Instructions and the application guidelines are available via the Bureau's site at www.paadulthood.org and via the e-grant sites. Faxes will not be accepted.

III. Funds for State Leadership activities are made available under section 222(a)(2) for one or more of the following activities. Specific priorities supporting these activities for Program Year 2001-2002 are included in this announcement:

1. The establishment or operation of professional development programs to improve the quality of instruction provided under local activities required under section 231(b);
2. The provision of technical assistance to eligible providers of adult education and literacy activities;
3. The provision of technology assistance, including staff training, to eligible providers of adult education and literacy activities to enable the eligible providers to improve the quality of such activities;
4. The support of State or regional networks of literacy resource centers;
5. The monitoring and evaluation of the quality of, and improvement in, adult education and literacy activities;
6. Incentives for program coordination and integration, and performance awards;
7. Developing and disseminating curricula;
8. Other activities of Statewide significance that promote the purpose of this title;
9. Coordination with existing support services, such as transportation, child care and other assistance designed to increase rates of enrollment in, and successful completion of, adult education and literacy activities, to adults enrolled in such activities;
10. Integration of literacy instruction and occupational skill training and promoting linkages with employers; and
11. Linkages with postsecondary educational institutions.

Priorities State Leadership 2001-2002

1. *Communications for Professional Development (Axis)*

Management of a project to provide for the design and/or publication of newsletters, reports, handbooks and brochures as needed by adult education providers in this Commonwealth. The project will direct and provide systematic communication and coordination between the Bureau and professional development service providers and adult basic and literacy education providers. The project will also include support for on-line and Internet web communications.

2. *Adult Education Newsletter*

Provision of a general adult basic education newsletter to be published a minimum of six times at a length of eight pages or more to disseminate information in areas of interest to adult basic education practitioners and program supporters in this Commonwealth. The areas may include, but are not limited to, professional development, program areas such as GED, ABE, ESL, Workplace and Family Literacy, and include adult education theory, best practices and awareness information. Applicant must establish an editorial review board and plan for a circulation of approximately 4,000 copies across this Commonwealth with distribution as requested by the Department.

3. *Outstanding Adult Learners*

Management of an event that includes the identification, selection and recognition of ten exemplary adult learners enrolled in adult basic and literacy education programs whose success stories focus on the role of adult basic education in their lives. Approximately 2,000 copies of a Success Stories booklet featuring both past and current winners and their Bureau programs should be prepared, published and disseminated as requested by the Department. Promotional fliers featuring Success Stories students will be prepared and disseminated to winners' program providers. Applicant will coordinate with an identified Bureau staff person in the development of the project.

4. *Outstanding Adult Practitioners*

Management of an event to identify, select and honor outstanding adult education practitioners in this Commonwealth whose interaction with adult learners, colleagues and their programs is indicative of best practices in adult teaching and learning. Applicant will review the standards and performance indicators set forth by the Pennsylvania Adult Teachers Competencies project in order to use those criteria for the selection of excellent educators and instructors in keeping with their recommendations for expert practitioners. The applicant will coordinate with an identified Bureau staff person, a Project EQUAL representative and a PDC coordinator in the development and implementation of the project.

5. *Implementation and Development of Core Area Training*

Centralized management of a project to develop and implement training in defined core content areas Statewide to adult basic and literacy education administrators and practitioners. The applicant will develop and deliver core topics that include:

- Elements of effective teaching, adult learning theory and practice and assessment practices as preservice training.
- Change training compatible with EQUAL training: program planning, collaboration and action planning for program improvement as in-service training.
- GED 2002 test: adapt/adopt material to prepare learners for the new test as in-service.
- Data analysis: using data for program improvement.
- Workforce Development Basics, providing baseline information on workforce activities including Workforce Investment Boards, workforce planning, workforce priorities and information on adult education workforce "tools" for adult educators.

Applicant will coordinate the review and selection of training materials and methods in such designated core content areas and work with lead trainers and module

authors to revise or refine existing modules as necessary and appropriate and to customize "advanced" trainings. Applicant will refine modules and/or training pieces from the existing menu of professional development modules developed in previous training development projects and train new trainers and monitor and support existing trainers via training sessions, meetings, field observations and telephone and electronic contact. The applicant will also prepare modules for online delivery where appropriate. The applicant will include an evaluation component to evaluate the modules, trainers, trainer training and support system to determine the impact of the core training. Applicant will work closely with the staff of Bureau and the regional professional development centers.

6. *Review and Dissemination of Exemplary Projects*

Management of a project to review current and past section 353 and State Leadership special demonstration/experimental and professional development projects from this Commonwealth and from other states in designated topic areas to determine their significance and appropriateness for adoption/adaptation in this Commonwealth. The project should identify exemplary and innovative practices/approaches and provide for the Statewide dissemination of information through publication of the reviewed projects via a newsletter to be published a minimum of six times a year.

7. *Support of Adult Education Professional Development*

Administration, fiscal management and support of Statewide adult basic education professional development activities and other Department activities to include provision for support of State Leadership requirements and initiatives under the Workforce Investment Act of 1998, support of various adult basic and literacy conference activities, support of Act 42 Council activities and provision of honoraria for presenters at State-sponsored activities.

8. *Professional Development Institute for Learning Differences/Disabilities*

Purpose: To continue the provision of a centralized training system for practitioners serving adults with learning differences/disabilities; to serve as an information clearinghouse for research and best practice in teaching adults with learning differences/disabilities; to facilitate the coordination of services to individuals with learning differences/disabilities among State and local agencies begun in Program Year 2000-2001.

Background: Current research indicates that adult basic and literacy education programs are serving significant numbers of individuals who have learning differences/disabilities. Needs assessments conducted in this Commonwealth indicate that many adult education practitioners feel unprepared for the challenges presented by one of those adults. The Bureau has recognized the need to support adult education practitioners who are teaching adults with learning differences/disabilities in Bureau sponsored programs. The Bureau desires to continue support of current activities by funding an "institute" or "center" that will continue the efforts to coordinate a uniform and systematic approach to providing professional development for practitioners teaching adults with learning differences/disabilities and improving the quality of services offered to this set of learners begun in Program Year 2000-2001.

Application Requirements:

The applicant must describe how it will address the following program elements.

1. Provide a centralized training and technical assistance system to support Commonwealth practitioners working with individuals with learning differences/disabilities.

- Develop uniform training products and processes to address the needs of Commonwealth adult education practitioners in the areas of learning differences that reflect state-of-the-art research and development efforts.

- Coordinate all existing activities related to the provision of training and technical assistance of practitioners teaching individuals with learning differences/disabilities.

- Develop and implement a train-the-trainer system, consistent with current adult education train-the-trainer efforts, to certify and credential trainers qualified to deliver established training systems.

- Develop and implement a system of technical assistance, including identification of best practices and peer networking.

- Coordinate the delivery of training with the Pennsylvania Adult Education Professional Development System, including its Professional Development Centers, State Literacy Resource Center and Tutors for Literacy in this Commonwealth.

2. Serve as an information clearinghouse for research and best practice in teaching adults with learning differences/disabilities.

- Maintain expertise in the areas of adults with learning differences/disabilities for the purpose of identifying emerging best practices and research.

- Disseminate relevant and timely information related to special accommodations, research based instructional planning, screening and identification, legal issues and other information related to serving individuals with learning differences/disabilities.

- Coordinate information collection and dissemination with the State Adult Literacy Resource Center.

3. Facilitate the coordination of services to individuals with learning disabilities among State and local agencies.

- Facilitate the leveraging of resources among State and local entities for the purpose of providing comprehensive services to individuals with learning differences/disabilities.

- Identify other State and local models of interagency coordination for individuals with learning differences/disabilities.

- Establish a working relationship with entities that serve individuals with learning differences/disabilities for the purpose of exchanging information and establishing interagency initiatives.

- Maintain a presence by representing this Commonwealth's efforts at National and State meetings, workshops and seminars.

9. *Assessment in Adult Education Programs*

Conduct a project to research the adult education assessment practices in Bureau-funded programs. Provide research findings and recommendations to guide the development and delivery of training and technical assistance around program assessment practices linking them to instructional practices and that support implementa-

tion of the Bureau program performance standards, Bureau assessment policy and the National Reporting System. Provide findings to inform training on use of specific Bureau approved standardized tests.

10. *Administrator Competencies*

Management of a project to adapt/adopt administrator/management competencies that are currently developed Nationally for use in this Commonwealth's adult education programs. Project should research existing competencies, determine their appropriateness for adult education agencies in this Commonwealth, field test the competencies with administrators and develop a user's manual.

11. *Planning for Change*

Management of a project to support adult education community-based planning sites through field-driven mentoring, outreach, training and technical assistance that continue activities begun in the Planning for Change project funded in the 2000-2001 program year. The project will maintain the current Planning for Change structure, which has designated technical assistance consultants across this Commonwealth. The project applicant should be a Statewide organization with broad-based membership and collaborate with the professional development centers and other Statewide initiatives such as PA WIN, the Work-Based Foundation Skills and Workplace Essential Skills projects to increase the capacity of adult education coalitions in meeting the needs of their communities.

12. *Work-Based Foundation Skills*

Management of a project to facilitate expanded dissemination and effective use of the Work-Based Foundation Skills Framework across Commonwealth agencies in support of this Commonwealth's workforce development initiatives. This project will continue the activities of a project developed and tested from 1999-2001. The project will develop and implement training procedures and products to build the Bureau provider's capacity to understand and implement the Foundation Skills Framework. Activities in this project will be integrated with activities of Bureau coalitions, Planning for Change communities, local WIBs and CareerLinks to strengthen communication and system integration. The project will develop and implement targeted Foundation Skill Framework training procedures and products for Bureau programs and work with Professional Development Centers in identifying and training non-PA WIN affiliates in the use of the framework as well as in disseminating the Foundation Skills Framework throughout the workforce investment system. The project will continue and further refine the foundation skills framework link to occupational skill standards, working collaboratively with the Bureau ICC skill standards work group so that a process and product is developed providing Bureau programs links between the occupational skill standards and the foundation skills.

13. *Professional Development Institutes*

Purpose: To provide an opportunity for professional development in a specific area of adult basic and literacy education in an intensive format.

Background: The Bureau has supported the professional development of practitioners and administrators through the institute format for several years. The format allows for the consistency in the delivery of information and methodologies in a specific area and at varying levels of expertise. It also builds the collegiality of participants through shared experiences and encourages ongoing professional development after the institute has ended. The

activities offered through the institute and follow up trainings are guided by the Guiding Principles for Professional Development of Adult Education Practitioners.

Program Goals:

1. Administrative and fiscal management and support of a project for Statewide adult basic education professional development through the provision of a professional development institute (topics listed) to include the arrangements for physical accommodations for administrators, teachers, counselors and volunteers in adult basic education programs;

2. Delivery of information to participants that is relevant to the topic, research-based and representative of best practices that is provided by subject matter experts;

3. Development of strands on the institute topic for new and experienced practitioners;

4. Provision of follow-up training through the regional professional development centers and/or other activities; and

5. Evaluation of the design and effectiveness of the training.

Corrections Education; Equipped for the Future; Teaching Math

14. *English Literacy/Civics Training*

This project will convene a group of ESL specialists for the purpose of designing a coordinated system of ESL training that includes program quality standards and corresponding training. The project will review available National and State ESL standards including work completed by TESOL, California, New York and other states, and recommend one set of standards for Commonwealth adoption/adaptation. The project will review existing ESL training materials available Nationally and organize ESL training offerings to meet the needs of beginning, intermediate and advanced ESL teachers. Training must be based on sound research-based practices in ESL instruction and align with the recommended program standards. Existing training materials should be used to the maximum extent possible. The project will identify a timeline for adoption of quality standards and training that includes pilot testing and training of trainers that may extend beyond the first year of the project.

15. *Mini-Grants*

These grants may be used to support State Leadership activities at the local level. For example, a mini grant can be used to complement Statewide initiatives that impact at the local level such as implementing adult learner competencies into an agency's program, determining the impact of instructional programs on adult learners or to assist an agency in integrating adult basic education and workforce development activities in the local area. Funds should not be used for direct instructional time but for time to research, design, plan and support the activities needed to carry out the goals of the project. Grants may not exceed \$5,000.

CHARLES B. ZOGBY,
Acting Secretary

[Pa.B. Doc. No. 01-863. Filed for public inspection May 18, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and the Pennsylvania Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. All Oil and Gas Related permit applications are listed under Section III. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0084077	Snake Spring Township Municipal Authority 624 Pennknoll Road Everett, PA 15537-6945	Bedford County Snake Spring Township	Raystown Branch Juniata River 11-C	Y
PA0082490	Stonehenge Restaurant Inc./ Stonehenge Lodge Inc. 985 Baltimore Pike Gettysburg, PA 17325	Adams County Cumberland Township	UNT Rock Creek 13-D	Y
PA0087564	D & L Enterprises Donald & Linda Yingling 3574 Taneytown Road Gettysburg, PA 17325-8635	Adams County Cumberland Township	UNT of Plum Run 13-D	Y
PA0083861	Benner's Restaurant R. D. 2 Box 13B Millerstown, PA 17062	Juniata County Delaware Township	Juniata River 112-B	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0020583	Middleburg Municipal Authority 13 North Main Street Middleburg, PA 17842	Snyder County Middleburg Borough	Middle Creek 6A	Renewal Yes
PA0114995	Farm & Home Oil Company P. O. Box 389 Telford, PA 18969	Lycoming County Armstrong Township	W Br Susquehanna River 10C	Renewal/Transfer Yes

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0222071, Sewage. **Bruce & Cynthia Baker**, 141 Shingle Hollow Road, Harmony, PA 16037.

This proposed facility is located in Perry Township, **Lawrence County**.

Description of Proposed Activity: renewal of sewage discharge.

The receiving stream, unnamed tributary to Camp Run, is in watershed 20C and classified for: warm water fishes, water supply, recreation.

The proposed effluent limits for Outfall 001 based on a design flow of .0008 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10		20
Total Suspended Solids	20		40
Total Residual Chlorine		Monitor and Report	
Fecal Coliform (year around)		200/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

PA0103802-Amendment No. 1, Sewage. **Midwest Campers-Camp Stone**, R. D. #2, Sugar Grove, PA 16350.

This proposed facility is located in Sugar Grove Township, **Warren County**.

Description of Proposed Activity: an amendment for a treated sewage discharge to increase discharge flows.

The receiving stream, unnamed tributary to Patchen Run, is in watershed 16-B and classified for: cold water fishes, water supply, recreation.

The proposed interim effluent limits for Outfall 001 are based on a design flow 0.010 MGD.

The proposed final effluent limits for Outfall 001 are based on a design flow 0.018 MGD.

These limits in the table below are applicable to both the interim and final effluent limitations.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10		20
Total Suspended Solids	10		20
NH ₃ -N (05-01 to 10-31)	3		6
(11-01 to 04-30)	9		18
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
Total Residual Chlorine	1.5		3.5
Fecal Coliform (05-01 to 09-30)		200/100 ml as a geometric average	
(10-01 to 04-30)		2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

PA0221619, Sewage. **Otto Township Sanitary Authority**, Box 284, Duke Center, PA 16729.

This proposed facility is located in Otto Township, **McKean County**.

Description of Proposed Activity: renewal of sewage discharge

The receiving stream, Knapp Creek, is in watershed 16-C and classified for: cold water fishes, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.23 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (05-01 to 10-31)	10.0		20
Ultraviolet Light Intensity (megawatts/cm ²)	Monitor and Report average intensity from UV intensity meter in microwatts/square centimeter for each bank of modules on the monthly DMRs. Store Code is 49607 for UV light intensity. Also refer to Special Condition C.		
Fecal Coliform (05-01 to 09-30)	200/100 ml as a geometric average		
(10-01 to 04-30)	9,000/100 ml as a geometric average		
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

PA0100056, Sewage, **Rose Point Park Campground**, R. D. 4, Box 410, New Castle, PA 16101.

This facility is located in Slippery Rock Township, **Lawrence County**.

Description of Proposed Activity: renewal of sewage discharge.

The receiving stream, Slippery Rock Creek, is in watershed 20C and classified for: cold water fishes, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0087 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	20		40
Total Suspended Solids	30		60
NH ₃ -N (05-01 to 10-31)	4		8
(11-01 to 04-30)	12		24
Dissolved Oxygen	minimum of 3.0 mg/l at all times		
Total Residual Chlorine	1.5		3.5
Fecal Coliform (05-01 to 09-30)	200/100 ml as a geometric average		
(10-01 to 04-30)	2,000/100 ml as a geometric average		
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

PA0221261, Sewage, **Richard A. & Pamela A. Roupe**, 600 Minard Run Road, Bradford, PA 16701.

This facility is located in Bradford Township, **McKean County**.

Description of Proposed Activity: a renewed treated sewage discharge.

The receiving stream is unnamed tributary to Minard Run is in watershed 16-C and classified for: Exceptional Value, water supply, recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.000400 GPD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10		20
Total Suspended Solids	20		40
Fecal Coliform	200/100 ml as a geometric average		
Total Residual Chlorine	Monitor and Report		
pH	6.0		9.0

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0056880, Industrial Waste, **Lower Bucks County Joint Municipal Authority**, 7811 New Falls Road, Levittown, PA 19058-0460.

This application is for renewal of an NPDES permit to discharge supernatant from secondary clarifiers, twice per year, each discharge approximately 0.48 million gallons in Tullytown Borough, **Bucks County**. This is an existing discharge to Delaware River via Franklin Cove.

The receiving stream is classified for warm water fish, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 003, based on an average flow of 500 gpm are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	75
pH	Within limits of 6.0—9.0 Standard Units at all times	
Iron, Total	2.0	5.0
Aluminum, Total	4.0	10.0
Manganese, Total	1.0	2.5
TRC	0.5	1.2
Turbidity		8

The EPA Waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAG123512, CAFO, **Jeffrey Heindel**, H. E. Heindel & Sons, Heindel Family Farms, P. O. Box 7, Brogue, PA 17309.

This proposed facility is located in Chanceford Township, **York County**.

Description of Proposed Activity: An existing dairy farm with a Total Average AEU of 2561.5.

The receiving stream, Toms Run, is in the State Water Plan watershed 7-I and is classified for: WWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123510, CAFO, **Mike Mullady and Russell Harrison**, Green Valley Farm, Harmony Farms LLC, P. O. Box 248, Camp Hill, PA 17001.

This proposed facility is located in North Codorus Township, **York County**.

Description of Proposed Activity: Authorization to operate a 1,716.875 average AEU Swine farm.

The receiving stream, South Branch Codorus Creek, is in the State Water Plan watershed 7-H and is classified for: WWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123509, CAFO, **David D. Zimmerman**, Meadowview Farms, LLC, 915 Galen Hall Road, Reinholds, PA 17569.

This proposed facility is located in West Cocalico Township, **Lancaster County**.

Description of Proposed Activity: Authorization to operate a 780 average AEU dairy farm.

The receiving stream, Little Cocalico Creek, is in the State Water Plan watershed 7-J and is classified for: TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

Application No. PA 0011100, SIC Code 3674, Industrial Waste, **Agere Systems, Inc.**, 2525 North 12th Street, P. O. Box 13396, Reading, PA 19612-3396.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Bernhart Creek in Watershed 3-C, in Muhlenberg Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the an existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.157 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		6.0 to 9.0 S.U. at all times	
Total Suspended Solids	16	32	40
Total Dissolved Solids	3,500	7,000	8,750
Osmotic Pressure (MOS/KG)	—	79.6	79.6
NH ₃ -N (Interim)	Monitor & Report	Monitor & Report	—
NH ₃ -N (Final)			
(5-1 to 10-31)	1.5	3.0	3.8
(11-1 to 4-30)	4.5	9.0	11.0

The proposed effluent limits for Outfall 101 for a design flow of 1.157 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		6.0 to 9.0 S.U. at all times	
Total Suspended Solids	30	60	75
BIS (2-Ethylhexyl) Phthalate	0.002	0.004	0.005
Total Copper	0.049	0.098	0.123
Fluoride	17.4	32	32
Total Toxic Organics	—	1.37	—

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0000892, Industrial Waste, SIC, 3356, **Westinghouse Electric Corporation Specialty Metals Plant**, R. D. # 4, Box 333, Blairsville, PA 15717-8904.

This application is for renewal of an NPDES permit to discharge treated process water, sewage and stormwater from zincalloy tube manufacturing in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Conemaugh River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Saltsburg Water Authority, located at Saltsburg, 17 miles below the discharge point.

Outfall 101: existing discharge, design flow of 0.053 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
TSS	37	78	12	15	19
Oil and Grease	23	38	15		30
Chromium	0.05	0.12	0.15	0.37	0.46
Cyanide	0.03	0.08	0.08	0.2	0.25
Nickel	0.35	0.53	0.37	0.55	0.69
Fluoride	7.2	16.3	26.4	60	75
Ammonia	16	37	58.6	133	166
pH	not less than 7.5 nor greater than 9.0				

Outfall 201: existing discharge, design flow of 0.0065 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
CBOD ₅			25		50
TSS			30		60
Fecal Coliforms					
(5-1 to 9-30)			200		1,000
(10-1 to 4-30)			100,000		
TRC			1.4		3.3
pH	not less than 6.0 nor greater than 9.0				

Outfall 301: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
TSS			30		60
Oil and Grease			15		30
Dissolved Iron					7
TRC			0.5		1.0
Trichloroethylene			0.072		0.144
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0030392, Industrial Waste, SIC, 3465 and 3544, **General Motors Corporation**, 1451 Lebanon School Road, West Mifflin, PA 15122.

This application is for renewal of an NPDES permit to discharge treated stormwater from its West Mifflin Plant in West Mifflin Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Curry Hollow Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Pennsylvania-American Water Company, located at Becks Run, 15 miles below the discharge point.

Outfall 001: existing discharge, design flow of varied mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
	The discharge through Outfall 001 shall consist of uncontaminated stormwater runoff and natural spring water only.				

The EPA waiver is in effect.

PA0032191, Sewage, **Sister Servants of the Most Sacred Heart of Jesus**, 1872 Munster Road, Portage, PA 15946.

This application is for renewal of an NPDES permit to discharge treated sewage from Sister Servants of the Most Sacred Heart of Jesus STP in Munster Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of North Branch Little Conemaugh River, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.0009 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform	200/100 ml as a geometric mean			
(5-1 to 10-30)	2,000/100 ml as a geometric mean			
(11-1 to 4-30)	Monitor and Report			
Total Residual Chlorine	not less than 3.0 mg/l			
Dissolved Oxygen	not less than 6.0 nor greater than 9.0			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0093718, Sewage, **Karns City School District**, 1446 Kittanning Pike, Karns City, PA 16041.

This application is for renewal of an NPDES permit to discharge treated sewage from the Sugar Creek Elementary School in Sugar Creek Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Tributary of Huling Run, which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Pennsylvania American Water Authority.

Outfall 001: existing discharge, design flow of 0.0075 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	15			30
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	10			20
(11-1 to 4-30)	25			50
Fecal Coliform				
(5-1 to 10-30)	200/100 ml as a geometric mean			
(11-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0026506, Sewage, **West Mifflin Sanitary Sewer Municipal Authority**, 1302 Lower Bull Run Road, West Mifflin, PA 15122.

This application is for renewal of an NPDES permit to discharge treated sewage from Thompson Run STP in the Borough of West Mifflin, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Thompson Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Pa. American Water Company, Becks Run Station.

Outfall 001: existing discharge, design flow of 4.0 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	3.0	4.5		6.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	.01			.03
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0026883, Sewage, **City of Beaver Falls**, 715 15th Street, Beaver Falls, PA 15010.

This application is for renewal of an NPDES permit to discharge treated sewage from City of Beaver Falls STP in City of Beaver Falls, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Beaver River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Midland Borough Water Authority.

Outfalls 001 and 001-A: existing discharge, design flow of 4.8 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Residual Chlorine	0.5			1.6
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0029971, Sewage, **Avella Area School District**, 1000 Avella Road, Avella, PA 15312-9699.

This application is for renewal of an NPDES permit to discharge treated sewage from Avella District Joint High School STP in Cross Creek Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of South Fork Cross Creek, which are classified as a high quality warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Independence Township Municipal Authority on Cross Creek.

Outfall 001: existing discharge, design flow of 0.012 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	4.0			8.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.07			0.16
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0035483, Sewage, **Camp Albryoca**, 2801 Greenville Road, Meyersdale, PA 15552.

This application is for renewal of an NPDES permit to discharge treated sewage from Camp Albryoca STP in Greenville Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Little Piney Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Ohiopyle Borough Water Works.

Outfall 001: existing discharge, design flow of 0.005 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	13.0			26.0
(11-1 to 4-30)	25.0			50.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	5,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0091146, Sewage, **North Union Township Municipal Services Authority**, 6 South Evans Station Road, Lemont Furnace, PA 15456.

This application is for amendment of an NPDES permit to discharge treated sewage from the Industrial Park No. 2 STP in North Union Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Gust Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: North Fayette County Municipal Authority.

Outfall 001: existing discharge, new design flow of .135 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	3.5	5.2		7.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	.03			.09
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0091791-A1, Sewage, **Joseph Argiro**, R. D. #2, Box 368, Connellsville, PA 15425.

This application is for amendment of an NPDES permit to discharge treated sewage from the Argiro Mobile Home Park STP in Bullsken Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Breakneck Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: McKeesport Municipal Water Authority.

Outfall 001: existing discharge, design flow of .013 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	11			22
(11-1 to 4-30)	33			66
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0093033, Sewage, **Eastern Armstrong County Municipal Authority**, P. O. Box 262, Elderton, PA 15736-0262.

This application is for renewal of an NPDES permit to discharge treated sewage from Elderton STP in Elderton Borough, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Crooked Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Cadogen Water Works.

Outfall 001: existing discharge, design flow of 0.058 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10	15		20
Suspended Solids	25	37.5		50
Ammonia Nitrogen				
(5-1 to 10-31)	3.0	4.5		6.0
(11-1 to 4-30)	9.0	13.5		18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0096334, Sewage, **Clelian Heights School for Exceptional Children**, R. D. #9, Box 607, Greensburg, PA 15601.

This application is for renewal of an NPDES permit to discharge treated sewage from Clelian Heights School for Exceptional Children STP in Hempfield Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary Beaver Run, which are classified as a high-quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Westmoreland Municipal Authority .

Outfall 001: existing discharge, new design flow of 0.009 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	4.2			8.4
(11-1 to 4-30)	10.0			20.0
Phosphorus	2			4
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 7.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0218804, Sewage, **James Yeager**, 137 Willow Lane, Patton, PA 16668.

This application is for issuance of an NPDES permit to discharge treated sewage from James Yeager Small Flow Sewage Treatment Facility in Elder Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Brubaker Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: PA-American Water Company located on the West Branch Susquehanna River.

Outfall 001: new discharge, design flow of 0.0008 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
Total Residual Chlorine	Monitor and Report			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE
WASTEWATER
APPLICATIONS UNDER THE PENNSYLVANIA
CLEAN STREAMS LAW
PART II PERMITS**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department). The applications are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permit applications.

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted above the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should

include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by

contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No 0901407. Sewerage. **Harold Rothstein**, 1355 Pebble Hill Road, Doylestown. Applicant is requesting approval for the construction and operation of a sewage treatment plant to serve The Rothstein Tract Homeowners Association located in Doylestown Township, **Bucks County**.

WQM Permit No. 1501203. Industrial Waste. **Mushroom Canning Company**, 401 Birch Street, P. O. Box 389, Kennett Square, PA 19348. Applicant is requesting approval for the construction and operation of an industrial wastewater treatment facility to serve Mushroom Canning Co. located in Kennett Square Borough, **Chester County**.

WQM Permit No. 4601406. Sewerage. **Lower Salford Township Authority**, P. O. Box 243, Harleysville, PA 19438. Applicant is requesting approval for the construction and operation to upgrade Harleysville STP located in Lower Salford Township, **Montgomery County**.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3601201, Industrial Waste, **John F. Martin & Sons, Inc.**, 55 Lower Hillside Road, Stevens, PA 17578.

This proposed facility is located in West Cocalico Township, **Lancaster County**.

Description of Proposed Action/Activity: updating original wastewater equipment and the construction of a 90,000 gpd wastewater treatment plant for their meat packaging plant.

WQM Permit No. 3601202, Industrial Waste, **John Cope's Food Products, Inc.**, 156 West Harrisburg Avenue, P. O. Box 419, Rheems, PA 17570-0429.

This proposed facility is located in West Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity: Consolidation and clarification of existing Part II Permits (3677202, 3683202, 3686202, & 3687201).

WQM Permit No. 3495201, Amendment 01-1, Industrial Waste, **Empire Kosher Poultry, Inc.**, R. R. #5, Box 228, Mifflintown, PA 17059-9803.

This proposed facility is located in Walker Township, **Juniata County**.

Description of Proposed Action/Activity: Installation a new unit to improve the performance of the wastewater conditioning/pretreatment facilities to allow the wastewater treatment plant to function better to satisfactorily remove oil, grease and potable materials from the processing plant prior to discharge to the wastewater treatment system.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No 1401406. Sewerage. **Borough of State College**, 118 South Fraser Street, State College, PA 16801.

This proposed facility is located in State College Borough, **Centre County**.

Description of Proposed Action/Activity: Replacement of old 8-10 inch with 12 inch sanitary sewer, new stormsewer and restoration of Holly Alley. Application was received completed May 2, 2001 at the Northcentral Regional Office.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0286439-A1—Sewerage, Hampton Township Sanitary Authority, 3101 McCully Road, Allison Park, PA 15101. Application for the modification and operation of a pump station to serve the Bruntonshire Plan of Lots located in Hampton Township, **Allegheny County**.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6201405, Sewerage, **Jacob C. Barton**, R. R. #1, Box 95A, Grand Valley, PA 16420.

This proposed facility is located in Triumph Township, **Warren County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth distur-

bance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10 G467. Stormwater. **Keith Grant**, 960 Pottstown Pike, Chester Springs, PA 19425 has applied to discharge stormwater associated with a construction activity located in West Caln Township, **Chester County** to Birch Run Creek (HQ).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, (610) 391-9583.

NPDES No.	Applicant Name & Address	County & Municipality	Receiving Water/Use
PAS10Q223	Jaindl Land Co. David Jaindl 3150 Coffee town Rd. Orefield, PA 18069	Lehigh County Upper Macungie Township	Little Lehigh Creek HQ-CWF
PAS10Q224	Shelter Development, LLC William Mihm 218 N. Charles St., Suite 500 Baltimore, MD 21201-4019	Lehigh County City of Bethlehem	Monocacy Creek HQ

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit PAS10 M109. Stormwater. **Antrim Brethren in Christ Church**, 24 Kauffman Rd., Chambersburg, PA 17201 has applied to discharge stormwater associated with a construction activity located in Antrim Township, **Franklin County** to Muddy Run (HQ-CWF).

Franklin County Conservation District: 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074.

NPDES No.	Applicant Name & Address	County & Municipality	Receiving Water/Use
PAS10M109	Antrim Brethren in Christ Church 24 Kauffman Road Chambersburg, PA 17201	Antrim Township Franklin County	Muddy Run (HW-CWF)

HAZARDOUS SITES CLEAN-UP

UNDER THE ACT OF OCTOBER 18, 1988

High Quality Polishing and Plating Site

Upper Milford Township, Lehigh County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. § 6020.102—6020.1303), has initiated a prompt interim response at the High Quality Polishing and Plating Site (Site). This response has been undertaken under Section 505(b) of HSCA, 35 P.S. § 6020.505(b). The Site is located along Routes 100/29 in the village of Zionsville, Upper Milford Township, Lehigh County, PA.

The Site was used as metal polishing and plating facility from 1960 until 1983. The Department is currently conducting an Environmental Site Characterization at the Site. Trichloroethylene (TCE) has been detected in on- and off-site monitoring wells and in two residential wells at concentrations above the Maximum Contaminant Level (MCL).

On April 23, 2001 the Department installed carbon filter systems on two private water supplies located near the Site and which serve a total of 4 households. The objective of the prompt interim response is to prevent exposure to TCE through ingestion and inhalation.

Given the specific circumstances at the Site, the Department determined that the installation of carbon filter systems was the only viable alternative to implement at this Site to address the contamination in the residential wells. This response action was needed in a prompt manner to protect public health and safety. The Department is conducting additional investigation of the groundwater, including sampling of Site monitoring wells and nearby residential wells.

This notice is being provided under sections 505(b) and 506(b) of HSCA. The administrative record, which contains the information that forms the basis and documents the selection of the response action, is available for public review and comment. The administrative record is located at the Upper Milford Township Building, Lehigh County and is available for review Monday through Friday from 8 a.m. to 4 p.m.

The administrative record will be open for comment from May 19, 2001 to August 17, 2001. Persons may submit written comments into the record during this time only, by sending them to Ronald Schock, Project Officer, at the Department's Bethlehem District Office at 4530 Bath Pike, Bethlehem, PA 18017, or by delivering them to that office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing. The Department has scheduled the hearing for June 20, 2001, at 7:30 p.m. at the Upper Milford Township Building. The testimony at the public hearing will be limited to the prompt interim response action which involved the installation of carbon treatment systems to address the TCE-contaminated residential wells. The Department is continuing the investigation of the Site and anticipates additional response action at the Site to address the on-Site contaminated building and environmental media. A public hearing will be held at a later date to address those future response actions. Persons wishing to present testimony at the June 20, 2001 hearing regarding the carbon treatment systems should register with Ron Schock before June 15, 2001, by

telephone at (610) 861-2070 or in writing to Ronald Schock at the Department's Bethlehem District Office.

If no person registers to present oral comments by June 15, 2001, the hearing will not be held. Persons interested in finding out if anyone has registered, or if the hearing will be held, should contact Ronald Schock.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should contact Ronald Schock or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Darby Creek Joint Authority Sewage Treatment Plant, Darby Township, **Delaware County**. Charles Catania, Jr., P.E., 520 W. MacDade Blvd., Millmont Park, PA 19033-3311, on behalf of Darby Creek Joint Authority, c/o DELCORA, 100 E. Fifth St., P. O. Box 999, Chester, PA 19016-999, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with PCBs, lead, heavy metals, petroleum hydrocarbons, polycyclic aromatic hydrocarbons and pesticides. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Delaware County Times* on March 23, 2001.

Kathy Medley Residence, Avondale Borough, **Chester County**. Scott W. Steele, Hydrocon Services, Inc., 2945 S. Pike Ave., Allentown, PA 18103, on behalf of Kathy Medley, 105 Chatham St., Avondale, PA 19311, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on February 20, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit Application No. 101567—Construction Demolition Recycling, Inc., 1060 Industrial Boulevard, Southampton, PA 18966. This application was received for a renewal of their solid waste permit. Facility located in Upper Southampton Township, **Bucks County**. The application was received in the Southeast Regional Office on May 4, 2001.

Southwest Region: Regional Solid Waste Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit Application No. 100281. Greenridge Reclamation, LLC, Scottdale Municipality, **Westmoreland County**. Application for the Permit Reissuance of PADEP Solid Waste Permit No. 100281 from Republic Services Group of Pennsylvania IV, LLC to Greenridge Reclamation, LLC. The application was received by the Southwest Regional Office on May 7, 2001.

Comments concerning the application should be directed to Michael G. Forbeck, Facilities Manager, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 101646. World Resource Recovery Systems, Inc., 1631 East Avenue, Erie, PA 16503, City of Erie, **Erie County**. An application was received to increase the maximum daily volume of waste from 300 tons per day to 600 tons per day. The application was accepted in the Regional Office on May 2, 2001.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice, and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

Applications Received and Intent to Issue Operating Permits Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, James Parette, Acting New Source Review Chief, (570) 826-2531.

39-302-137B: Beatrice Cheese Group, Inc. (ConAgra Dairy Foods, 1002 MacArthur Road, Whitehall, PA 18052) for operation of two gas/oil fired boilers in Whitehall Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05029: AmerGen Energy Co., LLC (Route 441 South, Middletown, PA 17057-0441) for a synthetic minor operating permit for standby units comprised of two boilers, three engine generators and other sources in Londonderry Township, **Dauphin County**.

36-03030: D.M. Stoltzfus & Sons, Inc. (P. O. Box 84, Talmage, PA 17580) for a Natural Minor Operating Permit for two portable crushing plants at the Talmage Quarry in Upper Leacock Township, **Lancaster County**.

36-03077: D.M. Stoltzfus & Sons, Inc. (P. O. Box 84, Talmage, PA 17580) for a Natural Minor Operating Permit for a Limestone Crushing Plant at the Cedar Hill Quarry in Fulton Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

65-00871: OPCO, Inc. (P. O. Box 101, Latrobe, PA 15650) for operation of Manufactures EPS Products at Latrobe in Latrobe Borough, **Westmoreland County**.

56-00259: G.M. Honkus & Sons, Inc. (2030 Seanor Road, Windber, PA 15963) for installation of a Wire Burning Furnace in Paint Township, **Somerset County**.

32-00183: Millcreek Processing (110 Cedar Lane, McMurray, PA 15317) for installation of Coal Processing at Challenger Coal Yard in East Wheatfield Township, **Indiana County**.

03-00183: Equitable Gas Company (200 Allegheny Center Mall, Pittsburgh, PA 15212) for installation of a Natural Gas Combustion Engine at Shoemaker Station in Bethel Township, **Armstrong County**.

03-00145: Praxair, Inc. (P. O. Box 44, Tonawanda, NY 14151) for operation of an Inert Gas Reformer at the Hydrogen/Nitrogen Facility in Gilpin Township, **Armstrong County**.

Philadelphia Department of Public Health, Air Management Services: 321 University Ave., Philadelphia, PA 19104, Roger Fey, (215) 823-7584.

00-001: EcoTechnology, Inc.—Bio-Solids Drying Facility (7800 Penrose Ferry Road, Philadelphia, PA 19153) for operation of developing and commercializing a drying system for reducing the water content in municipal sludge produced by wastewater treatment plants and converting the end-product into a Class A Biosolid in the City of Philadelphia, **Philadelphia County**. The Synthetic Minor facility's air emission sources include a 16.7 MMBTU/hr propane-fired sewage sludge dryer controlled by a baghouse controlled by a 4.0 MMBTU/hr propane-fired regenerative thermal oxidizer.

PLAN APPROVALS

Applications Received for Plan Approvals Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, James Parette, Acting New Source Review Chief, (570) 826-2531.

48-303-005C: Highway Materials, Inc. (1750 Walton Road, P. O. Box 1667, Blue Bell, PA 19422) for modification of a batch asphalt plant to utilize recycled oil as a fuel along Tatamy Road in Upper Nazareth Township, **Northampton County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

08-322-001C: Northern Tier Solid Waste Authority (Landfill #2, P. O. Box 10, Burlington, PA 18814-0010) for construction of an 800 kilowatt landfill gas-fired engine generator set at the Northern Tier Landfill in West Burlington Township, **Bradford County**.

41-305-009D: Keystone Filler & Manufacturing Co. (214 Railroad Street, Muncy, PA 17756) for installation of an air cleaning device (a fabric collector) on a rotary coal dryer (#4 dryer) and associated processing equipment (screen, bucket elevator, bulk truck loadout spout, etc.) in Muncy Creek Township, **Lycoming County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

62-161A: ARC Steel, Inc. (1 Front Street, Irvine, PA 16329) for construction of a slag processing facility (capacity of approximately 42 tons/hour) on the property of National Forge Co. in Brokenstraw Township, **Warren County**.

25-037A: Joseph McCormick Construction Co., Inc.—Wesleyville Asphalt Plant (1507 Wesley Avenue, Erie, PA 16510) to modify existing permit to burn alternative fuels #2 or #4 Fuel Oil as an alternative to natural gas in Wesleyville, **Erie County**.

25-952D: Bush Industries of Pennsylvania, Inc. (2455 Robison Road West, Erie, PA 16509) for modification of Air Quality Permit No. 25-952A in Summit Township, **Erie County** to show that VOC emissions from the surface coating operation have increased. Potential VOC emissions are less than 20 tons/year.

62-162A: Elkhorn Field Services-Keystone Plant (Zimmerman Hill Road, Warren, PA 16365) for post construction plan approval of a Gas Processing Plant that contains an 800 HP Rich Burn Engine controlled by a catalytic converter and a 0.25 MMBTU/hr Dehydration Unit in Pleasant Township, **Warren County**. The facility is subject to 40 CFR Part 60 Subpart KKK for VOC monitoring.

42-181A: Elkhorn Field Services (State Route 219, Lewis Run, PA 16738) for post construction approval for two compressor engines, a glycol unit, and three 30,000 gallon storage tanks at Lewis Run Gas Processing Plant in Bradford Township, **McKean County**.

Intent to Issue Plan Approvals Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

15-0104: Tasty Baking Oxford, Inc. (700 Lincoln Street, Oxford, PA 19363) for an increase of production on Production Line Nos. 1 and 3 in Oxford Borough, **Chester County**. This facility is a non-Title V facility that bakes various types of Danish, honey buns and cake products. The production increase will result in an increase of 18.5 tons per year of volatile organic compounds, mostly ethanol. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

NOTICE OF INTENT TO ISSUE A PLAN APPROVAL AND AMEND A TITLE V OPERATING PERMIT

46-0060A: DPW-Norristown State Hospital (1001 East Sterigere Street, Norristown, PA 19401) for installation of two (2) rental boilers in Norristown Borough, **Montgomery County**. Each boiler is rated at 56.25 MMBtu/hr and equipped with low-NOx burners and flue gas recirculation and will have a potential-to-emit of 61.76 tons for NOx, 7.28 tons for VOCs, 40.46 tons for SOx, 25.14 tons for CO, and 4.90 tons for PM, each based on a 12-month rolling sum. The facility will be subject to a plant wide applicability limit of 98.5 tons of NOx per year that will keep the facility to an actual increase of 25 tons of NOx per year. The other pollutants will be restricted accordingly. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

15-0013A: Huhtamaki Flexibles, Inc. (2400 Continental Blvd., Malvern, PA 19355) to establish a plant-wide applicability limit for volatile organic compound emissions; install a flexographic/gravure press for establishing a plant-wide applicability limit (PAL) for volatile organic compound (VOC) emissions and install a flexographic/gravure press in Tredyffrin Township, **Chester County**. The facility currently has a Title V Operating Permit (No. 15-00013). This modification will result in VOC emission increase in less than 25 tons per year. The PAL VOC emission limit for Huhtamaki Flexibles, Inc. is 94.7 tons per year. The Operating Permit will contain requirements to keep the facility operating within all applicable air quality requirements.

23-0001D: Sunoco, Inc. (P. O. Box 426, Marcus Hook, PA 19061) for modification of a previously installed internal floating roof storage tank equipped with a primary mechanical shoe seal in Marcus Hook Borough, **Delaware County**. The facility currently is in a process of obtaining Title V Operating Permit No. 23-0001. This plan approval will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

This modification will result in a volatile organic compound (VOC) emission net increase from the facility. This tank is limited to a maximum of 7.18 tons of volatile organic compound (VOC) emission per year. The storage tank and its control devices are subject to 40 CFR Part 60, Subpart Kb, 40 CFR Part 63, Subparts G and CC.

The Plan Approvals and Operating Permit will contain recordkeeping and operating restrictions designed to keep

the facility operating in compliance with the mission limitations and within all other applicable air quality requirements.

23-0001F: Sunoco, Inc. (P. O. Box 426, Marcus Hook, PA 19061) for modification of five (5) previously installed internal floating roof storage tanks, each equipped with a primary mechanical shoe seal in Marcus Hook Borough, **Delaware County**. The modification will result in a volatile organic compound (VOC) and benzene emissions net increase from the facility. Four tanks will store VOC and one tank will store benzene. All five tanks are limited to a maximum of 7.2 tons of the VOC emissions per year. The benzene tank is also limited to a maximum of 0.8 tons of the benzene emissions per year. All five storage tanks and their control devices are subject to 40 CFR Part 60, Subpart Kb. The benzene tank and its control devices are also subject to 40 CFR Part 61, Subpart Y.

The Plan Approvals and Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating in compliance with the mission limitations and within all other applicable air quality requirements.

46-00013: Clemens Family Corp. (2700 Funks Road, Hatfield, PA 19440) for modification of an inedible rendering process Hatfield, **Montgomery County**. This modification will result in an emission increase of 0.56 tons of particulate matter per 12-month rolling sum. The facility shall be required to exhaust emissions from the inedible rendering process to either a packed tower scrubber or both a venturi scrubber and packed tower scrubber, as outlined in the amended Title V Operating Permit. The Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. This plan approval will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

46-00036: Visteon Systems LLC (2750 Morris Road, Lansdale, PA 19446) in Worcester Township, **Montgomery County**. Amended to include the requirements of Plan Approval 46-0036 for installation of Selective Soldering Machine No. 6. This source will result in an emission increase of 01.00035 tons of Lead (particulate matter) and 2.37 tons of Volatile Organic Compounds (VOCs) per 12-month rolling sum. The Selective Soldering Machine No. 6 shall only be used for soldering electronic circuit boards. The Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

09-0141: Lower Bucks County Joint Municipal Authority (7811 New Falls Road, P. O. Box 460, Levittown, PA 19058) for installation of a packed tower odor scrubber at the Authority's Kenwood pump station in Bristol Township, **Bucks County**. The pump station is a non-Title V (state only) facility. This installation is for the control of malodors and will result in the emission of 0.75 ppm of hydrogen sulfide or in the alternate a removal efficiency of 99 percent if the inlet concentration is greater than 100 ppm. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, James Parette, Acting New Source Review Chief, (570) 826-2531.

48-313-088: Elementis Pigments, Inc. (1525 Wood Avenue, Easton, PA 18042) for the installation and opera-

tion of an electrostatic precipitator to replace two existing electrostatic precipitators which control emissions emanating from three existing DHY kilns and an existing copperas dryer in Wilson Borough, **Northampton County**. This installation will result in a particulate emission rate of 20.8 tons per year based on the Best Available Technology (BAT) allowable particulate emission standard of 0.02 grains/DSCFT. The Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 48-00018. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05037B: McConway & Torley Corp. (230 Railroad Street, Kutztown, PA 19530) for installation of a fabric collector to control emissions from a finishing operation in Kutztown Borough, **Berks County**.

21-03054: Gibson-Hollinger Funeral Home (501 North Baltimore Avenue, Mt. Holly Springs, PA 17065) for construction of a cremation chamber in Mt. Holly Springs Borough, **Cumberland County**.

34-03005A: Energex American, Inc. (R. R. 5, Box 343, Mifflintown, PA 17059) for installation of a wood-fired rotary wood drying system controlled by a mechanical collector in Walker Township, **Juniata County**.

34-03006A: Railworks Wood Products, Inc. (P. O. Box 252, McAlisterville, PA 17049) for modification of an existing wood-fired boiler system in Fayette Township, **Juniata County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

NOTICE OF INTENT TO APPROVE

Plan Approval At a Title V Facility #04-446C

Under 25 Pa. Code § 127.44(a)(4), the Department of Environmental Protection (DEP) intends to issue a Plan Approval to AES Beaver Valley Partners, Inc. for the installation of a Circulating Fluidized Bed Boiler at the plant located in Monaca, PA as described in its application received in October 2000.

Based on the information provided by the applicant and on DEP's analysis of that information, these installations will result in emission reductions of approximately 2,658 tons of SO₂, 3,848 tons of NO_x, 1,309 tons of CO and 67 tons of particulate matter each year.

In order for DEP to assure compliance with all applicable standards, DEP proposes to place the following conditions on the Plan Approval:

SPECIAL CONDITIONS FOR PLAN APPROVAL 04-446C

3. General Conditions

a) This Plan Approval is for the construction and limited temporary operation of a Circulating Fluidized Bed Boiler at the AES Beaver Valley Cogeneration plant located in Monaca Township, Beaver County, as described in the application. The application includes a fluidized bed combustion unit equipped with the following air cleaning devices: Selective Non-Catalytic Reduction, lime-

stone absorption, and a baghouse. Ancillary (fuel, limestone and ash) materials handling equipment and their associated air cleaning devices as described in the application are also included in this approval. [25 Pa. Code § 127.12b]

b) This approval to construct shall become invalid if: (1) construction is not commenced (as defined in 40 CFR 52.21(b)(8)) within 18 months after the date of this approval; or, (2) if construction is discontinued for a period of 18 months or more; or, (3) construction is not completed within 5 years.

c) The facility is subject to New Source Performance Standards for fossil fuel-fired steam generators (40 CFR Part 60, Subpart Da), Non-Metallic Mineral Processing Plants (Subpart OOO) and Coal Processing Plants (Subpart Y). In accordance with 40 CFR 60.4 copies of all requests, reports, applications submittals and other communications shall be forwarded to both EPA and the Department at the addresses listed unless otherwise noted.

Director	Pa DEP
Air Toxics and Radiation	Air Quality
US EPA, Region III	400 Waterfront Drive
1650 Arch Street	Pittsburgh, PA 15222
Philadelphia, PA 19103-2029	

d) This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met. [25 Pa. Code § 127.12b]:

i) The Department must receive written notice from the Owner/Operator of the completion of construction and the operator's intent to commence operation at least 5 working days prior to the completion of construction. The notice should state when construction will be completed and when operator expects to commence operation.

ii) Operation is permitted only to facilitate the start-up and shake-down of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

iii) This condition authorizes temporary operation of the sources for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the Owner/Operator under subpart (i).

iv) The Owner/Operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance, and the reasons compliance has not been established.

v) The notice submitted by the Owner/Operator under subpart (i), prior to the expiration of this Plan Approval, shall modify the plan approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of the written notice.

4. Stack Emissions Limitations

a) Emissions from the CFB shall be limited as follows [25 Pa. Code § 127.12b]:

CFB Emission Limits

<i>Pollutant</i>	<i>Lbs/mmBtu*</i>	<i>Lbs/Hr***</i>	<i>Tons/Yr</i>
SO ₂	.14 on an annual basis .21 on a 30 day rolling avg.	755	1322
NO _x (as NO ₂)	.15	539	944
CO	.20	808	1416
VOC (as Propane)	.0068	34	59.5
PM ₁₀	.02	60	189
NH ₃ ****	—	10.2**	44.7

*Emissions are based on a 30-day rolling average unless otherwise stated.

** (Emissions are based on 10 ppm ammonia slip).

*** (Hourly emissions apply under normal operating conditions)

b) Emissions from the facility in any consecutive 12-month period shall be limited as follows [25 Pa. Code § 127.12b]:

Facility Emission Limits

<i>Pollutant</i>	<i>Total Emissions (tpy)</i>
SO ₂	1321.45
NO _x	943.89
CO	1415.84
VOC	59.47
PM ₁₀	197.01
NH ₃	44.7

c) The Owner or Operator shall not permit the emission to the outdoor atmosphere of visible emissions from the boilers, in such a manner that the opacity of the emission is equal to or greater than 10% for a period, or periods aggregating more than 3 minutes in any 1 hour, or 30% at any time. The presence of uncombined water is not considered a failure to meet the limitations. [25 Pa. Code §§ 127.1 and 127.12(b)].

d) The ammonia slip from the CFB boiler shall not exceed 10 ppmv at stack conditions. Continuing compliance with this condition shall be determined by adhering to good operating practices. [25 Pa. Code §§ 127.1 and 127.12(b)].

e) Emissions of sulfur oxides (SO₂) shall be reduced in the boiler and ash re-injection system by at least 95% on a 12-month rolling average. [25 Pa. Code § 127.12b].

f) The Owner or Operator shall not permit the emission into the outdoor atmosphere of particulate matter emissions from fuel or limestone handling and processing any stack emissions in a manner that the concentration of particulate matter in the effluent gas exceeds 0.02 gr/dscf. [25 Pa. Code § 127.12b].

g) The Department may revise the maximum allowable emission rates based upon CEM data, stack test results, optimization of the boiler and its associated air cleaning devices. [25 Pa. Code § 127.12b].

h) The operation of the auxiliary boiler shall be limited to 500 hours of operation per year. [25 Pa. Code § 127.12b].

5. Testing Requirements

a) The Department reserves the right to require stack testing at any time for the sources covered by this Plan Approval. [25 Pa. Code § 127.12b].

b) Within 180 days of initial start-up but no later than 60 days of achieving maximum production, a stack test shall be performed on the CFB in accordance with the provisions of Chapter 139 to determine the following pollutant emission rates:

- TSP/PM₁₀
- NMVOC
- Ammonia

These tests shall be repeated on a yearly basis for the term of this permit. The frequency may be reduced in subsequent permits if determined appropriate by the Department. [25 Pa. Code § 139.2].

c) The Owner or Operator shall submit a pre-test protocol for review at least 60 days prior to performance of the stack tests. [25 Pa. Code § 139.2].

d) The Owner or Operator shall also notify the Department at least 2 weeks prior to the stack tests so that an observer may be present at the time of the tests. [25 Pa. Code § 139.2].

e) The Owner or Operator shall submit a stack test report to the Department within 60 days of the completed testing. [25 Pa. Code § 139.2].

6. Continuous Monitoring

a) The company shall install, certify, maintain and operate a CEM system for monitoring sulfur oxides (as SO₂), NO_x (as NO₂), visible emissions (opacity), carbon monoxide (CO) and gas flow from the CFB boiler. Oxygen (O₂) or carbon dioxide (CO₂) shall be monitored at each location where SO₂ or NO_x are monitored in accordance with the requirements of 25 Pa. Code Chapter 139.

b) The Owner or Operator shall install, operate and maintain a monitoring system for as-fired coal analysis in accordance with the requirements of 25 Pa. Code Chapter 139 or an alternate method approved by the Department. Sulfur analysis shall be determined on a daily basis with the results used to calculate monthly averages.

c) The Owner or Operator shall maintain a monthly log of:

- hours of operation for each air pollution source
- coal, natural gas, and fuel oil consumption
- ammonia and limestone consumption

This log shall be maintained on site for a minimum of 5 years and shall be made available to the Department upon request [25 Pa. Code § 127.12b].

7. Notification/Reporting

a) At least 90 days prior to start-up, the Owner or Operator shall submit information required by Phase I of the Department's "Continuous Source Monitoring Manual," Revision 6, January 1996 to the following address: Chief, Division of Technical Services & Monitoring, Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street (12th Floor), P. O. Box 8468, Harrisburg, PA 17105-8468.

8. Work Practice Standards

a) The Owner or Operator shall install, maintain, and operate the boilers in accordance with the manufacturer's specifications [25 Pa. Code § 127.12b].

b) The Department reserves the right to require additional controls (for example, road paving, process equipment enclosures, conveyor covers, and the like) based on evaluation of the operation after start-up and a determination that the existing controls are inadequate to control fugitive emissions [25 Pa. Code § 127.12b].

c) The truck loading and unloading areas and the plant delivery roads shall be paved with asphalt, concrete, or an equivalent surface approved by the Department [25 Pa. Code § 127.12b].

d) Road dust shall be controlled by a road sweeper or the use of water sprays, oils, or other dust surfactants including 250 feet of public highway on either side of the access road [25 Pa. Code § 127.12b].

e) A pressurized water truck shall be on site and in use when the facility is operating on an as needed basis acceptable to the Department [25 Pa. Code § 127.12b].

f) The plant shall post a sign stating and shall enforce the requirement that "All loaded trucks entering or exiting plant property shall be properly tarpaulin covered." The plant shall deny all non-tarped trucks access to the weigh station [25 Pa. Code § 127.12b].

g) The plant shall post and shall enforce a speed limit of 15 mph or less on all plant roads [25 Pa. Code § 127.12b].

h) All front-end loaders used to transfer and load coal shall maintain a minimal amount of drop from the front-end loader into bins or trucks so as to prevent fugitive emissions [25 Pa. Code § 127.12b].

i) All conveyor belts shall be partially enclosed, and all screens and crushers shall be full enclosed so as to prevent fugitive emissions from becoming airborne [25 Pa. Code § 127.12b].

j) Ash silos shall discharge through an ash conditioner which shall moisten the ash before it is loaded into trucks for disposal. Tanker truck pneumatic loading of dry ash is permitted [25 Pa. Code § 127.12b].

k) Coal shall not be stockpiled or loaded in any area that is not enclosed or watered as needed by the pressurized water truck and/or sprinkler system [25 Pa. Code § 127.12b].

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

10-284B: Seneca Landfill, Inc. (421 Hartman Road, Evans City, PA 16033) for landfill expansion constructing and operating two additional flares and one engine generator in Evans City, **Butler County**. The facility was issued Title V Operating Permit No. 10-00284 on March 8, 1999. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

The permit is subject to the requirements under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12 and the New Source Performance Standards (NSPS) 40 CFR Part 60 Subpart WWW.

1. The following requirements are hereby established for each of the flares:

a) The flare must be an enclosed ground type, which is shrouded with no visible flame shooting from the flare.

b) The flare shall be equipped with a continuous pilot ignition source using an auxiliary fuel.

c) The flare shall be operated with a flame present at all times. The flare shall be equipped with an automatic shut-off mechanism design to immediately stop the flow of gases when a flame-out occurs. During restart or start-up, there shall be sufficient flow of auxiliary fuel to the burners such that unburnt landfill gases are not emitted to the atmosphere.

d) The operating temperature of the flare shall be continuously measured and recorded. The recording charts shall be made available to the Department personnel upon request. These charts shall remain on file for a period of 5 years.

e) The flare shall have no visible emissions except for periods not to exceed a total of 5 minutes in any 2 consecutive hours and the emissions during these periods shall not exceed 10% opacity.

f) The flare shall achieve and maintain a 98% Non-Methane Organic Compound (NMOC) destruction efficiency for landfill gas. This minimum destruction efficiency requirement is also required by Section 60.752(b)(2)(iii)(B) of Part 60 of the Federal Standards of Performance for New Stationary Sources.

g) PM emissions for the flare shall not exceed 0.02 grain/dscf.

2. Source tests shall be conducted for each flare to demonstrate compliance with the 98% NMOC destruction efficiency requirement and to determine the emission rates of oxides of nitrogen and carbon monoxide.

3. For the flares, a minimum operating temperature of 1500°F shall be maintained for at least 0.3 second. The operating temperature of the flares shall be operated and maintained at the minimum temperature achieved during the performance test in which compliance with the 98% destruction efficiency requirement was demonstrated, however, at no time shall the flares' operating temperature be below 1500°F.

4. The following emission rates shall not be exceeded for the engine:

<i>Pollutant</i>	<i>Emission Rate</i> (g/BHP-hr per engine)	<i>Emission Rate</i> (lb/hr per engine)
NOx	0.85	7.92
CO	3.05	28.4
NMOC	0.35	3.26
PM		0.02 gr/dscf

5. Source tests shall be conducted for the engine to demonstrate compliance with the emission limitations above and the 98% NMOC destruction efficiency requirement.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a

particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52, and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54803004T. No. 1 Contracting Corporation, (49 South Main Street, Ashley, PA 18706), transfer of an existing anthracite surface mine operation from Harri-man Coal Corporation in Hegins and Porter Townships, **Schuylkill County** affecting 214.0 acres, receiving stream—Good Spring Creek. Application received May 2, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

41940101. Fisher Mining Company (40 Choate Circle, Montoursville, PA 17754), renewal of an existing bituminous surface mine permit in Pine and McHenry Townships, **Lycoming County** affecting 640 acres. Receiving stream—Buckeye Run to Otter Run, and Right Fork of Otter Run to Otter Run, Otter Run to Little Pine Creek, Little Pine Creek to Pine Creek, Pine Creek to West Branch Susquehanna River. Application received March 21, 2001.

17910113. Moravian Run Reclamation Co., Inc. (605 Sheridan Drive, Clearfield, PA 16830), renewal of an existing bituminous surface mine-refuse disposal-auger permit in Penn Township, **Clearfield County** affecting 78 acres. Receiving stream—Bell Run and Poplar Run. Application received March 22, 2001.

17960113. Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, Pa 15849), renewal of an existing bituminous surface mine-auger permit in Covington and Karthaus Townships, **Clearfield County** affecting 321.5 acres. Receiving stream—Curley's Run, Curley's Run to West Branch Susquehanna River. Application received March 26, 2001.

17960102. M. R. Hainsey Contracting Company (R. R. 2, Box 57, Clearfield, PA 16830), renewal of an existing bituminous surface mine permit in Goshen Township, **Clearfield County** affecting 73.2 acres. Receiving stream—unnamed tributary to Trout Run, unnamed tributary to Pine Run, Pine Run to West Branch Susquehanna River. Application received April 4, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

03960103. TDK Coal Sales, Inc. (P. O. Box 259, Brockway, PA 15824). Renewal application received for continued operation and reclamation of a bituminous surface mine located in East Franklin Township, **Armstrong County** affecting 155 acres. Receiving stream: unnamed tributary to Glade Run. Renewal application received May 2, 2001.

039301018. Mears Enterprises, Inc. (P. O. Box 157, Clymer, PA 15728-0157). Revision application received to add 9.5 acres to the Lower Kittanning seam for a bituminous surface mine located in Wayne and Cowanshannock Townships, **Armstrong County** affecting 127 acres. Receiving stream: unnamed tributaries to South Branch Pine Creek to South Fork Pine Creek. Revision application received May 2, 2001.

03840106. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Renewal application received for continued reclamation of a bituminous surface mine located in East Franklin Township, **Armstrong County**, affecting 369 acres. Receiving stream: unnamed tributary to Allegheny River. Renewal application received May 7, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

32010103. K.M.P. Associates (R. R. 2, Box 194, Avonmore, PA 15618), commencement, operation and restoration of bituminous surface mine in Conemaugh Township, **Indiana County**, affecting 8.5 acres, receiving stream unnamed tributaries to Big Run to Big Run to Blacklegs Creek to the Kiskiminetas River. Application received April 27, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

32841312. Keystone Coal Mining Corp., (400 Overview Drive, P. O. Box 219, Shelocta, PA 15774), to revise the permit for the Urling No. 1 Mine in Armstrong Township, **Indiana County** to change the post mining land use at Urling No. 1 Portal Area to Industrial/commercial, no additional discharges. Application received March 15, 2001.

03841308. Rosebud Mining Company, (R. D. 9, Box 379A, Kittanning, PA 16201), to renew the permit for the Rosebud No. 1 Deep Mine in Perry Township, **Armstrong**

County to renew the existing permit for reclamation only, no additional discharges. Application received March 27, 2001.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

4875SM2A2C3. Glen-Gery Corporation, (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit #PA0119563 in Dover Township, **York County**, receiving stream—Fox Run and unnamed tributary to Fox Run. Application received May 1, 2001.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received Under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-816. Opus East LLC, 610 W. Germantown Pike, Suite 470, Plymouth Meeting, PA 19642, Bristol Town-

ship, **Bucks County**, ACOE Philadelphia District. To place and maintain fill in 1.42 acres of wetlands (PFO-PEM) at 4 different locations to facilitate the construction of four warehouse buildings and associated parking facilities at the Keystone Industrial Park Phase (111). The site work also includes the modification of an existing culvert, which carries Newportville Road across an unnamed tributary of Neshaminy Creek (WWF-MF) and impacting 0.13 acre of adjacent wetlands (PFO-PEM). This site is located at the Southeast corner of the Newportville and Ford Roads, (Beverly PA-NJ Quadrangle N: 20.65 inches; W: 3.25 inches). The applicant proposes 0.93 acre of replacement wetlands.

E09-818. Borough of Perkasio, P. O. Box 275, Perkasio, PA 18944, Perkasio Borough, **Bucks County**, ACOE Philadelphia District. To construct and maintain an approximately 4,500 linear-foot long bike and pedestrian path. The work will commence at the terminus of the existing bike path at Walnut Street (Telford PA Quadrangle N: 21.2 inches; W: 6.00 inches); extend along Constitution Avenue and along the 100-year floodplain of the East Branch of Perkiomen Creek (TSF); turn onto Spruce Street and along the 100-year floodplain of Pleasant Spring Creek (TSF); and continue in this direction for about one-quarter mile and terminate (Telford PA Quadrangle N: 20.2 inches; W: 4.65 inches). The path will cross under the Main Street Bridge and will necessitate a change in cross section of the conveyance area of the watercourse.

E15-656. Jand Enterprises, Inc. 126 Aspen Drive, Downingtown, PA 19335, East Brandywine Township, **Chester County**, ACOE Philadelphia District. To construct and maintain 55 linear feet of 48 inch CMP culvert in and along an unnamed tributary to Culbertson Run (HQ-TSF-MF) and impacting 0.06 acre of adjacent wetlands to serve as an access road for the proposed Hawks Nest Meadows Subdivision. This site is located approximately 750 feet southwest of the intersection of Highspine Road and Marshall Road. (Wagontown PA Quadrangle N: 11 inches; W: 1.2 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E54-285. Tamaqua Industrial Development Enterprises, 14 Lissa Lane, Sugarloaf, PA 18249, in Rush Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To place fill in 0.43 acre of wetlands within the Nesquehoning Creek (HQ-CWF) watershed for the purpose of developing industrial lots within the Tidewood East Industrial Park. The project is located on the east side of S.R. 0309, approximately 0.8 mile north of the intersection of S.R. 0309 and S.R. 0054. (Tamaqua, PA, Quadrangle N: 15.2 inches; W: 14.5 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E21-319. Clyde Backert, Shisslers Marina, 50 Market Street, Lemoyne, PA 17043 in Harrisburg City, **Dauphin County** and Lemoyne Borough, **Cumberland County**, ACOE Baltimore District.

To construct and maintain a 45 boat capacity marina constructed with two 150-foot lengths of floating docks, connected by a bridge, 70 feet parallel to the banks of the Susquehanna River (WWF) located just south of the Market Street bridge on the west bank of the river (Lemoyne, PA Quadrangle N: 22.2 inches; W: 1.9 inches).

E21-320. James Carter, Norfolk Southern Corp., 99 Spring Street, SW, Atlanta, GA 30303 in South Middleton Township, **Cumberland County**, ACOE Baltimore District.

To abandon in place an existing concrete box culvert and to construct and maintain a reinforced concrete box culvert, about 20 feet west of the existing culvert, having a span of 10 feet, an underclearance of 6.0 feet, and length of 36 feet in Little Dogwood Run (HQ-CWF) and to construct a channel into the channel of Little Dogwood Run, upstream and downstream of the proposed culvert located on the Norfolk Southern Corporation Railroad line about 800 feet upstream of the confluence of Little Dogwood Run and Old Town Run (Carlisle, PA Quadrangle N: 1.3 inches; W: 1.55 inches).

E22-426. William Botts, 207 Botts Road, Millersburg, PA 17061 in Washington Township, **Dauphin County**, ACOE Baltimore District.

To excavate material from 0.15 acre of wetlands for the purpose of constructing a non-jurisdictional water impoundment for recreation and fire protection purposes located on an unnamed tributary to Wiconisco Creek (WWF) located on the west side of Matterstown Road about 0.3 mile north of its intersection with SR 0209 (Elizabethville, PA Quadrangle N: 8.88 inches; W: 14.13 inches).

E22-427. Ron Massott, City of Harrisburg Parking Authority, 123 Walnut Street, Ste 317, Harrisburg, PA 17108 in the City of Harrisburg, **Dauphin County**, ACOE Baltimore District.

To construct and maintain a 55,000 square foot multi-level vehicle parking garage in the floodway of the Susquehanna River for the purpose of expanding parking facilities on City Island located on the southern end of the island between the CONRAIL and Market Street bridges (Harrisburg West, PA Quadrangle N: 0.5 inch; W: 1.5 inches).

E67-697. Mark Burkhead, PennDOT 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Penn Township and Hanover Borough, **York County**, ACOE Baltimore District.

To remove two existing structures and to construct and maintain a 12-foot wide by 2.83-foot high reinforced concrete box culvert in Gitts Run, and an 8-foot wide by 2.5-foot high reinforced concrete box culvert in an unnamed tributary to Gitts Run located on SR 3072, Segment 0020, Offset 0011 (Moulstown Road) and SR 3072, Segment 0020, Offset 0640. The replacement of the culverts will impact a deminimis area of wetlands equal to 0.002 acre. The improvement project begins at SR 0194 (Broadway Street to T-344 (Youngs Road) (Hanover, PA Quadrangle N: 14.75 inches; W: 12.1 inches and N: 14.9; W: 11.9 respectively).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-370. Bradford County Conservation District, Stoll Natural Resource Center, R. R. 5 Box 5030C, Towanda, PA 18848 in Wysox Township, **Bradford County**, ACOE Baltimore District, Towanda, PA Quadrangle N: 5.2 inches; W: 3.7 inches.

The project is located along S. R. 1029 approximately 0.5 miles north of the S. R. 0187 intersection in Wysox Township, Bradford County. The purpose of the project is to construct 1, 750 linear feet of elevated boardwalk across a 17.38 acre PEM/PSS wetland for environmental

education. The elevated boardwalk includes a combination of observation blinds and lookout platforms. The project requires placement of posts in wetlands not to exceed 0.05 acres. The wetland fill is classified as "deminimis" and does not require replacement.

E08-371. James A. Kendter, Department of Transportation, 715 Jordan Avenue, P. O. Box 218, Montoursville, PA 17754. Streambed Paving Bridge, Rehab, in Wilmot Township, **Bradford County**, ACOE Baltimore District (Jenningsville, PA Quadrangle N: 14.25 inches; W: 13.5 inches).

To construct and maintain existing streambed paving, embedded with natural streambed stone and extended to the downstream free end of the wing walls of the existing bridge and to construct and maintain a temporary dam located upstream of the bridge for the purpose of impounding and pumping water around the bridge. The project is located in Sugar Run Creek on SR 0187 at the intersection of Coyle Road with SR 0187. The project will not impact wetlands while impacting approximately 15 feet of waterway. Sugar Run Creek is a cold water fishery stream.

E14-392. Department of Transportation, Engineering District 2-0, P. O. Box 342, Clearfield, PA 16830. SR 3011, Section A01 Bridge Replacement, in College Township, **Centre County**, ACOE Baltimore River Basin District (State College, PA Quadrangle N: 10.6 inches; W: 9.65 inches).

To remove an existing structure; and construct, operate and maintain a single span prestressed concrete adjacent box Beam Bridge to carry SR 3011, Section A01, Segment-Offset 0060/2412 across Spring Creek (High Quality-Cold Water Fishery). The single span bridge shall be constructed with a minimum clear span of 54.4-feet, underclearance of 8.3-feet and skew of 80-degrees. All in-stream concrete work shall be constructed in dry work conditions through the use of dams and pumping or fluming stream flow around the work area. The project will not impact wetlands while impacting 150-feet of Spring Creek.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-499. French Creek Recreational Trails, Inc., c/o Community Health Services, 747 Terrace Street, Meadville, PA 16335. Ernst Bicycle Trail Bridge Project, in Vernon Township, **Crawford County**, ACOE Pittsburgh District (Geneva, PA Quadrangle N: 16.8 inches; W: 8.3 inches).

To construct and maintain a bridge with a 30-foot span and 4-foot underclearance over an unnamed tributary to French Creek (WWF) for recreational use located approximately 0.75 mile west of I-79 along the abandoned Bessemer and Lake Erie Railroad bed.

E25-633. The Erie-Western Pennsylvania Port Authority, 100 State Street, Suite 205, Erie, PA 16507-1455. Old Grain Dock/Holland Street Pier, in City of Erie, **Erie County**, ACOE Pittsburgh District (Erie North, PA Quadrangle N: 2.5 inches; W: 11.75 inches).

To conduct the following activities associated with the Old Grain Dock/Holland Street Pier, Dock Wall Refacing Project located at the foot of Holland Street in Presque Isle Bay:

1. Reface the existing south and west walls of the pier with steel sheet pile.
2. Remove the existing east wall and cribbing of the pier.

3. Reconstruct the east wall pier with steel sheet pile.
4. Install a concrete deadman system to anchor the re-faced and newly constructed walls.

E61-244. PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16323. S. R. 0008, Segment 0610, Offset 0398 Across Tributary to Cherry Tree Run, in Cherrytree Township, **Venango County**, ACOE Pittsburgh District (Titusville South, PA Quadrangle N: 6.25 inches; W: 12.6 inches).

To remove the existing bridge and to install and maintain a reinforced concrete box culvert having a 20-foot wide by 5-foot high waterway opening in a tributary to Cherrytree Run on S.R. 0008, Section A04, Segment 0610, Offset 0398 just north of S.R. 417.

Environmental Assessments

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EA43-002NW. BioMost, Inc., Mining and Reclamation Services, 3016 Unionville Road. North Liberty Reclamation Area, in North Liberty Township, **Mercer County**, ACOE Pittsburgh District (Slippery Rock, PA Quadrangle N: 15.1 inches; W: 11.7 inches).

To fill approximately 0.3 acre of wetlands and approximately 15 acres of open pits containing acid mine drainage associated with the reclamation of over 40 acres of abandoned minelands located along Courtney Mill Road, approximately 2500 feet northeast of the intersection with S.R. 258.

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

EA25-003CO. BBKC, Inc., 11340 Pont Road, Albion, PA 16401. Elk Creek Township, **Erie County**, ACOE Pittsburgh District.

Project proposes to construct a non-jurisdictional dam across a tributary to Temple Creek (CWF; MF) directly and indirectly impacting approximately 500 linear feet of stream channel for the purpose of stormwater management at the proposed Motorplex Raceway Park. The dam will be located approximately 1700 feet west of the intersection of Pont Road and Whittaker Road (Conneautville, PA Quadrangle N: 20.3 inches; W: 10.7 inches).

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN

WATER ACT—NPDES AND WQM PART II PERMITS INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval. The actions are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permits.

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1500417. Sewage. **North 100 Partners, L.P.**, 75 East Uwchlan Avenue, Exton, PA 19341. Applicant is granted approval for the construction and operation of a sewage treatment plant with stream discharge to serve an existing residential dwelling located in East Nantmeal Township, **Chester County**.

WQM Permit No. 1501405. Sewage. **Kennett Consolidated School District**, 130 East South Street, Kennett Square, PA 19348. Applicant is granted approval for the construction and operation of a sewage pump station and force main to serve the proposed middle school by Kennett Consolidated School District located in New Garden Township, **Chester County**.

NPDES Permit No. PA0052451. Sewage. **Francis L. Hamilton-Oates**, P. O. Box 426, Landenberg, PA 19350-0426. Is authorized to discharge from a facility located in New Garden Township, **Chester County** into East Branch of White Clay Creek.

NPDES Permit No. PA0056472. Industrial Waste. **DeVault Foods, Inc.**, 1 DeVault Lane, DeVault, PA 19432. Is authorized to discharge from a facility located in Charlestown Township, **Chester County**, into Valley Creek Watershed.

NPDES Permit No. PA0050393. Sewage. **Worcester Township**, 1721 Valley Forge Road, P. O. Box 767, Worcester, PA 19490. Is authorized to discharge from a facility located in Worcester Township, **Montgomery County** into Zacharias Creek—Perkiomen Watershed.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0012203. Industrial Waste, **Allen Organ Company**, 150 Locust Street, Macungie, PA 18062.

This proposed facility is located in Macungie Borough, **Lehigh County**.

Description of Proposed Action/Activity: to discharge from a facility to Swabia Creek.

NPDES Permit No. PA-0063525. Sewage, **Pocono Mountain School District**, P. O. Box 200, Swiftwater, PA.

This proposed facility is located in Coolbaugh Township, **Monroe County**.

Description of Proposed Action/Activity: to discharge from a facility to Clear Run.

NPDES Permit No. PA-0063479. Sewage, **P & S Development Company**, 219 North 9th Street, Allentown, PA 18102.

This proposed facility is located in Salem Township, **Wayne County**.

Description of Proposed Action/Activity: to discharge treated sewage to an unnamed tributary to the West Branch Wallenpaupack Creek.

NPDES Permit No. PA-0070114. Sewage, **Melanie Mobile Home Park**, P. O. Box 550, Elizabethtown, PA 17022.

This proposed facility is located in Union Township, **Schuylkill County**.

Description of Proposed Action/Activity: to discharge from a facility to Dark Run.

NPDES Permit No. PA-0062453. Sewage, **Camp Lavi**, 311 Dennis Street, Oceanside, NY 11572.

This proposed facility is located in Buckingham Township, **Wayne County**.

Description of Proposed Action/Activity: to discharge from a facility to Equinunk Creek.

NPDES Permit No. PA-0020028. Sewage, **Air Products and Chemicals, Inc.**, P. O. Box 351, Tamaqua, PA 18252-0351.

This proposed facility is located in Rush Township, **Schuylkill County**.

Description of Proposed Action/Activity: issuance of a renewal permit to continue the discharge of treated sewage to Neifert Creek.

WQM Permit No. 5400403. Sewerage, **Deer Lake Municipal Authority**, P. O. Box 30, Auburn, PA 17922.

This proposed facility is located in West Brunswick Township, **Schuylkill County**.

Description of Proposed Action/Activity: is granted approval for modification of existing sewage treatment facility. Project includes construction of additional process units, flow control devices, and a dechlorination system.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0027596. Industrial Waste, **New Enterprise Stone & Lime Company, Inc.**, P. O. Box 77, New Enterprise, PA 16664-0077.

This proposed facility is located in Taylor Township, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to Halter Creek in Watershed 11-A.

NPDES Permit No. PA0007765. Industrial Waste, **Harley-Davidson Motor Company Operations, Inc.**, 1425 Eden Road, York, PA 17402.

This proposed facility is located in Springettsbury Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to unnamed tributary of Codorus Creek in Watershed 7-H.

NPDES Permit No. PA0080446. Sewage, **Valley View Manor Mobile Home Park**, P. O. Box 223, State Line, PA 17263.

This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to discharge to dry stream, unnamed tributary to Conococheague Creek in Watershed 13-C.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0112950. Transfer, Sewerage. Sunoco Inc., 1801 Market Street, Philadelphia, PA 19103-1699.

This proposed facility is located in Lower Mahanoy Township, **Northumberland County**.

Description of Proposed Action/Activity: Is authorized to discharge treated effluent to receiving waters named Fidlers Run.

NPDES Permit No. PA0114758. Sewerage. Bucknell View Mobil Home Park, Frank Perano, Box 278, King of Prussia 19406.

This proposed facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Proposed Action/Activity: Is authorized to discharge treated effluent to receiving waters named West Branch of Susquehanna River.

WQM Permit No 4985411-T1, Transfer Sewerage. Sunoco Inc., 1801 Market Street, Philadelphia, PA 19103-1699.

This proposed facility is located in Lower Mahanoy Township, **Northumberland County**.

Description of Proposed Action/Activity: Septic tank/sand filter.

WQM Permit No. 1401404. Sewerage. LaRoy & Kimberly Beckwith, 1061 S Eagle Valley Road, Port Matilda, PA 16870.

This proposed facility is located in Taylor Township, **Centre County**.

Description of Proposed Action/Activity: 1000 gal septic tank (two compartments) 600 sq ft sand filter, erosion chlorinator, 415 gal chlorine contact tank. Residential.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0005584, Industrial Waste, Owens-Brockway Glass Container, Inc., Route 219 North, Brockway, PA 15824.

This proposed facility is located in Snyder Township, **Jefferson County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Little Toby Creek.

WQM Permit No. 4301201, Industrial Waste, Duferco Farrell Corporation, 15 Roemer Boulevard, Farrell, PA 16121-2299.

This proposed facility is located in City of Farrell, **Mercer County**.

Description of Proposed Action/Activity: This project is for replacement of an existing natural gas fired coil annealing furnace shop source.

WQM Permit No. 1600408, Sewerage, Farmington Township, P. O. Box 148, Leeper, PA 16233.

This proposed facility is located in Farmington Township, **Clarion County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a wastewater treatment facility to serve the areas of Leeper and Tylersburg.

WQM Permit No. 3701402, Sewerage, North Beaver Township Municipal Authority, 861 Mount Jackson Road, New Castle, PA 16102.

This proposed facility is located in North Beaver Township, **Lawrence County**.

Description of Proposed Action/Activity: This project is for an upgrade to the existing Hickory View wastewater treatment facility and expansion of the existing sewage collection system service area.

WQM Permit No. 3701401, Sewerage, City of New Castle, 230 North Jefferson Street, New Castle, PA 16101.

This proposed facility is located in City of New Castle, **Lawrence County**.

Description of Proposed Action/Activity: This project is for modifications to an existing system.

WQM Permit No. 1000409, Sewerage, Municipal Sewer and Water Authority of Cranberry Township, 2525 Rochester Road, Cranberry Township, PA 16066.

This proposed facility is located in Cranberry Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the relocation of an existing sewer line.

WQM Permit No. 4301408, Sewerage, Lewis P. McEwen, 234 West Pine Street, Grove City, PA 16127.

This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a proposed pressurized sanitary sewer extension of the existing Pine Township Municipal Authority's present system.

WQM Permit No. 3701401, Sewerage, Jeffrey S. and Patti J. Arnold, P. O. Box 241, Tionesta, PA 16353.

This proposed facility is located in Tionesta Township, **Forest County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

WQM Permit No. 6201403, Sewerage, Mary A. and Mildred B. Steffens, 4011 Liberty Street, Erie, PA 16509. This proposed facility is located in Spring Creek Township, **Warren County**. Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed

with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G417	Orleans Homebuilders 1 Greenwood Square 333 Street Road, Suite 101 Bensalem, PA 19020	Chester	Willistown Township	UNT to Ridley Creek (HQ)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS102702	PA Dept. of General Services, 18 th and Herr Streets, Harrisburg, PA 17125	Forest	Genks	Scott Run Tributary (HQ-CWF)

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit: (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Luzerne County Plains Township	PAR10R220	ROKOM Inc. 1073 Hwy. 315 Wilkes-Barre, PA 18702	Laurel Run Tributary to Mill Creek CWF	Luzerne County Conservation District (570) 674-7991
Luzerne County Pittston Township	PAR10R223	Yellow Freight Systems Inc. 10990 Roe Ave. Overland Park, KS 66211	Lidy to Mill Creek CWF	Luzerne County Conservation District (570) 674-7991
Northampton County Forks Township	PAR10U157	Gary Strausser 602 Village at Stones Crossing Easton, PA 18045	Delaware River (UNT) CWF	Northampton County Conservation District (610) 746-1971
Northampton County Upper Mt. Bethel Township/Portland Borough	PAR10U154	Reliant Energy Mid-Atlantic Power Holdings, LLC 1001 Broad St. P. O. Box 1050 Johnstown, PA 15907-1050	Delaware River WWF, MF	Northampton County Conservation District (610) 746-1971
East St. Clair Township West St. Clair Township Bedford County	PAR100453	Chestnut Ridge Area Joint MA 320 Lane Metal Road New Paris, PA 15554	Barefoot Run Bobs Creek Dunning Creek Georges Creek	Bedford County Conservation District 702 West Pitt Street Suite 4 Bedford, PA 15009 (814) 623-6706
Hampden Township Cumberland County	PAR10H244	McNaughton Company Westbury 4400 Deer Path Road Harrisburg, PA 17110	Sears Run	Cumberland County Conservation District 43 Brookwood Avenue, Suite 4 Carlisle, PA 17013 (717) 240-7812
Hampden Township Cumberland County	PAR10H258	RDJAM, LP 4425 Valley Road Suite 200 Enola, PA 17025	Conodoguinet Creek WWF	Cumberland County Conservation District 43 Brookwood Avenue, Suite 4 Carlisle, PA 17013 (717) 240-7812
Lower Allen Township Cumberland County	PAR10H259	Weis Markets 1000 Second Street Sunbury, PA 17801	Cedar Run CWF	Cumberland County Conservation District 43 Brookwood Avenue, Suite 4 Carlisle, PA 17013 (717) 240-7812
Lower Swatara Township Middletown Borough Dauphin County	PAR10I263	Middletown Area School District 55 West Water Street Middletown, PA 17057	UNT Susquehanna River UNT to Swatara Creek	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Greene Township Franklin County	PAR10M215	Nickolas Kalethos 1454 Woods Road Shippensburg, PA 17207	Conocheague Creek CWF	Franklin County Conservation District 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074

NOTICES

2621

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Kulpmont Borough & Mt. Carmel Township	PAR104942	DEP Bur. Of Abandoned Mine Reclamation 2 Public Square 5th Fl Wilkes-Barre, PA 18711	Shamokin Creek	Northumberland County Conservation District R. R. 3, Box 238C Sunbury, PA 17801 (570) 286-7114
Lawrence County Neshannock	PAR103729-1	Hearthstone Acres c/o Anthony Staph and William DeCarbo 2911 Wilmington Road New Castle, PA 16105 520 Friendship Street New Castle, PA 16101	UNT to Shenango River (WWF)	Lawrence Conservation District Lawrence Co. Government Center 430 Court Street New Castle, PA 16101-3593 (724) 652-4512
Lawrence County North Beaver Township	PAR103745	North Beaver Township Municipal Authority c/o Watson P. Pringle Board Member 861 Mt. Jackson Road New Castle, PA 16102	Hickory Run/ Mahoning River (TSF/WWF)	Lawrence Conservation District Lawrence Co. Government Center 430 Court Street New Castle, PA 16101-3593 (724) 652-4512
McKean County Foster Township	PAR104404	Tony G. Chammas Partner Bradford Properties, LP 609 Alexander Street Pittsburgh, PA 15220-5503	Tunungwant Creek (CWF)	Department of Environmental Protection 230 Chestnut Street Meadville, PA 16335 (814) 332-6942
<i>General Permit Type—PAG-3</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
City of Philadelphia Philadelphia County	PAR120011	Hygrade Food Products 8400 Executive Avenue Philadelphia, PA 19153	Eagle Creek tributary to the Delaware River	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428
Lancaster County West Donegal Township	PAR603584	Edwin S. Mease Mease's Auto Salvage 406 Newville Road Elizabethtown, PA 17022	UNT to Coney Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County York Township	PAR203551	Gichner Shelter Systems 490 East Locust Street Dallastown, PA 17313	Mill Creek/WWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
City of New Brighton Beaver County	PAR206130	Damascus Steel Casting Co P. O. Box 257 New Brighton PA 15066	Blockhouse Run & UNT to Blockhouse Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Hempfield Township Westmoreland County	PAR806205	Coordinators Inc. P. O. Box 427 Irwin PA 15642-0427	Brush Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Rome Township Crawford County	PAR228331	Coastal Lumber Company-Spartansburg Forest Products Division P. O. Box 829 Weldon, NC 27890-0829	Coon Run and unnamed tributary of East Branch of Oil Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Pymatuning Township Mercer County	PAR608322	ELG Metals, Inc. 660 Fourth Street Greenville, PA 16125	Big Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Fox Township Elk County	PAR608334	Richard Krishart Rick's Used Auto and Truck Parts 640 Shelvey Summit Kersey, PA 15846	Benninger Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-4</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Berks County Greenwich Township	PAG043675	Dawn O'Neill & Jerry Seaser P. O. Box 145 Lenhartsville, PA 19534	TSF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
East Fallowfield Township Crawford County	PAG048370	William H. Thomas 12617 Cole Road Atlantic, PA 16111	Adsit Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Tionesta Township Forest County	PAG048729	Jeffrey S. and Patti J. Arnold P. O. Box 241 Tionesta, PA 16353	Hunter Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Spring Creek Township Warren County	PAG048730	Mary A. and Mildred B. Steffens 4011 Liberty Street Erie, PA 16509	Unnamed tributary to Hosmer Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

NOTICES

2623

General Permit Type—PAG-5

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Berks County Muhlenberg Township	PA0087360	Exxon Mobil Refining & Supply Co. 1900 East Linden Ave P. O. Box 728 Linden, NJ 07036	Laurel Run/WWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4700
Lebanon County East Hanover Township	PAG053549	The IT Group 2790 Mosside Blvd. Monroeville, PA 15146-2792	UNT to Swatara Creek/CWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4700

General Permit Type—PAG-8 (SSN)

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Peach Bottom Township York County	PAG080004	City of Philadelphia Water Dept. 7800 Penrose Ferry Rd. Philadelphia, PA 19153	Michael Kahl Farm Peach Bottom Township York County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Fulton Township Lancaster County	PAG080004	City of Philadelphia Water Dept. 7800 Penrose Ferry Rd. Philadelphia, PA 19153	Samuel Metzler Farm Fulton Township Lancaster County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-10

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Pottstown Borough Montgomery County	PAG100009	Pottstown Metal Welding Company, Inc. 350 West High Street Pottstown, PA 19464	Schuylkill River via drainage swale	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Pottstown Borough Montgomery County	PAG100009	Pottstown Metal Welding Company, Inc. 350 West High Street Pottstown, PA 19464	Schuylkill River via drainage swale	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Beaver County Hopewell Township	PAG106103	Columbia Gas Transmission 950 Manifold Road Washington PA 15301	Tributary to Boggs Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 0901507, Minor Amendment. Public Water Supply.

Applicant **Lower Bucks County Joint Municipal Authority**
7811 New Falls Road
Levittown, PA 19058

Township Bristol

County **Bucks**

Type of Facility Public Water Supply System

Consulting Engineer Vijay S. Rajput, Ph.D., P.E.
Lower Bucks County Joint Municipal Authority
7900 Route 13
Levittown, PA 19057

Permit to Construct Issued May 3, 2001

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 2520033, Operations Permit, Public Water Supply.

Applicant **Hemlock Farms Community Association**
1007 Hemlock Farms
Hawley, PA 18428

[Borough or Township] Blooming Grove Township

County **Pike**

Type of Facility Public Water Supply

Consulting Engineer Roswell McMullen, P.E.
Entech Engineering, Inc.
P. O. Box 32
Reading, PA 19603

Permit to Construct Issued April 27, 2001

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 5601501, Minor Amendment. Public Water Supply.

Applicant **Rockwood Borough**
358 Market Street,
Somerset, PA 15501

[Borough or Township] Milford Township

County **Somerset**

Type of Facility

Painting of existing Rockwood Water Storage Standpipe

Consulting Engineer

The EADS Group
450 Aberdeen Drive
P. O. Box 837
Somerset, PA 15501

Permit to Construct Issued May 2, 2001

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Borough or Township	Borough or Township Address	County
West Providence Township	83 East Fifth Street Everett, PA 15537	Bedford County

Plan Description: The plan provides for an approval granted May 3, 2001, as a revision to the Official Plan of West Plan Location: The Zane Weicht Subdivision is located at 1179 North Milk & Water Road, Everett, PA.

Providence Township, Bedford County. Project involves construction of a small flow sewage treatment facility to serve an existing dwelling located at 1179 North Milk & Water Road, Everett, PA. Treated effluent is to be discharged to an unnamed tributary to Clear Creek. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and

summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Kathy Medley Residence, Avondale Borough, **Chester County**. Scott W. Steele, Hydrocon Services, Inc., 2945 S. Pike Ave., Allentown PA 18103, on behalf of Kathy Medley, 105 Chatham St., Avondale PA 19311, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Tinicum Industrial Park, Tinicum Township, **Delaware County**. Dean O. Reed, Viacom, Inc., 11 Stanwix St., Pittsburgh PA 15222, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet Site-specific Standards.

Northeast Region: Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lott Residence/Ace Robbins, Inc., Meshoppen Borough, **Wyoming County**. Thomas Jimmie, Jr., Vice-President, Datom Products, Inc., 452 East Drinker Street, Dunmore, PA 18512 and James Strickland, P.G., Geological and Environmental Associates, Inc., 430 W. Mountain Road, Plymouth, PA 18651 have submitted a Final Report (on behalf of their client, Ace Robbins, Inc., P. O. Box 477, Trucksville, PA 18957) concerning the remediation of site soils and groundwater found or suspected to have been contaminated with no. 2 fuel oil petroleum constituents. The report was submitted to document remediation of the site to meet the Statewide health standard.

Southwest Region: Environmental Cleanup Program Manager; 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

Fourway Properties—Breezewood Development Area 2, Moon Township, **Allegheny County**. John P. Englert, Esq. Kirkpatrick & Lockhart LLP 535 Smithfield Street, Pittsburgh, PA 15222 (on behalf of Fourway Properties LP, 1198 Mulberry Street, Bridgewater, PA 15009) has submitted a Final Report concerning remediation of site soil contaminated with solvents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

R & D Developers, PGP, Quakertown Borough, **Bucks County**. Robert C. Quick, P.G., QuickTec Environmental Technical Services, P. O. Box 1432, Medford NJ, 08055 on behalf of R & D Developers, PGP, 15 E. Ridge Pike, Suite 200, Conshohocken PA 19428, has submitted a Remedial Investigation & Cleanup Plan Report concerning the remediation of site soil contaminated with lead. The Remedial Investigation & Cleanup Plan Report was approved by the Department on May 2, 2001.

Philadelphia Redevelopment Authority/Stenton Ave. and Haines St., City of Philadelphia, **Philadel-**

phia County. Nancy R. Repetto, Powell-Harpstead, Inc., 800 E. Washington St., West Chester PA 19380, on behalf of the Redevelopment Authority of the City of Philadelphia, 1234 Market St., 16th Floor, Philadelphia PA 19107, has submitted a combined Remedial Investigation/Final Report concerning remediation of site soil contaminated with lead, BTEX and petroleum hydrocarbons. The combined Remedial Investigation/Final Report did not demonstrate attainment of the Statewide Health Standard and was disapproved by the Department on May 1, 2001.

Northeast Region: Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former Krueger Greenhouse and Flower Shop Property. Upper Saucon Township, **Lehigh County.** William J. Ponticello, Vice-President, Penn Environmental & Remediation, 2755 Bergey Road, Hatfield, PA 19440 submitted a Final Report (on behalf of his client, Southern Lehigh School District, 40 South 5th Street, Allentown, PA 18101) concerning the remediation of site soils found to have been contaminated with metals. The final report demonstrated attainment of the Statewide health standard, and was approved on April 23, 2001.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Byler Property, Former Oil Terminal, Lewistown Borough, **Mifflin County.** RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19408 (on behalf of Ray Byler, R. D. 1, Box 41, Belleville, PA 17004) had submitted a combined remedial investigation and final report concerning the remediation of site soils and groundwater contaminated with PHCs, PAHs, BTEX, lead, and EDB. The combined remedial investigation and final report demonstrated attainment of a combination of the Statewide Health and site-specific standards, and was approved by the Department on April 13, 2001.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

New Bethlehem Operating Center, South Bethlehem Borough, **Armstrong County.** Robert W. King, 98 Vanadium Road, Bridgeville, PA 15017 (on behalf of Donald and Judy Guntrum, 401 Broad Street, New Bethlehem PA 16242, and Columbia Gas Transmission, P. O. Box 1273, Charleston, WV 25304) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with PCBs, lead, heavy metals, BTEX, PHCs, PAHs and solvents. The Final Report did not demonstrate attainment of the Background Standard and was disapproved by the Department on April 20, 2001.

Beaver County Detention Facility, Hopewell Township **Beaver County.** Brian E. Davis, Baker Environmental, Inc., AOP Building 3, 420 Rouser Road, Coraopolis, PA 15108 (on behalf of Bet-Tech International, 1150 Broadhead Road, Monaca, PA 15061-2500, and County of Beaver, 810 Third Street, Beaver, PA 15009-2191) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with lead, heavy metals and PAHs. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on April 19, 2001.

Pechin Leasing Company, East Bethlehem and Fredericktown Townships, **Washington County.** John Conroy, TriLine Associates, 506 Valleybrook Road, McMurray, PA 15317 (on behalf of Pechin Leasing Company, 1 Pechin Road, P. O. Box 340 Dunbar, PA 15431-0340) has submitted a Final Report concerning the

remediation of site soil contaminated with PCBs, lead, solvents, BTEX, PHCs and PAHs. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on April 18, 2001.

Green Garden, Inc., Somerset Township, **Somerset County.** Sean Isgan, P.E., PLS CME Engineering, Inc., 821 West Main Street, Somerset, PA 15501 (on behalf of Green Garden, Inc., 1108 Green Garden Lane, Bedford, PA 15522) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with cyanide. The Final Report demonstrated attainment of the Site Specific Standard and was approved by the Department on April 24, 2001.

Pennzoil Products Company, 54th Street Terminal, City of Pittsburgh, **Allegheny County,** Pennzoil Products Company, David Soza, P. O. Box 2967, Houston, TX 77252 has submitted a Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with solvents. The Risk Assessment Report was approved by the Department on April 16, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE EXPIRED

Asbestos Transportation Company, Inc., P. O. Box 59, Yaphank, NY 11980. License No. **PA-AH S243.** Effective April 30, 2001.

Gulf South Systems, L.L.C., 500 Dakin Street, Jefferson, LA 70121. License No. **PA-AH 0482.** Effective April 30, 2001.

Kephart Trucking Co., P. O. Box 386, Bigler, PA 16825-0386. License No. **PA-AH 0352.** Effective April 30, 2001.

North American Environmental Services, Inc., 1240 Saratoga Road, Ballston Spa, NY 12020. License No. **PA-AH 0616.** Effective April 30, 2001.

St. Gabriel Contractors, Inc., P. O. Box 88, St. Gabriel, LA 70776. License No. **PA-AH S182.** Effective April 30, 2001.

Textile Chemical Company, Inc., P. O. Box 13788, Reading, PA 19612-3788. License No. **PA-AH 0082.** Effective April 30, 2001.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Draft permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southcentral Region: Division of Municipal and Residential Waste, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAD010154045. Envirite of Pennsylvania, 730 Vogelsong Road, York, PA 17404-1725, City of York, **York County.** Draft permit has been issued which will modify

the permit to allow for changes to the Waste Analysis Plan and waste unloading sequence. Draft permit issued on May 9, 2001.

PAD010154045. Envirite of Pennsylvania, 730 Vogelsong Road, York, PA 17404-1725, City of York, **York County**. Draft permit has been issued which will modify the permit to allow waste blending of solids with a hydraulic excavator in lined pits. Draft permit issued on May 8, 2001.

**OPERATE WASTE PROCESSING OR
DISPOSAL AREA OR SITE**

Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 100361. McKean County Landfill, P. O. Box 448, Mt. Jewett, PA 16740, Sergeant Township, **McKean County**. A permit for a 29 acre landfill expansion and to increase the average and maximum daily waste volumes. The permit was issued by the Regional Office on May 8, 2001.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

AQ-SE-0014: Haines & Kibblehouse, Inc. (394 Sanatoga Road, Pottstown, PA 19464) on May 4, 2001, for a Portable Crushing Plant in Lower Pottsgrove Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, James Parette, Acting New Source Review Chief, (570) 826-2531.

39-312-046GP: SUNOCO, Inc. (R & M, 1801 Market Street—15/10PC, Philadelphia, PA 19103-1699) for construction and operation of Storage Tank 104 along 2480 Main Street in Whitehall Township, **Lehigh County**.

39-312-047GP: SUNOCO, Inc. (R & M, 1801 Market Street—15/10PC, Philadelphia, PA 19103-1699) for construction and operation of Storage Tank 105 along 2480 Main Street in Whitehall Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

GP1-06-3103: ARAMARK Uniform Services (424 Blair Avenue, Reading, PA 19612) for operation of a natural gas fired boiler at the Reading Plant in the City of Reading, **Berks County**.

GP3-06-3115A: Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) for the operation of a portable nonmetallic mineral processing plant at the Windsor Services Plant in Cumru Township, **Berks County**.

Operating Permit Administrative Amendments Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450 (relating to administrative operating permit amendments).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0066: Exelon Generation Co., LLC (South Pennsylvania Avenue, Fairless Works, Fairless Hills, PA 19030) on April 25, 2001, for Facility VOC/NOx RACT in Falls Township, **Bucks County**.

Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0197: Hershey Foods Corp. (2452 Quakertown Road, Pennsburg, PA 18073) on April 20, 2001, for operation of a corn starch deduster and starch dryer in Upper Hanover Township, **Montgomery County**.

46-0150: Montgomery County S.P.C.A. (1059 Sweiford Road, Perkiomenville, PA 18074) on April 30, 2001, for operation of an animal crematory in Upper Frederick Township, **Montgomery County**.

23-00030: Swarthmore College (500 College Avenue, Swarthmore, PA 19081) on April 30, 2001, for operation of a Facility Title V Operating Permit in Swarthmore Borough, **Delaware County**.

23-00004: American Ref-Fuel Co. of DV, L.P. (10 Highland Avenue, Chester, PA 19013) on April 30, 2001, for operation of a Facility Title V Operating Permit in City Of Chester, **Delaware County**.

15-00014: Saint Gobain Performance Plastics Corp. (57 Morehall Road, Frazer, PA 19355) on April 30, 2001, for operation of a Facility Title V Operating Permit in East Whiteland Township, **Chester County**.

15-00045: Sealed Air Corp. (22 Meredith Court, Modena, PA 19358) on April 25, 2001, for operation of a Facility Title V Operating Permit in Modena Borough, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05067: County of Berks (P. O. Box 520, Leesport, PA 19533) on April 2, 2001, for a Synthetic Minor Operating Permit for the Berks County Complex in Bern Township, **Berks County**.

67-05063: York Building Products Co., Inc. (P. O. Box 1708, York, PA 17405) on May 2, 2001, for a Synthetic Minor Operating Permit in West Manchester Township, **York County**.

67-05079: York Building Products Co., Inc. (1020 North Hartley Street, York, PA) on May 2, 2001, for a Synthetic Minor Operating Permit for a Batch Asphalt Plant in Jackson Township, **York County**.

67-05080: York Building Products Co., Inc. (P. O. Box 1708, York, PA 17405) on May 3, 2001, for a Synthetic Minor Operating Permit for a limestone crushing operation in Jackson Township, **York County**.

67-05082: David Edward Co. LTD (252 North Franklin Street, Red Lion, PA 17356) on April 26, 2001, for a Synthetic Minor Operating Permit in Red Lion Borough, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

37-00274: Kasgro Rail Corp. (320 East Cherry Street, New Castle, PA 16102) on April 26, 2001, for a Natural Minor Operating Permit in Taylor Township, **Lawrence County**.

25-00984: Harrison Machine Co. (3118 Station Road, Erie, PA 16150) for a Natural Minor Operating Permit to operate a surface coating operation in Wesleyville Borough, **Erie County**.

Philadelphia Department of Public Health, Air Management Services: 321 University Ave., Philadelphia, PA 19104, Roger Fey, (215) 823-7584.

95-023: Kurz-Hastings, Inc. (10901 Dutton Road, Philadelphia, PA 19154) issued a Title V Operating Permit on April 11, 2001, for operation of rotogravure printing (non-publication) operations for lamination-type materials referred to as hot stamping foils in the City of Philadelphia, **Philadelphia County**. These products decorate surfaces such as wood furniture or television sets. The facility's air emission sources include eight rotogravure printing presses, eight significant combustion units each rated less than 4 MMBTU/hr, an emergency generator, mixing and cleaning operations, a remediation system, and six cold solvent wash tanks. The facility's air emission control devices include three recuperative oxidizers and a regenerative oxidizer.

95-014: Tosco Corp. (G Street and Hunting Park Avenue, Philadelphia, PA 19124) issued a Title V Operating Permit on April 19, 2001, for operation of a gasoline terminal in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include a petroleum products loading rack, a transmix loading spot, five light petroleum products storage tanks, three additive storage tanks, a transmix storage tank, two oil/water separators, and light liquid/vapor components fugitives. The facility's air emission control devices include a vapor recovery unit.

95-052: Graphic Arts, Inc. (4100 Chestnut Street, Philadelphia, PA 19104) issued a Title V Operating Permit on May 3, 2001, for operation of a facility that manufactures high quality printed materials using lithographic printing presses in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include five non-heatset sheetfed lithographic printing presses and one 2.7 MMBTU/hr natural gas-fired boiler.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0134: Reed Minerals (Steel Road South, Morrisville, PA 19067) on May 4, 2001, for operation of a Coal Slag Roofing Granules Plant in Falls Township, **Bucks County**.

46-0194A: Freedom Alloys, Inc. (155 Railroad Plaza, Royersford, PA 19468) on May 4, 2001, for operation of a

4,000 Pound Inductotherm Furnace in Royersford Borough, **Montgomery County**.

46-0003A: Stroehmann Bakeries, L.C. (1810 East Ridge Pike, Norristown, PA 19404) on May 4, 2001, for operation of a Catalytic Oxidizer in Plymouth Township, **Montgomery County**.

23-0089: FPL Energy Marcus Hook, L.P. (Blueball Avenue and Ethylene Blvd., Marcus Hook, PA 19061) on May 4, 2001, for operation of a 750 Megawatt (MW) Combined Cycle in Marcus Hook Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, James Parette, Acting New Source Review Chief, (570) 826-2531.

35-308-025: Bardane Manufacturing Co., Inc. (Delaware Street, P. O. Box 70, Jermyn, PA 18433) on April 25, 2001, for construction of aluminum and zinc melting furnaces with associated air cleaning device along Delaware Street in Jermyn Borough, **Lackawanna County**.

40-328-004: Williams Generation Co.—Hazleton (P. O. Box 2848-WRC-A, Tulsa, OH 74101-9567) on April 9, 2001, for construction of four simple cycle turbines in Hazle Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05016A: ISP Minerals, Inc. (P. O. Box O, Blue Ridge Summit, PA 17214) on May 4, 2001, for construction of a rock crushing and coloring facility controlled by fabric collectors at the Charmian Plant in Hamiltonban Township, **Adams County**.

06-01003K: Agere Systems, Inc. (P. O. Box 13396, Reading, PA 19612-3396) on April 25, 2001, for construction of a 1250 kw emergency generator at the Reading Plant in Muhlenberg Township, **Berks County**.

06-05082A: Dietrich's Milk Products, LLC (100 McKinley Avenue, Reading, PA 19605) on May 4, 2001, for construction of a pilot plant dryer controlled by a cyclone/spray scrubber at the Reading Facility in Muhlenberg Township, **Berks County**.

36-03039: Nissin Foods (USA) Co., Inc. (2901 Hempfield Road, Lancaster, PA 17601) on May 4, 2001, for installation of two natural gas/no. 2 oil fired boilers in East Hempfield Township, **Lancaster County**. This source is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

38-05017A: Greater Lebanon Refuse Authority (1610 Russel Road, Lebanon, PA 17046) on May 4, 2001, for installation of a ground flare to control landfill emissions in North Lebanon Township, **Lebanon County**. This source is subject to 40 CFR Part 60, Subpart Cc—Emission Guidelines and Compliance Times for Municipal Solid Waste Landfills.

67-05016D: R. H. Sheppard Co., Inc. (P. O. Box 877, Hanover, PA 17331-0877) on May 4, 2001, for construction of two tundish ladles controlled by a fabric collector at Plant No. 3 in Hanover Borough, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

65-788L: Sony Electronics, Inc. (1001 Technology Drive, Mt. Pleasant, PA 15666) on May 3, 2001, for

operation of an Aperture Grille (AGL-I) at Pittsburgh Mfg. Center in Mount Pleasant Township, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

37-264E: Ellwood Quality Steels Co. (700 Moravia Street, New Castle, PA 16101) on April 27, 2001, for an increase in production in New Castle, **Lawrence County**.

Plan Approvals Extensions Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.13 (relating to extensions)

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0037B: Cabot Performance Materials (County Line Road, Boyertown, PA 19512) on May 4, 2001, for operation of a dust collector on the KTaF Tray in Douglass Township, **Montgomery County**.

46-313-147: Cabot Corp. (County Line Road, Boyertown, PA 19512) on April 18, 2001, for operation of a refrigerated condenser in Douglass Township, **Montgomery County**.

46-313-057E: Republic Environmental Systems, Inc. (2869 Sandstone Drive, Hatfield, PA 19440) on April 18, 2001, for operation of a Hazardous Waste TSD in Hatfield Township, **Montgomery County**.

15-0014C: Saint Gobain Performance Plastics Corp. (57 Morehall Road, Malvern, PA 19355) on April 19, 2001, for operation of a Air Cleaning Control Device in East Whiteland Township, **Chester County**.

09-0013: Wheelabrator Falls, Inc. (1201 New Ford Mill Road, Morrisville, PA 19067) on April 19, 2001, for operation of a Municipal Waste Incinerator in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

67-03031: Pennex Aluminum Co. (P. O. Box 100, Wellsville, PA 17365) on April 28, 2001, to authorize temporary operation of a 70-Ton Reverberatory Furnace, covered under this Plan Approval until August 25, 2001, at 50 Community Street in Wellsville Borough, **York County**.

67-05070A: Graham Packaging Co., LP (420-B Emig Road, York, PA 17402) on April 27, 2001, to authorize temporary operation of a barrier bottle production line, covered under this Plan Approval until August 25, 2001, in Manchester Township, **York County**.

22-305-001C: Kimmel's Coal and Packaging (P. O. Box 1, Machamer Avenue, Wiconisco, PA 17097) on May 1, 2001, to authorize temporary operation of a truck loadout circuit and bulk bag loading station controlled by a reverse pulse fabric dust collector, covered under this Plan Approval until August 28, 2001, in Wiconisco Township, **Dauphin County**. These sources are subject to 40 CFR Part 60, Subpart Y—Standards of Performance for Coal Preparation Plants.

38-302-057: G & H Fortyniners, Inc. (P. O. Box 37, Fredericksburg, PA 17026) on April 29, 2001, to authorize temporary operation of a 800hp boiler, oil or natural gas fired, covered under this Plan Approval until August 26,

2001, located at Chestnut Hill Road, in Bethel Township, **Lebanon County**. This source is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

26-488A: Laurel Aggregates, Inc. (P. O. Box 23, Gans, PA 15439) on April 27, 2001, for operation of Limestone Hauling and Crushing at Wymps Gap Quarry/Lake Lynn Quarry in Springhill Township, **Fayette County**.

65-307-054B: Teledyne, Inc. (100 River Road, Brackenridge, PA 15014) on April 25, 2001, for operation of an EAF Oxygen Lance & AOD Vessel at Teledyne Allvac in Derry Township, **Westmoreland County**.

65-235A: Alcoa, Inc. (100 Technical Drive, Alcoa Center, PA 15069) on April 25, 2001, for operation of a Pilot Tunnel Kiln at Alcoa Technical Center in Upper Burrell Township, **Westmoreland County**.

26-479A: Pioneer Mid-Atlantic, Inc. (400 Industrial Blvd., New Kensington, PA 15068) on April 25, 2001, for operation of a Limestone Crushing and Sizing Plant at Connellsville II Quarry in Connellsville, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

16-136A: Bituminous Road Maintenance (521 South Street, Clarion, PA 16214) on March 30, 2001, for a drum type hot mix asphalt plant in Beaver/Licking Townships, **Clarion County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54753035R3. N & L Coal Company, (5 Woodland Drive, Mt. Carmel Estates, Mt. Carmel, PA 17851), renewal of an existing anthracite surface mine operation in West Mahanoy Township, **Schuylkill County** affecting 103.2 acres, receiving stream—Mahanoy Creek. Renewal issued May 1, 2001.

54643034R3. Reading Anthracite Company, (P. O. Box 1200, 200 Mahantongo Street, Pottsville, PA 17901),

renewal of an existing anthracite surface mine operation in Cass Township, **Schuylkill County** affecting 42.0 acres, receiving stream—none. Renewal issued May 1, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

02900102. USA South Hills Landfill, Inc. (3100 Hill Road, Library, PA 15129). Renewal issued for continued operation and reclamation of a bituminous surface mine located in South Park and Union Townships, **Allegheny and Washington Counties**, affecting 103.4 acres. Receiving streams: unnamed tributary to Peters Creek. Application received: November 2, 2000. Renewal issued: May 3, 2001.

65960104. Amerikohl Mining, Inc. (Central PA Division, P. O. Box 427, Top of 3 Mile Hill, Acme, PA 15610-0427). Renewal issued for continued reclamation only of a bituminous surface mine located in Rostraver Township, **Westmoreland County**, affecting 41.0 acres. Receiving streams: unnamed tributary to the Monongahela River. Application received: February 21, 2001. Reclamation only renewal issued: May 4, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

658410701. Crows Nest Synfuels, L.P. (13 Elm St., Suite 200, Cohasset, MA 02025), to transfer the permit for the Crows Nest Wash Plant in Hempfield Township, **Westmoreland County** to transfer existing permit from Adam Eidemiller Inc. to Crows Nest Synfuels L.P., no additional discharges. Permit issued April 27, 2001.

16831602. C & K Coal Company, P. O. Box 69, Clarion, PA 16214), to renew the permit for the Rimersburg Prep. Plant in Toby Township, **Clarion County** to renew the existing permit for reclamation only, no additional discharges. Permit issued April 30, 2001.

56001301. Genesis, Inc. d.b.a. Meadow Run Genesis, Inc., (P. O. Box 552, Somerset, PA 15501, to operate the Genesis No. 17 Mine in Lincoln, Quemahoning, and Somerset Townships, **Somerset County**, new deep mine

permit application, 001—Higgins Run, 002-003-004—Tributaries to Beaver Dam Creek. Permit issued May 2, 2001.

16831604. RFI Energy, (555 Philadelphia St., Indiana, PA 15701), to renew the permit for the Shannon Preparation Plant in Piney and Toby Townships, **Clarion County**, renew the existing preparation plant permit, no additional discharges. Permit issued May 3, 2001.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

7474SM2C4. ESSROC Cement Corp., (Route 248 & Easton Road, Nazareth PA 18064), renewal of NPDES Permit # PA0124303 in Upper and Lower Nazareth Townships, **Northampton County** receiving stream—unnamed tributary to Shoeneck Creek. Renewal issued May 1, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

05960301. New Enterprise Stone & Lime Company, Inc. (P. O. Box 77, Church Street, New Enterprise, PA 16664), renewal of NPDES Permit No. PA0213373 in Snake Spring Valley Township, **Bedford County**, receiving stream Raystown Branch Juniata River. NPDES Renewal application received March 8, 2001. Issued May 3, 2001.

05910301. New Enterprise Stone & Lime Company, Inc. (P. O. Box 77, Church Street, New Enterprise, PA 16664), renewal of NPDES Permit No. PA0599085 in Napier and West St. Clair Townships, **Bedford County**, receiving stream unnamed tributaries to Dunning Creek; and to Dunning Creek. NPDES Renewal application received March 8, 2001. Issued May 3, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

33-00-04. Reichard Contracting, Inc. (212 Olean Trail, New Bethlehem, PA 16242) Issuance of NPDES Permit No. PA0241822 in Clover Township, **Jefferson County**. Receiving streams: Welch Run. Permit Issued: May 3, 2001.

ABANDONED MINE RECLAMATION

Bond Forfeiture Contract Awarded	BF 386-102.1
Location	Eau Claire Borough, Butler County
Description	Abandoned Mine Land Reclamation
Contractor	Joseph C. Puryear Trucking and Excavating , West Sunbury, PA
Amount	\$19,852.00
Date of Award	April 27, 2001

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department of Environmental Protection certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the

FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act, 35 P. S. § 7514, and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental

Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E23-405. Philadelphia Suburban Water Company, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489, Eddystone Borough, **Delaware County,** ACOE Philadelphia District.

To install and maintain a 30-inch ductile iron water transmission main associated with the construction of Liberty Power Plant. The water main will cross the following:

1. Portions of the 100-year floodplain of the Delaware River (WWF, MF).
2. Darby Creek (WWF, MF) and 0.01 acre of its adjacent wetlands (PEM).
3. Crum Creek (WWF, MF). This activity also includes the stabilization of the stream banks in the vicinity of this crossing.
4. Long Hook Creek (WWF, MF).

The proposed pipe will connect the existing Philadelphia Water Department main, located near the Philadelphia Airport, (Lansdowne, PA USGS Quadrangle N: 19.4 inches; and W: 12.8 inches).

E23-402. Penco Management, P. O. Box 1119, Brandywine 11, Suite 302, Chadds Ford, PA 19317, Chadds Ford Township, **Delaware County,** ACOE Philadelphia District.

To modify and maintain approximately 800 linear feet of an unnamed tributary of Harvey Run (WWF-MF) within the Painters Crossing Condominiums. The slope, depth, and width of the stream channel will be modified to eliminate the erosion problems and to direct the flows to the center of the channel. A series of step pools will be utilized to reduce the existing steep drops in the channel. The site is located 2,200 feet southwest of the intersection of U. S. Route 1 (S. R. 001) and Route 202 (S. R. 0202) (West Chester, PA USGS Quadrangle N: 0.4 inch; W: 7.4 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E35-326. Lackawanna County Conservation District, 1300 Old Plank Road, Mayfield, PA 18433-1958. Jessup Borough, **Lackawanna County,** Army Corps of Engineers Baltimore District.

To construct a channel change consisting of the relocation of approximately 420 linear feet of the channel of Grassy Island Creek, with work including channel shaping to mimic a natural channel section, construction of approximately 165 feet of R-6 riprap bank protection, and installation of rock vanes and rock weirs. The project includes the removal of a 150-foot-long, 20-foot-wide culm deposition along the left bank of the Lackawanna River. The project is located at the confluence of Grassy Island Creek and the Lackawanna River (Olyphant, PA Quadrangle N: 19.0 inches; W: 8.3 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-220. Laurel Run Village, 6375 Chambersburg Road, Fayetteville, PA 17222 in Franklin Township, **Adams County,** ACOE Baltimore District.

To (1) construct and maintain new stone masonry headwalls onto the ends of an existing access driveway pipe-arch culvert in Clear Run (CWF-HQ) at the Village of Laurel Run, a retirement community. A 10-foot section of the right downstream masonry wingwall attached to the bridge headwall will be repaired; (2) remove an existing footbridge, construct and maintain a new four-foot wide timber pedestrian bridge having a 20-foot clear span with a 3-foot underclearance across Clear Run; (3) remove a 5-foot section of existing 24-inch storm drain outfall pipe located along the left bank and replace with new pipe and the bank stabilized with rock; and (4) attach a new 1-inch water line and an upgraded electric line within the conduit under the deck of an existing feet-bridge crossing Clear Creek. The site is located on the north side of US Route 30 (Lincoln Highway) (Caledonia Park, PA Quadrangle N: 4.5 inches; W: 9.5 inches).

E01-221. Pennsylvania Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Mount Joy Township, **Adams County,** ACOE Baltimore District.

To remove the existing structure and to construct and maintain a pre-stressed concrete spread box beam bridge having a clear span of 44.6-feet with an underclearance at mid-span of 11.6-feet across White Run (WWF) on SR 0097, Segment 0180, Offset 2085. A deminimis area of wetlands less than 0.01 acre will be impacted by the extension of the northwest wingwall (Wing D) of the bridge. Rock riprap will be placed for scour protection at the bridge abutments and wingwalls. The bridge is located (Gettysburg, PA Quadrangle N: 8.4 inches; W: 10.1 inches).

E07-337. Pennsylvania Department of Transportation, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648 in Logan Township and the City of Altoona, **Blair County,** ACOE Baltimore District.

To remove an existing structure and to construct and maintain a double cell box culvert with cells of 15 feet x 8 feet in the channel of Spring Run (WWF) at a point at SR 4013, Section 001 (Altoona, PA Quadrangle N: 5.0 inches; W: 2.1 inches).

E07-342. Pennsylvania Department of Transportation, Engineering District 9-0, 1620 North Juniata

Street, Hollidaysburg, PA 16648 in Greenfield Township, **Blair County**, ACOE Baltimore District.

To remove an existing bridge and to construct and maintain a bridge having a normal span of 24.8 feet and an underclearance of 4.9 feet across the channel of South Poplar Run (CWF) at a point at SR 3002 (Blue Knob PA Quadrangle N: 11.8 inches; W: 2.5 inches).

E28-284. Franklin County Commissioners, 157 N. Second Street, Chambersburg, PA 17201 in Quincy Township, **Franklin County**, ACOE Baltimore District.

To remove the existing County Bridge # 75 and to construct and maintain twin pre-cast concrete box culverts each having spans of 13.0 feet and a rise of 4.5 feet in the West Branch Antietam Creek (CWF). Channel realignment and widening of approximately 75 linear feet of upstream and 75 lineal feet of downstream channel section is proposed. The project is located on Mt. Zion Road (T-397) (Waynesboro, PA Quadrangle N: 13.9 inches; W: 10.2 inches).

E31-165. Gaie & Richard Wilt, 819 Washington Street, Huntingdon, PA 16652 in Henderson Township, **Huntingdon County**, ACOE Baltimore District.

To remove some areas of fill and to fill in some areas in the floodway of the Juniata River (WWF) at a point approximately 1,800 feet upstream of Route 829 for the purpose of providing recreational activities (Mount Union, PA Quadrangle N: 12.0 inches; W: 10.5 inches).

E36-701. Salisbury Township, 5581 Old Philadelphia Pike, Gap, PA 17527 in Salisbury Township, **Lancaster County**, ACOE Baltimore District.

To remove the existing concrete bridge and to construct and maintain a new concrete arch bridge having a single span of 36 feet with an overall rise of 7.2 feet over Pequea Creek (HQ-CWF) on Buena Vista Road (T-487) located in Buena Vista Village (Honey Brook, PA Quadrangle N: 3.8 inches; W: 13.9 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-366. Rome Township, R. R. 1 Box 590, Ulster, PA 18850. Water Obstruction and Encroachment Permit application in Rome Township, **Bradford County**, ACOE Susquehanna River Basin District (Litchfield, PA Quadrangle N: 6.3 inches; W: 5.25 inches).

To construct and maintain a single span reinforced concrete box culvert having a span of 25 feet, and a minimum underclear of 5.91 feet with a skew of 90 degrees and reinforced concrete abutment in Bullard

creek located 0.1 mile along T-748 east of the intersection of SR 1029 and T-748. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-477. Cogan House Township, 4609 Rt. 184 Hwy., Trout Run. Hoagland Road Improvements, in Cogan House Township, **Lycoming County**, ACOE Baltimore District (White Pine, PA Quadrangle N: 2 inches; W: 3.75 inches).

To install ten 15-inch diameter cross culvert pipes that will discharge into Hoagland Run. This permit also authorizes headwalls and riprap channel protection at the outlet of the culverts. The beginning location is 2 miles southeast on Hoagland Run Road from the intersection with Buckhorn Road (T-790) and Green Goose Road in Steuben. The ending location is 5 miles southeast on Hoagland Run Road at the Anthony/Cogan House Township Line. This project is associated with numerous improvements to Hoagland Run Road. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-478. Lycoming Creek Anglers Club, 631 Third Avenue, Williamsport, PA 17701. Trout Nursery, in Cascade Township, **Lycoming County**, ACOE Baltimore District (Bodines, PA Quadrangle N: 12.9 inches; W: 9.9 inches).

To operate and maintain a 170-foot by 10-foot covered raceway with open sides. A small shed measuring 5-feet by 8-feet by 7-feet is also located at the upstream end of the raceway. The permit also authorizes maintenance of a jack dam and intake structure constructed under General Permit Authorization. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-330. Seneca Valley School District, 124 Seneca School Road, Harmony, PA 16037-9134. Seneca Valley Middle School Athletic Fields, in Jackson Township, **Butler County**, ACOE Pittsburgh District (Evans City, PA Quadrangle N: 10.5 inches; W: 15.7 inches).

To place and maintain fill within the 100-year floodplain of Little Connoquenessing Creek measuring approximately 160 feet long by 20 feet wide and having maximum depth of 1.25 feet and to install and maintain three stormwater outfall pipes along the left (east) bank of Little Connoquenessing Creek for construction of athletic fields and building additions at the existing Seneca Valley Middle School on Seneca School Road south of S. R. 3025.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
01-03-001	Robert B. McKinley Dominion Armstrong Energy LLC 5000 Dominion Blvd. Glen Allen, VA 23060	Armstrong	South Bend Township	2 ASTs storing Low Sulpher Distalate Fuel Oil	2,250,000 gallons each

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
01-23-005	Patrick Carr Aircraft Service International Group 3 Hog Island Road Philadelphia, PA 19153	Delaware	Tinicum Township	2 ASTs storing Jet A Fuel	1,680,000 gallons each
01-09-003	Dale Heinze Sika Corporation 201 Polite Avenue Lyndhurst, NJ 07071	Bucks	Falls Township	1 AST storing Sodium Hydrox- ide 3 ASTs storing Formaldehyde	500 gallons 12,000 gallons each

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of April 2001 the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Alpha Detection & Control	6 Chestwood Drive Connellsville, PA 15425	Testing
Don Antonio	660 East Grandview Boulevard Erie, PA 16504	Mitigation
Michael Bednar	950 Sussex Boulevard Broomall, PA 19008	Testing
Chuck Berthoud HouseMaster	203 West Caracas Avenue Hershey, PA 17033	Testing
G. Frank Burditt, Jr.	387 Winfred Manor Drive Bethel Park, PA 15102	Testing
Richard Cuthbert	351 West 10th Street Erie, PA 16502	Testing
Robert Haushalter, Jr. Volz Environmental Service, Inc.	1200 Gulf Lab Road Pittsburgh, PA 15238	Testing
Cheryl Krause	305 Mattison Avenue Ambler, PA 19002	Testing
Gene Kucharski	22163 Daisy Avenue Meadville, PA 16335	Testing
David Kutschbach	213 Keifer Drive Pittsburgh, PA 15241	Testing
Danny Layton	333 Lutzville Road Everett, PA 15537	Testing
Karl May, Jr.	R. R. 1 Box 371A Wellsboro, PA 16901	Mitigation
Joseph McGinley	7008 Hegerman Street Philadelphia, PA 19135	Testing
Thomas McKenzie	122 Madison Avenue Waynesboro, PA 17268	Testing
Ira Nerenberg AmeriSpec of NE Pennsylvania	55 Indian Drive Greentown, PA 18426	Testing
Philip Parke, Sr.	3201 Addison Drive Wilmington, DE 19808	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Ronald Segada	425 Third Street Cresson, PA 16630	Testing
Charles Sigg	243 West Mount Pleasant Avenue Ambler, PA 19002	Testing
Dennis Swindell	227 Locust Street # 12 Alum Bank, PA 15521	Testing
Joseph Wiggins	8 First Street Carnegie, PA 15106	Mitigation

[Pa.B. Doc. No. 01-864. Filed for public inspection May 18, 2001, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on DEP's world wide website (www.dep.state.pa.us) at the public participation center. The "March 2001 Inventory" heading is the governor's list of nonregulatory documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 2001.

Downloading/Ordering Paper Copies Of DEP Technical Guidance

Persons can download all guidance documents from our website at www.dep.state.pa.us. We strongly encourage utilizing Internet access if possible. If individuals do not have access to the Internet, copies of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory can be ordered by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes To Technical Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number are listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Technical Guidance—Substantive Revision

DEP ID: 550-0300-001 Title: Oil and Gas Operators Manual Description: This manual provides revisions to the existing Oil and Gas Manual, including an overview of statutes and regulations of DEP and other agencies, DEP guidance and procedures, and recommended practices for drilling wells, site management, and producing crude oil and natural gas in this Commonwealth. Anticipated Effective Date: June 30, 2001 Comment Period Ends: June 18, 2001 Contact: Ron Gilius at (717) 772-2199, or email at rgilius@state.pa.us

Final Technical Guidance

DEP ID: 393-2318-005 Title: Policy for Implementing the General Operating Permit Strategy for Aboveground Storage Tanks Description: The purpose of this guidance is to provide continuity and direction to DEP staff

concerning the compliance with the October 11, 2000, inspection and upgrade deadline and for the implementation of the General Operating Permit Program for Aboveground Storage Tanks (ASTs). DEP will apply this guidance in its General Operating Permit process for large ASTs (tanks with capacities greater than 21,000 gallons) and for storage tanks with capacities greater than 1,100 gallons containing highly hazardous substance(s). This only applies to tanks that were installed (constructed) and registered with the Division of Storage Tanks prior to October 11, 1997, under Chapter 245, Subchapter C (relating to Permitting of underground and AST systems and facilities). Effective Date: Document was made effective on December 2, 2000, with a 30-day comment period provided. Contact: Ray Powers at (717) 772-5599 or e-mail rapowers@state.pa.us.

DAVID E. HESS,
Acting Secretary

[Pa.B. Doc. No. 01-865. Filed for public inspection May 18, 2001, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Design Professional Selections

The Selections Committee (Committee) for the Department of General Services (Department) will meet to consider selections of Design Professionals for the following projects:

Project No. DGS 194-49—Park Improvements, Lehigh Gorge State Park, Luzerne and Carbon Counties, PA. Construction Cost: \$2,500,000. The scope of work includes, but is not limited to: new park office/visitor center; new maintenance building; river access for boaters; remove steel hazards; utilities and site improvements including bridges, trails, retaining walls and site stabilization.

Project No. DGS 403-73—Infrastructure Renovations, Phase II, Cheyney University, Cheyney, Delaware County, PA. Construction Cost: \$1,263,334. The scope of work includes, but is not limited to, renovation of infrastructure which includes electrical, mechanical, steam/condensate lines and cooling towers. The following may also be included: roadways, parking, sidewalks, drainage, communications, fire protection/signaling, telephone, energy management system and fiber optic system.

Project No. DGS 404-59—Replace Steam Lines, Phase III, Clarion University, Clarion, Clarion County, PA.

Construction Cost: \$2,083,333. The scope of work includes, but is not limited to, replacement of approximately 1,500 feet of existing steam distribution lines (1,000 feet of lines and 500 feet of tunnels). Replacement includes new steam piping/supporting equipment, new tunnel sections and restoration of excavated areas.

Project No. DGS 412-50—Reconstruction of Roadways, Sidewalks and Parking Facilities, Shippensburg University, Shippensburg, Cumberland County, PA. Construction Cost: \$1,005,834. The scope of work includes, but is not limited to: reconstruction of roadways throughout the campus; installation of sidewalks; realignment/widening/paving of roads, sidewalks and parking lots.

Project No. DGS 413-49—Replacement of Vincent Science Building, Slippery Rock University, Slippery Rock, Butler County, PA. Construction Cost: \$12,035,000. The scope of work includes, but is not limited to, construction of a new science and technology building to house programs in computer science, chemistry, biology, cytotechnology, medical technology, prehealth professional areas, high tech learning and research centers. The approximately 79,000 sq. ft. building will consist of offices, laboratories and classrooms.

Project No. DGS 417-31—Renovation of Two Fire Towers, Thaddeus Stevens State School of Technology, Lancaster, Lancaster County, PA. Construction Cost: \$843,000. The scope of work includes, but is not limited to, renovation of fire towers, located at the east and west ends of Brenner, Bourne and Metzger Halls in order to comply with the Department of Labor and Industry fire standards.

Project No. DGS 417-38—Reconstruction of Utility Tunnel along with all Steam and Condensate Lines, Thaddeus Stevens College of Technology, Lancaster, Lancaster County, PA. Construction Cost: \$917,000. The scope of work includes, but is not limited to, demolition of existing tunnel walls/slabs. Construction of new concrete walls and slabs. The total length of tunnel is approximately 400 feet. Also replace steam pipes, pipe joints, flanges, welds and supports.

Project No. DGS 513-28—Upgrade Water Source and Distribution, Torrance State Hospital, Torrance, Westmoreland County, PA. Construction Cost: \$550,000. The scope of work includes, but is not limited to, providing a new economical and dependable water source for the complex. Also included are upgrades to the water distribution system.

Project No. DGS 515-23—New Gas or Oil Fired Boiler Installation, Wernersville State Hospital, Wernersville, Berks County, PA. Construction Cost: \$600,000. The scope of work includes, but is not limited to, providing efficient steam generation from the boiler plant. Installation of new controls shall include replacement of any equipment utilized in the operation of the units.

Project No. DGS 571-27—New Boiler and Boiler House Renovations, State Correctional Institution, Rockview, Centre County, PA. Construct Cost: \$1,232,000. The scope of work includes, but is not limited to, installation of an emergency gas/oil fired boiler including all auxiliary equipment. Also included is upgrade of existing coal fired boilers and equipment.

Project No. DGS 577-29—Plumbing and Heating System Renovations, State Correctional Institution, Graterford, Montgomery County, PA. Construction Cost: \$5,000,000. The scope of work includes, but is not limited to, replacement of plumbing/heating system piping within "A," "B," "C," "D" and "E" cell blocks and tunnels.

Project No. DGS 589-9—Life Safety Code Upgrades, Youth Development Center, New Castle, Lawrence County, PA. Construction Cost: \$962,000. The scope of work includes, but is not limited to, building wide renovations to provide new fire alarm systems, emergency lighting upgrades, smoke detection systems, locks, sprinklers, partitions, doors, etc. to comply with all applicable code requirements.

Project No. DGS 800-203—Electrical Distribution System, The Pennsylvania State University, Altoona Campus, Altoona, Blair County, PA. Construction Cost: \$1,334,000. The scope of work includes, but is not limited to, installation of new underground duct and manhole systems for electrical and telecommunications services. Replace buried electrical system with new cabling complete with necessary equipment. Also included is installation of new communications cabling.

Project No. DGS 800-267—Construct Multistory Classroom Facility, The Pennsylvania State University, Altoona Campus, Altoona, Blair County, PA. Construction Cost: \$6,667,000. The scope of work includes, but is not limited to, a new multistory classroom building to provide modern classrooms, laboratories, faculty offices, student service/support spaces, seminar rooms and other related areas.

Project No. DGS 800-268—Construction of a Research and Economic Development Center, The Pennsylvania State University, Behrend College, Erie, Erie County, PA. Construction Cost: \$25,000,000. The scope of work includes, but is not limited to, state-of-the-art instructional and research facility for the School of Engineering and Engineering Technology. The building will house flexible modern research and instructional labs, computing facilities, office areas, seminar/conference areas, general/special purpose classrooms and support services

Project No. DGS 972-7—Building and Site Improvements, Landis Valley Museum, Lancaster, Lancaster County, PA. Construction Cost: \$1,114,000. The scope of work includes, but is not limited to: interior improvements to the Bitzer Barn, including new HVAC system, new lighting, fire suppression system, upgrades to windows and doors, interior finishes and collections storage upgrades; structural repairs and exterior improvements to the Pierce Landis Barn; interior upgrades to restrooms at the Textile Building; siding replacement on the Steam Barn; and exterior painting and carpentry repairs to the Issac Landis House, Landis Valley Hotel, Blacksmith Shop and Tavern.

Project No. DGS 1103-69—Ventilation and Fume Hood Upgrade for Chevron Science Center, University of Pittsburgh, Pittsburgh, Allegheny County, PA. Construction Cost: \$5,000,000. The scope of work includes, but is not limited to, upgrade and/or replacement of the Center's ventilation system to meet all applicable codes/regulations. Also includes retrofit and/or replacement of all fume hoods and addition of new hoods. Modification/upgrades to building and/or systems to properly implement scope.

Requirements and Information

Note—Project Program

A Project Program, prepared by the Using Agency, is available for the following projects: DGS 194-49, DGS 403-73, DGS 404-59, DGS 412-50, DGS 413-49, DGS 417-31, DGS 417-38, DGS 513-28, DGS 515-23, DGS 571-27, DGS 577-29, DGS 589-9, DGS 800-203, DGS 800-267, DGS 800-268, DGS 972-7 and DGS 1103-69. Project Programs are available on the Internet by clicking

on the project number in the advertisement which can be accessed through the Public Works section on the Department's Home Page at www.dgs.state.pa.us. Copies of the Project Programs may be obtained upon request to the Selections Committee, Department of General Services, Room 103, 18th and Herr Streets, Harrisburg, PA 17125, (717) 783-8468, or via e-mail by addressing a request to pbianchi@state.pa.us.

Instructions for Filing Application

Professionals will not be considered by the Committee until all of the following requirements are met.

(a) Signed Form 150-ASP must be filed with the Department. The signature on Form 150-ASP must be an original signature. Consultants listed on the requesting professional firm's application, Form 150-ASP, shall be deemed to be designated Key Consultants. Form 150-ASP, Application For Specific Project, may be obtained upon request to the Selections Committee, Department of General Services, Room 103, 18th and Herr Streets, Harrisburg, PA 17125, (717) 783-8468. The Form 150-ASP can be downloaded from the Professional Selections website of the Department's Internet Home Page at <http://www.dgs.state.pa.us>. In addition, Form 150-ASP can be obtained via e-mail by addressing a request to: pbianchi@state.pa.us.

(b) The requesting professional firm shall obtain from each consultant listed in Question 9, page 4 of the requesting professional firm's application (Form 150-ASP), a signed letter of certification on the consultant's letterhead, attesting to the firm's consent to participate in the requesting professional firm's application (Form 150-ASP) for the specific project. Signed letters of certification from consultants are required and constitute a part of the requesting professional firm's application (Form 150-ASP) for the specific project. The signature on the letter of certification must be an original signature.

(c) The requesting Professional firm must submit six copies of Form 150-ASP, Application for Specific Project, for each project herein advertised in which the firm is interested and qualified to perform. At least one of the six copies submitted must contain all original signatures. For architectural projects and, when appropriate, for engineering projects, the Professional shall supply photographs showing a maximum of two different views of each of the three relevant projects described in Question 12, pages 7—9 of the application (Form 150-ASP). The requesting Professional firm or joint venture firm must be the Professional of Record for the projects described in Question 12, pages 7—9 of the application (Form 150-ASP). It is not acceptable to list work performed by Key Consultants. The identification and appropriate supportive information concerning each photograph shall include the name, project title, location and the name of the Professional of Record. Color photo copies are acceptable, however, renderings and brochures will not be accepted in lieu of photographs. The photographs shall be attached to each copy of the application (Form 150-ASP). The pages of each copy of Form 150-ASP must be stapled with photographs and consultant's letters of certification followed by the resumes of Key Personnel (listed in Question 10 and/or 11 on pages 5 and/or 6) included as the last section of the application. Do not bind the application (Form 150-ASP) in any way to any other documentation. Do not bind the application (Form 150-ASP) in a binder of any type.

(d) A complete project submission, which consists of documents previously described in paragraphs (a)—(c),

must be received on or before the close of business (5 p.m.) Friday, June 8, 2001, and addressed to the Selections Committee, Department of General Services, Room 103, 18th and Herr Streets, Harrisburg, PA 17125. Fax applications are not acceptable. Project submissions must be made on Form 150-ASP. Applications submitted on any other form are unacceptable and will not be considered by the Committee.

(e) The Committee may, at its discretion, establish interviews with any or all of the Professionals who have requested consideration for appointment as designer for the previous projects. If an interview is required, the Professional will be notified by the Committee as to the date, time and location.

(f) Additional information, in writing, may be requested by the Committee as required.

(g) In accordance with Act 57 of 1998, where the amount of Base Construction Allocation (Construction Cost) is in excess of or equal to \$20,000,000, the fee to be paid to the design Professional and the terms of the contract between the design Professional and the Department shall be negotiated.

Additional Services—Indoor Air Quality Assessment Program and Hazardous Materials

The Professional firm selected to design a project will be expected to perform and administer, when required by the Department as additional services, an Indoor Air Quality Assessment Program during Building or Renovation Commissioning and the sampling, testing, inspection and monitoring for removal of any asbestos, other hazardous waste or contaminants encountered during project design or construction, unless otherwise stated in the Scope.

The Committee encourages responses from small firms, minority firms, women-owned firms and firms who have not previously performed State work, and will consider joint ventures, which will enable them to participate in this program.

All applications submitted are subject to review by the Committee. The Committee disclaims any liability whatsoever as to its review of the applications submitted and in formulating its recommendations for selection. All recommendations for selection made by the Committee shall be final under Act 57 of May 15, 1998.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 01-866. Filed for public inspection May 18, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Adoption of the 2001 Edition of the Guidelines for Design and Construction of Hospitals and Health Care Facilities

Under its authority under the Health Care Facilities Act, 35 P. S. §§ 448.101 et. seq., and the hospital and ambulatory surgical facility regulations promulgated thereto, the Department of Health (Department) will adopt the 2001 edition of the "Guidelines for Design and Construction of Hospital and Health Care Facilities" (Guidelines), effective November 24, 2001. As of November 24, 2001, the Department will apply these new

requirements to all plans for new construction or renovations for hospitals and ambulatory surgical facilities.

The Department currently applies the 1996-97 edition of the Guidelines for all new construction, renovations or modernization of hospitals and ambulatory surgical facilities. The 1996-97 edition of the Guidelines will continue to be utilized through November 23, 2001.

The Department has received inquiries regarding the implementation of the 2001 edition of the Guidelines, and when they would be enforced. The 2001 edition of the Guidelines can be utilized immediately, however, to allow adequate lead-in time for larger or more complicated projects, the mandatory usage of the new Guidelines will not take effect until November 24, 2001.

The established procedure requires the submission of construction plans and the issuance of a final construction plan approval by the Division of Safety Inspection prior to the start of any new construction, renovation, modernization or changes in usage. Blueprints are to be submitted to the Division and are reviewed for compliance with the NFPA 101, Life Safety Code, and the requirements as set forth in the Guidelines. The plan approval function is a requirement to insure that all new construction or renovations comply with all applicable regulations to avoid building noncompliant conditions into hospitals or ambulatory surgical buildings, which would necessitate costly remedial work to correct prior to the Department allowing the renovated area to be occupied.

After construction has been completed, and prior to the use of the area, a final inspection must be conducted for Life Safety Code requirements by the Division of Safety Inspection, and for State licensure and/or Federal Certification requirements by the Division of Acute and Ambulatory Care.

We recommend that smaller renovation projects or new additions be designed and submitted for approval based on compliance with the 2001 edition of the Guidelines as soon as possible. Although it is still permissible to utilize the 1996-97 edition until November 24, 2001, it would be prudent to utilize the 2001 edition. Larger or more complicated projects should be designed in conformance with the new Guidelines, however, all final plan approvals issued after November 23, 2001, will be based upon conformance with the 2001 edition of the Guidelines, regardless of when the preliminary plans were submitted.

Those persons interested in purchasing a copy of the 2001 edition of the "Guidelines for Design and Construction of Hospitals and Health Care Facilities" may telephone the American Institute of Architects' (AIA) Bookstore (small orders) at (202) 626-7541 or (800) 242-3837, or the AIA Fulfillment House (large orders) at (800) 365-2724 to place an order or request a catalog.

Questions regarding this notice should be directed to Peter P. Petresky, Director, Division of Safety Inspection

at (717) 787-1911. Persons with a disability who require an alternative format of this document should contact the following: V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-867. Filed for public inspection May 18, 2001, 9:00 a.m.]

Request for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

ManorCare Health Services-Huntington Valley
3430 Huntingdon Pike
Huntingdon Valley, PA 19006-3716.

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.18(e) (relating to management):

United Community Hospital TCU
631 North Broad Street Extension
Grove City, PA 16127-9703.

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, Fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-868. Filed for public inspection May 18, 2001, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Medical Assistance Program Fee Schedule Revisions; 2001 HCPCS Updates

The Department of Public Welfare announces that effective January 1, 2001, changes have been made to the Medical Assistance (MA) Program Fee Schedule as a result of implementing the 2001 updates to the Health Care Financing Administration Common Procedure Coding System. The new procedure codes are compensable beginning January 1, 2001. Fees for the new procedure codes will be published in a MA Bulletin that will be issued to all providers.

Changes to the MA Program Fee Schedule for Provider Types 01, 03, 04, 05, 07, 10, 11, 12, 15, 16, 17, 19, 20, 23, 30, 43, 49, and 50.

Additions Effective January 1, 2001

<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>
AE	A4324	AE	A6231	9P, 9R	E0148	AM	L3923	25, 27, 40	19102
AE	A4325	AE	A6232	9P, 9R	E0149	9S	L8040	25, 27, 40	19103
AE	A4331	AE	A6233	9P, 9R	E0168	9S	L8041	25, 40	19295
AE	A4348	AE	A7501	9R	E0298	9S	L8042	10, 20, 27, 40	21199
AE	A4396	AE	A7502	9P, 9R	E0571	9S	L8043	20, 27, 40	22520
AE	A4561	AE	A7503	9P, 9R	E0572	9S	L8044	20, 27, 40	22521
AE	A4562	AE	A7504	9R	E0574	9S	L8045	20, 40	22522
AE	A4608	AE	A7505	9P, 9R	K0541	9S	L8046	20, 27, 40	30465
AE	A6021	AE	A7506	9P, 9R	K0542	9S	L8047	10, 20, 40	33141
AE	A6022	AE	A7507	9P, 9R	K0543	10, 20, 27, 40	15342	10, 20, 40	34800
AE	A6023	AE	A7508	9P, 9R	K0544	10, 20, 40	15343	10, 20, 40	34802
AE	A6024	AE	A7509	AM	L3760	20, 40	16036	10, 20, 40	34804
10, 20, 40	34808	25, 27, 40	45387	10, 20, 40	61697	54, 57, RD	73222	86	83664
10, 20, 40	34812	10, 20, 40	50545	10, 20, 40	61698	54, 57, RD	73223	86	83921
10, 20, 40	34813	10, 20, 27, 40	50947	20, 27, 40	64614	54, 57, RD	73706	86	84152
10, 20, 40	34820	10, 20, 27, 40	50948	20, 27, 40	67221	54, 57, RD	73718	86	85307
10, 20, 40	34825	20, 27, 40	52341	54, 57, RD	70496	54, 57, RD	73719	86	85536
10, 20, 40	34826	20, 27, 40	52342	54, 57, RD	70498	54, 57, RD	73722	86	86001
10, 20, 40	34830	20, 27, 40	52343	54, 57, RD	70542	54, 57, RD	73723	86	86146
10, 20, 40	34831	20, 27, 40	52344	54, 57, RD	70543	54, 57, RD	74175	86	86300
10, 20, 40	34832	20, 27, 40	52345	54, 57, RD	70544	54, 57, RD	74182	86	86301
10, 20, 27, 40	36870	20, 27, 40	52346	54, 57, RD	70545	54, 57, RD	74183	86	86304
25, 27, 40	43231	25, 27, 40	52351	54, 57, RD	70546	54, 57, RD	75635	86	86611
25, 27, 40	43232	20, 27, 40	52352	54, 57, RD	70547	54, 57, RD	75952	86	86666
25, 27, 40	43240	20, 27, 40	52353	54, 57, RD	70548	54, 57, RD	75953	86	86683
25, 27, 40	43242	20, 27, 40	52354	54, 57, RD	70549	54, 57, RD	76012	86	86696
25, 27, 40	43256	10, 20, 27, 40	52355	54, 57, RD	71275	54, 57, RD	76013	86	86757
25, 27, 40	44370	10, 20, 27, 40	52400	54, 57, RD	71551	54, 57, RD	76393	86	87046
10, 25, 27, 40	44379	20, 27, 40	54512	54, 57, RD	71552	54, 57, RD	76819	86	87071
25, 27, 40	44383	20, 27, 40	54522	54, 57, RD	72191	86	80157	86	87073

<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>
25, 27, 40	44397	20, 27, 40	55873	54, 57, RD	72195	86	80173	86	87077
25, 27, 40	45327	27, 30, 40	57022	54, 57, RD	72197	86	82373	86	87107
25, 40	45341	20, 27, 40	57023	54, 57, RD	73206	86	82945	86	87149
25, 40	45342	10, 20, 27, 40	57287	54, 57, RD	73218	86	83090	86	87152
25, 40	45345	20, 27, 40	58353	54, 57, RD	73219	86	83663	86	87185
86	87254	86	87281	86	87337	86	87451	86	88400
86	87273	86	87283	86	87339	86	87800	80, AY, AZ	92586
86	87275	86	87300	86	87341	86	87801		
86	87277	86	87327	86	87400	86	87901		
86	87279	86	87336	86	87427	86	87904		

End—Dated May 31, 2001**Procedure Codes Being Deleted from the Fee Schedule as a Result of Those Updates and Which Will Not Be Compensable for Services Provided After May 31, 2001**

<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>	<i>TOS</i>	<i>Procedure Code</i>
AE	A4560	86	P9013	20, 27, 40	52340	86	82251	86	87192
AE	A5065	9P	Z9802	54, 57, RD	70541	86	87060	86	87208
AE	K0280	20, 27, 40	52335	54, 57, RD	71036	86	87117	86	87211
9P, 9R	K0456	20, 27, 40	52336	54, 57, RD	76365	86	87145		
9P, 9R	K0457	20, 27, 40	52337	54, 57, RD	76934	86	87151		
9P	K0458	20, 27, 40	52338	54, 57, RD	76938	86	87155		
9P	K0459	10, 20, 27, 40	52339	54, 57, RD	76960	86	87175		

The fiscal note was prepared under provision of section 612 of The Administrative Code of 1929 (71 P. S. § 232). Price changes made to the MA Fee Schedule are routinely included in carryforward budget estimates.

1997-98 Program—\$662,740,000; (7) Medical Assistance—Outpatient; (8) recommends adoption. Funds are included in the budget for this purpose.

[Pa.B. Doc. No. 01-869. Filed for public inspection May 18, 2001, 9:00 a.m.]

Contact Person:

Interested persons are invited to submit written comments to this notice within 30-days of this publication. Comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Any comments received will be considered for subsequent fee schedule updates.

Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). Persons who require another alternative should contact Thomas Vracarich at (717) 783-2800.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-258. (1) General Fund; (2) Implementing Year 2000-01 is \$260,000; (3) 1st Succeeding Year 2001-02 is \$704,000; 2nd Succeeding Year 2002-03 is \$574,000; 3rd Succeeding Year 2003-04 is \$574,000; 4th Succeeding Year 2004-05 is \$574,000; 5th Succeeding Year 2005-06 is \$574,000; (4) 1999-00 Program—\$622,669,000; 1998-99 Program—\$695,935,000;

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

Notice is hereby given that pursuant to 67 Pa. Code § 495.4(d), an application to lease highway right-of-way has been made to the Department of Transportation by Byzantine, Inc., of 1198 Mulberry Street, Bridgewater, PA 15009 is seeking to lease highway right-of-way located on the southeasterly side of S.R. 0018 between Sta. 516+ (60 to Sta. 519 + 85, in Center Township, Beaver County containing 4,523± square feet, adjacent to S.R. 0018 (L.R. 115, Section 11) for purposes of customer parking. Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Raymond S. Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4830.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-870. Filed for public inspection May 18, 2001, 9:00 a.m.]

Application for Lease of Right-of-Way

Notice is hereby given that pursuant to 67 Pa. Code § 495.4(d), an application to lease highway right-of-way has been made to the Department of Transportation by Jerry Thorpe, c/o WHIT Productions, One Chatham Center, Suite # 415, Pittsburgh, PA 15219 is seeking to lease highway right-of-way located on the easterly side of relocated East Street at the intersection of Mt. Pleasant Road, in the City of Pittsburgh, Allegheny County containing 5,000± square feet, to be used for landscaping and privacy fencing. Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Raymond S. Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, Pennsylvania 15017.

Questions regarding this application or the proposed use may be directed to Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4830.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-871. Filed for public inspection May 18, 2001, 9:00 a.m.]

Contemplated Sale of Land No Longer Needed for Transportation Purposes

Notice is hereby given that the Department of Transportation, pursuant to 71 P. S. § 513(e)(7), intends to sale certain land owned by the Department.

The following properties are available for sale by the Department.

Parcel No. 3—Robinson Township, Allegheny County. This parcel contains approximately 19,643.3 square feet or 0.45 acre of vacant land situated along the southerly side of S.R. 0060 adjacent to Robinson Town Centre, in Robinson Township, Allegheny County. The property will be sold in "as is condition." It has been determined that the land is no longer needed for present or future transportation purposes.

Parcel No. 4—Robinson Township, Allegheny County. This parcel contains approximately 12,916 square feet or 0.30 acre of vacant land situated along the southerly side of S.R. 0060 adjacent to Robinson Town Centre and the Point at North Fayette, in Robinson Township, Allegheny County. The property will be sold in "as is condition." It has been determined that the land is no longer needed for present or future transportation purposes.

Parcel No. 5—Robinson Township, Allegheny County. This parcel contains approximately 1,298.6 square feet or

0.03 acre of vacant land situated along the southerly side of S.R. 0060 adjacent to Robinson Town Centre and the Point at North Fayette, in Robinson Township, Allegheny County. The property will be sold in "as is condition." It has been determined that the land is no longer needed for present or future transportation purposes.

Parcel No. 6—Robinson Township, Allegheny County. This parcel contains approximately 25,019.6 square feet or 0.57 acres of vacant land situated along the southerly side of S.R. 0060 adjacent to Robinson Town Centre and the Point at North Fayette, in Robinson Township, Allegheny County. The property will be sold in "as is condition." It has been determined that the land is no longer needed for present or future transportation purposes.

Parcel No. 8—Robinson Township, Allegheny County. This parcel contains approximately 11,407.2 square feet or 0.26 acres of vacant land situated along the southerly side of S.R. 0060 adjacent to Robinson Town Centre and the Point at North Fayette, in Robinson Township, Allegheny County. The property will be sold in "as is condition." It has been determined that the land is no longer needed for present or future transportation purposes.

Interest public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to: Raymond S. Hack, District Engineer, Pennsylvania Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-872. Filed for public inspection May 18, 2001, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register Nominations to be Considered by the Historic Preservation Board

The meeting will start at 9 a.m. in the City Council Chambers at the Southern Market Center, 100 South Queen Street, Lancaster City, PA. Individuals with a disability who wish to attend this meeting and require an auxiliary aid, service or other accommodation to participate, should contact Dan Deibler at (717) 783-8946 or through the Pennsylvania At&T Relay Service at (800) 654-5984 (TDD) to discuss how the Commission can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

Ridge and Valley

1. *Pennsylvania Match Company*, 367 Phoenix Avenue, Bellefonte, Centre County.

Southwestern Pennsylvania

2. *Manchester Historic District Boundary Increase*, Pittsburgh, Allegheny County.

3. *Monongahela Cemetery*, Cemetery Hill Road at Gregg Street, Monongahela City, Washington County.

Great Valley and Piedmont Region

4. *Harris Building*, 2121-41 Market Street, Philadelphia.

5. *Pottstown Landing Historic District*, roughly bounded by U. S. Route 422 By-Pass, Whartnaby Street, 633 Laurelwood Road and Reiff Street, North Coventry Township, Chester County.

6. *Springdale Historic District*, bounded by S. George Street, Lombardy Alley, S. Queen Street and Rathton Road, City of York, York County.

7. *Waldenmark*, 1280 and 1300 Wrightstown Road, Wrightstown Township, Bucks County.

8. *Lancaster City Historic District*, roughly bounded by Liberty Street, Broad Street, Greenwood Avenue and Race Avenue, City of Lancaster, Lancaster County.

9. *Berkley Historic District*, Berkley Road and Snyder Road, village of Berkley, Ontelaunee Township, Berks County.

10. *Trexler Historic District*, 375-424 Old Philadelphia Pike (TR 805), Albany Township, Berks County.

11. *Starlight Station*, New York, Ontario & Western Railway, O & W Road, northeast of Depot Hill, Buckingham Township, Wayne County.

12. *Welkinweir*, 1368 Prizer Road, East Nantmeal Township, Chester County.

13. *Chestnut Hill*, 1105 Windsor Road, Windsor Township, York County.

Allegheny Plateau, Anthracite Region and Poconos—No nominations.

BRENT D. GLASS,
Executive Director

[Pa.B. Doc. No. 01-873. Filed for public inspection May 18, 2001, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission (Commission) met publicly at 10:30 a.m., Thursday, May 3, 2001, and took the following actions:

Regulations Approved:

Office of Attorney General #59-8: Debt Collection Trade Practices-Repeal (repeals 37 Pa. Code Chapter 303).

Department of Health #10-162: School Immunization (amends 28 Pa. Code § 23.83).

Coroners' Education Board #59-7: Education Requirements (amends 37 Pa. Code by adding Chapter 199).

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
May 3, 2001

Office of Attorney General—Debt Collection Trade Practices—Repeal; Regulation No. 59-08

Order

On April 9, 2001, the Independent Regulatory Review Commission (Commission) received this regulation from the Office of Attorney General (OAG). This rulemaking repeals 37 Pa. Code Chapter 303. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation repeals 37 Pa. Code Chapter 303. Chapter 303 establishes what is considered unfair or deceptive methods with regard to collection of debts. Section 6 of Act 7 of 2000 (the Fair Credit Extension Uniformity Act) expressly repealed 37 Pa. Code Chapter 303 and effectively replaced its provisions.

We have determined this regulation is consistent with the statutory authority of the OAG (73 P. S. § 201-3.1) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
May 3, 2001

Department of Health—School Immunization; Regulation No. 10-162

Order

On August 23, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Health (Department). This rulemaking amends 28 Pa. Code § 23.83. The proposed regulation was published in the September 2, 2000, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 9, 2001.

This regulation is an update and revision of existing regulations mandating immunizations for school entry and attendance. The primary modifications are adding the varicella (chickenpox) vaccine to the list of required immunizations and requiring the hepatitis B vaccine for entry into seventh grade.

We have determined this regulation is consistent with the statutory authority of the Department (24 P. S. § 13-1303a; 35 P. S. §§ 521.16(a), (b) and 630.3; and 71 P. S. §§ 532(g) and 541(b) and (c.1)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
May 3, 2001

*Coroners' Education Board—Education Requirements;
Regulation No. 59-7*

Order

On March 23, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Coroners' Education Board (Board). This rulemaking amends 37 Pa. Code by adding Chapter 199. The proposed regulation was published in the April 8, 2000, *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on March 28, 2001. On April 11, 2001, the Commission received a request from the Board to toll consideration of this final-form regulation to remove the just cause exemption from continuing education requirements. On April 11, 2001, the Board submitted its revisions to the final-form regulation to the Commission.

This regulation requires newly elected coroners, chief deputy and full-time deputy coroners to attend a Basic Education Course and pass the examination at the end of the course. The regulation also requires coroners and deputy coroners to complete a minimum of 8 hours of continuing education annually.

We have determined this regulation is consistent with the statutory authority of the Board (16 P. S. § 9525) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-874. Filed for public inspection May 18, 2001, 9:00 a.m.]

Notice of Comments Issued

Section 5(d) and (g) of the Regulatory Review Act (71 P. S. § 745.5(d) and (g)) provide that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Commission may issue comments within 10 days of the close of the committees' comment period. The Commission's comments are based upon the criteria contained in section 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted by the date indicated.

Reg. No.	Agency/Title	Issued	Final-Form Submission Deadline
3-40	Department of Banking Mortgage Bankers and Brokers; Continuing Education	05/03/01	04/02/03
Department of Banking Regulation No. 3-40 Mortgage Bankers and Brokers; Continuing Education May 3, 2001			

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Department of Banking (Department) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by April 2, 2003, the regulation will be deemed withdrawn.

1. Section 44.2. Requirements.—Statutory authority; Clarity.

Under subsection (c), the Department "may require an applicant for a new license to meet the applicable continuing education requirement . . . if it appears to the Department that the continuing education requirement is being improperly avoided through restructuring of the business or otherwise." We have two issues with this subsection.

First, the Mortgage Bankers and Brokers Act (63 P. S. § 456.04(e)) requires completion of the continuing education requirements to maintain a license. What is the statutory authority to require completion of continuing education requirements prior to granting a license?

Second, the requirement is vague. Phrases like "may require" and "if it appears" do not provide adequate notice of the circumstances under which the Department will require an applicant to meet continuing education requirements. Also, this subsection does not list the criteria the Department will use to determine whether the continuing education requirement is being avoided. Therefore, these phrases should be replaced with timelines and criteria in the final-form regulation.

2. Section 44.3. Reporting, verification and recordkeeping.—Reasonableness; Clarity.

We have two issues within subsection (b). The first sentence states "The Department may verify, on a random or other basis, by methods including examination of the licensee and satisfactory completion of the requirements of this chapter." This sentence appears to be grammatically incorrect and should be rewritten. As written, it does not state what will be verified.

The second sentence states "The Department may assess licensees examination costs for the examinations consistent with section 8(a)(4) of the act (63 P. S. § 456.8(a)(4))." Because it addresses a different subject, this sentence should be separated into a new subsection within § 44.3.

3. Section 44.4. Review and approval.—Clarity.

This section states "The Department may review and approve continuing education programs to satisfy the continuing education requirement." Also included in this section is the term "continuing education program," which

is defined in § 44.1 (relating to definitions). The definition for this term describes what a "continuing education program" entails. However, this section does not include a process for the review and approval of a continuing education program. How are continuing education programs approved?

The review and approval process for continuing education programs should be established through regulation. To allow the opportunity for public comment, the process should be proposed as a separate rulemaking.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-875. Filed for public inspection May 18, 2001, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

Final-Form

Reg. No.	Agency/Title	Received
57-217	Pennsylvania Public Utility Commission Licensing Requirements for Natural Gas Suppliers	05-03-01
10-129	Department of Health Head Injury Program	05-03-01
7-358	Environmental Quality Board Interim Enhanced Surface Water Treatment	05-08-01
7-359	Environmental Quality Board Disinfectants and Disinfection Byproducts	05-08-01
7-349	Environmental Quality Board Licensing of Blasters and Storage, Handling and Use of Explosives	05-08-01
7-352	Environmental Quality Board Coal Refuse Disposal	05-08-01

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-876. Filed for public inspection May 18, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Highmark Inc. d/b/a Pennsylvania Blue Shield; Filing Nos. 200110 and 200111

On May 8, 2001, Highmark Inc. d/b/a Pennsylvania Blue Shield submitted filings under section 9 of the Accident and Health Filing Reform Act (40 P. S. §§ 3801—3815) requesting the approval of Hospital Facility Agreements for both traditional and managed care products. By the previous filings, Highmark is seeking

approval of hospital facility agreements in order to operate as a hospital plan corporation and a professional health plan corporation under the trade name Pennsylvania Blue Shield in the 21 counties that also comprise the service area of Capital Blue Cross.

Copies of the filings are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Pittsburgh, Erie and Philadelphia.

Interested parties are invited to submit written comments, suggestions or objections to Richard Stoner, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-877. Filed for public inspection May 18, 2001, 9:00 a.m.]

Pennsylvania Professional Liability Joint Underwriting Association Rate Filings

On May 1, 2001, the Insurance Department (Department) received from the Pennsylvania Professional Liability Joint Underwriting Association two filings proposing the following:

- Apply an overall rate adjustment of 20% to all classes of health care providers.
- Adjust rates for ten medical specialties.
- Increase the maximum Administrative Fee for other than Hospital or Nursing Home health care providers.
- Change the relativity for one territory for physicians and surgeons.
- Change the relativities for all territories for Institutional Liability and apply the same relativities to Nursing Homes.
- Revise the surcharge plan.
- Introduce an Individual Risk Premium Modification plan for physicians and surgeons.

Unless formal administrative action is taken prior to June 30, 2001, the rates within the subject filings may be deemed into use upon the requested effective date, January 1, 2002, by operation of law.

Copies of the filings are available for public inspection during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Ken Creighton, ACAS, Insurance Department, Bureau of Regulation of Rates and Policies, 1311 Strawberry Square, Harrisburg, PA 17120 (e-mail at kcreighton@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-878. Filed for public inspection May 18, 2001, 9:00 a.m.]

Per Diem Charges for Financial Examinations Conducted by the Department; Notice No. 2001-05

Under the authority contained in section 907 of The Insurance Department Act of 1921 (40 P. S. § 323.7) and under 31 Pa. Code § 12.4 (relating to per diem charges), an updated schedule of per diem charges for financial examinations conducted by the Insurance Department (Department) is hereby adopted.

The new schedule of charges is as follows:

Examiner Trainee	\$220 per day
Examiner 1	\$283 per day
Examiner 2	\$364 per day
Examiner 3	\$437 per day
Examination Manager	\$494 per day

As prescribed in 31 Pa. Code § 12.4(c), the Department will calculate and bill per diem charges for financial examination costs in 1/2-hour units.

This schedule is effective July 1, 2001.

This document supersedes the notice published at 30 Pa.B. 2972 (June 10, 2000) and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-879. Filed for public inspection May 18, 2001, 9:00 a.m.]

Per Diem Charges for Market Conduct Examinations Conducted by the Department; Notice 2001-06

Each year, the Insurance Department (Department) updates its schedule of per diem charges for market conduct examinations conducted by the Department. These charges are authorized by section 907 of The Insurance Department Act of 1921 (40 P. S. § 323.7) and 31 Pa. Code § 12.4 (relating to per diem charges).

The new schedule of charges is as follows:

Examiner Trainee	\$222 per day
Examiner 1	\$313 per day
Examiner 2	\$320 per day
Examiner Manager	\$449 per day

As prescribed in 31 Pa. Code § 12.4(c), the Department will calculate and bill per diem charges for examination costs in 1/2-hour units.

This schedule is effective July 1, 2001.

This notice supersedes the schedule of per diem charges published at 30 Pa.B. 2972 (June 10, 2000) and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-880. Filed for public inspection May 18, 2001, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68),

in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in the Insurance Department's Regional Office in Philadelphia, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Eugene L. and Shirlene Girer; file no. 01-267-01365; Fireman's Fund Insurance Company; doc. no. PH01-04-021; June 7, 2001, at 9 a.m.

Each party may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-881. Filed for public inspection May 18, 2001, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau

will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no such documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Administrative Circular No. 01-8—Purchasing Card Program—Utility Purchasing Cards, Dated April 3, 2001.

Administrative Circular No. 01-9—Meeting Room Facilities, Dated April 5, 2001.

Administrative Circular No. 01-10—Closing Instruction No. 2, 2000-01 Fiscal Year; Preclosing at May 31, 2001, Dated April 10, 2001.

GARY R. HOFFMAN,
Director
Pennsylvania Code & Bulletin

[Pa.B. Doc. No. 01-882. Filed for public inspection May 18, 2001, 9:00 a.m.]

PENNSYLVANIA COMMISSION FOR WOMEN

Meeting Notice

The Pennsylvania Commission for Women has scheduled their Commission meeting to be held on Monday, May 21, 2001, at 10 a.m. until 3 p.m. in the Green Room of the Forum Building, Harrisburg, PA 17120. The public is invited to attend. Persons who need accommodations due to a disability and want to attend should contact Christine Anderson, Pennsylvania Commission for Women, 205 Finance Building, Harrisburg, PA 17120 at (717) 787-8128 or (888) 615-7477, at least 24 hours in advance so arrangements can be made.

KATIE TRUE,
Executive Director

[Pa.B. Doc. No. 01-883. Filed for public inspection May 18, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

PMM Company; Complaint

*Pennsylvania Public Utility Commission, Bureau of
Transportation and Safety v. PMM Company; Doc. No.
A00102244C0101*

Complaint

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Under that delegated authority and section 701 of

the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That PMM Company, respondent, maintains its principal place of business at 112 Station Street, Aliquippa, Beaver County, PA 15001.

2. That respondent was issued a certificate of public convenience by this Commission on October 30, 1980, at Docket No. A-00102244.

3. That respondent, on August 18, 2000, was sent an initial assessment of \$108. Respondent failed to pay the assessment; therefore, a balance was due of \$108.

4. That respondent has an outstanding assessment of \$108.

5. That respondent failed to file objections to the assessment, under 66 Pa.C.S. § 510(c).

6. That respondent, by failing to pay the assessment, violated 66 Pa.C.S. § 510(c).

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission cancel the certificate of public convenience issued to respondent, direct the Department of Transportation to revoke the motor vehicle registration issued to respondent, notify the Department of Revenue that respondent's certificate of public convenience has been revoked and notify respondent's insurance carrier that respondent's certificate of public convenience has been revoked.

Respectfully submitted,

George T. Mahan, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

Verification

I, George T. Mahan, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

George T. Mahan, Director

Notice

A. You must file an answer within 20 days of the date of service of this complaint. The date of service is the publication date of this issue of the *Pennsylvania Bulletin*. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three copies sent to: James J. McNulty, Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265.

B. If you fail to answer this complaint within 20 days, the Bureau of Transportation and Safety will request that the Commission enter an order imposing the penalty set forth in the complaint.

C. You may elect not to contest this complaint by paying your outstanding assessment within 20 days. Your certified check or money order for the assessment should be payable to the Commonwealth of Pennsylvania and should be forwarded to: Bureau of Audits, Attention Steve

Reed, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request the Commission to enter an order imposing the penalty set forth in the complaint.

E. If you file an answer which contests the complaint, the matter will be assigned to an administrative law judge for hearing and decision. The judge is not bound by the penalty set forth in this complaint.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Bureau of Audits at (717) 783-6190.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-884. Filed for public inspection May 18, 2001, 9:00 a.m.]

Railroad With Hearing

A-00117654. Consolidated Rail Corporation. Petition for consideration of issues surrounding a major rehabilitation project for bridge carrying State route 3019 (Park Road, AAR 592 219 J) above the tracks of Consolidated Rail Corporation in Wyomissing Borough, Berks County. Docket number issued at direction of Commission Opinion and Order of March 8, 2001, at I-00970067.

An initial hearing on this matter will be held Thursday, June 21, 2001, at 10 a.m., in available hearing room, Philadelphia State Office Building, Broad and Spring Garden Streets, Philadelphia, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-885. Filed for public inspection May 18, 2001, 9:00 a.m.]

Railroad With Hearing

A-00112831. Conrail. Application of the Department of Transportation of the Commonwealth of Pennsylvania for approval of reconstructing the Beeson Avenue bridge presently crossing multiple Conrail tracks in Marianna Borough, Washington County, and removing several inactive tracks with fill material to reduce span length and the allocation of costs and expenses incident thereto.

An initial hearing on this matter will be held Thursday, June 28, 2001, at 10 a.m., in the 11th floor hearing room, Pittsburgh State Office Building, 300 Liberty Avenue, Pittsburgh, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-886. Filed for public inspection May 18, 2001, 9:00 a.m.]

Telcommunications

A-310743F0002. Verizon Pennsylvania Inc. and Paetec Communications, Inc. Joint petition of Verizon Pennsylvania Inc. and Paetec Communications, Inc. for approval of amendment no. 3 to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Paetec Communications, Inc. filed on May 3, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Paetec Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-887. Filed for public inspection May 18, 2001, 9:00 a.m.]

Telcommunications

A-310935F0002. Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Verizon Advanced Data Inc. f/k/a Bell Atlantic Network Data, Inc. Joint Petition of Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Verizon Advanced Data Inc. f/k/a Bell Atlantic Network Data, Inc. for approval of amendment no. 1 to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Verizon Advanced Data Inc. f/k/a Bell Atlantic Network Data, Inc. filed on May 3, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 1 to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Verizon Advanced Data Inc. f/k/a Bell Atlantic Network Data, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-888. Filed for public inspection May 18, 2001, 9:00 a.m.]

Telecommunications

A-310942F0002. Verizon Pennsylvania Inc. and Urban Media of Pennsylvania, Inc. Joint petition of Verizon Pennsylvania Inc. and Urban Media of Pennsylvania, Inc. for approval of amendment no. 1 to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Urban Media of Pennsylvania, Inc. filed on May 3, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 1 to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Urban Media of Pennsylvania, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-889. Filed for public inspection May 18, 2001, 9:00 a.m.]

Water Service Without Hearing

A-212285 F0087. Pennsylvania-American Water Company. Application of Pennsylvania-American Water Company for approval of the right to offer, render, furnish or supply water service to the public in an additional portion of Newberry Township, York County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before June 4, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Pennsylvania-American Water Company.

Through and By Counsel: Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-890. Filed for public inspection May 18, 2001, 9:00 a.m.]

Water Service Without Hearing

A-212715F2000. Shangri-La Water Company. Application of Shangri-La Water Company for approval of the transfer of its assets to the Chester Water Authority, and

for the abandonment of water service by Shangri-La Water Company to the public in its Certificated Territory.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before June 4, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Shangri-La Water Company.

Through and By Counsel: Craig A. Doll, Esquire, 25 North Front Street, Second Floor, Harrisburg, PA 17101-1606.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-891. Filed for public inspection May 18, 2001, 9:00 a.m.]

Water Service Without Hearing

A-212955 F0011. Superior Water Company, Inc. Application of Superior Water Company, Inc., for approval to begin to offer, render, furnish or supply water service to the public in additional portions of New Hanover Township, Montgomery County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before June 4, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Superior Water Company, Inc.

Through and By Counsel: Louise A. Knight, Steven K. Haas, Malatesta, Hawke and McKeon, Harrisburg Energy Center, 100 North Tenth Street, P. O. Box 1778, Harrisburg, PA 17105-1778.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-892. Filed for public inspection May 18, 2001, 9:00 a.m.]

Water and Wastewater Service Without Hearing

A-210096 and A-230089. Trustees of Conneaut Lake Park, Inc. Application of Trustees of Conneaut Lake Park, Inc., for approval to begin to offer, render, furnish or supply water and wastewater service to the public in Conneaut Lake, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before June 4, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Trustees of Conneaut Lake Park, Inc.

Through: R. Gay Guthrie, 899 Grove Street, Meadville, PA 16335.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-893. Filed for public inspection May 18, 2001, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project 0128.P, Trash Removal, until 2 p.m. on Thursday, May 31, 2001. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available May 22, 2001. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 01-894. Filed for public inspection May 18, 2001, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept faxed bids for Project 0129.P, Window Cleaning of the Tioga Administration Building, Philadelphia, PA, until 2 p.m. on Thursday, May 31, 2001. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available May 22, 2001. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal employment opportunity laws and regulations.

Mandatory prebid job site meeting will be held Thursday, May 24, 2001, 10:00 a.m. at the job site, Main Conference Room, 3460 N. Delaware Avenue, Philadelphia, PA 19134.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 01-895. Filed for public inspection May 18, 2001, 9:00 a.m.]

TURNPIKE COMMISSION

Retention of an Engineering Firm

Full Depth Roadway Reconstruction Allegheny County, PA

Reference No. 1-123

The Turnpike Commission (Commission) will retain an engineering firm for the design of the Full Depth Roadway Reconstruction Project between approximate Mile-

posts 40.00 and 48.00 in Allegheny County. The selected firm will be responsible for the preliminary and final design of this project.

The engineering services required would include supplemental field surveys, cross sections evaluation of utility conflicts and potential relocations, development of erosion and sedimentation control plans and specifications, preparation of hydraulic reports for waterway approvals, preliminary and final traffic control plans, structural foundation reports, preparation of Type, Size and location and final bridge plans, preparation of preliminary and final right-of-way plans, geotechnical investigations, preparation of preliminary and final construction plans and specifications in order for the Commission to bid the total reconstruction of the roadway generally between Milepost 40.00 and 48.00. The intent is to rebuild the roadway and widen the existing 10-foot median to a width that will be based on preliminary evaluations. It is anticipated that all of the mainline structures will require widening and that all overhead structures within the project area will be evaluated for rehabilitation, replacement or elimination. An entirely new drainage system will be installed.

The successful consultant will be required to closely coordinate the activities associated with this total reconstruction with the ongoing preliminary design for the MP 31 to 40 total reconstruction, as well as, the study for the Allegheny River Bridge.

In addition, low-level photography will be available in this area to an accuracy of $\pm .05$ foot. Hard copies of the mapping and a disk will be provided to the consultant for their use. A digital terrain model in AutoCAD DWG or Microstation DGN format will also be provided. The consultant will be required to perform supplemental surveys and reestablish the existing centerline of the Turnpike. Also, cross sections will be cut and plotted from the available information. The design for this project will be performed in English Units. All plans (drawings), including cross-sections, profiles, and the like will be prepared utilizing AutoCAD DWG or Microstation DGN format. Translation of the plans from one format to the other is not acceptable.

Direct project inquiries to Bradley J. Heigel, P.E., at (717) 939-9551, extension 5591; or by e-mail at bheigel@paturndpike.com. Direct contractual questions to George M. Hatalowich at (717) 986-8737; or by e-mail at ghatalow@paturndpike.com.

The following factors will be considered by the Commission during the evaluation of the firms submitting Letters of Interest for these projects:

a. Specialized experience and technical competence of prime consultant and subconsultants. The Team must clearly demonstrate an ability to analyze available data to make decisions and develop plans to complete the project in a timely and cost effective manner.

b. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project, and the client.

c. The specific experience and number of individuals who constitute the firm.

d. Workload of the prime consultant and subconsultants for all Department of Transportation (Department) and Commission projects.

e. Other factors, if any, specific to the project.

General Requirements and Information

Firms interested in providing the previous work and services are invited to submit a Letter of Interest with the required information. The Letters of Interest must include the following:

1. One page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If the firm has multiple offices, the location of the office performing the work must be identified). In addition, identify the CADD format to be used on the Project.

2. A three page expression of interest on the advertised project. Each firm should demonstrate its ability to perform the specific requirements indicated for each project and provide explanation that the firm has successfully completed similar type projects of the same magnitude.

3. An organization chart for the Project, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultant's listed in the letter of interest will require written approval from the Commission.

4. Tabulation or listing of workloads for the prime consultant and all subconsultants for all Department and Commission projects. Do not submit the firms workload represented graphically.

5. An Annual Qualification Package similar to the one submitted to the Department for the current year that is in the same District as this project or one that is best suited for this project.

The Annual Qualification Package copy should contain at a minimum the following information for the prime consultant and all subconsultants and attached to the back of the letter of interest (subs to follow primes):

- Standard Form (SF) 254—Architect-Engineer and Related Services Questionnaire in its entirety, not more than 1 year old as of the date of the advertisement.
- Resumes of key personnel expected to be involved in the project (limit to one 8 1/2 x 11 page, one side, per person). Only resumes of key personnel should be included.
- Copy of the firm's registration to do business in this Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in this Commonwealth.
- A copy of the Department's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate letters of interest from joint venture constituents. A firm will not be permitted to submit a letter of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

The Commission is committed to the inclusion of disadvantaged, minority and woman firms in contracting opportunities. The minimum participation level for DBE/

MBE/WBEs in these contracts will be 10% each. Responding firms shall clearly identify DBE/MBE/WBE firms expected to participate in these contracts, in their letter of interest. If the selected firm does not meet the minimum requirement for DBE/MBE/WBE participation, they will be required to demonstrate good faith efforts to achieve the required level. Proposed DBE/MBE/WBE firms must be certified by the Department at the time of the submission of the letter of interest. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Contracts Administration Department, PA Turnpike Commission by calling (717) 939-9551 ext. 4241.

Firms interested in performing the previous services are invited to submit a letter of interest and required information to Barry L. Troup, P.E., Assistant Chief Engineer for Design, Turnpike Commission Administration Building, Eisenhower Boulevard and Rt. 283, Highspire, PA 17034 (Shipping address). Our mailing address is P. O. Box 67676, Harrisburg, PA 17106-7676.

The letter of interest and required information must be received by 12 p.m. (noon), Friday, June 8, 2001. Any letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable letters of interest received in response to these solicitations, one firm will be selected for this project. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Selection Committee. Technical Proposals or Requests for Proposals will not be requested prior to selection.

The Commission reserves the right to reject all letters of interest, to cancel solicitation requested under this notice and/or to re-advertise solicitation for the work and services.

BRADLEY L. MALLORY,
Chairperson

[Pa.B. Doc. No. 01-896. Filed for public inspection May 18, 2001, 9:00 a.m.]

Retention of Two Engineering Firms

[Correction]

**Two Open End Contracts
Traffic Engineering Services**

Reference No. 3-138

An error appeared in a Turnpike Commission notice published at 31 Pa.B. 2525, 2526 (May 13, 2001). The date for receipt of the letter of interest was incorrect. The correct version appears as follows with ellipses referring to the existing text of the notice:

* * * * *

The letter of interest and required information must be received by 12 p.m. (noon), Friday, June 8, 2001. Any letters of interest received after this date and time will be time-stamped and returned.

* * * * *

[Pa.B. Doc. No. 01-845. Filed for public inspection May 11, 2001, 9:00 a.m.]