

NOTICES

ATHLETIC OVERSIGHT COUNCIL

Schedule of Meetings

Notice is hereby given that the regular meetings of the Athletic Oversight Council are scheduled as follows:

June 20, 2001	9 a.m.	Heritage Room B, Lobby Level
September 20, 2001	9 a.m.	Honors Suite, First Floor
December 20, 2001	9 a.m.	Honors Suite, First Floor

Unless due and timely notice to the contrary is given, all meetings will be held in the Department of Education Building, 333 Market Street, Harrisburg, PA in the rooms previously noted.

The contact person regarding these meetings is John Weiss, Bureau of Curriculum and Academic Services, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-4865 or the PA Relay Service (800) 654-5984. Persons with disabilities needing special accommodations to attend the meetings may contact John Weiss at least 24 hours in advance of the meetings so that arrangements can be made.

JOHN WEISS,
*Bureau of Curriculum and
Academic Services*

[Pa.B. Doc. No. 01-943. Filed for public inspection June 1, 2001, 9:00 a.m.]

DELAWARE RIVER BASIN COMMISSION

Commission Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Wednesday, June 6, 2001. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission offices at 25 State Police Drive, West Trenton, NJ.

The conference among the Commissioners and staff will begin at 9:30 a.m. Topics of discussion will include: a report on the Comprehensive Plan Workshop of the Commission's Watershed Advisory Council; summaries of the PCB Model Expert Panel meeting of May 18, 2001, and the Toxics Advisory Committee meeting of May 31, 2001; a report on recent meetings of the Monitoring Advisory Committee; and an update on the Delaware Estuary Program.

The subjects of the public hearing to be held during the 1:30 p.m. business meeting include, in addition to the following dockets listed, a resolution to adopt the 2001 Water Resources Program.

The dockets scheduled for public hearing are as follows:

1. *Borough of Hampton D-74-8 CP Renewal*. A groundwater withdrawal renewal project to supply up to 6.6

million gallons (mg)/30 days of water to the applicant's public water distribution system from Wells Nos. 1 and 3 in the Kittatinny Formation and Well No. 4 in the PreCambrian Formation. The applicant requests to retain the total withdrawal limit of all wells at 6.6 mg/30 days. The project is located in Hampton Borough, Hunterdon County, NJ.

2. *Merrill Creek Owners Group D-77-110 CP (Amendment 13)*. A resolution to amend Table A (Revised) of Docket No. D-77-110 CP (Amendment 12) to include the addition of the AES Ironwood, L.L.C. facility in South Lebanon Township, Lebanon County, PA as a "Designated Unit." The AES Ironwood, L.L.C. project is a 700 MW independent power project approved via Docket D-97-45 on April 21, 1998, and the project is subject to curtailment unless its consumptive water use during Commission lower basin drought conditions can be made up by releases from storage. The Merrill Creek reservoir will provide the storage and is located in Harmony Township, Warren County, NJ.

3. *Philadelphia Suburban Water Company D-90-50 CP Renewal*. A groundwater withdrawal renewal project to supply up to 92 mg/30 days of water to the applicant's public water distribution system from existing Wells Nos. 1—10. Wells Nos. 1—6 are completed in dolomite; Wells Nos. 7—10 are completed in gneiss. No increase in allocation is proposed. The project wells are located in East Caln, West Whiteland and Upper Uwchlan Townships, Chester County, PA. Wells Nos. 3, 4, 5 and 6 are located in the Southeastern Pennsylvania Ground Water Protected Area.

4. *Audubon Water Company D-97-43 CP*. A groundwater withdrawal project to supply up to 9.3 mg/30 days of water to the applicant's distribution system from new Wells Nos. 1 and 2 and to retain the existing withdrawal limit from all wells at 42.0 mg/30 days. The project is located in Lower Providence Township, Montgomery County in the Southeastern Pennsylvania Ground Water Protected Area.

5. *City of Gloucester D-2000-20 CP*. A project to dredge the Delaware River in Water Quality Zone 4 off Jersey Avenue in Gloucester City, Gloucester County, NJ, for the construction of Proprietors Park riverwalk and marina adjacent to the existing riverfront park. The proposed floating dock marina will serve 24 boats up to 24 feet long. A fixed breakwater will be installed to protect the marina from ice and waves generated by passing ships. A 75-foot long T-shaped fishing pier also will be constructed and the existing 17-space parking lot will be expanded to accommodate 34 vehicles.

6. *Binney & Smith, Inc. D-2000-33*. A project to increase the combined total withdrawal of groundwater from 14 mg/30 days to 16 mg/30 days to continue to serve the applicant's corporate offices and manufacturing facilities from Wells Nos. 1 and 4 in the Epler Formation. Approximately 98% of the water is used for noncontact cooling and will continue to be returned to the groundwater table via existing injection Well No. 2. The project is located in Forks Township, Northampton County, PA.

7. *Montgomery County Geriatric Center D-2000-40*. A groundwater withdrawal project to supply up to 1.5 mg/30 days of water to the applicant's residential community water supply system from new Well No. 4 in the Brunswick Formation and to establish a withdrawal limit from all wells of 8 mg/30 days. The project is located in

Upper Providence Township, Montgomery County in the Southeastern Pennsylvania Ground Water Protected Area.

8. *Philadelphia Suburban Water Company D-2000-48 CP*. A groundwater withdrawal project to supply up to 8 mg/30 days of water to the applicant's public water distribution system from new Deer Run Well No. 1 and Grandstaff Wells Nos. 1 and 2 in the Anorthosite Formation and to retain the withdrawal limit from all wells at 8 mg/30 days. The project is located in Honey Brook Township, Chester County in the Southeastern Pennsylvania Ground Water Protected Area.

9. *Redpack Foods, Inc. D-2000-58*. A groundwater withdrawal project to supply up to 18 mg/30 days of water to the applicant's vegetable processing facility from new Wells Nos. 2 and 6 in the Cohansey Aquifer and to establish a withdrawal limit from all wells of 18 mg/30 days. The project is located in Lawrence Township, Cumberland County, NJ.

10. *Citizens Utilities Water Company of Pennsylvania D-2000-71 CP*. A project to transfer up to 0.33 million gallons per day (mgd) of potable water to the applicant's public water distribution system via the Rose Hills interconnection with the Western Berks Water Authority, which is located near the intersection of Firethorn Lane and State Hill Road in Sinking Spring Borough, Berks County, PA. The transfer will enable the applicant to provide an additional source of potable water to continue its service of portions of Lower Heidelberg and Spring Townships, Berks County, PA.

11. *Upper Bern Township D-2001-2 CP*. A project to construct a new 0.055 mgd sewage treatment plant (STP) to serve the Village of Shartlesville area of Upper Bern Township, Berks County, PA. The proposed STP will replace failing on-lot disposal systems and provide advanced secondary treatment via sequencing batch reactor and chemical addition processes. Treated effluent will be discharged to Wolf Creek in the Northkill Creek watershed. The project is located approximately 2,000 feet south of the intersection of Interstate 78 (U.S. Route 22) and Wolf Creek as found on the Auburn, PA USGS quad map.

12. *University of Delaware D2001-11 CP*. A groundwater withdrawal project to supply up to 3.24 mg/30 days of water to the applicant's boiler/air conditioning system (Central Utility Plant) from new Well CUP in the Columbia Aquifer. The project well is located in the White Clay Creek watershed in the City of Newark, New Castle County, DE.

13. *Municipal Authority of the Borough of Orwigsburg D-2001-14 CP*. An application to upgrade and expand a contact stabilization sewage treatment plant (STP) from 0.6 mgd to 0.9 mgd to provide high quality secondary

treatment of 0.9 mgd via a vertical loop reactor, oxidation ditch process. The project will continue to serve approximately 4,000 residents of Orwigsburg Borough, Schuylkill County, PA. The plant is located in North Manheim Township at the northwest corner of the intersection of State Highway 61 and Legislative Route 53011. STP effluent will continue to be discharged to Mahannon Creek in the Schuylkill River watershed.

In addition to the public hearing, the Commission will address the following at its 1:30 p.m. business meeting: minutes of the April 19, 2001, business meeting; announcements; report on hydrologic conditions; reports by the Executive Director and General Counsel; public dialogue; and resolutions 1) extending and modifying Resolution No. 99-23 establishing the Watershed Advisory Council, 2) extending the Commission's contract with RESOLVE, Inc. to provide facilitation services at a July meeting of the Watershed Advisory Council, 3) authorizing the Executive Director to enter into an agreement with the U.S. Army Corp of Engineers to update the basin Daily Flow Model, 4) amending Resolution No. 2000-17 to allow the Commission to provide in-kind services as partial match for section 22 funds under the Commission's contract with the U.S. Army Corps of Engineers for a Lehigh River Instream Flow Study, 5) authorizing the Executive Director to enter into an agreement with an independent laboratory for ambient surface water sampling and analysis for conventional pollutants in the nontidal lower Delaware River over a period of 3 years, 6) extending the Commission's April 1999 contract with the Northeast-Midwest Institute, 7) and providing for election of the offices of Chair, Vice Chair and Second Vice Chair for the Year 2001-2002, commencing July 1, 2001.

Documents relating to the dockets and other items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Contact Thomas L. Brand at (609) 883-9500 ext. 221 with any docket-related questions. Persons wishing to testify at this hearing are requested to register in advance with the Secretary at (609) 883-9500 ext. 203.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who wish to attend the hearing should contact the Commission Secretary, Pamela M. Bush, at (609) 883-9500 ext. 203 or through the New Jersey Relay Service at (800) 852-7899 (TTY) to discuss how the Commission may accommodate their needs.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 01-944. Filed for public inspection June 1, 2001, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending May 22, 2001.

BANKING INSTITUTIONS
Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-16-01	Reeves Bank, Beaver Falls, and First National Bank of Pennsylvania, Greensville Surviving Institution— First National Bank of Pennsylvania, Greensville	Beaver Falls	Effective

Both institutions are wholly-owned subsidiaries of F.N.B. Corporation, Hermitage.

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-17-01	Firsttrust Savings Bank Conshohocken Montgomery County	385 Oxford Valley Rd. Yardley Bucks County	Approved
5-18-01	Keystone Savings Bank Bethlehem Northampton County	3015 W. Emmaus Ave. Allentown Lehigh County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-21-01	Farmers First Bank Lititz Lancaster County	<i>To:</i> 338 Park City Ctr. Lancaster Lancaster County <i>From:</i> 735 Park City Center Lancaster Lancaster County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-945. Filed for public inspection June 1, 2001, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Retention of an Underwater Diving Consultant; Project Reference No. FDC-500-701DIV

The Department of Conservation and Natural Resources (Department) will retain underwater diving consultants for the maintenance, repair and underwater inspection of hydraulic structures for dams owned and operated by the Bureau of State Parks. It is the Department's intent to enter into two agreements, one for dams in the western and northcentral parts of this Commonwealth and one for dams in the eastern and southcentral parts of this Commonwealth. Each contract will be for a 24-month period with three 12-month extensions possible.

Letters of Interest for this project will only be accepted from individuals, firms or corporations who are certified professional divers having been trained in the inspection and evaluation of hydraulic structures.

The provisions of 25 Pa. Code §§ 105.52 and 105.53 (relating to inspections; and inspections by owners and inspection reports) detail the conditions and requirements of inspections and their corresponding reports that are to be prepared for our submission to the Department of Environmental Protection (DEP), Bureau of Waterways Engineering, Division of Dam Safety.

The services to be provided under this contract shall include, but not be limited to, the following:

1. Video inspections of intake structures, conduits, sluice gates, valves, trash racks and the like.
2. Debris removal from sluice gates, pipe conduits, trash racks and the like.
3. Installation and/or removal of stop logs.
4. Sluice gate adjustments and repairs.
5. Valve adjustments and repairs.
6. Injection grouting and crack repair.
7. Installation and/or repair of trash racks.
8. Application and repair of underwater coatings and linings.
9. Underwater inspection of bridge components.

10. Concrete repairs.

Selected firm or firms shall provide the underwater labor and work required to provide the previous services. All materials and associated shop work will be provided by others.

General Requirements

1. All divers shall be certified professional divers. All diving operations shall be performed in accordance with the latest revisions of the Association of Diving Contractors Consensus Standards for Commercial Diving Operations and the OSHA Commercial Diving Regulations (1910 OSHA Subpart T) in conjunction with the United States Navy Diving Manual.

2. The consultant dive team shall be trained and experienced in the inspection and evaluation of hydraulic structures. The dive team shall have an effective blend of diving and engineering expertise and be knowledgeable in the inspection of the structural and nonstructural components of a dam. The dive team shall be familiar with the inspection of concrete structures, sluice gates, trash racks, gate valves, concrete conduits and the like.

3. All diving to be performed will be surface-supplied air diving. Divers shall be equipped with helmets with two-way communication. Continuous two-way voice communication shall be provided between all divers and the surface crew at all times.

4. The dive consultant shall upon notification be able to respond to a site within 24 hours. In the event of an emergency, as perceived by the Department, the dive consultant may be required to mobilize onsite in a shorter period of time.

5. The underwater inspection shall be supplemented by a written report of the observations made. The inspection report shall include descriptions, locations, measurements and sketches for each inspection performed. The inspection report shall document all areas of deterioration, voids, damage and the like, discovered during the inspection. Four copies of the inspection report shall be submitted to the Department. Each dam inspection shall be submitted as a separate report.

6. The inspection report shall also include a videotape of the entire inspection to document typical conditions encountered and areas of distress. The video inspection equipment shall be equipment useful and required to view and record underwater inspections as clear pictures. Narration of the inspection shall be included on the videotape. Four copies of the videotape inspection shall be submitted along with four copies of the written inspection report for each dam. Only one dam inspection shall be included on one videotape. All tapes shall be clearly marked with the name of the dam and the date inspected on the tape casing and on the sleeve.

Each underwater consulting firm will be evaluated upon, but not limited to, the following criteria:

1. Professional qualifications, experience and technical competence of personnel proposed to perform the assignment. Evaluation will consider relevant past experience, education, training, registration, certification and longevity with the firm. Evaluation shall include familiarity with OSHA Commercial Diving Regulations and the Association of Diving Contractors Standards.

2. Record of satisfactory performance by the firm on similar assignments. This record shall establish the ability to properly manage the project in terms of costs,

quality control and performance schedules. Names and telephone numbers of references shall be included.

3. Specialized experience with specific application to dams in this Commonwealth.

State park-owned dams located in this western and northcentral Commonwealth include, but are not limited to, the following:

Bald Eagle	149 Main Park Road, Howard, PA 16841, Centre County
Black Moshannon	R.R. 1, Box 183, Philipsburg, PA 16866, Centre County
Chapman	R.R. 2, Box 1610, Clarendon, PA 16313, Warren County
Clear Creek	R.R. 1, Box 82, Sigel, PA 15860, Jefferson County
Hills Creek	R.R. 2, Box 328, Wellsboro, PA 16901, Tioga County
Kettle Creek	HCR 62, Box 96, Renovo, PA 17764, Clinton County
Keystone	R.R. 2, Box 101, Derry, PA 15627, Westmoreland County
Kooser	943 Glades Pike, Somerset, PA 15501, Somerset County
Laurel Hill	1454 Laurel Hill Park Road, Somerset, PA 15501, Somerset County
Little Pine	4205 Little Pine Creek Road, Waterville, PA 17776, Lycoming County
M. K. Goddard	684 Lake Wilhelm Road, Sandy Lake, PA 16145, Mercer County
Moraine	225 Pleasant Valley Road, Portersville, PA 16051, Butler County
Mt. Pisgah	R.R. 3, Box 362A, Troy, PA 16947, Bradford County
Parker Dam	R.R. 1, Box 165, Penfield, PA 15849, Clearfield County
Poe Valley	1405 New Lancaster Valley Road, Milroy, PA 17063, Centre County
Pymatuning	2660 Williams Field Road, Jamestown, PA 16134, Crawford County
Raccoon Creek	3000 State Route 18, Hookstown, PA 15050, Beaver County
Ryerson Station	R.R. 1, Box 77, Wind Ridge, PA 15380, Greene County
Sinnemahoning	R.R. 1, Box 172, Austin, PA 16720, Cameron County
Yellow Creek	170 Route 259 Highway, Penn Run, PA 15765, Indiana County

State park-owned dams located in the eastern and southcentral parts of this Commonwealth include, but are not limited to, the following:

Beltzville	2950 Pohopoco Drive, Lehighton, PA 18235, Carbon County
Canoe Creek	R.R. 2, Box 560, Route 22, Hollidaysburg, PA 16648, Blair County
Cowans Gap	6235 Aughwick Road, Fort Loudon, PA 17224, Fulton County
Frances Slocum	565 Mt. Olivet Road, Wyoming, PA 18644, Luzerne County

French Creek	843 Park Road, Elverson, PA 19520, Berks County
Gifford Pinchot	2200 Rosstown Road, Lewisberry, PA 17339, York County
Gouldsboro	P. O. Box 387, Tobyhanna, PA 18466, Monroe County
Hickory Run/Nescopeck	R.R. 1, Box 81, White Haven, PA 18661, Carbon County
Lackawanna	R.R. 1, Box 230, Dalton, PA 18414, Lackawanna County
Little Buffalo	R.R. 2, Box 256, Newport, PA 17074, Perry County
Locust Lake	R.R. 1, Box 1051, Barnesville, PA 18214 Schuylkill County
Marsh Creek	675 Park Road, Downingtown, PA 19335, Chester County
Memorial Lake	R.R. 1, Box 7045, Grantville, PA 17028, Lebanon County
Neshaminy	3401 State Road, Bensalem, PA 19020, Bucks County
Nockamixon	1542 Mountain View Drive, Quakertown, PA 18951, Bucks County
Pine Grove Furnace	1100 Pine Grove Road, Gardners, PA 17324, Cumberland County
Prince Galitzin	966 Marina Road, Patton, PA 16668, Cambria County
Promised Land	R.R. 1, Box 96, Greentown, PA 18426, Pike County
Ricketts Glen	R.R. 2, Box 130, Benton, PA 17814, Luzerne County
Shawnee	132 State Park Road, Schellsburg, PA 15559, Bedford County
Tobyhanna	P. O. Box 387, Tobyhanna, PA 18466, Monroe County
Tuscarora	R.R. 1, Box 1051, Barnesville, PA 18214, Schuylkill County

Commitment to Enhance Socially/Economically Restricted Businesses (SERB)

The Commonwealth strongly encourages the submission of proposals by SERBs.

To achieve the objective of enhancing SERB participation, the Commonwealth has established SERB utilization as a selection criteria in the evaluation process.

The Bureau of Contract Administration and Business Development (BCABD), Department of General Services (DGS), will evaluate the aforementioned criteria and will assign a point value to be considered within the overall RFP total point tabulation.

Proposers not considered to be socially/economically restricted businesses seeking to identify the businesses for joint venture and subcontracting opportunities are encouraged to contact Department of General Services, Office of Minority and Women Business Enterprises, Room 502, North Office Building, Harrisburg, PA 17125, (717) 787-7380.

Proposals submitted by individuals claiming SERB status or proposals submitted by individuals reflecting joint venture and subcontracting opportunities with SERBs must submit documentation verifying their claim.

SERBs are businesses whose economic growth and development has been restricted based on social and economic bias. Such businesses are BCABD certified minority- and women-owned businesses and certain restricted businesses whose development has been impeded because their primary or headquarter facility is physically located in an area designated by the Commonwealth as being in an enterprise zone. Businesses will not be considered socially/economically restricted if one of the conditions listed below exists:

1. The business has gross revenues exceeding \$4 million annually, or
2. The concentration of an industry is such that more than 50% of the market is controlled by the same type of SERB (Minority Business Enterprise (MBE) Women Business Enterprise (WBE)) or businesses within designated enterprise zones.

Proposers not considered to be socially/economically restricted businesses seeking to identify such businesses for joint venture and subcontracting opportunities are encouraged to contact the Department of General Services, Bureau of Contract Administration and Business Development, Room 502, North Office Building, Harrisburg, PA 17125, (717) 787-7380, fax: (717) 787-7052, www.dgs.state.pa.us

SERB Information

SERBs are encouraged to participate as prime proposers. SERBs qualifying as an MBE/WBE must provide their BCABD certification number. SERBs qualifying as a result of being located in a designated enterprise zone must provide proof of this status.

Proposers not considered to be SERBs must describe, in narrative form, their company's approach to enhance SERB utilization on a professional level in the implementation of this proposal.

The following options will be considered as part of the final criteria for selection:

- Priority Rank 1—Proposals submitted by SERBs.
- Priority Rank 2—Proposals submitted from a joint venture with a Commonwealth-approved SERB as a joint venture partner.
- Priority Rank 3—Proposals submitted with subcontracting commitments to SERBs.

Each proposal will be rated for its approach to enhancing the utilization of SERB. The optional approach used will be evaluated with Option Number 1 receiving the greatest value and the succeeding options receiving a value in accordance with the previously listed priority ranking.

The percent designated for SERB commitment should be placed in a separate sealed envelope and stapled to the SERB section of the proposal. The selected contractor's SERB commitment amount will be included as a contractual obligation when a contract is entered into. One copy of the SERB information shall be submitted in a separate sealed envelope, clearly marked. Said information will be evaluated by DGS.

General Requirements and Information

Firms interested in performing the required services for this project are invited to submit Letters of Interest to Eugene J. Comoss, P.E., Director, Bureau of Facility Design and Construction, Rachel Carson State Office Building, 8th Floor, 400 Market Street, P. O. Box 8451, Harrisburg, PA 17105-8451. Additional information con-

cerning the services described in this notice may be obtained by contacting Edward E. Raptosh, Senior Civil Engineer Hydraulic, Bureau of Facility Design and Construction, (717) 783-3329.

Each Letter of Interest must include the firm's Federal identification number and the project reference number. The Letter of Interest shall also include a description of the firm's three most recently completed projects similar to the project being proposed. The description shall include the client, contact person, telephone number, the estimated or actual cost of the portion of the work which the firm was involved with, the project manager and the names of all personnel who made major contributions to the project.

A standard new 1999 DGS Form 150-ASP must accompany the Letter of Interest and shall indicate the individual in charge. Forms may be obtained by calling (717) 787-4892 or by visiting the DGS website at www.dgs.state.pa.us/forms.htm#purch. Additional information pertinent to the firm's qualifications to do the work of this contract may be included.

General Requirements

Direct costs other than payroll, such as travel and subsistence, shall be based on the current State rates. Miscellaneous expenses such as copies, prints, sepias, postage and film shall be reimbursed at cost upon approval by the Department.

The following factors will be considered during the evaluation of the firm's Letter of Interest:

- Criteria evaluated by the Technical Review will include:

A. Professional's understanding of the problem as demonstrated in Letter of Interest and as stated in their own interpretation of the tasks to be performed.

- B. Qualifications of firm.
- C. Professional personnel in firm
- D. Soundness of approach as demonstrated in Letter of Interest.
- E. Available manpower to perform the services required.
- F. SERB participation (evaluated by DGS).
- G. Equitable distribution of the contracts.
- H. Geographic proximity to proposed work areas.

Each proposer shall relate their proposal to the previous criteria.

Six copies of the Letter of Interest and the required forms and also one copy of the SERB information must be received no later than 4 p.m. on June 29, 2001. The six copies shall be submitted in six complete sets that shall be spiral bound or in folders or secured by binder clips. The assignment and services will be made to one of the firms responding to this notice. However, the Department reserves the right to reject all Letters of Interest submitted, cancel the solicitation requested under this notice and/or readvertise solicitation for this service.

The Department will not offer a debriefing session to the unsuccessful firms. The Department disclaims any liability whatsoever to its review of the proposal submitted and in formulating a recommendation for selections. Recommendations made by the Department shall be final.

JOHN C. OLIVER,
Secretary

[Pa.B. Doc. No. 01-946. Filed for public inspection June 1, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and the Pennsylvania Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. All Oil and Gas Related permit applications are listed under Section III. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will

be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0025437	North Coventry Municipal Authority P. O. Box 0833 Pottstown, PA 19464-0833	Chester County North Coventry Township	Schuylkill River	Renewal
PA0031747	Glen Mills School Glen Mills Road Concordville, PA 19331	Delaware County Thornbury Township	East Branch Chester Creek	Renewal

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0060054	Pocono Associates, L.P. 42 Woodland Road Mount Pocono, PA 18344-9703	Monroe County Paradise Township	Forest Hills Run (1E)	Yes

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0070050	Reading Alloys, Inc. P. O. Box 53 Robesonia, PA 19551-0053	Berks County Heidelberg Township	UNT Spring Creek/ 3-C	Yes
PA0012998	Atlas Minerals & Chemicals Inc. 1227 Valley Road, P. O. Box 38 Mertztown, PA 19539-0038	Berks County Longswamp Township	Toad Creek/2-C	Yes
PA0084603	Fairmount Homes 219 Cats Back Road Ephrata, PA 17522	Lancaster County West Earl Township	Conestoga River/ 7-J	Yes
PA0080438	Northern Lancaster County Authority 983 Beam Road Denver, PA 17517-0983	Lancaster County Brecknock Township	Muddy Creek/7-J	Yes
PA0083771	Turkey Hill Dairy, Inc. 2601 River Road Conestoga, PA 17516-9630	Lancaster County Manor Township	Mann's Run/7-J	Yes

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0228125	PPL Generation LLC Two North Ninth St. Allentown, PA 18101-1179	Snyder County Shamokin Dam Borough	Unnamed tributary to Susquehanna River 6A	Renewal Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0209350	Delmar Township Supervisors R. R. 5 Box 70A Wellsboro, PA 16901-9111	Tioga County Delmar Township	Heise Run 9A	Renewal Yes

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0000124, Industrial Waste. **International Paper Company—Erie Mill**, 1540 East Lake Road, Erie, PA 16533.

This proposed facility is located in the City of Erie, **Erie County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge non-contact cooling water.

The receiving stream, Presque Isle Bay and Outer Erie Harbor, is in watershed 15 and classified for: warm water fishery, aquatic life, water supply and recreation. There is no potable water supply affected by this discharge.

The proposed effluent limits for Outfall 006 based on a design flow of 7.2 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature				110°F	
Total Residual Chlorine			0.5		1.6
Stormwater				See Part C, Condition No. 4	
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 007 based on a design flow of 12.2 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature				110°F	
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 010 based on a design flow of 0.9 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature				110°F	
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 012 based on a design flow of 0.15 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature				110°F	
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 013 based on a design flow of 0.007 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature				110°F	
Total Residual Chlorine			0.5		1.2
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 014 based on a design flow of 0.11 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature				110°F	
Total Residual Chlorine			0.5		1.6
Stormwater				See Part C, Condition No. 4	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 015 based on a design flow of 0.003 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Temperature				110°F	
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 017 based on a design flow of 3.0 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			30	60	
Iron (total)			2	4	
Aluminum (total)			4	8	
Manganese (total)			1	2	
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 018 based on a design flow of 2.21 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The EPA Waiver is in effect.

PA0038814, Sewage. **Ellport Borough Sewer Authority**, 313 Burns Avenue, Ellwood City, PA 16177.

This proposed facility is located in Ellport Township, **Lawrence County**.

Description of Proposed Activity: a renewal for a treated sewage discharge to increase discharge flows.

The receiving stream, Connoquenessing Creek, is in watershed 20-C and classified for: warm water fishes, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is the Beaver Falls Municipal Authority intake on the Beaver River located at Eastvale, approximately 11 miles below point of discharge.

The proposed interim effluent limits for Outfall 001 are based on a design flow 0.356 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₅ -N (5-1 to 10-31)	22		44
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 100,000/100 ml as a geometric average	
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

PA0104175, Industrial Waste. **National Fuel Gas Supply Corporation—Lamont Compressor Station**, P. O. Box 2081, Erie, PA 16512.

This proposed facility is located in Jones Township, **Elk County**.

Description of Proposed Activity: discharge of noncontact cooling water.

The receiving stream, Hoffman Run, is in watershed 17-A and classified for: high quality-cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Western PA Water Company on the Clarion River located at Clarion, approximately 36 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.016 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	XX				
Oil and Grease			15		30
(*) Temperature			Daily	Average	
January 1-31				38	
February 1-29				37	
March 1-31				49	
April 1-15				54	
April 16-30				56	
May 1-15				57	
May 16-31				61	
June 1-15				64	
June 16-30				68	
July 1-31				72	
August 1-15				71	
August 16-31				71	
September 1-15				66	
September 16-30				60	
October 1-15				57	
October 16-31				53	
November 1-15				46	
November 16-30				41	
December 1-31				37	
pH	Within limits of 6.0 to 9.0 standard units at all times.				

XX—Monitor and report on monthly DMRs.

In addition to the effluent limits, the permit contains the following major special conditions.

The EPA Waiver is in effect.

PA0221996, Sewage. **North Brook Homeowners Association**, 103 McDonnell Lane, Butler, PA 16001.

This proposed facility is located in Middlesex Township, **Butler County**.

Description of Proposed Activity: a renewal for a treated sewage discharge.

The receiving stream, unnamed tributary to Glade Run, is in watershed 20-C and classified for: warm water fishes, water supply, recreation.

The proposed effluent limits for Outfall 001 are based on a design flow 0.00200 MGD.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	1.7		3.4
(11-1 to 4-30)	5.1		10.2
Phosphorus			
(4-1 to 10-31)	2		4
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
Dissolved Oxygen		Minimum of 5 mg/l at all times	
Total Residual Chlorine	0.3		0.6
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0054917, Sewage, **Uwchlan Township**, 715 North Ship Road, Exton, PA 19341-1940.

This application is for renewal of an NPDES permit to discharge treated sewage from Uwchlan Township's Eagleview wastewater treatment plant in Uwchlan Township, **Chester County**. This is an existing discharge to Shamona Creek via wetlands.

The receiving stream is classified for the following uses: high quality trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.15 MGD (before expansion of STP) and 0.475 MGD (after completion of plant expansion) are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	7.0	10.5	14.0
(11-1 to 4-30)	14.0	21.0	28.0
Suspended Solids	20	30	40
Ammonia (as N) (5-1 to 10-31)	1.0		2.0
(11-1 to 4-30)	3.0		6.0
Phosphorus (as P)	1.0		2.0
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	Minimum of 6.0 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		
Total Residual Chlorine (Issuance to completion of plant expansion)	0.06		0.2

Other Conditions:

The EPA Waiver is in effect.

Conditions for future permit modification.

Effective disinfection.

Use UV disinfection system in expanded plant.

No. PA0025488, Sewage, **Borough of Avondale**, 110 Pomeroy Street, P. O. Box 247, Avondale, PA 19311.

This application is for renewal of an NPDES permit to discharge treated sewage from an existing Avondale Borough sewage treatment plant in Avondale Borough, **Chester County**. This is an existing discharge to unnamed tributary to East Branch White Clay Creek.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.3 mgd from issuance of the permit through plant expansion and upgrade are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Phosphorus (as P)	2.0		4.0
Total Residual Chlorine	0.5		1.17
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	Minimum of 2 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		

*Daily Maximum
(mg/l)*

Acrolein	0.0040	0.008	0.0100
Acrylonitrile	0.0012	0.0024	0.0030
Carbon Tetrachloride	0.0053	0.0106	0.0132
4,4'-DDD	0.000004	0.000008	0.00001
Diazinon	0.00091	0.00182	0.00227
Malathion	0.00224	0.00448	0.00560
Silver, Total	Monitor	Monitor	Monitor

The proposed effluent limits for Outfall 001, based on an average flow of 0.5 mgd from completion of plant expansion and upgrade through expiration are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	15	23	30
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Ammonia (as N) (5-1 to 10-31)	1.2		2.4
(11-1 to 4-30)	3.6		7.2
Phosphorus (as P)	2.0		4.0
Total Residual Chlorine	0.4		0.8
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	Minimum of 3 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		
		<i>Maximum Daily (mg/l)</i>	
Acrolein	0.0030	0.0060	0.0075
Acrylonitrile	0.0010	0.0020	0.0025
Carbon Tetrachloride	0.0033	0.0066	0.0082
4,4'-DDD	0.000003	0.000006	0.000007
Diazinon	0.00064	0.00128	0.00160
Malathion	0.00156	0.00312	0.00390
Silver, Total	Monitor	Monitor	Monitor

The EPA Waiver is not in effect.

Special Test Methods for certain pollutants.

PA0028584, Sewage, **West Goshen Sewer Authority**, 848 South Concord Road, West Chester, PA 19380.

This application is for renewal of the NPDES Permit to discharge treated sewage from West Goshen Sewer Authority sewage treatment plant in West Goshen Township, **Chester County**. This is an existing discharge to Chester Creek (Goose Creek).

The receiving stream is classified for: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfalls 001 and 002, based on an annual average flow of 6.0 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	15	23	30
(11-1 to 4-30)	25	38	50
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	2	—	4
(11-1 to 4-30)	6	—	12
Total Residual Chlorine	0.02		0.06
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	Minimum of 5 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		
Phosphorus as P (4-1 to 10-31)	2.0		4.0
Copper, Total	Monitor		Monitor
Lead, Total	Monitor		Monitor
BIS (2-Ethyl Hexyl) Phthalate	Monitor		Monitor

The EPA Waiver is not in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Application No. PA 0026263, SIC Code 4952, Sewage, **York City Sewer Authority**, c/o Blakey, Yost, Bupp & Schaumann, 17 East Market Street, York, PA 17401.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Codorus Creek in Watershed 7-H, in Manchester Township, **York County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Wrightsville Water Supply Co. located in York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 16 MGD (at peak hour plant flow) are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH			From 6.0 to 9.0 inclusive	
Dissolved Oxygen			Minimum of 5.0 at all times	
Total Residual Chlorine	0.5	XXX	XXX	1.6

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	45	XXX	60
CBOD ₅				
(5-1 to 10-31)	15	22	XXX	30
(11-1 to 4-30)	20	30	XXX	40
NH ₃ -N				
(5-1 to 10-31)	1.7	XXX	XXX	3.4
(11-1 to 4-30)	2.1	XXX	XXX	4.2
Total Phosphorus	2.0	XXX	XXX	4.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	2,000/100 ml as a geometric average			

The proposed effluent limits for Outfall 002 for a design flow of 26 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		From 6.0 to 9.0 inclusive		
Dissolved Oxygen		Minimum of 5.0 at all times		
Total Suspended Solids	30	45	XXX	60
CBOD ₅				
(5-1 to 10-31)	15	22	XXX	30
(11-1 to 4-30)	20	30	XXX	40
NH ₃ -N				
(5-1 to 10-31)	1.7	XXX	XXX	3.4
(11-1 to 4-30)	2.1	XXX	XXX	4.2
Total Phosphorus	2.0	XXX	XXX	4.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	2,000/100 ml as a geometric average			
Oil and Grease	XXX	XXX	Monitor & Report	XXX
Total Nitrogen	XXX	XXX	Monitor & Report	XXX

Individuals make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0026808, SIC Code 4952, Sewage, **Springettsbury Township**, 3501 North Sherman Street, York, PA 17402.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Codorus Creek in Watershed 7-H, Springettsbury Township, **York County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Wrightsville Water Supply Company located in York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 15 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	—	50
Total Suspended Solids	30	45	—	60
NH ₃ -N				
(5-1 to 10-31)	2.0	—	—	4.0
(11-1 to 4-30)	3.0	—	—	6.0
Total Phosphorus	2.0	—	—	4.0
Total Residual Chlorine	0.33	—	—	1.07
Free Cyanide	—	—	Monitor & Report	—
Total Nitrogen	—	—	Monitor & Report	—
Dissolved Oxygen		Minimum of 5.0 at all times		
pH		From 6.0 to 9.0 inclusive		
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	2,000/100 ml as a geometric average			

Individuals make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PAR123513, CAFO, **Franklin Hog Farm**, Dry Run Farm, Ting-Kwang Chiou, 312 Hammon Place, Silver Spring, MD 20904.

This proposed facility is located in Peters Township, **Franklin County**.

Description of Proposed Activity: An existing farrow to feeder operation with a Total Average 1310.85 AEUs/ Swine Farm.

The receiving stream, Dry Run, is in the State water plant watershed 13-C and is classified for: CWF, MF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAR123514, CAFO, **Franklin Hog Farm**, Timber Ridge Farm, Ting-Kwang Chiou, 312 Hammonton Place, Silver Spring, MD 20904.

This proposed facility is located in Belfast Township, **Fulton County**.

Description of Proposed Activity: An existing finishing operation with a Total Average AEUs/1276 Swine Farm.

The receiving stream, Tonoloway Creek is in the State Water Plan watershed 13-B and is classified for: WWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA # PA0112127, Industrial Waste SIC 0921, **Fish and Boat Commission**, 1601 Elmerton Avenue, P. O. Box 67000, Harrisburg, PA 17106-7000.

Facility Address: Fish and Boat Commission, Tylersville Fish Culture Station, R. R. 2, Box 173, Loganton, PA 17747-9734.

This proposed facility is located in Logan Township, **Clinton County**.

Description of Proposed Activity: This proposed action is for reissuance of an NPDES permit for an existing discharge from the fish culture station to Fishing Creek.

The receiving stream, Fishing Creek, is in the State Water Plan watershed 9C and is classified for: High Quality—Cold.

The proposed effluent limits for Outfall 001 are based on a design flow of See Below.

Flow	GPM (MGD)
January	6000 (8.63)
February	6000 (8.63)
March	6000 (8.63)
April	6000 (8.63)
May	6000 (8.63)
June	4000 (5.75)
July	4000 (5.75)
August	4000 (5.75)
September	4000 (5.75)
October	4500 (6.47)
November	5000 (7.2)
December	6000 (8.63)

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum ²
CBOD ₅					
January	290		4	8	10
February	290		4	8	10
March	290		4	8	10
April	290		4	8	10
May	290		4	8	10
June	190		4	8	10
July	190		4	8	10
August	190		4	8	10
September	190		4	8	10
October	270		5	10	13
November	300		5	10	13
December	360		5	10	13

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum ²
Total Suspended Solids					
January	430		6	12	15
February	430		6	12	15
March	430		6	12	15
April	430		6	12	15
May	430		6	12	15
June	290		6	12	15
July	290		6	12	15
August	290		6	12	15
September	290		6	12	15
October	430		8	16	20
November	480		8	16	20
December	580		8	16	20
Total Soluble Phosphorus			0.3	0.6	0.75
pH (Std. Units)		Within the range 6.0 to 9.0			
Dissolved Oxygen			M & R		
N-NH ₃			M & R		
Formaldehyde*			0.43	1.07	1.1
Terramycin**			M & R		
Chloramine T**		M & R			
Hydrogen Peroxide**		NONDETECT			NONDETECT

In addition to the effluent limits, the permit contains the following major special conditions.

*Formaldehyde limit effective 18 months after permit effective date. Until then monitor and report (M&R). Sampling must be performed when therapeutic applications are being conducted on the raceways. This sampling shall occur to capture the maximum concentration of the application with regards to the retention time through the raceways and detention pond prior to release at outfall 001.

**Conduct WETT testing to determine safe effluent level. Until then monitor and report (M & R).

Other Conditions:

1. Regular removal of solids from settling chamber.
2. Restriction on peak biomass—262,000 pounds of fish.
3. Whole effluent toxicity testing for therapeutic chemicals.
4. Stream bioassessment monitoring requirement.

The EPA waiver is in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0203831, Sewage, **Larry J. and Candace R. Youngblood**, R. R. 2, Box 2359-3, Wampum, PA 16157-9318.

This application is for Renewal and Transfer of an NPDES permit to discharge treated sewage from Riverside Primary Center STP in North Sewickley Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary to Thompson Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Beaver Falls M.A. Eastvale Plant.

Outfall 001: existing discharge, design flow of 0.0064 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric mean 2,000/100 ml as a geometric mean		
Total Residual Chlorine	1.4		3.3	
pH		not less than 6.0 nor greater than 9.0		

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238538, Sewage. **Patricia and Robert Tuznik**, 9028 South Creek Road, Girard, PA 16417.

This proposed facility is located in Girard Township, **Erie County**.

Description of Proposed Activity: SFTF for discharge of treated sewage from a single residence and a kennel.

The receiving stream, unnamed tributary of Elk Creek, is in Lake Erie watershed and classified for: cold water and migratory fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0008 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N	30		60
Total Residual Chlorine	1.4		3.3
Phosphorus as "P"	1.0		
Fecal Coliform		200/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

**WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE
WASTEWATER
APPLICATIONS UNDER THE PENNSYLVANIA
CLEAN STREAMS LAW
PART II PERMITS**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department). The applications are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permit applications.

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted above the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Municipal and Industrial Permit Applications under the Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. 0501402, Sewage, **Zane Weicht**, 1179 N. Milk & Water Roads, Everett, PA 15537.

This proposed facility is located in West Providence Township, **Bedford County**.

Description of Proposed Action/Activity: Construction of a small flow sewage treatment system to serve their single-family residence.

NPDES Permit No. 6701405, Sewage, **Kenneth P. and Tina A. Runkle**, 3041 East Prospect Road, York, PA 17402-9506.

This proposed facility is located in Chanceford Township, **York County**.

Description of Proposed Action/Activity: Construction of a small flow sewage treatment system to serve their single-family residence.

NPDES Permit No. 0596408, amendment #1, Sewage, **Chestnut Ridge Area Joint Municipal Authority**, 320 Lane Metal Road, New Paris, PA 15554.

This proposed facility is located in East St. Clair, **Bedford County**.

Description of Proposed Action/Activity: Construction of a third treatment unit at their existing wastewater treatment plant.

NPDES Permit No. 3674409 01-1, Sewage, **Northern Lancaster County Authority**, 983 Beam Road, Denver, PA 17517.

This proposed facility is located in Brecknock Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization for construction/modification of a Sewage Treatment Plant.

WQM Permit No. 0101404, Sewerage, **Hamilton Township Board of Supervisors**, 272 Mummerts Church Road, Abbottstown, PA 17301.

This proposed facility is located in Hamilton Township, **Adams County**.

Description of Proposed Action/Activity: Sanitary Sewer extension comprised of 20,000 linear feet of 8" and 10" gravity sewer, 10,000 linear feet of 4", 6" and 8" forcemain and three pump stations.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit 0801401. Sewerage. **Canton Borough Authority**, P. O. Box 237, Canton, PA 17724.

This proposed facility is located in Canton Borough, **Bradford County**.

Description of Proposed Action/Activity: The Canton Borough Authority is pursuing the rerating of the Treatment capacity of their existing wastewater treatment plant, according to the engineering report completed by Hunt Engineers. The Application was received at the Northcentral Regional Office on May 10, 2001.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0201407. Sewerage, **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237. Application for the construction and operation of a sewage pumping station to serve the Fish Run #2 Service Area located in Franklin Park Borough, **Allegheny County**.

Application No. 6301403. Sewerage, **Bessie Hazelbaker**, 533 California Drive, Coal Center, PA 15423. Application for the construction and operation of a small flow sewage treatment facility to serve the Hazelbaker Residence located in West Pike Run Township, **Washington County**.

Application No. 6501409. Sewerage, **John M & Gina L. Franolich**, R. R. 1 Box 14A, Volk Road, Irwin, PA 15642. Application for the construction and operation of a small flow sewage treatment facility to serve the Franolich Residence located in Sewickley Township, **Westmoreland County**.

Application No. 6579402-A1. Sewerage, **Hempfield Suburban MHC LLC**, 9073 Nemo Street, West Hollywood, CA 90069. Application for the modification and operation of the Wastewater Treatment Plant to serve the Suburban Acres MHP located in Hempfield Township, **Westmoreland County**.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1001201. Industrial Waste, **Borough of Zelienople**, Municipal Building, 111 West New Castle Street, Zelienople, PA 16063.

This proposed facility is located in Zelienople Borough, **Butler County**.

Description of Proposed Action/Activity: This project is for the installation of a temporary reverse osmosis system.

WQM Permit No. 1601402. Sewerage, **Borough of New Bethlehem**, 210 Lafayette Street, New Bethlehem, PA 16242.

This proposed facility is located in New Bethlehem Borough, **Clarion County**.

Description of Proposed Action/Activity: This project is for the construction of a new sanitary sewer system in the area north of Broad Street and west of Leisure Run.

WQM Permit No. 4201402. Sewerage, **Borough of Kane Authority**, 112 Bayard Street, P. O. Box 79, Kane, PA 16735.

This proposed facility is located in Kane Borough, **McKean County**.

Description of Proposed Action/Activity: This project is for the construction of CSO related by-pass facilities at the Pine Street wastewater treatment plant.

WQM Permit No. 4201403. Sewerage, **Robert Daggett**, 12 Hedgehog Hollow, Bradford, PA 16701.

This proposed facility is located in Bradford Township, **McKean County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a common ground infiltration trench disposal system to serve two homes.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lackawanna County Conservation District: 1300 Old Plank Road, Mayfield, PA 18433, (570) 281-9495.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10N031	C. J. Mustacchio 208 Grant St. Olyphant, PA 18447-1412	Lackawanna County Olyphant Borough Dickson City Borough	Lackawanna River HQ

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit PAS102703, Stormwater. **Pennsylvania General Energy Corp.**, 208 Liberty Street, Warren, PA 16365 has applied to discharge stormwater associated with a construction activity located in Kingsley and Jenks Townships, **Forest County** to Salmon Creek (HQ-CWF).

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 3901504, Public Water Supply.

Applicant	New Smithfield Truck Stop
Township or Borough	Weisenberg Township, Lehigh County
Responsible Official	Neil Bortz, Manager
Type of Facility	Truck Stop/Service Sta. TNCPWS
Consulting Engineer	Michael Krasley, P.E. 2126 Allen St. Allentown, PA 18104
Application Received Date	May 16, 2001
Description of Action	MTBE Removal System

Permit No. 4501502, Public Water Supply.

Applicant	Aventis Pasteur, Inc.
Township or Borough	Pocono Township
Responsible Official	Bruce Kilby Discovery Drive Swiftwater, PA 18370
Type of Facility	Public Water Supply
Consulting Engineer	David Horton, P.E. URS Corporation 2325 Maryland Road Willow Grove, PA
Application Received Date	May 15, 2001
Description of Action	Install a new potable water/fire water supply system at the Aventis Pasteur Inc. Swiftwater, PA facility. The water supply system will include three existing and two new water supply wells. Water treatment will consist of filtration, aeration and disinfection with sodium hypochlorite. Treated water will be dosed with zinc polyphosphate for corrosion control. pH adjustment with caustic will be available if needed. Stormwater from improved areas will be managed by swales and culverts detained in a newly constructed stormwater detention pond.

Permit No. 5401505, Public Water Supply.

Applicant	Hegins Township Water Authority
Township or Borough	Hegins and Hubley Townships
Responsible Official	Demetrius Kasmari
Type of Facility	Public Water Supply
Consulting Engineer	Alfred Benesch & Co. 400 One Norwegian Plaza P. O. Box 1090 Pottsville, PA 17901
Application Received Date	May 9, 2001
Description of Action	Waterline extensions, rehabilitation of finished water storage tank, development of well #6, hydrant replacement, service line replacement and installation of SCADA system

Permit No. 6401502, Public Water Supply.

Applicant	Himalayan Institute
Township or Borough	Dyberry Township
Responsible Official	Suzanne Grady Secretary, Board of Directors
Type of Facility	Community Water System
Consulting Engineer	Michael J. Propst, P.E. Keystone Consulting & Associates, LLC 34 Brown Street Honesdale, PA 18431 (570) 251-8315
Application Received Date	May 18, 2001
Description of Action	The application proposes construction of a 10,000-gallon atmospheric storage tank and a duplex booster pump station at Well No. 1.

MINOR AMENDMENT**Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. N/A, Minor Amendment.

Applicant	MC Resource Development Company
Township or Borough	East Brunswick/West Penn Townships, Schuylkill County
Responsible Official	Neil C. Minnig
Type of Facility	Bulk Water Hauling
Consulting Engineer	Kenneth M. Justice, P.E.
Application Received Date	May 9, 2001
Description of Action	A modification to a construction permit for a bulk water hauling facility. The deletion of filtration and finished water storage and the resizing and extension of a transmission line to the load out station.

RESIDUAL WASTE GENERAL PERMITS

Application for Permit Modification under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR065. Bethlehem Steel Corporation, 1170 Eighth Avenue, Bethlehem, PA 18106-7699. General Permit Number WMGR065 for beneficial use, in the Northeast Region, of various wastes from steelmaking and foundry operations taken from a remediation site owned by the permittee as construction fill at an adjacent Act 2 remediation site, also owned by the permittee. Only beneficial use of the following types of residual wastes was authorized under General Permit Number WMGR065: refractories, foundry sands, slags, air emission control solids and the media associated with their excavation. General Permit Number WMGR065 was issued on November 29, 2000. The application was received from Bethlehem Steel Corporation by Central Office on April 30, 2001, for major modification of General Permit Number WMGR065 to include beneficial use of manganese dioxide ore, chromium oxide ore and excavated fill material.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in obtaining more information about the general permit application may contact the Division of Municipal and Residual Waste at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for Determination of Applicability received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR002D004. Earth Products, Inc., 289 Cornish Road, Lake Lynn, PA 15451. Description: the beneficial use of wastewater treatment sludge generated by paper mills as soil additive to establish or reestablish agricultural productivity

on disturbed land; establish herbaceous wildlife habitat; facilitate revegetation on disturbed land at permitted and abandoned mines sites. The application for determination of applicability was received by the Division of Municipal and Residual Waste on May 7, 2001.

Persons interested in obtaining more information about the general permit application may contact the Division of Municipal and Residual Waste, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit Application No. 101413. McCusker & Sons Paper Salvage, 725 E. 4th Street, Chester, PA 19013. This application was received for a reissuance from McCusker & Sons Paper Salvage to Republic Services of Pennsylvania, LLC. Facility located in the City of Chester, **Delaware County**. The application was received in the Southeast Regional Office on May 15, 2001.

Application Permit No. 100973. Republic Services of Pennsylvania, LLC (dba Quickway Transfer Station), 2900 Orthodox Street, Philadelphia, PA 19137. This application was received for a reissuance from Republic Services Group of Pennsylvania II, LLC to Republic Services of Pennsylvania, LLC. Facility located in the City of Philadelphia, **Philadelphia County**. The application was received in the Southeast Regional Office on May 15, 2001.

Application Permit No. 101468. Republic Services of PA, LLC (dba Girard Point Transfer Station), 3600 S. 26th Street, Philadelphia, PA 19145. This application was received for a reissuance from Republic Services Group of Pennsylvania I, LLC to Republic Services of Pennsylvania, LLC. Facility located in the City of Philadelphia, **Philadelphia County**. The application was received in the Southeast Regional Office on May 15, 2001.

Application Permit No. 300852. Flagg Brass Residual Waste Landfill, 1020 West High Street, Stowe, PA 19464. This application was received for a modification to the closure plan for the Flagg Brass Residual Waste Landfill. The application was received in the Southeast Regional Office on May 15, 2001.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit Application No. 101600. Waste Reduction and Recycling Center, 2100 Sans Souci Parkway, Wilkes-Barre, PA 18702. A major permit modification for an increase of the daily tonnage from 150 tons per day to 200 tons per day for this municipal waste processing facility located in Hanover Township, **Luzerne County**. The application was found to be administratively complete in the Regional Office on May 8, 2001.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 100934. IESI Pa. Blue Ridge Landfill Corp., P. O. Box 399, Scotland, PA 17254, Greene Township, **Franklin County**. Previously incorrectly published as administratively complete on February 9, 2001. The application was administratively complete by the Southcentral Regional Office on May 16, 2001.

Comments concerning the application should be directed to Keith Kerns, Program Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Southcentral Regional Office, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 101217. Casella Waste Management of Pa., Inc. for Wellsboro Area Transfer Facility, Delmar Township, **Tioga County**. Application for permit modification to increase tonnage of waste received, receive residual waste and other operational changes. The application was accepted as a complete application by the Williamsport Regional Office on May 15, 2001.

Comments concerning the application should be directed to John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Persons interested in obtaining more information about the general permit application may contact the Williamsport Office at (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice and must file protests or comments on a

Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

Applications Received and Intent to Issue Operating Permits Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

63-00901: Allegheny Millwork (104 Commerce Blvd., P. O. Box 493, Lawrence, PA 15055) for installation of Spray Booths at Cecil Township Plant in Cecil Township, **Washington County**.

03-00147: Asbury Graphite Mills, Inc. (R. D. 7, Box 1, Kittanning, PA 16201) for installation of a Double Roll Crusher at Kittanning Division in North Buffalo Township, **Armstrong County**.

03-00206: Rosebud Mining Co. (R. D. 9, Box 379-A, Kittanning, PA 16201) for operation of Coal Processing/Stockpiling at Tracy Lynne Mine in Kiskiminetas Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

43-00317: Allegheny Asphalt/Lindy Paving Co.—Mercer Plant (R. D. 3, Box 2A, Northgate Industrial Park, New Castle, PA 16103) for a Synthetic Minor Operating Permit for operation of the facility's air contamination sources consisting of a 400 tph drum mix hot asphalt plant in Wolf Creek Township, **Mercer County**.

25-00456: Keystone Foundry Division (944 West 12th Street, Erie, PA 16501) for a Natural Minor Operating Permit for operation of a non-ferrous foundry in Erie, **Erie County**.

PLAN APPROVALS

Applications Received for Plan Approvals Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, James Parette, Acting New Source Review Chief, (570) 826-2531.

40-320-014: Quebecor World Printing USA Corp. (Route 924, Humboldt Industrial Park, R. R. 1, Box 409Z, Hazleton, PA 18201) for modification of Bindery Lines 1 and 2 air cleaning device in Hazleton, **Luzerne County**.

45-318-030A: Custom Designs and Manufacturing Co., Inc. (P. O. Box 216, Route 940 and Harvest Lane, Pocono Summit, PA 18346) for construction of a robotic paint spray operation in Tobyhanna Township, **Monroe County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

07-03041A: Tyrone Synfuels, LP (160 Quality Center Road, Homer City, PA 15748) to modify the operation of the existing fuel production facility by allowing the coal processing rate to exceed 200 tons per day, at the Tyrone Division, in Snyder Township, **Blair County**. This source is subject to 40 CFR Part 60, Subpart Y—Standards of Performance for Coal Preparation Plants.

07-05001E: Appleton Papers Inc. (100 Paper Mill Road, Roaring Spring, PA 16673) for the installation of the High Volume Low Concentration (HVLC) noncondensable gas (NCG) handling system. In addition, the No. 3 Power Boiler will be modified to control the HVLC NCG incineration system. An NCG incinerator installed under Plan Approval No. 07-05001D will be used as a backup to control the NCG system. The proposed project is located at the Spring Mill in Roaring Spring Borough, **Blair County**. This project is subject to 40 CFR 63, Subpart S—National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry.

44-05014A: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) to add No. 5, No. 6 and reprocessed fuel oil grades to the list of approved fuels for the existing drum mix asphalt plant. The plant is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

67-03103: Gerhardt USA (400 East Locust Street, Dallastown, PA 17313) for the construction of a Hard Chrome Plating Manufacturing operation controlled by a composite mesh pad system located in Dallastown Borough, **York County**. This source is subject to 40 CFR Part 63, Subpart N—National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

62-148A: Elkhorn Field Services, Roystone Gas Processing Plant (Route 6, Sheffield, PA 16347) for modification of Plan Approval 62-329-005A to change requirements for the dehydration unit in Sheffield Township, **Warren County**.

Intent to Issue Plan Approvals Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05021A: Knouse Foods Cooperative, Inc. (P. O. Box 709, Biglerville, PA 17307) for installation of two natural gas/#5 reclaimed oil-fired boilers (that is, 700 HP and 600 HP, respectively) at their Peach Glen Plant in Tyrone Township, **Adams County**. The 700 HP boiler will have the potential to emit 65.1 tons per year of sulfur oxides, 25.1 tons per year of nitrogen oxides and 9.90 tons per year of carbon monoxide. The 600 HP boiler will have the potential to emit 55.8 tons per year of sulfur oxides, 21.5 tons per year of nitrogen oxides and 8.48 tons per year of carbon monoxide. The company will limit the actual (total) facility emissions of sulfur oxides to less than 100 tons per year to maintain a synthetic minor status. The boilers are subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial—Commercial—Institutional Steam Generating Units. The Plan Approval and Operating Permit shall contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

01-05022A: Knouse Foods Cooperative, Inc. (P. O. Box 709, Biglerville, PA 17307) for installation of a 250 HP natural gas/#5 reclaimed oil-fired boiler at their Orrtanna Plant in Hamiltonban Township, **Adams County**. The boiler will have the potential to emit 23.1 tons per year of sulfur oxides, 8.89 tons per year of nitrogen oxides and 3.51 tons per year of carbon monoxide. The company will limit the actual (total) facility emissions of sulfur oxides to less than 100 tons per year to maintain a synthetic minor status. The boiler is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial—Commercial—Institutional Steam Generating Units. The Plan Approval and Operating Permit shall contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

01-05031A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of 11 diesel-fired electrical generating units (maximum rated capacity of 15 MW) at the Germantown Substation located in Mt. Joy Township, **Adams County**. These electrical generating units will increase the facility's emissions of: NOx by 61 tons per year (TPY); SOx by ten TPY; CO by eight TPY; VOC by two TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

06-03088: Metropolitan Edison Co. dba GPU Energy (2800 Pottsville Pike, Reading, PA 19640-0001) for the construction of six electrical generating units controlled by Tier 1 combustion controls and low sulfur fuel oil in Muhlenberg Township, **Berks County**. The units will have the potential to emit a total of 23 tons per year of nitrogen oxides, 4.5 tons per year of sulfur dioxides and

2.5 tons per year of carbon monoxide. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The source will conform to the requirements of 40 CFR Part 89 (Tier 1) for non-road diesel engines. The plan approval will include monitoring, record keeping and reporting requirements designed to keep the source operating within all applicable air quality requirements.

06-05071A: Sealed Air Corp. (450 Riverfront Drive, Reading, PA 19602) for the construction of a 29.9 million BTU boiler controlled by a low NOx burner and low sulfur fuel oil in the City of Reading, **Berks County**. The boiler will have the potential to emit 14 tons per year of sulfur oxides, 21 tons of nitrogen oxides and 6 tons per year of carbon monoxide. This source is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The plan approval will include monitoring, record keeping and reporting requirements designed to keep the source operating within all applicable air quality requirements. The plan approval will be incorporated into the Title V operating permit in accordance with 25 Pa. Code § 127.450 (Administrative Amendment).

21-03053: Parthemore Funeral Home and Cremation Services, Inc. (1301 Bridge Street, New Cumberland, PA 17070) for the construction of a gas-fired cremation unit controlled by an afterburner located in New Cumberland Borough, **Cumberland County**. The emissions from the operation of the unit primarily consist of nitrogen oxides and particulate matter. Nitrogen oxide emissions are estimated to be 1 ton/year and particulate matter emissions will generate about 400 lbs/year. The plan approval and operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

21-03054: Gibson-Hollinger Funeral Home, Inc. (501 North Baltimore Avenue, Mt. Holly Springs, PA 17065) for the construction of a gas-fired cremation unit controlled by an afterburner located in Mt. Holly Springs Borough, **Cumberland County**. The emissions from the operation of the unit primarily consist of nitrogen oxides and particulate matter. Nitrogen oxide emissions are estimated to be 1 ton/year and particulate matter emissions will generate about 400 lbs/year. The plan approval and operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

21-05029A: Atlantic Refining and Marketing Corp. (1801 Market Street, Philadelphia, PA 19103) for the installation of a Vapor Combustion Unit at the Mechanicsburg Terminal, 5145 Simpson Ferry Road, Hampden Township, **Cumberland County**. This facility currently has a Title V Operating Permit No. 21-05029. This installation will result in no change in facility emissions. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

21-05045A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of 14 diesel-fired electrical generating units (maximum rated capacity of 12.5 MW) at the Allen Substation located in Monroe Township, **Cumberland County**. These electrical generating units will increase

the facility's emissions of: NOx by 47 tons per year (TPY); SOx by nine TPY; CO by five TPY; VOC by one TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

28-03001A: GS Electric (1051 Sheffler Drive, Chambersburg, PA 17201) for modification of the existing electric motor manufacturing facility in Chambersburg Borough, **Franklin County**. The facility emits several hundred pounds of styrene annually. The plan approval and operating permit will contain monitoring, record keeping and reporting requirements to ensure compliance with the applicable air quality requirements.

34-03005A: Energex American, Inc. (R. R. 5, Box 343, Mifflintown, PA 17059) for the installation of a sawdust-fired rotary dryer system in Walker Township, **Juniata County**. Maximum particulate matter emissions are estimated at 2.6 pounds per ton of dried wood. The plan approval and operating permit will contain monitoring, record keeping and reporting requirements to ensure compliance with the applicable air quality requirements.

34-03006A: Railworks Wood Products (P. O. Box 251, McAlisterville, PA 17049) for modification of an existing boiler and installation of particulate matter controls in Fayette Township, **Juniata County**. These actions will reduce emissions of all pollutants from the facility. The plan approval and operating permit will contain monitoring, record keeping and reporting requirements to ensure compliance with the applicable air quality requirements.

36-03096A: Carvell & Rick, Inc. (1780 Newport Road, Ephrata, PA 17522) for construction and relocation of a spray painting operation (Operating Permit No. 36-03096) from 4437 Oregon Pike, West Earl Township, **Lancaster County**. The spray painting operation for this non-Title V metal fabrication facility will have the potential to emit 35 tons per year of volatile organic compounds. The Plan Approval and Operating Permit will contain reporting, record keeping and operating conditions designed to keep the facility operating within all applicable air quality requirements.

36-03100A: Signature Custom Cabinetry, Inc. (434 Springville Road, Ephrata, PA 17522) for the construction of a Paint Booth in Ephrata Township, **Lancaster County**. The estimated VOC emissions from the Paint Booth are about 1.5 tons per year. The facility potential to emit VOC is less than 50 tons per year. The Plan Approval and Natural Minor Operating Permit shall contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-05004B: M&M/Mars, Inc. (295 Brown Street, Elizabethtown, PA 17022) for an increase in operating hours for a diesel generator at their Elizabethtown Plant in Elizabethtown Borough, **Lancaster County**. The increase in the hours (that is, from 500 to 4,000) of operation will increase the potential to emit nitrogen oxides from the diesel generator to 32.9 tons per year. This is a potential increase of approximately 28.8 tons per year over the diesel generator's current nitrogen oxides emission potential. The company will limit the actual (total) facility emissions of nitrogen oxides to less than 100 tons per year to maintain a synthetic minor status. The Plan Approval and Operating Permit shall contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-05008A: Tyson Foods, Inc. (403 South Custer Avenue, New Holland, PA 17557) for the construction of two vegetable fryers each controlled by a scrubber in Earl Township, **Lancaster County**. The addition of the two vegetable fryers will increase the facility's emissions of particulate matter by 500 lbs/year. The facility is currently operating under a synthetic minor operating permit, which limits the emissions of particulate matter to less than 100 tons/year. The plan approval and operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-05093A: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506) for the addition of Nos. 4 and 5 fuel oil grades to the approved fuels for the existing asphalt plant in East Cocalico Township, **Lancaster County**. Potential sulfur oxides emissions will increase by approximately two tons per year. The facility will remain a synthetic minor with limits on annual emissions of criteria pollutants. The plan approval and operating permit will include record keeping and reporting requirements to ensure compliance with the applicable air quality requirements.

67-05030A: C-P Converters, Inc. (15 Grumbacher Road, York, PA 17402) for the installation of a Flexographic Press controlled by a permanent total enclosure and a catalytic incinerator at Manchester Township, **York County**. The facility currently has Title V Operating Permit No. 67-05030. This installation will result in no change in facility emissions. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

67-05085A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of 14 diesel-fired electrical generating units (maximum rated capacity of 12.5 MW) at the Cly Substation in Newberry Township, **York County**. These electrical generating units will increase the facility's emissions of: NOx by 47 tons per year (TPY); SOx by nine TPY; CO by five TPY; VOC by one TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The

electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-05086A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of nine diesel-fired electrical generating units (maximum rated capacity of 12.0 MW) at the Hill Substation in Shrewsbury Township, **York County**. These electrical generating units will increase the facility's emissions of: NOx by 48 tons per year (TPY); SOx by eight TPY; CO by six TPY; VOC by one TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-05087A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of six diesel-fired electrical generating units (maximum rated capacity of 9.0 MW) at the Pleasureville Substation in Springettsbury Township, **York County**. These electrical generating units will increase the facility's emissions of: NOx by 38 tons per year (TPY); SOx by six TPY; CO by five TPY; VOC by one TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-05088A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of ten diesel-fired electrical generating units (maximum rated capacity of 15 MW) at the Roundtop Substation in Warrington Township, **York County**. These electrical generating units will increase the facility's emissions of: NOx by 63 tons per year (TPY); SOx by ten TPY; CO by nine TPY; VOC by two TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month

period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-05089A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of nine diesel-fired electrical generating units (maximum rated capacity of 9 MW) at the Westgate Substation in York City, **York County**. These electrical generating units will increase the facility's emissions of: NOx by 32 tons per year (TPY); SOx by seven TPY; CO by three TPY; VOC by one TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-05090A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of ten diesel-fired electrical generating units (maximum rated capacity of 15 MW) at the Yoe Substation in Windsor Township, **York County**. These electrical generating units will increase the facility's emissions of: NOx by 63 tons per year (TPY); SOx by ten TPY; CO by nine TPY; VOC by two TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-05091A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) for the construction of 12 diesel-fired electrical generating units (maximum rated capacity of 14 MW) at the Yorkana Substation in Lower Windsor Township, **York County**. These electrical generating units will increase the facility's emissions of: NOx by 56 tons per year (TPY); SOx by ten TPY; CO by seven TPY; VOC by two TPY; PM10 by one TPY. Facility emissions of NOx, SOx, CO and PM10 are limited to 100 TPY during any consecutive 12-month period. Facility emissions of VOC are limited to 50 TPY during any consecutive 12-month period. Facility emissions of aggregate hazardous air pollutants (HAPs) and any individual HAP are limited to 25 TPY and ten TPY during any consecutive 12-month period. Each electrical generating unit shall comply with the Non-Road Tier 1 emission limits contained at 40 CFR Part 89, Subpart B. Annual operation of each electrical generating unit is limited to 438 hours during any consecutive 12-month period. The electrical generating units shall be operated using No. 2 fuel oil only. The sulfur content of the No. 2 fuel oil fired at the substation shall not exceed 0.3% (by weight). The plan approval and operating permit will contain additional monitoring, record keeping, reporting and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

38-318-036A: American LaFrance Aerials (64 Cocalico Creek Road, Ephrata, PA 17522) for the installation of a paint booth at their plant (18th and Lehman Streets, Lebanon, PA 17046) in West Lebanon Township, **Lebanon County**. The coatings listed in the permittee's application comply with the volatile organic compound (VOC) limit found in 25 Pa. Code, § 129.52, Table 1. Overall VOC and hazardous air pollutant (HAP) emission rates are expected to be less than 7.9 and 4.8 tons per year, respectively. The Plan Approval and Operating Permit shall contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

08-310-001E: Dalrymple Gravel and Contracting Co., Inc. (2105 South Broadway, Pine City, NY 14871) for construction of various pieces of sand and gravel processing equipment (crushers, screens and conveyors) as well as a 750 KW diesel-fired generator along Chemung Flats Road in Athens Township, **Bradford County**.

Dalrymple has requested a limit on the hours of operation of the generator to 4,380 hours per year, resulting in the following emissions: particulate matter (1.7 tons per year), sulfur oxides (19.4 tons per year), carbon monoxide (13.2 tons per year), nitrogen oxides (57.6 tons per year) and volatile organic compounds (1.7 tons per year). Particulate matter emissions from the sand and gravel processing equipment are expected to be minimal due to the moist nature of the material being processed and the use of a water spray dust suppression system.

The Department of Environmental Protection has determined that the proposed equipment will comply with all applicable regulatory requirements pertaining to air contaminant sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department of Environmental Protection consequently intends to issue plan approval for the construction of the respective equipment. Additionally, if the Department deter-

mines that the equipment is operating in compliance with all applicable plan approval conditions and regulatory requirements following its construction, the conditions established in the plan approval will be incorporated into an operating permit via administrative amendment under 25 Pa. Code § 127.450.

The Department intends to place conditions in the plan approval to be issued pertaining to the operation and monitoring of the equipment. These are intended to assure proper operation of the equipment as well as a compliance with all applicable air quality regulatory requirements. The following is a summary of these conditions:

1. Under the best available technology provisions of §§ 127.1 and 127.12 of Chapter 127 of Article III of the Rules and Regulations of the Department of Environmental Protection, water spray dust suppression nozzles shall be installed at the discharge of the Telsmith 1310S cone crusher.

2. An operable water truck equipped with a pressurized mechanism shall be kept onsite and filled with water at all times that the stone crushing plant is operating. This water truck shall be used, as needed, for the prevention and control of fugitive air contaminant emissions from the plant roadways, and the like.

3. Under the best available technology requirements of §§ 127.1 and 127.12 of Chapter 127 of Article III of the Rules and Regulations of the Department of Environmental Protection, the Caterpillar 750KW diesel generator shall not operate more than 4,380 hours in any 12 consecutive month period or use more than 23,397 gallons of diesel fuel in any 12 month consecutive month period. Records shall be maintained of the number of hours the generator is operated each month as well as the number of gallons of diesel fuel burned in the generator each month. All records maintained under this condition shall be retained on site for at least 5 years and made available to the Department upon request.

4. Under the best available technology provisions of §§ 127.1 and 127.12 of Chapter 127 of Article III of the Rules and Regulations of the Department of Environmental Protection, the generator shall not emit more than 26.3 pounds per hour or 57.6 tons per year of nitrogen oxides (NOx). In addition, the generator shall not emit more than 6.03 pounds per hour or 13.2 tons per year of carbon monoxide (CO).

19-00001A: Magee Rieter Automotive Systems, Inc. (408 West 5th Street, Bloomsburg, PA 17815) for construction of a 13.5 million BTU per hour natural gas-fired carpet dryer on a new dyeline in the Town of Bloomsburg, **Columbia County**. Magee Rieter Automotive Systems, Inc. is a major facility that has been issued a Title V operating permit.

The Department of Environmental Protection has determined that the proposed dryer will comply with all applicable regulatory requirements pertaining to air contaminant sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department of Environmental Protection consequently intends to issue plan approval for the construction of the respective equipment. Additionally, if the Department determines that the equipment is operating in compliance with all applicable plan approval conditions and regulatory requirements following its construction, the conditions established in this plan approval will be incorporated into the Title V operating permit via administrative amendment under 25 Pa. Code § 127.450.

The worst-case air contaminant emissions rates to be associated with the respective dryer are 10.4 tons of carbon monoxide, 6.1 tons of nitrogen oxides and 5.9 tons of volatile organic compounds in any 12 consecutive month period.

The Department intends to place conditions in the plan approval to be issued pertaining to the operation and monitoring of the dryer. These are intended to assure proper operation of the dryer as well as compliance with all applicable air quality regulatory requirements. The following is a summary of these conditions.

1. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the nitrogen oxides (NOx) emissions shall not exceed 6.1 tons in any 12 consecutive month period, the carbon monoxide (CO) emissions shall not exceed 10.4 tons in any 12 consecutive month period and the volatile organic compound (VOC) emissions shall not exceed 5.9 tons in any 12 consecutive month period.

2. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, all carpet that enters the dryer shall first be subjected to the steaming, water rinsing and vacuuming process proposed in the plan approval application.

3. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the dryer shall only be used to dry carpet which has no backing or coating with the exception that the foam fluorocarbon emulsion identified in the plan approval application may be applied to carpet prior to being processed through the dryer.

4. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the dryer shall not be used to dry carpet which has not been washed to remove oil prior to the dyeing process.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

NOTICE OF INTENT TO ISSUE A PLAN APPROVAL AND AMEND A TITLE V OPERATING PERMIT

10-001C: AK Steel Corp. (Route 8 South, P. O. Box 832, Butler, PA 16003) for conversion of the #12 Pickle Line from hydrochloric/hydrofluoric/nitric acid pickling line to a hydrochloric/hydrofluoric/hydrogen peroxide pickling operation in **Butler County**. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. The permit will be subject to the following conditions:

1. The permittee shall install and maintain instrumentation to monitor the scrubber liquid flow and scrubber pressure drop. The pressure drop across the control device and the water flow rate to the control device shall be recorded on a weekly basis.

2. A stack test shall be conducted to develop emission factors for PM, NOx, HF and HCL emissions. The emission rates shall be expressed in lb/hr and lb/ton.

The above conditions will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate the Best Available Technology for the source.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35

P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54803019T2. No. 1 Contracting Corporation, (49 South Main Street, Ashley, PA 18706), transfer of an existing anthracite surface mine operation from Harri-

man Coal Corporation in Hegins and Porter Townships, **Schuylkill County** affecting 1,313.0 acres, receiving stream—West Branch Rausch Creek. Application received May 15, 2001.

13743002R3. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Banks and Hazle Townships, **Carbon and Luzerne Counties** affecting 964.0 acres, receiving stream—none. Application received May 16, 2001.

40663028R3. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 474.0 acres, receiving stream—none. Application received May 16, 2001.

54693047R3. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Mahanoy Township, **Schuylkill County** affecting 698.0 acres, receiving stream—none. Application received May 16, 2001.

54840201R3. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in West Mahanoy and Mahanoy Townships and Shenandoah Borough, **Schuylkill County** affecting 332.0 acres, receiving stream—none. Application received May 16, 2001.

40663029R3. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Foster Township, **Luzerne County** affecting 521.0 acres, receiving stream—none. Application received May 17, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

17990123. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838), transfer of an existing bituminous surface mine permit from Thunder Coal Company, located in Penn Township, **Clearfield County** affecting 64.8 acres. Receiving stream—unnamed tributary to Kratzer Run, unnamed tributaries to Bell Run. Application received April 30, 2001.

17860144. Junior Coal Contracting, Inc. (R. D. 3, Box 225A, Philipsburg, PA 16866), transfer of an existing bituminous surface mine permit from Power Operating Co., Inc. and renewal of the same permit. The permit is located in Decatur Township, **Clearfield County** and affects 324 acres. Receiving stream—Shimmel Run and Big Run. Application received May 9, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

32910102. Permit Renewal, M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7961), for continued operation of a bituminous surface and auger mine in Center & Brushvalley Townships, **Indiana County**, affecting 222.3 acres, receiving stream unnamed tributaries to Yellow Creek, Brush Creek, Tearing Run and Tearing Run. Application received May 14, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

63841302. Maple Creek Mining, Inc., (981 Route 917, Bentleyville, PA 15314), to renew the permit for the Maple Creek Mine in New Eagle Borough, City of Monongahela, Carroll Township, Somerset Township, Fallowfield Township, North Strabane Township, Nottingham

Township, **Washington County** to renew permit, no additional discharges. Application received February 21, 2001.

11971301. T.J.S. Mining, Inc., (R. D. 1, Box 260D, Shelocta, PA 15774), to operate the Morningstar Mine in Cresson Township, **Cambria County** to operate a new deep mine, tributary to Bear Rock Run. Application received April 10, 2001.

03951601. Keystone Coal Mining Corp., (P. O. Box 219, Shelocta, PA 15774), to renew the permit for the Keystone Cleaning Plant in Plumcreek Township, **Armstrong County** to renew permit, no additional discharges. Application received April 20, 2001.

30841316. Consol Pennsylvania Coal Co., (Group I Operations, P. O. Box 355, Eighty Four, PA 15330), to revise the permit for the Bailey Mine in Richhill Township, **Greene County**, revision for new air shaft 4 south No. 2 10.6 acres and new NPDES 108, Dunkard Fork. Application received May 9, 2001.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

38870301C3. Pennsylvania Lime, Inc., (P. O. Box 160, Annville, PA 17003), correction to an existing quarry operation and NPDES Permit #PA0595543 in North Londonderry, North Annville and Annville Townships, **Lebanon County** affecting 934.5 acres, receiving stream—Killinger and Quittapahilla Creeks. Application received May 14, 2001.

22880301C2. Rocky Licensing Corporation, (1001 Paxton Street, Harrisburg, PA 17104), correction to an existing quarry operation in Lower Swatara Township, **Dauphin County** affecting 141.3 acres, receiving stream—Swatara Creek. Application received May 14, 2001.

22880302C2. Haines & Kibblehouse, Inc., (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474), correction to an existing quarry operation and NPDES Permit #PA0594211 in Lower Swatara Township, **Dauphin County** affecting 126.0 acres, receiving stream—Swatara Creek. Application received May 17, 2001.

Noncoal Applications Returned

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54000301. Middleport Materials, Inc., (P. O. Box 189, Telford, PA 18969), return of a quarry application in Schuylkill and Walker Townships, **Schuylkill County** affecting 55.2 acres, receiving stream—none. Application received February 17, 2000. Application returned May 15, 2001.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the

issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-819. Doylestown Township, 425 Wells Road, Doylestown, PA 18901, Doylestown Township, **Bucks County**, ACOE Philadelphia District. To remove the existing Iron Hill Road single span bridge and to install and maintain a precast concrete twin box culvert having a clear span of 12 feet and an underclearance of 4 feet in and along Cooks Run (WWF-MF) and impacting 0.02 acre of adjacent wetlands. The project will include: widening of Iron Hill Road; construction of a new bike path along the eastern side of the southbound travel lane; modifying approximately 130 linear feet of Cooks Creek and the installation of stormwater facilities associated with bridge and roadway construction (Doylestown PA Quadrangle N: 9.75 inches; W: 4.9 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E48-305. Upper Mount Bethel Development Group, Inc., P. O. Box 73, Stroudsburg, PA 18360, in Upper Mount Bethel Township, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structures and to construct and maintain two road crossings consisting of reinforced concrete box culverts in Jacoby Creek (CWF) and 0.25 acre of adjacent wetlands for the purpose of providing access to the proposed Saddle Creek Residential Subdivision. The project is located northeast of the intersection of Million Dollar Highway and Laurel Hill Road (Stroudsburg, PA-NJ, Quadrangle N: 8.8 inches; W: 2.3 inches).

E45-411. Jerry Perry, R. R. 1, Box 1416, Stroudsburg, PA 18360, in Hamilton Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain an approximate 5,000 square feet building addition to the existing Personal Care Facility located in the 100-year floodway of a tributary to Cherry Creek (HQ-CWF). The project is located south of S.R. 2003 (Kemmerstown Road), approximately 0.15 mile west of S.R. 2002 (Stroudsburg, PA-NJ, Quadrangle N: 10.8 inches; W: 16.8 inches).

E48-304. Moore Township, 2491 Community Drive, Bath, PA 18014, in Moore Township, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain a 117-inch by 79-inch aluminized steel arch culvert in a tributary to Hokendauqua Creek (CWF). The project is located along South Oaks Road, approximately 0.4 mile east of S.R. 4005 (Kunkletown, PA, Quadrangle N: 3.9 inches; W: 10.7 inches).

E54-286. Branch Township, P. O. Box 265, Llewellyn, PA 17944, in Branch Township, **Schuylkill County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain a reinforced concrete box culvert having a span of 18 feet and an underclearance of 6.0 feet which includes a 6-inch culvert depression in West Creek (CWF). The project is located along Township Road T557 (Main Street), approximately 0.2 mile west of T568 (Cornish Street). (Minersville, PA, Quadrangle N: 10.1 inches; W: 7.0 inches).

E40-570. Certain Teed Corporation, 1220 Oakhill Road, Mountain Top, PA 18707-2199, in Wright Township, **Luzerne County**, U. S. Army Corps of Engineers, Baltimore District.

To construct and maintain a stairway along Watering Run (CWF), for the purpose of providing access to an existing stormwater outfall. The project is located in the Crestwood Industrial Park, approximately 1.5 miles northwest of the intersection of S.R. 0437 and T-395. Wilkes-Barre West, PA, Quadrangle N: 0.2 inch; W: 1.0 inch).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E21-321. Dana Aunkst, South Middleton Township, Municipal Bldg, 520 Park Drive Boiling Springs, PA 17007 in South Middleton Township, **Cumberland County**, ACOE Baltimore District.

To construct and maintain a 12-foot wide pedestrian foot bridge having a clear span of 87-feet and an underclearance of 6.7 feet across the Yellow Breeches Creek (HQ-CWF) for the purpose of connecting South Middleton Trail System to the Township's Park located 1,800 feet downstream of the bridge on SR 21008 that crosses the Yellow Breeches Creek (Carlisle, PA Quadrangle N: 2.12 inches; W: 3.03 inches).

E22-429. Daniel Lispi, Harrisburg City, 10 N Second Street, Harrisburg, PA 17101 in the City of Harrisburg, **Dauphin County**, ACOE Baltimore District.

To construct and maintain a 60 boat floating dock facility along with a pavilion, wood observation deck, chain link fencing, parking lot for 16 vehicles and portable restroom in the channel and floodway of the Susquehanna River (WWF) for the purpose of developing

South Pointe Marina located at the southern end of City Island (Harrisburg West, PA Quadrangle N: 0.25 inch; W: 1.1 inches).

E28-287. Daniel Sheedy, Greens of Greencastle, P. O. Box 68, Boonsboro, MD 21713 in Antrim Township, **Franklin County**, ACOE Baltimore District.

To construct and maintain 4,400 linear feet of 12-inch diameter PVC sewerline to serve Phase 3, 4 and 5 of the Greens of Greencastle development project along Muddy Run (HQ CWF). The placement of the sewerline impacts wetlands. The project is located about 1.5 mile northwest of Greencastle Borough (Greencastle, PA Quadrangle N: 10.56 inches; W: 16.76 inches and Williams, PA Quadrangle N: 10.48 inches; W: 0.94 inch).

E36-709. Charles Miner, C. M. Industries d/b/a Hope Hosiery Mill, P. O. Box 487, Adamstown, PA 19501 in Adamstown Borough, **Lancaster County**, ACOE Baltimore District.

To remove the existing building and to construct and maintain a new building at the same location of the Hope Hosiery Mill within the left bank's 100-year floodway of Little Muddy Creek (TSF) located just upstream of the Willow Street bridge (Terre Hill, PA Quadrangle N: 21.1 inches; W: 7.9 inches).

E36-710. Carol Thompson, 3264 Back Run Road, Manheim, PA 17545 in Rapho Township, **Lancaster County**, ACOE Baltimore District.

To maintain an existing three units of 8-foot by 6-foot squash corrugated metal pipe (CMP) culvert at the channel of Back Run (TSF) to serve as an access drive to a subdivision of Carol Marie Thompson located on the north side of Back Run Road (SR 4016) about 0.9 mile north from its intersection with Milton Grove Road (SR 4033) (Manheim, PA Quadrangle N: 3.15 inches; W: 15.46 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E08-373. Leprino Foods, 400 Leprino Avenue, Waverly, NY, 14892-1384. Dry Brook Creek Enclosure, in South Waverly, **Bradford County**, ACOE Baltimore District (Sayre, PA Quadrangle N: 22.75 inches; W: 6 inches).

The permit application proposes to increase an existing enclosure by an additional 220 lineal feet. The existing twin cell culvert measures 9.5 feet by 6.5 feet and currently conveys flow under Leprino Foods Processing Plant. The new enclosure addition will consist of a twin cell 9.75 foot by 6.5-foot enclosure and associated outlet protection. This project is located directly of exit 60 of NYSR 17. This project proposes to impact 250 linear feet of Dry Brook Creek that is designated a Warm Water Fishery and does not propose to impact any wetlands.

E14-391. David E. Ethers, Liberty Township, 124 Hunter Run Road, Howard, PA 16841. T-477 Culvert, in Liberty Township, **Centre County**, ACOE Baltimore District (Beech Creek, PA Quadrangle N: 10.4 inches; W: 12.65 inches).

To remove the existing arch culvert and to construct and maintain a 30 foot long, 71 inch by 47 inch pipe arch culvert with R-5 approach and outlet riprap and to construct a temporary sandbag coffer dam in an unnamed tributary to Bald Eagle Creek on Township Road T-477 approximately 300 feet east of the intersection of T-477 with Eagleville Road in Liberty Township, Centre County. The project will not impact on wetlands while impacting

approximately 50 feet of waterway. The unnamed tributary to Bald Eagle Creek is a Cold Water Fisheries stream.

E18-314. PA DCNR-Bureau of Facility Design and Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. Forestry Bridge No. 10-0016R Replacement, in Chapman Township, **Clinton County**, ACOE Baltimore River Basin District (Slate Run, PA Quadrangle N: 0.6 inch; W: 14.8 inches).

To remove an existing structure and construct, operate and maintain a single span prestressed concrete box beam bridge to carry Hyner Run Road across Left Branch, Hyner Run (High Quality—Cold Water Fishery). The single span bridge shall be constructed with a minimum clear span of 36.1-feet, underclearance of 2.5-feet and skew of 65-degrees. Bridge construction shall be completed in dry work conditions through the use of dams and pumping or fluming stream flow around work area. Bridge construction shall be conducted during stream low flow conditions. The project will permanently impact 511-square feet of wetland and 153-feet of waterway. The project is located along the northern right-of-way of SR 0120 approximately 1,000-feet north of Left Branch, Hyner Run Road and Right Branch, Hyner Run Road. This permit also seeks authorization for temporary wetland impacts of 2431.76-square feet and waterway impacts of 11-feet. Temporary impacts are associated with construction of a temporary road crossing. All temporary wetlands and waterway impacts shall be fully restored. The permanent wetland impacts of 511-square feet are de minus and replacement wetlands will not be required.

E19-210. James K. Kendter, Pennsylvania Department of Transportation, Engineering District 3-0, 715 Jordan Avenue, Montoursville, PA 17754-0218. SR 1019 Bridge, in Briar Creek Township, **Columbia County**, ACOE Baltimore District (Mifflinville, PA Quadrangle N: 10.6 inches; W: 2.6 inches).

To remove the existing 38-foot span timber deck I-beam bridge which has a curb-to-curb width of 19.7-feet and an average underclearance of 5.0-feet and a normal waterway opening of 34.5 feet and to construct and maintain a prestressed concrete adjacent box beam bridge having a clear span of 45.9-feet, a curb-to-curb width of 26.0-feet and average underclearance of 5.5 feet and a clear opening of 45.9-feet and to construct and maintain a temporary road crossing with four 48-inch corrugated metal pipes 90-feet downstream of the existing structure. The proposed bridge will be located on SR 1019, Section 007 over East Branch Briar Creek approximately 0.5 mile from the intersection of SR 1014 with SR 1019. The project will impact on 0.04 acre of wetland while impacting approximately 60 feet of waterway. East Branch Briar Creek is a cold water fisheries stream.

E19-213. Stanley W. Griffin, 240 Green Creek Road, Orangeville, PA 17859. Water Obstruction and Encroachment Permit Application, in Greenwood Township, **Columbia County**, ACOE Susquehanna River Basin District (Benton, PA Quadrangle N: 8.65 inches; W: 6.96 inches).

To construct and maintain a two span wooden structure having a span of 40.08 feet and a minimum underclear of 5.83 feet with a skew of 90° and wood abutments in Green Creek located 1 mile along Green Creek Road, east of the intersection of SR 254 and Green Creek Road. This project proposes to impact 12 linear feet of Green Creek, which is, designated a Trout Stocked Fishery and does not propose to impact any jurisdictional wetlands.

E19-214. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit Application, in Catawissa Township, **Columbia County**, ACOE Susquehanna River Basin District (Catawissa, PA Quadrangle N: 10.6 inches; W: 11.4 inches).

To remove 149 linear feet of 36-inch diameter corrugated metal pipe and construct and maintain a 152 linear feet of 60-inch diameter reinforced concrete pipe in an unnamed tributary to Catawissa Creek located along S.R. 0487, Segment 0130, Offset 2325. This project proposes to impact 152 linear feet of the unnamed tributary, which is, designated a Cold Water Fishery and does not propose to impact any jurisdictional wetlands.

E41-479. Pa. Dept. of Transportation, Engineering Dist. 3-0, P. O. Box 218, Montoursville, PA 17754 SR 0220 Muncy Creek bridge replacement in Picture Rocks Borough, **Lycoming County**, ACOE Susquehanna River Basin District (Picture Rocks, PA Quadrangle N: 4.8 inches; W: 12.2 inches).

To remove existing structure and to construct and maintain a three span box beam structure with a total span of 220 feet and a minimum underclearance of 13.2 feet in Muncy creek, temporarily construct and maintain a two span structure with a total span of 170 feet and a minimum underclearance of 7.37 feet in Muncy Creek for a temporary road crossing, temporarily construct and maintain a concrete and sand bag diversion dike at the existing bridge site, all of which are located on SR 0220, Sect. 007, This project proposes to impact 150 linear feet of Muncy Creek which is designated a Trout Stocked Fishery and does not propose any jurisdictional wetland.

E49-246. William Michael, Delaware Township Supervisors, P. O. Box 203, Watons town, PA 17777. Dry Dam Stream Crossings, in Delaware Township, **Northumberland County**, ACOE Baltimore District (Milton, PA Quadrangle N: 19.2 inches; W: 15.0 inches). To remove the following stream crossing culvert pipes from Dry Run:

1. Twin 24-inch diameter by 30-foot long CMP in Groover Road (T-634)
2. 49-inch wide by 33-inch high by 20 foot long CMPA in Groover Road (T-634)
3. 36-inch diameter by 30-foot long CMP in Willow Road (T-627)

and to construct and maintain three 48-inch diameter CMP culverts with rock energy dissipaters at the approximate lengths and at the locations listed above. The centroid of the project is located on Willow Road (T-627) approximately 45 feet south of the intersection of Groover Road (T-634) with Willow Road (T-627) in Delaware Township, Northumberland County. The project will not impact wetlands while impacting approximately 100 feet of waterway. Dry Run is a warm water fisheries stream.

E55-176. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit Application, in Franklin Township, Snyder County, ACOE Susquehanna River Basin District (Middleburg, PA Quadrangle N: 12.4 inches; W: 4.3 inches).

To remove 48 linear feet of 72-inch diameter corrugated metal pipe and construct and maintain a 48 linear feet of 83-inch by 57-inch elliptical concrete pipe in an unnamed tributary to Middle Creek located along S.R. 1001, Segment 0010, Offset 0710. This project proposes to impact

48 linear feet of the unnamed tributary, which is, designated a Cold Water Fishery and does not propose to impact any jurisdictional wetlands.

E55-177. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit Application, in Adams Township, **Snyder County**, ACOE Susquehanna River Basin District (Beavertown, PA Quadrangle N: 9.9 inches; W: 10.5 inches).

To remove 20 linear feet of box culvert and construct and maintain a 32 linear feet of 48-inch by 76-inch elliptical concrete pipe in an unnamed tributary to Walker Lake located along S.R. 4018, Segment 0010, Offset 1250. This project proposes to impact 36 linear feet of the unnamed tributary, which is, designated a Cold Water Fishery and does not propose to impact any jurisdictional wetlands.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA28-001. Franklin County Conservation District, Admin Annex, 218 N. 2nd Street, Chambersburg, PA 17201 in St. Thomas and Hamilton Townships, **Franklin County**, ACOE Baltimore District.

To construct and maintain a stream restoration project in and along approximately 2,000 feet of Dennis Creek (CWF). The project's purpose is to stabilize severely eroding streambanks, improve water quality and improve fisheries habitat. The project will implement a natural stream channel design and construction activities will include riprap rock toe protection, bank grading, bank cover and mud sill cribbing and root wads installation. The site is on the Kenneth Mackey property located 1,000 feet above Twin Bridge Road (Chambersburg, PA Quadrangle N: 13.4 inches; W: 16.3 inches) in Hamilton and St. Thomas Townships, Franklin County.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval. The actions are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permits.

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of

practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1500421. Sewage. **Upper Uwchlan Township**, 140 Pottstown Pike, Chester Springs, PA 19425. Applicant is granted approval for the construction and operation of a regional wastewater treatment plant to serve the Route 100 Corridor located in Upper Uwchlan Township, **Chester County**.

WQM Permit No. 1501406. Sewage. **Penn Township**, 260 Lewis Road, West Grove, PA 19390. Applicant is granted approval for the construction and operation of a sewage pump station and force main to serve Elk Creek Farms subdivision located in Penn Township, **Chester County**.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0087165. Industrial Waste, **Bleyer Industries, Inc.**, 500 Walnut Street Extension, Mount Union, PA 17066.

This proposed facility is located in Mount Union Borough, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to Juniata River in Watershed 12-C.

NPDES Permit No. PA0082619. Sewage, **WTS Properties, LLC**, Shangri-La Mobile Home Park, P. O. Box 278, King of Prussia, PA 19406.

This proposed facility is located in Newberry Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to the receiving waters named Conewago Creek in Watershed 7-F.

NPDES Permit No. PA0081311. Sewage, **South Londonderry Township Municipal Authority**, Colebrook Wastewater Treatment Plant, Municipal Building, Box 3, Campbelltown, PA 17010-0003.

This proposed facility is located in South Londonderry Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to Conewago Creek in Watershed 7-G.

NPDES Permit No. 2901401. Sewage, **Hustontown Joint Sewer Authority**, 299 North Clear Ridge Road, P. O. Box 577, Hustontown, PA 17229.

This proposed facility is located in Taylor & Dublin Townships, **Fulton County**.

Description of Proposed Action/Activity: Construction/Operation of Sewage Treatment Facilities, Land Application Facilities, Sewers and Appurtenances and 2 Pump Stations.

WQM Permit No. 6790408 Transfer 01-1. Sewerage, **WTS Properties, LLC**, P. O. Box 278, King of Prussia, PA 19406.

This proposed facility is located in Newberry Township, **York County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of Sewage Treatment Facilities.

WQM Permit No. 3690414 Amendment 01-1. Sewerage, **Leacock Township Sewer Authority**, P. O. Box 558, Intercourse, PA 17534-0558.

This proposed facility is located in Leacock Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to modify Sewage Treatment Facilities.

WQM Permit No. 0601403. Sewerage, **Jerry Seaser and Dawn O'Neill**, P. O. Box 145, Lenhartsville, PA 19534.

This proposed facility is located in Greenwich Township, **Berks County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of Sewage Treatment Facilities.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0113123. Sewerage. **Patrick J. Witkowski**, P. O. Box 322, Laporte, PA 18626.

This proposed facility is located in Laporte Township, **Sullivan County**.

Description of Proposed Action/Activity: Is authorized to discharge treated effluent to receiving waters named unnamed tributary of Mill Creek.

NPDES Permit No. PA0032361. Sewerage. **Williamsport Area School District**, 1400 West Third Street, Williamsport, PA 17701-7898.

This proposed facility is located in Woodward Township, **Lycoming County**.

Description of Proposed Action/Activity: Is authorized to discharge treated effluent to receiving waters named West Branch Susquehanna River.

NPDES Permit No. PA0032352. Sewerage. **Williamsport Area School District**, 1400 West Third Street, Williamsport, PA 17701-7898.

This proposed facility is located in Hepburn Township, **Lycoming County**.

Description of Proposed Action/Activity: Is authorized to discharge treated effluent to receiving waters named Lycoming Creek.

WQM Permit No 5997408. Transfer Sewerage. **Lance & Heather Covert**, R. R. 6 Box 121B, Wellsboro, PA 16901.

This proposed facility is located in Delmar Township, **Tioga County**.

Description of Proposed Action/Activity: Change in ownership single residence septic tank, sand filter and chlorinator.

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other

conditions set forth in the general permit: (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in this Commonwealth; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other

conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Germany Township Adams County	PAR100114	Joseph Sutphin, Et Ux 5160 Baltimore Pike Littlestown, PA 17340	Alloway Creek WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Oxford Township Adams County	PAR100122	Larry Hughes 818 Poplar Road New Oxford, PA 17350	S. Branch of Conewago Creek WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Silver Spring Township Cumberland County	PAR10H256	Stanley Hoynitski Harrisburg Auto Auction 3812 Sarayo Circle Harrisburg, PA 17110	Hogestown Run Trindle Spring Run CWF-CWF	Cumberland County Conservation District 43 Brookwood Avenue, Suite 4 Carlisle, PA 17013 (717) 240-7812
Swatara Township Lower Swatara Township Dauphin County	PAR10I267	Kusic Capital Group III, LLC 4201 Crums Mill Rd. Harrisburg, PA 17112	Laurel Run	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100

NOTICES

2841

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Letterkenny Township Greene Township Franklin County	PAR10M234	Letterkenny Industrial Dev. Auth. 4759 Innovation Way Chambersburg, PA 17201	Rocky Spring Branch TST Unt to Conococheague Creek CWF	Franklin County Conservation District 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
St. Thomas Township Franklin County	PAR10M235	Ursula Riseborough 501 St Thomas-Edenville Rd. St. Thomas, PA 17252	Campbells Run CWF	Franklin County Conservation District 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
Spring Township Perry County	PAR105135	West Perry School Dist. 2606 Shermans Valley Road Elliottsburg, PA 17024	Montour Creek	Perry County Conservation District P. O. Box 36 (31 W. Main St.) New Bloomfield, PA 17068 (717) 582-8988
McIntyre Township Lycoming County	PAR103944	Ralston Flood Mitigation Project Lycoming County Commissioners Lycoming County Court House Williamsport, PA 17701	Lycoming Creek CWF	Lycoming County Conservation Dist. 542 County Farm Rd. Suite 202 Montoursville, PA 17754 (570) 433-3003

Southwest Region: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Allegheny County South Fayette Township	PAR10A447	Maronda Homes, Inc. 11 Timberglen Drive Imperial, PA 15126	Thoms Run/TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Monroeville	PAR10A492	Basil Hawanchak 301 Fitzhenry Road Smithton, PA 15479	Thompson Run/ WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Jefferson Hills Borough	PAR10A500	West Jefferson Hills School District 835 Old Clairton Road Clairton, PA 15025	Beam Run/TSF	Allegheny County Conservation District (412) 241-7645
Armstrong County Rayburn Township	PAR10B037	Armstrong County Commissioners 1415 South Avenue/ 450 East Mark Street Kittanning, PA 16201	Cowanshannock Creek/TSF	Armstrong County Conservation District (724) 548-3425
Beaver County Franklin Township	PAR100283	Zelienople Municipal Airport 1857 Route 588 Zelienople, PA 16063	Connoquenessing Creek/WWF	Beaver County Conservation District (724) 774-7090

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Valley Township Chester County	PAR800106	Chester County Aviation, Inc. 1 Earhart Drive Coatesville, PA 19320	Sucker Run—3H Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Tinicum Township Delaware County	PAR230013	Esschem Incorporated P. O. Box 1139 Linwood, PA 19061	Delaware Estuary—2E Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Downingtown Borough Chester County	PAR130007	Alcoa Flexible Packaging 520 Lincoln Avenue Downingtown, PA 19335	Parke Run tribu- tary to East Branch Brandywine Creek—3H Water- shed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Schuylkill County North Manheim Township	PAR802230	Roadway Express, Inc. 1077 Gorge Blvd. P. O. Box 471 Akron, OH 44309-0471	Long Run Creek CWF	DEP NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
York County Hellam Township	PAR113527	Flinchbaugh Engineering, Inc. 4387 Run Way York, PA 17406	Kruetz Creek/ WWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Union County White Deer Township	PAR144801	NGC Industries Inc. P. O. Box 338 Milton, PA 17847	Unnamed tribu- tary to West Br. Susquehanna 10D	Northcentral Regional Office DEP 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Harmar Township Allegheny County	PAR216140	Redland Brick Inc. 15718 Clear Spring Road P. O. Box 160 Williamsport, MD 21795	Deer Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Bedford County W. Providence Township	PAG043676	Zane Weicht 1179 N. Milk & Water Rds. Everett, PA 15537	TSF	DEP—Southcentral Region Water Management 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Tioga County Delmar Township	PAG044984	Lance & Heather Covert R. R. 6 Box 121B Wellsboro, PA 16901	East Branch Stony Fork Creek 9A	Northcentral Regional Office DEP 208 West Third St. Suite 101 Williamsport, PA 17701

General Permit Type—PAG-5

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Berks County Muhlenberg Township	PAG053550	Exxon Mobil Refining & Supply Co. Tuckerton Terminal #2046 1900 E Linden Ave. P. O. Box 728 Linden, NJ 07036	Laurel Run/WWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-8 (SSN)

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contract Office and Telephone No.</i>
Kimmel Township Bedford County	PAG083559	Greenfield Township Municipal Auth. P. O. Box 372 Claysburg, PA 16625	Richard Langham Farm Kimmel Township Bedford County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-12

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contract Office and Telephone No.</i>
Mifflin County Decatur Township	PAG123507	Kenneth K. & Tina M. Loht 250 Road Apple Drive McClure, PA 17841	Jacks Creek/CWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

SEWAGE FACILITIES ACT PLAN APPROVAL**Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Dillsburg Borough	P. O. Box 370, Dillsburg, PA 17019	York

Plan Description: The approved plan provides for an expansion of the Dillsburg Area Authority wastewater treatment facility on Old Mill Road to 2.3 MGD. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Wilmington Township	R. R. 5 Box 469 New Castle, PA 16105	Lawrence

Plan Description: The approved plan provides for construction of gravity and low-pressure grinder pump sewer systems to replace failing on-lot systems in two areas of Wilmington Township. The Beachwood Drive area has 115 buildings located adjacent to New Wilmington, west and south of the Borough. The proposed sewers will connect to the borough's sewerage system for treatment and disposal. The Maiden Blush/Phillips School Road area has 29 buildings. Sewage will be conveyed to the Orchard Terrace sewerage system, owned and operated by the Wilmington Township Sewer Authority, for treatment and disposal.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**BIOSOLIDS INDIVIDUAL PERMITS
(PABIG AND PABIS)**

The Department of Environmental Protection (Department) has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. The paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PABIS 4821. Leslie's Septic Service Pike Township, Potter County. Leslie's Septic Service, P. O. Box 211, Yahn Road, Galeton, PA 16922-0211 is approved to beneficially use their biosolids on the Circle H Ranch farm in Pike Township, **Potter County**.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION****UNDER ACT 2, 1995****PREAMBLE 2**

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

George's Music, Inc., Upper Gwynedd Township, **Montgomery County**. Philip F. Gray, Jr., Storb Environmental, Inc., 410 N. Easton Rd., Willow Grove, PA 19090-2511, on behalf of George's Music, Inc., 650 W. Swedesford Rd., Berwyn, PA 19312, has submitted a Final Report concerning remediation of site groundwater contaminated with BTEX and petroleum hydrocarbons. The report is intended to document remediation of the site to meet Background Standards.

Ashland, Inc.—Aston Chemical Distribution Facility, Chester Township, **Delaware County**. Cathy A. Pickrel, Ashland, Inc., P. O. Box 2219, Columbus, OH 43216, on behalf of Dunlap, Mellor & Co., Inc., 100 N. Commerce Dr., I-95 Industrial Park, Aston, PA 19014, has submitted a Final Report concerning remediation of site soil contaminated with solvents and BTEX. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Park Chase Apartments, City of Philadelphia, **Philadelphia County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of Park Chase Associates, LP, 115 New St., Glenside, PA 19038, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX, polycyclic aromatic hydrocarbons and naphthalene. The report is intended to document remediation of the site to meet the Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors,

a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Hale Products, Conshohocken Borough and Whitmarsh Township, **Montgomery County**. Frank Keirse, Hale Products, Inc., 700 Spring Mill Ave., Conshohocken, PA 19428, on behalf of Washington St., Associates III, LP, 700 S. Henderson Rd., Suite 2, King of Prussia, PA 19406, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with lead and heavy metals. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 8, 2001.

Metroplex Shopping Center, Plymouth Township, **Montgomery County**. Charles J. Chelotti, Pennoni Associates, Inc., One Drexel Plaza, 3001 Market St., Philadelphia, PA 19104, on behalf of Metroplex West Associates, LP, 350 Sentry Parkway, Blue Bell, PA 19422, has submitted a Final Report concerning remediation of site soil contaminated with PCBs, lead, heavy metals, BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons, solvents, pesticides, asbestos and arsenic; and site groundwater contaminated with lead, BTEX, solvents and asbestos. The Final Report demonstrated attainment of Statewide Health and Site-specific Standards and was approved by the Department on May 8, 2001.

Kathy Medley Residence, Avondale Borough, **Chester County**. Scott W. Steele, Hydrocon Services, Inc., 2945 S. Pike Ave., Allentown, PA 18103, on behalf of Kathy Medley, 105 Chatham St., Avondale, PA 19311, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 11, 2001.

Papp Property, Darby Township, **Delaware County**. Martin Leibhardt, Mulry & Cresswell Environmental, Inc., 1691 Horseshoe Pike, Suite 1, Glenmoore, PA 19343, on behalf of Mr. & Mrs. Papp, 302 Eggleston Terrace, Sharon Hill, PA, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and petroleum hydrocarbons. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 11, 2001.

Richmond Waterfront Industrial Park, LLC, City of Philadelphia, **Philadelphia County**. A. L. Holmstrom, Rohm & Haas Co., Box 584, Bristol, PA 19107, has submitted a Final Report concerning remediation of site soil, groundwater, surface water and sediment contami-

nated with PCBs, lead, heavy metals, pesticides, dioxin, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 11, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

License Issued

Bethlehem Apparatus Company, Inc., P. O. Box Y, 890 Front Street, Hellertown, PA 18055. License No. **PA-AH 0681**. Effective May 15, 2001.

License Renewed

Clean Venture, Inc., 201 S. First Street, Elizabeth, NJ 07206. License No. **PA-AH 0299**. Effective May 18, 2001.

Reifsneider Transportation, Inc., P. O. Box 756, 223 Fellowship Road, Eagle, PA 19480. License No. **PA-AH 0486**. Effective May 18, 2001.

Petroclean, Inc., P. O. Box 92, Carnegie, PA 15106. License No. **PA-AH 0109**. Effective May 15, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 100933. Alliance Sanitary Landfill, Alliance Sanitary Landfill, Inc., 398 South Keyser Avenue, Taylor, PA 18517. A major permit modification for the Area III Expansion application, which would add 147 acres of additional disposal area to this municipal waste landfill located in Taylor and Old Forge Boroughs and Ransom Township, **Lackawanna County**. This expansion would add approximately 23 years of additional life or landfill capacity to the facility. The application was denied by the Regional Office on May 17, 2001.

AIR QUALITY

Operating Permit Administrative Amendments Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450 (relating to administrative operating permit amendments).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0087: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on May 16, 2001, for Suface Coating Operation in Falls Township, **Bucks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

17-318-018A: Invensys Energy Metering (805 Liberty Boulevard, Dubois, PA 15801) on May 15, 2001, to incorporate conditions established in Plan Approval 17-318-018B for a gas meter and regulator surface coating operation consisting of three (3) manual spray booths at Plant #1 in the City of Dubois, **Clearfield County**.

Philadelphia Department of Public Health, Air Management Services: 321 University Ave., Philadelphia, PA 19104, Roger Fey, (215) 823-7584.

7-012: Tenet HealthSystem—Hahnemann University Hospital (Broad and Vine Streets, Philadelphia, PA 19102) administratively amended on May 21, 2001, to identify a change in the facility contact, permit contact and responsible official, add two natural-gas fired emergency generators and three insignificant fuel oil tanks, remove a pathological incinerator and to correct the renewal application fee specified under the general conditions for permit renewal in the City of Philadelphia, **Philadelphia County**. The Synthetic Minor Operating Permit was originally issued on July 31, 2000.

Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

28-03029: Cumberland Valley Animal Shelter (2325 Country Road, Chambersburg, PA 17201) on May 14, 2001, for a Natural Minor Operating Permit in Guilford Township, **Franklin County**.

28-05013: UNOVA Industrial Automation Systems, Inc. (20 East Sixth Street, Waynesboro, PA 17268) on May 17, 2001, for a Synthetic Minor Operating Permit in Waynesboro Borough, **Franklin County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

33-00108: Brookville Hospital (100 Hospital Road, Brookville, PA 15825) on April 26, 2001, for a Title V Operating Permit in Brookville Borough, **Jefferson County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0198D: Blommer Chocolate Co. (1101 Blommer Drive, East Greenville, PA 18041) on May 16, 2001, for operation of a Cocoa Bean Cleaning System in Upper Hanover Township, **Montgomery County**.

23-0021A: Congoleum Corp. (4401 Ridge Road, Trainer, PA 19061) on May 16, 2001, for operation of a 1,000 Kilowatt Emergency Generator in Trainer Borough, **Delaware County**.

23-0047B: Degussa Corp. (1200 West Front Street, Chester, PA 19013) for installation for a new storage silo

to store amorphous silicon dioxide with a bag-house to control particulate matter (PM) emissions from the silo and packaging device. This installation will result in a maximum PM emission increase of 0.1 ton per year. The Plan Approval and Operating Permit will contain additional recordkeeping and operation restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, James Parette, Acting New Source Review Chief, (570) 826-2531.

54-321-006B: Guilford Mills, Inc. (Gold Mills, Inc., 1 Penn Dye Street, Pine Grove, PA 17963) on May 14, 2001, for construction of Tenter Frame 3 in Pine Grove Borough, **Schuylkill County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

37-185B: Universal Refractories, Inc. (915 Clyde Street, Wampum, PA 16157) on May 4, 2001, for installation of a baghouse on the MgO processing line in Wampum Borough, **Lawrence County**.

Plan Approvals Extensions Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.13 (relating to extensions).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0087A: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on May 15, 2001, for operation of a Ammonia Scrubber in Falls Township, **Bucks County**.

23-0024A: Hanson Aggregates PA, Inc. (523 West Forge Road, Glen Mills, PA 19342) on May 15, 2001, for operation of a Aeropulse Baghouse in Middletown Township, **Delaware County**.

09-0110: Riverside Construction Materials, Inc. (7900 Radcliffe Street, Bristol, PA 19007) on May 16, 2001, for operation of a Cement Handling in Bristol Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05017A: Quebecor World, Fairfield, Inc. (100 North Miller Street, Fairfield, PA 17320) on May 1, 2001, to authorize temporary operation of two 2-unit double web offset lithographic printing presses with four heatset dryers, covered under this Plan Approval until August 28, 2001, in Fairfield Borough, **Adams County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

49-0014A: Jeraco Industries, Inc. (135 Sodom Road, Milton, PA 17847) on May 8, 2001, to extend the authorization to operate three fiberglass automotive accessory surface coating spray booths on a temporary basis until September 5, 2001 in Milton Borough, **Northumberland County**.

08-316-013A: Masonite Corp. (P. O. Box 311, Towanda, PA 18848) on May 14, 2001, to extend the authorization to operate a hardboard press (Line 2/Trimboard) and associated air cleaning device (a scrubber) on a

temporary basis until September 11, 2001, in Wysox Township, **Bradford County**.

08-318-024A: Masonite Corp. (P. O. Box 311, Towanda, PA 18848) on May 14, 2001, to extend the authorization to operate a hardboard products surface coating operation (Coating II) on a temporary basis until September 11, 2001, in Wysox Township, **Bradford County**.

Plan Approval Minor Modification Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

49-313-032I: Merck and Co., Inc. (P. O. Box 600, Danville, PA 17821-0600) on May 15, 2001, to add a compliance date (June 30, 2002) to Plan Approval Condition 2 in Riverside Borough, **Northumberland County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Issued

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

17820151. Junior Coal Contracting, Inc. (R. D. 3, Box 225A, Philipsburg, PA 16866), renewal of an existing bituminous surface mine-auger permit in Bradford Township, **Clearfield County** affecting 274.2 acres. Receiving stream—Millstone and Valley Fork Run to West Branch of Susquehanna River. Application received January 16, 2001. Permit issued May 7, 2001.

17950111. Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), renewal of an existing surface mine-auger permit in Bigler Township, **Clearfield County** affecting 188 acres. Receiving stream—Maplepole Run to the West Branch of the Susquehanna River. Application received March 6, 2001. Permit issued May 7, 2001.

17990106. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7960), commencement, operation and restoration of a bituminous surface mine-auger permit in Bell Township, **Clearfield County** affecting 431 acres. Receiving stream—unnamed tributary to Laurel Run to Laurel Run. Application received March 29, 1999. Permit issued May 14, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

03990106. Thomas J. Smith, Inc. (R. R. 1, Box 260-D, Shelocta, PA 15774). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Washington Township, **Armstrong County**, affecting 94.1 acres. Receiving streams: unnamed tributary to Huling Run, to Allegheny River. Application received: August 31, 1999. Permit issued: May 21, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

30841320. Dana Mining Co. of PA, Inc., (P. O. Box 1209, Morgantown, WV 26507), to renew the permit for the Dooley Run Mine in Dunkard Township, **Greene County** to renew permit, no additional discharges. Permit issued May 8, 2001.

32951301. Penn American Coal, L.P., (R. D. 1, Box 119A, Avonmore, PA 15618), to revise the permit for the Burrell Mine in Burrell Township, **Indiana County**, revision to add 9.2 surface acres for new haul road, no additional discharges. Permit issued May 8, 2001.

63831302. Eighty-Four Mining Company, (P. O. Box 355, Eighty Four, PA 15330), to revise the permit for the Mine No. 84 in Amwell Township, **Washington County** to add 12 surface acres for new airshaft, NPDES Pt. and borehole, Little Chartiers Creek. Permit issued May 10, 2001.

30841317. Consol PA Coal Co., (P. O. Box 355, Group 1, Eighty Four, PA 15330), to revise the permit for the Enlow Fork Mine in East and West Finley Townships, **Washington County** to install air shaft F-7, add 29.15 surface areas, tributary to Templeton Fork. Permit issued May 16, 2001.

30743701. LTV Steel Co., Inc., (200 Public Square, Cleveland, OH 44114), to renew the permit for the Nemacolin Coal Refuse Disposal Area in Cumberland Township, **Greene County** to renew the permit, no additional discharges. Permit issued May 16, 2001.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

38950301T. Haines & Kibblehouse, Inc., (P. O. Box 196, Skippack, PA 19474), transfer of an existing quarry operation in Cornwall Borough, **Lebanon County** affecting 175.5 acres and renewal of NPDES Permit #PA-0223646, receiving stream—abandoned pit to Snitz Creek. Transfer issued May 15, 2001.

28000803. Bricker Paving & Excavating, (1661 Edenville Road, Chambersburg, PA 17201), commencement, operation and restoration of a small shale quarry in Hamilton Township, **Franklin County**, affecting 1.50 acres, receiving stream—unnamed tributary to Rocky Spring Run. Permit issued May 18, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

26970401. Laurel Aggregates, Inc. (P. O. Box 23, Gans, PA 15439). Permit revised to add 92 acres of support at a large noncoal surface mine located in Springhill Township, **Fayette County**, now affecting 245 acres. Receiving streams: unnamed tributaries to Rubles Run and Rubles Run. Application received: October 25, 2000. Revision issued: May 16, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

43002802. White Rock Silica Sand Company, Inc. (331 Methodist Road, Greenville, PA 16125) Commence-

ment, operation and restoration of a small noncoal slag operation in the City of Hermitage, **Mercer County** affecting 11.2 acres. Receiving streams: Shenango River. Application Received: December 18, 2000. Permit Issued: May 10, 2001.

ABANDONED MINE RECLAMATION

Bond Forfeiture Contract Awarded	BF 456-101.1
Location	Sandy Township, Clearfield County
Description	Abandoned Mine Land Reclamation
Contractor	S. Construction, Inc. Mineral Ridge, OH
Amount	\$9,551.00
Date of Award	May 21, 2001
Contact	Mary Jane Olsen (717) 783-4800

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—708 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and Notice of Final Action for Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Permits Issued and Actions on 401 Certifications:***WATER OBSTRUCTIONS AND ENCROACHMENTS**

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E58-238. Hallstead Plaza Properties, P. O. Box 416, Hallstead, PA 18822. Great Bend Borough and Great Bend Township, **Susquehanna County**, Army Corps of Engineers Baltimore District.

To place fill in approximately 0.50 acre of wetlands and within the floodway of the Susquehanna River, for the purpose of expanding an existing residential apartment complex. The permittee is required to provide 0.51 acre of replacement wetlands. The project is located on the west side of S. R. 0011, immediately north of the intersection of S. R. 0011 and S. R. 0171. (Great Bend, PA-NY Quadrangle N: 17.1 inches; W: 16.2 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E18-235A. Croda Inc., P. O. Box 178, Mill Hall, PA 17751, Wetland Replacement, Bald Eagle Township, **Clinton County**, Baltimore COE (Mill Hall Quadrangle N: 20.5 inches; W: 13.25 inches).

To place and maintain fill in an additional 0.227 acre of palustrine emergent wetlands and 0.03 acre of palustrine forested open water wetlands. The original permit authorized the placement and maintenance of 1.82 acres of wetland fill and authorized construction of a 2.51-acre wetland replacement in the floodway of Bald Eagle Creek. This amendment will expand the wetland replacement area 0.43 acre to 2.94 acres and includes wetland plantings in the replacement area. The purpose of this project is to expand and upgrade existing chemical plant operations. The company property encompasses 26 acres of land with 8 acres currently developed. The fill site is located on the western side of company property located along Draketown Road (T0373) approximately 0.30 mile from the intersection with SR 150 in Bald Eagle Township, Clinton County. Off-site mitigation for impacts will be replaced within the floodway of Bald Eagle creek located along Lusk Run Road approx. 1.0-mile from the intersection with SR 150.

E18-310. Richard C. Bowman, 1012 Mackeyville Road, Mill Hall, PA 17751. Fence in the floodway, in Mill Hall Borough, **Clinton County**, ACOE Baltimore District (Mill Hall, PA Quadrangle N: 18.65 inches; W: 16.25 inches).

To maintain a 6 foot high by 80 foot long wooden fence in the floodway of Fishing Creek. This project is located at 208 South Water Street, Mill Hall. This permit was issued under Section 105.13(e) "Small Projects."

E41-470. Lycoming County Commissioners, Lycoming County Court House, Ralston Flood Mitigation Project, in McIntyre Township, **Lycoming County**, ACOE Baltimore District (Ralston, PA Quadrangle N: .5 inch; W: 11.5 inches).

Construct, operate and maintain a flood mitigation project on Lycoming Creek, which will have a linear distance of 3,900 feet. There is 1,183 feet of earthen berm, 50,789 square feet of graded fill, excavate 3,233 feet of elevated flood plain, erect 175 feet of gabion basket wall, construct a new county bridge and construct a temporary work causeway which shall be removed once construction of the bridge is completed. In-stream channel work other than bridge and temporary causeway is not

authorized by this permit. This flood mitigation project will only offer protection from storm events less than the 40-year design storm. Larger storm events are expected to cause flooding with Ralston. The gabion wall will be constructed out of standard gabion baskets measuring 3 feet by 3 feet by 6 feet. The county bridge will have a clear span length per span of 83 feet, a skew of 83 degrees and a minimum low cord elevation of 841.7 feet. The temporary causeways will be constructed of rock, free of fines and silts, or other non-erodible material. This project is located along SR 0014 in the town of Ralston (Ralston, PA Quadrangle, N: .5 inch, W: 11.1 inches) in McIntyre Township, Lycoming County.

E49-244. Northumberland County, 50 South Second Street, Sunbury, PA 17801. Bridge, in Mt. Carmel Borough, **Northumberland County**, ACOE Baltimore District (Mt. Carmel, PA Quadrangle N: 9.0 inches; W: 6.0 inches).

To remove an existing single-span reinforced concrete arch bridge with a bituminous concrete wearing surface, a clear span of 20.0 feet, a minimum upstream underclearance of 14.7 feet and an upstream waterway opening of 220 square feet; and to construct and maintain a 20 foot wide by 10 foot high by 180 foot long reinforced concrete box culvert with a waterway opening of 200 square feet with a chamfered upstream top edge. The proposed structure will be located in Shamokin Creek on Vine Street one block north from the intersection of SR 54161 with North Vine Street. This permit was issued under Section 105.13(e) "Small Projects."

[Pa.B. Doc. No. 01-947. Filed for public inspection June 1, 2001, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on DEP's website (www.dep.state.pa.us) at the public participation center. The "March 2001 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its nonregulatory documents, as necessary, throughout 2001.

Ordering Paper Copies Of DEP Technical Guidance

DEP encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes To Technical Guidance Documents

Following is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Technical Guidance—Substantive Revision

DEP ID: 274-3100-001 Title: Policy for Stage II Vapor Recovery Testing Requirements Description: This guidance document identifies testing requirements to verify that the stage II vapor recovery system is operating properly. The Department is currently in the process of revising this policy, based on a recent change to the California Air Resources Board Dynamic Backpressure Test Requirements that this policy follows. Anticipated Effective Date: June 30, 2001 Comment Period Ends: July 28, 2001 Contact: John Harwick at (717) 772-3994 or e-mail at jharwick@state.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-948. Filed for public inspection June 1, 2001, 9:00 a.m.]

Cleanup Standards Scientific Advisory Board Meeting Cancellation Notice

The Cleanup Standards Scientific Advisory Board meeting scheduled to be held on June 21, 2001, at 9:30 a.m., 400 Market Street, Rachel Carson State Office Building, 14th floor conference room has been cancelled. The next scheduled meeting will be held November 29, 2001, at 9:30 a.m. in Room 105 of the Rachel Carson State Office Building.

Questions may be directed to Marilyn Wooding at (717) 783-7509.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-949. Filed for public inspection June 1, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Chambersburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Chambersburg Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 7.14.B2, which relates to the visual observation of patients.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-950. Filed for public inspection June 1, 2001, 9:00 a.m.]

Application of Good Samaritan Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Good Samaritan Regional Medical Center has requested an exception to the requirements of 28 Pa. Code §§ 51.23 and 51.3(a) (relating to positron emission tomography; and notification), which states that a health care facility shall notify the Department in writing at least 60 days prior to the intended commencement of a health care service which has not been previously provided at that facility.

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-951. Filed for public inspection June 1, 2001, 9:00 a.m.]

Application of HealthSouth Reading Rehabilitation Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that HealthSouth Reading Rehabilitation Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-952. Filed for public inspection June 1, 2001, 9:00 a.m.]

Application of Main Line Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Main Line Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(a)(1) (relating to criteria for ambulatory surgery), which states that ambulatory surgical procedures are limited to those that do not exceed a total of 4 hours of operating time.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-953. Filed for public inspection June 1, 2001, 9:00 a.m.]

Application of Memorial Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Memorial Medical Center has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-954. Filed for public inspection June 1, 2001, 9:00 a.m.]

Application of Palmerton Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Palmerton Hospital has requested an exception to the requirements of 28 Pa. Code § 137.21(b)(5) (relating to policies and procedures) regarding administration of oxytocic agents.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154

for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-955. Filed for public inspection June 1, 2001, 9:00 a.m.]

[Correction]

Application of Punxsutawney Area Hospital for Exception

This is to correct the previous notice for Punxsutawney Area Hospital, published at 31 Pa.B. 2516 (May 12, 2001), that erroneously listed the hospital as Titusville Area Hospital.

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Punxsutawney Area Hospital has requested an exception to the requirements of 28 Pa. Code § 51.3 (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-956. Filed for public inspection June 1, 2001, 9:00 a.m.]

Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on Wednesday, June 13, 2001, at 10 a.m., in Room 505 Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA.

For additional information or persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Joseph May at (717) 772-5298, for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-957. Filed for public inspection June 1, 2001, 9:00 a.m.]

Request for Exception from Long-Term Care Nursing Facility

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Jewish Home of Greater Harrisburg
4000 Linglestown Road
Harrisburg, PA 17112

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-958. Filed for public inspection June 1, 2001, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Additional Class of Disproportionate Share Payments to Hospitals

The purpose of this notice is to announce the Department of Public Welfare's (Department) intent to establish an additional class of disproportionate share payments for hospitals that incur significant uncompensated care costs or that experience a high volume of inpatient cases, the cost of which exceeds twice the hospital's average cost per stay for all patients. This change will be effective June 30, 2001.

Hospital Uncompensated Care Payment

The Department proposes to establish this additional class of payments to annually compensate facilities, which provide a disproportionate share of uncompensated care. A facility would qualify for this payment if the facility's total percentage of the following factors listed is above the median for all facilities.

- The facility's percentage of uncompensated care to net patient revenue as reported to the Pennsylvania Health Care Cost Containment Council (PHC4) over the 3 most recent fiscal year periods.

- The facility's percentage of SSI days to total inpatient days over the 3 most recent fiscal year periods.

- The facility's percentage of MA days to total inpatient days over the 3 most recent fiscal year periods.

The Department will annually determine a payment percentage for each individual qualifying facility by comparing it to all qualifying facilities. The Department will annually publish a list of qualifying facilities in the *Pennsylvania Bulletin* by April 1 for the forthcoming fiscal year.

Hospital Extraordinary Expense Payment

The Department also proposes to establish a class of disproportionate share payments to annually compensate facilities which incur extraordinary expenses in treating the uninsured on an inpatient basis. A facility may qualify for this payment if they do not qualify for a Hospital Uncompensated Care payment and the facility provided uncompensated care to a patient with extraordinary expenses in the most recent fiscal year for which data is available. Extraordinary expenses are those which exceed twice the hospital's average cost per stay for all patients.

Payment to the facility shall equal the lesser of the cost of:

- The extraordinary expense claim; or
- The prorated amount of each facility's qualified extraordinary expense costs, as applied to the total funds available for these payments.

Fiscal Impact

The Department intends to fund these additional payments from the Tobacco Settlement Fund. All Federal payment conditions are still applicable, namely, the Commonwealth may not exceed its aggregate annual disproportionate share allotment, and no hospital may receive disproportionate share payments in excess of its hospital-specific limit. Additionally, the total amount of funds received by a facility shall not exceed the uncompensated care amount reported to PHC4.

Since the Tobacco Settlement legislation has not yet been enacted, the fiscal impact of the payments proposed under this notice cannot be determined at this time. The aggregate reimbursements for these additional classes of disproportionate share payments to hospitals will be dependent upon and limited to the amounts actually appropriated in the enacted legislation.

Contact Person

A copy of this notice is available for review at local county assistance offices. Interested persons are invited to submit written comments to this notice within 30 days of this publication. These comments should be sent to the Department of Public Welfare, Office Of Medical Assistance Programs, Attention: Regulations Coordinator, Room 515 Health and Welfare Building, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (Voice Users). Persons who require an alternate format should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-292. (1) General Fund (increases will be based on the passage of the Tobacco Settlement Act); (2) Implementing Year 2000-01 is Unknown; (3) 1st Succeeding Year 2001-02 is Unknown; 2nd Succeeding Year 2002-03 is Unknown; 3rd Succeeding Year 2003-04 is Unknown; 4th Succeeding Year 2004-05 is Unknown; 5th Succeeding Year 2005-06 is Unknown; (4) This is a new appropriation; therefore there is no program history. (7) new appropriation; (8) recommends adoption. Funds are contingent on the passage of appropriations from the Tobacco Settlement funds for this purpose.

[Pa.B. Doc. No. 01-959. Filed for public inspection June 1, 2001, 9:00 a.m.]

Expansion of the Long Term Care Capitated Assistance Program; Request for Information

The Long Term Care Capitated Assistance Program (LTCCAP) is the Commonwealth's replication of the Program of All-inclusive Care for the Elderly (PACE) Model. Under this Request for Information, the Department of Public Welfare (Department) is asking organizations interested in participating as an LTCCAP provider to contact the Department. Providers will be responsible to provide a specific package of services to individuals enrolled in the program, who are eligible for Medical Assistance (MA) and have been determined to require nursing facility services. To be considered for an LTCCAP site, organizations must be enrolled in the MA Program, meet the requirements included in the PACE Protocol and LTCCAP Provider Agreement, and have a completed feasibility study through a PACE Technical Assistance Center.

The Department will consider, among other things, the following factors when determining site selection for LTCCAP:

- MA service need
- MA service availability (underbedded, overbedded, home and community based services, and the like)
- Project location (suburban v. urban, existing project sites, and the like)
- Uniqueness of project design (closing existing nursing facility beds, collaboration efforts, and the like)

Questions regarding the PACE Protocol or the feasibility study through a PACE Technical Assistance Center should be directed to Cindy M. Proper at (717) 772-2525.

Organizations that feel they meet the previous criteria, and are interested in being considered to provide services under LTCCAP, should submit a letter of interest, along with a copy of their completed feasibility study within 30 days from the date of this publication to: LTCCAP, Division of LTC Client Services, Department of Public Welfare, 6th Floor Bertolino Building, P. O. Box 2675, Harrisburg, PA 17105.

Current LTCCAP providers interested in expanding beyond their designated zip code area are also invited to respond to this request. Responses should be directed to the previous address and include a letter of interest, along with a market analysis of the area of interest.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-290. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 01-960. Filed for public inspection June 1, 2001, 9:00 a.m.]

Income and Resource Limits for Spouse Living in the Community When the Other Spouse is Institutionalized

The Department of Public Welfare increased the income and resource limits described in 55 Pa. Code §§ 181.452(d)(2)(iv), 178.124(a)(3)(i) and (ii) effective January 1, 2001, as required by 42 U.S.C.A. § 1396r-5.

The regulations in §§ 181.452(d)(2)(iv), 178.124(a)(3)(i) and (ii) establish the basis for determining the Monthly Community Spouse Maintenance Need Amount and the maximum and minimum Community Spouse Resource Standard for the Categorically Needy Nonmoney Payment and Medically Needy Only Medicaid programs. These standards are required to be published in the *Pennsylvania Bulletin* annually and are available to the public upon request at the county assistance offices.

Effective January 1, 2001, the amounts are:

Maximum Community Spouse Resource Standard	\$87,000
Minimum Standard Community Spouse Resource Standard	\$17,400
Maximum Monthly Community Spouse Maintenance Need Amount	\$ 2,175

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-286. (1) General Fund; (2) Implementing Year 2000-01 is \$533,000; (3) 1st Succeeding Year 2001-02 is \$1,049,000; 2nd Succeeding Year 2002-03 is \$1,080,000; 3rd Succeeding Year 2003-04 is \$1,113,000; 4th Succeeding Year 2004-05 is \$1,146,000; 5th Succeeding Year 2005-06 is \$1,181,000; (4) 1999-00 Program—\$693,625,000; 1998-99 Program—\$721,631,000; 1997-98—\$617,252,000; (7) Medical Assistance-Long Term Care; (8) recommends adoption. Funds are included in the budget for this purpose.

[Pa.B. Doc. No. 01-961. Filed for public inspection June 1, 2001, 9:00 a.m.]

Inpatient Hospital Services

The purpose of this announcement is to provide prior notice of the Department of Public Welfare's (Department) intent to revise its payment method for inpatient hospital services effective July 1, 2001. These revisions would affect acute care general hospitals, private psychiatric hospitals, psychiatric units of general hospitals, rehabilitation hospitals and rehabilitation units of general hospitals.

The Department will negotiate, with representatives of the hospital industry, the possibility of renewing the existing Hospital Payment Rate Agreement (Agreement), which governs the payment methods and standards applicable to hospitals participating in the Medical Assistance Fee-for-Service Program. The Agreement was effective

July 1, 1999, and will expire on June 30, 2001, with regard to disproportionate share and medical education payments. The payment rates under the Agreement are in effect through December 31, 2001. If a revised Agreement is adopted by and between the Department and participating hospitals, the Department expects the payment provisions to be generally similar to those set forth in the current Agreement.

During this period of negotiations, the Department proposes to maintain the disproportionate share and direct medical education payments at the level in effect on June 30, 2001. These payment rates will remain at June 30, 2001, level through December 31, 2001.

Fiscal Impact

The necessary funding required to continue the current payment provisions has been provided for in the Department's Fiscal Year 2001-02 Budget Request. Any additional funding resulting from a revised payment method would need to be limited to the amount of funding appropriated by the General Assembly.

Contact Person

A copy of this notice is available for review at local county assistance offices. Interested persons are invited to submit written comments to this notice within 30 days of this publication. These comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515 Health and Welfare Building, Harrisburg, PA 17120.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (Voice Users). Persons who require an alternate format should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-291. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 01-962. Filed for public inspection June 1, 2001, 9:00 a.m.]

DEPARTMENT OF REVENUE

[Correction]

Pennsylvania Pocono Raceway's NASCAR Cash Instant Lottery Game

An error occurred in the document which appeared at 31 Pa.B. 2234 (April 21, 2001) giving notice of the rules for the new instant lottery game. In section 11(d)(2)(i), reference to validated finalist entries selected in the "first" Second Chance Drawing is incorrect, the provision should reference validated finalist entries selected in the "last" Second Chance Drawing. The corrected text is as follows:

11. Second Chance Drawing Procedures:

* * * * *

(d) Manner of conducting the two Grand Prize Finalist Drawings.

* * * * *

(2) The Pennsylvania 500 Grand Prize Drawing.

(i) The five hundred validated finalist entries selected in the last Second Chance Drawing shall be placed in a mechanical device. Five finalist entries will be selected as Grand Prize finalists.

* * * * *

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 01-963. Filed for public inspection June 1, 2001, 9:00 a.m.]

Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4835.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-965. Filed for public inspection June 1, 2001, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

The Department of Transportation, pursuant to the authority contained in section 2002(c) of The Administrative Code (71 P. S. § 512 (c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right-of-way has been submitted to the Department by Byzantine, Inc. of 1198 Mulberry Street Bridgewater, PA 15009, seeking to lease highway right-of-way located along State Route 0018, (Legislative Route 115, Section 11A) Center Township, Beaver County, containing 15,863.38 ± square feet or 0.364 ± acre, adjacent to SR 0018, for purposes of customer parking.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Ray S. Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to: Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4835.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-964. Filed for public inspection June 1, 2001, 9:00 a.m.]

Application for Lease of Right-of-Way

The Department of Transportation, pursuant to the authority contained in section 2002(c) of The Administrative Code (71 P. S. § 512(c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right-of-way has been submitted to the Department by Colliers Penn, A Pennsylvania Commercial Real Estate, Inc. Company of 223 Fourth Avenue, Pittsburgh, PA 15222, to lease highway right-of-way located at the intersection of Camp Horne Road and Josephs Lane, Ohio Township, Allegheny County, containing 28411.45 ± square feet or 0.652 acres ±, adjacent to SR 0279, for purposes of parking, landscaping and access to an adjoining parcel.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Ray S. Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4835.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-966. Filed for public inspection June 1, 2001, 9:00 a.m.]

Application for Lease of Right-of-Way

The Department of Transportation, pursuant to the authority contained in section 2002(c) of The Administrative Code (71 P. S. § 512(c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right-of-way has been submitted to the Department by the Borough of Green Tree of 10 W. Manilla Avenue, Green Tree, PA 15220-3310, seeking to lease highway right-of-way located at a point on the northerly legal right-of-way line for limited access for Penn Lincoln Parkway, S. R. 0279, Borough of Green Tree Allegheny County, containing 95,518 square feet or 2.19 acres ±, adjacent to SR 0279, for purposes of a storage area and the construction of a salt storage facility.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Ray S.

Application for Lease of Right-of-Way

Notice is hereby given that pursuant to 67 Pa. Code § 495.4(d), an application to lease highway right-of-way has been made to the Department of Transportation by Jerry Thorpe, WHIT Productions, One Chatham Center, Suite #415, Pittsburgh, PA 15219 is seeking to lease highway right-of-way located on the easterly side of relocated East Street at the intersection with Mt. Pleasant Road, in the City of Pittsburgh, Allegheny County, containing 1.12± acres or 36,500± square feet, adjacent to S. R. 0279 for purposes of landscaping, erection of a small fence along the right-of-way for Mt. Pleasant Road for litter and noise prevention and maintenance of adjacent property. Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Raymond S. Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4830.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-967. Filed for public inspection June 1, 2001, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

George T. Perano v. Commonwealth of Pennsylvania, Department of Environmental Protection; EHB Doc. No. 2000-109-L

George T. Perano has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Donegal Township, Washington County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 01-968. Filed for public inspection June 1, 2001, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, May 17, 2001, and took the following action:

Regulations Deemed Approved Under Section 5(g) of the Regulatory Review Act—Effective May 17, 2001.

State Board of Cosmetology #16A-458: Application Fees (adopts an amendment to its regulation at 49 Pa. Code § 7.2)

Regulations Approved:

Department of Public Welfare #14-448: Restitution; Appeal and Fair Hearing and Administrative Disqualification Hearings; Food Stamp Discretionary Provisions (amends 55 Pa. Code Chapters 255, 275 and 501)

Department of Public Welfare #14-449: Special MA Eligibility Provisions; Resources Provisions for Categorically Needy NMP-MA and MNO-MA (amends 55 Pa. Code by revising §§ 140.2, 140.202 and 178.2 and adding §§ 140.100, 140.305, 178.84 and 178.163)

Department of Public Welfare #14-461: Medical Assistance Income (amends 55 Pa. Code Chapter 181)

Insurance Department #11-197: Discounting Medical Malpractice Loss Reserves (amends 31 Pa. Code §§ 118.1—118.3 and 118.6)

State Ethic Commission #63-7: Procedure (amends §§ 17.3—17.6 and 17.11, and adds § 21.6 in 51 Pa. Code)

Department of Labor and Industry #12-55: Food-Service Employee Incentive Program (amends 34 Pa. Code Chapter 231)

Pennsylvania Public Utility Commission #57-214: Universal Service Fund (amends 52 Pa. Code by adding sections to Chapter 63)

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; John F. Mizner

Public Meeting held
May 17, 2001

Department of Public Welfare—Restitution; Appeal And Fair Hearing And Administrative Disqualification Hearings; Food Stamp Discretionary Provisions; Regulation No. 14-448

On April 25, 2001, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Public Welfare (Department). This rulemaking amends 55 Pa. Code Chapters 255, 275 and 501. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation from the Department implements a Federal directive concerning the disqualification penalty for individuals who have committed an intentional program violation of the Temporary Assistance for Needy Families (TANF), General Assistance (GA) Cash Assistance Programs or the Food Stamp Program. This final-omitted rulemaking applies to all applicants and current and former recipients for TANF, GA or the Food Stamp Program. All persons who had a disqualification pending, prior to the Federal directive, are considered to have served their disqualification.

We have determined this regulation is consistent with the statutory authority of the Department of Public Welfare (62 P. S. §§ 201(2) and 403(b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; John F. Mizner

Public Meeting held
May 17, 2001

Department of Public Welfare—Special MA Eligibility Provisions Resource Provisions for Categorically Needy NMP-MA and MNO-MA; Regulation No. 14-449

On April 25, 2001, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Public Welfare. This rulemaking amends 55 Pa. Code by revising §§ 140.2, 140.202 and 178.2 and adding §§ 140.100, 140.305, 178.84 and 178.163. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation codifies a 1993 Notice of Rule Change (NORC). The purpose of the NORC and this regulation is to adopt a less restrictive resource methodology to determine eligibility for low-income children under 21 years of age and their families in MA and GA programs. The resources of these children and their families will be excluded and will not be considered when determining eligibility for the Healthy Beginnings, Healthy Horizons, Supplement Security Income-related or Temporary Assistance for Needy Families and GA-related programs.

We have determined this regulation is consistent with the statutory authority of the Department of Public Welfare (62 P. S. §§ 201(2) and 403(b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; John F. Mizner

Public Meeting held
May 17, 2001

Department of Public Welfare—Medical Assistance Income; Regulation No. 14-461

On April 25, 2001, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Public Welfare (Department). This rulemaking amends 55 Pa. Code Chapter 181. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation eliminates the requirement that a Medical Assistance (MA) recipient enroll in the Pharmaceutical Assistance Contract for the Elderly (PACE) Program. Federal law requires the Commonwealth to consider compensable drugs as a covered service for Medically Needy Only—MA recipients receiving nursing facility services. Therefore, it is no longer necessary to require MA recipients in nursing facilities to enroll in the PACE Program.

We have determined this regulation is consistent with the statutory authority of the Department (62 P. S. §§ 201(2) and 403(b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; John F. Mizner

Public Meeting held
May 17, 2001

Insurance Department—Discounting Medical Malpractice Loss Reserves; Regulation No. 11-197

On October 11, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Insurance Department (Department). This rulemaking amends 31 Pa. Code §§ 118.1—118.3 and 118.6. The proposed regulation was published in the October 21, 2000 *Pennsylvania Bulletin* with a 30-day public comment period. Under section 5(e) of the Regulatory Review Act (71 P. S. § 745.5(e)), the Department resubmitted the proposed regulation on January 25, 2001. The final-form regulation was submitted to the Commission on April 19, 2001.

This final-form regulation amends Chapter 118 to prohibit discounting loss reserves on medical malpractice insurance policies. The regulation also establishes a period during which existing discounts will be phased out.

We have determined this regulation is consistent with the statutory authority of the Department (40 P. S. §§ 92, 112 and 443(a)(2), and 71 P. S. §§ 66, 186, 411 and 412) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; John F. Mizner

Public Meeting held
May 17, 2001

State Ethics Commission—Procedure; Regulation No. 63-7

On June 22, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Ethics Commission. This rulemaking amends §§ 17.3—17.6 and 17.11, and adds § 21.6 to 51 Pa. Code. The proposed regulation was published in the July 8, 2000 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 16, 2001.

The final-form regulation updates cross-references in existing regulations and amends reporting thresholds for Statements of Financial Interest to be consistent with the reporting thresholds in the Public Official and Employee Ethics Act, as amended by Act 93 of 1998. Additionally, the regulation adds a new section relating to confidentiality that incorporates eight existing statutory exceptions and two additional exceptions in conformance with judicial case law.

We have determined this regulation is consistent with the statutory authority of the State Ethics Commission (65 Pa.C.S. § 1107(1)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; John F. Mizner

Public Meeting held
May 17, 2001

*Department of Labor and Industry—Food-Service
Employe Incentive Program; Regulation No. 12-55*

On September 27, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Labor and Industry (Department). This rulemaking amends 34 Pa. Code Chapter 231. The proposed regulation was published in the October 7, 2000 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 26, 2001.

This rulemaking implements the Food-Service Employe Incentive Program mandated by Act 168 of 1998, which was an amendment to the Pennsylvania Minimum Wage Act. The regulation: defines the length of training periods for specific jobs in the food service industry; requires that participating employers maintain employe incentive accounts and provide employes with written notification of the training terms; and explains how a participating employer compensates employes that have successfully completed the training program.

We have determined this regulation is consistent with the statutory authority of the Department (43 P. S. § 333.105a) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; John F. Mizner

Public Meeting held
May 17, 2001

*Pennsylvania Public Utility Commission—Universal
Service Fund; Regulation No. 57-214*

On March 7, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking amends 52 Pa. Code by adding sections to Chapter 63. The proposed regulation was published in the March 18, 2000 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on January 31, 2001, but was withdrawn on February 23, 2001, prior to Commission action. This revised final-form regulation was submitted to the Commission on April 19, 2001.

This regulation establishes rules for administration of the intrastate telecommunications Universal Service Fund (USF). The rules include responsibilities of the independent, neutral third-party administrator, the USF auditor and procedures for USF contributions and distributions. The purpose of the USF is to facilitate the transition of the local telephone market from a monopolistic to a competitive market. The USF is designed to assure that rural consumers in traditionally high cost areas maintain basic local telephone service at affordable rates.

We have determined this regulation is consistent with the statutory authority of the Pennsylvania Public Utility Commission (66 Pa.C.S. §§ 501, 1308, 3001(1) and (2) and

3009(b)(3)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-969. Filed for public inspection June 1, 2001, 9:00 a.m.]

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Commission may issue comments within 10 days of the close of the committee comment period. The Commission comments are based upon the criteria contained in section 5.1(h) and (i) of the Act (71 P. S. § 745.5a(h) and (i)).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulations. The final-form regulations must be submitted by the dates indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
16A-482	State Board of Funeral Directors Application Fees (31 Pa.B. 1468)	5/17/01	4/16/03
# 16A-656	State Board of Physical Therapy Sexual Misconduct (31 Pa.B. 1470)	5/17/01	4/16/03

**State Board of Funeral Directors
Regulation No. 16A-482**

Application Fees

May 17, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)), which have not been met. The State Board of Funeral Directors (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by April 16, 2003, the regulation will be deemed withdrawn.

1. Section 13.12. Fees. Reasonableness; Clarity.

There are two inconsistencies between the titles of the fees in this regulation and the supporting materials. These inconsistencies were also identified in the comments of the House Professional Licensure Committee.

First, the Board's description of the fees includes a fee for "Preceptor Registration or Change." However, the fee for "preceptor" is missing from the regulation. The regulation should identify the fee amount that applies to preceptor registration or change.

Second, the regulation includes a fee for "Address change without inspection." The fee report form indicates that this fee is also charged for other services including a change of director or name on an existing funeral establishment license. The fee title should indicate what other services the fee will apply to.

**State Board of Physical Therapy
Regulation No. 16A-656**

Sexual Misconduct

May 17, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The State Board of Physical Therapy (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by April 16, 2003, the regulation will be deemed withdrawn.

1. Section 40.301. Definitions.—Need; Clarity.

Patient

The definition of "patient" includes the term "immediate family member." This term is not defined. Existing regulations for other licensure boards contain definitions for similar terms. For example, § 36.201 of the regulations for Certified Pennsylvania Evaluators defines the term "immediate family" as "A parent, spouse, child, brother, sister, grandparent or grandchild and, when living in the family household (or under a common roof), all other individuals related by blood or marriage." A similar definition of "immediate family member," in this regulation, would improve clarity.

Sexual impropriety

The last sentence of subparagraph (iv) states "Discussion of a patient's sexual practices and preferences shall be fully documented in the patient's chart." This sentence contains a substantive requirement. Substantive requirements should not be included in definitions; rather, they should be contained in the body of the regulation.

Furthermore, the sentence is unnecessary because the documentation requirement is contained in § 40.302(c), relating to procedural matters. Therefore, the last sentence of subparagraph (iv) should be deleted.

2. Section 40.302. Procedural matters.—Clarity; feasibility.

Subsection (b) states, "The Board may consider sexual relationships between the physical therapist or the physical therapist assistant or the certified athletic trainer and the patient occurring prior to the professional relationship." Is the intent of this provision to provide that a sexual relationship occurring prior to the professional relationship could be raised as a defense to sexual misconduct? Would this defense only apply in cases where the client consents to the sexual conduct after the professional relationship has begun? If so, wouldn't subsection (b) directly conflict with subsection (a), which provides that consent is not a defense? The Board should clarify its intent in subsection (b).

3. Section 40.304. Disciplinary action.—Clarity.

The first sentence of this section states "A physical therapist, physical therapist assistant or certified athletic trainer who engages in sexual impropriety or violation. . . ." For consistency, the word "sexual" should be

inserted before the word "violation" to be consistent with the defined term "sexual violation."

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-970. Filed for public inspection June 1, 2001, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:

Alcohol Education, North Progress Avenue, Harrisburg, PA.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,500 to 1,800 net useable square feet of new or existing retail commercial space. Location must have immediate access to North Progress Avenue between I-81 to the South and Linglestown Road to the North. Site will have free onsite parking.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110
Contact: Charles D. Mooney, (717) 657-4228

Allegheny County, Wine & Spirits Shoppe #8163, Monroeville.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 800 to 1,000 net useable square feet of new or existing office space with free parking. Location should be readily accessible from the Parkway East near the Monroeville or Penn Hills Exits.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Joseph Molhoek, (412) 565-5130

The following Liquor Control Board leases will expire:

Allegheny County, Wine & Spirits Shoppe #0240, 111 Herman Avenue, Wilmerding, PA 15148-1226.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,800 net useable square feet of new or existing retail commercial space serving the Wilmerding/Turtle Creek area. Facilities with off-street parking and good loading are preferred.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Thomas Deal, (412) 565-5130

Allegheny County, Wine & Spirits Shoppe #0275, 826 Hazelwood Avenue, Pittsburgh, PA 15217-2933.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space near the intersection of Hazelwood Avenue and Brown's Hill Road in the City of Pittsburgh.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Beaver County, Wine & Spirits Shoppe #0414, Beaver Valley Mall, 730 Beaver Valley Mall Blvd., Monaca, PA 15061-2315.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 to 5,000 net useable square feet of new or existing retail commercial space serving the area of Beaver Valley Mall in Center Township. Site must have rear loading and free parking.

Proposals due: July 6, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Bedford County, Wine & Spirits Shoppe #0502, 600 Main Street, Saxton, PA 16678-1024.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,200 net useable square feet of new or existing retail commercial space serving Saxton. Site must have rear tractor-trailer delivery access.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Erie County, Wine & Spirits Shoppe #2509, Eastway Plaza, 4045 Buffalo Road, Erie, PA 16510-2091.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space in a shopping center environment along Buffalo Road in Harborcreek Township.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Erie County, Wine & Spirits Shoppe #2513, East Erie Plaza Shopping Ctr., 828 East Sixth Street, Erie, PA 16507-1808.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space in a shopping center environment on East 6th Street near the intersection with Bayfront Parkway in Erie. Site must have free, off-street parking and rear tractor-trailer delivery facilities.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Fayette County, Wine & Spirits Shoppe #2603, 241 North Pittsburgh Street, Connellsville, PA 15425-3209.

Lease Expiration Date: June 30, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,300 net useable square feet of new or existing retail commercial space serving the Connellsville area. Site must have free, off-street parking and rear tractor-trailer delivery access.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Forest County, Wine & Spirits Shoppe #2702, 644 Elm Street, Tionesta, PA 16353-0055.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,500 net useable square feet of new or existing retail commercial space serving Tionesta's Central Business District. Site must have free parking and rear loading facilities.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Somerset County, Wine & Spirits Shoppe #5601, 686 Market Square, Meyersdale, PA 15552-1180.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,500 net useable square feet of new or existing retail commercial space serving the Meyersdale area. Facilities with off-street parking and good loading are preferred.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board

Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Thomas Deal, (412) 565-5130

Venango County, Wine & Spirits Shoppe #6103, Cranberry Mall, RD #1, Cranberry, PA 16319-9738.

Lease Expiration Date: June 30, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,500 net useable square feet of new or existing retail commercial space near the intersection of Routes 322 and 257 in Cranberry Township. Site must have free parking and good loading facilities.

Proposals due: June 22, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Warren County, Wine & Spirits Shoppe #6202, 212 South Main Street, Sheffield, PA 16347-0372.

Lease Expiration Date: May 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,200 net useable square feet of new or existing retail commercial space serving the Sheffield area. Facilities with off-street parking and good loading are preferred.

Proposals due: June 22, 2001 at 12:00 Noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Thomas Deal, (412) 565-5130

JOHN E. JONES, III
Chairperson

[Pa.B. Doc. No. 01-971. Filed for public inspection June 1, 2001, 9:00 a.m.]

MILK MARKETING BOARD

Sunshine Meeting Dates for 2001—2002

In accordance with the Sunshine Act of 1986 (P. L. 388, No. 84), the Milk Marketing Board has established the following meeting dates for Fiscal Year 2001—2002:

<i>Date</i>	<i>Time</i>	<i>Place</i>
July 5, 2001	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
August 1, 2001	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
September 5, 2001	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
October 3, 2001	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408

<i>Date</i>	<i>Time</i>	<i>Place</i>
November 7, 2001	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
December 5, 2001	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
January 9, 2002	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
February 6, 2002	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
March 6, 2002	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
April 3, 2002	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
May 1, 2002	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408
June 5, 2002	1 p.m.	Rm. 202 Agriculture Bldg. 2301 N. Cameron Street Harrisburg, PA 17110-9408

Persons with a disability who require an alternate format may call (717) 787-4194.

LYNDA J. BOWMAN,
Secretary

[Pa.B. Doc. No. 01-972. Filed for public inspection June 1, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-310630F0002. Verizon Pennsylvania Inc. and Focal Communications Corporation of Pennsylvania. Joint petition of for approval of adoption of a replacement interconnection agreement, and amendment no. 1, under section 252(e) and (i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Focal Communications Corporation of Pennsylvania filed on May 15, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Focal Communications Corporation of Pennsylvania joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-973. Filed for public inspection June 1, 2001, 9:00 a.m.]

Telecommunications

A-311060. Verizon Pennsylvania Inc. and Optimum Global Communications Inc. Joint petition for approval of a resale agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Optimum Global Communications, Inc., filed on May 14, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Optimum Global Communications joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-974. Filed for public inspection June 1, 2001, 9:00 a.m.]

Water Service Without Hearing

A-211845. Mark Terrance Water Company, c/o Lynn Water Company. Application of Mark Terrance Water Company, c/o Lynn Water Company, for approval of the right to offer, render, furnish or supply water service to the public in a portion of Lynn Township, Lehigh County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the

Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before June 18, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Mark Terrance Water Company, c/o Lynn Water Company.

Through: Joseph E. Iudicello, Vice President, 6500 Chapmans Road, Allentown, PA 18106.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-975. Filed for public inspection June 1, 2001, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

June 20, 2001	Russell W. Thomas	1 p.m.
	(Disability Retirement after Termination from State Service)	

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.1, (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOHN BROSIUS,
Secretary

[Pa.B. Doc. No. 01-976. Filed for public inspection June 1, 2001, 9:00 a.m.]