

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 3, 2001.

BANKING INSTITUTIONS

Holding Company Acquisition

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
6-29-01	PSB Bancorp, Inc., Philadelphia, to acquire 100% of the voting shares of Jade Financial Corp., Feasterville	Philadelphia	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-22-01	Royal Bank of Pennsylvania Narberth Montgomery County Purchase of assets/assumption of liabilities of Crusader Holding Corporation, Philadelphia, Crusader Savings Bank, F.S.B., Philadelphia, and Asset Investment Corporation, Wilmington, Delaware	Narberth	Effective
7-1-01	Three Rivers Bank and Trust Company, Jefferson Borough, and The Pennsylvania Capital Bank, Pittsburgh Surviving Institution— Three Rivers Bank and Trust Company, Jefferson Borough <i>Branch Office Acquired Via Merger:</i> 336 Fourth Avenue Pittsburgh Allegheny County	Jefferson Borough	Effective
7-1-01	Third Street Interim Bank, Williamsport, and Woodlands Bank, Williamsport Surviving Institution— Third Street Interim Bank, Williamsport, with a change in corporate title to "Woodlands" Bank	Williamsport	Effective
7-2-01	Merger is being effected solely to facilitate the acquisition of Woodlands Bank, Williamsport, by Woodlands Financial Services Company, Williamsport, a new bank holding company. First Penn Bank, Philadelphia, and IGA Federal Savings Bank, Feasterville Surviving Institution— First Penn Bank, Philadelphia	Philadelphia	Effective

NOTICES

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
	<i>Branches Acquired Via Merger:</i>		
	213 West Street Road Feasterville Bucks County	1501 S. Newkirk Street Philadelphia Philadelphia County	
	606 East Baltimore Pike Media Delaware County	2301 Market Street Philadelphia Philadelphia County	
	500 Chesterbrook Boulevard Wayne Delaware County		

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-26-00	Premier Bank Doylestown Bucks County	New Heritage Tower 200 Veterans Lane Doylestown Bucks County (Limited Service Facility)	Opened
6-27-01	FirstService Bank Lansdale Montgomery County	94 N. Flowers Mill Rd. Langhorne Middletown Twp. Montgomery County	Opened

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-29-01	Commonwealth Bank Norristown Montgomery County	<i>To:</i> 70 Commerce Drive Wyomissing Berks County <i>From:</i> 320 Abington Drive Wyomissing Berks County	Effective
6-28-01	Keystone Savings Bank Bethlehem Northampton County	<i>To:</i> 3091 William Penn Hwy. Palmer Township Northampton County <i>From:</i> 3745 Nicholas Street Palmer Township Northampton County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
6-29-01	Witco Credit Union, Petrolia, and Penacol Federal Credit Union, Petrolia Surviving Institution— Penacol Federal Credit Union, Petrolia	Petrolia	Effective

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1273. Filed for public inspection July 13, 2001, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council; Meeting Notice

A meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) is scheduled for Wednesday, July 25, 2001. The meeting will be held at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Claire Guisewite directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PAULETTE JOHNSON,
Chairperson

[Pa.B. Doc. No. 01-1274. Filed for public inspection July 13, 2001, 9:00 a.m.]

Pennsylvania Rivers Conservation Registry

The Department of Conservation and Natural Resources (DCNR), Bureau of Recreation and Conservation has approved the Conestoga Greenways: A River Corridor Plan (Plan) and is placing the Conestoga River along with the Little Conestoga Creek and the West Branch of the Little Conestoga on the Pennsylvania Rivers Conservation Registry (Registry).

On June 19, 2001, the Lancaster Inter-Municipal Committee submitted the Conestoga Greenways Plan and other required information to gain Registry status.

After review of the Plan and the other information, DCNR has determined that Pennsylvania Rivers Conservation Program (Program) requirements have been satisfied and places the following on the Registry.

- *Conestoga River*: The river corridor from Hunsecker's Mill Covered Bridge/Hunsecker Road (between Manheim and Upper Leacock Townships) downstream to the confluence with the Susquehanna River.

- *Little Conestoga Creek*: The creek corridor from East Petersburg Community Park (between East Petersburg Borough and Manheim Township) downstream to the confluence with the Conestoga River.

- *West Branch of the Little Conestoga Creek*: The creek corridor for the entire length of the waterway; from Stony Battery Road (West Hemfield Township) downstream to the confluence with the Little Conestoga Creek.

This action becomes effective July 14, 2001. Projects identified in the Plan become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the final plan is available for review at Lancaster Inter-Municipal Committee, P. O. Box 8347, Lancaster, PA 17604-8347, (717) 397-7313; and Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17105-8475, (717) 787-2316.

Maps and supporting data are on file at the Lancaster Inter-Municipal Committee office.

JOHN C. OLIVER III,
Secretary

[Pa.B. Doc. No. 01-1275. Filed for public inspection July 13, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the

name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0052019	Avon Grove Trailer Park P. O. Box 1177 Hockessin, DE 19707	Chester County London Grove Township	UNT East Branch White Clay Creek	Renewal
PA0053830	Michael Vincent 1195 Westbourne Road West Chester, PA 19382	Chester County Westtown Town- ship	Goose Creek	Renewal
PA0056812	YMCA of Pottstown 724 North Adams Street Pottstown, PA 19464	Montgomery County Upper Hanover Township	Macoby Creek	Renewal
PA0057011	Thornbury Township 8 Township Road Cheyney, PA 19319-1019	Chester County Thornbury Town- ship	Radley Run	Renewal

Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA-0060038 (Sewage)	Integrated Health Services, Inc. (Julia Ribauda STP) Golf Park Road, Lake Ariel, PA 18436	Wayne County Lake Township	Unnamed tributary to Ariel Creek Watershed # 1C	Yes

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0021245	Borough of Duncannon 428 N. High Street Duncannon, PA 17020	Perry County Duncannon Bor- ough	Susquehanna River/7A	Yes
PA0033111	Oak Creek Campground Inc. P. O. Box 128 Bowmansville, PA 17507	Lancaster County Brecknock Town- ship	Muddy Creek/7J	Yes
PA0080861	LaDeira, Inc. Walmar Manor 125 Walmar Manor Dillsburg, PA 17019	York County Franklin Township	UNT North Branch Bermudian Creek/7F	Yes

Northcentral Region: Water Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0114740 Indus- trial Waste	Consumers PA Water Co. 204 East Sunbury Street Shamokin, PA 17872-0909	Northumberland Coal Township	South Branch Roaring Creek 5E	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0112607 Sewerage	Pepper Hill Ltd. P. O. Box 139 Danville, PA 17821	Cooper Township Montour County	Sechler Run 5-E	Yes

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0103659, Industrial Waste. **Calumet Lubricants Company, L.P.**, Allegheny Avenue, Reno, PA 16343.

This proposed facility is located in Sugarcreek Borough, **Venango County**.

Description of Proposed discharge of treated I.W. and stormwater, is in watershed 16E and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 39 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.00072 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Oil and Grease	0.09	0.18	15	30	30
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 002 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
No discharge unless authorized by the Northwest Regional Water Quality Manager or his representative.					

The proposed effluent limits for Outfall 003 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Oil and Grease			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 004 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Oil and Grease			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 005 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Oil and Grease			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 006 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Oil and Grease			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

XX—Monitor and report.

The EPA Waiver is in effect.

PA0103381, Industrial Waste. **Merisol Antioxidants, L.L.C.**, P. O. Box 8A. Route 8 North, Oil City, PA 16301-9702.

This proposed facility is located in Cornplanter Township, **Venango County**.

Description of Proposed discharge of treated I.W., is in watershed 16E and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 40.5 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0172 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
(MO) Flow (MGD)	XX				
(BAT) BOD ₅	8.7	22.8	40	105	
(BAT) TSS	11.9	36.9	55	170	
(BPJ) phenolics			0.5	1.0	1.25
Acenaphthene	0.0037	0.0098	XX	XX	XX
Acenaphthylene	0.0037	0.0098	XX	XX	XX
Acrylonitrile	0.016	0.0404	XX	XX	XX
Anthracene	0.0037	0.0098	XX	XX	XX
Benzene	0.0062	0.0227	XX	XX	XX
Benzo (a) anthracene	0.0037	0.0098	XX	XX	XX
3,4-Benzofluoranthene	0.0038	0.0102	XX	XX	XX
Benzo (k) fluoranthene	0.0037	0.0098	XX	XX	XX
Benzo (a) pyrene	0.0038	0.0098	XX	XX	XX
Bis (2-ethylhexyl)-phthalate	0.0172	0.0465	XX	XX	XX
Carbontetrachloride	0.003	0.0063	XX	XX	XX
Chlorobenzene	0.0025	0.0047	XX	XX	XX
Chloroethane	0.0173	0.0447	XX	XX	XX
2-Chlorophenol	0.0052	0.0163	XX	XX	XX
Chrysene	0.0037	0.0098	XX	XX	XX
Di-n-butylphthalate	0.0045	0.0095	XX	XX	XX
1,2-Dichlorobenzene	0.0128	0.0272	XX	XX	XX
1,3-Dichlorobenzene	0.0052	0.0073	XX	XX	XX
1,1-Dichloroethane	0.0037	0.0098	XX	XX	XX
1,2-Dichloroethane	0.0113	0.0352	XX	XX	XX
1,1-Dichloroethylene	0.0027	0.0042	XX	XX	XX
1,2-Trans-Dichloroethylene		0.009	XX	XX	XX
2,4-Dichlorophenol	0.0065	0.0187	XX	XX	XX
1,2-Dichloropropane	0.0255	0.0384	XX	XX	XX
1,3-Dichloropropylene	0.0052	0.0073	XX	XX	XX
Diethylphthalate	0.0135	0.0339	XX	XX	XX
2,4-Dimethylphenol	0.003	0.006	XX	XX	XX
Dimethylphthalate	0.0032	0.0078	XX	XX	XX
4,6-Dinitro-o-cresol	0.013	0.0462	XX	XX	XX
2,4-Dinitrophenol	0.0118	0.0205	XX	XX	XX
2,4-Dinitrotoluene	0.0425	0.1069	XX	XX	XX
Ethylbenzene	0.0053	0.018	XX	XX	XX
Fluoranthene	0.0042	0.0113	XX	XX	XX
Fluorene	0.0037	0.0098	XX	XX	XX
Hexachlorobenzene	0.0006	0.0047	XX	XX	XX
Hexachlorobutadiene	0.0033	0.0082	XX	XX	XX
Hexachloroethane	0.0035	0.009	XX	XX	XX
Methyl Chloride	0.0143	0.0317	XX	XX	XX
Methylene Chloride	0.0067	0.0148	XX	XX	XX
Napthalene	0.0037	0.0098	XX	XX	XX
Nitrobenzene	0.0045	0.0113	XX	XX	XX
2-Nitrophenol	0.0068	0.0115	XX	XX	XX
4-Nitrophenol	0.012	0.0207	XX	XX	XX
Phenanthrene	0.0037	0.0098	XX	XX	XX
Phenol	0.0025	0.0043	XX	XX	XX
Pyrene	0.0042	0.0112	XX	XX	XX
Tetrachloroethylene	0.0037	0.0093	XX	XX	XX
Toluene	0.0043	0.0133	XX	XX	XX
Total Chromium	0.1851	0.462	XX	XX	XX
Total Copper	0.2419	0.5638	XX	XX	XX
Total Cyanide	0.07	0.2	XX	XX	XX
Total Lead	0.0534	0.1151	XX	XX	XX
Total Nickel	0.2519	0.6639	XX	XX	XX

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
1,2,4-Trichlorobenzene	0.0113	0.0234	XX	XX	XX
1,1,1-Trichloroethane	0.0035	0.009	XX	XX	XX
1,1,2-Trichloroethane	0.0035	0.009	XX	XX	XX
Trichloroethylene	0.0035	0.009	XX	XX	XX
Vinyl Chloride	0.0173	0.0447	XX	XX	XX
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 002 based on a design flow of 0.0129 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	XX				
Oil and Grease			15		30
pH	Within limits of 6.0 to 9.0 standard units at all times.				

XX—Monitor and report.

The EPA Waiver is in effect.

PA0222097, Sewage, **John P. Vandenberg**, R. D. 1, Box 161A, Grand Valley, PA 16420.

This proposed facility is located in Eldred Township, **Warren County**.

Description of Proposed Activity: a renewal discharge.

The receiving stream, unnamed tributary to Caldwell Creek, is in watershed 16E and classified for: high quality-cold water fishes, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0004 MGD.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	10		20
Total Suspended Solids	20		40
Fecal Coliform	200/100 ml as a geometric average		
Total Residual Chlorine	Monitor and Report		
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0054054, Sewage, **Richard and Deborah Reblock**, 2026 Broad Street, Perkasio, PA 18944.

This application is for renewal of an NPDES permit to discharge treated sewage in Hilltown Township, **Bucks County**. This is an existing discharge to Deep Run Creek.

The receiving stream is classified for the following uses: warm water fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 400 gpd are as follows:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Total Residual Chlorine	Monitor/Report	Monitor/Report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

PA 0053449, Sewage, **Birmingham Township**, 1040 Street Road, West Chester, PA 19382-8012.

This application is for renewal of an NPDES permit to discharge treated sewage from the Birmingham Township WWTP in Birmingham Township, **Chester County**. This is an existing discharge to Radley Run.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.15 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	15	23	30
(11-1 to 4-30)	25	38	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Phosphorus	2.0		4.0
Total Residual Chlorine	0.06		0.19
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		

The EPA waiver is in effect.

PA0013714, Industrial Waste, **Exelon Generation Company**, No. 1 Industrial Highway, Eddystone, PA 19022.

This application is for renewal of an NPDES permit to discharge once through cooling water, noncontact cooling water and stormwater runoff from Eddystone Generating Station in Eddystone Borough, **Delaware County**. This is an existing discharge to Crum Creek (Outfalls 001, 002, 004, 005) and the Delaware River—Zone 4 (Outfalls 007, 008, 010, 013, 014).

The receiving stream is classified for warm water fish, migratory fish, industrial water supply, wildlife water supply, boating, fishing, navigation and esthetics.

Annual monitoring requirements are applicable for stormwater discharge from Outfalls 004, 013 and 014. No monitoring required for stormwater discharge from parking lots for Outfalls 001 and 002.

The proposed effluent limits for Outfall 005 based on an average flow of 0.45 MGD from fans and air compressor cooling system are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
pH	Within limits of 6.0—9.0 Standard Units at all times		
Temperature			110°F
Zinc, Total	Monitor	Monitor	
Iron, Dissolved	Monitor	Monitor	

The proposed effluent limits for Outfall 007 based on an average flow of 604 MGD of once through cooling water are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Spectrus CT1300		0.05	
Temperature			110°F
pH	Within limits of 6.0—9.0 Standard Units at all times		
Total Residual Chlorine			0.2
Total Dissolved Solids	700	1400	1750

The proposed effluent limits for Outfall 008 based on an average flow of 835 MGD of once through cooling water are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Spectrus CT1300		0.05	
Temperature			110°F
pH	Within limits of 6.0—9.0 Standard Units at all times		
Total Residual Chlorine			0.2
Hydrazine	Not Detectable (<0.002 mg/l)		
Total Dissolved Solids	700	1400	1750

The proposed effluent limits for internal monitoring points 107 and 108 based on an average flow of 3.045 mgd from the industrial wastewater treatment plant are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Dissolved Solids	15,000	30,000	37,500
Total Suspended Solids	30	100	
Oil & Grease	15	20	30
Copper, Total	Monitor	Monitor	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Iron, Total	Monitor	Monitor	
pH	—	—	Monitor
Selenium, Total	Monitor	Monitor	—
Mercury, Total	Monitor	Monitor	—

The proposed effluent limits for Outfall 010 based on an average flow of 0.144 MGD of noncontact cooling water and groundwater are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
Oil & Grease	15	20	30
pH	Within limits of 6.0—9.0 Standard Units at all times		
Temperature			110°F
Aluminum, Total	Monitor	Monitor	110°F
Iron, Dissolved	Monitor	Monitor	

Other Conditions:

- Thermal Requirements and mixing zone for Outfalls 005, 007, 008 and 010
- Special Test Methods for certain pollutants.
- Approved Cooling/Boiler Water Additives
- Intake Debris Not to be returned to Waterway
- No Discharge of PCB's
- TRC Limitations and Definitions
- Chemical Metal Cleaning
- Coal Pile Runoff
- Hydrazine Sampling Method
- Authorization to Discharge Stormwater

The EPA Waiver is not in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0008281, SIC Code 4911, Industrial Waste, Sewage and Stormwater, **PPL Brunner Island, LLC**, Two North Ninth Street, Mail Stop GENN5, Allentown, PA 18101-1179.

This application is for renewal of an NPDES permit for existing discharges of industrial waste, treated sewage and stormwater to Susquehanna River, Hartman Run and Conewago Creek in Watershed 7-F, in East Manchester Township, **York County**.

The receiving streams are classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Wrightsville Water Supply Co. located in York County. The discharge is not expected to impact the potable water supply.

There are four industrial waste discharges, one treated sewage discharge, two groundwater spring discharges and 18 point source stormwater discharges. The proposed effluent limitations and monitoring requirements are as follows:

Outfall 001—Once Through Cooling Water Discharge (average 621 MGD):

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Heat Rejection Rate		6,960 x 10 ⁶ BTU/hr	XXX
Total Residual Chlorine	XXX	XXX	0.2
Discharge Temperature	XXX	XXX	110°F

Outfall 002—Industrial Waste Treatment Basin Discharge (average 1.8 MGD):

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		From 6.0 to 9.0 inclusive	
Oil & Grease	15	XXX	30
Total Suspended Solids	XXX	XXX	50

Outfall 003—Sewage Treatment Plant Discharge (design 0.032 MGD):

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		From 6.0 to 9.0 inclusive	
Dissolved Oxygen		Minimum of 5.0 mg/l at all times	
Total Residual Chlorine	1.0	XXX	2.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	XXX	60
CBOD ₅	25	XXX	50
Total Phosphorus	2.0	XXX	4.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 100,000/100 ml as a geometric average		

Outfall 004—Industrial Waste Treatment Basin Discharge (average 4.7 MGD):

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		From 6.0 to 9.0 inclusive	
Oil & Grease	15	20	30
Total Suspended Solids	30	100	XXX

Outfall 005—Equalization Basin Discharge (emergency only):

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		From 6.0 to 9.0 inclusive	
Oil & Grease	XXX	20	30

Outfalls 006 and 007—Groundwater Spring Discharges:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	XXX	Monitor & Report	XXX
Total Copper	XXX	Monitor & Report	XXX
Total Nickel	XXX	Monitor & Report	XXX
Total Zinc	XXX	Monitor & Report	XXX
Total Iron	XXX	Monitor & Report	XXX
Total Arsenic	XXX	Monitor & Report	XXX

Outfalls SW-1, SW-2, SW-8 and SW-18—Stormwater Discharges:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	XXX	Monitor & Report	XXX
Total Copper	XXX	Monitor & Report	XXX
Total Nickel	XXX	Monitor & Report	XXX
Total Zinc	XXX	Monitor & Report	XXX
Total Iron	XXX	Monitor & Report	XXX
Total Arsenic	XXX	Monitor & Report	XXX
Total Suspended Solids	XXX	Monitor & Report	XXX
Oil & Grease	XXX	Monitor & Report	XXX

Note: These outfalls are representative of the facility's 18 stormwater outfalls.

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0088706, CAFO, Hibred Pig Company (Hibred Swine Farm), 524 Pine Hill Road, Lititz, PA 17543.

Hibred Swine Farm has submitted an application for an Individual NPDES permit for an existing Concentrated Animal Feeding Operation (CAFO) known as Hibred Swine Farm, located at 415 Forest Road, Denver, PA in West Cocalico Township, **Lancaster County**.

The CAFO is situated near an unnamed tributary of Cocalico Creek in Watershed 7-J, which is classified for high quality warm water fishery. The CAFO is designed to maintain an animal population of approximately 568 animal equivalent units (AEUs) consisting of 1,400 sows. Manure is collected in a clay-lined lagoon. The total capacity of the manure storage facilities is 3.6 million gallons including 2 feet of freeboard. A release or discharge to waters of the Commonwealth under normal

operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Individuals may make an appointment to review the files by calling the File Review Coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice.

Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

Application No. PA 0088714, CAFO, **Hibred Pig Company (Middle Creek Swine Farm)**, 524 Pine Hill Road, Lititz, PA 17543.

The Hibred Pig Company has submitted an application for an Individual NPDES permit for an existing Concentrated Animal Feeding Operation (CAFO) known as Middle Creek Swine Farm, located at 1925 West Route 897, Denver, PA, in West Cocalico Township, **Lancaster County**.

The CAFO is situated near an unnamed tributary of Cocalico Creek in Watershed 7-J, which is classified for high quality warm water fishery. The CAFO is designed to maintain an animal population of approximately 676 animal equivalent units (AEUs) consisting of 2,500 sows and pigs. Manure is collected in an HDPE lined lagoon. The total capacity of the manure storage facilities is 3 million gallons. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the prelimi-

nary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Individuals may make an appointment to review the files by calling the File Review Coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

Application No. PA 0088757, Industrial Waste, SIC Code 4941, **Mount Union Municipal Authority**, Nine West Market Street, Mount Union, PA 17066.

This proposed facility is located in Shirley Township, **Huntingdon County**.

Description of proposed activity: Discharge of treated filter backwash water from water treatment plant.

The receiving stream (Singers Gap Run) is in Watershed 12-C and classified for HQ-CWF.

The proposed effluent limits for Outfall 001 based on a design flow of 0.06 MGD are:

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
pH	XXX	XXX	6 to 9	
Total Suspended Solids	XXX	XXX	30	60
Total Iron	XXX	XXX	2	4
Total Aluminum	XXX	XXX	1	2
Total Manganese	XXX	XXX	1	2
Total Zinc	XXX	XXX	Monitor & Report	Monitor & Report
Hardness, Intake	XXX	XXX	Monitor & Report	Monitor & Report
Hardness, Discharge	XXX	XXX	Monitor & Report	Monitor & Report
Total Residual Chlorine	XXX	XXX	0.27	0.88

Individuals may make an appointment to review the DEP files on this case by calling, Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0088811, Sewage SIC Code 4952, **Franklin Township** (Poplar Springs Road STP), 55 South School Road, P. O. Box 309, Cashtown, PA 17310.

This proposed facility is located in Franklin Township, **Adams County**.

Description of proposed activity: new sewage treatment plant discharge.

The receiving stream (UNT Little Marsh Creek) is in Watershed 13-D and classified for cold water fishery.

The proposed effluent limits for Outfall 001 for a design flow of 0.0064 MGD are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Maximum Daily (mg/l)
CBOD ₅	25	40	50
Total Suspended Solids	30	50	60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
Total Residual Chlorine	0.5	XXX	XXX
NH ₃ -N	Monitor & Report	XXX	XXX
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		28,000/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PA000302, Industrial Waste, SIC 4941, **Pennsylvania-American Water Company-Indiana**, 1034 Waterworks Road, Indiana, PA 15701.

This application is for renewal of an NPDES permit to discharge treated process water and stormwater from the PA-American Water Company-Indiana-Two Lick Creek Water Treatment Plant in White Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, Two Lick Creek, classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Saltsburg Municipal Water Works Conemaugh River Intake, located at Saltsburg, over 40 river miles below the discharge point.

Outfalls 001, 002 and 003: existing discharge, design flows of 0.139 (001 or 002) and 0.02 (003) mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids			30		60
Iron (Total)			2.0		4.0
Aluminum			4.0		8.0
Manganese			1.0		2.0
Total Residual Chlorine			0.5		1.0
pH (S.U.)	not less than 6.0 nor greater than 9.0				

Other Conditions: Control residual solids and floating solids, Total Residual Chlorine conditions, chemical additives, Part II permit pollutant limitations superseded, restricting discharge from either 001 or 002 but never both at any one time.

The EPA waiver is in effect.

PA0002933, Industrial Waste, SIC 4911, **West Penn Power Company, d.b.a. Allegheny Power**, 800 Cabin Hill Drive, Greensburg, PA 15601.

This application is for renewal of an NPDES permit to discharge treated process water, stormwater and untreated stormwater from the West Penn/Allegheny Power Connellsville West Side Facility in the City of Connellsville, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, Youghiogheny River, classified as a High Quality Cold Water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Municipal Authority of Westmoreland County McKeesport Water Treatment Plant, located at McKeesport on the Youghiogheny River, over 40 miles below the discharge point.

Outfall 001: existing stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Recoverable Petroleum Hydrocarbons				Monitor and Report	
Oil and Grease			15		30

Other Conditions: Chemical additives, solids disposal, floating solids, stormwater conditions, PCB discharge prohibited, amend Part II permit and tank farm special conditions.

The EPA waiver is in effect.

Internal Monitoring Point 102: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Oil and Grease			15		30
PCBs, Total				Monitor and Report	
pH (Standard Units)			not less than 6.0 nor greater than 9.0		

Internal Monitoring Point 111: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Oil and Grease			15		30
PCBs, Total				Monitor and Report	
pH (Standard Units)			not less than 6.0 nor greater than 9.0		

Internal Monitoring Point 202: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids			30		100
Oil and Grease			15		20
pH (Standard Units)	not less than 6.0 nor greater than 9.0				

Outfalls 002 through 014: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Outfalls shall consist solely of uncontaminated stormwater runoff. (Except discharges from Internal Monitoring Points 102 and 202 to Outfall 002 and discharges from Internal Monitoring Point 111 to Outfall 011)					

PA0203807, Industrial Waste, SIC 4941, **Nanty Glo Water Authority**, 872 Chestnut Street, Nanty Glo, PA 15943.

This application is for renewal of an NPDES permit to discharge treated process water and untreated Finished Water Basin overflow and stormwater from the Nanty Glo Water Treatment Plant in Cambria Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Williams Run, classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Saltsburg Municipal Water Works Conemaugh River Intake, located at Saltsburg, over 60 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.006 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids			30		60
Iron (Total)			2.0		4.0
Aluminum			4.0		8.0
Manganese			1.0		2.0
Total Residual Chlorine			0.5		1.0
pH (S.U.)	not less than 6.0 nor greater than 9.0				

Other Conditions: Residual solids control, floating solids control, Total Residual Chlorine conditions, chemical additives and sample Finished Water Basin overflow.

The EPA waiver is in effect.

PA0218405, Industrial Waste, SIC 3299, **Morgan Advanced Ceramics/GBC Division**, 580 Monastery Drive, Latrobe, PA 15650.

This application is for issuance of an NPDES permit to discharge treated stormwater and untreated stormwater from the Morgan Advanced Ceramics facility in Unity Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Monastery Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first

existing/proposed downstream potable water supply (PWS) is the Saltsburg Municipal Water Works Conemaugh Intake, located at Saltsburg, over 26 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.0072 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids			30		60
Boron			11.5		29
Copper				Monitor and Report	
Vinyl Chloride			0.010		0.010
Trichloroethylene			0.009		0.023
pH (S.U.)	not less than 6.0 nor greater than 9.0				

Other Conditions: Solids disposal, floating solids, stormwater conditions, control of backwash or cleaning wastewater, provide Section D information within 90 days.

Outfall 002: existing discharge of stormwater

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease				Monitor and Report	
Biological Oxygen Demand (BOD ₅)				Monitor and Report	
Chemical Oxygen Demand (COD)				Monitor and Report	
Total Suspended Solids				Monitor and Report	
Total Kjeldahl Nitrogen				Monitor and Report	
Nitrate plus Nitrite Nitrogen				Monitor and Report	
Total Phosphorus				Monitor and Report	
pH (Min./Maximum)				Monitor and Report	
Boron				Monitor and Report	
Copper				Monitor and Report	
Vinyl Chloride				Monitor and Report	
Trichloroethylene				Monitor and Report	
Zinc				Monitor and Report	
Aluminum				Monitor and Report	

The EPA waiver is in effect.

PA0033219, Sewage, **J. William Dyer**, P. O. Box 364, Sewickley, PA 15143-0364.

This application is for renewal of an NPDES permit to discharge treated sewage from Little Creek Estates STP in New Sewickley Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Brush Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Beaver Falls Municipal Authority.

Outfall 001: existing discharge, design flow of 0.009 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	25			50
Phosphorus	2			4
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	25,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month	Monitor and Report			
37th month—expiration	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0047228, Sewage, **Borough of Pennsbury Village**, 1043 Pennsbury Boulevard, Pittsburgh, PA 15205.

This application is for renewal of an NPDES permit to discharge treated sewage from Pennsbury Village STP in Pennsbury Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Campbells Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: West View Municipal Authority.

Outfall 001: existing discharge, design flow of 0.17 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.0			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0093050, Sewage, **Burrell Township Sewer Authority**, P. O. Box 454, Blacklick, PA 15716.

This application is for renewal of an NPDES permit to discharge treated sewage from Blacklick Sewage Treatment Plant in Burrell Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Blacklick Creek (AMD Affected), which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Saltsburg Municipal Waterworks.

Outfall 001: existing discharge, design flow of 0.18 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
Total Residual Chlorine	1.0			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE
WASTEWATER
APPLICATIONS UNDER THE PENNSYLVANIA
CLEAN STREAMS LAW
PART II PERMITS**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department). The applications are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permit applications.

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of

the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 4601407, Sewerage, **Limerick Township Municipal Authority**, 529 King Road, P. O. Box 29

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Proposed Action/Activity: Construction and operation of a sewer collection system and pump station to serve the Estates and Landis Brooke.

WQM Permit No. 0901410, Sewerage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation to install a low pressure sewer collection system to serve a residential development.

Northwest Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4001403, Sewerage, **Municipal Authority of Hazle Township**, P. O. Box 502, Harleigh, PA 18225.

This proposed facility is located in Hazle Township, **Luzerne County**.

Description of Proposed Action/Activity: Construction of a new wastewater collection and conveyance system to serve limited, specific portions of the Northeast Area of Hazle Township. The areas to be served by the proposed system are the Villages of Oakdale, West Oakdale, Evervale, Middleton, South Middleton, Japan Jeddo, Harleigh Terrace, Drifton, Youngstown, Oakmont Acres and Forest Hill Acres.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0101405, Sewerage, **Adams County Board of Commissioners**, Adams County Courthouse, 111-117 Baltimore Street, Gettysburg, PA 17325.

This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Construction of a wastewater treatment plant in Hunterstown, to serve the greater Hunterstown Area, including the Adams County Facilities Center, Reliant Energy electric generation facility the Village of Hunterstown and the Oak Village Mobile Home Park.

WQM Permit No. 6701407, Sewerage, **Conewago Township Sewer Authority**, 490 Copenhaffer Road, York, PA 17404.

This proposed facility is located in Conewago Township, **York County**.

Description of Proposed Action/Activity: Construction of a sewer extension that includes 24,000 linear feet of 8-inch PVC gravity serving the Canal Road area.

WQM Permit No. 3895401 Amendment 01-1, Sewerage, **North Lebanon Township Municipal Authority**, 725 Kimmerlings Road, Lebanon, PA 17046.

This proposed facility is located in North Lebanon Township, **Lebanon County**.

Description of Proposed Action/Activity: Approval to replace an existing 8" force main from existing Water Street Sewage Pumping Station with approximately 2,900 lf of 12" force main.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No 4701401, Sewerage, **Valley Township Municipal Authority**, P. O. Box 307, Danville, PA 17821.

This proposed facility is located in Valley Township, **Montour County**.

Description of Proposed Action/Activity: Authority is proposing to extend an existing sanitary sewer system to serve Cloverleaf Village, three residential homes and two commercial building located in Valley Township, Montour County near McCracken Road. Application was received on May 23, 2001 at Northcentral Regional Office.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0201408. Sewerage, **Arthur Loriso**, 103 Bertley Ridge Drive, Moon Township, PA 15108. Application for the construction and operation of a single residence sewage treatment plant to serve the Loriso Residence located in North Fayette Township, **Allegheny County**.

Application No. 2601402. Sewerage, **Ohiopyle Borough**, P. O. Box 83, Ohiopyle, PA 15470. Application for the construction and operation of a pump station to serve the Falls City Subdiv Garrette Avenue located in Ohiopyle Borough, **Fayette County**.

Application No. 6586421-A1. Sewerage, **Hempfield Township Municipal Authority**, R. D. 1 Box 501, Greensburg, PA 15601. Application for the modification and operation of sewers and sewage pumping station to serve the Renaissance Development located in Hempfield Township, **Westmoreland County**.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2501414, Sewerage, **Lake Erie Promotions, Inc.**, 3001 West 15th Street, Erie, PA 16505.

This proposed facility is located in Greenfield Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a spray irrigation on-lot sewage disposal system to serve the proposed Lake Erie Speedway.

WQM Permit No. 2001414, Sewerage, **Venango Cemetery Association**, P. O. Box 104, Venango, PA 16440.

This proposed facility is located in Venango Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No. 4301416, Sewerage, **Deborah S. Durniok**, 18 Tanner Road, Greenville, PA 16125.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10 D118, Stormwater. **Bucks County Housing Development**, 7321 New Falls Road, Levittown, PA, has applied to discharge stormwater associated with a construction activity located in New Hope Borough and Solebury Township, **Bucks County** to Aquetong Creek (HQ).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10U154	T.J.F. Land Development, L.L.C. 4547 Foxtail Drive Nazareth, PA 18064	Northampton County Lower Nazareth Township	Monocacy Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit PAS10 1921. Stormwater. **Mountain V Oil and Gas Inc.**, P. O. Box 470, Bridgeport, WV 26830 has applied to discharge stormwater associated with a construction activity located in Chapman Township, **Clinton County** to Hyner Run and Dry Run, HQ-CWF.

Clinton County Conservation District: 216 Spring Run Rd., Rm. 104, Mill Hall, PA 17751.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS101921	Mountain V Oil & Gas Inc. P. O. Box 470 Bridgeport, WV 26830	Clinton County Chapman Township	Hyner Run & Dry Run HQ-CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit PAS10A115, Stormwater. **Villa de Bona Vita Development**, 2606 Lincoln Way, White Oak, PA 15131 and **Brentzel Construction**, 1070 Morris Avenue, North Huntingdon, PA 15642 have applied to discharge stormwater associated with a construction activity located in North Versailles Township, **Allegheny County** to Jacks Run HQ-TSF.

Allegheny County Conservation District: Lexington Technology Park, Building 1, Suite 102, 400 North Lexington Avenue, Pittsburgh, PA 15208-2566, (412) 241-7645.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10A115	Villa de Bona Vita Development 606 Lincoln Way White Oak, PA 15131 Brentzel Construction 1070 Morris Avenue North Huntingdon, PA 15642	Allegheny County North Versailles Township	Jacks Run/HQ-TSF

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit PAS104110, Stormwater. **Minard Run Oil Company**, P. O. Box 18, 609 South Avenue, Bradford, PA 16701 has applied to discharge stormwater associated with a construction activity located in Lafayette Township, **McKean County** to Lewis Run (HQ-CWF) and tributaries of Lewis Run (HQ-CWF).

NOTICE OF INTENT (NOI) FOR COVERAGE UNDER CAFO NPDES GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under the Department's CAFO (concentrated Animal Feeding Operation) General NPDES Permit—PAG 12 to develop and operate a facility that may discharge Wastewater into the Surface Waters of the Commonwealth.

The EPA Region III Administrator has not waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24(d).

The notice of intent and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the Regional Office noted. Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The new or renewal notice of intent, including other information submitted with the applications, is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

CAFO Notices of Intent Received

PAG120003, Walmoore Holsteins, Inc. (Walter T. Moore), 1826 Howellmoore Road, Chatham, PA 19330. Walter T. Moore has submitted an application for an existing Concentrated Animal Feeding Operation (CAFO) known as Walmoore Holsteins, Inc. Farm, located on 2196 Gap-Newport Pike in Londonderry Township, **Chester County**. The CAFO is situated in the Whiteclay Watershed, which is classified as a cold water fishery (CWF). This is an existing CAFO facility with approximately 1,114 Animal Equivalent Units (AEUs) consisting of 630

dairy cows, 215 heifer, 255 calves and 4 bulls. The facility has three units located within the same vicinity.

Unit 2—2196 Gap-Newport Pike, Cochranville, PA

Unit 3—345 East London Grove Road, Chatham, PA

Unit 4—2206 Gap-Newport Pike, Cochranville, PA

Unit 2 has two separate sites. Site one consist of a gravity flow collection system to a 8' x 38' concrete holding tank. From there it is separated and the liquids flow into the first stage of a two stage storage facility. Storage one has a concrete lined bottom over 12" of clay with HDPE lined side has 0.7 million gallon capacity with 12" of freeboard. Total depth is 12'. The second stage is entirely lined with HDPE with underdrain leakage detection system, has 2.8 million gallons capacity with 12" freeboard. Site two consist of two stage storage system. The liquids are separated out by use of a picket dam.

Unit 4 has one small facility used to store heifer manure. Facility is earthen with concrete bottom and limited areas with treated lumber retaining walls.

Unit 3 consist of a two stage storage system. The liquid is separated out by use of a picket dam. The facility has solid storage capacity of 70,560 ft.³ and 95,250 gallons of liquid plus 4 feet of freeboard.

The facility was inspected by a licensed professional engineer and found in proper working order and are functioning per design. Manure from these facilities are sprayed onto 941 acre fields owned/leased by Walmoore Holsteins, Inc. in accordance with the approved Nutrient Management Plan.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitations guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Streams Law constitutes compliance the State narrative water quality standards.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary reviews of the application of lawful standards and regulations, including the Final CAFO Strategy, the Department has made a tentative determination to issue a General NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southeast Regional Office of the Department. Persons may make an appointment to review the files by calling Records Management at (610) 832-6270.

The Environmental Protection Agency permit review waiver provision under 40 CFR 123.24(e) applies to this General NPDES permit.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon

which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0101509, Public Water Supply.
 Applicant **Appler Limited Partnership**
 Municipality Littlestown
 County **Adams**
 Responsible Official Edward Smariga, President
 125 South Carrol Street
 Suite 150
 Fredrick, MD 21701
 Type of Facility Public Water Supply
 Consulting Engineer Jack A Raudenbush, P.E.
 Raudenbush Engineering Inc.
 29 South Union Street
 Middletown, PA 17057
 Application Received Date June 13, 2001
 Description of Action Applicant seeks a Construction Permit for Well No. 4 to be operated as part of the Littlestown Borough Authority community water system at a rate of 86 gallons per minute. Treatment, limited to disinfection, will be provided at an existing facility.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 5501502, Public Water Supply.
 Applicant **Banzhoff, Banzhoff, & Witkowski**
 P. O. Box 339
 Camp Hill, PA 17001
 Township Union Township, **Snyder County**
 Responsible Official Gordon Banzhoff, Partner
 Banzhoff, Banzhoff, & Witkowski
 P. O. Box 339
 Camp Hill, PA 17001
 Type of Facility Public Water Supply
 Consulting Engineer Hoover Engineering Services
 658 Gaumer Road
 New Cumberland, PA 17070
 Application Received Date May 23, 2001

Description of Action Modification of existing water supply system to meet requirements of the Department
Permit No. 1401501, Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 Moshannon Valley District
 410 Cooke Lane
 Pittsburgh, PA 15234
 Township Rush Township, **Centre County**
 Responsible Official Garry Hephart, Operations Super.
 Pennsylvania American Water Company
 P. O. Box 707
 Route 350 South
 Philipsburg, PA 16866
 Type of Facility Public Water Supply
 Consulting Engineer Gwin, Dobson, & Foreman, Inc.
 3121 Fairway Drive
 Altoona, PA 16602
 Application Received Date June 22, 2001
 Description of Action Replacement of the existing Curtis Park Pump Station

MINOR AMENDMENT

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Application No. 0901511, Minor Amendment.
 Applicant **Upper Southampton Municipal Authority**
 Township Upper Southampton
 Responsible Official Atwood Pursel, Jr.
 945 Street Road
 Southampton, PA 18966
 Type of Facility Public Water Supply System
 Consulting Engineer Pennoni Associates, Inc.
 One Drexel Plaza
 3001 Market Street
 Philadelphia, PA 19104
 Application Received Date June 20, 2001
 Description of Action Installation of a liquid chlorination system to replace the existing gas chlorination system at wells 7 and 9.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. Minor Amendment
 Applicant **PA American Water Company**
 Township or Borough Kingston Township
Luzerne County

Responsible Official Anthony Gangemi, Operations Supr.
2699 Stafford Avenue
Scranton, PA 18505
(570) 969-7846

Type of Facility Community Water System

Consulting Engineer Andrew F. Carter, E.I.T.
PA American Water Company
800 West Hershey Park Drive
Hershey, PA 17033
(717) 531-3382

Application Received Date June 28, 2001

Description of Action Repaint the Rice Street finished water storage tank, located near Trucksville, PA

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 1693502-MA1, Minor Amendment.

Applicant **East Brady Waterworks**
502 Ferry St.
East Brady, PA 16028-0461

Township or Borough East Brady Borough, **Clarion County**

Responsible Official Darl Eck, Secretary

Type of Facility Public Water Supply

Consulting Engineer Charles K. Brence,
185 Rosemont Dr.
Moon Township, PA 15108

Application Received Date June 19, 2001

Description of Action Change of corrosion control chemical from soda ash to caustic soda.

Application No. 1092503-MA4, Minor Amendment.

Applicant **Municipal Sewer and Water Authority of Cranberry Township**
2525 Rochester Rd., Ste 400
Cranberry Township, PA 16066.

Township or Borough Cranberry Township, **Butler County**

Responsible Official Lorin F. Meeder, Manager Plant Operations

Type of Facility Public Water Supply

Consulting Engineer Eric C. Tissue, KLH Engineers, Inc.
5173 Campbells Run Rd.
Pittsburgh, PA 15205

Application Received Date June 20, 2001

Description of Action Waterline along Franklin Road

Application No. 2088505-MA1, Minor Amendment.

Applicant **Penn Lake Village MHP**,
Route 285
Conneaut Lake, PA 16316.

Township or Borough Sadsbury Township, **Crawford County**

Responsible Official Dennis Riley
P. O. Box 5229
Conneaut Lake, PA 16316.

Type of Facility Public Water Supply

Consulting Engineer James C. Rothbrust, Service Manager
Gordon Bros. Water
15454 Conneaut Lake Rd.
Meadville, PA 16335.

Application Received Date June 22, 2001

Description of Action New holding tanks.

Application No. 2588511-MA3, Minor Amendment.

Applicant **North East Township Water and Sewer Authority**
10300 W Main St.
North East, PA 16428.

Township or Borough North East Township, **Erie County**

Responsible Official Dennis Culver, Water and Sewer Superintendent

Type of Facility Public Water Supply

Consulting Engineer Douglas C. Scefird, P.E.
Hill Engineering, Inc.
8 Gibson St.
North East, PA 16428.

Application Received Date June 19, 2001

Description of Action Water line extension to Exit 12 to I-90 Welcome Center.

Application No. 2590505-MA2, Minor Amendment.

Applicant **Millcreek Township Water Authority**
3608 West 26th St.
Erie, PA 16506.

Township or Borough Millcreek Township, **Erie County**

Responsible Official David G. Wright, Technical Manager.

Type of Facility Public Water Supply

Application Received Date June 19, 2001

Description of Action Water line extension to Grubb Rd., Stellar Dr., Luna Lane
Zimmerly Rd., Sandalwood Dr.

Application No. 2596501-C1-MA1, Minor Amendment.

Applicant **Erie City Water Authority**
340 West Bayfront Parkway
Erie, PA 16507-0729

Township or Borough Millcreek Township, **Erie County**

Responsible Official James J. Rudy, Chief Operating Officer

Type of Facility Public Water Supply

Consulting Engineer Gerald C. Allender, P.E.
Consoer Townsend Envirodyne
Engineers, Inc.
155 West 8th St.
Erie, PA 16501

Application Received June 25, 2001
Date

Description of Action Extension along Sterrettania
Road in Millcreek Township.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA32-782D, Water Allocation. Indiana County Municipal Service Authority, 827 Water Street, Indiana, PA 15701. Indiana County, Increase in subsidiary allocation from PA-American Water Co.—Indiana District, from 108,000 gpd to 243,000 gpd and extension of the Indiana County Municipal Services Authority's Shelocta water system to service the proposed Dominion Energy facility to be located in South Bend Township, Armstrong County.

Biosolids Individual Permits (PABIG and PABIS)

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to land apply biosolids subject to certain requirements set forth in the permit.

Persons wishing to comment on the proposed permit are invited to submit a statement to the responsible DEP Regional Office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Regional Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, comments received and other information are on file and may be inspected and arrangements made for copying at the responsible DEP Regional Office indicated before the application.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PABIS 4823. Leslie's Septic Service, Gaines Township, Tioga County. P. O. Box 211, Yahn Road, Galeton, PA 16922, has applied to beneficially use their biosolids on the White Water Acres Farm in Gaines Township, Tioga County.

Special Conditions: Management Practices, Monitoring, Recordkeeping, Reporting.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of notices of intent to remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department of Envi-

ronmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Bethlehem Contracting Company, East Allen Township, **Northampton County**. Douglas H. Sammak, Geologist, American Analytical & Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 has submitted a Notice of Intent to Remediate (on behalf of his client, John Cancelliere, President, Bethlehem Contracting Company, P. O. Box 40, Bath, PA 18014) concerning the remediation of site soils found or suspected to have been contaminated with polycyclic aromatic hydrocarbons, BTEX compounds, solvents, lead and other metals. The applicant proposes to remediate the site to meet the site-specific standard. A Summary of the Notice of Intent to Remediate was reportedly published in Allentown's *The Morning Call* on May 31, 2001.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Central Chemical Site, Butler Township, **Butler County**. William H. Carver of CDC Environmental, 112 Woody Drive, Butler, PA 16001, has submitted a Notice of Intent to Remediate soil contaminated with Pesticides. The applicant proposes to remediate the site to meet the site specific standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Butler Eagle*.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

RENEWAL APPLICATIONS RECEIVED

Omega Medical Laboratories, Inc., 2001 State Hill Road, Wyomissing, PA 19610-1699. License No. **PA-HC 0042**. Received on June 29, 2001.

ASEPSIS, Inc., 424 West Lincoln Highway, Suite 204, Pennel, PA 19047-5152. License No. **PA-HC 0014**. Received on July 2, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 101588. Multilee, Incorporated, P. O. Box 275, St. Thomas, PA 17252, St. Thomas Township, **Franklin County**. Permit application is incomplete and fails to comply with the current municipal waste regulations. The Application was denied by the Southcentral Regional Office on June 21, 2001.

Comments concerning the application should be directed to Keith Kerns, Program Manager, Waste Management Program, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Waste Management Program, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate or close solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 100434. Evergreen Landfill, Inc., P. O. Box 195, Coral, PA 15731. Evergreen Landfill, P. O. Box 195, Coral, PA 15731. An application for a Major Permit Modification to increase tonnage at a municipal waste landfill in Center and Brush Valley Townships, **Indiana County** was received in the Regional Office on June 25, 2001.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be

held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Contact: James Parette, New Source Review Chief, (570) 826-2531.

35-318-086: McGregor Industries, Inc. (46 Line Street, Dunmore, PA 18512) for construction of a paint spray booth and associated air cleaning device in Dunmore Borough, **Lackawanna County**.

48-309-115: Essroc Cement Corp. (3251 Bath Pike, Nazareth, PA 18064-8928) for installation of an air cleaning device to the gypsum/coal/clinker unloading hopper (Nazareth Plant #1) in Lower Nazareth Township, **Northampton County**.

13-318-005: Kovatch Mobile Equipment Corp. (t/a KME Fire Apparatus, One Industrial Complex, Nesquehoning, PA 18240) for construction of paint and sand blasting booths with associated air cleaning devices in Nesquehoning Borough, **Carbon County**.

39-318-105A: Ultra Hi-Tek Products, Inc. (827 North Meadow Street, Allentown, PA 18102) for installation of an air cleaning device (catalytic oxidizer) to control a film coating operation in Allentown, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05025B: Eldorado Properties Corp. (P. O. Box 2621, Harrisburg, PA 17105) for installation of a new product loading rack and vapor recovery unit at the Highspire Terminal in Lower Swatara Township, **Dauphin County**. The source is subject to 40 CFR 60, Subpart XX—Standards of Performance for Bulk Gasoline Terminals. The proposed equipment has the potential-to-emit Volatile Organic Compounds (VOC) emissions of 39.8 tons per year and 1.68 tons per year of Hazardous Air Pollutants (HAPs).

36-05092: Greiner Industries, Inc. (1650 Steel Way, Mount Joy, PA 17552-9515) for construction of three new spray-paint bays and a new shot-blast house in Mount

Joy Township, **Lancaster County**. The spray-paint bays will be controlled by dry filters.

36-05093B: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506) for modification of an existing asphalt plant to process recycled asphalt pavement in East Cocalico Township, **Lancaster County**. The asphalt plant is subject to 40 CFR 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

38-03034: Heart of My Heart Final Pet Arrangements (49 Pleasant View Road, Grantville, PA 17028) for construction of an animal crematorium in East Hanover Township, **Lebanon County**.

38-05016B: Quaker Alloy, Inc. (200 East Richland Avenue, Myerstown, PA 17067) for modification of an existing sand reclamation system in the Borough of Myerstown, **Lebanon County**.

67-05069A: Cemex, Inc. (P. O. Box 220, Thomasville, PA 17364) for installation of a new grinding mill at the Thomasville Facility in Jackson Township, **York County**. This source is subject to 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

67-05093: Codorus Stone and Supply Co., Inc. (135 Mundis Race Road, York, PA 17402) for construction of a batch asphalt plant controlled by a fabric collector in Manchester Township, **York County**. The asphalt plant is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities and 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Contact: David Aldenderfer, Program Manager, (570) 327-3637.

19-302-031: Dillon Floral Corp. (P. O. Box 180, Bloomsburg, PA 17815-0180) for modification of two #6 fuel oil-fired boilers, said modification consisting of the use of reprocessed oil as fuel, in the Town of Bloomsburg, **Columbia County**.

49-00005A: Hoeganaes Corp. (1001 Taylors Lane, Cinnaminson, NJ 08077) to modify a metal powder coating process (Insulated Particles Process) by increasing the allowable emission of methylene chloride, a hazardous air pollutant, to 100.6 tons per year in Delaware Township, **Northumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

10-208A: Paragon Trade Brands, Inc. (300 Zeigler Street, Harmony, PA 16037) for installation of a training panel manufacturing line in Harmony, **Butler County**.

20-145A: PPG Industries, Inc. (Kebert Industrial Park, Meadville, PA 16335) for modification of a glass melting furnace to install oxygen fuel burner technology at Works #8, Kebert Industrial Park, Meadville, **Crawford County**. PPG Industries, Works #8 is a Title V facility.

42-194A: Glenn O. Hawbaker, Inc. (Horsehead Run Road, Shinglehouse, PA 16748) for post construction plan approval of an existing Sand & Gravel Processing Facility at Plant #8, Shinglehouse Aggregate in Ceres Township, **McKean County**.

10-021I: Indspec Chemical Corporation (133 Main Street, P. O. Box 307 Petrolia, PA 16050) for minor modification of plan approval 10-021E for the 9500-gallon resorcinol storage tank and scrubber in Petrolia Borough,

Butler County. The application requests parametric monitoring rather than perform a Method 5 particulate test. The facility is a Title V Facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

15-0104A: Tasty Baking Oxford, Inc. (700 Lincoln Street, Oxford, PA 19363) for the increase of production on Production Line Nos. 1, 2 and 3 in Oxford Borough, **Chester County**. This facility makes bakery products. The production increase will result in an increase of 24.99 ton per year of volatile organic compounds (comprising mostly of ethanol), making the facility a Title V facility. Particulate matter emissions will also increase by 0.58 ton per year. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

46-0037F: Cabot Performance Materials (P. O. Box 1608, County Line Road, Boyertown, PA 19512-1608) for modification of its existing processes in Buildings 47 and 101 in Douglass Township, **Montgomery County**. This company is a Title V facility. This modification of the processes will result in particulate matter emissions increase of 1.04 tons per year and hydrogen fluorine acid (HF) emissions decrease of 0.04 ton per year. Nitrogen oxides (NOx) emissions, hydrogen chloride (HCl) emissions and nitric acid emissions will remain unchanged. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

15-0064A: QVC, Inc. (1200 Wilson Drive, West Chester, PA 19380) for installation of three No. 2 fuel oil-fired emergency generators, each rated for 2,000 kW, at their facility located in West Goshen Township, **Chester County**. This facility is a non-Title V facility. The emergency generators shall only be used as a backup power source for television studios so that they may continue broadcasting in the event of a blackout or power interruption. Potential emissions of nitrogen oxides and carbon monoxide shall each be less than 7 tons per year. Emissions of volatile organic compounds, particulate matter and sulfur oxides will each be less than 1 ton per year. Each emergency generator will be restricted to 110 hours of operation per year. The Plan Approval will contain recordkeeping and further operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

46-0037I: Cabot Performance Materials (P. O. Box 1608, County Line Road, Boyertown, PA 19512-1608) for modification of its processes in Building 55 located in Douglass Township, **Montgomery County**. This company is a Title V facility. This modification will result in HF and VOC emission increase of less than three tons of each pollutant per year. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The plan

approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

15-0016E: Worthington Steel Co. (P. O. Box 3050, Malvern, PA 19355) for installation of an air cleaning device to control visible emissions from its coil coating line in East Whiteland Township, **Chester County**. This company is a Title V facility. This air cleaning device installation is intended to meet visible emissions required in 25 Pa. Code § 123.41. The Plan Approval will contain additional recordkeeping and operating requirements designed to keep the facility operating within all applicable air quality requirements. The plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

09-0142: Qwest Communications Corp. (35 Runway Road, Levittown, PA 19057) for installation of four diesel-fired emergency generators, each rated for 2,000 kW, at their facility located in Bristol Township, **Bucks County**. This facility is a non-Title V facility. The emergency generators shall only be used as a backup power source to provide continuous electrical power for Internet service that will be provided to customers. Potential emissions of nitrogen oxides shall be less than 25 tons per year. Potential emissions of carbon monoxide shall be less than 3 tons per year. Potential emissions of volatile organic compounds, particulate matter and sulfur oxides will each be less than 1 ton per year. The Plan Approval will contain recordkeeping and further operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03045B: Eastern Industries, Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) for construction of a recycled asphalt paving crusher and conveyors in Maxatawny Township, **Berks County**. This source is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. This source will have the potential to emit 4.4 tons of particulate per year. The plan approval will include monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

21-03023B: Ames True Temper, Inc. (465 Railroad Avenue, Camp Hill, PA 17011) for a modification to the woodworking collection system in Hampden Township, **Cumberland County**. This source has the potential to emit 0.0726 ton of particulate per year. The plan approval will include monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

22-05025B: Eldorado Properties Corp. (P. O. Box 2621, Harrisburg, PA 17105) for installation of a new product loading rack and vapor recovery unit at the Highspire Terminal in Lower Swatara Township, **Dauphin County**. The source is subject to 40 CFR 60, Subpart XX—Standards of Performance for Bulk Gasoline Terminals. The proposed equipment has the potential to emit Volatile Organic Compounds (VOC) emissions of 39.8 tons per year and 1.68 tons per year of Hazardous Air Pollutants (HAPs). The plan approval will include monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

28-03037: Greencastle Metal Works, Inc. (P. O. Box 838, Greencastle, PA 17201) for the increased operation of a surface coating system for metal products in Chambersburg Borough, **Franklin County**. This proposed operation has the potential-to-emit Volatile Organic Compounds (VOC) emissions of less than 5 tons per year. The plan approval and operating permit will include monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-322-001C: The Northern Tier Solid Waste Authority (P. O. Box 10, Burlington, PA 18814-0010) for construction of a landfill gas-fired engine at its landfill facility in West Burlington Township, **Bradford County**.

The information provided by the applicant indicates that the engine will have the potential to emit 25 tons per 12 consecutive month period of nitrogen oxides (expressed as NO₂), 16 tons per 12 consecutive month period of carbon monoxide and 8 tons per 12 consecutive month period of nonmethane organic compounds. A preliminary review of the information submitted by the applicant indicates that the engine will meet all applicable air quality requirements. Based on this finding, the Department proposes to approve the application and issue a plan approval for the construction. If compliance with all applicable regulatory requirements and plan approval conditions is demonstrated following the construction, the Department intends to administratively amend Operating Permit 08-322-001A to incorporate the conditions established in the plan approval.

In order to ensure compliance with all applicable standards, the Department proposes to place the following requirements in the respective plan approval:

This plan approval is issued for the construction of an 800 kW Caterpillar 3516-90LE landfill gas-fired reciprocating engine equipped with clean burn technology (pre-ignition system).

Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the engine shall comply with the following emission limitations:

<i>Contaminant</i>	<i>Limit (grams per brake horsepower hour)</i>
nitrogen oxides (expressed as NO ₂)	2.0
carbon monoxide	1.3
nonmethane organic compounds	0.6

Additionally, the engine shall either provide a minimum nonmethane organic compound destruction efficiency of 98% for all nonmethane organic compounds contained in the landfill gas or maintain a maximum nonmethane organic compound concentration of 20 ppmvd, as hexane, corrected to 3% oxygen at the engine exhaust.

- Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the Northern Tier Solid Waste Authority shall monitor the exhaust of the engine for oxygen, nitrogen oxides and carbon monoxide content at least once per month using instrumentation capable of accurately measuring the substances and shall record the monitored values as well as the date and time of each occurrence of monitoring in writing. These records are to be retained for at least 5 years and shall be made available to the Department upon request. The Au-

thority shall additionally adjust the engine on the basis of the monitored values as needed to maintain compliance with the air contaminant emission limitations specified herein.

- Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, all collected landfill gas shall be vented to either the engine identified herein or the existing LFG Specialties, Inc. #PEF7.535I10 enclosed ground-type flare identified in Operating Permit 08-322-001A. Under no circumstances shall any collected landfill gas be vented directly to atmosphere.
- The Authority shall stack test the engine for nitrogen oxides, carbon monoxide, nonmethane organic compounds and nonmethane organic compound destruction efficiency.
- The landfill is subject to Subpart Cc of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.30c through 60.36c.

08-0001B: Stroehmann Bakeries, L.C. (North Wilbur and Tuscarora Streets, Sayre, PA 18840) for installation of an air cleaning device, a CSM Worldwide Model 85A catalytic oxidizer, on an existing 6 million BTU per hour Chubco Superflo bread oven in Sayre Borough, **Bradford County**. The catalytic oxidizer will replace an existing catalytic oxidizer currently controlling the volatile organic compound emissions from the respective bread oven. There will be no change in the emission of volatile organic compounds or any other air contaminant.

The Department of Environmental Protection has determined that the proposed equipment will comply with all applicable regulatory requirements pertaining to air contaminant sources and the emission of air contaminants including the Reasonably Available Control Technology (RACT) requirements of 25 Pa. Code §§ 129.91—129.95. The Department of Environmental Protection consequently intends to issue plan approval for the installation of the respective catalytic oxidizer. Additionally, if the Department determines that the catalytic oxidizer is operating in compliance with all applicable plan approval conditions and regulatory requirements following the completion of installation of the catalytic oxidizer, the conditions established in the plan approval will be incorporated into an operating permit via administrative amendment under 25 Pa. Code § 127.450.

The Department intends to place conditions in the plan approval to be issued pertaining to the operation and monitoring of the catalytic oxidizer. These conditions are intended to assure proper operation of the oxidizer as well as maintaining compliance with all applicable air quality regulatory requirements. The following is a summary of these conditions regarding the catalytic oxidizer:

1. Under the RACT provisions of 25 Pa. Code §§ 129.91—129.95, the catalyst bed outlet temperature shall be maintained at a minimum of 600°F at all times and the catalytic oxidizer shall achieve 95% destruction efficiency for volatile organic compounds at all times. The oxidizer shall also be equipped with an alarm system which shall sound an alarm if the outlet temperature drops below 600°F.
2. Under the RACT provisions of 25 Pa. Code §§ 129.91—129.95, the volatile organic compound emission rate from the catalytic oxidizer shall not exceed 3.57 pounds per hour.
3. Under the RACT provisions of 25 Pa. Code §§ 129.91—129.95, the catalyst bed inlet and outlet tem-

peratures shall be continuously monitored and recorded. All records shall be retained for at least 5 years and shall be shown to the Department upon request.

4. Within 120 days following completion of installation of the catalytic oxidizer, stack testing shall be performed on both the inlet and outlet of the catalytic oxidizer to determine the volatile organic compound destruction efficiency of the oxidizer and the volatile organic compound emission rate from the oxidizer.

17-302-023: DuBois Regional Medical Center (P. O. Box 447, DuBois, PA 15801-0447) for construction of three 20.92 million BTU per hour Cleaver Brooks Model No. CBLE 200-500 natural gas/No. 2 oil fired boilers in DuBois Borough, **Clearfield County**.

The boilers to be constructed will replace three existing boilers located in various wings of the hospital. The proposed boilers will primarily burn natural gas, only burning No. 2 fuel oil during emergency situations where natural gas is unavailable. Only 2 of the 3 boilers will be operated simultaneously, with the remaining boiler being used as a standby unit. The worst-case air contaminant emission rates to be associated with the respective boilers are 7.34 tons per year of carbon monoxide, 8.78 tons per year of nitrogen oxides, 3.18 tons per year of volatile organic compounds, 2.04 tons per year of particulate matter and 4.8 tons of sulfur oxides in any 12 consecutive month period.

The Department of Environmental Protection has determined that the proposed boilers will comply with all applicable regulatory requirements pertaining to air contaminant sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12 and Subpart Dc of the Federal Standards of Performance for New Stationary Sources. The Department of Environmental Protection consequently intends to issue plan approval for the construction of the respective boilers.

The Department intends to place conditions in the plan approval to be issued pertaining to the operation and monitoring of the boilers. These conditions are intended to assure proper operation of the boilers as well as the maintenance of compliance with all applicable air quality regulatory requirements. The following is a summary of these conditions:

5. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the boilers shall only burn natural gas or No. 2 fuel oil with a sulfur content of 0.3% or less.

6. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the boilers shall not burn more than 213,840 gallons of No. 2 fuel oil per 12 consecutive month period. The permittee shall keep monthly records of the amount of No. 2 fuel oil burned. These records shall be maintained on site for at least 5 years and made available to the Department upon request.

7. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the boilers shall be equipped with low NOx burners with flue gas recirculation capable of achieving nitrogen oxides and carbon monoxide emission rates of 30 ppm and 50 ppm (corrected to 3% O₂), respectively when firing natural gas and 139 ppm and 90 ppm (corrected to 3% O₂), respectively, when firing No. 2 fuel oil.

8. Under the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the air contaminant

emissions from the operation of the boilers shall not exceed 8.78 tons of nitrogen oxides, 7.34 tons of carbon monoxide and 3.18 tons of volatile organic compounds per 12 consecutive month period.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

16-00133A: Clarion Bathware (16273 Route 208, Marble, PA 16254) for the post-construction of process upgrades at their plant located in Washington Township, **Clarion County**. The facility currently has a Title V permit No. TV 16-00133. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. This construction resulted in no increase in air emissions.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Contact: Roger Fey, Chief, (215) 823-7584.

01081: Rohm and Haas Co. (5000 Richmond Street, Philadelphia, PA 19137) for acceptance of Federally enforceable facility-wide emissions limits for Hazardous Air Pollutants (HAPs) below major source thresholds. The plan approval application established that based on throughput limits for the various HAP emitting processes at the facility, facility-wide HAP emissions were less than 10 tons per rolling 12-month period for each individual HAP and less than 25 tons per rolling 12-month period for combined HAPs. On June 18, 2001 AMS issued a plan approval condition letter to Rohm and Haas establishing facility-wide emission limits of less than 10 tons per rolling 12-month period for each individual HAP and less than 25 tons per rolling 12-month period for combined HAPs. Process throughput limits and HAP control device monitoring requirements were established to assure compliance with the HAP emission limits. As a result of the HAP emission limits, the facility is not applicable to the requirements of 40 CFR 63 Subpart JJJ—National Emission Standards for Hazardous Air Pollutant Emissions: Group IV Polymers and Resins.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Contact: James Parette, New Source Review Chief, (570) 826-2531.

40-310-045: Brdaric Excavating, Inc. (230 Bunkerhill Road, Wyoming, PA 18644) for operation of a crushing plant and associated air cleaning device in Kingston Township, **Luzerne County**.

40-320-009A: Berwick Industries LLC (Bomboy Lane and Ninth Street, Berwick, PA 18603) for operation of flexo-graphic printing presses in Salem Township, **Luzerne County**.

39-309-055: Lafarge Corp. (5160 Main Street, Whitehall, PA 18052) for operation of the #1 finishing mill OSEPA separator and associated air cleaning device in Whitehall Township, **Lehigh County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Contact: David Aldenderfer, Program Manager, (570) 327-3637.

14-313-039: Rutgers Organics Corp. (201 Struble Road, State College, PA 16801) for operation of a chemical process facility used to manufacture an organic chemical identified as Product 9001. The respective process facility

was modified to produce Product 9001 under Plan Approval 14-313-039 which was issued by the Department on April 12, 2000 and subsequently amended on August 18, 2000 and August 24, 2000.

The chemical process facility incorporates various air cleaning devices (multiple water and glycol cooled condensers, two packed bed scrubbers and a regenerative thermal oxidizer) to control the emission of volatile organic compounds and hazardous air pollutants (hydrogen chloride, xylene, methanol and 2,2,4-trimethylpentane). The resultant air contaminant emissions will be up to .35 tons of volatile organic compounds/combined organic hazardous air pollutants and .35 tons of hydrogen chloride per year.

The Department of Environmental Protection has determined that the chemical process facility was modified and is operating, in conformance with all conditions contained in Plan Approval 14-313-039 as well in conformance with all applicable requirements contained in Article III of the Rules and Regulations of the Department of Environmental Protection. The Department of Environmental Protection consequently intends to issue an operating permit for the chemical process facility.

The Department plans to place conditions in the operating permit to be issued which are intended to assure continued compliance with all applicable requirements as well as require appropriate monitoring and recordkeeping procedures to be employed. The following is a summary of these conditions:

1. All condensers, scrubbers, regenerative thermal oxidizers, etc. identified in Plan Approval 14-313-039, as amended, shall be used as specified therein.
2. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, packed bed scrubber S0101 shall use a scrubbing solution containing a minimum of 6% caustic soda. The scrubbing solution shall be recirculated through the scrubber at a rate not less than 25 gallons per minute and a fresh batch of scrubbing solution shall be prepared for each batch of Product 9001 produced.
3. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, packed bed scrubber S0102 shall use a 10% sodium hydroxide scrubbing solution. The scrubbing solution shall be recirculated through the scrubber at a rate not less than 15 gallons per minute and the solution shall be sampled after each batch of Product 9001 to determine the sodium hydroxide content. Records of the sample results shall be maintained.
4. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, all glycol cooled condensers, except for the condenser associated with the dryer, shall be supplied with glycol coolant having a temperature no greater than -1.1° C. The dryer condenser shall be supplied with glycol coolant which has a temperature no greater than 7° C. All glycol feed lines shall be equipped with a temperature monitor.
5. The production of Product 9001 shall not exceed 154,000 pounds per year.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

25-00949: Erie Advanced Manufacturing Inc. (2962 West 22nd Street, Erie, PA 16506) for a Natural Minor Permit to operate a controlled pyrolysis cleaning furnace at the Plant 2 powder coating facility in Millcreek Township, **Erie County**.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

63803009. Robinson Coal Company (200 Neville Road, Pittsburgh, PA 15225). Renewal application received for continued operation and reclamation of a surface mine located in Robinson and Smith Townships, **Washington County**, affecting 215.5 acres. Receiving stream: unnamed tributary to Robinson Run. Renewal application received: June 27, 2001.

03910401. M & M Lime Co. Inc. (R. D. 1, Box 257M, Worthington, PA 16262-9753). Renewal application received for continued operation and reclamation of a surface mine located in West Franklin Township, **Armstrong County** and Clearfield Township, **Butler County**, affecting 85.7 acres. Receiving stream: Buffalo Creek. Renewal application received: July 2, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

32010106. Walter L. Houser Coal Co., Inc. (R. D. #9, Box 434, Kittanning, PA 16201), commencement, operation and restoration of bituminous surface-auger mine in Washington and Plumcreek Townships, **Indiana and Armstrong Counties**, affecting 79.0 acres, receiving stream unnamed tributaries of South Branch Plum Creek and South Branch Plum Creek to Plum Creek to Crooked Creek to the Allegheny River. Application received: June 19, 2001.

32950108. Permit Revision, **TLH Coal Company** (R. D. #1, Box 170, Rochester Mills, PA 15771), for a variance within 100 feet of an unnamed tributary to Dixon Run in East Mahoning Township, **Indiana County**, affecting 52.6 acres, receiving stream Dixon Run and unnamed tributaries to Rayne Run. Application received: June 22, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

3084602. Duquesne Light Company, (P. O. Box 457, Greensboro, PA 15338), to renew the permit for the Warwick Mine No. 2 Prep Plant in Monongahela Township, **Greene County** to renew the permit, no additional discharges. Application received: May 4, 2001.

32841317. Helvetia Coal Company, (P. O. Box 219, Shelocta, PA 15774), to renew the permit for the Lucerne No. 9 Mine in Young and Conemaugh Township, **Indiana County** for reclamation only, no additional discharges. Application received: May 8, 2001.

17841608. Penfield Collieries, LLC, 1088 Springhurst Dr., Green Bay, WI 54304, to renew the permit for the Penfield Collieries Prep Plant in Huston Township, **Clearfield County**, no additional discharges. Application received: May 9, 2001.

30841313. Consolidation Coal Company, (P. O. Box 100, Osage, WV 26543), to revise the permit for the Dilworth Mine in Cumberland Township, **Greene County** to add 2F pump station, no additional discharges. Application received: May 25, 2001.

Noncoal Application Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

8275SM3C3. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), renewal of NPDES Permit #PA0117986 in Caernarvon Township, **Lancaster**

County, receiving stream—unnamed tributary to Conestoga Creek. Application received: June 25, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

08010810. Gregory A. Strawn (P. O. Box 675, Hallstead, PA 18822), commencement, operation and restoration of a Small Industrial Minerals (Bluestone) permit in Windham Township, **Bradford County** affecting 3 acres. Receiving stream—unnamed tributaries to Wysox Creek and Trout Stream. Application received: June 18, 2001.

53010803. Robert C. Paul (P. O. Box 64, Galeton, PA 16922), commencement, operation and restoration of a Small Industrial Minerals (Bluestone) permit in West Branch Township, **Potter County** affecting 3 acres. Receiving stream—unnamed tributary to South Branch of Pine Creek. Application received: June 18, 2001.

08010811. Richard P. Ferguson (R. R. 3, Box 301, Wyalusing, PA 18853), commencement, operation and restoration of a Small Industrial Minerals (Shale/Flagstone) permit in Stevens Township, **Bradford County** affecting 1 acre. Receiving stream—Cold Creek to Wyalusing Creek, tributary to Susquehanna River. Application received: June 20, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

56012801. Mostoller Landfill, Inc. (7095 Glades Pike, Somerset, PA 15501), commencement, operation and restoration of a small noncoal (industrial minerals) operation in Brothersvalley Township, **Somerset County**, affecting 5.0 acres, receiving stream unnamed tributary to Kimberly Run. Application received: June 21, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

5380-37010301-E-8. Quality Aggregates, Inc. (200 Neville Road, Pittsburgh, PA 16225). Application for a stream encroachment to mine through and construct erosion and sedimentation control facilities within the stream channel and reconstruct the channel of unnamed tributary to Slippery Rock Creek in Slippery Rock Township, **Lawrence County**. Receiving streams: unnamed tributary No. 5 to Slippery Rock Creek. Application received: June 25, 2001.

5380-37010301-E-9. Quality Aggregates, Inc. (200 Neville Road, Pittsburgh, PA 16225). Application for a stream encroachment to mine through and construct erosion and sedimentation control facilities within the stream channel and reconstruct the channel of unnamed tributary to Slippery Rock Creek in Slippery Rock Township, **Lawrence County**. Receiving streams: unnamed tributary No. 12 to Slippery Rock Creek. Application received: June 25, 2001.

25010303. Ray Showman Jr. Excavating, Inc. (12671 Route 19 South, P. O. Box 646, Waterford, PA 16441). Commencement, operation and restoration of a sand and gravel operation in Waterford Township, **Erie County** affecting 20 acres. Receiving streams: unnamed tributary to Leboeuf Creek. Application received: June 25, 2001.

Noncoal Applications Returned

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

41000802. John W. Pepper (R. D. 1, Box 54, Granville Summit, PA 16924), commencement, operation and restoration of a Small Industrial Minerals (Flagstone) permit

in McNett Township, **Lycoming County** affecting 1 acre. Receiving stream—none. Application received: October 3, 2000. Application returned: June 26, 2001.

**FEDERAL WATER POLLUTION CONTROL ACT,
SECTION 401**

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received Under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-670. PA DOT, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1925, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To install and maintain a 43-foot long extension to existing 54-foot long reinforced concrete box culvert consisting of a 16-foot span across cedar hollow run (EV) impacting 0.04 acre of wetlands (PSS). This work is work is associated with the construction of a turning lane access from Route 29 to the proposed Atwater commercial office complex (Mining Permit No. 8175SM3A1C2). The

site is located approximately 1,000 feet south of the intersection of New Morehall Road (S. R. 0029) and Yellow Springs Road (Malvern, PA-NJ USGS Quadrangle N: 13.0 inches; W: 5.0 inches).

E46-890. To extend and maintain an existing 50 linear-foot long concrete arch culvert, consisting of a 16-foot span and an 8.25-foot rise, situated in and along the Little Neshaminy Creek (WWF-MF). This work is associated with the widening of Horsham Road (S. R. 463), which will extend the culvert 10 feet on the downstream side, 20 feet on the upstream side and maintain the same hydraulic opening. This site is located approximately 800 feet northwest of the intersection of Horsham and Stump Road (Ambler, PA Quadrangle N: 20.25 inches, W: 14.25 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E13-128. PPL Utilities, Genn 4, 2 North Ninth Street, Allentown, PA 18101, in Franklin and Mahoning Townships, **Carbon County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain two electric/fiber optic line aerial crossings of the Lehigh River (TSF) and Lehigh Canal (CWF) within the same 100-foot wide easement. (Lehigh, PA, Quadrangle N: 17.3 inches; W: 11.5 inches).

E52-174. Lackawaxen Township Board of Supervisors, P. O. Box 205, Lackawaxen, PA 18435, in Lackawaxen Township, **Pike County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain twin 5.9-foot by 3.7-foot CMP arch culverts in West Falls Creek (HQ-CWF). The project is located along T-439, approximately 300 feet north of the intersection of T-439 and S. R. 0590. (Rowland, PA, Quadrangle N: 22.4 inches; W: 9.6 inches).

E40-573. Beech Mountain Lakes Association, 1 Burke Drive, Drums, PA 18222, in Butler Township, **Luzerne County**, U. S. Army Corps of Engineers, Baltimore District.

To maintain the existing floating docks and boat slips in Beech Mountain Lake, for the purpose of providing a mooring area for the residents of Beech Mountain Lakes. The structure extends a maximum distance of approximately 52 feet lakeward from the shoreline and extends along a length of approximately 210 feet of the shoreline. The project is located near the clubhouse of the Beech Mountain Lakes residential development approximately 2.0 miles southeast of the intersection of S. R. 0309 and S. R. 0080. (Freeland, PA, Quadrangle N: 9.0 inches; W: 6.3 inches).

E40-572. Robert E. and Frances C. Dorian, 32 Barclay Drive, Turnersville, NJ 08012-1546, in Foster Township, **Luzerne County**, U. S. Army Corps of Engineers, Philadelphia District.

To place fill in approximately 0.02 acre of wetlands for the purpose of constructing a single family residence and driveway. The project is located on Lot 112 along Lakeside Drive in the Ag-Mar Estates Subdivision, approximately 1.0 mile southwest of the intersection of S. R. 0940 and S. R. 0080. (White Haven, PA, Quadrangle N: 7.9 inches; W: 5.8 inches).

E48-306. Northampton County, 669 Washington Street, Easton, PA 18042, in Forks and Palmer Townships, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain a pre-stressed concrete beam bridge having a single span of 70 feet and an underclearance of approximately 10.1 feet across Bushkill Creek (HQ-CWF). The project is located along Township Road T499 (Newlins Mill Road), just north of S. R. 2019 (Bushkill Drive). (Easton, PA-NJ, Quadrangle N: 18.8 inches; W: 16.9 inches).

E54-287. Dr. Vincent G. Duchess, 78 Great Oaks Drive, Nesquehoning, PA 18240-2136, in Rush Township, **Schuylkill County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain an existing private, floating boat dock and associated concrete bulkhead in Lake Hauto having a surface area of approximately 1,185 S.F. and extending 36.5 feet from the shore. The project is located along the northern shore approximately 3 miles northeast of the intersection of S. R. 0309 and S. R. 0054. (Tamaqua, PA, Quadrangle N: 15 inches; W: 7.5 inches).

E48-307. Conectiv Mid-Merit, Inc., P. O. Box 6066, Newark, DE 19714-6066, in City of Bethlehem and Lower Saucon Township, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To place fill in a de minimis area of PEM/FO wetlands equal to 0.02 acre for the purpose of constructing an electrical substation for a combined cycle electric generating facility. The project also involves various utility line stream crossing of a tributary to East Branch Saucon Creek and Saucon Creek (CWF) and an intake and outfall structure in the Lehigh River (WWF). The project is located within the Bethlehem Commerce Center, on the south side of S. R. 2012 (Applebutter Road) with utility line work extending to the confluence of Saucon Creek and the Lehigh River. (Hellertown, PA, Quadrangle N: 21.7 inches; W: 8.0 inches).

E45-413. LTS Development, Inc., P. O. Box 160, Shawnee-on-Delaware, PA 18356, in Stroud Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a stormwater outfall structure along Wigwam Run (HQ-CWF) consisting of twin 36-inch diameter H.D.P.E. plastic pipe. The project is associated with the proposed Arbor Woods residential subdivision and is located just downstream Wigwam Lake Dam, approximately 0.8 mile north of the intersection of S. R. 0611 and Township Road T-469. (Mount Pocono, PA, Quadrangle N: 0.75 inch; W: 1.00 inches).

E54-288. Stanley L. Staller and Cynthia S. Keeley, 44 Cedar Street, Cressona, PA 17929-1414, in Cressona Borough, **Schuylkill County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain a pedestrian bridge having a single span of 8 feet and underclearance of approximately 5 feet across Panther Creek (CWF). The project is located southwest of the intersection of S. R. 0901 and S. R. 0183. (Pottsville, PA, Quadrangle N: 1.6 inches; W: 9.6 inches).

E45-414. Carol Wagner, P. O. Box 172, Skytop, PA 18357, in Barrett Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing bridge superstructure and modify and maintain the existing bridge by constructing a new deck consisting of wooden planks attached to three 18-inch steel I-beams across Leavitt Branch (HQ-CWF). This private bridge has a single span of approximately 25 feet and an underclearance of 7.3 feet and is located

approximately 0.7 mile upstream of the confluence with Brodhead Creek. (Buckhill Falls, PA, Quadrangle N: 13.5 inches; W: 1.0 inch).

E52-173. Peter and Nancy Pinchot, 123 Moon Valley Road, Milford, PA 18337, in Milford Township, **Pike County**, U. S. Army Corps of Engineers, Philadelphia District.

To modify and maintain an existing single-family residence in the floodway of Vandermark Creek (HQ-CWF), with work consisting of constructing a 210-square-foot building addition. The existing house has a footprint of approximately 1,400 square feet. The project is located approximately 0.25 mile upstream of the Milford Borough/Milford Township boundary. (Milford, PA-NJ, Quadrangle N: 14.9 inches; W: 6.6 inches).

E39-401. Liberty Property Trust, 1510 Valley Center Parkway, Suite 240, Bethlehem, PA 18102, in Upper Saucon Township, **Lehigh County**, U. S. Army Corps of Engineers, Philadelphia District.

To place fill in 0.14 acre of wetlands within the Saucon Creek Watershed (CWF) for the purpose of developing Lot 12 of the Stabler Executive Center Development. (Allentown East, PA, Quadrangle N: 9.6 inches; W: 6.6 inches).

E64-219. Persephone, Inc., R. R. 3, Box 1238, Honesdale, PA 18341, in Dyberry Township, **Wayne County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain a 0.7-acre irrigation pond associated with a nonjurisdictional dam and excavated reservoir in and along a tributary to the Lackawaxen River (HQ-CWF, MF). The project is located along the east side of T-546 approximately 0.4 mile north of the intersection of T-546 and S. R. 4005. (Aldenville, PA Quadrangle N: 4.2 inches; W: 9.2 inches).

E64-220. Pennsylvania Department of Transportation, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501, in Lake Township, **Wayne County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain a roadcrossing of Ariel Creek (HQ-CWF), consisting of a 14.0-foot x 4.0-foot concrete box culvert with its invert depressed 1.0 foot below streambed elevation. The project includes riprap bank stabilization along approximately 100 feet of the left channel bank to protect the roadway embankment at a location approximately 250 feet upstream of the culvert. The project will impact a de minimis area of wetlands equal to 0.01 acre. The project is located along S. R. 3040, between Wildwood Lake and Roamingwood Lake. (Lakeville, PA Quadrangle N: 12.2 inches; W: 13.4 inches).

E35-341. Corning, Inc.—Benton Park, Franklin Valley Road, Fleetville, PA 18420-0228, in Benton Township, **Lackawanna County**, U. S. Army Corps of Engineers, Baltimore District.

To construct and maintain a concrete arch bridge having a span of 20 feet and a rise of 5 feet across a tributary to South Branch Tunkhannock Creek (CWF) and to place fill in 0.14 PEM wetlands within the South Branch Tunkhannock Creek Watershed for the purpose of constructing parking facilities associated with the Corning-Benton Park Expansion Project. (Dalton, PA Quadrangle N: 15.4 inches; W: 4.5 inches).

E48-308. T & S Development Corporation, 623 Selvaggio Drive, Suite 200, Nazareth, PA 18064, in

Nazareth Township, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 25-foot x 3-foot reinforced concrete box culvert in a tributary to Monocacy Creek (HQ-CWF). The project is associated with the proposed Newburg Estates Residential Subdivision and is located on the north side of S. R. 3020 (Newburg Road), approximately 0.4 mile north west of its intersection with S. R. 0191 (Nazareth, PA, Quadrangle N: 15.0 inches; W: 12.7 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E21-325. Jonathan Stough, Mechanicsburg Borough, 2 W. Strawberry Alley, Mechanicsburg, PA 17055 in Mechanicsburg Borough, **Cumberland County**, ACOE Baltimore District.

To (1) remove an existing 8-foot wide by 4-foot high concrete box culvert and to construct at 10-foot wide by 6-foot high concrete box culvert in Trindle Spring Run (CWF) on Mulberry Drive (T-586) and (2) remove an existing box culvert and to construct and maintain a concrete box culvert having a clear span of 16-feet and a rise of 3.3-feet in Trindle Run (CWF) on Church Road (T-592) for the purpose of widening the roadways located on the western corporate boundaries of the Mechanicsburg Borough (Mechanicsburg, PA Quadrangle N: 16.35 inches; W: 4.0 inches and N: 15.15 inches; W: 4.0 inches).

E21-326. Richard Darr, Letort Regional Authority, 415 Franklin Street, Carlisle, PA 17013 and Fred Bohls, Cumberland Valley Chapter of Trout Unlimited, 3519 Ada Drive, Mechanicsburg, PA 17050 in Carlisle Borough, South Middleton Township, North Middleton Township and Middlesex Township, **Cumberland County**, ACOE Baltimore District.

To construct and maintain a 1,400 foot long stone stream bank retaining wall and 12 stone stream flow deflectors as the initial phases of a watershed wide stream restoration project in and along the Letort Spring Run (CWF, HQ-CWF, EV) for the purpose of stabilizing stream banks, improving water quality, aquatic habitat and fisheries habitat for the recreational and educational values of the stream located in Carlisle Borough's Letort Park. The watershed projects will implement a natural stream channel design approach—construction activities will include stream flow deflectors, water jacks, mud sill cribbing, bank cover cribbing, channel blocks, half and whole log structures, midstream boulders, log frame channel block, stream bank retaining walls, log overhead bank cover, root wad bank cover, stone saw tooth deflector, access ramps, stream crossing, modified mud sill, soil/rock sills (Carlisle, PA Quadrangle N: 2.5 inches; W: 8.4 inches).

E21-327. John Bard, Shippensburg Township, P. O. Box 219, Shippensburg, PA 17257 in Shippensburg Township, **Cumberland County**, ACOE Baltimore District.

To relocate about 1,200 feet of stream channel of Burd Run (CWF) to mitigate excessive stream bank erosion by (1) constructing and maintaining about 1,500 feet of new channel with a 40-foot wide riparian buffer on both sides of the stream channel and to (2) construct a 1.0 foot high 87.0 foot long clay dike across an excavated drainage channel through a wetland area to provide water retention to the wetland area (3) impact about 0.28 acre of existing wetlands which will be replaced with an equal amount of new wetland all for the purpose of restoring Burd Run to its historic location on a 21-acres of Town-

ship property on the north west side of Britton Road, between Britton Road and The Penn Central Railroad Tracks (Shippensburg, PA Quadrangle N: 11.3 inches; W: 2.3 inches).

E36-716. Jenny Roy, Caernarvon Township, 2147 Main Street, Narvon, PA 17555

To remove the existing bridge and to construct and maintain a box culvert having a span of 19-feet by 6.5-foot underclearance at the channel of an unnamed tributary to Conestoga River (WFF) on Glick Road (T-924) located about 4,000 feet northeast of Wanger Church in Churchtown Village, (Morgantown, PA Quadrangle N: 3.7 inches; W: 10.8 inches) in Caernarvon Township, **Lancaster County**.

E50-204. Jay Dregg, Sun Pipe Line Company, 1824 Horsepike, Honeybrook, PA 19344 in Jackson Township, **Perry County**, ACOE Baltimore District.

To excavate about 100 feet of stream channel to depth of about 5.0 feet deep for the purpose of exposing an existing 8-inch diameter high pressure petroleum pipeline in Laurel Run (EV) to facilitate the inspection and repair of a section of the pipe located about 750 feet upstream of the confluence of Laurel Run and the South Branch of Laurel Run (Andersonburg, PA Quadrangle N: 2.3 inches; W: 16.30 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-374. James A. Kendter, Pennsylvania Department of Transportation, District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Streambed Paving SR 0187, 0080/0069, in Wilmot Township, **Bradford County**, ACOE Baltimore District (Jenningsville, PA Quadrangle N: 21.8 inches; W: 15.5 inches).

To construct and maintain streambed paving at the outlet to a bridge located on SR 0187 in Sugar Run Creek approximately 1 mile north of Hollenback. The project will not impact wetlands while impacting 15 feet of waterway. Sugar Run Creek is a cold water fisheries Class A wild trout stream.

E17-358. Clearfield County Commissioners, 230 East Market St., Clearfield, PA 16830. Bridge Replacement, in Curwensville Borough, **Clearfield County**, ACOE Baltimore District (Curwensville, PA Quadrangle N: 18.1 inches; W: 2.8 inches).

To 1) remove the existing bridge, 2) construct and maintain a two span prestressed concrete spread box beam bridge with normal clear spans of 31.00 meters (101.7 feet), 3.411-meter (11.19 feet) minimum underclearance and an 85° right ahead skew, 3) construct a temporary bridge with a waterway opening as large or larger than the permanent bridge, 4) construct cofferdams around the abutments and the pier, in or across the West Branch Susquehanna River. This project proposes to temporarily impact 50 meters (164 feet) and permanently impact 28 meters (1,102 feet) of the West Branch Susquehanna River that is classified as a Warm Water Fishery.

E53-358. Stephen Jervis, R. R. 3, Box 3480, Factoryville, PA 18419. Jervis Minor Road Crossing South Woods Branch, in Homer Township, **Potter County**, ACOE Baltimore River Basin District (Austin, PA Quadrangle N: 12.75 inches; W: 5.0 inches).

To construct, operate and maintain a minor road crossing on South Woods Branch-Sinnemahoning Creek (High

Quality-Cold Water Fishery) to provide access to a private, recreational dwelling. The minor road crossing shall be constructed with three corrugated metal culvert pipes. Each culvert pipe shall have a minimum diameter of 2-feet, length of 20-feet and depression into the streambed of 0.5-feet. The culvert pipe installation shall be completed in dry work conditions through the use of temporary dams and pumping or fluming stream flow around work areas. The project will not impact wetlands while impacting 40-feet of waterway.

E55-177. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit Application, in Adams Township, **Snyder County**, ACOE Susquehanna River Basin District (Beavertown, PA Quadrangle N: 9.9 inches; W: 10.5 inches).

To remove 20 linear feet of box culvert and construct and maintain 32 linear feet of 48-inch by 76-inch elliptical concrete pipe in an unnamed tributary to Walker Lake located along S. R. 4018, Segment 0010, Offset 1250. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E57-094. Carol St. Clair, Davidson Township Municipal Authority, R. R. 1, Box 7112, Sonestown, PA 17758. Sewerage Facilities, in Davidson Township, **Sullivan County**, ACOE Baltimore District (Sonestown, PA Quadrangle:

a) Outlet Creek 4-inch diameter sewer crossing N: 19.50 inches; W: 7.40 inches

b) Muncy Creek 4-inch diameter sewer crossing N: 19.40 inches; W: 7.35 inches

c) Muncy Creek 6-inch diameter outfall sewer N: 18.65 inches; W: 7.40 inches).

To construct and maintain approximately 3,000 feet of 3 to 4 inch diameter collection sewers and 900-feet of 6-inch diameter outfall and a sewage pumping facility in the floodplains of Muncy Creek and Outlet Creek. The project is located in miscellaneous areas of Sonestown in Davidson Township, Sullivan County. The project will not impact wetlands while impacting approximately 100 feet of waterway. Muncy Creek is a cold water fisheries stream. Outlet Creek is a high quality—cold water fisheries stream.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E56-307. Seven Springs Farm, Inc., 777 Waterwheel Drive, Champion, PA 15622. Jefferson Township, **Somerset County**, ACOE Pittsburgh District.

To construct and maintain a single 87-inch x 63-inch metal pipe arch culvert in an unnamed tributary to Jones Mill Run (EV) for the purpose of providing access to proposed dwellings associated with the Pheasant Run Subdivision. The applicant also proposes the installation and maintenance of two 8-inch PVC sewer lines and an 8-inch PVC waterline across an unnamed tributary to Jones Mill Run. The project is located on Grouse Point Drive in the Pheasant Run Subdivision (Somerset, PA Quadrangle N: 6.35 inches; W: 3.89 inches).

E63-509. Charleston Holdings, L.L.C., 700 South Lakeside Drive, Canonsburg, PA 15317. North Franklin Township, **Washington County**, ACOE Pittsburgh District.

To place and maintain fill in two closed Pennsylvania American Water Company manmade reservoirs, (reservoir #1 [WWF] and #2 [HQ]) located within the right bank side of the flood plain of Chartiers Creek (WWF). The reservoirs will be filled in order to develop the United Washington Associates (UWA) Business Park. The business park will be located along the west side of Franklin Farm Road approximately 2,500 feet from its intersection with SR 0040 (Washington West, PA Quadrangle N: 5.8 inches; W: 3.2 inches).

E63-510. H. Jay and Amy Bioni, 10 Antil Street, McDonald, PA 15057. Cecil and Chartiers Townships, **Washington County**, ACOE Pittsburgh District.

To construct and maintain a 16' span by 6'-7.5" underclearance corrugated structural steel plate half pipe across Brush Run (WWF) for the purpose of providing access to a proposed residential home. The culvert will be located on the south side of State Route 980, approximately 700 feet south of its intersection with Chartiers Run Road (formerly Venice Road) (Canonsburg, PA Quadrangle N: 5.9 inches; W: 11.7 inches).

E65-783. Pennsylvania Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676. Donegal and Mount Pleasant Townships, Donegal Borough, **Westmoreland County**, ACOE Pittsburgh District.

To conduct the following activities as part of Turnpike Mainline Reconstruction Project from Milepost 85 to Milepost 94:

1. Structure B-327A: to extend and maintain an existing bridge across Jacobs Creek (CWF) by 1.86 meters downstream. The bridge is located at Milepost 87.25 (Mammoth, PA Quadrangle N: 3.5 inches; W: 6.55 inches) in Mt. Pleasant Township, Westmoreland County.

2. Structure B-219A: to construct and maintain a 9.7-meter x 5.3-meter corrugated metal arch culvert having a length of 44.91 meters in Jacobs Creek (CWF) at Milepost 87.66 (Mammoth, PA Quadrangle N: 2.9 inches; W: 5.6 inches) in Mt. Pleasant Township, Westmoreland County.

3. Structure B-220: to construct and maintain a 9.8-meter x 3.9-meter corrugated metal arch culvert having a length of 44.93 meters in Jacobs Creek at Milepost 88.27 (Mammoth, PA Quadrangle N: 1.65 inches; W: 4.8 inches) in Mt. Pleasant Township, Westmoreland County.

4. Structure S-228A at Milepost 93.27: to extend and maintain the existing 49.26 meter long, 3.05-meter x 1.98-meter reinforced concrete arch culvert by 12.2 meters downstream in an unnamed tributary to Indian Creek (CWF) at Milepost 93.64 (Seven Springs, PA Quadrangle N: 21.5 inches; W: 12.0 inches) in Donegal Township, Westmoreland County.

5. Structure S-228A at Milepost 93.64: to extend and maintain the existing 58.76-meter long, 4.27-meter x 2.29-meter reinforced concrete arch culvert by 13.03 meters downstream in an unnamed tributary to Indian Creek (CWF) at Milepost 93.64 (Seven Springs, PA Quadrangle N: 21.8 inches; W: 11.1 inches) in Donegal Township, Westmoreland County.

6. To extend and maintain an existing 91-meter long, 66-inch corrugated metal pipe culvert by 36 meters upstream in Fourmile Run (TSF) at Milepost 91.25 (Seven Springs, PA Quadrangle N: 19.5 inches; W: 16.9 inches) in Donegal Township, Westmoreland County. This culvert extension qualifies for authorization under the Department's waiver 105.12(a)(2).

7. To remove the existing structure and to construct and maintain a 975 mm x 1535 mm corrugated metal

pipe arch culvert in Fourmile Run (TSF) located on Snyder Road (T-333) (Seven Springs, PA Quadrangle N: 19.8 inches; W: 16.9 inches) in Donegal Township, Westmoreland County.

8. To permanently place and maintain fill in a 0.383 acre of wetlands (0.366 acre PEM, 0.017 acre PSS). To compensate for wetland impacts, the applicant will make a monetary contribution to the Pennsylvania Wetland Replacement Project.

9. To relocate and maintain 130 meters of an unnamed tributary to Fourmile Run (TSF) between stations 146+730 and 146+850 and 115 meters of an unnamed tributary to Fourmile Run (TSF) between stations 146+850 and 146+950 in Donegal Township, Westmoreland County.

E65-784. Pennsylvania Department of Transportation, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. Hempfield Township, **Westmoreland County**, ACOE Pittsburgh District.

To construct and maintain a bridge having a clear span of 9.14 m and an underclearance of 1.77 m across an unnamed tributary to Sewickley Creek (WWF) located on S. R. 3075, Section A10. Also, to place and maintain fill in 0.065 acre of palustrine emergent and scrub/shrub wetland for the purpose of improving highway safety. To compensate for the loss of wetland, the applicant will make a monetary contribution to the Pennsylvania Wetland Replacement Project. The project includes removal of an abandoned concrete weir located upstream of the structure. The project is located at a point approximately 4,000 feet north of I-70 (Smithton, PA Quadrangle N: 18.5 inches; W: 2.6 inches)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-339, Minnock Land Development Company, 7207 Old McKnight Road, Pittsburgh, PA 15237. Lot 51-St. Leonards Woods Phase II, in Cranberry, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 13 inches; W: 11 inches).

To fill a total of 0.025 acre of wetland in the center of a 0.5 acre residential lot on Lot 51 in St. Leonard's Woods Phase II, a development consisting of 51 residential lots, for the construction of a single family home and the installation of sanitary sewer line utilities and a storm sewer located approximately 0.38 mile north of Hendersonville.

E20-502, Cambridge Township, 22530 Electric Drive, Cambridge Springs, PA 16403. Jericho Road Across Conneauttee Creek, in Cambridge and Venango Townships, **Crawford County**, ACOE Pittsburgh District (Cambridge Springs, PA Quadrangle N: 16.6 inches; W: 11.1 inches).

To construct and maintain a steel truss bridge having a span of 88 feet and an underclearance of 10 feet across Conneauttee Creek on T-305 Jericho Road approximately 1,000 feet west of T-303 Mt. Pleasant Road north of Drakes Mills.

E25-634, Millcreek Township, 3608 West 26th Street, Erie, PA 16506-2037. Channel cleaning and scour protection of unnamed tributary to Mill Creek, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Erie South, PA Quadrangle N: 15.3 inches; W: 10.0 inches).

To dredge approximately 250 feet of an unnamed tributary to Mill Creek (WWF-MF) located south of the intersection of West 52nd Street and Edgevale Drive.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval. The actions are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permits.

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit No. PA0034487. Industrial Waste, **Meenan Oil Company**, 113 Main Street, Tullytown, PA 19007.

This proposed facility is located in Tullytown Borough, **Bucks County**.

Description of Proposed Action/Activity: Renewal of a NPDES permit to discharge to the Delaware River and an unnamed tributary to the Delaware River-2E Watershed.

NPDES Permit No. PA0036978 Amendment No. 2. Sewage, **Telford Borough Authority**, P. O. Box 209, Telford, PA 18969-0209.

This proposed facility is located in Franconia Township, **Montgomery County**.

Description of Proposed Action/Activity: To discharge into Indian Creek-3E Watershed.

NPDES Permit No. PA0058271. Sewage, **Hilltown Township Water and Sewer Authority**, P. O. Box 143, Hilltown, PA 18927.

This proposed facility is located in Hilltown Township, **Bucks County**.

Description of Proposed Action/Activity: To discharge into an unnamed tributary to Mill Creek-3E Watershed.

WQM Permit No. 1501401, Sewage, **Penn Township**, 260 Lewis Road, West Grove, PA 19390-0039.

This proposed facility is located in Penn Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the expansion of the existing wastewater treatment facility.

WQM Permit No. 1501409, Sewage, **Oxford Area Sewer Authority**, P. O. Box 380, Oxford, PA 19363.

This proposed facility is located in East Nottingham Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the construction and operation of a pump station to serve Twin Ponds Subdivision.

WQM Permit No. 1501411, Sewage, **Pennsylvania American Water Company**, 114 East Lincoln Highway, P. O. Box 791, Coatesville, PA 19320.

This proposed facility is located in West Sadsbury Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the construction and operation of a pump station to serve the proposed West Sadsbury Commons commercial development.

WQM Permit No. 2398405 Amendment No. 1, Sewage, **Brandywine Operating Partnership**, 16 Campus Boulevard, Suite 150, Newtown Square, PA 19073.

This proposed facility is located in Newtown Township, **Delaware County**.

Description of Proposed Action/Activity: Approval to modify the existing sewage treatment plant to serve the Newtown Square Corporate Center.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 5400407, Sewerage, **Orwigsburg Borough Municipal Authority**, 209 North Warren Street, Orwigsburg, PA 17961-1829.

This proposed facility is located in North Manheim Township, **Schuylkill County**.

Description of Proposed Action/Activity: increasing the capacity and upgrading the treatment equipment at the existing wastewater treatment plant.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit No. PA0082945, Sewage, **Hamilton Township**, Glabview Acres, 272 Mummert's Church Road, Abbottstown, PA 17301.

This proposed facility is located in Hamilton Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to Conewago Creek in Watershed 7-F.

NPDES Permit No. PA0080555, Sewage, **Conewago Industrial Park Water & Sewer Company**, P. O. Box 332, Lemoyne, PA 17043-0332.

This proposed facility is located in West Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Conewago Creek in Watershed 7-G.

NPDES Permit No. PA0022535, Sewage, **Millersburg Area Authority**, Millersburg STP, 101 West Street, Millersburg, PA 17061.

This proposed facility is located in Upper Paxton Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 6-C (Mahantango-Wiconisco Creeks).

NPDES Permit No. PA0011169 Amendment No. 1, Industrial Waste, **Brush Wellman, Inc.**, Shoemakersville Road, Shoemakersville, PA 19555.

This proposed facility is located in Perry Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of the Schuylkill River.

WQM Permit No. PA00088673, Sewage, **Marklesburg Authority**, P. O. Box 24, James Creek, PA 16657-0024.

This proposed facility is located in Marklesburg Borough, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT James Creek in Watershed 11-D.

WQM Permit No. 6701405, Sewerage, **Mr. and Mrs. Kenneth P. Runkle**, 3041 East Prospect Road, York, PA 17402-9506.

This proposed facility is located in Chanceford Township, **York County**.

Description of Proposed Action/Activity: The construction/operation of sewage treatment facilities to serve their single family residence in Watershed 7-I.

WQM Permit No. 2896404 Amendment 00-1, Sewerage, **Borough of Chambersburg**, 100 South Second Street, Chambersburg, PA 17201.

This proposed facility is located in Chambersburg Borough, **Franklin County**.

Description of Proposed Action/Activity: Authorization for modification to the construction/operation of Sewage Treatment Facilities.

WQM Permit No. 2201403, Sewerage, **West Hanover Township Water & Sewer Authority**, 7901 Jonestown Road, Harrisburg, PA 17112.

This proposed facility is located in West Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization for the construction /operation of Pump Stations.

WQM Permit No. 6701404, Sewerage, **York Township**, 25 Oak Street, York, PA 17402-4972.

This proposed facility is located in York Township, **York County**.

Description of Proposed Action/Activity: Authorization for the construction /operation of Sewers and Appurtenances.

WQM Permit No. 3601404, Sewerage, **Frey Dairy Farms, Inc.**, 2646 River Road, Conestoga, PA 17516.

This proposed facility is located in Manor Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization for the construction /operation of Sewage Treatment Facilities.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PAS236103. Industrial. **Cerdec Corporation Drakenfeld Colors**, P. O. Box 519, Washington, PA 15301 is authorized to discharge from a facility located at Cerdec Drakenfeld Colors Facility, Canton Township, **Washington County** to receiving waters named Chartiers Creek.

NPDES Permit No. PA0043524. Sewage. **Michael's Development Company, Inc.** (Simpson Manor), 800 Hunter's Ridge, Brownsville, PA 15417 is authorized to discharge from a facility located at Hunter's Ridge Sewage Treatment Plant, Redstone Township, **Fayette County** to receiving waters named unnamed tributary to Dunlap Creek.

Permit No. 0279202-A3. Industrial Waste. **Neville Chemical Company**, 2800 Neville Road, Pittsburgh, PA 15225-1496. Construction of chemical manufacturing located in Neville Township, **Allegheny County** to serve Neville Island Plant—Industrial Wastewater Treatment Facility.

Permit No. 6398201-A1. Industrial Waste, **Green Valley Packing, Inc.**, P. O. Box 202, Claysville, PA 15323. Construction of Industrial Waste—Meat Processing Facility located in Buffalo Township, **Washington County** to serve Green Valley Packing, Inc.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0221244, Industrial Waste, **Salem Tube, Inc.**, 951 Fourth Street, Greenville, PA 16125.

This proposed facility is located in Pymatuning Township, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Big Run.

NPDES Permit No. PA0005053, Industrial Waste, **Reliant Energy, Mid-Atlantic Power Holdings, LLC**, Warren Generating Station, 2325 Pennsylvania Avenue West Extension, Warren, PA 16365.

This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Allegheny River.

NPDES Permit No. PA0210196 Amendment No. 2, Industrial Waste, **Seneca Landfill, Inc.**, P. O. Box 1080, Mars, PA 16046.

This proposed facility is located in Jackson Township, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Connoquenessing Creek.

NPDES Permit No. PA0103713, Industrial Waste, **Scrubgrass Generating Company L.P.**, R. R. #1, Box 238, Kennerdell, PA 16374.

This proposed facility is located in Scrubgrass Township, **Venango County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Allegheny River, an unnamed tributary to the Allegheny River and Falling Spring Run.

NPDES Permit No. PA0100056, Sewage, **Rose Point Park Campground**, R. D. 4, Box 410, New Castle, PA 16101.

This proposed facility is located in Slippery Rock Township, **Lawrence County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Slippery Rock Creek.

NPDES Permit No. PA0222071, Sewage, **Bruce W. and Cynthia A. Baker SFTF**, 141 Shingle Hollow Road, Harmony, PA 16037.

This proposed facility is located in Perry Township, **Lawrence County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Camp Run.

NPDES Permit No. PA0031305, Sewage, **The Summit School, Incorporated**, P. O. Box 13, 839 Herman Road, Herman, PA 16039.

This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Bonnie Brook.

NPDES Permit No. PA0103047, Sewage, **Laughlin Builders**, P. O. Box 8935, Erie, PA 16505.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Elk Creek.

NPDES Permit No. PA0103594, Sewage, **Windsor Mobile Home Park**, 2951 Route 6N East, Lot #1, Edinboro, PA 16412.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Little Conneauttee Creek.

NPDES Permit No. PA0209996, Sewage, **Camp Allegheny**, The Salvation Army, Western PA Divisional Headquarters, 424 Third Avenue, Pittsburgh, PA 15219.

This proposed facility is located in Wayne Township, **Lawrence County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Slippery Rock Creek.

NPDES Permit No. PA0100706, Sewage, **Valley View Village Mobile Home Park**, Box 1792A, Russell, PA 16345.

This proposed facility is located in Pittsfield Township, **Warren County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Gar Run.

NPDES Permit No. PA0026387 Amendment No. 1, Sewage, **Municipal Authority of the City of St. Marys**, P. O. Box 1994, 808 South Michael Road, St. Marys, PA 15857.

This proposed facility is located in City of St. Marys, **Elk County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Elk Creek.

WQM Permit No. 1001201, Industrial Waste, **Borough of Zelenople**, 111 West New Castle Street, Zelenople, PA 16063.

This proposed facility is located in Borough of Zelenople, **Butler County**.

Description of Proposed Action/Activity: This project is for the installation of a temporary reverse osmosis treatment system.

WQM Permit No. 2501407, Sewerage, **George Wisniewski**, 202 West 25th Street, Erie, PA 16509.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

WQM Permit No. 4301412, Sewerage, **Charles Jr. and Paula Ference**, 46 Reno Road, Hermitage, PA 16148.

This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

NPDES STORMWATER INDIVIDUAL PERMITS (PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10 D110	Trueblood Construction Company 904 Sumneytown Pike Springhouse, PA 19477	Bucks	Buckingham Township	Paunacussing Creek (HQ, CWF)
PAS10 J051	Sunoco, Inc. P. O. Box 426 Delaware Avenue and Green Street Marcus Hook, PA 19061-0426	Delaware	Marcus Hool Borough	DELCORA—municipal storm sewer

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site

PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Upper Dublin Township Montgomery County	PAR 10 T742	John G. Eichenlaub, Inc. 1101 Hagues Mill Road Ambler, PA 19002	Rapp Run (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Upper Hanover Township Montgomery County	PAR 10 T707	Stauffer Glive & Safety P. O. Box 45 361 East Sixth Street Red Hill, PA 18076	Macoby Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Carbon County Lansford & Summit Hill Boroughs	PAR101326	DEP, BAMR 2 Public Square 5th Floor Wilkes-Barre, PA 18711	Panther Creek CWF	Carbon County Conservation District (610) 377-4894
Northampton County Moore Township	PA10U155	Jeffrey Persing 3113 E. Walker Rd. Bath, PA 18014	Hokendaqua Creek CWF	Northampton County Conservation District (610) 746-1971
Northampton County Lehigh Township	PAR10U160	Bill & Debra Jones 4186 Cashew Dr. Walnutport, PA 18088	Bertsch Creek CWF	Northampton County Conservation District (610) 746-1971
Schuylkill County Wayne Township	PAR105821	Lefty's Lockers Gary & Carolyn Krammes 1555 Sweet Arrow Lake Rd. Pottsville, PA 17901	Tributary to Lower Little Swatara Creek CWF	Schuylkill County Conservation District (570) 622-3742
Upper Leacock Township Lancaster County	PAR100495	Super Dog Pet Food Co. 43 Graybill Rd. Leola, PA 17540	UNT Mill Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Rd. Rm. 6 Lancaster, PA 17601
Clay Township Lancaster County	PAR100496	Mark L. Musser 1800 West Main St. Ephrata, PA 17522	UNT Middle Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Rd. Rm. 6 Lancaster, PA 17601
Lancaster Township Lancaster County	PAR100498	Suburban Lancaster Sewer Auth. P. O. Box 458 Lancaster, PA 17608	Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Rd. Rm. 6 Lancaster, PA 17601
Denver Borough Lancaster County	PAR100500	Cocalico School District S. Fourth St. Denver, PA 17517	UNT Cocalico Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Rd. Rm. 6 Lancaster, PA 17601

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Ephrata Township Lancaster County	PAR100501	Gary L. Weaver 824 E. Main St. Ephrata, PA 17522	UNT Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Rd. Rm. 6 Lancaster, PA 17601
Penn Township York County	PAR10Y498	Warehime Enterprises, Inc. 251 Frederick Street Hanover, PA 17331	Oil Creek (WWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Spring Garden Township York County	PAR10Y535	Kinsley Equities II, LP 2700 Water Street P. O. Box 2886 York, PA 17405	Codorus Creek (WWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Dover Township York County	PAR10Y507	Ignazio Argento 890 Windsor Road York, PA 17402	UNT to Conewago Creek (WWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Springettsbury Township York County	PAR10Y429	Timothy F. Pasch 2645 Carnegie Road York, PA 17402	UNT to Kreutz Creek (WWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Springfield Township York County	PAR10Y521	Jennifer McDonald 13612 Jarrettsville Pike Phoenix, MD	East Branch of Codorus Creek (CWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAR10Y493-1	Antique Markets LP 248 South Main Street Shrewsbury, PA 17361	South Branch of Codorus Creek (WWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAR10Y532	R.H.I., Inc. 208 N. Constitution Avenue New Freedom, PA 17349	Deer Creek (CWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Springettsbury Township York County	PAR10Y522	York County Board of Commissioners 1 West Marketway 4th Floor York, PA 17401	Kreutz Creek (WWF)	York County Conser- vation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Straban Township Adams County	PAR100124	Gettysburg Baptist Church 60 N. Fifth Street Gettysburg, PA 17325	Rock Creek (WWF)	Adams County Con- servation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636

NOTICES

3807

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Union Township Adams County	PAR100130	Laverne Leese BJML Enterprises	Piney Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Columbia County Locust Township	PAR102147	Municipal Auth. of Locust Township C/O Larson Design Group P. O. Box 487 Williamsport, PA 17701	UNT Roaring Creek/ Susquehanna River Basin CWF	Columbia County Conservation District 702 Sawmill Rd., Suite 105 Bloomsburg, PA 17815 (570) 784-1310

Southwest Region: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Allegheny County Ross Township	PAR10A488	The Home Depot USA, Inc. 3096 Hamilton Blvd. South Plainfield, NJ 07080	Girty's Run/WWF	Allegheny County Conservation District (412) 241-7645
Beaver County Center Township	PAR100284	P & D Land Development 121 Radcliffe Drive Aliquippa, PA 15001	UNT Logtown Run/ WWF	Beaver County Conservation District (724) 774-7090
Washington County South Franklin Township	PAR10W169-1	Washington County Airport 205A Airport Road Washington, PA 15301	Chartiers Creek/ WWF	Washington County Conservation District (724) 228-6774
Westmoreland County Washington Township	PAR10X259	Leeds Business Accessories 1380 Old Freeport Road Pittsburgh, PA 15238	UNT Pucketa Creek/ TSF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Unity Township	PAR10X260	Yorkshire Enterprises 53 Bel Aire Drive Delmont, PA 15626	Sewickley Creek/ WWF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Unity Township	PAR10X262	Barney Kistler 2 Eleventh Street Penn, PA 15675	Marguerite Reservoir/WWF	Westmoreland County Conservation District (724) 837-5271

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Midland Township Beaver County	PAR206133	WHEMCO (West Homestead Engineering and Machine Co.) 12th Street Midland, PA 15059	Ohio River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Beaver Falls Beaver County	PAR216152	Vesuvius McDanel Company 510 Ninth Avenue Beaver Falls, PA 15010-4700	Walnut Bottom Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Moon Township Allegheny County	PAR606112	H. Snyder Steel Corp. P. O. Box 111 Coraopolis, PA 15108	Montour Run	Southwest Regional Office: Water Man- agement Program Manager 400 Waterfront Drive Pittsburgh PA 15222- 4745 (412) 442-4000
<i>General Permit Type—PAG-4</i>				
Hempfield Township Mercer County	PAG048741	Gary K. SeGall 470 Methodist Road Greenville, PA 16125	Mathay Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942
Greene Township Erie County	PAG048746	George Wisniewski 2020 West 25th Street Erie, PA 16509	Tributary to Fourmile Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942
Jefferson Township Mercer County	PAG048740	Charles Jr. and Paula FERENCE 46 Reno Road Hermitage, PA 16148	Magargee Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942
<i>General Permit Type—PAG-5</i>				
Luzerne County Kingston Borough	PAG052210	Petroleum Service Co. 454 S. Main St. Wilkes-Barre, PA 18702	Susquehanna River	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711
Dauphin County Halifax Township	PAG053553	Exxon Mobile Refining & Supply Company 1900 East Linden Avenue P. O. Box 728 Linden, NJ 07036	Susquehanna River/ WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
West Mifflin Borough Allegheny County	PAG056165	Sunoco Inc. 5733 Butler Street Pittsburgh, PA 15201-2115	UNT to Streets Run	Southwest Regional Office: Water Man- agement Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
<i>General Permit Type—PAG-9 (SSN)</i>				
Rapho Township Lancaster County	PAG083533	Ridgewood Manor Mobile Home Park, Inc. 223 N Strickler Road Manheim, PA 17545	Ridgewood Manor MHP, Inc. Farm Rapho Township Lancaster County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 1501502, Public Water Supply.

Applicant **Philadelphia Suburban Water Company**
762 W. Lancaster Avenue
Bryn Mawr, PA 19010

Township East Bradford

County **Chester**

Type of Facility Public Water Supply System

Consulting Engineer CET Engineering Services
1240 N. Mountain Road
Harrisburg, PA 17112

Permit to Construct Issued June 19, 2001

Permit No. 4601507, Public Water Supply.

Applicant **JRP Development, LTD**
210 Bassett Court
Limerick, PA 19468

Township Upper Frederick

County **Montgomery**

Type of Facility Public Water Supply System

Consulting Engineer ARRO Consulting, Inc.
649 N. Lewis Road
Suite 100
Limerick, PA 19468

Permit to Construct Issued June 28, 2001

Operations Permit issued to: **Castle Transport and Service Company, Inc.**, Avondale Borough, **Chester County** on June 20, 2001.

Permit No. 1156477, Minor Amendment. Public Water Supply.

Applicant **Springton Water Company**

Township West Goshen

County **Chester**

Type of Facility Vended Machine

Permit to Construct Issued June 19, 2001

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 5400504, Public Water Supply.

Applicant **Jackson Perry**
1703 Panther Valley Road
Pine Grove, PA 17963

Borough or Township Wayne Township

County **Schuylkill County**

Type of Facility Public Water Supply

Consulting Engineer Edward E. Davis, P.E.
WJP Engineers
1406 Laurel Boulevard
Pottsville, PA 17901

Permit to Construct Issued June 27, 2001

Permit No. 5401503, Public Water Supply.

Applicant **Pennsylvania American Water Company**
800 West Hershey Park Drive
Hershey, PA 17033

Borough or Township West Mahanoy Township

County **Schuylkill County**

Type of Facility Public Water Supply

Consulting Engineer Peter Lusardi, P.E.
CET Engineering Services
1240 North Mountain Road
Harrisburg, PA 17112

Permit to Construct Issued June 26, 2001

Operations Permit (Permit No. 2520033) issued to: **Hemlock Farms Community Association**, 1007 Hemlock Farms, Hawley, PA 18428, Blooming Grove Township, **Pike County** on June 26, 2001.

Operations Permit (Permit No. 2520035) issued to: **Pennsylvania American Water Co.**, 800 West Hersheypark Drive, Hershey, PA 17033, Delaware Township, **Pike County** on June 20, 2001.

Permit No. 7226136, Public Water Supply.

Applicant **Sweet Arrow Springs, LLC**

Municipality City of Harrisburg

County **Dauphin**

Type of Facility Operation of a 5-gallon water bottling line relocated from Harrisburg Dairies. Sources of supply will be the Sweet Arrow Spring, Temple Spring and Egg Harbor Spring.

Consulting Engineer Steve Fulton, P.E.
Alliance Environmental Services, Inc.
117 S. West End Ave.
Lancaster, PA 17603

Permit to Operate Issued: June 26, 2001

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. Minor Amendment. Public Water Supply.

Applicant **Huston Township Water Authority**
P. O. Box 166
Penfield, PA 15849

Township Huston Township

County **Clearfield**

Type of Facility Public Water Supply

Consulting Engineer Gibson-Thomas Engineering, Co. Inc.
P. O. Box 853
Latrobe, PA 15650

Permit to Construct Issued June 20, 2001

Permit No. Minor Amendment. Public Water Supply.

Applicant **Consumers Pennsylvania Water Company**
Roaring Creek Division
204 East Sunbury Street
Shamokin, PA 17872

City City of Shamokin
County **Northumberland**
Type of Facility Public Water Supply
Consulting Engineer CET Engineering Services
321 Washington Street
Huntington, PA 16652

Permit to Construct June 20, 2001
Issued

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 2600502, Public Water Supply.

Applicant **NWL Company**
Nemacolin Woodlands Resort

Township Wharton Township
County **Fayette**
Type of Facility Well
Consulting Engineer Todd Radolec, McMillen Engineering

Permit to Construct June 21, 2001
Issued

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operations Permit No. 1099504 issued to: **Municipal Sewer and Water Authority of Cranberry Township**, 2525 Rochester Road, Suite 700, Cranberry Township, PA 16066-6498, Cranberry Township, **Butler County** on June 13, 2001.

Operations Permit No. 2597506 issued to: **Waterford Borough Municipal Authority**, 224 East Third St., Waterford, PA 16441, Waterford Borough, **Erie County** on June 27, 2001.

Permit No. 2594501-MA6, Minor Amendment. Public Water Supply.

Applicant **Erie City Water Authority**
340 West Bayfront Authority
Erie, PA 16507-0729.

Borough or Township Summit Township
County **Erie**
Type of Facility Public Water Supply
Consulting Engineer Michael Sanford
Henry T. Welka and Associates
Erie, PA 16507.

Permit to Construct June 13, 2001
Issued

Permit No. 1010-T1-MA4, Minor Amendment. Public Water Supply.

Applicant **Erie City Water Authority**
340 West Bayfront Parkway
Erie, PA 16507-0729

Borough or Township City of Erie
County **Erie**

Type of Facility Public Water Supply
Consulting Engineer KLH Engineers, Inc., 5173
Campbells Run Road
Pittsburgh, PA 15205.

Permit to Construct June 13, 2001
Issued

SEWAGE FACILITIES ACT PLAN APPROVAL**Plan Approvals granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Borough or Township	Borough or Township Address	County
Fawn Township	P. O. Box 229 New Park, PA 17352	York

Plan Description: The approved plan provides for the requirement for all proposed subdivisions utilizing on-lot sewage disposal systems to use denitrification units or to complete a preliminary hydrogeologic study. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

Borough or Township	Borough or Township Address	County
Valley Township	5 Indian Run Road Danville, PA 17821	Montour

Plan Description: The approved plan provides for construction of gravity sewers in the Cloverleaf Area which flow to a Pump Station followed by a forcemain to the existing Valley Township Municipal Authority system. Local funding with CDBG monies are proposed for this \$123,000 project. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**UNDER ACT 2, 1995****PREAMBLE 2**

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in

environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Fourway Properties—Breezewood Development—Area 1, Moon Township, Allegheny County. John P. Englert Kirkpatrick & Lockhart LLP, 535 Smithfield Street, Pittsburgh, PA 15222 (on behalf of Fourway Properties, L.P., 1198 Mulberry Street, Bridgewater, PA 15009) has submitted a Final Report concerning remediation of site soil contaminated with solvents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LTV Southside Sarah Street Properties, City of Pittsburgh, Allegheny County. Martin C. Knuth, Civil & Environmental Consultants Inc., 333 Baldwin Road, Pittsburgh, PA 15205 and a.m. Rodriguez Associates, 200 Railroad Avenue, Carnegie, PA 15016 (on behalf of URA of Pittsburgh, 200 Ross Street, Pittsburgh, PA 15219) has submitted a Final Report concerning remediation of site soil contaminated with heavy metals, solvents and BTEX. The report is intended to document remediation of the site to meet the Site Specific Standard

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the

property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Northeast Region: Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Valley Housing Development Corporation (former Industrial Engraving—Knox Facility), Forks Township, Northampton County. William K. Ahlert, Manager, Mid-Atlantic Services, LMS Engineers LLP, The Sovereign Building, 609 Hamilton Mall, Allentown, PA 18101 submitted a Remedial Investigation Report (on behalf of his client, Valley Housing Development Corporation, 635 Broad Street, Emmaus, PA 18049) concerning the characterization of site soils and groundwater found or suspected to have been contaminated with metals and solvents. The report was approved on June 11, 2001.

Lott Residence/Ace Robbins, Inc., Meshoppen Borough, Wyoming County. Thomas Jimmie, Jr., Vice-President, Datom Products, Inc., 452 East Drinker Street, Dunmore, PA 18512 and James Strickland, P.G., Geological and Environmental Associates, Inc., 430 W. Mountain Road, Plymouth, PA 18651 submitted a Final Report (on behalf of their client, Ace Robbins, Inc., P. O. Box 477, Trucksville, PA 18957) concerning the remediation of site soils and groundwater found or suspected to have been contaminated with no. 2 fuel oil petroleum constituents. The final report demonstrated attainment of the Statewide health standard and was approved on June 14, 2001.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Jarrell & Rea Property, 2nd Ward, City of Pittsburgh, Allegheny County. David R. Perry, American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668-1848 (on behalf of Walnut Capital Partners, 5541 Walnut Street, Suite 200, Pittsburgh, PA 15232) has submitted a Baseline Environmental Report concerning the remediation of site soil and groundwater contaminated with lead, BTEX and PHCs. This report is intended to document remediation of the site to meet the special industrial area requirements and was approved by the Department on May 22, 2001.

Fourway Properties—Breezewood Development Area 2, Moon Township, **Allegheny County**. John P. Englert, Kirkpatrick & Lockhart, LLP, 535 Smithfield Street, Pittsburgh, PA 15222 (on behalf of Fourway Properties, LP 1198 Mulberry Street, Bridgewater, PA 15009) has submitted a Final Report concerning the remediation of site soil contaminated with solvents. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 25, 2001.

Colinet Residence, Lucerne Township, **Fayette County**. James P. Gallagher, Marshall Miller and Associates, 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 (on behalf of Sam and Madelyn Colinet, 192 Oakhill Drive, Adah, PA 15410) has submitted a Final Report concerning the remediation of site soil contaminated with BTEX and PAHs. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 9, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

Hittman Transport Services, Inc., 1560 Bear Creek Road, Oak Ridge, TN 37830. License No. **PA-AH S239**. Effective June 26, 2001.

Onyx Industries, Inc., 2630 Industrial Blvd., Chambly, PQ J3L 4V2. License No. **PA-AH 0335**. Effective June 26, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE VOLUNTARILY TERMINATED

Specialty Transportation Services, Inc., 5965 McCasland Avenue, Portage, IN 46368. License No. **PA-AH 0582**. Effective June 19, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit revoked Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 602724. White Run Regional Municipal Authority, Mount Joy Township, **Adams County**. Samuel L. Dayhoff Farm. The permit was revoked by the Southcentral Regional Office on June 26, 2001.

Persons interested in reviewing the general permit may contact Mary DiSanto, File Review Coordinator, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4732. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

Permit No. 602724. White Run Regional Municipal Authority, Mount Joy Township, **Adams County**. Robert J. Dayhoff Farm. The permit was revoked by the Southcentral Regional Office on June 26, 2001.

Persons interested in reviewing the general permit may contact Mary DiSanto, File Review Coordinator, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4732. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits approved Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 100963. Lycoming County Commissioners, Courthouse, 48 West Third Street, Williamsport, PA 17701, for the Lycoming County Landfill in Brady Township, **Lycoming County** for the expansion of disposal capacity and other operational changes. The permit was approved by the Williamsport Regional Office on June 26, 2001.

Persons interested in reviewing the permit may contact John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Contact: James Parette, New Source Review Chief, (570) 826-2531.

48-310-043GP: Keystone Cement Co. (P. O. Box A, Bath, PA 18014) for construction and operation of a portable crushing plant and associated air cleaning device in East Allen Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-31-03030: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664)

authorized use of a general permit for the relocation of a portable nonmetallic mineral processing plant to Morris Township, **Huntingdon County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0141: Lower Bucks County Joint Municipal Authority (19 Kingwood Lane, Levittown, PA 19057) on June 28, 2001, for operation of a Packed Tower Air Scrubber in Bristol Township, **Bucks County**.

46-0060A: Norristown State Hospital DPW (1001 East Sterigere Street, Norristown, PA 19401) on June 28, 2001, for operation of two Natural Gas #2 Oil Fired Boilers in Norristown Borough, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05023A: Mobil Oil Corp. (600 Billingsport Road, Paulsboro, NJ 08066) on June 27, 2001, for installation of a vapor combustion unit to control emissions from the loading rack at the Mobil Harrisburg Terminal in Swatara Township, **Dauphin County**.

22-05037B: Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105) on June 26, 2001, for modification of an asphalt concrete/aggregate drying plant controlled by a knockout box and a fabric collector located in the City of Harrisburg, **Dauphin County**. This source is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities and 40 CFR Part 60, Subpart Kb—Standards for Performance for Volatile Organic Liquid Storage Vessels.

28-05028: Allegheny Energy Supply Co., LLC (4350 Northern Pike, Monroeville, PA 15146-2841) on June 26, 2001, for construction of the Chambersburg Combustion Turbine Power Station in Guilford Township, **Franklin County**. This source is subject to 40 CFR Part 60, Subpart GG—Standards of Performance for Stationary Gas Turbines and 40 CFR Part 60, Subpart Kb—Standards for Performance for Volatile Organic Liquid Storage Vessels.

34-05003A: Tedd Wood, Inc. (Nine Birch Dr., R. R. 1, Box 104, Thompsontown, PA 17094) on June 26, 2001, for installation of wood finishing operations in Delaware Township, **Juniata County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

62-161A: ARC Steel—Irvine (One Front Street, Warren, PA 16365) on June 19, 2001, for construction of a slag processing facility at National Forge Company in Brokenstraw Township, **Warren County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05070B: Graham Packaging Co., LP (2401 Pleasant Valley Road, York, PA 17402) on June 14, 2001, to authorize temporary operation of a No. 2 Barrier Bottle Production Line, covered under this Plan Approval until October 12, 2001, in Manchester Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-302-039: Masonite Corp. (P. O. Box 311, Towanda, PA 18848) on June 22, 2001, for operation of two woodwaste-fired boilers and associated air cleaning devices (an electrostatic precipitator and a selective noncatalytic reduction system) on a temporary basis until October 20, 2001, in Wysox Township, **Bradford County**.

41-303-009: HRI, Inc. (1750 West College Avenue, State College, PA 16804-0155) on June 25, 2001, to modify a volatile organic compound emission limitation for a batch asphalt plant to state that the limitation is expressed as methane rather than as propane, thereby correcting an error previously made by the Department, in the City of Williamsport, **Lycoming County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

10-021C: Indspec Chemical Corp. (133 Main Street, Petrolia, PA 16050) on June 30, 2001, for a #10 gas fired boiler economizer in Petrolia, **Butler County**. This plan approval was extended.

10-021D: Indspec Chemical Corp. (133 Main Street, Petrolia, PA 16050) on June 30, 2001, for a copeland incinerator in Petrolia, **Butler County**. This plan approval was extended.

10-021H: Indspec Chemical Corp. (133 Main Street, Petrolia, PA 16050) on June 30, 2001, for a reactor 507, new resin hold tank in Petrolia, **Butler County**. This plan approval was extended.

25-069C: Engelhard Corp. (1729 East Avenue, Erie, PA 16503) on June 28, 2001, for a sphere plant loader in Erie, **Erie County**. This plan approval was extended.

25-069D: Engelhard Corp. (1729 East Avenue, Erie, PA 16503) on June 28, 2001, for a metal oxide catalyst building 400 in Erie, **Erie County**. This plan approval was extended.

37-399-009A: Hickman Mfg. Inc. (R. D. 2, Route 18, Wampum, PA 16157) on June 30, 2001, for a roof coating operation in New Beaver Borough, **Lawrence County**. This plan approval was extended.

42-158A: Temple Inland Forest Products Corp.—Mt. Jewett Particleboard (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 28, 2001, for post modification of the particleboard operation (System 17) in Sergeant Township, **McKean County**.

42-399-013C: Temple Inland Forest Products Corp.—Mt. Jewett Particleboard (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 28, 2001, for post modification of the particleboard operation (System 15/15A) in Sergeant Township, **McKean County**.

42-176C: Temple Inland Forest Products Corp.—Mt. Jewett MDF (R. D. 2, Hutchins Road, Mt. Jewett,

PA 16740) on June 28, 2001, for a sander dust system in Sergeant Township, **McKean County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

46-00027: Ortho-McNeil Pharmaceutical (Welsh and McKean Roads, Spring House, PA 19477) on June 25, 2001, for operation of a Facility Title V Operating Permit in Lower Gwynedd Township, **Montgomery County**.

23-00038: Delaware County Regional Water Authority (100 East Fifth Street, P. O. Box 999, Chester, PA 19016) on June 26, 2001, for operation of a Facility Title V Operating Permit in City Of Chester, **Delaware County**.

09-00009: Webcraft Technologies, Inc. (4371 County Line Road, Chalfont, PA 18914) on June 27, 2001, for operation of a Facility Title V Operating Permit in New Britain Township, **Bucks County**.

46-00020: Superior Tube Co. (3900 Germantown Pike, Collegeville, PA 19426) on June 27, 2001, for operation of a Facility Title V Operating Permit in Lower Providence Township, **Montgomery County**.

09-00005: 3M Co. (2201 Green Lane, Bristol, PA 19007) on June 28, 2001, for operation of a Facility Title V Operating Permit in Bristol Township, **Bucks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

56-00181: Southern Alleghenies Landfill, Inc. (Westpointe Corporate Center One, Suite 2000, Moon Township, PA 15108) on June 26, 2001, for operation of a Landfill in Conemaugh Township, **Somerset County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0073: Leonard Kunkin Associates (1946 Cherry Lane, Souderton, PA 18964) on June 25, 2001, for operation of a Facility NOx/VOC RACT in Hilltown Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

22-03014: Stewart Amos Steel, Inc. (4400 Paxton Street, Harrisburg, PA 17111) on June 27, 2001, for a Natural Minor Operating Permit in Swatara Township, **Dauphin County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Contact: William Charlton, New Source Review Chief, (412) 442-4174.

63-00901: Allegheny Millwork (P. O. Box 493, 104 Commerce Blvd., Lawrence, PA 15055) on June 26, 2001, for operation of Spray Booths at Cecil Township Plant in Cecil Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

25-00955: Foam Fabricators, Inc. (6550 West 26th Street, Erie, PA 16506) on June 11, 2001, for a Synthetic Minor Operating Permit in Fairview Township, **Erie County**.

25-00944: PHB Inc.—PHB Die Casting (7900 West Ridge Road; Fairview, PA 16415) for a Natural Minor Operating Permit for emissions from zinc and aluminum die casting operations and related processes in Fairview Township, **Erie County**.

43-285A: Caparo Steel Co. (15 Roemer Blvd, Farrell, PA 16121) for Emission Reduction Credit (ERC) Approval for 45.83 tons per year (tpy) of nitrogen oxides and 12.24 tpy of volatile organic compounds (VOCs) resulting from the shutdown of #2 Electric Arc Furnace, #2 Ladle Preheater, #6 Anneal Pickle Line and #11 Coating Line in Farrell, **Mercer County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Contact: Roger Fey, Chief, (215) 823-7584.

95-063: Naval Support Activity (700 Robbins Avenue, Philadelphia, PA 19111-5098) on June 25, 2001, for operation of a Naval support facility in the City of Philadelphia, **Philadelphia County**. The Synthetic Minor facility's air emission sources include a 40 MMBTU/hr boiler, a 36 MMBTU/hr boiler, a 29.3 MMBTU/hr boiler, 18 boilers and two water heaters less than 2 MMBTU/hr, 11 emergency generators, a fire pump, a carpentry shop with a cyclone, an abrasive blaster, a paint booth and an underground gasoline storage and dispersion tank.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-00006: Allegro MicroSystems, W.G., Inc. (3900 Welsh Road, Willow Grove, PA 19090) issued a minor modification on June 26, 2001, for Facility Title V Operating Permit in Upper Moreland Township, **Montgomery County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the

Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40940204C4. Northampton Fuel Supply Co., Inc., (7500 Old Georgetown Road, 13th Floor, Bethesda, MD 20814), correction to an existing coal refuse reprocessing operation to include fly ash disposal in Hanover Township, **Luzerne County** affecting 48.0 acres, receiving stream—none. Correction issued: June 26, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

17000104. Forcey Coal, Inc. (P. O. Box 225, Madera, PA 16661), commencement, operation and restoration of a bituminous surface mine permit in Decatur Township, **Clearfield County** affecting 47.7 acres. Receiving streams—unnamed tributaries to Moshannon Creek and Moshannon Creek to the West Branch of the Susquehanna River. Application received: April 3, 2000. Permit issued: June 26, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

63990103. Twilight Industries, A Division of U. S. Natural Resources, Inc. (212 State Street, Belle Vernon, PA 15012). Permit revised to add and delete 4.4 acres at an existing bituminous surface mine located in Somerset Township, **Washington County**, affecting 287.1 acres. Receiving streams: unnamed tributaries to Center Branch of Pigeon Creek, Center Branch of Pigeon Creek, Pigeon Creek, Monongahela River. Application received: February 27, 2001. Revised permit issued: June 28, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

56950103. Permit Renewal, **Heritage Mining Company** (Box 126, Cresson, PA 16630), for continued operation of a bituminous surface mine in Shade Township, **Somerset County**, affecting 78.5 acres, receiving stream unnamed tributary to and Oven Run, unnamed tributary to and Stony Creek River. Application received: April 20, 2001. Issued: June 27, 2001.

56823123. Permit Revision, **Croner, Inc.** (P. O. Box 260, Friedens, PA 15541), to include augering and to conduct surface mining activities within 100 feet of the right-of-way of two public roads.

The proposed road variances are as follows:

(1) State Route 2018:

Beginning on SR 2018 at its intersection with SR 2027 and continuing northward, on both sides of SR 2018, for a distance of approximately 2,855 feet to Township Road T-616. Continuing northward on SR 2018, west side only, for a distance of approximately 170 feet to the boundary of this surface mine permit.

(2) State Route 2027:

Beginning on SR 2027 approximately 435 feet south of its intersection with Township Road T-415 at the boundary of this surface mine permit and continuing northward, west side only, for a distance of approximately 840 feet to the intersection of SR 2018. Continuing northeast on SR 2027, west side only, for a distance of approximately 4,540 feet to the boundary of this surface mine

permit in Brothersvalley Township, Somerset County, affecting 222.0 acres, receiving stream an unnamed tributary to Buffalo Creek; and an unnamed tributary to Swamp Creek. Application received: April 3, 2001. Issued: June 28, 2001.

11960101. Permit Renewal, **Cloe Mining Company, Inc.** (P. O. Box I, Grampian, PA 16838), for continued operation of a bituminous surface and auger mine in Reade Township, **Cambria County**, affecting 107.9 acres, receiving stream unnamed tributaries to Muddy Run and Muddy Run. Application received: May 29, 2001. Issued: June 29, 2001.

07000101. Cooney Brothers Coal Company (P. O. Box 246, Cresson, PA 16630), commencement, operation and restoration of a bituminous surface mine in Logan Township, **Blair County**, affecting 31.0 acres receiving stream unnamed tributary to Kittanning Run. Application received: November 14, 2000. Issued: June 29, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

11841601. E. P. Bender Coal Co., Inc., (Main and Lehmier St., P. O. Box 594, Carrolltown, PA 15722), to renew the permit for the Fallentimber Prep Plant in Reade Township, **Cambria County** to renew the permit, no additional discharges. Permit issued: June 20, 2001.

56841306. Lion Mining Company, (204 College Park Plaza, Johnstown, PA 15904), to revise the permit for the Grove No. 1 Mine, Jenifer E seam Refuse Disposal Area in Jenner Township, **Somerset County** to revise deep mine permit to include coal refuse disposal area, no additional discharges. Permit issued: June 21, 2001.

30841601. Consolidation Coal Company, (P. O. Box 100, Osage, WV 26543), to renew the permit for the Robena Prep. Plant in Monongahela Township, **Greene County** to renew the permit, no discharge associated with this permit. Permit issued: June 27, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

33000103. Falls Creek Energy Co., Inc. (R. D. 6, Box 231, Kittanning, PA 16201) Commencement, operation and restoration of a bituminous strip and auger operation in McCalmont Township, **Jefferson County** affecting 56.0 acres. Receiving streams: Big Run. Application received: November 22, 2000. Permit Issued: June 25, 2001.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

35000301. Keystone Quarry, Inc., (P. O. Box 249, Dunham Drive, Dunmore, PA 18512), commencement, operation and restoration of a quarry operation in Ransom Township, **Lackawanna County** affecting 105.0 acres, receiving stream—none. Permit issued: June 25, 2001.

**FEDERAL WATER POLLUTION CONTROL ACT
SECTION 401**

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department of Environmental Protection certifies that the construction and operation herein described will comply with the appli-

cable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-802. Trueblood Construction Company, 904 Sunnyside Pike, Springhouse, PA 19477, Buckingham Township, **Bucks County**, ACOE Philadelphia District.

To perform the following activities in and along the Paunacussing Creek (HQ-CWF), its 100-year floodway and in and along its unnamed tributaries for the purpose of constructing the Stoneymead Subdivision:

1. To construct and maintain a bridge crossing (a.k.a. Wellsford Bridge) consisting of a 100-foot span and 6.4-foot maximum underclearance and a roadway width of 22 feet spanning the Paunacussing Creek and impacting 0.26 acre of wetland.

2. To construct and maintain a bridge crossing (a.k.a. Kingfisher Lane Bridge) consisting of a 16-foot span and 5.4-foot maximum underclearance and a roadway width of 8.0 feet spanning an unnamed tributary to the Paunacussing Creek.

3. To construct and maintain a bridge crossing (a.k.a. Lot 17 Bridge) consisting of a 16-foot span, 5-foot maximum underclearance and 20-foot roadway width spanning an unnamed tributary to the Paunacussing Creek and impacting 0.03 acre of wetland.

4. To enlarge an existing pond (a.k.a. Kingfisher Pond) which will impact 0.03 acre of wetland (PEM) and 0.76 acre of open water (POW).

5. To modify an existing pond (a.k.a. Blue Heron Pond) which will impact 0.05 acre of wetland (PEM) and 0.03 acre of open water (POW).

Issuance of this permit constitutes approval of the environmental assessment for the nonjurisdictional dam for this site, which will facilitate a wet stormwater detention basin (a.k.a. Spring Oak Pond) and will impact 0.01 acre of wetland (POW). This project also includes activities under General Permit No. 5 for a utility line crossing.

The project will permanently impact 0.42 acre of wetland; temporarily impact 0.29 acre of wetland and 670 linear feet of watercourse. The site is located just east of the intersection of Indian Spring road and Long Lane (Buckingham, PA USGS Quadrangle, N: 20.3 inches; W: 9.4 inches). The applicant has met the wetland replacement requirements by providing for 0.35 acre of replacement wetlands and making a monetary contribution to the wetland replacement fund for the balance 0.07 acre of wetland.

E23-406. FPL Energy Marcus Hook, LP, 700 Universe Boulevard, Juno Beach, Florida 33408-2683 and Sunoco, Inc. (R&M), P. O. Box 426, Delaware Avenue and Green Streets, Marcus Hook, PA 19061, Borough of Marcus Hook, **Delaware County**, ACOE Philadelphia District.

To maintain 8.3 acres of existing fill in and along the Delaware River, adjacent to the Sun Oil Company property. This fill was placed under Navigation License No. 352, issued on November 2, 1964 to Sun Oil Company and will be used for the construction of a cogeneration facility. This site is situated just east of the Delaware/Pennsylvania state border (Marcus Hook, PA-NJ-DEL Quadrangle N: 10.2 inches; W: 6.5 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E39-396. Ronald A. Lokay, 5785 Haasadah Road, Orefield, PA 18069, Upper Macungie Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a single-span wooden pedestrian bridge, having a span of approximately 42 feet and an underclearance of 9.8 feet, across Hassen Creek to provide access to an existing barn and land along the left bank of the creek; and to construct and maintain a 24 foot x 20 foot storage building in the floodway along the right bank of Hassen Creek. The project is located at a private residence located along Haasadah Road (S. R. 4004), approximately 2.0 miles west of S. R. 0309 (Allentown West, PA Quadrangle N: 21.5 inches; W: 15.4 inches).

E48-301. Williams Township, 655 Cider Press Road, Easton, PA 18042, Williams Township, **Northampton County**, Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain an 8' x 6' concrete box culvert depressed 1-foot below the streambed of a tributary to the Delaware River. This work also includes the installation of gabion basket streambank retaining walls having a maximum length of 45 feet and height of 6.5 feet upstream and downstream of the proposed culvert. The project is located along Township Road T396 (Browns Drive), approximately 0.3 mile west of S. R. 0611. (Easton, PA-NJ Quadrangle N: 3.7 inches; W: 11.7 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E19-213. Stanley W. Griffin, 240 Green Creek Road, Orangeville, PA 17859. Green Creek bridge replacement, in Greenwood Township, **Columbia County**, ACOE Susquehanna River Basin District (Benton, PA Quadrangle N: 8.65 inches; W: 6.96 inches).

To construct and maintain a two span wooden structure having a span of 40.08 feet and a minimum underclearance of 5.83 feet with a skew of 90° and wood abutments in Green Creek located one mile along Green Creek Road, east of the intersection of SR 254 and Green Creek Road. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-479. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218 Montoursville, PA 17754-0218. SR 0220 Muncy Creek bridge replacement, in Picture Rocks Borough, **Lycoming County**, ACOE Susquehanna River Basin District (Picture Rocks, PA Quadrangle N: 4.8 inches; W: 12.2 inches).

To remove an existing structure, construct, maintain and remove a 170-foot temporary structure and construct and maintain a three span concrete box beam structure having a span of 220-feet over Muncy Creek in Picture Rocks Borough. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E55-177. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit Application, in Adams Township, **Snyder County**, ACOE Susquehanna River Basin District (Beavertown, PA Quadrangle N: 9.9 inches; W: 10.5 inches).

To remove 20 linear feet of box culvert and construct and maintain 32 linear feet of 48-inch by 76-inch elliptical concrete pipe in an unnamed tributary to Walker Lake located along S. R. 4018, Segment 0010, Offset 1250. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E59-416. PA DCNR—Bureau of Facility Design and Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. Bear Run Road Bridge Replacement, in Elk Township, **Tioga County**, ACOE Baltimore River Basin District (Lee Fire Tower, PA Quadrangle N: 10.1 inches; W: 7.2 inches).

To remove an existing structure and construct, operate and maintain a single span prestressed concrete spread box beam bridge that will carry Bear Run Road across Cushman Branch, Slate Run. The bridge shall be constructed with a minimum clear span of 40.6-feet, underclearance of 2.5-feet and a skew of 55-degrees. Construction of bridge abutments and rock scour protection shall be completed in dry work conditions by dams and pumping or fluming stream flow around the work area. The project is located along the eastern right-of-way of SR 0044 approximately 2,000-feet north of Francis Road and Bear Run Road intersection.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1300. Municipality of Penn Hills, 12245 Frankstown Road, Penn Hills, PA 15235. Municipality of Penn Hills, **Allegheny County**, ACOE Pittsburgh District.

To place and maintain fill in a de minimis area of wetland and to construct and maintain a 125.0 foot long pipe arch culvert having a span of 79 inches with an underclearance of 68 inches in an unnamed tributary to Plum Creek (WWF) to provide access to the proposed maintenance facility located on the south side of Leechburg Road, approximately 900 feet east from the intersection of Leechburg Road and Sentry Avenue (Brad-dock, PA Quadrangle N: 20.4 inches; W: 6.4 inches).

E02-1316. Richland Properties, Inc., 7805 McKnight Road, Pittsburgh, PA 15237. Richland and West Deer Townships, **Allegheny County**, ACOE Pittsburgh District.

To place and maintain fill in 0.45 acre of wetlands (PEM) and temporarily disturb 0.02 acre of Wetland 4 (PEM) in the Deer Creek and West Branch of Deer Creek watersheds (CWF), for the purpose of developing 174 single family residential area and 120 single family quad area as part of the Grandview Estates development plan. To meet the wetland replacement requirements, the applicant has made a donation to the Wetland Replacement Fund. The project is located on the north side of Route 910 approximately 1 mile east of its intersection with Route 8 (Valencia, PA Quadrangle N: 0.7 inch; W: 6.7 inches).

E02-1339. Moon Township Municipal Authority, 1700 Beaver Grade Road, Municipal Center, Suite 200, Moon Township, PA 15108-2987. Moon Township, **Allegheny County**, ACOE Pittsburgh District.

To construct and maintain a river intake structure in the channel and on the left bank of the Ohio River (WWF) and a Caisson on the left bank of said stream for the purpose of providing public water supply. The project is located at River Mile 11.7, approximately 600 feet upstream from the Sewickley Bridge (Ambridge, PA Quadrangle N: 5.6 inches; W: 8.7 inches).

E26-274. CBF, Inc., J&J Landfill, R. D. 1, Box 266, McClellandtown, PA 15458. German Township, **Fayette County**, ACOE Pittsburgh District.

To place and maintain fill in 0.08 acre of wetland in the watershed of an unnamed tributary to Dunlap Creek (WWF) in association with an expansion of the existing J&J Landfill, located approximately 1,200 feet north of SR 21 and 9,000 feet east of the intersection of SR 214 and SR 3013 (New Salem, PA Quadrangle N: 3.8 inches; W: 12.1 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E27-063. Northern Allegheny Resources, 218 Elm Street, Tionesta, PA 16353. Timber Access Road across Johns Run, in Tionesta Township, **Forest County**, ACOE Pittsburgh District (Tionesta, PA Quadrangle N: 15.4 inches; W: 5.8 inches).

To operate and maintain a 30-foot long, 6-foot diameter steel pipe culvert originally installed under DEP Permit No. GP082798602 in Johns Run on a timber access road extending approximately 2,500 feet northeast from S. R. 36 2.3 miles southeast of Tionesta.

E42-277. Keating Township, R. D. 1 Route 46 South, P. O. Box 103, East Smethport, PA 16730. T-350 Across Cole Creek, in Keating Township, **McKean County**, ACOE Pittsburgh District (Smethport, PA Quadrangle N: 19.3 inches; W: 13.0 inches).

To remove the existing deck and floor beams, install new footers behind the existing abutments, new steel

beams and reinstall the metal deck and to maintain the bridge having an approximate clear span of 45 feet and an underclearance of 7 feet across Cole Creek on T-350 approximately 0.5 mile south of S. R. 46 west of Farmers Valley.

ENVIRONMENTAL ASSESSMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

EA39-005NE. Central Penn, Inc., Campus on College Hill, Summerdale, PA 17093. Lynn Township, **Lehigh County**, ACOE Philadelphia District.

To remove an existing bridge, known as Henszey's Bridge, across Ontelaunee Creek, for the purpose of relocating the bridge to another site. The stone abutments and wing walls will remain in place. The project is located approximately 0.6 mile upstream of the Lehigh County/Berks County boundary, near the town of Wanamakers (New Tripoli, PA Quadrangle N: 5.4 inches; W: 13.3 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

EA41-003NC. U. S. Fish and Wildlife Service, 315 South Allen Street, Suite 322, State College, PA 16801-4855. Bear Creek Restoration Project, Plunketts Creek Township, **Lycoming County**, ACOE Baltimore District (Barbours, PA Quadrangle N: 1.7 inches; W: 5.1 inches).

To stabilize the channel within a 10,800 foot reach of Bear Creek (HQ-CWF) by installing a series of cross-vanes, j-hook rock vanes, single rock vanes, vortex rock weirs and natural material revetment. The purpose of the project is to control bank erosion, reduce sediment load and improve fish habitat. The work area extends from the confluence of Bear Creek and Shingle Run, downstream to the confluence of Bear Creek and Loyalsock Creek. The lower end of the project is located at the Village of Barbours.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EA10-016NW, Aquascape Wetland and Environmental Services, 114 Deer Road, Boyers, PA 16020. SR 89 Passive Treatment System, in Washington Township, **Butler County**, ACOE Pittsburgh District (Hilliards, PA Quadrangle N: 18.5 inches; W: 14.0 inches).

To construct and maintain a passive treatment system for the treatment of abandoned mine discharge (AMD) that has severely degraded a wetland that discharges into Slippery Rock Creek approximately 500-feet to the north. Proposed activities include the construction of a vertical flow pond, a flush pond/settling pond and an approximately one-acre treatment wetland; and the disturbance of approximately one acre of the severely degraded AMD-impacted wetland area. The project is located in State Game Lands No. 95 approximately 0.4 mile southwest of Higgins Corner.

SPECIAL NOTICES

Bureau of Deep Mine Safety Approval of Request for Variance

The Department of Environmental Protection, Bureau of Deep Mine Safety (BDMS), has approved R&R Mining, Inc.'s request for a variance from the requirements of Section 242(c) of the Pennsylvania Bituminous Coal Mine Act at the #73 Mine. This notification contains a summary of this request and the basis for the Department's

approval. A complete copy of the variance request may be obtained from Allison Gaida by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

Summary of the Request: R&R Mining, Inc. requested a variance from Section 242(c) of the Pennsylvania Bituminous Coal Mine Act to allow for the common ventilation of the belt conveyor entry with other entries at the #73 Mine along the No. 4, 5 and 6 belts. The proposal accords protection to persons and property substantially equal to or greater than the requirements of Section 242(c).

The basis for the Bureau's approval is summarized as follows:

1. R&R's plan provides for an advanced fire detection and control system consisting of CO monitors, thermal detectors and a fire suppression system.

2. R&R's plan provides a separate intake escapeway that will be isolated from the belt conveyor entries. The isolated intake escapeway will be maintained at a higher ventilation pressure than the belt and common entries.

3. R&R's plan provides for the belt and common entries to serve as an alternate intake escapeway.

4. There are significant health and safety benefits associated with allowing entries in common with the belt entry. Safer access is provided to workers performing repair and maintenance work in the belt entry. Improved visual safety inspections are facilitated by open crosscuts.

This approval is limited to the use of entries in common with the belt entry. All other terms and requirements of Section 242(c) shall remain in effect. Continued authorization for operation under the approval is contingent upon compliance with the measures described in R&R's plan and the following conditions.

1. Operation, maintenance and calibration of the Logi-Tec, Inc. Model LTPA-98 Point CO (carbon monoxide) Monitor System shall comply with the manufacturer's recommendation and DEP equipment approval number BOTE 1712-98.

2. R&R Mining, Inc. shall comply with the Mine Safety and Health Administration's approved Fire Fighting and Evacuation Plan.

3. R&R shall notify the DEP District Mine Inspector when the point CO monitor system has been installed.

Approval of Request for Variance

The Department of Environmental Protection, Bureau of Deep Mine Safety (BDMS) has approved Rosebud Mining Company's request for a variance from the requirements of Section 242(c) of the Pennsylvania Bituminous Coal Mine Act at the Clementine Mine. This notification contains a summary of this request and the basis for the Department's approval. A complete copy of the variance request may be obtained from Allison Gaida by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

Summary of the Request: Rosebud Mining Company requested a variance from Section 242(c) of the Pennsylvania Bituminous Coal Mine Act to allow for the common ventilation of belt conveyor entry with other entries at the Clementine Mine. The proposal accords protections to persons and property substantially equal to or greater than the requirements of Section 242(c).

The basis for the Bureau's approval is summarized as follows:

1. Clementine's plan provides for an advanced fire detection and control system consisting of carbon monoxide (CO) monitors, thermal detectors and a fire suppression system.

2. Clementine's plan provides a separate intake escapeway that will be isolated from the belt conveyor entries. The isolated intake escapeway will be maintained at a higher ventilation pressure than the belt and common entries.

3. Clementine's plan provides for the belt and common entries to serve as an alternate intake escapeway.

4. There are significant health and safety benefits associated with allowing entries in common with the belt entry. Safer access is provided to workers performing repair and maintenance work in the belt entry. Improved visual safety inspections are facilitated by open crosscuts.

This approval is limited to a variance from the requirements in Section 242(c) requiring that the belt entry is isolated from other entries. All other terms and requirements of Section 242(c) shall remain in effect. This approval applies to all areas developed after May 20, 1998. Continued authorization for operation under the approval is contingent upon compliance with the measures described in Clementine's plan and the following conditions:

1. Operation, maintenance and calibration of the Logi-Tec, Inc. Model LTPA-98 Point CO (carbon monoxide) Monitor System shall comply with the manufacturer's recommendation and DEP equipment approval number BOTE 1712-98.

2. Clementine shall comply with the Mine Safety and Health Administration's approved Fire Fighting and Evacuation Plan.

3. Clementine shall notify the DEP District Mine Inspector when the point CO monitor system has been installed.

Approval of Request for Variance

The Department of Environmental Protection, Bureau of Deep Mine Safety (BDMS), has approved Mon View Mining Company's request for a variance from the requirements of Section 268(b) of the Pennsylvania Bituminous Coal Mine Act at the Mathies Mine. This notification contains a summary of this request and the basis for the Department's approval. A complete copy of the variance request may be obtained from Allison Gaida by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

Summary of the Request. Mon View Mining Company requested a variance from Section 268(b) of the Pennsylvania Bituminous Coal Mine Act to extend shelter hole distances along track haulage roads at the Mathies Mine. The proposal accords protection to persons and property substantially equal to or greater than the requirements of Section 268(b).

The basis for the Bureau's approval is summarized as follows:

1. All transportation equipment (jeeps, portal buses, locomotive, and the like) will immediately sound an audible warning and bring the equipment to a complete stop when encountering personnel traveling by foot along the track haulageway. The equipment operator will allow the personnel to enter the nearest shelter hole before proceeding.

2. Signs shall be posted inby and outby the affected area that state extended shelter hole intervals.

3. Shelter hole locations will be marked with a reflective indicator visible from along the track haulageway, which will allow personnel walking along the track to judge the distance to the shelter hole. Indicators will be consistent in color and design at all locations.

4. Flashing warning lights shall be placed at least 100 feet from each approach to each work site when men are working in the affected area.

5. All trips traveling through the areas will be provided with a locomotive coupled to the front and back of the trip at all times. Each locomotive will be of sufficient capacity to control the entire trip.

6. All self-propelled track haulage equipment will have properly maintained radio communications equipment. Track haulage equipment with malfunctioning radio communications equipment shall immediately be taken out of service until the equipment is repaired.

7. All employees, contractors, inspectors, visitors, and the like will be adequately trained and instructed concerning shelter hole guidelines and safety procedures prior to entering the mine. This training will become a part of the annual retraining, task training and hazard training.

8. Coal will not be transported on the rail haulage in the area where the variance allows extended shelter holes.

This approval is limited to Mathies' variance from the requirements in Section 268(b). All other terms and requirements of Section 268(b) shall remain in effect. Continued authorization for operation under the approval is contingent upon compliance with the measures described in Mathies' plan and the following condition:

Flashing warning lights shall be placed at least 100 feet from each approach to each work site when men are working in the affected area.

Approval of Request for Variance

The Department of Environmental Protection, Bureau of Deep Mine Safety (BDMS), has approved Quecreek Mining, Inc.'s request for a variance from the requirements of Section 242(c) of the Pennsylvania Bituminous Coal Mine Act at the Quecreek Mine. This notification contains a summary of this request and the basis for the Department's approval. A complete copy of the variance request may be obtained from Allison Gaida by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

Summary of the Request. Quecreek Mining, Inc. requested a variance from Section 242(c) of the Pennsylvania Bituminous Coal Mine Act to allow for the common ventilation of the belt conveyor entry with other entries at the Quecreek Mine. The proposal accords protection to persons and property substantially equal to or greater than the requirements of Section 242(c).

The basis for the Bureau's approval is summarized as follows:

1. Quecreek's plan provides for an advanced fire detection and control system consisting of CO monitors, thermal detectors and a fire suppression system.

2. Quecreek's plan provides a separate intake escapeway that will be isolated from the belt conveyor entries.

The isolated intake escapeway will be maintained at a higher ventilation pressure than the belt and common entries.

3. Quecreek's plan provides for the belt and common entries to serve as an alternate intake escapeway.

4. There are significant health and safety benefits associated with allowing entries in common with the belt entry. Safer access is provided to workers performing repair and maintenance work in the belt entry. Improved visual safety inspections are facilitated by open crosscuts.

This approval is limited to the use of entries in common with the belt entry. All other terms and requirements of Section 242(c) shall remain in effect. Continued authorization for operation under the approval is contingent upon compliance with the measures described in your enclosed plan and the following conditions.

1. Operation, maintenance and calibration of the Logi-Tec, Inc. Model LTPA-98 Point CO (carbon monoxide) Monitor System shall comply with the manufacturer's recommendation and DEP equipment approval number BOTE 1712-98.

2. Quecreek shall comply with the Mine Safety and Health Administration's approved Fire Fighting and Evacuation Plan.

3. Quecreek shall notify the DEP District Mine Inspector when the point CO monitor system has been installed.

[Pa.B. Doc. No. 01-1276. Filed for public inspection July 13, 2001, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on DEP's website (www.dep.state.pa.us) at the public participation center. The "July 2001 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its nonregulatory documents, as necessary, throughout 2001.

Ordering Paper Copies Of DEP Technical Guidance

DEP encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes To Technical Guidance Documents

Following is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with the document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Technical Guidance

DEP ID: 392-2130-013 Title: *Policy for Protecting Aquatic Resources and Related Stream Uses In Processing*

Approvals for Water Rights Acquisitions in Certain Waters of the Commonwealth Description: This policy establishes a method for determining appropriate flows in certain cold-water streams, generally of 100 square mile drainage or less, that support naturally reproducing trout populations. The policy enables the Department to condition surface water allocation permits to prevent degradation of special protection waters and to maintain and protect existing and designated aquatic life uses defined in Chapter 93 of the Department's regulations. Anticipated Effective Date: September 8, 2001 Comment Period Ends: August 13, 2001 Contact: William Gast at (717) 772-4048 or email to WGast@state.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-1277. Filed for public inspection July 13, 2001, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Design Professional Selections; Withdrawal

The Department of General Services has withdrawn the request for applications for design services for the following project which was advertised at 31 Pa.B. 3599 (July 7, 2001):

Project No. DGS A 251-634—Building Addition, PennDOT District Office Building, Montoursville, Lycoming County, PA. Construction Cost: \$1,498,000. The scope of work includes, but is not limited to, a 16,850 sq. ft. second story addition to the building to include office areas, restrooms, conference rooms and training rooms. Also included are: HVAC system; emergency generator with associated switchgear; renovation of existing restrooms; floor tiles; ADA access; partitions and lighting.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 01-1278. Filed for public inspection July 13, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in tests conducted by the Department's Bureau of

Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to hunting or furtaking under the influence of alcohol or controlled substance), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses will be designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after the name of their laboratory.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised semi-annually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464, ext. 3273.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

Alleg. Cnty. Coroners Div. of Labs—SBSe, CBSe
10 County Office Building
Pittsburgh, PA 15219
(412) 350-6873

American Medical Laboratories—SBSe, CBSe
14225 Newbrook Drive
P. O. Box 10841
Chantilly, VA 20153-0841
(703) 802-6900

Analytic Bio-Chemistries Inc.—SBSe, CBSe
1680-D Loretta Avenue
Feasterville, PA 19053
(215) 322-9210

Clinical Laboratories Inc.—SBSe, CBSe
901 Keystone Industrial Park
Throop, PA 18512-1534
(717) 346-1759

Dept. of Pathology & Lab. Med-HUP—SSe, CSe
3400 Spruce Street
Philadelphia, PA 19104
(215) 662-6880

Drugscan Inc.—SBSe, CBSe
1119 Mearns Rd.
P. O. Box 2969
Warminster, PA 18974
(215) 674-9310

Good Samaritan Hospital—SSe
4th and Walnut Sts.
P. O. Box 1281
Lebanon, PA 17042-1218
(717) 270-7500

Guthrie Clinic Path. Lab.—SSe
Guthrie Square
Sayre, PA 18840
(717) 888-5858

Health Network Laboratories—SBSe, CBSe
2024 Lehigh Street
Allentown, PA 18103-4798
(610) 402-8150

Labcorp Occupational Testing Ser.—SBSe, CBSe
1904 Alexander Drive
Resrch Trngl Park, NC 27709
(919) 549-8263

Lancaster Regional Med. Center—SSe
250 College Avenue
P. O. Box 3434
Lancaster, PA 17604
(717) 291-8022

Medtox Laboratories Inc.—SBSe, CBSe
402 West County Road D
St. Paul, MN 55112
(612) 636-7466

Mercy Health Lab./MFH—SSe
1500 Lansdowne Avenue
Darby, PA 19023
(610) 237-4262

Mercy Health Lab./MHOP—SSe
54 and Cedar Avenue
Philadelphia, PA 19143
(215) 748-9181

National Med. Services Inc. Lab.—SBSe, CBSe
3701 Welsh Road
Willow Grove, PA 19090
(215) 657-4900

Pittsburgh Criminalistics—SBSe, CBSe
1320 Fifth Avenue
Pittsburgh, PA 15219
(412) 391-6118

Quest Diagnostics of PA Inc.—SBSe, CBSe
875 Greentree Rd.
4 Parkway Center
Pittsburgh, PA 15220-3610
(412) 920-7600

Quest Diagnostics Venture LLC—SBSe, CBSe
875 Greentree Road
4 Parkway Center
Pittsburgh, PA 15220-3610
(412) 920-7631

St. Joseph Quality Medical Lab.—SBSe, CBSe
215 North 12th Street
Box 316
Reading, PA 19603
(610) 378-2200

Toxi-Con Laboratory—SB
201 Smallcombe Drive
Scranton, PA 18508
(570) 963-0722

Western Reserve Care System—SSe, CSe
500 Gypsy Lane
Youngstown, OH 44504
(216) 740-3794

WVHCS Hosp. Pennant Laboratory—SSe
575 North River Street
Wilkes-Barre, PA 18764
(570) 829-8111

York Hospital—SSe
1001 South George Street
York, PA 17405
(717) 771-2696

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1279. Filed for public inspection July 13, 2001, 9:00 a.m.]

Requests for Exceptions; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

ManorCare Health Services—Whitehall, 505 Weyman Road, Pittsburgh, PA 15236.

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(c) (relating to nurses station):

Rest Haven—York, 1050 South George Street, York, PA 17403.

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Hillcrest Center, 1245 Church Road, Wyncote, PA 19095.

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, Fax: (717) 772-2163, E-Mail Address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so, should contact V/TT: (717) 783-6514 for

speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1280. Filed for public inspection July 13, 2001, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 200 Grand Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 200 Grand.

2. *Price:* The price of a Pennsylvania 200 Grand instant lottery game ticket is \$5.00.

3. *Play Symbols:* Each Pennsylvania 200 Grand instant lottery game ticket will contain one play area featuring one "Winning Numbers" area and one "Your Numbers" area. The play symbols and their captions located in the "Winning Numbers" area and "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the 14 "Prize" areas are: \$2⁰⁰ (TWO DOL), \$5⁰⁰ (FIV DOL), \$6⁰⁰ (SIX DOL), \$10⁰⁰ (TEN DOL), \$12\$ (TWELV), \$15\$ (FIFTN), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$200,000 (TWOHUNTHO). The prize play symbols and their captions located in the "Bonus Box" area are: \$20\$ (TWENTY), \$50\$ (FIFTY) and TRY AGAIN.

5. *Prizes:* The prizes that can be won in this game are \$2, \$5, \$6, \$10, \$12, \$15, \$20, \$50, \$100, \$500 and \$200,000. The player can win up to 11 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 3,600,000 tickets will be printed for the Pennsylvania 200 Grand instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$200,000 (TWOHUNTHO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$500 (FIV HUN) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$100 (ONE HUN) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$50\$ (FIFTY) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(e) Holders of tickets with a prize play symbol of \$50\$ (FIFTY) in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$50.

(f) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$20\$ (TWENTY) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(g) Holders of tickets with a prize play symbol of \$20\$ (TWENTY) in the "Bonus Box" area, on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$15\$ (FIFTN) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(i) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning

Numbers" play symbols and a prize play symbol of \$12\$ (TWELV) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$12.

(j) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$10⁰⁰ (TEN DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$6⁰⁰ (SIX DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$6.

(l) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$5⁰⁰ (FIV DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(m) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$2⁰⁰ (TWO DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Win With Prize(s) Of:</i>	<i>Win</i>	<i>Approximate No. of Approximate Odds</i>	<i>Winners Per 3,600,000 Tickets</i>
\$5	\$5	1:6.67	540,000
\$6	\$6	1:60	60,000
\$2 x 5	\$10	1:40	90,000
\$5 x 2	\$10	1:60	60,000
\$10	\$10	1:120	30,000
\$10 + \$2	\$12	1:300	12,000
\$5 x 2 + \$2	\$12	1:200	18,000
\$6 x 2	\$12	1:200	18,000
\$12	\$12	1:300	12,000
\$5 x 3	\$15	1:120	30,000
\$10 + \$5	\$15	1:300	12,000
\$15	\$15	1:200	18,000
\$15 + \$5	\$20	1:600	6,000
\$5 x 4	\$20	1:600	6,000
\$10 x 2	\$20	1:600	6,000
\$20	\$20	1:600	6,000
\$20 (Bonus Box)	\$20	1:100	36,000
\$5 x 10	\$50	1:2,000	1,800
\$20 (Bonus Box)	\$50	1:300	12,000
+ \$10 x 3			
\$20 (Bonus Box)	\$50	1:369.23	9,750
+ \$5 x 6			
\$20 (Bonus Box)	\$50	1:369.23	9,750
+ \$20 + \$10			
\$50 (Bonus Box)	\$50	1:120	30,000
\$50	\$50	1:2,400	1,500
\$50 (Bonus Box)	\$100	1:30,000	120
+ \$50			
\$50 (Bonus Box)	\$100	1:20,000	180

<i>Win With Prize(s) Of:</i>	<i>Win</i>	<i>Approximate No. of Approximate Odds</i>	<i>Winners Per 3,600,000 Tickets</i>
+ \$5 x 10 \$15 x 4 + \$10 x 4 \$20 (Bonus Box) + \$20 x 2 + \$5 x 8 \$100 \$50 (Bonus Box) + \$50 x 9 \$100 x 5 \$500 \$200,000	\$100 \$100 \$100 \$500 \$500 \$200,000	1:40,000 1:20,000 1:120,000 1:30,000 1:60,000 1:60,000 1:1,200,000	90 180 30 120 60 60 3

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania 200 Grand instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania 200 Grand, prize money from winning Pennsylvania 200 Grand instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania 200 Grand instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania 200 Grand or through normal communications methods.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 01-1281. Filed for public inspection July 13, 2001, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Indiana County

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Department of Transportation is proposing a project to reconstruct existing U.S. Route 22 (S.R. 0022, Section 491) between the Route 22/119 interchange to the western end of the Armagh Bypass, a distance of 13.1 km (8.1 miles). The proposed facility will provide four lanes

(two in each direction) and a median barrier in the center. Access will be provided at key intersections and crossing movements will be limited to those locations. Sight distances will be improved through adjustments to the horizontal and vertical alignments. The Department of Transportation has received environmental clearance in the form of a Finding of No Significant Impact from the Division Administrator of the Federal Highway Administration. The project will require 0.35 hectares (0.87 acres) of land from within the boundaries of the National Register of Historic Places eligible Meanor Farm/Gazza Property. The project will also require 0.41 hectares (1.00 acres) of land from Pine Ridge Park and 10.97 hectares (27.1 acres) of land from State Game Lands Number 276.

The Meanor Farm/Gazza Property and the Price Farm Miller Property will be landscaped to minimize the visual and audible effect of the highway improvements on the property. These mitigation commitments are included in a Memorandum of Agreement (MOA) for the proposed action which has been signed by all appropriate agencies. Where a Section 6(f) Land conversion occurs in Pine Ridge Park, replacement land will be provided that is of an equal or greater fair market value and that is equivalent in recreational usefulness. The Pennsylvania Game Commission will receive fair market value monetary compensation for impacts to State Game Lands Number 276.

I have considered the environmental, economic, social, and other effects of the proposed project as enumerated in Section 2002 of the Administrative Code, and have concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize such effect.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1282. Filed for public inspection July 13, 2001, 9:00 a.m.]

Revised Goal-Disadvantaged Business Enterprise Participation in Federally Funded Contracts

Under the authority contained in the Transportation Act for the 21st Century, Act of June 9, 1998, Pub. L. No. 105-178, 112 Stat. 113 (23 U.S.C. 101), and in keeping with the requirements of Part 26 of Title 49 of the Code of Federal Regulations, the Pennsylvania Department of Transportation (Department) provides public notice of its revised goal for participation by Disadvantaged Business Enterprises (DBEs) in its Federally assisted contracts.

Pending receipt of public comments, the Department's revised goal is a work in progress. However, the Department proposes an overall goal of 9.19 percent for DBE participation in Department contracts funded in whole or in part with Federal monies.

As a recipient of Federal funds from the United States Department of Transportation (US DOT) through its agencies, including the Federal Highway Administration, the Department must comply with the goal setting provisions of the new US DOT DBE regulation, set forth in 49 C.F.R. Part 26, effective March 4, 1999. The Department is mandated to submit a revised goal and methodology for Federally assisted contracts in accordance with the provisions of 49 C.F.R. Sections 26.45 and 26.51. The revised goal and methodology must be submitted to the Federal Highway Administration by August 1, 2001. An important part of this process is providing notice to the public concerning the revised goal and methodology used to arrive at the final goal and affording the public the opportunity to provide comments on the goal proposal.

To comply with the goal setting provisions of the new regulation, the Department employed a two-step process, as outlined in 49 C.F.R. Section 26.45. Under step one; the Department created a baseline figure for the relative availability of "ready, willing and able DBEs" in a relevant market, derived from demonstrative evidence of local market conditions. To this end, the Department developed a definition of "ready, willing and able DBEs" relative to any business "ready willing and able" to perform on Federally assisted Department contracts. The Department considered historical activity within specified market areas including research, engineering, and design consulting, contractors (prime, subcontractors and suppliers), and other consultant activities. Additionally, the Department developed a ratio within market areas of "ready willing and able DBEs" relative to the universe of all other "ready willing and able" enterprises.

Under step two, the Department examined all relevant evidence in its jurisdiction to determine what adjustments, up or down, are needed to arrive at the overall goal, taking into consideration other conditions or variables impacting DBEs in the Commonwealth. As part of this adjustment phase, the Department considered market potential based upon employment security data and other public data. The Department also considered certain changes relative to counting and certification that occurred as the result of the new regulation.

Consistent with the public participation requirement for this process, the Department is making the proposed revised goal and methodology available for inspection and review for forty-five days from the date of this notice. The Department considers the revised overall goal and methodology a work in progress pending input from the public. To review the DBE goal documents, contact any of the following locations:

Bureau of Equal Opportunity
Commonwealth Keystone Building
400 North Street, 5th Floor
Harrisburg, PA 17101
(717) 787-5891
Attn.: Jocelyn I. Harper

Engineering District 1-0
255 Elm Street, P. O. Box 398
Oil City, PA 16301-398
(814) 678-7105
Attn.: John L. Baker, PE

Engineering District 2-0
1924-30 Daisy Street
Clearfield, PA 16830
(814) 765-0400
Attn.: George M. Khoury, PE

Engineering District 3-0
715 Jordan Avenue
Montoursville, PA 17754
(570) 368-8686
Attn.: James A. Kendter, PE

Engineering District 4-0
O'Neill Highway, P. O. Box 111
Dunmore, PA 18512
(570) 963-4061
Attn.: Charles M. Mattei, PE

Engineering District 5-0
1713 Lehigh Street
Allentown, PA 18103
(610) 798-4100
Attn.: Walter E. Bortree, PE

Engineering District 6-0
7000 Geerdes Blvd.
King of Prussia, PA 19406
(610) 205-6660
Attn.: Andrew L. Warren

Engineering District 8-0
2140 Herr Street
Harrisburg, PA 17103-1699
(717) 787-6653
Attn.: Barry G. Hoffman, PE

Engineering District 9-0
North Juniata Street, P. O. Box 69.
Hollidaysburg, PA 16648
(814) 696-7250
Attn.: Earl L. Neiderheiser, PE

Engineering District 10-0
250 Oakland Avenue, P. O. Box 429
Indiana, PA 15701
(724) 357-2806
Attn.: Richard H. Hogg, PE

Engineering District 11-0
45 Thoms Run Road
Bridgeville, PA 15017
(412) 429-5001
Attn.: Raymond S. Hack, PE

Engineering District 12-0
N. Gallatine Avenue Ext., P. O. Box 459
Uniontown, PA 15401-0459
(724) 439-7340
Attn.: Michael H. Dufalla, PE

The document may also be reviewed online at the following website address: <http://pasdc.hbg.psu.edu/pasdc/dot/>

Comments, questions or suggestions regarding this notice may be directed in writing to Jocelyn I. Harper, Director, Bureau of Equal Opportunity, Telephone Number (717) 787-5891, Pennsylvania Department of Transportation, Bureau of Equal Opportunity, P. O. Box 3251, Harrisburg, PA 17105-3251, Attn: Jocelyn I. Harper, Director FAX: (717) 772-4026.

All comments should be postmarked no later than September 1, 2001 for consideration.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1283. Filed for public inspection July 13, 2001, 9:00 a.m.]

FISH AND BOAT COMMISSION

Consideration of Changes to Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meetings on July 27 and 28, 2001, the Commission will consider designating or redesignating the following stream sections and lakes as waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective January 1, 2002:

58 Pa. Code § 65.5. Catch-and-release areas.

The Commission will consider adding the following stream section to the list of catch-and-release areas designated under 58 Pa. Code § 65.5:

<i>County</i>	<i>Water on which located</i>	<i>Description</i>
Carbon	Hickory Run	From Sand Spring Run upstream to Saylorville Dam, a distance of 1.38 miles.

This change, if approved, will result in a total of 2.88 miles of Hickory Run being regulated and managed under the catch-and-release program. The revised section will be as follows:

From the outlet of Saylorville dam downstream to the mouth, a distance of 2.88 miles.

58 Pa. Code § 65.8. Warmwater/coolwater species special conservation waters.

The Commission will consider removing the following lake from the list of conservation waters designated under 58 Pa. Code § 65.8:

<i>County</i>	<i>Water</i>
Westmoreland	Bridgeport Dam

58 Pa. Code § 65.9. Big bass special regulations.

The Commission will consider designating the following lakes as regulated and managed under the big bass special regulations and adding them to the list of waters subject to these regulations, 58 Pa. Code § 65.9:

<i>County</i>	<i>Water</i>
Berks	Carsonia Lake
Bucks	Towhee Lake
Westmoreland	Bridgeport Dam

58 Pa. Code § 65.10. Select Trout Stocked Lake Program.

The Commission will consider removing the following lakes from the list of waters regulated and managed under the Select Trout Stocked Lake Program under 58 Pa. Code § 65.10:

<i>County</i>	<i>Water</i>
Beaver	Upper Hereford Manor Lake
Berks	Angelica Lake
Lackawanna	Merli-Sarnoski Lake
Luzerne	Irena Lake
Luzerne	Lily Lake
Sullivan	Hunters Lake

At this time, the Commission is soliciting public input concerning the previous designations and redesignations. Persons with comments, objections or suggestions concerning the designations and redesignations are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, by no later than 4 p.m. on Thursday, July 26, 2001. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically to ra-pfbcregs@state.pa.us. A subject heading of the proposal and a return name and address must be included in each transmission. In addition, all electronic comments must be contained in the text of the transmission, not in an attachment. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 01-1284. Filed for public inspection July 13, 2001, 9:00 a.m.]

Notice of Proposed Change to Special Regulation Designation

The Coalition of Concerned Pennsylvania Anglers has requested that the Fish and Boat Commission (Commission) consider extending the big bass regulation on the Susquehanna River to Lock Haven on the West Branch of the Susquehanna and to the New York state line on the main branch of the Susquehanna. They also requested that these special bass regulations be extended on the Juniata River from its confluence with the Susquehanna upstream to the old dam at Warriors Run.

At its May 2001, meeting, the Commission's Fisheries Committee discussed the proposed extensions of big bass regulations and heard a report from Robert Lorantas, Warmwater Unit Leader, and Richard Snyder, Chief of the Fisheries Management Division. The Bureau of Fisheries recommended, consistent with the available fisheries management data, that big bass special regulations be extended on the Juniata River from the Route 11/15 bridge at Amity Hall (the current lower limit) upstream to Newport. Big bass regulations currently apply on the Juniata River upstream from Newport to the S. R. 0075 bridge at Port Royal. The proposed extension would mean

that big bass regulations will apply on the Juniata River from its mouth upstream to Port Royal.

The Bureau of Fisheries also recommended that it is premature to consider further extensions of big bass regulations on the Susquehanna River at this time. Further briefings on this subject will be provided to the Commissioners at upcoming meetings.

The Commission is soliciting public input concerning the extension of big bass regulations on the Juniata River from the Route 11/15 bridge at Amity Hall upstream to the S. R. 0034 bridge at Newport.

Persons with comments, objections or suggestions concerning the designation of this area as subject to big bass special regulations are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, by no later than 4 p.m. on Wednesday, July 25, 2001. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically to ra-pfbcregs@state.pa.us. A subject heading of the proposal and a return name and address must be included in each transmission. In addition, all electronic comments must be contained in the text of the transmission, not in an attachment. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 01-1285. Filed for public inspection July 13, 2001, 9:00 a.m.]

INDEPENDENT
REGULATORY REVIEW
COMMISSION

Notice of Comments Issued

Section 5(d) and (g) of the Regulatory Review Act (71 P. S. § 745.5(d) and (g)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the committees' comment period. The Commission's Comments are based upon the criteria contained in section 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted by the date indicated.

Table with 4 columns: Reg. No., Agency/Title, Issued, Final-form Submission Deadline. Row 1: 10-137, Department of Health Newborn Disease Screening and Follow-Up, 6/28/01, 5/29/03

31 Pa.B. 2271 (April 28, 2001)

Department of Health
Regulation No. 10-137
Newborn Disease Screening and Follow-Up
June 28, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Department of Health (Department) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by May 29, 2003, the regulation will be deemed withdrawn.

1. Section 28.1. Definitions.—Clarity.

Hemoglobin diseases

This definition includes a list of sickle cell diseases, including "SS, SC, SV, S beta Thalassemia, S O Arab." A commentator stated that there is no hemoglobin named "SV." We suggest the Department review the definition and consider replacing "V" with "+ other variant."

2. Section 28.21. Responsibility for collecting and testing initial and repeat specimens.—Economic impact; Clarity

Subsection (c)

Subsection (c) requires a healthcare provider to designate a "newborn screening coordinator" to perform several duties. We have two concerns.

First, the regulation does not specify what qualifications the "newborn screening coordinator" must have. Included in the duties in paragraph (1), the newborn screening coordinator must "ensure that a specimen collection form contains correct and complete information." (Emphasis added.) What level of medical training does the newborn screening coordinator need to ensure information is "correct"?

Second, paragraph (7) is vague. What is the intent of requiring the newborn screening coordinator to "assist the Department in followup of an abnormal or presumptive abnormal test result"?

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-1286. Filed for public inspection July 13, 2001, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

Table with 4 columns: Final-Form Reg. No., Agency/Title, Received. Row 1: 7-350, Environmental Quality Board Radiological Health, 6/27/01. Row 2: 7-354, Environmental Quality Board Host Municipality Fund Allocation, 6/27/01

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
14-445	Department of Public Welfare Medical Assistance Estate Recovery Program	6/29/01

<i>Final-Omit Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16-27	Department of State UCC Fees	6/26/01

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-1287. Filed for public inspection July 13, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's Regional Office in Philadelphia, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Sandra L. Glass; file no. 01-215-018858; State Farm Mutual Automobile Insurance Company; doc. no. PH01-06-031; September 14, 2001, at 3 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated represen-

tatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1288. Filed for public inspection July 13, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Petition of MCI Metro Access Transmission Services, LLC for Designation as an Eligible Telecommunications Carrier; Doc. No. P-00011890

On May 2, 2001, MCI Metro Access Transmission Services, LLC (MCI) filed a petition requesting designation as an eligible telecommunications carrier (ETC) for applicable State and Federal universal service funding. The petition seeks ETC approval for the entire area covered by MCI's approved tariffs. The Pennsylvania Public Utility Commission (Commission) has determined that publication and comment on this petition is appropriate. Interested parties must submit comments on the MCI petition within 7 days of publication in the *Pennsylvania Bulletin*.

Copies of the petition may be obtained from the Office of the Secretary, upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1289. Filed for public inspection July 13, 2001, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority application for the right to render service as a common carrier or contract carrier in this Commonwealth has been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before August 6, 2001, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application, or both.

Application of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under the application.

A-00117973. Susan P. Gratalo, t/d/b/a Castle Transportation (23 Griffith Street, Hughestown, Luzerne

County, PA 18640)—persons in paratransit service, between points in the county of Luzerne.

**Notice of Motor Carrier Applications—
Persons in Limousine Service**

The following applications for authority to transport persons in **limousine service between points in Pennsylvania** have been filed with the Commission. The applications will be considered without hearing in the absence of substantive protests limited to the issue of applicant fitness. Protests to these applications are due on or before August 6, 2001.

A-00117974. Suzanne Gambino Rivera, t/d/b/a R & S Transportation, 721 Erlen Road, Plymouth Meeting, PA 19462.

A-00117996. Magnum Limousine Service, Inc., t/d/b/a O What A Nite Limousine Service, 113 Cedar Lane, McMurray, PA 15317. *Attorney:* Gary J. Ogg, 245 Fort Pitt Blvd., Pittsburgh, PA 15222.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1290. Filed for public inspection July 13, 2001, 9:00 a.m.]

Inc. and Premiere Network Services, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North Inc. and Premiere Network Services, Inc. filed on June 26, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and Premiere Network Services, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1292. Filed for public inspection July 13, 2001, 9:00 a.m.]

Telecommunications

A-310824F0002. Verizon North Inc. and DSLnet Communications, LLC. Joint petition of Verizon North Inc. and DSLnet Communications, LLC, for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North Inc. and DSLnet Communications, LLC filed on June 26, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and DSLnet Communications, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1291. Filed for public inspection July 13, 2001, 9:00 a.m.]

**Transfer of Stock
Without Hearing**

A-230063 F0002; A-210072 F0002; and A-230013 F0002; Penn Estates Utilities, Inc. and Utilities, Inc. of Pennsylvania. Application of Penn Estates Utilities, Inc. and Utilities, Inc. of Pennsylvania for approval of stock transfer leading to a change in control of its parent corporation Utilities, Inc.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before July 30 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Penn Estates Utilities, Inc. and Utilities, Inc. of Pennsylvania.

Through and By Counsel: James P. Dougherty and Susan E. Bruce, McNeese, Wallace and Nurick, LLC, 100 Pine Street, P. O. Box 1166, Harrisburg, PA 17108-1166.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1293. Filed for public inspection July 13, 2001, 9:00 a.m.]

Telecommunications

A-310987F0002. Verizon North Inc. and Premiere Network Services, Inc. Joint petition of Verizon North