

NOTICES

DELAWARE RIVER BASIN COMMISSION

Notice of Commission Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Wednesday, July 25, 2001. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission offices at 25 State Police Drive, West Trenton, NJ.

The conference among the Commissioners and staff will begin at 9:30 a.m. Topics of discussion will include: a report on the Watershed Advisory Council meeting of July 24, 2001; status of the Current Comprehensive Plan; status of PCB Point Source Discharge Monitoring; and summaries of the Toxics Advisory Committee meetings of June 28, and July 18, 2001. The conference also will include presentations on sustainable wastewater management within the Tri-State Middle Delaware Region and cooperative interagency development of a Delaware River water trail.

The subjects of the public hearing to be held during the 1 p.m. business meeting include, in addition to the following dockets, a resolution confirming the appointment of Acting General Counsel to the Commission.

The dockets scheduled for public hearing are as follows:

1. *North Wales Water Authority D-90-6 CP (Revision)*. An application for the revision of a ground water withdrawal project to reallocate the existing 210 million gallons (mg)/30 days to 195 mg/30 days for the applicant's public water distribution system from Wells Nos. 1, 4B, 8, 9, 10, 11, 14, 17, 21, 22, 25, 31 and 34 in the Stockton, Lockatong and Brunswick Formations. The project is located in North Wales Borough, Upper Gwynedd, Lower Gwynedd, Whitpain, Upper Dublin and Montgomery Townships in Montgomery County; and New Britain Township in Bucks County, all in the Southeastern Pennsylvania Ground Water Protected Area.

2. *Walnutport Authority D-90-87 CP RENEWAL*. An application for the renewal of a ground water withdrawal project to supply up to 8 mg/30 days of water to the applicant's public water distribution system from existing Wells Nos. 1—5 in the Martinsburg Formation. No increase in maximum allocation is proposed. The project is located in Walnutport Borough and Lehigh Township, Northampton County, PA.

3. *Yardley Country Club D-2000-32*. An application for approval of a ground water withdrawal project to supply up to 15 mg/30 days of water to the applicant's golf course irrigation system from new Well No. 1 in the Stockton Formation and to limit the withdrawal from all sources to 15 mg/30 days. The project is located in Yardley Borough, Bucks County, PA.

4. *Kimberton Golf Club D-2001-4*. An application for approval of a ground water withdrawal project to supply up to 4.2 mg/30 days of water to the applicant's golf course irrigation system from newly redeveloped Well No. PW-1. The project well is located in the Stockton Formation in East Vincent Township, Chester County in the Southeastern Pennsylvania Ground Water Protected Area.

5. *Heritage Building Group D-2001-8*. An application for approval of a ground water withdrawal project to supply up to 6.5 mg/30 days of water to irrigate the applicant's Heritage Hills Golf Club from new Wells Nos. TW-1 and TW-2. The project is located in the Brunswick Formation in Limerick and Lower Pottsgrove Townships, Montgomery County in the Southeastern Pennsylvania Ground Water Protected Area.

6. *New Jersey Department of Corrections D-2001-22 CP*. An application to rerate the Bayside State Prison sewage treatment plant (STP) from 0.55 million gallons per day (mgd) to 0.61 mgd and continue to provide advanced secondary treatment. The STP serves only the correctional facilities and will continue to discharge through the existing outfall to Riggins Ditch, a tributary of Delaware Bay. The project is located just west of Delsea Drive (State Route 47) in Maurice River Township, Cumberland County, NJ.

7. *S.W.E.C, LLC D-2001-28*. An application to provide a nonutility electric power generator with an average of 8.5 mgd of water diverted via the USX Fairless Works intake on the Delaware River. USX's current surface water allocation is sufficient for supply of the project water demand. The proposed natural gas-fired combustion turbines and steam turbine generators are designed to produce 1,190 megawatts (MW) of electric power for the Pennsylvania-Jersey-Maryland (PJM) grid. The project will be constructed on a 45 acre site within the USX Industrial Park off Bordentown Road in Falls Township, Bucks County, PA. Following average consumptive losses of 6.15 mgd to evaporation and drift, approximately 2.35 mgd of wastewater will be routed to the USX wastewater treatment facility prior to discharge to the Delaware River in Commission Water Quality Zone 2.

8. *Joyfor Joint Venture D-2001-32*. An application to construct a 0.05 mgd tertiary level STP to serve a proposed adjacent shopping center and hotel located approximately 6,000 feet northeast of the intersection of State Route 3 and Providence Road in Newtown Township, Delaware County, PA. Treated effluent will be discharged to an unnamed tributary of Crum Creek, locally known as Reese's Run.

9. *Village of Delhi D-2001-33 CP*. An application to upgrade and expand a 0.515 mgd secondary level STP to provide tertiary treatment of 0.815 mgd. The plant is located just south of State Route 10, about 1 mile west of State Route 28 in the Town of Delhi, Delaware County, NY. The project will continue to serve the residents of Delhi Village and will be rerated after the upgrade to receive and process the pretreated waste from two small industries, which will discontinue their own existing discharge. The STP effluent will continue to be discharged via the existing outfall to the West Branch Delaware River, about 22 river miles upstream from the Cannonsville Reservoir in Commission Water Quality Zone W1.

In addition to the public hearing, the Commission will address the following at its 1 p.m. business meeting: minutes of the June 6, 2001, business meeting; announcements; report on hydrologic conditions; reports by the Executive Director and Acting General Counsel; public dialogue; and resolutions 1) authorizing the continued

procurement of services for the Commission's Estuary Model Peer Review Team; 2) authorizing the Executive Director to issue an RFP for sample collection and analysis to support the development of TMDLs for PCBs, chlorinated pesticides and metals in the Delaware Estuary; 3) approving an investment policy for the Commission; and 4) authorizing the Executive Director to contract with two asset management firms.

Documents relating to the dockets and other items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Contact Thomas L. Brand at (609) 883-9500 ext. 221 with any docket-related questions. Persons wishing to testify at this hearing are requested to register in advance with the Commission Secretary at (609) 883-9500 ext. 203.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who wish to attend the hearing should contact the Commission Secretary, Pamela M. Bush, directly at (609) 883-9500 ext. 203 or through the New Jersey Relay Service at (800) 852-7899 (TTY) to discuss how the Commission may accommodate their needs.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 01-1311. Filed for public inspection July 20, 2001, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 10, 2001.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
7-1-01	Fulton Financial Corporation, Lancaster, to acquire 100% of outstanding shares of Drovers Bancshares Corporation, York	Lancaster	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-2-01	First Star Savings Bank Bethlehem Northampton Purchase of assets/assumptions of liabilities of one branch office of Main Street Bank, Reading, Located at: 1430 Jacobsburg Road Wind Gap Plainfield Township Northampton County	Bethlehem	Effective

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-5-01	Northwest Savings Bank Warren Warren County	108 Washington Towne Boulevard Edinboro Erie County	Approved
7-5-01	Minersville Safe Deposit Bank & Trust Company Minersville Schuylkill County	452 S. Lehigh St. Frackville Schuylkill County	Approved

NOTICES

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-2-01	The Drovers & Mechanics Bank York York County	30 W. Patrick St. Frederick Frederick County Maryland	Effective

Note: In conjunction with the acquisition of Drovers Bancshares Corporation, York, by Fulton Financial Corporation, Lancaster, the previously-noted branch office was sold to Hagerstown Trust Company, Hagerstown, MD, a Maryland state-chartered bank and a wholly-owned subsidiary of Fulton Financial Corporation.

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
7-6-01	Suburban Community Bank Chalfont Bucks County	To provide for the amendment to Article Seventh which provides for the elimination of cumulative voting in the election of directors; and the addition of Article Tenth, permitting Board of Directors' consideration of non-economic factors in the evaluation of various acquisition offers.	Approved and Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Articles of Amendment**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
7-10-01	North Districts Credit Union Gibsonia Allegheny County	The amendment to Article 1 provides for a change in name to North Districts Community Credit Union; Amendment to Article 8 provides for a change in the field of membership (see following note).	Approved and Effective

The subject Articles of Amendment were necessitated by the conversion of the credit union's charter from an "occupational credit union" to a "community credit union." Said conversion was Approved by the Department of Banking on 7-6-01.

Branch Applications

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
6-25-01	HVHS Credit Union Sewickley Allegheny County	1000 Dutch Ridge Rd. Beaver Beaver County	Opened

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1312. Filed for public inspection July 20, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. All Oil and Gas Related permit applications are listed under Section III. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA-0060721	Pocono Plateau Camp & Retreat Center R. R. 2, Box 2747 Cresco, PA 18326	Monroe County Barrett Township	Taylor Creek (1C)	Yes

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0081060	Meadowbrook Mobile Home Park 314 Erford Road Camp Hill, PA 17011	York County Fairview Township	UNT Yellow Breeches Creek/7E	Yes
PA0084697	Wiconisco Township 305 Walnut Street Wiconisco, PA 17097	Dauphin County Wiconisco Township	Bear Creek	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0084018	Fishing Creek Estates Homeowners Association Custer Homes, Inc. 1309 Laurel Point Circle Harrisburg, PA 17110	Dauphin County Middle Paxton Township	Fishing Creek	Yes

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0209384 Sewerage Public	Lawrence Township Municipal Authority R. R. 2 Box 120C Tioga, PA 16946	Tioga Lawrence Township	Tioga River 4A	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0103659, Industrial Waste. **Calumet Lubricants Company, L.P.**, Allegheny Avenue, Reno, PA 16343.

This proposed facility is located in Sugarcreek Borough, **Venango County**.

Description of Proposed discharge of treated I.W. and stormwater, is in watershed 16E and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 39 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.00072 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Flow	XX				
Oil and Grease	0.09	0.18	15	30	30
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 002 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	

No discharge unless authorized by the Northwest Regional Water Quality Manager or his representative.

The proposed effluent limits for Outfall 003 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Flow	XX				
Oil and Grease			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 004 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Flow	XX				
Oil and Grease			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 005 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX		XX		
Oil and Grease					
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall 006 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX		XX		
Oil and Grease					
pH			Within limits of 6.0 to 9.0 standard units at all times.		

XX—Monitor and report.

The EPA Waiver is in effect.

PA0103381, Industrial Waste. **Merisol Antioxidants, L.L.C.**, P. O. Box 8A. Route 8 North, Oil City, PA 16301-9702.

This proposed facility is located in Cornplanter Township, **Venango County**.

Description of Proposed discharge of treated I.W., is in watershed 16E and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 40.5 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0172 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
(MO) Flow (MGD)	XX				
(BAT) BOD ₅	8.7	22.8	40	105	
(BAT) TSS	11.9	36.9	55	170	
(BPJ) phenolics			0.5	1.0	1.25
Acenaphthene	0.0037	0.0098	XX	XX	XX
Acenaphthylene	0.0037	0.0098	XX	XX	XX
Acrylonitrile	0.016	0.0404	XX	XX	XX
Anthracene	0.0037	0.0098	XX	XX	XX
Benzene	0.0062	0.0227	XX	XX	XX
Benzo (a) anthracene	0.0037	0.0098	XX	XX	XX
3,4-Benzofluoranthene	0.0038	0.0102	XX	XX	XX
Benzo (k) fluoranthene	0.0037	0.0098	XX	XX	XX
Benzo (a) pyrene	0.0038	0.0098	XX	XX	XX
Bis (2-ethylhexyl)-phthalate	0.0172	0.0465	XX	XX	XX
Carbontetrachloride	0.003	0.0063	XX	XX	XX
Chlorobenzene	0.0025	0.0047	XX	XX	XX
Chloroethane	0.0173	0.0447	XX	XX	XX
2-Chlorophenol	0.0052	0.0163	XX	XX	XX
Chrysene	0.0037	0.0098	XX	XX	XX
Di-n-butylphthalate	0.0045	0.0095	XX	XX	XX
1,2-Dichlorobenzene	0.0128	0.0272	XX	XX	XX
1,3-Dichlorobenzene	0.0052	0.0073	XX	XX	XX
1,1-Dichloroethane	0.0037	0.0098	XX	XX	XX
1,2-Dichloroethane	0.0113	0.0352	XX	XX	XX
1,1-Dichloroethylene	0.0027	0.0042	XX	XX	XX
1,2-Trans-Dichloroethylene		0.009	XX	XX	XX
2,4-Dichlorophenol	0.0065	0.0187	XX	XX	XX
1,2-Dichloropropane	0.0255	0.0384	XX	XX	XX
1,3-Dichloropropylene	0.0052	0.0073	XX	XX	XX
Diethylphthalate	0.0135	0.0339	XX	XX	XX
2,4-Dimethylphenol	0.003	0.006	XX	XX	XX
Dimethylphthalate	0.0032	0.0078	XX	XX	XX
4,6-Dinitro-o-cresol	0.013	0.0462	XX	XX	XX

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
2,4-Dinitrophenol	0.0118	0.0205	XX	XX	XX
2,4-Dinitrotoluene	0.0425	0.1069	XX	XX	XX
Ethylbenzene	0.0053	0.018	XX	XX	XX
Floranthene	0.0042	0.0113	XX	XX	XX
Fluorene	0.0037	0.0098	XX	XX	XX
Hexachlorobenzene	0.0006	0.0047	XX	XX	XX
Hexachlorobutadiene	0.0033	0.0082	XX	XX	XX
Hexachloroethane	0.0035	0.009	XX	XX	XX
Methyl Chloride	0.0143	0.0317	XX	XX	XX
Methylene Chloride	0.0067	0.0148	XX	XX	XX
Napthalene	0.0037	0.0098	XX	XX	XX
Nitrobenzene	0.0045	0.0113	XX	XX	XX
2-Nitrophenol	0.0068	0.0115	XX	XX	XX
4-Nitrophenol	0.012	0.0207	XX	XX	XX
Phenanthrene	0.0037	0.0098	XX	XX	XX
Phenol	0.0025	0.0043	XX	XX	XX
Pyrene	0.0042	0.0112	XX	XX	XX
Tetrachloroethylene	0.0037	0.0093	XX	XX	XX
Toluene	0.0043	0.0133	XX	XX	XX
Total Chromium	0.1851	0.462	XX	XX	XX
Total Copper	0.2419	0.5638	XX	XX	XX
Total Cyanide	0.07	0.2	XX	XX	XX
Total Lead	0.0534	0.1151	XX	XX	XX
Total Nickel	0.2519	0.6639	XX	XX	XX
1,2,4-Trichlorobenzene	0.0113	0.0234	XX	XX	XX
1,1,1-Trichloroethane	0.0035	0.009	XX	XX	XX
1,1,2-Trichloroethane	0.0035	0.009	XX	XX	XX
Trichloroethylene	0.0035	0.009	XX	XX	XX
Vinyl Chloride	0.0173	0.0447	XX	XX	XX
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 002 based on a design flow of 0.0129 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Oil and Grease			15		30
pH	Within limits of 6.0 to 9.0 standard units at all times.				

XX—Monitor and report.

The EPA Waiver is in effect.

PA0102652, Sewage. **Marc A. Glova, Countryside II Limited Partnership**, 10215 Perry Lake Road, Clarkston, MI 48348

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Activity: sanitary waste treatment from a manufactured home community.

The receiving stream, unnamed tributary to Elk Creek, is in watershed 15 EC (Lake Erie) and classified for: cold water and migratory fishery.

The proposed effluent limits for Outfall 001 based on a design flow of 0.060 MGD:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	2.5		5.0
(11-1 to 4-30)	7.5		15
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
Phosphorus as "P"	1.0		
Total Residual Chlorine	0.50		1.2

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

PA0025607, Sewage. **Barkeyville Sewerage Company**, P. O. Box 780, Warren, PA 16365.

This proposed facility is located in Barkeyville Borough, **Venango County**.

Description of Proposed Activity: renewal for an existing discharge.

The receiving stream, unnamed tributary to North Branch Slippery Rock Creek, is in watershed 20C and classified for: cold water fishes, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is the Salvation Army Camp intake on Slippery Rock Creek located in Wayne Township, Lawrence County, approximately 36 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.15 MGD.

<i>Parameter</i>	<i>Average Monthly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	31.3	25	50
Total Suspended Solids	37.5	30	60
NH ₃ -N (5-1 to 10-31)	3.8	3	6
(11-1 to 4-30)	11.4	9	18
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 2,000/100 ml as a geometric average	
Total Residual Chlorine		0.5	1.6
Dissolved Oxygen		minimum of 3 mg/l at all times	
pH		6.0 to 9.0 standard units at all times	
Zinc (Interim)	0.60	0.48	0.96
(Final)	0.26	0.21	0.42
Cadmium (Interim)	0.018	0.014	0.028
(Final)	0.006	0.005	0.010
Cobalt (Interim)	0.05	0.04	0.08
(Final)	0.04	0.029	0.058

The EPA Waiver is in effect.

PA0238490, Sewage. **Victor Kennedy, Kennedy Mobile Home Park**, P. O. Box 226, Slippery Rock, PA 16057.

This facility is located in Marion Township, **Butler County**.

Description of Proposed Activity: new sewage discharge.

The receiving stream, unnamed tributary to McMurray Run, is in watershed 20C and classified for: cold water fishes, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.005 MGD.

INTERIM LIMITS

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	20		40
Total Suspended Solids	25		50
NH ₃ -N (5-1 to 10-31)	4.0		8.0
(11-1 to 4-30)	9.0		18
Dissolved Oxygen		Monitor and Report	
Total Residual Chlorine		Monitor and Report	
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

FINAL LIMITS

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10		20
Total Suspended Solids	10		20
NH ₃ -N			
(5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
Total Residual Chlorine	1.4		3.3
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

PA0037915, Industrial Waste. **Pennsylvania Fish and Boat Commission—Tionesta Fish Hatchery**, Route 62, HCR 2, Box 1, Tionesta, PA 16353-9729.

This proposed facility is located in Tionesta Township, **Forest County**.

Description of proposed activity, is in watershed 16-F and classified for: high quality cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 62 miles below point of discharge.

The proposed effluent limits for Outfall 001 (Interim) are based on a design flow of 2.1 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	XX				
CBOD ₅	52.5		3		6
Total Suspended Solids	140.1		8		16
Ammonia Nitrogen	26.3		1.5		3.0
Total Phosphorus	5.3		0.3		0.6
Terramycin for Fish	XX		XX		
Roccal II	XX		XX		
Diquat Dibromide	XX		XX		
Formaldehyde	8.2		0.47		1.2
Dissolved Oxygen			Minimum of 7.0 mg/l at all times		
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall 001 (Final) are based on a design flow of 2.964 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	XX				
CBOD ₅	74.2		3		6
Total Suspended Solids	197.8		8		16
Ammonia Nitrogen	37.1		1.5		3.0
Total Phosphorus	7.4		0.3		0.6
Terramycin for Fish	XX		XX		
Roccal II	XX		XX		
Diquat Dibromide	XX		XX		
Formaldehyde	8.2		0.47		1.2
Dissolved Oxygen			Minimum of 3.0 mg/l at all times		
pH			Within limits of 6.0 to 9.0 standard units at all times		

The proposed interim effluent limits for Outfall 002 are based on a design flow of 0.864 MGD. Final limits n/a as outfall will be eliminated.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	XX				
CBOD ₅	21.6		3		6

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	57.6		8		16
Formaldehyde	3.4		0.47		1.2
Ammonia Nitrogen	10.8		1.5		3.0
Total Phosphorus	2.2		0.3		0.6
Diquat Dibromide	XX		XX		
Dissolved Oxygen			Minimum of 7.0 mg/l at all times		
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed interim effluent limits for Outfall 003 are based on a design flow of n/a MGD. Final limits n/a as outfall will be eliminated.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	XX				
CBOD ₅	XX		3		6
Total Suspended Solids	XX		8		16
Total Phosphorus	XX		0.3		0.6
Ammonia—Nitrogen	XX		1.5		3.0
Dissolved Oxygen			Minimum of 7.0 mg/l at all times		
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed interim effluent limits for Outfall 004 are based on a design flow of n/a MGD. Final limits n/a as outfall will be eliminated.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	XX				
CBOD ₅	XX		3		6
Total Suspended Solids	XX		8		16
Total Phosphorus	XX		0.3		0.6
Ammonia Nitrogen	XX		1.5		3.0
Dissolved Oxygen			Minimum of 7.0 mg/l at all times		
pH			Within limits of 6.0 to 9.0 standard units at all times.		

XX—Monitor and report on monthly DMRs.

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0053244, Sewage, **Charles S. Adcock**, 1006 South Bellevue Avenue, Langhorne, PA 19047.

This application is for renewal and transfer of an NPDES permit to discharge treated sewage from Valley Queen Apartments in Upper Makefield Township, **Bucks County**. This is an existing discharge to Houghs Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1400 GPD are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	8	16
(11-1 to 4-30)	20	40
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

Other Conditions:

The EPA Waiver is in effect.

Effective disinfection.

No. PA0058335, Sewage, **Edward and Elizabeth West**, 201 Chandler Mill Road, Kennett Square, PA 19048.

This application is for issuance of an NPDES permit to discharge treated sewage from a single residence in Kennett Township, **Chester County**. This is a new discharge to unnamed tributary of West Branch of Red Clay Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Total Residual Chlorine	Monitor and Report	
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	Within limits of 6.0—9.0 Standard Units at all times	

Other Conditions:

The EPA Waiver is in effect.

The first downstream potable water intake is Delaware Waterworks.

No. PA0051993, Sewage, **Ackerman Partners, L.P.**, 1924 Route 212, Pleasant Valley, Quakertown, PA 18951.

This application is for renewal of an NPDES permit to discharge treated sewage from Ackerman Partners, L.P. sewage treatment plant in Richland Township, **Bucks County**. This is an existing discharge to an unnamed tributary to Tohickon Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 8,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	2.5	5.0
(11-1 to 4-30)	7.5	15.0
Phosphorus (as P)	0.5	1.0
Total Residual Chlorine	1.2	2.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

Other Conditions:

The EPA Waiver is in effect.

No. PA0050148, Sewage, **Warwick Township Water and Sewer Authority**, 1733 Township Greene, P. O. Box 315, Jamison, PA 18929.

This application is for renewal of an NPDES permit to discharge treated sewage in Warwick Township, **Bucks County**. This is an existing discharge to Fish Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.85 MGD are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	15	30
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	1.5	3.0
(11-1 to 4-30)	3.0	6.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Nitrate & Nitrate (as N) (7-1 to 10-31)	9.5	19.0
Phosphorus (as P) (4-1 to 10-31)	2.0	4.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	
Copper, Total	Monitor/Report	
Lead, Total	Monitor/Report	
Silver, Total	Monitor/Report	

The EPA Waiver is in effect.

PA0024121, Sewage, **Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19101.

This application is for renewal of an NPDES permit to discharge treated sewage from the Borough of Media WWTP in Upper Providence Township, **Delaware County**. This is an existing discharge to Ridley Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1.8 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	15	25	30
(11-1 to 4-30)	30	45	60
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Total Residual Chlorine	0.3		1.0
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		

The EPA waiver is not in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA#0070394, Industrial, **Herceg Landfill**, 539 Roundtable Drive, Nazareth, PA 18064.

This proposed facility is located in Bushkill Township, **Northampton County**.

Description of Proposed Activity:

The receiving stream, an unnamed tributary to East Branch Monocacy Creek, is in the State Water Plan watershed #2C and is classified for: High Quality cold water fishery. The nearest downstream public water supply intake for Keystone Water Company is located on Delaware River is 65 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.021 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
NH ₃ -N (5-1 to 10-31)	1.2	2.4	6.7	13.4
(11-1 to 4-30)	3.5	7.0	20.0	40.0
pH	Within Limits of 6.0—9.0 at all times.			
Fecal Coliform	200/100 ml as a geometric average.			

PA#0063533, Sewage, **Tobyhanna Township**, P. O. Box 880, State Avenue, Pocono Pines, PA 18350.

This proposed action is for issuance of a NPDES permit to discharge treated sewage into Tobyhanna Creek in Tobyhanna Township, **Monroe County**.

The receiving stream is classified for the following uses: High quality, cold water, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Northampton Water Supply is located on Lehigh River is approximately 40 miles below the point of discharge.

The proposed effluent limits based on a design flow of 0.3 MGD are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Average Weekly</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	3	—	6
(11-1 to 4-30)	9	—	18
Phosphorus as "P"	1.0	—	2.0
Dissolved Oxygen	A minimum of 5 mg/l at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times		
Total Residual Chlorine	1.0	—	2.0

The EPA waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0010782, SIC Codes 4911, 4953 and 4952, Industrial Waste, **Reliant Energy (Titus Power Plant)**, 1001 Broad Street, Box 1050, Johnstown, PA 15907.

This application is for renewal of an NPDES permit for existing discharge of treated industrial waste to the Schuylkill River in Watershed 3C, in Cumru Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Pottstown Borough located in on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.469 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	6.0 to 9.0 S.U. at all times		
Total Suspended Solids	30	100	100
Oil and Grease	15	20	20
Total Residual Chlorine	0.50	—	1.60

The proposed effluent limits for Outfall 002 for a design flow of 2.149 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	6.0 to 9.0 S.U. at all times		
Total Suspended Solids	30	60	75
Oil and Grease	15	30	30
Total Residual Chlorine	—	Monitor & Report	—
Total Copper	0.56	1.00	1.40
Total Iron	1.00	2.00	2.50

The proposed effluent limits for Outfall 004 for a design flow of 1.007 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	6.0 to 9.0 S.U. at all times		
Total Suspended Solids	30	100	100
Total Dissolved Solids	2,500	5,000	6,250
Oil and Grease	15	20	20

The proposed effluent limits for Outfall 104 for a design flow of 0.147 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	6.0 to 9.0 S.U. at all times		
Total Suspended Solids	30	100	100
Oil and Grease	15	20	20

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0020320, SIC Code 4952, Sewage, **Lititz Sewer Authority**, 50 Lititz Run Road, Lititz, PA 17543.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Lititz Run in Watershed 7-J, in Warwick Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Lancaster Municipal Water Authority located in Lancaster City, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 3.85 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	15	XXX	20
(11-1 to 4-30)	15	22.5	XXX	30
Total Suspended Solids	30	45	XXX	60
NH ₃ -N (5-1 to 10-31)	1.5	XXX	XXX	3
(11-1 to 4-30)	4.5	XXX	XXX	9
Total Phosphorus	2	XXX	XXX	4
Total Residual Chlorine	0.19	XXX	XXX	0.63
Dissolved Oxygen		Minimum of 5.0 at all times		
pH		From 6.0 to 9.0 inclusive		
Fecal Coliforms (5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		2,000/100 ml as a geometric average		
Total Nitrogen		Monitor		

The EPA waiver is not in effect.

Application No. PA 0026441, SIC Code 4952, Sewage, **Borough of Lemoyne**, 655 Market Street, Lemoyne, PA 17011-5938.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Susquehanna River in Watershed 7-E, in Lemoyne Borough, **Cumberland County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Wrightsville Water Supply Company located in Wrightsville, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 2.088 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
NH ₃ -N (5-1 to 10-31)	19	XXX	XXX	38
Total Phosphorus	2.0	XXX	XXX	4.0
Total Residual Chlorine	1.0	XXX	XXX	2.0
Dissolved Oxygen		Minimum of 5.0 at all times		
pH		From 6.0 to 9.0 inclusive		
Fecal Coliform (5-1 to 9-30)	200	XXX	XXX	XXX
(10-1 to 4-30)	87,000	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	Monitor & Report	XXX

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PAS604802, Industrial Stormwater SIC 5015, **Gray's Vehicle Clinic**, 1314 Axemann Road, Bellefonte, PA 16823.

This existing facility is located in Spring Township, **Centre County**.

Description of Proposed Activity: This proposed action is for the issuance of a permit for discharge of stormwater runoff from an automobile recycling facility.

The receiving stream, Logan Branch, is in the Bald Eagle Creek watershed (SWP 9C) and is classified for: Cold Water Fishes. However, under Special Protection Antidegradation regulations (Chapter 93.4c), Logan Branch is afforded an existing use protection level as a High Quality Cold Water Fishery. The nearest downstream public water supply intake, Pennsylvania-American Water Company at Milton, is located on the West Branch Susquehanna River 84 stream miles below the point of discharge.

The proposed effluent limits for Outfalls 001 are based on Best Management Practices.

PA0228419, CAFO, SIC 0241, **Hostetter Management Company**, 120 Lake Street, P. O. Box 526, Ephrata, PA 17522-9127.

This proposed facility is located in Beaver Township, **Snyder County**.

Description of Proposed Activity: Beavertown Pig Company/Snyder Mountain Farms is a Concentrated Animal Feeding Operation (CAFO). The estimated population of the CAFO will be 10,200 finishing pigs and 3,900 piglets, totaling 1596 Animal Equivalent Units (AEUs).

The receiving stream, Wetzel Run, is in the State Water Plan 6-A, Penns watershed and is classified for: Cold Water Fishery (CWF).

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PA 0228427, CAFO, SIC 0241, **Hostetter Management Company**, 120 Lake Street, P. O. Box 526, Ephrata, PA 17522-9127.

This proposed facility is located in Wells Township, **Bradford County**.

Description of Proposed Activity: Pine Hill Farms contains a swine Concentrated Animal Feeding Operation (CAFO). The estimated population of the CAFO will be 2,800 sows, 32 boars, 1,510 gilts and 7,400 piglets, totaling 1,604 Animal Equivalent Units (AEUs).

The receiving stream, Mill Creek, is in the Tioga Watershed (SWP 4-A) and is classified for: Trout Stocked Fishery (TSF).

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PA # 0010430, Industrial Waste, **Hanover Foods Corporation**, P. O. Box 193, Centre Hall, PA 16828.

This existing facility is located in Potter Township, **Centre County**.

Description of Activity: The permittee discharges treated industrial wastewater from the food processing facility.

The receiving stream, Sinking Creek, is in the State Water Plan watershed, watershed # 6A—Penns Creek and is classified for: Cold Water Fishery. The nearest downstream public water supply intake is located at Dauphin on the Susquehanna River, 95 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.225 mgd.

Discharge Parameter	Mass Units (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Report	Report			
CBOD ₅					
(5-1 to 10-31)	84.5	126.7	45.0	67.5	90.0
(11-1 to 4-30)	168.9	253.3	90.0	135.0	180.0
NH ₃ -N					
(5-1 to 10-31)	20.6	31.0	11.0	16.5	22.0
TSS	120.0	188.0	65.0	100.0	130.0
Oil and Grease	XXX	XXX	15.0	30.0	30.0
Fecal Coliforms	XXX	XXX	200#/100 ml as a geometric mean		
pH (Std units)	XXX	XXX	Within the range 6.0 to 9.0		
Total Residual Chlorine	XXX	XXX	0.5		1.2

In addition to the effluent limits, the permit contains the following major special conditions. None

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PA0035262, Sewage, **Matthews Mobile Home Park**, P. O. Box 537, Bainbridge, PA 17502-0537.

This application is for Renewal of an NPDES permit to discharge treated sewage from Matthews Mobile Home Park Sewage Treatment Plant in Reade Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Fallen Timber Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is greater than 100 miles from the discharge point.

Outfall 001: existing discharge, design flow of 0.0036 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	10,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0204510, Sewage, **Carlton Motel & Restaurant**, 594 Carlton Drive, Bentleyville, PA 15314.

This application is for renewal of an NPDES permit to discharge treated sewage from Carlton Motel & Restaurant Sewage Treatment Plant in Somerset Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT to North Branch Pigeon Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: PA American Water Company.

Outfall 001: existing discharge, design flow of 0.0013 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—12th month	Monitor and Report			
13th month—expiration	1.4			3.3
Dissolved Oxygen	not less than 3 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0205664, Sewage, **David J. D'Atri**, 320 Sunset Drive, Baden, PA 15005.

This application is for Renewal of an NPDES permit to discharge treated sewage from Forest Brook Mobile Home Park STP in New Sewickley Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Pine Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Arco Chemical Company, BV Plant, on the Ohio River.

Outfall 001: existing discharge, design flow of 0.0135 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.17			0.40
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

Other Conditions: The following effluent limitations will apply if/when the plant is expanded to a flow of 0.023 mgd.

Outfall 001: existing discharge, design flow of 0.023 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	5.0			10.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.10			0.24
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0218855, Sewage, **Consol Pennsylvania Coal Company**, 172 Route 519, P. O. Box 355, Eighty Four, PA 15330.

This application is for issuance of an NPDES permit to discharge treated sewage from the Enlow Fork Mine 3 North #2 Portal Bathhouse STP in East Finley Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Rocky Run, which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is in West Virginia.

Outfall 001: new discharge, design flow of 0.035 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅				
(5-1 to 10-31)	20			40
(11-1 to 4-30)	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.2			0.5
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. Applications for New and Renewal Permits, Oil and Gas Activities

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA 0222011, Industrial Waste, SIC 1311, **Big Sandy Oil Company**, P. O. Box 269, Franklin, PA 16323.

This existing facility is located in Cranberry Township, **Venango County**.

Description of Proposed Activity: An existing discharge of treated production water from the operation of stripper oil wells.

The receiving stream, the Allegheny River, is in watershed 16-E (Oil Creek) and classified for: warm water fish, water supply and recreation. For the purpose of evaluating effluent requirements for TDS and phenolics, the existing downstream water supply considered during the evaluation is the Emlenton Municipal Water Authority on the Allegheny River at Emlenton, approximately 39 miles downstream of the discharge point.

The proposed effluent limits for Outfall 001 based on a design flow of 0.006 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)		0.006	
Oil & Grease	15		30
Total Suspended Solids	30		60

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Total Iron	3.5		7.0
Acidity		Less than Alkalinity	
Alkalinity			
pH	Monitor and Report 6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

WATER QUALITY MANAGEMENT PERMITS CONTROLLED INDUSTRIAL WASTE AND SEWAGE WASTEWATER APPLICATIONS UNDER THE PENNSYLVANIA CLEAN STREAMS LAW PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department). The applications are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permit applications.

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted above the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 4601408, Sewerage, **Limerick Township Municipal Authority**, 529 King Road, P. O. Box 29, Royersford, PA 19468.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Proposed Action/Activity: Construction and operation of Possum Hollow sewerage system to serve existing and proposed residential, commercial and industrial development.

WQM Permit No. 1501416, Sewerage, **Chester County Parks & Recreation Department**, Government Services Center, 601 Westtown Road, Suite 160, West Chester, PA 19832-4534.

This proposed facility is located in Wallace Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a small flow wastewater treatment system.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 1301406, Sewerage, **Jim Thorpe Area School District**, 140 West 10th Street, Jim Thorpe, PA 18229.

This proposed facility is located in Kidder Township, **Carbon County**.

Description of Proposed Action/Activity: Construction of a wastewater treatment facility, including pump station, that will serve a proposed school in the Jim Thorpe School District and a portion of the Smith Family Limited Partnership Development.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2101045, Sewerage, **Thomas Rosenberger**, 350 Hollowbrook Road, Carlisle, PA 17013.

This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of a sewage treatment facility with sub-surface disposal to serve their single family residence.

WQM Permit No. 0601407, Sewerage, **Amity Township**, 2004 Weavertown Road, Douglassville, PA 19518.

This proposed facility is located in Amity Township, **Berks County**.

Description of Proposed Action/Activity: Construction of one pump station and gravity sewer pipes to serve 74 homes in the Sunset Knoll Subdivision.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4101405, Sewerage, **Gregory C. Kinley**, 1871 Motters Lane, Williamsport, PA 17701.

This proposed facility is located in Old Lycoming Township, **Lycoming County**.

Description of Proposed Action/Activity: Construct and operate a Single Family Residence sewage treatment system. Received in Northcentral Regional Office on June 15, 2001.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted above the application within 30 days from the date of this public notice.

Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional

Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit PAS10 C046, Stormwater. **Brandywine Heights School District**, 200 Weis St., Topton, PA 19562 has applied to discharge stormwater associated with a construction activity located in Longswamp Township, **Berks County** to Little Lehigh Creek (HQ-CWF).

Berks County Conservation District: P. O. Box 520, 1238 County Welfare Road, Leesport, PA 19533, (610) 372-4657.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10C046	Brandywine Heights School District 200 Weis Street Topton, PA 19562	Longswamp Township Berks County	Little Lehigh Creek (HW-CWF)

NPDES Permit PAS10 2807, Stormwater. **PA DCNR—Bureau of State Parks**, P. O. Box 8451, Harrisburg, PA 17105 has applied to discharge stormwater associated with a construction activity located in Todd Township, **Fulton County** and Metal Township, **Franklin County**, to Aughwick Creek South (HQ-CWF-EV).

Fulton County Conservation District: 216 North Second Street, McConnellsburg, PA 17233, (717) 485-3547.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS102807	PA DCNR—Bureau of State Parks P. O. Box 8451 Harrisburg, PA 17105	Todd Township Fulton County Metal Township Franklin County	Aughwick Creek South (HQ-CWF-EV)

NPDES Permit PAS10 P028, Stormwater. **Telco Developers**, 5 Mapel Avenue, Manheim, PA 17545 has applied to discharge stormwater associated with a construction activity located in West Cornwall Township, **Lebanon County** to Chickies Creek (WWF) and Shearers Creek (HQ).

Lebanon County Conservation District: 2120 Cornwall Rd., Suite 5, Lebanon, PA 17042, (717) 272-3908, Ext 3.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10P028	Telco Developers 5 Mapel Avenue Manheim, PA 17545	West Cornwall Township Lebanon County	Chickies Creek (CWF) Shearers Creek (HQ)

NOTICE OF INTENT (NOI) FOR COVERAGE UNDER CAFO NPDES GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOI) for Coverage Under the Department's CAFO (concentrated Animal Feeding Operation) General NPDES Permit—PAG 12 to develop and operate a facility that may discharge Wastewater into the Surface Waters of the Commonwealth.

The EPA Region III Administrator has not waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24(d).

The notice of intent and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the Regional Office noted. Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The new or renewal notice of intent, including other information submitted with the applications, is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

CAFO Notices of Intent Received

PAG 124807, CAFO, **Hemlock Farms**, BHMW Partnership, 151 Meckville Road, Myerstown, PA 17067.

This existing facility is located in Adams and Spring Townships, **Snyder County**.

Description of Size and Scope of Proposed Operation/Activity: Hemlock Farms is a 140 acre farrow to finish swine operation. This operation has a live stock density of 692.2 Animal Equivalent Units (AEUs). The farm generates annually 2,146,081 gallons of liquid swine manure, which is stored in a High Density Polyethylene Synthetic Lined Lagoon with a leak detection system. Manure is applied to 110 acres owned by the applicant plus 758 acres available under agreement for application. The Nutrient Management Plan dated April 19, 2001 was approved by the Snyder County Conservation District on June 6, 2001.

The receiving stream, unnamed tributary of Middle Creek, is in watershed (6-A) Penns Creek and classified for Cold Water Fishery.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance the State narrative water quality standards.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3601510, Public Water Supply.

Applicant	Solanco School District Little Britain Elementary School
Municipality	Little Britain
County	Lancaster
Responsible Official	Timothy Shrom, Business Manager 121 S. Hess St. Quarryville, PA 17566-1200
Type of Facility	Public Water Supply
Consulting Engineer	Thomas J Whitehill, P.E. Whitehill Consulting Engineers 763 Conowingo Rd. Quarryville, PA 17566
Application Received Date	June 18, 2001
Description of Action	Installation of a nitrate treatment system to address high nitrate levels in the source water and the addition of corrosion control treatment to address the aggressive nature of the source water.

Permit No. 3601511, Public Water Supply.

Applicant	Ephrata Area Joint Authority
Municipality	Ephrata Township
County	Lancaster
Responsible Official	Gary A Nace, Secretary 114 East Main Street Ephrata, PA 17522-2792
Type of Facility	Public Water Supply
Consulting Engineer	Gene C Koontz, P.E. Gannett Fleming, Inc. P. O. Box 67100 Harrisburg, PA 17106-7100
Application Received Date	June 20, 2001
Description of Action	Addition of Well No. 5 to augment the existing sources. Project will involve treatment that will consist of only disinfection and the installation of a 41,000 clearwell for contact time.

Permit No. 0101510 MA, Public Water Supply.
 Applicant **Adams County Board of Commissioners**
 Municipality Straban Township
 County **Adams**
 Responsible Official Thomas J Weaver, Chairman,
 Board of Commissioners
 111-117 Baltimore Street
 Gettysburg, PA 17325
 Type of Facility Public Water Supply
 Consulting Engineer Gene C Koontz, P.E.
 Gannett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106-7100
 Application Received June 21, 2001
 Date

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Application No. Minor Amendment, Minor Amendment.

Applicant **State College Borough Water Authority**
 1201 West Branch Road
 State College, PA 16801
 Township College & Harris Townships
 Responsible Official Max Gill, Exec. Director
 State College Borough Water Authority
 1201 West Branch Road
 State College, PA 16801
 Type of Facility Public Water Supply
 Consulting Engineer Gwin, Dobson, & Foreman, Inc.
 3121 Fairway Drive
 Altoona, PA 16602-4475
 Application Received June 28, 2001
 Date
 Description of Action Construction of a 3.0 MG steel
 storage tank at filter plant

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2595501-MA1, Minor Amendment.

Applicant **Erie City Water Authority**
 340 West Bayfront Parkway
 Erie, PA 16507.
 Township or Borough City of Erie, **Erie County**
 Responsible Official James J. Rudy, Chief Operating
 Officer
 Type of Facility Public Water Supply
 Consulting Engineer Craig J. Bauer, KLH Engineer-
 ings, Inc., 5173 Campbells Run
 Rd., Pittsburgh, PA 15205.
 Application Received July 3, 2001
 Date
 Description of Action Waterline extension to Depot Rd.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

North-East Industrial Batteries, Inc., Bristol Township, **Bucks County**. Greg V. Lesniak, P.G., Walter B. Satterthwaite Associates, Inc., 720 Old Fern Hill Rd., West Chester, PA 19380, on behalf of Robert Lee, P. O. Box 6, Levittown, PA 19057, has submitted a Notice of Intent to Remediate site soil contaminated with lead and groundwater contaminated with lead, heavy metals and solvents. The applicant proposes to remediate the site to meet Statewide Health and Site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bristol Pilot* on June 7, 2001.

Grundy Powerhouse Site, Bristol Borough, **Bucks County**. Michael A. Christie, P.G., Penn E & R, Inc., 2755 Bergey Rd., Hatfield, PA 19440, on behalf of Redevelopment Authority of Bucks County, 1 N. Wilson Ave., Bristol, PA 19007, has submitted a Notice of Intent to Remediate site soil contaminated with lead, heavy metals, BTEX, polycyclic aromatic hydrocarbons and solvents; and site groundwater contaminated with heavy metals and solvents. The site is located in a special industrial area. The applicant's proposed remediation will address any immediate, direct or imminent threat to the public health and the environment and will be based on the results of the Baseline Remedial Investigation Report. A summary of the Notice of Intent to Remediate was reported to have been published in *Bucks County Courier Times* on June 19, 2001.

Pemberton Site, Malvern Borough, **Chester County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of Shirley Pemberton, C104 Westridge Ct., Phoenixville, PA 19460, has submitted a Notice of Intent to Remediate site soil contaminated with PCBs. The applicant proposes to remediate the site to meet Statewide Health and Site-specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Suburban and Wayne Times* on July 11, 2001.

ATOFINA Chemicals, Inc.—Research Center, Area 3-Boiler House Former UST Area (Bldg. No. 8), Upper Merion Township, **Montgomery County**. Mark Piazza, ATOFINA Chemicals, Inc., 2000 Market St., 19th Floor, Philadelphia, PA 19103, on behalf of Lease Plan North America, Inc., LaSalle National Trust N.A., 135 S. LaSalle St., Chicago, IL 60603, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Times Herald* on June 7, 2001.

Degussa Construction Chemical Operations, Inc., Pottstown Borough, **Montgomery County**. Henry deH. Alexander, P.E., 559 W. Uwchlan Ave., Suite 120, Exton, PA 19341, on behalf of Degussa Construction Chemical Operations, Inc., 23700 Chagrin Blvd., Cleveland, OH 44122, has submitted a Notice of Intent to Remediate site soil contaminated with heavy metals and solvents and site groundwater contaminated with solvents. The applicant proposes to remediate the site to meet Site-specific

standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Mercury* on June 26, 2001.

Glenside Shopping Center (Produce Junction), Cheltenham Township, **Montgomery County**. Charlene R. Drake, React Environmental Services, Inc., 6901 Kingsessing Ave., Philadelphia, PA 19142, on behalf of Produce Junction, Inc., P. O. Box 108, Glenolden, PA 19036, has submitted a Notice of Intent to Remediate site groundwater contaminated with solvents. The applicant proposes to remediate the site to meet Background Standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Daily News* on December 28, 2000.

Brode & Brooks, Inc. (Estate of Lawrence I. Yerk), Pennsburg Borough, **Montgomery County**. Hudson S. Green, Jr., Earth Data, Inc., 924 Springdale Drive, Exton, PA 19341, on behalf of The Estate of Lawrence I. Yerk, c/o Mullaney Law Offices, 598 Main St., Red Hill, PA 18076, has submitted a Notice of Intent to Remediate site soil contaminated with lead and petroleum hydrocarbons. The applicant proposes to remediate the site to meet Statewide Health and Site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Morning Call* on June 27, 2001.

McClelland's Auto Repair Property, Whitmarsh Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of RGK Real Estate Development, LLC, 2430 Estancia Blvd., Clearwater, FL 33761, has submitted a Notice of Intent to Remediate site soil contaminated with lead, BTEX, polycyclic aromatic hydrocarbons and naphthalene. The applicant proposes to remediate the site to meet Statewide Health and Site-specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Times Herald* on July 6, 2001.

Levy United News, Inc., (Formerly), City of Philadelphia, **Philadelphia County**. Dean Jeffery Telego, Risk Management Technologies, Inc., 110 North Royal St., Suite 301, Alexandria, VA 22314, on behalf of Clifford Risell for PCCBC, 725 E. Erie Ave., Philadelphia, PA, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons and MTBE and site groundwater contaminated BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons, solvents and MTBE. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* in June 2001.

Drug Emporium Plaza, City of Philadelphia, **Philadelphia County**. David R. Kerschner, P.G., KU Resources, Inc., One Library Place, Duquesne, PA 15110, on behalf of Empor L.P., c/o Phil Shelton, GE Capital Real Estate, 16479 Dallas Parkway, Addison, TX 75001, has submitted a Notice of Intent to Remediate site soil contaminated with PCBs, BTEX, polycyclic aromatic hydrocarbons, solvents and SVOC and groundwater contaminated with lead, heavy metals, BTEX, polycyclic aromatic hydrocarbons, solvents and SVOC. The applicant proposes to remediate the site to meet Site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News Record* on May 31, 2001.

Northeast Region: Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PPL Former Harwood Steam Electric Station, Hazle Township, **Luzerne County.** Jim Villaume, Environmental Supervisor, PPL Generation LLC, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 has submitted a revised Notice of Intent to Remediate concerning the remediation of site soils found or suspected to have been contaminated with PCBs (polychlorinated biphenyls), metals, solvents and base neutral compounds and site groundwater and surface water found or suspected to have been contaminated with metals, solvents and base neutral compounds. PPL has indicated that the site will be remediated to meet both the Statewide health and the site-specific standard. A summary of the revised Notice of Intent to Remediate has reportedly been published in *The Hazleton Standard Speaker*.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

John and Betty Hart Residence, Mount Joy Township, **Adams County.** Hydrocon Services, 2945 South Pike Avenue, Allentown, PA 18103 (on behalf of John and Betty Hart, 95 Hoffman Home Road, Gettysburg, PA 17325) has submitted a Notice of Intent to Remediate site soils, groundwater and surface water contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide Health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Gettysburg Times* on May 14, 2001.

RESIDUAL WASTE GENERAL PERMITS

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR075. EME Homer City Generation, L.P., 1750 Power Plant Road, Homer City, PA 15748-9558. Beneficial use of flue gas desulfurization (FGD) residue as a stabilizing agent for coal refuse disposal. The application was determined to be administratively complete by Central Office on July 5, 2001.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in obtaining more information about the general permit application may contact the Division of Municipal and Residual Waste, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Application No. 400658, Hatfield Township Municipal Authority, 3200 Advance Lane, Colmar, PA 18915-9766. This application was received for a renewal of their solid waste permit. Facility located in Hatfield Township, **Montgomery County.** Application was received in the Southeast Regional Office on July 6, 2001.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 301343. RecOil, Inc., 280 East Street, York, PA 17403, Bedford Township, **Bedford County.** Application received is for the residual waste transfer facility. The application was determined to be administratively complete by the Southcentral Regional Office on July 5, 2001.

Comments concerning the application should be directed to Keith Kerns, Program Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Waste Management Program, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

Application submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 602247. A&M Composting, Inc., 2022 Mountain Road, Manheim, PA 17454, Penn Township, **Lancaster County.** Application for radiation monitoring plan. The application was determined to be administratively complete by the Southcentral Regional Office on July 9, 2001.

Comments concerning the application should be directed to Keith Kerns, Program Manager, Waste Management Program, DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Waste Management Program, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 101568. University Area Joint Authority, Spring Creek Composting Facility located in College Township, **Centre County**. Major permit modification for a radiation protection action plan. The application was received in the Northcentral Regional Office on June 21, 2001.

Comments concerning the application should be directed to John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the general permit application may contact the Williamsport Regional Office, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

Permit Application No. 101252. Waste Management of Pa., Inc., Picture Rocks Transfer Station, Picture Rocks Borough, **Lycoming County**. Transfer station permit reissuance from Capital Environmental Resources, of Pa., Inc. to Waste Management of Pa., Inc. The application was received in the Northcentral Regional Office on June 28, 2001.

Comments concerning the application should be directed to John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the general permit application may contact the Williamsport Regional Office, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

Permit Application No. 301197. Reliant Energy Northeast Management Company, Shawville Generating Station located in Bradford Township, **Clearfield County**. Submitted an application for the expansion of ash disposal landfill. The application was received in the Northcentral Regional Office on June 27, 2001.

Comments concerning the application should be directed to John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the general permit application may contact the Williamsport Regional Office, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05100B: Calpine Construction Finance Co., LP (5115 Pottsville Pike, Reading, PA 19605) for construction of an emergency electrical generator and six fuel preheaters in Ontelaunee Township, **Berks County**.

36-05107B: Pepperidge Farm, Inc. (2195 North Reading Road, Denver, PA 17517) for modification of the No. 8 Cracker Line and Bread Line volatile organic compound (VOC) emission controls at the facility in East Cocalico Township, **Lancaster County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

59-399-013: Truck-Lite Co., Inc. (R. R. 7, P. O. Box 942, Wellsboro, PA 16901-9807) for construction of two wave solder machines in Charleston Township, **Tioga County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0036C: Visteon Systems, L.L.C. (2750 Morris Road, Lansdale, PA 19446) for installation and construction of a Selective Soldering Machine No. 8 in Worcester Township, **Montgomery County**. This source will result in a facility wide emission increase of 0.0035 ton of Lead and 2.37 tons of Volatile Organic Compounds (VOCs) per 12-month rolling sum. The Selective Soldering Machine No. 8 shall only be used for soldering electronic circuit boards. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

39-318-108: SKW-MBT Management, Inc. (Allentown Equipment—Division of Master Builders, Inc., 421 Schantz Road, Allentown, PA 18104) for construction of a paint spray booth and associated air cleaning device in Lower Macungie Township, **Lehigh County**. The pump manufacturing facility is a non-Title V facility. The installation will result in the emission of 0.41 ton per year of volatile organic compounds and a particulate emission rate of less than the Best Available Technology (BAT) standard of 0.02 grain per dry standard cubic foot. The company will be required to maintain records of all materials applied or used in, or associated with the use of, the spray booth to verify compliance with all applicable air quality requirements.

48-328-005A: Reliant Energy Portland, LLC (River Road, P. O. Box 38, Portland, PA 18351) for construction of two combined-cycle combustion turbines with duct burners and a cooling tower in Upper Mount Bethel Township, **Northampton County**.

The following table summarizes the potential emissions from maximum operation of the facility according to the application submitted for the Department's own analysis:

<i>Pollutant</i>	<i>Emission Rate (Tons/Year)</i>
Nitrogen Oxides	239.0
Carbon Monoxide	451.0
Volatile Organic Compounds	79.0
Sulfur Dioxide	166.0
Particulate Matter (TSP/PM10)	280.0
Sulfuric Acid Mist	70.0

The emissions will consume the following portion of the available Prevention of Significant Deterioration (PSD) air quality increments:

<i>Pollutant</i>	<i>Ambient Air Quality Impact</i>
Nitrogen Oxides	0.1 ug/m ³ (annual)
Sulfur Dioxide	35.6 ug/m ³ (3-hr average)
Sulfur Dioxide	5.5 ug/m ³ (24-hr average)
Sulfur Dioxide	0.06 ug/m ³ (annual average)

<i>Pollutant</i>	<i>Ambient Air Quality Impact</i>
Particulate Matter (PM10)	6.5 ug/m ³ (24-hr average)
Particulate Matter (PM10)	0.12 ug/m ³ (annual average)

In order to show compliance with the applicable standards, the Department will place the following special conditions in the Plan Approval:

(5) This Plan Approval is issued for the construction of a nominal 560 MW combined cycle combustion turbine electric generating plant including the following:

(a) Two Siemens-Westinghouse natural gas/distillate oil fired combustion turbines (Model 501FD) each rated at a nominal 163 MW and controlled by lean dry, low NO_x combustors (when firing natural gas), water injection (when firing distillate oil), selective catalytic reduction (SCR) and an oxidation catalyst.

(b) Two heat recovery steam generators, with supplemental duct burners, each rated at 365 MMBTU/hr.

(c) One steam turbine generator rated at a nominal 232 MW.

(d) One 9.9 MMBTU/hr Natural gas fired Auxiliary boiler with low NO_x burners.

(e) One 10-cell cooling tower with drift eliminators.

(f) One 1350HP diesel-fired emergency generator, which will not operate more than 500 hrs/year.

(g) One 300 HP diesel driven emergency fire pump.

(h) Two 10,000-gallon aboveground Aqueous Ammonia storage tanks.

(i) Two 500-gallon aboveground Distillate oil storage tanks.

(j) One 6,000,000 gallon aboveground Distillate oil storage tank.

(6) This approval to construct shall become invalid if:

(a) Construction (as defined in 40 CFR 52.21 (b)(8)) has not commenced within 18 months of the issue date of this approval; or

(b) Construction is discontinued for a period of 18 months or more.

(7) The supplemental duct burners for the two heat recovery steam generators shall only fire natural gas and fire no more than 1,205,000 MMBTU (HHV) of natural gas per year per duct burner in a consecutive 12-month period.

(8) The Auxiliary boiler shall only fire natural gas and fire no more than 119,000 MMBTU (HHV) in a consecutive 12-month period.

(9) The two Siemens Westinghouse combined-cycle combustion turbines shall primarily fire natural gas with distillate oil (# 2) capability (oil firing not to exceed 6,088,000 MMBTU (HHV) in a consecutive 12-month period).

(10) The permittee shall notify the Department, prior to construction, the make and model number of the heat recovery steam generators and the auxiliary boiler.

(11) The permittee shall construct, operate and maintain the two combustion turbines, two heat recovery steam generators with duct firing, one steam turbine generator, one auxiliary natural gas boiler, one cooling tower and air pollution control equipment in accordance with manufacturers' specifications as well as good air

pollution control practices to ensure compliance with all air quality emission limitations.

(12) The permittee shall limit the total amount of natural gas combusted in each duct burner to 1,296 million cubic feet, or less, in a 12-month rolling period.

(13) The steam generators and associated duct burners are subject to Subpart Da of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both EPA and the Department. The EPA copies shall be forwarded to: Director, Air, Toxics and Radiation Division, US EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103-2029.

(14) The auxiliary boiler is subject to Subpart Dc of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both EPA and the Department. The EPA copies shall be forwarded to: Director, Air, Toxics and Radiation Division, US EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103-2029.

(15) The combustion turbines are subject to Subpart GG of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both EPA and the Department. The EPA copies shall be forwarded to: Director, Air, Toxics and Radiation Division, US EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103-2029.

(16) The 6 million gallon distillate oil storage tank is subject to Subpart Kb of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both EPA and the Department. The EPA copies shall be forwarded to: Director, Air, Toxics and Radiation Division, US EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103-2029.

(17) The combined-cycle electric generating combustion turbines and duct burners are subject to the Title IV Acid Rain Program of the Clean Air Act Amendments of 1990 and shall comply with all applicable provisions of that Title, to include the following:

40 CFR Part 72	Permits Regulation
40 CFR Part 73	Sulfur Dioxide Allowance System
40 CFR Part 75	Continuous Emission Monitoring
40 CFR Part 77	Excess Emissions

(18) The combined-cycle electric generating combustion turbines and duct burners are subject to the NO_x Budget Program established in 25 Pa. Code §§ 123.102—123.120 and shall comply with all applicable requirements.

§ 123.112. Source operating permit provisions requirements.

The permittee shall comply with the requirements 25 Pa. Code §§ 123.101—123.120 (relating to NO_x allowance requirements).

§ 123.102. Source NO_x allowance requirements and NO_x allowance control period.

(a) For each NO_x affected source identified in this permit, the permittee shall hold a quantity of NO_x

allowances meeting the requirements of § 123.110(a) (relating to source compliance requirements) in the source's current year NATS account by December 31 of each calendar year. The NO_x allowances shall be equal to or greater than the total NO_x emitted from the source during that year's NO_x allowance control period.

(b) The initial NO_x allowance control period begins on May 1, 2000.

Monitoring Requirements

§ 123.108. Source emissions monitoring requirements.

(a) The NO_x emissions from each NO_x affected source at this facility shall be monitored as specified in 25 Pa. Code § 123.108 and in accordance with the procedures contained in the document titled, "Guidance for Implementation of Emission Monitoring Requirements for the NO_x Budget Program."

(b) As referenced in § 123.108(2), the permittee shall submit to the Department and the NO_x Budget Administrator a monitoring plan in accordance with the procedures outlined in the document titled, "Guidance for Implementation of Emission Monitoring Requirements for the NO_x Budget Program."

(c) New and existing unit emission monitoring systems, as required and specified by 25 Pa. Code § 123.108(4) and the NO_x affected source's monitoring plan approved by the Department, shall be installed and operational. The installed emissions monitoring systems shall have met all of the certification testing requirements in accordance with the procedures and deadlines specified in the document titled, "Guidance for Implementation of Emission Monitoring Requirements for the NO_x Budget Program" in a manner consistent with Chapter 139 (relating to sampling and testing).

(d) Sources subject to 40 CFR Part 75 shall demonstrate compliance with § 123.108 by using a certified Part 75 monitoring system.

(e) During a period when valid data is not being recorded by devices approved for use to demonstrate compliance with the NO_x Allowance Requirement subchapter, the permittee shall replace missing or invalid data with representative default data in accordance with 40 CFR Part 75 (relating to continuous emission monitoring) and the document titled, "Guidance for Implementation of Emission Monitoring Requirements for the NO_x Budget Program." For Non-Part 75 sources that have Department approved NO_x CEMS reporting of NO_x emissions in pounds of NO_x per hour as required under 25 Pa. Code § 139.101, the data shall be reported to the NETS. The permittee shall continue to report submissions as required under 25 Pa. Code Chapter 139 to the Department.

Testing Requirements

§ 123.108. Source emissions monitoring requirements.

Monitoring systems for each NO_x affected source shall comply with the initial performance testing and periodic calibration, accuracy testing and quality assurance/quality control testing as specified in the document titled "Guidance for Implementation of Emission Monitoring Requirements for the NO_x Budget Program."

Notwithstanding this permit condition, Non-Part 75 Sources which have Department approved NO_x CEMS reporting in units of pounds of NO_x per hour as required under 25 Pa. Code § 139.101 (relating to general requirements) shall complete the periodic self-audits listed in the quality assurance section of § 139.102(3) (relating to

references) at least annually and no sooner than 6 months following the previous periodic self-audit. If practicable, the audit shall be conducted between April 1 and May 31.

Reporting Requirements

§ 123.109. Source emissions reporting requirements.

(a) The authorized account representative shall submit to the NO_x Budget Administrator, electronically, emissions and operations information for each calendar quarter of each year in accordance with the document titled, "Guidance for Implementation of Emission Monitoring Requirements for the NO_x Budget Program." The emissions and operations information shall be submitted in a format that meets the requirements of EPA's Electronic Data Reporting convention.

Compliance Requirements

§ 123.110. Source compliance requirements.

(a) Each year from November 1 through December 31, inclusive, the authorized account representative shall request the NO_x Budget Administrator to deduct, consistent with § 123.107 (relating to NO_x allowance transfer procedures) a designated amount of NO_x allowances by serial number, from the NO_x affected source's compliance account in an amount equivalent to the NO_x emitted from the NO_x affected source during that year's NO_x allowance control period. The designated NO_x allowances shall be used in accordance with the requirements specified in 25 Pa. Code § 123.110.

(b) For each NO_x allowance control period, the authorized account representative for the NO_x affected source shall submit an annual compliance certification to the Department no later than the NO_x allowance transfer deadline (December 31) of each year.

(c) At a minimum, the compliance certification shall contain the information and statements required under 25 Pa. Code § 123.110(e)(1)–(6).

Recordkeeping Requirements

§ 123.113. Source recordkeeping requirements.

The owner or operator shall maintain for each NO_x affected source at this facility, the measurements, data, reports and other information required by 25 Pa. Code §§ 123.101–123.120. The records shall be maintained for 5 years or any other period consistent with the terms of the NO_x affected source's operating permit.

(19) § 123.121 NO_x Allowance Program Transition.

The emission limitations and monitoring requirements established in §§ 123.101–123.120 (relating to NO_x allowance requirements) are replaced by the requirements in Chapter 145 beginning with the May 1, 2003, control period. If a source has failed to demonstrate compliance with § 123.111 (relating to failure to meet source compliance requirements), the provisions in § 145.54(d) (relating to compliance) shall be used to withhold NO_x allowances in calendar year 2003 and beyond. If no NO_x allowances are provided to the source under § 145.52 (relating to NO_x allowance allocations), the source will be obligated to acquire and retire a number of NO_x allowances as specified in § 145.54.

§§ 145.1–145.90 NO_x Budget Trading Program Incorporation.

The emission limitations, monitoring and all other requirements of the NO_x Budget Trading Program established in 25 Pa. Code §§ 145.1–145.90 are hereby incorporated by reference.

§ 145.10 Authorization and responsibilities of the NO_x authorized account representative.

(a) § 145.10(a) Except as provided under § 145.11 (relating to alternate NO_x authorized account representative), each NO_x budget source, including all NO_x budget units at the source, shall have one and only one, NO_x authorized account representative, with regard to all matters under the NO_x Budget Trading Program concerning the source or any NO_x budget unit at the source.

(b) § 145.10(e) Each submission under the NO_x Budget Trading Program shall be submitted, signed and certified by the NO_x authorized account representative for each NO_x budget source on behalf of which the submission is made.

§ 145.6(a) Standard requirements—Monitoring requirements.

(a) The owners and operators and the NO_x authorized account representative of each NO_x budget source and each NO_x budget unit at the source shall comply with the monitoring requirements of §§ 145.70–145.76 (relating to recordkeeping and recording requirements) by May 1, 2002.

(b) The emissions measurements recorded and reported in accordance with §§ 145.70–145.76 shall be used to determine compliance by the unit with the NO_x budget emissions limitation under Subsection 145.6(c).

§ 145.6(b) Standard requirements—NO_x Requirements.

(a) The owners and operators of each NO_x budget source and each NO_x budget unit at the source shall hold NO_x allowances available for compliance deductions under § 145.54 (relating to compliance), as of the NO_x allowance transfer deadline, in the unit's compliance account and the source's overdraft account in an amount not less than the total NO_x emissions for the control period from the unit, as determined in accordance with §§ 145.70–145.76 (relating to recordkeeping and reporting requirements) plus any amount necessary to account for actual heat input under § 145.42(e) (relating to NO_x allowance allocation) for the control period or to account for excess emissions for a prior control period under § 145.54(d) or to account for withdrawal from the NO_x budget trading program, or a change in regulatory status, of a NO_x budget opt-in unit under §§ 145.86 and 145.87 (relating to withdrawal from NO_x Budget Trading Program; and opt-in source change in regulatory status).

(b) An NO_x budget unit shall be subject to the requirements under Paragraph (a) starting on May 1, 2003, or the date on which the unit commences operation, whichever is later.

§ 145.6(c) Standard requirements—Excess Emissions.

The owners and operators of a NO_x budget unit that has excess emissions in any control period shall do the following:

Surrender the NO_x allowances required for deduction under § 145.54(d)(1) (relating to compliance).

§ 145.6(d) Standard requirements—Recordkeeping and reporting requirements.

Unless otherwise provided, the owners and operators of the NO_x budget source and each NO_x budget unit at the source shall maintain at a central location and provided upon request by the Department or the NO_x budget administrator all documents required under § 145.6(d) for a period of 5 years from the date the document is created. This period may be extended for cause, at any

time prior to the end of the 5 years, in writing by the Department or the Administrator.

§ 145.74(b) Standard requirements—Monitoring plans.

(a) The owner or operator of a unit subject to an acid rain emissions limitation shall comply with requirements of 40 CFR 75.62 (relating to monitoring plan), except that the monitoring plan shall also include all of the information required by 40 CFR Part 75, Subpart H.

(b) The owner or operator of a unit that is not subject to an acid rain emissions limitation shall comply with requirements of 40 CFR 75.62, except that the monitoring plan is only required to include the information required by 40 CFR Part 75, Subpart H.

§ 145.74(c) Certification applications.

The NO_x authorized account representative shall submit an application to the Department within 45 days after completing all initial certification or recertification tests required under § 145.71 (relating to initial certification and recertification procedures) including the information required under 40 CFR Part 75, Subpart H.

§ 145.74 Source emissions reporting requirements.

(a) The authorized account representative shall submit to the Department and to the NO_x Budget Administrator a quarterly emissions report in accordance with the requirements of § 145.74(d).

(b) The NO_x authorized account representative shall submit to the Department and the NO_x Budget Administrator a compliance certification in support of each quarterly report required under § 145.74(d) based on reasonable inquiry of those persons with primary responsibility for ensuring that all of the units emissions are correctly and fully monitored.

§ 145.30 Compliance certification report.

For each control period in which one or more NO_x budget units at a source are subject to the NO_x budget emissions limitation, the NO_x authorized account representative of the source shall submit to the Department and the NO_x Budget Administrator by November 30 of that year, a compliance certification report for the source covering all of the units.

§ 145.90 Emission reduction credit provisions.

NO_x budget units may create, transfer and use emission reduction credits (ERCs) in accordance with Chapter 127 and § 145.90. ERCs may not be used to satisfy NO_x allowance requirements.

(20) Under the provisions of 25 Pa. Code Chapter 127, Subchapter E, New Source Review, the permittee shall secure Department-approved nitrogen oxides (NO_x) Emission Reduction Credits (ERCs) in the amount of 275 tons per year and volatile organic compounds (VOCs) ERCs in the amount of 91 tons per year prior to the commencement of operation of the combustion turbines and duct burners.

(21) The permittee shall limit the combined-cycle electric generating plant emissions of Nitrogen Oxides (NO_x) to 239 tons during any consecutive 12-month period.

(22) The permittee shall limit the combined-cycle electric generating plant emissions of carbon monoxide (CO) to 451 tons during any consecutive 12-month period.

(23) The permittee shall limit the combined-cycle electric generating plant emissions of VOCs to 79 tons during any consecutive 12-month period.

(24) Under the Lowest Achievable Emission Rate (LAER) provisions of 25 Pa. Code § 127.205, the permittee shall limit the emissions from each combustion turbine with duct burner to the following:

<i>Pollutant</i>	<i>Fuel</i>	<i>Emissions (corrected to 15% O₂)</i>
NO _x	Natural Gas	2.5 ppmvd (1-hr avg calculated from a 3-hr rolling block sum) (0.0094 #/MMBTU HHV)*
NO _x	Distillate Oil	6.5 ppmvd (1-hr avg calculated from a 3-hr rolling block sum) (0.0259 #/MMBTU HHV)*

* As calculated using US EPA F factor methodology

<i>Pollutant</i>	<i>Fuel</i>	<i>Emissions (1 hr-block avg on a dry basis corrected to 15% O₂)</i>
VOC	Natural Gas	1.0 ppmvd as CH ₄ at >85% of full base load (0.0013 #/MMBTU HHV)* 1.6 ppmvd as CH ₄ at ≥70% but ≤85% of full base load (0.0021 #/MMBTU HHV)*
VOC	Distillate Oil	2.6 ppmvd as CH ₄ at base load with duct firing (0.0033 #/MMBTU HHV)* 4.2 ppmvd as CH ₄ at >85% of full base load (0.0058 #/MMBTU HHV)* 24.5 ppmvd as CH ₄ at ≥70% but ≤85% of full base load (0.0340 #/MMBTU HHV)* 5.4 ppmvd as CH ₄ at base load with duct firing (0.0073 #/MMBTU HHV)*

* As calculated using US EPA F factor methodology

(25) Under the Best Available Control Technology (BACT) provisions of 25 Pa. Code § 127.83, the permittee shall limit the emissions from each combustion turbine with duct burner to the following:

<i>Pollutant</i>	<i>Fuel</i>	<i>Emissions (1 hr-block avg on a dry basis corrected to 15% O₂)</i>
CO	Natural Gas	3.0 ppmvd at ≥70% of full base load (0.007 #/MMBTU HHV)* 4.0 ppmvd with duct burners (0.009 #/MMBTU HHV)*
	Distillate Oil	6.0 ppmvd at loads >85% (0.015 #/MMBTU HHV)* 6.5 ppmvd with duct firing (0.016 #/MMBTU HHV)* 10.0 ppmvd at ≥70% but ≤85% of full base load (0.024 #/MMBTU HHV)*

Pollutant	Fuel	Emissions	
		(1 hr-block avg on a dry basis corrected to 15% O ₂)	
SO ₂	Natural Gas	0.0006 #/MMBTU (HHV)	
	Distillate Oil	0.051 #/MMBTU (HHV)	
Particulate (TSP/ PM10)	Natural Gas	0.0055 #/MMBTU (HHV)	at >85% of full base load
		0.0097 #/MMBTU (HHV)	at base load with duct firing
	Distillate Oil	0.0071 #/MMBTU (HHV)	at ≥70% but ≤85% of full base load
		0.0437 #/MMBTU (HHV)	at >85% of full base load
		0.0497 #/MMBTU (HHV)	at base load with duct firing
		0.0856 #/MMBTU (HHV)	at ≥70% but ≤85% of full base load
H ₂ SO ₄	Natural Gas	0.0002 #/MMBTU (HHV)	
		0.0003 #/MMBTU (HHV)	at base load with duct firing
	Distillate Oil	0.0159 #/MMBTU (HHV)	
		0.0193 #/MMBTU (HHV)	at base load with duct firing

* As calculated using US EPA F factor methodology

(26) Under the Best Available Technology (BAT) provisions of 25 Pa. Code § 127.1, the permittee shall limit the emission of ammonia for each selective catalytic reduction (SCR) system exhaust to 10 ppmvd, measured dry volume corrected to 15% oxygen, under normal operation.

(27) The emissions in Conditions 24, 25 and 26 apply at all times except during periods of start-up and shutdown as defined as follows:

(a) *Cold start-up*: Refers to restarts made more than 72 hours after shutdown; cold start-up periods shall not exceed 4 hours per occurrence.

(b) *Warm Start-up*: Refers to restarts made more than 24 hours but less than 72 hours after shutdown; warm start-up periods shall not exceed 2.5 hours per occurrence.

(c) *Hot Start-up*: Refers to restarts made 9 hours or less after shutdown; hot start-up periods shall not exceed 1.5 hours per occurrence.

(d) *Shutdown*: Commences with the termination of fuel (natural gas or distillate oil) injected into the combustion chambers.

(28) Under the provisions of 25 Pa. Code § 123.31, there shall be no malodorous emissions outside the property boundaries from any operation related to any source covered under this Plan Approval.

(29) Under the provisions of 25 Pa. Code § 123.41, the visible air contaminants from each combustion turbine exhaust stack shall not be emitted in a manner that the opacity of the emissions is equal to or greater than 20% for a period or periods aggregating more than 3 minutes in any 1 hour; or equal to or greater than 60% at any time.

(30) Within 60 days after achieving the maximum firing rate, but not later than 180 days after start-up, the permittee shall demonstrate compliance with each emission limit established in Conditions 24, 25 and 26 and opacity as per Section 60.8 and 40 CFR Part 60 Subparts Da, Dc and Gg and Chapter 139 of the Rules and Regulations of the Department of Environmental Protection.

(31) At least 60 days prior to the test, the permittee shall submit to the Department for approval the procedures for the test and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples.

(32) At least 30 days prior to the test, the Regional Air Quality Program Manager shall be informed of the date and time of the test.

(33) Within 30 days after the source tests, two copies of the complete test report, including all operating conditions, shall be submitted to the Regional Air Quality Program Manager for approval.

(34) Continuous emission monitoring system for nitrogen oxides (as NO₂), carbon monoxide (CO) and diluent gas (O₂ or CO₂) must be approved by the Department and installed, operated and maintained in accordance with the requirements of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection. Proposals containing information as listed in the Phase I section of the Department's *Continuous Source Monitoring Manual* for the CEMs must be submitted at least 3 months prior to the start-up of the combustion turbines.

(35) Phase I Department approval must be obtained for the monitors described in Condition 34 prior to initial start-up of the combustion turbines. Phase III Department approval must be obtained within 60 days of achieving the maximum production rate at which the turbines will be operated, but not later than 180 days after initial start-up of the turbines. Department review time for the Phase III report (time between postmark of the permittee's Phase III report and the postmark of the Department's response letter) will not be charged against the turbines in determining compliance with this condition. Information in obtaining Department approval is included in the Department's *Continuous Source Monitoring Manual*.

(36) The permittee shall install and maintain fuel flow monitors that meet the requirements of 40 CFR Part 75, Appendix D.

(37) The permittee shall monitor and record the following parameters for each SCR system:

- Catalyst bed inlet gas temperature
- Ammonia solution injection rate
- Ammonia solution concentration

(38) The permittee shall record each start-up and shutdown, including the date and times of each event, for the combustion turbines and the duct burners.

(39) The permittee shall, at the minimum, record the following for the combined-cycle electric generating plant:

- (a) Monthly fuel consumption
- (b) 12-month rolling total fuel consumption
- (c) Monthly emissions of TSP/PM₁₀, SO₂, NO_x, CO, VOC and H₂SO₄
- (d) 12-month rolling total of the emissions identified in Condition (39)(c)
- (e) Results of fuel sampling, as applicable
- (f) SCR monitoring results

(40) All emissions shall be determined by the methods found in 40 CFR Part 60 Subparts Da, Dc and Gg, the Plan Approval Application and supplemental materials and *Continuous Emission Monitoring Manual*.

(41) The permittee shall limit the total dissolved/suspended solids in the cooling tower blowdown water to 1100 ppmw, or less.

(42) The permittee shall, on a weekly basis, test the cooling tower water for total dissolved and suspended solids. A schedule of less frequent testing may be approved by the Department upon demonstration that the results of the required testing are below the limitation contained in Condition (41).

(43) Records required under this Plan Approval, 40 CFR Part 60 Subparts Da, Dc and Gg and 40 CFR Parts 72, 73, 75 and 77 shall be kept for a period of 5 years and shall be made available to the Department upon request.

(a) The permittee shall maintain records on all air pollution control system performance evaluations and records of calibration checks, adjustments and maintenance performed on all equipment which are subject to this Plan Approval.

(b) The permittee shall maintain a copy of the manufacturer's specifications for the two combustion turbines, two heat recovery steam generators with duct firing, one steam generator, one 39.9 MMBTU/hr auxiliary natural gas boiler, one cooling tower and air pollution control equipment onsite.

(c) The permittee shall maintain a copy of the manufacturer's specifications for all CEMs that are required by this Plan Approval.

(d) The permittee shall keep a record of the date of malfunction, the time of the malfunction, the cause of the malfunction and the action taken to correct the malfunction.

(e) The permittee shall keep a record of the results of the testing for cooling tower blowdown water total dissolved and suspended solids.

(44) The Department reserves the right to use the CEMs data, stack test results and the operating parameters determined during optimization of the turbines and their associated air cleaning devices to verify emission rates, to establish emission factors and to develop compliance assurance measures in the Operating Permit.

(45) Hazardous Air Pollutants (HAPs) for the entire combined-cycle electric generating plant shall not exceed 10 tons per year for a single HAP and 25 tons per year for all HAPs.

(46) The permittee will consume the following portions of the available PSD increments as listed in 40 CFR Part 52, Subpart 21, based upon the modeling conducted in support of the application:

<i>Pollutant</i>	<i>Averaging Period</i>	<i>Radiant Energy Portland (µg/m³)</i>	<i>Maximum Allowable PSD Increase (µg/m³)</i>	<i>% of PSD Increment</i>
PM ₁₀	24-hour	6.5	30	22%
	Annual	0.12	17	0.7%
SO ₂	3-hour	35.6	512	7%
	24-hour	5.5	91	6%
NO ₂	Annual	0.06	20	0.3%
	Annual	0.1	25	0.4%

(47) The facility shall not burn distillate oil with a Sulfur content greater than 0.05%.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

34-05001A: Triangle Pacific Corp. (P. O. Box 146, Thompsettown, PA 17094) for construction of a new spray paint booth in Delaware Township, **Juniata County**. Permit conditions will cap the new spray booth VOC emissions to 15 tons per year based on any consecutive 12-month period. The source is subject to 25 Pa. Code §§ 129.52 and 129.101—129.107. The Plan Approval and Operating Permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-05093B: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506) for modification of an existing asphalt plant to process recycled asphalt pavement in East Cocalico Township, **Lancaster County**. There will

be no significant increase in emissions from this modification. The asphalt plant is subject to 40 CFR 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities. The plan approval and operating permit will include monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

67-05046: United Defense LP (P. O. Box 15512, York, PA 17405-1512) for modifications to reduce both actual and potential VOC emissions from both the surface coating operations and the entire facility. The result of these changes will allow United Defense LP to discontinue use of the thermal incinerator (RTO) to control emissions of the two large parts booths, two small parts booths and two flash off ovens. The VOC emissions for these six sources will increase approximately twelve tons per year. The RTO was originally installed to meet BAT and to incinerate the vapors of noncompliant coatings in West Manchester Township, **York County**. The plan

approval and operating permit will include monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-00046: RJM Manufacturing Inc., dba TaraTape (250 Canal Rd., Fairless Hills, PA 19030) for construction of the Surface Coating Operation, Line # 3, at its Fairless Hills Plant in Falls Township, **Bucks County**. This pressure-sensitive tape manufacturer is a Title V facility. This construction will result in the emission of 4.0 tons/yr of volatile organic compounds (VOC) into the atmosphere. The Title V permit contains regulatory requirements pertaining to monitoring, recordkeeping and reporting conditions designed to keep the facility operating within applicable requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: Muhammad Zaman, Facilities Permitting Chief, (570) 327-3637.

55-00005: Wood-Mode, Inc. (One Second Street, Kreamer, PA 17833), for their Wood Household Furniture Manufacturing Facility (Kreamer Plant) located in Middlecreek Township, **Snyder County**. The facility's main sources include 27 spray booths, hand wipe stain application stations, hand wipe and repair stations, a molding finishing operation, cleanup and washoff operations, lumber drying operations, veneering operations, a wood waste/# 2 oil/natural gas-fired boiler, a wood waste-fired boiler, woodworking areas and wood waste handling systems. The air contaminant emissions from these operations are controlled by a thermal oxidizer, fabric collectors and multiclones. The facility has the potential to emit major quantities of carbon monoxide (CO), hazardous air pollutants (HAPs), volatile organic compounds (VOCs) and particulate matter (PM-10). As a result of the potential to emit, the Wood-Mode, Inc. Kreamer Plant is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G. The facility emits nitrogen oxides (NOx) and sulfur oxides (SOx) below the major emission thresholds. This facility is also subject to Reasonably Available Control Technology (RACT) requirements and Maximum Achievable Control Technology (MACT) requirements. This facility is subject to all the applicable requirements in 40 CFR Part 63 Subpart JJ (National Emission Standards for Wood Furniture Manufacturing Operations) and 25 Pa. Code §§ 129.101—129.107 (Wood Furniture Manufacturing Operations).

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

18-00021: Avery Dennison, Chemical Division (R. D. 2, Box 70, Draketown Road, Mill Hall, PA 17751)

for their chemical processing facility in Bald Eagle Township, **Clinton County**. The facility's main sources include seven reactor vessels, 37 storage and feed tanks, 18 raw material storage vessels, two natural gas fired boilers, three natural gas fired space heaters and two thermal oxidizers. These sources have the potential to emit major quantities of hazardous air pollutants (HAPs). The facility has taken emissions limitations to fall below Title V thresholds. The facility has the potential to emit nitrogen oxides (NOx), sulfur oxides (SOx), particulate matter (PM), carbon monoxide (CO) and volatile organic compounds (VOCs) below the major emission thresholds.

17-00035: TYK America Inc. (P. O. Box 187, Irvona, PA 16656-0187) for their alumina-graphite refractories processing facility in Irvona Borough, **Clearfield County**. The facility's main sources include material conveying, mixing and forming equipment, gas fired dryers, kilns and miscellaneous combustion sources. These sources have the potential to emit major quantities of particulate matter (PM-10). The facility is using control devices to bring emissions below Title V thresholds. The facility has the potential to emit sulfur oxides (SOx), nitrous oxides (NOx), carbon monoxide (CO), hazardous air pollutants (HAPs) and volatile organic compounds (VOCs) below the major emission thresholds.

60-00015: Eastern Industries, Inc.—Winfield Plant (P. O. Box 177, Winfield, PA 17889) for their stone crushing and bituminous concrete (blacktop) making facility in Union Township, **Union County**. The facilities main sources include stone crushing/processing equipment and a batch asphalt plant. These sources have the potential to emit major quantities of sulfur oxides (SOx) and carbon monoxide (CO). The facility has taken restrictions on production rate for their asphalt plant to limit potential SOx and CO emissions below Title V thresholds. The facility has the potential to emit nitrogen oxides (NOx), particulate matter (PM) and volatile organic compounds (VOCs) below the major emission thresholds.

60-00017: Eastern Industries, Inc.—Lewisburg Plant (P. O. Box 177, Winfield, PA 17889) for their stone crushing facility in Buffalo Township, **Union County**. The facility's main sources include stone crushing/processing equipment and one diesel fuel fired electric generator. These sources have the potential to emit major quantities of nitrogen oxides (NOx). The facility has taken restrictions on its yearly operating hours of the diesel operated generator to limit potential NOx emissions below Title V thresholds. The facility has the potential to emit sulfur oxides (SOx), particulate matter (PM) and carbon monoxide (CO) below the major emission thresholds.

55-00009: Conestoga Wood Specialties Corp.—Beavertown Plant (441 West Market Street, Beavertown, PA 17813-9795) for their wood cabinet making facility in Beavertown Borough, **Snyder County**. The facilities main sources include two fuel oil fired boilers. These sources have the potential to emit major quantities of sulfur oxides (SOx). The facility has taken restrictions on type of fuel and fuel usage to limit potential SOx emissions below Title V thresholds. The facility has the potential to emit, nitrogen oxides (NOx), particulate matter (PM), carbon monoxide (CO), hazardous air pollutants (HAPs) and volatile organic compounds (VOCs) below the major emission thresholds.

**Interstate Ozone Transport Reduction
Proposed State Only Operating Permits to establish
NOx Allowance Allocations and to include
Conditions relating to NOx Budget Trading
Program**

The Department of Environmental Protection (Department) intends to issue new State Only Operating Permits to incorporate the provisions of 25 Pa. Code §§ 145.1—145.90. These regulations establish a NOx Budget and a NOx Budget Trading Program for NOx budget units for the purpose of achieving the health-based ozone ambient air quality standard. The Department is establishing the NOx Allowance Allocations for each NOx budget unit under the provisions of 25 Pa. Code § 145.42.

The new State only operating permits will, beginning in 2003, require the owner or operator of each NOx budget unit to hold a quantity of NOx allowances by November 30 of each year not less than the total NOx emissions for the control period from the NOx budget unit. One NOx Allowance is the limited authorization to emit 1 ton of NOx during the NOx Allowance Control Period, which begins May 1 of each year and ends September 30 of the same year. The NOx allowances held in the source's current year NOx Allowance Tracking System (NATS) compliance and overdraft accounts must be equal to or greater than the total NOx emitted from the source during the year's NOx allowance control period. The initial NOx allowance control period begins on May 1, 2003.

The new State only operating permits will also include emission monitoring, reporting and recordkeeping requirements for each NOx budget source. NOx emissions from each NOx budget source shall be monitored, reported and recorded in accordance with 25 Pa. Code §§ 145.30 and 145.70—145.76.

Persons wishing to file protests or comments on the proposed Title V/Operating Permits or allocations must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed permits or allocations. Any comments or protests filed at the following address must include a concise statement of the objections to the issuance of the permit and/or allocations and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation, where the facility is located, at least 30 days prior to the date of the hearing.

Copies of the proposed permits, allocations and other relevant information are available for review at the address given.

Bureau of Air Quality: Division of Permits, 400 Market Street, P. O. Box 8468, Harrisburg, PA 17105-8468; Contact: John F. Slade, Chief, Division of Permits, (717) 787-4325.

02-0051: U. S. Steel (600 Grant Street, Pittsburgh, PA 15219) located in the City of Pittsburgh, **Allegheny County**.

NOx affected Sources:

Boiler No. 1	Allowance: 142
Boiler No. 2	Allowance: 157
Boiler No. 3	Allowance: 151

02-0052: U. S. Steel (600 Grant Street, Pittsburgh, PA 15219) located in the City of Pittsburgh, **Allegheny County**.

NOx affected Sources:

Boiler No. 1	Allowance: 191
Boiler No. 2	Allowance: 118

**FEDERAL WATER POLLUTION
CONTROL ACT, SECTION 401**

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-671. GenTerra Corporation, 666 Exton Commons, Exton, PA 19341, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

1. To construct and maintain a 35-foot long twin span, 26-foot by 10-foot low profile CMP arch bridge and associated end wall across Little Valley Creek (EV) and a de minimis area of adjacent wetlands (PEM) to provide access to the site. Work will also consist of the installation of a temporary stream crossing.

2. To install and maintain a 30-inch (maximum) steel sleeve to facilitate 8-inch diameter utility line crossing across Little Valley Creek (EV) and along Morehall Road (SR 0029).

3. To provide vegetative plantings along 75 feet of stream bank to stabilize and enhance the channel along Little Valley Creek.

4. To install and maintain two stormwater outfall structures within the 100-year floodway of Little Valley Creek.

The site is located approximately 400 feet southeast of the intersection of Morehall Road (S. R. 0029) and Matthews Road (Malvern USGS Quadrangle N: 8.90 inches; W: 3.30 inches).

E46-889. Lejeune Properties, Inc., 4070 Butler Pike, Suite 800, Plymouth Meeting, PA 19462, Upper Providence Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following activities associated with the proposed construction of the River Crest Residential/Golf Club Development, located at the corner of Collegeville Road (SR 0029) and Black Rock Road (SR4003) (Collegeville, PA Quadrangle North: 5.5 inches West: 15.35 inches) in Upper Providence Township, Montgomery County.

1. To construct and maintain a road crossing and associated utilities in 0.39 acre of wetlands (PEM) at the headwaters of an unnamed tributary to the Schuylkill River (WWF).

2. To construct and maintain three 80-foot by 10-foot golf cart bridges located across an unnamed tributary to the Schuylkill River.

3. To remove a 48-inch culvert pipe and to replace and maintain it with a 28-foot long twin 48-inch RCP culvert located in and along an unnamed tributary to the Schuylkill River for the purpose of emergency access.

4. To construct and maintain an 80-foot, 42-inch RCP culvert located in and along an unnamed tributary to the Schuylkill River.

5. To place fill in 90 linear feet of the headwaters an unnamed tributary associated with the construction of Fairway No. One of the proposed golf course.

6. The project also proposes a 45-foot extension to an existing 45-foot long 30-inch CMP culvert in and along an unnamed tributary to the Schuylkill River under Collegeville Road (SR0029), which is owned and operated by PADOT.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E35-340. G. B. M. Partners, L.P., R. R. 1, Box 328, Dalton, PA 18414, in Scott Township, **Lackawanna County**, U. S. Army Corps of Engineers, Baltimore District.

To place fill in approximately 3.0 acres of wetlands and to construct and maintain a stream enclosure of a tributary to Kennedy Creek, consisting of 500 L. F. of 36 inch HDPE pipe, for the purpose of expanding the parking area for an existing truck plaza. The project is located northeast of the intersection of S. R. 0081 and S. R. 0524. (Dalton, PA, Quadrangle N: 10.0 inches; W: 3.5 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E36-717. Rapho Township, 971 N. Colebrook Rd, Manheim, PA 17545 in Rapho Township, **Lancaster County**, ACOE Baltimore District.

To remove the existing structure and to construct and maintain two cells of box culverts each having a span of 12 feet with an underclearance of 3.6 feet on a 40 degrees skew at the channel of an unnamed tributary to Brubaker Run (WWF) on Sunnyside Road (T-855) located near its intersection with Valley Road (Manheim, PA Quadrangle N: 8.7 inches; W: 16.35 inches).

E36-718. Clay Township, 870 Durlach Road, Stevens, PA 17578 in Clay Township, **Lancaster County**, ACOE Baltimore District.

To remove the existing structure and to construct and maintain a box culvert having a span of 2.5 feet with an underclearance of 8 feet at the channel of Middle Creek on Mountain Spring Road (T-640) located near its intersection Kleinfelertville Road (Ephrata, PA Quadrangle N: 22.4 inches; W: 0.0 inch).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-376. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Joint Permit Application, in Wyalusing Township, **Bradford County**, ACOE Susquehanna River Basin District (Laceyville, PA Quadrangle N: 18.9 inches; W: 15.1 inches).

To a) remove three existing structures, b) construct and maintain a three span precast concrete I-beam bridge having a span of 187 feet and a minimum underclearance of 15.2 feet with a skew of 80° in Wyalusing Creek, a single cell precast reinforced concrete box culvert having a span of 20.0 feet and a minimum underclearance of 6.5 feet with a skew of 76°32' in an overflow channel adjacent to Wyalusing Creek and a single cell precast reinforced concrete box culvert having a span of 193.0 feet and a minimum underclearance of 6.0 feet with a skew similar to that of the existing structure in Camp Creek, c) temporarily construct and maintain six 5-foot diameter corrugated metal pipes and associated R-3 and R-6 rock fill for a temporary causeway, all of which is located along SR 0706, Segment 026. This project proposes to have a minimal impact on Wyalusing Creek and Camp Creek, which are; each designated a Warm Water Fisheries and does propose to have a minimal impact on approximately 1.35 acres of jurisdictional wetlands.

E08-372. Merle Bair, Montour Township, R. R. 1, Box 133B, Monroeton, PA 18832 in Monroe Township, **Bradford County**, ACOE Baltimore District (Powell, PA Quadrangle N: 10.3 inches; W: 1.6 inches).

To construct and maintain a 1,000 gallon precast concrete vault and dry hydrant in Millstone Creek. The project is located on the right side of T432/Weston Road approximately 1 mile from the intersection of T432/Western Road with Route 14. The project will not impact wetlands while impacting approximately 10 feet of waterway. Millstone Creek is a high quality stream.

E08-377. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Joint Permit Application, in Wilmont Township, **Bradford County**, ACOE Susquehanna River Basin District (Jenningsville, PA Quadrangle N: 17.8 inches; W: 16.1 inches).

To perform streambed paving in Sugar Run Creek along SR 2006 located at the intersection of SR 0187 south and SR 2006. This project proposes to permanently impact 11.5 linear feet of Sugar Run Creek, which is, designated a Cold Water Fishery, Class 'A' wild trout stream and does not propose to impact any jurisdictional wetlands.

E14-389. Pennsylvania Fish and Boat Commission, 450 Robinson Lane, Bellefonte, PA 16823-9620. Water Obstruction and Encroachment Joint Permit Application, in Benner Township, **Centre County**, ACOE Susquehanna River Basin District (Bellefonte, PA Quadrangle N: 4.0 inches; W: 1.4 inches).

To remove existing structure and construct and maintain a single pre-cast concrete arch bridge having a span of 45 feet and a minimum underclearance of 10.5 feet with a skew of 90° and pre-cast concrete wingwalls in Spring Creek located 2.0 miles along Spring Creek Road, east of the intersection of SR 550 South and Spring Creek Road. This project proposes to have a minimal impact on Spring Creek, which is, designated a High Quality - Cold Water Fishery and does not propose to impact any jurisdictional wetlands.

E18-316. Ralph and Cheri Aungst, P. O. Box 402, Avis, PA 17721, 60 foot stream enclosure in Avis Borough, **Clinton County**, ACOE Baltimore District (Jersey Shore, PA Quadrangle N: 10.8 inches; W: 9.3 inches).

To construct and maintain a 42 inch high, 60 inch wide by 60 feet long culvert extension of an existing culvert under Reed Street in a tributary to Oak Grove Run. The project is located approximately 90 feet southeast of the intersection of Reed Street with Fox Street in Avis Borough. The project will not impact wetlands while impacting approximately 70 feet of waterway. The unnamed tributary to Oak Grove Run is a cold water fisheries stream.

E19-218. John Beck, Supervisor, Greenwood Township, 90 Shed Road, Millville, PA 17846. Water Obstruction and Encroachment Joint Permit Application, in Greenwood Township, **Columbia County**, ACOE Susquehanna River Basin District (Bloomsburg, PA Quadrangle N: 22.1 inches; W: 16.6 inches).

To a) remove existing 60-inch metal pipe, b) construct and maintain a precast concrete box culvert with a clear span of 14 feet and a minimum underclearance of 4 feet in Mud Run, c) temporarily construct and maintain a sand bag diversion dike at the existing bridge site, all of which is located 0.7 mile south of SR 0254 on T-526 (Camp Victory Road). This project proposes to have a minimal impact on Mud Run, which is, designated a Trout Stocked Fishery and does not propose to impact any jurisdictional wetlands.

E49-248. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Joint Permit Application, in Lower Mahanoy Township, **Northumberland County**, ACOE Susquehanna River Basin District (Pillow, PA Quadrangle N: 0.5 inch; W: 15.8 inches).

To perform streambed paving in Mahantango Creek along SR 3024, Segment 0010, Offset 0000. This project proposes to permanently impact 35 linear feet of Mahantango Creek, which is, designated a Warm Water and Trout Stocked Fishery does not propose to impact any jurisdictional wetlands.

E49-250. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218,

Montoursville, PA 17754-0218. Water Obstruction and Encroachment Joint Permit Application, in Lewis Township, **Northumberland County**, ACOE Susquehanna River Basin District (Muncy, PA Quadrangle N: 1.0 inch; W: 6.1 inches).

To remove existing structure and construct and maintain a single span prestressed adjacent box beam bridge having a span of 37 feet and a minimum underclearance of 4.83 feet with a skew of 90° in Warrior Run located 400 feet along SR 1008, west of the intersection of SR 1007 north and SR 1008. This project proposes to have a minimal impact on Warrior Run, which is, designated a Warm Water Fishery and does not propose to impact any jurisdictional wetlands.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E11-291. East Carroll Township, 3350 Brick Road, Carrolltown, PA 15722. East Carroll, Cambria and Allegheny Townships, **Cambria County**, ACOE Baltimore District.

To remove the existing structure and to construct and maintain a single 13.3-foot x 3.8-foot corrugated metal box culvert in Chest Creek (HQ-CWF) for the purpose of improving transportation safety and roadway standards. The project is located on T-481, approximately 2.75 miles east of US Route 219. (Carrolltown, PA Quadrangle N: 6.65 inches; W: 7.4 inches).

E26-287. Lower Tyrone Township Supervisors, P. O. Box H, Dawson, PA 15428. Lower Tyrone Township, **Fayette County**, ACOE Pittsburgh District.

To remove the existing timber plank deck and superstructure and to construct and maintain a superstructure on the Lower Tyrone Bridge having a clear span of 14 feet and an underclearance of 5 feet (Spring Grove Church Road) across Hickman Run (WWF). The project is located on T-735 at a point just east of its intersection with T-754 (Dawson, PA Quadrangle N: 8.6 inches; W: 1.67 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E25-635. CSX Transportation, 205 Reiman Street, Buffalo, NY 14212-2135. Scour Protection Repairs for Bridge No. 73.24 over Sixteen Mile Creek, Albany Division, Chicago Line, in North East Township, **Erie County**, ACOE Pittsburgh District (North East, PA Quadrangle N: 5 inches; W: 13 inches).

To construct and maintain an approximately 80 ft. concrete benchwall for scour protection along the west abutment and an approximately 50 ft. concrete apron/benchwall to repair scour and undermining along the east abutment of a railroad bridge over Sixteen Mile Creek (WWF; MF) to correct structural damage and ensure continued stability of the stone masonry arch structure located on CSX right-of-way between Cemetery Road and Lake Street at the rear of Welches Plant.

E37-139. Lawrence County, 430 Court Street, New Castle, PA 16101. Lakewood Road (T-464) Bridge No. 8 Deck Replacement, in Hickory Township, **Lawrence County**, ACOE Pittsburgh District (New Castle North, PA Quadrangle N: 7.25 inches; W: 10.25 inches).

To remove and replace the deteriorated deck, repair the bearings, underpin the upstream corner of the near abutment and place R-6 rock in a drainage ditch upstream near side on the existing steel springer bridge supported on stone abutments with concrete caps over Hottenbaugh Run (WWF), located on Lakewood Road

(T-464) approximately 200 feet north of the intersection of Lakewood Road and S. R. 1007.

E42-279, Bradford Township, 136 Hemlock Street, Bradford, PA 16701. Tuna Valley Trails—Marilla Brook Reservoir Trail, in Bradford Township, **McKean County**, ACOE Pittsburgh District (Bradford, PA Quadrangle N: 14.2 inches; W: 16.0 inches).

To impact a total of 0.05 acre of wetlands for the installation and maintenance of an approximately 1.0 mile long by 6 ft. wide gravel fill trail with 2 ft. shoulders, with either an asphalt or crushed limestone surface, around and 50 ft. from the edge of the Marilla Brook Reservoir, following an existing dirt path currently used for hiking. The project includes the following:

1. Marilla Brook Reservoir Trail Bridge # 4—To replace an existing bridge over the spillway with a two span bridge (61 feet long by 10 feet wide) with steel stringers with a wood deck and railing for bicycle and pedestrian traffic. The existing abutments and pier will be reused with minor modifications.

2. Marilla Brook Reservoir Trail Bridge # 5—To construct and maintain a 174 feet long by 10 feet wide timber bridge with 26 timber (6 inch by 6 inch) piers over an unnamed tributary to Marilla Brook reservoir for bicycle and pedestrian traffic located on an existing foot path.

3. Marilla Brook Reservoir Trail Bridge # 6—To construct and maintain a 115 feet long by 6 feet wide timber bridge with 18 timber (6 inch by 6 inch) piers over an unnamed tributary to Marilla Brook reservoir for bicycle and pedestrian traffic located on an existing foot path.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval. The actions are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permits.

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1— 691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit No. PA0056880, Industrial Waste, **Lower Bucks County Joint Municipal Authority**, 7811 New Falls Road, Levittown, PA 19058-0460.

This proposed facility is located in Tullytown Borough, **Bucks County**.

Description of Proposed Action/Activity: Renewal of existing permit to discharge into the Delaware River Zone 4 via Franklin Cove (2 E Watershed).

NPDES Permit No. PA0040126, Sewage, **Western Montgomery County Area Vocational-Technical School**, 77 Graterford Road, Limerick, PA 19468.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Proposed Action/Activity: Renewal of existing permit to discharge into Lodal Creek-3E.

NPDES Permit No. PA0023949, Sewage, **Brookhaven Borough**, 2 Cambridge Road, Brookhaven, PA 19015-1708.

This proposed facility is located in Brookhaven Borough, **Delaware County**.

Description of Proposed Action/Activity: Renewal of existing permit to discharge into Chester Creek-3G.

NPDES Permit No. PA0053601, Sewage, **Richard and Brenda Steinmetz**, 5564 Tollgate Road, Pipersville, PA 18947.

This proposed facility is located in Plumstead Township, **Bucks County**.

Description of Proposed Action/Activity: Renewal of existing permit to discharge into an unnamed tributary to Geddes Run.

WQM Permit No. 0901401, Sewage, **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912.

This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of a lagoon sewage treatment plant and spray irrigation system to serve the proposed Stoneymead subdivision.

WQM Permit No. 0901409, Sewerage, **Falls Township**, 188 Lincoln Highway, Suite 100, Fairless Hills, PA 19030.

This proposed facility is located in Falls Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of a relief sewer line for Olds Boulevard.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit No. PA0083917, Industrial Waste, **Landstar Polymer Recovery, Inc.**, 811 Progress Road, Chambersburg, PA 17201-3257.

This proposed facility is located in Chambersburg Borough, **Franklin County**.

Description of Proposed Action/Activity: Permit transfer from PolyTek Pennsylvania, Inc. to LandStar Polymer Recovery, Inc. authorizing discharge to the receiving waters of an unnamed tributary of the Conococheague Creek in Watershed 13-C (Conococheague—Antietam Creek).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0111911, Industrial Waste, **Construction Specialties**, P. O. Box 380, Muncy, PA 17756.

This proposed facility is located in Clinton Township, **Lycoming County**.

Description of Proposed Action/Activity: Renewal of an existing Industrial Waste Minor Permit.

NPDES Permit No. PA0110540, Industrial Waste, **Furman Foods Inc.**, P. O. Box 500, Northumberland, PA 17857.

This proposed facility is located in Point Township, **Northumberland County**.

Description of Proposed Action/Activity: Renewal of an existing Industrial Waste permit to discharge from a vegetable canning facility.

NPDES Permit No. PA0041327, Sewage, **Penn College of Technology**, One College Avenue, Williamsport, PA 7701.

This proposed facility is located in Clinton Township, **Lycoming County**.

Description of Proposed Action/Activity: Renewal of an existing NPDES Permit to discharge treated sewage.

NPDES Permit No. PA0113212, Sewage, **J. William Moore**, (Milton Center East), 300 Fairfield Road, Lewisburg, PA 17837.

This proposed facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Proposed Action/Activity: Renewal of an existing permit. The permittee has not built the treatment plant and wishes to maintain the permit for future plans.

NPDES Permit No. PA0209287, Sewage, **Wanderland Trails Inc.**, 7 Crosskey Road, Colledgeville, PA 19426.

This proposed facility is located in Richmond Township, **Tioga County**.

Description of Proposed Action/Activity. Renewal of an existing permit.

WQM Permit No. 4101404, Sewage, **Richard and Nicholas Mirabito**, P. O. Box 1814, Williamsport, PA 17701.

This proposed facility is located in Fairfield Township, **Lycoming County**.

Description of Proposed Action/Activity: Correction of Malfunctioning on-lot system for 565 Quaker State Road.

WQM Permit No. 4101403, Sewerage, **Richard and Nicholas Mirabito**, P. O. Box 1814, Williamsport, PA 17701.

This proposed facility is located in Fairfield Township, **Lycoming County**.

Description of Proposed Action/Activity: Correction of Malfunctioning on-lot system for 575 Quaker State Road.

WQM Permit No. 5701402, Sewage, **Darryl Long**, 801 Main Street, Akron PA 17501.

This proposed facility is located in Forks Township, **Sullivan County**.

Description of Proposed Action/Activity: New Single Residence sewerage system to be constructed.

WQM Permit No. 5901402, Sewage, **Hamilton Township Supervisors**, P. O. Box 215, Morris Run, PA 16939.

This proposed facility is located in Hamilton Township, **Tioga County**.

Description of Proposed Action/Activity: Collection system, interceptor and pump stations update revision for the Village of Morris Run.

WQM Permit No. 5501401, Sewage, **Kreamer Municipal Authority**, P. O. Box 220, Kreamer, PA 17833.

This proposed facility is located in Middlecreek Township, **Snyder County**.

Description of Proposed Action/Activity: Communion, Extended Aeration, Clarification, Disinfection, Aerobic Digestion.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0030392, Industrial Waste, **General Motors Corporation**, 1451 Lebanon School Road, West Mifflin, PA 15222 is authorized to discharge from a facility located in West Mifflin Borough, **Allegheny County** to receiving waters named Curry Hollow Creek.

NPDES Permit No. PA0217093, Industrial Waste, **Johnstown Wire Technologies, Inc.**, 124 Laurel Avenue, Johnstown, PA 15906-2246 is authorized to discharge from a facility located at City of Johnstown, **Cambria County** to receiving waters named Conemaugh River.

NPDES Permit No. PA0026883, Sewage, **City of Beaver Falls**, 715 15th Street, Beaver Falls, PA 15010 is authorized to discharge from a facility located at City of Beaver Falls Sewage Treatment Plant, City of Beaver Falls, **Beaver County** to receiving waters named Beaver River.

NPDES Permit No. PA0029971, Sewage, **Avella Area School District**, 1000 Avella Road, Avella, PA 15312-9699 is authorized to discharge from a facility located at Avella District Joint High School STP, Cross Creek Township, **Washington County** to receiving waters named unnamed tributary of South Fork Cross Creek.

NPDES Permit No. PA0032191, Sewage, **Sister Servants of the Most Sacred Heart of Jesus**, 1872 Munster Road, Portage, PA 15946 is authorized to discharge from a facility located at Sister Servants of the Most Sacred Heart of Jesus STP, Munster Township, **Cambria County** to receiving waters named unnamed tributary of North Branch Little Conemaugh River.

NPDES Permit No. PA0035483, Sewage, **Camp Albryoca**, 2801 Greenville Road, Meyersdale, PA 15552 is authorized to discharge from a facility located at Camp Albryoca STP, Greenville Township, **Somerset County** to receiving waters named Little Piney Creek.

NPDES Permit No. PA0093033, Sewage, **Eastern Armstrong County Municipal Authority**, P. O. Box 262, Elderton, PA 15736-0262 is authorized to discharge

from a facility located at Elderton STP, Elderton Borough, **Armstrong County** to receiving waters named unnamed tributary of Crooked Creek.

NPDES Permit No. PA0093718. Sewage. **Karns City School District**, 1446 Kittanning Pike, Karns City, PA 16041 is authorized to discharge from a facility located at Sugar Creek Elementary School, Sugar Creek Township, **Armstrong County** to receiving waters named tributary of Huling Run.

NPDES Permit No. PA0096075. Sewage. **Connellsville Area School District**, 125 North Seventh Street, Connellsville, PA 15425 is authorized to discharge from a facility located at Dunbar Township Elementary School Sewage Treatment Plant, Dunbar Township, **Fayette County** to receiving waters named Drainage Swale tributary to an unnamed tributary of the Youghiogheny River.

NPDES Permit No. PA0096334. Sewage. **Clelian Heights School for Exceptional Children**, R. D. 9, Box 607, Greensburg, PA 15601 is authorized to discharge from a facility located at Clelian Heights School for Exceptional Children STP, Hempfield Township, **Westmoreland County** to receiving waters named unnamed tributary Beaver Run.

NPDES Permit No. PA0218693-A1. Sewage. **Luzerne Township Sewage Authority**, 415 Hopewell Road, Brownsville, PA 15417-9542 is authorized to discharge from a facility located at Luzerne Township Sewage Authority Sewage Treatment Plant, Luzerne Township, **Fayette County** to receiving waters named Monongahela River.

NPDES Permit No. PA0218758. Sewage. **James LeDonne**, 545 Turkey ridge Road, Apollo, PA 15613 is authorized to discharge from a facility located at James C. LeDonne Land Development Sewage Treatment Plant, Washington Township, **Westmoreland County** to receiving waters named Dry Swale tributary to unnamed tributary of Pucketa Creek.

NPDES Permit No. PA0218804. Sewage. **James Yeager**, 137 Willow Lane, Patton, PA 16668 is authorized to discharge from a facility located at James Yeager Small Flow Sewage Treatment Facility, Elder Township, **Cambria County** to receiving waters named unnamed tributary of Brubaker Run.

Permit No. 1101402. Sewerage. **Jim Yeager**, 137 Willow Lane, Patton, PA 16668. Construction of small flow sewage treatment facilities located in Elder Town-

ship, **Cambria County** to serve Yeager property small flow sewage treatment facilities.

Permit No. 6501404. Sewerage. **James LeDonne**, 545 Turkey Ridge Road, Apollo, PA 15613. Construction of a small flow sewage treatment facility located in Washington Township, **Westmoreland County** to serve LeDonne Small Flow Sewage Treatment Facility.

Permit No. 6501405. Sewerage. **Derry Township Municipal Authority**, P. O. Box 250, New Derry, PA 15671. Construction of sanitary sewer located in Derry Borough, **Westmoreland County** to serve New Derry Area.

Permit No. 6501406. Sewerage. **Derry Township Municipal Authority**, P. O. Box 250, New Derry, PA 15671. Construction of Gravity Collection Sewer and 2 Pump Stations located in Derry Township, **Westmoreland County** to serve Atlantic Area, Panizzi Area to Latrobe STP.

Permit No. 6501407. Sewerage. **Derry Township Municipal Authority**, P. O. Box 250, New Derry, PA 15671. Construction of collection sewers, interceptor and two pump stations located in Derry Township, **Westmoreland County** in the Torrance STP Service Area.

Permit No. 6501409. Sewage. **John M. and Gina L. Franolich**, R. R. 1, Box 14A, Irwin, PA 15642. Construction of Single Residence Sewage Treatment Plant located in Sewickley Township, **Westmoreland County** to serve the Franolich Residence.

NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10U141	DeLuca Homes, Inc. 107 Floral Vale Blvd. Yardley, PA 19067	Northampton	Hanover Township	Monacacy Creek HQ-CWF

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10H093	Prologis Dev. Services, Inc. One Capital Drive Suite 103 Cranbury, NJ 08512	Cumberland	South Middleton Township	Letort Spring Run (HQ-CWF) Conodoguinet Creek (WWF)

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Lehigh County Upper Saucon Township	PAR10Q159	Oakleaf Properties 824 Eighth Ave. Bethlehem, PA 18018	Saucon Creek CWF	Lehigh County Conservation District (610) 391-9583
Susquehanna County Forest Lake Township	PAR106413	Powers Stone Co. R. R. 5, Box 124 Montrose, PA 18801	Middle Branch Wyalusing Creek CWF	Susquehanna County Conservation District (570) 278-4600
Bedford Township Bedford County	PAR 100457	Harvey Lingenfelter 191 Lingenfelter Road Bedford, PA 15522	Raystown Branch	Bedford County Conservation District 702 West Pitt Street Suite 4 Bedford, PA 15009 (814) 623-6706
Guilford Township Franklin County	PAR10M240	Allegheny Energy Supply Company, LLC 4350 Northern Pike Monroeville, PA 15146	Conococheague Creek (WWF)	Franklin County Conservation District 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
N. Lebanon Township Lebanon County	PAR10P161	God's Missionary Church 2127 Hill Street Lebanon, PA 17042	Swatara Creek (WWF)	Lebanon County Conservation District 2120 Cornwall Rd. Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Franklin Township Snyder County	PAR105922	Emmit Kreager P. O. Box 88 Middleburg, PA 17842	Middle Creek CWF	Snyder County Conservation District 403 West Market St. Middleburg, PA 17842 (570) 837-0007
<i>Southwest Region: Regional Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Armstrong County Bradys Bend	PAR10B038	Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931	Sugarcreek/WWF	Armstrong County Conservation District (724) 548-3425
Somerset County Somerset Borough Somerset Township Stonycreek Township	PAR106139	Pennsylvania Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106-7676	Coxes Creek and Tributaries/WWF Glades Creek and Tributaries/WWF Kimberly Run and Tributaries/CWF Stonycreek and Tributaries/CWF	Somerset County Conservation District (814) 445-4652
Washington County North Strabane Township	PAR10W186	Divots Golf Center, Inc. 1500 Washington Road Canonsburg, PA 15317	UNT to Chartiers Creek/WWF	Washington County Conservation District (724) 228-6774
Westmoreland County North Huntingdon Township	PAR10X258	Norwin School District 281 McMahon Drive North Huntingdon, PA 15842	UNT to Youghiogheny River/WWF	Westmoreland County Conservation District (724) 837-5271
<i>General Permit Type—PAG-3</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
West Goshen Township Chester County	PAR800042	Eldridge Companies, Inc. 898 Fern Hill Rd. West Chester, PA 19380	Taylor Run Creek and 3H Brandywine Creek Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Bristol Township Bucks County	PAR900003	Exelon Generating Companies, LLC 200 Exelon Way Kennett Square, PA 19348	Delaware River	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Bethlehem City Lehigh County	PAR202242	Howmet Castings, Inc. 2175 Avenue C Bethlehem, PA 18017-2119	Lehigh River TSF	DEP NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Lebanon County Annville Township	PAR213547	John H. Boger & Son Inc. 202 N. Railroad Street P. O. Box 310 Annville, PA 17003	Quitapahilla Creek/TSF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
Dauphin County Londonderry Township	PAR803645	Airborne Express—Middletown P. O. Box 662 Seattle, WA 98111	Swatara Creek/WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
Town of Bloomsburg Columbia County	PAR604831	Kassab Brothers 449 W 9th Street P. O. Box 251 Bloomsburg, PA 17815	Storm Drain to Susquehanna River 5D	Northcentral Regional Office 208 West Third Street Williamsport, PA 17701 (570) 327-3666

NOTICES

3999

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Boggs Township Centre County	PAR804837	Bestway Travel Centre I-80 & State Route 150 Box 256 Milesburg, PA 16853	Bald Eagle Creek	Northcentral Regional Office 208 West Third Street Williamsport, PA 17701 (570) 327-3666
Madison Township Columbia County	PAR604832	Swartz Salvage Yard Inc. 177 Swartz Rd. Bloomsburg, PA 17815	Strom Drain to East Branch Chillisquaque Creek 10D	Northcentral Regional Office 208 West Third Street Williamsport, PA 17701 (570) 327-3666

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Charleston Township Tioga County	PAG044871	Sharon A. Wilber R. D. 3 Box 406A Wellsboro, PA 16901	Unnamed tributary to Catlin Hollow Run 10B	Northcentral Regional Office 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Fairfield Township Lycoming County	PAG045119	Richard and Nicholas Mirabito P. O. Box 1814 Williamsport, PA 17701	Unnamed tributary to Mill Creek 10A	Northcentral Regional Office 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Fairfield Township Lycoming County	PAG045120	Richard and Nicholas Mirabito P. O. Box 1814 Williamsport, PA 17701	Unnamed tributary to Mill Creek 10A	Northcentral Regional Office 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Forks Township Sullivan County	PAG045118	Darryl Long 801 Main Street Akron, PA 17501	Storm drain to Loyalsock Creek 10B	Northcentral Regional Office 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Sewickley Township Westmoreland County	PAG046225	John M. and Gina L. Franolich R. R. 1 Box 14A Irwin, PA 15642	UNT to Youghiogheny River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

General Permit Type—PAG-10

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Adams County Straban Township	PAG103511	Reliant Energy Hunterstown LLC 1001 Broad Street P. O. Box 1050 Johnstown, PA 15907-1050	Rock Creek/7F	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 0900505, Public Water Supply.

Applicant **Buckingham Township**
P. O. Box 413
Buckingham, PA 18912

Township Buckingham

County **Bucks**

Type of Facility Public Water Supply System

Consulting Engineer Gilmore and Associates, Inc.
331 Butler Avenue
New Britain, PA 18901

Permit to Construct Issued July 5, 2001

Permit No. 0900508, Public Water Supply.

Applicant **Quakertown Borough**
P. O. Box 727
Quakertown, PA 18951

Township Richland

County **Bucks**

Type of Facility Public Water Supply System

Consulting Engineer Boucher and James, Inc.
127 S. Fifth Street
Suite 300
Quakertown, PA 18951

Permit to Construct Issued July 6, 2001

Permit No. 4699504, Public Water Supply.

Applicant **Montgomery County Geriatric Center**
1600 Black Rock Road
Royersford, PA 19468

Township Upper Providence

County **Montgomery**

Type of Facility Public Water Supply System

Consulting Engineer Boucher and James, Inc.
127 S. Fifth Street
Quakertown, PA 18951

Permit to Construct Issued July 6, 2001

Operations Permit issued to: **Central Bucks School District**, Plumstead Township, **Bucks County** on July 6, 2001.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 4001501, Public Water Supply.

Applicant **Tulpehocken Spring Water, Inc.**
R. R. 1, Box 114T
Northumberland, PA 17857

Borough or Township Foster Township

County
Type of Facility
Consulting Engineer

Luzerne
Public Water Supply
Matthew Seng, P.E.
Earth Res. Group, Inc.
P. O. Box 468
Pipersville, PA 18947

Permit to Construct Issued

July 2, 2001

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3899502, Public Water Supply.

Applicant
Municipality
County
Type of Facility

Elizabethtown Borough
West Cornwall Township
Lebanon

Operation of a raw water pump station and transmission main. Water will be pumped from Cornwall quarry to Conewago Creek.

Consulting Engineer

Mikel V Geissler, P.E.
CET Engineering Services
1240 N. Mountain Rd.
Harrisburg, PA 17112

Permit to Operate Issued:

June 29, 2001

Permit No. 0698506, Public Water Supply.

Applicant
Municipality
County
Type of Facility

Citizens Utilities Water Company of PA
Ruscombmanor Township
Berks

Issued permit to operate two wells with treatment to serve the Golden Oaks Subdivision.

Consulting Engineer

Timothy Krall, P.E.
Vitulo Corp.
150 D Love Rd.
Reading, PA 19607

Permit to Operate Issued:

July 5, 2001

Permit No. 3600509, Public Water Supply.

Applicant
Municipality
County
Type of Facility

Urban Outfitters, Inc.
Salisbury Township
Lancaster

Installation of a nitrate treatment and disinfection system. Project will include an existing softening system to be placed under permit.

Consulting Engineer

Thomas J. Whitehill, P.E.
Whitehill Consulting Engineers
763 Conowingo Rd.
Quarryville, PA 17566

Permit to Operate Issued:

June 15, 2001

Permit No. 2801504 MA, Minor Amendment, Public Water Supply.

Applicant **Bear Valley Franklin County Pennsylvania Joint Authority**
 Municipality Peters
 County **Franklin**
 Type of Facility Painting of the inside and outside of the Upton Storage Tank.
 Consulting Engineer John L. Schaude III, P.E.
 Gannett Fleming Inc.
 601 Holiday Drive
 Pittsburgh, PA 15220
 Permit to Construct Issued: June 8, 2001

Permit No. 6701505 MA, Minor Amendment, Public Water Supply.

Applicant **Pennsylvania American Water Company**
 Municipality Fairview Township
 County **York**
 Type of Facility Pre and Post caustic feed at the Yellow breeches filtration plant.
 Consulting Engineer Thomas J. Whitehill, P.E.
 Whitehill Consulting Engineers
 763 Conowingo Rd.
 Quarryville, PA 17566
 Permit to Construct Issued: June 26, 2001

Permit No. 06501503 MA, Minor Amendment, Public Water Supply.

Applicant **Citizen Utilities Water Company of PA**
 Municipality Amity Township
 County **Berks**
 Type of Facility Operation of 1.5 million gallon finished water storage tank.
 Consulting Engineer Darryl Jenkins, P.E.
 Citizens Utilities Water Company of PA
 P. O. Box 6342
 4 Wellington Blvd.
 Wyomissing, PA 19610
 Permit to Operate Issued: July 5, 2001

Northcentral Region: Water Supply Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

Permit No. Emergency Permit, Public Water Supply.

Applicant **Renovo Borough**
 Renovo Borough Water Dept.
 126 Fifth Street
 Renovo, PA 17764
 Borough Renovo Borough
 County **Clinton**
 Type of Facility Public Water Supply

Consulting Engineer Kerry A. Uhler, P.E.
 140 South High Street
 Bellefonte, PA 16823
 Permit to Construct Issued: July 6, 2001

Permit No. 1989508-T1, Public Water Supply.

Applicant **Orangeville Nursing Center Associates**
 964 Marcon Blvd., Suite 220
 Allentown, PA 18109
 Borough Orangeville Borough
 County **Columbia**
 Type of Facility Public Water Supply (Nursing & Rehab Center)
 Permit to Construct Issued: July 6, 2001

Permit No. 1700501, Public Water Supply.

Applicant **Croft Water Association**
 R. R. 2, Box 208A
 Clearfield, PA 16830
 Township Goshen Township
 County **Clearfield**
 Type of Facility Public Water Supply
 Consulting Engineer Hess & Fisher Engineers, Inc.
 36 North Second Street
 Clearfield, PA 16830
 Permit to Construct Issued: June 28, 2001

Permit No. 6001501, Public Water Supply.

Applicant **New Berlin Municipal Authority**
 P. O. Box 396
 700 Water Street
 New Berlin, PA 17855
 Borough New Berlin Borough
 County **Union**
 Type of Facility Public Water Supply
 Consulting Engineer J. A. Coukart & Associates
 122 Front Street
 P. O. Box 300
 New Berlin, PA 17855-0300
 Permit to Construct Denied: June 28, 2001

Southwest Region: Water Supply Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 6301502, Public Water Supply.

Applicant **Pennsylvania-American Water Company**
 800 West Hersheypark Drive
 Hershey, PA 17033
 [Borough or Township] North Franklin Township
 County **Washington**
 Type of Facility Finished Water Storage

Consulting Engineer KLH Engineers Inc.
5173 Campbell's Run Road
Pittsburgh, PA 15205

Permit to Construct June 26, 2001
Issued

Permit No. 3200501-A2, Public Water Supply.

Applicant **Indiana County Municipal Services Authority**
827 Water Street
Indiana, PA 15701

[Borough or Township] Pine Township

County **Indiana**

Type of Facility Mine Pool

Consulting Engineer Gibson-Thompson Engineering
Co., Inc.
P. O. Box 853
Latrobe, PA 15650

Permit to Construct July 2, 2001
Issued

Operations Permit 0201501, issued to: **Oakmont Borough Municipal Authority**, P. O. Box 73, 721 Allegheny Avenue, Oakmont, PA 15139, Penn Hills Borough, **Allegheny County** on July 3, 2001.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. § 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 5-547C, Water Allocations. **Saxton Borough Municipal Authority, Bedford County**. The authority is granted the right to withdraw an average of 300,000 gallons per day from the Putts Hollow Reservoir/Miller Run. Consulting Engineer: Mark V Glenn, P.E., Gwin, Dobson & Foreman, Inc. Permit Issued: July 2, 2001.

WA 22-172B, Water Allocations. **Millersburg Area Authority, Dauphin County**. The Authority was granted the right to withdraw a combined total of up to 660,000 gallons per day, when available, from Spring Nos. 1, 2, 3, 4, 5, 6 and 7. Consulting Engineer: 1—Not Available. Permit Issued: July 6, 2001.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in

environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Spedd Inc., Warren Ind. Ctr., 920 Pennsylvania Avenue West, has submitted a Final Report concerning remediation of soil contaminated with Solvents, Paint Related Wastes and Oils. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve

or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Herzman & Company, City of Lebanon, **Lebanon County**. Groundwater & Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, (on behalf of Herzman & Co., 661 North 8th Street, Lebanon, PA 17042 and NiSource, Inc., 801 East 86th Avenue, Merrillville, IN 46410) has submitted a final report concerning the remediation of site soils contaminated with BTEX, PHCs and PAHs. The final report demonstrated attainment of the Statewide Health standard and was approved by the Department on June 19, 2001.

Former Teledyne McKay Property, Spring Garden Township, **York County**. Redevelopment Authority of the County of York, 144 Roosevelt Avenue, Suite 100, York, PA 17404 has submitted a remedial investigation report and baseline risk assessment report concerning the remediation of site soils and groundwater contaminated with heavy metals and solvents. The report was approved by the Department on June 20, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

ARL, Inc. dba American Road Lines, 238 Moon Clinton Road, Coraopolis, PA 15108. License No. **PA-AH 0475**. Effective July 5, 2001.

Buckham Transport Limited, P. O. Box 601, Peterborough, ON K9J 6Z8. License No. **PA-AH 0336**. Effective July 3, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE EXPIRED

Rinchem Company, Inc., 6133 Edith Boulevard NE, Albuquerque, NM 87107. License No. **PA-AH S205**. Effective June 30, 2001.

USL Environmental Services, Inc., dba A & A Environmental, 5200 Raynor Avenue, Linthicum, MD 21090. License No. **PA-AH 0621**. Effective June 30, 2001.

Tri-S Environmental Services, Inc., 25 Pinney Street, Ellington, CT 06029. License No. **PA-AH 0626**. Effective June 30, 2001.

Empire Trucking Company, Inc., R. R. 1 Box 198 Creek Road, Shamokin, PA 17872. License No. **PA-AH 0622**. Effective June 30, 2001.

Tri-County Industries, Inc., 5135 Frolich Lane, Hyattsville, MD 20781. License No. **PA-AH 0430**. Effective June 30, 2001.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE RENEWED

Omega Medical Laboratories, Inc., 2001 State Hill Road, Wyomissing, PA 19610-1699. License No. **PA-HC 0042**. Effective July 3, 2001.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Infectious and Chemotherapeutic Waste Transporter License, actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE EXPIRED

Pennsylvania Hospital of the University of Pennsylvania Health System, 800 Spruce Street, Philadelphia, PA 19107-6192. License No. **PA-HC 0118**. Effective June 30, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 101069. Southeastern Chester County Refuse Authority, P. O. Box 221, Kennett Square, PA

19358, London Grove Township, **Chester County**. Permit for an increase in the SECCRA Community Landfill's average daily waste volume from 375 tons per day to 500 tons per day. The increase will be implemented in phases. Permit issued over the objections of the host municipality. Written justification for overriding their objections was provided in writing to the host municipality and is available for review in the regional file. The permit was issued by the Southeast Regional Office on July 9, 2001.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 101421. Shade Landfill, Inc., 1176 No. 1 Road, Cairnbrook, PA 15924. Permit Renewal for a Municipal Waste Landfill in Shade Township, **Somerset County** was issued in the Regional Office on June 21, 2001.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

54-323-001GP: First Quality Nonwovens, Inc. (101 Green Mountain Road, Hazleton, PA 18201) for construction and operation of a burn-off oven in Hazle Township, Luzerne County and East Union Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

GP7 31-03006A: The Mead Corporation (P. O. Box 147, Alexandria, PA 16611) on July 2, 2001, was authorized to operate under GP7 for a sheetfed offset lithographic printing press in Porter Township, **Huntingdon County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

GP3-17-02: HRI, Inc. (1750 West College Avenue, State College, PA 16804-0155) on June 25, 2001, was authorized to construct and operate a portable nonmetallic mineral processing plant under the General Plan Approval and General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Mt. Joy Site in Lawrence Township, **Clearfield County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

23-0001S: Sunoco, Inc. (R&M) (Delaware Avenue and Green Streets, Marcus Hook, PA 19061) on July 3, 2001,

for operation of a boiler and heater in Marcus Hook Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

54-303-015A: Pennsy Supply Co. (P. O. Box 3331, Harrisburg, PA 17105) on July 2, 2001, for modification of a batch asphalt plant to utilize waste derived oil in Wayne Township, **Schuylkill County**.

54-313-082: Air Products and Chemicals, Inc. (P. O. Box 351, Tamaqua, PA 18252-0351) on July 2, 2001, for construction of a fluorine manufacturing process in Rush Township, **Schuylkill County**.

39-312-045: Buckeye Pipe Line Co. LP (5002 Buckeye Road, Emmaus, PA 18049) on July 3, 2001, for reactivation of a Storage Tank 401 and associated air cleaning device at the Macungie Terminal in Lower Macungie Township, **Lehigh County**.

48-313-088: Elementis Pigments, Inc. (1525 Wood Avenue, Easton, PA 18042) on June 27, 2001, for installation of an air cleaning device on DHY Kilns and Copperas dryer at the Easton Plant in Wilson Borough, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05021A: Knouse Foods Cooperative, Inc. (P. O. Box 709, Biglerville, PA 17307-0709) on July 5, 2001, for installation of two natural gas/#5 reclaimed oil-fired boilers at its Peach Glen Plant in Tyrone Township, **Adams County**. This source is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

01-05031A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of eleven Electrical Generating Units at its Germantown Substation in Mount Joy Township, **Adams County**.

06-03088: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of six Electrical Generating Units at its Muhlenberg Substation in Muhlenberg Township, **Berks County**.

06-05071A: Sealed Air Corporation (450 Riverfront Drive, Reading, PA 19602) on July 6, 2001, for construction of a new boiler at its Reading Plant in the City of Reading, **Berks County**.

21-05045A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of fourteen Electrical Generating Units at its Allen Substation in Monroe Township, **Cumberland County**.

34-03005A: Energex American, Inc. (R. R. 5, Box 343, Mifflintown, PA 17059) on July 5, 2001, for modification of a wood pellet manufacturing plant in Walker Township, **Juniata County**.

34-03006A: Railworks Wood Products, Inc. (P. O. Box 251, McAlisterville, PA 17049) on July 5, 2001, for modification of a wood-fired boiler in Fayette Township, **Juniata County**.

36-05008A: Tyson Foods, Inc. (403 South Custer Avenue, New Holland, PA 17557) on July 6, 2001, for

construction of a chicken processing operation in Earl Township, **Lancaster County**.

36-05101A: Highway Materials, Inc. (P. O. Box 1667, Blue Bell, PA 19422-0465) on July 9, 2001, for construction of a batch asphalt plant controlled by a knockout box and a fabric collector and two 30,000-gallon asphalt cement storage tanks at its Lititz Plant in Warwick Township, **Lancaster County**.

67-05030A: C-P Converters, Inc. (15 Grumbacher Road, York, PA 17402) on July 5, 2001, for construction of a flexographic press enclosed in a permanent total enclosure controlled by a catalytic incinerator in Manchester Township, **York County**.

67-05067A: Persing Enterprises, Inc. (214 North Franklin Street, Red Lion, PA 17356) on July 9, 2001, for construction of wood finishing operations in Red Lion Borough, **York County**.

67-05068A: Highway Materials, Inc. (P. O. Box 1667, Blue Bell, PA 19422-0465) on July 9, 2001, for construction of a batch asphalt plant controlled by a knockout box and a fabric collector and two 30,000-gallon asphalt cement storage tanks at its Wrightsville Plant in Hellam Township, **York County**.

67-05085A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of 14 Electrical Generating Units at its Cly Substation in Newberry Township, **York County**.

67-05086A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of nine Electrical Generating Units at its Hill Substation in Shrewsbury Township, **York County**.

67-05087A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of six Electrical Generating Units at its Pleasureville Substation in Springettsbury Township, **York County**.

67-05088A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of ten Electrical Generating Units at its Roundtop Substation in Warrington Township, **York County**.

67-05089A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of nine Electrical Generating Units at its Westgate Substation in the City of York, **York County**.

67-05090A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of ten Electrical Generating Units at its Yoe Substation in Windsor Township, **York County**.

67-05091A: Metropolitan Edison Co. dba GPU Energy (P. O. Box 16001, Reading, PA 19640-0001) on July 2, 2001, for construction of 12 Electrical Generating Units at its Yorkana Substation in Lower Windsor Township, **York County**.

67-05092A: Starbucks Coffee Company (3000 Espresso Way, York, PA 17402) on July 9, 2001, for construction of a green coffee bean cleaning station controlled by a cartridge collector at its York Roasting Plant in East Manchester Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

41-0008A: Koppers Industries, Inc. (P. O. Box 189, Montgomery, PA 17752) on June 4, 2001, for construction of a fuel feeding system and associated air cleaning device (a fabric collector) to allow the use of an alternate fuel stream, hogged creosoted woodwaste, in place of larger pieces of creosoted woodwaste in a boiler and associated air cleaning device (an electrostatic precipitator) in Clinton Township, **Lycoming County**. This boiler is subject to Subpart Kb of the Federal Standards of Performance for New Stationary Sources.

41-303-009: HRI, Inc. (1750 West College Avenue, State College, PA 16804-0155) on June 5, 2001, for construction of a batch asphalt plant and associated air cleaning device (a fabric collector) in the City of Williamsport, **Lycoming County**. This plant is subject to Subpart I of the Federal Standards of Performance for New Stationary Sources.

49-313-032J: Merck Inc. (P. O. Box 600, Danville, PA 17821-0600) on June 5, 2001, for construction of a waste solvent storage tank and the installation of air cleaning devices (thermal oxidizers and a venturi jet/packed bed scrubbing system) on various pieces of pharmaceutical processing equipment at the Cherokee Plant in Riverside Borough, **Northumberland County**. The waste solvent storage tank is subject to Subpart Kb of the Federal Standards of Performance for New Stationary Sources.

14-309-043A: Corning Asahi Video Products Company (3500 East College Avenue, State College, PA 16801) on June 6, 2001, for modification of two glass melting furnaces (Tanks 221 and 222) and associated air cleaning devices (two electrostatic precipitators) by increasing the capacity of the furnaces in College Township, **Centre County**. This modification is subject to Federal Prevention of Significant Deterioration (PSD) requirements and the furnaces are subject to Subpart CC of the Federal Standards of Performance for New Stationary Sources.

47-303-003A: HRI, Inc. (1750 West College Avenue, State College, PA 16804-0155) on June 25, 2001, for modification of a drum mix asphalt plant and associated air cleaning device (a fabric collector) by using reprocessed oil as fuel in Liberty Township, **Montour County**. This plant is subject to Subpart I of the Federal Standards of Performance for New Stationary Sources.

41-399-026: Penn Recycling, Inc. (2525 Trenton Avenue, Williamsport, PA 17701) on June 25, 2001, for construction of an automobile/metal shredding operation and associated air cleaning devices (a foam dust suppression system and a cyclone collector) in the City of Williamsport, **Lycoming County**.

19-303-004C: HRI, Inc. (1750 West College Avenue, State College, PA 16804-0155) on June 27, 2001, for modification of a batch asphalt plant and associated air cleaning device (a fabric collector) by using reprocessed oil as fuel in Hemlock Township, **Columbia County**. This plant is subject to Subpart I of the Federal Standards of Performance for New Stationary Sources.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

26-00288C: Commercial Stone Co., Inc. (2200 Springfield Pike, Connellsville, PA 15425) on July 2, 2001

for the operation of secondary crushing/screening plant at Springfield Pike Quarry in Connellsville Township, **Fayette County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

40-328-004A: Williams Generation Company—Hazleton (P. O. Box 2848-WRC-A, Tulsa, OH 74101-9567) issued an administratively amended plan approval for construction of three simple cycle turbines instead of the previously approved four and associated air cleaning devices at the Hazleton facility in Hazle Township, **Luzerne County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-399-001C: OSRAM SYLVANIA Products, Inc. (Hawes Street, Towanda, PA 18848-0504) on June 29, 2001, to extend the authorization to operate various pieces of wire drawing and swaging equipment and associated air cleaning devices (fabric collectors and absolute filters) on a temporary basis until October 27, 2001 in North Towanda Township, **Bradford County**.

08-318-027A: Mill's Pride—Pennsylvania (P. O. Box 158, Sayre, PA 18840) on June 26, 2001, to extend the authorization to operate a wood kitchen cabinet glazing line, the air contaminant emissions from which are controlled by a regenerative thermal oxidizer, on a temporary basis until October 24, 2001 in Athens Township, **Bradford County**.

14-313-041: Rutgers Organics Corp. (201 Struble Road, State College, PA 16801) on June 28, 2001, to make numerous minor changes to sources, air cleaning devices and operating requirements for a chemical process facility (Product ROC7-2000) in College Township, **Centre County**. These changes include use of alternate condensers, use of an alternate condenser coolant, use of an alternate scrubber and use of an alternate process vessel.

19-304-006D: Benton Foundry, Inc. (5297 SR 487, Benton, PA 17814-7641) on July 2, 2001, to extend the authorization to operate various pieces of iron foundry equipment and associated air cleaning devices (three fabric collectors) on a temporary basis until October 30, 2001, as well as to extend the deadline for the performance of particulate matter stack testing on the three fabric collectors to October 15, 2001, in Sugarloaf Township, **Columbia County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

65-858A: American Video Glass Company (777 Technology Drive, Mt. Pleasant, PA 15666) on June 11, 2001 for an extension for operation of Line 22 Lehr at facility in Mt. Pleasant Township, **Westmoreland County**.

04-702A: United States Gypsum Company (1 Woodlawn Road, Aliquippa, PA 15001) on June 21, 2001 for an extension for operation of Wallboard Manufacturing at Aliquippa Plant in Aliquippa, **Beaver County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

23-00006: Foamex L.P. (1500 East Second Street, Eddystone, PA 19022) on July 3, 2001, for operation of a Facility Title V Operating Permit in Eddystone Borough, **Delaware County**.

46-00046: Uniform Tubes, Inc. (200 West 7th Avenue, Trappe, PA 19426) on July 3, 2001, for operation of a Facility Title V Operating Permit in Trappe Borough, **Montgomery County**.

46-00011: Lukens Steel Co. (Conshohocken Road, Conshohocken, PA 19428) on July 5, 2001, for operation of a Facility Title V Operating Permit in Plymouth Township, **Montgomery County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

63-00110: World Kitchen, Inc. (100 8th Street, Charleroi, PA 15022) on June 29, 2001 for operation of glass manufacturing process at Charleroi Plant in Charleroi Borough, **Washington County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03062: Theo C. Auman, Inc. (247 Penn Street, Reading, PA 19601) on July 5, 2001, for operation of a human crematory in the City of Reading, **Berks County**.

06-03077: F.M. Brown's Sons, Inc. (205 Woodrow Avenue, Sinking Spring, PA 19608) on July 5, 2001, for operation of two feed mills in Sinking Spring Borough, **Berks County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

59-00003: Watsonstown Brick Co. (P. O. Box 68, Watsonstown, PA 17777) issued a revised operating permit on June 27, 2001, for brick manufacturing facility in Delaware Township, **Northumberland County**. The revision of this permit is to incorporate terms and conditions from Plan Approval 49-309-008D, which authorized the construction of shale crushing and milling equipment at this facility. A fabric collector and a wet dust suppression system will control particulate matter emissions from this operation at the facility.

**FEDERAL WATER POLLUTION CONTROL ACT
SECTION 401**

The Department of Environmental Protection (Department) has taken the following actions on previously

received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and notice of final action for certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E23-384. Tosco, Inc., 1100 Route 1, Linden, NJ 07036, Multiple Townships, **Delaware County**, ACOE Philadelphia District.

To perform maintenance on an existing 8-inch and 10-inch pipeline across the following streams and bodies of water:

1. To place concrete encasement around the existing 8-inch pipe across Marcus Hook Creek (WWF), (Marcus Hook, PA-NJ-DE, USGS Quadrangle N: 20:2 inches, W: 9.5 inches) in Aston Township.

2. To place concrete encasement around the existing 8-inch pipe with rip-rap apron upstream and downstream across Darby Creek (CWF-MF), (Lansdowne, PA USGS Quadrangle N: 13.00 inches; W: 11 inches) in Springfield Township.

3. To place concrete encasement around the existing 8-inch pipe with rip-rap apron upstream and downstream

across Mylars Run (CWF-MF), (Lansdowne, PA USGS Quadrangle (N: 15.8 inches; W: 6.3 inches) in Trainer Borough.

4. To place concrete encasement around the existing 8-inch, 10-inch pipes across Marcus Hook Creek, (Marcus Hook, PA-NJ-DE, USGS Quadrangle N: 13.5 inches; W: 8.5 inches) in Trainer Borough.

5. To realign approximately 80 feet of the stream channel of Marcus Hook Creek and to place concrete encasement around the existing 8-inch and 10-inch pipes, (Marcus Hook, PA-NJ-DE USGS Quadrangle N: 18.7 inches) in Upper Chichester Township.

6. To provide an additional mid-span support to an existing 8-inch pipeline across an unnamed tributary to Darby Creek (WWF in John Heinz National Refuge, Bridgeport, PA USGS Quadrangle, N: 22 inches; W: 6.5 inches) in Tinicum Township.

E46-881. Metroplex West Associates, L.P., 350 Sentry Parkway, Building 630, Suite 300, Blue Bell, PA 19422, Plymouth Township, **Montgomery County**, ACOE Philadelphia District.

To transfer a portion of permit E46-809 from the Goldenberg Development Corporation to Metroplex West Associates, L.P. for maintenance associated with the following activities.

1. To maintain approximately 540 linear feet of a 10-foot by 6-foot existing masonry arch stream enclosure in and along an unnamed tributary of Plymouth Creek.

2. To maintain approximately 1,630 linear feet of a 30-foot by 11.5-foot precast concrete arch stream enclosure in and along Plymouth Creek.

3. To maintain a stone slope wall and associated fill within the 100-year floodway of Plymouth Creek associated with the widening of Chemical Road.

4. To maintain one 42-inch, two 48-inch, one-60 inch and one 64-inch RCP stormwater falls along Plymouth Creek.

5. To maintain one 42-inch RCP stormwater outfall along an unnamed tributary of Plymouth Creek.

The site is situated on the northerly side of Chemical Road, west of Blue Route (S.R. 476) and east of Gallagher Road (Norristown USGS Quadrangle N: 19.0 inches; W: 5.5 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E06-537. Quaker Hill Development Company, R. D. 1 Box 1325, Mohnton, PA 19540, in Robeson Township, **Berks County**, ACOE Philadelphia District.

To construct and maintain a minor road crossing and an outfall structure at the channel of an unnamed tributary to Beaver Run (HQ) located at a point at Overlook Road for the purpose of constructing a residential development called Quaker Ridge (Morgantown, PA Quadrangle N: 16.48 inches; W: 1.05 inches).

E21-312. Upper Allen Township, 100 Gettysburg Pike, Mechanicsburg, PA 17055 in Upper Allen Township, **Cumberland County**, ACOE Baltimore District.

To (1) remove an existing 30-inch diameter corrugated metal pipe and an existing concrete block wall; (2) construct and maintain a 20 linear foot extension to an existing 42-foot long, 48-inch diameter corrugated metal pipe culvert and place R-5 riprap at the outlet for scour protection; (3) construct and maintain a 38-inch by 60-

inch, 20-foot long elliptical reinforced concrete pipe culvert and place R-5 riprap at the outlet for scour protection; (3) construct and maintain about 227 linear feet of trapezoidal shaped channel with three to one side slopes and 2-foot wide 0.5-foot deep low flow channel; (4) construct and maintain a 30-inch by 60-inch, 60-foot long reinforced elliptical reinforced concrete pipe culvert with about 58 linear feet of R-5 size riprap at its outlet for scour protection all for the purpose of relocating approximately 340 feet of existing stream channel of an unnamed tributary to the Yellow Breeches Creek (CWF) to reduce flooding on Grantham Road (SR 2026) located near the Village of Grantham (Lemoyne PA Quadrangle N: 5.9 inches; W: 16.7 inches).

E36-704. Elizabethtown College, One Alpha Drive, Elizabethtown, PA 17022 in Joy Township, **Lancaster County**, ACOE Baltimore District.

To enlarge and maintain the impounding lake of Lake Placida Dam, provide revetment on an unnamed tributary and install outfall structures to an unnamed tributary to Conoy Creek (TSF) located in Elizabethtown College Campus (Elizabethtown, PA Quadrangle N: 4.95 inches; W: 12.6 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E08-373. Leprino Foods Company, 400 Leprino Avenue, Waverly, NY 14892-1384. Culvert Crossing, in South Waverly Borough, **Bradford County**, ACOE Baltimore District (Sayre, PA Quadrangle N: 22.6 inches; W: 6.02 inches).

To construct, operate and maintain twin 9.75 feet by 6.5 feet by 210 linear feet of corrugated metal culvert pipe along with the associated fill. This permit also includes 401 Water Quality Certification.

E55-175. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit application, in Spring Township, **Snyder County**, ACOE Susquehanna River Basin District (Beavertown, PA Quadrangle N: 4.0 inches; W: 11.9 inches).

To perform 34 feet of streambed paving in Stony Run underneath an existing structure located on S.R. 4010, Segment 0050 at offset 2416. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-497. Lee Glessner, 2084 National Road, Wheeling, WV 26003. North Strabane Township, **Washington County**, ACOE Pittsburgh District.

To construct and maintain a retaining wall approximately 420 feet in length along the right bank of an unnamed tributary to Chartiers Creek (WWF) for the purpose of constructing a commercial business located on the south side of Allison Road, approximately 1,200 feet east from the intersection of S.R. 79 and Allison Road (Washington East, PA Quadrangle N: 17.6 inches; W: 12.2 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-496, PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16301. S. R. 1008 Across Boles Run in Venango Township, **Crawford**

County, ACOE Pittsburgh District (Edinboro South, PA Quadrangle N: 14.9 inches; W: 2.9 inches).

To remove the existing structure and to construct and maintain a reinforced concrete arch having a clear span of 24 feet and a rise of 12.5 feet across Boles Run on S.R. 1008, Section 001, Segment 0100, Offset 0075 immediately west of Capp Road.

E20-498, PA Department of Transportation, District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. S. R. 886, South Main Street across tributary to French Creek, in Cambridge Springs Borough, **Crawford County**, ACOE Pittsburgh District (Cambridge Springs, PA Quadrangle N: 9.4 inches; W: 8.35 inches).

To remove the existing bridge and to install and maintain a 60-foot long concrete box culvert having a 12-foot wide by 7-foot high waterway opening in a tributary to French Creek on S. R. 0886, Segment 0230, Offset 0661 approximately 1600 feet south of S. R. 408.

E27-063, Northern Allegheny Resources, 218 Elm Street, Tionesta, PA 16353. Timber Access Road Across Johns Run, in Tionesta Township, **Forest County**, ACOE Pittsburgh District (Tionesta, PA Quadrangle N: 15.4 inches; W: 5.8 inches).

To operate and maintain a 30-foot long, 6-foot diameter steel pipe culvert originally installed under DEP Permit No. GP082798602 in Johns Run on a timber access road extending approximately 2,500 feet northeast from S. R. 36 2.3 miles southeast of Tionesta.

E42-277, Keating Township, R. D. 1 Route 46 South, P. O. Box 103, East Smethport, PA 16730. T-350 Across Cole Creek, in Keating Township, **McKean County**, ACOE Pittsburgh District (Smethport, PA Quadrangle N: 19.3 inches; W: 13.0 inches).

To remove the existing deck and floor beams, install new footers behind the existing abutments, new steel beams and reinstall the metal deck and to maintain the bridge having an approximate clear span of 45 feet and an underclearance of 7 feet across Cole Creek on T-350 approximately 0.5 mile south of S. R. 46 west of Farmers Valley.

E61-242, City of Oil City, 21 Seneca Street, Oil City, PA 16301-1313. Oil Creek Stabilization Project, in City of Oil City, **Venango County**, ACOE Pittsburgh District (Oil City, PA Quadrangle N: 11.4 inches; W: 5.5 inches).

To install and maintain rock riprap and vegetative bank protection along a total of approximately 3,400 feet the east (left) bank of Oil Creek beginning at White Bridge and extending downstream to the Allegheny River.

E61-243, Parks Unlimited, Inc., R. D. 5, Box 320, Franklin, PA 16323-9402. Two Mile Run County Park Hiking Trail in Oakland Township, **Venango County**, ACOE Pittsburgh District (Franklin, PA Quadrangle N: 19.6 inches; W: 3.1 inches).

To conduct the following activities associated with improvements to an existing hiking trail in Two Mile Run County Park:

1. Construct and maintain a floating observation dock measuring 100 feet long projecting approximately 30 feet from the shoreline of Justus Lake having a dock surface area of 1,040 square feet at the north end of the lake.

2. Remove the existing bridge and to construct and maintain a timber pedestrian bridge having a span of 50 feet and an average underclearance of 3.5 feet across Two Mile Run immediately upstream of the lake.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EA10-016NW, Aquascape Wetland and Environmental Services, 114 Deer Road, Boyers, PA 16020. SR 89 Passive Treatment System, in Washington Township, **Butler County**, ACOE Pittsburgh District (Hilliards, PA Quadrangle N: 18.5 inches; W: 14.0 inches).

To construct and maintain a passive treatment system for the treatment of abandoned mine discharge (AMD) that has severely degraded a wetland that discharges into Slippery Rock Creek approximately 500 feet to the north. Proposed activities include the construction of a vertical flow pond, a flush pond/settling pond and an approximately 1-acre treatment wetland; and the disturbance of approximately 1 acre of the severely degraded AMD-impacted wetland area. The project is located in State Game Lands No. 95 approximately 0.4 mile southwest of Higgins Corner.

EA43-002NW, BioMost, Inc., Mining and Reclamation Services, 3016 Unionville Road. North Liberty Reclamation Area, in North Liberty Township, **Mercer County**, ACOE Pittsburgh District (Slippery Rock, PA Quadrangle N: 15.1 inches; W: 11.7 inches).

To fill approximately 0.3 acre of wetlands and approximately 15 acres of open pits containing acid mine drainage associated with the reclamation of over 40 acres of abandoned minelands located along Courtney Mill Road, approximately 2,500 feet northeast of the intersection with S. R. 258.

SPECIAL NOTICES

**Alternative Fuels Incentive Grant (AFIG) Program
Program Opportunity Notice
July 2001**

The Department of Environmental Protection (DEP) Bureau of Air Quality announces the first opportunity to apply under Cycle 9 of a program to promote and expand the use of alternative transportation fuels and fuel systems such as compressed natural gas (CNG), liquefied natural gas (LNG), liquid propane gas (LPG), ethanol (E85), methanol (M85), hydrogen, hythane, electricity, coal-derived liquid fuels and fuels derived from biological materials. Grant funds can be used to pay for the difference between an alternative fuel vehicle and a conventional gasoline or diesel vehicle, to convert an existing gasoline vehicle to operate on an alternative fuel, to purchase a new energy efficient hybrid electric vehicle, to purchase and install a refueling or recharging facility, or to evaluate new alternative fuel technologies. Eligible applicants for incentive grants are schools and vocational school districts, municipal authorities, counties, cities, boroughs, incorporated towns, townships, county institution districts, nonprofit entities and corporations or partnerships incorporated or registered in the Commonwealth of Pennsylvania and Commonwealth residents. Grants awarded in this funding cycle will cover up to 20% of the applicant's eligible costs. DEP will again be awarding \$1,500 grants for hybrid electric vehicles. An application package, which provides more details on the program, can be obtained from the Department of Environmental Protection, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 772-3429 or by email at vharris@state.pa.us. Applicants may fax their request to (717) 772-2302, Attn: AFIG. Specify the project type when requesting an application package. The application pack-

age is electronically available on DEP's website at www.dep.state.pa.us (directLINK "Alternative Fuels"). The deadline for submitting a Cycle 9 application to the DEP is by 4 p.m. October 1, 2001.

Notice of Request for Proposals for Municipal Solid Waste Capacity

The following notices are placed through the Department of Environmental Protection as required by Section 502(d) of Act 101 of 1988: the Municipal Waste Planning, Recycling and Waste Reduction Act.

Request for Proposals for Juniata County

Juniata County Board of Commissioners

Mifflintown, Pennsylvania

Requests Proposals

For Municipal Solid Waste Disposal Services

In accordance with section 272 of the Solid Waste Rules and Regulations (as amended), Juniata County Board of Commissioners has determined that waste disposal capacity for municipal solid waste (MSW), including construction/demolition (C/D) waste and sewage sludge generated within the County is required for a minimum of 3 years with options to renew said contract for an additional 3 years and 4 years, respectively. Juniata County Board of Commissioners is hereby soliciting proposals for disposal of County generated MSW, to begin on April 1, 2002.

1. Solicitation for Municipal Solid Waste Disposal Services

Sealed proposals will be received by the Juniata County Board of Commissioners at the Juniata County Courthouse, Bridge and Main Streets, Mifflintown, PA 17059 until 4 p.m., on August 6, 2001. All proposals will be publicly opened by Juniata County Board of Commissioners at 10 a.m. on August 7, 2001, at the County Courthouse.

Copies of the Request for Proposals (RFP) may be purchased on or after July 9, 2001 only from the Juniata County Planning Office at the County Courthouse, Mifflintown, PA 17059, (717) 436-7729 by pre-payment of a nonrefundable amount of \$50 per proposal. Proposers should make checks payable to the County of Juniata.

All sealed proposals must include an executed Non-Collusion Affidavit and Proposal Bond as provided in Section D of this proposal package.

All proposals must be made on the Proposal Forms and be in accordance with the Instruction to Proposers contained in this Request for Proposals. The Proposer is required to submit one original and three copies of the Proposal to Juniata County Board of Commissioners at the address listed. Envelopes containing the proposals must be sealed and clearly labeled to show the name and address of the proposer, the statement Proposal for Municipal Solid Waste Disposal Services" and be addressed to:

Juniata County Board of Commissioners
Courthouse
Bridge and Main Streets
Mifflintown, PA 17059
Attention: William H. Stong, Acting Planning
Director

**APPLICATION ANNOUNCEMENT FOR THE
COMMUNITY WASTE TIRE RECREATIONAL
GRANT PROGRAM**

Applications for the 2001 Community Waste Tire Recreational Grant Program are now available from the Department of Environmental Protection (DEP). Under the program, qualified school districts, municipalities and nonprofit organizations in Pennsylvania are awarded grants to use waste tires as a primary material to construct and/or renovate recreational areas and facilities. Applications for the program will be accepted by DEP until 4 p.m. on Friday, September 21, 2001.

Each year, Pennsylvania generates approximately 12 million waste tires. This number is in addition to the estimated 16 million waste tires that currently exist in stockpiles throughout the Commonwealth. Abandoned waste tire piles not only rob the State from the use of viable land, but they also can cause serious environmental, health and safety problems, including tire fires and mosquito infestations. By providing grant funding under the Community Waste Tire Recreational Grant Program, DEP is helping to create a demand for waste tires and is proving that waste tire reuse and recycling can benefit communities throughout Pennsylvania.

Applications for the 2001 Community Waste Tire Recreational Program may be obtained by contacting Dawn Heimbach of the Bureau of Land Recycling and Waste Management at (717) 787-9871 or by e-mail at daheimbach@state.pa.us. Applications are also available electronically on DEP's website at <http://www.dep.state.pa.us> (directLINK "waste tires").

**Notice of Certification to Perform Radon-Related
Activities in Pennsylvania**

In the month of June 2001 the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Allied Home Inspections, Inc.	1857 Sturbridge Drive Lancaster, PA 17601	Testing
Karen Amspacker	525 Main Street, 2nd Floor Bethlehem, PA 18018	Testing
Willis Bortmas	370 Red Dog Road Butler, PA 16001	Testing
Rob Bruno Boro Environmental	501 Sharp Avenue Glenolden, PA 19036	Testing
Jeffrey Calta	106 Vensel Lane Chicora, PA 16025	Testing
Carl Distenfeld TCS Industries, Inc.	4326 Crestview Road Harrisburg, PA 17112	Testing Laboratory
Ronald Fridley	3838 Yerkes Road Collegeville, PA 19426	Testing
Jeff Hicks	11 Long View Drive Stroudsburg, PA 18360	Testing
Raymond Johnson Key Technology, Inc.	929 Mount Zion Road Lebanon, PA 17046	Laboratory
Michael Lieb	407 Burmont Road Drexel Hill, PA 19026	Testing
Thomas Moore	421 Redgate Road Sewickley, PA 15143	Testing
Jerry Petrill	R. R. 9 Box 423A Greensburg, PA 15601	Mitigation
Shawn Price Air Check, Inc.	1936 Butler Bridge Road Fletcher, NC 28732	Laboratory
David Robertson	801 Yale Avenue, Suite G4 Swarthmore, PA 19081	Testing
Jeffrey Saulsbury Saulsbury Enviro. Consultant, Inc.	307 Lucille Street Pittsburgh, PA 15218	Testing
Eugene Spoeehr	801 Yale Avenue, Suite G4 Swarthmore, PA 19081	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Lawrence Transue	710 Frost Hollow Road Easton, PA 18040	Testing
Richard Walmer	929 Mount Zion Road Lebanon, PA 17046	Testing

[Pa.B. Doc. No. 01-1313. Filed for public inspection July 20, 2001, 9:00 a.m.]

Air Quality Technical Advisory Committee; Notice of Change in Meeting Location

The location of the Air Quality Technical Advisory Committee meeting scheduled for July 26, 2001, has been changed from Harrisburg to Ebensburg. The meeting will begin at 8 a.m. in the Ebensburg District Office, 286 Industrial Park Road, Ebensburg, PA.

For further information, contact Terry Black at (717) 787-2030. Persons with a disability who wish to attend should contact Susan Peterson at (717) 772-3949 to discuss how the Department may accommodate their needs.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-1314. Filed for public inspection July 20, 2001, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on DEP's website (www.dep.state.pa.us) at the Public Participation Center page. The "July 2001 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its nonregulatory documents, as necessary, throughout 2001.

Ordering Paper Copies Of DEP Technical Guidance

DEP encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes To Technical Guidance Documents

Following is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Technical Guidance

DEP ID: 362-0300-007 Title: Alternate and Experimental Systems Guidance Description: This document applies to the siting, design and construction of all alternate and experimental onlot sewage treatment systems proposed

under the requirements of 25 Pa. Code §§ 73.71 and 73.72. The purpose of this document is to provide current technical standards for all available alternate and experimental onlot systems and to update these standards periodically through amendments to this document. Anticipated Effective Date: October 1, 2001 Comment Period Ends: August 20, 2001 Contact: Trudy Troutman at (717) 783-3795 or e-mail at trutroutma@state.pa.us.

Draft Technical Guidance—Substantive Revision

DEP ID: 400-2200-001 Title: Guidelines for the Development and Implementation of Environmental Emergency Response Plans Description: The purpose of this document is to improve and preserve the purity of the waters of the Commonwealth by prompt adequate response to all emergencies and accidental spills of polluting substances for the protection of public health, animal and aquatic life and for recreation. The document is being revised to reflect changes in the Addendum, Section 2, Item I, Certification Requirements for Non-Storm Water Discharges. References to regulations have been updated in Table I and Procedures, Item A. Some addresses and telephone contact numbers have also been updated. Anticipated Effective Date: September 1, 2001 Comment Period Ends: August 20, 2001 Contact: Charles High at (717) 787-5027 or e-mail at chigh@state.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-1315. Filed for public inspection July 20, 2001, 9:00 a.m.]

Low-Level Waste Advisory Committee; Change of Meeting Date

The annual meeting of the Low-Level Radioactive Waste Advisory Committee has been changed from Thursday, September 27, 2001, to Friday, September 21, 2001. The meeting will still be held at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

The contact for the meeting is Rich Janati, Bureau of Radiation Protection, P. O. Box 8469, Harrisburg, PA 17105-8469, (717) 787-2163 or (800) 232-2786, email Rjanati@state.pa.us.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Kelly Sharp at (717) 787-2480 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-1316. Filed for public inspection July 20, 2001, 9:00 a.m.]

Notice of Extension of General NPDES Permit for Stormwater Discharges Associated with Industrial Activities

Under the authority of The Clean Streams Law (35 P. S. §§ 691.1—691.101), sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P. S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (DEP), by this notice, issues a 4 month time extension of its current General NPDES Permit for stormwater discharges associated with industrial activities (PAG #3) and related permit documents.

The current general permit is scheduled to expire August 3, 2001. The proposed extension will extend the current permit, as is in its entirety, until December 3, 2001. The extension will be effective on August 4, 2001, and shall expire on December 3, 2001. On or before August 4, 2001, DEP will redate and post the current permit and related documents (the NOI and the Instructions, Fact Sheet and DMRs) on the DEP website as amendment #3. No other changes will be made to the documents under amendment #3. All of the current permit documents, as updated for amendment #3, will continue to be in use until they are revised after subsequent rulemaking.

The general permit documents are currently under DEP review for a major update to reflect new information and other changes since the original documents were last updated. This extension provides for the continuation of the use of the existing general permit in the interim until the regulatory process for final revisions are completed.

The amendment #3 permit documents package will continue to be available from the Department's Regional and Central Offices until it is replaced or updated.

The permit document package is on file in DEP's central office of the Bureau of Water Supply and Wastewater Management at the following location. It is also available on DEP's website at <http://www.dep.state.pa.us/dep/deputate/watermgt/Wqp/Forms/FM-WQ0083b.doc>. The package can also be obtained by calling the telephone number or sending an e-mail message to:

Department of Environmental Protection
Bureau of Water Supply and Wastewater Management
11th Floor, Rachel Carson State Office Building
P. O. 8467
Harrisburg, PA 17105-8467
(717) 783-3795
E-mail address: trutoutma@state.pa.us

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-1317. Filed for public inspection July 20, 2001, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Design, Construction and Commissioning Services; Request for Proposals

The Department of General Services (DGS) is seeking interested firms to submit sealed proposals for consideration for the following project:

DGS 948-67DBC— Construction of the Commonwealth Mail Processing and Legislative Services Facility, Harrisburg State Hospital Grounds, Harrisburg, Dauphin County, PA. A brief description of the project is as follows: Design, construction and commissioning services required to construct a new Commonwealth Mail Processing and Legislative Services Facility.

RFP Price—\$75 (Includes 6% Pa. Sales Tax) per RFP. Checks must be made payable to the Commonwealth of Pennsylvania. This price is nonrefundable. Requests for the RFP should be mailed to the Department of General Services, Bureau of Professional Selections and Administrative Services, Room 107, Headquarters Building, 18th & Herr Streets, Harrisburg, PA 17125. Contact Bidders Services at (717) 787-3923 or www.dgs.state.pa.us for the names of those who have secured the RFP.

Preproposal Conference

A preproposal conference is scheduled for Thursday, July 26, 2001, at 10 a.m. in Conference Room 101, Headquarters Building, 18th and Herr Streets, Harrisburg, PA. A site visit will occur after the preproposal conference. Contact the DGS project coordinator, Art Pfeiffer, at (717) 783-3761.

All questions regarding the RFP or to clarify matters concerning the RFP must be submitted in writing to the issuing office by no later than 5 p.m., Monday, July 30, 2001. Only firms requesting the RFP will receive a copy of all submitted questions and answers.

All proposals are due Friday, August 10, 2001, no later than 2 p.m., in Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Responses received after this due date and time will be returned unopened.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 01-1318. Filed for public inspection July 20, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Albert Einstein Healthcare Network for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Albert Einstein Healthcare Network has requested an exception to 28 Pa. Code §§ 553.2, 553.3 and 555.3 (relating to ownership; governing body responsibilities; and requirements for membership and privileges).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1319. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Allegheny General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Allegheny General Hospital has requested an exception to 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1320. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Alliance Imaging, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Alliance Imaging, Inc. has requested an exception to 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1321. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Altoona Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Altoona Hospital has requested an exception to 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1322. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Ephrata Community Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Ephrata Community Hospital has requested an exception to the requirements of 28 Pa. Code § 51.6 (relating to identification of personnel).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1323. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Ephrata Community Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Ephrata Community Hospital has requested an exception to the requirements of 28 Pa. Code § 151.21 (relating to fire drills).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1324. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Hamot Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department)

hereby gives notice that Hamot Surgery Center has requested an exception to 28 Pa. Code § 555.22 (relating to preoperative care).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1325. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of HealthSouth Rehabilitation Hospital of Altoona for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that HealthSouth Rehabilitation Hospital of Altoona has requested an exception to 28 Pa. Code § 107.62 (relating to oral orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717)

783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1326. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of HealthSouth Rehabilitation Hospital of York for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that HealthSouth Rehabilitation Hospital of York has requested an exception to 28 Pa. Code § 51.3(c) (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1327. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of HealthSouth Surgery Center of Lancaster for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that HealthSouth Surgery Center of Lancaster has requested an exception to 28 Pa. Code § 551.21(a) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1328. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Jameson Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Jameson Memorial Hospital has requested an exception to 28 Pa. Code §§ 138.15 and 138.17(c) (relating to high-risk cardiac catheterizations; and PTCA).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1329. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Meadville Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Meadville Medical Center has

requested an exception to 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1330. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Milton S. Hershey Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Milton S. Hershey Medical Center has requested an exception to 28 Pa. Code § 51.3(a) (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or

the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1331. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Monongahela Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Monongahela Valley Hospital has requested an exception to the requirements of 28 Pa. Code §§ 138.15 and 138.17(c) (relating to high risk cardiac catheterizations; and PTCA).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1332. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Shadyside Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Shadyside Medical Center has requested an exception to 28 Pa. Code § 551.22(4) (relating to criteria for performance of ambulatory surgery on pediatric patients).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1333. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Somerset Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Somerset Hospital has requested an exception to the requirements of 28 Pa. Code §§ 138.15 and 138.17(c) (relating to high risk cardiac catheterizations; and PTCA).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1334. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of St. Francis Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that St. Francis Health System has requested an exception to the requirements of 28 Pa. Code § 51.3(f) and (g)(4) (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1335. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Temple University School of Podiatric Medicine for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Temple University School of Podiatric Medicine has requested an exception to the requirements of 28 Pa. Code § 153.1, (relating to minimum standards) which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 9.5.E2 (relating to clean assembly/workroom), 9.5.F2 (relating to ambulatory (outpatient) operating rooms), 9.5.F3 (relating to rooms for post anesthesia recovery), 9.5.H1a and 9.5.H2 (relating to details and finishes).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division

of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1336. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Tyler Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Tyler Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 51.6 (relating to identification of personnel).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1337. Filed for public inspection July 20, 2001, 9:00 a.m.]

Application of Uniontown Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Uniontown Hospital has requested an exception to the requirements of 28 Pa. Code §§ 138.15 and 138.17(c) (relating to high risk cardiac catheterizations; and PTCA).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1338. Filed for public inspection July 20, 2001, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301 and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Wednesday, August 15, and Thursday, August 16, 2001.

The meeting will be held at the Best Western Inn and Suites, 815 Eisenhower Boulevard, Middletown, PA 17057, from 9 a.m. to 3 p.m.

The Department reserves the right to cancel this meeting without prior notice.

For additional information contact Thomas M. DeMelfi, Department of Health, Bureau of Communicable Diseases, P. O. Box 90, Room 1010 Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0572.

Persons with a disability who desire to attend the meeting, and require an auxiliary aid, service or other accommodation to do so, should contact Thomas DeMelfi at (717) 783-0572 or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Services at (800) 654-5984[TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1339. Filed for public inspection July 20, 2001, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Payments to Nursing Facilities July 1, 2001 Proposed Rates

The purpose of this notice is to announce the proposed changes in payment rates for nursing facilities beginning July 1, 2001, and to identify the methodology and justification for these proposed rates. Under 42 U.S.C.A. § 1902(a)(13)(A), as amended by section 4711 of the Balanced Budget Act of 1997, (Pub.L. No. 105-33), a state must use a public process when it proposes to make changes in payment rates or payment methodologies for nursing facility services under its approved Title XIX State Plan. The Department of Public Welfare (Department) is not proposing to amend its State Plan or to

change its regulations, 55 Pa. Code Chapter 1187, relating to the rate-setting methodology used to set nursing facility payment rates. Rather, the Department is proposing to make changes in its nursing facility payment rates because those rate changes are required by the rate-setting methodology contained in its approved State Plan and regulations. The Department will promulgate amendments to the case-mix payment methodology relating to movable property costs and exceptional payment policies for durable medical equipment in the near future. These proposed rates do not reflect those amendments; however the Department expects the amendments to be finalized and incorporated into the final rates.

Rates

The proposed July 1, 2001, rates are available at the local County Assistance Offices throughout the Commonwealth, on the Office of Medical Assistance Programs' website at www.dpw.state.pa.us/omap or by contacting Tom Jayson in the Policy Section of the Bureau of Long Term Care Programs at (717) 772-2525.

Methodology

The methodology that the Department used to set the proposed rates based on CMI adjustments is contained in 55 Pa. Code Chapter 1187, Subchapter G (relating to rate setting) and the Commonwealth's approved Title XIX State Plan.

Justification

The justification for the proposed rates is that they were set under the rate-setting methodology required by the Commonwealth's approved State Plan and the current regulations.

The estimated increase in annual aggregate expenditures for Medical Assistance nursing facility services for FY 2001-2002 is \$92.010 million (\$41.964 million in State funds).

Interested persons are invited to submit written comments about the proposed rates to the Department within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Comments should be addressed to Department of Public Welfare, Attention: Suzanne Love, P. O. Box 2675, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users). Persons who require another alternative should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-298. (1) General Fund; (2) Implementing Year 2001-02 is \$41,964,000; (3) 1st Succeeding Year 2002-03 is \$45,779,000; 2nd Succeeding Year 2003-04 is \$45,779,000; 3rd Succeeding Year 2004-05 is \$45,779,000; 4th Succeeding Year 2005-06 is \$45,779,000; 5th Succeeding Year 2006-07 is \$45,779,000; (4) 2000-01 Program—\$722,565,000; 1999-00 Program—\$693,625,000; 1998-99—\$712,631,000; (7) Long Term Care; (8) recommends adoption. Funds for these changes were included in the 2001-02 budget.

[Pa.B. Doc. No. 01-1340. Filed for public inspection July 20, 2001, 9:00 a.m.]

Plans to Cease Operations at Mayview MR Unit

Citing declining resident population and rising institutional costs, the Department of Public Welfare (Department) has announced plans to cease operations at the Mayview Mental Retardation Unit, a State operated institution for people with mental retardation on the grounds of Mayview State Hospital, Allegheny County. The facility is expected to close by July 30, 2001, once the individual needs of the final three residents at the unit are fully met.

In accordance with Act 3 of 1999, the Department will hold a public hearing at 6 p.m., Wednesday, July 25, 2001, at the Holiday Inn Pittsburgh South, 164 Fort Couch Road.

State law requires the Department to hold a public hearing on any State mental health or mental retardation facility within 30 days of a closure announcement or following a downsizing of 20% or more in patient population since December 31, 1997.

This closure announcement is the result of numerous factors including the successful placement of individuals with mental retardation into small community homes that provide alternatives to State-center treatments and living arrangements.

Individuals or organizations wishing to testify should contact Mary Puskarich, Regional Program Manager at (412) 565-5144 by July 20, 2001. Anyone requiring special accommodations is asked to inform the Department at the time of scheduling.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 01-1341. Filed for public inspection July 20, 2001, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Approval of Ignition Interlock Systems

Notice is hereby given that pursuant to 42 Pa.C.S. § 7002(d), the following ignition interlock system devices are on the Department of Transportation's current approved list:

Alcohol Countermeasure Systems Corporation's—
Ignition Interlock Model WR2.

Consumer Safety Technology, Incorporated's—
Intoxalock™

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1342. Filed for public inspection July 20, 2001, 9:00 a.m.]

Enhanced Emission Inspection; Notice of Intent to Promulgate Regulation and Request for Public Participation

The Department of Transportation, Bureau of Motor Vehicles, pursuant to the authority contained in Sections 4351, 4701, 4706, 4707, and 4721 of the Vehicle Code, Act of June 17, 1976, P. L. 162, No. 81, as amended (75 Pa.C.S. §§ 4351, 4701, 4706, 4707, and 4721), announces its intention to amend Title 67 of Department Regulations by providing for equipment specifications to be used for onboard diagnostic (OBD) testing in Pennsylvania's enhanced vehicle emissions inspection program.

The purpose of this notice is to provide an opportunity to review and comment on the proposed technical specifications for manufacturers of the current PA 97 test equipment to upgrade those analyzers currently utilized by official emission inspection stations so that those analyzers can be used to perform OBD testing of model year (MY) 1996 and newer vehicles. Additionally, the specifications will provide the technical information needed for any qualifying party that wishes to provide "stand alone" OBD testing equipment for use in an OBD testing program.

The Department anticipates that these changes will affect owners of inspection stations, new and used car dealers and manufacturers of emissions testing equipment. Accordingly, all interested persons desiring to comment on the proposed specifications should request a copy of the proposed specifications from Peter Gertz, Gertz@dot.state.pa.us, (717) 787-2895 on or before July 27, 2001. Comments must be received in writing or by electronic mail no later than the close of business August 10, 2001. Comments should be directed to Peter Gertz, Vehicle Inspection Division, 4th Floor, Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104, or to Gertz@dot.state.pa.us.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1343. Filed for public inspection July 20, 2001, 9:00 a.m.]

Public Transportation Grants Management Accountability Performance Review Criteria for Class 4 Transit Entities

I. Introduction

Act 3 of 1997, Section 1315, requires the periodic completion of management performance audits by all transit entities receiving financial assistance under public transportation grant programs administered by the Pennsylvania Department of Transportation (the Department). The Act further stipulates that the Department shall establish criteria to be followed by transit entities in the completion of these audits. The following guidance is intended to fulfill this requirement. These guidelines are applicable to Class 4 transit entities.

While the legislation specifically references "audits", the following guidance will use the term "management performance review" or "review" to establish a clear distinction between the annual independent financial audits which transit entities are required to complete, and the management reviews described herein.

II. Schedule for Completion

Class 4 transit entities shall begin the initial management performance review no later than July 1, 2002. Thereafter, Class 4 transit entities shall perform a management performance review at least once every 10 years. The Department shall perform the review through qualified independent contractors within the months of the scheduled initiation of the review. If a class 4 entity wishes to perform its own review through qualified independent contractor, the class 4 entity must provide written notice to the Department no later than one year prior to the initiation date of the next scheduled review and that review must be performed within ten months of the scheduled initiation of the review.

The Department shall pay for other costs of the management performance reviews for class 4 transit entities. For those class 4 entities that chose to use its own qualified independent contractor to complete the management performance review, the Department will pay for the cost of such review provided the following requirements are met.

1. The qualified independent contractor (herein referred to as the consultant) will be selected through an open, competitive process consistent with state and local law and regulation.

2. The scope of work paid for by the Department must be consistent with the functions and activities listed below.

Procurement documents must specify the required scope for the review, which shall be in compliance with this guidance, and must be submitted to the Department for written approval prior to advertisement. Transit entities that provide both urban Class 3 transit service, and rural class 4 service may elect to conduct one management performance review, in accordance with this guidance, encompassing both urban service and rural services.

III. Organization Functional Review

The consultant shall conduct a system performance review to determine the operating efficiency and service effectiveness for both the transit system as a whole and for selected organization functions and activities of the agency. The analysis of the efficiency and effectiveness of the forenamed organization shall, at a minimum, include the functions and activities listed below. The transit entity is encouraged to include additional functions and activities in their evaluation as it finds appropriate.

Organization Functions to be Reviewed:

1. Board of Directors
2. Management/Administration
3. Finance
4. Human Resources
5. Transit Operations
6. Vehicle/Facility Maintenance
7. Marketing/Promotion
8. Planning/Government Relations
9. Capital Planning

IV. Systemwide Performance Evaluation

The analysis of systemwide performance shall, at a minimum, include the following transit industry performance measures.

Transit Performance Measures to be Included:

1. Operating cost per vehicle mile and/or per vehicle hour
2. Operating cost per originating passenger
3. Originating passengers per vehicle mile and/or per vehicle hour
4. Total employees per vehicle mile and/or per vehicle hour
5. Total vehicle miles and/or total vehicle hours per peak vehicle
6. Average age of the active vehicle fleet
7. Ratio of operating revenue to operating expenses (required for fixed route services only)
8. Average trip length (required for demand response services only)

Transit entities are encouraged to supplement these measures with additional performance factors which would be helpful in determining the agency's overall operating efficiency and service effectiveness.

The review shall include a time-series trend analysis of the above performance measures for the agency for the five most recently completed fiscal years. Based on this trend analysis, the consultant shall identify the areas of relative improvement and relative decline. To the maximum extent possible, the consultant shall identify the probable causes of these relative changes and make recommendations intended to strengthen the performance of the transit system.

In addition to this systemwide trend analysis, the review shall include a comparison of the above performance measures for the agency, for the most recently available fiscal year, with the same measures for approximately five "peer" transit systems. The peer transit systems, to the maximum extent possible, should have similar operating characteristics including service area, number of vehicles, types of services offered, etc. The selected peer transit systems may be either systems within, or outside of Pennsylvania.

Based on this peer-group analysis, the review shall identify the transit entity's areas of relative strength and relative weakness when compared to the peer group. To the maximum extent possible, the consultant shall identify the probable causes of these comparative strengths and weaknesses, and make recommendations intended to strengthen the performance of the transit system.

Finally, the review must include an evaluation of the results of the customer satisfaction surveys completed by the transit agency in accordance with Section 1315(c) of Act 3 of 1997. At a minimum this analysis must address the following six state-mandated subject areas:

- a. On-Time Arrival & Departure
- b. Vehicle Cleanliness
- c. Fares
- d. Driver Courtesy
- e. Safety
- f. Overall Customer Satisfaction

The transit entity is encouraged to evaluate additional areas of customer satisfaction that were included in the

agency's customer satisfaction survey. This analysis shall include a time-series trend analysis of this information for the five most recently completed fiscal years. Based on this trend analysis, the consultant shall identify the areas of relative improvement and relative decline. To the maximum extent possible, the consultant shall identify the probable causes of these relative changes and make recommendations intended to improve customer satisfaction.

V. Transit System Response and Submission of Independent Review

Upon receipt of the final report, each transit entity shall prepare an action plan addressing the findings and the recommendations contained in the independent review. The action plan must be approved by the transit entity's governing body within two months of receipt of the final report. Upon approval of the action plan by the transit entity's governing body, a copy of the independent review report and the agency's action plan must be submitted to the Department.

The transit entity shall implement its action plan in accordance with the time frames specified in the plan.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1344. Filed for public inspection July 20, 2001, 9:00 a.m.]

Vehicle Equipment and Inspection; Notice of Intent to Promulgate Regulation and Request for Public Participation

The Department of Transportation, Bureau of Motor Vehicles, pursuant to the authority contained in Section 4103, 4721 and 6103 of the Vehicle Code, Act of June 17, 1976, P. L. 162, No. 81, as amended (75 Pa.C.S. §§ 4103, 4721 and 6103), and consistent with the goals of Executive Order 1996-1, February 6, 1996, Regulatory Review and Promulgation, announces its intention to amend Title 67 of Department Regulations by amending Chapter 175, Vehicle Equipment and Inspection.

The purpose of this rulemaking is to respond to reported deficiencies in the current requirements of Chapter 175 by amending the regulations pertaining to business hours for official inspection stations.

The Department anticipates that this rulemaking will affect owners of inspection stations, as well as new and used car dealers. Accordingly, the Department is requesting that within ten (10) days of the publication of this notice in the *Pennsylvania Bulletin*, all interested persons desiring to participate in the development of this rulemaking or that have questions, suggestions, or comments, please contact Kris Singer at 1101 South Front Street, Third Floor, Riverfront Office Center, Harrisburg, PA 17104, or by calling (717) 787-2895.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1345. Filed for public inspection July 20, 2001, 9:00 a.m.]

FISH AND BOAT COMMISSION

Closures of New Brighton Access on the Beaver River, Beaver County; Tarentum Access on the Allegheny River, Allegheny County; and Elizabeth Access on the Monongahela River, Allegheny County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 53.4 (relating to limiting access to Commission property and other restrictions), will temporarily close three of its public access areas in the southwest region of this Commonwealth for maintenance and repair. These access areas will be closed during times that they are posted "closed." The three access areas that the Commission will temporarily close are:

- (1) New Brighton Access on the Beaver River, Beaver County, located off Routes 18 and 65 in New Brighton at River Road and 21st Street.
- (2) Tarentum Access on the Allegheny River, Allegheny County, located in Tarentum off Route 28 under the Route 366 bridge.
- (3) Elizabeth Access on the Monongahela River, Allegheny County, located at the foot of Market Street in Elizabeth.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 01-1346. Filed for public inspection July 20, 2001, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Mandated Benefits

Section 9 of Act 34 of 1993 requires that the Health Care Cost Containment Council (Council) review proposed mandated health benefits on request of the executive and legislative branches of government. The Council has been requested by Senator Edwin G. Holl, Chairperson of the Senate Banking and Insurance Committee, to review Senate Bill 779, Printers Number 871 (O'Pake). Senate Bill 779 would require all group and individual health insurance policies to provide coverage for annual prostate specific antigen (PSA) examinations for men age 50 and older. In addition, policies would be required to provide coverage for PSA examinations for men under age 50 upon a physician's recommendation.

The Council is requesting that anyone supporting or opposing these mandated insurance benefits provide six copies of documentation to the Council no later than September 21, 2001. The documentation should be mailed to Flossie Wolf, Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101.

Documentation submitted should be in accordance with any or all of the following information categories described in section 9 of Act 34:

- (i) The extent to which the proposed benefit and the services it would provide are needed by, available to and utilized by the population of this Commonwealth.

- (ii) The extent to which insurance coverage for the proposed benefit already exists, or if no coverage exists, the extent to which this lack of coverage results in inadequate health care or financial hardship for the population of this Commonwealth.

- (iii) The demand for the proposed benefit from the public and the source and extent of opposition to mandating the benefit.

- (iv) All relevant findings bearing on the social impact of the lack of the proposed benefit.

- (v) Where the proposed benefit would mandate coverage of a particular therapy, the results of at least one professionally accepted, controlled trial comparing the medical consequences of the proposed therapy, alternative therapies and no therapy.

- (vi) Where the proposed benefit would mandate coverage of an additional class of practitioners, the results of at least one professionally accepted, controlled trial comparing the medical results achieved by the additional class of practitioners and those practitioners already covered by benefits.

- (vii) The results of any other relevant research.

- (viii) Evidence of the financial impact of the proposed legislation, including at least:

- (A) The extent to which the proposed benefit would increase or decrease cost for treatment or service.

- (B) The extent to which similar mandated benefits in other states have affected charges, costs and payments for services.

- (C) The extent to which the proposed benefit would increase the appropriate use of the treatment or service.

- (D) The impact of the proposed benefit on administrative expenses of health care insurers.

- (E) The impact of the proposed benefits on benefits costs of purchasers.

- (F) The impact of the proposed benefits on the total cost of health care within this Commonwealth.

MARK P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 01-1347. Filed for public inspection July 20, 2001, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(d) and (g) of the Regulatory Review Act (71 P. S. § 745.5(d) and (g)) provide that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the committees' comment period. The Commission's Comment are based upon the criteria contained in subsections 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission issued comments on the following proposed regulations. The agencies must consider these comments in preparing the final-form regulations. The final-form regulations must be submitted by the dates indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-form Submission Deadline</i>
16A-6311	State Board of Psychology Examination Fees	07/05/01	06/04/03

31 Pa.B. 2380 (May 5, 2001)

16A-658	State Board of Physical Therapy Examination Fees	07/05/01	06/04/03
---------	---	----------	----------

31 Pa.B. 2379 (May 5, 2001)

State Board of Psychology Regulation No. 16A-6311

Examination Fees

July 5, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The State Board of Psychology (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by June 4, 2003, the regulation will be deemed withdrawn.

Remaining language in Chapter 41—Clarity.

The Board is deleting three fees related to examinations from section 41.12. However, there is existing language throughout Chapter 41 that references the fees and examinations being deleted. The language appears in the following sections:

Section 41.11(a)(4)—Licenses.

Section 41.31(a)(1), (2) and (b)—Qualifications for taking licensing examination.

Section 41.42(a) and (b)—Reexamination.

To be consistent with the Board's proposal and to provide clarity to the readers of Chapter 41, the Board should delete the language pertaining to the fees and examinations that is no longer applicable from the above sections.

State Board of Physical Therapy Regulation

No. 16A-658

Examination Fees

July 5, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the

criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The State Board of Physical Therapy (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by June 4, 2003, the regulation will be deemed withdrawn.

Remaining language in Chapter 40—Clarity.

The Board is proposing to delete three examination fees in section 40.5. However, there is language in the existing Chapter 40 which refers to those fees and examinations. The language appears in the following sections:

Section 40.13. Areas of examination.

Section 40.14. Failure; reexamination.

Section 40.15. Examinations.

Section 40.16. Licensure by endorsement.

To be consistent with the Board's proposal and to provide clarity to the readers of Chapter 40, the Board should also delete the language pertaining to the deleted fees and examinations from the above sections.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-1348. Filed for public inspection July 20, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Merge

The Reamstown Mutual Insurance Company, a Commonwealth domiciled mutual property insurance company, has submitted a Plan of Merger, whereby it proposes to merge with Reamstown Mutual Fire Insurance Company, a domiciled mutual property insurance company. The survivor of the merger would be The Reamstown Mutual Insurance Company. The initial filing was received on July 2, 2001, and was made under requirements set forth under the Business Corporation Law of 1988 (15 Pa.C.S. §§ 1921—1932 and 21205—21207). Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the author, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement and the relevant facts upon which it is based. Written statements should be directed to Robert A. Kotal, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, faxed to (717) 787-8557 or submitted via e-mail to rkotal@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1349. Filed for public inspection July 20, 2001, 9:00 a.m.]

Eligible Surplus Lines Insurer List

In accordance with section 1605(b) of the Insurance Company Law of 1921 (40 P. S. § 991.1605(b)), the Insurance Department hereby publishes the most recent Eligible Surplus Lines Insurer List. This list replaces in its entirety the Eligible Surplus Lines Insurer List as of January 18, 2001, published at 31 Pa.B. 746 (February 3, 2001).

Persons who have questions concerning this notice should contact Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

As of July 9, 2001

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
4001	Acceptance Insurance Company	222 South 15th Street Suite 600 North Omaha, NE 68102-1616
4002	Admiral Insurance Company	1209 Orange Street Wilmington, DE 19801
4005	Adriatic Insurance Company	314 East Thayer Avenue Bismarck, ND 58501
4011	Alea London Limited	The Corn Exchange 55 Mark Lane London, England EC3R 7NE
4017	Allianz Underwriters Insurance Company	3400 Riverside Drive Suite 300 Burbank, CA 91505-4669
4047	American Dynasty Surplus Lines Insurance Company	The Corporation Trust Company 1209 Orange Street Wilmington, DE 19801
4050	American Empire Surplus Lines Insurance Company	1209 Orange Street Wilmington, DE 19801
4052	American Equity Insurance Company	7676 East Pinnacle Peak Road Scottsdale, AZ 85255
4054	American Healthcare Specialty Insurance Company	425 W. Capitol Avenue Suite 1800 Little Rock, AR 72201
4055	American International Specialty Lines Insurance Company	1400 West Benson Blvd., Suite 315 Anchorage, AK 99503
4881	American Safety Indemnity Company	600 Bank of Oklahoma Plaza 201 Robert S. Kerr Avenue Oklahoma City, OK 73102
4062	American Western Home Insurance Company	600 Fidelity Plaza Oklahoma City, OK 73102
4081	Appalachian Insurance Company	Allendale Park P. O. Box 7500 Johnston, RI 02919-0500
4085	Assicurazioni Generali Di Trieste	Piazza Duca Degli Abruzzi, 2 Trieste, Italy 34132
4090	Associated Electric & Gas Insurance Services Limited	Liberty International 73 Front Street, 3rd Floor Hamilton, Bermuda HM11
4095	Associated International Insurance Company	21820 Burbank Boulevard, # 330 Woodland Hills, CA 91367
4100	Audubon Indemnity Company	795 Woodways Parkway Suite 310 Ridgeland, MS 39157
4000	AXA Reinsurance UK plc	London Underwriting Centre 3 Minster Court, Mincing Lane London, England EC3R 7DD
4135	British Aviation Insurance Company Limited	Fitzwilliam House 10 St. Mary's Axe London, England EC3A 8EQ
4145	Caliber One Indemnity Company	1209 Orange Street Wilmington, DE 19801

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
4150	Canal Indemnity Company	400 East Stone Avenue Greenville, SC 29601
4158	Centennial Casualty Company	2200 Woodcrest Place Suite 200 Birmingham, AL 35209
4160	Century Surety Company	2400 Corporate Exchange Drive Columbus, OH 43231
4200	CGU International Insurance PLC	St. Helen's 1 Undershaft London, England EC3P 3DQ
4170	Chubb Custom Insurance Company	32 Loockeman Square Dover, DE 19901
4175	Clarendon America Insurance Company	224 West State Street Trenton, NJ 08608
4140	CNA Reinsurance Company Limited	Fountain House 125-135 Fenchurch Street London, England EC3M 5DJ
4180	Colony Insurance Company	9201 Forest Hill Avenue Suite 200 Richmond, VA 23235-6865
4193	Columbia Casualty Company	CNA Plaza Chicago, IL 60685
4196	Commercial Underwriters Insurance Company	200 Corporate Pointe Suite 300 Culver City, CA 90230
4210	Commonwealth Insurance Company	595 Burrard Street, Suite 1500 Bentall Centre III Vancouver, B.C., Canada V7X 1G4
4213	Connecticut Specialty Insurance Company	9 Farm Springs Road Farmington, CT 06032
4216	Copenhagen Reinsurance Company (UK) Limited	25/26 Lime Street London, England EC3M 7HR
4215	Copenhagen Reinsurance Company Limited	4, Lyngby Hovedgade P. O. Box 325 Lyngby, Denmark DK-2800
4220	Coregis Indemnity Company	181 West Madison Avenue Suite 2600 Chicago, IL 60602
4222	Cross River Insurance Company	10306 Regency Parkway Drive Omaha, NE 68113
4879	Crum & Forster Specialty Insurance Company	One Commercial Plaza Hartford, CT 06103
4225	Crusader Insurance Company	23251 Mulholland Drive Woodland Hills, CA 91364
4230	Dakota Specialty Insurance Company	316 North Fifth Street Bismarck, ND 58502
4240	Discover Specialty Insurance Company	500 West Madison, Suite 2600 Chicago, IL 60661
4245	Eden Park Insurance Company	One Indiana Square Suite 1800 Indianapolis, IN 46204
4255	Empire Indemnity Insurance Company	809 Northwest 36th Street Oklahoma City, OK 73118
4268	Essex Insurance Company	1209 Orange Street Wilmington, DE 19801
4270	Evanston Insurance Company	Ten Parkway North Deerfield, IL 60015

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
4275	Everest Indemnity Insurance Company	Corporation Trust Center 1209 Orange Street Wilmington, DE 19801
4280	Executive Risk Specialty Insurance Company	82 Hopmeadow Street Simsbury, CT 06070-7683
4315	Fidelity Excess and Surplus Insurance Company	515 Main Street Cincinnati, OH 45202
4317	Fireman's Fund Insurance Company of Ohio	312 Walnut Street Suite 1100 Cincinnati, OH 45202
4319	First Financial Insurance Company	528 South Fifth Street Suite 210 Springfield, IL 62701-1822
4320	First Mercury Insurance Company	One South Wacker Drive Suite 2740 Chicago, IL 60606
4321	First Specialty Insurance Corporation	237 East High Street Jefferson City, MO 65102
4329	Frontier Pacific Insurance Company	101 West Broadway Suite 700 San Diego, CA 92101-8208
4331	Fulcrum Insurance Company	3636 North Central Avenue Phoenix, AZ 85012
4333	Gemini Insurance Company	Corporation Trust Center 1209 Orange Street Wilmington, DE 19801
4335	General Agents Insurance Company of America, Inc.	5623 North Western, Suite B Oklahoma City, OK 73118
4337	General Security Indemnity Company	2 World Trade Center New York, NY 10048-2495
4338	General Star Indemnity Company	695 East Main Street P. O. Box 10354 Stamford, CT 06904-2354
4345	Generali-France Assurances	5, rue de Londres Paris, France 75009
4350	Genesis Indemnity Insurance Company	316 North Fifth Street Bismarck, ND 58501
4360	Gotham Insurance Company	330 Madison Avenue New York, NY 10017
4010	Great American E & S Insurance Company	The Corporation Trust Company 1209 Orange Street Wilmington, DE 19801
4370	Great Lakes Reinsurance (UK) PLC	Upper Ground Floor, 1 Minster Court Mincing Lane London, England EC3R 7AA
4332	Groupama Insurance Company Limited	Gan House 12 Arthur Street London, England EC4R 9BJ
4380	Guilford Insurance Company	528 South Fifth Street Suite 210 Springfield, IL 62701-1822
4385	Gulf Insurance Company U.K. Limited	Suite 616, The Lloyds Bldg. 1 Lime Street London, England EC3M 7DQ
4390	Gulf Underwriters Insurance Company	951 Hornet Drive Hazelwood, MO 63042
4420	Houston Casualty Company	13403 Northwest Freeway Houston, TX 77040-6094

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
4427	Illinois Emcasco Insurance Company	815 Commerce Drive Oak Brook, IL 60521-1978
4432	Illinois Union Insurance Company	525 West Monroe Street Chicago, IL 60631
4438	Indemnity Marine Assurance Company Limited	St. Helen's 1 Undershaft London, England EC3P 3DQ
4441	Indian Harbor Insurance Company	Seaview House 70 Seaview Avenue Stamford, CT 06902-6040
4445	Industrial Insurance Company Limited	Vattuniemenkuja 8 A Helsinki, Finland FIN-00035
4430	INEX Insurance Exchange	1 South Wacker Drive Suite 2720 Chicago, IL 60606-4617
4448	International Insurance Company of Hannover Limited	Fountain House 130 Fenchurch Street London, England EC3M 5DJ
4451	Interstate Fire & Casualty Company	55 East Monroe Street Chicago, IL 60603
4425	ITT Pacific Insurance Company, Limited	Hartford Plaza Hartford, CT 06115
4460	Kemper Indemnity Insurance Company	1 Kemper Drive Long Grove, IL 60049-0001
4465	Kemper Surplus Lines Insurance Company	1 Kemper Drive Long Grove, IL 60049-0001
4471	Landmark American Insurance Company	11032 Quail Creek Road Suite 200 Oklahoma City, OK 73120
4472	Landmark Insurance Company	777 South Figueroa Street Los Angeles, CA 90017
4475	Legion Indemnity Company	190 S. LaSalle Street Chicago, IL 60603
4478	Lexington Insurance Company	1209 Orange Street Wilmington, DE 19801
4482	Liberty Mutual Insurance Company (UK) Limited	4th Floor, One Minster Court Mincing Lane London, England EC3R 7AA
4480	Liberty Surplus Insurance Corporation	175 Berkeley Street Boston, MA 02117
4492	Lloyd's (Underwriters at)	One Lime Street London, England EC3M 7HA
4530	Marine Insurance Company Limited	34/36 Lime Street London, England EC3M 7JE
4540	Maritime Insurance Company Limited	P. O. Box 6 Surrey Street Norfolk, England NR1 3NS
4565	Monticello Insurance Company	1209 Orange Street Wilmington, DE 19801
4575	Mt. Hawley Insurance Company	9025 N. Lindbergh Drive Peoria, IL 61615
4590	NAMIC Insurance Company, Inc.	3601 Vincennes Road Indianapolis, IN 46268
4598	National Fire & Marine Insurance Company	3024 Harney Street Omaha, NE 68131-3580
4605	Nautilus Insurance Company	7273 East Butherus Drive Scottsdale, AZ 85260

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
4595	NIC Insurance Company	One Penn Plaza New York, NY 10119-0002
4637	North American Capacity Insurance Company	650 Elm Street Manchester, NH 03101-2524
4645	Northern Assurance Company Limited	St. Helen's 1 Undershaft London, England EC3P 3DQ
4652	Northfield Insurance Company	Monroe House Law Ctr 237 E. High Street Jefferson City, MO 65101
4665	Nutmeg Insurance Company	Hartford Plaza Hartford, CT 06115
4667	Ocean Marine Insurance Company Limited	St. Helen's 1 Undershaft London, England EC3P 3DQ
4668	Old Republic Union Insurance Company	307 North Michigan Avenue Chicago, IL 60601
4700	Pacific Insurance Company	c/o CT Corp 818 West 7th Street Los Angeles, CA 90017
4730	Preferred National Insurance Company	9201 Forest Hill Avenue Suite 200 Richmond, VA 23235-6865
4735	Princeton Excess and Surplus Lines Insurance Company	2711 Centerville Road Suite 400 Wilmington, DE 19808
4740	Professional Underwriters Liability Insurance Company	50 West Broadway Salt Lake City, UT 84101
4755	QBE International Insurance Limited	14 Fenchurch Avenue London, England EC3M 5BS
4756	Queensway International Indemnity Company	10199 Southside Boulevard, Bldg 1 Suite 200 Jacksonville, FL 32256
4787	Rock River Insurance Company	3400 80th Street Moline, IL 61265-5886
4793	Royal Surplus Lines Insurance Company	500 Winding Brook Drive Glastonbury, CT 06033
4802	SAFECO Surplus Lines Insurance Company	SAFECO Plaza Seattle, WA 98185
4810	Savers Property & Casualty Insurance Company	700 West 47th Street Kansas City, MO 64112-1802
4816	Scottsdale Insurance Company	One Nationwide Plaza Columbus, OH 43215
4819	Sheffield Insurance Corporation	One South Wacker Drive, Suite 2700 Chicago, IL 60606
4821	Sirius International Insurance Corporation	Birger Jarlsgatan 57B Stockholm, Sweden SE-113 93
4453	Specialty Surplus Insurance Company	1 Kemper Drive Long Grove, IL 60049-0001
4804	SR International Business Insurance Company Limited	71-77 Leadenhall Street London, England EC3A 2PQ
4806	St. Paul Reinsurance Company Limited	52 Lime Street London, England EC3M 7BS
4807	St. Paul Surplus Lines Insurance Company	32 Loockerman Square Dover, DE 19901
4835	Starr Excess Liability Insurance Company, Ltd.	1010 Centre Road Wilmington, DE 19850

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
4845	Steadfast Insurance Company	Suite 202 32 Lookerman Square Dover, DE 19901
4849	Stonewall Insurance Company	580 Walnut Street Cincinnati, OH 45202
4860	Storebrand Skadeforsikring AS	P. O. Box 1380 Vika Oslo, Norway 0114
4875	Terra Nova Insurance Company Limited	41/43 Mincing Lane London, England EC3R 7SP
4880	Through Transport Mutual Insurance Association Limited	Windsor Place, Queen Street P. O. Box HM655 Hamilton, Bermuda HMCX
4870	TIG Specialty Insurance Company	650 California Street San Francisco, CA 94108
4882	Travelers Excess and Surplus Lines Company	One Tower Square Hartford, CT 06183
4884	Tudor Insurance Company	91 Court Street Keene, NH 03431
4893	U. S. Underwriters Insurance Company	316 North Fifth Street Sixth Floor Bismarck, ND 58501
4887	ULICO Indemnity Company	320 West Capital Street Suite 1000 Little Rock, AR 72201-3525
4890	Unionamerica Insurance Company Limited	The London Underwriting Centre 3 Minster Court, Mincing Lane London, England EC3R 7DD
4897	United Capitol Insurance Company	P. O. Box 324 Wayne City, IL 62895
4900	United Coastal Insurance Company	40 North Central Avenue Phoenix, AZ 85004
4395	United National Specialty Insurance Company	Three Bala Plaza, East Suite 300 Bala Cynwyd, PA 19004
4930	Vesta Insurance Company Limited	Folke Bernadottes vei 50 Bergen, Norway 5020
4935	Voyager Indemnity Insurance Company	3237 Satellite Boulevard, Suite 400 Duluth, GA 30096
4955	Wausau General Insurance Company	2000 Westwood Drive Wausau, WI 54401
4957	Westchester Surplus Lines Insurance Company	Six Concourse Parkway Suite 2500 Atlanta, GA 30328-5346
4962	Western Heritage Insurance Company	6263 N. Scottsdale Road Suite 240 Scottsdale, AZ 85250
4963	Western Indemnity Insurance Company	820 Gessner Suite 1200 Houston, TX 77024
4966	Western World Insurance Company	91 Court Street Keene, NH 03431
4925	Winterthur International America Underwriters Insurance Company	5810 East Skelly Drive Suite 700 Tulsa, OK 74135
4980	Yorkshire Insurance Company Limited	Pitheavlis Perth, Scotland PH2 0NH

<i>Key Number</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
4985	ZC Specialty Insurance Company	400 West 15th Street Suite 7 Austin, TX 78701
4990	Zurich International (Bermuda) Ltd.	The Zurich Centre, 90 Pitt's Bay Road P. O. Box HM 2268 Hamilton, Bermuda HMJX
4995	Zurich Specialties London Limited	The Zurich Building 90 Fenchurch Street London, England EC3M 4JX

Since publication of the January 18, 2001, eligible surplus lines insurer list, the following significant changes have occurred:

	<i>Key Number</i>	<i>Company Name</i>	<i>Date</i>
Additions:	4011	Alea London Limited	02/26/01
Deletions:	4440	Independence Indemnity Insurance Company	11/16/00
	4159	Century American Insurance Company	04/06/01
Name Changes:			
From:	4879	Transnational Insurance Company	12/28/00
To:	4879	Crum & Forster Specialty Insurance Company	
From:	4395	Hallmark Insurance Company	07/01/01
To:	4395	United National Specialty Insurance Company	

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1350. Filed for public inspection July 20, 2001, 9:00 a.m.]

Capital Advantage Insurance Company; Request for Gatekeeper PPO Approval; Filing No. CAIC-2001-4

On June 29, 2001, Capital Advantage Insurance Company (CAIC) submitted an application for review and approval by the Insurance Department and the Department of Health of an insured primary care physician gatekeeper Preferred Provider Organization for the service area of Berks County (Filing CAIC-2001-4). This application was submitted in accordance with the provisions of 31 Pa. Code Chapter 152 (relating to preferred provider organizations) and the Insurance Departments' Gatekeeper PPO Statement of Policy.

CAIC is a wholly owned subsidiary of Capital Blue Cross.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Richard Stoner, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days upon publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1351. Filed for public inspection July 20, 2001, 9:00 a.m.]

Capital Blue Cross and Pennsylvania Blue Shield; Individual Comprehensive Major Medical Program Rate Increase; Filing No. 01-R

Capital Blue Cross and Pennsylvania Blue Shield request to increase the rates for the individual comprehensive major medical program known as ClassicComp. The proposed increase is 14.40% for non-HIPAA eligible contractholders and 31.61% for HIPAA eligible contractholders. This rate change will produce an estimated additional annualized income of \$3.14 million and will affect approximately 6,000 contracts. An effective date of January 1, 2002, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mather, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1352. Filed for public inspection July 20, 2001, 9:00 a.m.]

**Capital Blue Cross and Pennsylvania Blue Shield;
Individual Major Medical Program Rate Increase;
Filing No. 01-Q**

Capital Blue Cross and Pennsylvania Blue Shield request to increase the rates for the Individual Major Medical Program. The proposed increase is 41.20%. This rate change will produce an estimated additional annualized income of \$1.8 million and will affect approximately 2,300 contracts. An effective date of January 1, 2002, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1353. Filed for public inspection July 20, 2001, 9:00 a.m.]

**Highmark Blue Cross Blue Shield; Direct Pay
Preferred Major Medical Plan Rate Increase;
Filing No. 1-PMM-01-HBCBS**

Highmark Inc., d/b/a Highmark Blue Cross Blue Shield, requests approval to increase its premium rates for its Direct Pay Preferred Major Medical Plan. The filing requests an increase of 10.8% of current premium, or \$12.23 per contract per month. This will affect about 4,100 contractholders and produce additional premium income of about \$0.6 million. The requested effective date of the change is January 1, 2002. Also requested is an increase in the deductible from \$500 to \$750.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1354. Filed for public inspection July 20, 2001, 9:00 a.m.]

**Highmark Blue Cross Blue Shield; Direct Pay
Special Care Hospital Plan; Filing No. 2-SSC-01-
HBCBS**

By filing No. 2-SSC-01-HBCBS, Highmark Inc., d/b/a Highmark Blue Cross Blue Shield, requests approval to increase its premium rates for its Direct Pay Special Care Hospital Plan. The filing requests an increase of 25.6% of

current premium, or \$11.48 per contract per month. This will affect about 20,650 contractholders and produce additional premium income of about \$2.8 million. The requested effective date of the change is January 1, 2002.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg regional office.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1355. Filed for public inspection July 20, 2001, 9:00 a.m.]

**Highmark Blue Cross Blue Shield; Security 65
Hospital Plan; Filing No. 1-65S-01-HBCBS**

Highmark Blue Cross Blue Shield requests approval to increase the premium rates for its Security 65 Hospital Plan. The filing requests increases of \$0.0 per contract per month for Plan A (or 0%), \$2.10 per contract per month for Plan B (or 3.2%), \$2.54 per contract per month for Plan C (or 3.1%) and \$14.73 per contract per month for Plan H (or 11.1%). This will affect about 96,900 contractholders and produce additional premium income of about \$3.65 million. The requested effective date of these changes is January 1, 2002.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1356. Filed for public inspection July 20, 2001, 9:00 a.m.]

**Highmark Blue Cross Blue Shield; Security 65
Medical Surgical Plan Rate Increase for Western
Region; Filing No. 1-DPCM-01-HBCBS**

Highmark Blue Cross Blue Shield requests approval to increase the premium rates for its Security 65 Medical Surgical Plan which covers Medicare Part B benefits. The filing requests an increase of 25.3% of current premium: \$11.49 per contract per month for Plans A, B and H and \$12.10 per contract per month for Plan C. This will affect about 96,900 contractholders and produce additional premium income of about \$13.68 million. The requested effective date of these changes is January 1, 2002.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1357. Filed for public inspection July 20, 2001, 9:00 a.m.]

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1358. Filed for public inspection July 20, 2001, 9:00 a.m.]

Highmark, Inc.; Direct Pay 65 Plus Drug Plan Rate Increase; Filing No. 1-65P-01-HBCBS

Highmark Inc., d/b/a Highmark Blue Cross Blue Shield, requests approval to increase its premium rates for its Direct Pay 65 Plus Drug Plan. The filing requests an increase of 28.6% of current premium, or \$27.15 per contract per month. This will affect about 25,918 contractholders and produce additional premium income of about \$8.4 million. The requested effective date of the change is January 1, 2002.

<i>Region</i>	<i>Percentage Increase</i>	<i>Amount (millions)</i>	<i>Increase PCPM</i>	<i>Number of Contracts</i>
Capital Blue Cross	5.5%	\$0.2	\$2.20	7,400
Independence Blue Cross	24.3%	\$1.9	\$11.50	13,750
Highmark Blue Cross				
—Blue Shield	14.7%	\$1.3	\$5.19	20,550
—Blue Cross of Northeastern PA	0.0%	\$0.0	\$0.00	3,100
Total	15.6%	\$3.4	\$6.27	44,800

The filing requests an average increase of about 15.6% of current premium. This will affect about 44,800 contractholders and produce additional premium income of about \$3.4 million. The requested effective date of the change is January 1, 2002.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's regional offices in Harrisburg, Pittsburgh and Philadelphia.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1359. Filed for public inspection July 20, 2001, 9:00 a.m.]

Highmark Inc.; Special Care Medical Surgical; Filing No. 2-SCMS-01-HI

By Filing No. 2-SCMS-01-HI, Highmark Inc., d/b/a Highmark Blue Cross Blue Shield and d/b/a Pennsylvania Blue Shield, requests approval to increase its Special Care Medical/Surgical in the Capital Blue Cross, Independence Blue Cross and Highmark Blue Cross Blue Shield regions. No change is requested for the Northeastern Pennsylvania region. Increases will vary by region, as follows.

Highmark Inc. d/b/a Pennsylvania Blue Shield; Ancillary Provider Agreement Addendum; Filing PBS-DIA-01

On July 6, 2001, Highmark Inc. d/b/a Pennsylvania Blue Shield submitted a Renal Dialysis Provider addendum to be attached to, and made part of, the Ancillary Provider Agreement previously submitted to the Insurance Department (Department) on June 22, 2001, under Filing No. 200135. Highmark Filing No. 200135 was previously published for public comment at 31 Pa.B. 3653 (July 7, 2001).

In this filing (PBS-DIA-01) and the previous filing (200135) submitted under section 9 of the Accident and Health Filing Reform Act (40 P.S. §§ 3801—3815), Highmark seeks approval of Ancillary Provider Agreements in order to operate as a hospital plan corporation and a professional health plan corporation under the trade name Pennsylvania Blue Shield in the 21 counties of the Capital region in South Central Pennsylvania.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Richard Stoner, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, during the 30 day comment period provided for under the previously submitted Ancillary Provider Agreement Filing No. 200135 published at 31 Pa.B. 3653.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1360. Filed for public inspection July 20, 2001, 9:00 a.m.]

Insurance Services Office, Inc.; Personal Auto Advisory Prospective Loss Cost Revision

On June 29, 2001, the Insurance Department (Department) received from Insurance Services Office, Inc. a filing for a loss cost level change for private passenger automobile insurance.

The rating organization requests an overall 7.0% increase in loss costs to be effective October 1, 2001.

Unless formal administrative action is taken prior to August 28, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

All interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail at mburkett@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1361. Filed for public inspection July 20, 2001, 9:00 a.m.]

Pioneer Life Insurance Company; Individual Medicare Supplement Policy Forms IMP-9500-APA, IMP-9500-BPA, IMP-9500-CPA, IMP-950-DPA and IMP-9500-EPA; Requesting Rate Increase

Pioneer Life has filed for approval rate increases for its Medicare Supplement forms, effective September 1, 2001. The increases requested by standardized Medicare Supplement plan are 35% for Plan A, 30% for Plan B, 15% for Plan C, 30% for Plan D and 24% for Plan E. The proposed rate increase will affect approximately 19,000 policyholders and will produce estimated additional annual premium of \$8.8 million for Commonwealth policyholders.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1362. Filed for public inspection July 20, 2001, 9:00 a.m.]

Vincent P. Noble; Doc. No. AG01-05-007

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) and the Insurance Department's (Department) Special Rules of the Administrative Practice and Procedure, 31 Pa. Code Chapter 56.

A prehearing telephone conference initiated by this office is scheduled for August 23, 2001, at 10 a.m. Each party shall provide the Administrative Hearings Office Docket Clerk a telephone number to be used for the telephone conference on or before July 26, 2001. A date for a hearing shall be determined, if necessary, at the prehearing telephone conference. At the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter. Pending hearing, parties shall exchange proposed exhibits, the names of witnesses and provide an offer of proof with respect to each witness, and informally attempt to resolve undisputed facts by stipulation.

On or before August 2, 2001, Vincent P. Noble shall file with the Administrative Hearings Office and serve upon the Department a prehearing statement which shall contain (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for his case. Failure of Vincent P. Noble to timely file a prehearing statement shall be deemed a withdrawal of his appeal. Should Vincent P. Noble file a prehearing statement, the Department shall file and serve a prehearing statement containing the same required information on or before August 13, 2001.

Except as established during the prehearing telephone conference, both parties shall appear at the scheduled hearing prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents for photographs into evidence shall bring enough copies for the record and for each opposing party. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 9, 2001, with the Docket Clerk, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harris-

burg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before August 16, 2001.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid service or other accommodations to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1363. Filed for public inspection July 20, 2001, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no such documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution # CB-01-130, Dated June 1, 2001. This resolution authorizes the side letter between the Commonwealth of Pennsylvania and the District 1199P, Service Employees International Union, AFL-CIO, regarding the \$155/biweekly payment for Registered Nurses who work for the Forensic Treatment Center at Waymart SCI. The estimated cost of the payments for 23 Registered Nurse 2s at SCI-Waymart is approximately \$91,000 per year.

Governor's Office

Manual M110.2—2001-02 Rebudget Instructions, Dated June 2001.

Management Directive No. 205.24—Display of Flags on Commonwealth Grounds and Buildings, Amended May 24, 2001.

Management Directive No. 260.1—Organization Requests, Amended May 30, 2001.

Management Directive No. 325.4—Agency Annual Audit Plan, Amended June 11, 2001.

Management Directive No. 505.12—Annual List of Employees, Amended June 26, 2001.

Management Directive No. 580.11—Documentation of Classified Service Personnel Actions, Amended June 6, 2001.

Administrative Circular No. 01-14—Relocation—Pennsylvania Human Relations Commission Central Office, Dated May 24, 2001.

Administrative Circular No. 01-15—Submission of Construction Requisitions Financed by Lapsing Funds, Dated May 30, 2001.

Administrative Circular No. 01-16—Workers' Compensation Rates, Dated June 13, 2001.

Administrative Circular No. 01-17—2001-02 Rebudget Instructions, Dated June 22, 2001.

Administrative Circular No. 01-18—Relocation—Pennsylvania Fish & Boat Commission, Dated June 22, 2001.

GARY R. HOFFMAN,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 01-1364. Filed for public inspection July 20, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before August 13, 2001, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-00117965. Northeast Paramedics Services, Inc. (44 Pierce Street, Kingston, Luzerne County, PA 18704), a corporation of the Commonwealth of Pennsylvania—temporary authority—to transport, as a common carrier, by motor vehicle, persons, both ambulatory and non-ambulatory, in paratransit service, from the facilities of Meadows Nursing Center, located in Dallas, Luzerne County, to points in the counties of Luzerne, Lackawanna and Wyoming, and return; subject to the following condition: that the vehicles utilized will be equipped with wheelchair lifts. Application for permanent authority appeared at 31 Pa.B. 3659 (July 7, 2001).

A-00118011. Blacklick Valley Foundation and Ambulance Service, Inc. (1077 First Street, Nanty-Glo, Cambria County, PA 15943), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in the borough of Nanty-Glo, Cambria County, and within an airline distance of 25 statute miles of the limits thereof, and from points in said area, to points in Pennsylvania, and return. *Attorney:* Kevin D. Persio, P. O. Box 239, Ebensburg, PA 15931.

Notice of Motor Carrier Applications— Persons in Limousine Service

The following applications for authority to transport persons in limousine service between points in Pennsylvania have been filed with the Pennsylvania Public Utility Commission. The applications will be considered without hearing in the absence of substantive protests limited to the issue of applicant fitness. Protests to these applications are due on or before August 13, 2001.

- A-00117971 Black Top Limousine, Inc.
1727 Passyunk Avenue
Philadelphia, PA 19103
Attorney: John J. Gallagher
1760 Market Street
Suite 1100
Philadelphia, PA 19103
- A-00118013 Millennium Limo, Inc.
P. O. Box 602
Jamison, PA 18929-0602
- A-00118014 Robert Kerr Associates, Inc.
t/d/b/a United Limousine and
Transportation Service
P. O. Box 5298
Somerset, NJ 08873
- A-00118016 LaMonica Limousine, Inc.
2636 Sunset Drive
West Mifflin, PA 15122

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1365. Filed for public inspection July 20, 2001, 9:00 a.m.]

Telecommunications

A-310892F0002. United Telephone Company of Pennsylvania d/b/a Sprint and American Fiber Network, Inc. Joint petition of the United Telephone Company of Pennsylvania d/b/a Sprint and American Fiber Network, Inc. for approval of a master resale agreement under section 252(a)(1) and (e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and American Fiber Network, Inc. filed on June 29, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and American Fiber Network, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1366. Filed for public inspection July 20, 2001, 9:00 a.m.]

Telecommunications

A-311120. United Telephone Company of Pennsylvania d/b/a Sprint and Devon Mobile Communications, Inc. Joint petition of the United Telephone Company of Pennsylvania d/b/a Sprint and Devon Mobile

Communications, Inc. for approval of an opt-in master commercial mobile radio services interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Devon Mobile Communications, Inc. filed on June 29, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and Devon Mobile Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1367. Filed for public inspection July 20, 2001, 9:00 a.m.]

Telecommunications

A-310957F0002. United Telephone Company of Pennsylvania d/b/a Sprint and KMC Telecom Holdings, Inc. d/b/a KMC Telecom V, Inc. Joint petition of the United Telephone Company of Pennsylvania d/b/a Sprint and KMC Telecom Holdings, Inc. d/b/a KMC Telecom V, Inc. for approval of a master interconnection and resale agreement under section 252(a)(1) and (e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and KMC Telecom Holdings, Inc. d/b/a KMC Telecom V, Inc. filed on June 29, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and KMC Telecom Holdings, Inc. d/b/a KMC Telecom V, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1368. Filed for public inspection July 20, 2001, 9:00 a.m.]

Telecommunications

A-311121. Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company. Joint petition of

Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company for approval of a resale agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company filed on June 29, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1369. Filed for public inspection July 20, 2001, 9:00 a.m.]

Telecommunications

A-310183F0002. Verizon Pennsylvania Inc. and Sprint Communications Company L.P. Joint petition of Verizon Pennsylvania Inc. and Sprint Communications Company L.P. for approval of amendment no. 3 to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Sprint Communications Company L.P. filed on July 2, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Sprint Communications Company L.P. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1370. Filed for public inspection July 20, 2001, 9:00 a.m.]

TURNPIKE COMMISSION

Retention of an Engineering Firm

Systemwide Biennial Bridge Inspection

Reference No. 3-140

The Turnpike Commission (Commission) will retain an engineering firm to perform the reinspection of approxi-

mately 850 structures owned by the Commission. The structures include bridges that are 8 feet or more in length and culverts which are 20 feet or more in length. The work will be performed in order to meet the current National bridge inspection standards of the Federal Highway Administration and the Pennsylvania Department of Transportation's (Department) Bridge Management System (BMS).

The superstructure and substructure of each bridge shall be inspected, rated and appraised based on criteria and guidelines defined in the following documents:

1. National Bridge Inspection Standards (NBIS).
2. AASHTO Manual for Maintenance Inspection of Bridges 1983, including the 1990 revision.
3. Bridge Inspector's Training Manual 90.
4. Culvert Inspection Manual, Report No. FHWA-IP-86-2.
5. Inspection of Fracture Critical Bridge Members, Report No. FHWA-IP-86-26.
6. Bridge Management System (BMS) Coding Manual, Department Publications 100A October 1993, and its updates.
7. Manual for Inspecting Bridge for Fatigue Damage Conditions, Research Project No. 85-02.
8. Bridge Safety Inspection Manual, Policies and Procedures, Publication 238, January 1989, and its updates.
9. BMS Coding Forms D-491 and their updates or a printout of the individual structure records from BMS.
10. BMS Inspection Forms D-450 Series and their updates.

The consultant must follow the existing 2-year interval schedule. Work performed must be completed by January 31, 2003.

The following factors will be considered by the Commission during the evaluation of the firms submitting letters of interest for this project:

- a. Specialized experience and technical competence of prime consultant and subconsultants. The Team must clearly demonstrate an ability to analyze available data to make decisions and develop plans to complete the project in a timely and cost effective manner.
- b. Past record of performance with respect to cost control, work quality ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project and the client.
- c. The specific experience and number of individuals who constitute the firm.
- d. Workload of the prime consultant and subconsultants for all Department and Commission projects.
- e. Number of certified inspectors and inspection teams available for this assignment and their qualifications.
- f. Capabilities of the proposed teams to address the bridge inspection, engineering evaluations and recommendations.
- g. Internal procedures for cost containment and quality assurance.
- h. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the letter of interest.

Direct inquires to James L. Stump, P.E., at (717) 939-9551, Ext. 5540; or by e-mail at jstump@paturnpike.com. Direct contractual questions to George M. Hatalowich at (717) 986-8737; or by e-mail at ghatalow@paturnpike.com.

General Requirements and Information

Firms interested in providing the previous work and services are invited to submit a Letter of Interest with the required information. The Letters of Interest must include the following:

1. One page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If the firm has multiple offices, the location of the office performing the work must be identified).

2. A three page expression of interest on the advertised project. Each firm should demonstrate their ability to perform the specific requirements indicated for each project and provide explanation that the firm has successfully completed similar type projects of the same magnitude.

3. An organization chart for the Project, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultant's listed in the letter of interest will require written approval from the Commission.

4. Tabulation or listing of workload for the prime consultant and all subconsultants for all Department and Commission projects. Do not submit the firms workload represented graphically.

5. An Annual Qualification Package similar to the one submitted to the Department for the current year that is in the same District as this project or one that is best suited for this project.

The Annual Qualification Package copy should contain at a minimum the following information for the prime consultant and all subconsultants and attached to the back of the letter of interest (subs to follow primes):

* Standard Form (SF) 254—Architect-Engineer and Related Services Questionnaire in its entirety, not more than 1 year old as of the date of the advertisement.

* Resumes of key personnel expected to be involved in the project. (limit to one 8 1/2 x 11 page, one side, per person). Only resumes of key personnel should be included.

* Copy of the firm's registration to do business in this Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in this Commonwealth.

* A copy of the Department's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate letters of interest from joint venture constituents. A firm will not be permitted to submit a letter of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

The Commission is committed to the inclusion of disadvantaged, minority and woman firms in contracting opportunities. The minimum participation level for DBE/MBE/WBEs in these contracts will be 10% each. Responding firms shall clearly identify DBE/MBE/WBE firms, expected to participate in these contracts, in their letter of interest. If the selected firm does not meet the minimum requirement for DBE/MBE/WBE participation, they will be required to demonstrate good faith efforts to achieve the required level. Proposed DBE/MBE/WBE firms must be certified by the Department at the time of the submission of the letter of interest. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Contracts Administration Department by calling (717) 939-9551 Ext. 4241.

Firms interested in performing the previous services are invited to submit a letter of interest and required information to Barry L. Troup, P.E., Assistant Chief Engineer for Design, Turnpike Commission Administration Building, 700 South Eisenhower Boulevard, Middletown, PA 17057 (Street address). Our mailing Address is P. O. Box 67676, Harrisburg, PA 17106-7676.

The letter of interest and required information must be received by 12 p.m., Friday, August 10, 2001. Any letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable letters of interest received in response to these solicitations, one firm will be selected for this project. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Selection Committee. Technical Proposals or Requests for Proposals will not be requested prior to selection.

The Commission reserves the right to reject all letters of interest, to cancel solicitation requested under this notice and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Chairperson

[Pa.B. Doc. No. 01-1371. Filed for public inspection July 20, 2001, 9:00 a.m.]