

NOTICES

DEPARTMENT OF AGRICULTURE

Application Period for Farm Safety and Occupational Health Grant Program

The Department of Agriculture announces the opening of the application period for funding from the Farm Safety and Occupational Health (FSOH) Grant Program for FY 2001. Grant applications will be accepted at the Department of Agriculture, Bureau of Plant Industry, 2301 North Cameron Street, Room G-13, Harrisburg, PA 17110-9408, from August 20, 2001, to October 30, 2001. Applications must be postmarked by October 30, 2001, to be considered for funding.

The FSOH Grant Program was created by the General Assembly through the passage of the Farm Safety and Occupational Health Act (act) (3 P. S. §§ 1901—1915) effective February 10, 1995. The FSOH Grant Program is funded through a specific appropriation provided for in the act. For guidelines, see the FSOH Grant Program Guidelines.

The FSOH Grant Program will award financial assistance, of up to \$2,500, to Statewide farm organizations, volunteer fire companies, ambulance services and rescue squads within this Commonwealth that wish to develop and deliver farm safety, occupational health and emergency response programs. The applications will be evaluated using criteria set forth in the statement of policy.

Obtaining Applications

Applications are available upon request by contacting Shiree Hunter, Department of Agriculture, Bureau of Plant Industry, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-5202 or by fax (717) 783-3275.

For further assistance, contact Phillip Pitzer, Department of Agriculture, Bureau of Plant Industry, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-5206.

SAMUEL E. HAYES, Jr.,
Secretary

[Pa.B. Doc. No. 01-1602. Filed for public inspection August 31, 2001, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending August 21, 2001.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
8-17-01	Delaware Investment U. S., Inc., Wilmington, Delaware, to acquire 100% of shares of Delaware Management Trust Company, Philadelphia, Pennsylvania, via its parent holding company, DMH Corp., Wilmington, Delaware	Wilmington, DE	Approved and Effective

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-8-01	First Commonwealth Bank Indiana Indiana County	9503 Lincoln Highway Bedford Bedford County	Opened
8-14-01	FirstService Bank Doylestown Bucks County	Intersection of Rtes. 309 and 313 Hilltown Bucks County	Approved
8-20-01	Farmers First Bank Lititz Lancaster County	24 North Cedar St. Lititz Lancaster County	Opened

NOTICES

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-21-01	Firsttrust Savings Bank Conshohocken Montgomery County	Greentree Mews Suites #1 and #4 600 North Route 73 Marlton Burlington County New Jersey	Approved

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-15-01	Northwest Savings Bank Warren Warren County	<i>To:</i> 999 South Main St. Meadville Crawford County <i>From:</i> 880 Park Avenue Meadville Crawford County	Filed
8-17-01	Promistar Bank Johnstown Cambria County	<i>Into:</i> 550 Central Avenue Johnstown Cambria County <i>From:</i> 4 Valley Pike Johnstown Cambria County	Filed
8-17-01	Promistar Bank Johnstown Cambria County	<i>Into:</i> 1900 Minno Drive Johnstown Cambria County <i>From:</i> 585 Goucher Street Johnstown Cambria County	Filed
8-17-01	Promistar Bank Johnstown Cambria County	<i>Into:</i> Ligonier and 35th Sts. New Florence Westmoreland County <i>From:</i> 622 Washington St. Bolivar Westmoreland County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**New Charter Applications**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
8-17-01	New Life Credit Union Philadelphia Philadelphia County <i>Correspondent:</i> Marsha L. Billups Vice President Sharon Baptist Church NLCU Steering Committee P. O. Box 8476 Philadelphia, PA 19101	Philadelphia	Filed

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1603. Filed for public inspection August 31, 2001, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Child Care Challenge Grant Program

The Department of Community and Economic Development (Department), in cooperation with the Department of Public Welfare, gives notice of the establishment of a \$10 million Child Care Challenge Grant Program (Program) which authorizes the award of grants to for-profit and nonprofit child care organizations that serve or agree to serve children from low-income families or cash assistance eligible families whose income does not exceed 235% of the Federal Poverty Income Guidelines. The maximum grant is \$1 million per fiscal year, not to exceed 75% of the eligible project cost. The minimum grant is \$50,000. The Program funds child care projects in areas of this Commonwealth where there is a capacity shortage. The joint agency Program is intended to improve access to center-based child care that could enhance employment opportunities for low-income families, improve the quality of care and contribute toward community development efforts. Eligible applicants must be endorsed by their regional child care resource developer and must demon-

strate that there is broad community support for the project. Preference is given to eligible applicants that offer service during nontraditional hours and to children with disabilities. Program guidelines, which set forth the eligibility criteria and the application process, are found on the Department's website at www.inventpa.com. Nonprofit child care organizations may apply online at www.esa.dced.state.pa.us. Nonprofit economic development organizations or nonprofit community development organizations may apply to the Department on behalf of for-profit child care agencies. Information about the nonprofit economic and community development organizations are found on the Department's website at www.inventpa.com.

Program inquiries and applications should be directed to the Child Care Challenge Grant Program, Small Business Financing Office, Department of Community and Economic Development, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120-0225, (717) 783-5046, fax: (717) 787-9154, e-mail ra-dcedsbfo@state.pa.us.

SAMUEL A. MCCULLOUGH,
Secretary

[Pa.B. Doc. No. 01-1604. Filed for public inspection August 31, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0087025	David M. Ott Dave & Jane's Crab House 2989 Tract Road Fairfield, PA 17320	Adams County Liberty Township	Flat Run/13-D	Yes
PA0087661	Chestnut Ridge Area Joint Municipal Authority 320 Lane Metal Road New Paris, PA 15554	Bedford County East Saint Clair Township	Dunning Creek/ 11-C	Yes

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. Sewerage</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0209406	Eutaw Centre SFTF, Inc. 150 Old Fort Road Spring Mills, PA 16875	Potter Township Centre County	9-C Bald Eagle	Yes
PA0113514	Madison Township Supervisors (Hilner STP) P. O. Box 620 Millville, PA 17899	Madison Town- ship Columbia County	Unnamed tribu- tary of Mud Run (10-D, Muncy wa- tershed)	Yes
SEW PA0111741	Warrior Run School District R. R. 2 Box 151-A Turbotville, PA 17772	Lewis Township Northumberland County	Warrior Run 10-D Muncy	Yes

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0102296, Sewage. **Erie Petroleum, Inc.**, Exit 1 State Line Travel Center, 1502 Greengarden Road, P. O. Box 6345, Erie, PA 16512-6345.

This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Activity: Treatment of sanitary waste from a travel center. The receiving stream, unnamed tributary to Raccoon Creek, is in watershed 15 (Lake Erie) and classified for: CWF; MF.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (stream and public water supplier) considered during the evaluation is the Erie municipal water intake, located 23 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0115 MGD:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
Phosphorus as "P"	1.0		
Total Residual Chlorine	0.5		0.75
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

PA0103896, Industrial Waste. **County Landfill, Inc.**, P. O. Box 2137, Leeper, PA 16233.

This proposed facility is located in Farmington Township, **Clarion County**.

Description of Proposed discharge of treated industrial waste (leachate), nonhazardous liquid waste, septage and stormwater, is in watershed 16F and classified for: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 75 miles below point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
(MO) Flow (MGD)	XX				
(BPT) BOD ₅	XX	XX	37	140	140
(BPT) Total Suspended Solids	XX	XX	27	88	88
(BPJ) NH ₃ -N	XX	XX	4.9	10	12.3
(BPJ) Fecal Coliform**** (5-1 to 9-30)			200/100 ml		
(10-1 to 4-30)			2,000/100 ml		
(Ch 97) Oil and Grease			15		30
(WQ) Antimony	0.01	0.02	0.041	0.082	0.1025
(BPJ) Aluminum	XX	XX	0.275	0.55	0.6875
Barium	XX	XX	0.3	0.6	0.75
Cobalt	XX	XX	0.05	0.1	0.125
Iron, Total	XX	XX	3.5	7	8.75
Iron, Dissolved	0.31	0.62	1.24	2.48	3.1
Manganese	XX	XX	1	2	2.5
Arsenic	XX	XX	0.05	0.1	0.125
Beryllium	XX	XX	0.005	0.01	0.0125
Cadmium	XX	XX	0.005	0.01	0.0125
Lead	0.00063	0.0013	0.00251	0.0052	0.0063
Nickel	XX	XX	0.05	0.1	0.125
Selenium	0.009	0.02	0.036	0.072	0.09
Silver	XX	XX	0.0019	0.0038	0.0048
Thallium	0.0022	0.004	0.008	0.016	0.02
Vanadium	XX	XX	0.099	0.198	0.25
Zinc	0.028	0.055	0.11	0.22	0.28
Tin	XX	XX	0.8	1.6	2
Cyanide, Total	XX	XX	0.0052	0.0104	0.013
Benzene			0.03	0.06	0.075
Methylene Chloride			0.1	0.2	0.25
Toluene			0.05	0.1	0.125
Butylbenzyl Phthalate			0.01	0.02	0.025
2-Chloronaphthalene			0.01	0.02	0.025
Diethyl Phthalate			0.025	0.05	0.0625
Lindane			0.00058	0.00116	0.00145
4,4'-DDT**			0.000001	0.000002	0.0000025
Dibromomethane			0.01	0.02	0.025
Tetrahydrofuran			0.025	0.05	0.0625
CETONE			0.109	0.218	0.2725
2-Butanone			0.21	0.42	0.525
2-Hexanone			0.015	0.03	0.0375
4-Methyl 2-Pentanone			0.015	0.03	0.0375
Xylene			0.01	0.02	0.025
p-Cresol			0.014	0.025	0.035
Copper			0.0075	0.015	0.019
Boron			1.6	3.2	4
A-Terpineol			0.016	0.033	0.04
Benzoic Acid			0.071	0.12	0.18
Phenol			0.015	0.26	0.038
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall Nos. 002, 003, 004, 005 are based on a design flow of n/a MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Chemical Oxygen Demand			XX		
Oil and Grease			XX		
Total Dissolved Solids (TDS)			XX		
Total Organic Carbon (TOC)			XX		
Barium (Total)			XX		
Cadmium (Total)			XX		
Chromium (Total)			XX		
Lead (Total)			XX		
Mercury (Total)			XX		
Magnesium (Total)			XX		

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Magnesium (Dissolved)			XX		
Selenium (Total)			XX		
Silver (Total)			XX		
Ammonia			XX		
Arsenic (Total)			XX		
Cyanide (Total)			XX		
Nitrate plus Nitrite Nitrogen			XX		
Iron (Dissolved)			XX		
pH			XX		

XX—Monitor and report.

*—Refer to Special Condition B.

**—Refer to Special Condition G in Part C of this permit.

***—Compliance shall be achieved using nonchlorine disinfection methods.

In addition to the effluent limits, the permit contains the following major special conditions.

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0056511, Sewage, **Barry and Kristen Eves**, 47 Bishop Road, Pottstown, PA 19464.

This application is for renewal of an NPDES permit to discharge treated sewage from the small flow sewage treatment plant in East Coventry Township, **Chester County**. This is an existing discharge to unnamed tributary to Pigeon Creek.

The receiving stream is classified for the following uses: high quality trout stocking fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 400 gpd are as follows:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	10	20
Suspended Solids		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Ammonia (as N)	5	10
Total Residual Chlorine	Monitor/Report	Monitor/Report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

PA0011568, Industrial Waste, **Bethlehem Lukens Plate**, 50 South First Street, Coatesville, PA 19320.

This application is for renewal of an NPDES permit to discharge treated process wastewater and stormwater from the Bethlehem Lukens Plate facility located in the City of Chester, **Chester County**. This is an existing discharge to Sucker Run and the West Branch Brandywine Creek.

The receiving streams are classified for the following uses: warm water fish, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.462 mgd are as follows:

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Lead, Total	0.015	0.045	0.045
Zinc, Total	0.12	0.37	0.37
Temperature			110°F
pH (Standard Units)	6.0 (I-Min)		9.0
Iron, Total	2.4	4.7	5.8
Iron, Dissolved	0.47	0.94	1.2
Total Residual Chlorine	Monitor/Report	Monitor/Report	Monitor/Report

The proposed effluent limits for Outfall 016, based on an average flow of 0.482 mgd are as follows:

<i>Parameter</i>	<i>Average</i>		<i>Instantaneous</i>
	<i>Monthly (mg/l)</i>	<i>Daily (mg/l)</i>	<i>Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Oil & Grease	15		30
Chromium, Total	Monitor/Report	Monitor/Report	8.0
Nickel, Total	0.132	0.264	0.330
Copper, Total	0.023	0.046	0.058
fluoride	Monitor/Report	Monitor/Report	
Temperature			110°F
pH (Standard Units)	6.0 (I-Min)		9.0
Phenols, Total	Monitor/Report	Monitor/Report	

The proposed effluent limits for Outfalls: 900, 960, 985, 988 and 992, based on an average storm event are as follows:

<i>Parameter</i>	<i>Average</i>	<i>Instantaneous Maximum</i>
	<i>Monthly (mg/l)</i>	<i>Daily (mg/l)</i>
CBOD ₅	Monitor/Report	Monitor/Report
COD	Monitor/Report	Monitor/Report
Oil and Grease	Monitor/Report	Monitor/Report
Total Suspended Solids	Monitor/Report	Monitor/Report
Lead, Total	Monitor/Report	Monitor/Report
Chromium, Total	Monitor/Report	Monitor/Report
Copper, Total	Monitor/Report	Monitor/Report
Cadmium, Total	Monitor/Report	Monitor/Report
Arsenic, Total	Monitor/Report	Monitor/Report
Iron, Dissolved	Monitor/Report	Monitor/Report
Fluoride	Monitor/Report	Monitor/Report
Nickel, Total	Monitor/Report	Monitor/Report
Zinc, Total	Monitor/Report	Monitor/Report
pH	Monitor/Report	Monitor/Report

The proposed effluent limits for Outfalls: 913—916, 918—921, 923, 936—937B, 939, 941—945A, 947—959, 965, 967—969, 986, 987, 989, 991 and 992A—994B based on an average storm event are as follows: not monitored.

The EPA waiver is not in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA #0009326, Industrial Waste, SIC Code 2033, **Mott's, Inc.**, 45 Aspers-North Road, P. O. Box 68, Aspers, PA 17304.

This facility is located in Menallen Township, **Adams County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Opossum Creek, is in Watershed 7-F and classified for trout stocking fishery, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Wrightsville Water Supply Company is located on the Susquehanna River, approximately 78 miles downstream. The discharge is not expected to affect the water supply.

The proposed final effluent limits for Outfall 001 based on a design flow of 1.04 MGD are:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH	XXX	XXX	From 6.0 to 9.0 inclusive		
Dissolved Oxygen	XXX	XXX	Minimum of 6.0 mg/l at all times		
Total Suspended Solids	217	434	25	50	62.5
CBOD ₅					
(5-1 to 10-31)	104	208	12	24	30
(11-1 to 4-30)	217	434	25	50	62.5
NH ₃ -N					
(5-1 to 10-31)	XXX	XXX	1.5	3.0	3.75
(11-1 to 4-30)	XXX	XXX	2.5	5.0	6.25
Total Phosphorus	XXX	XXX	2.0	4.0	5.0
Total Residual Chlorine	XXX	XXX	XXX	Monitor & Report	XXX

In addition to the effluent limits, the permit contains the following major special conditions:

Interim and final effluent limitations based on relocation of Outfall 001 from unnamed tributary of Opossum Creek to Opossum Creek.

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

PA #0024902, Sewage, **Upper Allen Township Board of Commissioners**, 100 Gettysburg Pike, Mechanicsburg, PA 17055.

This facility is located in Upper Allen Township, **Cumberland County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream Yellow Breeches Creek is in Watershed 7-E and classified for cold water fishes, water supply and recreation and fish consumption. The nearest downstream public water supply intake for United Water Company is located on Yellow Breeches Creek, approximately 11.72 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.10 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH (S.U.)		From 6.0 to 9.0 inclusive		
Dissolved Oxygen		Minimum of 5.0 at all times		
Total Residual Chlorine	0.5			1.6
Total Suspended Solids	30	45		60
CBOD ₅				
(5-1 to 10-31)	20	30		40
(11-1 to 4-30)	25	40		50
Total Phosphorus	2.0			4.0
Fecal Coliform		200/100 ml as a geometric average		
(5-1 to 9-30)		26,000/100 ml as a geometric average		
(10-1 to 4-30)		Monitor & Report		
Total Nitrogen				

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect.

PA #0044113, Sewage, **South Middleton Township Municipal Authority**, 345 Criswell Drive, P. O. Box 8, Boiling Springs, PA 17007-0008.

This facility is located in Monroe Township, **Cumberland County**.

Description of activity: The application is for renewal of a NPDES permit for an existing discharge of treated sewage.

The receiving stream Yellow Breeches Creek is in Watershed 7-E and classified for high quality cold water fishes, water supply and recreation and fish consumption. The nearest downstream public water supply intake for United Water Company is located on Yellow Breeches Creek, approximately 19.48 miles downstream. The discharge is not expected to affect the water supply.

The proposed interim limits for Outfall 001 for a design flow of 0.75 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	1.0		2.0
Total Suspended Solids	30	45	60
CBOD ₅			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Total Phosphorus	2.0		4.0
Total Nitrogen		Minimum of 5.0 at all times	
Dissolved Oxygen		From 6.0 to 9.0 inclusive	
pH			
Fecal Coliform		200/100 ml as a geometric average	
(5-1 to 9-30)		36,000/100 ml as a geometric average	
(10-1 to 4-30)			

The proposed final limits for Outfall 001 for a design flow of 1.5 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.50		1.6
Total Suspended Solids	20	30	40
CBOD ₅			
(5-1 to 10-31)	15	22	30
(11-1 to 4-30)	17.5	26	35
Total Phosphorus	1.5		3.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Nitrogen			
Total Copper	0.10		0.25
NH ₃ -N			
(5-1 to 10-31)	8.0		16
(11-1 to 4-30)	9.5		19
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform		200/100 ml as a geometric average	
(5-1 to 9-30)		26,000/100 ml as a geometric average	
(10-1 to 4-30)			

Individuals may make an appointment to review the DEP files on this case by the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0088927, Keating Farm, 1620 Beans Cove Road, Clearville, PA 15535.

John W. Keating submitted an application for an individual NPDES permit for an existing and expanding concentrated animal feeding operation (CAFO) known as Keating Farm, located on Beans Cove Road in South Hampton Township, **Bedford County**. The CAFO is situated near Lost Run, which is classified as High Quality—Cold Water Fishes (HQ-CWF). The CAFO is designed to maintain an animal population of 525 animal equivalent units (AEUs) consisting of 3,100 finishing pigs and 15 beef steers.

New facilities are proposed as part of this application. Manure generated at the existing barn is collected and stored underneath the confined structure and has a capacity of 444,579 gallons. Manure generated at the new barn is collected and stored underneath the confined structure and has a capacity of 575,100 gallons. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations including the Final CAFO Strategy, the Department has made a tentative determination to issue an individual NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southcentral Regional Office of the Department. Individuals may make an appointment to review the files by calling the File Review Coordinator at (717) 705-4732.

The Environmental Protection Agency (EPA) permit review waiver provision under 40 CFR 123.24(e) does not apply to this individual NPDES permit.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PA0025674, Sewage, Franklin Township Municipal Sanitary Authority, 3001 Meadowbrook Road, Murrysville, PA 15668.

This application is for Renewal of an NPDES permit to discharge treated sewage from Meadowbrook Sewage Treatment Plant in Municipality of Murrysville, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Turtle Creek, which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Pennsylvania-American Water Company.

Outfall 001: existing discharge, design flow of 4.2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>
<i>Instantaneous Maximum</i>			
CBOD ₅			
(5-1 to 10-31)	10	15	20
(11-1 to 4-30)	20	30	40
Suspended Solids	30	45	60

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Ammonia Nitrogen (5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	4.5	6.8		9.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	.04			.12
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0218162, Sewage, **Indiana County Municipal Services Authority**, 827 Water Street, Indiana, PA 15701.

This application is for an amendment of an NPDES permit to discharge treated sewage from Creekside STP in Washington Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Crooked Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Buffalo Township Municipal Authority, Freeport Plant, on the Allegheny River.

Outfall 001: existing discharge, design flow of 0.15 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen (5-1 to 10-31)	19.0	28.5		38.0
(11-1 to 4-30)	25.0	37.5		50.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	18,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			
Other Conditions:	The following effluent limitations will apply if/when the plant is expanded to a flow of 0.45 mgd.			

Outfall 001: existing discharge, design flow of 0.45 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	15	23		30
Suspended Solids	30	45		60
Ammonia Nitrogen (5-1 to 10-31)	7.5	11.3		15.0
(11-1 to 4-30)	22.5	33.8		45.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	7,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0218847, Sewage, **Pyramid Healthcare**, 1512 12th Avenue, Altoona, PA 16601.

This application is for Issuance of an NPDES permit to discharge treated sewage from Pyramid Healthcare Small Flow STP in Reade Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Drainage Swale to Powell Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: PA American Water Company, on the West Branch Susquehanna River near Milton.

Outfall 001: new discharge, design flow of 0.00191 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 as a geometric mean			
Total Residual Chlorine	Monitor and Report			
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0218910, Sewage, **Charlie Vrabel, Jr.**, 130 Dewy Lane, Gibsonia, PA 15044.

This application is for issuance of an NPDES permit to discharge treated sewage from Vrabel Small Flow STP in Richland Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary South Branch Glade Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Zelenople Municipal Water Works.

Outfall 001: new discharge, design flow of 0.001 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	3.0			6.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	.03			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE WASTEWATER
APPLICATIONS UNDER THE CLEAN STREAMS LAW
PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department). The applications are listed in two categories. Section I lists all municipal and industrial permits.

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should

include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 2301408, Sewerage, **Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

This proposed facility is located in Newtown Township, **Delaware County**.

Description of Proposed Action/Activity: Construction of a sewage treatment plant to serve the Somerset Land Development.

WQM Permit No. 4601410, Sewerage, **Lejeune Properties Inc.**, 4070 Butler Pike, Suite 800, Plymouth Meeting, PA 19462.

This proposed facility is located in Upper Providence Township, **Montgomery County**.

Description of Proposed Action/Activity: Construction and operation of a sewage treatment plant to serve River Crest, a proposed residential golf community.

WQM Permit No. 4601411, Sewerage, **Lejeune Properties Inc.**, 4070 Butler Pike, Suite 800, Plymouth Meeting, PA 19462.

This proposed facility is located in Upper Providence Township, **Montgomery County**.

Description of Proposed Action/Activity: Construction and operation of a sewage pump station and conveyance system to serve River Crest, a proposed residential golf community.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4801401, Sewerage, **Allen Township**, 4714 Indian Trail Road, Northampton, PA 18067.

This proposed facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: Installation of approximately 4,200 linear feet of 15" PVC interceptor sewer.

WQM Permit No. 4801402, Sewerage, **Allen Township**, 4714 Indian Trail Road, Northampton, PA 18067.

This proposed facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: Installation of approximately 3,400 linear feet of 8" PVC interceptor sewer.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2101406, Sewerage, **Visaggio's, Inc.**, 6990 Wertzville Road, Enola, PA 17025.

This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to construct a Sewage Treatment Plant to replace an existing malfunctioning septic system.

WQM Permit No. 2101407, Sewerage, **Silver Spring Township Authority**, 6415 Rear Carlisle Pike, Mechanicsburg, PA 17050.

This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to install 1 1/2 inch diameter force main to an outfall headwall at Simmons Creek on the north side of Wertzville.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4701402, Sewerage, **Valley Township Municipal Authority**, P. O. Box 307, Danville, PA 17821.

This proposed facility is located in Valley Township, **Montour County**.

Description of Proposed Action/Activity: the applicant purposes to construct a sewer extension of 22,150 LF of 8" gravity sewer, 1,500 LF of 4" and 6" pressure sewer and two pump stations to serve McCracken Road between Valley View Drive and SR642, Meadowbrook Lane and portions of Valley West Road.

The permit application was received on July 17, 2001.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 5601406, Sewerage, **John McClatchey**, 107 Osage Path, Stoystown, PA 15563. Application for the construction and operation of a small flow sewage treatment plant to serve the McClatchey Residence located in Indiana Lake Borough, **Somerset County**.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. PAG048753, Sewerage, **Charles J. and Anne Elizabeth Weiss "Parcel A,"** 3817 Wood Street, Erie, PA 16509.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No. PAG048754, Sewerage, **Charles J. and Anne Elizabeth Weiss "Parcel B,"** 3817 Wood Street, Erie, PA 16509.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10 D119, Stormwater. **Lorraine Tusavitz**, P. O. Box 23, Trumbauersville, PA 18970, has applied to discharge stormwater associated with a construction activity located in Milford Township, **Bucks County** to Rapp Creek (HQ-TSF).

NPDES Permit PAS10 D120, Stormwater. **Caracor, LLC**, 1628 North 18th Street, Allentown, PA, has applied to discharge stormwater associated with a construction activity located in Milford Township, **Bucks County** to Rapp Creek (HQ-TSF).

NPDES Permit PAS10 G483, Stormwater. **Spring Oak Business Park**, 55 Country Club Road, Suite 200, Downingtown, PA 19355, has applied to discharge stormwater associated with a construction activity located in Charlestown Township, **Chester County** to Pickering Creek (HQ-TSF).

NPDES Permit PAS10 G484, Stormwater. **John Cellucci**, 211 Bair Road, Berwyn, PA, has applied to discharge stormwater associated with a construction activity located in Charlestown Township, **Chester County** to Valley Creek (EV).

NPDES Permit PAS10 J032-R, Stormwater. **Edward Keinath**, 12 Pine View Drive, Media, PA 19063, has applied to discharge stormwater associated with a construction activity located in Edgmont Township, **Delaware County** to Rocky Run (HQ).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lackawanna County Conservation District: 1300 Old Plank Rd., Mayfield, PA 18433, (570) 281-9495.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10N032	Paul Abdalla P. O. Box 474 Waverly, PA 18471	Lackawanna County Covington Township	Emerson Run (Tributary to Roaring Brook) HQ-CWF

Monroe County Conservation District: 8050 Running Valley Rd., Stroudsburg, PA 18360, (570) 629-3060.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10S106	Mountain Terrace Estates Park Developers LLC P. O. Box 1288 Brodheads ville, PA 18322	Monroe County Tunkhannock Township	Tunkhannock Creek HQ-CWF Mud Run HQ-CWF
PAS10S043-R	Mt. Pocono Recreation Area Mt. Pocono Borough 303 Pocono Blvd. Mt. Pocono, PA 18344	Monroe County Mt. Pocono Borough	Forest Hills Run HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Berks County Conservation District: P. O. Box 520 1238 County Welfare Road Leesport, PA 19533, (610) 372-4657.

NPDES Permit PAS10 PAS-10-C047, Stormwater.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10C047	Pa. Dept. of Trans. 1713 Leighton St. Allentown, PA 18103	Cumru Township Spring Township Brecknock Township Berks County	Little Muddy Run (TSF) Klines Creek (CWF)

**PUBLIC WATER SUPPLY (PWS)
PERMIT
APPLICATIONS**

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 5400503, Public Water Supply.

Applicant	Pennsylvania American Water Co.
Township or Borough	West Mahanoy Township Schuylkill County
Responsible Official	Cindy G. Hitz, WQ Superintendent 800 West Hershey Park Drive Hershey, PA 17033 (717) 531-3303
Type of Facility	Community Water System
Application Received Date	July 27, 2001
Description of Action	Application for issuance of a consecutive water system for a group of approximately 40 homes on the eastern edge of the Frackville water distribution system which also receives water from the Schuylkill County Municipal System.

Application No. 4801502, Public Water Supply.

Applicant	Green Waltz Water Company
Township or Borough	Washington Township Northampton County
Responsible Official	Ted Williams, President 2521 Delabole Road Bangor, PA 18013
Type of Facility	Bulk Water Hauling
Consulting Engineer	Edward E. Davis, P.E. W.J.P. Engineers 1406 Laurel Blvd. Pottsville, PA 17901
Application Received Date	July 5, 2001
Description of Action	Replacement of Existing Disinfection Equipment with a New Ultraviolet Light Disinfection System

Permit No. 0701504, Public Water Supply.

Applicant	Altoona City Authority Prospect Water Storage Tanks
Municipality	City of Altoona
County	Blair
Responsible Official	John Anthony, Executive Director 20 Greenwood Road Altoona, PA 16603
Type of Facility	Public Water Supply
Consulting Engineer	Mark V Glenn, P.E. Gwin, Dobson & Foreman, Inc. 3121 Fairway Dr. Altoona, PA 16602-4475
Application Received Date	August 2, 2001
Description of Action	Application for a Construction Permit for two 3.0 MG ground level storage tanks, a booster chlorination/pump building, piping and valves at the Oakton Reservoir project site. Also includes two 3.0 MG ground level storage tanks, control building, piping and valves at the Prospect Reservoir project site.

Permit No. 0601513, Public Water Supply.

Applicant	Specialty Design & Manufacturing Co., Inc.
Municipality	Alsace Township
County	Berks
Responsible Official	Mark J Heisey, Project Specialist 1129 West Governor Road P. O. Box 797 Hershey, PA 17033-0797
Type of Facility	Public Water Supply
Consulting Engineer	Stephen B Fulton, P.E. ARM Group Inc. 1129 West Governor Road P. O. Box 797 Hershey, PA 17033-0797

Application Received August 3, 2001
 Date
 Description of Action Construction of a carbon absorption treatment system for volatile organic compounds on an existing public water supply.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 6001502, Public Water Supply.

Applicant **West Buffalo Township Municipal Authority**
 Township West Buffalo Township, **Union County**
 Responsible Official Robert Valentine, Secretary
 West Buffalo Township Municipal Authority
 P. O. Box 237
 Mifflinburg, PA 17844-9764
 Type of Facility Public Water Supply
 Consulting Engineer Raymond Robbins, P.E.
 R. R. 5, Box 390
 Mifflinburg, PA 17844-9764
 Application Received July 13, 2001
 Date
 Description of Action New consecutive water system connected to the Borough of Mifflinburg

Permit No. 1901501, Public Water Supply.

Applicant **United Water Pennsylvania**
 Township South Centre Township, **Columbia County**
 Responsible Official Ronald Wittenrich,
 Production Superintendent
 United Water Pennsylvania
 90 Irondale Road
 Bloomsburg, PA 17815
 Type of Facility Public Water Supply
 Consulting Engineer R. Michael Gephart, P.E.
 United Water Pennsylvania
 4211 East Park Circle
 Harrisburg, PA 17111
 Application Received July 13, 2001
 Date
 Description of Action Construction of a waterline and pump station to serve the Scenic Knolls area from the existing United Water PA Bloomsburg water system

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2787501-T2-MA3, Minor Amendment.

Applicant Cornell Abraxas I
 Forest Road, P. O. Box 59
 Marienville, PA 16239-0059
 Township or Borough Howe Township, **Forest County**
 Responsible Official James E. Newsome, Facility Director
 Type of Facility PWS
 Consulting Engineer Russell M. Brown,
 Water System Consultant
 Utility Service Company Inc.
 22 Sycamore Drive
 Mechanicsburg, PA 17050.
 Application Received August 8, 2001
 Date
 Description of Action Paint water storage tank.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment

period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Estate of Sam DeRose/Venice Auto Parts, City of Philadelphia, **Philadelphia County**. Steven F. Coe, Brown Environmental Services, 42 Sequoia Dr., Newtown, PA 18940, on behalf of the Estate of Sam DeRose, 6219 W. Passyunk Ave., Philadelphia, PA 19153, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with lead, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Daily News* on June 22, 2001.

8th Street/SEPTA Parking Lot Site, Perkasio Borough, **Bucks County**. Michael S. Kozar, P.G., O'Brien & Gere, 1777 Sentry Parkway West, Gwynedd Hall, Suite 302, Blue Bell, PA 19422, on behalf of SEPTA, Leased by Borough of Perkasio, 311 S. 9th St., Perkasio, PA 18944, has submitted a Notice of Intent to Remediate site soil contaminated with lead, metals, polycyclic aromatic hydrocarbons and TPH. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Morning Call* on August 3, 2001.

Smith Residence, West Chester Borough, **Chester County**. James P. Gallagher, P.G., Marshall Miller & Associates, 3913 Hartzdale Dr., Suite 1306, Camp Hill, PA 17011, on behalf of Chris Smith, 107 Garfield Ave., West Chester, PA 19380, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on May 17, 2001.

Former Horsham Motor Lodge Site, Horsham Township, **Montgomery County**. Matthew S. Winters, WaWa, Inc., 260 W. Baltimore Pike, WaWa, PA 19603, on behalf of Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19603, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Reporter* on June 26, 2001.

Southwest Region: Environmental Cleanup Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Pittsburgh Tube Company Facility Former, City of Monaca, **Beaver County**. William G. Weir, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 (on behalf of Beaver County Corporation for Economic Development, 250 Insurance Street, Suite 300, Beaver, PA 15009) has submitted a Notice of Intent to Remediate soil and groundwater contaminated with PCBs, Lead, Heavy Metals, Solvents, Antimony, Arsenic, Copper and Selenium. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Beaver County Times* on July 27, 2001.

Chapel Harbor Site, O'Hara Township, **Allegheny County**. David R. Perry, American Geosciences, Inc., 3925 Reed Blvd., Suite 400, Murrysville, PA 15668 (on behalf of Chapel Harbors at the Water, L.L.C., c/o Zambrano Corporation, 1650 Main Street, Pittsburgh, PA 15215) has submitted a Notice of Intent to Remediate groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pittsburgh Post Gazette* on August 7, 2001.

RESIDUAL WASTE GENERAL PERMITS

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR077. Perry County Recycling Corporation, R. D. 3, Box 191, Newport, PA 17074. General Permit application numbered WMGR077 for the processing and beneficial use of asphalt shingles as aggregate for road and driveway construction. Central Office received the application on June 7, 2001 and determined administratively completeness on August 17, 2001.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in obtaining more information about the general permit application may contact the Division at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Oper-

ating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05005B: PA Department of Corrections (P. O. Box 598, Camp Hill, PA 17001) for installation of a 63.9 mmBtu/hr boiler at the State Correctional Institute—Camp Hill located in Lower Allen Township, **Cumberland County**. This boiler is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

36-05015C: Dart Container of PA (60 East Main Street, Leola, PA 17540) to authorize the transfer and use

of certified volatile organic compound (VOC) emission reduction credits (ERCs) as emission offsets for the direct injection foam processing operations in Upper Leacock Township, **Lancaster County**. Dart Container of PA is a major facility subject to the emission offset requirements of 25 Pa. Code, Chapter 127, Subchapter E (relating to new source review).

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

18-00006B: Dominion Transmission Corp.—Leidy Compressor Station (625 Liberty Avenue, Pittsburgh, PA 15222) for installation of replacement nitrogen oxides control systems (screw-in prechambers) on natural gas-fired reciprocating internal combustion compressor Engines 4, 5, 6, 9, 10 and 11 in Leidy Township, **Clinton County**.

18-00011B: Croda, Inc. (P. O. Box 178, Mill Hall, PA 17751) for construction of a 14.65 million BTU per hour natural gas-fired boiler equipped with a low NOx burner and flue gas recirculation in Bald Eagle Township, **Clinton County**.

18-313-018C: Avery Dennison Chemical Division (US) (171 Draketown Road, Mill Hall, PA 17751-9601) for modification of a reactor system (R-700) to manufacture solvent-based adhesives instead of water-based adhesives and for construction of a new reactor system (R-800) in Bald Eagle Township, **Clinton County**.

18-00011C: Croda, Inc. (P. O. Box 178, Mill Hall, PA 17751) to construct 49 bulk VOC storage tanks each with a capacity between 3,000 and 13,500 gallons in Bald Eagle Township, **Clinton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

26-00536A: Custom Carbon Products, Inc. (P. O. Box 10, Lemont Furnace, PA 15456) for Manufacture Carbon Products at Lemont Furnace Facility in North Union Township, **Fayette County**.

26-00537A: Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) for construction of a Portable Crusher at Knopsider Mine in Saltlick Township, **Fayette County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-00008: Tavo Packaging, Inc. (2 Canal Road, Fairless Road, PA 19030) for installation of Flexographic Printing Press No. 309 with eight printing units in Falls Township, **Bucks County**. This facility is a synthetic-minor facility. The installation of this source will result in an increase of 4.0 tons of VOCs per year. The Plan Approval will contain record keeping requirements to keep the facility operating within the allowable emissions and all applicable air quality requirements.

46-0209: PPL Hatfield (Elroy Road, Hatfield, PA 19040) for installation of two 45 MW natural gas fired

simple cycle combustion turbines in Hatfield Township, **Montgomery County**. This installation will result in the emissions of 24 tons per year of nitrogen oxides, 40 tons per year of carbon monoxide, 5.8 tons per year of sulfur oxides, 13.9 tons per year of particulate matter and 7.5 tons per year of volatile organic compounds. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

39-399-050: Apollo Metals, Ltd. (1001 Fourteenth Avenue, Bethlehem, PA 18018) for construction and operation of a copper electroplating line, evaporator recovery system and associated air cleaning device in Bethlehem, **Lehigh County**. This installation will result in a particulate emission rate of 0.8 ton per year based on the Best Available Technology allowable particulate emission standard of 0.02 grain/DSCFT. The Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 39-00003. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05064A: York Building Products Co., Inc. (P. O. Box 1708, York, PA 17504) for the modification of a batch asphalt plant in Spring Garden Township, **York County**. This is a non-Title V facility. The plan approval will include emission restrictions, work practice standards, monitoring, recordkeeping and reporting requirements designed to keep the source operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

19-304-008C: Benton Foundry, Inc. (R. R. 2, Box 110, Benton, PA 17814-9550) for construction of two phenolic urethane cold box core-making machines, the air contaminant emissions from which shall be controlled by an existing packed bed scrubber in Sugarloaf Township, **Columbia County**.

The information provided by the applicant, as well as the Department's own analysis, indicates that the subject core machines may potentially emit up to 5.03 tons of volatile organic compounds and 1.00 ton of hazardous air pollutants per 12 consecutive month period. These core machines will also emit negligible amounts of particulate matter.

A preliminary review of the information submitted by the applicant indicates that the proposed facility will meet all applicable air quality requirements including the "best available technology" requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to approve the application and issue a plan approval to construct. If the plan approval is issued and if the core machines are subsequently found to be in compliance with all applicable regulatory requirements and plan approval conditions, the plan approval will be

incorporated into Operating Permit 19-304-008B via administrative amendment in accordance with 25 Pa. Code § 127.450.

In order to ensure compliance with all applicable standards, the Department proposes to place the following requirements in the respective plan approval.

- The total combined emission of volatile organic compounds from the two new core machines shall never exceed 5.03 tons in any 12 consecutive month period.

- The total combined emission of volatile organic compounds from the core making operation, which includes five existing core machines in addition to the two new core machines, shall never exceed 5.03 tons in any 12 consecutive month period.

- The two new core machines shall not process more than a combined total of 10,000 tons of sand in any 12 consecutive month period.

- The core making operation, which includes five existing core machines in addition to the two new core machines, shall not use more than a combined total of 10,000 tons of sand in any 12 consecutive month period.

- The total combined emission of any single hazardous air pollutant from the two new core machines shall never exceed 0.5 ton in any 12 consecutive month period and the total combined emission of all hazardous air pollutants from the two new core machines shall never exceed 1.0 ton in any 12 consecutive month period.

- The total combined emission of any single hazardous air pollutant from the core making operation, which includes five existing core machines in addition to the two new core machines, shall never exceed 0.5 ton in any 12 consecutive month period and the total combined emission of all hazardous air pollutants from the core making operation shall never exceed 1.0 ton in any 12 consecutive month period.

- The scrubber shall be equipped with instrumentation to continuously monitor the differential pressure across the scrubber, the pH of the scrubbing solution and the pressure of the scrubber's recirculation system.

- The pH of the scrubbing solution shall never exceed 5.0.

- The flow rate of the scrubber's recirculation system shall be equal to or greater than 120 gallons per minute any time the scrubber is operating. Compliance with this condition shall be verified by ensuring that the pressure of the scrubber's recirculation system is equal to or greater than 25 psi.

- The new core machines are not to be operated at any time without the simultaneous operation of the associated scrubber.

- The company shall maintain comprehensive accurate records and generate a monthly report of air contaminant emissions in order to demonstrate compliance with all applicable emission limitations. Additionally, the company shall also maintain a weekly record of the scrubber's scrubbing solution's pH. All records and reports required by this condition shall be retained on site for at least 5 years from the date of generation and shall be made available to Department personnel upon request.

19-302-031: Dillon Floral Corp. (P. O. Box 180, Bloomsburg, PA 17815-0180) for modification of two existing boilers in Bloomsburg, **Columbia County**. The modification will consist of firing reprocessed oil in both boilers.

The information provided by the applicant indicates that the modification of the boilers will have the potential to increase hazardous air pollutant emissions by an insignificant amount (fraction of a ton). A preliminary review of the information submitted by the applicant indicates that the boilers will meet all applicable air quality requirements. Based on this finding, the Department proposes to approve the application and issue a plan approval for the modification. If compliance with all applicable regulatory requirements and plan approval conditions is demonstrated following the modification, the Department intends to issue an operating permit which would authorize the use of reprocessed oil in the boilers on a permanent basis.

In order to ensure compliance with all applicable standards, the Department proposes to place the following requirements in the respective plan approval:

1. The reprocessed oil fired in either boiler shall not contain contaminants in excess of the limitations specified:

<i>Contaminant</i>	<i>Limitation</i>
Arsenic	5 ppmw
Cadmium	2 ppmw
Chromium	10 ppmw
Lead	100 ppmw
Total Halides	1,000 ppmw
PCBs	2 ppmw
Ash	0.6% by weight

Additionally, the heat content of the reprocessed oil shall not be less than 140,000 BTU per gallon.

2. The sulfur contents of the fuels burned in either boiler shall comply with the following limitations:

<i>Fuel Oil</i>	<i>12-consecutive month average sulfur limit</i>	<i>Maximum Sulfur Limit</i>
No. 4	1.5% by weight	2.8% by weight
No. 6	N/A	2.8% by weight
Reprocessed	2.0% by weight	2.8% by weight

3. The company shall not accept for use in either boiler any shipment of reprocessed oil for which the arsenic, cadmium, chromium, lead, total halides, PCB and BTU content are unknown or which fails to meet any of the limitations specified in the plan approval, or for which the sulfur content is unknown or which fails to meet the maximum limitations specified in the plan approval.

4. The following analytical techniques and methods, or equivalent techniques and methods as the Department may choose to substitute, shall be used by the Department in determining compliance with the limitations specified in the plan approval:

<i>Contaminant/Property</i>	<i>Analytical Technique/Method</i>
Arsenic	atomic absorption
Cadmium	atomic absorption
Chromium	atomic absorption
Lead	atomic absorption
Total Halogens	ASTM D-808
PCBs	H ₂ SO ₄ extraction/GC with electron capture
Sulfur	ASTM D-93

All ASTM methods previously referenced should be understood to be the most recent revision to the respective methods.

The company, or its vendors, may use whatever analytical techniques and methods it wishes to perform the previous analyses, but if the techniques and methods other than those previously specified are used and if the results generated by the use of these alternative techniques and methods differ from the results generated by the techniques and methods previously specified, the Department will be under no obligation to consider the results generated by the use of these alternative techniques and methods as a demonstration of compliance with the limitations specified in the plan approval.

5. Under no circumstances shall any waste oil generated onsite be fired in either boiler.

6. The nitrogen oxide emissions from this facility shall never exceed 99 tons per 12 consecutive month period. Additionally, the sulfur oxide emissions from this facility shall never exceed 99 tons per 12 consecutive month period.

7. The company shall perform the necessary calculations and maintain records in order to demonstrate compliance with the requirements of the plan approval.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

35-303-011A: Dunmore Materials (Division of Haines & Kibblehouse, Inc., 3 Dunham Drive, Dunmore, PA 18512) for operation of a batch asphalt plant and associated air cleaning device in Dunmore Borough, **Lackawanna County**.

48-313-084: Elementis Pigments, Inc. (1525 Wood Avenue, Easton, PA 18042) for operation of finishing plant IMP mill dry material handling system and associated air cleaning devices in Wilson Borough, **Northampton County**.

48-00022: ConAgra, Inc. (P. O. Box 193, Martin Creek, PA 18063) for operation of Wheat Flour Milling and associated air cleaning devices in Lower Mt. Bethel Township, **Northampton County**.

48-00023: ConAgra, Inc. (P. O. Box 193, Martin Creek, PA 18063) for operation of Grain Elevators and associated air cleaning devices in Lower Mt. Bethel Township, **Northampton County**.

48-00024: ConAgra, Inc. (321 East Breadfruit Drive, Treichlers, PA 18063) for operation of Wheat Flour Milling and associated air cleaning devices in Lehigh Township, **Northampton County**.

35-00019: Anemostat Products Division—A Division of Dynamics Corp. of America (888 North Keyser Avenue, Scranton, PA 18504) for operation of metal fabrication and its coating operation including the boilers and space heaters and associated air cleaning devices in the City of Scranton, **Lackawanna County**.

35-00037: Casket Shells, Inc. (First Street, Eynon, PA 18403) for operation of spray booths and paint burnoff oven and its associated air cleaning devices in Archbald Borough, **Lackawanna County**.

40-00050: Popple Aggregates, Inc. (202 Main Street, Laflin, PA 18702) for operation of Stone Crushing Plant and its associated accessories and control devices in Dennison Township, **Luzerne County**.

40-00051: Airport Sand and Gravel Co., Inc. (500 Swetland Lane, Wyoming, PA 18644) for operation of Stone Crushing Operation and its associated accessories and control devices in Duryea Borough, **Luzerne County**.

45-00017: Milestone Materials, Inc.—A Division of Hanson Aggregates PA., Inc. (1900 Sullivan Trail, Easton, PA 18040) for operation of a Stone Crushing Plant and its associated accessories and control devices in Hamilton Township, **Monroe County**.

58-00005: State Aggregates, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034) for operation of a Stone Crushing Plant and its associated accessories and control devices in Clifford Township, **Susquehanna County**.

13-00009: Weatherly Casting and Machine Co. (P. O. Box 21, Weatherly, PA 18255) for operation of a foundry equipment and its associated accessories and control devices in Weatherly Borough, **Carbon County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05073: Dyer Quarry Inc. (Rock Hollow Road, Birdsboro, PA 19508) for operation of a limestone quarry in Robeson Township, **Berks County**. This quarry is a non-Title V facility. The facility has the potential to emit 97 tons of PM-10 per year. Sources are controlled by wet suppression. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

22-03046: Haines & Kibblehouse Inc. (P. O. Box 196, Skippack, PA 19474-0196) for the operation of a limestone quarry in Lower Swatara Township, **Dauphin County**. This quarry is a non-Title V facility. The facility has the potential to emit about 30 tons of PM-10 per year. Sources are controlled by wet suppression. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03055: Martin Limestone Inc. (P. O. Box 550, Blue Ball, PA 17506-0550) for operation of a limestone quarry in Salisbury Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 10 tons of PM-10 per year. Sources are controlled by wet suppression and fabric collectors. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03095: Martin Limestone Inc. (P. O. Box 550, Blue Ball, PA 17506-0550) for operation of a limestone quarry in Caernarvon Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 30 tons of PM-10 per year. Sources are controlled by fabric collectors. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03105: Binkley & Ober Inc. (P. O. Box 7, E. Petersburg, PA 17520) for operation of a limestone quarry in East Hempfield Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 72 tons of PM-10 per year. Sources are controlled by wet suppression and fabric collectors. The operating permit will contain additional record keeping

and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03106: Eastern Industries Inc. (4401 Camp Meeting Road, Center Valley, PA 18034-9454) for operation of a limestone quarry in West Cocalico Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 46 tons of PM-10 per year. Sources are controlled by wet suppression. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-03098: Workinger-Semmel Funeral Home, Inc. (849 East Market Street, York, PA 17403) for operation of its human crematory in York City, **York County**. The crematory has the potential to emit 3 tons of NO_x per year. The operating permit will include monitoring and record keeping requirements, emission restrictions and work practice standards designed to keep the source operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager; (570) 327-3637.

41-327-003: PMF Industries, Inc. (2601 Reach Road, Williamsport, PA 17701) for operation of a batch vapor degreaser in the City of Williamsport, **Lycoming County**. The trichloroethylene emissions from the degreaser are controlled by a refrigerated freeboard chiller and by the implementation of work practice standards.

The Department of Environmental Protection (Department) has determined that the respective air contamination source was constructed and is operating, in conformance with all applicable requirements contained in 25 Pa. Code Article III of the Rules and Regulations of the Department as well as with all conditions contained in Plan Approval 41-327-003. The Department consequently intends to issue an operating permit for this source.

The Department intends to place conditions in the operating permit to be issued which are intended to assure continued compliance with all applicable regulatory requirements and all relevant conditions established in the respective plan approval as well as require appropriate monitoring and recordkeeping. The following is a summary of the most important conditions:

1. The amount of trichloroethylene used in this degreaser shall not exceed 9.99 tons in any 12 consecutive month period.

2. No degreasing solvent other than trichloroethylene shall be used in the subject degreaser without prior approval from the Department.

3. The degreaser shall incorporate a freeboard ratio of at least 1.15 and a manually operated cover in addition to the refrigerated freeboard chiller.

4. The company shall not operate, or permit the operation of, the subject degreaser without the simultaneous operation of the refrigerated freeboard chiller.

5. The temperature of the chilled air blanket created by the refrigerated freeboard chiller, as measured at the coldest point on a vertical axis through the center of the degreaser, shall not exceed 57°F at any time the sump heater is on, except during the chiller defrost cycle.

6. The degreaser cover shall be maintained in its closed position during the idling mode and during the downtime mode unless either the solvent has been removed or

maintenance or monitoring is being performed that requires that the cover not be in place.

7. The degreaser shall be equipped with interlocks designed to stop heat to the degreaser if the vapor level raises above the height of the primary condenser, if the solvent level lowers to the sump heater coils, if a low flow condition exists in the cooling water supply, or if a high temperature condition exists in the cooling water supply.

8. Total facility-wide hazardous air pollutant emissions, including those from the degreaser approved herein, shall be less than 10 tons per 12 consecutive month period for any single hazardous air pollutant and 25 tons per 12 consecutive month period for all hazardous air pollutants combined.

9. The source shall comply with all applicable requirements specified in Subpart T of the National Emission Standards for Hazardous Air Pollutants, 40 CFR 63.460-63.469, as well as 25 Pa. Code § 129.63.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

04-00034Q: Engineered Polymer Solutions (372 Cleveland Avenue, Rochester, PA 15074) for operation of a Storage Tank at Valspar Coatings in Rochester Township, **Beaver County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Contact: Roger Fey, Chief, (215) 823-7584.

96-038: V and S Philadelphia Galvanizing, LLC (2520 East Hagert Street, Philadelphia, PA 19125) for coating (hot dip galvanizing) materials in the City of Philadelphia, **Philadelphia County**. The facility's significant air emission sources include two zinc galvanizing kettles, a 450,000 BTU/hr no. 2 oil-fired kettle burner, five pickle tanks, a strip tank, a caustic tank, two flux tanks and yard lot/vehicle traffic. All emissions are fugitive.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54850207T2. Phoenix Contract Mining, Inc. (243 Pine Street, Tremont, PA 17981), transfer of an existing anthracite refuse reprocessing/preparation plant operation from Harriman Coal Corporation in Hegins Township, **Schuylkill County** affecting 39.1 acres, receiving stream—none. Application received: August 7, 2001.

54850207R3. Harriman Coal Corporation (978 Gap Street, Valley View, PA 17983), renewal of an existing anthracite refuse reprocessing/preparation plant operation in Hegins Township, **Schuylkill County** affecting 39.1 acres, receiving stream—none. Application received: August 16, 2001.

54930102T2. Phoenix Contract Mining, Inc. (243 Pine Street, Tremont, PA 17981), transfer of an existing anthracite surface mine operation from Harriman Coal Corporation in Porter Township, **Schuylkill County** affecting 460.0 acres, receiving stream—none. Application received: August 7, 2001.

54803203T3. Phoenix Contract Mining, Inc. (243 Pine Street, Tremont, PA 17981), transfer of an existing anthracite surface mine and refuse reprocessing operation from Harriman Coal Corporation in Hegins Township, **Schuylkill County** affecting 76.0 acres, receiving stream—Rausch Creek. Application received: August 13, 2001.

54820203T2. Phoenix Contract Mining, Inc. (243 Pine Street, Tremont, PA 17981), transfer of an existing anthracite surface mine and refuse reprocessing operation from Harriman Coal Corporation in Hegins & Porter Townships, **Schuylkill County** affecting 200.0 acres, receiving stream—East Branch Rausch Creek. Application received: August 13, 2001.

R & R Anthracite Coal Company (21 Wood Street, Pine Grove, PA 17963-1323), renewal of an existing anthracite underground mine operation in Hegins Township, **Schuylkill County** affecting 3.0 acres, receiving stream—none. Application received: August 16, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

17010111. W. Ruskin Dressler (P. O. Box 39, Rockton, PA 15856), commencement, operation and restoration of a bituminous surface mine permit in Brady Township, **Clearfield County** affecting 40 acres. Receiving stream—East Branch of Mahoning Creek, Beech Run. Application received: August 15, 2001.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

6276SM1A1C3. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), renewal of NPDES Permit #PA0594571 in Salisbury Township, **Lancaster County**, receiving stream—unnamed tributary of Pequea Creek. Application received: August 16, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

08010819. Duane D. Harper (2065 Highway 98 W., Louisburg, NC 27549), commencement, operation and restoration of a Small Industrial Minerals (Flagstone) permit in Terry Township, **Bradford County** affecting 1 acre. Receiving stream—Small unnamed, tributary to West Branch Susquehanna River. Application received: July 30, 2001.

08010820. Benjamin Stone (R. R. 1, Box 189, Towanda, PA 18848), commencement, operation and restoration of a Small Industrial Minerals (Flagstone/Bluestone) permit in Sheshequin Township, **Bradford County** affecting 3 acres. Receiving stream—unnamed tributary to Susquehanna River, tributary to Susquehanna River. Application received: July 30, 2001.

17010802. Johnson Brothers Coal Company (R. D. 1, Box 580, Mahaffey, PA 15757), commencement, operation and restoration of a Small Industrial Minerals (Sandstone) permit in Pike Township, **Clearfield County** affecting 5 acres. Receiving stream—Roaring Run, tributary to Anderson Creek. Application received: July 31, 2001.

18012801. Harger Utility Contractors, Inc. (108 West Clinton Street, Lock Haven, PA 17745), commencement, operation and restoration of a Small Industrial Minerals (Topsoil) permit in Castanea Township, **Clinton County** affecting 4.5 acres. Receiving stream—West Branch Susquehanna River, tributary to Susquehanna River. Application received: August 2, 2001.

59010803. Jo Ja Heim Flagstone, Inc. (2A SR 349, Westfield, PA 16950), commencement, operation and restoration of a Small Industrial Minerals (Flagstone) permit in Westfield Township, **Tioga County** affecting 3 acres. Receiving stream—Mill Creek. Application received: August 2, 2001.

41010801. Keith T. Kmetz (1720 Sylvan Dell Road, South Williamsport, PA 17702), commencement, operation and restoration of a Small Industrial Minerals (Topsoil) permit in Armstrong Township, **Lycoming County** affecting 4 acres. Receiving stream—Susquehanna River. Application received: August 6, 2001.

57012802. Insinger Excavating (R. R. 4, Box 4207, Dushore, PA 18614), commencement, operation and restoration of a Small Industrial Minerals (Shale) permit in Forks Township, **Sullivan County** affecting 5 acres. Receiving stream—unnamed, tributary to Black Creek. Application received: August 15, 2001.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E17-361. Mosquito Creek Sportsman Association, P. O. Box 218, Frenchville, PA 16836. Mosquito Creek Acid Abatement Project, in Girard Township, **Clearfield County**, ACOE Baltimore District (The Knobs, PA Quadrangle N: 18.7 inches; W: 8.3 inches).

To construct, operate and maintain a concrete dam, intake structure and outfall structure in an unnamed tributary to Mosquito Creek (High Quality-Cold Water Fishery) for the operation and maintenance of an acid precipitation abatement facility. The dam shall be constructed of cast in-place concrete with a maximum height of 3-feet, crest width of 6-feet and crest length of 15-feet. The concrete dam, intake structure and outfall shall be constructed during stream low flow and in dry work conditions through the use of dams and pumping or fluming stream flow around work areas. The project will temporarily impact 500-square feet of wetland while permanently impacting a maximum of 50-feet of waterway. The project is located along the southern right-of-way of SR 2004 at a point where the unnamed tributary to Mosquito Creek crosses beneath the Ardell Road. This permit also authorizes the construction, operation, maintenance and removal of temporary crossings, diversions and cofferdams needed to construct the acid precipitation abatement facility. Upon completion of the construction activities, all temporary structures shall be removed with disturbed areas restored to original contours and elevations. All wetland impacts shall be temporary; wetland replacement will not be required, provided however, clay dikes and trench plugs are properly used and all disturbed wetlands are restored.

E18-323. Western Clinton County Municipal Authority, P. O. Box 363, Renovo, PA 17764-0363. Small Projects Water Obstruction and Encroachment Joint Permit Application, in Renovo Borough, **Clinton County**, ACOE Susquehanna River Basin District (Renovo East, PA Quadrangle N: 14.5 inches; W: 13.5 inches).

To construct and maintain a 45' diameter secondary wastewater clarifier tank and a 32'x34' sludge dewatering building, all of which is located on Erie Street in Renovo Borough. This project proposes to have a minimal impact on the Susquehanna River, which is, designated a Warm Water Fishery and does not propose to impact any jurisdictional wetlands.

E18-324. Kevin R. Bowes, 1351 West Winter Road, Loganton, PA 17747. 71" by 48" arch pipe, in Logan Township, **Clinton County**, ACOE Baltimore District (Loganton, PA Quadrangle N: 0.95 inch; W: 15.0 inches).

To construct and maintain a 71-inch by 48-inch by 20-foot long galvanized arch culvert in Greenburr Gap stream on the south side of West Winter Road approximately 700 feet west of the center of Greenburr in Logan Township, Clinton County. The project will impact approximately 30 feet of waterway. Greenburr Gap is a High Quality-Cold Water fisheries stream.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E32-433. Green Township Supervisors, 4129 Route 240 Highway, Commodore, PA 15749. Green Township, **Indiana County**, ACOE Pittsburgh District.

To remove the existing structure and to construct and maintain a bridge (with scour protection), having a clear span of 10.97 m and an underclearance of 2 m on T-678 (Leroy Street) across Dixon Run (CWF). The project is located approximately 90 feet east of S.R. 0403 (Clymer, PA Quadrangle N: 16.6 inches; W: 0.97 inch).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-508. Dean and Stephanie Felmlee, P. O. Box 477, Cranberry, PA 16319. Plaza Lanes Bowling Alley Within Floodway of French Creek, in Vernon Township, **Crawford County**, ACOE Pittsburgh District (Geneva, PA Quadrangle N: 21.8 inches; W: 5.1 inches).

To construct and maintain a building measuring 142 feet wide by 137 feet long and adjoining paved parking area and landscaping within the mapped FEMA floodway of French Creek for Plaza Lanes bowling alley along the south side of S.R. 6/19/322 approximately 1 mile east of I-79. This structure replaces the former building which burned down and was removed at the same location.

E27-065. Forest County, Forest County Courthouse, Elm Street, Tionesta, PA 16353. T-353 Red Bridge Road Across West Hickory Creek, in Harmony Township, **Forest County**, ACOE Pittsburgh District (West Hickory, PA Quadrangle N: 15.5 inches; W: 12.2 inches).

To remove the existing structure and to construct and maintain a prestressed concrete I-beam bridge having a clear span of 83.5 feet and an underclearance of 7.7 feet on a 60 degree skew across West Hickory Creek (HQ-CWF) on T-353 (Red Bridge Road) approximately 1.4 miles west of S.R. 4002.

E42-283. Hamlin Township, P. O. Box 235, 62 South School Street, Hazel Hurst, PA 16733-0235. T-523 Kasson Road Across Bloomster Hollow, in Hamlin Township, **McKean County**, ACOE Pittsburgh District (Cyclone, PA Quadrangle N: 0.05 inch; W: 3.65 inches).

To remove the existing culvert and to install and maintain a 40-foot long, 112-inch wide by 75-inch high corrugated metal pipe arch culvert in a tributary to Marvin Creek (Bloomster Hollow) on T-523 (Kasson Road) approximately 200 feet west of S.R. 6.

E62-381. United Refining Company, 15 Bradley Street, Warren, PA 16365. Fire Water Pump Bank Protection and Stormwater Outfall Along Allegheny River, in City of Warren, **Warren County**, ACOE Pittsburgh District (Warren, PA Quadrangle N: 15.1 inches; W: 1.25 inches).

To remove the collapsed structure and to construct and maintain a 30-inch diameter stormwater outfall and 9-foot high by 24-foot long gabion basket endwall and bank protection along the right (north) bank of the Allegheny River adjacent to United Refining Company's existing Seneca Fire Water Pumps approximately 0.9 mile upstream of the confluence of Conewango Creek.

ENVIRONMENTAL ASSESSMENTS

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

EA08-004NC. U. S. Fish and Wildlife Service, 315 S. Allen St., Suite 322, State College, PA 16801-4850. Bentley Creek restoration Project, WWF, Ridgebury Township, **Bradford County**, ACOE Baltimore District

The project begins approximately 1,000 feet upstream of SR 4013 bridge and continues downstream 5.1 miles to the confluence of the Chemung River in Ashland New York. This assessment covers the Pennsylvania portion of the project (19,495 feet) in Ridgebury Township, Bradford County (Bentley Creek N: 13.94; W: 12.44). The purpose of the project is to conduct stream restoration activities that will address bank erosion, grade control and sediment transport. The project will reconstruct the channel and floodplain to proper bankfull elevations by grading embankments and placing control structures in the channel. The entire project will disturb 4 acres.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT— NPDES AND WQM PART II PERMITS INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval. The actions are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permits.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1— 691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1501403, Sewage, **West Vincent Township**, P. O. Box 163, 2200 Flowing Spring Road, Birchrunville, PA 19421.

This proposed facility is located in West Vincent Township, **Chester County**.

Description of Proposed Action/Activity: Construction of a proposed sewage treatment plant with land application for a new residential subdivision.

WQM Permit No. 0901410, Sewage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of a low-pressure sewer system to serve Tedwill Area residential properties.

NPDES Permit No. PA0056855, Sewage, **Ronald Diesinger**, 23 Diesinger Drive, Schwenksville, PA 19473.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Proposed Operation/Activity: Renewal to discharge into Mine Run-3E Watershed.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0087173, Sewage, **High Point Baptist Chapel**, David B. Cunningham, P. O. Box 188, Geigertown, PA 19523.

This proposed facility is located in Robeson Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Haycreek in Watershed 3-C.

NPDES Permit No. PA0026441, Sewage, **Borough of Lemoyne**, John P. O'Neill, 655 Market Street, Lemoyne, PA 17043.

This proposed facility is located in Lemoyne Borough, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 7-E.

NPDES Permit No. PA0081302, Sewage, **South Londonderry Township Municipal Authority**, P. O. Box 3, Campbelltown, PA 17010-0003.

This proposed facility is located in South Londonderry Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to Spring Creek in Watershed 7-D.

NPDES Permit No. PA0081221, Amendment No. 1 and 5083402, Sewage, **Baily Run ME, LLP**, George Montemayor, 1008 Chippenham Road, Mechanicsburg, PA 17050.

This proposed facility is located in Miller Township, **Perry County**.

Description of Proposed Action/Activity: Permit Transfer.

NPDES Permit No. 5001404, Sewage, **Richard Henderson**, P. O. Box 233, Bedford, PA 15522.

This proposed facility is located in East St. Clair Township, **Bedford County**.

Description of Proposed Action/Activity: Construction of sewage treatment facilities to serve their single family residence.

NPDES Permit No. 6701406, Sewage, **Manchester Township Municipal Authority**, 3200 Farmtrail Road, York, PA 17402.

This proposed facility is located in Manchester Township, **York County**.

Description of Proposed Action/Activity: Construction/Operation of Bentley Croft Pump Station.

NPDES Permit No. PA0084387, Industrial Waste, **American Rock Salt Co., LLC**, P. O. Box 190, Mount Morris, NY 14510.

This proposed facility is located in Reading City, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Schuylkill River in Watershed 3-C.

NPDES Permit No. PA0087378, Industrial Waste, **Letterkenny Army Depot**, One Overcash Avenue, Building 365, Chambersburg, PA 17201-4150.

This proposed facility is located in Green Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to discharge to Rowe Run in Watershed 7-B.

NPDES Permit No. PA0008893, Industrial Waste, **Westvaco Corporation**, 1600 Pennsylvania Avenue, Tyrone, PA 16686.

This proposed facility is located in Tyrone Borough, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to Bald Eagle Creek in Watershed 11-A.

NPDES Permit No. PA0009288, Industrial Waste, **Milton Hershey School**, 1201 Homestead Lane, Hershey, PA 17033.

This proposed facility is located in Derry Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Spring Creek in Watershed 7-D.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0110655, Industrial Waste, **North American Hoganas**, 250 Abex Road, P. O. Box 509, Hollsopple, PA 15935-0509 is authorized to discharge from a facility located at Coldstream Products Division, Quemahoning Township, **Somerset County** to receiving waters named Stony Creek and Quemahoning Creek.

NPDES Permit No. PA0205109, Industrial, **Johnstown Corporation**, 545 Central Avenue, Johnstown, PA 15902 is authorized to discharge from a facility located at the Johnstown Plant, City of Johnstown, **Cambria County** to receiving waters named Stony Creek.

NPDES Permit No. PA0027464, Sewage, **Pleasant Hills Authority**, 410 East Bruceton Road, Pittsburgh, PA 15236 is authorized to discharge from a facility located at Pleasant Hills Wastewater Treatment Plant, South Park Township, **Allegheny County** to receiving waters named Lick Run.

NPDES Permit No. PA0034762, Sewage, **Avonworth School District**, 1324 Roosevelt Road, Pittsburgh, PA 15237-1063 is authorized to discharge from a facility located at Avonworth Elementary School STP, Ohio Township, **Allegheny County** to receiving waters named Drainage Swale to unnamed tributary of Bear Run.

NPDES Permit No. PA0092274, Sewage, **Unity Township Municipal Authority**, 1106 Beatty County Road, Latrobe, PA 15650 is authorized to discharge from a facility located at Pleasant Unity STP, Unity Township, **Westmoreland County** to receiving waters named unnamed tributary of Sewickley Creek.

NPDES Permit No. PA0205877, Amendment No. 1, Sewage, **Redstone Township Sewer Authority**, P. O. Box 751, Republic, PA 15475 is authorized to discharge from a facility located at Redstone Township Sewer Authority Wastewater Treatment Plant, Redstone Township, **Fayette County** to receiving waters named Dunbar Creek.

NPDES Permit No. PA0217301, Sewage, **Conemaugh Township Supervisors**, 1120 Tire Hill Road, Johnstown, PA 15905-7707 is authorized to discharge from a facility located at Jerome Wastewater Treatment Plant, Conemaugh Township, **Somerset County** to receiving waters named unnamed tributary of Quemahoning Creek.

Permit No. 0400202-A1, Industrial Waste, **Municipal Water Authority of Aliquippa**, 160 Hopewell Avenue, Aliquippa, PA 15001. Construction of Industrial Water Treatment Plant located in the City of Aliquippa, **Beaver County** to serve Aliquippa Water Treatment Facility.

Permit No. 466S15-A3, Sewerage, **North Huntingdon Township Municipal Authority**, 11265 Center Highway, North Huntingdon, PA 15642-2018. Construction of retention tank expansion located in North Huntingdon Township, **Westmoreland County** to serve Long Run Pump Station.

Permit No. 0201407, Sewerage, **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237. Construction of sewers and pump station located in Franklin Borough, **Allegheny County** to serve Fish Run No. 2.

Permit No. 0399402-A1, Sewerage, **Shannock Valley General Services Authority**, P. O. Box 157, Yatesboro, PA 16263. Construction of sludge drying bed additions located in Cowanshannock Township, **Armstrong County** to serve NuMine Wastewater Treatment Facility.

Permit No. 1174402—Amendment No. 1, Sewerage, **Highland Sewer and Water Authority**, 120 Tank Drive, Johnstown, PA 15904. Construction of sanitary sewers located in Richland Township, **Cambria County** to rehabilitate the existing Falls Run Interceptor.

Permit No. 461S078 Amendment 1, Sewerage, **Dyna-Craft Industries, Inc.**, 194 Goodview Drive, Apollo, PA 15613. Modifications of a sewage treatment plant located in Washington Township, **Westmoreland County** to serve Dyna-Craft Manufacturing STP.

Permit No. 461S139-A1, Sewerage, **North Huntingdon Township Municipal Authority**, 11265 Center Highway, North Huntingdon, PA 15642-2018. Construction of Pump Station upgrade and sewer replacement located in North Huntingdon Township, **Westmoreland County** to serve Stewartsville Pump Station.

Permit No. 6501410, Sewerage, **Mt. Pleasant Township Supervisors**, Box 158, Mammoth, PA 15664. Construction of Sewage Treatment Plant and Sewer System located in Mt. Pleasant Township, **Westmoreland County** to serve Mt. Shadows Phase I.

Permit No. 6599414, Sewerage, **North Huntingdon Township Municipal Authority**, 11265 Center Highway, North Huntingdon, PA 15642-2018. Construction of Sanitary Sewers/Pump Stations located in North Huntingdon Township, **Westmoreland County** to serve Ardara Road/Masters Lane.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0221996, Sewage, **North Brook Homeowners Association**, 103 McDonnell Lane, Butler, PA 16001.

This proposed facility is located in Middlesex Township, **Butler County**.

Description of Proposed Activity: a renewal for a treated sewage discharge.

The receiving stream, unnamed tributary to Glade Run, is in watershed 20-C and classified for: warm water fishes, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow 0.00200 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	1.7		3.4
(11-1 to 4-30)	5.1		10.2
Phosphorus			
(4-1 to 10-31)	2		4
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
Dissolved Oxygen		minimum of 5 mg/l at all times	
Total Residual Chlorine	0.3		0.6
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

NPDES Permit No. PA0222097, Sewage, **John P. Vandenberg**, R. R. 1 Box 161A, Grand Valley, PA 16420.

This proposed facility is located in Eldred Township, **Warren County**.

Description of Proposed Action/Activity: This project is to discharge to unnamed tributary to Caldwell Creek.

WQM Permit No. 4301415, Sewerage, **Craig P. Mild**, 879 Hasenfly Drive, Hermitage, PA 16148.

This proposed facility is located in Lackawannock Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

WQM Permit No. 4301418, Sewerage, **John G. Wasko**, Box 464, Wheatland, PA 16161.

This proposed facility is located in Otter Creek Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

WQM Permit No. 4301416, Sewerage, **Deborah S. Durniok**, 18 Tanner Road, Greenville, PA 16125.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G425	Pulte Home Corp of Delaware Valley 1210 Northbrook Drive Suite 150 Tervose, PA 19053	Chester	Upper Uwchlan Township	Pickering Creek (HQ-TSF)
PAS10-G366	J. Loew and Associates, Inc. 55 Country Club Road Suite 200 Downingtown, PA 19335	Chester	Upper Uwchlan Township	UNT to March Creek (HQ)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G405	Chantilly Farm, Inc. 30 South Valley Road Paoli, PA 19301	Chester	West Pike Township	Pickering Creek (HQ-TSF)
PAS10-G426	Woodstone Development Co, Inc. P. O. Box 814 Uwchland, PA 19480	Chester	West Vincent Township	UNT to Pickering Creek (HQ-TSF)
PAS10-G432	Atwin Investments 211 Pennsylvania Avenue Malvern, PA 19335	Chester	Malvern Borough	Little Valley Creek (EV)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10N027	PA DEP Bureau of Abandoned Mine Reclamation 2 Public Square Wilkes-Barre, PA 18711	Lackawanna	Archbald Borough	Lackawanna River HQ-CWF
PAS10Q125-R	Jaindl Land Co. 3150 Coffeetown Rd. Orefield, PA 18069	Lehigh	Lower Macungie Township	Little Lehigh Creek HQ-CWF
PAS10S102	Pocono Mountains Industries, Inc. 556 Main St. Stroudsburg, PA 18360	Monroe	Coolbaugh Township	Red Run HQ-CWF
PAS10S093	Raintree Homes HC-1, Box 1049 Tannersville, PA 18372	Monroe	Pocono Township	Bulgers Run HQ-CWF
PAS10U152	Ashley Development Corp. 559 Main St. Suite 300 Bethlehem, PA 18102	Northampton	Williams Township	Frya Run HQ-CWF
PAS10U149	Sullivan Trail Business Park, L.P. P. O. Box 247 Wind Gap, PA 18091	Northampton	Forks Township	Bushkill Creek HQ-CWF
PAS10U148	T and S Development Corp. 623 Selvaggio Dr. Suite 200 Nazareth, PA 18064	Northampton	Lower Nazareth Township	Monocacy Creek HQ-CWF
PAS10U146	Easton Area School District 811 Northampton Easton, PA 18042-4298	Northampton	Palmer Township	Bushkill Creek HQ-CWF
PAS10U151	Charles Chrin 400 S. Greenwood Ave. Easton, PA 18045	Northampton	Bethlehem Township	Bushkill Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10F097	The Green Hotel Assoc. c/o HAMCO 240 S. Pugh St., Suite A State College, PA 16801	Centre	College Township	Thompson Run HQ-CWF
PAS101921	Mountain V Oil & Gas P. O. Box 470 Bridgeport, WV	Clinton	Chapman Township	Hyner & Dry Runs

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

<i>NPDES Permit</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Stream</i>
PAS101025	Kenneth Morchesky P. O. Box 629 Carrolltown, PA 15722-0629	Cambria County Jackson Township	Laurel Run/HQ-CWF

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Upper Makefield Township Bucks County	PAR10 D498	Westrum Development 370 Commerce Drive Fort Washington, PA 19034	Hughes Creek (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Falls Township Bucks County	PAR10 D548	Gelest, Inc. 612 William Leigh Drive Tullytown, PA 19007	Biles Creek (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Warwick Township Bucks County	PAR10 D549	CC Plaza, Inc. 3359 Durham Road Doylestown, PA 18901	Neshaminy Creek (WWF-MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000

NOTICES

4997

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Bristol Township Bucks County	PAR10 D555	WaWa, Inc. 260 West Baltimore Pike Wawa, PA 19063	Mill Creek (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Hilltown Township Bucks County	PAR10 D556	Heritage Glen, LP 3326 Old York Rd. Suite A100 Furlong, PA	Pleasant Spring (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Milford Township Bucks County	PAR10 D566	PA Gianni Homes, Inc. P. O. Box 445 Ottsville, PA 18942	Licking Run and Molasses Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Bensalem Township Bucks County	PAR10 D567	Archdiocese of Philadelphia 222 North 17th Street Philadelphia, PA 19103	Delaware River (WWF-MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Warrington Township Bucks County	PAR10 D569	Preit-Rubin 200 South Broad Street Philadelphia, PA 19102	Little Neshaminy Creek (WWF-TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Warrington Township Bucks County	PAR10 D591	Warrington Township 852 Easton Road Warrington, PA 18976	Neshaminy Creek (WWF-MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Upper Merion Township Montgomery County	PAR10 T755	Whitegate Realty Associates 1595 Paoli Pk. Suite 202 West Chester, PA 19380	Crow Creek (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Skippack Township Montgomery County	PAR10 T712	Heritage Building Group, Inc. 3326 Old York Rd. Suite A100	Skippack Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Upper Providence Township Montgomery County	PAR10 T715-1	Wyeth-Ayerst Pharmaceuticals 2100 Renaissance Blvd. King of Prussia, PA 19406	Perkiomen Creek (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Hatfield Township Montgomery County	PAR10 T725	Schlosser Steel, Inc. 2641 Township Line Road Hatfield, PA 19440	UNT Skippack Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Pottstown Borough Montgomery County	PAR10 T709	Borough of Pottstown 100 High Street Pottstown, PA 19464	Manatawny Creek	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Towamencin Township Montgomery County	PAR10 T645	PennDOT 7000 Geerdes Boulevard King of Prussia, PA 19406	Towamencin Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Chadds Ford Borough Delaware County	PAR10 J221	Bancroft Development 44 Bancroft Mills Wilmington, DE 19806	UNT Harvey Run (WWF-MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Northampton County City of Bethlehem/ Lower Saucon Township	PAR10U162	Conectiv Mid-Merit, Inc. P. O. Box 6066 Newark, DE 19714-6066	Saucon Creek CWF	Northampton County Conservation District (610) 746-1971
Northampton County Lower Saucon Township	PAR10U164	Lower Saucon Township 3700 Old Philadelphia Pike Bethlehem, PA 18015	Saucon Creek CWF	Northampton County Conservation District (610) 746-1971
Lackawanna County S. Abington Township	PAR10N124	Harold Graber 1000 S. Second St. Sunbury, PA 17801	Leggetts Creek TSF	Lackawanna County Conservation District (570) 281-9495
Luzerne County Pittston Township	PAR10R228	David R. Rowland P. O. Box 1689 Wilkes-Barre, PA 18703	Susquehanna River CWF	Luzerne County Conservation District (570) 674-7991
Luzerne County Bear Creek Township	PAR10R227	Global Winds Harvest, Inc. 67 Putnam Ave. Cambridge, MA 02139	Mill Creek CWF	Luzerne County Conservation District (570) 674-7991
Wyoming County Tunkhannock Township	PAR107617	Tunkhannock Township Supervisors 438 SR 92S Tunkhannock, PA 18651	Tunkhannock Creek TSF	Wyoming County Conservation District (570) 836-2589
North Middleton Township Cumberland County	PAR10H266	North Middleton Town- ship 2051 Spring Road Carlisle, PA 17013	Conodoguinet (WWF)	Cumberland County Conservation District 43 Brookwood Avenue, Suite 4 Carlisle, PA 17013 (717) 240-7812
Alsace Township Berks County	PAR10C377	DePaul Development 1750 Walton Road Blue Bell, PA 19423-0465	UNT to Laurel Run (CWF)	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Brecknock Township Cumru Township Spring Township Berks County	PAR10C047	PA Dept. of Trans. 1713 Lehigh Street Allentown, PA 18103	Little Muddy Creek (TSF) Klines Creek (CWF)	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Dover Township York County	PAR10Y336-1	Ashcombe Farms Vernon Anderson 19 N. Baltimore St. Dillsburg, PA 17019	Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Rd York, PA 17402 (717) 840-7430
Warrington Township York County	PAR10Y494	Kimbrelly Meadows Henry Fox 15 Montego Court Dillsburg, PA 17019	UNT to Beaver Creek (WWF)	York County Conservation District 118 Pleasant Acres Rd York, PA 17402 (717) 840-7430
Penn Township York County	PAR10Y549	Miniature Golf Jeff Stern 11 N. Baltimore Street Dillsburg, PA 17019	Slagle Run (WWF)	York County Conservation District 118 Pleasant Acres Rd York, PA 17402 (717) 840-7430

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Dover Borough York County	PAR10Y545	Dover Area School District Dr. George Stevens School Lane Dover, PA 17404	Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Rd York, PA 17402 (717) 840-7430
West Chillisquaque Township Northumberland	PAR104945	Crossroads Church of the Nazarene P. O. Box 1 Milton, PA 17847	W. Br. Susquehanna River WWF	Northumberland County Conservation District R. R. 3 Box 238C Sunbury, PA 17801

Southwest Region: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Allegheny County Carnegie Borough	PAR10A244-1	James W. McCarthy 550 Washington Avenue Carnegie, PA 15106	UNT Campbells Run/ WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Braddock Hills Borough	PAR10A498	Brinton Road Self Storage 3637 Washington Road McMurray, PA 15317	UNT Turtle Creek/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Kennedy Township	PAR10A511	Meritage Groups 772 Pine Valley Drive Pittsburgh, PA 15239	UNT Ohio River/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County North Fayette Township	PAR10A512	West Allegheny School District 207 West Allegheny Road Imperial, PA 15126-0055	UNT Robinson Run/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Indiana Township	PAR10A514	Manor Land Develop- ment 772 Pine Valley Drive Pittsburgh, PA 15239	UNT Deer Creek/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Robinson Township	PAR10A515	Michael A. Wolcott 7670 McKnight Road Pittsburgh, PA 15237	UNT Campbells Run/ WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Municipality of Bethel Park	PAR10A516	Quaker Engineering, Inc. Box 459 Bridgeville, PA 15017	Piney Fork/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Findlay Township	PAR10A517	Findlay Township 1271 Route 30 P. O. Box W Clinton, PA 15026	UNT Potato Garden Run/ WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Shaler Township	PAR10A518	Spencer Ridge Development, Inc. 122 Cedar Lane McMurray, PA 15317	UNT Pine Creek/TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Pittsburgh Crafton Borough Ingram Borough Carnegie Borough	PAR10A520	Port Authority of Allegheny County 345 Sixth Avenue Pittsburgh, PA 15222 Co-Permittee AWK Construction, Inc. 1611 Monroeville Avenue Turtle Creek, PA 15145	Campbells Run/WWF Chartiers Creek/WWF Ohio River/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Richland Township	PAR10A523	Richland Holding LLC 1429 Pittsburgh Road Valencia, PA 16059	UNT Pine Creek/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County South Fayette Township	PAR10A528	Secon Corporation 2559 Washington Road McMurray, PA 15317	Millers Run/WWF	Allegheny County Conservation District (412) 241-7645

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Armstrong County East Franklin Township	PAR10B040	East Franklin Township R. D. 3, Box 211A Orchard Lane Kittanning, PA 16201	Glade Run Watershed/ CWF	Allegheny County Conservation District (412) 241-7645
Butler County Connoquenessing Township	PAR10E159	Brandywine Village Brandyone LLC P. O. Box 449 Mars, PA 16046	UNT to Little Connoquenessing Creek (CWF)	Butler Conservation District (724) 284-5270
Butler County Franklin Township	PAR10E160	Cornerstone Sewage Treatment Facility Cornerstone Family Services 2700 Mt. Royal Blvd. Glenshaw, PA 15116	Mulligan Run Creek (WWF)	Butler Conservation District (724) 284-5270
<i>General Permit Type—PAG-3</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Blair County Tyrone Borough	PAR233510	Albemarle Corporation 2 Adams Avenue Tyrone, PA 16686-0216	Cook Hollow Creek	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Caernarvon Township	PAR233526	Richards Apex, Inc. 4202-23 Main Street Philadelphia, PA 19127	UNT to Conestoga River	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Clearfield County Chest Township	PAR404807	Eagle Environmental II, LP 9 Logan Blvd., 2nd Floor Altoona, PA 16602	Pine Run (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
<i>General Permit Type—PAG-4</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Lycoming County Hepburn Township	PAG044874	Daniel J. and Christina Ertel	Millers Run (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
East Mead Township Crawford County	PAG048416	Paul M. Mercier 26143 North Frenchtown Road Guys Mills, PA 16327- 1131	Unnamed tributary to Little Sugar Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Delaware Township Mercer County	PAG048419	Roger L. Struthers 218 Haas Road Fredonia, PA 16124	Unnamed tributary to Lawango Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Shenango Township Mercer County	PAG048411	Sandra Shuttleworth 3118 South Keel Ridge Road West Middlesex, PA 16159	Unnamed tributary to West Branch Little Neshannock	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Shenango Township Mercer County	PAG048744	Floyd E. Arrow 168 Mitchell Road West Middlesex, PA 16159	Unnamed tributary Shenango River	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Otter Creek Town- ship Mercer County	PAG048751	John G. Wasko Box 464 Wheatland, PA 16161	Tributary Little Shenango River	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Lackawannock Town- ship Mercer County	PAG048743	Craig P. Mild 879 Hasenfly Drive Hermitage, PA 16148	Tributary West Branch Little Neshannock Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Haverford Township Delaware Count	PAG050029	Sunoco, Inc. Automotive Lab P. O. Box 1135 Post Rd. and Blueball Avenue Marcus Hook, PA 19061	UNT to Darby Creek	Southeast Region Water Management (610) 832-6130

General Permit Type—PAG-7

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone No.</i>
Bronx, New York	PAG07-9909	Synagro-WWT, Inc. 3501 Asiatic Avenue Baltimore, MD 21226	New York Organic Fertil- izer Company, 1108 Oak Point Avenue, Bronx, NY 10474	BWSWM (717) 787-8184

General Permit Type—PAG-8

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone No.</i>
Everett Borough Bedford County	PAG083562	Borough of Everett Area Municipal Authority 100 Mechanic Street Everett, PA 15537		DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-8 (SSN)

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone No.</i>
Henderson Township Brady Township Huntingdon County	PAG083536	Borough of Huntingdon 530 Washington St. Huntingdon, PA 16652-0592	Sugar Grove Farm Henderson Township Brady Township Huntingdon County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone No.</i>
Upper Tulpehocken Township Berks County	PAG080001 PAG080002 PAG080003 PAG080006 PAG080007 PAG080008 PAG080009 PAG082201 PAG082203 PAG083501 PAG083502 PAG083506 PAG083515 PAG083517 PAG083522 PAG083542 PAG083547 PAG083551 PAG083825	SynaGro Mid Atlantic 1605 Dooley Road P. O. Box B Whitefield, MD 21160	William and Wayne Leshar Farm Upper Tulpehocken Township Berks County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

PUBLIC WATER SUPPLY PERMITS

The Department of Environmental Protection (Department) has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days from the date of issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Operations Permit issued to: **Springton Water Company**, P. O. Box 348, Lyndell, PA 19354, West Goshen Township, **Chester County** on August 14, 2001.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0199504, Public Water Supply.

Applicant **Mt. View MHP**

Municipality	Reading Township
County	Adams
Type of Facility	Operation Permit approving use of four 2,500-gallon finished water tanks, two booster pumps, cartridge filtration and sodium hypochlorite disinfection.
Consulting Engineer	Janet R. McNally, P.E. William F. Hill & Assoc., Inc. 207 Baltimore St. Gettysburg, PA 17325
Permit to Operate Issued:	August 13, 2001
Permit No. 0101502 , Public Water Supply.	
Applicant	Knouse Foods Cooperative, Inc.
Municipality	Franklin Township
County	Adams
Type of Facility	An Operation Permit for a lead/copper corrosion control system. Potassium hydroxide and Virchem 939 will be added using separate diaphragm pumps.
Consulting Engineer	Janet R. McNally, P.E. William F. Hill & Assoc., Inc. 207 Baltimore St. Gettysburg, PA 17325
Permit to Construct Issued:	August 10, 2001
Permit No. 0101503 , Public Water Supply.	
Applicant	Knouse Foods Cooperative, Inc.
Municipality	Dickinson Township
County	Cumberland
Type of Facility	Construction Permit for lead and copper corrosion control facilities. KOH and Virchem 939 will be added utilizing separate chemical feed pumps

Consulting Engineer Janet R. McNally, P.E.
William F. Hill & Assoc., Inc.
207 Baltimore St.
Gettysburg, PA 17325

Permit to Construct August 10, 2001
Issued:

Permit No. 3801505, Public Water Supply.

Applicant **Myerstown Water Authority**
Municipality Myerstown Borough
County **Lebanon**
Type of Facility Construction of the West Wash-
ington Avenue booster pumping
station to serve the retirement
community of Arbogate and pro-
vide service to areas within Jack-
son Township.

Consulting Engineer Jennifer I. Kintzer, P.E.
Great Valley Consultants
75 Commerce Drive
Wyomissing, PA 19610

Permit to Construct August 13, 2001
Issued:

Permit No. 0101508, Public Water Supply.

Applicant **Mountain View Mobile Home
Park**
Municipality Reading Township
County **Adams**
Type of Facility An Operation Permit was issued
authorizing use of Well No. 4 to
be operated at a rate of 11 gallons
per minute. Treatment will be
provided by existing filtration and
disinfection equipment.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Assoc., Inc.
18 South George St.
York, PA 17401

Permit to Operate August 13, 2001
Issued:

Permit No. 3801506 MA, Minor Amendment, Public
Water Supply.

Applicant **Fredericksburg Sewer & Wa-
ter Authority**
Municipality Bethel Township
County **Lebanon**
Type of Facility Addition of a 3rd booster pump at
the existing booster pumping sta-
tion and storage tank.

Consulting Engineer Scott M. Rights, P.E.
Steckbeck Engineering Associates
43 N Cornwall Rd
Lebanon, PA 17042

Permit to Construct August 13, 2001
Issued:

*Northwest Region: Water Supply Management Program
Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

Permit No. 2001501, Public Water Supply.

Applicant **Saegertown Borough**
P. O. Box 558
Saegertown, PA 16433

Borough or Township Saegertown Borough
County **Crawford County**

Type of Facility Public Water Supply
Consulting Engineer Bradley R. Stenebiser, P.E.
The EADS Group Inc.
450 Aberdeen Drive
P. O. Box 837
Somerset, PA 15501

Permit to Construct August 10, 2001
Issued

Permit No. 2088505-MA1, Minor Amendment. Pub-
lic Water Supply.

Applicant **Penn Lake Village MHP**
Route 285
Conneaut Lake, PA 16316

Borough or Township Sadsbury Township
County **Crawford County**

Type of Facility Public Water Supply
Consulting Engineer James Rothbrust, Service Man-
ager
15454 Conneaut Lake Road
Meadville, PA 16335

Permit to Construct August 9, 2001
Issued

Permit No. 1086503-MA1, Minor Amendment. Pub-
lic Water Supply.

Applicant **Caravan Court MHP**
2175 N. Main St. Ext.
Butler, PA 16001

Borough or Township Center Township
County **Butler County**

Type of Facility Public Water Supply
Consulting Engineer William J. McGarvey, P.E.
McGarvey Engineering
172 Woodcrest Road
Butler, PA 16002

Permit to Operate August 13, 2001
Issued

Permit No. 2590505-MA2, Minor Amendment. Pub-
lic Water Supply.

Applicant **Millcreek Township Water Au-
thority**
3608 West 26th Street
Erie, PA 16506

Borough or Township Millcreek Township
County **Erie County**

Type of Facility Public Water Supply
Consulting Engineer Henry T. Wilka & Associates
3200 West 32nd Street
Erie, PA 16506

Permit to Construct August 14, 2001
Issued

Permit No. 1693502-MA1, Minor Amendment. Public Water Supply.

Applicant **East Brady Waterworks**
502 Ferry Street
East Brady, PA 16028-0461

Borough or Township East Brady Borough

County **Clarion County**

Type of Facility Public Water Supply

Consulting Engineer Charles K. Brence
185 Rosemont Drive
Moon Township, PA 15108

Permit to Operate August 17, 2001
Issued

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Rayburn Township	Rayburn Township Supervisors R. D. 5, Box 69 Kittanning, PA 16201	Armstrong

Plan Description: The approved plan provides for the upgrade and expansion of the existing Armsdale Sewage Treatment Plant. The plant currently has the capacity of 65,000 gallons per day. Its capacity shall be increased to 80,000 gallons per day. Collection and conveyance facilities for sewage transport to the Armsdale Plant shall be constructed to accommodate the various areas throughout the Township. The Armsdale Plant discharges into the Cowanshannock Creek. Additionally, collection and conveyance facilities shall be constructed in the Grandview and Troy areas of the Township for transportation of sewage to the Kittanning Borough system. The Kittanning Borough Sewage Treatment Plant discharges into the Allegheny River at Kittanning. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Montgomery Township	Montgomery Township Supervisors P. O. Box 198 Arcadia, PA 15712	Indiana

Plan Description: The approved plan provides for construction of a 55,000 gallon per day Sewage Treatment Plant with collection and conveyance facilities to serve the Village of Hillsdale in Montgomery Township, Indiana County. The Sewage Treatment Plant shall be constructed near the intersection of S.R. 0286 and S.R. 32079. Discharge of treated effluent from the Sewage Treatment Plant will be into Cush Creek in Montgomery Township. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Cherry Tree Borough	671 Farrell Road Mostoller, PA 15760 Attn: Barbara Frantz	Indiana

Plan Description: The approved plan provides for construction of a 72,000 gallons per day Sewage Treatment Plant in Burnside Township, Clearfield County, with collection and conveyance facilities to serve the Borough of Cherry Tree, Indiana County, as well as portions of Montgomery Township, Indiana County and Burnside Township, Clearfield County. Discharge of treated effluent from the Sewage Treatment Plant shall be into the West Branch of the Susquehanna River. The location of the treated discharge shall be approximately 200 feet west of

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bedford Township	P. O. Box 148 Bedford, PA 15522	Bedford

Plan Description: The approved plan provides for approval of a revision to the Official Sewage Plan of Bedford Township, Bedford County. Project involves construction of a small flow sewage treatment facility to serve a proposed residential dwelling located on Briar Valley Road. Treated effluent is to be discharged to a unnamed tributary to Dunning Creek. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the owner as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Snyder Township	R. D. 3 Box 119 Tyrone, PA 16686	Blair

Plan Description: The approved plan provides for the installation of a pressure sanitary sewer collection and conveyance system with individual grinder pumps to serve the Ironville, Tyrone Forge and Cook Hollow areas. The sewage will be conveyed to the Tyrone Wastewater Treatment Plant. The plan also provides for the inclusion of the remainder of the study areas (Honest Hollow, Elk Run, Hutchinson Run, Gypsy Camp Hollow, Baughman Hollow, Upper VanScyoc Run, California Hollow, Upper Decker Hollow Road) in an on-lot management program district. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

S.R. 0219 at the intersection of T.R. 571 (Stiffler Town Road) into the West Branch of the Susquehanna River. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
East Cocalico Township	100 Hill Road Denver, PA 17517	Lancaster

Plan Description: The plan was disapproved because it failed to resolve the existing sewage disposal needs of the Pinewood Estates, Smokestown and Lakeside areas. The on-lot sewage disposal management program included in the plan fails to meet the requirements of 25 Pa. Code § 71.73.

HAZARDOUS SITES CLEAN-UP

Under the Act of October 18, 1988

Notice of Prompt Interim Response

Marvec Manufacturing Site, Upland Borough, Delaware County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305) has initiated a prompt interim response at the Marvec Manufacturing Site. This response has been initiated under sections 501(a) and 505(b) of the HSCA (35 P. S. §§ 6020.501(a) and 6020-505(b)). The site is located at 115 Sixth Street, Upland Borough, Delaware County, PA.

The site consists of a large industrial building that was abandoned in 2000. The site has been under investigation by the Department since it was discovered to be abandoned in February of 2001 on a routine inspection by the Department's Waste Management Division. Based upon the findings of the investigation the Department determined that a large number of drums containing hazardous materials had been abandoned in the basement of the site. The Department has also determined that process vats still contain liquids that contain hazardous materials.

As part of the investigation activities at the site, sampling of the main process vats were collected and analyzed for metals. The analysis revealed that the vats contained highly caustic bases and toxic metals. The Department also determined that approximately 40 drums containing corrosive sludge and 60 drums containing waste quenching oils were abandoned in the basement of the facility.

On June 25, 2001, a site visit was conducted with a consulting firm to assess the condition of the site and the drums. At that time the Department determined that the drums containing corrosive caustic sludge were beginning to show signs of corrosion. The security of the building was questionable with many windows broken and unlocked during the site visit.

The Prompt Interim Response Action consists of stabilization and sampling followed by off-site transportation and disposal of hazardous materials in drums and lab pack containers at the site as well as proper reuse, recycling, or disposal of empty drums and containers off-site. The action also consists of pump and cleanout of the process vats. The Department chose to conduct a prompt interim response at the site because of the condition of the drums and the nature of materials stored in the basement. Conditions at the site created a reasonable basis to believe that prompt action was required to protect public health and safety under 25 Pa. Code § 3.21(b).

The Department determined that a prompt interim response under the authority of sections 501(a) and 505(b) of HSCA was the most environmentally sound and protective alternative for the site. The Department considered taking no action at the site and determined that taking no action would not have addressed or resolved the threat to public health and the environment associated with the site.

The administrative record (AR) which contains the information that forms the basis for and documents the selection of this response action, is available for public review and comment Monday through Friday from 8 a.m. to 5 p.m. at the Department's Southeast Regional Office located at Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428. A second copy of the AR is available for public inspection at the Upland Borough Hall located at 224 Castle Avenue, Upland, PA, from 9 a.m. to 9 p.m. Monday through Thursday and from 9 a.m. to 5 p.m. Friday and Saturday.

Written comments concerning the Department's response and the information contained in the AR will be accepted in person, if delivered, or by mail, if postmarked on or before November 30, 2001. Written comments should be directed to the attention of Mark Conaron, PA DEP Project Officer, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6192.

In addition, the public will have the opportunity to present oral comments at a public hearing. The public hearing has been scheduled for September 19, 2001, at 7 p.m. at Upland Borough Hall, 224 Castle Avenue, Upland, PA. There will be a public information session at 5 p.m. until 7 p.m. at the Borough Hall to answer questions.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Lynda Rebarchak, DEP Community Relations Coordinator at (610) 832-6019 or the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department may accommodate their needs.

The Department is providing this notice under sections 505(b) and 506(b) of the HSCA. The date of publication of this notice in the *Pennsylvania Bulletin* initiates the minimum 90-day comment period on the administrative record, as provided under the Act.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Smith Residence, West Chester Borough, Chester County. James P. Gallagher, P.G., Marshall Miller & Associates, 3913 Hartzdale Dr., Suite 1306, Camp Hill, PA 17011, on behalf of Chris Smith, 107 Garfield Ave., West Chester, PA 19380, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former Horsham Motor Lodge Site, Horsham Township, Montgomery County. Matthew S. Winters, Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19603, on behalf of Wawa Inc., 260 W. Baltimore Pike, Wawa, PA 19603, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former Fermtec Facility, West Chester Borough, Chester County. Richard P. Almquist, Jr., Oxford Engineers & Consultants, Inc., 2621 Van Buren Ave., Suite 500, Norristown, PA 19403, on behalf of Robert M. Casciato & Senya Simeon D. Isayeff Real Estate Partnership, 882 S. Matlack St., West Chester, PA 19382, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and

polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet Statewide Health and Background Standards.

ATOFINA Chemicals, Inc.—Research Center, Area 3-Boiler House Former UST Area (Bldg. No. 8), Upper Merion Township, Montgomery County. Mark Piazza, ATOFINA Chemicals, Inc., 2000 Market St., 19th Floor, Philadelphia, PA 19103, on behalf of Lease Plan North America, Inc., LaSalle National Trust N.A., 135 S. LaSalle St., Chicago, IL 60603, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Mattei Tires, City of Philadelphia, Philadelphia County. Robert M. Byer, Jr., P.G., IT Corp., 1220 Ward Ave., Suite 300, West Chester, PA 19380, on behalf of Timothy Mattei, 2435 Washington Ave., Philadelphia, PA 19146, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Metropolitan Industrial Center, Bensalem Township, Bucks County. Jeffrey K. Wade, URS Corp., 2325 Maryland Rd., Willow Grove, PA 19090, on behalf of Brandywine Operating Partnership, L.P., 14 Campus Blvd., Suite 100, Newtown Square, PA 19073, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX and solvents. The report is intended to document remediation of the site to meet Statewide Health and Site-specific Standards.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Shipley Oil Spill, Washington Township, York County. Laird Geoenvironmental Sciences, Inc., 3223 Market Street, Camp Hill, PA 17011 (on behalf of Shipley Oil Company, 550 East King Street, York, PA 17405) submitted a Final Report within 90 days of a spill concerning remediation of site soils contaminated with VOCs and SVOCs related to a No. 2 heating oil spill. The report is intended to document remediation of the site to the Statewide Health standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Shady Hill Plaza (Shakespeare Street Associates), City of Pittsburgh, Allegheny County. Steven Clites, Kappa Properties, 701 Alpha Drive, Pittsburgh, PA 15238 and The Fourth River Company, 1550 Obey Street, Suite 201, Pittsburgh, PA 15205 (on behalf of Shakespeare Street Associates, 6320 Shakespeare Street, Pittsburgh, PA 15204) has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, BTEX and PHCs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program, 230 Chestnut Street, Meadville, PA 16335.

Lord Corporation Erie Facility North Parking Lot, 1635 W. 12th Street, Erie, PA, City of Erie, Erie County, has submitted a Final Report concerning remediation of the ground water. The site has been found to be contaminated with Solvents. The report is intended to document remediation of the site to meet the Background Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Arco Chemical Company (now Nova Chemical Inc), Beaver Valley Plant (Over The Hill Tank Farm), Potter Township, Beaver County. Lyondell Chemical Company, P. O. Box 77252-2583, Houston TX 77010 and Hansen, L.E., One Oxford Centre, Suite 3000, Pittsburgh, PA 15219) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with heavy metals, BTEX, PHCs, PAHs and C8+HC. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on August 15, 2001.

Arco Chemical Company (now Nova Chemical Inc), Beaver Valley Plant (Central Styrene II Area), Potter Township, Beaver County. Lyondell Chemical Company, P. O. Box 77252-2583, Houston TX 77010 and Hansen, L.E., One Oxford Centre, Suite 3000, Pittsburgh, PA 15219) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with heavy metals, BTEX, PHCs, PAHs and C8+HC. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on August 6, 2001.

Westinghouse Air Brake Technology Company, Borough of Wilmerding, Allegheny County. Bruce Shaw, 3925 Reed Blvd., Suite 400, Murrysville, PA 15668-1848 (on behalf of Westinghouse Air Brake Technology Company 1001 Air Brake Avenue, Wilmerding, PA 15148) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with heavy metals, solvents, BTEX and PHCs. The Final report did not demonstrate attainment of the Site Specific Standard and was disapproved by the Department on August 14, 2001.

Eastside Whole Foods Market Project, City of Pittsburgh, Allegheny County. David Brown, The Fourth River Company, 1550 Obey Street, Suite 201, Pittsburgh, PA 15205 (on behalf of Port Authority of Allegheny County, 2235 Beaver Avenue, Pittsburgh, PA 15233, AAA West Penn/West Virginia, 5900 Baum Boulevard, Pittsburgh, PA 15206, UPMC Shadyside, 200 Lothrop Street, 401 Medical Arts Building, Pittsburgh, PA 15213, Eastside Limited Partnership, c/o The Mosites Company, 336 Fourth Avenue, Pittsburgh, PA 15222, Pennsylvania Department of Transportation, 45 Thoms Run Road, Bridgeville, PA 15017 and City of Pittsburgh, 301 City-County Building, 414 Grant Street, Pittsburgh, PA 15219) has submitted a Baseline Environmental Report concerning the remediation of site soil and groundwater contaminated with BTEX, gasoline-unleaded and undetermined. The Baseline Environmental Report demonstrated attainment of the Special Industrial Area Requirements and was approved by the Department on July 26, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

Quality Carriers, Inc., 3802 Corporex Park Drive, Tampa, FL 33619-1109. License No. **PA-AH 0630**. Effective August 16, 2001.

MSE Environmental, Inc., 880 W. Verdulera Street, Camarillo, CA 93010. License No. **PA-AH 0499**. Effective August 16, 2001.

First Piedmont Hauling, Inc., P. O. Box 1069, Chatham, VA 24531. License No. **PA-AH S212**. Effective August 16, 2001.

Security Environmental Technology, Inc., R. R. 9, Box 315, Latrobe, PA 15650. License No. **PA-AH 0436**. Effective August 16, 2001.

MUNICIPAL WASTE GENERAL PERMITS

Permits Revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGM005. Terradyne Ceramics of Pennsylvania LLC, 316 E. Baltimore Avenue, Media, PA 19063. The permittee requested their general permit be revoked due to the elimination of municipal waste ash and the vitrification process from the manufacturing sequence. The general permit was revoked by Central Office on August 15, 2001.

RESIDUAL WASTE GENERAL PERMITS

Permit Revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR028M013A. Great Valley Materials, Division of A. A. Myers, 638 Lancaster Avenue, Malvern, PA 19355. The permittee requested the general permit be revoked due to the utilization of the baghouse fines generated back into the facility's hot-mix asphalt production process. Central Office revoked this general permit on August 17, 2001.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-1-05-03010: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on August 13, 2001, was authorized to operate under GP3 for Portable Nonmetallic Mineral Processing Plants in Snake Spring Township, **Bedford County**.

GP3-4-07-03014: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on August 13, 2001, was authorized to operate under GP3 for Portable Nonmetallic Mineral Processing Plants in Taylor Township, **Blair County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

32-00358: Dominion Exploration and Production, Inc. (303 Airport Professional Center, Indiana, PA 15701) on August 9, 2001, was authorized to operate under GP-32-00358 for Winsheimer Compressor Station in Center Township, **Indiana County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

06-05073: Dyer Quarry Inc. (Rock Hollow Road, Birdsboro, PA 19508) for operation of a limestone quarry in Robeson Township, **Berks County**. This quarry is a non-Title V facility. The facility has the potential to emit 97 tons of PM-10 per year. Sources are controlled by wet suppression. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

22-03046: Haines & Kibblehouse Inc. (P. O. Box 196, Skippack, PA 19474-0196) for the operation of a limestone quarry in Lower Swatara Township, **Dauphin County**. This quarry is a non-Title V facility. The facility has the potential to emit about 30 tons of PM-10 per year. Sources are controlled by wet suppression. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03055: Martin Limestone Inc. (P. O. Box 550, Blue Ball, PA 17506-0550) for operation of a limestone quarry in Salisbury Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 10 tons of PM-10 per year. Sources are controlled by wet suppression and fabric collectors. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03095: Martin Limestone Inc. (P. O. Box 550, Blue Ball, PA 17506-0550) for operation of a limestone quarry in Caernarvon Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 30 tons of PM-10 per year. Sources are controlled by fabric collectors. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03105: Binkley & Ober Inc. (P. O. Box 7, E. Petersburg, PA 17520) for operation of a limestone quarry in East Hempfield Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 72 tons of PM-10 per year. Sources are controlled by wet suppression and fabric collectors. The operating permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

36-03106: Eastern Industries Inc. (4401 Camp Meeting Road, Center Valley, PA 18034-9454) for operation of a limestone quarry in West Cocalico Township, **Lancaster County**. This quarry is a non-Title V facility. The facility has the potential to emit 46 tons of PM-10 per year. Sources are controlled by wet suppression. The operating

permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

67-03098: Workinger-Semmel Funeral Home, Inc. (849 East Market Street, York, PA 17403) for operation of its human crematory in York City, **York County**. The crematory has the potential to emit 3 tons of NO_x per year. The operating permit will include monitoring and record keeping requirements, emission restrictions and work practice standards designed to keep the source operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

54-317-003: Papetti's Hygrade Egg Products, Inc. (P. O. Box 76, Spain Road, Klingerstown, PA 17941) on August 13, 2001, for construction of a spray dryer associated air cleaning device in Hublely Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03122A: Allegheny Energy Resources, Inc.—Lancaster Landfill (301 Fifth Avenue, Room 307, McKeesport, PA 15132) on August 17, 2001, for construction of a municipal waste landfill controlled by a utility flare in Caernarvon Township, **Lancaster County**. The landfill and its gas collection system are subject to 40 CFR Part 60, Subpart WWW—Standards of Performance for Municipal Solid Waster Landfills.

36-05014D: Alumax Mill Products, Inc. (P. O. Box 3167, Lancaster, PA 17604) on August 13, 2001, for modification of an aluminum coil coating line in Manheim Township, **Lancaster County**.

67-03103: Gerhardt USA (400 East Locust Street, Dallastown, PA 17313) on August 13, 2001, for construction of a chrome electroplating tank controlled by a composite mesh pad scrubber system in Dallastown Borough, **York County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0080: Milford Enterprises, Inc. (200-300 Commerce Drive, Quakertown, PA 18951) on August 14, 2001, for operation of a Wood Finishing Operation in Milford Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05067E: C & D Technologies, Inc. (82 East Main Street, Leola, PA 17540) on August 1, 2001 for operation of a lead-acid battery manufacturing plant in Upper Leacock Township, **Lancaster County**. This plan approval was extended.

67-317-033D: Starbucks Coffee Co. (3000 Espresso Way, York, PA 17402) on July 31, 2001 for operation of coffee roasters 3A and 3B each controlled by a cyclone and a catalytic afterburner at its York Roasting Plant in East Manchester Township, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-302-042: Oak Hill Veneer, Inc. (P. O. Box 304, Troy, PA 16947) on August 14, 2001, to extend authorization to operate a 16.26 million BTU per hour wood-fired boiler and associated air cleaning device (a multiclone collector) on a temporary basis until December 12, 2001 in Troy Township, **Bradford County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

11-403A: Senate Coal Mines, Inc. (One Energy Place, Suite 5100, Latrobe, PA 15650) on August 8, 2001, for construction of a Dry Screening Operation at Mine #42 in Adams Township, **Cambria County**. This plan approval was extended.

65-807A: Hanson Aggregates PMA, Inc. (400 Industrial Blvd., New Kensington, PA 15068) on August 7, 2001, for construction of a Limestone Quarry at Whitney Quarry in Unity Township, **Westmoreland County**. This plan approval was extended.

32-297B: Creps United Publications (1163 Water Street, P. O. Box 746, Indiana, PA 15701) on August 7, 2001, for construction of a Printing Press at Christy Park Drive Facility in White Township, **Indiana County**. This plan approval was extended.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Contact: Roger Fey, Chief, (215) 823-7584.

97-009: Belmont Center for Comprehensive Treatment (4200 Monument Avenue, Philadelphia, PA 19131) amended on August 20, 2001, to change the facility and permit contact information for their facility in the City of Philadelphia, **Philadelphia County**. The Natural Minor Operating Permit was originally issued on January 31, 2000.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40663034R3. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Foster Township, **Luzerne County** affecting 360.0 acres, receiving stream—none. Renewal issued: August 13, 2001.

40663030R3. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Foster Township, **Luzerne County** affecting 225.0 acres, receiving stream—none. Renewal issued: August 15, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

14000101. River Hill Coal Company, Inc. (P. O. Box 141, Kylertown, PA 16847), commencement, operation and restoration of a bituminous surface mine permit in Snow Shoe Township, Centre County affecting 53.9 acres. Receiving stream—not applicable for treatment facilities and sediment ponds. The permittee will use nondischarge alternatives. Application received: January 31, 2000. Permit issued: August 6, 2001.

17930129. Laurel Energy, L. P. (One Energy Place, Suite 7500, Latrobe, PA 15650), transfer of an existing bituminous surface mine permit from Penn Grampian Coal Company, located in Jordan Township, **Clearfield County** affecting 436.4 acres. Receiving stream—Potts Run, unnamed tributaries to Gazzam Run and McNeel Run. Application received: March 13, 2001. Permit issued: August 6, 2001.

17960114. Larry D. Baumgardner Coal Co., Inc. (P. O. Box 127, Lanser, PA 16849), renewal of an existing bituminous surface mine permit in Brady Township, **Clearfield County** affecting 97.9 acres. Receiving stream—unnamed tributaries to Luthersburg Branch. Application received: June 7, 2001. Permit issued: August 14, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

03960103. TDK Coal Sales, Inc. (P. O. Box 259, Brockway, PA 15824). Permit renewed issued for continued operation and reclamation of a bituminous surface/ auger surface mining, fly ash placement/noncoal mineral

removal site located in East Franklin Township, **Armstrong County**, affecting 155 acres. Receiving streams: unnamed tributary to Glade Run. Application received: May 2, 2001. Renewal issued: August 20, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

56920108. Permit Revision, Godin Brothers, Inc. (5433 Front Street, Stoystown, PA 15563), for a land use change from woodland to wildlife habitat in Jenner Township, **Somerset County**, affecting 71.7 acres, receiving stream unnamed tributary to Hoffman Run; Hoffman Run and Quemahoning Creek, all to Quemahoning Creek to Stony Creek to Conemaugh River. Application received: June 15, 2001. Permit issued: August 15, 2001.

56940107. Permit Revision, Godin Brothers, Inc. (5433 Front Street, Stoystown, PA 15563), for a land use change from woodland to wildlife habitat in Jenner Township, **Somerset County**, affecting 63.4 acres, receiving stream Quemahoning Creek. Application received: June 15, 2001. Permit issued: August 15, 2001.

32960105. Permit Renewal for reclamation only, M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7961), for continued restoration of a bituminous surface mine in Pine Township, **Indiana County**, affecting 12.8 acres, receiving stream unnamed tributary to Yellow Creek and Yellow Creek. Application received: August 9, 2001. Permit issued: August 17, 2001.

11960108. Permit Renewal for reclamation only, Laurel Land Development, Inc. (P. O. Box 629, Carrolltown, PA 15722), for continued restoration of a bituminous surface mine in Blacklick Township, **Cambria County**, affecting 66.2 acres, receiving stream Coalpit Run and South Branch Blacklick Creek. Application received: August 10, 2001. Permit issued: August 17, 2001.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

8275SM3C3. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), renewal of NPDES Permit #PA0117986 in Caernarvon and East Earl Townships, **Lancaster County**, receiving stream—unnamed tributary to the Conestoga River. Renewal issued: August 13, 2001.

28960301C3. New Enterprise Stone & Lime Co., Inc., (P. O. Box 77, New Enterprise, PA 16664), renewal of NPDES Permit #PA0223737 in Fannett Township, **Franklin County**, receiving stream—tributary to Dry Run. Renewal issued: August 16, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

53010802. R. Hess Equipment, Inc. (950 Johnson Road, Ulysses, PA 16948), commencement, operation and restoration of a Small Industrial Minerals (Flagstone) permit in Harrison Township, **Potter County** affecting 3 acres. Receiving stream—Cowanquesque River. Application received: June 6, 2001. Permit issued: August 6, 2001.

57012801. L & H Lumber Company, Inc. (R. R. 1, Box 1081, Forksville, PA 18616), commencement, operation and restoration of a Small Industrial Minerals (Gray Shale) permit in Forks Township, **Sullivan County** affecting 2 acres. Receiving stream—Lick Creek, tributary to Little Loyalsock Creek. Application received: June 13, 2001. Permit issued: August 7, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

10010802. Bryan W. Kelsey (R. D. 1, Box 334, Chicora, PA 16025) Commencement, operation and restoration of a small noncoal sandstone operation in Fairview Township, **Butler County** affecting 3.9 acres. Receiving streams: unnamed tributary to South Branch Bear Creek. Application received: March 14, 2001. Permit Issued: August 6, 2001.

37960303. B & P Slag Corp. (133 East Wallace Ave., New Castle, PA 16101) Transfer of an existing sand and gravel operation from Grant R. Wright, Inc. in Union Township, **Lawrence County** affecting 146.0 acres. Receiving streams: Mahoning River. Application received: March 28, 2001. Permit Issued: August 6, 2001.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 P. S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-885. The Elliot Building Group, 235 North Sycamore Street, Newtown, PA 18940, Limerick Township, **Montgomery County**, ACOE Philadelphia District.

To remove an existing bridge and to construct and maintain a road crossing consisting of 182 linear feet of twin cell galvanized steel plate arches with a skew angle of 64 degrees and to install and maintain 140 feet of streambank stabilization in and along Landis Creek (TSF). The project also includes the installation of utility lines within the roadbed of the crossing. This project is associated with the construction of the Estates at Landis Brooke Subdivision, located approximately 2,000 feet east of the intersection of Sunset Road and Ridge Pike (Phoenixville, PA Quadrangle N: 17.85 inches; W: 1.25 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-561. Brookhill Association, P. O. Box AJ, Conyngham, PA 18219. Conyngham Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To restore the alignment and to construct and maintain R-5 riprap bank protection along approximately 150 linear feet of the channel of a tributary to Little Nescopeck Creek, for the purpose of addressing erosion of the embankment of a nonjurisdictional dam (Brookhill Lake Dam). The project includes installation of a rock deflector at the upstream end of the riprap and removal of approximately 120 linear feet of gravel bar. The project is located to the south of Brookhill Road, approximately 2,000 feet west of S.R. 0093 (Conyngham, PA Quadrangle N: 21.3 inches; W: 10.5 inches). E58-235. Liberty Township, R. R. 3, Box 174C, Montrose, PA 18801. Liberty Township, Susquehanna County, Army Corps of Engineers Baltimore District.

E58-235. Liberty Township, R. R. 3, Box 174C, Montrose, PA 18801. Liberty Township, **Susquehanna County**, Army Corps of Engineers Baltimore District.

To remove the existing structure and to construct and maintain a 20-foot x 7-foot concrete box culvert having a 1-foot culvert depression in Rhiney Creek. The work also includes the repair of approximately 110 L.F. of gabion baskets along the northern streambank upstream of the proposed culvert. The project is located along Township Road T808 (Howard Hill Road), approximately 450 feet south of the intersection of S.R. 1020 and T808. (Franklin Forks, PA-NY Quadrangle N: 19.9 inches; W: 14.0 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E19-210. Pennsylvania Department of Transportation, Engineering District 3-0, 715 Jordan Avenue, Montoursville, PA 17754-0218. Bridge, in Briar Creek Township, **Columbia County**, ACOE Baltimore District (Mifflinville, PA Quadrangle N: 10.6 inches; W: 2.6 inches).

To remove the existing 38-foot span timber deck I-beam bridge which has a curb-to-curb width of 19.7 feet and an average underclearance of 5.0 feet and a normal waterway opening of 34.5 feet and to construct and maintain a prestressed concrete adjacent box beam bridge having a

clear span of 45.9-feet, a curb-to-curb width of 26.0 feet and average underclearance of 5.5 feet and a clear opening of 45.9 feet and to construct and maintain a temporary road crossing with four 48-inch corrugated metal pipes 90-feet downstream of the existing structure. The proposed bridge will be located on SR 1019, Section 007 over East Branch Briar Creek approximately 0.5 miles from the intersection of SR 1014 with SR 1019. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E55-179. Pennsylvania Department of Transportation, 715 Jordan Avenue, Montoursville, PA 17751. Tuscarora Creek, in Jackson Township, **Snyder County**, ACOE Baltimore District (Middleburg, PA Quadrangle N: 17.5 inches; W: 0.1 inch).

To construct, operate and maintain 35 linear feet of concrete paved streambed. The projects area shall be 15 feet wide and cover the entire bed surface under the reinforced box culvert in Tuscarora Creek. This project is located .2 mile north of the Middle Creek/Jackson Township line along SR 1005. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E55-180. Jeffrey W. Goff, 88 Old Colony Road, Selinsgrove, PA 17870. Bridge Construction, in Penn Township, **Snyder County**, ACOE Baltimore District (Freeburg, PA Quadrangle N: 22.75 inches; W: 17.20 inches).

1) To remove an existing footbridge, 2) to construct and maintain a 20-foot by 7.33-foot by 54.3-foot long structural plate arch culvert with concrete wingwalls; 3) to construct and temporarily maintain a cofferdam during construction of the bridge; in an unnamed tributary of Penns Creek located on the north side of Old Colony Road 0.5 mile west of SR 0204 in Penn Township, Snyder County. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E11-290. Pennsylvania Department of Transportation, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648. Blacklick Township, **Cambria County**, ACOE Pittsburgh District.

To remove the existing structure and to construct and maintain a 30-foot long, dual 48-inch CPP culvert (invert depressed 0.53 foot) in Hill Creek (CWF) located on S.R. 4003, Segment 0040, Offset 0000. Also, to construct and maintain channel stabilization with rock riprap for a total length of 15 linear feet at the culvert's approaches (Colver, PA Quadrangle N: 5.2 inches; W: 9.7 inches).

E26-282. Georges Creek Municipal Authority, P. O. Box 338, Smithfield, PA 15478. Georges Township, **Fayette County**, ACOE Pittsburgh District.

To construct and maintain approximately 189 L.F. of an 8-inch sewage pipe enclosed in an 18-inch steel casing over Georges Creek (WWF) located approximately 20 feet downstream of S.R. 3007 bridge (Smithfield, PA Quadrangle N: 7.98 inches; W: 7.86 inches).

E26-284. Fayette County Commissioners, Court House, 61 East Main Street, Uniontown, PA 15401. Wharton Township, **Fayette County**, ACOE Pittsburgh District.

To remove the existing timber plank deck of County Bridge No. 42 having a clear span of 40.5 feet and an

underclearance of 6 feet across Big Sandy Creek (HQ-CWF) and to construct and maintain a concrete deck. The bridge is located on T-379 (Scotts Run Road) at a point just east of S.R. 2003 Fort Necessity, PA Quadrangle N: 8.2 inches; W: 16.6 inches).

E65-778. Municipality of Murrysville, 4100 Sardis Road, Murrysville, PA 15668. Municipality of Murrysville, **Westmoreland County**, ACOE Pittsburgh District.

To remove the existing structure and to construct and maintain a 1.0-foot depressed, 8.0-foot x 4.0-foot concrete box culvert in an unnamed tributary to Haymakers Run (HQ-CWF) for the purpose of improving transportation safety and roadway standards. The project is located on Bulltown Road (Murrysville, PA Quadrangle N: 16.9 inches; W: 8.75 inches).

E65-780. Pennsylvania Department of Transportation, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. South Huntingdon Township, **Westmoreland County**, ACOE Pittsburgh District.

To remove the existing structure and to construct and maintain a bridge having a clear span of 10.00 m and an underclearance of 2.10 m across Barren Run (WWF). Also to construct and maintain stream bank protection at the structure located on S.R. 0981, Section E01 at a point just south of its intersection with S.R. 3035 (Smithton, PA Quadrangle N: 5.1 inches; W: 10.1 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-500, PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16301. SR 0079, Segment 1394, Offset 2010 Across tributary to Conneaut Outlet, in Greenwood Township, **Crawford County**, ACOE Pittsburgh District (Geneva, PA Quadrangle N: 5.3 inches; W: 6.7 inches).

To install concrete streambed paving and maintain the 454.5-foot long reinforced concrete arch stream enclosure having a span of 16 feet and a maximum rise of 12 feet across a tributary to Conneaut Outlet (Turkey Hollow Creek) on S.R. 0079, Segment 1394, Offset 2010 approximately 0.8 mile south of the Geneva exit

E20-501, PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16301. SR 0079, Segment 1390, Offset 2241 Across Rock Creek, in Greenwood Township, **Crawford County**, ACOE Pittsburgh District (Geneva, PA Quadrangle N: 5.3 inches; W: 6.7 inches).

To install concrete streambed paving and maintain the 253.5-foot long reinforced concrete arch stream enclosure having a span of 20.83 feet and a maximum rise of 13.5 feet across Rock Creek on S.R. 0079, Segment 1390, Offset 2241 approximately 1.5 miles south of the Geneva exit.

E25-630, Municipal Authority of the City of Corry. Avenue A Pump Station and Force Main, in City of Corry, **Erie County**, ACOE Pittsburgh District

To construct and maintain a sanitary sewer pump station impacting a de minimis area of wetland (0.038 acre) northeast of the intersection of Liberty Street and Avenue A (Columbus, PA-NY Quadrangle N: 8.65 inches; W: 16.75 inches) and a sanitary sewer force main across a wetland area beginning approximately 580 feet north of the intersection of Liberty Street and Summer Street and extending north to the railroad tracks south of the wastewater treatment plant, a distance of approximately 517 feet (Corry, PA-NY Quadrangle N: 9.0 inches; W: 0.2 inch).

E61-244, PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16323. S.R. 0008, Segment 0610, Offset 0398 Across tributary to Cherry Tree Run, in Cherrytree Township, **Venango County**, ACOE Pittsburgh District (Titusville South, PA Quadrangle N: 6.25 inches; W: 12.6 inches).

To remove the existing bridge and to install and maintain a reinforced concrete box culvert having a 20-foot wide by 5-foot high waterway opening in a tributary to Cherrytree Run on S.R. 0008, Section A04, Segment 0610, Offset 0398 just north of S.R. 417 and to install and maintain approximately 100 feet of gabion blanket and rock riprap stream bank protection along the right bank of a tributary to Cherrytree Run adjacent to S.R. 417 approximately 500 feet southeast of S.R. 8.

SPECIAL NOTICES

Notice of Planning Grant Awards under Section 901 of the Municipal Waste Planning Recycling and Waste Reduction Act of 1988, Act 101

The Department of Environmental Protection (DEP) hereby announces the following grants to counties under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P. S. § 4000.901)

and section 208 of the Waste Tire Recycling Act/Small Business and Household Pollution Prevention Act (Act 190 of 1996).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 and the availability of monies in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Sally Lohman, Chief, Waste Planning Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

Act 101, Section 901 Planning Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project Grant</i>	<i>Grant Award</i>
Southcentral	Blair County	Blair County	Plan Revision	\$100,000
	Mifflin County	Mifflin County	Capacity & Financial Analysis of Public Ownership of the Mifflin County Landfill	\$102,680
Northcentral	Centre County	Centre County	Vericomposting Feasibility Study	\$ 38,360
	McKean County	McKean County	Plan Revision	\$ 32,398
	McKean County	McKean County	Landfill Gas Feasibility Study	\$167,602
	Union County	Union County	Plan Revision	\$ 34,120

[Pa.B. Doc. No. 01-1605. Filed for public inspection August 31, 2001, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on DEP's website (www.dep.state.pa.us) at the public participation center. The "July 2001 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its nonregulatory documents, as necessary, throughout 2001.

Ordering Paper Copies of DEP Technical Guidance

DEP encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Check with the appropriate

bureau for more information about the availability of a particular document as a publication.

Changes To Technical Guidance Documents

Following is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Technical Guidance

DEP ID: 385-2000-011 Title: Pennsylvania Combined Sewer Overflow Policy Background/Description: This policy is a substantive revision to DEP's 1996 Combined Sewer Overflow Strategy. DEP is required to develop a Combined Sewer Overflow (CSO) Policy to implement Phase II CSO permitting under the National Pollutant Discharge Elimination System Permitting Program. The policy describes DEP's proposed method of administering ongoing efforts to bring CSO's into compliance with both State and Federal laws. Anticipated Effective Date: No-

vember 1, 2001 Open Comment Period Ends: October 1, 2001 Contact: Milt Lauch at (717) 787-8184, or e-mail Mlauch@state.pa.us.

Notice to Rescind Technical Guidance

DEP ID: 391-2000-012 Title: User's Guide to the Pennsylvania Single Discharge Toxics Model Description: This user's guide was recently replaced by the Bureau of Watershed Conservation with an updated, and more user-friendly Help file in the new version of PENTOXSD for Windows (see final guidance, #391-2000-012). In turn, this document is no longer necessary, and will be rescinded. Effective Date: September 1, 2001 Contact: Clarence Yingling, Jr. at (717) 787-9637, or email at Cyingling@state.pa.us

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-1606. Filed for public inspection August 31, 2001, 9:00 a.m.]

Pennsylvania Bituminous Mine Safety Advisory Committee Change of Meeting Date

The October 17, 2001, meeting of the Pennsylvania Bituminous Mine Safety Advisory Committee has been rescheduled. The next meeting is now scheduled for October 31, 2001, at 10 a.m. in the Fayette County Health Center in Uniontown.

Questions concerning this meeting can be directed to Allison Gaida at (724) 439-7289 or e-mail to agaida@state.pa.us. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Allison Gaida directly at (724) 439-7289 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 01-1607. Filed for public inspection August 31, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Availability of Title V Funds to Support Presentations about Building Inclusive Communities for Individuals with Special Health Care Needs

The Bureau of Family Health is accepting applications to apply for reimbursement to support a presentation or a training or workshop about building inclusive communities for children and adults special health care needs.

The reimbursement is designed to provide fiscal year 2001 funding (period ending June 30, 2002) for training healthcare and related service providers, family members, advocates, and the like. Reimbursement of up to \$3,000 per year is available to cover Department of Health (Department) approved costs used to support professional speakers and related training materials for a conference-

based session, training or workshop. For example, this training or workshop could cover topics like encouraging self-determination and individual choices, fostering diversity and cultural competence, promoting the right to privacy and control and creating a community that values all of its members, including children and adults with special health care needs. Reimbursement is based on meeting the application requirements, the availability of fiscal year 2001 funds (period ending June 30, 2002) and Department approval.

Application guidelines and requests for additional information are available by contacting Andrew Bulla in the Bureau of Family Health, Division of Systems Development and Outreach, at (717) 772-2762 or abulla@state.pa.us. Persons with a disability desiring an application in alternative formats (that is, larger print, audio tape or Braille) should also contact Andrew Bulla at (717) 772-2762, V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5584 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1608. Filed for public inspection August 31, 2001, 9:00 a.m.]

Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on Wednesday, September 12, 2001, at 10 a.m., in Room 505, Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA.

For additional information or persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Joseph May at (717) 772-5298, for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1609. Filed for public inspection August 31, 2001, 9:00 a.m.]

Request for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.18(e) (relating to management):

Phoenixville Hospital of the University of Pennsylvania Health System
140 Nutt Road, P. O. Box 809
Phoenixville, PA 19460-0809

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

ManorCare Health Services—Chambersburg
1070 Stouffer Avenue
Chambersburg, PA 17201

Penn Lutheran Village
800 Broad Street
Selinsgrove, PA 17870

Jefferson Manor Health Center
R. R. 5, Box 42
Brookville, PA 15825

Westmoreland Manor
2480 S. Grande Blvd.
Greensburg, PA 15601

Dunmore Health Care Center, Inc.
900 Mill Street
Dunmore, PA 18512

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-1610. Filed for public inspection August 31, 2001, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Holiday Package Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Holiday Package.

2. *Price:* The price of a Pennsylvania Holiday Package instant lottery game ticket is \$5.00.

3. *Play Symbols:* Each Pennsylvania Holiday Package instant lottery game ticket will contain one play area featuring a "Holiday Numbers" area and a "Your Numbers" area. The play symbols and their captions located in the "Holiday Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY). The play symbols and their captions located in the "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5

(FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY) and a Gift Symbol (GIFT).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Your Numbers" area are: \$2.⁰⁰ (TWO DOL), \$5.⁰⁰ (FIV DOL), \$6.⁰⁰ (SIX DOL), \$10.⁰⁰ (TEN DOL), \$12\$ (TWELV), \$15\$ (FIFTN), \$25\$ (TWY FIV), \$50\$ (FIFTY), \$200 (TWO HUN), \$2,000 (TWO THO), \$10,000 (TEN THO) and \$200,000 (TWOHUNTHO).

5. *Prizes:* The prizes that can be won in this game are \$2, \$5, \$6, \$10, \$12, \$15, \$25, \$50, \$200, \$2,000, \$10,000 and \$200,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 3,360,000 tickets will be printed for the Pennsylvania Holiday Package instant lottery game.

7. *Determination of Prize Winners.*

(a) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$200,000 (TWOHUNTHO) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Holiday Numbers" play symbols and a prize play symbol of \$200,000 (TWOHUNTHO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(c) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$10,000 (TEN THO) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Holiday Numbers" play symbols and a prize play symbol of \$10,000 (TEN THO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$2,000 (TWO THO) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$2,000.

(f) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Holiday Numbers" play symbols and a prize play symbol of \$2,000 (TWO THO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$2,000.

(g) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$200 (TWO HUN) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Holiday Numbers" play symbols and a prize play symbol of \$200

(TWO HUN) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$50\$ (FIFTY) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$50\$ (FIFTY) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$25\$ (TWY FIV) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$25.

(l) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$25\$ (TWY FIV) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(m) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$15\$ (FIFTN) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$15.

(n) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$15\$ (FIFTN) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(o) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$12\$ (TWELV) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$12.

(p) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$12\$ (TWELV) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$12.

(q) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$10⁰⁰ (TEN DOL) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$10⁰⁰ (TEN DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$6⁰⁰ (SIX DOL) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$6.

(t) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$6⁰⁰ (SIX DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$6.

(u) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Gift Symbol (GIFT) and a prize play symbol of \$5⁰⁰ (FIV DOL) appears under the Gift Symbol (GIFT) play symbol, on a single ticket, shall be entitled to a prize of \$5.

(v) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$5⁰⁰ (FIV DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(w) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Holiday Numbers” play symbols and a prize play symbol of \$2⁰⁰ (TWO DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:*

The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any of Your Numbers Match Any of the Winning Numbers, Win With Prize(s) Of:</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 3,360,000 Tickets</i>
\$5	\$5	1:15	224,000
\$5 (w/Gift)	\$5	1:12	280,000
\$6	\$6	1:150	22,400
\$6 (w/Gift)	\$6	1:100	33,600
\$2 x 5	\$10	1:50	67,200
\$5 x 2	\$10	1:150	22,400
\$10	\$10	1:150	22,400
\$10 (w/Gift)	\$10	1:60	56,000
\$6 x 2	\$12	1:600	5,600
\$12	\$12	1:300	11,200
\$12 (w/Gift)	\$12	1:300	11,200
\$5 x 3	\$15	1:300	11,200
\$10 + \$5	\$15	1:600	5,600

When Any of Your Numbers Match Any of the Winning Numbers, Win With Prize(s) Of:

\$15	\$15
\$15 (w/Gift)	\$15
\$15 + \$5 x 2	\$25
\$5 x 5	\$25
\$5 x 3 + \$10	\$25
\$10 + \$15	\$25
\$25	\$25
\$25 (w/Gift)	\$25
\$25 x 2	\$50
\$15 x 3 + \$5	\$50
\$5 x 10	\$50
\$10 x 5	\$50
\$50	\$50
\$50 (w/Gift)	\$50
\$25 x 8	\$200
\$50 x 4	\$200
\$200	\$200
\$200 (w/Gift)	\$200
\$200 x 10	\$2,000
\$2,000	\$2,000
\$2,000 (w/Gift)	\$2,000
\$2,000 x 5	\$10,000
\$10,000	\$10,000
\$10,000 (w/Gift)	\$10,000
\$200,000	\$200,000
\$200,000 (w/Gift)	\$200,000

Gift = Win prize automatically

<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 3,360,000 Tickets</i>
1:600	5,600
1:150	22,400
1:150	22,400
1:75	44,800
1:100	33,600
1:300	11,200
1:300	11,200
1:75	44,800
1:3,000	1,120
1:2,400	1,400
1:1,500	2,240
1:1,714	1,960
1:8,000	420
1:6,000	560
1:40,000	84
1:60,000	56
1:60,000	56
1:60,000	56
1:420,000	8
1:840,000	4
1:420,000	8
1:840,000	4
1:1,680,000	2
1:840,000	4
1:3,360,000	1
1:1,680,000	2

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Holiday Package instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Holiday Package, prize money from winning Pennsylvania Holiday Package instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Holiday Package instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Holiday Package or through normal communications methods.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 01-1611. Filed for public inspection August 31, 2001, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

The Department of Transportation, pursuant to the authority contained in Section 2002 (c) of the Administrative Code (71 P. S. § 512 (c) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right-of-way has been submitted to the Department by Lamar West, a Pennsylvania Limited Partnership, seeking to lease highway right-of-way located along State Route 0088 (Library Road), in the 32nd Ward, City of Pittsburgh, Allegheny County, containing 300 ± square feet or 0.007 ± acre, adjacent to SR 0088, for purposes of erection of an advertising device (billboard).

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Ray S. Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to: Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4835.

BRADLEY L. MALLORY
Secretary

[Pa.B. Doc. No. 01-1612. Filed for public inspection August 31, 2001, 9:00 a.m.]

Application for Lease of Right-of-Way

The Department of Transportation, pursuant to the authority contained in Section 2002 (c) of the Administrative Code (71 P. S. § 512 (c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right-of-way has been submitted to the Department by Ned Shekels, 7038 McClure Avenue, Pittsburgh, PA 15218, seeking to lease highway right-of-way located at the intersection of Joseph Lane and Camp Horne Road, Ohio Township, Allegheny County, containing 28,411 ± square feet or 0.652 ± acre, adjacent to SR 0279, for purposes of parking, landscaping and access to an adjoining parcel.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Ray S. Hack, P.E., District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to: Michael Sudar, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4835.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1613. Filed for public inspection August 31, 2001, 9:00 a.m.]

Approval of Ignition Interlock Systems

Notice is hereby given that pursuant to 42 Pa.C.S. § 7002 (d), the following ignition interlock system devices are on the Department of Transportation's current approved list:

Alcohol Countermeasure Systems Corporation's—
Ignition Interlock Model WR2.

Consumer Safety Technology, Incorporated's—
Intoxalock™

LifeSafer Interlock, Incorporated's—FC100

Guardian Interlock Systems'—Model 3060

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-1614. Filed for public inspection August 31, 2001, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulations, contact the promulgating agency.

<i>Final-Form</i>	<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
	7-361	Environmental Quality Board Household Hazardous Waste	08/21/01

<i>Final-Omit</i>	<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
	2-134	Department of Agriculture Fees	08/21/01

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-1615. Filed for public inspection August 31, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Glenwood F. Warner, Sr.; Doc. No. SC01-08-001

Notice is hereby given of the Order to Show Cause issued on August 14, 2001, by the Deputy Insurance Commissioner of the Commonwealth of Pennsylvania in the referenced matter. Violation of the following is alleged: sections 604 and 639 of the Insurance Department Act of 1921 (40 P. S. §§ 234 and 279); and 31 Pa. Code §§ 37.46—37.48 (relating to standards for denial of certificate/license; revocation, suspension, nonrenewal of certificates and licenses; and reporting requirements).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If Respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Docket Clerk, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Tracey Pontius, Agency ADA Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1616. Filed for public inspection August 31, 2001, 9:00 a.m.]

Coal Mine Compensation Rating Bureau; Workers' Compensation Loss Cost Filing

On August 13, 2001, the Insurance Department (Department) received from the Coal Mine Compensation Rating Bureau (CMCRB) a filing for a loss cost level change for Workers' Compensation insurance. This filing is made in accordance with section 705 of the act of July 2, 1993 (P.L. 190, No. 44).

The CMCRB is making this filing to reflect promulgation of new regulations by the United States Department of Labor.

The CMCRB calculates an overall increase in loss costs of 652% to be effective January 19, 2001.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Ken Creighton, ACAS, Insurance Department, Bureau of Regulation of Rates and Policies, 1311 Strawberry Square, Harrisburg, PA 17120 (e-mail at kcreighton@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1617. Filed for public inspection August 31, 2001, 9:00 a.m.]

Geisinger Health Plan; Base Rate Formula Filing

On August 20, 2001, Geisinger Health Plan submitted a filing for the base rate formula methodology to be used with all groups of two or more subscribers. This proposed base rate formula would include the application of demographic factors to the approved Geisinger Health Plan Employer Group rates. The demographic factors included are age/gender factors and industry factors.

An effective date of January 1, 2002, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg regional office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1618. Filed for public inspection August 31, 2001, 9:00 a.m.]

Geisinger Health Plan; Employer Group Rate Filing

On August 20, 2001, Geisinger Health Plan submitted a filing for the employer group rates.

Requested Rate Increase: 17.3% (overall Increase).

Members Affected: 180,000

Additional Annual Income: \$42 million

An effective date of January 1, 2002, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg regional office.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance

Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1619. Filed for public inspection August 31, 2001, 9:00 a.m.]

Geisinger Health Plan; Prescription Drug Rider Filing

On August 20, 2001, Geisinger Health Plan submitted a filing for the prescription drug riders.

Requested Rate Increase: 34-43% (percentage varies by copay plan).

Members Affected: 130,700

Additional Annual Income: \$16 million

An effective date of January 1, 2002, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg Regional Office.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1620. Filed for public inspection August 31, 2001, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insured's automobile policy. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Philadelphia, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Ferdinand Panebianco; file no. 01-267-03024; Allstate Insurance Company; doc. no. PH01-08-018; October 29, 2001, at 1 p.m.

Appeal of Robert and Evlynne I. Harmon; file no. 01-267-02544; AAA Mid-Atlantic Insurance Company; doc. no. PH01-08-015; October 30, 2001, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party

intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1621. Filed for public inspection August 31, 2001, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies. These administrative hearings will be held in the Insurance Department's regional offices in Philadelphia and Pittsburgh, PA. Failure by the appellants to appear at the scheduled hearings may result in dismissal with prejudice.

The following hearing will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Maribeth M. Leiber and Marini Salvitore; file no. 01-308-72400; State Farm Fire and Casualty Insurance Company; doc. no. PI01-08-013; October 12, 2001, at 2 p.m.

The following hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Nancy Ann Farrell; file no. 01-267-02671; State Farm Fire and Casualty Insurance Company; doc. no. PH01-08-016; October 30, 2001, at 9 a.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1622. Filed for public inspection August 31, 2001, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with the termination of the insured's residential or personal property policy. The administrative hearing will be held in the Insurance Department regional offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Erie Insurance Exchange; file no. 01-181-04753; Robert D. and Virginia Matlock; doc. no. P01-08-014; September 20, 2001, at 1:30 p.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-1623. Filed for public inspection August 31, 2001, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Fulton County, Wine & Spirits Shoppe #2901, 106 Lincoln Way West, McConnellsburg, PA 17233-1303.

Lease Expiration Date: July 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 1,100 to 1,600 net useable square feet of new or existing retail commercial space located within the Borough of McConnellsburg or immediate surrounding municipalities.

Proposals due: September 21, 2001, at 12 noon

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Ronald Hancher, Jr., (717) 657-4228

Bucks County, Wine & Spirits Shoppe #0905, Logan Square Shopping Center, 6542-C Logan Square, New Hope, PA 18938.

Lease Expiration Date: June 30, 2005

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 5,000 net useable square feet of new or existing retail commercial space located 1/2 mile from the intersection of Route 202 and Route 179.

Proposals due: September 21, 2001, at 12 noon

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Robert J. Jolly, (215) 482-9673

Montgomery County, Wine & Spirits Shoppe #4606, Maple Glen Shopping Center, 1925 Norristown Road, Maple Glen, PA 19002-2921.

Lease Expiration Date: March 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 10,000 net useable square feet of new or existing retail commercial space located 1/2 mile from the intersection of Route 152 and Route 63.

Proposals due: September 21, 2001, at 12 noon

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Robert J. Jolly, (215) 482-9673

Montgomery County, Wine & Spirits Shoppe #4628, Whitemarsh Shopping Center, 44 E. Ridge Pike, Conshohocken, PA 19428-2117.

Lease Expiration Date: December 31, 2005

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 10,000 net useable square feet of new or existing retail commercial space located 1/2 mile from the intersection of Ridge Avenue and Butler Pike.

Proposals due: September 21, 2001, at 12 noon

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Robert J. Jolly, (215) 482-9673

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 01-1624. Filed for public inspection August 31, 2001, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION

Drinking Water State Revolving Fund Projects; Public Hearing on Federal FY 2002 and 2003 Project Priority List and FY 2002 Intended Use Plan

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (Department) have prepared a combined Federal Fiscal Years (FY) 2002 and 2003 drinking water program Project Priority List (PPL) and the fiscal year 2002 Intended Use Plan (IUP) which includes a list of drinking water projects to be considered for a design and engineering or construction loan from funds Pennsylvania expects to receive from FY 2002 funds approved by Congress to capitalize the Drinking Water State Revolving Fund (DWSRF) program.

The FY 2002/2003 DWSRF PPL was developed in conformance with the requirements of the Safe Drinking Water Act Amendments of 1996 (act) and Federal guidance. The Act stipulates that States must maintain a PPL of drinking water projects from which to develop the annual IUP list of projects to be funded.

The projects to be considered for a loan from the DWSRF must meet the Federal requirements for funding in accordance with Section 1452 of the Federal Safe Drinking Water Act (Act). Accordingly, the projects included in the IUP are expected to meet the requirements applicable to use of the DWSRF loan funds. Projects listed in the FY 2002 IUP are on the Commonwealth's FY 2002/2003 PPL and are expected to proceed with design and engineering or to construction in the near future.

Other projects on the DWSRF PPL are projects that are in development or will be developed for future loan consideration. Any project removed from an IUP is maintained on the PPL unless otherwise completed.

The exact amount of the 2002 DWSRF Capitalization Grant has not been determined at this time; however, it is expected to be approximately \$800-\$850 million Nationally. PENNVEST will apply for the maximum amount allotted to the state. We expect this amount to be approximately \$27.4 million of Federal FY 2002 funds from the Environmental Protection Agency (EPA), to be supplemented with \$5.5 million of State matching funds. The Commonwealth intends to also use \$4.3 million of recycled DWSRF funds. Additionally, PENNVEST and the Department reserve the right to transfer up to one-third of the DWSRF grant amount between the Clean Water State Revolving Fund and the DWSRF. The FY 2002 IUP has 15 drinking water projects listed with a total dollar value of approximately \$28.6 million. The final list of projects will be based upon all information available at the time of the Commonwealth's grant application in November 2001.

Some \$8.5 million of available FY 2002 Federal funds will be set aside for program administration costs, technical assistance to small systems, operator training and certification and source water assessment and protection, as authorized under section 1452 of the act. The IUP also includes a narrative workplan further describing how these set-aside funds will be used.

A public hearing will be held, as described below. After the public hearing and assessment of the comments received, the final FY 2002 IUP will be completed, and potentially, it may include other projects from the PPL. A project must appear on the PENNVEST approved IUP before it can receive a loan from the DWSRF. A project's readiness to proceed and the reasonable availability of alternative funds also have a bearing on project selection for the IUP. Consequently, the rank ordered list of projects on the PPL does not dictate the order in which projects will be chosen for inclusion in the IUP.

Federal guidance on development of the PPL, IUP and set-aside workplan requires that they be subject to public review and comment before being submitted to the EPA.

The Department has scheduled a public hearing for 10 a.m., October 17, 2001, in the Auditorium of the Rachel Carson State Office Building, located at 400 Market Street, Harrisburg, PA. The hearing is scheduled for the purpose of receiving comments from the public regarding the FY 2002/2003 PPL and the FY 2002 IUP. Interested persons are invited to express their views on the narrative portion of the IUP, the set-aside workplan, or the priority rating or ranking of projects on the IUP and the PPL at the public hearing. Persons wishing to offer comments should contact the Administrative Services Section, Division of Municipal Financial Assistance, Bureau of Water Supply and Wastewater Management, 10th Floor, Rachel Carson State Office Building, P. O. Box 8466, Harrisburg, PA 17105-8466, (717) 787-6744, or by Internet e-mail (AMaisano@state.pa.us) by 4 p.m., October 16, 2001. Where written statements are prepared and will be submitted at the hearing, speakers will be asked to restrict the oral portion of the statement to a summary of the written comments. Speakers will be called to present their comments generally in the order of receipt of the notice of intent to appear at the hearing.

It is not necessary to appear at the public hearing to present comments on the narrative portion of the IUP, the

set-aside workplan or the PPL or IUP list of projects. Interested persons may submit written comments to the Department at the address shown above. Such written comments will be considered equivalent to oral statements presented at the hearing. To be considered by the Department and PENNVEST, the written comments must be received by the Administrative Services Section on or before the date of the hearing.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Mr. Maisano at the address noted above or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

The FY 2002/2003 DWSRF PPL and FY 2002 DWSRF IUP list of projects follow this notice. Copies of these lists, as well as the narrative portion of the IUP and set-aside workplan, are available for public review in the offices listed at the end of this notice, and are accessible electronically through the Department's web-site, as follows: http://www.dep.state.pa.us/dep/deputate/watermgt/WSM/WSM_TAO/Finan_Tech_Asst.htm

DEP - Southeast Region:
Water Supply Manager
Lee Park, Suite 6010, 555 North Lane,
Conshohocken, PA 19428
(Telephone 610-832-6060)

DEP - Northeast Region:
Water Supply Manager
2 Public Square, Wilkes-Barre, PA 18711-0790
(570) 826-2511

DEP - Southcentral Region:
Water Supply Manager
900 Elmerton Avenue, Harrisburg, PA 17110
(717) 705-4708

DEP - Northcentral Region:
Water Supply Manager
208 West 3rd Street,
Williamsport, PA 17701
(570) 327-3675

DEP - Southwest Region:
Water Supply Manager
400 Waterfront Drive, Pittsburgh, PA 15222-4745
(412) 442-4217

DEP - Northwest Region:
Water Supply Manager
230 Chestnut Street, Meadville, PA 16335-3481
(814) 332-6899

DEP - Bureau of Water Supply and Wastewater Management, Division of Municipal Financial Assistance, Administrative Services Section
10th Floor, RCSOB, 400 Market Street,
Harrisburg, PA 17101
(717) 787-6744

PENNVEST
22 S. Third Street, 4th Floor,
Keystone Building, Harrisburg, PA 17101
(717) 787-8137

DAVID E. HESS,
Secretary

*Department of Environmental Protection Vice-Chairperson
Pennsylvania Infrastructure Investment Authority and*

PAUL K. MARCHETTI,
*Executive Director
Pennsylvania Infrastructure Investment Authority*

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: INDIANA COUNTY MUN. SERVICES AUTHORITY	REGION: V	PROJECT RATING: 83
STREET: P. O. BOX 351	PWSID: 5320042	PROJRANK: 1
CITY: INDIANA, PA 15701	IUP YEAR: 1999	PROJECT COST: \$455,500
COUNTY: INDIANA	MTGDATE: 7/12/2000	PROJECT TYPE: SRC, TREAT
APPLICANT: GALLITZIN WATER AUTHORITY	REGION: V	PROJECT RATING: 82
STREET: 702 JACKSON STREET	PWSID: 4110011	PROJRANK: 2
CITY: GALLITZIN, PA 16641	IUP YEAR: 2002	PROJECT COST: \$4,500,000
COUNTY: CAMBRIA	MTGDATE: 7/18/2001	PROJECT TYPE: SRC,TRANS,WS,DS
APPLICANT: BLACKLICK VALLEY MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 82
STREET: P.O. BOX 161	PWSID: 4110077	PROJRANK: 3
CITY: VINTONDALE, PA 15961	IUP YEAR: 1998	PROJECT COST: \$1,261,000
COUNTY: CAMBRIA	MTGDATE: 7/15/1998	PROJECT TYPE: TRANS, TREAT, DS
APPLICANT: CAMBRIDGE SPRINGS BOROUGH	REGION: VI	PROJECT RATING: 78
STREET: 26 FEDERAL STREET	PWSID: 6200004	PROJRANK: 4
CITY: CAMBRIDGE SPRINGS, PA 16403	IUP YEAR: 1999	PROJECT COST: \$1,062,500
COUNTY: CRAWFORD	MTGDATE: 11/18/1998	PROJECT TYPE: TREAT
APPLICANT: YORK WATER COMPANY	REGION: III	PROJECT RATING: 78
STREET: 130 EAST MARKET STREET:	PWSID: 7670100	PROJRANK: 5
CITY: YORK, PA 17405	IUP YEAR: 1998	PROJECT COST: \$800,000
COUNTY: YORK	MTGDATE: 11/18/1998	PROJECT TYPE: TRANS, WS, DS
APPLICANT: SCHUYLKILL COUNTY MUNICIPAL AUTHORITY	REGION: II	PROJECT RATING: 76
STREET: 221 S CENTRE STREET:	PWSID: 3540038	PROJRANK: 6
CITY: POTTSVILLE, PA 17901	IUP YEAR: 2000	PROJECT COST: \$790,000
COUNTY: SCHUYLKILL	MTGDATE: 7/14/1999	PROJECT TYPE: SRC, TRANS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: LAZYBROOK TRAILER PARK STREET: 31 LINCOLN AVE CITY: MONTROSE, PA 18801 COUNTY: SUSQUEHANNA	REGION: II PWSID: 2580015 IUP YEAR: MTGDATE:	PROJECT RATING: 75 PROJRANK: 7 PROJECT COST: \$25,000 PROJECT TYPE: SRC, TRANS, TREAT, DS
APPLICANT: AARONSBURG WATER PIPES, INC. STREET: AARON SQUARE- HAINES TWP. CITY: AARONSBURG, PA 16820 COUNTY: CENTRE	REGION: IV PWSID: 4140108 IUP YEAR: 2001 MTGDATE: 3/22/2000	PROJECT RATING: 74 PROJRANK: 8 PROJECT COST: \$778,050 PROJECT TYPE: TRANS,WS,DS, TREAT
APPLICANT: FREELAND BOROUGH/SANDY RUN WATER STREET: R.R.#1, PO BOX 1451 CITY: FREELAND, PA 18224 COUNTY: LUZERNE	REGION: II PWSID: 2400136 IUP YEAR: 1999 MTGDATE: 11/18/1998	PROJECT RATING: 74 PROJRANK: 9 PROJECT COST: \$92,585 PROJECT TYPE: WS, TREAT, TRANS
APPLICANT: BOGGS TWP. STREET: R.D. #3 BOX 540 CITY: BELLEFONTE, PA 16823 COUNTY: CENTRE	REGION: IV PWSID: 4140101 IUP YEAR: 1999 MTGDATE: 3/24/1999	PROJECT RATING: 73 PROJRANK: 10 PROJECT COST: \$710,000 PROJECT TYPE: SRC, WS, TREAT, DS
APPLICANT: SAVILLE RUSTIN (PINE RIDGE COMMUN. STREET: 1103 PINE RIDGE CITY: BUSHKILL, PA 18324 COUNTY: PIKE	REGION: II PWSID: 2520022 IUP YEAR: 2000 MTGDATE: 7/14/1999	PROJECT RATING: 72 PROJRANK: 11 PROJECT COST: \$285,000 PROJECT TYPE: SRC, TREAT
APPLICANT: MOUNTAIN WATER ASSOCIATION STREET: P.O. BOX 227 CITY: SMITHFIELD, PA 15478 COUNTY: FAYETTE	REGION: V PWSID: 5260032 IUP YEAR: 1999 MTGDATE: 7/15/1998	PROJECT RATING: 72 PROJRANK: 12 PROJECT COST: \$482,000 PROJECT TYPE: SRC, TREAT, WS, DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT

WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 - 2003 PROJECT PRIORITY**

SEPTEMBER 1, 2001

APPLICANT: PA AMERICAN WATER CO. (INDEPENDENCE)	REGION: V	PROJECT RATING: 71
STREET: 300 GALLEY ROAD, P.O. 1290	PWSID: 5630037	PROJRANK: 13
CITY: MCMURRAY, PA 15317	IUP YEAR: 1997	PROJECT COST: \$3,250,000
COUNTY: WASHINGTON	MTGDATE: 11/19/1997	PROJECT TYPE: TREAT, DS
APPLICANT: PA AMERICAN WATER CO. (MOSHANNON)	REGION: IV	PROJECT RATING: 70
STREET: P O BOX 707	PWSID: 4140087	PROJRANK: 14
CITY: PHILLIPSBURG, PA 16866	IUP YEAR: 1997	PROJECT COST: \$6,650,000
COUNTY: CENTRE/CLEARFIELD	MTGDATE: 3/21/2001	PROJECT TYPE: SRC, TREAT, WS, TRANS,
APPLICANT: CHALFONT BOROUGH	REGION: I	PROJECT RATING: 69
STREET: P O BOX 80	PWSID: 1090005	PROJRANK: 15
CITY: CHALFONT, PA 18914	IUP YEAR: 1999	PROJECT COST: \$259,300
COUNTY: BUCKS	MTGDATE: 3/24/1999	PROJECT TYPE: TREAT
APPLICANT: LEHIGHTON WATER AUTHORITY	REGION: II	PROJECT RATING: 69
STREET: P.O. BOX 29	PWSID: 3130009	PROJRANK: 16
CITY: LEHIGHTON, PA 18325	IUP YEAR: 1997	PROJECT COST: \$3,000,000
COUNTY: CARBON	MTGDATE: 11/19/1997	PROJECT TYPE: SRC, TRANS, DS
APPLICANT: PA AMERICAN WATER CO. (LAWRENCE)	REGION: VI	PROJECT RATING: 69
STREET: 2736 ELLWOOD ROAD	PWSID: 6370011	PROJRANK: 17
CITY: NEW CASTLE, PA 16101	IUP YEAR: 2001	PROJECT COST: \$6,435,000
COUNTY: BEAVER/BUTLER	MTGDATE: 10/4/2000	PROJECT TYPE: DS
APPLICANT: MESHOPPEN BOROUGH	REGION: II	PROJECT RATING: 68
STREET: PO BOX 225	PWSID: 2660010	PROJRANK: 18
CITY: MESHOPPEN, PA 18630	IUP YEAR: 1997	PROJECT COST: \$1,137,020
COUNTY: WYOMING	MTGDATE: 11/19/1997	PROJECT TYPE: TRANS, TREAT, WS, DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: LIMESTONE TWP. MUN. WATER	REGION: IV	PROJECT RATING: 67
STREET: R D 2 BOX 541-A	PWSID: 4410180	PROJRANK: 19
CITY: JERSEY SHORE, PA 17740	IUP YEAR: 1997	PROJECT COST: \$501,650
COUNTY: LYCOMING	MTGDATE: 11/19/1997	PROJECT TYPE: SRC, TREAT, WS, DS
APPLICANT: CRAWFORD TOWNSHIP WATER	REGION: IV	PROJECT RATING: 65
STREET: R D #2	PWSID: 4180062	PROJRANK: 20
CITY: JERSEY SHORE, PA 17740	IUP YEAR: 1997	PROJECT COST: \$569,843
COUNTY: CLINTON	MTGDATE: 11/19/1997	PROJECT TYPE: SRC, TREAT, WS, DS
APPLICANT: CONSUMERS PA WATER COMPANY (ROARING)	REGION: II	PROJECT RATING: 64
STREET: 204 E SUNBURY ST	PWSID: 4490024	PROJRANK: 21
CITY: SHAMOKIN, PA 17872	IUP YEAR: 2002	PROJECT COST: \$5,538,900
COUNTY: LACKAWANNA,ETC.	MTGDATE: 7/18/2001	PROJECT TYPE: ALL
APPLICANT: CHARLEROI, AUTHORITY OF THE BOROUGH OF	REGION: V	PROJECT RATING: 63
STREET: 325 MCKEAN AVE, P.O. BOX 211	PWSID: 5630039	PROJRANK: 22
CITY: CHARLEROI, PA 15022	IUP YEAR: 1999	PROJECT COST: \$1,032,500
COUNTY: WASHINGTON	MTGDATE: 3/24/1999	PROJECT TYPE: DS
APPLICANT: KLINE TOWNSHIP MUNICIPAL AUTHORITY	REGION: II	PROJECT RATING: 62
STREET: P.O. BOX 160, 76 S. KENNEDY DR	PWSID: 3139999	PROJRANK: 23
CITY: MCADOO, PA 18237	IUP YEAR: 2002	PROJECT COST: \$6,727,935
COUNTY: CARBON	MTGDATE: 7/18/2001	PROJECT TYPE: SRC,TREAT,WS,DS
APPLICANT: JIM THORPE MUNICIPAL AUTHORITY	REGION: II	PROJECT RATING: 62
STREET: 1324 ORCHARD LANE	PWSID: 3130044	PROJRANK: 24
CITY: JIM THORPE, PA 18229	IUP YEAR: 1997	PROJECT COST: \$1,594,590
COUNTY: CARBON	MTGDATE: 7/16/1997	PROJECT TYPE: SRC, TREAT, WS, OTHER

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: MILFORD BOROUGH AUTHORITY	REGION: II	PROJECT RATING: 61
STREET: P.O. BOX 459	PWSID: 2520046	PROJRANK: 25
CITY: MILFORD, PA 18337	IUP YEAR: 1999	PROJECT COST: \$3,482,811
COUNTY: PIKE	MTGDATE: 7/15/1998	PROJECT TYPE: DS
APPLICANT: HEMLOCK FARMS COMMUNITY ASSOCIATION	REGION: II	PROJECT RATING: 60
STREET: BOX 1007 HEMLOCK FARMS	PWSID: 2520033	PROJRANK: 26
CITY: HAWLEY, PA 18428	IUP YEAR: 2001	PROJECT COST: \$5,992,000
COUNTY: PIKE	MTGDATE: 10/4/2000	PROJECT TYPE: SRC,WS,DS
APPLICANT: LEWISTOWN BOROUGH MUNICIPAL AUTHORITY	REGION: III	PROJECT RATING: 60
STREET: 70 CHESTNUT ST. PO BOX 68	PWSID: 4440010	PROJRANK: 27
CITY: LEWISTOWN, PA 17044	IUP YEAR: 1997	PROJECT COST: \$15,750,000
COUNTY: MIFFLIN	MTGDATE: 11/19/1997	PROJECT TYPE: SRC, TRANS, TREAT, WS
APPLICANT: HAZLETON CITY AUTHORITY	REGION: II	PROJECT RATING: 60
STREET: 230 S WYOMING STREET	PWSID: 2408001	PROJRANK: 28
CITY: HAZLETON, PA 18201	IUP YEAR: 1997	PROJECT COST: \$2,890,000
COUNTY: LUZERNE	MTGDATE: 11/15/2000	PROJECT TYPE: DS, WS, TREAT, TRANS
APPLICANT: TURBOTVILLE BOROUGH	REGION: IV	PROJECT RATING: 60
STREET: P.O. BOX 264	PWSID: 4490016	PROJRANK: 29
CITY: TURBOTVILLE, PA 17772	IUP YEAR: 2001	PROJECT COST: \$2,068,450
COUNTY: NORTHUMBERLAND	MTGDATE: 3/22/2000	PROJECT TYPE: SRC,WS,DS, TREAT
APPLICANT: LEHIGH TOWNSHIP MUN. AUTH.	REGION: II	PROJECT RATING: 59
STREET: 1069 MUNICIPAL RD.	PWSID: 3480060	PROJRANK: 30
CITY: WALNUTPORT, PA 18088	IUP YEAR: 2000	PROJECT COST: \$250,000
COUNTY: NORTHAMPTON	MTGDATE: 7/14/1999	PROJECT TYPE: TREAT, TRANS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 - 2003 PROJECT PRIORITY
SEPTEMBER 1, 2001**

APPLICANT: WASHINGTON TWP. MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 58
STREET: 1390 FAYETTE AVE	PWSID: 5260009	PROJRANK: 31
CITY: BELLE VERNON, PA 15012	IUP YEAR: 2000	PROJECT COST: \$2,400,000
COUNTY: FAYETTE	MTGDATE: 11/17/1999	PROJECT TYPE: TREAT, WS
APPLICANT: DRY RUN WATER ASSOCIATION	REGION: III	PROJECT RATING: 58
STREET: P.O. BOX 159	PWSID: 7280033	PROJRANK: 32
CITY: DRY RUN, PA 17220	IUP YEAR: 1997	PROJECT COST: \$220,500
COUNTY: FRANKLIN	MTGDATE: 11/19/1997	PROJECT TYPE: TREAT, DS
APPLICANT: JACKSON TOWNSHIP WATER AUTHORITY	REGION: V	PROJECT RATING: 58
STREET: R.D. #8, BOX 112	PWSID: 4110021	PROJRANK: 33
CITY: JOHNSTOWN, PA 15909	IUP YEAR: 2001	PROJECT COST: \$2,288,469
COUNTY: CAMBRIA	MTGDATE: 3/22/2000	PROJECT TYPE: TRANS,WS,DS
APPLICANT: BEAVER FALLS MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 57
STREET: P.O. BOX 400	PWSID: 5040012	PROJRANK: 34
CITY: BEAVER FALLS, PA 15010	IUP YEAR: 1998	PROJECT COST: \$5,028,950
COUNTY: BEAVER	MTGDATE: 3/25/1998	PROJECT TYPE: SRC, TREAT
APPLICANT: PERRY TOWNSHIP BOARD OF SUPERVISORS	REGION: V	PROJECT RATING: 57
STREET: P.O. BOX 183	PWSID: 5260028	PROJRANK: 35
CITY: STAR JUNCTION, PA 15482	IUP YEAR: 1997	PROJECT COST: \$643,410
COUNTY: FAYETTE	MTGDATE: 7/16/1997	PROJECT TYPE: DS
APPLICANT: PA AMERICAN WATER CO. (CLARION)	REGION: VI	PROJECT RATING: 57
STREET: 1786 ROUTE 286 SOUTH	PWSID: 6160001	PROJRANK: 36
CITY: INDIANA, PA 15701	IUP YEAR: 1999	PROJECT COST: \$4,300,000
COUNTY: CLARION	MTGDATE: 11/17/1999	PROJECT TYPE: DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: INDIAN CREEK VALLEY WATER AUTHORITY	REGION: V	PROJECT RATING: 57
STREET: P.O. BOX 486, MAIN STREET	PWSID: 5260011	PROJRANK: 37
CITY: INDIAN HEAD, PA 15446	IUP YEAR: 2002	PROJECT COST: \$3,062,000
COUNTY: FAYETTE	MTGDATE: 7/18/2001	PROJECT TYPE: WS,DS
APPLICANT: BUFFALO TOWNSHIP, MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 57
STREET: DRAWER B	PWSID: 5100097	PROJRANK: 38
CITY: SARVER, PA 16055	IUP YEAR: 1998	PROJECT COST: \$283,675
COUNTY: BUTLER	MTGDATE: 11/18/1998	PROJECT TYPE: DS
APPLICANT: LAKESIDE WATER SYSTEMS (EDWIN)	REGION: II	PROJECT RATING: 56
STREET: RR#2, BOX 288C	PWSID: 2529998	PROJRANK: 39
CITY: GREENTOWN, PA 18426	IUP YEAR:	PROJECT COST: \$65,000
COUNTY: PIKE	MTGDATE:	PROJECT TYPE:
APPLICANT: TRI-COUNTY JOINT MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 56
STREET: BOX 758	PWSID: 5630045	PROJRANK: 40
CITY: FREDERICKTOWN, PA 15333	IUP YEAR: 2000	PROJECT COST: \$4,827,000
COUNTY: WASHINGTON	MTGDATE: 11/17/1999	PROJECT TYPE: WS, DS
APPLICANT: SCHUYLKILL COUNTY MUNICIPAL AUTHORITY	REGION: II	PROJECT RATING: 55
STREET: 221 S CENTRE	PWSID: 3540038	PROJRANK: 41
STREET:	IUP YEAR: 1997	PROJECT COST: \$799,800
CITY: POTTSVILLE, PA 17901	MTGDATE: 3/26/1997	PROJECT TYPE: DS
COUNTY: SCHUYLKILL	REGION: V	PROJECT RATING: 53
APPLICANT: KITTANNING-PLUMCREEK WATER AUTHORITY	PWSID: 5030013	PROJRANK: 42
STREET: R.D.#1, BOX 114K	IUP YEAR: 2002	PROJECT COST: \$1,742,000
CITY: KITTANNING, PA 16201	MTGDATE: 7/18/2001	PROJECT TYPE: SRC,WS,DS
COUNTY: ARMSTRONG		

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: PA AMERICAN WATER CO. (LAWRENCE)	REGION: VI	PROJECT RATING: 53
STREET: 2736 ELLWOOD ROAD	PWSID: 6370011	PROJRANK: 43
CITY: NEW CASTLE, PA 16101	IUP YEAR: 2000	PROJECT COST: \$4,500,000
COUNTY: LAWRENCE/BEAVER	MTGDATE: 3/22/2000	PROJECT TYPE: DS
APPLICANT: MINERSVILLE BOROUGH MUNICIPAL	REGION: II	PROJECT RATING: 52
STREET: 2 E SUNBURY ST	PWSID: 3540035	PROJRANK: 44
CITY: MINERSVILLE, PA 17954	IUP YEAR: 1999	PROJECT COST: \$2,000,000
COUNTY: SCHUYLKILL	MTGDATE: 11/18/1998	PROJECT TYPE: TREAT, WS
APPLICANT: READING AREA WATER AUTHORITY	REGION: III	PROJECT RATING: 52
STREET: 815 WASHINGTON ST CITY HALL	PWSID: 3060059	PROJRANK: 45
CITY: READING, PA 19601	IUP YEAR: 1997	PROJECT COST: \$5,639,000
COUNTY: BERKS	MTGDATE: 7/16/1997	PROJECT TYPE: TREAT, WS, TRANS
APPLICANT: SOUTHWESTERN PENNSYLVANIA WATER	REGION: V	PROJECT RATING: 52
STREET: GREENE/ WASHINGTON STS, POB187	PWSID: 5260024	PROJRANK: 46
CITY: JEFFERSON, PA 15344	IUP YEAR: 2002	PROJECT COST: \$696,850
COUNTY: GREENE	MTGDATE: 7/18/2001	PROJECT TYPE: DS, OTHER
APPLICANT: WESTMORELAND COUNTY MUN. AUTH.	REGION: V	PROJECT RATING: 52
STREET: R.D. #1 BOX 148	PWSID: 5320032	PROJRANK: 47
CITY: ARMAUGH, PA 15920	IUP YEAR: 1998	PROJECT COST: \$568,325
COUNTY: INDIANA	MTGDATE: 3/25/1998	PROJECT TYPE: TRANS, WS
APPLICANT: PARDEESVILLE WATER ASSOCIATION	REGION: II	PROJECT RATING: 52
STREET: R.D.2, P3-3	PWSID: 2400016	PROJRANK: 48
CITY: HAZLETON, PA 18201	IUP YEAR: 1997	PROJECT COST: \$156,500
COUNTY: LUZERNE	MTGDATE: 11/13/1996	PROJECT TYPE: SRC, TREAT, WS, DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: SCHWENKSVILLE BOROUGH AUTHORITY	REGION: I	PROJECT RATING: 52
STREET: PO BOX 458 MAIN & CHURCH STS	PWSID: 1460042	PROJRANK: 49
CITY: SCHWENKSVILLE, PA 19473	IUP YEAR: 2002	PROJECT COST: \$609,117
COUNTY: MONTGOMERY	MTGDATE: 7/18/2001	PROJECT TYPE: DS
APPLICANT: CHARLEROI, AUTHORITY OF THE BOROUGH OF	REGION: V	PROJECT RATING: 52
STREET: 325 MCKEAN AVE, P.O. BOX 211	PWSID: 5630039	PROJRANK: 50
CITY: CHARLEROI, PA 15022	IUP YEAR: 1997	PROJECT COST: \$412,645
COUNTY: WASHINGTON	MTGDATE: 11/19/1997	PROJECT TYPE: WS, DS
APPLICANT: WESTMORELAND COUNTY MUNICIPAL	REGION: V	PROJECT RATING: 51
STREET: P.O. BOX 227	PWSID: 5260032	PROJRANK: 51
CITY: SMITHFIELD, PA 15478	IUP YEAR:	PROJECT COST: \$2,595,325
COUNTY: WESTMORELAND, INDIANA	MTGDATE: 3/22/2000	PROJECT TYPE: DS
APPLICANT: GREENFIELD TOWNSHIP MUNICIPAL	REGION: III	PROJECT RATING: 50
STREET: RD #1, BOX 948	PWSID: 4070058	PROJRANK: 52
CITY: CLAYSBURG, PA 16625	IUP YEAR: 2002	PROJECT COST: \$7,264,000
COUNTY: BLAIR	MTGDATE: 7/18/2001	PROJECT TYPE: TREAT,WS,DS,OTHER
APPLICANT: PA AMERICAN WATER CO. (WASHINGTON)	REGION: V	PROJECT RATING: 50
STREET: 1789 ROUTE 286 S	PWSID: 5320025	PROJRANK: 53
CITY: INDIANA, PA 15701	IUP YEAR:	PROJECT COST: \$4,400,000
COUNTY: WASHINGTON	MTGDATE: 3/21/2001	PROJECT TYPE: DS, WS, DS, TRANS
APPLICANT: LINCOLN UTILITIES	REGION: III	PROJECT RATING: 50
STREET: PO BOX 308	PWSID: 7280063	PROJRANK: 54
CITY: GREENCASTLE, PA 17225	IUP YEAR: 2002	PROJECT COST: \$265,000
COUNTY: FRANKLIN	MTGDATE: 7/18/2001	PROJECT TYPE: TREAT

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: FREELAND MUNICIPAL AUTHORITY	REGION: II	PROJECT RATING: 50
STREET: 711 BIRKBECK STREET	PWSID: 2400054	PROJRANK: 55
CITY: FREELAND, PA 18224	IUP YEAR: 2002	PROJECT COST: \$1,562,000
COUNTY: LUZERNE	MTGDATE: 7/18/2001	PROJECT TYPE:
APPLICANT: MANOR TOWNSHIP JOINT MUNICIPAL	REGION: V	PROJECT RATING: 50
STREET: 2310 PLEASANT VIEW DRIVE	PWSID: 5030006	PROJRANK: 56
CITY: FORD CITY, PA 16226	IUP YEAR: 1997	PROJECT COST: \$614,000
COUNTY: ARMSTRONG	MTGDATE: 7/16/1997	PROJECT TYPE: SRC, DS
APPLICANT: NICHOLSON TWP. BOARD OF SUPERVISORS	REGION: V	PROJECT RATING: 50
STREET: P.O. BOX 227	PWSID: 5260032	PROJRANK: 57
CITY: SMITHFIELD, PA 15478	IUP YEAR: 2000	PROJECT COST: \$140,600
COUNTY: FAYETTE	MTGDATE: 7/14/1999	PROJECT TYPE: DS
APPLICANT: HIGHRIDGE WATER AUTHORITY	REGION: V	PROJECT RATING: 50
STREET: 28 NORTH WALNUT STREET	PWSID: 5650069	PROJRANK: 58
CITY: BLAIRSVILLE, PA 15717	IUP YEAR: 1997	PROJECT COST: \$2,646,200
COUNTY: WESTMORELAND	MTGDATE: 11/19/1997	PROJECT TYPE: DS
APPLICANT: PORTAGE BOROUGH MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 50
STREET: 606 CAMBRIA STREET	PWSID: 4110027	PROJRANK: 59
CITY: PORTAGE, PA 15946	IUP YEAR: 2000	PROJECT COST: \$1,500,000
COUNTY: CAMBRIA	MTGDATE: 3/22/2000	PROJECT TYPE: TRANS, DS, WS
APPLICANT: STROUDSBURG MUNICIPAL AUTHORITY	REGION: II	PROJECT RATING: 49
STREET: P O BOX 787-111 N SEVENTH ST.	PWSID: 2450034	PROJRANK: 60
CITY: STROUDSBURG, PA 18360	IUP YEAR: 1998	PROJECT COST: \$2,843,300
COUNTY: MONROE	MTGDATE: 3/25/1998	PROJECT TYPE: WS, TRANS, DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: STILLWATER LAKES WATER CORP. STREET: P O BOX 118 CITY: POCONO SUMMIT, PA 18346 COUNTY: MONROE	REGION: II PWSID: 2450069 IUP YEAR: 2002 MTGDATE:	PROJECT RATING: 49 PROJRANK: 61 PROJECT COST: \$212,400 PROJECT TYPE: TREAT,WS,DS,OTHER
APPLICANT: WOODLAND HILLS ASSOCIATION, INC. STREET: 204 BELLEMONTE AVE CITY: HAWLEY, PA 18428 COUNTY: WAYNE	REGION: II PWSID: 2640051 IUP YEAR: 2001 MTGDATE: 3/22/2000	PROJECT RATING: 49 PROJRANK: 62 PROJECT COST: \$150,000 PROJECT TYPE: WS,TREAT,TRANS
APPLICANT: BENTON MUNICIPAL W/S AUTHORITY STREET: P O BOX P CITY: BENTON, PA 17814 COUNTY: COLUMBIA	REGION: IV PWSID: 4190014 IUP YEAR: 2000 MTGDATE: 11/17/1999	PROJECT RATING: 49 PROJRANK: 63 PROJECT COST: \$427,147 PROJECT TYPE: TREAT, DS
APPLICANT: ADAMS TOWNSHIP MUNICIPAL AUTHORITY STREET: R.D. 2 BOX 108B CITY: MCCLURE, PA 17841 COUNTY: SNYDER	REGION: IV PWSID: 4550006 IUP YEAR: 2000 MTGDATE: 3/22/2000	PROJECT RATING: 48 PROJRANK: 64 PROJECT COST: \$117,000 PROJECT TYPE: WS, DS, TREAT
APPLICANT: CARROLLTOWN BOROUGH STREET: P.O. BOX 37 CITY: CARROLLTOWN, PA 15722 COUNTY: CAMBRIA	REGION: V PWSID: 4110004 IUP YEAR: 1997 MTGDATE: 11/19/1997	PROJECT RATING: 48 PROJRANK: 65 PROJECT COST: \$2,000,000 PROJECT TYPE: SRC, DS
APPLICANT: DELAWARE WATER GAP STREET: BOX 218 CITY: DELAWARE WATER GAP, PA 18327 COUNTY: MONROE	REGION: II PWSID: 2450022 IUP YEAR: 1997 MTGDATE: 3/26/1997	PROJECT RATING: 47 PROJRANK: 66 PROJECT COST: \$727,141 PROJECT TYPE: SRC, TREAT, WS, DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: EDINBORO BOROUGH	REGION: VI	PROJECT RATING: 47
STREET: 124 MEADVILLE STREET	PWSID: 6250022	PROJRANK: 67
CITY: EDINBORO, PA 16412	IUP YEAR: 1997	PROJECT COST: \$425,000
COUNTY: ERIE	MTGDATE: 3/26/1997	PROJECT TYPE: TREAT
APPLICANT: DAYTON BOROUGH	REGION: V	PROJECT RATING: 47
STREET: BOX 396	PWSID: 5030002	PROJRANK: 68
CITY: DAYTON, PA 16222	IUP YEAR: 1999	PROJECT COST: \$260,332
COUNTY: ARMSTRONG	MTGDATE: 3/24/1999	PROJECT TYPE: SRC, WS, DS
APPLICANT: EAST TAYLOR MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 46
STREET: 403 DONRUTH LANE	PWSID: 4110043	PROJRANK: 69
CITY: CONEMAUGH, PA 15909	IUP YEAR: 1998	PROJECT COST: \$790,000
COUNTY: CAMBRIA	MTGDATE: 3/25/1998	PROJECT TYPE: TRANS, WS, DS
APPLICANT: CONSUMER'S PA WATER COMPANY	REGION: VI	PROJECT RATING: 46
STREET: 665 SOUTH DOCK STREET	PWSID: 6430054	PROJRANK: 70
CITY: SHARON, PA 16146	IUP YEAR: 2001	PROJECT COST: \$2,115,000
COUNTY: LAWRENCE	MTGDATE: 10/4/2000	PROJECT TYPE: DS
APPLICANT: JEFFERSON TOWNSHIP AUTHORITY	REGION: V	PROJECT RATING: 46
STREET: P.O. BOX 158	PWSID: 2680502	PROJRANK: 71
CITY: FAYETTE CITY, PA 15438	IUP YEAR: 2002	PROJECT COST: \$605,300
COUNTY: FAYETTE	MTGDATE: 7/18/2001	PROJECT TYPE:
APPLICANT: WESTMORELAND COUNTY MUNICIPAL	REGION: V	PROJECT RATING: 46
STREET: PO BOX 730	PWSID: 5650032	PROJRANK: 72
CITY: GREENSBURG, PA 15601	IUP YEAR: 2002	PROJECT COST: \$960,990
COUNTY: WESTMORELAND	MTGDATE: 7/18/2001	PROJECT TYPE:

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: SAINT FRANCIS COLLEGE	REGION: V	PROJECT RATING: 45
STREET: OFFICE OF PHYSICAL PLANT	PWSID: 4110040	PROJRANK: 73
CITY: LORETTO, PA 15940	IUP YEAR: 1998	PROJECT COST: \$2,523,070
COUNTY: CAMBRIA	MTGDATE: 3/25/1998	PROJECT TYPE: TREAT, WS, DS
APPLICANT: EDGEWORTH, MUN. AUTH. OF THE BOROUGH	REGION: V	PROJECT RATING: 45
STREET: 313 BEAVER ROAD	PWSID: 5020015	PROJRANK: 74
CITY: SEWICKLEY, PA 15143	IUP YEAR: 2000	PROJECT COST: \$1,254,514
COUNTY: ALLEGHENY/BEAVER	MTGDATE: 7/14/1999	PROJECT TYPE: WS, DS
APPLICANT: SEWICKLEY BOROUGH WATER AUTHORITY	REGION: V	PROJECT RATING: 44
STREET: 601 THORN STREET	PWSID: 5020050	PROJRANK: 75
CITY: SEWICKLEY, PA 15143	IUP YEAR:	PROJECT COST: \$1,544,327
COUNTY: ALLEGHENY	MTGDATE: 3/22/2000	PROJECT TYPE: TREAT
APPLICANT: EASTON SUBURBAN WATER AUTHORITY	REGION: II	PROJECT RATING: 44
STREET: 2414 BUTLER	PWSID: 3480064	PROJRANK: 76
STREET: P.O.BOX3819	IUP YEAR: 1998	PROJECT COST: \$3,800,000
CITY: EASTON, PA 18043	MTGDATE: 3/25/1998	PROJECT TYPE: WS, DS, TRANS
COUNTY: NORTHAMPTON	REGION: V	PROJECT RATING: 44
APPLICANT: NEW KENSINGTON MUNICIPAL AUTHORITY	PWSID: 5650070	PROJRANK: 77
STREET: P O BOX 577, 920 BARNES STREET	IUP YEAR: 1999	PROJECT COST: \$3,798,813
CITY: NEW KENSINGTON, PA 15068	MTGDATE: 3/24/1999	PROJECT TYPE: DS
COUNTY: WESTMORELAND	REGION: V	PROJECT RATING: 44
APPLICANT: CONFLUENCE BOROUGH MUN. AUTH.	PWSID: 4560033	PROJRANK: 78
STREET: 612 LOGAN PLACE	IUP YEAR: 2000	PROJECT COST: \$3,200,000
CITY: CONFLUENCE, PA 15424	MTGDATE: 7/14/1999	PROJECT TYPE: SRC, TREAT, WS, TRANS,
COUNTY: SOMERSET		

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: ALIQUIPPA MUNICIPAL WATER AUTHORITY	REGION: V	PROJECT RATING: 43
STREET: 160 HOPEWELL AVENUE	PWSID: 5040006	PROJRANK: 79
CITY: ALIQUIPPA, PA 15001	IUP YEAR: 2000	PROJECT COST: \$4,393,092
COUNTY: BEAVER	MTGDATE: 7/12/2000	PROJECT TYPE: SRC, TREAT
APPLICANT: WILLIAMSBURG BOROUGH WATER	REGION: III	PROJECT RATING: 42
STREET: 305 EAST SECOND STREET	PWSID: 4070022	PROJRANK: 80
CITY: WILLIAMSBURG, PA 16693	IUP YEAR: 1997	PROJECT COST: \$4,200,000
COUNTY: BLAIR	MTGDATE: 11/13/1996	PROJECT TYPE: WS, DS
APPLICANT: HEGINS TOWNSHIP AUTHORITY	REGION: II	PROJECT RATING: 42
STREET: 915 W. MAPLE ST.	PWSID: 5491503	PROJRANK: 81
CITY: VALLEY VIEW, PA 17983	IUP YEAR: 2002	PROJECT COST: \$3,316,000
COUNTY: SCHUYLKILL	MTGDATE: 7/18/2001	PROJECT TYPE:
APPLICANT: WEST FREEDOM WATER ASSOCIATION	REGION: VI	PROJECT RATING: 42
STREET: C/O ROBERT ALWORTH, RD#2	PWSID: 6160021	PROJRANK: 82
CITY: PARKER, PA 16049	IUP YEAR: 2000	PROJECT COST: \$372,600
COUNTY: CLARION	MTGDATE: 7/12/2000	PROJECT TYPE: TREAT
APPLICANT: ROYALTON BOROUGH	REGION: III	PROJECT RATING: 42
STREET: BURD AND DOCK STREETS	PWSID: 7220045	PROJRANK: 83
CITY: ROYALTON, PA 17057	IUP YEAR: 2000	PROJECT COST: \$900,000
COUNTY: DAUPHIN	MTGDATE: 11/15/2000	PROJECT TYPE: DS
APPLICANT: EAST ALLEN TOWNSHIP MUN. AUTH./ESTATES	REGION: II	PROJECT RATING: 40
STREET: 5344 NOR-BATH BLVD	PWSID: 3480086	PROJRANK: 84
CITY: NORTHAMPTON, PA 18067	IUP YEAR: 1997	PROJECT COST: \$523,000
COUNTY: NORTHAMPTON	MTGDATE: 11/13/1996	PROJECT TYPE: SRC, TRANS, DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: PA AMERICAN WATER CO. (FAIRVIEW)	REGION: II	PROJECT RATING: 40
STREET: 800 W. HERSHEY PARK DR	PWSID: 2459999	PROJRANK: 85
CITY: HERSHEY, PA 17033	IUP YEAR: 1997	PROJECT COST: \$5,600,000
COUNTY: MONROE	MTGDATE: 11/13/1996	PROJECT TYPE:
APPLICANT: SOUTHWESTERN PENNSYLVANIA WATER	REGION: V	PROJECT RATING: 40
STREET: GREENE/ WASHINGTON STS, POB187	PWSID: 5260024	PROJRANK: 86
CITY: JEFFERSON, PA 15344	IUP YEAR: 1997	PROJECT COST: \$3,320,312
COUNTY: GREENE	MTGDATE: 3/26/1997	PROJECT TYPE: WS, DS
APPLICANT: WESTMORELAND COUNTY MUN. AUTH.	REGION: V	PROJECT RATING: 40
STREET: PO BOX 730	PWSID: 5650032	PROJRANK: 87
CITY: GREENSBURG, PA 15601	IUP YEAR:	PROJECT COST: \$1,008,399
COUNTY: WESTMORELAND	MTGDATE: 7/12/2000	PROJECT TYPE: DS
APPLICANT: PA AMERICAN WATER CO.	REGION: II	PROJECT RATING: 40
STREET: 800 W. HERSHEY PARK DR	PWSID: 2459999	PROJRANK: 88
CITY: HERSHEY, PA 17033	IUP YEAR: 1997	PROJECT COST: \$3,000,000
COUNTY: MONROE	MTGDATE: 11/13/1996	PROJECT TYPE:
APPLICANT: ADAMS TOWNSHIP MUN. WATER AUTH.	REGION: VI	PROJECT RATING: 39
STREET: 170 HUTCHMAN RD.	PWSID: 5100141	PROJRANK: 89
CITY: MARS, PA 16046	IUP YEAR:	PROJECT COST: \$5,962,000
COUNTY: BUTLER	MTGDATE: 10/4/2000	PROJECT TYPE:
APPLICANT: GREENCASTLE AREA WATER AUTHORITY	REGION: III	PROJECT RATING: 39
STREET: 60 NORTH WASHINGTON ST	PWSID: 7280014	PROJRANK: 90
CITY: GREENCASTLE, PA 17225	IUP YEAR:	PROJECT COST: \$1,225,000
COUNTY: FRANKLIN	MTGDATE: 7/12/2000	PROJECT TYPE: TRANS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: OIL CITY, CITY OF	REGION: VI	PROJECT RATING: 38
STREET: 21 SENECA STREET	PWSID: 6610023	PROJRANK: 91
CITY: OIL CITY, PA 16301	IUP YEAR: 1998	PROJECT COST: \$1,765,000
COUNTY: VENANGO	MTGDATE: 3/25/1998	PROJECT TYPE: WS, DS
APPLICANT: PA AMERICAN WATER CO. (CLARION)	REGION: VI	PROJECT RATING: 38
STREET: R.D. #1 BOX 132	PWSID: 6160025	PROJRANK: 92
CITY: STRATTANVILL, PA 16258	IUP YEAR: 1997	PROJECT COST: \$2,200,000
COUNTY: CLARION	MTGDATE: 7/16/1997	PROJECT TYPE: DS
APPLICANT: HAWLEY WATER COMPANY	REGION: II	PROJECT RATING: 38
STREET: 255 BELMONT STREET	PWSID: 2640028	PROJRANK: 93
CITY: WAYMART, PA 18472	IUP YEAR: 2000	PROJECT COST: \$370,000
COUNTY: WAYNE	MTGDATE: 11/17/1999	PROJECT TYPE: WS, TRANS
APPLICANT: CARMICHAELS, MA OF THE BOROUGH OF	REGION: V	PROJECT RATING: 38
STREET: 104 N PINE ST PO BOX 401	PWSID: 5300005	PROJRANK: 94
CITY: CARMICHAELS, PA 15320	IUP YEAR: 1999	PROJECT COST: \$321,500
COUNTY: GREENE	MTGDATE: 3/22/2000	PROJECT TYPE: WS
APPLICANT: DUSHORE BOROUGH	REGION: IV	PROJECT RATING: 37
STREET: 216 JULIA STREET	PWSID: 2570003	PROJRANK: 95
CITY: DUSHORE, PA 18614	IUP YEAR: 1999	PROJECT COST: \$200,000
COUNTY: SULLIVAN	MTGDATE: 3/24/1999	PROJECT TYPE: DS
APPLICANT: CONSUMERS PA WATER COMPANY (ROARING)	REGION: IV	PROJECT RATING: 37
STREET: 204 E SUNBURY ST	PWSID: 4490024	PROJRANK: 96
CITY: SHAMOKIN, PA 17872	IUP YEAR: 2002	PROJECT COST: \$885,905
COUNTY: NORTHUMBERLAND	MTGDATE:	PROJECT TYPE: WS, OTHER

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: INDIAN LAKE BOROUGH	REGION: V	PROJECT RATING: 37
STREET: R.D. #1, BOX 540	PWSID: 4560025	PROJRANK: 97
CITY: CENTRAL CITY, PA 15926	IUP YEAR:	PROJECT COST: \$429,750
COUNTY: SOMERSET	MTGDATE: 10/4/2000	PROJECT TYPE: SRC, TRANS, DS, WS
APPLICANT: PARDEESVILLE WATER ASSOCIATION	REGION: II	PROJECT RATING: 36
STREET: R.D.2, P3-3	PWSID: 2400016	PROJRANK: 98
CITY: HAZLETON, PA 18201	IUP YEAR: 2000	PROJECT COST: \$1,328,869
COUNTY: LUZERNE	MTGDATE: 7/12/2000	PROJECT TYPE: SRC, DS, TRANS
APPLICANT: PHILADELPHIA SUBURBAN WC (WTP)	REGION: I	PROJECT RATING: 36
STREET: 250 POND STREET	PWSID: 1090001	PROJRANK: 99
CITY: BRISTOL, PA 19007	IUP YEAR: 1998	PROJECT COST: \$5,501,660
COUNTY: BUCKS	MTGDATE: 3/24/1999	PROJECT TYPE: TREAT
APPLICANT: DERRY BOROUGH MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 35
STREET: 620 NORTH CHESTNUT STREET	PWSID: 5650049	PROJRANK: 100
CITY: DERRY, PA 15627	IUP YEAR:	PROJECT COST: \$820,853
COUNTY: WESTMORELAND	MTGDATE: 7/12/2000	PROJECT TYPE: DS
APPLICANT: FREELAND MUNICIPAL AUTHORITY	REGION: II	PROJECT RATING: 35
STREET: 711 BIRKBECK STREET	PWSID: 2400054	PROJRANK: 101
CITY: FREELAND, PA 18224	IUP YEAR: 2000	PROJECT COST: \$650,000
COUNTY: LUZERNE	MTGDATE: 7/14/1999	PROJECT TYPE: DS
APPLICANT: MEYERSDALE MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 35
STREET: 229 CENTER STREET	PWSID: 4560012	PROJRANK: 102
CITY: MEYERSDALE, PA 15552	IUP YEAR:	PROJECT COST: \$1,435,000
COUNTY: SOMERSET	MTGDATE: 11/15/2000	PROJECT TYPE: WS, TRANS, DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: COCHRANTON BOROUGH/FRENCH CREEK	REGION: VI	PROJECT RATING: 34
STREET: P.O. BOX 66	PWSID: 6200008	PROJRANK: 103
CITY: COCHRANTON, PA 16314	IUP YEAR: 1998	PROJECT COST: \$268,000
COUNTY: CRAWFORD	MTGDATE: 3/25/1998	PROJECT TYPE: DS
APPLICANT: RIDGWAY TOWNSHIP MUNICIPAL AUTHORITY	REGION: VI	PROJECT RATING: 34
STREET: RIDGWAY DRIVE P.O. BOX 403	PWSID: 6240022	PROJRANK: 104
CITY: RIDGWAY, PA 15853	IUP YEAR: 2000	PROJECT COST: \$255,000
COUNTY: ELK	MTGDATE: 11/17/1999	PROJECT TYPE: WS
APPLICANT: ERIE CITY WATER AUTHORITY	REGION: VI	PROJECT RATING: 33
STREET: FOOT OF CHESTNUT ST	PWSID: 6250028	PROJRANK: 105
CITY: ERIE, PA 16507	IUP YEAR:	PROJECT COST: \$8,000,000
COUNTY: ERIE	MTGDATE: 11/15/2000	PROJECT TYPE: TRANS
APPLICANT: FRANKLIN TOWNSHIP MUNICIPAL AUTHORITY	REGION: III	PROJECT RATING: 33
STREET: BOX 4	PWSID: 7010032	PROJRANK: 106
CITY: CASHTOWN, PA 17310	IUP YEAR: 1999	PROJECT COST: \$224,160
COUNTY: ADAMS	MTGDATE: 3/24/1999	PROJECT TYPE: SRC, TREAT, WS, DS
APPLICANT: JENNERSTOWN MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 33
STREET: P.O. BOX 242	PWSID: 4560038	PROJRANK: 107
CITY: JENNERSTOWN, PA 15547	IUP YEAR:	PROJECT COST: \$693,100
COUNTY: SOMERSET	MTGDATE: 7/12/2000	PROJECT TYPE: SRC, TREAT, WS, TRANS
APPLICANT: CONSUMER'S PA WATER COMPANY (ROAR)	REGION: IV	PROJECT RATING: 33
STREET: 204 E SUNBURY ST	PWSID: 4490024	PROJRANK: 108
CITY: SHAMOKIN, PA 17872	IUP YEAR: 2001	PROJECT COST: \$651,125
COUNTY: NORTH'D, COLUMBIA	MTGDATE: 3/22/2000	PROJECT TYPE: WS,TREAT

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 - 2003 PROJECT PRIORITY
SEPTEMBER 1, 2001**

APPLICANT: DUQUESNE, CITY OF	REGION: V	PROJECT RATING: 33
STREET: 12 SOUTH SECOND STREET	PWSID: 5020012	PROJRANK: 109
CITY: DUQUESNE, PA 15110	IUP YEAR: 2000	PROJECT COST: \$1,194,000
COUNTY: ALLEGHENY	MTGDATE: 7/12/2000	PROJECT TYPE: WS,DS
APPLICANT: FREDERICKSBURG SEWER & WATER	REGION: III	PROJECT RATING: 32
STREET: P.O. BOX 161	PWSID: 7380035	PROJRANK: 110
CITY: FREDERICKSBURG, PA 17026	IUP YEAR: 1998	PROJECT COST: \$1,400,000
COUNTY: LEBANON	MTGDATE: 3/26/1997	PROJECT TYPE: SRC, TRANS, DS
APPLICANT: WESTERN ALLEGHENY COUNTY MUNICIPAL	REGION: V	PROJECT RATING: 32
STREET: 403 VIRGINIA DRIVE	PWSID: 5020034	PROJRANK: 111
CITY: OAKDALE, PA 15071	IUP YEAR: 1998	PROJECT COST: \$400,000
COUNTY: ALLEGHENY	MTGDATE: 3/25/1998	PROJECT TYPE: DS
APPLICANT: CONNOQUENESSING BOROUGH AUTHORITY	REGION: VI	PROJECT RATING: 31
STREET: 110 MAIN ST BOX 215	PWSID: 5100031	PROJRANK: 112
CITY: CONNOQUENESSING, PA 16027	IUP YEAR: 1999	PROJECT COST: \$140,700
COUNTY: BUTLER	MTGDATE: 7/15/1998	PROJECT TYPE: DS
APPLICANT: SHAMOKIN DAM BOROUGH	REGION: IV	PROJECT RATING: 31
STREET: P.O.BOX 273	PWSID: 4550022	PROJRANK: 113
CITY: SHAMOKIN, PA 17876	IUP YEAR: 1999	PROJECT COST: \$712,000
COUNTY: SNYDER	MTGDATE: 3/22/2000	PROJECT TYPE: WS, TRANS
APPLICANT: PA AMERICAN WATER CO. (LACKAWANNA)	REGION: II	PROJECT RATING: 30
STREET: 1 ZIMMERMAN STREET	PWSID: 2350022	PROJRANK: 114
CITY: CLARKS SUMMIT, PA 18411	IUP YEAR: 1999	PROJECT COST: \$1,810,000
COUNTY: LACKAWANNA	MTGDATE: 3/24/1999	PROJECT TYPE: TRANS, DIST

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: GULICK MOBILE HOME PARK	REGION: VI	PROJECT RATING: 30
STREET: C/O ED GULICK 123 BEATTY DR	PWSID: 5100062	PROJRANK: 115
CITY: SAXONBURG, PA 16056	IUP YEAR: 1999	PROJECT COST: \$60,000
COUNTY: BUTLER	MTGDATE: 7/15/1998	PROJECT TYPE: TREAT, DS
APPLICANT: NEWPORT BOROUGH WATER AUTHORITY	REGION: III	PROJECT RATING: 29
STREET: 231 MARKET STREET	PWSID: 7500022	PROJRANK: 116
CITY: NEWPORT, PA 17074	IUP YEAR: 1999	PROJECT COST: \$570,000
COUNTY: PERRY	MTGDATE: 7/12/2000	PROJECT TYPE: DS
APPLICANT: CONSUMER'S PA WATER COMPANY (SUSQ)	REGION: IV	PROJECT RATING: 29
STREET: 206 SOUTH KEYSTONE AVENUE	PWSID: 2080028	PROJRANK: 117
CITY: SAYRE, PA 18810	IUP YEAR: 2001	PROJECT COST: \$302,942
COUNTY: BRADFORD	MTGDATE: 3/22/2000	PROJECT TYPE: TRANS
APPLICANT: LAPORTE BOROUGH	REGION: IV	PROJECT RATING: 27
STREET: P.O. BOX 125	PWSID: 2570004	PROJRANK: 118
CITY: LAPORTE, PA 18626	IUP YEAR: 1999	PROJECT COST: \$378,500
COUNTY: SULLIVAN	MTGDATE: 11/15/2000	PROJECT TYPE: SRC, TRANS, TREAT, DS
APPLICANT: PHILADELPHIA SUBURBAN WC (TANK PAINT)	REGION: I	PROJECT RATING: 27
STREET: 762 LANCASTER AVE.	PWSID: 1460073	PROJRANK: 119
CITY: BRYN MAWR, PA 19010	IUP YEAR: 2001	PROJECT COST: \$1,395,973
COUNTY: CHESTER	MTGDATE: 11/15/2000	PROJECT TYPE: WS
APPLICANT: PHILADELPHIA SUBURBAN WC (WAYNE 2)	REGION: I	PROJECT RATING: 27
STREET: 762 LANCASTER AVE.	PWSID: 1460073	PROJRANK: 120
CITY: BRYN MAWR, PA 19010	IUP YEAR: 2001	PROJECT COST: \$1,174,916
COUNTY: CHESTER	MTGDATE: 7/12/2000	PROJECT TYPE: WS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 - 2003 PROJECT PRIORITY
SEPTEMBER 1, 2001**

APPLICANT: MARY-D COMMUNITY ASSOCIATION	REGION: II	PROJECT RATING: 26
STREET: BOX 404	PWSID: 3540027	PROJRANK: 121
CITY: MARY D, PA 17952	IUP YEAR: 2000	PROJECT COST: \$248,255
COUNTY: SCHUYLKILL	MTGDATE: 3/22/2000	PROJECT TYPE: TRANS, DS
APPLICANT: SHOEMAKERSVILLE, BOROUGH OF	REGION: III	PROJECT RATING: 25
STREET: 242 MAIN STREET BOX O	PWSID: 3060100	PROJRANK: 122
CITY: SHOEMAKERSVILLE, PA 19555	IUP YEAR: 2000	PROJECT COST: \$1,600,000
COUNTY: BERKS	MTGDATE: 11/17/1999	PROJECT TYPE: WS, TRANS, TREAT
APPLICANT: PHILADELPHIA, CITY OF	REGION: I	PROJECT RATING: 25
STREET: 1101 MARKET STREET	PWSID: 1510001	PROJRANK: 123
CITY: PHILADELPHIA, PA 19107	IUP YEAR: 1997	PROJECT COST: \$13,400,000
COUNTY: PHILADELPHIA	MTGDATE: 3/25/1998	PROJECT TYPE: DS
APPLICANT: PHILADELPHIA SUBURBAN WC (WAYNE 1)	REGION: I	PROJECT RATING: 25
STREET: 762 LANCASTER AVE.	PWSID: 1460073	PROJRANK: 124
CITY: BRYN MAWR, PA 19010	IUP YEAR: 2000	PROJECT COST: \$2,025,180
COUNTY: CHESTER	MTGDATE: 11/15/2000	PROJECT TYPE: WS
APPLICANT: PHILADELPHIA SUBURBAN WC (TINICUM)	REGION: I	PROJECT RATING: 25
STREET: 762 LANCASTER AVE.	PWSID: 1460073	PROJRANK: 125
CITY: BRYN MAWR, PA 19010	IUP YEAR: 2000	PROJECT COST: \$1,064,325
COUNTY: DELAWARE	MTGDATE: 3/21/2001	PROJECT TYPE: TRANS
APPLICANT: GEIGERTOWN WATER COMPANY	REGION: III	PROJECT RATING: 25
STREET: BOX 34	PWSID: 3060030	PROJRANK: 126
CITY: GEIGERTOWN, PA 19523	IUP YEAR: 2000	PROJECT COST: \$170,997
COUNTY: BERKS	MTGDATE: 7/14/1999	PROJECT TYPE: DS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 - 2003 PROJECT PRIORITY

SEPTEMBER 1, 2001

APPLICANT: PLEASANT VALLEY WATER AUTHORITY	REGION: V	PROJECT RATING: 17
STREET: 2320 MOYER ROAD	PWSID: 5260006	PROJRANK: 127
CITY: CONNELLSVILLE, PA 15425	IUP YEAR:	PROJECT COST: \$350,000
COUNTY: FAYETTE	MTGDATE:	PROJECT TYPE: DS
APPLICANT: BEAVER FALLS MUNICIPAL AUTHORITY	REGION: V	PROJECT RATING: 17
STREET: P.O. BOX 400	PWSID: 5040012	PROJRANK: 128
CITY: BEAVER FALLS, PA 15010	IUP YEAR: 1997	PROJECT COST: \$3,783,950
COUNTY: BEAVER	MTGDATE:	PROJECT TYPE: TREAT
APPLICANT: PHILADELPHIA SUBURBAN WC (FERN HILL)	REGION: I	PROJECT RATING: 15
STREET: 990 FERN HILL ROAD	PWSID: 1150098	PROJRANK: 129
CITY: WEST CHESTER, PA 19380	IUP YEAR:	PROJECT COST: \$791,483
COUNTY: CHESTER	MTGDATE: 3/22/2000	PROJECT TYPE: WS
APPLICANT: WERNERSVILLE MUNICIPAL AUTHORITY	REGION: III	PROJECT RATING: 12
STREET: P O BOX 145	PWSID: 3060076	PROJRANK: 130
CITY: WERNERSVILLE, PA 19565	IUP YEAR:	PROJECT COST: \$1,800,000
COUNTY: BERKS	MTGDATE:	PROJECT TYPE: DS
APPLICANT: PHILADELPHIA SUBURBAN WC (LIBERTY)	REGION: I	PROJECT RATING: 0
STREET: 762 LANCASTER AVE.	PWSID: 1460073	PROJRANK: 131
CITY: BRYN MAWR, PA 19010	IUP YEAR:	PROJECT COST: \$2,605,000
COUNTY: DELAWARE	MTGDATE:	PROJECT TYPE: TRANS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT=TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 INTENDED USE PLAN PROJECT LIST**

SEPTEMBER 1, 2001

APPLICANT: GALLITZIN WATER AUTHORITY
STREET: 702 JACKSON STREET
CITY: GALLITZIN, PA 16641

COUNTY: CAMBRIA
REGION: PITTSBURGH
PWSID: 4110011
PPL YR: 2002-03

PROJECT RATING: 82
PROJRANK: 1
PROJECT COST: \$2,929,094
PROJECT TYPE: SRC,TRANS,WS,DS

PROBLEM: Need for additional water supply in the system, and poor water quality and quantity in Amsbry homes. High water loss from deteriorated lines, poor service pressure, and inadequate fire protection capability.

PROJECT: Construct new well and 22,000 LF of transmission line extension to the Village of Amsbry. Replace and increase capacity in 59,000 LF of water main, construct a 344,000 gallon water storage tank and related appurtenances

APPLICANT: CONSUMERS PA WATER COMPANY (ROARING)
STREET: 204 E SUNBURY ST
CITY: SHAMOKIN, PA 17872

COUNTY: LACKAWANNA,
REGION: WILKES-BARRE
PWSID: 4490024
PPL YR: 2002-03

PROJECT RATING: 64
PROJRANK: 2
PROJECT COST: \$4,430,992
PROJECT TYPE: ALL

PROBLEM: Need to resolve persistent water quality and quantity problems; PUC ordered NUI to exit water business.

PROJECT: Purchase & improvements of the National Utilities Inc. Water Systems in NE Pennsylvania

APPLICANT: KLINE TOWNSHIP MUNICIPAL AUTHORITY
STREET: P.O. BOX 160, 76 S. KENNEDY DR
CITY: MCADOO, PA 18237

COUNTY: CARBON
REGION: WILKES-BARRE
PWSID: 3139999
PPL YR: 2002-03

PROJECT RATING: 62
PROJRANK: 3
PROJECT COST: \$6,727,935
PROJECT TYPE: SRC,TREAT,WS,DS

PROBLEM: Authority purchased antiquated Honeybrook Water Co. with no storage facilities and an antiquated distribution system with inadequately sized and leaking lines.

PROJECT: Construct well, chlorination facilities, water storage facilities, and water distribution system improvements

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT = TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 INTENDED USE PLAN PROJECT LIST**

SEPTEMBER 1, 2001

APPLICANT: INDIAN CREEK VALLEY WATER AUTHORITY
STREET: P.O. BOX 486, MAIN STREET
CITY: INDIAN HEAD, PA 15446

COUNTY: FAYETTE
REGION: PITTSBURGH
PWSID: 5260011
PPL YR: 2002-03

PROJECT RATING: 57
PROJRANK: 4
PROJECT COST: \$1,100,000
PROJECT TYPE: WS,DS

PROBLEM: Along the Route 381 corridor, there is inadequate quantity and poor water quality from private wells. Fallingwater, a major tourist attraction, is forced to haul water.

PROJECT: Approx. 45,600 LF of water line, two pumping stations, two 200,000 gal storage tanks and 113 new connections. An emergency connection to the Ohiopyle Borough will provide a backup supply source for both Ohiopyle and the Indian Creek Valley MA.

APPLICANT: KITTANNING-PLUMCREEK WATER AUTHORITY
STREET: R.D.#1, BOX 114K
CITY: KITTANNING, PA 16201

COUNTY: ARMSTRONG
REGION: PITTSBURGH
PWSID: 5030013
PPL YR: 2002-03

PROJECT RATING: 53
PROJRANK: 5
PROJECT COST: \$1,742,000
PROJECT TYPE: SRC,WS,DS

PROBLEM: Residents haul water and use cisterns because of extremely limited water quantity and contaminated wells.

PROJECT: Construct 13 miles of water line, a 303,000 gallon storage tank, and pumping station for 255 residential and 26 non-residential connections.

APPLICANT: SOUTHWESTERN PENNSYLVANIA WATER
STREET: GREENE/ WASHINGTON STS, POB187
CITY: JEFFERSON, PA 15344

COUNTY: GREENE
REGION: PITTSBURGH
PWSID: 5260024
PPL YR: 2002-03

PROJECT RATING: 52
PROJRANK: 6
PROJECT COST: \$71,250
PROJECT TYPE: DS,OTHER

PROBLEM: Total and fecal coliform contamination and inadequate quantity from private wells that serve residents in the northern section of the Village of Spraggs, Wayne Twp.

PROJECT: Construct 10,500 LF of 8-inch DI and 6,500 LF of 8-inch PVC line extension, 12 hydrants, and 24 services.

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT = TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 INTENDED USE PLAN PROJECT LIST**

SEPTEMBER 1, 2001

APPLICANT: SCHWENKSVILLE BOROUGH AUTHORITY	COUNTY: MONTGOMERY	PROJECT RATING: 52
STREET: PO BOX 458 MAIN & CHURCH STS	REGION CONSHOCKEN	PROJRANK: 7
CITY: SCHWENKSVILLE, PA 19473	PWSID: 1460042	PROJECT COST: \$609,117
	PPL YR: 2002-03	PROJECT TYPE: DS

PROBLEM: There is inadequate system supply and pressures in northern portion of distribution system due to undersized lines.

PROJECT: Construct 6,461 LF of 6-inch distribution line replacement, booster pump station, and 3 hydrants.

APPLICANT: LINCOLN UTILITIES	COUNTY: FRANKLIN	PROJECT RATING: 50
STREET: PO BOX 308	REGION HARRISBURG	PROJRANK: 8
CITY: GREENCASTLE, PA 17225	PWSID: 7280063	PROJECT COST: \$265,000
	PPL YR: 2002-03	PROJECT TYPE: TREAT

PROBLEM: Supply wells were determined by DEP to be under the influence of surface water.

PROJECT: Construct two additional 42-in pressure filters, replace existing filter media, and install filter appurtenances

APPLICANT: GREENFIELD TOWNSHIP MUNICIPAL	COUNTY: BLAIR	PROJECT RATING: 50
STREET: RD #1, BOX 948	REGION HARRISBURG	PROJRANK: 9
CITY: CLAYSBURG, PA 16625	PWSID: 4070058	PROJECT COST: \$6,430,260
	PPL YR: 2002-03	PROJECT TYPE: TREAT,WS,DS,OTHER

PROBLEM: Private wells in Claysburg are contaminated and affected by influence of surface water. At the Authority's treatment facilities, there is a lack of chlorine residual due to excessive detention time.

PROJECT: Construct 64,000 LF of various water line extensions, and rehabilitate existing water storage tank, booster pumping facility and water supply wells.

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT = TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING
FY 2002 INTENDED USE PLAN PROJECT LIST**

SEPTEMBER 1, 2001

APPLICANT: FREELAND MUNICIPAL AUTHORITY
STREET: 711 BIRKBECK STREET
CITY: FREELAND, PA 18224

COUNTY: LUZERNE
REGION WILKES-BARRE
PWSID: 2400054
PPL YR: 2002-03

PROJECT RATING: 50
PROJRANK: 10
PROJECT COST: \$1,562,000
PROJECT TYPE:

PROBLEM: Existing distribution mains are very old and undersized. Some existing lead service lines have caused lead contamination in homes.

PROJECT: Replace existing distribution mains, replace lead service lines, and provide well house and telemetry control upgrades

APPLICANT: STILLWATER LAKES WATER CORP.
STREET: P O BOX 118
CITY: POCONO SUMMIT, PA 18346

COUNTY: MONROE
REGION WILKES-BARRE
PWSID: 2450069
PPL YR: 2000-01

PROJECT RATING: 49
PROJRANK: 11
PROJECT COST: \$212,400
PROJECT TYPE: TREAT,WS,DS,OTHER

PROBLEM: Inadequate finished water storage capacity, disinfection (low chlorine contact time), and corrosion control (copper exceeds AL); high unaccounted water (22.5%) due to leaking distribution lines.

PROJECT: Construct 0.03 MG storage tank, 0.110 MGD pump station, 0.08 MGD chlorine and corrosion control treatment, and 1,800 LF of distribution line replacement.

APPLICANT: JEFFERSON TOWNSHIP AUTHORITY
STREET: P.O. BOX 158
CITY: FAYETTE CITY, PA 15438

COUNTY: FAYETTE
REGION PITTSBURGH
PWSID: 2680502
PPL YR: 2002-03

PROJECT RATING: 46
PROJRANK: 12
PROJECT COST: \$605,300
PROJECT TYPE:

PROBLEM: Contaminated wells and lack of reliable water supply for fire protection.

PROJECT: Install 24,415 LF of waterline extension to service 72 new customers

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT = TREATMENT
WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND
DEPARTMENT OF ENVIRONMENTAL DRINKING WATER STATE REVOLVING**

FY 2002 INTENDED USE PLAN PROJECT LIST

SEPTEMBER 1, 2001

APPLICANT: WESTMORELAND COUNTY MUNICIPAL
STREET: PO BOX 730
CITY: GREENSBURG, PA 15601

COUNTY: WESTMORELA
REGION PITTSBURGH
PWSID: 5650032
PPL YR: 2002-03

PROJECT RATING: 46
PROJRANK: 13
PROJECT COST: \$960,990
PROJECT TYPE:

PROBLEM: Contaminated private wells

PROJECT: Water line extension to about 150 homes in Bell Twp., Hempfield Twp., S. Huntingdon Twp., and Murrysville.

APPLICANT: HEGINS TOWNSHIP AUTHORITY
STREET: 915 W. MAPLE ST.
CITY: VALLEY VIEW, PA 17983

COUNTY: SCHUYLKILL
REGION WILKES-BARRE
PWSID: 5491503
PPL YR: 2002-03

PROJECT RATING: 42
PROJRANK: 14
PROJECT COST: \$98,459
PROJECT TYPE:

PROBLEM: Authority acquired Hubley Twp. System with deficiencies including dead ends, poor fire capacity, and storage tank in need of repairs.

PROJECT: Construct system improvements including waterline extensions, tank improvements, a SCADA system and well development.

APPLICANT: CONSUMERS PA WATER COMPANY (ROARING)
STREET: 204 E SUNBURY ST
CITY: SHAMOKIN, PA 17872

COUNTY: NORTHUMBER
REGION WILLIAMSPORT
PWSID: 4490024
PPL YR: 2002-03

PROJECT RATING: 37
PROJRANK: 15
PROJECT COST: \$885,905
PROJECT TYPE: WS, OTHER

PROBLEM: Stagnant water in a water storage tank due to low water pressure; corrosion of water supply facilities due to paint deterioration.

PROJECT: The Ralpho water storage tank will be replaced with a new tank in Shamokin Township; painting of the Aristes storage tank; painting of pipe bridges at 4 locations.

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT = TREATMENT

WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

[Pa.B. Doc. No. 01-1625. Filed for public inspection August 31, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before September 24, 2001, as set forth in 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-00117236, Folder 2. Darlene Pearson McKinney, t/d/b/a Moving Right Along (726 W. Greenleaf Street, Allentown, Lehigh County, PA 18102)—persons in paratransit service, between points in the county of Lehigh, and from points in said county, to points in Pennsylvania, and return. *Attorney:* Michael Hino, 1235 West Lakes, Suite 900, Berwyn, PA 19312.

Notice of Motor Carrier Applications— Persons in Limousine Service

The following applications for authority to transport persons in limousine service between points in Pennsylvania have been filed with the Commission. The applications will be considered without hearing in the absence of substantive protests limited to the issue of applicant fitness. Protests to these applications are due on or before September 24, 2001.

A-00106359, F.2. Eugenia Cab Co., t/d/b/a Leon Limo Service, 11169 Hendrix Street, Philadelphia PA 19116.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1626. Filed for public inspection August 31, 2001, 9:00 a.m.]

Water Service Without Hearing

A-210103. D's Water Company. Application of D's Water Company for approval of the right to offer, render, furnish or supply water service to 18 single family residential dwellings and six apartment buildings in the Borough of Palmerton, Carbon County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before September 17, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: D's Water Company.

Through and By Counsel: Thomas T. Niesen, Esquire, Michael L. Swindler, Esquire, Thomas, Thomas, Armstrong & Niesen, 212 Locust Street, P. O. Box 9500, Harrisburg, PA 17108-9500.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1627. Filed for public inspection August 31, 2001, 9:00 a.m.]

Water Service Without Hearing

A-212370 F0065. Philadelphia Suburban Water Company. Application of Philadelphia Suburban Water Company for approval to begin to offer, render, furnish or supply water service to the public in a portion of Thornbury Township, Delaware County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before September 17, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Philadelphia Suburban Water Company.

Through and By Counsel: William T. Hawke, Esquire, Thomas J. Sniscak, Esquire, Malatesta, Hawke and McKeon, LLP, 100 North 10th Street, Harrisburg, PA 17101.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1628. Filed for public inspection August 31, 2001, 9:00 a.m.]

Water Service Without Hearing

A-212370F0064 and A-210480F2000. Philadelphia Suburban Water Company and Citizens Water Company of Wapwallopen. Joint application of Philadelphia Suburban Water Company and Citizens Water Company of Wapwallopen for approval of: 1) the transfer, by sale, of the water system assets of Citizens Water Company of Wapwallopen to Philadelphia Suburban Water Company; 2) the right of Philadelphia Suburban Water Company to furnish water service to the public in a portion of Coyngnam Township, Luzerne County, PA; and 3) the abandonment by Citizens Water Company of Wapwallopen of water service to the public in its current service territory.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before September 17, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Philadelphia Suburban Water Company,
Citizens Water Company of Wapwallopen.

Through and By Counsel: Mark J. Kropilak, Esquire,
762 West Lancaster Avenue, Bryn Mawr, PA 19010; and
Nicholas Piazza, Esquire, 142-A West Front Street,
Berwick, PA 18603.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-1629. Filed for public inspection August 31, 2001, 9:00 a.m.]

STATE ATHLETICS COMMISSION

Meeting Scheduled

The State Athletic Commission will be conducting a public meeting on September 6, 2001, at 11 a.m. The meeting will be held at 301 North Office Building, Harrisburg, PA.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodations to participate in the proceedings, should contact Greg Sirb directly at (717) 787-5720. Text telephone users can use the Pennsylvania Relay Center.

GREGORY SIRB,
Executive Director

[Pa.B. Doc. No. 01-1630. Filed for public inspection August 31, 2001, 9:00 a.m.]
