

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 23, 2001.

### BANKING INSTITUTIONS

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-18-01	Jersey Shore State Bank Jersey Bank Lycoming County	1665 N. Atherton Pl. State College Patton Township Centre County	Filed
10-19-01	Brentwood Bank Bethel Park Allegheny County	Bethel Park Retirement Living Center 2960 Bethel Church Road Bethel Park Allegheny County	Filed
10-22-01	Pennsylvania Business Bank Philadelphia Philadelphia County	30 Elm Avenue Woodbury Heights Gloucester County, NJ	Filed

#### Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-19-01	Commonwealth Bank Norristown Montgomery County	<i>To:</i> Giant Food Store Pottstown Plaza 799 State Road Pottstown Montgomery County  <i>From:</i> Weis Market The Pottstown Center 223 Shoemaker Road Pottstown Montgomery County	Filed
10-19-01	Royal Bank of Pennsylvania Narberth Montgomery County	<i>Into:</i> 1340 Walnut Street Philadelphia Philadelphia County  <i>From:</i> 1230 Walnut Street Philadelphia Philadelphia County	Filed

### SAVINGS INSTITUTIONS

No activity.

### CREDIT UNIONS

No activity.

JAMES B. KAUFFMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1963. Filed for public inspection November 2, 2001, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Community Services Block Grant State Plan

By this notice, the Department of Community and Economic Development (Department) hereby publishes its Community Services Block Grant State Plan to the United States Department of Health and Human Services for the 2002 and 2003 program years.

Comments will be received at a public hearing to be held at 10 a.m., November 13, 2001, in Conference Room 4 West, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120.

Written comments may be submitted to Dennis Darling, Director of the Office of Community Services, Department of Community and Economic Development, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120, until 5 p.m. on November 5, 2001.

Persons with a disability who wish to attend this hearing and require an auxiliary aid, service or other accommodations to participate in the proceedings, should contact Dennis Darling at (717) 787-1984 to discuss how the Department may accommodate their needs.

Copies of the State Plan are available in the Office of Community Services, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120 or by calling (717) 787-1984.

SAMUEL A. MCCULLOUGH,  
*Secretary*

[Pa.B. Doc. No. 01-1964. Filed for public inspection November 2, 2001, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Exchange of Lands

The Department of Conservation and Natural Resources (Department), acting through the Bureau of Forestry (Bureau), and C & S Lumber Company, Inc. of Roulette, PA, are proposing to negotiate an exchange of lands in Clinton and Potter Counties, PA.

The Bureau is proposing to acquire from C & S Lumber Company, Inc. approximately 800 acres of land in Leidy Township, Clinton County, along the right fork of Beaverdam Run. This property is proposed as an addition for the Sproul State Forest.

In return, the Bureau proposes to convey to C & S Lumber Company, Inc. an isolated block of the Susquehannock State Forest, containing 91.25 acres of land located northeast of Lehman Run in Hector Township, Potter County.

As is the policy of the Department, the public is hereby notified of this exchange. A 30-day period for public inquiry and/or comment will be in effect commencing November 5, 2001, and ending December 4, 2001. Oral or

written comments or questions concerning this proposed exchange may be addressed to Dr. James R. Grace, State Forester, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552, (717) 787-2703. These oral and/or written comments will become part of the official document used in the final decision process.

If, in the duration of the 30-day comment period, a significant amount of public concern develops, the Secretary of the Department may schedule a public informational meeting.

JOHN C. OLIVER,  
*Secretary*

[Pa.B. Doc. No. 01-1965. Filed for public inspection November 2, 2001, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Application to Implement a New Two-Year Associate Degree-Granting Institution: Lancaster General College of Nursing and Health Sciences

#### *Opportunity for Hearing and Invitation to Protest*

Under 24 Pa.C.S. § 6503(a) (relating to general rule), the Department of Education (Department) will consider the application of the Lancaster General Hospital for a Certificate of Authority to operate a new 2-year college called Lancaster General College of Nursing and Health Sciences (LGCNHS) with authority to award associate degrees. If approved, LGCNHS would offer programs in Diagnostic Medical Sonography, Invasive Cardiovascular Technology, Clinical Care Services, Radiography and Surgical Technology, each leading to the Associate in Applied Science degree.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

All petitions to intervene, protest and request for hearing shall be filed with Dr. Warren D. Evans, Chartering/Governance/Accreditation Specialist (717) 787-7572; or Carol Gisselquist, Higher Education Specialist (717) 787-4448, 333 Market Street, Harrisburg, PA 17126-0333 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the previous office to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact Dr. Evans at (717) 787-7572 or Carol Gisselquist at (717) 787-4448 to discuss how the Department may best accommodate their needs.

CHARLES B. ZOGBY,  
*Secretary*

[Pa.B. Doc. No. 01-1966. Filed for public inspection November 2, 2001, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

### NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

### NPDES APPLICATIONS

### PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

#### I. NPDES Renewal Applications

*Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0043966	Valley Forge Terrace Mobile Home Park 1311 Catfish Lane Norristown, PA 19403	Montgomery County Lower Providence Township	Catfish Dam Creek Tributary to Schuylkill River	Yes

*Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA-0035611 Sewage Nonmunicipal	PennDOT Bureau of Design P. O. Box 3060 Harrisburg, PA 17105-3060	Susquehanna Lenox Township	Unnamed tributary of East Branch Tunkhannock Creek	Yes
PA-0012092	BOC Group, Inc. 100 Mountain Ave. Murray Hill, NJ 07974	Northampton Bethlehem City	Dry Swale tributary to the Lehigh Canal. (watershed #2C)	Yes

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0084492	Strohecker Mobile Home Park 615-A Dunkle School Road Halifax, PA 17032-9455	Dauphin County Halifax Township	UNT Susquehanna River/6-C	Yes
PA0020648	Port Royal Municipal Authority P. O. Box 236 Port Royal, PA 17082	Juniata County Port Royal Borough and Milford Township	Juniata River/12-A	Yes

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0209376 (Sewage)	Linda Geyer Twin Oaks Bar & Grill R. R. 1 DuBois, PA 15801	Clearfield County Brady Township	UNT Limestone Run 17-C	Y

## **II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications**

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**PA024609, CAFO, Wenger's Feed Mill, Inc.,** 101 West Harrisburg Avenue, Rheems, PA 17570. This proposed facility is located in Mount Joy Borough, **Lancaster County**.

Description of Proposed Activity: Egg Basket is an existing chicken laying operation with a total AEUs of 1503. Approximately 6,750 tons of poultry manure are produce a year and stored in barns and then transferred by trucks to a broker who then coordinates the transportation to receiving farms. There are no tillable acres associated with this property.

The receiving stream, Little Chickies Creek, is in the State Water Plan watershed Chickies Creek Watershed and is classified for: TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

**Application No. PA 0088978, Sewage, West Pennsboro Township,** 2150 Newville Road, Carlisle, PA 17013-8957. This facility is located in West Pennsboro Township, **Cumberland County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, Conodoguinet Creek, is in Watershed 7-B and classified for warm water fishes, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is located on Conodoguinet Creek, approximately 10 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.167 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
Total Phosphorus			
(4-1 to 10-31)	1.0	XXX	2.0
(11-1 to 3-31)	2.0	XXX	4.0
Total Residual Chlorine			
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		100,000/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

**Application No. PA 0246352, Industrial Waste, All American Plazas, Inc.,** P. O. Box 302, Bethel, PA 19507. This facility is located in Bethel Township, **Berks County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated industrial waste.

The receiving stream, an unnamed tributary to Crosskill Creek, is in Watershed 7-D and classified for cold water fishery, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on Swatara Creek, approximately 40 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.031 MGD are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Benzene	0.001	0.002	0.0025
Toluene		Monitor and Report	
Ethylbenzene		Monitor and Report	
Cumene		Monitor and Report	
Naphthalene		Monitor and Report	
Fluorene		Monitor and Report	
Phenanthrene		Monitor and Report	

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

**Application No. PA 0246361**, Sewage, **Alfred E. Peterman**, R. R. 3, Box 486F, Tyrone, PA 16686. This facility is located in Snyder Township, **Blair County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, an unnamed tributary to Decker Run, is in Watershed 11-A and classified for trout stocking, water supply and recreation and fish consumption. The nearest downstream public water supply intake for United Water Company is located on the Susquehanna River, approximately 130 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0004 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
Total Residual Chlorine	Monitor and Report	
pH	From 6.0 to 9.0 inclusive	
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	100,000/100 ml as a geometric average	
(10-1 to 4-30)		

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

---

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**PA#209325**, Industrial Waste, **Chemcoat, Inc.**, 2801 Canfield Lane, Montoursville, PA 17754-0188. This existing facility is located in Loyalsock Township, **Lycoming County**.

Description of Activity: The permittee discharges treated industrial wastewater from the groundwater remediation project.

The receiving stream, Loyalsock Creek, is in the State Water Plan watershed, #10B—Loyalsock and is classified for: Trout Stocked Fishery. The nearest downstream public water supply intake is located at Milton on the Susquehanna River, 18 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.000341 mgd .

<i>Discharge Parameter</i>	<i>Mass Units (lbs/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Benzene			1		2.5
Total BTEX			100		250
Ethylbenzene			Monitor		
Toluene			Monitor		
Xylene			Monitor		

In addition to the effluent limits, the permit contains the following major special conditions: None.

*Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.*

**PA0000558**, Industrial Waste, SIC, **TrizecHahn Gateway, LLC**, Two Gateway Center, Suite 400, Pittsburgh, PA 15222. This application is for renewal of an NPDES permit to discharge filter backwash and untreated noncooling water from Gateway Center in Pittsburgh, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is West View Municipal Authority, located at West View, 5.3 miles below the discharge point.

*Outfall 001: existing discharge, design flow of 19.71 mgd.*

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
TRC			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				
Suspended Solids			30	60	
Iron			2	4	
Aluminum			4	8	
Manganese			1	2	
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

**PA0002895**, Industrial Waste, SIC 4911, **Allegheny Energy Supply Company, LLC**, 800 Cabin Hill Drive, Greensburg, PA 15601.

This application is for renewal of an NPDES permit to discharge treated process water, sewage, cooling water, stormwater and leachate, untreated cooling water, stormwater and intake screen backwash from the Allegheny Energy Supply Company Mitchell Power Station in Union Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, Monongahela River (except Outfall 006 to Peters Creek and unnamed tributary 39584 for Outfall 007), classified as a warm water (trout stocked for 006) fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Pennsylvania American Water Company, located at Elrama, PA (Becks Run, Pittsburgh for Outfall 006) about 4 miles (15 miles for 006), below the discharge point.

*Outfall 001: existing discharge, design flow of 147.124 mgd.*

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
Temperature (°F)	Monitor and Report				
Heat (10 <sup>6</sup> BTU/day):			2-Year Interim		Final
January 1-31			48,533		14,231
February 1-29			52,918		10,376
March 1-31			127,004		20,753
April 1-15			140,612		13,786
April 16-30			140,612		55,144
May 1-15			92,532		15,120
May 16-31			154,220		45,360
June 1-15			117,932		40,024
June 16-30			117,932		35,577
July 1-31			61,688		20,160
August 1-31			55,035		22,828
September 1-15			43,242		17,936
September 16-30			43,242		19,567
October 1-31			43,544		16,009
November 1-15			48,382		11,859
November 16-30			38,706		7,115
December 1-31			36,287		7,115
Copper			Monitor and Report		
Mercury			Monitor and Report		
Total Residual Chlorine					0.2
pH (S.U.)	not less than 6.0 nor greater than 9.0				

Other Conditions: ELG chlorination conditions (001), no net addition of pollutants to cooling water, notification prior to startup, thermal conditions for cooling water, pump runtime used for flow measurement (001), chemical additive, solids disposal, sewage sludge report, outfall heat warning sign, PCB discharge prohibition, demonstration of No Net Addition of Copper or Mercury (001), 3-year TRC compliance period/TRC minimization/effective disinfection (005), startup pH limit

(101, 201), no floating solids, supersedence of Part II effluent limits, mass and IMAX limits, percent removal (005), priority pollutant sampling methods, stormwater and emergency storm overflow conditions (102, 008, 019).

*Outfalls 101 and 201:* existing discharge, design flow of 0.0538 MGD (101) and 0.2816 MGD (201)

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average	Maximum	Average	Maximum	Instantaneous
	Monthly	Daily	Monthly	Daily	
Flow (MGD)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	
pH (S.U.)	not less than 6.0 nor greater than 10.0				

*Outfalls 301, 401, 501, 701, 801, 901, 111 and 121:* existing discharge, design flow of 69.22 MGD (301), 69.35 MGD (401), 6.30 MGD (501), 4.59 MGD (701), "zero" MGD (801), "zero" MGD (901), 12.33 MGD (111) and 12.47 MGD (121)

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average	Maximum	Average	Maximum	Instantaneous
	Monthly	Daily	Monthly	Daily	
Flow (MGD)	Monitor and Report				

*Outfall 141:* existing discharge, design flow of 0.055 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids	Monitor and Report				

*Outfall 002:* existing discharge, design flow of 0.0299 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Iron		Monitor and Report			
Aluminum		Monitor and Report			
pH (S.U.)		Monitor and Report			

*Outfall 102:* existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids					50
pH (S.U.)	not less than 6.0 nor greater than 9.0				

*Outfall 003:* existing discharge, design flow of 0.36 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
	Debris collected on the intake trash racks cannot be returned to the waterway.				

*Outfall 004:* existing discharge, design flow of 0.704 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids	180	590	30	100	
Oil and Grease	90	180	15	20	
Total Residual Chlorine			0.5		1.17
pH (S.U.)	not less than 6.0 nor greater than 9.0				

*Outfall 104:* existing discharge, design flow of 0.353 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>		
Flow (MGD)	Monitor and Report					
Iron				1.0		
Copper				1.0		
pH (S.U.)	not less than 6.0 nor greater than 10.0					

*Outfall 005:* existing discharge, design flow of 0.002 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	0.01				
CBOD <sub>5</sub>			25		50
Total Suspended Solids			30		60
Fecal Coliform (col/100 ml)					
(5-1 to 9-30)			200		1000
(10-1 to 4-30)			2,000		—
Total Residual Chlorine			1.4		3.3
pH (S.U.)		not less than 6.0 nor greater than 9.0			

*Outfall 006:* existing discharge, design flow of 0.0383 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15		30
Iron, Total			3.5	7.0	
Boron			10	20	
Aluminum			2.0	4.0	
pH (S.U.)		not less than 6.0 nor greater than 9.0			

*Outfall 007:* existing discharge, design flow of 0.0516 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15		30
Iron, Total			3.5	7.0	
pH (S.U.)		not less than 6.0 nor greater than 9.0			

*Outfall 008:* existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids					50
	Emergency overflows to discharge only during storm events of 10 year/24 hour or greater intensity.				
pH (S.U.)	not less than 6.0 nor greater than 9.0				

*Outfall 010:* existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids					
Total Iron					
	Monitor and Report				
	Monitor and Report				

*Outfall 011:* existing discharge, design flow of 0.0027 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
COD					
Total Suspended Solids					
Total Kjeldahl Nitrogen					
Total Iron					
Aluminum					
	Monitor and Report				
	Monitor and Report				
	Monitor and Report				
	Monitor and Report				
	Monitor and Report				

*Outfall 012:* existing discharge, design flow of "zero" MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

Outfall to consist solely of uncontaminated stormwater.



*Outfall 013: existing discharge, design flow of 0.0115 MGD*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			Monitor and Report		
pH (S.U.)			Monitor and Report		
Total Iron			Monitor and Report		

*Outfall 014: existing discharge, design flow of 0.0006 MGD*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Total Iron			Monitor and Report		

*Outfall 015: existing discharge, design flow of 0.0062 MGD*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Total Iron			Monitor and Report		
Aluminum			Monitor and Report		

*Outfall 017: existing discharge, design flow of 0.0062 MGD*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Total Iron			Monitor and Report		
Aluminum			Monitor and Report		

*Outfall 019: existing discharge, design flow of 0.0288 MGD*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Oil and Grease			15		30

*Outfall 020: existing discharge, design flow of 0.0095 MGD*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			Monitor and Report		
Total Kjeldahl Nitrogen			Monitor and Report		
Total Iron			Monitor and Report		

The EPA waiver is not in effect.

**PA0092045**, Sewage, **Stanton Enterprises, Inc.**, 127 West Byers Avenue, New Stanton, PA 15672. This application is for Renewal of an NPDES permit to discharge treated sewage from Stanton Enterprises STP in Dunbar Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Gist Run, which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: North Fayette County Municipal Authority.

*Outfall 001: existing discharge, design flow of 0.01 mgd.*

<i>Parameter</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Concentration (mg/l) Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen (5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0

Parameter	Concentration (mg/l)			Instantaneous Maximum
	Average Monthly	Average Weekly	Maximum Daily	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			3.3
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA0218987**, Sewage. **John E. Hixon**, 100 Greensburg Street, Delmont, PA 15626. This application is for issuance of an NPDES permit to discharge treated sewage from the John E. Hixon Small Flow STP in Washington Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Site Storm Sewer to Drainage Swale to Poke Run, which are classified as a high-quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Westmoreland County Municipal Authority on Beaver Run Reservoir.

*Outfall 001*: new discharge, design flow of 0.0004 mgd.

Parameter	Concentration (mg/l)			Instantaneous Maximum
	Average Monthly	Average Weekly	Maximum Daily	
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	4.5			9.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			3.3
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0006378**, Industrial Waste. **AK Steel—Sawhill Tubular Division**, 200 Clark Street, P. O. Box 11, Sharon, PA 16146-2473. This proposed facility is located in City of Sharon, **Mercer County**.

Description of Proposed discharge of treated I. W., noncontact cooling water and stormwater, is in watershed 20-A and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Consumers PA Water Co. intake on the Shenango River located at Sharon within 1 mile below the point of discharge.

The proposed effluent limits for Outfall are based on a design flow of 0.85 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		Instantaneous Maximum
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	
Oil and Grease			15		30
Iron (Total)			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 101 are based on a design flow of 0.045 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		Instantaneous Maximum
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	
Total Suspended Solids	53	123	30	70	75
Lead	0.3	0.8	XX	XX	1.63
Zinc	0.4	1.1	XX	XX	2.2
Iron	0.4	1.45	XX	XX	2.2
Oil and Grease			15		30
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 201 are based on a design flow of 0.49 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	141	375			
Oil and Grease		94			
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 301 are based on a design flow of 1.13 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease			15		30
Iron (Total)			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfalls 002—015 are based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron (Total)		XX		XX	
Zinc (Total)		XX		XX	
Oil and Grease				XX	

XX—Monitor and report.

In addition to the effluent limits, the permit contains the following major special conditions.

—Stormwater sampling requirements.

The EPA Waiver is not in effect.

**PA0238660**, Sewage. **Ronald Fassett and Associates**, 474 Hadley Road, Greenville, PA 16125. This proposed facility is located in Otter Creek Township, **Mercer County**.

Description of Proposed Activity: a new discharge of treated sewage from a privately owned treatment works serving an office.

The receiving stream, unnamed tributary to Little Shenango River, is in watershed 20-A and classified for: trout stocked fishery, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is Greenville Municipal Water Authority (Little Shenango River on the Little Shenango River located at 9.37 miles below point of discharge).

The proposed effluent limits for Outfall 001 based on a design flow of 200 GPD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10		20
Total Suspended Solids	20		40
Fecal Coliform	200/100 ml as a geometric average		
Total Residual Chlorine	Monitor and Report		
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

## WATER QUALITY MANAGEMENT PERMITS CONTROLLED INDUSTRIAL WASTE AND SEWAGE WASTEWATER APPLICATIONS UNDER THE CLEAN STREAMS LAW PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department). The applications are listed in two categories. Section I lists all municipal and industrial permits.

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted

before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of

this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

**I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**WQM Permit No. 4801403**, Sewerage, **East Allen Township Municipal Authority**, 5340 Nor-Bath Boulevard, Northampton, PA 18067. This proposed facility is located in East Allen Township, **Northampton County**.

Description of Proposed Action/Activity: The construction of gravity sanitary sewers, a pump station and forcemain to serve an existing village. The proposed project is designed to convey sanitary sewage from the Old Jacksonville Area of East Allen Township through a combination of gravity flow sewers and a force main to the existing forcemain previously constructed by the Keystone Cement Company. The design flow for the system is 14,500 GPD.

**WQM Permit No. 4501407**, Sewerage, **Mt. Pocono Municipal Authority**, 303 Pocono Blvd., Mt. Pocono, PA 18344. This proposed facility is located in Mt. Pocono Borough, **Monroe County**, PA.

Description of Proposed Action/Activity: Application for an increase in permitted discharge capacity from 400,000 GPD to 600,000 GPD to the Forest Hills Run and the addition of a Grit Removal System to the existing treatment process.

**WQM Permit No. 3901403**, Sewerage, **Upper Saucon Township Municipal Authority**, 5500 Camp Meeting Road, Center Valley, PA 18034-9444. This proposed facility is located in Upper Saucon Township, **Lehigh County**, PA.

Description of Proposed Action/Activity: The project will construct a pumping station and sewer collection system to provide sewer service to a portion of the Stabler Business Park. The pumping station is a duplex submersible wastewater pumping station. All of the flow from the service area is pumped by the station to a gravity sewer within 1000' of the Upper Saucon Authority Wastewater Treatment Plant. The design flow of the pumping station is 155,703 GPD.

*Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**WQM Permit No. 2201408**, Sewerage, **Susquehanna Township Authority**, 1900 Linglestown Road, Harrisburg, PA 17110. This proposed facility is located in Susquehanna Township, **Dauphin County**.

Description of Proposed Action/Activity: Construction of a sewer extension to serve the Waverly Woods Development.

**WQM Permit No. 2201407**, Sewerage, **Susquehanna Township Authority**, 1900 Linglestown Road, Harrisburg, PA 17110. This proposed facility is located in Susquehanna Township, **Dauphin County**.

Description of Proposed Action/Activity: Construction of a sewer extension for the Water Woods, Maragrets Gove and Deer Path Woods developments and replacement of the Pheasant Hills sewers.

**NPDES Stormwater Individual Permit**

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Monroe County Conservation District: 8050 Running Valley Rd., Stroudsburg, PA 18360, (570) 629-3060.*

<i>NPDES No.</i>	<i>Applicant Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Receiving Water/Use</i>
PAS10S009-1-R	Resorts, USA P. O. Box 447 Bushkill, PA 18324	Monroe County Middle Smithfield Township	Sand Hill Creek HQ-CWF

*Northampton County Conservation District: Greystone Bldg., Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.*

<i>NPDES No.</i>	<i>Applicant Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Receiving Water/Use</i>
PAS10U160	Joseph Panuccio Red Rock Land Corp. R. D. 1, Box 715 Pen Argyl, PA 18072	Northampton County Forks Township	Bushkill Creek HQ-CWF

## **PUBLIC WATER SUPPLY (PWS) PERMIT**

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

## **SAFE DRINKING WATER**

### **Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 0391501-A4, Public Water Supply.**

Applicant **Kittanning Suburban Joint  
Water Authority**

Township or Borough **Cadogan Township**

Responsible Official	Richard Lauer, Manager Kittanning Suburban Joint Water Authority R. R. 1 Box 23 Adrian, PA 16210-9712
Type of Facility	Tank
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road P. O. Box 200 Indianola, PA 15051
Application Received Date	October 18, 2001
Description of Action	Replacement tank

## **LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

### **UNDER ACT 2, 1995**

#### **PREAMBLE 1**

### **Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Envi- ronmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**PPL—Palmerton Substation.** Lower Towamensing Township, **Carbon County.** PPL Electric Utilities, 2 North Ninth Street, Allentown, PA, 18101 has submitted a Notice of Intent to Remediate concerning the remediation of site soils found or suspected to be contaminated with PCBs (polychlorinated biphenyls). The notice indicates that the site will be remediated to meet the Statewide human health standard. A summary of the Notice of Intent to Remediate will be published in *The Times News*.

**Federal Mogul Corporation,** Weatherly Borough, **Carbon County.** Jeffrey A. Hassen, P.G., Senior Project Director, Environmental Strategies Corporation, 4 Penn Center West, Suite 315, Pittsburgh, PA 15276 has submitted a Notice of Intent to Remediate (on behalf of his client, Federal Mogul Corporation, 26555 Northwestern Highway, Southfield, MI 48034) concerning the remediation of site groundwater found or suspected to have been contaminated with solvents. The applicant proposes to remediate the site to meet both the site-specific and Statewide health standards. A summary of the Notice of Intent to Remediate was reportedly published in Hazleton's *The Standard Speaker* on or about October 17, 2001.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Blackberry Substation,** City of Harrisburg, **Dauphin County.** PPL Electric Utilities, Two North Nine Street, Allentown, PA 18101 has submitted a Notice of Intent to Remediate site soils contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide Health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Patriot News* on October 1, 2001.

**Schneider National Terminal,** Bedford Township, **Bedford County.** Environmental Products & Services, Inc., P. O. Box 501, Carnegie, PA 15106 (on behalf of Schneider National Terminal, 5906 Business Route 220, Bedford, PA 15522) has submitted a Notice of Intent to Remediate site soils contaminated with PHCs. The applicant proposes to remediate the site to meet the Statewide Health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bedford Gazette* on April 11, 2001.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**National Forge Company (SPEDD site),** Parcel 2 of Phase One (Warren Industrial Complex) City of Warren, **Warren County** and Mark Miller, P.G., of Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with Lead, Heavy Metals, BTEX, PHCs, PAHs and Solvents. The applicant proposes to remediate the site in a Special Industrial Area. A summary of the Notice of Intent to Remediate was published in the *Warren Times Observer* on September 13, 2001.

#### HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

**Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

*Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**PAD002387926. Merck & Co., Inc.,** P. O. Box 4, West Point, PA 19486-0004, Upper Gwynedd Township, **Montgomery County.** This RCRA Part B renewal was submitted for the previously captioned site. Application was received in the Southeast Regional Office on October 15, 2001.

#### RESIDUAL WASTE GENERAL PERMITS

**Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGR078. Bedrock Stone & Stuff, Inc.,** P. O. Box 279, Shoemakersville, PA 19555. General Permit application numbered WMGR078 is for the processing and beneficial use of mushroom soil, dredged sand and topsoil to create a landscaping soil product. Central Office received the application on September 20, 2001, and determined administratively complete on October 18, 2001.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in obtaining more information about

the general permit application may contact the Division at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

#### **OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**Application No. 101494. Waste Management of Pennsylvania, Inc.,** 1121 Bordentown Road, Morrisville, PA 19067. This application was received for modification of the leachate management plan to include leachate recirculation at the Tullytown Resource Recovery Facility Landfill. Facility located in Falls Township, **Bucks County**. This application was received in the Southeast Regional Office on October 22, 2001.

*Southcentral Region: Regional Solid Waste Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit Application No. 100758. The Harrisburg Authority,** One Keystone Plaza, Suite 104, Harrisburg, PA 17101, City of Harrisburg, **Dauphin County**. Application received for permit renewal at the Harrisburg Materials, Energy, Recycling and Recovery Facility. The application was determined to be administratively complete by the Southcentral Regional Office on October 22, 2001.

Comments concerning the application should be directed to Keith Kerns, Program Manager, Waste Management Program, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact (717) 705-4706 (office telephone). TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

#### **DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS**

**Application for Determination of Applicability Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17101-2301.*

**General Permit Application No. WMGR002D004. Earth Products, Inc.,** 289 Cornish Road, Lake Lynn, PA 15451. The beneficial use of wastewater treatment sludge generated by paper mills as soil additive to establish or reestablish agricultural productivity on disturbed land;

establish herbaceous wildlife habitat; facilitate revegetation on disturbed land at permitted and abandoned mines sites. The application for determination of applicability was deemed administratively complete by the Division of Municipal and Residual Waste on October 9, 2001.

Persons interested in obtaining more information about the general permit application may contact the Division of Municipal and Residual Waste, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

## **AIR QUALITY**

### **NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS**

#### **NEW SOURCES AND MODIFICATIONS**

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.*

**48-399-049: North American Pharmaceutical Packaging** (MARCO, 19701 Clark Graham Boulevard, Baie D'Urfe, Quebec, Canada H9X3T1) for construction of a blister packaging operation and associated air cleaning device in Bethlehem Township, **Northampton County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**01-05032: Pella Corp.** (102 Main Street, Pella, IA 50219) for the construction of a wood treatment operation controlled by a catalytic oxidizer at its Gettysburg Plant in Straban Township, **Adams County**.

**28-05001: Martin's Famous Pastry Shoppe, Inc.** (1000 Potato Roll Lane, Chambersburg, PA 17201) for the installation of two baking ovens controlled by a catalytic oxidizer in Guilford Township, **Franklin County**.

**67-03063A: Advanced Recycling Technology, Inc.** (340 South Broad Street, Hallam, PA 17406) for the construction of an Industrial Dryer at 340 South Broad Street in Hallam Borough, **York County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**14-00002A: Graymont (PA), Inc.** (P. O. Box 448, Bellefonte, PA 16823) for construction of a 1,200 ton per day rotary lime kiln and associated air cleaning device (a fabric collector), a 1,050 ton per day rotary lime kiln and associated air cleaning device (a fabric collector) and ancillary material handling facilities and associated air cleaning devices (fabric collectors) in Spring Township, **Centre County**. The construction will be subject to the Federal Prevention of Significant Deterioration (PSD) requirements as well as Subparts HH, 000 and possibly Y, of the Federal Standards of Performance for New Stationary Sources.

**18-00011D: Croda, Inc.** (8 Croda Way, Mill Hall, PA 17751) to construct four bulk storage tanks (having a capacity of 8,000 to 12,000 gallons each) and associated distribution systems to store and distribute propylene oxide, epichlorohydrin, dimethyl sulfate and diethanolamine, all four of which are considered to be hazardous air pollutants, in Bald Eagle Township, **Clinton County**. These tanks and distribution systems are subject to Subpart PPP of the National Emissions Standards for Hazardous Air Pollutants.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.*

**43-011B: Greenville Metals, Inc.** (99 Crestview Drive Ext. Transfer, PA 16154) for post-construction of a shot blast unit and cartridge collector (18,000 ACFM) in Pymatuning Township, **Mercer County**. This facility is a Title V facility.

**37-003C: ESSROC Cement Corp.** (P. O. Box 779, East Poland Avenue, Bessemer, PA 16112-0779) for installation of two baghouses (38,253 ACFM and 53,000 ACFM) on clinker cooler Nos. 4 and 5, in Bessemer, **Lawrence County**. This facility is a Title V facility.

**33-055A: Glen-Gery Corp.** (Route 28, Summerville, PA 15864) for construction of a new tunnel kiln, brick dryers and flash dryer in Summerville, **Jefferson County**. The new sources will replace two existing tunnel kilns and eight existing brick dryers. This facility is a Title V facility.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.*

**09-0061: Donaldson Co., Inc.** (100 Railroad Drive, Ivyland, PA 18974) for installation of an extrusion line with regenerative thermal oxidizer in Northampton Township, **Bucks County**. This facility is a minor facility. The installation of this source will result in an increase of 4.4 tons of VOCs per year. The Plan Approval will contain record keeping requirements to keep the facility operating within the allowable emissions and all applicable air quality requirements.

**23-0047C: Degussa Corp.** (1200 West Front Street, Chester, PA 19013) for installation of a spray dryer. The facility is a Synthetic-Minor facility in City of Chester, **Delaware County**. The installation of this source will result in an increase of 11.28 tons of NOx per year. The Plan Approval will contain record keeping requirements to keep the facility operating within the allowable emissions and all applicable air quality requirements.

**15-0115: QVC, Inc.** (1200 Wilson Drive, West Chester, PA 19380) for installation of two identical natural gas/No. 2 fuel oil-fired boilers in West Goshen Township, **Chester County**. The boilers, each rated at 12.55 MMBtu/hr and equipped with low-NOx burners and flue gas recirculation, will have a potential-to-emit of less than 2 tons for all criteria pollutants, each based on a 12-month rolling sum. The Plan Approval and Operating Permit will contain record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

**09-0015D: Rohm and Haas Co.** (Route 413 and State Road, Bristol, PA 19007) for installation of a catalytic oxidizer on CRU and CRUX processes in Bristol Township, **Bucks County**. This facility is a Title V facility. The installation of this source will result in an increase of 2.6 tons of NOx per year and 1.3 tons of Volatile organic Compounds (VOC) per year. The Plan Approval will contain record keeping and operating restriction designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

**09-0124B: S.W.E.C., LLC** (5000 Dominion Boulevard, Glen Allen, VA 23060) for construction and expand their plant to double the size of its combined-cycle electric power generation plant to 1190 MW at their facility in the USX Industrial Park in Falls Township, **Bucks County**. The plant will include two additional combined-cycle combustion turbines, two respective heat recovery



steam generators and a single steam turbine. The emissions from the plant will be controlled by selective catalytic reduction and catalytic oxidizer. The sources and air pollution control devices are described in the Applicant's application of January 4, 2001, and subsequent submissions.

Based on the information provided by the Applicant and the Department's own analysis, the operation of the completed facility will emit 488.7 tons per year of nitrogen oxides (NO<sub>x</sub>), 88.4 tons per year of volatile organic compounds (VOC), 360.5 tons per year of carbon monoxide (CO), 386.7 tons per year of particulate matter (PM/PM-10) and 96.3 tons per year of sulfur oxides (SO<sub>2</sub>). These emissions will consume the following the Prevention of Significant Deterioration air quality increments available in the area of the maximum impact of the facility:

<i>Pollutant</i>	<i>Averaging Time</i>	<i>Maximum Modeled Impact</i>
		µg/m <sup>3</sup>
CO	1 hour	65.15
CO	8 hour	35.32
NO <sub>2</sub>	Annual	0.83
PM-	24 hour	4.34
PM-	Annual	0.50
SO <sub>2</sub>	3 hour	2.66
SO <sub>2</sub>	24 hour	0.81
SO <sub>2</sub>	Annual	0.09

In order to assure compliance with the applicable standards, DEP will place the following conditions on the plan approval:

#### *General Requirements*

A. This Plan Approval is issued to the owner and operator for the construction of a major modification to its combined cycle electric generating plant with a nominal electric output of 1,190 megawatts. After completion of the major modification the plant will include the following sources and associated air pollution control devices:

i. Four GE PG7241-FA combined cycle combustion turbines, each equipped with a heat recovery steam generator with duct burners and two single steam turbines. The emissions from each turbine and associated duct burner shall be controlled by dry low NO<sub>x</sub> combustion, a selective catalytic reduction system and an oxidation catalytic system.

ii. Two cooling towers equipped with mist eliminators.

iii. Two auxiliary boilers, each rated at 45 million Btu heat input per hour.

iv. Two emergency diesel generators, each rated at 750 kW.

v. One diesel fired emergency pump rated at 140 kW output.

B. This Plan Approval authorizes temporary operation of the additional sources covered by this Plan Approval, provided the following conditions are met:

i. The Department must receive written notice from the owner/operator of the completion of construction and the operator's intent to commence operation at least 5 working days, prior to the completion of construction. The notice should state when construction will be completed and when operator expects to commence operation.

ii. Operation is authorized only to facilitate the start-up and shake-down of sources and air cleaning devices, to permit operations pending the issuance of an

Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

iii. This condition authorizes temporary operation of the sources for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the owner/operator under Subpart i.

iv. The owner/operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted, in writing, at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance and the reasons compliance has not been established.

v. The notice submitted by the owner/operator under Subpart i, prior to the expiration of this Plan Approval, shall modify the Plan Approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of commencement of operation.

vi. The emission reduction credit (ERC) use and transfer are approved by the Department for this major modification.

D. This approval to construct shall become invalid if:

i. Construction, as defined in 40 CFR 52.21(b)(8), has not commenced within 18 months from the issue date of this Plan Approval; or

ii. Construction is discontinued for a period of 18 months or more; or

iii. Construction is not complete within a reasonable time as defined in the Plan Approval Application.

E. If construction has commenced, but cannot be completed before the expiration of Plan Approval No. PA-09-0124B, an extension of the Plan Approval must be obtained to continue construction. To allow adequate time for Departmental action, a request for the extension must be postmarked at least 30 days prior to the expiration date. The Department will not issue an extension after the Plan Approval expires. Requests for extension shall comply with 25 Pa. Code § 127.13. The request for an extension shall include the following:

i. A justification for the extension and

ii. A schedule for the completion of the construction.

#### *New Source Review (NSR) and ERC Requirements:*

A. The owner and operator shall comply with all the requirements of 25 Pa. Code § 127.208—ERC Use and Transfer Requirements prior to the initial startup of any of the sources specified in the previous condition.

B. The owner and operator provided ERC at a 1.3:1.0 ratio to offset the nitrogen oxides (NO<sub>x</sub>) emissions of 488.7 tons per year and volatile organic compounds (VOC) emissions of 88.4 tons per year. The required ERC of 635.3 tons of NO<sub>x</sub> and 114.9 tons of VOC have been provided per Plan Approval No. PA-09-0124C.

#### *New Source Performance Standards Requirements:*

The combustion turbines are subject to Subpart GG, the duct burners are subject to Subpart Da and the auxiliary boilers are subject to Subpart Dc of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of the Subparts. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other com-

munications to both the EPA and the Department. The EPA copies shall be forwarded to Director, Air Protection Division, U.S. EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103

Any variations from the compliance monitoring, testing and reporting methods specified in the New Source Performance Standards shall be approved in advance by the EPA.

#### *Acid Rain Requirements:*

A. Upon start-up, the facility is subject to the applicable requirements contained in 40 CFR Parts 72–78. In addition, the facility is subject to the applicable requirements contained in 25 Pa. Code § 127.531, regarding special conditions related to acid rain.

B. The owners and operators of each affected source and each affected unit at the source shall:

- i. Operate the unit in compliance with a complete Acid Rain permit application or a superseding Acid Rain permit issued by the permitting authority; and,
- ii. Have an Acid Rain permit.

#### *NOx Allowance Requirements*

The facility shall comply with the applicable regulations contained in 25 Pa. Code §§ 123.101–123.120.

The owner and operator shall establish a compliance account prior to the commencement of operations and shall be responsible to acquire any required NOx allowances from those available in the NATS (25 Pa. Code § 123.117(a)).

The owner and operator shall comply with 25 Pa. Code Chapter 145.

#### *Operating Requirements:*

A. Each unit and its associated air cleaning devices shall be installed, maintained and operated in accordance with manufacturers' specifications and good air pollution control practices.

B. All combustion turbines, duct burners, auxiliary boilers and natural gas preheaters located at this facility shall fire natural gas only.

C. The operation of each auxiliary boiler shall not exceed 3,500 hours per year in a 12-month rolling sum. Equipment (a timer or equivalent) shall be provided on the fire pump so that, at the request of the Department, the total operating hours of each boiler can be measured.

D. The operation of each emergency diesel generator shall not exceed 500 hours in a consecutive 12-month rolling sum. Equipment (a timer or equivalent) shall be provided on the fire pump so that, at the request of the Department, the total operating hours of each emergency generator can be measured.

E. The operation of the fire pump shall not exceed 500 hours in a consecutive 12-month rolling sum. Equipment (a timer or equivalent) shall be provided on the fire pump so that, at the request of the Department, the total operating hours of the fire pump can be measured.

F. The dissolved/suspended solids in the cooling tower blow down water shall not exceed 1,000 ppm by weight. Prior to commencing the combustion turbine operation, the owner and operator shall submit to the Department for approval the methods to demonstrate compliance with this requirement.

G. The following condition applies to the start-up or shutdown of each combustion turbine:

i. A cold start-up shall be defined as an event that occurs after the combustion turbine has not been operating for at least 48 hours. A cold start-up shall not last longer than 5 hours after ignition.

ii. A warm start-up shall be defined as an event that occurs after the combustion turbine has not been operating for eight to 48 hours. A warm start-up shall not last longer than 3 hours after ignition.

iii. A hot start-up shall be defined as an event that occurs after the combustion turbine has not been operating for less than 8 hours. A hot start-up shall not last longer than two hours after ignition.

iv. The emissions from a start-up or shutdown shall be included in the 12-month rolling sum.

v. A shut down commences with the termination of fuel injection into the combustion chambers.

#### *Emission Limitations*

A. The emissions from each combustion turbine shall not exceed the following limitations:

<i>Pollutants</i>	<i>Units</i>	<i>Emissions*</i>
Nitrogen Oxides (NOx)	ppmvd@15%O <sub>2</sub>	3.0
Volatile Organic Compounds (VOC)**	lb/MMBtu	0.002
Carbon Monoxide (CO)	ppmvd@15%O <sub>2</sub>	3.0
Particulate Matters (PM and PM-10)	lb/MMBtu	0.014
Sulfur Dioxide (SO <sub>2</sub> )	lb/MMBtu	0.002
Ammonia Slip Concentration	ppmvd@15%O <sub>2</sub>	10

\* The emission limit shall be calculated as a 1-hour average.

\*\* The VOC emissions shall be reported as methane.

B. The short-term emission limitations contained in the previous condition do not apply during startup and shutdown of the combustion turbines. The combustion turbine startup and shutdown emissions shall be calculated using the following emission factors:

<i>Pollutants</i>	<i>Cold Startup</i>	<i>Warm Startup</i>	<i>Hot Startup</i>	<i>Shutdown</i>
	lb/startup	lb/startup	lb/startup	lb/shutdown
NOx	321	223	219	48
VOC	181	70	23	8.5
CO	474	435	192	28.8
PM/PM <sub>10</sub>	43.2	43.2	43.2	43.2
SO <sub>2</sub>	10.9	10.9	10.9	10.9

C. The emissions from each auxiliary boiler shall not exceed the limitations:

<i>Pollutants</i>	<i>Emission Limits</i>		
	lb/MMBtu	lb/hr/boiler	TPY (total)
Nitrogen Oxides	0.035	1.60	5.6
Volatile Organic Compounds (VOC)	0.004	0.19	0.7
Carbon Monoxide (CO)	0.037	1.67	5.8
Particulate Matter (PM)	0.010	0.45	1.6
Sulfur Dioxide (SO <sub>2</sub> )	0.002	0.09	0.3

D. The emissions from all facility natural gas preheaters shall not exceed the following limitations:

<i>Pollutants</i>	<i>Emission Limits</i>		
	lb/MMBtu	lb/hr/boiler	TPY (total)
Nitrogen Oxides	0.035	0.27	4.8
Volatile Organic Compounds (VOC)	0.003	0.02	0.4
Carbon Monoxide (CO)	0.082	0.64	11.3
Particulate Matter (PM)	0.010	0.08	1.4
Sulfur Dioxide (SO <sub>2</sub> )	0.002	0.02	0.28

E. The emissions from all facility emergency diesel generators shall not exceed the following limitations:

<i>Pollutants</i>	<i>Emission Limits</i>		
	g/hp-hr	lb/hr/unit	TPY (total)
Nitrogen Oxides	6.9	18	9.0
Volatile Organic Compounds (VOC)	0.17	0.4	0.2
Carbon Monoxide (CO)	8.5	22.1	11.1
Particulate Matter (PM)	3.28	1.0	0.5
Sulfur Dioxide (SO <sub>2</sub> )	1.0	2.6	1.3

F. The emissions from the fire pump shall not exceed the following limitations:

<i>Pollutants</i>	<i>Emission Limits</i>		
	g/hp-hr	lb/hr	TPY
Nitrogen Oxides	7.2	3.5	0.88
Volatile Organic Compounds (VOC)	0.17	0.1	0.02
Carbon Monoxide (CO)	1.2	0.6	0.15
Particulate Matter (PM)	0.22	0.1	0.03
Sulfur Dioxide (SO <sub>2</sub> )	0.47	0.2	0.06

G. The PM emissions from the cooling towers shall not exceed 0.53 pound per hour and 4.6 tons per year as a 12-month rolling sum.

H. The combined emissions from the entire facility shall not exceed the following limitations:

<i>Pollutants</i>	<i>Facility Annual Emission Limits (TPY)*</i>
Nitrogen Oxides	488.7
Volatile Organic Compounds (VOC)	88.4
Carbon Monoxide (CO)	360.5
Particulate Matter (PM)	386.7
Sulfur Dioxide (SO <sub>2</sub> )	96.3
Sulfur Acid (H <sub>2</sub> SO <sub>4</sub> ) Mist	29.3

\* The facility annual emission limits are a 12-month rolling sum calculated monthly. The facility annual emission limits include the emissions during startups and shutdowns.

#### *Continuous Source Monitoring Requirements:*

A. Each combustion turbines shall be equipped with continuous monitoring systems to monitor and record nitrogen oxides (NO<sub>x</sub>) emissions, carbon monoxide (CO) emissions and oxygen (O<sub>2</sub>) content in the flue gas.

B. The continuous emission monitoring systems for NO<sub>x</sub>, CO and O<sub>2</sub> shall be approved by the Department and installed, calibrated, operated and maintained in accordance with the requirements of 25 Pa. Code Chapter 139.

C. The continuous emission monitoring system for the parameters in the previous condition must be approved by the Department. The continuous emission monitoring system shall be installed, operated and maintained in accordance with the requirements of 25 Pa. Code Chapter 139. Proposals containing the information as listed in

Phase I section of the Department's Continuous Source Monitoring Manual for the continuous emission monitoring system must be submitted at least 180 days prior to the start-up of each combined cycle combustion turbine.

D. Testing as listed in the Phase II section of the Department's Continuous Source Monitoring Manual must be completed for the CEMs no later than 180 days after initial source start-up date and no later than 60 days after the source achieves normal process capacity.

E. The final report as listed in the Phase III section of the Department's Continuous Source Monitoring Manual must be submitted no later than 60 days after the completion of testing.

F. The continuous monitoring systems shall be installed, maintained and operated to achieve the following data availability requirements:

*Monitored Pollutants or Parameters*  
*NO<sub>x</sub>, CO, O<sub>2</sub>*

Data	≥ 90% valid hours/calendar month
Availability	≥ 95% valid hours/calendar quarter
Valid Hour	≥ 75% valid readings (45 minutes/hour)

G. Equipment shall be installed, operated and maintained to continuously monitor and record the ammonia solution injection rate and the pH or ammonia concentration of the solution to the SCR system.

H. Equipment shall be installed, operated and maintained to continuously monitor and record the amount of natural gas combusted in the combustion turbines and the duct burners.

*Recordkeeping Requirements*

A. The owner and operator shall maintain records on all air pollution control system performance evaluations and records of calibration checks, adjustments and maintenance performed on all equipment, which is subject to this Plan Approval.

B. The owner and operator shall maintain a copy of the manufacturer's specifications for the combustion turbines, the duct burners, cooling towers and air cleaning devices onsite.

C. The owner and operator shall maintain a copy of the manufacturer's specifications for all CEMs that are required by this Plan Approval.

D. The owner and operator shall keep a record of all the stack tests that are required in this Plan Approval.

E. The owner and operator shall keep a monthly record of the fuel usage.

F. The owner and operator shall keep a record of the date of any malfunction, the time period of the malfunction, the cause of the malfunction and the action taken to correct the malfunction.

G. The owner and operator shall keep a record, on a monthly basis, of the facility's emissions in order to demonstrate compliance with the emission limits in emission limitations condition of this Plan Approval.

H. The owner and operator shall keep all records that are required under 40 CFR Part 60 Subparts Da, Dc and GG and 40 CFR Parts 72–78, unless the permittee receives approval of an alternative method from the EPA.

I. The owner and operator shall keep a record of each startup and shutdown of the combustion turbines.

J. The owner and operator shall keep a record of the results of the testing for cooling tower blow down water total dissolved and suspended solids.

*Testing Requirements*

A. Within 60 days after achieving the maximum production rate at which the affected facility will be operated, but no later than 180 days after the initial startup of the facility, the owner or operator shall conduct performance tests as per § 60.8 and Subparts GG and Db of 40 CFR Part 60 and 25 Pa. Code Chapter 139.

B. The perform test shall be conducted on the gas turbines and the duct burners for nitrogen oxides, carbon monoxide, volatile organic compounds, sulfur dioxide, ammonia slip concentration and total particulate matter and PM<sub>10</sub>.

C. During the stack test, the ammonia solution flow rate in GPM and its pH shall be measured and recorded.

D. At least 60 days prior to the test, the company shall submit to the Department for approval the procedures for the test and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples.

E. At least 30 days prior to the test, the Regional Air Quality Manager shall be informed of the date and time of the test.

F. Within 30 days after the source tests, two copies of the complete test report, including all operating conditions, shall be submitted to the Regional Air Quality Manager for approval.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.*

**39-318-105A: Ultra Hi-Tek Products, Inc.** (827 North Meadow Street, Allentown, PA 18102) for installation and operation of an air cleaning device (catalytic oxidizer) to control a film coating line in Allentown, **Lehigh County**. The catalytic oxidizer replaces the previously approved air cleaning device (thermal oxidizer). The facility is a non-Title V (State only) facility. The installation of the catalytic oxidizer will result in the emission of 5.0 tons per year of volatile organic compounds. The plan approval will include monitoring, reporting and recordkeeping requirements designed to keep the source operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-03078A: Brush Wellman Inc.** (P. O. Box 973, Reading, PA 19603) for the construction of a beryllium alloy cleaning operation controlled by four scrubbers in Perry Township, **Berks County**. The plant is a non-Title V facility. This new operation will result in the emission of less than 1 ton per year of both particulate and hazardous air pollutants. The applicant will be required to limit the beryllium content in the alloys to less than 5% by weight. The approval will include monitoring, record keeping and reporting requirements designed to keep the source operating within applicable air quality requirements.

**06-05037B: McConway & Torley Corporation** (230 Railroad Street, Kutztown, PA 19530) for the installation of a fabric collector to control particulate emissions from the finishing operations in Kutztown Borough, **Berks County**. The steel foundry is a non-Title V (state-only) facility. The operation has a potential particulate emission rate of 2 tons per year. The approval will include monitoring, record keeping and reporting requirements designed to keep the source operating within all air quality requirements.

**67-03041A: County Line Quarry, Inc.** (P. O. Box 99, Wrightsville, PA 17368) for the installation of a fabric filter to control particulate matter emissions from a crushing operation at the Wrightsville Quarry located in Hellam Township, **York County**. The stone crushing plant is a non-Title V (State-only) facility. The crushing operation has the potential-to-emit particulate matter at less than 1 ton per year after control. The crushing operation and installation of the fabric filter are subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The

plan approval will include emission restrictions, monitoring, record keeping and reporting requirements designed to keep the source operating within all applicable air quality requirements.

**67-05032C: Harley-Davidson Motor Company Operations, Inc.** (1425 Eden Road, York, PA 17402) for the expansion of the existing motorcycle manufacturing plant in Springettsbury Township, **York County**. Metal fabrication, finishing and surface coating systems will be installed along with the required emission control devices. Potential emissions from the Title V facility will not increase significantly and the existing 50-tons/year cap on VOC emissions will remain in place. The plan approval will include provisions for emission testing, monitoring, record keeping and reporting designed to ensure compliance with the applicable requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**49-317-003: Butter Krust Baking Co., Inc.** (249 North Eleventh Street, Sunbury, PA 17801) for plan approval to construct a bread and roll baking line at its existing plant in Northumberland Borough, **Northumberland County**. This baking line may potentially result in the emission of 0.21 ton per 12 consecutive month period of particulate matter, all of which may also be particulate matter less than 10 microns (PM<sub>10</sub>), 2.76 tons per 12 consecutive month period of nitrogen oxides, 2.32 tons per 12 consecutive month period of carbon monoxide, 0.02 ton per 12 consecutive month period of sulfur oxides and 7.71 tons per 12 consecutive month period of volatile organic compounds. A preliminary review of the information submitted by Butter Krust Baking Company, Inc. indicates that the source will meet all applicable air quality requirements including the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department intends to approve the application and issue a plan approval to construct the baking line. Additionally, if the Department determines that the baking line is operating in compliance with all applicable plan approval conditions and regulatory requirements, following its construction, the conditions established in the plan approval will be placed into an operating permit.

In order to ensure compliance with all applicable air quality standards, the Department of Environmental Protection proposes to place the following conditions in the respective plan approval:

1. This plan approval is issued for the construction of a bread and roll baking line consisting of equipment and staging areas used for mixing and proofing of dough and a Baker Perkins BP-960 tunnel oven equipped with 91 natural gas-fired burners providing a total heat input of 5,495,000 Btu per hour.

2. The volatile organic compound emissions from the Baker Perkins oven shall be controlled by a VMB Systems, Inc. model M4X regenerative catalytic oxidizer.

3. The outlet temperature of the catalyst bed incorporated in the catalytic oxidizer shall not drop below 700(F during any time that the oxidizer is being used to control volatile organic compound emissions from the oven. Additionally, the oxidizer shall be equipped with alarms that will alert the operator during any of the following events: high oxidizer temperature, automatically-initiated high temperature shutdown, high gas pressure, low gas pressure, low process fan pressure, low combustion fan pressure, low catalyst outlet temperature and flameout (detected by a UV scanner).

4. The volatile organic compound destruction efficiency achieved by the catalytic oxidizer shall not be less than 95%.

5. The air contaminant emissions from the baking line shall never exceed the following limitations:

<i>Contaminant</i>	<i>Emissions</i>	
	<i>(tons per 12 consecutive month period )</i>	
PM/PM <sub>10</sub>		0.21
SO <sub>x</sub>		0.02
CO		2.32
NO <sub>x</sub>		2.76
VOCs		7.71

6. The inlet and outlet temperatures of the catalyst bed incorporated in the catalytic oxidizer shall be continuously monitored and recorded during all periods of operation (including startup and shutdown) via a chart recorder or similar device.

7. The company shall maintain comprehensive, accurate records of the following:

a. Identity and quantity of bread and roll products produced on a monthly basis,

b. Initial yeast content and total yeast action time (fermentation time + floor time + intermediate proof time + final proof time) for each bread and roll product produced on a monthly basis,

c. Spike yeast content and spiking time (floor time + intermediate proof time + final proof time) for each bread and roll product produced on a monthly basis,

d. Amount of natural gas burned in the oven on a monthly basis.

The company shall retain these records onsite for at least 5 years and shall make these records available to the Department upon request.

8. Within 120 days of startup of the oven the company shall perform stack testing upon the catalytic oxidizer in order to verify the volatile organic compound destruction efficiency. All testing shall be performed using reference method test procedures acceptable to the Department.

**08-322-001D: Northern Tier Solid Waste Authority** (P. O. Box 10, Burlington, PA 18814-0010) for plan approval to construct a landfill gas-fired reciprocating engine in West Burlington Township, **Bradford County**. This engine may potentially result in the emission of 22 tons per 12 consecutive month period of nitrogen oxides, 33 tons per 12 consecutive month period of carbon monoxide and 4.4 tons per 12 consecutive month period of nonmethane organic compounds. A preliminary review of the information submitted by the Northern Tier Solid Waste Authority indicates that the engine will meet all applicable air quality requirements including the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department intends to approve the application and issue a plan approval to construct the engine. Additionally, if the Department determines that the engine is operating in compliance with all applicable plan approval conditions and regulatory requirements after it is constructed, the Department intends to administratively amend Operating Permit 08-322-001A to incorporate the conditions established in the plan approval.

In order to ensure compliance with all applicable air quality standards, the Department proposes to place the following conditions in the respective plan approval:

1. This plan approval is issued for the construction of an 815 kW Caterpillar 3516-LE landfill gas-fired reciprocating engine equipped with clean burn technology (preignition system).

2. The engine shall comply with the following emission limitations:

<i>Contaminant</i>	<i>Limit (grams per brake horsepower hour)</i>
Nitrogen oxides (expressed as NO <sub>2</sub> )	2.0
Carbon monoxide	3.0
Nonmethane organic compounds	0.40

Additionally, the engine shall either provide a minimum nonmethane organic compound destruction efficiency of 98% for all nonmethane organic compounds contained in the landfill gas or maintain a maximum nonmethane organic compound concentration of 20 ppmvd, as hexane, corrected to 3% oxygen at the engine exhaust.

3. The Northern Tier Solid Waste Authority shall monitor the exhaust of the engine for oxygen, nitrogen oxides and carbon monoxide content at least once per month using instrumentation capable of accurately measuring the substances and shall record the monitored values as well as the date and time of each occurrence of monitoring in writing. These records are to be retained for at least 5 years and shall be made available to the Department upon request. The Authority shall additionally adjust the engine on the basis of the monitored values as needed to maintain compliance with the air contaminant emission limitations specified in condition 2.

4. All collected landfill gas shall be vented to either the engine identified herein or the existing LFG Specialties, Inc. #PEF7.535I10 enclosed ground-type flare identified in Operating Permit 08-322-001A. Under no circumstances shall any collected landfill gas be vented directly to atmosphere.

5. Within 120 days of startup of the Caterpillar engine, the Authority shall perform stack testing upon the engine exhaust for the following air contaminants: nitrogen oxides, carbon monoxide and nonmethane organic compounds. Additionally, the Authority shall test both the landfill gas inlet pipe to the engine and the engine exhaust in order to determine the nonmethane organic compound destruction efficiency in the engine. All testing shall be performed using reference method test procedures acceptable to the Department.

6. The landfill is subject to Subpart Cc of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.30c—60.36c.

**18-00011C: Croda, Inc.** (P. O. Box 178, Mill Hall, PA 17751-0178) for plan approval to construct 49 volatile organic compound-containing storage tanks in Bald Eagle Township, **Clinton County**. These storage tanks may potentially result in the emission of 5.07 tons per 12 consecutive month period of volatile organic compounds, 0.14 ton of which may also be hazardous air pollutants. A preliminary review of the information submitted by Croda, Inc. indicates that the storage tanks will meet all applicable air quality requirements including the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department intends to approve the application and issue a plan approval to construct the 49 storage tanks. Additionally, if the Department determines that the storage tanks are operating in compliance with all applicable plan approval conditions and regulatory requirements, the conditions established in the plan approval will be incorporated into the Title V operating permit via administrative amendment in accordance with 25 Pa. Code § 127.450.

Croda, Inc. is a major facility for which a Title V operating permit (#18-00011) has been issued.

In order to ensure compliance with all applicable air quality standards, the Department of Environmental Protection proposes to place the following conditions in the respective plan approval:

1. This plan approval is issued for the construction of the following 49 volatile organic compound-containing storage tanks:

409	491	507	485	423	128	244
436	492	478	486	424	118	247
114	493	479	487	425	248	120
115	494	504	488	426	435	497
408	469	421	489	433	405	500
407	506	483	490	455	256	505
458	475	484	422	127	257	499

2. The volatile organic compound emissions from the 49 storage tanks shall never exceed 5.07 tons per 12 consecutive month period. Additionally, the hazardous air pollutant emissions from the tanks shall never exceed 0.14 ton per 12 consecutive month period.

3. Tanks 409 and 497 shall each be equipped with a pressure relief valve that complies with the provisions of § 129.57 of Chapter 129 of Article III.

4. The company shall maintain comprehensive, accurate records of the identity of the contents of each tank and the throughput of each tank on a monthly basis. The company shall retain these records onsite for at least 5 years and shall make these records available to the Department upon request.

**41-00005A: Textron Lycoming** (625 Oliver Street, Williamsport, PA 17701) has submitted an application to the Department of Environmental Protection (Department) for approval to construct an aircraft engine surface coating spray booth, the air contaminant emissions from which shall be controlled by a dry filter system, at their facility located in Williamsport, **Lycoming County**.

Textron Lycoming is a major facility for which a Title V operating permit (41-00005) has been issued.

The information provided by the applicant, as well as the Department's own analysis, indicates that the previous source will have the potential to emit up to 3.0 tons of volatile organic compounds and hazardous air pollutants per year, as well as an insignificant amount of

particulate matter. However, construction of the previous source will not increase the emission of any air contaminant above the level currently authorized for the facility as it will replace an existing surface coating spray booth.

A preliminary review of the information submitted by the applicant indicates that the proposed surface coating spray booth will meet all applicable air quality requirements including the "best available technology" requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to approve the application and issue a plan approval.

In order to ensure compliance with all applicable standards, the Department proposes to place the following requirements in the respective plan approval:

- The particulate matter concentration of the exhaust from the spray booth shall not exceed 0.01 grain per dry standard cubic foot.
- The combined total emission of volatile organic compounds from the respective spray booth and the ES-5 touch-up spray booth shall not exceed 3.0 tons during any 12 consecutive month period.
- The combined total emission of hazardous air pollutants from the respective spray booth and the ES-5 touch-up spray booth shall not exceed 3.0 tons during any 12 consecutive month period.
- The company shall apply all coatings in the respective spray booth with high volume low pressure (HVLP) spray equipment unless the Department approves an alternate application method.
- The company shall not use volatile organic compound or hazardous air pollutant containing solvents to clean spray equipment associated with the respective spray booth.
- The respective spray booth shall be equipped with a full set of filters at any time the subject booth is in operation.
- The dry filter system shall be equipped with instrumentation to continuously monitor the differential pressure across the filters.
- The company shall maintain monthly records of each coating and cleanup solvent used in the respective spray booth. The records generated for each calendar quarter shall be submitted to the Department. These records shall be retained for at least 5 years and be made available to the Department upon request.
- The surface coating spray booth is subject to 25 Pa. Code § 129.73, as well as Subpart GG of the National Emission Standards for Hazardous Air Pollutants, 40 CFR 63.741–63.753.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.*

**15-00035: LNP Engineering Plastics, Inc.** (251 South Bailey Road, Thorndale, PA 19372) in Caln Township, **Chester County**. The facility's major emission points include 12 thermocomp manufacturing lines, three part cleaning pyrolysis ovens, five Reznor roof space

heaters and two degreasing operations has the potential to emit major levels of volatile organic compounds (VOC).

##### **Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Safko, Facilities Permitting Chief, (570) 826-2531.*

**54-317-003: Michaels Foods** (Papetti's Hygrade Egg Products, Inc., Spain Road, P. O. Box 76, Klingerstown, PA 17941) for operation a boiler and egg drying operation and associated air cleaning device in Hubley Township, **Schuylkill County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Leif Ericson, Program Manager, (717) 705-4702.*

**22-05046: Handwerk Materials, Inc.** (P. O. Box 196, Skippack, PA 19474) for operation of a batch asphalt plant in Lower Swatara Township, **Dauphin County**. Particulate matter emissions are controlled by cyclone and fabric filter. The synthetic minor operating permit will contain monitoring and recordkeeping conditions designed to ensure the facility operates in compliance with the applicable air quality requirements.

**36-03092: Union Quarries, Inc.** (P. O. Box 686, Carlisle, PA 17013) for operation of a crushing plant at the Rheems Quarry in West Donegal Township, **Lancaster County**. Particulate matter emissions are controlled by a wet suppression system and fabric filter. The natural minor operating permit will contain monitoring and recordkeeping conditions designed to ensure the facility operates in compliance with the applicable air quality requirements.

**67-05070: Graham Packaging Company, L.P.** (2401 Pleasant Valley Road, York, PA 17402) for operation of its plastic bottle coating operation controlled by regenerative thermal oxidizers in Manchester Township, **York County**. Post-control volatile organic compound (VOC) emissions are estimated at several tons per year. The synthetic minor operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements.

**67-05015: Topflight Corporation** (277 Commerce Drive, Glen Rock, PA 17327) for operation of a customized labeling operation at their plant located in Glen Rock Borough, **York County**. The synthetic minor operating permit will contain conditions limiting the emissions of volatile organic compounds, each hazardous air pollutant (HAP) and the combination of HAPs to below 50, 10 and 25 tons per year, respectively, as well as monitoring, recordkeeping and reporting conditions that ensure that the facility complies with the applicable air quality requirements.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.*

**33-00038: Brookville Wood Products Inc.** (R. D. 1, Box 460, Brookville, PA 15825) for a Natural Minor Permit to operate a sawmill, wood processing facility in Pinecreek Township, **Jefferson County**.

## MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

## Coal Applications Received

*Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*

**26900109. Chess Coal Company** (15 Chess Road, Smithfield, PA 15478). Application received to change the postmining land use from forestland to pastureland or land occasionally cut for hay, to revise the erosion and sedimentation control plan and to add 27 acres to the existing permit area, as well as the Sewickley coal seam, at an existing bituminous surface mining site located in Georges Township, **Fayette County**, currently affecting 186 acres. The additional acreage would bring the permitted acreage up to 213 acres. Receiving streams: unnamed tributary to York Run, classified for the following use: warm water fishery. The first downstream potable water supply intake from the point of discharge is greater than ten miles from the proposed site. Application received: October 19, 2001.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**11960202. Ebensburg Power Company**, 20 S. Van Buren Avenue, Barberton, OH 44203-0351, renewal for continued operation of a bituminous surface coal refuse reprocessing mine in Cambria Township, **Cambria County**, affecting 29.8 acres. Receiving stream: South Branch Blacklick Creek classified for the following use: coal water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 11, 2001.

**56663135. Zubek, Inc.**, 173 House Coal Road, Berlin, PA 15530-8822. Permit revision to change the land use from pastureland to industrial-commercial land in Stonycreek Township, **Somerset County**, affecting 128.2 acres. Receiving stream: to Schrock Run classified for the following use: cold water fishery. There are no downstream potable water supply intakes within ten miles of the point of discharge. Application received: October 12, 2001.

**11960201 and NPDES Permit No. PA0234248. Smith Energy, Inc.**, 1075 Chestnut Street, Nanty Glo, PA 15943. Permit renewal for reclamation only for continued restoration of a bituminous coal refuse reprocessing mine and for existing discharge of treated mine drainage in Nanty Glo Borough, **Cambria County**, affecting 7.4 acres. Receiving stream: Pergrin Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream from the point of discharge. Application received: October 16, 2001.

**56980107. Dunamis Resources, Inc.**, One Energy Place, Suite 4000, Latrobe, PA 15650. Permit Revision to change the post-mining land use from forestland to unmanaged natural habitat in Milford Township, **Somerset County**, affecting 277.0 acres. Receiving stream: unnamed tributaries to/and Casselman River and South Glade Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 17, 2001.

**11850110 and NPDES Permit No. PA0597431. E. P. Bender Coal Company, Inc.**, Main and Lehmier Streets, P. O. Box 594, Carrolltown, PA 15722. Permit renewal for reclamation only for continued restoration of



a bituminous surface and auger mine and for existing discharge of treated mine drainage in White Township, **Cambria County**, affecting 144.0 acres. Receiving streams: Dutch Run and its unnamed tributaries classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 16, 2001.

*McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317, (724) 941-7100.*

**63921301. NPDES Permit # PA0214434, UMC Energy, Inc.** (981 Route 917, Bentleyville, PA 15314), to revise the permit for the New Century Mine in Fallowfield and Carroll Townships, **Washington County** to add 50.5 surface acres for beltway, Surface Acres Proposed 50.5, Underground Acres Proposed n/a, SCP Acres Proposed n/a, CRDP Support Acres Proposed n/a, CRDP Refuse Disposal Acres Proposed n/a, no additional discharges, classified for the following use: n/a. The first downstream potable water supply intake from the point of discharge is n/a. Application received: May 8, 2001.

**32841302. NPDES Permit # PA007803, Pennsylvania Mines LLC** (P. O. Box 367, Ebensburg, PA 15931), to renew the permit for the Greenwich No. 1 and No. 2 Mine in Green and Susquehanna Townships, **Indiana and Cambria Counties**, Surface Acres Proposed n/a, Underground Acres Proposed n/a, SCP Acres Proposed n/a, CRDP Support Acres Proposed n/a, CRDP Refuse Disposal Acres Proposed n/a, no additional discharges, classified for the following use: n/a. The first downstream potable water supply intake from the point of discharge is n/a. Application received: September 10, 2001.

*Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.*

**16010102. MSM Coal Company, Inc.** (P. O. Box 243, DuBois, PA 15801). Commencement, operation and restoration of a bituminous surface strip operation in Clarion Township, **Clarion County** affecting 23.3 acres. Receiving streams: unnamed tributaries to Brush Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: October 12, 2001.

**33910107. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip and auger operation in Beaver Township, **Jefferson County** affecting 91.5 acres. Receiving streams: unnamed tributary of Red Run and Red Run, classified for the following uses: Statewide water uses: CWF. The first downstream potable water supply intake from the point of discharge is on Redbank Creek for the Hawthorn Municipal Authority. Application for reclamation only. Application received: October 18, 2001.

**33010104. McKay Coal Company, Inc.** (R. D. 2, Templeton, PA 16259). Commencement, operation and restoration of a bituminous surface strip operation in Clover Township, **Jefferson County** affecting 29.5 acres. Receiving streams: three unnamed tributaries to Runaway Run and Runaway Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: October 16, 2001.

**1554-33010104-E-1. McKay Coal Company, Inc.** (R. D. 2, Templeton, PA 16259). Application for a stream encroachment to allow for the construction of sediment ponds and ditches to control sediment and erosion in Clover Township, **Jefferson County** affecting 29.5 acres. Receiving streams: three unnamed tributaries to Run-

away Run and Runaway Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: October 16, 2001.

#### *Noncoal Applications Received*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**48010302. Eastern Industries, Inc.** (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034), commencement, operation and restoration of a quarry operation in Lower Mt. Bethel Township, **Northampton County** affecting 102.0 acres. Receiving stream—none, no discharge. Application received: October 12, 2001.

**58900302C2. Stateline Quarries, Ltd.** (2183 Pennsylvania Avenue, Apalachin, NY 13732), renewal of existing NPDES Permit # PA0595471 in Apolacon Township, **Susquehanna County**. Receiving streams: unnamed tributary to Apalachin Creek and Cork Hill Creek. Application received: October 17, 2001.

#### **FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401**

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E09-826. Richard M. Welch**, 1998 Irrevocable Living Trust, P. O. Box 58, Mechanicsville, PA 18934, Solebury Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain a 26-foot long by 14-foot wide timber bridge with concrete abutments and wingwalls spanning an unnamed intermittent tributary to the Paunacussing Creek (HQ-CWF). This project is associated with lot 2 of the proposed Spring Oak Farm Subdivision. The road crossing will include the installation of utility crossings to be encased in conduits and entrenched under the stream channel at the bridge locations. This site is located 500 feet north of the intersection of Mechanicsville Road and Sheffield Drive (Buckingham, PA Quadrangle North: 21.5 inches; West: 7.35 inches).

**E09-827. Richard M. Welch**, 1998 Irrevocable Living Trust, P. O. Box 58, Mechanicsville, PA 18934, Solebury Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain a 26-foot long by 14-foot wide timber bridge with concrete abutments and wingwalls spanning an unnamed intermittent tributary to the Paunacussing Creek (HQ-CWF). This project is associated with lot 3 of the proposed Spring Oak Farm Subdivision. The road crossing will include the installation of utility crossings to be encased in conduits and entrenched under the stream channel at the bridge locations. This site is located 2,000 feet north of the intersection of Mechanicsville Road and Sheffield Drive (Buckingham, PA Quadrangle North: 22.2 inches; West: 7.4 inches).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E01-228. Mark Burkhead**, PennDOT 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Straban Township, **Adams County**, ACOE Baltimore District.

To remove an existing bridge with a clear span of 6.5 meters and a 1.527 meters underclearance and to construct and maintain a single span reinforced concrete adjacent plank beam bridge with a span of 7.31 meters and a 1.527 meter underclearance across Beaverdam Creek (WWF) located on SR 0394 Section 002 (Biglerville, PA Quadrangle N: 1.4 inches; W: 5.2 inches) in Straban Township, Adams County.

**E06-556. George Tindall**, Amity Township, 2004 Weavertown Road, Douglassville, PA 19518 in Amity Township, **Berks County**, ACOE Philadelphia District.

To remove the twin culverts and to construct and maintain a twin 10-foot by 5-foot concrete box culverts at the channel of an unnamed tributary to Monocacy Creek on Monocacy Hill Road (Birdsboro, PA Quadrangle N: 5.9 inches; W: 2.4 inches) in Amity Township, Berks County.

**E21-331. Jerry Spease**, Hampden Township, 230 S. Sporting Hill Road, Mechanicsburg, PA 17050 in Hampden Township, **Cumberland County**, ACOE Baltimore District.

To construct and maintain 350 feet of boardwalk across a wetland area in the floodplain of an unnamed tributary to the Conodoguinet Creek (WWF) locally known as Beech Run located about 100 feet south of the Beech Run Road stream crossing (Harrisburg West, PA Quadrangle N: 2.3 inches; W: 11.6 inches) in Hampden Township, Cumberland County.

**E28-294. Dennis LaBare**, Falling Spring Greenway, Inc., 8903 Flagstone Circle Randallstown, MD 21133 in Guilford Township, **Franklin County**, ACOE Baltimore District.

To construct and maintain several stream enhancement structures such as roller eddies, converging rock clusters and coarse wood debris (root wads) along the Falling Spring Branch (HQ-CWF) between Edwards Avenue and Quarry Road (Chambersburg, PA Quadrangle N: 8.1 inches; W: 0.39 inch) in Guilford Township, Franklin County.

**E31-176. Daniel Varner**, Huntingdon Borough, 531 Washington Street, Huntingdon, PA 16652 in Huntingdon Borough, **Huntingdon County**, ACOE Baltimore District.

To construct and maintain a swimming pool and recreational facilities within the floodway fringe of Standing Stone Creek (HQ-CWF) at a point upstream of Penn Street (Huntingdon, PA Quadrangle N: 19.7 inches; W: 0.9 inch) in Huntingdon Borough, Huntingdon County.

**E31-177. James Foose**, Department of Natural Resources, Forestry Bureau 3, R. D. 1 Box 42-A, Blain, PA 17006 in Shirley Township, **Huntingdon County**, ACOE Baltimore District.

To (1) maintain an existing bridge having a span of 17.83 feet and an underclearance of 6.25 feet across the channel of West Licking Creek (HQ-CWF) at a point approximately 13,000 feet above its mouth; (2) replace the deck and maintain an existing bridge having a span of 19.5 feet and an underclearance of 5.83 feet across the channel of West Licking Creek (HQ-CWF) at a point approximately 12,000 feet above its mouth; (3) construct and maintain a bridge having a span of 22.5 feet and an underclearance of 5.33 feet across the channel of West Licking Creek (HQ-CWF) at a point approximately 11,200 feet upstream of its mouth; (4) construct and maintain a bridge having a span of 20.75 feet and an underclearance of 5.83 feet across the channel of West Licking Creek (HQ-CWF) at a point approximately 8,500 feet above its mouth; and (5) construct and maintain a bridge having a span of 10 feet and an underclearance of 1.17 feet across the channel of a tributary to West Licking Creek (HQ-CWF) at a point just upstream of its mouth (Aughwick, PA Quadrangle N: 19.5 inches; W: 6.4 inches; N: 19.1 inches; W: 6.7 inches; N: 18.8 inches; W: 7.0 inches; N: 18.0 inches; W: 8.1 inches; N: 18.5 inches; W: 9.3 inches respectively) in Shirley Township, Huntingdon County.

**E31-178. Pennsylvania Game Commission**, 2001 Elmerton Avenue, Harrisburg, PA in Carbon Township, **Huntingdon County**, ACOE Baltimore District.

To remove existing structures and to construct and maintain a 14-foot by 6-foot concrete box culvert in the channel of Miller Run (WWF) at a point approximately 6,500 feet upstream of its mouth (Saxton, PA Quadrangle N: 18.9 inches; W: 7.2 inches) and to construct and maintain a 47-inch by 71-inch corrugated metal arch culvert in the channel of Kennedy Run (WWF) at a point approximately 100 feet upstream of its mouth (Saxton, PA

Quadrangle N: 19.9 inches; W: 5.6 inches) in Carbon Township, Huntingdon County.

**E67-709. Steve Rogers**, Texas Eastern Products Pipeline Company, 71-73 Denison Parkway, Corning, NY 14830 in Lower Allen and Fairview Townships, **Cumberland and York Counties**, ACOE Baltimore District.

To abandon an existing pipeline and to construct and maintain a 6-inch diameter pipe under the bed of the Yellow Breeches Creek (CWF) located about 1,000 feet northeast of the St. Johns Road crossing of the Yellow Breeches Creek (Lemoyne, PA Quadrangle N: 14.5 inches; W: 6.85 inches) in Lower Allen and Fairview Townships, Cumberland and York Counties.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.*

**E19-219. Gail Kipp**, Columbia County Commissioners. Columbia County Courthouse, Box 380, Bloomsburg, PA 17815, in Scott Township, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle N: 5.8 inches; W: 6.8 inches).

To remove the existing single span, multi steel I-beam bridge with an open grid steel deck and stone masonry abutments and concrete wingwalls with a clear span of 39 feet to 42 feet and a curb-to-curb width of 36 feet and an underclearance of 5.4 feet to 9.0 feet on a 90° skew; and to construct and maintain a prestressed reinforced concrete spread box beam bridge with a clear span of 43.5 feet, a normal span of 43.3 feet and a minimum underclearance at the inlet of 2.5 feet and a maximum underclearance across the inlet of 8.2 feet with a curb-to-curb width of 28 feet and an out-to-out width of 41.3 feet. The structure will be located in Appleman's Run on T-514 approximately 1 mile north of the intersection of T-514 with Route I-80. The project will not impact wetlands while impacting about 100 feet of waterway. Appleman's Run is a cold water fisheries stream.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1357. Reelco Corporation**, 109 Shenot Road, Wexford, PA 15090. Marshall Township, **Allegheny County**, ACOE Pittsburgh District.

To place and maintain fill in the floodway for a distance of approximately 620 feet along the right bank side of a tributary of Brush Creek (WWF) for the purpose of constructing 6 town house buildings for the proposed Northtowne Estates. The project is located on the west side of Shenot Road approximately 700 feet south of its intersection with Route 19 (Perry Highway) (Mars, PA Quadrangle N: 4.2 inches; W: 11.4 inches).

**E02-1254. Urban Redevelopment Authority**, 200 Ross Street, Pittsburgh, PA 15219. City of Pittsburgh, **Allegheny County**, ACOE Pittsburgh District.

To amend Permit E02-1254 which authorized the placement and maintenance of fill in the floodplain along the left bank side of the Monongahela River for a distance of approximately 3,150 feet and the removal of part of an existing brick arch storm sewer and the construction and maintenance of a 48 inch diameter pipe stormwater outfall to the Monongahela River, for the purpose of

developing a 115 acre site for proposed residential, retail, entertainment, office, research and development and flex distribution. The site is located on the northeast side of Carson Street between 25th Street and 34th Street, near river mile 3.5, in the City of Pittsburgh. This amendment authorizes the construction and maintenance of a 60 inch diameter pipe stormwater outfall to the Monongahela River (Pittsburgh East, PA Quadrangle N: 8.4 inches; W: 11.4 inches).

**E26-289. Duke Energy Fayette, LLC**, 5400 Westheimer Court, Houston, TX 77056-5310. German Township, **Fayette County**, ACOE Pittsburgh District.

To conduct dredging maintenance of 900 cubic yards in the Monongahela River (WWF) and to construct and maintain a wharf facility consisting of five sheet pile river cells in the Monongahela River (WWF) along 390 feet of the eastern river bank for the purpose of providing a secondary operation for supplying fuel to the Fayette Energy Facility. The project is located at approximately River Mile 77.5 (Masontown, PA Quadrangle N: 22.0 inches; W: 7.0 inches).

**E65-788. Borough of Export**, 6084 Kennedy Avenue, Export, PA 15632-1216. Export Borough, **Westmoreland County**, ACOE Pittsburgh District.

To remove the existing structures and to construct and maintain a single span bridge having a normal span of 8.64 meters and an underclearance of 1.5 meters across Turtle Creek (TSF) on Kennedy Avenue, Station 10+094.56 and a single span bridge having a normal span of 8.35 meters and an underclearance of 1.4 meters across Turtle Creek on Kennedy Avenue, Station 10+356.3. The applicant also proposes extending an existing concrete box culvert having a single normal span of 2.94 meters and an underclearance of 1.06 meters, in kind 2.04 meters downstream in an unnamed tributary to Turtle Creek and the construction and maintenance of two temporary 910-mm corrugated metal pipe culverts in Turtle Creek during construction (Murrysville, PA Quadrangle (1) N: 7.9 inches; W: 0.45 inch and (2) N: 7.85 inches; W: 0.15 inch).

**E65-790. Manor Borough**, 47 Race Street, Manor, PA 15665. Manor Borough, **Westmoreland County**, ACOE Pittsburgh District.

To construct a single span pedestrian bridge having a normal span of 64.0 feet and an underclearance of 12.0 feet across Brush Creek (TSF) for the purpose of providing access to a playground. The proposed bridge is located 400 feet downstream from Race Street Bridge (Irwin, PA Quadrangle N: 14.8 inches; W: 5.9 inches).

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E16-118. Paint Township**, 22139 Route 66, Shippenville, PA 16254-8939. T-576/T-573 Bigley Road Across Toby Creek, in Paint and Highland Townships, **Clarion County**, ACOE Pittsburgh District (Clarion, PA Quadrangle N: 20.0 inches; W: 1.35 inches).

To construct and maintain a prestressed concrete I-beam bridge having a clear Span of 30 meters and an underclearance of 5.2 meters on a 52 degree skew across Toby Creek (CWF) on T-576/T573 (Bigley Road) approximately 0.5 kilometer north of S.R. 1005.

## ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval. The actions are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permits.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

#### **I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**NPDES Permit No. PA0058360**, Industrial Waste, **Main Street at Exton II, L.P.** 1250 Germantown Pike, Suite 305, Plymouth Meeting, PA 19462. This proposed facility is located in West Whiteland Township, **Chester County**.

Description of Proposed Action/Activity: Issuance of an NPDES permit to discharge to an unnamed tributary of Valley Creek-3H.

**NPDES Permit No. PA0056898**, Industrial Waste, **To-Jo Mushrooms, Inc.**, 974 Penn Green Road, P. O. Box 285, Avondale, PA 19311. This proposed facility is located in New Garden Township, **Chester County**.

Description of Proposed Action/Activity: Renewal of a NPDES permit to discharge into an unnamed tributary to Trout Run.

**NPDES Permit No. PA0055794**, Industrial Waste, **Schlosser Steel, Inc.**, 2641 Township Line Road, Hatfield, PA 19440. This proposed facility is located in Hatfield Township, **Montgomery County**.

Description of Proposed Action/Activity: Renewal of a NPDES permit to discharge to an unnamed tributary to Skippack Creek.

**NPDES Permit No. PA0056910**, Sewage, **Hugh Sharp**, 5236 Valley Park Road, Doylestown, PA 18901. This proposed facility is located in Plumstead Township, **Bucks County**.

Description of Proposed Action/Activity: Renewal of NPDES permit to discharge into an UNT to North Branch of Neshaminy Creek-2F Neshaminy.

**NPDES Permit No. PA0056618**, Sewage, **David and Jeanette Cornwell**, 1117 Nobb Hill Drive West Chester, PA 19380. This proposed facility is located in East Bradford Township, **Chester County**.

Description of Proposed Action/Activity: Renewal of NPDES permit to discharge into an UNT to Broad Run-Brandywine Watershed.

**WQM Permit No. 0901404**, Sewerage, **Hilltown Township Water and Sewer Authority**, P. O. Box 143, Hilltown, PA 18927. This proposed facility is located in Hilltown Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of a sewage treatment plant and pump station.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**NPDES Permit No. PA-0034517**, Industrial Waste, **Borough of East Stroudsburg Water Treatment Plant**, P. O. Box 303, 24 Analomink Street, East Stroudsburg, PA 18301. This proposed facility is located in Smithfield Township, **Monroe County**.

Description of Proposed Action/Activity: to renew an existing Industrial Waste NPDES Permit.

**NPDES Permit No. PA-0027006**, Sewage, **Borough of Tamaqua**, 320 East Broad Street, Tamaqua, PA 18252. This proposed facility is located in Walker Township, **Schuylkill County**.

Description of Proposed Action: NPDES Permit Renewal to discharge to the Little Schuylkill River.

**NPDES Permit No. PA-0035335**, Sewage, **Papillon Contracting, Inc., t/a Barton Court Mobile Home Park**, 816 North Ninth Street, Stroudsburg, PA 18360. This proposed facility is located in Pocono Township, **Monroe County**.

Description of Proposed Action/Activity: to renewal of an existing NPDES permit to discharge 0.0117 MGD of treated sewage into an unnamed tributary of Pocono Creek in Pocono Township, Monroe County.

**WQM Permit No. 4801401**, Sewerage, **Allen Township**, 4717 Indian Trail Road, Northampton, PA 18067. This proposed facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: Construction of approximately 4,200 LF of fifteen-inch (15") PVC gravity sanitary sewer line.

**WQM Permit No. 4801402**, Sewerage, **Allen Township**, 4717 Indian Trail Road, Northampton, PA 18067. This proposed facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: Construction of approximately 3,400 LF of 8" PVC gravity sanitary sewer line.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**NPDES Permit No. PA0081884**, Sewage, **Cuttin' Company, LLC**, Biggerstaff Restaurant, P. O. Box 3038, Gettysburg, PA 17325. This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of Beaverdam Creek in Watershed 7-F.

**NPDES Permit No. PA0026484**, Sewage, **Derry Township Municipal Authority**, Clearwater Road WWTP, 670 Clearwater Road, Hershey, PA 17033-2453. This proposed facility is located in Derry Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to Swatara Creek in Watershed 7-D.

**NPDES Permit No. PA0088749**, Sewage, **Adams County Board of Commissioners**, Adams County Courthouse, 111-117 Baltimore Street, Gettysburg, PA 17325. This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to Beaverdam Creek in Watershed 7-F.

**NPDES Permit No. PA0080471**, Sewage, **James O. Dersham, Jr.**, 1909-3 State Road, Duncannon, PA 17020. This proposed facility is located in Penn Township, **Perry County**.

Description of Proposed Action/Activity: Authorization to discharge to an UNT of Susquehanna River in Watershed 7-A.

**WQM Permit No. 0101405**, Sewerage, **Adams County Board of Commissioners**, Adams County Courthouse, 111-117 Baltimore Street, Gettysburg, PA 17325. This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of Sewage Treatment Facilities, Sewers and Appurtenances and three Pump Stations.

**NPDES Permit No. PA0009229**, Industrial Waste, **Norfolk Southern Railway Company**, 110 Franklin Road SE, Roanoke, VA 24042-0013. This proposed facility is located in East Pennsboro Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 7-B.

**NPDES Permit No. PA0088846**, CAFO, **Hershey Ag, Aspen-Perry Farm**, 138 Airport Road, Box 68, Marietta, PA 17547-0068. This proposed facility is located in Oliver Township, **Perry County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 1725-AEU Swine CAFO.

**NPDES Permit No. PA0088927**, CAFO, **John W. Keating, Sr.**, 1620 Beans Cove Road, Clearville, PA 15535. This proposed facility is located in Southampton Township, **Bedford County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 425-AEU Swine CAFO.

**NPDES Permit No. PA0088803**, CAFO, **Douglas Smith**, Frosty Hollow Farm, 591 Frosty Hollow Road, Roaring Spring, PA 16673. This proposed facility is located in Woodbury Township, **Bedford County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 794-AEU Dairy CAFO.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**NPDES Permit No. PA0034258**, Sewage, **Hopewell Area School District**, 2354 Broadhead Road, Aliquippa, PA 15001 is authorized to discharge from a facility located at Independence Elementary School STP, Independence Township, **Beaver County** to receiving waters named Raccoon Creek.

**NPDES Permit No. PA0090247**, Sewage, **North Union Township Municipal Services Authority**, 6 South Evans Station Road, Lemont Furnace, PA 15456 is authorized to discharge from a facility located at Lemont Furnace Sewage Treatment Plant, North Union Township, **Fayette County** to receiving waters named Cove Run.

**NPDES Permit No. PA0094706**, Sewage, **Economy Development Company, Inc.**, 1259 Freedom Crider Road, Freedom, PA 15042 is authorized to discharge from a facility located at Tri-County Soccer and Sports Center Sewage Treatment Plant, New Sewickley Township, **Beaver County** to receiving waters named unnamed tributary of North Fork Big Sewickley Creek.

**NPDES Permit No. PA0204099**, Sewage, **Paul P. Miller**, 108 Taben Drive, Jefferson Hills, PA 15025 is authorized to discharge from a facility located at Rustic Acres STP, Forward Township, **Allegheny County** to receiving waters named unnamed tributary of Gillespie Run.

**Permit No. 0286439-A1**, Sewerage, **Hampton Township Sanitary Authority**, 3101 McCully Road, Allison Park, PA 15101. Construction of Pump Station modifications located in Hampton Township, **Allegheny County** to serve Bruntonshire Pump Station.

**Permit No. 6301409**, Sewerage, **Michael Riedl**, 293 Cordial Drive, Bridgeville, PA 15017. Construction of a Single Residence Sewage Treatment Facility located in West Bethlehem Township, **Washington County** to serve the Riedl residence.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 4201404**, Sewerage, **Ronald K. Southard**, 21202 Florek Road, Edinboro, PA 16412-5026. This proposed facility is located in Norwich Township, **McKean County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

#### NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed

with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

*Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G420	Toll Brothers, Inc. 3103 Philmont Avenue Huntingdon Valley, PA 19006	Chester	Upper Uwchland Township	UNT to March Creek (HQ, TSF, MF)
PAS10-G445	Wilmer Hostetter 481 Limestone Road Oxford, PA 19363	Chester	East Nottingham Township	East and West Branches of Big Elk Creek (HQ)
PAS10-G480	Sacred Heart RC Church 203 Church Road Oxford, PA 19363	Chester	Lower Oxford Township	UNT to Leeck Run/Octoraro Creek and UNT to West Branch Big Elk Creek (HQ)

*Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10P028	TELCO Developers 5 Maple Avenue Manheim, PA 17545	Lebanon	West Cornwall Township	Shearers Creek HQ-CWF
PAS10O083	Dr. Carl G. Troop 496 Solanco Road Quarryville, PA 17566	Lancaster	East Drumore Township	UNT to West Branch of the Octoraro Creek HQ

*Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

<i>NPDES Permit</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS103119	Pennsylvania Department of Transportation P. O. Box 429, Route 286 South Indiana, PA 15701	Indiana County East Wheatfield Township Cambria County Jackson Township	UNT Blacklick Creek/CWF Findley Run/HQ-CWF

#### **APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS**

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

#### **List of NPDES and/or Other General Permit Types**

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)

PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

*General Permit Type—PAG-2*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Concord Township Delaware County	PAR10 J226	Vintage Development Co. 63 Chestnut Street Paoli, PA 19301	West Branch Chester Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Franconia Township Montgomery County	PAR10 T782	Suburban Equities II 89 Allentown Road Souderton, PA 18964	UNT to Skippack Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Upper Merion Township Montgomery County	PAR10 T780	Pennsylvania Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106	Crows Creek/Abrams Run (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Douglass Township Montgomery County	PAR10 T741	The Gambone Organization 1030 West Germantown Pk. Fairview Village, PA 19409	Tributary to Minister Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Lackawanna County Taylor Borough	PAR10N126	Eugene Kane P. O. Box 931 Scranton, PA 18501	Keyser Creek CWF	Lackawanna County Conservation District (570) 281-9495
Schuylkill County Ryan Township	PAR105822	Magnolia Gardens Albert and Virginia Smith 762 State Rd. Barnesville, PA 18214	Tributary to Pine Creek CWF	Schuylkill County Conservation District (570) 622-3742
West Hanover Township Dauphin County	PAR10I261	TMM Associates Inc. 4701 N. Front Street Harrisburg, PA 17110	Two UNT Manada Creek UNT Beaver Creek	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Middlesex Township Cumberland County	PAR10H273	Pennsylvania Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106- 7676	Letort Spring Run CWF	Cumberland County Conservation District 43 Brookwood Avenue, Suite 4 Carlisle, PA 17013 (717) 240-7812

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Antis Township Blair County	PAR100727	ABCD Corporation 4500 8th Avenue Altoona, PA 16602	Little Juniata River TSF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
East Pennsboro Township Cumberland County	PAR10H274	Norfolk Southern Railway Company 175 Spring Street S.W. Atlanta, GA 30303	Susquehanna River WWF	Cumberland County Conservation District 43 Brookwood Avenue, Suite 4 Carlisle, PA 17013 (717) 240-7812
West Hanover Township South Hanover Township Lower Paxton Township Dauphin County	PAR10I266	Harrisburg Soccer Club 6300 Jonestown Road Harrisburg, PA 17112	Two UNT Beaver Creek WWF Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
East Manchester Township York County	PAR10Y552	Garrod Hydraulics Inc. 3466 Board Road York, PA 17340	Little Conewago Creek	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Penn Township York County	PAR10Y554	South Western School District 225 Bowman Road Hanover, PA 17331	Oil Creek WWF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
West Hanover Township Dauphin County	PAR10I277	Eastern Communities, LTD 7300 Derry Street Harrisburg, PA 17111	Four UNT to Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Centre County Burnside Township	PAR10F150	Mid East Oil Co. 255 Airport Rd. Indiana, PA 15701	Little Sandy Run CWF	Centre County Conservation District 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-8696
Columbia County Hemlock, Mt. Pleasant Township and Town of Bloomsburg	PAR102150	Pennsylvania Depart- ment of Transportation P. O. Box 218 Montoursville, PA 17754	Hemlock Creek CWF Little Fishing Creek CWF Fishing Creek CWF	Columbia County Conservation District 702 Sawmill Rd., Suite 105 Bloomsburg, PA 17815 (570) 784-1310
Snyder County Union and Chapman Townships	PAR105923	Union Chapman Regional Authority R. R. 1, Box 598 Port Trevorton, PA 17864	Susquehanna River WWF	Snyder County Conservation District 403 W. Market St. Middleburg, PA 17842 (570) 837-0007 X112
Butler County Slippery Rock Borough	PAR10E151	Howard E. Meyer 110 Parklane Dr. Slippery Rock, PA 16057	Slippery Rock Creek (CWF)	Butler County Conservation District (724) 284-5270
Butler County Center Township	PAR10E167	Shady Lane Farms, Inc. 375 Stirling Village Butler, PA 16001	Little Connoquenessing Creek (CWF)	Butler County Conservation District (724) 284-5270



<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Erie County City of Erie	PAR10K182	Dan Schaaf Building Systems, Inc. 7335 Old Perry Hwy. Erie, PA 16509	Mill Creek (WWF, MF)	Erie County Conservation District (814) 796-6760 Ext. 5
Erie County City of Erie	PAR10K184	National Organization of New Apostolic Church	Mill Creek (WWF, MF)	Erie County Conservation District (814) 796-6760 Ext. 5
Erie County Fairview Township	PAR10K185	Fairview Township 7471 McCray Road Fairview, PA 16415	Trout Run Lake Erie (CWF, MF)	Erie County Conservation District (814) 796-6760 Ext. 5
Mercer County West Middlesex Borough	PAR104370	West Middlesex School District 3591 Sharon Road West Middlesex, PA 16159	Shenango River Tributary (WWF)	Mercer County Conservation District (724) 662-2242
Butler County Seven Fields Borough	PAR10E170 (PAS10E038 Seven Fields)	Hanna Holdings Bayard Crossings 2200 Garden Drive Mars, PA 16046	UNT Kaufman Run/Bear Run (WWF)	Butler County Conservation District (724) 284-5270
Elk County Fox Township	PAR102525	Mike Keller P. O. Box 184 Kersey, PA 15846	Beaver Run (CWF)	Elk County Conservation District (814) 776-5373

*General Permit Type—PAG-3*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
City of Philadelphia Philadelphia County	PAR800041	BFI Waste System of North America 2904 S. Christopher Columbus Blvd. Philadelphia, PA 19148	Delaware River— 3J Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
City of Philadelphia Philadelphia County	PAR600026	Allegheny Iron & Metal Co. Philadelphia, PA 19124	Frankford Creek— 3J Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Hilltown Township Bucks County	PAR800066	Waste Management of Indian Valley 400 Progress Drive Telford, PA 18969	UNT to Mill Creek—2F Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Berks County Caernarvon Township	PAR803504	Morgan Corporation One Morgan Way Morgantown, PA 19543	Little Conestoga Creek/ WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
Lancaster County Manheim Township	PAR143508	Intelligencer Printing Co., Inc. P. O. Box 1768 Lancaster, PA 17608	UNT Conestoga River/ WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
Adams County Oxford Township	PAR203503	Trimen Industries Inc. P. O. Box 309 New Oxford, PA 17350	UNT to Pine Run— Chesapeake Bay/TSF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Bedford County Bedford Township	PAR203507	LB Foster Co. 415 Holiday Drive Pittsburgh, PA 15520	Raystown Branch- Juniata River/WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
Dauphin County Elizabethville Borough	PAR803519	Swab Wagon Company, Inc. P. O. Box O Elizabethville, PA 17023	Wiconisco Creek / WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
Lancaster County East Hempfield Township	PAR803526	Lancaster Truck Bodies 310 Richardson Drive P. O. Box 4626 Lancaster, PA 17603	Tributary to West Branch of Little Conestoga / TSF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Franklin County Guilford Township	PAR233511	Lloyd R. Bricker Brickers Choice Fertil- izer, Inc. 5849 Front Street P. O. Box 174 Marion, PA 17235	Conococheague Creek/ WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cumberland County Upper Mifflin Township	PAR603504	John F. Oiler Johnny's Auto Salvage 350 Brandy Run Road Newville, PA 17241	Brandy Run/CWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Lancaster City	PAR803533	Red Rose Transit Authority 45 Erick Road Lancaster, PA 17601	UNT Little Conestoga Creek/WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4700
Berks County Muhlenberg Township	PAR123501	Giorgio Foods, Inc. P. O. Box 96 Blandon Rd. Temple, PA 19560	Laurel Run/WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4700
<i>General Permit Type—PAG-4</i>				
<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Bedford County West St. Clair Township	PAG043533	Jeffrey Crist Rodney Kegg 191 Deer Run Lane Alum Bank, PA 15521	Georges Creek	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
W. Bethlehem Township Washington County	PAG046230	Michael Riedl 293 Cordial Drive Bridgeville, PA 15017	Fisher Run Creek	Southwest Regional Office: Water Manage- ment Program Manager 400 Waterfront Drive Pittsburgh, PA 15222- 4745 (412) 442-4000
Jefferson Township Mercer County	PAG048758	Kevin J. and Lori A. Grace 94 Troutman Road Hermitage, PA 16148	Magargee Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Greene Township Erie	PAG048374	Donald F. Jr. and Sherry A. Trapp 9161 Kuhl Road Erie, PA 16510	Unnamed tributary to Fourmile Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-10*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Springdale Township Allegheny County	PAG106105	United Refining Company P. O. Box 780 15 Bradley Street Warren, PA 16365-0780	Allegheny River/Ohio River Basin in Pennsylvania	Southwest Regional Office: Water Manage- ment Program Manager 400 Waterfront Drive Pittsburgh, PA 15222- 4745 (412) 442-4000

*General Permit Type—PAG-12*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Lancaster County East Donegal Township	PAG123524	Kenton L. Sweigert 620 Greider Rd. Mount Joy, PA 17552	Donegal Creek/CWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County West Cocalico Township	PAG123509	Meadowview Farms LLC 915 Galen Hall Road Reinholds, PA 17569	Little Cocalico Creek/ TSF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

**PUBLIC WATER SUPPLY PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days from the date of issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**SAFE DRINKING WATER****Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**Permit No. 0901501, Public Water Supply.**

Applicant	<b>Upper Makefield Township</b> 1076 Eagle Road Newtown, PA 18940
Township	Upper Makefield
County	<b>Bucks</b>
Type of Facility	Public Water Supply System
Consulting Engineer	Carroll Engineering Corporation 949 Easton Road Warrington, PA 18976
Permit to Construct Issued	October 2, 2001

*Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Operations Permit** issued to: **Royal Oaks Mobile Home Park**, 3545 Apricot Drive, Walnutport, PA 18088, Moore Township, **Northampton County** on October 11, 2001.

**Operations Permit** issued to: **Belle Aire Acres**, 1184 Fernwood Drive, Lake Ariel, PA 18436, Jefferson Township, **Lackawanna County** on October 12, 2001.

**Operations Permit** issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, Jackson Township and Sugar Notch Borough, **Luzerne County** on October 18, 2001.

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 4496031—Amendment 10**, Public Water Supply.

Applicant	<b>Tulpehocken Spring Water Company</b> R. R. 1, Box 114T Northumberland, PA 17857
Township	Point Township
County	<b>Northumberland</b>
Type of Facility	Bottled Water Facility—new storage silo and new 5-gallon label
Consulting Engineer	EarthRes Group, Inc. P. O. Box 468 Pipersville, PA 18947
Permit to Construct Issued	October 16, 2001

**Permit No. Minor Amendment**, Public Water Supply.

Applicant	<b>Wellsboro Municipal Authority</b> 28 Crafton Street Wellsboro, PA 16901
Borough	Borough of Wellsboro
County	<b>Tioga</b>
Type of Facility	Public Water Supply—new intake structure, flow meter and related appurtenances for the Rock Run source
Consulting Engineer	William S. Bray, P.E. P. O. Box 535 Wellsboro, PA 16901
Permit to Construct Issued	October 18, 2001

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 6301503, Minor Amendment**, Public Water Supply.

Applicant	<b>Pennsylvania-American Water Company</b> 410 Cooke Lane Pittsburgh, PA 15234
[Borough or Township]	Union Township
County	<b>Washington</b>
Type of Facility	Surge control tank
Permit to Construct Issued	October 15, 2001

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 2

**The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final report:

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Schneider National Terminal**, Bedford Township, **Bedford County**. Environmental Products & Services, Inc., P. O. Box 501, Carnegie, PA 15106 (on behalf of Schneider National Terminal, 5906 Business Route 220, Bedford, PA 15522) has submitted a Final Report concerning remediation of site soils contaminated with PHCs. The report is intended to document remediation of the site to the Statewide Health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard,

in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**Grundy Powerhouse Site**, Bristol Borough, **Bucks County**. Michael A. Christie, P.G., Penn E & R, Inc., 2755 Bergey Rd., Hatfield, PA 19440, on behalf of Redevelopment Authority of Bucks County, 1 N. Wilson Ave., Bristol, PA 19007, has submitted a Baseline Environmental Report as it applies to a Special Industrial Area site. The report was approved by the Department on September 28, 2001.

**Main Street at Exton**, West Whiteland Township, **Chester County**. J. Anthony Sauder, Pennoni Associates, Inc., 3001 Market St., Suite 200, Philadelphia, PA 19104-2897, on behalf of Wal-Mart Stores, Inc., Luda E. Broyles, III, Wolfson-Verrichia Group, Inc., Main St. at Exton, LP, Main St. at Exton II, LP, Main Street Trail, LP, Main St. Cinema, LP, Main St. Associates (WM), LP and Main St. Office II, LP, 1230 Germantown Pike, Suite 305, Plymouth Meeting, PA 19462, has submitted an amended Cleanup Plan concerning remediation of site soil contaminated with heavy metals, BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons and solvents; and site groundwater contaminated with BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons and solvents. The amended Cleanup Plan was approved September 12, 2001.

**Charles Hallman Residence**, Avondale Borough, **Chester County**. Hylton Hobday, Marshall Miller & Associates, 3913 Hartzdale Dr., Suite 1306, Camp Hill, PA, on behalf of Charles Hallman, 317 Pennsylvania Ave., Avondale, PA 19311, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report demon-

strated attainment of the Statewide Health Standard and was approved by the Department on September 20, 2001.

**Former Fermtec Facility**, West Chester Borough, **Chester County**. Richard P. Almquist, Jr., Oxford Engineers & Consultants, Inc., 2621 Van Buren Ave., Suite 500, Norristown, PA 19403, on behalf of Robert M. Casciato & Senya Simeon D. Isayeff Real Estate Partnership, 882 S. Matlack St., West Chester, PA 19382, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The report demonstrated attainment of Statewide Health and Background Standards and was approved by the Department on October 1, 2001.

**Garvey and James Residence**, Paoli Borough, **Chester County**. James P. Gallagher, P.G., Marshall Miller & Associates, 3913 Hartzdale Dr., Suite 1306, Camp Hill, PA 17011, on behalf of Margaret Garvey and Wilbur James, 28 Jacqueline Dr., Paoli, PA 19301, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 12, 2001.

**Mauger & Company, Inc.**, East Whiteland Township, **Chester County**. Curt Herman, Austin James Associates, P. O. Box U, Pocono Pines, PA 18350, on behalf of Bud Mauger, P. O. Box 2426, West Chester, PA 19380, has submitted a Final Report concerning remediation of site groundwater contaminated with solvents, BTEX and petroleum hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 17, 2001.

**Former Horsham Motor Lodge Site**, Horsham Township, **Montgomery County**. Matthew S. Winters, Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19603, on behalf of Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19603, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report demonstrated attainment of the Statewide Health Standard for soil only and was approved by the Department on October 1, 2001.

**ATOFINA Chemicals, Inc.—Research Center, Area 3—Boiler House, Former UST Area (Bldg. No. 8)**, Upper Merion Township, **Montgomery County**. Mark Piazza, ATOFINA Chemicals, Inc., 2000 Market St., 19th Floor, Philadelphia, PA 19103, on behalf of Lease Plan North America, Inc., LaSalle National Trust N. A., 135 S. LaSalle St., Chicago, IL 60603, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 2, 2001.

**Sparango Construction Company**, Whitmarsh Township, **Montgomery County**. Erik W. Stephens, Manko, Gold & Katcher, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of Sparango Construction Co., Inc., 506 Bethlehem Pike, Ft. Washington, PA 19034, has submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil contaminated with PCBs, lead, heavy metals, polycyclic aromatic hydrocarbons, solvents and pesticides. The report/cleanup plan was approved by the Department on October 3, 2001.

**Rosemont Estates**, Upper Providence Township, **Montgomery County**. Peter Malik, RT Environmental

Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of Penn International Land Co., Inc., 900 E. 8th Ave., Suite 300, King of Prussia, PA 19406, has submitted a Site Characterization Report/ Cleanup Plan concerning remediation of site soil contaminated with arsenic. The report/cleanup plan was approved by the Department on October 5, 2001.

**Drug Emporium Plaza**, City of Philadelphia, **Philadelphia County**. David R. Kerschner, P.G., KU Resources, Inc., One Library Place, Duquesne, PA 15110, on behalf of Empor, L.P., c/o Phil Shelton, GE Capital Real Estate, 16479 Dallas Parkway, Addison TX 75001, has submitted a Remedial Investigation, Baseline Risk Assessment and Cleanup Plan concerning remediation of site soil contaminated with PCBs, BTEX, polycyclic aromatic hydrocarbons, solvents and SVOC; and groundwater contaminated with lead, heavy metals, BTEX, polycyclic aromatic hydrocarbons, solvents and SVOC. The report was approved by the Department on September 25, 2001.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Boas School**, City of Harrisburg, **Dauphin County**. Skelly & Loy, Inc., 2601 North Front Street, Harrisburg, PA 17110-1185 (on behalf of Boas Associates, P. O. Box 622, Lemoyne, PA 17043) submitted a combined Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with BTEX and PHCs. The final report demonstrated attainment of a combination of the Statewide Health and Site Specific standards. The combined Remedial Investigation and Final Report was approved by the Department on October 16, 2001.

**Former Nabisco Site**, City of York, **York County**. EA Engineering, Science, Technology, Inc., 15 Loveton Circle, Sparks, MD 21152 (on behalf of Redevelopment Authority of the City of York, 14 West Market Street, York, PA 17401 and York County Economic Development Corporation, 144 Roosevelt Avenue, Suite 100, York, PA 17404) submitted a baseline environmental report concerning the remediation of site soils and groundwater contaminated with heavy metals, solvents, BTEX and PAHs. The report was approved by the Department on October 18, 2001.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permit revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 602316. Newville WWTP**, 99 Cover Avenue, Newville, PA 17241, West Pennsboro Township, **Cumberland County**. Permit revoked for the land application of sewage sludge on the Joseph S. Rook Farm. The permit was revoked by Southcentral Regional Office on October 22, 2001.

Persons interested in reviewing the general permit may contact Thomas Sweeney, Water Management Program, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 101295. Tri-County Landfill**, 156 TCI Drive, Grove City, PA 16127, located in Pine and Liberty Townships, **Mercer County**. A permit to reopen and expand the Tri-County Landfill. The permit was denied based on the environmental assessment review action by the Regional Office on October 11, 2001.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**GP4-21-03041: Ransome Lift Equipment Co.** (1045 Columbus Street, Lemoyne, PA 17043) on October 18, 2001, was authorized to operate a burn off oven in Lemoyne Borough, **Cumberland County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.*

**GP 37-284: IA Construction—Wayne Township Quarry** (Wurthenburg/Chewton Road, Ellwood City, PA 16117) on October 5, 2001, for operation of a portable nonmetallic mineral processing plant in Wayne Township, **Lawrence County**.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Contact: Thomas Barsley, Chief, (215) 685-9428.*

**00192: Pomco Graphic Arts** ( 4411-27 Whitaker Avenue, Philadelphia, PA 19120) for installation of a sheet fed offset lithographic printing press in the City of Philadelphia, **Philadelphia County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.*

**15-0016E: Worthington Steel Co.** (45 North Morehall Rd, Malvern, PA 19355) on October 11, 2001, for operation of a thermal oxidizer in East Whiteland Township, **Chester County**.

**09-0008: TAVO Packaging, Inc.** (2 Canal Road, Fairless Hills, PA 19030) on October 16, 2001, for operation of a flexographic printing press in Falls Township, **Bucks County**.

**46-0142A: Fluid Energy Processing and Equipment Co.** (4th and State Streets, East Greenville, PA 18041) on October 18, 2001, for operation of a 6" Jet-O-Drier Chemical Drying Sys in East Greenville Borough, **Montgomery County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**36-05027A: R. R. Donnelley and Sons, Co.** (216 Greenfield Road, Lancaster, PA 17601) on October 17, 2001, for construction of web offset lithographic presses with heatset dryers controlled by regenerative thermal oxidizers at its Lancaster East facility in the City of Lancaster, **Lancaster County**.

**67-03104: Industrial Polishing and Grinding Inc.** (50 North Harrison Street, York, PA 17403) on October 16, 2001, for construction of an open top vapor degreaser (Sonicor) controlled by a refrigerated freeboard chiller in the City of York, **York County**. This facility is subject to 40 CFR Part 63, Subpart T—National Emission Standards for Halogenated Solvent Cleaning.

**67-05092B: Starbucks Coffee Co.** (3000 Espresso Way, York, PA 17402) on October 16, 2001, for construction of a hot chaff collection system controlled by a cyclone at its York Roasting Plant in East Manchester Township, **York County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.*

**37-243B: Inmetco** (245 Portersville Road, Ellwood City, PA 16117) on October 10, 2001, to modify the rotary hearth furnace in Ellwood City, **Lawrence County**.

**25-069F: Engelhard Corp.** (1729 East Avenue, Erie, PA 16503) on October 15, 2001, for replacement of a dust collector for the bag loading station in Erie, **Erie County**.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Contact: Thomas Barsley, Chief, (215) 685-9428.*

**01032: T.D.P. S. Materials** (2nd Street and Erie Avenue, Philadelphia, PA 19120) on October 5, 2001, to modify the dryer burner in the hot mix asphalt drum to burn natural gas, propane, commercial fuel oils and recycled fuel oil in the City of Philadelphia, **Philadelphia County**.

**01092: Atlantic Refining and Marketing Co.** (1801 Market Street, 15/10 PC, Philadelphia, PA 19103) to operate an open bed biofilter system in the City of Philadelphia, **Philadelphia County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**14-310-019A: Con-Stone, Inc.** (P. O. Box 28, Bellefonte, PA 16823) on October 11, 2001, to extend the authorization to operate various pieces of stone crushing, screening, conveying, etc. equipment and associated air cleaning device (a water spray dust suppression system) on a temporary basis, as well as the approval to construct a conveyor (land conveyor #1), until February 8, 2002, in

Haines Township, **Centre County**. Most of the respective equipment is subject to Subpart 000 of the Federal Standards of Performance for New Stationary Sources.

**53-0003D: Dominion Transmission Corp.** (625 Liberty Avenue, Pittsburgh, PA 15222-3199) on October 15, 2001, to authorize the construction of an 860 horsepower natural gas fired emergency generator instead of a 536 horsepower emergency generator which, although smaller, had higher associated air contaminant emission rates at the Greenlick Compressor Station in Stewardson Township, **Potter County**.

**47-303-003A: HRI, Inc.** (1750 West College Avenue, State College, PA 16804-0155) on October 15, 2001, to extend the deadline for the performance of volatile organic compound stack testing on a drum mix asphalt plant while it is simultaneously burning reprocessed oil and processing recycled asphalt pavement to May 31, 2002, in Liberty Township, **Montour County**.

**47-0001E: PPL Montour, LLC** (c/o PPL Generation, LLC, 2 North Ninth Street, Allentown, PA 18101-1179) on October 12, 2001, to extend the deadline for the performance of particulate stack testing on a bituminous coal-fired electric utility boiler (Unit #1) and associated air cleaning devices (an electrostatic precipitator and a selective catalytic reduction system) to May 31, 2002, as well as to extend the authorization to operate the respective boiler on a temporary basis until February 9, 2002, at the Montour Steam Electric Station in Derry Township, **Montour County**.

**60-310-007: Idding's Quarry, Inc.** (900 Chestnut Street, Mifflinburg, PA 17844-1235) on October 17, 2001, to extend the authorization to operate a stone crushing and screening operation and associated air cleaning device (a water spray dust suppression system) on a temporary basis until February 14, 2002, in Limestone Township, **Union County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.*

**10-284A: Seneca Landfill, Inc.** (Hartman Road, P. O. Box 847, Mars, PA 16046) on September 30, 2001, for a stone crushing operation and water spray bars in Jackson Township, **Butler County**.

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.*

**46-00090: Tube Methods, Inc.** (416 Depot Street, Bridgeport, PA 19405) on October 4, 2001, for operation of a Facility Title V Operating Permit in Bridgeport Borough, **Montgomery County**.

**46-00078: G-Seven LTD.** (2289 North Penn Road, Hatfield, PA 19440) on September 28, 2001, for operation of a Facility Title V Operating Permit in Hatfield Township, **Montgomery County**.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Leif Ericson, Program Manager, (717) 705-4702.*

**06-03031: NGK Metals Corp.** (P. O. Box 13367, Reading, PA 19612) on October 18, 2001, for operation of a beryllium alloy manufacturing facility in Muhlenberg Township, **Berks County**.

**28-05020: T. B. Woods, Inc.** (440 North Fifth Avenue, Chambersburg, PA 17201) on October 15, 2001, for operation of its Chambersburg plant in Chambersburg Borough, **Franklin County**.

**67-03019: Pfaltzgraff Co.** (P. O. Box 244, Bowman Road, Thomasville, PA 17364) on October 15, 2001, for operation of a ceramic dishware manufacturing facility in Jackson Township, **York County**.

**67-05075: York Memorial Hospital** (P. O. Box 15118, York, PA 17405) on October 17, 2001, for operation of its main hospital and surgical center in Spring Garden Township, **York County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.*

**37-00268: Commercial Asphalt Supply Inc.—Slippery Rock Plant** (155 Rt. 228 West, Valencia, PA 16059) on October 17, 2001, for a Synthetic Minor Operating Permit in Scott Township, **Lawrence County**.

**10-00298: ESM Group Inc., Saxonburg facility** (955 Saxonburg Blvd., Saxonburg, PA 16056) on October 18, 2001, for a Natural Minor Operating Permit for production of magnesium-based powders in Saxonburg, **Butler County**.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Leif Ericson, Program Manager, (717) 705-4702.*

**67-05009: STI Capital Co.** (P. O. Box 85376, San Diego, CA 92186-5376) for operation of its York Cogeneration Plant in Springettsbury Township, **York County**. On October 18, 2001, the Title V Operating Permit was administratively amended to reflect a change in ownership from Solar Turbines, Inc. to STI Capital Company. This is Revision No. 1 of the operating permit.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**17-302-018: Pennsylvania Department of Corrections—State Correctional Institution at Houtzdale** (P. O. Box 1000, Houtzdale, PA 16698-1000) on October 10, 2001, to allow the use of boiler combustion chamber micronized limestone feed systems to supplement dry hydrated lime flue gas injection systems in providing sulfur oxides control for two micronized bituminous coal boilers in Woodward Township, **Clearfield County**.

**ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).**

*Coal Permits Actions*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**40663029R3. Pagnotti Enterprises, Inc.** (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Foster Township, **Luzerne County** affecting 521.0 acres, receiving stream—none. Application received: May 17, 2001. Renewal issued: October 18, 2001.

**49871602R2. Lenig & Kosmer Coal Washery** (R. R. 1 Box 251A, Shamokin, PA 17872), renewal of an existing anthracite coal preparation plant operation in West Cameron Township, **Northumberland County** affecting 3.6 acres, receiving stream—none. Application received: May 25, 2001. Renewal issued: October 18, 2001.

*Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*

**63990103 and NPDES Permit No. Pa 0202614. David Breeden Enterprises, Inc.** (P. O. Box 89, Tarentum, PA 15084-0089). Permit transfer issued for continued operation and reclamation of a bituminous surface mine formerly owned by Twilight Industries, located in Somerset Township, **Washington County**, affecting 287.1 acres. Receiving streams: unnamed tributaries to Center Branch of Pigeon Creek to the Center Branch of Pigeon Creek to Pigeon Creek. Application received: January 16, 2001. Permit transfer issued: October 2, 2001.

**03930108 and NPDES Permit No. Pa 0200816. Mears Enterprises, Inc.** (P. O. Box 157, Clymer, PA 15728). Permit revised to add the Lower Kittanning coal seam at an existing bituminous surface/auger mining site located in Wayne and Cowanshannock Townships, **Armstrong County**, affecting 281.7 acres. Receiving streams: unnamed tributaries to unnamed tributaries to South Branch Pine Creek and South Branch Pine Creek to South Fork Pine Creek. Application received: May 2, 2001. Revision issued: October 10, 2001.

**26970101 and NPDES Permit No. Pa 0201839. Patterson Coal Company** (20 Elizabeth Drive, Smithfield, PA 15478). Renewal permit for reclamation only of a bituminous surface mine located in German and Georges Townships, **Fayette County** affecting 32 acres.



Receiving streams: unnamed tributary to North Branch of Browns Run, to Browns Run, to Monongahela River. Renewal application received: August 8, 2001. Renewal permit issued: October 12, 2001.

**63960101 and NPDES Permit No. Pa 0201588. Twilight Industries** (Division of U. S. Natural Resources, Inc., 212 State Street, Belle Vernon, PA 15012). Renewal permit for reclamation only of a bituminous surface mine located in Somerset Township, **Washington County** affecting 155.5 acres. Receiving streams: unnamed tributaries to the North Branch of Pigeon Creek. Renewal application received: September 5, 2001. Renewal permit issued: October 12, 2001.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**56840107, NSM Coals, Inc.**, P. O. Box 260, Friedens, PA 15541. Permit renewal for reclamation only for continued restoration of a bituminous surface mine, in Stonycreek Township, **Somerset County**, affecting 407.4 acres. Receiving streams: unnamed tributary to Clear Run, Clear Run to Indian Lake classified for the following use: cold water fishery (CWF). There are no potable water supply intakes within 10 miles downstream. Application received: July 30, 2001. Permit issued: October 16, 2001.

**11850110 and NPDES Permit No. PA0597431. E. P. Bender Coal Company, Inc.**, Main and Lehmier Streets, P. O. Box 594, Carrolltown, PA 15722. Permit renewal for reclamation only for continued restoration of a bituminous surface and auger mine and for existing discharge of treated mine drainage in White Township, **Cambria County**, affecting 144.0 acres. Receiving streams: Dutch Run and its unnamed tributaries classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 16, 2001. Permit issued: October 19, 2001.

**11960201 and NPDES Permit No. PA0234248. Smith Energy, Inc.**, 1075 Chestnut Street, Nanty Glo, PA 15943. Permit renewal for reclamation only for continued restoration of a bituminous coal refuse reprocessing mine and for existing discharge of treated mine drainage in Nanty Glo Borough, **Cambria County**, affecting 7.4 acres. Receiving stream: Pergrin Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream from the point of discharge. Application received: October 16, 2001. Permit Issued: October 19, 2001.

*McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317, (724) 941-7100.*

**63841302. NPDES Permit #PA0090689, Maple Creek Mining, Inc.** (981 Route 917, Bentleyville, PA 15314), to revise the permit for the Maple Creek Mine in North Strabane Township, **Washington County** to add emergency borehole to degasify mine, Surface Acres Proposed 1.0, Underground Acres Proposed n/a, SCP Acres Proposed n/a, CRDP Support Acres Proposed n/a, CRDP Refuse Disposal Acres Proposed n/a, no additional discharges, classified for the following use: n/a, The first downstream potable water supply intake from the point of discharge is n/a, Application received: October 18, 2001.

#### *Noncoal Permits Actions*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**09870302C3. Delaware Valley Concrete Co., Inc.** (248 East County Line Road, P. O. Box 457, Hatoboro, PA 19040), depth correction for an existing quarry operation in Tinicum Township, **Bucks County** affecting 114.5 acres, receiving stream—Delaware River. Application received: December 23, 1996. Correction issued: October 17, 2001.

**58000847. Darwin R. Greene** (R. R. 3, Box 219B, Susquehanna, PA 18847), Bluestone Small Noncoal Mining Permit in Jackson Township, **Susquehanna County**, affecting 1.0 acre. Receiving stream: South Branch Canawacta Creek. Application received: September 12, 2000. Permit issued: October 17, 2001.

**01740401C3. Valley Quarries, Inc.** (P. O. Box J, Chambersburg, PA 17201-0809), renewal of NPDES Permit #PA0613045 in Hamiltonban Township, **Adams County**, receiving stream—Muddy Run. Application received: August 30, 2001. Renewal issued: October 19, 2001.

**6476SM12C2. N. L. Minich & Sons, Inc.** (730 North College Street, Carlisle, PA 17013), renewal of NPDES Permit #PA0612464 in North Middleton Township, **Cumberland County**, receiving stream—Meeting House Run. Application received: August 29, 2001. Renewal issued: October 19, 2001.

**50890301C3. Eastern Industries, Inc.** (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034), renewal of NPDES Permit #PA0594431 in Buffalo Township, **Perry County**, receiving stream—unnamed tributary to Susquehanna River. Application received: August 30, 2001. Renewal issued: October 19, 2001.

#### **ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Actions*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**45014010. Explosive Services, Inc.** (R. R. 3, Box 749, Honesdale, PA 18431), construction blasting in Smithfield Township, **Monroe County** with an expiration date of November 26, 2002. Permit issued: October 17, 2001.

**45014011. Explosive Services, Inc.** (R. R. 3, Box 749, Honesdale, PA 18431), construction blasting in Stroud Township, **Monroe County** with an expiration date of November 12, 2001. Permit issued: October 17, 2001.

**48014010. Schlouch, Inc.** (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting in Forks Township, **Northampton County** with an expiration date of May 22, 2002. Permit issued: October 17, 2001.

**52014005. Holbert Explosives, Inc.** (237 Masthope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting in Palmyra Township, **Pike County** with an expiration date of December 15, 2001. Permit issued: October 17, 2001.

**52014006. Holbert Explosives, Inc.** (237 Masthope Plank Road, Suite A, Lackawaxen, PA 18435), construc-

tion blasting in Milford Township, **Pike County** with an expiration date of November 22, 2001. Permit issued: October 17, 2001.

**09014009. Allan A. Myers, Inc.** (P. O. Box 98, Worcester, PA 19490), construction blasting in Warrington Township, **Bucks County** with an expiration date of February 26, 2002. Permit issued: October 18, 2001.

**46014022. Appaloosa Development Corp.** (P. O. Box 126, 1501 Conshohocken St. Rd., Gladwyne, PA 19035) and contract blasting company Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting in Lower Merion Township, **Montgomery County** with an expiration date of December 30, 2001. Permit issued: October 18, 2001.

**36014031. ABEL Construction Co., Inc.** (3925 Columbia Avenue, Mountville, PA 17554), construction blasting in Manheim Township, **Lancaster County** with an expiration date of May 31, 2002. Permit issued: October 18, 2001.

**36014037. Keystone Blasting Service** (381 Reifsnyder Road, Lititz, PA 17543), construction blasting in Clay Township, **Lancaster County** with an expiration date of November 30, 2006. Permit issued: October 18, 2001.

**36014032. ABEL Construction Co., Inc.** (3925 Columbia Avenue, Mountville, PA 17554), construction blasting in Lititz Borough and Warwick Township, **Lancaster County** with an expiration date of May 30, 2002. Permit issued: October 18, 2001.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**56014001. Trumbull Corporation**, P. O. Box 98100, Pittsburgh, PA 15227-0100. Blasting activity permit issued for bridge demolition in Stonycreek Township, **Somerset County**. Specifically bridges B-424-MP 116.09 (T-529) and bridge 429-120.67 (T-711). Bridges span Pennsylvania Turnpike. Bridge B-424 will be blasted on October 21, 2001, at 2 a.m. and Bridge B-429 will be blasted on October 28, 2001, 2 a.m. Permit Issued: October 15, 2001.

**07014002. D. C. Guelich Explosives**, 456 Stouffer Hill Road, Friedens, PA 15541, house foundation and sewer line, located in Catherine Township, **Blair County** and expected duration is 30 days. Permit Issued: October 16, 2001.

**56015001. D. C. Guelich Explosives**, 456 Stouffer Hill Road, Friedens, PA 15541), construction blast for gas well site off of State Route 923, in Addison Township, **Somerset County**. Project will be done in one blast. Permit Issued: October 16, 2001.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Permits Issued and Actions on 401 Certifications:*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E15-649. Matthew Thompson**, 981 South Bolmar Street, West Chester, PA 19382-4505, East Bradford Township, **Chester County**, ACOE Philadelphia District.

To perform the following activities associated with construction of a single family dwelling in and along an unnamed tributary to Plum Run (WWF):

1. To install and maintain 77 linear feet of 29-inch by 42-inch elliptical CMP culvert and associated swale.
2. To place fill in 0.05 acre of wetland associated with the proposed activity. The amount of wetland impact is considered a de minimis impact and wetland mitigation is not required.

The site is located approximately 250 feet west of the intersection of General Sterling Road and Spare Cheney Drive (West Chester, PA USGS Quadrangle N: 8.5 inches; W: 16.25 inches).

**E15-656. Jand Enterprises, Inc.**, 126 Aspen Drive, Downingtown, PA 19335, East Brandywine Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain 55 linear feet of 48-inch CMP culvert in and along an unnamed tributary to Culbertson Run (HQ-TSF-MF) and impacting 0.06 acre if adjacent wetlands to serve as an access road for the proposed Hawks Nest Meadows Subdivision. The site is located approximately 750 feet southwest of the intersection of Highspine Road and Marshall Road. (Wagontown, PA Quadrangle N: 11 inches, W: 1.2 inches). The permittee is required to provide a minimum of 0.06 acre if replacement wetlands.

**E46-860. Jones Brothers Contractors, Inc.**, 310 West 12th Street, Conshohocken, PA 19428, Conshohocken Borough, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a 7,000 square-foot warehouse and associated parking area in and along the 100-year floodway of Plymouth Creek (WWF). The structure shall be supported on pilings to allow passage of flood flows and the first floor elevation will be above the anticipated 100-year flood elevation. This site is located approximately 1,800 feet north of the intersection of Elm Street and Colwell Lane (Norristown, PA USGS Quadrangle N: 14.4 inches; W: 8.5 inches). This also authorizes the permittee to install and maintain an 18-inch stormwater outfall structure, which shall be done in accordance with the conditions of BDWM—General Permit No. 4.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**E45-412. Raintree Homes, Inc.**, HC 1, Box 1049, Tannersville, PA 18372. Pocono Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a stormwater outfall channel and associated energy dissipator in the floodway of Bulgurs Run. Issuance of this permit constitutes approval of the Environmental Assessment for the proposed modification of the existing principal spillway of a nonjurisdictional earthfill embankment dam at the project site. The project is associated with the proposed expansion of Pocono Haven Residential Subdivision located approximately 0.6 mile north of the intersection of S.R. 1001 and Cranberry Road (Mount Pocono, PA Quadrangle N: 8.2 inches; W: 4.2 inches).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E21-328. Mount Holly Springs Borough**, 200 Harmon Street, Mount Holly Springs, PA 17065 in Mount Holly Springs Borough, **Cumberland County**, ACOE Baltimore District.

To remove an existing bridge and to construct and maintain a single span prestressed concrete adjacent box beam bridge having a clear span of 60.0 feet and an underclearance of about 8.9 feet with R-4 size rock riprap at both abutments across Mountain Creek (TSF) located on Pine Street (Mount Holly Springs, PA Quadrangle N: 20.8 inches; W: 8.8 inches) in Mount Holly Springs Borough, Cumberland County.

**E22-422. Colonial Ridge Incorporated**, 4800 Linglestown Road, Suite 306, Harrisburg, PA 17112 in Lower Paxton Township, **Dauphin County**, ACOE Baltimore District.

To provide authorization for filling 0.03 acre of palustrine emergent wetlands at Lot No. 21 of the Colonial Ridge Residential Development (Harrisburg East, PA Quadrangle N: 15.8 inches; W: 6.9 inches) in Lower Paxton Township, Dauphin County. The permittee is required to provide 0.06 acre of replacement wetlands.

**E34-099. Earl Lear**, R. R. 1 Box 38, East Waterford, PA 17021 in Lack Township, **Juniata County**, ACOE Baltimore District.

To construct and maintain a bridge having a span of 50 feet and an underclearance of 7 feet across the channel of Lick Run (CWF) and to place fill in a de minimis acre of wetlands less than 0.05 acre at a point approximately 2,500 feet upstream of SR 3020 for the purpose of providing access to an existing home in (Blairs Mills, PA Quadrangle N: 19.5 inches; W: 4.25 inches) in Lack Township, Juniata County.

**E31-169. Stony Creek Holdings**, 940 Log Cabin Road, Leola, PA 17540 in Shirley Township, **Huntingdon County**, ACOE Baltimore District.

To construct and maintain a bridge having a span of 36 feet and an underclearance of 9 feet across the channel of Blacklog Creek (HQ-CWF) at a point approximately 17,000 feet upstream of the Cromwell/Shirley Township boundary line (Aughwick, PA Quadrangle N: 12.75 inches; W: 5.38 inches) in Shirley Township, Huntingdon County.

**E31-170. Oneida Township**, P. O. Box 406, Huntingdon, PA 16652 in Oneida and Henderson Townships, **Huntingdon County**, ACOE Baltimore District.

To remove an existing structure and to construct and maintain a 19-foot, 10-inch by 7-foot, 8-inch aluminum box culvert arch in the channel of Murray Run (HQ-CWF) at a point at Wike Road (T-483) (Donation, PA Quadrangle N: 6.9 inches; W: 10.5 inches) in Oneida and Henderson Townships, Huntingdon County.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**E14-405. Troy Dinges**, 1385 Pine Creek Road, Coburn, PA 16832. Stream Crossing, in Haines Township, **Centre County**, ACOE Baltimore District (Coburn, PA Quadrangle N: 22.2 inches; W: 4.9 inches).

To construct, operate and maintain a 36-inch diameter metal corrugated culvert pipe crossing and associated rock fill in an unnamed tributary to Pine Creek. The culvert pipe shall be depressed under the existing stream bed a minimum of 6 inches, the work shall be completed during the streams low flow period and all stream bank disturbance shall be stabilized with indigenous vegetation within 72 hours of final earthmoving. This project is located 1 mile north on Inglyb Road from the intersection with Pine Creek Road. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E18-319. Pennsylvania Department of Transportation**, 1924-30 Daisy Street, Clearfield, PA 16830. Rehabilitation of Timber Truss Covered Bridge, in Logan Township, **Clinton County**, ACOE Baltimore District (Millheim, PA Quadrangle N: 1.0 inch; W: 1.5 inches).

To 1) construct and maintain temporary cofferdams; 2) remove the existing bridge deck, abutments and pier

bent; 3) construct and maintain two new stone faced concrete abutments, a steel girder/wood deck with a 49-foot 9-inch clear span and an 8.5-foot minimum underclearance; and 4) refurbish and maintain the siding/roof of the covered bridge across Fishing Creek located 0.4 mile south on T-346 from SR 880 (Millheim, PA Quadrangle N: 1.0 inch; W: 1.5 inches) in Logan Township, Clinton County. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E53-361. Adelphia Communications Corporation**, Main at Water Street, Coudersport, PA 16915. Adelphia Operations Building—Storm Water Outfall, in Coudersport Borough, **Potter County**, ACOE Pittsburgh District (Coudersport, PA Quadrangle N: 3.9 inches; W: 3.2 inches).

To remove an existing outfall and construct, operate and maintain an outfall structure in the Allegheny River to discharge stormwater from a commercial facility. The permanent outfall structure shall be constructed with 15-inch diameter high-density plastic pipe and a 15-inch wall mounted flap gate. The project is located along the northern right-of-way of SR 0006 approximately 700-feet north of SR 0006 and SR 3017 intersection (Coudersport, PA Quadrangle N: 3.9 inches; W: 3.2 inches) in Coudersport Borough, Potter County. A regularly scheduled inspection of the outfall and flap gate shall be conducted for continued operation and maintenance for the lifetime of the facility. The regularly schedule inspection shall be after every full flood channel flow or at a minimum annually. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E53-363. Coudersport Borough**, 201 South West Street, Coudersport, PA 16915. 36" Stormwater Outfall, in Coudersport Borough, **Bradford County**, ACOE Pittsburgh District (Coudersport, PA Quadrangle N: 3.8 inches; W: 3.4 inches).

To construct and maintain a 36-inch diameter stormwater outfall pipe to the Allegheny River approximately 140-feet west of the intersection of Cherry and Bank Streets. The project will not impact wetlands while impacting approximately 5-feet of waterway. The Allegheny River is a Cold Water fisheries stream.

**E53-364. Genesee Township**, P. O. Box 1, Genesee, PA 16923. Water Obstruction and Encroachment Permit application, in Genesee Township, **Potter County**, ACOE Susquehanna River Basin District (Ulysses, PA Quadrangle N: 21.23 inches; W: 16.93 inches).

To operate and maintain a 335 foot flood control project consisting of 310-feet of bin type retaining wall and 25-feet of rock riprap protection all of which is located along the left bank of the Genesee River north of the SR 0244 bridge in the village of Genesee, Potter County.

**E53-365. Borough of Coudersport**, 201 South West Street, Coudersport, PA 16915. Water Obstruction and Encroachment Permit application, in Coudersport Borough, **Potter County**, ACOE Susquehanna River Basin District (Coudersport, PA Quadrangle N: 3.03 inches; W: 2.26 inches).

To operate and maintain a flood control project consisting of 1,440 feet of concrete trapezoidal channel including a spillway entrance structure and debris basin, 1,900 feet of earthen levee along the right bank upstream of the aforementioned debris basin each located along Mill Creek, as well as an improved earthen channel, 800 feet of earthen levee, 5,600 feet of rectangular and trapezoidal

concrete channel, terminating in a stilling basin, 3,900 feet of earth channel realignment and improvement, all of which are located along the Allegheny River in the borough of Coudersport, Potter County.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1348. Jack Bindyke**, P. O. Box 264, 111 Sea Breeze Road, Bunola, PA 15020. Forward Township, **Allegheny County**, ACOE Pittsburgh District.

To operate and maintain an existing boat docking facility along the right bank of the Monongahela River (WWF) near Mile Point 26.5. Note: this site is part of an existing marina that was permitted under E02-735 (Monongahela, PA Quadrangle N: 20.9 inches; W: 8.9 inches).

**E65-782. Cook Township**, R. D. 1, Box 230, Stahlstown, PA 15687. Cook Township, **Westmoreland County**, ACOE Pittsburgh District.

To remove the existing structure and to construct and maintain a 1.0-foot depressed 77-inch x 52-inch corrugated metal pipe culvert in an unnamed tributary to Keffer Run (TSF) for the purpose of improving transportation safety and roadway standards. The project is located on Stom Road (Stahlstown, PA Quadrangle N: 13.29 inches; W: 7.75 inches).

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E10-332. Regional Industrial Development Corporation**, RIDC Suite 500, 425 Sixth Avenue, Pittsburgh, PA 15219. Thorn Hill Industrial Park, in Cranberry Township, **Butler County**, ACOE Pittsburgh District.

To conduct the following activities associated with development of Thorn Hill Industrial Park in Cranberry Township, Butler County:

1. Remove an existing culvert and service road across a tributary to Brush Creek (WWF).
2. Construct and maintain a 140-foot long concrete box stream enclosure having a 14-foot wide by 8-foot high waterway opening in a tributary to Brush Creek (WWF) approximately 1400 feet south of Freedom Road for the extension of Thorn Hill Road to Freedom Road.
3. Fill a total of 1.09 acres of wetland (PEM/PSS/PFO) associated with the extension of Thorn Hill Road to Freedom Road and lot development.

Project includes construction of 1.10 acres of replacement wetland east of Commonwealth Drive south of Freedom Road.

**E62-379. National Fuel Gas Supply Corporation**, 1100 State Street, Erie, PA 16501. Line D-M1 Across Allegheny River and Ott Run, in City of Warren and Mead Township, **Warren County**, ACOE Pittsburgh District (Warren, PA Quadrangle N: 14.1 inches; W: 0.3 inch).

To install and maintain an 8-inch diameter natural gas pipeline across Ott Run (CWF) and the Allegheny River approximately 2,500 feet west of the Glade Bridge carrying S.R. 6 across the Allegheny River.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.*

**D51-001EA. Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, P. O. Box

8476, Harrisburg, PA 17105-8476. Lower Merion Township, **Montgomery County**, ACOE Philadelphia District.

The project proposes to construct a fish passage facility at Flat Rock Dam located across the Schuylkill River (WWF, MF) to further efforts in restoring migratory fishes to their historical range in the watershed. A reinforced concrete structure with approximate dimensions of 190 feet long by 30 feet wide, is proposed on the right bank (western shoreline) of the Schuylkill River immediately adjacent to the existing dam abutment. The structure incorporates a series of twenty 10 foot by 10 foot resting bays interconnected by vertical baffles. Flow through the structure will be regulated with auxiliary piping and power operated gates. Two 10 foot wide channels will be excavated in the tail-water area immediately downstream of the dam to facilitate the movement of migrating fish from the left bank (eastern shoreline) area of the river to the location of the passageway on the right bank (western shoreline). A channel, varying in width from 12 to 20 feet, will also be excavated for a distance 180 feet downstream of the fish passage entrance to facilitate fish migration (Germantown, PA Quadrangle N: 7.15 inches W: 17.25 inches).

[Pa.B. Doc. No. 01-1967. Filed for public inspection November 2, 2001, 9:00 a.m.]

### **Air Quality Technical Advisory Committee; Change of Meeting Date and Location**

The Air Quality Technical Advisory Committee (AQTAC) meeting that was scheduled for November 15, 2001, has been rescheduled for November 20, 2001. The November 20, 2001, meeting will be held at the Wildwood Conference Center, Harrisburg Area Community College, One HAAC Drive, Harrisburg, PA (717) 780-2678 and will begin at 8:30 a.m.

The contact for the meeting is Terry L. Black, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4310, e-mail tblack@state.pa.us.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact J. Wick Havens at (717) 787-4310 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department of Environmental Protection may accommodate their needs.

DAVID E. HESS,  
*Secretary*

[Pa.B. Doc. No. 01-1968. Filed for public inspection November 2, 2001, 9:00 a.m.]

## **DEPARTMENT OF HEALTH**

### **Application of Sal P. Calabro, M.D. for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Sal P. Calabro, M.D. has requested an exception to 28 Pa. Code § 571.1 (relating to minimum standards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1969. Filed for public inspection November 2, 2001, 9:00 a.m.]

### **Application of Canonsburg General Hospital for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Canonsburg General Hospital has requested an exception to 28 Pa. Code §§ 51.3 and 51.23 (relating to notification; and positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1970. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Application of Delaware Valley Ortho and Spine Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Delaware Valley Ortho and Spine Center has requested an exception to 28 Pa. Code §§ 571.1 and 571.2 (relating to minimum standards; and relating to modifications of HHS requirements).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1971. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Application of Geisinger Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Geisinger Medical Center has requested an exception to 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division

of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1972. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Application of Healthsouth Rehab Hospital of Altoona for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Healthsouth Rehab Hospital of Altoona has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: Section 7.2.A4 (relating to handwashing stations in patient rooms).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1973. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Application of Healthsouth Rehab Hospital of Mechanicsburg for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Healthsouth Rehab Hospital of Mechanicsburg has requested an exception to 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare

Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1974. Filed for public inspection November 2, 2001, 9:00 a.m.]

### **Application of Lancaster Neuroscience & Spine Center for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Lancaster Neuroscience & Spine Center has requested an exception to 28 Pa. Code §§ 569.31 and 571.1 (relating to emergency power; and relating to minimum standards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1975. Filed for public inspection November 2, 2001, 9:00 a.m.]

### **Application of UPMC Shadyside for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department)

hereby gives notice that UPMC Shadyside has requested an exception to 28 Pa. Code § 51.3(g)(4) (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Acute and Ambulatory Care, Department of Health, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1976. Filed for public inspection November 2, 2001, 9:00 a.m.]

### **Infection Control Risk Assessment**

Under the Health Care Facilities Act (35 P. S. §§ 448.101 et. seq.) and the hospital and ambulatory surgical facility regulations, the Department of Health (Department) published a "notice to adopt" the 2001 edition of the "Guidelines for Design and Construction of Hospital and Health Care Facilities" (Guidelines) at 31 Pa.B. 2636 (May 19, 2001). This notice stated that the 2001 edition of the Guidelines would become mandatory on November 24, 2001, and that plans for new construction or renovations could be submitted for review and approval utilizing either the 2001 edition or the 1996-97 edition until November 23, 2001.

The Department is publishing this notice to alert health care providers, architects and organizations of a new requirement contained in Chapter 5 of the 2001 edition of the Guidelines, which calls for an Infection Control Risk Assessment (ICRA) to be prepared for construction projects by the owner of the facility, with assistance from the design professionals. The ICRA is used by the Department to determine the potential risks of transmission and infection of various agents caused by the new construction. The ICRA is to be initiated in design and planning phases of construction projects, continuing through the actual construction and renovation of the health care construction project, to minimize conditions that may be hazardous to patients located in nearby areas.

The Department is making the ICRA documents mandatory for plan submissions it receives after November 23, 2001, to coincide with the mandatory usage of the new 2001 edition of the Guidelines.

The ICRA shall be prepared by the health care provider and submitted separately in triplicate sets on standard 8 1/2" by 11" paper, with the triplicate sets of construction

plans that are submitted to the Division of Safety Inspection for approval of each project. The ICRA will be forwarded by the Division of Safety Inspection to the surveyors in the Division of Acute and Ambulatory Care who conduct the patient care onsite surveys of hospital and ambulatory surgical facilities, for their review, information and comment.

Persons interested in purchasing a copy of the 2001 edition of the Guidelines may telephone the American Institute of Architects (AIA) Bookstore (small orders) at (202) 626-7541 or (800) 242-3837, or the AIA Fulfillment House (large orders) at (800) 365-2724 to place an order or request a catalog.

Questions should be directed to Peter P. Petresky, Director, Division of Safety Inspection at (717) 787-1911. Persons with a disability who require an alternative format of this document should contact the following: V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1977. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Meadow View Nursing Center  
1404 Hay Street  
Berlin, PA 15530

Villa St. Joseph of Baden, Inc.  
1030 State Street  
Baden, PA 15005

Morrison's Cove Home  
429 South Market Street  
Martinsburg, PA 16662

Laurel Crest Rehabilitation and  
Special Care Center  
429 Manor Drive  
Ebensburg, PA 15931

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department

and require an auxiliary aid, service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN,  
*Secretary*

[Pa.B. Doc. No. 01-1978. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.9(a) (relating to corridors):

Dauphin Manor  
1205 South 28th Street  
Harrisburg, PA 17111-1098

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.25(b) (relating to kitchen):

Dauphin Manor  
1205 South 28th Street  
Harrisburg, PA 17111-1098

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.33(a) (relating to utility room):

Dauphin Manor  
1205 South 28th Street  
Harrisburg, PA 17111-1098

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Dauphin Manor  
1205 South 28th Street  
Harrisburg, PA 17111-1098

Saint Mary's at Asbury Ridge  
4855 West Ridge Road  
Erie, PA 16506

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.38(b) (relating to toilet facilities):

Dauphin Manor  
1205 South 28th Street  
Harrisburg, PA 17111-1098

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(e) (relating to electric requirements for existing and new construction):

Dauphin Manor  
1205 South 28th Street  
Harrisburg, PA 17111-1098

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.



Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-1979. Filed for public inspection November 2, 2001, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Lease of Right-of-Way

Notice is hereby given that under 67 Pa. Code § 495.4(d), an application to lease highway right-of-way has been submitted to the Department by (West Shore Eye and Ear Center), of (1857 Center Street, Camp Hill PA)

Seeking to lease highway right-of-way located at (1857 Center Street, East Pennsboro Twp., Cumberland County, Camp Hill, PA.

7,200 square meters/hectares +/- adjacent to L. R. 21015 Section(s) 2A for the purpose of parking only.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Barry G. Hoffman, P.E., District Engineer, Engineering District 8-0., 2140 Herr Street, Harrisburg PA 17103-1699.

Questions regarding this application or the proposed use may be directed to: George B. Achenbach II, Right-of-Way Representative, 2140 Herr Street, Harrisburg PA 17103-1699, (717) 772-5119.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 01-1980. Filed for public inspection November 2, 2001, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Time Restrictions

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 53.4 (relating to limiting access to Commission property and other restrictions), has closed the Commission's property at Charming Forge on Tulpehocken Creek, Berks County, to the public during the hours of 10 p.m. to 5 a.m. These time restrictions are effective when posted at the site. It is unlawful for any person to enter or remain upon Commission property during the times it is closed to public use, without the express written consent of the Executive Director or a designee.

PETER A. COLANGELO,  
*Executive Director*

[Pa.B. Doc. No. 01-1981. Filed for public inspection November 2, 2001, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Meetings Scheduled

The following meetings of the Health Care Cost Containment Council have been scheduled: Wednesday, November 7, 2001, Data Systems Committee Meeting—10 a.m., Education Committee Meeting—1 p.m., Mandated Benefits Review Committee Meeting—3 p.m.; Thursday, November 8, 2001, Council Meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who require accommodation due to a disability and wish to attend the meetings should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, or call (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,  
*Executive Director*

[Pa.B. Doc. No. 01-1982. Filed for public inspection November 2, 2001, 9:00 a.m.]

# HOUSING FINANCE AGENCY

## Homeowner's Emergency Mortgage Assistance Program; Updated List of Consumer Credit Counseling Agencies

Under section 401-c(d) of the Housing Finance Agency Law (35 P.S. § 1680.401c(d)), the Housing Finance Agency (Agency) is to designate and approve nonprofit consumer credit counseling agencies in each county to be available to assist the Agency to implement the Homeowner's Emergency Mortgage Assistance Program.

The Agency last officially published an updated list of approved consumer credit counseling agencies at 29 Pa.B. 2859 (June 5, 1999).

The Agency now publishes the following newly updated official list which is effective upon publication in the *Pennsylvania Bulletin* and can be used by lenders immediately upon publication. The new list must be used by lenders beginning January 1, 2002. Prior to January 1, 2002, either the previously published list or the newly updated list can be used.

Between now and the next official update, lenders and consumers are advised to check the Agency's website at [www.phfa.org](http://www.phfa.org). The counseling agency list is unofficially updated on an ongoing basis.

WILLIAM C. BOSTIC,  
*Executive Director*

### Appendix C

#### Housing Finance Agency Homeowners' Emergency Mortgage Assistance Program Consumer Credit Counseling Agencies by County Revised October 2001

##### Adams

Adams County Housing Authority  
139-143 Carlisle St.  
Gettysburg, PA 17325  
(717) 334-1518

American Red Cross—Hanover  
Chapter  
529 Carlisle Street  
Hanover, PA 17331  
(717) 637-3768

CCCS of Western PA  
2000 Linglestown Road  
Harrisburg, PA 17102  
(717) 541-1757

Financial Counseling Services of  
Franklin  
43 Philadelphia Avenue  
Waynesboro, PA 17268  
(717) 762-3285

##### Allegheny

Action Housing, Inc.  
425 6th Avenue  
Suite 950  
Pittsburgh, PA 15219  
(412) 391-1956 or (412) 281-2102  
or (800) 792-2801

CCCS of Western PA, Inc.  
River Park Commons  
2403 Sidney Street, Suite 400  
Pittsburgh, PA 15203  
(412) 390-1300

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Credit Counselors of PA  
401 Wood Street  
Suite 906  
Pittsburgh, PA 15222  
(412) 338-9956

Housing Opportunities Inc.  
133 Seventh Street  
P. O. Box 9  
McKeesport, PA 15134  
(412) 664-1906

Mon-Valley Unemployed Committee  
120 E. 9th Avenue  
Homestead, PA 15120  
(412) 462-9962

Pennsylvania Housing Finance Agency  
2275 Swallow Hill Road  
Bldg. 200  
Pittsburgh, PA 15220  
(412) 429-2842

Urban League Of Pittsburgh  
Bldg. for Equal Opportunity  
One Smithfield St.  
Pittsburgh, PA 15222  
(412) 227-4802

##### Armstrong

Armstrong Co. Community Action  
Agency  
Armsdale Administration Bldg.  
RD 8, Box 287  
Kittanning, PA 16201  
(724) 548-3405

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Credit Counselors of PA  
401 Wood Street  
Suite 906  
Pittsburgh, PA 15222  
(412) 338-9956

Indiana Co. Community Action  
Program  
827 Water Street  
Box 187  
Indiana, PA 15701  
(724) 465-2657

**Beaver**

Action Housing, Inc  
425 6th Avenue  
Suite 950  
Pittsburgh, PA 15219  
(412) 391-1956 or (412) 281-2102  
or (800) 792-2801

CCCS of Western PA, Inc.  
971 Third Street  
Beaver, PA 15009  
(724) 774-0798

Credit Counselors of PA  
401 Wood Street  
Suite 906  
Pittsburgh, PA 15222  
(412) 338-9956

Housing Opportunities Inc.  
133 Seventh Street  
P. O. Box 9  
McKeesport, PA 15134  
(412) 664-1906

Housing Opportunities  
of Beaver County  
650 Corporation St.  
Suite 207  
Beaver, PA 15009  
(724) 728-7511

Mon-Valley Unemployed Committee  
120 E. 9th Avenue  
Homestead, PA 15120  
(412) 462-9962

**Bedford**

Bedford-Fulton Housing Services  
10241 Lincoln Highway  
Everett, PA 15537  
(814) 623-9129

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Keystone Economic  
Development Corp.  
1954 Mary Grace Lane  
Johnstown, PA 15901  
(814) 535-6556

Tableland Services Inc.  
535 East Main Street  
Somerset, PA 15501  
(814) 445-9628 or (800) 452-0148

Weatherization Office  
917 Mifflin Street  
Huntingdon, PA 16652  
(814) 643-2343

**Berks**

Budget Counseling Center  
247 North Fifth Street  
Reading, PA 19601  
(610) 375-7866

CCCS of Lehigh Valley  
3671 Crescent Court East  
Whitehall, PA 18052  
(610) 821-4011 or (800) 220-2733

Community Housing Counselor, Inc.  
P. O. Box 244  
Kennett Square, PA 19348  
(610) 444-3682

Schuylkill Community Action  
225 N. Centre Street  
Pottsville, PA 17901  
(570) 622-1995

**Blair**

Bedford-Fulton Housing Services  
10241 Lincoln Highway  
Everett, PA 15537  
(814) 623-9129

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Keystone Economic  
Development Corp.  
1954 Mary Grace Lane  
Johnstown, PA 15901  
(814) 535-6556

Weatherization Office  
917 Mifflin Street  
Huntingdon, PA 16652  
(814) 643-2343

**Bradford**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
411 Main Street  
Suite 102 E  
Stroudsburg, PA 18360  
(570) 420-8980 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

CCCS of Northeastern PA  
208 W. Hamilton Ave,  
Suite 1, Hamilton Square  
State College, PA 16801  
(814) 238-3668

The Trehab Center of Northeastern PA  
420 Main St  
Suite 2  
Towanda, PA 18848  
(570) 265-6415

### **Bucks**

Acorn Housing Corporation  
846 North Broad Street  
Philadelphia, PA 19130  
(215) 765-1221

American Credit Counseling Institute  
144 E. Dekalb Pike  
King of Prussia, PA 19406  
(610) 971-2210

American Credit Counseling Institute  
530 West Street Rd  
Suite 201  
Warminster, PA 18974  
(215) 444-9429

American Credit Counseling Institute  
845 Coates St.  
Coatesville, PA 19320  
(888) 212-6741

American Financial  
Counseling Services, Inc.  
175 Strafford Avenue, Suite One  
Wayne, PA 19087  
(610) 975-4414

Bucks County Housing Group, Inc  
2324 Second Street Pike  
Suite 17  
Wrightstown, PA 18940  
(215) 598-3566

CCCS of Delaware Valley  
Trevose Corporate Center  
4606 Street Road  
Trevose, PA 19047  
(215) 563-5665

CCCS of Delaware Valley  
1515 Market Street  
Suite 1325  
Philadelphia, PA 19107  
(215) 563-5665

CCCS of Lehigh Valley  
3671 Crescent Court East  
Whitehall, PA 18052  
(610) 821-4011 or (800) 220-2733

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Germantown Settlement  
218 W. Cheltenham Avenue  
Philadelphia, PA 19144  
(215) 849-3104

HACE  
167 W. Allegheny Ave.  
2nd Fl.  
Philadelphia, PA 19140  
(215) 426-8025

Northwest Counseling Service  
5001 North Broad Street  
Philadelphia, PA 19141  
(215) 324-7500

Urban League  
136 West Girard Ave  
Philadelphia, PA  
(215) 731-4100

### **Butler**

Action Housing, Inc  
425 6th Avenue  
Suite 950  
Pittsburgh, PA 15219  
(412) 391-1956 or (412) 281-2102  
or (800) 792-2801

CCCS of Western PA  
1138 N. Main St. Extension  
Butler, PA 16001  
(724) 282-7812

Credit Counselors of PA  
401 Wood Street  
Suite 906  
Pittsburgh, PA 15222  
(412) 338-9956

Housing Opportunities Inc.  
133 Seventh Street  
P. O. Box 9  
McKeesport, PA 15134  
(412) 664-1906

Mon-Valley Unemployed Committee  
120 E. 9th Avenue  
Homestead, PA 15120  
(412) 462-9962

### **Cambria**

Bedford-Fulton Housing Services  
10241 Lincoln Highway  
Everett, PA 15537  
(814) 623-9129

CCCS of Western PA  
219-A College Park Plaza  
Johnstown, PA 15904  
(814) 539-6335

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Indiana Co. Community Action  
Program  
827 Water Street  
Box 187  
Indiana, PA 15701  
(724) 465-2657

Keystone Economic Development Corp.  
1954 Mary Grace Lane  
Johnstown, PA 15901  
(814) 535-6556

Tableland Services Inc.  
535 East Main Street  
Somerset, PA 15501  
(814) 445-9628 or (800) 452-0148

**Cameron**

CCCS of Northeastern PA  
208 W. Hamilton Ave,  
Suite 1, Hamilton Square  
State College, PA 16801  
(814) 238-3668

CCCS of Western PA  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100

Northern Tier Community  
Action Corp.  
P. O. Box 389  
135 West 4th Street  
Emporium, PA 15834  
(814) 486-1161

**Carbon**

CCCS of Lehigh Valley  
3671 Crescent Court East  
Whitehall, PA 18052  
(610) 821-4011 or (800) 220-2733

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

CCCS of Northeastern PA  
411 Main Street  
Suite 102 E  
Stroudsburg, PA 18360  
(570) 420-8980 or (800) 922-9537

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
208 W. Hamilton Ave,  
Suite 1, Hamilton Square  
State College, PA 16801  
(814) 238-3668

Commission on Economic  
Opportunity of Luzerne County  
163 Amber Lane  
Wilkes-Barre, PA 18702  
(570) 826-0510 or (800) 822-0359

Schuylkill Community Action  
225 N. Centre Street  
Pottsville, PA 17901  
(570) 622-1995

**Centre**

CCCS of Northeastern PA  
201 Basin Street  
Suite 6  
Williamsport, PA 17701  
(570) 323-6627

CCCS of Northeastern PA  
208 W. Hamilton Ave,  
Suite 1, Hamilton Square  
State College, PA 16801  
(814) 238-3668

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Lycoming-Clinton Counties Commission  
for Community Action  
2138 Lincoln Street  
P. O. Box 3568  
Williamsport, PA 17703  
(570) 326-0587

**Chester**

Acorn Housing Corporation  
846 North Broad Street  
Philadelphia, PA 19130  
(215) 765-1221

American Credit Counseling Institute  
144 E. Dekalb Pike  
King of Prussia, PA 19406  
(610) 971-2210

American Credit Counseling Institute  
530 West Street Rd  
Suite 201  
Warminster, PA 18974  
(215) 444-9429

American Credit Counseling Institute  
845 Coates St.  
Coatesville, PA 19320  
(888) 212-6741

American Financial  
Counseling Services, Inc.  
175 Strafford Avenue, Suite One  
Wayne, PA 19087  
(610) 975-4414

American Red Cross of Chester  
1729 Edgemont Avenue  
Chester, PA 19013  
(610) 874-1484

Budget Counseling Center  
247 North Fifth Street  
Reading, PA 19601  
(610) 375-7866

CCCS of Delaware Valley  
790 E. Market St.  
Suite 215  
West Chester, PA 19382  
(215) 563-5665

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Community Housing Counselor, Inc.  
P. O. Box 244  
Kennett Square, PA 19348  
(610) 444-3682

Germantown Settlement  
218 W. Cheltenham Avenue  
Philadelphia, PA 19144  
(215) 849-3104

HACE  
167 W. Allegheny Ave.  
2nd Fl.  
Philadelphia, PA 19140  
(215) 426-8025

Philadelphia Council for  
Community Advmnt  
100 North 17th Street  
Suite 600  
Philadelphia, PA 19103  
(215) 567-7803

Media Fellowship House  
302 S. Jackson Street  
Media, PA 19063  
(610) 565-0846

Tabor Community Services, Inc.  
439 E. King Street  
P. O. Box 1676  
Lancaster, PA 17608  
(717) 397-5182  
or (800) 788-5062 (H.O. only)

Northwest Counseling Service  
5001 North Broad Street  
Philadelphia, PA 19141  
(215) 324-7500

Urban League  
136 West Girard Ave  
Philadelphia, PA  
(215) 731-4100

#### Clarion

CCCS of Western PA  
1138 N. Main St. Extension  
Butler, PA 16001  
(724) 282-7812

#### Clearfield

CCCS of Northeastern PA  
208 W. Hamilton Ave,  
Suite 1, Hamilton Square  
State College, PA 16801  
(814) 238-3668

CCCS of Western PA  
219-A College Park Plaza  
Johnstown, PA 15904  
(814) 539-6335

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Indiana Co. Community Action  
Program  
827 Water Street  
Box 187  
Indiana, PA 15701  
(724) 465-2657

Keystone Economic Development Corp.  
1954 Mary Grace Lane  
Johnstown, PA 15901  
(814) 535-6556

#### Clinton

CCCS of Northeastern PA  
208 W. Hamilton Ave,  
Suite 1, Hamilton Square  
State College, PA 16801  
(814) 238-3668

CCCS of Northeastern PA  
201 Basin Street  
Suite 6  
Williamsport, PA 17701  
(570) 323-6627

Lycoming-Clinton Counties  
Commission for Community Action  
2138 Lincoln Street  
P. O. Box 3568  
Williamsport, PA 17703  
(570) 326-0587

#### Columbia

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

Community Housing Counselor, Inc.  
P. O. Box 244  
Kennett Square, PA 19348  
(610) 444-3682

#### Crawford

Booker T. Washington Center  
1720 Holland Street  
Erie, PA 16503  
(814) 453-5744

Center for Family Services, Inc.  
213 Center Street  
Meadville, PA 16335  
(814) 337-8450

Greater Erie Community  
Action Committee  
18 West 9th Street  
Erie, PA 16501  
(814) 459-4581

JFK Center, Inc.  
2021 East 20th Street  
Erie, PA 16510  
(814) 898-0400

Shenango Valley Urban League, Inc.  
601 Indiana Avenue  
Farrell, PA 16121  
(724) 981-5310

St. Martin Center  
1701 Parade Street  
Erie, PA 16503  
(814) 452-6113

**Cumberland**

Adams County Housing Authority  
139-143 Carlisle St.  
Gettysburg, PA 17325  
(717) 334-1518

CCCS of Western PA  
2000 Linglestown Road  
Harrisburg, PA 17102  
(717) 541-1757

Community Action Commission  
of Capital Region  
1514 Derry Street  
Harrisburg, PA 17104  
(717) 232-9757

Financial Counseling  
Services of Franklin  
43 Philadelphia Avenue  
Waynesboro, PA 17268  
(717) 762-3285

Loveship, Inc.  
2320 North 5th Street  
Harrisburg, PA 17110  
(717) 232-2207

PHFA  
2101 North Front Street  
P. O. Box 15530  
Harrisburg, PA 17105  
(717) 780-3940

Urban League of Metropolitan Hbg  
2107 N. 6th Street  
Harrisburg, PA 17101  
(717) 234-5925

**Dauphin**

CCCS of Western PA  
2000 Linglestown Road  
Harrisburg, PA 17102  
(717) 541-1757

Community Action Commission  
of Capital Region  
1514 Derry Street  
Harrisburg, PA 17104  
(717) 232-9757

Loveship, Inc.  
2320 North 5th Street  
Harrisburg, PA 17110  
(717) 232-2207

PHFA  
2101 North Front Street  
P. O. Box 15530  
Harrisburg, PA 17105  
(717) 780-3940

Urban League of Metropolitan Hbg  
2107 N. 6th Street  
Harrisburg, PA 17101  
(717) 234-5925

**Delaware**

Acorn Housing Corporation  
846 North Broad Street  
Philadelphia, PA 19130  
(215) 765-1221

American Credit Counseling Institute  
175 Strafford Ave  
Suite 1  
Wayne, PA 19087  
(610) 971-2210

American Credit Counseling Institute  
144 E. Dekalb Pike  
King of Prussia, PA 19406  
(610) 971-2210

American Financial  
Counseling Services, Inc.  
175 Strafford Avenue, Suite One  
Wayne, PA 19087  
(610) 975-4414

American Financial  
Counseling Services, Inc.  
1 Abington Plaza, Suite 403  
Old York Road and Township Line  
Jenkintown, PA 19046  
(215) 887-0555

American Red Cross of Chester  
1729 Edgemont Avenue  
Chester, PA 19013  
(610) 874-1484

CCCS of Delaware Valley  
280 North Providence Road  
Media, PA 19063  
(215) 563-5665

CCCS of Delaware Valley  
1515 Market Street  
Suite 1325  
Philadelphia, PA 19107  
(215) 563-5665

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Community Housing Counselor, Inc.  
P. O. Box 244  
Kennett Square, PA 19348  
(610) 444-3682

Germantown Settlement  
218 W. Cheltenham Avenue  
Philadelphia, PA 19144  
(215) 849-3104

HACE  
167 W. Allegheny Ave.  
2nd Fl.  
Philadelphia, PA 19140  
(215) 426-8025

Media Fellowship House  
302 S. Jackson Street  
Media, PA 19063  
(610) 565-0846

Northwest Counseling Service  
5001 North Broad Street  
Philadelphia, PA 19141  
(215) 324-7500

Philadelphia Council for  
Community Advancement  
100 North 17th Street  
Suite 600  
Philadelphia, PA 19103  
(215) 567-7803

Urban League  
136 West Girard Ave  
Philadelphia, PA  
(215) 731-4100

**Elk**

JFK Center, Inc.  
2021 East 20th Street  
Erie, PA 16510  
(814) 898-0400

Northern Tier Community Action  
Corp.  
P. O. Box 389  
135 West 4th Street  
Emporium, PA 15834  
(814) 486-1161

**Erie**

Booker T. Washington Center  
1720 Holland Street  
Erie, PA 16503  
(814) 453-5744

Greater Erie Community  
Action Committee  
18 West 9th Street  
Erie, PA 16501  
(814) 459-4581

JFK Center, Inc.  
2021 East 20th Street  
Erie, PA 16510  
(814) 898-0400

St. Martin Center  
1701 Parade Street  
Erie, PA 16503  
(814) 452-6113

**Fayette**

Action Housing, Inc  
425 6th Avenue  
Suite 950  
Pittsburgh, PA 15219  
(412) 391-1956 or (412) 281-2102  
or (800) 792-2801

CCCS of Western PA, Inc.  
1 North Gate Square  
#2 Garden Center Drive  
Greensburg, PA 15601  
(724) 838-1290

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Fayette Co. Community  
Action Agency, Inc.  
137 North Beeson Avenue  
Uniontown, PA 15401  
(724) 437-6050 or (800) 427-INFO

Mon-Valley Unemployed Committee  
120 E. 9th Avenue  
Homestead, PA 15120  
(412) 462-9962

Tableland Services Inc.  
535 East Main Street  
Somerset, PA 15501  
(814) 445-9628 or (800) 452-0148

**Forest**

Warren-Forest Counties Economic  
Opportunity  
1209 Pennsylvania Ave, West  
P. O. Box 547  
Warren, PA 16365  
(814) 726-2400

**Franklin**

Adams County Housing Authority  
139-143 Carlisle St.  
Gettysburg, PA 17325  
(717) 334-1518

American Red Cross—Hanover  
Chapter  
529 Carlisle Street  
Hanover, PA 17331  
(717) 637-3768

CCCS of Western PA  
2000 Linglestown Road  
Harrisburg, PA 17102  
(717) 541-1757

CCCS of Western PA, Inc.  
Colonial Shopping Center  
970 S. George St  
York, PA 17403  
(717) 846-4176

Community Action Commission  
of Capital Region  
1514 Derry Street  
Harrisburg, PA 17104  
(717) 232-9757

Financial Counseling  
Services of Franklin  
43 Philadelphia Avenue  
Waynesboro, PA 17268  
(717) 762-3285

Urban League of Metropolitan  
Harrisburg  
2107 N. 6th Street  
Harrisburg, PA 17101  
(717) 234-5925



**Fulton**

Bedford-Fulton Housing Services  
10241 Lincoln Highway  
Everett, PA 15537  
(814) 623-9129

CCCS of Western PA, Inc.  
Colonial Shopping Center  
970 S. George St  
York, PA 17403  
(717) 846-4176

Financial Counseling  
Services of Franklin  
43 Philadelphia Avenue  
Waynesboro, PA 17268  
(717) 762-3285

Weatherization Office  
917 Mifflin Street  
Huntingdon, PA 16652  
(814) 643-2343

**Greene**

Action Housing, Inc  
425 6th Avenue  
Suite 950  
Pittsburgh, PA 15219  
(412) 391-1956 or (412) 281-2102  
or (800) 792-2801

CCCS of Western PA, Inc.  
1 North Gate Square  
#2 Garden Center Drive  
Greensburg, PA 15601  
(724) 838-1290

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Mon-Valley Unemployed Committee  
120 E. 9th Avenue  
Homestead, PA 15120  
(412) 462-9962

**Huntingdon**

Bedford-Fulton Housing Services  
10241 Lincoln Highway  
Everett, PA 15537  
(814) 623-9129

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Weatherization Office  
917 Mifflin Street  
Huntingdon, PA 16652  
(814) 643-2343

**Indiana**

CCCS of Western PA  
219-A College Park Plaza  
Johnstown, PA 15904  
(814) 539-6335

CCCS of Western PA, Inc.  
1 North Gate Square  
#2 Garden Center Drive  
Greensburg, PA 15601  
(724) 838-1290

Indiana Co. Community  
Action Program  
827 Water Street  
Box 187  
Indiana, PA 15701  
(724) 465-2657

Keystone Economic Development Corp.  
1954 Mary Grace Lane  
Johnstown, PA 15901  
(814) 535-6556

**Jefferson**

CCCS of Western PA  
1138 N. Main St. Extension  
Butler, PA 16001  
(724) 282-7812

Indiana Co. Community Action  
Program  
827 Water Street  
Box 187  
Indiana, PA 15701  
(724) 465-2657

JFK Center, Inc.  
2021 East 20th Street  
Erie, PA 16510  
(814) 898-0400

**Juniata**

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Weatherization Office  
917 Mifflin Street  
Huntingdon, PA 16652  
(814) 643-2343

**Lackawanna**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

**Lancaster**

CCCS of Lehigh Valley  
3671 Crescent Court East  
Whitehall, PA 18052  
(610) 821-4011 or (800) 220-2733

CCCS of Western PA, Inc.  
Colonial Shopping Center  
970 S. George St  
York, PA 17403  
(717) 846-4176

Community Housing Counselor, Inc.  
P. O. Box 244  
Kennett Square, PA 19348  
(610) 444-3682

Tabor Community Services, Inc.  
439 E. King Street  
P. O. Box 1676  
Lancaster, PA 17608  
(717) 397-5182 or (800) 788-5062 (H.O.  
only)

**Lawrence**

CCCS of Western Pennsylvania  
312 Chestnut Street  
Suite 227  
Meadville, PA 16335  
(814) 333-8570

Housing Opportunities of Beaver  
County  
650 Corporation St.  
Suite 207  
Beaver, PA 15009  
(724) 728-7511

Shenango Valley Urban League, Inc.  
601 Indiana Avenue  
Farrell, PA 16121  
(724) 981-5310

**Lebanon**

Schuylkill Community Action  
225 N. Centre Street  
Pottsville, PA 17901  
(570) 622-1995

Tabor Community Services, Inc.  
439 E. King Street  
P. O. Box 1676  
Lancaster, PA 17608  
(717) 397-5182 or (800) 788-5062 (H.O.  
only)

**Lehigh**

CCCS of Lehigh Valley  
3671 Crescent Court East  
Whitehall, PA 18052  
(610) 821-4011 or (800) 220-2733

Schuylkill Community Action  
225 N. Centre Street  
Pottsville, PA 17901  
(570) 622-1995

**Luzerne**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

Commission on Economic Opportunity  
of Luzerne County  
163 Amber Lane  
Wilkes-Barre, PA 18702  
(570) 826-0510 or (800) 822-0359

Schuylkill Community Action  
225 N. Centre Street  
Pottsville, PA 17901  
(570) 622-1995

**Lycoming**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
201 Basin Street  
Suite 6  
Williamsport, PA 17701  
(570) 323-6627

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

Lycoming-Clinton Counties  
Commission for Community Action  
2138 Lincoln Street  
P. O. Box 3568  
Williamsport, PA 17703  
(570) 326-0587

**McKean**

JFK Center, Inc.  
2021 East 20th Street  
Erie, PA 16510  
(814) 898-0400

Northern Tier Community Action  
Corp.  
P. O. Box 389  
135 West 4th Street  
Emporium, PA 15834  
(814) 486-1161

**Mercer**

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

CCCS of Western PA  
1138 N. Main St. Extension  
Butler, PA 16001  
(724) 282-7812

Shenango Valley Urban League, Inc.  
601 Indiana Avenue  
Farrell, PA 16121  
(724) 981-5310

**Mifflin**

CCCS of Northeastern PA  
208 W. Hamilton Ave,  
Suite 1, Hamilton Square  
State College, PA 16801  
(814) 238-3668

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Weatherization Office  
917 Mifflin Street  
Huntingdon, PA 16652  
(814) 643-2343

**Monroe**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
411 Main Street  
Suite 102 E  
Stroudsburg, PA 18360  
(570) 420-8980 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

Community Housing Counselor, Inc.  
P. O. Box 244  
Kennett Square, PA 19348  
(610) 444-3682

**Montgomery**

Acorn Housing Corporation  
846 North Broad Street  
Philadelphia, PA 19130  
(215) 765-1221

American Credit Counseling Institute  
144 E. Dekalb Pike  
King of Prussia, PA 19406  
(610) 971-2210

American Credit Counseling Institute  
530 West Street Rd  
Suite 201  
Warminster, PA 18974  
(215) 444-9429

American Credit Counseling Institute  
845 Coates St.  
Coatesville, PA 19320  
(888) 212-6741

American Credit Counseling  
Institute, Inc.  
2035 Spring Valley Road  
Lansdale, PA 19446  
(610) 584-4522

American Financial Counseling  
Services, Inc.  
175 Strafford Avenue, Suite One  
Wayne, PA 19087  
(610) 975-4414

American Financial Counseling  
Services, Inc.  
1 Abington Plaza, Suite 403  
Old York Road and Township Line  
Jenkintown, PA 19046  
(215) 887-0555

CCCS of Delaware Valley  
Norristown Business Center  
190 W. Germantown Pike  
Suite 140  
Norristown, PA 19401  
(215) 563-5665

CCCS of Delaware Valley  
1515 Market Street  
Suite 1325  
Philadelphia, PA 19107  
(215) 563-5665

Community Action Development  
Commission  
113 E Main St  
Norristown, PA 19401  
(610) 277-6363

Community Housing Counselor, Inc.  
P. O. Box 244  
Kennett Square, PA 19348  
(610) 444-3682

Germantown Settlement  
218 W. Cheltenham Avenue  
Philadelphia, PA 19144  
(215) 849-3104

Media Fellowship House  
302 S. Jackson Street  
Media, PA 19063  
(610) 565-0846

Northwest Counseling Service  
5001 North Broad Street  
Philadelphia, PA 19141  
(215) 324-7500

Philadelphia Council for  
Community Advancement  
100 North 17th Street  
Suite 600  
Philadelphia, PA 19103  
(215) 567-7803

**Montour**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

**Northampton**

CCCS of Lehigh Valley  
3671 Crescent Court East  
Whitehall, PA 18052  
(610) 821-4011 or (800) 220-2733

**Northumberland**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
201 Basin Street  
Suite 6  
Williamsport, PA 17701  
(570) 323-6627

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

Schuylkill Community Action  
225 N. Centre Street  
Pottsville, PA 17901  
(570) 622-1995

**Perry**

CCCS of Western PA  
2000 Linglestown Road  
Harrisburg, PA 17102  
(717) 541-1757

Community Action Commission  
of Capital Region  
1514 Derry Street  
Harrisburg, PA 17104  
(717) 232-9757

Financial Counseling Services  
of Franklin  
43 Philadelphia Avenue  
Waynesboro, PA 17268  
(717) 762-3285

Loveship, Inc.  
2320 North 5th Street  
Harrisburg, PA 17110  
(717) 232-2207

PHFA  
2101 North Front Street  
P. O. Box 15530  
Harrisburg, PA 17105  
(717) 780-3940

Urban League of  
Metropolitan Harrisburg  
2107 N. 6th Street  
Harrisburg, PA 17101  
(717) 234-5925

Weatherization Office  
917 Mifflin Street  
Huntingdon, PA 16652  
(814) 643-2343

**Philadelphia**

Acorn Housing Corporation  
846 North Broad Street  
Philadelphia, PA 19130  
(215) 765-1221

American Credit Counseling Institute  
845 Coates St.  
Coatesville, PA 19320  
(888) 212-6741

American Credit Counseling Institute  
530 West Street Rd  
Suite 201  
Warminster, PA 18974  
(215) 444-9429

American Credit Counseling Institute  
144 E. Dekalb Pike  
King of Prussia, PA 19406  
(610) 971-2210

American Financial  
Counseling Services, Inc.  
175 Strafford Avenue, Suite One  
Wayne, PA 19087  
(610) 975-4414

CCCS of Delaware Valley  
1515 Market Street  
Suite 1325  
Philadelphia, PA 19107  
(215) 563-5665

CCCS of Delaware Valley  
One Cherry Hill  
Suite 215  
Cherry Hill, PA 08002  
(215) 563-5665

Community Development Corp. of  
Frankford Group Ministry  
4620 Griscom Street  
Philadelphia, PA 19124  
(215) 744-2990

Germantown Settlement  
218 W. Cheltenham Avenue  
Philadelphia, PA 19144  
(215) 849-3104

HACE  
167 W. Allegheny Ave.  
2nd Fl.  
Philadelphia, PA 19140  
(215) 426-8025

Housing Association of  
Delaware Valley  
1500 Walnut Street  
Suite 601  
Philadelphia, PA 19102  
(215) 545-6010

Housing Association of Delaware Valley  
658 North Watts Street  
Philadelphia, PA 19123  
(215) 978-0224

Media Fellowship House  
302 S. Jackson Street  
Media, PA 19063  
(610) 565-0846

Northwest Counseling Service  
5001 North Broad Street  
Philadelphia, PA 19141  
(215) 324-7500

Philadelphia Council for  
Community Advancement  
100 North 17th Street  
Suite 600  
Philadelphia, PA 19103  
(215) 567-7803

Urban League  
136 West Girard Ave  
Philadelphia, PA  
(215) 731-4100

### **Pike**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
411 Main Street  
Suite 102 E  
Stroudsburg, PA 18360  
(570) 420-8980 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

### **Potter**

Northern Tier Community Action Corp.  
P. O. Box 389  
135 West 4th Street  
Emporium, PA 15834  
(814) 486-1161

### **Schuylkill**

Budget Counseling Center  
247 North Fifth Street  
Reading, PA 19601  
(610) 375-7866

CCCS of Lehigh Valley  
3671 Crescent Court East  
Whitehall, PA 18052  
(610) 821-4011 or (800) 220-2733

Commission on Economic  
Opportunity of Luzerne County  
163 Amber Lane  
Wilkes-Barre, PA 18702  
(570) 826-0510 or (800) 822-0359

Schuylkill Community Action  
225 N. Centre Street  
Pottsville, PA 17901  
(570) 622-1995

### **Snyder**

CCCS of Western PA  
2000 Linglestown Road  
Harrisburg, PA 17102  
(717) 541-1757

Community Action Commission  
of Capital Region  
1514 Derry Street  
Harrisburg, PA 17104  
(717) 232-9757

Urban League of  
Metropolitan Harrisburg  
2107 N. 6th Street  
Harrisburg, PA 17101  
(717) 234-5925

### **Somerset**

Bedford-Fulton Housing Services  
10241 Lincoln Highway  
Everett, PA 15537  
(814) 623-9129

CCCS of Western PA  
219-A College Park Plaza  
Johnstown, PA 15904  
(814) 539-6335

CCCS of Western PA, Inc.  
1 North Gate Square  
#2 Garden Center Drive  
Greensburg, PA 15601  
(724) 838-1290

Fayette Co. Community  
Action Agency, Inc.  
137 North Beeson Avenue  
Uniontown, PA 15401  
(724) 437-6050 or (800) 427-INFO

Keystone Economic  
Development Corp.  
1954 Mary Grace Lane  
Johnstown, PA 15901  
(814) 535-6556

Tableland Services Inc.  
535 East Main Street  
Somerset, PA 15501  
(814) 445-9628 or (800) 452-0148

**Sullivan**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th Floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

The Trehab Center of  
Northeastern PA  
German Street  
P. O. Box 389  
Dushore, PA 18614  
(570) 928-9667

**Susquehanna**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th Floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

The Trehab Center of  
Northeastern PA  
10 Public Ave  
P. O. Box 366  
Montrose, PA 18801  
(570) 278-3338 or (800) 982-4045

**Tioga**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th Floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

The Trehab Center of  
Northeastern PA  
33 Waln Street  
Wellsboro, PA 16901  
(570) 724-5252

**Union**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St, 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

CCCS of Northeastern PA  
201 Basin Street  
Suite 6  
Williamsport, PA 17701  
(570) 323-6627

CCCS of Western PA, Inc.  
217 E. Plank Road  
Altoona, PA 16602  
(814) 944-8100 or (814) 944-5747

Lycoming-Clinton Counties  
Commission for Community Action  
2138 Lincoln Street  
P. O. Box 3568  
Williamsport, PA 17703  
(570) 326-0587

**Venango**

CCCS of Western PA  
1138 N. Main St. Extension  
Butler, PA 16001  
(724) 282-7812

Greater Erie Community  
Action Committee  
18 West 9th Street  
Erie, PA 16501  
(814) 459-4581

JFK Center, Inc.  
2021 East 20th Street  
Erie, PA 16510  
(814) 898-0400

St. Martin Center  
1701 Parade Street  
Erie, PA 16503  
(814) 452-6113

**Warren**

Booker T. Washington Center  
1720 Holland Street  
Erie, PA 16503  
(814) 453-5744

Greater Erie Community  
Action Committee  
18 West 9th Street  
Erie, PA 16501  
(814) 459-4581

St. Martin Center  
1701 Parade Street  
Erie, PA 16503  
(814) 452-6113

Warren-Forest Counties Economic  
Opportunity  
1209 Pennsylvania Ave, West  
P. O. Box 547  
Warren, PA 16365  
(814) 726-2400

**Washington**

Action Housing, Inc  
425 6th Avenue  
Suite 950  
Pittsburgh, PA 15219  
(412) 391-1956 or (412) 281-2102  
or (800) 792-2801

CCCS of Western PA, Inc.  
1 North Gate Square  
#2 Garden Center Drive  
Greensburg, PA 15601  
(724) 838-1290

CCCS of Western PA, Inc.  
53 N. College Street  
Washington, PA 15301  
(724) 222-8292

Community Action Southwest  
315 E Hallam Avenue  
Washington, PA 15317  
(724) 225-9550

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Credit Counselors of PA  
401 Wood Street  
Suite 906  
Pittsburgh, PA 15222  
(412) 338-9956

Housing Opportunities Inc.  
133 Seventh Street  
P. O. Box 9  
McKeesport, PA 15134  
(412) 664-1906

Mon-Valley Unemployed Committee  
120 E. 9th Avenue  
Homestead, PA 15120  
(412) 462-9962

**Wayne**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St., 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

CCCS of Northeastern PA  
411 Main Street  
Suite 102 E  
Stroudsburg, PA 18360  
(570) 420-8980 or (800) 922-9537

The Trehab Center of Northeastern PA  
616 Main St.  
4th Floor  
Honesdale, PA 18431  
(570) 253-8941

**Westmoreland**

Action Housing, Inc  
425 6th Avenue  
Suite 950  
Pittsburgh, PA 15219  
(412) 391-1956 or (412) 281-2102  
or (800) 792-2801

CCCS of Western PA, Inc.  
1 North Gate Square  
#2 Garden Center Drive  
Greensburg, PA 15601  
(724) 838-1290

Community Action Southwest  
22 West High Street  
Waynesburg, PA 15370  
(724) 852-2893

Credit Counselors of PA  
401 Wood Street  
Suite 906  
Pittsburgh, PA 15222  
(412) 338-9956

Housing Opportunities Inc.  
133 Seventh Street  
P. O. Box 9  
McKeesport, PA 15134  
(412) 664-1906

Indiana Co. Community  
Action Program  
827 Water Street  
Box 187  
Indiana, PA 15701  
(724) 465-2657

Keystone Economic  
Development Corp.  
1954 Mary Grace Lane  
Johnstown, PA 15901  
(814) 535-6556

Mon-Valley Unemployed Committee  
120 E. 9th Avenue  
Homestead, PA 15120  
(412) 462-9962

Tableland Services Inc.  
535 East Main Street  
Somerset, PA 15501  
(814) 445-9628 or (800) 452-0148

**Wyoming**

CCCS of Northeastern PA  
1400 Abington Executive Park  
Suite 1  
Clarks Summit, PA 18411  
(570) 587-9163 or (800) 922-9537

CCCS of Northeastern PA  
Genetti Towers  
77 E Market St., 7th floor  
Wilkes-Barre, PA 18702  
(570) 821-0837 or (800) 922-9537

Commission on Economic  
Opportunity of Luzerne County  
163 Amber Lane  
Wilkes-Barre, PA 18702  
(570) 826-0510 or (800) 822-0359

The Trehab Center of Northeastern PA  
115 SR 92S  
Tunkhannock, PA 18657  
(570) 836-6840

## York

Adams County Housing Authority  
139-143 Carlisle St.  
Gettysburg, PA 17325  
(717) 334-1518

CCCS of Western PA, Inc.  
Colonial Shopping Center  
970 S. George St.  
York, PA 17403  
(717) 846-4176

American Red Cross—Hanover  
Chapter  
529 Carlisle Street  
Hanover, PA 17331  
(717) 637-3768

Housing Council of York  
116 North George Street  
York, PA 17401  
(717) 854-1541

CCCS of Western PA  
2000 Linglestown Road  
Harrisburg, PA 17102  
(717) 541-1757

[Pa.B. Doc. No. 01-1983. Filed for public inspection November 2, 2001, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, October 18, 2001, and took the following actions:

*Regulations Deemed Approved under § 5(g) of the Regulatory Review Act—Effective October 12, 2001*

Environmental Quality Board #7-363: Fees (amends Pa. Code 25 Chapter 218)

*Regulations Approved:*

Department of Public Welfare #14-468: General Principles for Rate and Price Setting (amends 55 Pa. Code Chapter 1187)

Department of Public Welfare #14-470: Disproportionate Share Incentive Program (amends 55 Pa. Code Chapter 1187)

Department of Public Welfare #14-453: Outpatient Drug and Alcohol Clinic Services (amends 55 Pa. Code §§ 1223.2, 1223.14 and 1223.41)

Environmental Quality Board #7-356: Administration of Land Recycling Program (amends 25 Pa. Code Chapter 250)

Environmental Quality Board #7-360: Radiological Health (amends 25 Pa. Code Chapters 221, 227 and 228)

Environmental Quality Board #7-355: Storage Tank Program (amends 25 Pa. Code Chapter 245)

Underground Storage Tank Indemnification Board: #11-179: Underground Storage Tank Indemnification Fund (amends 25 Pa. Code Chapter 977)

### Approval Order

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by Phone; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 18, 2001

*Department of Public Welfare; General Principles for Rate and Price Setting; Regulation No. 14-468*

On September 4, 2001, the Independent Regulatory Review Commission (Commission) received this regula-

tion from the Department of Public Welfare (Department). This rulemaking amends 55 Pa. Code, Chapter 1187. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation extends the timeframe for transition payments to county nursing facilities for the period January 1, 1999, through June 30, 2003. The transition payments were negotiated between the Department and the County Commissioners Association of Pennsylvania in the Intergovernmental Transfer Agreement.

We have determined this regulation is consistent with the statutory authority of the Department (62 P.S. § 201(2)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by Phone; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 18, 2001

*Department of Public Welfare; Disproportionate Share Incentive Payments; Regulation No. 14-470*

On September 4, 2001, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Public Welfare (Department). This rulemaking amends 55 Pa. Code, Chapter 1187. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation authorizes an increase to the disproportionate share incentive payments for nursing facilities for fiscal year 1999-2000, through fiscal year 2002-2003. This incentive will be used to encourage nursing facilities to admit individuals eligible for Medical Assistance (MA) and to give additional revenue to nursing facilities that serve a greater number of MA residents. The amendments are in response to the Intergovernmental Transfer Agreement between the Department and the County Commissioners Association of Pennsylvania.

We have determined this regulation is consistent with the statutory authority of the Department (62 P.S. § 201(2)) and the intention of the General Assembly.



Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by Phone; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 18, 2001

*Department of Public Welfare; Outpatient Drug and Alcohol Clinic Services; Regulation No. 14-453*

On September 18, 2001, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Public Welfare. This rulemaking amends 55 Pa. Code §§ 1223.2, 1223.14 and 1223.41. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation codifies a Notice of Rule Change (NORC) that was originally published on March 7, 1998. The regulation updates the Medical Assistance participation requirements policy for drug and alcohol clinics to maintain consistency with the licensing provisions of the Department of Health. It also deletes out-of-date references.

We have determined this regulation is consistent with the statutory authority of the Department of Public Welfare (62 P.S. § 403(b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by Phone; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 18, 2001

*Environmental Quality Board; Administration of Land Recycling Program; Regulation No. 7-356*

On July 11, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking amends 25 Pa. Code Chapter 250. The proposed regulation was published in the August 5, 2000 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on September 21, 2001.

This final-form rulemaking updates existing land recycling regulations and is based on the 1998-99 land recycling program evaluation performed by the Department of Environmental Protection. These regulations incorporate current scientific information and policy clarifications to implement the Statewide health standard and attainment provisions. The rulemaking applies to con-

taminated sites in the Commonwealth, and affects owners, operators and purchasers of those sites, as well as those who remediate them.

We have determined this regulation is consistent with the statutory authority of the Board (35 P.S. §§ 6018.105(a), 6026.104(a), 6026.301(c) and 6026.303(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by Phone; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 18, 2001

*Environmental Quality Board; Radiological Health; Regulation No. 7-360*

On January 29, 2001, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking amends 25 Pa. Code Chapters 221, 227 and 228. The proposed regulation was published in the February 10, 2001 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 21, 2001.

This final-form rulemaking extends X-ray protection requirements to X-ray calibration facilities. The regulation also corrects errors from previous rulemakings, clarifies existing wording and makes modifications to accommodate changes in equipment since the last amendments in 1998.

We have determined this regulation is consistent with the statutory authority of the Board (35 P.S. §§ 7110.301 and 7110.302) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by Phone; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner, recused

Public Meeting held  
October 18, 2001

*Environmental Quality Board; Storage Tank Program; Regulation No. 7-355*

On July 11, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking amends 25 Pa. Code Chapter 245. The proposed regulation was published in the July 29, 2000, *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on September 21, 2001.

This rulemaking updates Chapter 245 by adding, modifying and deleting several definitions. Consistent with the requirements in Act 2 of 1995, the rulemaking changes the corrective action process for owners and operators of storage tanks and storage tank facilities and other responsible parties.

We have determined this regulation is consistent with the statutory authority of the Environmental Quality Board (35 P.S. § 6021.106) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by Phone; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner, recused

Public Meeting held  
October 18, 2001

*Underground Storage Tank Indemnification Board; Underground Storage Tank Indemnification Fund; Regulation No. 11-179*

On December 12, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Underground Storage Tank Indemnification Board (Board). This rulemaking amends 25 Pa. Code Chapter 977. The proposed regulation was published in the December 23, 2000, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 27, 2001.

The Board is deleting 25 Pa. Code, Chapters 971, 973 and 975 and replacing them with a consolidated regulation to improve administration of the Storage Tank and Spill Prevention Act. The Board is adding new sections on claims procedures, fees for certified companies and dispute resolution procedures.

We have determined this regulation is consistent with the statutory authority of the Underground Storage Tank Indemnification Board (35 P.S. § 6021.301) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 01-1984. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at [www.irrc.state.pa.us](http://www.irrc.state.pa.us). To obtain a copy of the

regulation, contact the promulgating agency.

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
7-346	Environmental Quality Board Solvent Cleaning Operations	10/19/01
19-5	Department of Corrections Administration and State Correctional Institutions and Facilities	10/22/01

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 01-1985. Filed for public inspection November 2, 2001, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Agency Contract Termination of R. C. Chase Insurance Agency under Act 143; Shelby/Vesta Insurance Companies; Doc. No. AT01-10-026

A prereview telephone conference initiated by this office is scheduled for November 29, 2001, at 1:30 p.m. Each party shall provide the Hearings Administrator, a telephone number to be used for the telephone conference on or before November 8, 2001. A review shall occur on December 20, 2001, at 1 p.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. At the prereview conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the review, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

Pending the review in this matter, parties shall exchange proposed exhibits, the names of witnesses, provide an offer of proof with respect to each witness and informally attempt to resolve undisputed facts by stipulation. On or before November 15, 2001, each party shall file with the Administrative Hearings Office a prereview statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case.

No prereview memoranda or other written submissions are required for the prereview conference; however, the parties are encouraged to discuss settlement and possible stipulations pending the conference. Except as established at the prehearing conference, both parties shall appear at the scheduled hearing prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses and the like, necessary to support the party's case. A party intending to offer documents for photographs into evidence shall bring enough copies for the record and for each opposing party.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before December 6, 2001, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Sev-

enth Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before December 13, 2001.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1986. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Brandon Buckley; Hearing

*Appeal of Brandon Buckley Under the Motor Vehicle Financial Responsibility Law Catastrophic Loss Benefits Continuation Fund; File No. F86-0658 Doc. No. CF01-10-009*

The proceeding in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

A prehearing telephone conference initiated by this office is scheduled for November 28, 2001. Each party shall provide the Administrative Hearings Office, Hearings Administrator a telephone number to be used for the telephone conference on or before November 13, 2001. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference. At the prehearing conference/telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter. Pending hearing, parties shall exchange proposed exhibits, the names of witnesses and provide an offer of proof with respect to each witness and informally attempt to resolve undisputed facts by stipulation. On or before November 13, 2001, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office. Except as established at the prehearing conference, both parties shall appear at the scheduled hearing prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents for photo-

graphs into evidence shall bring enough copies for the record and for each opposing party. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before November 14, 2001, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before November 21, 2001.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1987. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Capital Blue Cross; Demographic Rating for Community-Rated Groups for Basic Blue Cross and Prescription Drug Card Programs; Filing No. 01-Z

Capital Blue Cross (CBC) submits Filing No. 01-Z for review and approval to demographically rate the small group market, which is being expanded to include groups of size 2-99. For each group, CBC intends to use age-gender, contract size and industry factors to adjust community-pool base rates for Basic Blue Cross and Prescription Drug offerings. Demographic rating will be applied in a revenue-neutral manner, that is, the premium for the total pool under demographic rating will be the same as the total pool premium if demographic rating were not implemented. Based on September 2001, enrollment figures, approximately 58,700 Basic Blue Cross members and 24,400 Prescription Drug Card members will be affected. An effective date of April 1, 2002, has been requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's regional offices in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120 within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1988. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Highmark Inc. d/b/a Pennsylvania Blue Shield; Revisions to Hospital Facility Agreement-Traditional Products; Filing No. 200151

On October 19, 2001, Highmark Inc. d/b/a Pennsylvania Blue Shield submitted revisions to Hospital Facility Agreement-Traditional Products to amend the previously submitted Hospital Facility Agreement under Filing No. 200110. In this and the previous filing submitted under

section 9 of the Accident and Health Filing Reform Act (40 P.S. §§ 3801—3815), Highmark seeks approval of Hospital Facility Agreement in order to operate as a Hospital Plan Corporation and a Professional Health Service Plan Corporation under the trade name Pennsylvania Blue Shield in the 21 counties of the Capital region in South Central Pennsylvania.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1989. Filed for public inspection November 2, 2001, 9:00 a.m.]

### New Domestic Insurance Company Application

Faithful Companion Inc. has applied for a Certificate of Authority to operate as a domestic stock fire insurance company in this Commonwealth. The initial filing was received on October 16, 2001, and was made under the requirements set forth under the Business Corporation Law of 1988 (15 Pa.C.S. § 1 et seq.). Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority to the applicant are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda E. Bybee, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; e-mail cbybee@state.pa.us.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1990. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional offices in Harrisburg, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Louise Y. Lowman; file no. 01-182-06541; Pennsylvania General Insurance Company; doc. no. P01-10-025; November 27, 2001, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1991. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Arnold Bruce Sapp; Order to Show Cause; Doc. No. SC01-09-020

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

A prehearing telephone conference initiated by this office is scheduled for November 30, 2001, at 10:30 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before November 9, 2001. A date for the hearing shall be determined, if necessary, at the prehearing telephone conference. At the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

No prehearing memoranda or other written submissions are required for the prehearing telephone conference; however, the parties are encouraged to discuss settlement and possible stipulations pending the conference. Except as established at the prehearing telephone conference, both parties shall appear at the scheduled hearing prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents for photographs into evidence shall bring enough copies for the record and each opposing party.

Motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed on or before November 16, 2001, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answers to petitions to intervene, if any, shall be filed on or before November 26, 2001.

Persons with a disability who wish to attend the previously-referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1992. Filed for public inspection November 2, 2001, 9:00 a.m.]

#### Jac G. Tomasello; Doc. No. AG01-10-018

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

A prehearing telephone conference initiated by this office is scheduled for December 4, 2001, at 10 a.m. Each party shall provide the Administrative Hearings Office and the Hearings Administrator a telephone number to be used for the telephone conference on or before November 28, 2001. A hearing shall occur on December 19, 2001, at 1 p.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA.

At the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter. On or before November 20, 2001, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness

designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office.

Except as established at the prehearing conference, both parties shall appear at the scheduled hearing, if necessary, prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring money copies for the record and for each opposing party. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before December 7, 2001, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answers to petitions to intervene, if any, shall be filed on or before December 14, 2001.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-1993. Filed for public inspection November 2, 2001, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board leases will expire:

Philadelphia County, Wine & Spirits Shoppe #5122, 8 Penn Center Plaza, 1628 J.F. Kennedy Boulevard, Philadelphia, PA 19103-2125.

*Lease Expiration Date:* June 30, 2003

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,500 net useable square feet of new or existing retail commercial space within 1/4 mile radius of the intersection of 17th Street and J.F. Kennedy Boulevard, Philadelphia.

*Proposals due:* November 30, 2001, at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113  
**Contact:** Robert J. Jolly, (215) 482-9673

Berks County, Wine & Spirits Shoppe #0605, Village Square Plaza, 45 Constitution Boulevard, Kutztown, PA 19530-1737.

*Lease Expiration Date:* March 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,854 net useable square feet of new or existing retail commercial space within the Borough of Kutztown.

*Proposals due:* November 30, 2001, at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110

**Contact:** Willard J. Rhodes, (717) 657-4228

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 01-1994. Filed for public inspection November 2, 2001, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before November 26, 2001, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

#### **Application of the following for approval to *begin operating as common carriers* for transportation of persons as described under the application.**

**A-00118360. Robert M. Romig** (1 Old Rt. 522, Selinsgrove, Snyder County, PA 17870)—persons in paratransit service, between points in the counties of Centre, Montour, Snyder and Union, and from points in said counties, to points in Pennsylvania and return.

#### **Application of the following for approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.***

**A-00116151-F. 1-Am-A. Catherine E. Hanchett, t/d/b/a Momma Bears' Taxi** (54 Dry Run Road, Coudersport, Potter County, PA 16915)—discontinuance of service and cancellation of the certificate—persons upon call or demand in the county of Potter and the borough of Port Allegheny, McKean County.

### **Complaint**

*Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Angela M. Lutgen, t/a Lefty's; Doc. No. A-00112093C01*

### *Complaint*

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section

701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Angela M. Lutgen, t/a Lefty's, respondent, maintains a principal place of business at 9496 East Main Road, Ripley, NY 14775.

2. That all times relevant to this Complaint, respondent held a certificate of public convenience issued by this Commission at Application Docket No. A-00112093.

3. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code Chapter 32; respondent is required to maintain evidence of current insurance on file with this Commission.

4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance, in violation of the Public Utility Code and regulations cited in Paragraph 3 of this complaint.

5. That as a result of failure to maintain evidence of current insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Secretary of the Commission revoke respondent's certificate of public convenience.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Secretary of the Commission revoke the certificate of public convenience held by Angela M. Lutgen, t/a Lefty's at Docket No. A-00112093, for failure to maintain evidence of current insurance on file with the Commission.

Respectfully submitted,  
 Michael E. Hoffman, Acting Director  
 Bureau of Transportation and Safety  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

### **VERIFICATION**

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: \_\_\_\_\_  
 Michael E. Hoffman

### *Notice to Plead*

A. You must file an answer within twenty (20) days of the date of service. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice to plead. 52 Pa. Code § 1.56(a). The answer must raise all factual and legal arguments that you wish to claim in your defense and must include the docket number of this Complaint. Your answer must be verified and the original and two (2) copies sent to:

James J. McNulty, Secretary  
 Pennsylvania Public Utility Commission  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days of the date of service as identified in Paragraph A. above, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license or imposing such other remedy as may be appropriate.

C. In lieu of an answer, you may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the proof of insurance from your insurer, the complaint proceeding shall be closed. ACORD CERTIFICATES OF INSURANCE ARE UNACCEPTABLE AS EVIDENCE OF INSURANCE.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Insurance/Filing Unit at (717) 783-5933.

DIPLOMAT LIMOUSINE SERVICE INC  
7423 N 2TH STREET  
PHILADELPHIA, PA 19138

In re: A-00104714C0101  
A-00104714

Dear Respondent:

On September 21, 2001, the Bureau of Transportation and Safety instituted a complaint against Diplomat Limousine Service, Inc., respondent, alleging failure to maintain proper evidence of current insurance in violation of the Public Utility Code. The respondent was duly notified that if acceptable evidence of insurance or an answer was not filed, the Bureau would request that the Secretary of the Commission revoke the certificate of public convenience issued to the respondent at A-00104714.

The complaint and notice were published in the September 29, 2001 issue of the *Pennsylvania Bulletin*; to date, more than twenty (20) days later, neither evidence of insurance nor an answer to the complaint has been filed. Therefore, the allegation in the complaint is deemed to be admitted.

The complaint at A-00104714C0101 is hereby sustained and the right(s) and the certificate of public convenience issued to the respondent at A-00104714 be and are hereby revoked; and the respondent has no other operating authority. The respondent is hereby notified to cease and desist from providing service previously authorized under the certificate of public convenience.

James J. McNulty  
Secretary

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-1995. Filed for public inspection November 2, 2001, 9:00 a.m.]

#### Telecommunications

**A-310957F7004. ALLTEL Pennsylvania, Inc. and KMC Telecom V, Inc.** Joint Petition of ALLTEL Pennsylvania, Inc. and KMC Telecom V, Inc. for approval of an

interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

ALLTEL Pennsylvania, Inc. and KMC Telecom V, Inc. filed on October 17, 2001, at the Pennsylvania Public Utility Commission, a Joint Petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the ALLTEL Pennsylvania, Inc. and KMC Telecom V, Inc. Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY  
*Secretary*

[Pa.B. Doc. No. 01-1996. Filed for public inspection November 2, 2001, 9:00 a.m.]

#### Telecommunications

**A-310513F7006. Denver and Ephrata Telephone and Telegraph Company d/b/a D&E Telephone Company and Sprint Spectrum L.P. d/b/a Sprint PCS.** Joint petition of Denver and Ephrata Telephone and Telegraph Company d/b/a D&E Telephone Company and Sprint Spectrum L.P. d/b/a Sprint PCS for approval of a rider to Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

Denver and Ephrata Telephone and Telegraph Company d/b/a D&E Telephone Company and Sprint Spectrum L.P. d/b/a Sprint PCS filed on October 17, 2001, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Denver and Ephrata Telephone and Telegraph Company d/b/a D&E Telephone Company and Sprint Spectrum L.P. d/b/a Sprint PCS Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-1997. Filed for public inspection November 2, 2001, 9:00 a.m.]

#### Telecommunications

**A-310403F7002. United Telephone Company of Pennsylvania d/b/a Sprint and Preferred Carrier Services, Inc.** Joint Petition of United Telephone Com-

pany of Pennsylvania d/b/a Sprint and Preferred Carrier Services, Inc. for approval of a Replacement Master Interconnection and Resale Agreement under section 252(a)(1) and (e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania d/b/a Sprint and Preferred Carrier Services, Inc. filed on October 22, 2001, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Replacement Master Interconnection and Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and Preferred Carrier Services, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-1998. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Telecommunications

**A-311144F7002. United Telephone Company of Pennsylvania d/b/a Sprint and VoiceStream Wireless Corporation.** Joint Petition of United Telephone Company of Pennsylvania d/b/a Sprint and VoiceStream Wireless Corporation for approval of an opt-in commercial mobile radio services interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania d/b/a Sprint and VoiceStream Wireless Corporation filed on October 22, 2001, at the Pennsylvania Public Utility Commission, a Joint Petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and VoiceStream Wireless Corporation Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-1999. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Telecommunications

**A-310820F7000. Verizon Pennsylvania Inc. and SniP LiNK, LLC.** Joint Petition of Verizon Pennsylvania

Inc. and SniP LiNK, LLC, for approval of adoption of a replacement interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and SniP LiNK, LLC filed on October 18, 2001, at the Pennsylvania Public Utility Commission, a Joint Petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and SniP LiNK, LLC Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2000. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Water Service Without Hearing

**A-210106 and A-210010 F2000. Aaronrod Company, Inc. and Winola Water Company.** Application of Aaronrod Company, Inc. and Winola Water Company for approval of: 1) the transfer, by sale, of certain property rights of Aaronrod Company, Inc.; to Winola Water Company, Inc.; 2) the right of Winola Water Company to offer, render, furnish or supply water service to the public in a portion of Overfield Township, Wyoming County; and 3) the right of Aaronrod Company, Inc. to cancel its certificate of public convenience.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 19, 2001, under 52 Pa. Code (relating to public utilities).

*Applicant:* Aaronrod Company, Inc. and Winola Water Company.

*Through and By Counsel:* Nicholas E. Fick, Esquire, Radisson Lackawanna Station Hotel, Suite 203, 700 Lackawanna Avenue, Scranton, PA 18503.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2001. Filed for public inspection November 2, 2001, 9:00 a.m.]

### Water Service Without Hearing

**A-212285 F0093. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval of the right to offer, render, furnish or supply water service to the public in a portion of Monroe Township, Clarion County, and a portion of Piney Township, Clarion County, PA.



This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 19, 2001, under 52 Pa. Code (relating to public utilities).

*Applicant:* Pennsylvania-American Water Company.

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, 800 West Hershey Park Drive, P. O. Box 888, Harrisburg, PA 17033-0888.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2002. Filed for public inspection November 2, 2001, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

### Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

November 28, 2001	Eugene Jones, Jr. (Dec'd) (Contested Death Benefit)	1 p.m.
December 12, 2001	Russell W. Thomas (Disability Retirement After Termination from State Service)	1 p.m.
December 19, 2001	John J. Eastlake (Purchase of Service)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.01 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code, Part II unless specific exemption is granted.

JOHN BROSIUS,  
*Secretary*

[Pa.B. Doc. No. 01-2003. Filed for public inspection November 2, 2001, 9:00 a.m.]

## TURNPIKE COMMISSION

### Retention of an Engineering Firm

#### In-Depth Inspection of the Tuscarora Tunnel Huntingdon County Reference No. 2-061

The Turnpike Commission (Commission) will retain an engineering firm to perform a detailed inspection of both

tubes of the Tuscarora Tunnel, located at Milepost 186.20 in Huntingdon County. Inspection services for the engineering firm of the tunnel will include, but not be limited to: structural integrity, drainage, electrical, mechanical, lighting and the portal buildings. Inspection of the roadway pavement will not be a part of this inspection. The successful firm will be required to prepare an inspection report, listing all findings and recommendations.

The following factors will be considered by the Commission during the evaluation of the firms submitting Letters of Interest for this project:

a. Specialized experience and technical competence of prime consultant and subconsultants. The Team must clearly demonstrate an ability to analyze available data to make decisions and develop plans to complete the project in a timely and cost effective manner.

b. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project and the client.

c. The specific experience and number of individuals who constitute the firm. Firms should have sufficient qualified permanent full-time personnel to complete mapping work assignments with short delivery schedules utilizing current state-of-the-art photogrammetric instruments, equipment and software.

d. Workload of the prime consultant and subconsultants for all Department of Transportation (Department) and Commission projects.

e. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the letter of interest.

Questions and inquiries concerning this solicitation should be directed to James L. Stump, P.E. at (717) 920-7105 or by e-mail at [jstump@paturndpike.com](mailto:jstump@paturndpike.com). Contractual questions should be directed to George M. Hatalowich at (717) 986-8737 or by e-mail at [ghatalow@paturndpike.com](mailto:ghatalow@paturndpike.com).

### General Requirements and Information

Firms interested in providing the previous work and services are invited to submit a Statement of Interest with the required information. The Statements of Interest must include the following:

1. One page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If the firm has multiple offices, the location of the office performing the work must be identified).

2. A three-page statement of interest on the advertised project. Each firm should demonstrate their ability to perform the specific requirements indicated for each project and provide explanation of the technical approach.

3. An organization chart for the Project, identifying key personnel and any subconsultants and their roles. Deviation from the subconsultant's listed in the statement of interest will require written approval from the Commission.

4. Tabulation or listing of workload for the prime consultant and all subconsultants for all Department and Commission projects. Do not graphically represent the firm's workload.

5. A Consultant Qualification Package similar to the one submitted to the Department for the current year or one that is best suited for this project. A copy of the Consultant Qualification Package printed directly from the Department's ECMS website is acceptable.

The Consultant Qualification Package should contain at a minimum the following information for the prime consultant and all subconsultants and attached to the back of the statement of interest (subs to follow primes):

- ECMS General Information and Project Experience Forms or Standard Form (SF) 254 - Architect-Engineer and Related Services Questionnaire in its entirety, either not more than 1 year old as of the date of the advertisement.
- Resumes of key personnel expected to be involved in the project (limit to one 8 1/2 x 11 page, one side, per person). Only resumes of key personnel should be included.
- Copy of the firm's registration to do business in this Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in this Commonwealth.
- A copy of the Department's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate statements of interest from joint venture constituents. A firm will not be permitted to submit a statement of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. Multiple responses under any of the forgoing situations will cause the rejection of all responses of the firm or firms involved. This does not preclude a firm from being set forth as a

designated subconsultant to more than one prime consultant responding to the project advertisement.

Small firms, disadvantaged business enterprise firms and other firms who have not previously performed work for the Commission are encouraged to submit a statement of interest.

Firms interested in performing the previous services are invited to submit a statement of interest and required information to George M. Hatalowich, Engineering Contract Manager, at the Turnpike Commission Administration Building located at 700 South Eisenhower Boulevard, Middletown, PA 17057 (street address). Our mailing address is P. O. Box 67676, Harrisburg, PA 17106-7676.

The statement of interest and required information must be received by 12 p.m., Monday, November 26, 2001. Any statements of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable statements of interest received in response to these solicitations, one firm will be selected for this project. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Commission. Technical proposals will not be requested prior to the establishment of the final ranking.

The Commission reserves the right to reject all statements of interest, to cancel solicitation requested under this notice and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Chairperson*

[Pa.B. Doc. No. 01-2004. Filed for public inspection November 2, 2001, 9:00 a.m.]