

NOTICES

DEPARTMENT OF AGRICULTURE

Repeal of Quarantine

Under the authority granted it under § 2104 of the Agriculture Code (3 Pa.C.S. § 2104), the Pennsylvania Department of Agriculture established a limited Quarantine in an effort to keep the "small hive beetle" scientifically designated *Aethina tumida*, from entering the Commonwealth. The Order of Quarantine took effect on March 2, 1999, and was published at 29 Pa.B. 1401 (March 19, 1999). This Notice repeals that Order of Quarantine.

Background

At the time the referenced Order of Quarantine was issued, small hive beetles were not known to be present in this Commonwealth, and were thought to be present only in Florida, Georgia, South Carolina and North Carolina. Since that Order of Quarantine took effect, though, small hive beetles have become established in this Commonwealth, New York, New Jersey and Ohio.

In light of the widespread presence of the small hive beetle in the Commonwealth and surrounding states, the

conditions of quarantine set forth in the Order of Quarantine are no longer effective or practical in addressing the problems posed by that insect. The best approach to combating small hive beetles in the Commonwealth is to promote hygienic beekeeping practices. Small hive beetles tend to damage weak bee colonies and honey awaiting extraction from combs. The Beekeeping Advisory Committee met in November of 2000 and voted its unanimous support for the repeal of the Order of Quarantine and the promotion of hygienic beekeeping practices to combat the small hive beetle.

The Bee Law provisions (3 Pa.C.S. §§ 2101—2117) of the Agriculture Code provide authority for this Order.

Order Repealing Quarantine

The Quarantine Order issued by the Department of Agriculture on March 2, 1999 (and published at 29 Pa.B. 1401 (March 19, 1999)) with respect to the small hive beetle is hereby repealed.

This Order is effective January 24, 2001, and shall remain in force until further notice.

SAMUEL E. HAYES, Jr.,
Secretary

[Pa.B. Doc. No. 01-224. Filed for public inspection February 9, 2001, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 30, 2001.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-30-01	Commonwealth Bank (Federal Savings Bank) Norristown Montgomery County	Norristown	Effective
	<i>To:</i> Commonwealth Bank (Pennsylvania Savings Bank) Norristown Montgomery		
	Represents conversion from a Federally-chartered stock savings bank to a State-chartered stock savings bank.		
	<i>Branches Acquired Via Conversion:</i>		
	350 West Main Street Birdsboro Berks County	Giant Food Store Horsham Point Shopping Center 14 Horsham Road Horsham Montgomery County	
	601 East Main Street Kutztown Berks County	DeKalb Plaza Shopping Center 338 West DeKalb Pike King of Prussia Montgomery County	

Branches Acquired Via Conversion:

14 West Wyoming Avenue
Mohnton
Berks County

4215 Perkiomen Avenue
Reading
Berks County

2040 Centre Avenue
Reading
Berks County

830 Lancaster Avenue
Reading
Berks County

956 North Ninth Street
Reading
Berks County

445 Penn Street
Reading
Berks County

4641 Penn Avenue
Sinking Spring
Berks County

Giant Food Store
Spring Towne Center
2643 Shillington Road
Sinking Spring
Berks County

4950 Kutztown Road
Temple
Berks County

Wyomissing Hills
Professional Center
320 Abington Drive
Wyomissing
Berks County

Giant Food Store
Fairless Hills Shopping Center
473 Oxford Valley Road South
Fairless Hills
Bucks County

Route # 1 & Durham Road
Pennel
Bucks County

Giant Food Store
Southampton Shopping Center
466A Second Street Pike
Southampton
Bucks County

521 West Main Street
Lansdale
Montgomery County

Hillcrest Shopping Center
638 East Main Street
Lansdale
Montgomery County

Sumney Forge Square
1601 Valley Forge Road
Lansdale
Montgomery County

Giant Food Store
1201 Knapp Road
Montgomeryville
Montgomery County

Park Ridge Shopping Center
2701 Ridge Pike
Norristown
Montgomery County

Audubon Shopping Center
2806 Audubon Village Drive
Norristown
Montgomery County

Giant Food Store
Audubon Square Shopping Ctr.
2668 Egypt Road
Norristown
Montgomery County

2890 Audubon Village Dr.
Norristown
Montgomery County
(Drive-Up Facility)

Weis Market
The Pottstown Center
223 Shoemaker Road
Pottstown
Montgomery County

Limerick Square
70 Buckwalter Road
Royersford
Montgomery County

705 Route 113
Souderton
Montgomery County

Clemen's Market
Spring House Center
563 Village Center
Spring House
Montgomery County

Trappe Shopping Center
130 Main Street
Trappe
Montgomery County

Branches Acquired Via Conversion:

Giant Food Store Cedar Point Plaza 720D West Street Road Warminster Bucks County	7149 Frankford Avenue Philadelphia Philadelphia County
Redner's Market Doylestown Pointe 1661 Easton Rd., Ste. 2 Warrington Bucks County	6537 Castor Avenue Philadelphia Philadelphia County
Clemen's Market Lionville Shopping Center 170 Eagleview Boulevard Exton Chester County	2501 Welsh Road Philadelphia Philadelphia County
New Garden Center 345 Scarlett Road Kennett Square Chester County	9896 Bustleton Avenue Philadelphia Philadelphia County
Giunta's Thriftway Bradford Plaza 700 Downingtown Pike West Chester Chester County	One Penn Square West 30 South 15th Street Philadelphia Philadelphia County
1502 West Chester Pike West Chester Chester County	Port Richmond Village 2497 Aramingo Avenue Philadelphia Philadelphia County
106 West Evergreen Street West Grove Chester County	Boulevard Plaza 11000 Roosevelt Boulevard Philadelphia Philadelphia County
Giant Food Store Providence Village 543 North Oak Avenue Aldan Delaware County	SuperFresh Cottman & Bustleton Center 2151 Cottman Avenue Philadelphia Philadelphia County
3531 West Chester Pike Newtown Square Delaware County	Shop Rite Lansdale Plaza 6301 Oxford Avenue Philadelphia Philadelphia County
Chesterbrook Village Center 500 Chesterbrook Boulevard Wayne Delaware County	6500 Tabor Road Philadelphia Philadelphia County
Giant Food Store The Shoppes at Blue Bell 1760 DeKalb Pike Blue Bell Montgomery County	6985 Torresdale Avenue Philadelphia Philadelphia County
Redner's Market Marketplace at Collegeville 201 Second Avenue Collegeville Montgomery County	8423 Frankford Avenue Philadelphia Philadelphia County

Branches Acquired Via Conversion:

200 West Ridge Pike
Conshohocken
Montgomery County

Academy Shopping Center
3292 Red Lion Road
Philadelphia
Philadelphia County

East Norriton Crossing
5 West Germantown Pike
East Norriton
Montgomery County

7425 Frankford Avenue
Philadelphia
Philadelphia County

139 South Easton Road
Glenside
Montgomery County

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-26-01	First Cornerstone Bank King of Prussia Montgomery County	2 W. Baltimore Pike Media Delaware County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-20-01	Fulton Bank Lancaster Lancaster County	2900 Oregon Pike Lititz Lancaster County	Effective

Voluntary Dissolution

<i>Date</i>	<i>Name of Bank</i>	<i>Action</i>
1-30-01	Philadelphia Depository Trust Company Philadelphia Philadelphia County	Certificate of Election for Voluntary Dissolution filed. Effective as of January 30, 2001.

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
1-30-01	Landmark Community Bank (In Organization) Pittston Luzerne County	Article Ninth has been amended to provide for the addition of three first directors.	Approved and Effective

Savings Institutions

No activity.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
1-30-01	Postmark Credit Union, Harrisburg, and Dauco Federal Credit Union, Harrisburg Surviving Institution— Postmark Credit Union, Harrisburg	Harrisburg	Approved

JAMES B. KAUFFMAN, Jr.,
Acting Secretary

[Pa.B. Doc. No. 01-225. Filed for public inspection February 9, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and the Pennsylvania Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I below, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise below, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at 1-800-654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790, (570)826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream (Watershed)</i>	<i>EPA Waived (Renewal)</i>
PA0053911	East Bangor Municipal Authority P. O. Box 539 East Bangor, PA 18013	Northampton County Washington Township	Brushy Meadow Run	Yes

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4700.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream (Watershed)</i>	<i>EPA Waived (Renewal)</i>
PA0086894	Country View Mobile Home Park 401 Harrisburg St. East Berlin, PA 17316	York County Washington Township	UNT to Red Run Creek	TRC
PA0080080	Conewago Valley Mobile Home Park Inc. 800 York Road Dover, PA 17315	York County Newberry Township	Conewago Creek	TRC
PA0080608	Fellowship of Bible Churches, Inc. 10670 Fort Loudon Road Mercersburg, PA 17236	Franklin County Montgomery Township	Licking Creek	TRC
PA0086932	David W. Smith Yorkana Mobile Home Park 330 Ridge Road York, PA 17402	York County Lower Windsor Township	UNT to Cabin Creek	TRC

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream (Watershed)</i>	<i>EPA Waived (Renewal)</i>
PA0087131	Northern Lancaster County Authority 983 Beam Road Denver, PA 17517-0983	Lancaster County Brecknock Township	Little Muddy Creek	TRC
PA0080900	Berrysburg Borough Berrysburg Borough Hall First & Hickory Streets Berrysburg, PA 17005	Dauphin County Berrysburg Borough	UNT to Wiconisco Creek	TRC
PA0085430	William R. & Veronica Reading Robin Hill Camping Resort 149 Robin Hill Road Lenhartsville, PA 19534	Berks County Greenwick Township	UNT to Maiden Creek	TRC
PA0086045	David J. Rimmel Castle Hill Associates 20 Erford Road, Suite 215 Lemoyne, PA 17043	Adams County Straban Township	UNT to Rock Creek	TRC

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream (Watershed)</i>	<i>EPA Waived (Renewal)</i>
PA0020036	Blossburg Municipal Authority 206 Main Street Blossburg PA 16912	Tioga County Blossburg Borough	Tioga River 4-A	Renewal

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. PA0032468. Sewage. **Department of Conservation and Natural Resources**, Bureau of State Parks, Western Engineering Office, 195 Park Road, P. O. Box 387, Prospect, PA 16052-0387.

This application is for renewal of an NPDES Permit, to discharge treated sewage to Clarion River in Barnett Township, **Forest County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Pennsylvania American Water Company on the Clarion River located at Clarion, approximately 15 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.079 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100ml as a geometric average 100,000/100ml as a geometric average	
Total Residual Chlorine	0.5	1.6
pH	6.0—9.0 at all times	

The EPA Waiver is in effect.

Application No. PA0028941. Sewage. **Evans City Borough**, 220 Wahl Avenue, Evans City, PA 16033.

This application is for a renewal NPDES Permit to discharge treated sewage to the Breakneck Creek in Evans City Borough, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Zelienople Municipal Water Works intake on Connoquenessing Creek located at Zelienople, approximately 6 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31) (11-1 to 4-30)	20 25	30 40	40 50

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	3	6	
(10-1 to 4-30)	9	18	
Fecal Coliform (5-1 to 9-30)	200/100ml as a geometric average		
(10-1 to 4-30)	3,700/100ml as a geometric average		
Total Residual Chlorine	0.32	1.04	
Total Phosphorus (as P) (4-1 to 10-31)	2	4	
Copper (Interim) (Final)	monitor and report		0.068
pH	0.034		
	6.0—9.0 at all times		

1. Final water quality based effluent based limitation for Copper.
2. Requirement to submit a Toxic Reduction Evaluation.
3. Conditions for future permit modification.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

The EPA Waiver is in effect.

Application No. PA0102962, sewage. **Sugar Grove American Legion Home Corporation**, P. O. Box 386, Sugar Grove, PA 16350.

This application is for a renewal of an NPDES Permit, to discharge treated sewage to Unnamed Tributary of Stillwater Creek in Sugar Grove Township, **Warren County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the New York/Pennsylvania border and is used by the State of New York located at approximately 2.1 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.001992 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Ammonia-Nitrogen (5-1 to 10-31)	13.5	27
Fecal Coliform (5-1 to 9-30)	200/100ml as a geometric average	
(10-1 to 4-30)	2,000/100ml as a geometric average	
Total Residual Chlorine	1.4	3.3
Dissolved Oxygen	Minimum of 3 mg/l at all times.	
pH	6.0—9.0 at all times	

The EPA Waiver is in effect.

Application No. PA0047201. Sewage. **Tionesta Borough Municipal Authority**, 104 River Street, P. O. Box 408, Tionesta, PA 16353-0408.

This application is for renewal of an NPDES Permit to discharge treated sewage to the Allegheny River in Tionesta Borough, **Forest County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Municipal Authority on the Allegheny River located at Emlenton, approximately 58 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.25 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Fecal Coliform (5-1 to 9-30)	200/100ml as a geometric average		
(10-1 to 4-30)	100,000/100ml as a geometric average		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.5		1.6
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

Application PA0104167. Industrial Waste, **Erie City Water Authority**, 340 West Bayfront Parkway, Erie, PA 16507-0729.

This application is for renewal of an industrial waste NPDES permit to discharge treated filtration plant filter backwash water, settling basin and clear water storage basin cleaning to Presque Isle Bay from the Chestnut Street Water Treatment Plant in the City of Erie, **Erie County**. This is an existing discharge.

The receiving water is classified for warm water fishery. There is no potable water supply affected by this discharge.

The proposed effluent limits for Outfall 001 based on average design flow of 0.80 mgd are:

<i>Parameter</i>	<i>EFFLUENT CONCENTRATION (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	30	60	60
Iron (Total)	2.0	4.0	5.0
Aluminum (Total)	4.0	8.0	10.0
Manganese	1.0	2.0	2.5
Total Residual Chlorine	0.29		0.46
pH	6.0 to 9.0 standard units at all times		

The EPA waiver is in effect.

Application PA0100889. Industrial Waste, **Erie City Water Authority**, 340 West Bayfront Parkway, Erie, PA 16507-0729.

This application is for renewal of an industrial waste NPDES permit to discharge treated filtration plant filter backwash water, settling basin and clear water storage basin cleaning to Presque Isle Bay from the Sommerheim Water Treatment Plant in Millcreek Township, **Erie County**. This is an existing discharge. The receiving water is classified for warm water fishery. There is no potable water supply affected by this discharge.

The proposed effluent limits for Outfall 001 based on average design flow of 0.80 mgd are:

<i>Parameter</i>	<i>EFFLUENT CONCENTRATION (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	30	60	60
Iron (Total)	2.0	4.0	5.0
Aluminum (Total)	4.0	8.0	10.0
Manganese	1.0	2.0	2.5
Total Residual Chlorine	0.26		0.42
pH	6.0 to 9.0 standard units at all times		

The EPA waiver is in effect.

II. Applications for New Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0058173, Sewage, **Armand Ruocco**, 480 Main Street, Collegeville, PA 19426.

This application is for issuance of an NPDES permit to discharge treated sewage from Ruocco Property STP in Upper Frederick Township, **Montgomery County**. This is a new discharge to Scioto Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The first downstream potable water supply intake from this facility is the Philadelphia Suburban Water Company in Upper Providence Township.

The proposed effluent limits for Outfall 001, based on an average flow of 500gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	20	40

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	Monitor/Report	Monitor/Report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	Within limits of 6.0—9.0 Standard Units at all times	

Other Conditions:

The EPA Waiver is in effect.

No. PA0029343, Sewage, **Chatham Acres Nursing Home**, East London Grove Avenue, Chatham, PA 19318-001.

This application is for renewal of an NPDES permit to discharge treated sewage from sewage treatment plant in London Grove Township, **Chester County**. This is an existing discharge to East Branch of White Clay Creek.

The receiving stream is classified for the following uses: exceptional value waters, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 27,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	20	40
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine (0-2 years)	0.5	1.2
Total Residual Chlorine (3-5 years)	Non-Detect	Non-Detect
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	Minimum of 5.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

No. PA0012891, Industrial Waste, **TTT Realty, Inc.**, 600 East Center Street, P. O. Box 606, Shenandoah, PA 17976-0606.

This application is for renewal of an NPDES permit to discharge treated process wastewater from industrial wastewater treatment plant in Upper Hanover Township, **Montgomery County**. This is an existing discharge to Perkiomen Creek.

The receiving stream is classified for the following uses: trout stocking fishery, high quality trout stocking fishery,

The proposed effluent limits for Outfall 001, based on an average flow of 60,000 gallons per day are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50	63
Suspended Solids	30	60	75
Ammonia (as N)			
(5-1 to 10-31)	5	10	13
(11-1 to 4-30)	15	30	38
Total Phosphorus as P	1	2	2.5
Total Dissolved Solids	1,000	2,000	2,500
Total Residual Chlorine	0.5		1.3
Fecal Coliform	200 No. Col/100 ml as a geometric average		
Copper, Total	0.55	1.1	1.37
Lead, Total	Monitor	Monitor	Monitor
pH	Within limits of 6.0—9.0 Standard Units at all times		

The EPA Waiver is in effect.

No. PA0058289, Sewage, **Pennridge School District**, 1506 North Fifth Street, Perkasie, PA 18944-2295.

This application is for issuance of an NPDES permit to discharge treated sewage from M.M. Seylar Elementary School sewage treatment in Hilltown Township, **Bucks County**. This is a new discharge to unnamed tributary of Pleasant Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation. There is no public water supply intake at least 6 miles downstream of this discharge.

The proposed effluent limits for Outfall 001, based on an average flow of 5,000 GPD are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	10	20
Ammonia (as N)	3.0	6.0
Nitrate and Nitrite (as N)	10.0	20.0
Phosphorus (as P) (4-1 to 10-31)	2.0	4.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

Other Conditions:

The EPA Waiver is in effect.

PA0012572, Industrial Waste, Amendment No. 1, **Jefferson Smurfit Corporation (U.S)**, 5000 Flat Rock Road, Philadelphia, PA 19127.

The following notice reflects changes to the notice published in the September 26, 1998, *Pennsylvania Bulletin*:

The permit is being amended to include coverage for the facility's eight stormwater outfalls. The proposed effluent limits for Outfalls 101, 102, 103, 104, 105, 106, 107 and 108, based on the General Permit (PAG-3) for the discharge of stormwater from industrial activities are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		Monitor/Report
COD		Monitor/Report
Oil and Grease		Monitor/Report
pH		Monitor/Report
Total Suspended Solids		Monitor/Report
Total Kjeldahl Nitrogen		Monitor/Report
Total Phosphorus (as P)		Monitor/Report
Iron, Dissolved		Monitor/Report

The EPA Waiver is in effect.

PA0056014, Industrial Waste, Amendment No. 1, **AMETEK U.S. Gauge Division**, Plant 2, 900 Clymer Avenue, Sellersville, PA 18960.

The following notice reflects changes to the notice published in the June 29, 1998, *Pennsylvania Bulletin*:

The permit is being amended to include coverage for the facility's storm water outfall 002. The proposed effluent limits for outfall 002, based on the General Permit (PAG-3) for the discharge of storm water from industrial activities are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		Monitor/Report
COD		Monitor/Report
Oil and Grease		Monitor/Report
pH		Monitor/Report
Total Suspended Solids		Monitor/Report
Total Kjeldahl Nitrogen		Monitor/Report
Total Phosphorus (as P)		Monitor/Report
Iron, Dissolved		Monitor/Report

The EPA Waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Application No. PA 0008826, SIC Code 3255, Industrial Waste, **A. P. Green Refractories, Inc. (Sproul Plant)**, R. D. 1, Box 588D, Claysburg, PA 16625-9739.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Boiling Spring Run in Watershed 11-A, in Greenfield Township, **Blair County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.020 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15	XXX	30
Temperature	Monitor & Report		
pH	From 6.0 to 9.0 inclusive		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0085073, SIC Code 4952, Sewage, **Wood-Broad Top-Well Joint Municipal Authority**, P. O. Box 7, Wood, PA 16694.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary to Great Trough Creek in Watershed 11-D, in Wood Township, **Huntingdon County**.

The receiving stream is classified for trout stocking, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.084 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	2	XXX	4
(11-1 to 4-30)	6	XXX	12
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,100/100 ml as a geometric average		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0027014, SIC Code 4952, Sewage, **Altoona City Authority (Easterly Wastewater Treatment Facility)**, 20 Greenwood Road, Altoona, PA 16602-7114.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to the Little Juniata River, in Logan Township, **Blair County**.

The receiving stream is classified for trout stocking fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 8.0 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	15	22	30
(11-1 to 4-30)	20	30	40
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	2	-	4
(11-1 to 4-30)	3.5	-	7
Total Copper	0.017	-	0.042
Total Phosphorus		Monitor & Report	
Total Nitrogen		Monitor & Report	
Total Zinc	0.108	-	0.270
Dissolved Oxygen			
(2-15 to 7-31)		Minimum of 6.0 at all times	
(8-1 to 2-14)		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a geometric average 2,000/100 ml as a geometric average

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0027022, SIC Code 4952, Sewage, **Altoona City Authority (Westerly Wastewater Treatment Facility)**, 20 Greenwood Road, Altoona, PA 16602-7114.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Beaverdam Branch, in Allegheny Township, **Blair County**.

The receiving stream is classified for trout stocking, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the United Water Company located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 9.0 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31) (11-1 to 4-30)	20 25	30 40	40 50
Total Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31) (11-1 to 4-30)	2.5 4.0	- -	5.0 8.0
Total Copper	0.027	-	0.068
Total Phosphorus		Monitor & Report	
Total Nitrogen		Monitor & Report	
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a geometric average 2,000/100 ml as a geometric average

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Final Notice is hereby given that the Pennsylvania Department of Environmental Protection, after public notice, has on January 19, 2001 issued a National Pollutant Discharge Elimination System Permit to:

Permit No. PA 0080683
Permittee: **Miller's Skyview Sales, Inc.**

This notice reflects changes from the notice published in the *Pennsylvania Bulletin*.

<i>Parameter</i>	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum</i>
Total Phosphorus	4.0	XXX	8.0

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

Application No. PA 0082911, SIC Code 4952, Sewage, **Wellington Heights Property Owners Association**, Box 58, Bowmansdale, PA 17008-0058.

This application is for renewal of an NPDES permit for a new discharge of treated sewage to the Yellow Breeches Creek in Watershed 7-E, in Monaghan Township, **York County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Fairview Township, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.025 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
NH ₃ -N	Monitor & Report	XXX
Total Residual Chlorine	0.5	1.6
Dissolved Oxygen	Minimum of 5.0 at all times	
pH	From 6.0 to 9.0 inclusive	
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	30,000/100 ml as a geometric average	
(10-1 to 4-30)		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0083054, SIC Code 4952, Sewage, **Ashbridge Oil Company (Townhill Auto/Truck Plaza Sewage Treatment Plant)**, 9848 Old 126, Exit 31, Warfordsburg, PA 17267.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to a dry swale tributary to Wildcat Hollow Run in Watershed 11-C (Dunning Creek), in Brush Creek Township, **Fulton County**.

The receiving stream is classified for High Quality-Cold Water Fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Borough of Saxton located in Bedford County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.015 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Total Residual Chlorine	1.0	2.0
Dissolved Oxygen	Minimum of 5.0 at all times	
pH	From 6.0 to 9.0 inclusive	
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	2,00/100 ml as a geometric average	
(10-1 to 4-30)		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0084212, SIC Code 4952, Sewage, **Leacock Township Sewer Authority**, P. O. Box 558, Intercourse, PA 17534.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Muddy Run, in Leacock Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Holtwood Power Plant located in Martic Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.3 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	3.0	-	6.0
(11-1 to 4-30)	9.0	-	18
Total Phosphorus	2.0	-	4.0
Total Residual Chlorine	0.5	-	1.6
Total Nitrogen	Monitor		
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a geometric average 2,000/100 ml as a geometric average

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0087076, SIC Code 7211, Industrial Waste, **Hershey Entertainment & Resort Company**, 300 Park Boulevard, Hershey, PA 17033.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Spring Creek in Watershed 7-D, in Derry Township, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water of Pennsylvania on the Swatara Creek located in Hummelstown, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0288 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		Monitor	
pH (S.U.)		6.0—9.0	
PCE	0.050	0.100	0.125

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0087181, SIC Code 4952, Sewage, **Ephrata Borough Authority (Plant #2)**, 114 East Main Street, Ephrata, PA 17522.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to the Cocalico Creek, in Ephrata Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Ephrata Area Joint Authority located in Ephrata Borough, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 2.3 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	-	50
Suspended Solids	30	45	-	60
NH ₃ -N				
(5-1 to 10-31)	4	-	-	8
(11-1 to 4-30)	12	-	-	24
Total Phosphorus	2	-	-	4
NO ₂ + NO ₃	-	-	24	30
Total Dissolved Solids	1,200	-	1,800	2,400
Total Residual Chlorine	0.48	-	-	1.6
Total Nitrogen			Monitor	
Dissolved Oxygen			Minimum of 5.0 at all times	
pH			From 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)				200/100 ml as a geometric average 6,100/100 ml as a geometric average

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0088455, SIC Code 0723, Industrial Waste, **Rice Fruit Co., Inc.**, 2760 Carlisle Road, Gardners, PA 17324-0066.

This application is for issuance of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of Opossum Creek in Watershed 7-F (Conewago Creek), in Menallen Township, **Adams County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply, and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Wrightsville Water Supply Co. located on the Susquehanna River in York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.04 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		6.0 to 9.0 at all times	
Dissolved Oxygen		Minimum of 5.0 mg/l at all times	
Total Residual Chlorine	0.2	XXX	0.67
Total Suspended Solids	30	60	75
CBOD ₅	25	50	62
NH ₃ -N			
(5-1 to 10-31)	1.5	3.0	3.7
(11-1 to 4-30)	4.5	9.0	11.2
Oil and Grease	15	XXX	30
Pesticides	XXX	Monitor & Report	XXX

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0010375, SIC Code 3241, Industrial Waste, **Lehigh Portland Cement Company**, 200 Hokes Mill Road, York, PA 17404.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of Codorus Creek in Watershed 7-H, in West Manchester Township, **York County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing down-stream potable water supply intake considered during the evaluation was the Wrightsville Water Supply Company located in York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 002 for a flow of 0.02 MGD (overflow from retention basin) are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH		6.0 to 9.0 S.U. at all times	
Total Suspended Solids	Monitor & Report	Monitor & Report	XXX
Oil and Grease	15	XXX	30

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0012319, SIC Code 5169, Industrial Waste, **Textile Chemical Company, Inc. (Pottsville Pike Facility)**, Pottsville Pike and Huller Lane, Reading, PA 19612.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Schuylkill River in Watershed 3-C, in Ontelaunee Township, **Berks County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough Authority on the Schuylkill River located in Pottstown Borough, Berks County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001-MP 101 for a design flow of 0.005 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		Monitor & Report	
pH (S.U.)		6.0—9.0	
BOD		85% Removed	
TSS	100	200	250
TDS	1,000	2,000	2,500
Color	100	200	250
Total Iron		Monitor & Report	
Dissolved Iron		Monitor & Report	
Total Chromium		Monitor & Report	
Chromium IV		Monitor & Report	
Total Copper	2.1	4.2	5.3

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Osmotic Pressure		Monitor & Report	
Total Residual Chlorine	1.5	3.0	3.8
NH ₃ -N	20	40	40

The proposed effluent limits for Outfall 001-MP 201 for a design flow of 0.084 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		Monitor & Report	
pH (S.U.)		6.0—9.0	
TSS	30	60	75
TDS	1,000	2,000	2,500
1,1-dichloroethylene		Monitor & Report	
Tetrachloroethylene		Monitor & Report	
Methylene Chloride		Monitor & Report	
Benzene		Monitor & Report	
Trichloroethylene	0.028	0.056	0.07
Toluene	2.19	4.38	5.48
Total Manganese		Monitor & Report	
Dissolved Iron		Monitor & Report	
Total Iron		Monitor & Report	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0082911, SIC Code 4952, Sewage, **Wellington Heights Property Owners Association**, Box 58, Bowersdale, PA 17008-0058.

This application is for renewal of an NPDES permit for a new discharge of treated sewage to the Yellow Breeches Creek in Watershed 7-E, in Monaghan Township, **York County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Fairview Township, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.025 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
NH ₃ -N	Monitor & Report	XXX
Total Residual Chlorine	0.5	1.6
Dissolved Oxygen	Minimum of 5.0 at all times	
pH	From 6.0 to 9.0 inclusive	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	30,000/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0084212, SIC Code 4952, Sewage, **Leacock Township Sewer Authority**, P. O. Box 558, Intercourse, PA 17534.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Muddy Run, in Leacock Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Holtwood Power Plant located in Martic Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.3 MGD are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	40	50
Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	3.0	-	6.0
(11-1 to 4-30)	9.0	-	18
Total Phosphorus	2.0	-	4.0
Total Residual Chlorine	0.5	-	1.6
Total Nitrogen		Monitor	
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA 0020567, Sewerage SIC 4952, **Northumberland Sewer Authority**, 100 Water Street, Northumberland, PA 17857. This proposed facility is located in Northumberland Borough, **Northumberland County**.

Description of Proposed Activity: Renewal of an NPDES permit for an existing discharge of treated sewage. The receiving stream, Susquehanna River, is in watershed 5-E Catawissa, and classified for: WWF. The proposed effluent limits for Outfall 001, based on a design flow of 1.125 mgd.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Maximum Daily (mg/l)
C-BOD ₅	25.0	40.0	
Suspended Solids	30.0	45.0	
Total Chlorine	1.0		

In addition to the effluent limits, the permit contains the following major special conditions.

1. Queen Street pumping station bypass monitoring.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0002739, Industrial Waste, SIC 3316, **Allegheny Ludlum Corporation**, 100 River Road, Brackenridge, PA 15014-1597.

This application is for renewal of an NPDES permit to discharge non-contact cooling water, treated process and sewage wastewater and untreated storm water from Houston Plant located in Chartiers Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, Chartiers Run, classified as a WWF fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is West View Municipal Authority, located at 210 Perry Highway, Pittsburgh, PA 15229, approximately 40 miles downstream the discharge point.

Outfall 002: existing discharge, design flow of 0.133 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report		Monitor and Report		
Temperature °F					
(3/1-10/15)					110
(1/1-1/31)					84.9
(2/1-2/29)					89.2
(10/16-10/31)					10.4
(11/1-11/15)					102.9
(11/16-11/30)					86
(12/1-12/31)					75.7

TRC
pH Between 6.0 and 9.0 at all times

NOTICES

Outfall 004: existing discharge, design flow of 0.114 mgd, respectively.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report		Monitor and Report		
Temperature °F			110		
(3/1-10/15)			92.4		
(1/1-1/31)			97.3		
(2/1-2/29)			91.9		
(11/16-11/30)			81.3		
(12/1-12/31)					
TRC	Between 6.0 and 9.0 at all times				
pH	Between 6.0 and 9.0 at all times				

Outfall 005: existing discharge, design flow of 0.028 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report		Monitor and Report		
TSS	387.1	993.5	25		50
Oil & Grease	68.8	301.2	10		30
Total Residual Chlorine			0.5		1.25
Temperature	110°F				
Lead	0.14	0.34	0.1	0.3	0.38
Zinc	0.36	0.91	0.15	0.45	0.56
Iron			1.0	2.0	2.5
Nickel			0.3	0.6	0.75
Hex. Chromium			0.1	0.3	0.38
Cyanide (Total)	0.59	0.14	0.08	0.2	0.25
Free Cyanide			0.07	0.144	0.18
Fluoride	5.8	11.7	25	50	62.5
Ammonia	28.6	65.1	58.6	133.3	167
Titanium			0.23	0.53	0.66
pH	Between 6.0 and 9.0 at all times				

* Included in the permit along with a Special Condition specifically for enforcement purpose only.

Outfall 105: existing discharge, design flow of 0.037 mgd (flows are recycled.)

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report		Monitor and Report		
TSS			30		60
CBOD ₅			25		50
Fecal Coliform	See Part C for effective disinfection				
% Removal (TSS & CBOD ₅)	Refer to Part C				
pH	Between 6.0 and 9.0 at all times				

Outfalls 001, 003, 006, 007, 008, 009, 010 and 011: existing discharge, design flow of N/A mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Discharge consists solely of uncontaminated storm water runoff.					
The EPA waiver is in effect.					

PA0095010, Industrial Waste, SIC, 4941, **Greater Johnstown Water Authority**, 111 Roosevelt Boulevard, Johnstown, PA 15907.

This application is for renewal of an NPDES permit to discharge treated process water and storm water from the Riverside Water Plant in Stonycreek Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Stony Creek, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Saltsburg Water Authority, located at Saltsburg, 52 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.3655 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
TSS			30		60
Aluminum			4		8
Iron			2		4
Manganese			1		2
TRC			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This outfall shall only discharge storm water.					

The EPA waiver is in effect.

PA0205991, Industrial Waste, SIC, 4941, **Moon Township Municipal Authority**, 1000 Beaver Grade Road, Coraopolis, PA 15108.

This application is for renewal of an NPDES permit to discharge treated process and untreated storm water from the Moon Township Water Filtration Plant in Moon Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, the Ohio River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply, and recreation. The first existing/proposed downstream potable water supply (PWS) is the Midland Borough Water Authority, located at 25 miles below the discharge point.

Outfall 101: existing discharge, design flow of 0.065 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Suspended Solids			30		60
Iron			2		4
Aluminum			4		8
Manganese			1		2
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

Outfall 001: existing discharge

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This discharge shall consist solely of those sources previously monitored at IMP 101 and uncontaminated storm water runoff from roof drains and parking lot drains.					

PA0217034, Industrial Waste, SIC, 3312, **Koppers Industries, Inc.**, 436 Seventh Avenue, Pittsburgh, PA 15219.

This application is for renewal of an NPDES permit to discharge treated process water, cooling water and storm water from the Monessen Coke Plant in Monessen, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Monongahela River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Western Pennsylvania Water Company-Aldrich Station, located at Box 302, Elrama, PA 15038, 13.6 miles below the discharge point.

NOTICES

Outfall 001: existing discharge, design flow of 0.353 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Oil and Grease			15		30
Total Residual Chlorine			0.5		1.25
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

Outfall 101: existing discharge, design flow of 0.11 MGD

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended Solids	310	598	140	270	337
Oil and Grease	26	78		10	
Ammonia-Nitrogen	39	135	25	85	106
Cyanide	8.7	15.8	5.5	10	12
Phenols (4AAP)	0.08	0.16	0.05	0.1	0.125
Benzene		0.08		0.05	
Naphthalene		0.08		0.05	0.06
Benzo(a)pyrene		0.08		0.05	0.06
Total Residual Chlorine			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended solids					50
Iron				Monitor & Report	
Manganese				Monitor & Report	
pH	Not less than 6.0 nor greater than 9.0				

Other Conditions:

The EPA waiver is in effect.

PAS236103, Industrial Waste, SIC 2816, **Cerdec Corporation Drakenfeld Colors**, P. O. Box 519, Washington, PA 15301.

This application is for issuance of an NPDES permit to discharge untreated storm water from the Cerdec Drakenfeld Colors Facility in Canton Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, Chartiers Creek (001) and Canton Township Storm Sewer (002), classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is West View Water, located at West View on the Ohio River, over 17 miles below the discharge point.

Outfalls 001 and 002: existing storm water discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Oil and Grease				Monitor and Report	
Antimony				Monitor and Report	
Cadmium				Monitor and Report	
Chromium, Hexavalent				Monitor and Report	
Copper				Monitor and Report	
Lead				Monitor and Report	
Nickel				Monitor and Report	
Selenium				Monitor and Report	
Zinc				Monitor and Report	

	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	<i>Instantaneous</i>
Aluminum					Monitor and Report
Fluoride					Monitor and Report
Iron, Total					Monitor and Report
Total Suspended Solids					Monitor and Report

Other Conditions: Solids disposal, floating solids, storm water conditions, provide analytical results for a complete analysis within 90 days.

The EPA waiver is in effect.

PA0093408, Sewage, **Cumberland Township Supervisors**, 100 Municipal Road, Carmichaels, PA 15320.

This application is for renewal of an NPDES permit to discharge treated sewage from Crucible Water Pollution Control Facility in Cumberland Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Tri County Joint Municipal Authority.

Outfall 001: existing discharge, design flow of 0.0995 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform	200/100 ml as a geometric mean			
(5-1 to 9-30)	100,000/100 ml as a geometric mean			
(10-1 to 9-30)				
Total Residual Chlorine	Monitor and Report			
1st month—36th month	0.7			
37th month—expiration	1.6			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0218707, Sewage, **William and Kathryn Neumont**, 12 Crestwood Drive, Allison Park, PA 15101.

This application is for issuance of an NPDES permit to discharge treated sewage from Neumont Single Residence STP in Richland Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary to Willow Run, which are classified as a trout stock fishery with existing and/or potential uses for aquatic life, water supply, and recreation. The first downstream potable water supply intake from this facility is the: West View Borough Municipal Water Authority.

Outfall 001: new discharge, design flow of 0.0004 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				6.0
(5-1 to 10-3)	3.0			18.0
(11-1 to 4-30)	9.0			
Fecal Coliform	200/100 ml as a geometric mean			
(5-1 to 9-30)	2,000/100 ml as a geometric mean			
(10-1 to 4-30)	Monitor and Report			
Total Residual Chlorine	not less than 3.0 mg/l			
Dissolved Oxygen	not less than 6.0 nor greater than 9.0			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0095443-A1, Industrial Waste, SIC, 1389, **Hart Resource Technologies, Inc.**, P. O. Box 232, Route 110 West, Creekside, PA 15732.

This proposed facility is located in Washington Township, **Indiana County**.

Description of Proposed Activity: This application is for issuance of an NPDES permit to discharge treated industrial wastewater and treated sewage. This is an existing discharge.

The receiving stream, McKee Run is classified for cold water fish and the statewide list. For the purpose of evaluating effluent requirements for TDS, and phenolics, the existing downstream water supply considered during the evaluation is located in Cadogan, PA approximately 42.12 miles downstream of the discharge point.

The proposed discharge limits for Outfall No. 401 are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow		0.045 mgd	31.25 gpm
Total Iron (mg/l)	3.5		7
Oil and Grease (mg/l)	15		30
TSS (mg/l)	30		60
Acidity (mg/l)	monitor only		
Alkalinity (mg/l)	greater than acidity		
pH	6 to 10.5 at all times		
TDS (mg/l)	monitor only		
Chloride (mg/l)	monitor only		
Barium	14.64	29.28	
Lithium	monitor only		
Osmotic Pressure (mosm/kg)	1,017	2,034	

The EPA waiver is in effect

The proposed discharge limits for Outfall No. 501 are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow		0.035 mgd	24.31 gpm
Total Iron (mg/l)	3.5		7
Oil and Grease (mg/l)	15		30
TSS (mg/l)	30		60
Acidity (mg/l)	monitor only		
Alkalinity (mg/l)	greater than acidity		
pH	6 to 10.5 at all times		
TDS (mg/l)	monitor only		
Chloride (mg/l)	monitor only		
Barium	13.78	27.56	
Lithium	monitor only		
Osmotic Pressure	2,702	5,404	

The EPA waiver is in effect.

The proposed limits for Outfall No. 101 (treated sewage) are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.00007		
CBOD ₅ (mg/l)	25		50
TSS (mg/l)	30	60	
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric mean	
Fecal Coliform (10-1 to 4-30)		2,000/100 ml as a geometric mean	
Dissolved Oxygen		not less than 5.0 mg/l	
pH		6 to 9 at all times	
CBOD ₅ and TSS (% reduction)	The 30-day average percent removal shall not be less than 85 percent		

Outfalls 201, 002, and 003 shall consist solely of uncontaminated stormwater runoff.

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335; telephone: (814) 332-6942.

Application No. PA0238431, sewage. **Charles Betts**, 400 Weiler Road, Warren, PA 16365.

This application is for a new NPDES Permit, to discharge treated sewage to Unnamed Tributary to Morse Run in Conewango Township, **Warren County**. This is a new discharge.

The receiving water is classified for the following uses: high quality-cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Municipal Authority on the Allegheny River located at Emlenton, approximately 72 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.0004 mgd are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	10	20
TSS	20	40
Fecal Coliform (5-1 to 9-30)	200/100ml as a geometric average	
(10-1 to 4-30)	2,000/100ml as a geometric average	
Total Residual Chlorine	1.4	3.3
pH	6.0—9.0 at all times	

The EPA Waiver is in effect.

**WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE
WASTEWATER
APPLICATIONS UNDER THE PENNSYLVANIA
CLEAN STREAMS LAW
PART II PERMITS**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted above the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address, and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

**Industrial Waste and Sewerage Applications under
The Clean Streams Law (35 P. S. §§ 691.1—
691.1001)**

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 0901402. Sewerage. **Bucks County Intermediate School**, 705 Shady Retreat Road, Doylestown, PA 18901. Applicant is requesting approval for the construction and operation to upgrade the sewage pump station at the facility located in Doylestown Township, **Bucks County**.

WQM Permit No. 4600436. Sewerage. **Berks-Montgomery Municipal Authority**, PO Box 370, Municipal Drive, Gilbertsville, PA 19525-0370. Applicant is

requesting approval for the construction and operation to upgrade and expand the facility at the West Swamp Creek WWTP located in Douglass Township, **Montgomery County**.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Application Number 2901401. Sewage submitted by **Hustontown Joint Sewer Authority**, 299 North Clear Ridge Road, PO Box 577, Hustontown, PA 17229 in Dublin and Taylor Townships, **Fulton County** to construct a wastewater treatment system to serve the Village of Hustontown was received in the Southcentral Region on January 17, 2001.

Application Number 0693430, transfer 01-1. Sewage, submitted by **Stephen C. Baro**, 28 Creamery Road, Boyertown, PA 19512 in Douglass Township, **Berks County** to transfer ownership from Bryan Moyer was received in the Southcentral Region on January 22, 2001.

Application Number 2282406, amendment 01-1. Sewage submitted by **Berrysburg Municipal Authority**, P. O. Box 183, North Chestnut Street, Berrysburg, PA 17005-0183 in Berrysburg Borough, **Dauphin County** to construct and install a conventional rectangular clarifier to replace the existing underground clarifier was received in the Southcentral Regional Office on January 22, 2001.

Application Number 0101402. Sewage, submitted by **Cumberland Township Authority**, 1370 Fairfield Road, Gettysburg, PA 17325 in Cumberland Township, **Adams County** to expand their South Treatment Plant was received in the Southcentral Region on January 3, 2001.

Application Number 0101401. Sewage, submitted by **Cumberland Township Authority**, 1370 Fairfield Road, Gettysburg, PA 17325 in Cumberland Township, **Adams County** to expand their North Treatment Plant was received in the Southcentral Region on January 3, 2001.

Application Number 3601401. Sewage, submitted by **Borough of Elizabethtown**, 600 South Hanover Street, Elizabethtown, PA 17022 in Elizabethtown Borough and West Donegal Township, **Lancaster County** to replace the Conoy Creek Interceptor was received in the Southcentral Region on January 12, 2001.

Application Number 6700417. Sewage, submitted by **Felton Borough**, 197 Main Street, Felton, PA 17322 in Felton Borough, **York County** to construct sanitary sewers, a pump station and a wastewater treatment plant was received in the Southcentral Region on December 29, 2000.

Application Number 3801401. Sewage, submitted by **PA Department of Military and Veterans Affairs**,

Building SO-47, Rooms 242, Annville, PA 17003-5003 in East Hanover and Union Townships, **Lebanon County** to construct sanitary sewers, a pump station and force mains was received in the Southcentral Region on January 2, 2001.

Application Number 2201401. Sewage, submitted by **Camp Hebron, Inc**, 957 Camp Hebron Road, Halifax, PA 17032-9520 in Halifax Township, **Dauphin County** to construct a central collection and treatment system for wastewater was received in the Southcentral Region on January 8, 2001.

Application Number 0194403 Amendment 01-1. Sewage, submitted by **Blue Ridge Sportsman Association**, 309 Waynesboro Pike, Fairfield, PA 17320 in Liberty Township, **Adams County** to construct and install an aeration system at their existing sewage treatment plant was received on January 8, 2001.

Application Number 0701402. Sewage, submitted by **Logan Township Board of Supervisors**, 80 39th Street, Altoona, PA 16602-1799 in Logan and Allegheny Townships, **Blair County** to replace the lower 3770 feet of the Fairway Development sewer system serving the Blair County Convention Center and Sports Facility was received in the Southcentral Region Office on December 22, 2000.

Application Number 0701401. Sewage, submitted by **Allegheny Township Sewer and Water Authority**, 3131 Old Sixth Avenue, North, Duncansville, PA 16635 in Allegheny Township, **Blair County** to replace the lower 3770 feet of the Fairway Development sewer system serving the Blair County Convention Center and Sports Facility was received in the Southcentral Region Office on December 22, 2000.

Application Number 0501401. Sewage, submitted by the **Municipal Authority of the Borough of Bedford**, 244 West Penn Street, Bedford, PA 15522 in Bedford Borough and Bedford Township, **Bedford County** to replace, relocate and size increase several sanitary sewer interceptors was received in the Southcentral Region Office on January 24, 2001.

Application Number 0601401. Sewage, submitted by **Amity Township**, 2004 Weavertown Road, Douglassville, PA 19518 in Amity Township, **Berks County** to construct a pump station to serve 165 homes plus proposed future flows from the Amity Elementary School Expansion was received in the Southcentral Region Office on January 25, 2001.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4901401, Sewerage, **Lower Mahanoy Township Municipal Authority**, P O Box 235, Dalmatia PA 17017-0235.

This proposed facility is located in Lower Mahanoy Township, **Northumberland County**.

Description of Proposed Action/Activity: Proposed is the construction of approximately 6.75 miles of sanitary sewer collection system, grinder pump station, collection system pump station, 85,000 GPD SBR treatment plant and operations building. This application was received in the Northcentral Regional Office on January 9, 2001.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

Application No. 0300402. Sewerage, **Borough of Apollo**, 405 North Pennsylvania Avenue, Apollo, PA 15613. Application for the construction & operation of a

sanitary sewer system to serve Apollo Borough located in Apollo Borough, **Armstrong County**.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

Application No. 0400412. Sewerage, **Beaver County Corporation for Economic Development**, 250 Insurance Street, Suite 300, Beaver, PA 15009. Application for the construction and operation of a sewer system and pump station to serve Woodlawn Road Utility Corridor located in Aliquippa, **Beaver County**.

Application No. 1100402. Sewerage, **Sankertown Borough Sewer Authority**, P. O. Box 33, Cresson, PA 16630. Application for the construction and operation of a sewer system and pump station to serve the Sankertown Pumping Station located in Sankertown Borough, **Cambria County**.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

Application No. 2600404. Sewerage, **Bullskin Township/Connellsville Township Joint Sewer Authority**, 178 Shenandoah Road, Connellsville, PA 15425. Application for the construction and operation of sewers and appurtenances and pump stations to serve the Route 119 Corridor Project located in Bullskin Township and Connellsville Township, **Fayette County**.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

Application No. 5672401-A2. Sewerage, **Upper Stonycreek Joint Municipal Authority**, P. O. Box 24, Hooversville, PA 15936. Application for the construction and operation of a sewer system extension to serve Upper Stonycreek Joint Municipal Authority STP located in Quemahoning Township, **Somerset County**.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

Application No. 6500411. Sewerage, **Hempfield Township Municipal Authority**, R. D. 6, Woodward Drive, Greensburg, PA 15601. Application for the construction and operation of a pump station and sewer extension to serve Hempfield Township located in Hempfield Township, **Westmoreland County**.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10 D115, Stormwater. **James Neill**, 413 Hill Road, Perkasio, PA 18944 has applied to discharge stormwater associated with a construction activity located in Buckingham Township, **Bucks County** to Aquetong Creek (HQ-CWF).

NPDES Permit PAS10 PAS10 G454, Stormwater. **Rocco D'Antonio**, 116 Martins Run, Media, PA 19063 has applied to discharge stormwater associated with a construction activity located in West Brandywine Township, **Chester County** to West Branch Brandywine Creek (HQ).

NPDES Permit PAS10 G455, Stormwater. **Autumn Hill Homes**, 2 Huntrise Lane, West Chester, PA 19381 has applied to discharge stormwater associated with a construction activity located in New London Township, **Chester County** to East Branch Big Elk Creek (HQ-TSF-MF).

NPDES Permit PAS10 J050, Stormwater. **Roll International Corporation**, The Franklin Mint, Franklin Center, PA 19091 has applied to discharge stormwater associated with a construction activity located in Newtown Township, **Delaware County** to Crum Creek (HQ-CWF).

NPDES Permit PAS10 5312, Stormwater. **Philadelphia Authority for Industrial Development**, 1413 Langley Avenue, quarters A, Philadelphia Naval Business Center, Philadelphia, PA 19112 has applied to discharge stormwater associated with a construction activity located in City of Philadelphia, **Philadelphia County** to Delaware River (MF).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790.

NPDES Permit PAS107420, Stormwater. **Wayne County Conservation District**, Ag Service Center, 470 Sunrise Ave., Honesdale, PA 18431, (570) 253-0930.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS107420	Western Wayne School Dist. Lou Zefran (Super.) Box 500 South Canaan, PA 18459	Wayne County S. Canaan Township	Delaware River HQ-CWF,MF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit PAS10 Y071, Stormwater. **Freedom Armory**, Scott & Janette Morris, 406 N. Main Street, Shrewsbury, PA 17361 has applied to discharge stormwater associated with a construction activity located in Springfield Township, **York County** to South Branch Codorus Creek (HQ).

York County Conservation District: 118 Pleasant Acres Rd York, PA 17402, (717) 840-7430.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10Y071	Freedom Armory Scott & Janette Morris 406 N. Main Street Shrewsbury, PA 17361	Springfield Township York County	S. Branch Codorus Creek HQ

NPDES Permit PAS10 M108, Stormwater. **John Helman**, 1115 Sheller Avenue, Chambersburg, PA 17201 has applied to discharge stormwater associated with a construction activity located in Guilford Township, **Adams County** to Falling Spring Branch (HQ-CWF).

Adams County Conservation District: 670 Old Harrisburg Road, Suite 201, Gettysburg, PA 17325, (717) 334-0636.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10M108	John Helman 1115 Sheller Avenue Chambersburg, PA 17201	Guilford Township Adams County	Falling Spring Branch (HQ-CWF)

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 0901503, Public Water Supply.

Applicant	Central Bucks School District
Township	Plumstead
Responsible Official	Kevin Campbell Operations Department 320 West Swamp Road Doylestown, PA 18901
Type of Facility	Public Water Supply
Consulting Engineer	Boucher & James Inc P. O. Box 904 Doylestown, PA 18901
Application Received Date	January 22, 2001
Description of Action	Corrosion Control Treatment

Permit No. 5101501, Public Water Supply.

Applicant	Philadelphia Water Department
City	Philadelphia
Responsible Official	William Wankoff Manager of Water Treatment 1101 Market Street Philadelphia, PA 19107
Type of Facility	Public Water Supply
Consulting Engineer	Hazen and Sawyer PC 1128 Walnut Street Philadelphia, PA 19107
Application Received Date	January 19, 2001
Description of Action	PH adjustment at Queen Lane WTP

Permit No. 4601501, Public Water Supply.

Applicant	Collegeville Trappe Joint Public Works
Borough	Trappe
Responsible Official	Joseph Hastings Director 220 West First Avenue Trappe, PA 19426
Type of Facility	Public Water Supply
Consulting Engineer	Entech Engineering Inc 4 South Fourth Street Reading, PA 19603
Application Received Date	January 25, 2001
Description of Action	Treatment and pumping facilities at well 6A

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 0801501, Public Water Supply.

Applicant **Consumers Pennsylvania Water Company**
 Borough Athens Borough, **Bradford County**
 Responsible Official Richard Subasic, Executive VP/GM
 204 E. Sunbury Street
 Shamokin, PA 17872-4859
 Type of Facility Public Water Supply
 Consulting Engineer CET Engineering Services
 1240 North Mountain Road
 Harrisburg, PA 17112
 Application Received Date January 9, 2001
 Description of Action Construction of new Well No. 20 with new chlorination and fluoridation facilities.

Permit No. 1801501, Public Water Supply.

Applicant **Borough of Loganton**
 Borough Loganton Borough, Clinton County
 Responsible Official Wayne Kocher
 210 North Mill Street, P. O. Box 27
 Loganton, PA 17747
 Type of Facility Public Water Supply
 Consulting Engineer Kerry A. Uhler, P.E.
 Kerry A. Uhler & Associates
 140 West High Street
 Bellefonte, PA 16823
 Application Received Date January 16, 2001
 Description of Action Connection of newly drilled Well No. 2 and abandonment of all springs now being utilized. A new transmission line from the wells to the storage tank will be constructed. Chlorination facilities will be re-located to Well No. 1 and the existing chlorination facilities will be taken out of service.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 4301501, Public Water Supply.

Applicant **Jamestown Municipal Authority**
 Township or Borough Jamestown
 Responsible Official Albert G. Drake, Chairperson,
 Jackson St.,
 Jamestown, PA 16134
 Type of Facility Potable Water System
 Consulting Engineer Joseph P. Pacchioni,
 Hickory Engineering, Inc.,
 3755 East State Street,
 Hermitage, PA 16148
 Application Received Date 01/22/01
 Description of Action Replacement of the potable water distribution and treatment system; and for the installation of an above ground storagetank.

Permit No. 2501501, Public Water Supply.

Applicant **Millcreek Township Water Authority**
 Township or Borough Millcreek Township
 Responsible Official George Riedesel, Manager,
 3608 West 26th St.,
 Erie, PA 16505
 Type of Facility Community Water Supply
 Consulting Engineer James M. Stahl, P.E., Consoer,
 Townsend Envirodyne Engineers, Inc.,
 155 West 8th St.,
 Erie, PA 16501

Application Received Date 01/22/01
 Description of Action Permit for existing pumping, storage and distribution facilities serving southeast Millcreek.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Application No. 0901502, Minor Amendment.

Applicant **Dublin Borough Authority**
 Borough Dublin
 Responsible Official Thomas Supplee
 Borough Manager
 119 Maple Avenue
 Dublin, PA 18917
 Type of Facility Public Water System
 Consulting Engineer Cowan Associates Inc
 P. O. Box 949
 Quakertown, PA 18951
 Application Received Date January 10, 2001
 Description of Action Construction of 500,000 gal water storage tank

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Application No. 4189514-T1, Minor Amendment.

Applicant **Mountain Laurel Mobile Home Park**
 Township Armstrong Township
 Responsible Official Kennard P. Camp
 P. O. Box 3141
 Williamsport, PA 17701
 Type of Facility Public Water Supply
 Consulting Engineer None
 Application Received Date 11/08/2000
 Description of Action Transfer of Chad-Lee MHP PWS to Mountain Laurel Mobile Home Park.

Application No. 1772502-T3, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361
 Type of Facility Public Water Supply
 Consulting Engineer None
 Application Received Date 12/28/2000
 Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Application No. MA-T3, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361
 Type of Facility Public Water Supply
 Consulting Engineer None
 Application Received Date 12/28/2000
 Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Application No. 1780501-T2, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361

Type of Facility Public Water Supply
 Consulting Engineer None
 Application Received Date 12/28/2000
 Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Application No. 1777501-T2, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361

Type of Facility Public Water Supply
 Consulting Engineer None
 Application Received Date 12/28/2000
 Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Application No. 1785501-T1, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361

Type of Facility Public Water Supply
 Consulting Engineer None
 Application Received Date 12/28/2000
 Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Application No. 1786503-T1, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361

Type of Facility Public Water Supply
 Consulting Engineer None
 Application Received Date 12/28/2000
 Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Application No. 1795501-T1, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361

Type of Facility Public Water Supply

Consulting Engineer None
 Application Received Date 12/28/2000
 Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Application No. 1795507-T1, Minor Amendment.

Applicant **Total Environment Solutions Inc.**
 Township Sandy Township
 Responsible Official Paul Maeder
 P. O. Box 4037
 Houma, LA 70361

Type of Facility Public Water Supply

Consulting Engineer None

Application Received Date 12/28/2000

Description of Action Transfer of existing permits from Riviera Utilities Water Company of PA to Total Environmental Solutions Inc.

Southwest Region: Sanitarian Regional Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745, (412) 442-4000.

Permit No. 6301501, Public Water Supply.

Applicant **Pennsylvania-American Water Company,**
 300 Galley Road,
 P. O. Box 1290,
 McMurray, PA 15317

Township Jefferson Township

Responsible Official William Kelvington, Vice President-
 West Operations

Type of Facility Quaker Knob Water Storage Tank

Consulting Engineer

Application Received Date 01/16/01

Description of Action Construction of a water storage tank

Permit No. 0201501, Public Water Supply.

Applicant **Oakmont Borough Municipal Authority,**
 P. O. Box 73,
 721 Allegheny Avenue,
 Oakmont, PA 15139

Township Penn Hills

Responsible Official Chester Johnston, Chairperson,
 Board of Directors

Type of Facility Hunter Road Standpipe

Consulting Engineer NIRA Consulting Engineers

Application Received Date 01/24/01

Description of Action Cleaning and painting of the standpipe

**LAND RECYCLING AND
 ENVIRONMENTAL REMEDIATION
 UNDER ACT 2, 1995**

PREAMBLE 1

**Acknowledgment of Notices of Intent to Remediate
 Submitted Under the Land Recycling and Environmental
 Remediation Standards Act (35 P. S.
 §§ 6026.101—6026.908)**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An

acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will

be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified below, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period the municipality may request that the person identified below, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6000.

Metroplex Shopping Center, Plymouth Township, **Montgomery County**. Charles J. Cheloti, Pennoni Associates, Inc., One Drexel Plaza, 3001 Market Street, Philadelphia, PA 19104, on behalf of Metroplex West Associates, LP, 350 Sentry Parkway, Blue Bell, PA 19422, has submitted a revised Notice of Intent to Remediate site soil contaminated with PCB's, lead, heavy metals, BTEX, petroleum hydrocarbons, polycyclic aromatic hydrocarbons, solvents, pesticides, asbestos and arsenic and site groundwater contaminated with lead, BTEX, solvents and asbestos. The applicant proposes to remediate the site to meet Statewide Health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the Times Herald on January 5, 2001.

Northeast Region: Environmental Cleanup Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790.

St. Paul's Evangelical Lutheran Church, Kingston Township, **Luzerne County**. Eric B. Rosina, Project Manager, Storb Environmental, Inc., 410 N. Easton Road, Willow Grove, PA 19090 has submitted an NIR (on behalf of his client, St. Paul's Evangelical Lutheran Church, 196 N. Main Street, Shavertown, PA 18708) concerning the remediation of site soils found or suspected to have been contaminated with no. 2 heating oil constituents. The applicant proposes to remediate the site to meet the Statewide health standard. A Summary of Notice of

Intent to Remediate was published in *The Times Leader* on December 22, 2000. A Final Report was simultaneously submitted.

Phoebe Floral, Whitehall Township, **Lehigh County**. Samuel S. Harrison, Hydrogeologist, Harrison Hydrosciences, 435 Main Street, P. O. Box 908, Saegertown, PA 16433 has submitted an NIR (on behalf of his client, Phoebe Floral, Inc. 2102 Hamilton Street, Allentown, PA 18104) concerning the remediation of site soils and groundwater found or suspected to have been contaminated with no. 2 heating oil constituents. The applicant proposes to remediate the site to meet the Statewide health standard. A Summary of Notice of Intent to Remediate was published in *The Morning Call* on January 7, 2001. A Final Report was simultaneously submitted.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Farmers Valley Wax Plant—Areas South of Cole Creek, Keating Township, **McKean County**. Dayne M. Crowley, P.G., 700 North Bell Ave, Suite 200, Carnegie, PA 15106 on behalf of Farmers Valley Wax Plant has submitted a Notice of Intent to Remediate soil and groundwater contaminated with lead, heavy metals, BTEX, PHCs, PAHs and Solvents. The applicant proposes to remediate the site to meet the Statewide Health and Site Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bradford Era* on January 29, 2001.

Farmers Valley Wax Plant—Former Flyash Areas, Keating Township, **McKean County**. Dayne M. Crowley, P.G., 700 North Bell Ave, Suite 200, Carnegie, PA 15106 on behalf of Farmers Valley Wax Plant has submitted a Notice of Intent to Remediate soil and groundwater contaminated with Lead, heavy metals, BTEX, PHCs, PAHs and Solvents. The applicant proposes to remediate the site to meet the Statewide Health and Site Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bradford Era* on January 29, 2001.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NONMAJOR SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing

the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice, and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified below. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521 and § 127.424, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V Operating Permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management using the appropriate Regional Office telephone number noted below. For additional information, contact the appropriate Regional Office noted below.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the Regional Office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person(s) submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified below. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

09-00015: Rohm and Haas Co. (100 PA Route 413, Bristol, PA 19007) in Bristol Township, **Bucks County**. The facility's major emission points include two boilers, two generators and various acrylate polymerization processes to produce emulsions, plastics, resins and coatings which emit major levels of volatile organic compounds (VOCs) and nitrogen oxides (NOx).

Philadelphia Department of Public Health: Air Management Services, 321 University Ave., Philadelphia, PA 19104.

95-008: Exelon Business Services Co. (2610 Columbus Boulevard, Philadelphia, PA 19148) administrative amended on January 4, 2001, to identify a change in the facility name, owner, facility contact, permit contact, and responsible official and to correct the renewal application fee specified under the general conditions for permit renewal in their Synthetic Minor Operating Permit originally issued November 8, 2000, in the City of Philadelphia, **Philadelphia County**.

95-007: Exelon Generation Co.—Southwark Generating Station (2501 South Delaware Avenue, Philadelphia, PA 19148) administratively amended on January 25, 2001, to identify a change in the facility name and owner in their Title V Operating Permit originally issued August 15, 2000, in the City of Philadelphia, **Philadelphia County**.

Applications Received and Intent to Issue Operating Permits Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790.

45-00018: Locust Ridge Quarry (P. O. Box 196, Skip-pack, PA 19474) for a batch asphalt plant and associated air pollution control device in Tobyhanna Township, **Monroe County**.

39-318-103: Dispensing Containers Corp. (62 Anthony Road, Glen Gardner, NJ 08826) for operation of an aerosol can internal coating operation and associated air cleaning device on 7130 Ambassador Drive in Upper Macungie Township, **Lehigh County**.

35-318-069A: Gentex Corp. (P. O. Box 315, Carbondale, PA 18407) for operation of the Zimmer Line (surface coating) in Archbald Borough, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

21-05010: Reliant Energy Mid-Atlantic Power Holdings, LLC (1001 Broad Street, Johnston, PA 19907) for a Synthetic Minor Operating Permit for operation of two simple cycle electrical generation turbines in South Middleton Township, **Cumberland County**.

22-05045: The Harrisburg Authority (One Keystone Plaza, Suite 104, Front and Market Streets, Harrisburg, PA 17101) for a Synthetic Minor Operating Permit for its advanced wastewater treatment facility in Swatara Township, **Dauphin County**.

36-05115: MGS, Inc. (178 Muddy Creek Church Road, Denver, PA 17517) for a Synthetic Minor Operating Permit for its surface coating and curing operations in East Cocalico Township, **Lancaster County**.

PLAN APPROVALS

Applications Received and Intent to Issue Plan Approvals Under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790.

39-318-107: Hale Trailer Brake and Wheel, Inc. (5361 Oakview Drive, P. O. Box 3305, Allentown, PA 18106) for construction of an automotive paint spray booth and associated air cleaning device in Upper Macungie Township, **Lehigh County**.

48-318-131: Victaulic Co. of America (1326 Tatamy Road, Easton, PA 18042) for two coating spray booths and associated air cleaning devices in Palmer Township, **Northampton County**.

48-328-005A: Reliant Energy Portland LLC—Portland Station (1001 Broad Street, Johnstown, PA 115907-1050) for a Prevention of Significant Deterioration (PSD) project for construction of two combined cycle turbines and associated air cleaning devices in Upper Mt. Bethel Township, **Northampton County**.

40-305-021: Northampton Fuel Supply Co., Inc. (1 Horwith Drive, Northampton, PA 18067) for construction of an anthracite culm processing plant and associated air cleaning device in Hanover Township, **Luzerne County**.

54-313-082: Air Products and Chemicals, Inc. (7201 Hamilton Boulevard, Allentown, PA 18195) for construction of a nitrogen tri-fluoride plant in Rush Township, **Schuylkill County**.

39-312-045: Buckeye Terminals LLC (Buckeye Pipeline Co., 5198 Buckeye Road, Emmaus, PA 18049) for reactivation of Storage Tank #401 with internal floating roof in Lower Macungie Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

21-03051: Valley Quarries, Inc. (P. O. Box J, Chambersburg, PA 17201) for installation of two crushers and associated conveyors at the Mount Cydonia Plant III sand and gravel plant in Southampton Township, **Cumberland County**. Sources at the plant are subject to 40 CFR 60, Subpart OOO—Standards of Performance for Non-Metallic Mineral Processing Plants.

21-05064A: Atlas Roofing Corp. (802 Highway 19 North, Suite 190, Meridian, MS 39307) for modification of the insulated foam board manufacturing operation by converting to a different blowing agent (i.e., pentane) in Camp Hill Borough (817 Spangler Road), **Cumberland County**. The volatile organic compound (VOC) emissions from the proposed operation will be limited to less than 50 tons per year.

22-05007: The Harrisburg Authority (1670 South 19th Street, Harrisburg, PA 17104) for modification of the

Harrisburg Materials, Energy, Recycling and Recovery Facility to limit each of the two combustors to less than 250 tons per day of municipal waste in the City of Harrisburg, **Dauphin County**.

36-05115: MGS, Inc. (178 Muddy Creek Church Road, Denver, PA 17517) for construction of an in-line surface coating and curing system in East Cocalico Township, **Lancaster County**.

67-03100: Iris Energy LLC (100 Nyala Farm, Westport, CT 06880) for construction of a facility to manufacture synthetic fuel at Brunner Island Power Plant in East Manchester Township, **York County**. The facility is subject to 40 CFR Part 60, Subpart Kb, Standards of Performance for Volatile Organic Liquid Storage Vessels.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

19-303-004C: HRI, Inc. (P. O. Box 155, State College, PA 16804-0155) for modification of a batch asphalt plant and associated air cleaning device (a fabric collector) to burn reprocessed oil as fuel in place of Virgin # 2 Fuel Oil in Hemlock Township, **Columbia County**. This plant is subject to Subpart I of the Federal Standards of Performance for New Stationary Sources.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

04-00439B: Arrow Terminals L.P. (2701 Midland-Beaver Road, Industry, PA 15052) for operation of a Screening Plant at Industry Terminal Lot # 1 in Industry Borough, **Beaver County**.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's

newspaper advertisement, as provided by 25 Pa. Code §§ 77.121–123 and 86.31–34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52, and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity, and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54841303R3. Tito Coal, (118 Fairview Lane, Williamstown, PA 17098), renewal of an existing anthracite underground mine operation in Porter Township, **Schuylkill County** affecting 5.7 acres, receiving stream—East Branch Rausch Creek. Application received January 22, 2001.

54851305R3. D & F Deep Mine Coal Co., (R. R. 1 Box 33A, Klingerstown, PA 17941), renewal and correction of an anthracite deep mine operation in Cass Township, **Schuylkill County** affecting 1.1 acres, receiving stream—West Branch Schuylkill River. Application received January 25, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

63990103. David Breeden Enterprises, Inc. (P. O. Box 89, 151 West Fourth Avenue, Tarentum, PA 15084-0089). Application received to transfer permit from Twilight Industries, A Division of U. S. Natural Resources, Inc., for a bituminous surface mine located in Somerset Township, **Washington County**, affecting 287.1 acres. Receiving streams: unnamed tributaries to Center Branch of Pigeon Creek, Center Branch of Pigeon Creek, Pigeon Creek, Monongahela River. Application received January 16, 2001.

65010101. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717). Application received for commencement, operation, and reclamation of a bituminous surface

mine located in Derry Township, **Westmoreland County**, affecting 197 acres. Receiving streams: unnamed tributary of Miller Run to Miller Run and unnamed tributary to Saxman Run to Loyalhanna Creek to Conemaugh River. Application received January 22, 2001.

02000902. Gary Gioia Coal Company (319 Karen Drive, Elizabeth, PA 15037). Application received for commencement, operation, and reclamation of an incidental coal extraction surface mining site located in Forward Township, **Allegheny County**, affecting 3.9 acres. Receiving streams: unnamed tributaries to Monongahela River, unnamed tributary to Fallen Timber Run to Monongahela River. Application received January 5, 2001.

26010101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Application received for commencement, operation, and reclamation of a bituminous surface mine located in Saltlick and Bullskin Townships, **Fayette County**, proposed to affect 75 acres. Receiving streams: unnamed tributaries to Newmyer Run to Poplar Run to Indian Creek & unnamed tributaries to Little Champion Creek to Champion Creek to Indian Creek & unnamed tributaries to Mounts Creek all to Youghiogheny River. Application received January 19, 2001.

02010101. Olszewski Contracting Co., Inc. (177 Route 30 West, Imperial, PA 15127). Application received for commencement, operation, and reclamation of a bituminous surface mine located in Findley Township, **Allegheny County**, proposed to affect 63 acres. Receiving streams: unnamed tributary to N. Fork Montour Run to Montour Run to Ohio River. Application received January 22, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

32010101. Opal Industries, Inc. (P. O. Box 980, Latrobe, PA 15650), commencement, operation and restoration of bituminous surface mine in Conemaugh Township, **Indiana County**, affecting 77.0 acres, receiving stream unnamed tributary to Kiskiminetas River and unnamed tributary to Blacklegs Creek. Application received January 18, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

32841602. Mears Enterprises, Inc., (P. O. Box 157, Clymer, PA 15728), to renew the permit for the Clymer Tipple in Cherryhill Township, **Indiana County** to renew the existing permit for the Clymer Tipple, no additional discharges. Application received December 7, 2000.

30841317. Consol PA Coal Co., (P. O. Box 355, Group 1, Eighty Four, PA 15330), to revise the permit for the Enlow Fork Mine in East and West Finley Townships, **Washington County** to install air shaft F-7, add 29.15 surface acres, tributary to Templeton Fork. Application received December 11, 2000.

03901302. TJS Mining, Inc., (R. D. #1, Box 260D, Shelocta, PA 15774), to renew the permit for the TJS No. 1 Deep Mine in South Bend Township, **Armstrong County** to renew the existing deep mine permit, no additional discharges. Application received December 11, 2000.

30841307. RAG Emerald Resources, L.P., (P. O. Box 1020, 158 Portal Road, Waynesburg, PA 15370), to revise the permit for the Emerald Mine No. in Franklin Township, **Greene County** to add 3,817 acres underground and 3,967 acres to Subsidence Control Plan, no additional discharges. Application received December 22, 2000.

03871302. DLR Mining, Inc., (3065 Airport Rd., Indiana, PA 15701), to revise the permit for the Triple K # 1 Mine in Burrell Township, **Armstrong County** to add 115 acres to the underground permit area and the subsidence boundary, no additional discharges. Application received December 28, 2000.

11743703. RNS Services, Inc., (7 Riverside Plaza, P. O. Box 38, Blossburg, PA 16912), to renew the permit for the Lancashire No. 25 in West Carroll and Barr Townships, **Cambria County** to renew permit, no additional discharges. Application received December 26, 2000.

30841307. RAG Emerald Resources, L.P., (P. O. Box 1020, 158 Portal Road, Waynesburg, PA 15370), to renew the permit for the Emerald Mine No. 1 in Franklin Township, **Greene County** to renew permit, no additional discharges. Application received January 9, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

24010101. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824). Commencement, operation, and restoration of a bituminous surface strip and auger operation in Horton Township, **Elk County** affecting 264.3 acres. Receiving streams: Unnamed tributaries of Mead Run to Mead Run. Application received January 17, 2001.

3930101. P. and N. Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip and auger operation in Gaskill and Henderson Townships, **Jefferson County** affecting 151.1 acres. Receiving streams: Unnamed tributaries to East Branch Mahoning Creek. Application received January 22, 2001.

33850106. P. and N. Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip and auger operation in Gaskill Township, **Jefferson County** affecting 369.0 acres. Receiving streams: Unnamed tributaries to Clover Run. Application received January 22, 2001.

24890108. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824). Renewal of an existing bituminous, auger, and use of co-product operation in Horton Township, **Elk County** affecting 695.0 acres. Receiving streams: Three unnamed tributaries of Mead Run and Mead Run. Application for reclamation only. Application received January 25, 2001.

33940105. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip operation in Pinecreek Township, **Jefferson County** affecting 118.1 acres. Receiving streams: Two unnamed tributaries to Five Mile Run. Application received January 26, 2001.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

4873SM10A2C5. Codorus Stone & Supply Co., Inc., (135 Mundis Race Road, York, PA 17402), renewal and correction of NPDES Permit #PA0595284 in Manchester Township, **York County**, receiving stream—Codorus Creek. Application received January 18, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

37950304. Glacial Sand & Gravel Company (P. O. Box 1022, Kittanning, PA 16201). Renewal of an existing sand, gravel, and topsoil operation in Plain Grove, Scott,

and Worth Townships, **Lawrence and Butler Counties** affecting 199.3 acres. Receiving streams: Slippery Rock Creek. Renewal of NPDES Permit No.PA0227145. Application received January 24, 2001.

Noncoal Applications Returned

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

25000301. Erie Aggregates, Inc. (P. O. Box 10801, Erie, PA 16514-0801) Commencement, operation and restoration of a sand and gravel operation in Washington Township, **Erie County** affecting 55.3 acres. Receiving streams: Unnamed tributary to Conneauttee Creek. Application received: February 29, 2000. Permit Returned January 24, 2001.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received Under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS & ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E23-409. Paper Mill Holding Company, Ltd. 110 Gallagher Road, Wayne, PA 19087. Newtown Township, **Delaware County**, ACOE Philadelphia District.

To maintain fill which was placed in approximately 800 linear feet of an unnamed tributary to Hunters Run (CWF) and 0.06 acre of adjacent wetlands (PEM) by the previous land owner. The application also includes a proposal to remove fill and restore 0.21 acre of wetland (PEM) and mitigate 0.07 acre of wetland (PEM). The site is located along the western side of Newtown Road (SR 0252) approximately 500 feet north of the intersection of Gradyville Road (SR 1048) and Newtown Road (Media, PA Quadrangle N: 18.05 inches; W: 3.3 inches).

E46-633. Washington Street Associates II, L.P., 700 South Henderson Road, King of Prussia, PA 19406. Conshohocken Borough, **Montgomery County**, Philadelphia ACOE.

To amend permit E46-633 to include the following construction activities associated with the proposed Millennium Institute for Corporate Excellence Project, a mixed use residential/commercial development and waterfront open space development along approximately 1,400 linear feet of the Schuylkill River (WWF-MF) and within the 100 year floodway.

1. To remove a 14,000 square foot wooden deck associated with the an existing floating restaurant barge, and to construct and maintain 274 linear feet of 36-inch RCP enclosure, appurtenant fill and endwall in and along a remnant section of the abandoned Schuylkill Canal.

2. To construct and maintain a public open space area which will include a 1,360 linear-foot extension of the Conshohocken River Walk Public Trail System, an ice skating rink, public promenade area, 90 linear feet of concrete stairway access to the river, benches, landscape maze, formal garden with fountain, and a basketball court.

3. To construct and maintain approximately 1,360 linear feet of soldier pile bulkhead wall along the bank of the Schuylkill River.

4. To install and maintain two 36-inch CMP storm water outfall structures, which will extend through the proposed soldier pile bulkhead wall.

5. To perform grading within the 100-year floodway associated with the construction of parking areas.

6. To construct and maintain a 25-foot wide boat ramp along the Schuylkill River at the terminus of Cherry Street.

This project is located approximately 1900 feet downstream of the Fayette Street Bridge, and is bounded by Ash Street, Washington Street, and Cherry Street (Norristown, PA Quadrangle N: 13.0 inches; W: 7.25 inches).

E46-884. Springford Country Club, Country Club Road, Royersford, PA 19468. Limerick Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following activities associated with the restoration of the Spring Ford Country Club Reservoir:

1. To construct and maintain a forebay area where the creek enters the reservoir by installing an approximately 6-foot high gabion wall.

2. To install and maintain an approximately 3-foot high gabion wall associated with stabilization of the existing eroded banks along portion of the west shoreline.

This work also includes the removal of the accumulated sediment from the reservoir located within unnamed

tributary to Mingo Creek (WWF) in order to maintain the original impoundment capacity of the reservoir. The applicant also proposes to remove the former footbridge foundation pilings from the middle of the reservoir. The site is located approximately 1,500 feet northeast of the intersection of Royersford Road and Reifsnnyder Road (Phoenixville, PA USGS Quadrangle N: 13.8 inches; W: 4.4 inches).

E51-187. City Of Philadelphia, The ARAMARK Tower, 1101 Market Street, Philadelphia, PA 19107-2994. City of Philadelphia, **Philadelphia County**, Philadelphia ACOE.

To modify and maintain an existing Dobson's Run stormwater conduit by constructing a storm water outfall structure along the Schuylkill River (WWF-MF) near Laurel Hill Cemetery and CSX Railroad Bridge in the city's East Fall Section, (Germantown-PA USGS Quadrangle, N: 4.25-inches; W: 3.75-inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4700.

E06-548. Sunday Farms, 102 Main Street, Stockertown, PA 18083 in Maxatawny Township, **Berks County**, ACOE Baltimore District, (Kutztown, PA Quadrangle N: 0.06 inch; W: 10.8 inches and N: 0.5 inch; W: 10.9 inches).

To construct and maintain two stream crossings, each crossing is composed of four 30-inch diameter smooth lined corrugated polyethylene pipe (SLCPP) at the channel of an unnamed tributary to Mill Creek (TSF) to access two residential lots at Sunday Farms located at the south side of Long Lane about 300 feet west of the Long Lane and Mill Creek Road intersection.

E36-702. Mark Burkhead, PennDOT 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Clay and West Cocalico Townships, **Lancaster County**, ACOE Baltimore District, (Womelsdorf, PA Quadrangle N: 6.5 inches; W: 7.0 inches).

To (1) replace and to construct and maintain nine corrugated metal pipes along SR 0897, (2) place wingwall rock protection and inlet/outlet maintenance to existing structure curb, headwalls and wingwalls across unnamed tributaries to Cocalico Creek located at the intersection of SR 0897 and SR 272 north to the county line on SR 0897 at various points.

E67-695. Mark Burkhead, PennDOT 8-0, 2140 Herr Street, Harrisburg, PA 17103 in West Manchester and Dover Townships, **York County**, ACOE Baltimore District, (West York, PA Quadrangle N: 12.4 inches; W: 11.0 inches; and N: 12.8 inches; W: 10.9 inches respectively).

To (1) remove an existing culvert and to construct and maintain a 54-foot long reinforced concrete box culvert having a span of 7.0 feet and a rise of 5.0 feet in Honey Creek (TSF) on Emigs Mill Road (SR 4003); (2) extend an existing single span bridge having a clear span of 22.25 feet and an underclearance of about 9.0 feet over Honey Creek by 11.0 feet at its inlet on the south side of East Berlin Road (SR 0234); (3) place R-5 riprap revetment at the bridge's inlet abutment walls; and, (4) construct a temporary stream diversion and sandbag cofferdam to facilitate the construction of the culvert and bridge for the purpose of handling the increased traffic from the West Manchester Corporate Center located near the intersection of SR 4003 and SR 0234.

E44-105. Derry Township Sanitary Sewer Authority, P. O. Box N, Yeagertown, PA 17099 in Derry Town-

ship, **Mifflin County**, ACOE Baltimore District, (Lewistown, PA Quadrangle N: 20.93 inches; W: 10.33 inches).

To construct and maintain a 15-inch diameter PVC sanitary sewer pipe across and unnamed tributary to Kishacoquillas Creek (160 foot) and 0.10 acre of associated wetlands in conjunction with the construction of the Lewistown Bypass SR 0322 located about 100 feet south of Station 225+10, SR 0322 E.B.

E34-099. Earl Lear, R. R. 1 Box 38, East Waterford, PA 17021 in Lack Township, **Juniata County**, ACOE Baltimore District, (Blairs Mills, PA Quadrangle N: 19.5 inches; W: 4.25 inches).

To construct and maintain a bridge having a span of 50 feet and an underclearance of 6 feet across the channel of Lick Run (CWF) at a point approximately 2,500 feet upstream of SR 3020 for the purpose of providing access to an existing home.

E07-341. P. Joseph Lehman, Holliday Hills, 316 Newry Street, Hollidaysburg, PA 16648 in Hollidaysburg Borough, **Blair County**, ACOE Baltimore District, (Hollidaysburg, PA Quadrangle N: 8.8 inches; W: 5.3 inches).

To place fill in 0.04 acre of wetlands adjacent to a tributary to the Beaverdam Branch of the Juniata River at a point approximately 5,200 feet upstream of Route 36 for the purpose of constructing a residential subdivision.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E08-367. Steven Morris, Endless Mountains Energy, LLC, 111 Market Place, Suite 200, Baltimore, Maryland 21202-7110, Endless Mountain Energy Project, in Wysox Township, **Bradford County**, ACOE Baltimore District (Towanda, PA Quadrangle N: 2.0 inches; W: 6.94 inches).

To construct and maintain a river water intake structure consisting of two 84 inch long by 30 inch diameter wedge-wire stainless steel intake screens which will be mounted on a manifold which projects up from the riverbed and to construct and maintain approximately 170 lineal feet of 24 inch diameter pipeline which will extend from the intake structure to a pump station located on the eastern bank of the Susquehanna River and to construct and maintain a submerged single-port 8 inch diameter Tideflex effluent diffuser located approximately 160 feet offshore of the east bank of the Susquehanna River.

The centroid of the project is located approximately 2,000 feet south-southeast of the intersection of Route 6 with Leisure Road (Towanda, PA Quadrangle N: 1.4 inches; W: 7.62 inches) in Wysox Township, Bradford County). The project will not impact wetlands while impacting approximately 320 feet of waterway. The Susquehanna River is a warm water fisheries stream.

E14-385. Craig W. and Kathleen Kissell, 311 Route 322, Nittany Meadow Lane, Boalsburg, PA 166827. Kissell Subdivision, Phase II, in Harris Township, **Centre County**, ACOE Baltimore District (State College, PA Quadrangle N: 5.6 inches; W: 0.5 inch).

To construct and maintain 13-foot by 3-foot low profile aluminum box culvert in Spring Creek with the associated 1.23 feet of rock fill over the culvert located 2,500 feet east-northeast of the Elks Club Road and SR 322 intersection. The project proposes to permanently impact 150 feet of Spring Creek, which is classified as a High Quality—Cold Water Fishery.

E14-386. Jay A. Maneval, Pennsylvania Department of Environmental Protection, Northcentral Regional Office, 208 West Third Street, Williamsport, PA 17701-6448. Brian Futhy Agricultural Crossings, in Haines Township, **Centre County**, ACOE Baltimore District (Millheim, PA Quadrangle N: 2.7 inches; W: 2.6 inches).

To construct and maintain three agricultural stream crossings across an unnamed tributary to Pine Creek 1.1 miles south of the Village of Fiedler on Quarry Road. The project will not impact on wetlands while impacting approximately 50 feet of waterway. The unnamed tributary to Pine Creek is an Exception Value Stream.

E41-476. Carole Curry, 3406 Holyoke Road, Philadelphia, PA 19114. Carole Curry Culvert, in Plunketts Creek Township, **Lycoming County**, ACOE Baltimore District (Barbours, PA Quadrangle N: 11.26 inches; W: 2.84 inches).

To maintain three existing metal plate pipe driveway culverts, two at 96 inches nominal diameter and one at 48 inches nominal diameter in Plunketts Creek off Mock Run Road approximately 400 feet from the intersection of Mock Run Road with SR 1005 in Plunketts Creek Township, Lycoming County. This project does not impact wetlands while impacting approximately 30 feet of waterway. Plunketts Creek is a High Quality—Cold Water fisheries stream.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-394. Pennsylvania Department of Transportation, Engineering District 10-0, P. O. Box 429, Indiana, PA 15701-0429. Pennsylvania Department of Transportation Bridge on SR2051, Section 150, in Kiskiminitas Township, **Armstrong County**, ACOE Pittsburgh District, (Avonmore, PA Quadrangle N: 7.1 inches; W: 16.2 inches).

To remove the existing structure and to construct and maintain a precast concrete box culvert having a clear normal span of 12.0 feet and an underclearance of 7.0 feet in Flat Run (WWF). The invert of the culvert will be depressed 1.0 feet. The project is located on SR 2051 approximately 100 feet northwest of its intersection with SR 2047.

E56-302. Stonycreek Township, 120 Municipal Road, Friedens, PA 15541-6414. Stonycreek Township T-542 Over Boone Run, in Stonycreek Township, **Somerset County**, ACOE Pittsburgh District, (Central City, PA Quadrangle N: 1.7 inches; W: 14.9 inches).

To remove the existing structure and to construct and maintain a reinforced concrete box culvert having a normal clear span of 20.0 feet and an underclearance of 12.0 feet in Boone Run (CWF). The invert of the culvert will be depressed 5.0 feet below the streambed. The project is located on Lake Shortcut Road (Township Road T-542) near its intersection with S. R. 0160.

E02-1333. Allegheny County Department of Public Works, Room 501, County Office Building, Pittsburgh, PA 15219-5386. South Park Channel Relocation Project in South Park Township, **Allegheny County**, ACOE Pittsburgh District (Bridgeville, PA Quadrangle N: 14.0 inches, W: 2.8 inches).

To relocate and maintain approximately 1,700 feet of the channel of Catfish Run, to construct and maintain a corrugated metal arch culvert having a span of 10.0 feet with an underclearance of 4.4 feet approximately 280 feet in length and to construct and maintain a 100 foot long extension to the existing 60 inch diameter culvert. The

extension will consist of a 78 inch diameter culvert. The purpose of this project is to protect Corrigan Drive from stream bank erosion and to conduct improvements along Corrigan Drive and the entrance to South Park located just south of the intersection of Corrigan Drive and Library Road.

E02-993. Town of McCandless, 9955 Grubbs Road, Wexford, PA 15090. Early Drive Wetland Fill in McCandless Township, **Allegheny County**, ACOE Pittsburgh District (Emsworth, PA Quadrangle N: 17.0 inches; W: 3.5 inches).

To reissue, amend and extend the time on Permit No. E02-933 to place and maintain fill in approximately 0.11 acre of additional wetlands (PEM/PSS), to restore and maintain approximately 0.24 acre of wetlands (PSS) to construct and maintain a 24 inch diameter outfall structure along the banks of Pine Creek (CWF), to construct and maintain 0.35 acre of replacement wetlands (PSS) and to place and maintain fill in the floodplain of said stream for the purpose of constructing an access road (Early Drive) located on the north side of Blazier Drive, just north from the intersection of Blazier Drive and Ingomar Road. The restored and replaced wetlands will compensate for unauthorized wetland fill placed by previous owner.

E02-1334. Nebo Group, L.P., 241 Emmette Road, Wexford, PA 15090. Northridge Plan of Lots Development in Ohio Township, **Allegheny County**, ACOE Pittsburgh District (Emsworth, PA Quadrangle N: 8.74 inches; W: 13.41 inches).

To place and maintain fill in approximately 0.12 acre of wetlands (PEM) adjacent to an unnamed tributary to Bear Run (TSF) for the purpose of constructing the Northridge Plan of Lots located approximately 2,500 feet southeast from the intersection of Mt. Nebo Road and Roosevelt Road. The applicant proposes to contribute to the Wetland Replacement Fund.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-324. Costco Wholesale, 46000 Manekin Plaza, Sterling, VA 20166. Costco Wholesale, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 12.0 inches; W: 15.0 inches).

To fill a total of 0.149 acre of two wetland areas (PEM) for construction of a wholesale/retail warehouse facility and gas station at the northeast corner of the intersection of Executive Drive and Cranberry Square Drive. This project proposes contribution to the Pennsylvania Wetland Replacement Fund for replacement of impacted wetlands.

E10-325. Bernard C. McKruit, 347 Edgewood Drive, Cabot, PA 16023. McKruit Bridge, in Jefferson Township, **Butler County**, ACOE Pittsburgh District (Saxenburg, PA Quadrangle N: 6.0 inches; W: 12.2 inches).

To operate and maintain a steel beam bridge having a clear span of 21.5 feet and an underclearance of approximately 7 feet across Thorn Creek on a private driveway extending east from S. R. 2010 approximately 0.5 mile north of Jefferson Center.

E20-491. Allegheny Highlands Pulling Association, Inc., 3208 Old Route 322, Cochranon, PA 16314. AHPA Poker Run Trails, in East Fairfield, Fairfield, and Wayne Townships, **Crawford County**, ACOE Pittsburgh District

To construct and maintain bridges and culverts across various streams and any adjoining wetland areas for use by ATVs and motorcycles on trails associated with the annual Poker Run event.

E20-495. Wesbury United Methodist Retirement Community, 31 North Park Avenue, Meadville, PA 16335. Wesbury United Methodist Retirement Community Expansion Project, in the City of Meadville, **Crawford County**, ACOE Pittsburgh District (Meadville, PA Quadrangle N: 7.4 inches; W: 2.2 inches).

To impact a total of 0.592 acre of wetland (0.488 acre of direct impact and 0.104 acre of secondary impact) associated with construction of Wesbury United Methodist Retirement Community located between Park Avenue and S. R. 86 (North Main Street Extension) approximately 1.7 miles north of S. R. 27.

E25-628. Lake Erie Arboretum at Frontier Park (LEAF), 1650 Norcross Road, Erie, PA 16510-3865. Frontier Park Trail Bridges Across West Branch Cascade Creek, in City of Erie, **Erie County**, ACOE Pittsburgh District (Erie South, PA Quadrangle N: 21.2 inches; W: 15.8 inches).

To conduct the following activities across/along West Branch Cascade Creek at the City of Erie's Frontier Park located west of the Bayfront Highway north of West 8th Street:

1. Remove an existing bridge and to construct and maintain a pre-fabricated steel beam bridge having a span of 40 feet and an underclearance of 6.4 feet located approximately 850 feet upstream of the Bayfront Highway.

2. Construct and maintain a pre-fabricated steel beam bridge having a span of 40 feet and an underclearance of 8 feet located approximately 130 feet upstream of the Bayfront Highway.

3. Construct and maintain multi-use trails within the assumed 50-foot floodway of Cascade Creek beginning at the Bayfront Highway and extending upstream on both sides of the stream a total distance of approximately 1,750 feet.

E25-629. Springfield Township, 13300 Ridge Road, Box 274, West Springfield, PA 16443. McKee Road Bridge Across Conneaut Creek, in Springfield Township, **Erie County**, ACOE Pittsburgh District (East Springfield, PA Quadrangle N: 8.2 inches; W: 7.6 inches).

To remove the existing abutments and to construct and maintain a timber covered bridge having a clear, normal span of 83.5 feet and an average underclearance of 16 feet across Conneaut Creek on McKee Road (T-338) approximately 0.7 mile north of Cherry Hill Road.

E25-630. Municipal Authority of the City of Corry. Avenue A Pump Station and Force Main, in City of Corry, **Erie County**, ACOE Pittsburgh District

To construct and maintain a sanitary sewer pump station impacting a de minimus area of wetland (0.038 acre) northeast of the intersection of Liberty Street and Avenue A (Columbus, PA-NY Quadrangle N: 8.65 inches; W: 16.75 inches) and a sanitary sewer force main across a wetland area beginning approximately 580 feet north of the intersection of Liberty Street and Summer Street and extending north to the railroad tracks south of the wastewater treatment plant, a distance of approximately 517 feet (Corry, PA-NY Quadrangle N: 9.0 inches; W: 0.2 inch).

E42-274, Charles R. Ricards, P. O. Box 350006, Fort Lauderdale, FL 33335-0006. Ricards Bridge Across Sinnemahoning Portage Creek, in Norwich Township, **McKean County**, ACOE Baltimore District (Keating Summit, PA Quadrangle N: 1.2 inches; W: 12.5 inches).

To construct and maintain a bridge having a clear span of 25 feet and an underclearance of 2.5 feet across Sinnemahoning Portage Creek (CWF) on a private driveway extending east from Gardeau Road (T-470) approximately 3.75 miles south of S. R. 155 at Keating Summit. Project includes impact to a de minimis area of wetlands (0.025 acre) adjacent to Sinnemahoning Portage Creek from roadway approach fill.

E43-291, Allegheny Highlands Pulling Association, Inc., 3208 Old Route 322, Cochranon, PA 16314. AHPA Poker Run Trails, in French Creek Township, **Mercer County**, ACOE Pittsburgh District.

To construct and maintain bridges and culverts across various streams and any adjoining wetland areas for use by ATVs and motorcycles on trails associated with the annual Poker Run event.

E61-237, PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16323. S. R. 3025 Section SPA Segment 0110 Offset 2994 Across Tributary to Allegheny River, in Cranberry Township, **Venango County**, ACOE Pittsburgh District (Oil City, PA Quadrangle N: 4.68 inches; W: 14.43 inches).

To place concrete paving 1.0 foot below the existing stream bed and maintain the reinforced concrete slab bridge having a span of 15 feet and an underclearance of 6.83 feet across a tributary to the Allegheny River (Deep Hollow Run) on S. R. 3025 Section SPA Segment 0110 Offset 2994 southwest of Oil City.

E61-238, Allegheny Highlands Pulling Association, Inc., 3208 Old Route 322, Cochranon, PA 16314. AHPA Poker Run Trails, in Canal and Jackson Townships, **Venango County**, ACOE Pittsburgh District.

To construct and maintain bridges and culverts across various streams and any adjoining wetland areas for use by ATVs and motorcycles on trails associated with the annual Poker Run event.

E62-375, PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16323. S. R. 3022 Section B01 Segment 0110 Offset 0216 Across Brokenstraw Creek, in Youngsville Borough, **Warren County**, ACOE Pittsburgh District (Oil City, PA Quadrangle N: 4.68 inches; W: 14.43 inches).

To replace the superstructure, rehabilitate the pier and abutments by facing them with concrete and maintain a prestressed concrete spread box beam bridge having two clear spans of 74 feet and an average underclearance of 13.8 feet across Brokenstraw Creek on S. R. 3022, Section B01, Segment 0110, Offset 0216 in Youngsville Borough.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM PROGRAM (NPDES)

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under the Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1500419. Sewerage. **South Coventry Township**, 1002 Ridge Road, Pottstown, PA 19465. Applicant is granted approval to construct a drip irrigation sewage treatment system to serve the Ridglea Farm Subdivision located in South Coventry Township, **Chester County**.

WQM Permit No. 1500426. Sewerage. **Valley Forge Sewer Authority**, 333 Pawling Road, Phoenixville, PA 19460. Applicant is granted approval for installing a biosolid storage, silo, a screw conveyor system and a sludge lime mixer at the existing Valley Forge Treatment plant located in Schuylkill Township, **Chester County**.

NPDES Permit No. PA0058246. Sewerage. **James J. Gorman**, 1426 Rose Glen Road, Gladwinne, PA 19035. Is authorized to discharge from a facility located in Lower Merion Township, **Montgomery County** into an unnamed tributary to Mill Creek.

NPDES Permit No. PA0027634. Industrial Waste. **Pennsylvania-American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033. Is authorized to discharge from a facility located at Yardley Water Filtration Plant in Lower Makefield Township, **Bucks County** to an unnamed tributary of Brock Creek.

NPDES Permit No. PA0058220. Industrial Waste. **ABCO Oil Corporation**, Ridge Pike and Carland Road, Norristown, PA 19404. Is authorized to discharge from a facility located in Norristown Borough, **Montgomery County** to a dry swale tributary to Schuylkill River.

NPDES Permit No. PA0056502. Industrial Waste. **Transit America, Inc.**, One Red Lion Road, Philadelphia, PA 19115. Is authorized to discharge from a facility located in the City of Philadelphia, **Philadelphia County** and Lower Moreland Township, **Montgomery County** to an unnamed tributary to Huntington Valley Creek & Pennypack Creek.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No 3696408 Amendment 00-1, Sewerage. **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603-4087. This permit approves

modifications to the construction/operation of headworks to sewage treatment facilities.

WQM Permit No 6790204 Amendment No. 01-1, Sewerage. **United Defense, L.P.**, P. O. Box 1512, York, PA 17405-1512. This permit approves the construction of Industrial Waste Treatment Facilities in West Manchester Township, **York County**.

WQM Permit No 6700412, Sewerage. **Newberry Township Sewer Authority**, 1915 Old Trail Road, E-tters, PA 17319-9676. This permit approves the construction of a Pump Station in Newberry Township, **York County**.

WQM Permit No 3678429 Amendment No. 00-1, Sewerage. **Warwick Township Municipal Authority**, 315 Clay Road, Lititz, PA 17543. This permit approves the construction of Sewers and Appurtenances and Pump Stations in Warwick Township, **Lancaster County**.

WQM Permit No 0798405 Amendment 01-1, Sewerage. **Charles C. Powell**, New Beginnings Road, Williamsburg, PA 16693. This permit approves the construction of Sewage Treatment Facilities and Outfall Sewers in Woodbury Township, **Blair County**.

WQM Permit No 6700413, Sewerage. **Red Lion Municipal Authority**, P. O. Box 190, Red Lion, PA 17356-0190. This permit approves the construction of a Pump Station in Red Lion Borough, **York County**.

WQM Permit No 4495402 Amendment 01-1, Sewerage. **Municipal Authority of Union Township**, P. O. Box 5625, Belleville, PA 17004-9701. This permit approves the construction of a Sewage Treatment Facility in Union Township, **Mifflin County**.

WQM Permit No 0693410 T-1, Sewerage. **Filippini Real Estate, Inc.**, 12 Augusta Lane, Fleetwood, PA 19522. This permit approves the construction of a Sewage Treatment Facility in Ruscombmanor Township, **Berks County**.

WQM Permit No. PA0082201, Sewerage, **Letterkenny Township Municipal Authority**, 4924 Orrstown Road, Orrstown, PA 17244-9503 is authorized to discharge from a facility located in Letterkenny Township, **Franklin County** to the receiving waters named Conodoguinet Creek in Watershed 7-B.

WQM Permit No. PA0083135, Sewerage, **Mifflin County School District**, (East Derry Elementary School), 103 Green Avenue, Lewistown, PA 17044 is authorized to discharge from a facility located in Derry Township, **Mifflin County** to the receiving waters named Jacks Creek in Watershed 12-A (Kishacoquillas—Jack Creeks).

WQM Permit No. PA0020923, Sewerage, **New Oxford Municipal Authority**, 409 Water Works Road, New Oxford, PA 17350-1511 is authorized to discharge from a facility located in Oxford Township, **Adams County** to the receiving waters named South Branch Conewago Creek in Watershed 7-F (Conewago Creek).

WQM Permit No. PA0081221, Sewerage, **Campbell's Mobile Homes, Inc.**, P. O. Box 129, Newport, PA 17074-0129 is authorized to discharge from a facility located in Miller Township, **Perry County** to the receiving waters named Watershed 12-B (Tuscarora-Buffalo Creek).

WQM Permit No. PA0086967, Industrial Waste, **Myerstown Water Authority**, 101 East Washington Avenue, Myerstown, PA 17067 is authorized to discharge from a facility located in Jackson Township, **Lebanon**

County to the receiving waters named Tulpehocken Creek in Watershed 3-C (Tulpehocken Creek).

WQM Permit No. PA0087009, Industrial Waste **Hanover Cold Storage, Inc.**, 1301 Carlisle Pike, P. O. Box 152, Hanover, PA 17331-9473 is authorized to discharge from a facility located in Penn Township, **York County** to the receiving waters named Conewago Creek in Watershed 7-F (Conewago Creek).

WQM Permit No. PA0081353, Sewerage, **Southern States Cooperative, Inc.**, P. O. Box 26234, Richmond, VA 23260 is authorized to discharge from a facility located in West Donegal Township, **Lancaster County** to the receiving waters of an unnamed tributary to Conewago Creek in Watershed 7-G.

WQM Permit No. PA0081116, Sewerage, **Solanco School District**, (Solanco High School), 121 South Hess Street, Quarryville, PA 17566 is authorized to discharge from a facility located in East Dunmore Township, **Lancaster County** to the receiving waters of an unnamed tributary of Stewart Run in Watershed 7-K.

WQM Permit No. PA0081191, Sewerage, **Outdoor World Corporation**, (Pennsylvania Dutch Country Resort), P. O. Box 447, Bushkill, PA 18324 is authorized to discharge from a facility located in West Cornwall Township, **Lebanon County** to the receiving waters named Chickies Creek (via swale) in Watershed 7-G.

WQM Permit No. PA0083615, Sewerage, **David Pitzer Trucking, Inc.**, P. O. Box 276, Biglerville, PA 17307 is authorized to discharge from a facility located in Menallen Township, **Adams County** to the receiving waters of an unnamed tributary of Opossum Creek in Watershed 7-F.

WQM Permit No. PA0081132, Sewerage, **Solanco School District**, (Swift Middle School), 121 South Hess Street, Quarryville, PA 17566 is authorized to discharge from a facility located in Fulton Township, **Lancaster County** to the receiving waters named Conowingo Creek in Watershed 7-K.

WQM Permit No. PA0046302, Sewerage, **Pennsylvania-American Water Company**, (Hershey Plant), 200 East Canal Street, Hummelstown, PA 17036-9225 is authorized to discharge from a facility located in South Hanover Township, **Dauphin County** to the receiving waters named Swatara Creek and Manada Creek in Watershed 7-D.

WQM Permit No. PA0030473, Sewerage, **West Shore School District**, (Fairview Elementary School), 507 Fishing Creek Road, Lewisberry, PA 17339 is authorized to discharge from a facility located in Fairview Township, **York County** to the receiving waters of an unnamed tributary to Yellow Breeches Creek in Watershed 7-E.

WQM Permit No. PA0086533, Sewerage, **General Cable Industries, Inc.**, 3101 Pleasant Valley Road, Altoona, PA 16602 is authorized to discharge from a facility located in Altoona City, **Blair County** to the receiving waters named Mill Run in Watershed 11-A.

WQM Permit No. PA0009253 Amendment No. 2, Sewerage, **United Defense, L.P.**, P. O. Box 15512, York, PA 17405-1512 is authorized to discharge from a facility located in West Manchester Township, **York County** to the receiving waters named Codorus Creek.

WQM Permit No. PA0087785 T-1, Sewerage, **Charles C. Powell**, (Cove Forge Treatment Center), New Beginnings Road, Williamsburg, PA 16693 is authorized to discharge from a facility located in Woodbury Township,

Blair County to the receiving waters named Frankstown Branch Juniata River in Watershed 11-A.

WQM Permit No. PA0011363 Amendment No. 1, Sewage, **NGK Metals Corporation**, P. O. Box 13367, Reading, PA 19612-3367 is authorized to discharge from a facility located in Muhlenberg Township, **Berks County** to the receiving waters named Laurel Run.

WQM Permit No. PA0086711, Industrial Waste, **Sunoco, Inc.**, (R&M), (Mechanicsburg Terminal), 1801 Market Street, Philadelphia, PA 19380 is authorized to discharge from a facility located in Hampden Township, **Cumberland County** to the receiving waters named Cedar Run in Watershed 7-E (Yellow Breeches Creek).

WQM Permit No. PA0085782 Amendment No. 1, Sewage, **Filippini Real Estate, Inc.**, (Golden Oaks Golf Club), 17 Augusta Lane, Fleetwood, PA 19522 is authorized to discharge from a facility located in Ruscombmanor Township, **Berks County** to the receiving waters of an unnamed tributary of Furnace Creek in Watershed 3-D.

WQM Permit No. PA0087319, Industrial Waste, **Scranton-Altoona Terminals Corporation**, (Sinking Spring Bulk Storage Terminal), P. O. Box 2070, Sinking Spring, PA 19608 is authorized to discharge from a facility located in Sinking Spring Borough, **Berks County** to the receiving waters named Cacoosing Creek in Watershed 3-C.

WQM Permit No. PA0024708, Sewage, **Municipal Authority of Union Township**, (Union Township WWTP), P. O. Box 5625, Belleville, PA 17004-9701 is authorized to discharge from a facility located in Union Township, **Mifflin County** to the receiving waters named Kishacoquillas Creek in Watershed 12-A (Kishacoquillas—Jacks Creeks).

WQM Permit No. PA0080683, Sewage, **Miller's Skyview Sales, Inc.**, 200 Ridge Road, Etters, PA 17319-9110 is authorized to discharge from a facility located in Newberry Township, **York County** to the receiving waters of an unnamed tributary to Bennett Run in Watershed 7-F (Conewago Creek).

WQM Permit No. PA0084328, Sewage, **J. E. Baker Company**, P. O. Box 1189, York, PA 17405 is authorized to discharge from a facility located in West Manchester Township, **York County** to the receiving waters of an unnamed tributary to Honey Run in Watershed 7-F.

WQM Permit No. PA0081523, Sewage, **Mohammad Dowlut**, (Blair Chalet), R. R. 1, Box 379, Hollidaysburg, PA 16648-9516 is authorized to discharge from a facility located in Blair Township, **Blair County** to the receiving waters named Frankstown Branch Juniata River in Watershed 11-A.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

NPDES Permit No. PA0095834, Sewage, **Howard Keenan**, 701 Hope Street, Pittsburgh, PA 15220 is authorized to discharge from a facility located at Treehaven Mobile Home Park Sewage Treatment Plant, South Franklin Township, **Washington County** to receiving waters named Chartiers Creek.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No 3700406, Sewerage, **Josephine Schotsch**, P. O. Box 915A, New Castle, PA 16107. This

project is for the construction and operation of a small flow treatment facility located in Scott Township, **Lawrence County**.

WQM Permit No 3700407, Sewerage, **Shenango Township**, 1000 Willowbreak Road, New Castle, PA 16101. This project is for the construction and operation of a small flow treatment facility located in Orchardale Estates, Shenango Township, **Lawrence County**.

WQM Permit No 6200413, Sewage, **Youngsville Borough**, 40 Railroad Street, Youngsville, PA 16371-1130. This project is for renovations to an existing sewage treatment facility located in Youngsville Borough, **Warren County**.

NPDES Permit No. PA0023931, Sewage, **Borough of Cambridge Springs**, 161 Carringer Street, Cambridge Springs, PA 16403 is authorized to discharge from a facility located in the Borough of Cambridge Springs, **Crawford County** to French Creek.

NPDES Permit No. PA0026379, Sewage, **Bradford Sanitary Authority**, P. O. Box 546, Bradford, PA 16701-0546 is authorized to discharge from a facility located in Foster Township, **McKean County** to Tungungwant Creek.

NPDES Permit No. PA0104469, Sewage, **Kasgro Rail Corporation**, 320 East Cherry Street, New Castle, PA 16102 is authorized to discharge from a facility located in Taylor Township to an unnamed tributary to Beaver River and Shenango River.

NPDES Permit No. PA0101087, Sewage, **Norman J. Cutri**, 1324 South Shore Drive No. 601, Erie, PA 16505-2536 is authorized to discharge from a facility located at Twilight Mobile Home Park, Mahoning Township, **Lawrence County** to an unnamed tributary to Sanky Run.

NPDES Permit No. PA0238414, Sewage, **Josephine Schotsch**, P. O. Box 915A, New Castle, PA 16107 is authorized to discharge from a facility located in Scott Township, **Lawrence County**.

NPDES Permit No. PA0041921, Sewage, **Holy Sepulcher Parish**, 1304 East Cruikshank Road, Butler, PA 16002-8906 is authorized to discharge from a facility located in Middlesex Township, **Butler County** to an unnamed tributary to Glade Run.

NPDES Permit No. PA0100935, Sewage, **Maple Winds Mobile Home Park**, 89 Gill Road, Grove City, PA 16127 is authorized to discharge from a facility located in Pine Township, **Mercer County** to an unnamed tributary to Wolf Creek.

NPDES Permit No. PA0221007, Sewage, **Borough of Volant**, P. O. Box 96, Volant, PA 16156 is authorized to discharge from a facility located in the Borough of Volant, **Lawrence County** to an unnamed tributary to Shenango River and Neshannock Creek.

NPDES Permit No. PA0102431, Sewage, **Cedar Acres/Cunningham Inc.**, 1650 Harlansburg Road, New Castle, PA 16101 is authorized to discharge from a facility located in Scott Township, **Lawrence County** to an unnamed tributary to Slippery Rock Creek.

NPDES Permit No. PA0103861, Sewage, **Zoccoli's Mobile Home Park**, R. D. #1, Edinburg, PA 16116 is authorized to discharge from a facility located in Mahon-

ing Township, **Lawrence County** to an unnamed tributary to Shenango River.

NPDES Permit No. PA0036617. Sewage, **Remark Estates**, 169 Pullman Drive, West Middlesex, PA 16158 is authorized to discharge from a facility located in Lackawannock Township, **Mercer County** to an unnamed tributary to Little Neshannock Creek.

NPDES Permit No. PA0028371. Sewage, **Borough of Youngsville**, 40 Railroad Street, Youngsville, PA 16317 is authorized to discharge from a facility located in Youngsville Borough, **Warren County** to Brokenstraw Creek.

NPDES Permit No. PA0104086. Industrial Waste. **Mercer Forge Corporation**, 200 Brown Street, P. O. Box 272, Mercer, PA 16137 is authorized to discharge from a facility located in Mercer Borough, **Mercer County** to Otter Creek.

NPDES Permit No. PA0000183. Industrial Waste. **General Electric Company**, 2901 East Lake Road, Building 9-2, Erie, PA 16531 is authorized to discharge from a facility located in Lawrence Park Township, **Erie County** to Four Mile Creek and Presque Isle Bay.

NPDES STORMWATER INDIVIDUAL PERMITS (PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 PA C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G427	Lutheran Senior Services of Southern Chester County 111 East Doe Run Road Unionville, PA 19375	Chester County	Penn Township	East Branch Big Elk Creek (HQ, TSF, MF)
PAS10-G428	Cornerstone Communities 771 East Lancaster Avenue Villanove, PA 19085	Chester County	East Whiteland Township	Tributary to Valley Creek (EV)
PAS10-G443	First Lender Development Corp One Abington Plaza, Suite 403 Jenkintown, PA 19046	Chester County	Tredyffrin Township	Valley Creek (EV)

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS100419	Southern Cove Joint Municipal Authority P. O. Box 223 Woodbury, PA 16695	Bedford	Woodbury Borough Woodbury Twp.	Yellow Creek HQ-CWF
PAS100025	Ronald & Lori Sewell 3400 Harney Road Taneytown, MD 21787	Adams	Menallen Twp.	Conewago Creek HQ-CWF

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under (1) General NPDES Permit(s) to Discharge Wastewater into the Waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit: (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of this Commonwealth.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-10	General Permit for Discharge Resulting From Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

GENERAL PERMIT TYPE—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Kennett Township/Boro Chester County	PAR10-G402	Kennetex, Inc. 470 West Cypress Street Kennett Square, PA	East Branch Red Clay Creek (TSF)	Chester County Conservation District (610) 696-5126
West Whiteland Township Chester County	PAR10-G405	Lexington, Inc. 119 John Robert Thomas Drive Exton, PA 19341	Valley Creek (CWF-MF)	Cheser County Conservation district (610) 696-5126
West Brandywine Township Chester County	PAR10-G400	Sandone Landscape 216 Creek Bend Drive Downingtown, PA 19335	Beaver Creek (TSF-MF)	Chester County Conservation District (610) 696-5126
West Goshen Township Chester County	PAR10-G409	Charles Wilkinson 1020 Broad Run Road Landenberg, PA	UNT to East Branch Chester Creek (TSF)	Chester County Conservation District (610) 696-5126
Marple Township Delaware County	PAR10-J188	Springton Senior Associates Georgetown Building 101 Chasley Drive Media, PA	Crum Creek (WWF)	Delaware County Conservation District (610) 892-9484
Aston Township Delaware County	PAR10-J201	Dutton Mill Associates 1 Marim Terrace Aldan, PA 19018	Chester Creek (WWF)	Delaware County Conservation District (610) 892-9484
Radnor Township Delaware County	PAR10-J200	Radnor Township 301 Iven Avenue Wayne, PA 19087	Ithan Creek (CWF)	Delaware County Conservation District (610) 892-9484
Aston Township Delaware County	PAR10-J106-1	D & D Developers 200 Spring Valley Way Aston, PA 19014	West Branch Chester Creek (TSF)	Delaware County Conservation District (610) 892-9484
Lower Providence Township Montgomery County	PAR10-T637	Streamlight, Inc. 1030 West Germantown Pike Norristown PA 19403	Skippack Creek (TSF)	Montgomery County Conservation District (610) 489-4506
Lower Gwynedd Township Montgomery County	PAR10-T690	Philomeno & Salamone 450 South Gravers Road Plymouth Meeting, PA 19426	Wissahickon Creek (TSF)	Montgomery County Conservation District (610) 489-4506

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Hanover Township Montgomery County	PAR10-T671	Brown East Greenville Division 668 Gravel Pike East Greenville, PA 18041	UNT Perkiomen Creek (TSF)	Montgomery County Conservation District (610) 489-4506
Falls Township Bucks County	PAR10-D541	NJ Transit Corporation One Penn Plaza East Newark, NJ 07105	Rock Run Creek (WWF)	Bucks County Conservation District (215) 345-7577
New Britain Township Bucks County	PAR10-D536	Nappen & Associates 119 Keystone Drive Montgomeryville, PA	West Branch Neshaminy Creek (TSF-MF)	Bucks County Conservation District (215) 345-7577
Bensalem Township Bucks County	PAR10-D540	WAWA, Inc. 260 Baltimore Pike Wawa, PA 19063	UNT to Neshaminy Creek (TSF-MF)	Bucks County Conservation District (215) 345-7577
Solebury Township Bucks County	PAR10-D533	Richard S & Karen Kaplinski 6301 Pidcock Road New Hope, PA 18938	Delaware River (TSF)	Bucks County Conservation District (215) 345-7577
Lower Makefield Township Bucks County	PAR10-D550	DeLuca Enterprises 842 Durham Road Newtown, PA 18940	Neshaminy Creek (TSF-MF)	Bucks County Conservation District (215) 345-7577
Bristol Township Bucks County	PAR10-D530	Riverbirch Enterprises, LP 1262 Wood Lane Suite 207 Langhorne, PA 19047	Delaware River (TSF)	Bucks County Conservation District (215) 345-7577
Falls Township Bucks County	PAR10-D554	Duke Weeks Realty Investments 5600 Blazer Parkway Suite 100 Dublin, OH 43017	Rock Run Creek (WWF)	Bucks County Conservation District (215) 345-7577
Middletown Township Bucks County	PAR10-D546	Township of Middletown 2140 Trenton Road Levittown, PA 19056	Mill creek (WWF-MF)	Bucks County Conservation District (215) 345-7577
Bristol Township Bucks County	PAR10-D546	Do Little Corporation 301 State Road Croydon, PA 19020	Delaware River (TSF)	Bucks County Conservation District (215) 345-7577
East Fallowfield Township Chester County	PAR10-G420	Mark Weiss 107 Commons Court Chadds Ford, PA 19317	West Branch Brandywine Creek (WWF-MF)	Chester County Conservation District (610) 696-5126
City of Chester Delaware County	PAR10-J181	PennDOT 7000 Geerdes Boulevard King of Prussia, PA 19406	Darby and Crum Creeks (WWF)	Delaware County Conservation District (610) 489-4506
Upper Chichester Township Delaware County	PAR10-J202	Long Property Management, Inc 127 High Street Mt. Holly, NJ 08060	Marcus Hook Creek (WWF)	Delaware County Conservation District (610) 489-4506
Plymouth Township Montgomery County	PAR10-T673	Metroplex East Associates, Inc. 350 Sentry Parkway Blue Bell, PA 19422	Plymouth Creek (WWF)	Montgomery County Conservation District (610) 489-4506
Worcester Township Montgomery County	PAR10-T692	PECO Energy Company 680 Ridge Pike Plymouth Meeting, PA 19462	Zacharias Creek (TSF)	Montgomery County Conservation District (610) 489-4506

NOTICES

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>	
Montgomery Township Montgomery County	PAR10-T696	Robert Nappen 119 Keystone Drive Montgomeryville, PA 18936	Tributary to Park Creek (WF-M)	Montgomery County Conservation District (610) 489-4506	
Luzerne County Hanover Township	PAR10R215	Marge Baker Mt. Souci Development Corner Clinton Dr. & Ashley St. Hanover, PA 18702	Warrior Creek CWF	Luzerne Co. CD (570) 674-7991	
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Water Use</i>	<i>Contact Office & Phone No.</i>
Greene Township Franklin County	PAR10M227	PP & L Utilities 285 Morea Road Frackville, PA 17931	Phillaman Run, Mountain Run, Conococheague Creek	CWF CWF CWF	Franklin County CD 550 Cleveland Avenue Chambersburg, Pa. 17201 (717) 264-8074
Upper Allen Township Cumberland County	PAR10H249	Liberty Forge Golf Course Inc. P. O. Box 1229 Camp Hill, PA 17011-1229	UNT Yellow Breeches		Cumberland County CD 43 Brookwood Avenue, Suite 4 Carlisle, Pa. 17013 (717) 240-7812
St. Thomas Township Franklin County	PAR10M228	Jefferson & Eastern Leo Rocca 2730 Fox Gap Road Middletown, MD 21769	UNT Campbell Run	CWF	Franklin County CD 550 Cleveland Avenue Chambersburg, Pa. 17201 (717) 264-8074
Upper Allen Township Cumberland County	PAR10H254	Ashcombe Farms PRD 19 A.N. Baltimore Road Dillsburg, PA 17019	Trout Run	CWF	Cumberland County CD 43 Brookwood Avenue, Suite 4 Carlisle, Pa. 17013 (717) 240-7812
Berwick Township Adams County	PAR100102	Berwick Township 85 Municipal Road Hanover, PA 17331	UNT to Pine Creek	WWF	Adams County CD 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Allegheny Township Frankstown Township Blair County	PAR100713	Garvey Manor Nursing Home 128 Logan Blvd. Hollidaysburg, PA 16648	Brush Creek	WWF	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Bellwood Borough Blair County	PAR100714	Wolf Furniture 1620 N. Tuckahoe Street Bellwood, PA 16617	Bells Gap Run	TSF	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Middlesex Township Cumberland, County	PAR10H251	Harmony Hall Assoc. 325 S. Hanover St. Carlisle, PA 17013	Letort Spring Run	CWF	Cumberland County CD 43 Brookwood Avenue, Suite 4 Carlisle, Pa. 17013 (717) 240-7812

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Water Use</i>	<i>Contact Office & Phone No.</i>
Ephrata Borough Lancaster County	PAR100470	Beck Properties, Inc. 1509 Brunnerville Rd. Lititz, PA 17543	UNT Cocalico Creel	WWF	Lancaster County CD 1383 Arcadia Road Rm 6 Lancaster, Pa. 17601 (717) 299-5361
Bald Eagle Township Clinton County	PAR101921	Croda Inc. P. O. Box 178 Mill Hall, PA 17751	Bald Eagle Creek	CWF	Clinton County CD 36 Spring Run Rd. Rm. 104 Mill Hall, PA 17751 (570) 726-3798
Charleston Township Tioga County	PAR106637	Tioga County Human Services Agency Golf Course P. O. Box 766 Wellsboro, PA 16901	Charleston Creek	WWF	Tioga County CD 29 East Ave. Wellsboro, PA 16901 (570) 724-1801
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>		<i>Contact Office & Phone No.</i>
Crawford County, Vernon Township	PAR102319	Vernon Town Square Meadville Real Estate, L.P. c/o George Saad 2400 Ardmore Boulevard Suite 800 Pittsburgh, PA 15221	UNT Van Horne Creek		Crawford Conservation District 14699 North Main Street Ext. Meadville, PA 16335-9441 (814) 724-1793
Lawrence County, Mahoning Township, New Beaver Borough, City of New Castle, North Beaver Township, Wampum Borough, and Wayne Township	PAS103711	Norfolk Southern Railway Company c/o George Epps 600 West Peachtree Street Suite 1840 Atlanta, GA 30308	Connoquenessing Creek, Tributary to Beaver River, Beaver River, Wampum Run Eckles Run, Jenkins Run, Edwards Run, Mahoning River/Shenango River Confluence, Mahoning River, and Tributary to Mahoning River		Lawrence Conservation District Lawrence Co Government Center 430 Court Street New Castle, PA 16101-3593 (724) 652-4512
<i>General Permit Type—PAG-3</i>					
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>		<i>Contact Office & Phone No.</i>
Montgomery County Upper Merion Township	PAR130008	Philadelphia Newspapers, Inc. Upper Merion Township Montgomery County	Frog Run and Matsunk Creek		DEP Southeast Region Water Management 555 North Lane Conshohocken, PA 19428
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water</i>	<i>Water Use</i>	<i>Contact Office & Phone No.</i>
York County Spring Garden Township	PAR213542	Glen-Gery Corporation 1090 East Boundary Avenue York, PA 17403	UNT Codorus Creek	WWF	DEP-Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Mount Joy Borough	PAR203536	New Standard Corporation P. O. Box 117 Mount Joy, PA 15520	Chickies Creek	WWF	DEP-Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

NOTICES

871

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water</i>	<i>Water Use</i>	<i>Contact Office & Phone No.</i>
York County Hellam Township	PAR203559	New Standard Corporation 74 Commerce Way York, PA 17406	Kreutz Creek	WWF	DEP-Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County York City	PAR603580	Consolidated Scrap Resources, Inc.— Prospect Street P. O. Box 389 York, PA 17405-0389	Codorus Creek	WWF	DEP-Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Blair County Antis Township	PAR603579	William Crawford C & C Auto Salvage R. D. 2, Box 432 Tyrone, PA 16686	Little Juniata Creek	WWF	DEP-Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Spring Garden Township	PAR603578	Harry J. Darrah, Jr. J & K Salvage, Inc. 513 East Lancaster Street Red Lion, PA 17356	Codorus Creek	WWF	DEP-Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>		<i>Contact Office & Phone No.</i>
Washington County Canton Township	PAR606109	General Alloys Inc 135 W Wylie Avenue Washington, PA 15301	Chartiers Creek		Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Allegheny County Glenwood Pittsburgh	PAR806202	Detroit Salt Company 12841 Sanders Street Detroit, MI 48127	Monongahela River		Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Summerville Borough Jefferson County	PAR218315	Clenn-Gery Corporation-Hanley Plant Route 28 Summerville, PA 15864-0068	Redbank Creek and Unnamed Tributary to Redbank Creek		DEP NWRO Water Management 230 Chestnut Street Meaville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-4</i>					
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>		<i>Contact Office & Phone No.</i>
Ridgway Township Elk County	PAG048369	Thomas M. Studler Box 22A Ridgway Road Johnsonburg, PA 15845	Unnamed Tributary of the Clarion River		DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bedminster Township Bucks County	PAG050017	Farm and Home Oil Company 3115 State Road P. O. Box 389 Telford, PA 18969	Unnamed Tributary to Morris Run Perkiomen Watershed	Southeast Region Water Management (610) 832-6130

General Permit Type—PAG-8

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Beaver Township Clarion County	PAG088303	Knox Borough P. O. Box 366 Knox, PA 16232-0298	Edenbrook Holsteins (Decker Farm) McElhattan Road Knox, PA 16232	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG088304	Washington Township 11800 Edinboro Road Edinboro, PA 16412	John Vanco Farm Silverthorn Road Edinboro, PA 16412	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Franklin Township Erie County	PAG088304	Washington Township 11800 Edinboro Road Edinboro, PA 16412	Dentsil LeSuer Farm 5810 Old State Road Edinboro, PA 16412	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-9

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Fayette County Bullskin Township	PAG096107	Top Septic Service Inc 123 Zelmore Road Mt Pleasant, PA 15666		Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Randolf Township Crawford County	PAG098304	Sterling Sanitation Service 37021 Tryonville Road Centerville, PA 16404	David Sterling Farm 12490 State Highway 198 Guys Mills, PA 16327	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Steuben Township Crawford County	PAG098304	Sterling Sanitation Service 37021 Tryonville Road Centerville, PA 16404	Richard Culp—Home Farm 16135 Greytown Road Centerville, PA 16404	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Steuben Township Crawford County	PAG098304	Sterling Sanitation Service 37021 Tryonville Road Centerville, PA 16404	Richard Culp— Five Corners Farm Five Corners Road Centerville, PA 16404	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Greene & West Salem Townships Mercer County	PAG098305	Enterline Septic Cleaning 196 Maysville Road Jamestown, PA 16134	Charles Enterline Farm 196 Maysville Road Jamestown, PA 16134	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Warsaw Township Jefferson County	PAG098301	Williams Septic & Drain Service R. R. #1, Box 108E Reynoldsville, PA 15851	John Williams Farm R. R. #1, Box 108E Reynoldsville, PA 15851	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1400508, Public Water Supply.

Applicant	Howard Borough 780 Black Street Howard, PA 16841
Borough	Howard Borough
County	Centre
Type of Facility	Public Water Supply
Consulting Engineer	Dana R Boob Surveying & Engineering P. O. Box 699 136 W. Main St. Millheim, PA 16854
Permit to Construct Issued	1/29/2001

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745, (412) 442-4000.

Operations Permit issued to **The Authority of the Borough of Charleroi**, 31 McKean Avenue, P. O. Box 211, Charleroi, Pa 15022-0211, Donora, **Washington County** on January 11, 2001.

Operations Permit issued to **Kittanning Suburban Joint Water Authority**, R. R. 1, Box 23, Adrian, Pa 16210-9712, East Franklin Township, **Armstrong County** on January 8, 2001.

Operations Permit issued to **Wilbur Water Company**, 504 Wilbur Road, Stoystown, PA 15563, Shade Township, **Somerset County** on January 17, 2001.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operations Permit issued to: **North Warren Municipal Authority**, 4 Hospital Drive, P. O. Box 104, North Warren, Pa 16365, Conewango Township, **Warren County** on January 18, 2001.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P. L. 842, No. 356) (35 P. S. § 631-641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southwest Region: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745, (412) 442-4000.

WA65-111E, Water Allocations. **Municipal Authority of Westmoreland County**, S.W. Corner U.S. Route 30 West and South Greengate Road, P. O. Box 730, Greensburg, Pa 15601, Greensburg, **Westmoreland County**.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790.

Plan Location:

Borough or Township	Borough or Township Address	County
Waymart Borough Canaan Township	P. O. Box 280, Waymart, PA 18472	Wayne

Plan Description: The Plan Revision provides for expansion of the existing Waymart Area Authority (WAA) Sewage Treatment Plant (STP) to treat combined sewage

flows from a proposed Federal Prison, the existing S.C.I. - Waymart Prison, and WAA customers. The new Federal Prison will be located in Canaan Township on the south side of the Owego Turnpike along S.R. 296. The design capacity of the upgraded treatment plant is 715,000 gpd, and the existing STP at S.C.I. Waymart is to be abandoned. The treated effluent will be pumped approximately 12,500 ft. downstream of the existing outfall location, to a new location below both Lake Ladore and Keen Pond on Van Auken Creek. A proposed pump station and collection sewer will convey wastewater from both the existing and proposed prisons easterly along the Owego Turnpike, then north along S.R. 296 and across the Wilson Elementary School property to the existing STP. Also, an existing WAA pump station in the vicinity of the STP will be phased out and replaced by a new gravity interceptor. The Plan includes a secondary alternative in the event the existing S.C.I. Waymart Prison does not participate in the project. The existing WAA STP is then retrofitted and expanded to 520,000 gpd to treat the combined sewage flow from the proposed Federal Prison and WAA customers.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Plan Location:

Borough or Township	Borough or Township Address	County
[Straban Twp]	1745 Granite Station Rd., Gettysburg, PA 17325]	[Adams]

Plan Description: The approved plan provides for the construction of a new wastewater treatment plant to serve the following areas: Oak village MHP, the village of Hunterstown, a proposed Reliant Energy Facility and three new County Projects. Combined wastewater flows are estimated at 225,000 gpd. The proposed development is located along PA Rt. 394 and Granite Station Rd in Straban Township, Adams County. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

Borough or Township	Borough or Township Address	County
Prospect Borough	P. O. Box 308, Prospect, PA 16052	Butler

Plan Description: The approved plan provides for the installation of a 760,000 gallon flow equalization tank to eliminate wet weather sanitary sewer overflows into Lake Arthur, Morrairie State Park.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

SETTLEMENT UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT AND THE HAZARDOUS SITES CLEANUP ACT

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) and the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C.A. §§ 9601—9675), has entered into a proposed settlement with:

Cornell Creciu to resolve his liability for response costs incurred to remediate hazardous substances stored and/or disposed at the Susquehanna Road Drum Site (Site). This Site is located at 1668 Susquehanna Road in Upper Dublin Township, Montgomery County, PA and includes a barn where drums and compressed gas cylinders of hazardous substances were stored.

In May, 1998, the Department received a complaint about fuming drums of unknown materials stored at the Site. An emergency investigation by the Department revealed the presence of numerous unlabeled drums, some of which contained silicon tetrachloride, a reactive and corrosive hazardous substance which reacts with air and causes the release of hydrogen chloride gas into the atmosphere. Additionally, the Department discovered approximately 200 compressed gas cylinders, some of which contained silicon, a reactive hazardous substance. Based upon the volatile conditions at the Site, including the threat of fire or explosion, the Department conducted a prompt interim response under Section 505(b) of HSCA (35 P.S. § 6020.505(b)) to abate the release and threat of release of hazardous substances. The Department incurred \$140,743.81 in response costs for this Site.

Cornell Creciu leased space in the barn on the Site and subleased space to a party who stored hazardous substances on the Site. Therefore, Mr. Creciu is a "responsible person" in accordance with Section 701 of HSCA (35 P.S. § 6020.701) and as such, he has agreed to reimburse the Department for a share of the response costs expended at the Site. The Department's financial inquiry of Mr. Creciu indicates that based on his available assets and certification concerning his financial circumstances, he is unable to pay a substantial portion of the Department's response costs. Accordingly, to resolve Mr. Creciu's liability, the Department and Mr. Creciu have executed a Consent Order and Agreement for Inability to Pay which requires Mr. Creciu to reimburse the Department in the amount of \$1,400.

This notice is provided under Section 1113 of HSCA (35 P.S. § 6020.1113), which provides that "settlement shall become final upon the filing of the Department's response to the significant written comments." The Consent Order and Agreement, which contains the specific terms of the settlement is available for public review and comment. The agreement can be examined from 8 a.m. to 4 p.m. at the Department's Southeast Regional Office, located in Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428, by contacting either Donna Suevo at (610) 832-6194 or Gina M. Thomas, at (610) 832-6300 or electronically at suevo.donna@dep.state.pa.us and Thomas.gina@dep.state.pa.us respectively. A public comment period on the Consent Order and Agreement will extend for 60 days from today's date. Persons may submit written comments regarding the agreement within 60 days from today's date, by submitting them to Donna Suevo at the above address.

**PUBLIC NOTICE OF PROPOSED CONSENT
ORDER AND AGREEMENT**

**Fischer & Porter Company, Warminster Township,
Bucks County.**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1304) (HSCA) and the Comprehensive Environmental Response, Compensation, and Liability Act, 42 U.S.C. § 9601 et seq. (CERCLA), has entered into a Prospective Purchaser Agreement with Blue Marlin Associates for reimbursement of certain response costs incurred to remediate hazardous substances disposed at the Fischer & Porter Company Superfund Site (site). This site is located at 125 East County Line Road in Warminster Township, Bucks County.

This site consists of a plume of groundwater contamination, which has impacted municipal water supply wells. In September 1983, the site was placed on the National Priorities List and in 1984, EPA issued its first Record of Decision (ROD) indicating that the industrial degreasing agents (trichloroethene) TCE and (perchloroethene) PCE, used by Fischer and Porter Company contaminated the groundwater. Under a 1984 Consent Decree with the United States Environmental Protection Agency (EPA), Fischer and Porter Company initiated groundwater pumping and treatment to remedy contamination associated with the Fischer & Porter Site. In 1998, EPA issued a second ROD for the site which selected the "No Further Action" alternative and indicated that EPA would not require any additional action other than the operation and maintenance of the groundwater pump and treatment system already on the site.

Blue Marlin desires to purchase an 8.4 acre portion of the Fischer & Porter Site, which is located along Jacksonville Road between County Line Road and Potter Street in Warminster PA and intends to lease the Site to a manufacturer of specialized equipment for law enforcement and fire department vehicles.

Under its authority under among other things, Section 501(a) of HSCA (35 P. S. § 6020.501(a)), the Department has incurred oversight response cost to remediate hazardous substances disposed on the Site. The Department has determined that it is in the public interest to resolve its claim against Blue Marlin Associates. Therefore, Blue Marlin shall reimburse the Department for certain response costs in the amount of \$1,500 and shall receive contribution protection from claims related to its purchase and ownership of the Site.

This notice is provided under Section 1113 of HSCA (35 P. S. § 6020.1113), which states that "settlement shall become final upon the filing of the Department's response to the significant written comments." The Consent Order and Agreement, which contains the specific terms of the agreement is available for public review and comment. The agreement can be examined from 8 a.m. to 4 p.m. at the Department's Southeast Regional Office, located in Lee Park, 555 North Lane, Suite 6010, Conshohocken PA 19428, by contacting either David Ewald at (610) 832-6200 or Gina M. Thomas at (610) 832-6300. David Ewald and Gina Thomas may also be contacted electronically at ewald.david@dep.state.pa.us and thomas.gina@dep.state.pa.us, respectively. A public comment period on the Consent Order and Agreement will extend for 60 days from today's date. Persons may submit written comments regarding the agreement within 60 days from today's date, by submitting them to Mr. Ewald at the above address.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION
UNDER ACT 2, 1995**

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6000.

Plymouth Greene Office Park, Plymouth Township, **Montgomery County**. Samuel J. Kucia, Environmental Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401, on behalf of Plymouth Green Development Associates, Suite 200, 33 Rock Hill Road, has submitted a Final Report concerning remediation of site soil contaminated with lead, BTEX and petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Environmental Cleanup Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790.

St. Paul's Evangelical Lutheran Church, Kingston Township, **Luzerne County**. Eric B. Rosina, Project Manager, Storb Environmental, Inc., 410 N. Easton Road, Willow Grove, PA 19090 submitted a Final Report (on behalf of his client, St. Paul's Evangelical Lutheran Church, 196 N. Main Street, Shavertown, PA 18708) concerning the remediation of site soils found or suspected to have been contaminated with no. 2 heating oil constituents. The report was submitted to document remediation of the site to meet the Statewide health standard. A Notice of Intent to Remediate was simultaneously submitted.

Phoebe Floral, Whitehall Township, **Lehigh County**. Samuel S. Harrison, Hydrogeologist, Harrison Hydrosciences, 435 Main Street, P. O. Box 908, Saegertown, PA 16433 submitted a Final Report (on behalf of his client, Phoebe Floral, Inc. 2102 Hamilton Street, Allentown, PA 18104) concerning the remediation of site soils and groundwater found or suspected to have been contaminated with no. 2 heating oil constituents. The report was submitted to document remediation of the site to meet the Statewide health standard. A Notice of Intent to Remediate was simultaneously submitted.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6000.

Emilee Atlee Residence, Haverford Township, **Delaware County**. Donald G. Puglio, P.G., Environmental Products & Services, Inc., P. O. Box 501, Carnegie, PA, 15106, on behalf of Louis Dreyfus Holding Co., Inc. c/o Crawford & Co., 600 Reed Road, Broomall PA 19008, has submitted a Final Report concerning remediation of site soil contaminated with petroleum hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 10, 2001.

Meadows at Skippack, Skippack Township, **Montgomery County**. Mark J. Irani, P.G., RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, on behalf of Willits Pond, Inc., 450 S. Gravers Road, Plymouth Meeting, PA 19462, has submitted a Final Report concerning remediation of site soil contaminated with lead, heavy metals and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 19, 2001.

Marcantonio Residence, Phoenixville Borough, **Chester County**. David R. Crowther, Hydrocon Services, Inc., 2945 S. Pike Avenue, Allentown, PA 18103, on behalf of Fred and Ann Marcantonio, 13 E. High St., Phoenixville, PA 19453, has submitted a Final Report concerning remediation of site groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 19, 2001.

Sun Pipe Line Co., East Goshen Township, **Chester County**. Jennifer L. Stafford, P.G., Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX and petroleum hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 23, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License issued, renewed or amended under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

Dart Trucking Company, Inc., 61 Railroad Street, P. O. Box 89, Canfield, OH 44406. License No. **PA-AH 0219**. Effective January 19, 2001.

Elliott Truck Line, Inc., P. O. Box 1, 532 South Wilson Street, Vinita, OK 74301. License No. **PA-AH 0355**. Effective January 29, 2001.

**HAZARDOUS WASTE TRANSPORTER
LICENSE AMENDED**

SMP, Inc., 402 Rt. 519, Phillipsburg, NJ 08865, License No. **PA-AH S221**. Effective January 23, 2001.

Hazardous Waste Transporter License revoked, suspended, denied or reinstated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

**HAZARDOUS WASTE TRANSPORTER
LICENSE SUSPENDED**

Chemical Conservation Corporation, 10100 Rocket Blvd., Orlando, FL 32824. License No. **PA-AH 0518**. Effective January 23, 2001.

EMC Environmental Services Corp., 132 Rome Street, Farmingdale, NY 11735. License No. **PA-AH 0590**. Effective January 23, 2001.

Environmental Industries Services Corp. of New Jersey, 524-B South Walnut Street, Wilmington, DE 19801. License No. **PA-AH 0457**. Effective January 23, 2001.

Price Trucking Corp., P. O. Box 70, Buffalo, NY 14220. License No. **PA-AH 0371**. Effective January 23, 2001.

Qualified Transport Corporation, P. O. Box 288, Port Allen, LA 70767. License No. **PA-AH 0598**. Effective January 23, 2001.

Stranco, Inc., 70459 Highway 59, Abita Spring, LA 70420. License No. **PA-AH 0611**. Effective January 23, 2001.

AIR QUALITY

General Plan Approval and Operating Permit usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

AQ-SE-0014: Haines & Kibblehouse, Inc. (300 Skunk Hollow Road, Chalfont, PA 18914) on January 17, 2001, for a Portable Crushing Plant in Hilltown Township, **Bucks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

32-00146: Columbia Gas Transmission Corp.—Homer City Compressor Station (1700 MacCorkle Avenue, S.E., Charleston, WV 25325) on January 17, 2001, for installation of a Natural Gas Compressor Engine in White Township, **Indiana County**.

32-00147: Columbia Gas Transmission Corp.—Kent Compressor Station (1700 MacCorkle Avenue, S.E., Charleston, WV 25325) on January 17, 2001, for installation of a Natural Gas Compressor Engine in Black Lick Township, **Indiana County**.

Administrative Operating Permit Amendments Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450 (relating to administrative operating permit amendments).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

15-0015: Sartomer Co., Inc. (610 South Bolmar Street, West Chester, PA 19382) on January 24, 2001, for Synthetic Minor NOx Facility in West Chester Borough, **Chester County**.

Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

09-00076: Cartex Corp. (200 Rock Run Road, Fairless Hills, PA 19030) issued a Title V Operating Permit on January 22, 2001, for operation of a Facility Title V Operating Permit in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

67-05013: York City Sewer Authority (1701 Black Bridge Road, York, PA 17402) on January 23, 2001, for a Synthetic Minor Operating Permit at the York City Wastewater Treatment Plant in Manchester Township, **York County**.

Philadelphia Department of Public Health, Air Management Services: 321 University Ave., Philadelphia, PA 19104.

95-019: Exxon Mobil Corp. (2401 Pennsylvania Avenue, Philadelphia, PA 19130) issued a Title V Operating Permit on December 28, 2000, for operation of a gasoline terminal with air emission sources which include a gasoline loading rack with a carbon adsorption vapor recovery unit, 10 gasoline storage tanks and fugitive emissions from valves, pumps, and flanges in the City of Philadelphia, **Philadelphia County**.

95-039: Sunoco, Inc. (R&M)—Schuylkill River Tank Farm (70th Street and Essington Avenue, Philadelphia, PA 19145) issued a Title V Operating Permit on December 28, 2000, for operation of a gasoline storage tank farm with air emission sources which include 23 storage tanks for gasoline and other petroleum products, an oil-water separator, and a propane loading rack with a flare in the City of Philadelphia, **Philadelphia County**.

95-075: Aldan Rubber Co. (Tioga and Salmon Streets, Philadelphia, PA 19134) issued a Title V Operating Permit on December 28, 2000, for operation of a custom rubber coated fabric manufacturing facility with air emission sources which include seven rubber/toluene spread coaters and two rubber/toluene churn rooms controlled by a carbon adsorption system, a 25 MMBTU/hr dual-fired boiler, a crumber processing waste rubber and toluene controlled by a condenser, eight particulate sources processing rubber, starch, and additives controlled by three cyclones and two dust collectors, and four vulcanizing ovens in the City of Philadelphia, **Philadelphia County**.

95-095: Amoroso's Baking Co. (845 South 55th Street, Philadelphia, PA 19143) on January 10, 2001, for operation of a wholesale bakery with air emission sources which include two natural gas or No. 2 oil-fired boilers each rated at 6.7 MMBTU/hr, six natural gas or No. 2

fuel oil-fired ovens each rated at or less than 3.5 MMBTU/hr that process straight-dough at a capacity of 1350 lbs/hr, one gasoline storage tank and distribution with Stage I and Stage II Vapor Recovery Systems, and one diesel vehicle fueling station in the City of Philadelphia, **Philadelphia County**.

95-036: Avery Dennison, Philadelphia Plant (7722 Dungan Road, Philadelphia, PA 19111) on January 10, 2001, for operation of a commercial printing facility that performs flexographic printing of labels, including paper converting with air emission sources which include one trim system and 13 flexographic printing presses each with a web width < 18 inches and control device (one trim system dust collector) in the City of Philadelphia, **Philadelphia County**.

96-036: Richards Apex, Inc. (4202-24 Main Street, Philadelphia, PA 19127) on January 10, 2001, for operation of manufacturing metal working lubricants with air emission sources which include two natural gas or No. 5 oil-fired boilers each rated at 8.375 MMBTU/hr and 13 mixing vessels processing fatty oils and sulfur and control devices (one scrubber and one cyclone dust collector) in the City of Philadelphia, **Philadelphia County**.

96-027: Delaware Valley Wool Scouring Co. (3419 Richmond Street, Philadelphia, PA 19134) on January 16, 2001, for operation of blending, bleaching, and cleaning raw wool with air emission sources which include a 21.56 MMBTU/hr No. 6 oil-fired boiler, a bale breaker/blender controlled by a baghouse, two cone dusters controlled by a baghouse, a squirrel cage controlled by a baghouse, and a compressor/baler controlled by a baghouse in the City of Philadelphia, **Philadelphia County**.

97-006: Halpern and Co., Inc. (3132 West Thompson Street, Philadelphia, PA 19121) on January 16, 2001, for operation of remelting and refining of nonferrous metals with air emission sources which include a 20,000 lb No. 2 oil-fired rotary furnace rated at 7.0 MMBTU/hr controlled by a baghouse, a 15,000 lb No. 2 oil-fired rotary furnace rated at 5.6 MMBTU/hr controlled by a baghouse, two No. 2 oil-fired alloy kettles each rated at 5.5 MMBTU/hr controlled by a common baghouse, four No. 2 oil-fired alloy kettles each rated at 1.4 MMBTU/hr controlled by a common baghouse, and two natural gas-fired alloy kettles rated at 235,000 BTU/hr controlled by a common baghouse in the City of Philadelphia, **Philadelphia County**.

Nitrogen Oxides (NOx) Allowance Allocations Program

Revisions to Title V/State Only Operating Permits to include Conditions relating to NOx Allowance Requirements in 25 Pa. Code §§ 145.1—145.100

Notice is hereby given that the Department of Environmental Protection (Department) has revised the following Operating Permits to incorporate the provisions of 25 Pa. Code §§ 145.1—145.90. These regulations establish a NOx Budget and a NOx Budget Trading Program for NOx budget units for the purpose of achieving the health-based ozone ambient air quality standard. The Department has establishing a NOx Allowance Allocation for each NOx budget unit listed in the permit under the provisions of 25 Pa. Code § 145.42.

Any person aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457,

Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Copies of these permits and other relevant information are available for review at the address given below:

Bureau of Air Quality, Division of Permits, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325.

0013: LTV Steel Company (3100 East 45th St., Cleveland, OH 44127-1094) located in the City of Pittsburgh, **Allegheny County**.

02-0054: Orion Power MidWest, L.P. (7 East Redwood Street, Baltimore, MD 21202) located in Springdale Borough, **Allegheny County**.

03-0027: Keystone Owners Group (P. O. Box 68 682 Philadelphia Street, Indiana, PA 15701) located in Plumcreek Township, **Armstrong County**.

03-0023: Allegheny Energy Supply Company, L.L.C. (800 Cabin Hill Dr, Greensburg, PA 15601) located in Washington Township, **Armstrong County**.

04-00044: Zinc Corporation Of America (300 Frankfort Road, Monaca, PA 15061) located in Potter Township, **Beaver County**.

04-00446: AES Beaver Valley Partners Inc. (394 Frankfort Road, Monaca, PA 15061) located in Potter Township, **Beaver County**.

04-0235: Pennsylvania Power Co. (P. O. Box 128, Shippingport, PA 15077) located in Shippingport Borough, **Beaver County**.

06-05024: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in Cumru Township, **Berks County**.

06-05033: Texas Eastern Trans Corp (P. O. Box 1642, Houston, TX 77251) located in Washington Township, **Berks County**.

09-00016: PECO Energy (2600 Monroe Blvd., Norristown, PA 19403) located in Bristol Township, **Bucks County**.

09-0066: PECO Energy (2600 Monroe Blvd., Norristown, PA 19403) located in Falls Township, **Bucks County**.

11-0318: Ebensburg Power Company (20 S Van Buren Ave, Barberton, OH 44203-0351) located in Cambria Township, **Cambria County**.

11-0332: Cambria CoGen Company (7201 Hamilton Blvd, Allentown, PA 18195) located in Cambria Township, **Cambria County**.

11-0378: Inter-Power/AhlCon Partners LP (Colver Power Project) (2591 Wexford-Bayne Road, Ste 204, Sewickley, PA 15143) located in Cambria Township, **Cambria County**.

13-00003: Panther Creek Partners (1001 Industrial Road, Nesquehoning, PA 18240) located in Nesquehoning Borough, **Carbon County**.

15-00019: PECO Energy (2600 Monroe Blvd., Norristown, PA 19403) located in East Pikeland Township, **Chester County**.

16-00127: Piney Creek LP (428 Power Lane, Clarion, PA 16214) located in Piney Township, **Clarion County**.

17-00001: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in Bradford Township, **Clearfield County**.

18-00002: International Paper Co (South Highland Street, Lock Haven, PA 17745) located in Castanea Township, **Clinton County**.

20-00265: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in Wayne Township, **Crawford County**.

21-2010: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in South Middleton Township, **Cumberland County**.

23-0001: Sunoco Inc. (R&M) (P. O. Box 426, Marcus Hook, PA 19061-0426) located in Marcus Hook Borough, **Delaware County**.

23-0003: Marcus Hook Operating Company (4101 Post Road, Trainer, PA 19061) located in Trainer Borough, **Delaware County**.

23-0014A: Kimberly-Clark (Front and Ave of the States, Chester, PA 19013) located in the City of Chester, **Delaware County**.

23-0017: PECO Energy (2600 Monroe Blvd., Norristown, PA 19403) located in Eddystone Borough, **Delaware County**.

23-0084: FPL Energy MH50 LP (700 Universe Blvd., Juno Beach, FL 33408) located in Marcus Hook Borough, **Delaware County**.

24-00009: Willamette Industries Inc (100 Center Street, Johnsonburg, PA 15845) located in Johnsonburg Borough, **Elk County**.

25-00025: General Electric Co (2901 East Lake Road, Erie, PA 16531) located in the City of Erie, **Erie County**.

25-00923: NEPA Energy LP (2 South Portage Street, Westfield, NY 14787) located in North East Township, **Erie County**.

30-0099: Allegheny Energy Supply Company, L.L.C. (800 Cabin Hill Dr, Greensburg, PA 15601) located in Monongahela Township, **Greene County**.

32-00040: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in West Wheatfield Township, **Indiana County**.

32-00059: Conemaugh Owners Group (P. O. Box 68 682 Philadelphia Street, Indiana, PA 15701) located in West Wheatfield Township, **Indiana County**.

32-0055: EME Homer City Generation LP (1750 Power Plant Rd, Homer City, PA 15748) located in Center Township, **Indiana County**.

36-05016: PP&L Inc (2 North Ninth Street, Allentown, PA 18101) located in Martic Township, **Lancaster County**.

40-00005: UGI Corp (400 Steward Road, Wilkes-Barre, PA 18773) located in Hunlock Township, **Luzerne County**.

40-00021: Williams Generation Company-Hazleton (P. O. Box 2848-WRO-A, Tulsa, OK 74101-9567) located in Hazle Township, **Luzerne County**.

46-0005: Merck & Co (Summeytown Pike, West Point, PA 19486-0004) located in Upper Gwynedd Township, **Montgomery County**.

47-00001: PPL Montour LLC (2 North Ninth Street, Allentown, PA 18101) located in Derry Township, **Montour County**.

48-00006: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in Upper Mt Bethel Township, **Northampton County**.

48-00011: PPL Martins Creek LLC (2 North Ninth Street, Allentown, PA 18101) located in Lower Mount Bethel Township, **Northampton County**.

48-00021: Northampton Generating Company (1 Horwith Drive, Northampton, PA 18067) located in Northampton Borough, **Northampton County**.

48-0013: Bethlehem Steel Corp (1170 8th Avenue, Bethlehem, PA 18016) located in the City of Bethlehem, **Northampton County**.

49-00001: Foster Wheeler Mt Carmel Inc (Marion Heights Road, Marion Heights, PA 17832) located in Mount Carmel Township, **Northumberland County**.

50-05001: Texas Eastern Trans Corp (P. O. BOX 1642, Houston, TX 77251) located in Carroll Township, **Perry County**.

95-001: Trigen—Philadelphia Energy Corp (2600 Christian Street, Philadelphia, PA 19146) located in the City of Philadelphia, **Philadelphia County**.

95-002: Trigen—Philadelphia Energy Corp (2600 Christian Street, Philadelphia, PA 19146) located in the City of Philadelphia, **Philadelphia County**.

95-004: PECO Energy (2600 Monroe Blvd., Norristown, PA 19403) located in the City of Philadelphia, **Philadelphia County**.

95-005: PECO Energy (2600 Monroe Blvd., Norristown, PA 19403) located in the City of Philadelphia, **Philadelphia County**.

95-006: PECO Energy (2600 Monroe Blvd., Norristown, PA 19403) located in the City of Philadelphia, **Philadelphia County**.

95-029: US Naval Base (NSWCCD-SSES, Philadelphia, PA 19112-5083) located in the City of Philadelphia, **Philadelphia County**.

95-038: Sunoco Inc. (R&M) (3144 Passyunk Ave, Philadelphia, PA 19145-5208) located in the City of Philadelphia, **Philadelphia County**.

95-047: Sunoco Inc. (Margaret & Burmuda Sts, Philadelphia, PA 19137-1193) located in the City of Philadelphia, **Philadelphia County**.

54-00003: Schuylkill Energy Resources (P. O. Box 112, Shenendoah, PA 17976) located in Mahanoy Township, **Schuylkill County**.

54-00004: Gilberton Power Company (50 Eleanor Avenue, Frackville, PA 17931) located in West Mahanoy Township, **Schuylkill County**.

54-00005: Wheelabrator Frackville Energy Co (500 Morea Road, Frackville, PA 17931) located in Mahanoy Township, **Schuylkill County**.

54-00006: CinCap VI, LLC (677 Baeten Road, Green Bay, WI 54304) located in Frailey Township, **Schuylkill County**.

54-00008: Northeastern Power Company (P. O. Box 7, McAdoo, PA 18237) located in Kline Township, **Schuylkill County**.

55-00001: WPS Resources Corp (677 Baeten Road, Green Bay, WI 54304) located in Monroe Township, **Snyder County**.

61-00181: Scrubgrass Generating Company LP (R. R.1, Box 238, Kennerdell, PA 16374) located in Scrubgrass Township, **Venango County**.

62-00012: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in Conewango Township, **Warren County**.

63-0014: Orion Power Midwest, L.P. (7 East Redwood Street, Baltimore, MD 21202) located in Union Township, **Washington County**.

63-0016: Allegheny Energy Supply Company, L.L.C. (800 Cabin Hill Dr, Greensburg, PA 15601) located in Union Township, **Washington County**.

67-05004: Glatfelter P H Co (228 South Main Street, Spring Grove, PA 17362) located in Spring Grove Borough, **York County**.

67-05005: PPL Brunner Island LLC (2 North Ninth Street, Allentown, PA 18101) located in East Manchester Township, **York County**.

67-2028: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) located in Hopewell Township, **York County**.

AIR QUALITY

Plan Approvals Extensions Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.13 (relating to extensions).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

15-0086: Bakery Feeds (97 West Brook Drive, Honey Brook, PA 19344) on January 26, 2001, for operation of a Bakery Waste Recycling Operation in West Brandywine Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

36-05015B: Dart Container Corp. (60 East Main Street, Leola, PA 17540) on January 29, 2001, for operation of the direct injection foam processing operation, covered under this Plant Approval until May 28, 2001, at Leola Plant in Upper Leacock Township, **Lancaster County**.

67-304-044: R. H. Sheppard Co., Inc. (P. O. Box 877, Hanover, PA 17331) on January 26, 2001, for operation of a casting cleaning operations, covered under this Plan Approval until May 26, 2001, at Plant No. 7 in Hanover Borough, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

17-305-042: DTE River Hill, LLC (P. O. Box 8614, Ann Arbor, MI 48107), owner, and Headwaters, Inc. (11778 South Election Drive, Draper, UT 84020), operator,

on January 19, 2001, for operation of a coal fines agglomeration facility on a temporary basis until May 19, 2001, in Karthaus Township, **Clearfield County**.

17-309-016C: TYK America, Inc. (301 Brickyard Road, Clairton, PA 15025) on January 19, 2001, for operation of a refractory dryer on a temporary basis until May 19, 2001, in Irvona Borough, **Clearfield County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

65-910A: McKnight Cylinder Co. (168 Pattern Shop Road, RD1, Box 338, Ruffsedale, PA 15679) on January 26, 2001, for operation of a Cylinder Reconditioner in South Huntingdon Township, **Westmoreland County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790.

39-318-105: Ultra Hi-Tek Products (827 North Meadow Street, Allentown, PA 18102) on January 23, 2001, for construction of a film coating line and associated air cleaning device in Allentown, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

01-03015: Hanover Lantern, Inc. (350 Kindig Lane, Hanover, PA 17331) on January 25, 2001, for construction of six (6) spray paint booths and two (2) hand painting stations in Conewango Township, **Adams County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

63-014D: Orion Power Midwest, LP—Elrama Station (2000 Cliff Mine Road, Suite 200, Pittsburgh, PA 15275) on January 23, 2001, for operation of SNCR Units 1, 2 and 3 in Union Township, **Washington County**.

26-521A: Thomas M. Dolfi Funeral Home (136 North Gallatin Avenue, Uniontown, PA 15401) on January 23, 2001, for operation of Cremator #1 in Uniontown, **Fayette County**.

11-436A: Penn Cambria School District (205 6th Street, Cresson, PA 16630) on January 24, 2001, for operation of a Space Heating Boiler at Penn Cambria Middle School in Gallitzin Borough, **Cambria County**.

63-641C: Regal Industrial Corp. (P. O. Box 291, Donora, PA 15033) on January 19, 2001, for operation of Dust Collector #3 at Donora Plant in Donora Borough, **Washington County**.

Plan Approvals Transferred under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.32 (relating to transfer of plan approvals).

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

03-220A: Spicer Energy II LLC (100 Nyala Farm, Westport, CT 06880) on December 31, 2000, for the Synthetic Fuel Production Facility formerly known as Spicer Energy LLC, Keystone Power Plant in Elderton Borough, **Armstrong County**.

**ACTIONS ON COAL AND NONCOAL MINING
ACTIVITY APPLICATIONS**

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40990202C. HUD, Inc. t/a Emerald Anthracite, (P. O. Box 27, Nanticoke, PA 18634), correction to an existing coal refuse reprocessing operation in Newport and Hanover Townships, **Luzerne County** affecting 104.2 acres, receiving stream—none. Correction issued January 25, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

17980112, P & N Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767), commencement, operation and restoration of a bituminous surface mine-auger permit in Burnside Borough and Township, **Clearfield County** affecting 62.6 acres. Receiving streams: West Branch Susquehanna River. Application received May 28, 1998. Permit issued January 12, 2001.

17980106, R. B. Contracting (R. D. 1, Box 13, Curwensville, PA 16833), revision to an existing bituminous surface mine permit for a Change in Land Use from forestland to wildlife habitat. The permit is located in Lawrence Township, **Clearfield County** and affects 71.5 acres. Receiving streams: unnamed tributary to Little Clearfield Creek. Application received November 16, 2000. Permit issued January 11, 2001.

17950113, Waroquier Coal Company (P. O. Box 128, Clearfield, PA 16830), renewal of an existing bituminous surface mine-auger permit in Greenwood Township, **Clearfield County** affecting 60.2 acres. Receiving streams: unnamed tributary # 1 and # 2 to Watts Creek to Watts Creek to Clearfield Creek to West Branch of the Susquehanna River. Application received November 27, 2000. Permit issued January 25, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

32000102, Britt Energies, Inc. (2450 Philadelphia Street, Indiana, PA 15701), commencement, operation and restoration of a bituminous surface-auger mine in White Township, **Indiana County**, affecting 105.3 acres, receiving stream unnamed tributary to Yellow Creek and Yellow Creek, application received June 14, 2000. Permit issued January 22, 2001.

56793091, SMP Boundary Revision, Hardrock Coal Company (275 Saddle Ridge Road, Berlin, PA 15530), to

add 6.1 acres to the existing permit for additional mining of the Upper Freeport coal seam. Total SMP acres go from 549.6 to 555.7 in Brothersvalley Township, **Somerset County**, receiving streams for SMP are unnamed tributaries to/and Tubs Run; and unnamed tributary to Millers Run, application received March 23, 1999. Permit issued January 23, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

30841391. Consolidation Coal Co., (4000 Brownsville Road, South Park, PA 15129), to renew the permit for the Blacksville No. 1 Mine in Wayne Township, **Greene County** to renew permit, no additional discharges. Permit issued January 18, 2001.

63743702. Eighty Four Mining Co., (P. O. Box 284, Eighty Four, PA 15330), to renew the permit for the Mine No. 84 Refuse Disposal Area in Somerset Township, **Washington County** to renew permit, no additional discharges. Permit issued January 18, 2001.

30831303. RAG Cumberland Resources, L.P., (P. O. Box 1020, Waynesburg, PA 15370), to transfer the permit for the Cumberland Mine in Whiteley Township, **Greene County** to transfer from Corp. to L.P., no additional discharges. Permit issued January 23, 2001.

63841702. Consolidation Coal Co., (4000 Brownsville Rd., South Park, PA 15129), to renew the permit for the Westland Mine, Arden AMD Treatment Plant in Chartiers Township, **Washington County** to renew permit, no additional discharges. Permit issued January 26, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

16940107. RFI Energy, Inc. (555 Philadelphia Street, Indiana, PA 15767). Renewal of an existing bituminous strip operation in Perry Township, **Clarion County** affecting 224.0 acres. Receiving streams: Five unnamed tributaries to Cherry Run. Application received: November 17, 2000. Permit Issued January 19, 2001.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

6276SM4C2. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), renewal of NPDES Permit #PA0613142 in Honey Brook and Caernarvon Townships, **Chester and Lancaster Counties**, receiving stream—West Branch Brandywine Creek. Renewal issued January 23, 2001.

6276SM2A1C4. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), renewal of NPDES Permit #PA0594512 in East Earl Township, **Lancaster County**, receiving stream—Conestoga Creek. Renewal issued January 23, 2001.

19002801. Sokol Quarries, Inc., (P. O. Box 366, Bloomsburg, PA 17815), commencement, operation and restoration of a small quarry operation in Stillwater Borough, **Columbia County** affecting 5.0 acres, receiving stream—Miller's Creek. Permit issued January 26, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

08000804, Mark T. Shingler, R. R. 1, Box 69A, Wyalusing, PA 18853), commencement, operation and restoration of a Small Industrial Mineral (Flagstone) permit in Wilmot Township, **Bradford County** affecting

3 acres. Receiving streams: Susquehanna River. Application received May 4, 2000. Permit issued January 10, 2001.

12000801, George F. Brown Excavating (R. R. 2, Box 238C, Emporium, PA 15834), commencement, operation and restoration of a Small Industrial Mineral (Sand-

stone) permit in Shippen Township, **Cameron County** affecting 5 acres. Receiving streams: unnamed tributary to Portage, to Driftwood Branch of Sinnemahoning. Application received October 26, 2000. Permit issued January 10, 2001.

ABANDONED MINE RECLAMATION

Bond Forfeiture Contract Awarded	BF 429-101.1
Location	Derry Township, Westmoreland County
Description	Abandoned Mine Reclamation
Contractor	Hutchison Excavating
Amount	\$121,220.00
Date of Award	January 19, 2001 Contact: Mary Jane Olsen (717) 783-4800

Bond Forfeiture Contract Awarded	BF 422-101.1
Location	Toby Township, Clarion County
Description	Abandoned Mine Land Reclamation
Contractor	WDK Enterprises, Inc.
Amount	\$68,025.95
Date of Award	January 29, 2001 Contact: Mary Jane Olsen (717) 783-4800

Bond Forfeiture Contract Awarded	BF 432-101.1
Location	Noyes and Leidy Townships, Clinton County
Description	Abandoned Mine Land Reclamation
Contractor	Earthmovers Unlimited, Inc.
Amount	\$828,865.45
Date of Award	January 29, 2001 Contact: Mary Jane Olsen (717) 783-4800

Bond Forfeiture Contract Awarded	BF 445-101.1
Location	Clarion Township, Clarion County
Description	Abandoned Mine Land Reclamation
Contractor	Neiswonger Construction Company
Amount	\$430,155.00
Date of Award	December 12, 2000 Contact: Mary Jane Olsen (717) 783-4800

Bond Forfeiture Contract Awarded	BF 453-101.1
Location	Bell Township, Clearfield County
Description	Abandoned Mine Land Reclamation
Contractor	J & J Snyder, Inc.
Amount	\$11,135.00
Date of Award	December 5, 2000 Contact: Mary Jane Olsen (717) 783-4800

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department of Environmental Protection certifies that the construction and operation herein described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act, (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and the Clean Streams Law (35 §§ 691.1— 691.702) and Notice of Final Action for Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C. § 1341(a)). (*Note:* Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-801. Bucks County Water and Sewer Authority, 1275 Almshouse Road, Warrington, PA 18976. Doylestown Township and Doylestown Borough, Bucks County, Philadelphia ACOE.

To expand and maintain the existing Green Street Wastewater Treatment Facility located in the 100-year flood plain of the Central tributary to the Neshaminy Creek (TSF) and to relocate approximately 135 linear feet of stream channel of an unnamed tributary to the Neshaminy Creek (TSF) which will impact 0.06 acre of wetlands (PEM). The proposed channel will be 160 linear feet long and will be stabilized with R-6 riprap. This work also includes demolition of existing facilities which are no longer in use, and improvement of the existing entrance road. The site is located approximately 1,400 feet southwest of the intersection of Doylestown Road (S. R. 0202) and Pebble Hill Road, (Buckingham, PA USGS Quadrangle N: 9.15 inches; W: 17.15 inches). The permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4700.

E29-080. Fulton Industrial Development Association, 100 Lincoln Way East, McConnellsburg, PA 17233 in Ayr Township, **Fulton County**, ACOE Baltimore District, (McConnellsburg, PA Quadrangle N: 9.1 inches; W: 17.4 inches).

To (1) construct and maintain a twin cell box culvert with each cell having an opening of 8 feet x 6 feet, (2) impact 0.32 acre of wetlands; and, (3) construct and maintain a sewer and water line crossing in and along a tributary to Big Cove Creek (CWF) at a point approximately 1,700 feet upstream of US Route 522 for the purpose of constructing an access to the proposed South Central Business Park. The applicant proposed to create 0.32 acre of replacement wetlands.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E17-354. Wallaceton-Boggs Municipal Authority, P. O. Box 97, West Decatur, PA 16878. Sewer lines, in Boggs Township and Wallaceton Borough, **Clearfield County**, ACOE Baltimore District (Wallaceton, PA Quadrangle N: 12 inches; W: 5 inches).

To install, operate and maintain a gravity sewer line beneath Laurel Run (Cold Water Fishery); Simeling Run (Cold Water Fishery); unnamed tributaries to Simeling Run (Cold Water Fishery); and through wetlands associated to Laurel Run and Simeling Run (Exceptional Value Wetlands) for the collection and conveyance of municipal wastewater. Cumulatively the gravity sewer line shall be constructed with a minimum installation length of 125-

feet beneath Laurel Run, 15-feet beneath Simeling Run, 20-feet beneath the unnamed tributaries, and 1695-feet through the wetlands. All sewer line installations between October 1 and December 31 shall be completed by borings; sewer line installations outside this time frame shall be conducted in dry work conditions through the use of dam and pumping or fluming stream flow around the work area. All stone used for in-stream channel use shall be free of fines and silts. The project is located along the southern and northern right-of-way of SR 0322 at the intersection of SR 2024 and SR 0322 in Boggs Township and Wallacetown Borough, Clearfield County. This permit also authorizes the construction, operation, maintenance and removal of temporary stream crossings for equipment access; all crossings shall be constructed with suitable rock that is free of fines and silt. All temporary stream crossings shall be removed and the areas of stream bank disturbance stabilized immediately upon removal.

E18-305. Bald Eagle Township Supervisors, R. R. 2, Box 97C, Mill Hall, PA 17751. Floodway fill, in Bald Eagle Township, **Clinton County**, ACOE Baltimore District, (Lock Haven, PA Quadrangle, N: 0.1 inch; W: 17.2 inches).

To place and maintain 100 cubic yards of clean earthen fill in the right floodway of an unnamed tributary to Bald Eagle Creek located behind the Bald Eagle Township Building in Bald Eagle Township, Clinton County. This permit was issued under Section 105.13(e) "Small Projects."

E49-237. John H. and Charlotte Greiner, R. R. 1, Box 184, River Road, Watsonstown, PA 17777. Private bridge, in Delaware Township, **Northumberland County**, ACOE Baltimore District (Muncy, PA Quadrangle N: 2.0 inches; W: 6.5 inches).

To construct, operate and maintain a single span private bridge structure across Warrior Run. The bridge shall have a span of 16 feet, an underclearance of 5 feet and constructed on concrete abutments. The structure is located one mile west on SR 1007 from the intersection with SR 54 in Delaware Township, Northumberland County. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E59-398. Allen R. Mohler, Spring Hill Road, Kirkwood, PA 17536-9754. Culvert crossing, in Elk Township, **Tioga County**, ACOE Baltimore District (Marshlands, PA Quadrangle N: 9.7 inches; W: 7.3 inches).

To construct, operate and maintain a minor road crossing Chaffee Run to provide private property access. The minor road crossing shall be constructed at a time when Chaffee Run is at maximum low flow. The crossing shall be constructed with a culvert pipe that has a minimum diameter of 5.5-feet, length of 20-feet, and depression of 1.0-feet into the streambed. The road crossing Chaffee Run shall be constructed in dry work conditions by dams and pumping or fluming stream flow around work area. The project is located along the western right-of-way of T-316 approximately 3200-feet west of T-304 and T-316 intersection in Elk Township, Tioga County. This permit does not authorize any temporary or permanent impacts to wetlands associated to Chaffee Run. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E59-409. Pennsylvania Department of Transportation, 715 Jordan Avenue, Montoursville, PA 17754. SR

4017/014 bridge, in Osceola Township, **Tioga County**, ACOE Baltimore District (Knoxville, PA Quadrangle N: 21.4 inches; W: .9 inch).

To remove the existing structure and construct, operate and maintain a new single span pre-stressed box beam bridge structure over Holden Creek. The new structure shall have a normal span of 14.46 meters (47.44 feet) and an average underclearance of 1,820 millimeters (5.97 feet). This permit also authorizes a temporary vehicular access. The access will consist of three 1,520 millimeter (4.98 foot) pipes with associated clean fill that shall be constructed of silt-free non-erodible material in order to prevent any road materials from washing out if the structure is overtopped during periods of high water. The banks shall be re-graded to facilitate smooth transitions of the approaches. Once the temporary access has been removed the banks shall be restored to their original grades and have riparian plantings incorporated to restore the natural corridor. This project is located 13 miles northwest from Osceola on SR 4017 in Osceola Township, Tioga County.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1319. Norfolk Southern Railway Company, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. Fiber Optics Communications Project in Aspinwall Borough, Avalon Borough, Bellevue Borough, Ben Avon Borough, Brackenridge Borough, Cheswick Borough, East Deer Township, Edgeworth Borough, Emsworth Borough, Etna Borough, Glenfield Borough, Harmar Township, Haysville Borough, Harrison Township, Kilbuck Township, Leets Township, Millvale Borough, O'Hara Township, Osborne Borough, City of Pittsburgh, Sewickley Borough, Sharpsburg Borough, Springdale Borough, Springdale Township and Tarentum Borough in **Allegheny County**, ACOE Pittsburgh District (Freeport, PA Quadrangle N: 8.1 inches; W: 9.7 inches and ends Ambridge, PA Quadrangle N: 14.1 inches; W: 13.7 inches).

To construct and maintain a fiber optics line consisting of 12 high density polyethylene (HPPC) conduits installed within the existing right of way of the Norfolk Southern Railway, utilizing various installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. The line shall cross the following streams: six tributaries to the Allegheny River (WWF), Bull Creek (WWF), Bailey Run (WWF), Crawford Run (WWF), Riddle Run (WWF), Tawney Run (WWF), Deer Creek (WWF), Guys Run (WWF), Power Run (WWF), Squaw Run (HQ-WWF), Pine Creek (TSF), Allegheny River (WWF), Jacks Run (WWF), Spruce Run (WWF), Lowries Run (TSF), Toms Run (WWF), Kilbuck Run (CWF), two tributaries to the Ohio River (WWF), Little Sewickley Creek (HQ-TSF) and Big Sewickley Creek (TSF). This project is part of the construction of a fiber optic network extending from Cleveland, Ohio to Fairfax, Virginia.

E03-389. Norfolk Southern Railway Company, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. Fiber Optics Communications Project in Freeport Borough and South Buffalo Townships, **Armstrong County**, ACOE Pittsburgh District (Freeport, PA Quadrangle N: 8.3 inches; W: 9.4 inches).

To construct and maintain several fiber optic utility line crossings in, along or across Long Run (WWF), Kiskiminetas River (WWF) and Buffalo Creek (TSF) and their associated wetlands. The utility line will be in-

stalled within existing right of ways of the Norfolk Southern Railway Company, utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of the construction of a fiber optic network extending from Washington, D.C. to Cleveland, Ohio.

E04-273. Norfolk Southern Railway Company, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. Fiber Optics Communications Project in Ambridge Borough, Baden Borough, the City of Beaver Falls, Conway Borough, Daugherty Township, East Rochester Township, Eastvale Borough, Economy Borough, Freedom Borough, Harmony Township, New Brighton Borough, North Sewickley Township, Patterson Heights Borough and Rochester Township in **Beaver County**, ACOE Pittsburgh District (Ambridge, PA Quadrangle N: 14.1 inches; W: 13.7 inches and ends at the Beaver Falls, PA Quadrangle N: 18.7 inches; W: 10.0 inches).

To construct and maintain a fiber optic line consisting of 12 high density polyethylene (HPPC) conduits installed within the existing right of way of the Norfolk Southern Railway, utilizing various installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. The line shall cross the following streams: two tributaries to the Ohio River (WWF), Legionville Run (WWF), Crows Run (WWF), Dutchman Run (WWF), Lacock Run (WWF), McKinley Run (WWF), six tributaries to the Beaver River (WWF), Blockhouse Run (WWF), Bennett Run (WWF), Thompson Run (WWF), and a wetland (PFO) in a tributary to the Beaver River. This project is part of the construction of a fiber optic network extending from Cleveland, Ohio to Fairfax, Virginia.

E11-286. Norfolk Southern Railway Company, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. Fiber Optics Communications Project in the Borough of Cassandra, Cresson, East Conemaugh, Gallitzin, Lilly, Portage, Sankertown, South Fork, Summerhill, Tunnelhill, Wilmore, Ehrenfeld and City of Johnstown and the Townships of Allegheny, Conemaugh, Cresson, Croyle, Gallitzin, East Taylor, Lower Yoder, Portage, Summerhill, Upper Yoder and Washington, **Cambria County**, ACOE Pittsburgh District, (Cresson, PA Quadrangle N: 18.5 inches; W: 8.2 inches).

To construct and maintain several fiber optic utility line crossings in, along or across Little Conemaugh River, Conemaugh River, several of their tributaries (CWF, WWF), and associated wetlands. The utility line will be installed within existing right of ways of the Norfolk Southern Railway Company, utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of the construction of a fiber optic network extending from Washington D.C. to Cleveland, Ohio.

E32-424. Norfolk Southern Railway Company, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. Fiber Optics Communications Project in the Borough of Blairsville, and the Townships of Burrell, Conemaugh, and West Wheatfield, **Indiana County**, ACOE Pittsburgh District (Avonmore, PA Quadrangle N: 5.6 inches; W: 10.3 inches).

To construct and maintain several fiber optic utility line crossings, in, along or across the Conemaugh River (WWF), several of its tributaries (WWF & CWF), associated wetlands and tributaries of the Kiskiminetas River

(CWF & WWF). The utility line will be installed within existing right of ways of the Norfolk Southern Railway Company utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of the construction of a fiber optics network from Washington, D.C. to Cleveland, Ohio.

E65-764. Norfolk Southern Railway Company, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. Fiber Optics Communications Project in the Borough of Bolivar, East Vandergrift, Hyde Park, New Florence, Oklahoma, Seward, Vandergrift, West Leechburg and Avonmore and the Townships of Allegheny, Bell, Derry, Fairfield, St. Clair, and Washington, **Westmoreland County**, ACOE Pittsburgh District (Freeport, PA Quadrangle N: 9.5 inches; W: 6.6 inches).

To construct and maintain several fiber optic utility line crossings in, along or across the Conemaugh River (WWF), Kiskiminetas River (WWF), Allegheny River (WWF), several of their tributaries (HQ-CWF, CWF, TSF, WWF) and associated wetlands. The utility line will be installed within existing right of ways of the Norfolk Southern Company, utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of the construction of a fiber optic network extending from Washington D.C. to Cleveland, Ohio.

E02-1310. Sports and Exhibition Authority of Pittsburgh and Allegheny County, Regional Resource Center, Suite 1410, 425 Sixth Avenue, Pittsburgh, PA 15219. North Shore Riverfront Park Docking Facility in the City of Pittsburgh, **Allegheny County**, ACOE Pittsburgh District (Pittsburgh West, PA Quadrangle project begins N: 12.7 inches; W: 2.5 inches; project ends N: 12.8 inches; W: 1.0 inch).

To remove existing structures and to construct and maintain a new Waterfront Park on the North Shore of the Ohio River (WWF) and Allegheny River (WWF). The project shall consist of a sheet pile wall for the entire length of the project (3,025 ft.), 700 ft. of rip-rap bank stabilization, 10,370 cubic yards of dredging, create 2.29 acres of shallow water mitigation area by dredging and placing 7,720 yds. of rip rap and approximately 1,100 two foot diameter boulders, an observation pier, two pile supported overlooks, a pile supported causeway (316 ft.), two commercial passenger ferry ramps, a mooring facility for the Delta Queen, a fountain/waterfall and six outfalls. The project area is bounded on the north by the existing and proposed North Shore Drive; on the south by the Allegheny and Ohio Rivers; on the east by PNC Park; and on the west by the Carnegie Science Center. This project excludes the PNC Park waterfront improvements.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E25-621, BTDD, LLC, 101 Lakemont Park Boulevard, Altoona, PA 16002. Sheetz Gas Station/Convenience Store and Commercial Development in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 13.2 inches; W: 7.75 inches).

To conduct the following activities in/along a total reach of approximately 360 feet of a tributary to Lake Erie associated with a Sheetz gas station/convenience store and commercial retail development and associated parking area at the northeast corner of West 26th and Asbury Road:

1. Place and maintain fill within the regulated 50-foot floodway beginning at West 26th Street and extending downstream approximately 360 feet along the left (west) bank of the stream.

2. Rebuild and maintain an existing block wall along the left bank of the stream extending approximately 50 feet downstream from the outlet of the culvert under West 26th Street.

3. Install and maintain rock riprap along the left bank of the stream beginning at the end of the block wall and extending approximately 280 feet downstream.

4. Install and maintain a 36-inch diameter HDPE pipe stormwater outfall with rock riprap energy dissipater along the left bank of the stream approximately 330 feet downstream of West 26th Street.

E37-133, PA Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676. Gateway Toll Plaza, in North Beaver Township, **Lawrence County**, US ACOE Pittsburgh District.

To conduct the following activities associated with the rehabilitation and expansion of the existing Gateway Toll Plaza on the Pennsylvania Turnpike (I-76) approximately 1 mile east of the Pennsylvania-Ohio state line:

1. To construct and maintain a 60-foot long, 6.5-foot diameter reinforced concrete culvert in a tributary to Honey Creek and an earthen berm extending upstream along the east bank on a service access road extending west from Burkey Road (T-306) to the westbound lanes of I-76 (New Middletown, OH-PA Quadrangle N: 5.6 inches; W: 0.3 inches).

To fill a de minimus area of wetland (0.0008 acre) associated with relocation of the eastbound service access road approximately 600 feet east of Burkey Road (T-306) (Bessemer, PA Quadrangle N: 5.4 inches; W: 17.1 inches).

E43-289, Upper Shenango Valley Water Pollution Control Authority, P. O. Box 1449, Hermitage, PA 16148. Orangeville Pump Station, in City of Hermitage, **Mercer County**, ACOE Pittsburgh District (Sharon West, PA Quadrangle N: 22.6 inches; W: 1.2 inches).

To modify and an existing concrete walkway, construct a generator pad and associated fill and maintain the Orangeville Pump Station within/along the 100-year floodplain of the Shenango River east of S. R. 718 (North Water Avenue) at Orangeville Road.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6945.

EA10-014NW, Ronald Devido, 36 Sunset Drive, New Castle, PA 16105. Devido Pond in Shenango Township, **Lawrence County**, ACOE Pittsburgh District (New Castle South, PA Quadrangle N: 18.65 inches; W: 5.25 inches).

To drain the existing impoundment, reconstruct the non-jurisdictional dam and fill an area measuring approximately 550 feet long by 20 feet wide, consisting of approximately two thirds of the existing impoundment area on property located 600 feet north of S. R. 422 approximately 0.4 mile west of Baldwin Road.

SPECIAL NOTICES

Consent Order and Agreement

Borough of Kane

Borough of Kane Authority Kane Borough, McKean County

Notice is hereby provided that the Department of Environmental Protection (Department) has entered into a Consent Order and Agreement with the Borough of Kane and the Borough of Kane Authority (hereinafter collectively referred to as Kane) concerning the Pine Street wastewater treatment plant and sewerage collection and conveyance system.

On January 17, 2001, the Department of Environmental Protection signed a Consent Order and Agreement with the Borough of Kane and the Borough of Kane Authority. The Consent Order and Agreement requires Kane to pay a civil penalty of \$7,500 for past National Pollutant Discharge Elimination System Permit violations and sewage overflows from the sewerage collection and conveyance system. Kane will also submit a long term control plan to the Department, focusing on a comprehensive solution to any outstanding environmental issues.

The specifics of the Department's settlement with Kane are set forth in the Consent Order and Agreement. Copies of the Consent Order and Agreement are available for inspection at the Department's office at 230 Chestnut Street, Meadville, PA 16335. Further information may be obtained by contacting Paul Tunno at (814) 332-6942. TDD users may contact the Department through the Pennsylvania Relay Service at (800) 645-5984.

[Pa.B. Doc. No. 01-226. Filed for public inspection February 9, 2001, 9:00 a.m.]

Coastal Zone Management Program

The Department of Environmental Protection (DEP) is proposing several minor changes to the Commonwealth's Coastal Zone Management (CZM) Program. As required by 15 CFR 923.84, the CZM Program is providing public notice of these changes which occurred in 1998 and 1999. These changes involve:

- amendments to and renumbering of state regulations currently networked into the CZM Program's enforceable policies,
- minor boundary changes in Delaware County, and
- the addition of five geographic areas of particular concern.

Since these changes revise the Commonwealth's Federally approved CZM Program, the changes must also be approved by the Federal Office of Ocean and Coastal Resource Management (OCRM).

The Commonwealth has notified OCRM that the proposed changes are considered by the Commonwealth to be Routine Program Changes (RPC). An RPC is defined by Federal CZM Regulations as an action taken by a state to further detail the implementation of the state's CZM Program. Essentially, these changes are either clarifications, minor revisions or improvements, and do not substantially alter one or more of the following CZM Program areas:

- (1) Uses subject to management;
- (2) Special management areas;
- (3) Boundaries;
- (4) Authorities and organization; and
- (5) Coordination, public involvement and the national interest.

Therefore, the Commonwealth has requested OCRM to concur with this determination.

Copies of the proposed changes are available for review at the Erie County Department of Planning and the Delaware Valley Regional Planning Commission. In the Erie Region, contact Brian Barnhizer, Erie County Courthouse, Rm. 119, 140 W. 6th St., Erie, PA 16501, (814) 451-6336. In the Delaware Estuary Region, contact Ben Ginsberg, 111 South Independence Mall-East-The Bourse Building, Eighth Floor, Philadelphia, PA 19106-2515, (215) 592-1800. Also, copies may be reviewed in Harrisburg, PA, by calling Larry Toth, Coastal Zone Management Program, (717) 772-5622.

The RPC is available on DEP's worldwide web site at www.dep.state.pa.us (directLINK "Coastal Zones").

Interested parties can submit comments on whether these actions do or do not constitute an RPC. Comments must be submitted within 3 weeks from the date of this notice to Neil K. Christerson, Program Specialist, U.S. Department of Commerce, Coastal Programs Division, OCRM, SSMC4, Room 11209 (N/ORM3), 1305 East-West Highway, Silver Spring, MD 20910.

BRADLEY MALLORY,
Secretary

[Pa.B. Doc. No. 01-227. Filed for public inspection February 9, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established by Section 8 of the Act of December 1, 1994 (P. L. 655, No. 102) (20 P. S. § 8622), will hold a public meeting on March 14, 2001 from 10 a.m. to 2 p.m. The meeting will be held in Room 812 of the Health & Welfare Building, 7th & Forster Streets, Harrisburg, PA.

For additional information please contact William J. Neil, Manager, Health Education and Information Program, Bureau of Chronic Diseases & Injury Prevention or Angela H. Anderson, Clerk Typist II, Health Education & Information Program, Bureau of Chronic Diseases & Injury Prevention, 1000 Health & Welfare Building, Harrisburg, PA, at (717) 787-5900.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact William J. Neil or Angela H. Anderson at (717) 787-5900.

V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN,
Secretary

[Pa.B. Doc. No. 01-228. Filed for public inspection February 9, 2001, 9:00 a.m.]

Pennsylvania Cancer Control Prevention and Research Advisory Board

The Pennsylvania Cancer Control, Prevention and Research Advisory Board will hold a public meeting on March 15, 2001 from 8 a.m. to 12 p.m. at the Pennsylvania Medical Society, 777 East Park Drive, Room C, Harrisburg, Pennsylvania.

For additional information please contact Susan F. George, Program Manager, Department of Health, Cancer Control Program, Room 1011 Health and Welfare Building, Harrisburg, PA (717) 787-5251.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Susan F. George, (717) 787-5251. V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-229. Filed for public inspection February 9, 2001, 9:00 a.m.]

Preventive Health and Health Services Block Grant Advisory Committee Meeting

The Preventive Health and Health Services Block Grant Advisory Committee will hold a public meeting on Thursday, February 8, 2001, from 10 a.m. to 2:30 p.m. The meeting will be held in Room 812 of the Health & Welfare Building, 7th and Forster Streets, Harrisburg, Pennsylvania.

For additional information, please contact Emilie M. Tierney, Director, Bureau of Chronic Diseases and Injury Prevention, Room 1000 Health & Welfare Building, Harrisburg, PA (717) 787-6214.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Terry L. Walker, Administrative Officer, (717) 787-6214. V/TT (717) 783-6514 for speech and/or hearing-impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-230. Filed for public inspection February 9, 2001, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

List of Behavioral Health Managed Care Organizations

The purpose of this notice is to provide prior public notice of the Department of Public Welfare's (Department) intent to develop a list of qualified Behavioral Health Managed Care Organizations (BH-MCO) as potential contractors for the HealthChoices Behavioral Health Program (HCBHP). The development of this list is the first step in a two-step process for obtaining a Behavioral Health contractor, should the need arise. HealthChoices is a mandatory Managed Care program for Medicaid recipients in this Commonwealth. Additional information about HCBHP is available at the Department's website: www.dpw.state.pa.us/omap/dpwomap.asp

The list of qualified BH-MCOs would be utilized in the following cases:

- Contract negotiations with a potential contractor selected through a Request for Proposal (RFP) process fail;
- A potential contractor selected through a RFP process fails the Readiness Review process; or
- An existing contractor terminates the contract or is terminated by the Department.

The list of qualified BH-MCOs will be opened periodically for new submissions. MCOs selected for the list of qualified bidders will remain active on the list for 2 years. After 2 years they will be required to resubmit information. The following is a list of requirements necessary to qualify as a potential HealthChoices Behavioral Health contractor:

- One year experience with a State Behavioral Health Medicaid Program.
- Not currently under suspension or debarment by the Commonwealth or any other state or Federal Government.
- Licensed or demonstrated ability to be licensed by the Departments of Health and Insurance of the Commonwealth.
- Management Information System (MIS) experience in processing UB 92 and HCFA 1500 forms.
- MIS capacity to produce person-level encounter data in compliance with the HealthChoices program requirements.

In order to apply, submit a letter of interest on official corporate letterhead, to qualify as a potential HealthChoices Behavioral Health contractor by February 26, 2001, to Karen Rosenthal, Office of Mental Health and Substance Abuse Services, Room 236, Beechmont Building, P. O. Box 2675, Harrisburg, PA 17105. Letters may be faxed to (717) 772-7964. Submit the following information to the Department of Public Welfare, Division of Procurement, P. O. Box 2675, Room 106, Health & Welfare Bldg., Commonwealth & Forster St., Harrisburg, PA 17105-2675 by 2 p.m. March 15, 2001.

List of Deliverables:

1. Describe experience in providing services to Medicaid recipients including:

- Type of behavioral health (mental health and drug and alcohol) services covered.
- Description of categories of aid/population covered.
- Number of years experience with Medicaid programs.

2. Provide a report on the number of claims processed (for Medicaid population) in the most recent 6-month period, including timeliness of processing clean claims and the number of claims paid/rejected.

3. Provide a flow chart of the MIS.

4. Provide a file layout/specification of a person-level encounter report.

5. Provide one of the following:

- A copy of current Pennsylvania license from the Departments of Health and Insurance.
- A current application for Pennsylvania license from the Departments of Health and Insurance with a time frame for receiving the license.
- A work plan with a time line to obtain a license from the Departments of Health and Insurance of the Commonwealth.

6. Provide a copy of the most recent audited, annual filing with a state insurance department.

7. Provide a copy of the most recent annual audited company financial statement.

8. Outline a plan to start up or expand (if currently operating in this Commonwealth) operations in this Commonwealth.

9. Provide the name, address and phone number of three references familiar with the MCOs operations (one must provide reference to a State Medicaid program).

Department staff will verify the information submitted by the BH-MCOs. As part of the verification process, the Department may conduct an on-site visit. Each MCO will be notified of its qualification status.

The second step of the process is outlined in the event that the list is utilized to obtain a contractor. The Department will:

- Contact the vendors on the list and verify their continued interest in obtaining a HealthChoices contract.
- Inform the vendors of the county or counties requiring a BH-MCO contractor.
- Release a procurement document that contains the requirements for the HCBHP to the interested vendors on the list along with instructions on how to submit a bid.
- Evaluate all responses to the procurement document and select a contractor.

The above two-step process will *not* replace the RFP process to obtain a HCBH contract in the remaining North/Central zone. The procurement process for the North/Central zone will follow the same procedure as followed in the Southeast, Southwest and Lehigh/Capital zones, which required a response to a RFP.

Any questions may be directed to Raymond Klabe, Office of Mental Health and Substance Abuse Services, Room 247, Beechmont Building, P. O. Box 2675, Harrisburg, PA 17105, (717) 772-7984, Fax: (717) 772-7964.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (Voice Users). Persons who require an alternate format should contact Thomas Vracarich, Office of Legal Counsel, (717) 783-2209.

FEATHER O. HOUSTON,
Secretary

[Pa.B. Doc. No. 01-231. Filed for public inspection February 9, 2001, 9:00 a.m.]

Written comments also will be accepted at the following e-mail address: N-Central@dpw.state.pa.us.

Written comments will be accepted until 4 p.m., March 30, 2001.

FEATHER O. HOUSTON,
Secretary

[Pa.B. Doc. No. 01-232. Filed for public inspection February 9, 2001, 9:00 a.m.]

Plan to Implement HealthChoices; Public Meeting

The Department of Public Welfare (Department) is announcing the opportunity for public comment on the plan to implement HealthChoices, the mandatory managed care program for Medical Assistance consumers in Pennsylvania, in the North/Central Zone. HealthChoices was implemented in five counties in the Southeast Zone in 1997, in 10 counties in the Southwest Zone in 1999, and is currently being implemented in 10 counties in the Lehigh/Capital Zone. The Department is now developing the HealthChoices program for the North/Central Zone, representing the balance of 42 counties in the state. The Department plans to divide the North/Central Zone into three Sub-Zones: Northeast, Northwest, and Central with enrollment in the Northeast Sub-Zone scheduled to begin in January 2003. Implementation in the two remaining Sub-Zones will occur in 2004 for the Northwest Sub-Zone and 2005 for the Central Sub-Zone.

A discussion paper on the plan to implement HealthChoices in the North/Central Zone may be obtained by calling (717) 772-6783 or accessing the DPW Web page at <http://www.dpw.state.pa.us/omap/dpwomap>.

In order to gather comments from all interested parties, the Department will hold three public meetings to discuss the Department's plans to implement HealthChoices in the North/Central Zone. The three meetings will be held as follows:

- Northwest Sub-Zone—Monday, March 5, 2001
9:30 a.m.—2:30 p.m.
Hirt Auditorium
Erie County Public Library
160 E. Front Street
Erie, Pennsylvania
- Northeast Sub-Zone—Monday, March 12, 2001
9:30 a.m.—2:30 p.m.
Multipurpose Room
Lackawanna Junior College
501 Vine Street
Scranton, Pennsylvania
- Central Sub-Zone—Monday, March 19, 2001
9:30 a.m.—2:30 p.m.
Ramada Inn
1450 South Atherton Street
State College, Pennsylvania

Persons who wish to present comments on the paper must schedule a 5-minute time slot by calling (717) 772-6783. The deadline to schedule a speaking slot is February 26, 2001. Please bring a written copy of your comments to the meeting.

Persons who are unable to attend one of the three meetings, may submit comments in writing to DPW/OMAP, Bureau of Policy, Budget, and Planning, P. O. Box 8046, Harrisburg, Pennsylvania 17105.

DEPARTMENT OF REVENUE

Pennsylvania Go for the Green Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Go for the Green.

2. *Price:* The price of a Pennsylvania Go for the Green instant lottery game ticket is \$2.00.

3. *Play Symbols:* Each Pennsylvania Go for the Green instant lottery game ticket will feature one "Lucky Numbers" area and one "Your Numbers" area. The play symbols and their captions, printed in black ink, located in the "Lucky Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENTY) and 21 (TWYONE). The play symbols and their captions, printed in either green or black ink, located in the "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENTY) and 21 (TWYONE).

4. *Prize Play Symbols:* The prize play symbols and their captions, printed in black ink, located in the eight "Prize" areas are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$4⁰⁰ (FOR DOL), \$6⁰⁰ (SIX DOL), \$8⁰⁰ (EGT DOL), \$12\$ (TWLV), \$18\$ (EGHTN), \$24\$ (TWY FOR), \$36\$ (TRY SIX), \$72\$ (SVY TWO), \$144 (HUNFRYFOR) and \$25,000 (TWYFIVTHO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$4, \$6, \$8, \$12, \$18, \$24, \$36, \$72, \$144 and \$25,000. The player can win up to eight times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the Pennsylvania Go for the Green instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "Your Numbers" play symbols, printed in black ink, matches either of the "Lucky Numbers" play symbols and a prize play symbol of \$25,000 (TWYFIVTHO) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

When Any of Your Numbers
Match Either Lucky
Number, Win With
Prizes Of:

	Win	Approximate Odds	Approximate No. of Winners Per 5,400,000 Tickets
\$1 x 2	\$2	1:9.38	576,000
\$2	\$2	1:13.76	392,400
\$3	\$3	1:21.43	252,000
\$2 x 2	\$4	1:300	18,000
\$4	\$4	1:300	18,000
\$2(D)	\$4	1:75	72,000
\$1 x 6	\$6	1:300	18,000
\$2 x 3	\$6	1:500	10,800
\$3 x 2	\$6	1:375	14,400
\$6	\$6	1:500	10,800
\$3(D)	\$6	1:150	36,000
\$1 x 8	\$8	1:300	18,000
\$2 x 4	\$8	1:300	18,000
\$4 x 2	\$8	1:750	7,200
\$3 x 2 + \$2	\$8	1:750	7,200
\$8	\$8	1:1,500	3,600
\$4(D)	\$8	1:300	18,000
\$3 x 4	\$12	1:1,500	3,600
\$2 x 6	\$12	1:1,500	3,600
\$1 x 6 + \$3 x 2	\$12	1:750	7,200
\$6 x 2	\$12	1:1,500	3,600
\$4 x 3	\$12	1:1,500	3,600
\$3 x 2 + \$6	\$12	1:1,500	3,600
\$2 x 4 + \$4	\$12	1:1,500	3,600
\$12	\$12	1:1,500	3,600
\$6(D)	\$12	1:750	7,200
\$2 x 7 + \$4	\$18	1:750	7,200
\$3 x 6	\$18	1:750	7,200
\$8 + \$6 + \$4	\$18	1:750	7,200
\$4 x 3 + \$2 x 3	\$18	1:750	7,200
\$12 + \$6	\$18	1:1,500	3,600
\$18	\$18	1:1,500	3,600
\$3 x 8	\$24	1:1,500	3,600
\$4 x 6	\$24	1:1,500	3,600
\$2 x 6 + \$6 x 2	\$24	1:1,500	3,600
\$24	\$24	1:1,500	3,600
\$12(D)	\$24	1:1,500	3,600
\$6 x 6	\$36	1:4,000	1,350
\$24 + \$8 + \$4	\$36	1:6,000	900
\$6 x 4 + \$4 x 3	\$36	1:2,400	2,250
\$12 x 3	\$36	1:6,000	900
\$24 + \$6 x 2	\$36	1:4,286	1,260
\$24 + \$4 x 3	\$36	1:6,000	900
\$36	\$36	1:6,000	900
\$18(D)	\$36	1:2,308	2,340
\$12 x 6	\$72	1:8,000	675
\$18 x 4	\$72	1:8,000	675
\$24 x 3	\$72	1:24,000	225
\$72	\$72	1:24,000	225
\$36(D)	\$72	1:6,000	900
\$18 x 4 + \$24 x 2 + \$12 x 2	\$144	1:20,000	270
\$24 x 6	\$144	1:60,000	90
\$18 x 8	\$144	1:60,000	90
\$144	\$144	1:60,000	90
\$72(D)	\$144	1:20,000	270
\$25,000	\$25,000	1:675,000	8

D = Double

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Go for the Green instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Go for the Green, prize money from winning Pennsylvania Go for the Green instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Go for the Green instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Go for the Green or through normal communications methods.

LARRY P. WILLIAMS,
Acting Secretary

[Pa.B. Doc. No. 01-233. Filed for public inspection February 9, 2001, 9:00 a.m.]

Pennsylvania Pot O’ Gold ’01 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

- 1. *Name:* The name of the game is Pennsylvania Pot O’ Gold ’01.
- 2. *Price:* The price of a Pennsylvania Pot O’ Gold ’01 instant lottery game ticket is \$1.00.
- 3. *Play Symbols:* Each Pennsylvania Pot O’ Gold ’01 instant lottery game ticket will contain one play area and one “Bonus Box” area. The play symbols and their

captions located in the play area are: \$1^{.00} (ONE DOL), \$2^{.00} (TWO DOL), \$3^{.00} (THR DOL), \$7^{.00} (SVN DOL), \$17\$ (SVNTN), \$35\$ (TRY FIV), \$70\$ (SEVENTY), \$170 (ONEHUNSTY) and \$1,700 (SVNTNHUN). The play symbols and their captions located in the “Bonus Box” area are: Clover Symbol (CLOVER) and TRY AGAIN.

4. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$7, \$17, \$35, \$70, \$170 and \$1,700.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 7,200,000 tickets will be printed for the Pennsylvania Pot O’ Gold ’01 instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols of \$1,700 (SVNTNHUN) in the play area on a single ticket, shall be entitled to a prize of \$1,700.

(b) Holders of tickets with three matching play symbols of \$170 (ONEHUNSTY) in the play area on a single ticket, shall be entitled to a prize of \$170.

(c) Holders of tickets with three matching play symbols of \$70\$ (SEVENTY) in the play area on a single ticket, shall be entitled to a prize of \$70.

(d) Holders of tickets with three matching play symbols of \$35\$ (TRY FIV) in the play area on a single ticket, shall be entitled to a prize of \$35.

(e) Holders of tickets with a Clover Symbol (CLOVER) play symbol in the “Bonus Box” play area, on a single ticket, shall be entitled to a prize of \$17.

(f) Holders of tickets with three matching play symbols of \$17\$ (SVNTN) in the play area on a single ticket, shall be entitled to a prize of \$17.

(g) Holders of tickets with three matching play symbols of \$7^{.00} (SVN DOL) in the play area on a single ticket, shall be entitled to a prize of \$7.

(h) Holders of tickets with three matching play symbols of \$3^{.00} (THR DOL) in the play area on a single ticket, shall be entitled to a prize of \$3.

(i) Holders of tickets with three matching play symbols of \$2^{.00} (TWO DOL) in the play area on a single ticket, shall be entitled to a prize of \$2.

(j) Holders of tickets with three matching play symbols of \$1^{.00} (ONE DOL) in the play area on a single ticket, shall be entitled to a prize of \$1.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 7,200,000 Tickets</i>
3-\$1	\$1	1:7.50	960,000
3-\$2	\$2	1:18.75	384,000
3-\$3	\$3	1:75	96,000
3-\$7	\$7	1:300	24,000
3-\$17	\$17	1:300	24,000
CLOVER	\$17	1:75	96,000
3-\$35	\$35	1:7,059	1,020
3-\$70	\$70	1:24,000	300
3-\$170	\$170	1:48,000	150
3-\$1,700	\$1,700	1:900,000	8

CLOVER = Win \$17 Automatically

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Pot O' Gold '01 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Pot O' Gold '01, prize money from winning Pennsylvania Pot O' Gold '01 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Pot O' Gold '01 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Pot O' Gold '01 or through normal communications methods.

LARRY P. WILLIAMS,
Acting Secretary

[Pa.B. Doc. No. 01-234. Filed for public inspection February 9, 2001, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

Notice is hereby given that under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been submitted to the Department by New Penn Hospitality Associates, L.P., a New York Limited Partnership, 5835 N.W. 21st Way, Boca Raton, Florida 33496, to lease highway right-of-way located from Station Road along Bow Creek Road thence along the Southbound Ramp for I-81, right-of-way abuts 604 Station Road, Grantville, East Hanover Township, Dauphin County, containing 28,871.49 square feet +/- adjacent to S. R. 81, Ramp B to be used in conjunction with an existing lease area of 27,038 square feet along Bow Creek Road for purpose of parking. Total new area will consist of 55,909.49 square feet or 1.283 acres.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Barry G. Hoffman, P.E., District Engineer, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699.

Questions regarding this application or the proposed use may be directed to Kim J. Smith, Right-of-Way

Representative, 2140 Herr Street, Harrisburg, PA 17103-1699, (717) 772-5119.

BRADLEY MALLORY,
Secretary

[Pa.B. Doc. No. 01-235. Filed for public inspection February 9, 2001, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register Nominations to be Considered by the Historic Preservation Board

The following National Register Nominations will be considered at the March 13, 2001, meeting of the Historic Preservation Board. The meeting will start at 9:45 a.m. in the Board Room of the State Museum Building, Third and North Streets, Harrisburg, Pennsylvania. Individuals with a disability who wish to attend this meeting and require an auxiliary aid, service, or other accommodation to participate should contact Dan Deibler at (717) 783-8946 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the agency can accommodate their needs. Persons who have any questions or comments, should contact the Bureau for Historic Preservation at (717) 783-8946.

Allegheny Plateau

1. *Protection of the Flag Monument*, 715 South Main Street, Athens, Bradford County

Anthracite Region and Poconos—No nominations Great Valley and Piedmont Region

2. *Normandy Farm*, 1411 Morris Road, Blue Bell, Whitpain Township, Montgomery County

3. *Awbury Historic District*, Roughly bounded by Chew Avenue, Avonhoe Road, Devon Place, Haines Street, Ardleigh Street, and Arboretum boundary northwest of E. Washington Lane, Philadelphia

4. *Upper Roxborough Historic District*, Roughly bounded by Shawmont Avenue, Hagys Mill Road, Manor Road and the Schuylkill River, City of Philadelphia and Springfield Township, Montgomery County

5. *Harris/Laird, Schober & Company Building*, 2121-41 Market Street, Philadelphia

6. *George K. Heller School*, 439 Ashbourne Road, Cheltenham, Cheltenham Township, Montgomery County

7. *Michael Derstine Farmstead*, 956 Bypass Road, Perkasio. Hilltown Township, Bucks County

8. *Chester Heights Camp Meeting Historic District*, 320 Valley Brook Road, Chester Heights Borough, Delaware County

9. *John Nicholas and Elizabeth Moyer House*, 152 Hetrick Road, Jefferson Township, Berks County

10. *William Shelly School and Annex*, 201 North Adams Street at Stanton Street, West York Borough, York County

11. *Zeta Psi Fraternity House*, 49 South College Drive, Easton, Northampton County

Ridge and Valley

12. *Schellsburg Historic District*, centered on Pitt Street (Lincoln Highway), Market and Baltimore Streets (Related Multiple Property Listing = Lincoln Highway Heritage Corridor Historic Resources: Franklin to Westmoreland Counties, PA)

13. *Stoystown Historic District*, roughly bounded by West and East Forbes Roads, East Main Street, Meadow Street, East Penn Avenue, South Somerset Street, West Penn Avenue and West Main Street (Related Multiple Property Listing = Lincoln Highway Heritage Corridor Historic Resources: Franklin to Westmoreland Counties, PA)

Southwestern Pennsylvania

14. *William Cree House*, west side of SR 1011, 1/10 mile north of SR 21, Jefferson Township, Greene County

15. *John Frew House*, 105 Sterrett Street, Pittsburgh, Allegheny County

16. *Robert Parkinsin Farm*, State Route 18, 0.4 mile north of Old Concord Village, 1 mile south of Sparta, Morris Township, Washington County

BRENT D. GLASS,
Chairperson

[Pa.B. Doc. No. 01-236. Filed for public inspection February 9, 2001, 9:00 a.m.]

**INDEPENDENT
REGULATORY REVIEW
COMMISSION**

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its Website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
57-214	Pennsylvania Public Utility Commission Universal Service Fund	01/31/01
57-215	Pennsylvania Public Utility Commission Customer Information Disclosure Requirements For Natural Gas Distribution Companies And Natural Gas Suppliers	01/31/01
2-115	Department of Agriculture Sustainable Agriculture Programs	01/31/01

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
2-132	Department of Agriculture Dog Shelters	01/31/01

JOHN R. MCGINLEY,
Chairperson

[Pa.B. Doc. No. 01-237. Filed for public inspection February 9, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Amendments to Insurance Holding Companies Law; Notice No. 2001-01

House Bill No. 550 (P. N. 4226) enacted December 20, 2000, (Act 132-2000) contained a number of amendments to The Insurance Company Law of 1921. The bill can be obtained electronically from the Pennsylvania General Assembly's Electronic Bill Room by accessing the Insurance Department's (Department) web site at www.insurance.state.pa.us or the Legislature's web site at www.legis.state.pa.us.

Act 132-2000 included three important amendments to the Insurance Holding Companies Law¹:

1. Adding preferred provider organizations (PPOs) to the definition of "insurer" to bring risk-assuming PPOs within the scope of the Insurance Holding Companies Law. Therefore, acquisitions or mergers of domestic PPOs will be subject to the Department's approval, and PPOs will be required to file annual holding company registration statements and notices of intended material transactions. Initial registration statements must be filed by March 31, 2001.

2. Adding limited liability companies to the definition of "person" to require the Department's prior approval of an acquisition of a domestic insurer by a limited liability company and the Department's oversight of insurance holding company systems in which the parent company is organized as a limited liability company.

3. Adding pledges of assets to the types of material transactions involving affiliates in insurance holding company systems that must be reported to the Department before the transactions occur. The Department has the authority to disapprove material transactions within 30 days of receiving notice.

The amendments will become effective February 17, 2001.

Questions concerning this notice may be directed to Stephen J. Johnson, CPA, Deputy Insurance Commissioner, Office of Regulation of Companies, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 783-2142/Fax: (717) 787-8557, stjohnson@state.pa.us.

M. DIANE KOKEN,
Insurance Director

[Pa.B. Doc. No. 01-238. Filed for public inspection February 9, 2001, 9:00 a.m.]

¹ (Article XIV of The Insurance Company Law of 1921, added December 18, 1992, P. L. 1519, No. 178, 40 P. S. §§ 991.1401—991.1413)

Amendments to Insurance Holding Companies Law (PPOs); Notice No. 2001-02

House Bill No. 550 (P. N. 4226) enacted December 20, 2000 (Act 132-2000) contained a number of amendments to The Insurance Company Law of 1921. The bill can be obtained electronically from the Pennsylvania General Assembly's Electronic Bill Room by accessing the Insurance Department's (Department) website at www.insurance.state.pa.us or the Legislature's website at www.legis.state.pa.us.

One of the amendments in Act 132 will bring risk-assuming preferred provider organizations (PPOs) within the scope of the Insurance Holding Companies Law (40 P. S. §§ 991.1401–991.1413)¹ by adding PPOs to the definition of "insurer" in that law. Other amendments to the Insurance Holding Companies Law will add limited liability company to the definition of "person" and pledges of assets to the types of transactions involving affiliates in insurance holding company systems that must be reported to the Department before the transactions occur. The Act 132 amendments to the Insurance Holding Companies Law will become effective in 60 days of enactment.

Therefore, as of February 17, 2001, PPOs will be required to comply with the Insurance Holding Companies Law, including the following:

1. An acquisition of control of or merger with a PPO must be approved by the Department. See 40 P. S. §§ 991.1402 and 991.1403 (relating to acquisition of control of a merger with domestic insurer; and acquisitions involving insurers not otherwise covered).

2. A PPO that is a member of an insurance holding company system must file a registration statement with the Department by March 31, 2001, and each year thereafter. See 40 P. S. § 991.1404 (relating to registration of insurers).

3. Dividends and transactions within a holding company system will be subject to standards and reporting requirements. See 40 P. S. § 991.1405 (relating to standards and management of an insurer within a holding company system).

4. A PPO's board of directors and committees must comply with requirements relating to membership. See 40 P. S. § 991.1405(c) (relating to standards and management of an insurer within a holding company system).

Instructions and formats for the statements and notices required to be filed under the law prescribed in the Department's regulations in 31 Pa. Code Chapter 25 (relating to rules and procedural requirements for insurance holding company systems). Additional application procedures for acquisitions and mergers can be obtained from the Department's website by clicking on "Companies," "Company Licensing Applications and Forms," and then "Miscellaneous Documents."

Questions relating to acquisitions and mergers may be directed to Robert Brackbill, Chief, Company Licensing Division, (717) 783-2143, Ra-in-company@state.pa.us. Questions relating to registration statements, dividends

¹ Information on how to obtain a copy of the Insurance Holding Companies Law (Article XIV of The Insurance Company Law of 1921, added December 18, 1992, P. L. 1519, No. 178) or the accompanying regulation (31 Pa. Code, Chapter 25) can be obtained from the Department's Website. (Click on the "Companies" button at the left-hand side of the home page.)

and transactions may be directed to Kaushik Patel, Chief, Financial Analysis Division, (717) 787-5890, Ra-in-analysis@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-239. Filed for public inspection February 9, 2001, 9:00 a.m.]

Application for Approval to Acquire Control of Reliant Insurance Company

Coast National Insurance Company, BRW Acquisition, Inc. and Bristol West Associates LLC have filed an application to acquire control of Reliant Insurance Company, a Commonwealth domiciled stock casualty insurance company. The filing was made under the requirements set forth under the May 17, 1971 (P. L. 682, No. 284)(40 P. S. § 991.1402). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 7 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, by fax to (717) 787-8557 or by e-mail to rbrackbill@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-240. Filed for public inspection February 9, 2001, 9:00 a.m.]

Dolores Roach; Hearing

Appeal of Dolores Roach; Under The Motor Vehicle Financial Responsibility Law; Catastrophic Loss Benefits Continuation Fund; File No. F89-3846; Doc. No. CF01-01-018.

The proceedings in this matter will be governed by the Administrative Agency Law, 2 Pa.C.S. §§ 501–508, 701.704, the General Rules of Administrative Practice and Procedure, 1 Pa. Code § 31.1 et seq. and the Insurance Department's Special Rules of the Administrative Practice and Procedure, 31 Pa. Code Chapter 56.

On or before February 8, 2001, each party shall file with the Administrative Hearings Office via facsimile (717) 787-8781 and serve the other party via facsimile an entry of appearance designating the lead attorney or representative to receive service or orders, filings and communications in this matter, together with that person's address, telephone number and facsimile number. Each party shall similarly designate the lead attorney or representative who will participate in the prehearing telephone conference, if different than the person designated for service.

Motions preliminary to those at hearing, protests, petitions to intervene, or notice of intervention, if any, must be filed on or before February 15, 2001 with the Docket Clerk, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, Pennsylvania 17102.

Answers to petitions to intervene, if any, shall be filed on or before March 1, 2001.

A prehearing telephone conference initiated by this office is scheduled for March 15, 2001, at 1:30 p.m. Each party shall supply to the Docket Clerk on or before February 8, 2001, a telephone number to be used for the telephone conference.

A date for a hearing shall be determined, if necessary, at the prehearing telephone conference.

At the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

The Presiding Officer will consider a written request for continuance of the prehearing telephone conference, for good cause only. A party must contact the opposing party prior to requesting a continuance. All continuance requests must indicate whether the opposing party objects to a continuance.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid service or other accommodation to participate in the hearing, contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-241. Filed for public inspection February 9, 2001, 9:00 a.m.]

Highmark Blue Cross Blue Shield Filing; Requesting Approval to Increase Rates for COMPLETE-care Plan

By Filing No. 1-CCP-01-HBCBS, Highmark, Inc., d/b/a Highmark Blue Cross Blue Shield, requests approval to increase the premium rates for its COMPLETEcare Plan. The filing requests an average increase of about 14.4% of current premium, or \$22.20 per contract per month. Based on type of coverage and age of the insured, the rate increase could range from 0% to 30%. This will affect about 33,600 contractholders and produce additional premium income of about \$8.9 million. At the same time, Highmark is also requesting to utilize 5-year age banded rates instead of its current 10-year age band structure. The requested effective date of the change is May 1, 2001.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions, or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry

Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-242. Filed for public inspection February 9, 2001, 9:00 a.m.]

Progressive Northern Insurance Company; Private Passenger Automobile Rate Revision

On January 29, 2001, the Insurance Department (Department) received from Progressive Northern Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 4.7% increase amounting to \$9,822,000 annually, to be effective March 30, 2001, for new business and May 27, 2001, for renewal business.

Unless formal administrative action is taken prior to March 30, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh, and Erie.

All interested parties are invited to submit written comments, suggestions, or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (E-mail at mburkett@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-243. Filed for public inspection February 9, 2001, 9:00 a.m.]

Three Rivers Health Plans, Inc.; HCFA UB-92 Claim Form

On January 19, 2001, Three Rivers Health Plans, Inc. submitted a filing under section 1202 (c)(2) of the May 17, 1921 (P. L. 682, No. 284) (40 P. S. § 991.1202(c)(2)) requesting the ability to use a blank space on the UB-92 claim form to gather additional claim information. This filing would allow Three Rivers Health Plans, Inc. providers the ability to enter Type of Service Code data into box 49 of the UB-92 claim form. This request shall be deemed approved by the Department if not disapproved within 60 days after the receipt of the filing.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Yen Lucas, Office of

Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-244. Filed for public inspection February 9, 2001, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Dauphin County, Wine & Spirits Shoppe #2212, Jamesway Plaza, 1569 West Harrisburg Pike, Middletown, PA 17057-4852.

Lease Expiration Date: December 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,350 to 3,300 net useable square feet of new or existing retail commercial space along PA Route 230 within/between the Boroughs of Middletown and Highspire.

Proposals due: March 9, 2001 at 12 Noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Ronald Hancher, Jr., (717) 657-4228

Delaware County, Wine & Spirits Shoppe #2304, 8 East State Street, Media, PA 19063-2904.

Lease Expiration Date: August 31, 2004

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 to 5,000 net useable square feet of new or existing retail commercial space within a three (3) mile radius of Route 3 and Rock Ridge Road.

Proposals due: March 9, 2001 at 12 Noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: James M. Bradley, (215) 482-9672

Philadelphia County, Wine & Spirits Shoppe #5144, 1318 Walnut Street, Philadelphia, PA 19107-5410.

Lease Expiration Date: March 31, 2004

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 7,000 to 14,000 net useable square feet of new or existing retail commercial space on Chestnut or Walnut Streets, West of 11th Street and East of Broad Street in Philadelphia.

Proposals due: March 9, 2001 at 12 Noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: James M. Bradley, (215) 482-9672

Montgomery County, Wine & Spirits Shoppe #4635, 1029 N. Easton Road, Willow Grove, PA 19090-2030.

Lease Expiration Date: June 30, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,000 net useable square feet of new or existing retail commercial space on Easton Road between York Road and PA Turnpike in Upper Moreland Township.

Proposals due: March 9, 2001 at 12 Noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Robert Jolly, (215) 482-9672

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 01-245. Filed for public inspection February 9, 2001, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule for All Milk Marketing Areas

Calculation of Over-Price Premium

Under the provisions of the Milk Marketing Law (31 P. S. § 700j-101 et seq.) the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1, 2, 3, 4, 5, and 6 on March 7, 2001, at 10 a.m. in Room 202 of the Agriculture Building, 2301 North Cameron Street, Harrisburg, Pennsylvania.

The purpose of the hearing will be to receive testimony and exhibits concerning the methodology used in the calculation of the over-price premium.

The staff of the Board is deemed to be a party to this hearing, and the attorneys representing staff are deemed to have entered their appearances. Other persons that may be affected by the Board order establishing the methodology used to calculate the over-price premium may be included on the Board's list of parties by (1) having their attorney file with the Board by February 14, 2001, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25, which shall identify by name and address the party on whose behalf the appearance is made. Thereafter, documents and other written communications required to be served upon or furnished to that party shall be sent to the attorney of record or (2) if unrepresented by an attorney and wishing to appear on their own behalf under 1 Pa. Code § 31.21, filing with the Board by February 14, 2001, an address to which documents and other written communications required to be served upon them or furnished to them may be sent.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 copies of each document for the use of nonparties attending the hearing.

1. By 4 p.m. on February 21, 2001, each party shall file with the Board six copies and serve on all other parties one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on February 23, 2001, each party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, 35.165, 35.167 or 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on February 16, 2001.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons who require this information in an alternate format should call (717) 787-4194 or (800) 654-5984 (PA Relay Service for TDD Users).

LYNDA J. BOWMAN,
Secretary

[Pa.B. Doc. No. 01-246. Filed for public inspection February 9, 2001, 9:00 a.m.]

OFFICE OF GENERAL COUNSEL

Bond Counsel Invitation to Quality

The Commonwealth of Pennsylvania, acting by and through the Governor's Office of General Counsel ("OGC"), from time to time selects from pools of qualified legal service providers ("Law Firms") to provide bond-related counsel work on behalf of its various issuing agencies. Selections are generally made from one of four distinct pools of qualified bond counsel, which were established through a formal Invitation to Qualify ("ITQ") selection process last year. OGC expects to continue making its bond counsel appointments for future Commonwealth financing transactions to Law Firms qualified through the ITQ process.

At this time, OGC is inviting additional law firms to qualify for participation in each of the four established bond counsel pools.

OGC strongly encourages all interested Law Firms to participate at this time to ensure consideration of their qualifications to provide bond counsel services to the Commonwealth of Pennsylvania. Please note that law firms currently included in a bond counsel pool are not required to submit qualifications for that pool, but may

submit qualifications for inclusion in other pools for which they are not currently qualified.

Law Firms may seek to provide bond counsel services for one or more of the following Executive Agencies, or groups of Executive Agencies, under the Governor's jurisdiction:

- *Bond Pool 1*
Commonwealth of Pennsylvania, Office of the Budget, the Pennsylvania Infrastructure Investment Authority (PENNVEST) and/or the State System of Higher Education
- *Bond Pool 2*
Pennsylvania Housing Finance Agency
- *Bond Pool 3*
Pennsylvania Economic Development Financing Authority and the Pennsylvania Industrial Development Authority
- *Bond Pool 4*
Pennsylvania Higher Educational Facilities Authority and the State Public School Building Authority

For more information regarding this ITQ, Law Firms are encouraged to visit OGC's web site at ww.w.ogc.state.pa.us. To request a copy of the ITQ, Law Firms should contact M. Jane Demko by mail at the Governor's Office of General Counsel, 333 Market Street, 17th Floor, Harrisburg, PA 17101, by e-mail at jdemko@state.pa.us or by fax at (717) 787-1788.

Submissions to this ITQ are due by 2 p.m. on March 16, 2001. OGC will reject as non-responsive all submissions received after this date and time. E-mail or fax submissions will not be accepted. OGC is not responsible for any expenses that Law Firms may incur in preparing and submitting to this ITQ. All information submitted will become the property of OGC and may become public information. Please note that OGC reserves the right to change, suspend, discontinue or modify any aspect of this ITQ process at any time.

JAMES M. SHEEHAN,
General Counsel

[Pa.B. Doc. No. 01-247. Filed for public inspection February 9, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pennsylvania Public Utility Commission, Law Bureau Prosecutory Staff v. QUEST Telecommunications, Inc.; Doc. No. C-00004124; A-310181

Public Meeting
held January 24, 2001

Commissioners Present: John M. Quain, Chairperson; Robert K. Bloom, Vice Chairperson; Nora Mead Brownell; Aaron Wilson, Jr.; Terrance J. Fitzpatrick

Default Order

By the Commission:

On August 30, 2000, the Law Bureau Prosecutory Staff instituted a complaint against QUEST Telecommunications, Inc. (the Respondent), an IXC reseller certificated at A-310181. In the complaint, Prosecutory Staff alleged

that the Commission sent by certified mail a notice to the Respondent that its monthly Universal Service Fund assessments were overdue by 3 or more months. The complaint charged that the Respondent violated the Commission's order entered on February 4, 2000, at Docket No. L-00000148 (Rulemaking Re Establishing Universal Service Fund Regulations at Pa. Code §§ 63.141—63.1502) by not paying the monthly assessments.

The complaint sought an order from the Commission canceling the Respondent's certificate of public convenience for failure to pay its assessment and accrued late charges. The complaint was mailed by the Secretary's Bureau on August 31, 2000, and according to the postal return receipt, service was perfected on September 6, 2000. To date, more than 20 days later, no answer has been filed to the complaint and the assessments have still not been paid; *Therefore, It Is Ordered That:*

1. The allegations in the Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Order upon all jurisdictional telecommunication carriers, the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff, and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. QUEST Telecommunications, Inc. immediately cease providing service to any new customers and, within 10 days of the entry of this Order, provide a written notice to each existing customer directing each to select an alternative IXC service provider within 30 days of the date of the notice. Such notice must include a statement of the Commission's intent to cancel the company's certificate of public convenience absent public comment within the 20-day time period established pursuant to Ordering Paragraph No. 2, above.

4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by QUEST Telecommunications, Inc. at Docket No. A-310181 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

By the Commission

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-248. Filed for public inspection February 9, 2001, 9:00 a.m.]

Railroad With Hearing

A-00114338. Department of Transportation. Application of the Department of Transportation of the Commonwealth of Pennsylvania for approval to abolish the existing crossing where S.R. 0522 crosses at grade two tracks of East Broad Top Railroad and Coal Company (AAR 003 135*) in Cromwell Township, Huntingdon County; and the allocation of costs and expenses incident thereto.

An initial hearing on this matter will be held Tuesday, March 6, 2001, at 10 a.m. in hearing room 4, Plaza Level,

Commonwealth Keystone Building, 400 North Street, Harrisburg, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-249. Filed for public inspection February 9, 2001, 9:00 a.m.]

Railroad With Hearing

C-00004081 Heath Ressler, et al. v. Reading, Blue Mountain and Northern Railroad Company. Complainants express concern of the condition of a timber curbing wall along the tracks of the railroad along Lower Railroad Street in the Borough of Girardville. Also, what actions are necessary to address the safety issues, including the performance of any work required, the allocation of any costs incurred in connection therewith and the assignment of future maintenance.

An initial hearing will be held Thursday, March 22, 2001, at 10 a.m. in hearing room 2, Plaza Level, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-250. Filed for public inspection February 9, 2001, 9:00 a.m.]

Railroad With Hearing

C-00004371. Borough of Gilberton v. Reading, Blue Mountain and Northern Railroad Company. Complainant expresses concern of the condition of a timber curbing wall along the tracks of the railroad along Lower Railroad Street in the Borough of Gilberton. Also, what actions are necessary to address the safety issues, including the performance of any work required, the allocation of any costs incurred in connection therewith and the assignment of future maintenance responsibilities.

An initial hearing will be held Thursday, March 15, 2001, at 10 a.m. in hearing room 2, Plaza Level, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-251. Filed for public inspection February 9, 2001, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding

authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before March 5, 2001, as set forth at 52 Pa. Code § 3.381 (relating to the applications for the transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00117471. Imperial Coach Limousine, Inc. (3100 Liberty Avenue, Pittsburgh, Allegheny County, PA 15201), a corporation of the Commonwealth of Pennsylvania—transfer—persons in limousine service, (1) from points in Allegheny County, to points in the counties of Washington and Butler; and (2) between points in Butler County and from points in Butler County to points in Allegheny County; subject to the following conditions: (a) that no right, power or privilege is granted to transport persons attending funerals or to provide service for funeral homes; (b) that no right, power or privilege is granted to transport persons from Pittsburgh International Airport in Allegheny County to points in Washington County; (c) that no right, power or privilege is granted to transport persons from Butler County to Pittsburgh International Airport in Allegheny County, or vice versa; and (d) that no right, power or privilege is granted to provide service between points in the townships of Adams, Connoquenessing, Cranberry, Forward, Jackson, Lancaster, Butler, Penn and Middlesex, the city of Butler, and the boroughs of Seven Fields, Zelienople, Evans City, Harmony, Callery, Mars, Connoquenessing and Valencia, all in Butler County, or from points in said townships, cities and boroughs in Butler County to points in Allegheny County or vice versa; which is to be a transfer of the rights authorized under the certificate issued to Night Life Limousine, Inc., at A-00111664, subject to the same limitations and conditions. *Attorney:* Edward C. Morasczyk, 382 West Chestnut Street, Washington, PA 15301.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-252. Filed for public inspection February 9, 2001, 9:00 a.m.]

**Sewer Service
Without Hearing**

A-230456F2000. Spray Irrigation, Inc. Application of Spray Irrigation for approval of the transfer of the sewage disposal system of Spray Irrigation, Inc., to the Township of West Brandywine, and for the abandonment by Spray Irrigation of all sewer service to the public in the Commonwealth of Pennsylvania.

Notice is hereby given that this application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA

17105-3265, with a copy served on the applicant on or before February 26, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Spray Irrigation, Inc.

Through and By Counsel: Diane Tokarsky, McNeese Wallace and Nurick, P. O. Box 1166, 100 Pine Street, Harrisburg, PA 17108.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-253. Filed for public inspection February 9, 2001, 9:00 a.m.]

Telecommunications

A-310633F0002. Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Level 3 Communications, LLC. Joint Petition of Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Level 3 Communications, LLC, for approval of a replacement interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Level 3 Communications, LLC, by its counsel, filed on January 26, 2001, at the Public Utility Commission, a Joint Petition for approval of a replacement interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. All such comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and Level 3 Communications, LLC Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-254. Filed for public inspection February 9, 2001, 9:00 a.m.]

**PHILADELPHIA REGIONAL
PORT AUTHORITY**

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for **Project #0029.1a**, Facade Repairs at Piers 38-40 S. & 78 S. until 2 p.m. on Thursday, March 1, 2001. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Fl., Phila., PA 19134, (215) 426-2626 and will be available February 13, 2001. The cost of the bid document is \$35.00 (includes 7% PA Sales Tax). The cost is non-refundable. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held February 22, 2001, 10 a.m. at the front gate of Piers 38—40, Christian St. & Columbus Blvd.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 01-255. Filed for public inspection February 9, 2001, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for **Project #0029.1b**, Facade Repairs at Pier 84 S. until 3 p.m. on Thursday, March 1, 2001. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Flr., Phila., PA 19134, (215) 426-2626 and will be available February 13, 2001. The cost of the bid document is \$35.00 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held February 22, 2001, 11 a.m. at the front gate of Pier 84 S., Porter St. Columbus Blvd.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 01-256. Filed for public inspection February 9, 2001, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

February 28, 2001	Ann Thomas (Membership Eligibility)	1 p.m.
	Mary A. Hutchinson (Membership Eligibility)	2:30 p.m.
March 7, 2001	Phillip H. Oskowski (D) (Change of Option)	1 p.m.

Persons with a disability who wish to attend the above-listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Marilyn Fuller-Smith, Assistant Executive Director, at (717) 720-4700 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective

positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1, (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure), unless specific exemption is granted.

DALE H. EVERHART,
Secretary

[Pa.B. Doc. No. 01-257. Filed for public inspection February 9, 2001, 9:00 a.m.]

STATE ETHICS COMMISSION

Public Meeting

Harrisburg

The Public Official and Employee Ethics Law requires that the State Ethics Commission (Commission) hold at least two public hearings each year to seek input from persons and organizations who represent any individual subject to the provisions of the law and from other interested parties.

The Commission will conduct a public meeting in Room 307 Finance Building, Harrisburg, Pennsylvania on February 27, 2001, beginning at 9 a.m. for purposes of receiving said input and for the conduct of other agency business. Public officials, public employees, organizations and members of the general public may attend.

Persons seeking to testify or present any statement, information or other comments in relation to the Ethics Law, the regulations of the State Ethics Commission or agency operations should contact Claire J. Hershberger at (717) 783-1610 or (800) 932-0936. Written copies of any statement should be provided at the time of the meeting.

DANEEN E. REESE,
Chairperson

[Pa.B. Doc. No. 01-258. Filed for public inspection February 9, 2001, 9:00 a.m.]

TURNPIKE COMMISSION

Retention of an Engineering Firm

Modification and Expansion of the Harrisburg East Interchange Dauphin County, PA

Reference No. 3-136

The Turnpike Commission (Commission) will retain an engineering firm to prepare preliminary and final design plans for the modification and expansion of the Harrisburg East Interchange (#19) Toll Plaza (Milepost 247.4) to provide an expanded facility for access to and from S.R. 283, in Lower Swatara Township, Dauphin County, Pennsylvania.

The required engineering services will include field surveys, coordination with utility companies and services, soils investigations, and corresponding reports. Architectural services will include design of the toll plaza build-

ing, interior design, landscape design, toll booths, canopy and other related tasks necessary for the Project. Significant building program data will be provided from previous similar Projects. In addition, the necessary plans and contract documents will be required for interchange signing, lighting, maintenance and protection of traffic, construction staging, contour grading, drainage, and roadside development. E-ZPass operations will be maintained during the construction of the new facility. Additional right-of-way is not anticipated as part of this Project. If environmental services are needed for this Project, they will be provided by others.

The following factors will be considered by the Commission during the evaluation of the firms submitting Letters of Interest for this project:

a. Specialized experience and technical competence of prime consultant and subconsultants. The Team must clearly demonstrate an ability to analyze available data to make decisions and develop plans to complete the project in a timely and cost effective manner.

b. Past record of performance with respect to cost control, work quality ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project, and the client.

c. The specific experience and number of individuals who constitute the firm.

d. Location of consultant's office where the work will be performed.

e. Workload of the prime consultant and subconsultants for all Department of Transportation (Department) and Commission projects.

f. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the letter of interest.

Direct inquiries to Jeffrey C. Davis, P.E., (717) 939-9551, extension 5160 or by email to jdavis@paturndpike.com.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information. The Letters of Interest must include the following:

1. One page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If the firm has multiple offices, the location of the office performing the work must be identified)

2. A three page expression of interest on the advertised project. Each firm should demonstrate their ability to perform the specific requirements indicated for the project and provide explanation that the firm has successfully completed similar type projects of the same magnitude.

3. An organization chart for the Project, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultant's listed in the letter of interest will require written approval from the Commission.

4. Tabulation of workload for the prime consultant and all subconsultants for all Department and Commission projects.

5. An Annual Qualification Package similar to the one submitted to the Department for the current year that is in the same District as the project or one that is best suited for the project.

The Annual Qualification Package should contain at a minimum the following information for the prime consultant and all subconsultants and attached to the back of the letter of interest (subs to follow primes):

- Standard Form (SF) 254—Architect-Engineer and Related Services Questionnaire in its entirety, not more than 1 year old as of the date of the advertisement.

- Resumes of key personnel expected to be involved in the project. (limit to one 8 1/2 x 11 page, one side, per person). Only resumes of key personnel should be included.

- Copy of the firm's registration to do business in the Commonwealth as provided by the Department of State for firms with out-of-state headquarters or corporations not incorporated in this Commonwealth.

- A copy of the Department's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate letters of interest from joint venture constituents. A firm will not be permitted to submit a letter of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

The Commission is committed to the inclusion of disadvantaged, minority, and women firms in contracting opportunities. The minimum participation level for DBE/MBE/WBEs in these contracts will be 10% each. Responding firms will clearly identify DBE/MBE/WBE firms, expected to participate in these contracts, in their letter of interest. If the selected firm does not meet the minimum requirement for DBE/MBE/WBE participation, they will be required to demonstrate good faith efforts to achieve the required level. Proposed DBE/MBE/WBE firms must be certified by the Department of Transportation at the time of the submission of the letter of interest. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Office of Equal Opportunity Development, Turnpike Commission, (717) 939-9551 ext. 4241.

Firms interested in performing the above services are invited to submit a letter of interest and required information to Barry L. Troup, P.E., Assistant Chief Engineer for Design, Turnpike Commission Administration Building, 176 Kost Road, Carlisle, PA 17013-0779. (FedEx address: 176 Kost Road, Carlisle, PA 17013-0779) (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676).

The letter of interest and required information must be received by 12 p.m., Friday, March 2, 2001. Any letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable letters of interest received in response to these solicitations, one firm will be selected for each project. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the

Technical Review Committee and approved by the Commission. Technical Proposals will not be requested prior to selection.

The Commission reserves the right to reject all letters of interest, to cancel solicitation requested under this notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Chairperson

[Pa.B. Doc. No. 01-259. Filed for public inspection February 9, 2001, 9:00 a.m.]
